

CITATION REPORT

List of articles citing

On dinoflagellate evolution

DOI: 10.1016/0303-2647(80)90006-4
BioSystems, 1980, 13, 65-108.

Source: <https://exaly.com/paper-pdf/14591717/citation-report.pdf>

Version: 2024-04-27

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
295	Presence of intranuclear micro cables in a primitive dinoflagellate protist: morphological description and discussion of their possible evolutionary significance. <i>BioSystems</i> , 1981 , 14, 299-304	1.9	15
294	Protist kinetids: structural conservatism, kinetid structure, and ancestral states. <i>BioSystems</i> , 1981 , 14, 377-85	1.9	45
293	Comparative aspects of basic chromatin proteins in dinoflagellates. <i>BioSystems</i> , 1981 , 14, 433-43	1.9	62
292	What are the taxonomic and evolutionary relationships of the Protozoa to the Protista?. <i>BioSystems</i> , 1981 , 14, 445-9	1.9	17
291	Eukaryote kingdoms: seven or nine?. <i>BioSystems</i> , 1981 , 14, 461-81	1.9	309
290	Beobachtungen zum Bau der Theka von <i>Ceratium cornutum</i> (Ehrenb.) Clap, et Lachm. (Dinophyta). 1982 , 125, 181-207		10
289	Catalogue des esp̄es et taxons infrasp̄cifiques de Dinoflagell̄s marins actuels publīs depuis la r̄vision de J. SCHILLER IV. (Compl̄ment). 1982 , 126, 151-168		3
288	The utilization of inorganic and organic phosphorous compounds as nutrients by eukaryotic microalgae: a multidisciplinary perspective: part 1. 1984 , 10, 317-91		300
287	Ciguatera fish poisoning. 1982 , 33, 97-111		67
286	<i>Thoracosphaera heimii</i> (Lohmann) Kamptner is a dinophyte: Observations on its morphology and life cycle. <i>Marine Micropaleontology</i> , 1982 , 7, 193-212	1.7	100
285	A UNIQUE MITOTIC VARIATION IN THE MARINE DINOFLAGELLATE OXYRRHIS MARINA (PYRROPHYTA)1. <i>Journal of Phycology</i> , 1982 , 18, 399-411	3	48
284	Histone-like protein and chromatin structure in the wall-less dinoflagellate <i>Gymnodinium nelsoni</i> . <i>BioSystems</i> , 1982 , 15, 27-34	1.9	30
283	Distribution of Members of the <i>Cryptocodinium cohnii</i> (Dinophyceae) Species Complex1. 1982 , 29, 8-15		31
282	Isolation and properties of isolated nuclei from the Florida red tide dinoflagellate <i>Gymnodinium breve</i> (Davis). 1982 , 29, 217-22		31
281	The origins of plastids. 1982 , 17, 289-306		173
280	An Ultrastructural Study of Mitosis in a Marine Dinoflagellate: <i>Prorocentrum minimum</i> 1. 1983 , 30, 437-444		15
279	Dinoflagellates: Investigation and phylogenetic speculation. 1983 , 18, 335-356		38

278	Marine food-borne dinoflagellate toxins. 1983 , 82, 99-150		100
277	Umbodinium crustov gen. et sp. nov., a peridinioid dinoflagellate with two intercalaries from the Albian of Kansas. <i>Palynology</i> , 1983 , 7, 171-182	1.5	5
276	Dinoflagellate Taxonomy. 1984 , 17-42		22
275	Dinoflagellate Cell Cortex. 1984 , 43-105		30
274	Morphological analysis of Mesozoic-Cenozoic Cribroperidinium (Dinophyceae), and taxonomic implications.. <i>Palynology</i> , 1984 , 8, 107-137	1.5	39
273	Morphology of species of Litosphaeridium (Cretaceous, Dinophyceae). <i>Palynology</i> , 1984 , 8, 165-193	1.5	16
272	The kingdom Protista and its 45 phyla. <i>BioSystems</i> , 1984 , 17, 87-126	1.9	169
271	THE MAJOR HISTONE-LIKE PROTEIN FROM THE NONPHOTOSYNTHETIC DINOFLAGELLATE CRYPTHECODINIUM COHNII (PYRROPHYTA) IS PRESENT IN STATIONARY PHASE CULTURES ¹ . <i>Journal of Phycology</i> , 1984 , 20, 95-100	3	9
270	Ultrastructural and biochemical nuclear aspects of Eukaryote classification: Independent evolution of the dinoflagellates as a sister group of the actual Eukaryotes?. 1984 , 13, 205-215		29
269	Extracellular digestion in marine dinoflagellates. 1984 , 6, 1057-1061		82
268	The utilization of inorganic and organic phosphorus compounds as nutrients by eukaryotic microalgae: a multidisciplinary perspective. Part 2. 1984 , 11, 13-81		136
267	Dinoflagellates: Structure of the amphiesma and re-analysis of thecal plate patterns. 1985 , 123, 177-179		6
266	Molecular organization of dinoflagellate ribosomal DNA: evolutionary implications of the deduced 5.8 S rRNA secondary structure. <i>BioSystems</i> , 1985 , 18, 307-19	1.9	43
265	The Importance of Flagellar Arrangement and Insertion in the Interpretation of the Theca of Prorocentrum (Dinophyceae). 1985 , 28,		18
264	Gonyaulax cysts from Lake Zürich sediments. <i>Review of Palaeobotany and Palynology</i> , 1985 , 45, 35-46	1.7	16
263	On plastid symbiosis in Tontonia appendiculariformis (Ciliophora, Oligotrichina). <i>BioSystems</i> , 1986 , 19, 137-58	1.9	52
262	THE FLAGELLAR APPARATUS OF GYMNODINIUM SP. (DINOPHYCEAE) ¹ . <i>Journal of Phycology</i> , 1986 , 22, 456-466	3	25
261	The rhabdosome: a new type of organelle in the dinoflagellate Dinophysis. 1986 , 134, 62-64		12

260	Structure of the flagellar apparatus in <i>Heterocapsa pygmaea</i> (Pyrrophyta). <i>Phycologia</i> , 1986 , 25, 558-571.	1.7	26
259	Some variations in the paratabulation of gonyaulacoid dinoflagellates. <i>Palynology</i> , 1986 , 10, 73-110	1.5	20
258	<i>Wigginsella</i> n. gen., spongodinium, and <i>Apteodinium</i> as members of the aptianaventricosum complex (fossil dinophyceae). <i>Palynology</i> , 1987 , 11, 155-184	1.5	18
257	<i>Limbodinium</i> , a new dinoflagellate genus from the Jurassic of Western Europe. <i>Palynology</i> , 1987 , 11, 55-65	1.5	2
256	<i>Prorocentrum playfairi</i> and <i>prorocentrum foveolata</i> , two new dinoflagellates from Australian freshwaters. 1987 , 22, 67-75		31
255	Protistan phylogeny and eukaryogenesis. 1987 , 100, 319-70		22
254	<i>Thecadiniopsis tasmanica</i> gen. et sp. nov. (Dinophyta: Thecadiniaceae) from Tasmanian freshwaters. 1987 , 22, 325-333		24
253	Dinoflagellate cyst stratigraphy of the Nettleton Bottom Borehole (Jurassic: Hettangian to Kimmeridgian), Lincolnshire, England. 1987 , 46, 231-266		74
252	References. 1987 , 18, 265-303		
251	Late Cretaceous to early tertiary Dinoflagellate cysts from Narasapur Well-1, Godavari-Krishna basin, South India. 1987 , 20, 149-191		7
250	SYMBIODINIUM MICROADRIATICUM FREUDENTHAL, S. GOREAUII SP. NOV., S. KAWAGUTII SP. NOV. AND S. PILOSUM SP. NOV.: GYMNODINIOID DINOFLAGELLATE SYMBIONTS OF MARINE INVERTEBRATES 1. <i>Journal of Phycology</i> , 1987 , 23, 469-481	3	180
249	The cytoskeletal microtubular system of some naked dinoflagellates. 1988 , 9, 361-374		22
248	Dinoflagellates, their cysts and Quaternary stratigraphy. 1988 , 108, 111-120		48
247	The quest for the ancestor of the Ciliophora: a brief review of the continuing problem. <i>BioSystems</i> , 1988 , 21, 323-31	1.9	9
246	The thraustochytrids: a protist group with mixed affinities. <i>BioSystems</i> , 1988 , 21, 341-9	1.9	34
245	Phagotrophy and the origins of the euglenoid flagellates. 1988 , 7, 303-340		34
244	<i>Carpateella cornuta</i> Grigorovich 1969 (Dinophyceae) is a member of the Aptiana-Ventricosum complex. <i>Palynology</i> , 1988 , 12, 167-177	1.5	10
243	Cyst-theca relationships in the diplopsalid group (Peridinales, Dinophyceae). <i>Review of Palaeobotany and Palynology</i> , 1988 , 56, 95-122	1.7	56

242	Evidence for common epitopes among proteins of the membrane skeleton of a ciliate, an euglenoid and a dinoflagellate. 1988 , 23, 101-10		12
241	The marine dinoflagellate genus <i>Dinophysis</i> (Dinophyceae): photosynthetic, neritic and non-photosynthetic, oceanic species. <i>Phycologia</i> , 1988 , 27, 25-42	2.7	102
240	Three estuarine Australian dinoflagellates that can produce paralytic shellfish toxins. 1988 , 10, 533-541		133
239	Observations taxinomiques et ultrastructurales sur des exemplaires de <i>Prorocentrum</i> (Dinophyceae) récoltés dans les eaux côtières de la Corse du Sud-Est. 1988 , 31,		
238	Cladistic Analysis of Electrophoretic Variants within the Toxic Dinoflagellate Genus <i>Protogonyaulax</i> . 1988 , 31,		14
237	<i>Scrippsiella precaria</i> sp. nov. (Dinophyceae), a marine dinoflagellate from the Gulf of Naples. <i>Phycologia</i> , 1988 , 27, 387-394	2.7	47
236	Nuisance phytoplankton blooms in coastal, estuarine, and inland waters1. 1988 , 33, 823-843		24
235	Encystment and excystment of <i>Gonyaulax polyedra</i> during a red tide. 1989 , 28, 35-41		32
234	Interrelationships among major protistan groups based on a parsimony network of 5S rRNA sequences. <i>BioSystems</i> , 1990 , 24, 135-44	1.9	12
233	Sheathed nuclear division in primary spermatocytes of <i>Orgyia antiqua</i> (Lepidoptera, Insecta). <i>BioSystems</i> , 1990 , 24, 5-15	1.9	11
232	Peridinialean dinoflagellate plate patterns, labels and homologies. <i>Review of Palaeobotany and Palynology</i> , 1990 , 65, 293-303	1.7	5
231	Ultrastructure of the toxic, chain-forming dinoflagellate <i>Gymnodinium catenatum</i> (Dinophyceae). <i>Phycologia</i> , 1991 , 30, 90-105	2.7	20
230	Officers. <i>Phycologia</i> , 1991 , 30, i-i	2.7	
229	The flagellar apparatus and cytoskeleton of the dinoflagellates. 1991 , 164, 105-122		44
228	The Enigma of the Dinoflagellate Chromosome. 1991 , 38, 246-252		68
227	A molecular phylogeny of dinoflagellate protists (pyrrhophyta) inferred from the sequence of 24S rRNA divergent domains D1 and D8. 1991 , 32, 53-63		86
226	Ribosomal RNA sequences and the diversity of symbiotic dinoflagellates (zooxanthellae). 1992 , 89, 3639-43		174
225	Molecular phylogeny of protists: origin and evolution of the Dinoflagellates. 1992 , 126, 713-725		

224	A Morphometrical Analysis of Ultrastructural Changes during the Cell Cycle of <i>Prorocentrum triestinum</i> Using Stereology. 1992 , 35,		4
223	THE CORTICAL MICROTUBULAR CYTOSKELETON OF <i>OXYRRHIS MARINA</i> (DINOPHYCEAE) OBSERVED WITH IMMUNOFLOUORESCENCE AND ELECTRON MICROSCOPY ¹ . <i>Journal of Phycology</i> , 1993 , 29, 642-649	3	5
222	PROROCENTRUM BELIZEANUM, PROROCENTRUM ELEGANS, AND PROROCENTRUM CARIBBAEUM, THREE NEW BENTHIC SPECIES (DINOPHYCEAE) FROM A MANGROVE ISLAND, TWIN CAYS, BELIZE ¹ . <i>Journal of Phycology</i> , 1993 , 29, 100-107	3	44
221	The cyst-motile stage relationships of the dinoflagellates <i>Diplopelta symmetrica</i> and <i>Diplopsalopsis latipeltata</i> . <i>European Journal of Phycology</i> , 1993 , 28, 129-137	2.2	24
220	Cytochemical and autoradiographic study of the nucleus of a symbiotic dinoflagellate. 1993 , 46, 261-274		3
219	A forum on Neogene and quaternary dinoflagellate cysts: The edited transcript of a round table discussion held at the third workshop on Neogene and Quaternary dinoflagellates; with taxonomic appendix. <i>Palynology</i> , 1993 , 17, 201-239	1.5	36
218	Dinoflagellates, Sporomorphs, and Other Palynomorphs from the Upper Pliocene St. Erth Beds of Cornwall, Southwestern England. <i>Journal of Paleontology</i> , 1993 , 67, 1-62	1.1	31
217	New dinocyst taxa from the Eocene of the North Sea. <i>Journal of Micropalaeontology</i> , 1994 , 13, 119-131	2	10
216	On the taxonomy of the family Podolampadaceae Lindemann (Dinophyceae) with descriptions of three new genera. <i>Review of Palaeobotany and Palynology</i> , 1994 , 84, 73-99	1.7	15
215	Morphology and Paleoenvironmental Significance of the Cenozoic Dinoflagellate Genera <i>Tectatodinium</i> and <i>Habibacysta</i> . 1994 , 40, 289		70
214	Revised dinoflagellate phylogeny inferred from molecular analysis of large-subunit ribosomal RNA gene sequences. 1995 , 41, 637-45		71
213	New genera and species of dinoflagellate cysts from the Mediterranean Neogene. <i>Review of Palaeobotany and Palynology</i> , 1995 , 85, 213-229	1.7	29
212	The flagellar apparatus and canal structure in <i>Prorocentrum micans</i> (Dinophyceae). <i>Phycologia</i> , 1995 , 34, 313-322	2.7	24
211	A Revision of the Paleogene Dinoflagellate Genera <i>Areosphaeridium</i> Eaton 1971 and <i>Eatonicysta</i> Stover and Evitt 1978. 1995 , 41, 97		23
210	Fine structural observations on <i>Gonyaulax spinifera</i> (Dinophyceae), with special emphasis on the flagellar apparatus. <i>Phycologia</i> , 1996 , 35, 354-366	2.7	31
209	Dinoflagellates. 1996 , 387-584		75
208	Late Cenozoic dinoflagellates from the Royal Society borehole at Ludham, Norfolk, eastern England. <i>Journal of Paleontology</i> , 1996 , 70, 543-570	1.1	60
207	Thermophilic dinoflagellate assemblages from the mid Pliocene of eastern England. <i>Journal of Paleontology</i> , 1997 , 71, 165-193	1.1	63

206	Morphological variations among species of the fossil dinoflagellate genus <i>Gonyaulacysta</i> . <i>Palynology</i> , 1997 , 21, 173-196	1.5	10
205	Small-subunit ribosomal RNA sequences from selected dinoflagellates: testing classical evolutionary hypotheses with molecular systematic methods. 1997 , 237-259		96
204	Dinoflagellates. 1997 , 387-584		128
203	Two new early cretaceous dinoflagellate cyst species from the Monte Soro Flysch (Sicily, Italy). <i>Review of Palaeobotany and Palynology</i> , 1997 , 96, 339-345	1.7	2
202	Clypeolus, A new acritarch genus from the Ordovician and Silurian. <i>Review of Palaeobotany and Palynology</i> , 1997 , 98, 95-103	1.7	3
201	A minute new cladopyxiinean dinocyst from Barremian (Cretaceous) sediments and its bearing on the acritarch vs. dinoflagellate cyst question. <i>Review of Palaeobotany and Palynology</i> , 1998 , 100, 89-98	1.7	
200	Large-subunit ribosomal RNA systematics of symbiotic dinoflagellates: morphology does not recapitulate phylogeny. 1998 , 10, 436-48		65
199	THE PHYCOBILIN SIGNATURES OF CHLOROPLASTS FROM THREE DINOFLAGELLATE SPECIES: A MICROANALYTICAL STUDY OF DINOPHYSIS CAUDATA, D. FORTII, AND D. ACUMINATA (DINOPHYSALES, DINOPHYCEAE). <i>Journal of Phycology</i> , 1998 , 34, 945-951	3	34
198	A late Coniacian ceratioid dinoflagellate cyst, <i>Odontochitina octopus</i> sp.nov., from the Kanguk Formation, Canadian Arctic. 1998 , 35, 923-930		4
197	<i>Odontochitina tabulata&/i> sp. nov. A Late Santonian</i>Early Campanian dinoflagellate cyst from SE Sirte Basin, Libya. <i>Journal of Micropalaeontology</i> , 1998 , 17, 173-178	2	6
196	New goniodomacean dinoflagellates with a compound hypotractal archeopyle from the late Cenozoic: <i>Capisocysta Warny</i> and <i>Wrenn</i> , emend.. <i>Journal of Paleontology</i> , 1998 , 72, 797-809	1.1	16
195	Palynology and paleoenvironments of a Pliocene carbonate platform: the Clino core, Bahamas. <i>Journal of Paleontology</i> , 1999 , 73, 1-25	1.1	55
194	The extant thermophilic dinoflagellate <i>Tectatodinium pellitum</i> (al. <i>Tectatodinium rugulatum</i>) from the Danian of Denmark. <i>Journal of Paleontology</i> , 1999 , 73, 577-579	1.1	7
193	Ultrastructure as a Control for Protistan Molecular Phylogeny. 1999 , 154, S125-S136		44
192	<i>Bitectatodinium spongium</i> (Zonneveld, 1997) Zonneveld et Jurkschat, comb. nov. from modern sediments and sediment trap samples of the Arabian Sea (northwestern Indian Ocean): taxonomy and ecological affinity. <i>Review of Palaeobotany and Palynology</i> , 1999 , 106, 153-169	1.7	30
191	New species of organic-walled dinoflagellates and acritarchs from the Upper Miocene Diest Formation, northern Belgium (southern North Sea Basin). <i>Review of Palaeobotany and Palynology</i> , 1999 , 107, 109-123	1.7	17
190	Charles Atwood Kofoid and his dinoflagellate tabulation system: an appraisal and evaluation of the phylogenetic value of tabulation. <i>Protist</i> , 1999 , 150, 213-20	2.5	7
189	Dinoflagellate phylogeny revisited: reconciling morphological and molecular based phylogenies. 1999 , 38, 66-80		112

188	Geonettia waltonensis, a new goniodomacean dinoflagellate from the Pliocene of the North Atlantic region, and its evolutionary implications. <i>Journal of Paleontology</i> , 2000 , 74, 812-827	1.1	3
187	A new marine sand-dwelling Prorocentrum species, <i>P. clipeus</i> sp. nov. (Dinophyceae, Prorocentrales) from Helgoland, German Bight, North Sea. 2000 , 36, 29-33		16
186	The dinoflagellate genus Prorocentrum along the coasts of the Mexican Pacific. 2000 , 418, 111-121		33
185	Phylogeny of some of the major genera of dinoflagellates based on ultrastructure and partial LSU rDNA sequence data, including the erection of three new genera of unarmoured dinoflagellates. <i>Phycologia</i> , 2000 , 39, 302-317	2.7	538
184	<i>Ynezidinium</i>; a new genus within the Gonyaulacaceae (fossil Dinophyceae). <i>Journal of Micropalaeontology</i> , 2000 , 19, 113-121	2	5
183	Geonettia waltonensis, a new goniodomacean dinoflagellate from the Pliocene of the North Atlantic region, and its evolutionary implications. <i>Journal of Paleontology</i> , 2000 , 74, 812-827	1.1	5
182	Dinoflagellate nuclear SSU rRNA phylogeny suggests multiple plastid losses and replacements. 2001 , 53, 204-13		275
181	New species of dinoflagellate cysts from the Berchem Formation, Miocene, northern Belgium (southern North Sea Basin). 2001 , 34, 121-130		6
180	Two new Early Cretaceous dinocyst species from the Central North Sea Basin. <i>Journal of Micropalaeontology</i> , 2002 , 21, 75-80	2	5
179	Continued evolutionary surprises among dinoflagellates. 2002 , 99, 11558-60		44
178	Prorocentrum nux sp. nov. (Dinophyceae), a small planktonic dinoflagellate from the Mediterranean Sea, and discussion of <i>P. nanum</i> and <i>P. pusillum</i> . <i>Phycologia</i> , 2002 , 41, 29-38	2.7	11
177	Molecular evidence for plastid robbery (Kleptoplastidy) in Dinophysis, a dinoflagellate causing diarrhetic shellfish poisoning. <i>Protist</i> , 2002 , 153, 293-302	2.5	86
176	A SURVEY OF THE STEROL COMPOSITION OF THE MARINE DINOFLAGELLATES KARENIA BREVIS, KARENIA MIKIMOTOI, AND KARLODINIUM MICRUM: DISTRIBUTION OF STEROLS WITHIN OTHER MEMBERS OF THE CLASS DINOPHYCEAE ¹ . <i>Journal of Phycology</i> , 2002 , 38, 670-682	3	75
175	GENETIC VARIABILITY AND MOLECULAR PHYLOGENY OF DINOPHYSIS SPECIES (DINOPHYCEAE) FROM NORWEGIAN WATERS INFERRED FROM SINGLE CELL ANALYSES OF rDNA ¹ . <i>Journal of Phycology</i> , 2003 , 39, 395-408	3	112
174	LESSARDIA ELONGATA GEN. ET SP. NOV. (DINOFLAGELLATA, PERIDINIALES, PODOLAMPACEAE) AND THE TAXONOMIC POSITION OF THE GENUS ROSCOFFIA ¹ . <i>Journal of Phycology</i> , 2003 , 39, 368-378	3	23
173	DINOFLAGELLATES. 2003 , 685-714		15
172	New species of dinoflagellate cysts and other palynomorphs from the latest Miocene and Pliocene of DSDP Hole 603C, western north Atlantic. <i>Journal of Paleontology</i> , 2003 , 77, 1-15	1.1	24
171	Morphology and phylogenetic affinities of Thecadinium foveolatum sp. nov. (Dinophyceae: Thecadiniaceae), a new marine benthic dinoflagellate from the West of Scotland. <i>European Journal of Phycology</i> , 2004 , 39, 351-362	2.2	13

170	NEW DINOFLAGELLATE CYST AND INCERTAE SEDIS TAXA FROM THE PLIOCENE OF NORTHERN BELGIUM, SOUTHERN NORTH SEA BASIN. <i>Journal of Paleontology</i> , 2004 , 78, 625-644	1.1	35
169	Illumination or confusion? Dinoflagellate molecular phylogenetic data viewed from a primarily morphological standpoint. <i>Phycological Research</i> , 2004 , 52, 308-324	1.3	51
168	AMPHIDINIUM REVISITED. I. REDEFINITION OF AMPHIDINIUM (DINOPHYCEAE) BASED ON CLADISTIC AND MOLECULAR PHYLOGENETIC ANALYSES1. <i>Journal of Phycology</i> , 2004 , 40, 351-365	3	81
167	A reappraisal of the dinoflagellate cyst genus <i>Montanarocysta</i> . <i>Review of Palaeobotany and Palynology</i> , 2004 , 129, 175-185	1.7	1
166	THE FLAGELLAR APPARATUS OF OXYRRHIS MARINA (PYRROPHYTA)1. <i>Journal of Phycology</i> , 2004 , 21, 641-655	3	32
165	Molecular data and the evolutionary history of dinoflagellates. 2004 , 40, 85-111		185
164	Protalveolate phylogeny and systematics and the origins of Sporozoa and dinoflagellates (phylum Myzozoa nom. nov.). 2004 , 40, 185-212		99
163	Die Anwendung organischwandiger Dinoflagellatenzysten zur Rekonstruktion von Palämwelt, Palöklima und Palözeanographie: Möglichkeiten und Grenzen. 2004 , 78, 5-39		11
162	Genetic variability in Gymnodiniaceae ITS regions: implications for species identification and phylogenetic analysis. 2004 , 144, 215-224		27
161	Two new species of the dinoflagellate cyst genus &iCarpatella&/i Grigorovich, 1969 from the CretaceousTertiary transition in New Zealand. <i>Journal of Micropalaeontology</i> , 2004 , 23, 119-125 ²		22
160	Modern organic-walled dinoflagellate cysts in arctic marine environments and their (paleo-) environmental significance. 2005 , 79, 3-51		86
159	Architecture and evolution of dinoflagellate chromosomes: an enigmatic origin. 2005 , 109, 268-75		27
158	Dinoflagellates. 2006 ,		0
157	Some new species of <i>Corrudinium</i> Stover & Evitt 1978 (Dinophyceae) from the Eocene of New Zealand. 2006 , 49, 399-408		3
156	<i>Palynodinium minus</i> sp. nov., a new dinoflagellate cyst from the CretaceousPaleogene transition in New Zealand; its significance and palaeoecology. <i>Cretaceous Research</i> , 2006 , 27, 954-963	1.8	24
155	THE CYST OF THE CALCAREOUS DINOFLAGELLATE SCRIPPSIELLA TRIFIDA: RESOLVING THE FOSSIL RECORD OF ITS ORGANIC WALL WITH THAT OF ALEXANDRIUM TAMARENSE. <i>Journal of Paleontology</i> , 2006 , 80, 1-18	1.1	43
154	New insights on the Paleogene dinoflagellate cyst genera <i>Enneadocysta</i> and <i>Licracysta</i> gen. nov. based on material from offshore eastern Canada and southern Argentina. 2006 , 52, 385-410		12
153	A new species of <i>Pentadinium</i> from Eastern Anatolia, Turkey, <i>Pentadinium galileoi</i> . 2006 , 52, 537-543		3

152	. <i>Phycologia</i> , 2007 , 46, 549-564	2.7	25
151	Last Interglacial (Eemian) hydrographic conditions in the southwestern Baltic Sea based on dinoflagellate cysts from Ristinge Klint, Denmark. 2007 , 144, 987-1013		32
150	Occurrence of dinoflagellate cyst genera <i>Wanaea</i> and <i>Komewuia</i> in Upper Jurassic strata, coastal Tanzania. 2007 , 11, 41-58		6
149	PARASITIC SPECIES OF THE GENUS <i>BLASTODINIUM</i> (BLASTODINIPHYCEAE) ARE PERIDINIOID DINOFLAGELLATES1. <i>Journal of Phycology</i> , 2007 , 43, 553-560	3	24
148	Plastid isoprenoid metabolism in the oyster parasite <i>Perkinsus marinus</i> connects dinoflagellates and malaria pathogens--new impetus for studying alveolates. 2007 , 65, 725-9		22
147	Preliminary identification of three new isolates in genus <i>Alexandrium</i> (Dinophyceae) from China sea area. 2007 , 6, 33-39		1
146	MORPHOLOGY AND MOLECULAR PHYLOGENY OF A NEW MARINE SAND-DWELLING PROROCENTRUM SPECIES, <i>P. TSAWWASSENENSE</i> (DINOPHYCEAE, PROROCENTRALES), FROM BRITISH COLUMBIA, CANADA(1). <i>Journal of Phycology</i> , 2008 , 44, 451-66	3	28
145	Implications of complete nuclear large subunit ribosomal RNA molecules from the harmful unarmored dinoflagellate <i>Cochlodinium polykrikoides</i> (Dinophyceae) and relatives. 2008 , 36, 573-583		13
144	New dinoflagellate cyst species from Cretaceous/Palaeogene boundary deposits at Ouled Haddou, south-eastern Rif, Morocco. <i>Cretaceous Research</i> , 2008 , 29, 329-344	1.8	22
143	New dinoflagellate cyst and acritarch taxa from the Pliocene and Pleistocene of the Eastern North Atlantic (DSDP Site 610). <i>Journal of Systematic Palaeontology</i> , 2008 , 6, 101-117	2.3	22
142	A dynamic climate and ecosystem state during the Paleocene-Eocene Thermal Maximum: inferences from dinoflagellate cyst assemblages on the New Jersey Shelf. 2009 , 6, 1755-1781		111
141	MORPHOLOGY AND DISTRIBUTION OF THE MIOCENE DINOFLAGELLATE CYST OPERCULODINIUM? BORGERHOLTENSE LOUWYE 2001, EMEND.. <i>Palyonology</i> , 2009 , 33, 73-84	1.5	0
140	Are proro-centroid dinoflagellates monophyletic? A study of 25 species based on nuclear and mitochondrial genes. <i>Protist</i> , 2009 , 160, 245-64	2.5	45
139	Molecular phylogeny of ocelloid-bearing dinoflagellates (Warnowiaceae) as inferred from SSU and LSU rDNA sequences. 2009 , 9, 116		49
138	The predictability of evolution: glimpses into a post-Darwinian world. 2009 , 96, 1313-37		22
137	Molecular phylogeny of the ocelloid-bearing dinoflagellates <i>erythrospidium</i> and <i>warnowia</i> (warnowiaceae, dinophyceae). <i>Journal of Eukaryotic Microbiology</i> , 2009 , 56, 440-5	3.6	25
136	PHYLOGENY OF FOUR DINOPHYSIACEAN GENERA (DINOPHYCEAE, DINOPHYSIALES) BASED ON rDNA SEQUENCES FROM SINGLE CELLS AND ENVIRONMENTAL SAMPLES(1). <i>Journal of Phycology</i> , 2009 , 45, 1163-74	3	30
135	MOLECULAR PHYLOGENY OF SELECTED SPECIES OF THE ORDER DINOPHYSIALES (DINOPHYCEAE)-TESTING THE HYPOTHESIS OF A DINOPHYSIOD RADIATION(1). <i>Journal of Phycology</i> , 2009 , 45, 1136-52	3	37

134 KINGDOM PROTOCTISTA. **2009**, 117-230

133 MORPHOLOGY AND MOLECULAR PHYLOGENY OF PROROCENTRUM CONSUTUM SP. NOV. (DINOPHYCEAE), A NEW BENTHIC DINOFLAGELLATE FROM SOUTH BRITTANY (NORTHWESTERN FRANCE)¹. *Journal of Phycology*, **2010**, 46, 183-194 3 26

132 New organic-walled dinoflagellate cysts from the Cenomanian to Maastrichtian of the Trunch borehole, UK. *Journal of Micropalaeontology*, **2010**, 29, 51-72 2 15

131 The intricacies of dinoflagellate pellicle cysts: The example of *Alexandrium minutum* cysts from a bloom-recurrent area (Bay of Baiona, NW Spain). **2010**, 57, 166-174 64

130 From homothally to heterothally: Mating preferences and genetic variation within clones of the dinoflagellate *Gymnodinium catenatum*. **2010**, 57, 190-198 26

129 Feeding behavior, spatial distribution and phylogenetic affinities of the heterotrophic dinoflagellate *Oxyphysis oxytoxoides*. **2011**, 62, 279-287 5

128 Morphological and genetic characterization of benthic dinoflagellates of the genera *Coolia*, *Ostreopsis* and *Prorocentrum* from the south-eastern Bay of Biscay. *European Journal of Phycology*, **2011**, 46, 45-65 2.2 80

127 Catch me if you can: the taxonomic identity of *Scrippsiella trochoidea* (F.Stein) A.R.Loeb. (Thoracosphaeraceae, Dinophyceae). *Systematics and Biodiversity*, **2011**, 9, 145-157 1.7 45

126 *Gambierdiscus excentricus* sp. nov. (Dinophyceae), a benthic toxic dinoflagellate from the Canary Islands (NE Atlantic Ocean). *Harmful Algae*, **2011**, 11, 10-22 5.3 134

125 Microalgal classes and their signature pigments. 3-77 71

124 SPECIES BOUNDARIES IN THE TOXIC DINOFLAGELLATE PROROCENTRUM LIMA (DINOPHYCEAE, PROROCENTRALES), BASED ON MORPHOLOGICAL AND PHYLOGENETIC CHARACTERS⁽¹⁾. *Journal of Phycology*, **2011**, 47, 178-89 3 43

123 Who is *Oxyrrhis marina*? Morphological and phylogenetic studies on an unusual dinoflagellate. **2011**, 33, 555-567 37

122 *Prorocentrum glenanicum* sp. nov. and *Prorocentrum pseudopanamense* sp. nov. (Prorocentrales, Dinophyceae), two new benthic dinoflagellate species from South Brittany (northwestern France). *Phycologia*, **2011**, 50, 202-214 2.7 12

121 The revised classification of eukaryotes. *Journal of Eukaryotic Microbiology*, **2012**, 59, 429-93 3.6 1118

120 Who am I and if so, how many? Species diversity of calcareous dinophytes (Thoracosphaeraceae, Peridiniales) in the Mediterranean Sea. *Organisms Diversity and Evolution*, **2012**, 12, 339-348 1.7 17

119 Prasinolanthin is absent in the green-colored dinoflagellate *Lepidodinium chlorophorum* strain NIES-1868: pigment composition and 18S rRNA phylogeny. **2012**, 125, 705-11 11

118 New species of organic-walled dinoflagellate cysts from the Maastrichtian-Danian boundary interval at Ouled Haddou, northern Morocco. **2012**, 36, 337-353 21

117 New junior synonyms of the Late Cretaceous dinoflagellate cysts *Membranigonyaulax wilsonii* Slimani 1994 and *Turnhosphaera hypoflata* (Yun 1981) Slimani 1994. *Palyonology*, **2012**, 36, 110-115 1.5 2

116	Diversity and Ecology of Eukaryotic Marine Phytoplankton. 2012 , 64, 1-53		55
115	Mitochondrial Origins. 2012 , 3-18		1
114	Plastid Origins. 2012 , 19-38		1
113	When naked became armored: an eight-gene phylogeny reveals monophyletic origin of theca in dinoflagellates. <i>PLoS ONE</i> , 2012 , 7, e50004	3.7	75
112	EFFECTS OF HIGH PRESSURE IN THE ARMORED DINOFLAGELLATE SCRIPPSIELLA HEXAPRAECINGULA (PERIDINIALES, DINOPHYCEAE): CHANGES IN THECAL PLATE PATTERN AND MICROTUBULE ASSEMBLY(1). <i>Journal of Phycology</i> , 2012 , 48, 163-73	3	7
111	PROROCENTRUM BIMACULATUM SP. NOV. (DINOPHYCEAE, PROROCENTRALES), A NEW BENTHIC DINOFLAGELLATE SPECIES FROM KUWAIT (ARABIAN GULF)(1). <i>Journal of Phycology</i> , 2012 , 48, 211-21	3	11
110	Sinophysia and Pseudophalacroma are distantly related to typical Dinophysoid dinoflagellates (Dinophysales, Dinophyceae). <i>Journal of Eukaryotic Microbiology</i> , 2012 , 59, 188-90	3.6	8
109	SAME BUT DIFFERENT: TWO NOVEL BICARINATE SPECIES OF EXTANT CALCAREOUS DINOPHYTES (THORACOSPHAERACEAE, PERIDINIALES) FROM THE MEDITERRANEAN SEA(1). <i>Journal of Phycology</i> , 2012 , 48, 1107-18	3	14
108	Pentadinium alabamensis: A new, unusual dinoflagellate from the early Oligocene of the Gulf Coast, Alabama, USA. <i>Review of Palaeobotany and Palynology</i> , 2012 , 175, 47-54	1.7	2
107	Delimitation of the Thoracosphaeraceae (Dinophyceae), including the calcareous dinoflagellates, based on large amounts of ribosomal RNA sequence data. <i>Protist</i> , 2012 , 163, 15-24	2.5	59
106	The Cenozoic gonyaulacacean dinoflagellate genera Operculodinium Wall, 1967 and Protoceratium Bergh, 1881 and their phylogenetic relationships. <i>Journal of Paleontology</i> , 2013 , 87, 786-803	1.1	21
105	Mendicodinium mataschenensis: a new endemic dinoflagellate cyst from the Late Miocene (Tortonian) of Lake Pannon (Austria). <i>Palynology</i> , 2013 , 37, 35-47	1.5	4
104	Waking the dead: morphological and molecular characterization of extant IPosoniella tricarinelloides (Thoracosphaeraceae, Dinophyceae). <i>Protist</i> , 2013 , 164, 583-97	2.5	32
103	Morphotaxonomy and seasonal distribution of planktonic and benthic Prorocentrales in Karachi waters, Pakistan Northern Arabian Sea. 2013 , 31, 267-281		4
102	Morphology and molecular characterization of the epiphytic dinoflagellate Prorocentrum cf. rhathymum in temperate waters off Jeju Island, Korea. 2013 , 48, 1-17		16
101	Taxonomy and phylogeny of the benthic Prorocentrum species (Dinophyceae)A proposal and review. <i>Harmful Algae</i> , 2013 , 27, 1-28	5.3	93
100	Azadinium dalianense, a new dinoflagellate species from the Yellow Sea, China. <i>Phycologia</i> , 2013 , 52, 625-636	2.7	24
99	Morphology and Phylogeny of Prorocentrum texanum sp. nov. (Dinophyceae): A New Toxic Dinoflagellate from the Gulf of Mexico Coastal Waters Exhibiting Two Distinct Morphologies. <i>Journal of Phycology</i> , 2013 , 49, 143-55	3	20

98	Taxonomic clarification of the dinophyte <i>Rhabdosphaera erinaceus</i> Kamptner, ? <i>Scrippsiella erinaceus</i> comb. nov. (Thoracosphaeraceae, Peridinales). <i>Systematics and Biodiversity</i> , 2014 , 12, 393-404	1.7	17
97	Brackish to Freshwater Dinoflagellate Cyst Assemblages from the la Colonia Formation (Paleocene?), Northeastern Patagonia, Argentina. 2014 , 51, 141-153		15
96	The literature on Triassic, Jurassic and earliest Cretaceous dinoflagellate cysts: supplement 2. <i>Palynology</i> , 2014 , 38, 334-347	1.5	5
95	Towards an Ecological Understanding of Dinoflagellate Cyst Functions. <i>Microorganisms</i> , 2014 , 2, 11-32	4.9	132
94	New dinoflagellate species <i>Protoperidinium haizhouense</i> sp. nov. (Peridinales, Dinophyceae), its cyst-theca relationship and phylogenetic position within the Monovela group. <i>Phycological Research</i> , 2014 , 62, 109-124	1.3	12
93	Distribution and biostratigraphical significance of <i>Heterosphaeridium bellii</i> sp. nov. and other Late Cretaceous dinoflagellate cysts from the southwestern Barents Sea. <i>Review of Palaeobotany and Palynology</i> , 2014 , 201, 29-40	1.7	8
92	Harmful Algae and their Toxins. 2014 , 3-20		11
91	Taxonomic clarification of the dinophyte <i>Peridinium acuminatum</i> Ehrenb., ? <i>Scrippsiella acuminata</i> , comb. nov. (Thoracosphaeraceae, Peridinales). <i>Phytotaxa</i> , 2015 , 220, 239	0.7	42
90	A new genus and two new species of dinoflagellate cysts from lower Eocene marine sediments of the Wilkes Land Margin, Antarctica. <i>Review of Palaeobotany and Palynology</i> , 2015 , 220, 88-97	1.7	1
89	Implications of High Molecular Divergence of Nuclear rRNA and Phylogenetic Structure for the Dinoflagellate <i>Prorocentrum</i> (Dinophyceae, Prorocentrales). <i>Journal of Eukaryotic Microbiology</i> , 2015 , 62, 519-31	3.6	4
88	Cyst-theca relationship and phylogenetic positions of <i>Protoperidinium</i> (Peridinales, Dinophyceae) species of the sections <i>Conica</i> and <i>Tabulata</i> , with description of <i>Protoperidinium shanghaiense</i> sp. nov.. <i>Phycologia</i> , 2015 , 54, 49-66	2.7	20
87	Relationship between the dinoflagellate cyst <i>Spiniferites pachydermus</i> and <i>Gonyaulax ellegaardiae</i> sp. nov. from Izmir Bay, Turkey, and molecular characterization. <i>Journal of Phycology</i> , 2015 , 51, 560-73	3	16
86	The molecular characterization of the enigmatic dinoflagellate <i>Kolkwitzziella acuta</i> reveals an affinity to the <i>Excentrica</i> section of the genus <i>Protoperidinium</i> . <i>Systematics and Biodiversity</i> , 2015 , 13, 509-524	1.7	16
85	Marine palynostratigraphy and new species from the Cape Roberts drill-holes, Victoria land basin, Antarctica. <i>Marine Micropaleontology</i> , 2016 , 126, 65-84	1.7	11
84	The life and scientific work of William R. Evitt (1923-2009). <i>Palynology</i> , 2016 , 40, 2-131	1.5	11
83	A review of the <i>Sentusidinium</i> complex of dinoflagellate cysts. <i>Review of Palaeobotany and Palynology</i> , 2016 , 234, 61-93	1.7	12
82	Early Paleogene dinoflagellate cysts from ODP Hole 959D, Cote d'Ivoire-Ghana Transform Margin, West Africa: New species, biostratigraphy and paleoenvironmental implications. <i>Journal of African Earth Sciences</i> , 2016 , 123, 123-144	2.2	15
81	Photoreception in Phytoplankton. <i>Integrative and Comparative Biology</i> , 2016 , 56, 764-775	2.8	23

80	Dinoflagellate taxonomy [B] review and proposal of a revised classification. <i>Marine Biodiversity</i> , 2017 , 47, 381-403	1.4	34
79	The cyst-theca relationship of the dinoflagellate cyst <i>Trinovantedinium pallidifulum</i> , with erection of <i>Protoperidinium lousianensis</i> sp. nov. and their phylogenetic position within the Conica group. <i>Palynology</i> , 2017 , 41, 183-202	1.5	13
78	Molecular characterization and morphology of <i>Cochlodinium strangulatum</i> , the type species of <i>Cochlodinium</i> , and <i>Margalefidinium</i> gen. nov. for <i>C. polykrikoides</i> and allied species (Gymnodiniales, Dinophyceae). <i>Harmful Algae</i> , 2017 , 63, 32-44	5.3	42
77	The function of the ocelloid and piston in the dinoflagellate <i>Erythrospidinium</i> (Gymnodiniales, Dinophyceae). <i>Journal of Phycology</i> , 2017 , 53, 629-641	3	5
76	Dinoflagellata. 2017 , 625-678		8
75	Systematics of the dinocyst group <i>Scriniodinium</i> <i>Endoscrinium</i> <i>Athigmatocysta</i> and description of the new species <i>Scriniodinium multistratum</i> sp. nov. from the Jurassic-Cretaceous boundary beds of northern Siberia. <i>Paleontological Journal</i> , 2017 , 51, 214-222	0.6	3
74	Tabulation patterns in some fossil representatives of the dinoflagellate family Cladopyxiaceae Stein 1883. <i>Palynology</i> , 2017 , 41, 290-308	1.5	3
73	Evolutionary Trends of Perkinsozoa (Alveolata) Characters Based on Observations of Two New Genera of Parasitoids of dinoflagellates, gen. nov. and gen. nov. <i>Frontiers in Microbiology</i> , 2017 , 8, 1594	5.7	14
72	Transferring the freshwater dinoflagellate <i>Peridinium wisconsinense</i> (Dinophyceae) to the family Thoracosphaeraceae, with the description of <i>Fusiperidinium</i> gen. nov.. <i>Phycological Research</i> , 2018 , 66, 137-148	1.3	2
71	The Hot Spot in a Cold Environment: Puzzling <i>Parvodinium</i> (Peridiniopsidaceae, Peridinales) from the Polish Tatra Mountains. <i>Protist</i> , 2018 , 169, 206-230	2.5	8
70	Still curling after all these years: <i>Glenodinium apiculatum</i> Ehrenb. (Peridinales, Dinophyceae) repeatedly found at its type locality in Berlin (Germany). <i>Systematics and Biodiversity</i> , 2018 , 16, 200-209	1.7	12
69	Absence of co-phylogeny indicates repeated diatom capture in dinophytes hosting a tertiary endosymbiont. <i>Organisms Diversity and Evolution</i> , 2018 , 18, 29-38	1.7	7
68	<i>Adenoides sinensis</i> , a new sand-dwelling dinoflagellate species from China and reexamination of <i>Adenoides eludens</i> from an Atlantic strain. <i>Phycologia</i> , 2018 , 57, 179-190	2.7	1
67	Taxonomic Re-Investigation and Geochemical Characterization of Reid (1974) Species of <i>Spiniferites</i> from Holotype and Topotype Material. <i>Palynology</i> , 2018 , 42, 93-110	1.5	12
66	Identification key for Pliocene and Quaternary <i>Spiniferites</i> taxa bearing intergonal processes based on observations from estuarine and coastal environments. <i>Palynology</i> , 2018 , 42, 72-88	1.5	9
65	Dinoflagellate fossils: Geological and biological applications. <i>Revue De Micropaleontologie</i> , 2018 , 61, 235-254	1.4	13
64	Three new Paleocene dinoflagellate cysts from the North Sea and the Norwegian Sea. <i>Review of Palaeobotany and Palynology</i> , 2018 , 258, 256-264	1.7	9
63	Morphological variability within the marine dinoflagellate <i>Ornithocercus quadratus</i> (Dinophysales, Dinophyceae) [E] evidence for three separate morphospecies. <i>Phycologia</i> , 2018 , 57, 555-571	2.7	0

62	Prorocentrum shikokuense Hada and P. donghaiense Lu are junior synonyms of P. obtusidens Schiller, but not of P. dentatum Stein (Prorocentrales, Dinophyceae). <i>Harmful Algae</i> , 2019 , 89, 101686	5.3	11
61	Reliable determination of Prorocentrum micans Ehrenb. (Prorocentrales, Dinophyceae) based on newly collected material from the type locality. <i>European Journal of Phycology</i> , 2019 , 54, 417-431	2.2	8
60	A review of the areoligeracean dinoflagellate cyst Cyclonephelium and morphologically similar genera. <i>Palynology</i> , 2019 , 43, 1-71	1.5	10
59	New insights on the morphology and occurrence of the Palaeogene dinoflagellate cyst species Duosphaeridium rugosum and on the taxonomic affinity of the genus Duosphaeridium. <i>Journal of Systematic Palaeontology</i> , 2019 , 17, 1519-1531	2.3	1
58	Impagidinium detroitense and I.? diaphanum: Two new dinoflagellate cyst species from the Pliocene of the North Pacific Ocean, and their biostratigraphic significance. <i>Review of Palaeobotany and Palynology</i> , 2019 , 264, 24-37	1.7	2
57	New Paleocene species and biostratigraphic relevance of the genus Spiniferites across the North Sea and Norwegian Sea. <i>Review of Palaeobotany and Palynology</i> , 2019 , 262, 28-43	1.7	8
56	Towards global distribution maps of unicellular organisms such as calcareous dinophytes based on DNA sequence information. <i>Marine Biodiversity</i> , 2019 , 49, 749-758	1.4	3
55	The dinoflagellate cysts Thalassiphora subreticulata n.sp. and Thalassiphora balcanica: their taxonomy, ontogenetic variation and evolution. <i>Palynology</i> , 2020 , 44, 237-269	1.5	4
54	Impagidinium obscurum sp. nov., a marker dinoflagellate cyst for the Thanetian (Paleocene) of the North Sea and the Barents Sea. <i>Palynology</i> , 2020 , 44, 382-390	1.5	4
53	Proof of homothally of Pheopolykrikos hartmannii and details of cyst germination process. <i>Journal of Oceanology and Limnology</i> , 2020 , 38, 114-123	1.5	4
52	An overview and brief description of common marine organic-walled dinoflagellate cyst taxa occurring in surface sediments of the Northern Hemisphere. <i>Marine Micropaleontology</i> , 2020 , 159, 101814	1.7	20
51	Zero Intercalary Plates in Parvodinium (Peridiniopsidaceae, Peridinales) and Phylogenetics of P. elpatiewskyi, comb. nov. <i>Protist</i> , 2020 , 171, 125700	2.5	2
50	A review of rare and less well known extant marine organic-walled dinoflagellate cyst taxa of the orders Gonyaulacales and Suessiales from the Northern Hemisphere. <i>Marine Micropaleontology</i> , 2020 , 159, 101801	1.7	9
49	Taxonomy and Molecular Phylogenetics of Ensiculiferaceae, fam. nov. (Peridinales, Dinophyceae), with Consideration of their Life-history. <i>Protist</i> , 2020 , 171, 125759	2.5	2
48	Dawn of the dinophytes: A first attempt to date origin and diversification of harmful algae. <i>Harmful Algae</i> , 2020 , 97, 101871	5.3	4
47	Lens eyes in protists. <i>Current Biology</i> , 2020 , 30, R458-R459	6.3	5
46	Cyclonephelium brevireticulatum, a new dinoflagellate cyst from the Arkadelphia Formation (upper Maastrichtian), Hot Spring County, Arkansas, USA. <i>Palynology</i> , 2021 , 45, 487-505	1.5	1
45	Two new dinoflagellate cyst species and their biostratigraphical application in the Eocene and Oligocene of the North Sea. <i>Palynology</i> , 2021 , 45, 337-349	1.5	1

44	A guide to preparation protocols in palynology. <i>Palynology</i> , 2021 , 45, 1-110	1.5	11
43	Recommendations for eptypification of dinophytes exemplified by <i>Lingulodinium polyedra</i> and molecular phylogenetics of the Gonyaulacales based on curated rRNA sequence data. <i>Harmful Algae</i> , 2021 , 104, 101956	5.3	7
42	<i>Fensomea setacea</i> , gen. & sp. nov. (Cladopyxidaceae, Dinophyceae), is neither gonyaulacoid nor peridinioid as inferred from morphological and molecular data. <i>Scientific Reports</i> , 2021 , 11, 12824	4.9	3
41	Vesiculation in the dinoflagellate cyst <i>Cannosphaeropsis franciscana</i> Damassa, 1979 across the K/Pg boundary (Vancouver Island, Canada) with implications for spiniferate gonyaulacacean taxonomy and ecophenotypy. <i>Review of Palaeobotany and Palynology</i> , 2021 , 292, 104452	1.7	3
40	Flagellar Beat Patterns in Algae. 1992 , 99-153		13
39	Systematics and Evolution of the Algae. 1982 , 315-344		1
38	Specificity in dinomastigote-marine invertebrate symbioses: An evaluation of hypotheses of mechanisms involved in producing specificity. 1988 , 325-346		7
37	Macroalgal Phylogeny. 1998 , 389-407		1
36	Dinoflagellate Sterols. 1983 , 87-130		20
35	Dinoflagellate Evolution. 1984 , 481-522		26
34	Microalgal Life Cycles. 2005 , 399-417		7
33	New Selandian species of <i>Glaphyrocysta</i> and <i>Spinidium</i> from offshore Northwest Europe. <i>Review of Palaeobotany and Palynology</i> , 2020 , 275, 104170	1.7	4
32	Molecular cloning and genomic organization of a gene for luciferin-binding protein from the dinoflagellate <i>Gonyaulax polyedra</i> .. <i>Journal of Biological Chemistry</i> , 1993 , 268, 8842-8850	5.4	72
31	New species of dinoflagellate cysts and other palynomorphs from the latest Miocene and Pliocene of DSDP Hole 603C, western north Atlantic. <i>Journal of Paleontology</i> , 2003 , 77, 1-15	1.1	9
30	A UNIQUE MITOTIC VARIATION IN THE MARINE DINOFLAGELLATE <i>OXYRRHIS MARINA</i> (PYRRROPHYTA)1. <i>Journal of Phycology</i> , 1982 , 18, 399-411	3	4
29	Preliminary phylogenetic analysis of plastid-encoded genes from an anomalously pigmented dinoflagellate <i>Gymnodinium mikimotoi</i> (Gymnodiniales, Dinophyta). <i>Phycological Research</i> , 1999 , 47, 257-262	1.3	26
28	Illumination or confusion? Dinoflagellate molecular phylogenetic data viewed from a primarily morphological standpoint. <i>Phycological Research</i> , 2004 , 52, 308-324	1.3	55
27	Relationship between the flagellates and the ciliates. <i>Microbiological Reviews</i> , 1992 , 56, 529-42		22

26	Molecular phylogeny of <i>Sinophysis</i> . 207-214		6
25	Dinoflagellate phylogeny as inferred from heat shock protein 90 and ribosomal gene sequences. <i>PLoS ONE</i> , 2010 , 5, e13220	3.7	69
24	Nuclear, mitochondrial and plastid gene phylogenies of <i>Dinophysis miles</i> (Dinophyceae): evidence of variable types of chloroplasts. <i>PLoS ONE</i> , 2011 , 6, e29398	3.7	24
23	Description of two species of early branching dinoflagellates, <i>Psammosa pacifica</i> n. g., n. sp. and <i>P. atlantica</i> n. sp. <i>PLoS ONE</i> , 2012 , 7, e34900	3.7	32
22	A newly recorded species of freshwater blooming dinoflagellates from China and its ecological risks. <i>Hupo Kexue/Journal of Lake Sciences</i> , 2020 , 32, 784-792	0.5	1
21	A dynamic climate and ecosystem state during the Paleocene-Eocene Thermal Maximum □ inferences from dinoflagellate cyst assemblages at the New Jersey Shelf.		6
20	A review of the ecological affinities of marine organic microfossils from a Holocene record offshore of Adlie Land (East Antarctica). <i>Journal of Micropalaeontology</i> , 2018 , 37, 445-497	2	11
19	Additional new organic-walled dinoflagellate cysts from two onshore UK Chalk boreholes. <i>Journal of Micropalaeontology</i> , 2018 , 37, 73-86	2	4
18	Genetic Evolution and Characteristics of Ichthyotoxic <i>Cochlodinium polykrikoides</i> (Gymnodiniales, Dinophyceae). <i>Journal of Life Science</i> , 2007 , 17, 1453-1463		
17	Endomembrane System of Dinoflagellates. 2010 , 26-27		
16	Ultrastructural and Biochemical Nuclear Aspects of Eukaryote Classification: Independent Evolution of the Dinoflagellates as a Sister Group of the Actual Eukaryotes?. 1984 , 205-215		
15	The flagellar apparatus and cytoskeleton of the dinoflagellates. 1991 , 105-122		1
14	Dinoflagellata. 2017 , 1-54		
13	Using microplankton proxies to evaluate marine palaeoenvironmental changes during late Maastrichtian: evidence from the Mjå Basin (Norwegian continental shelf). <i>Cretaceous Research</i> , 2021 , 130, 105071	1.8	0
12	Evolution and Biostratigraphy. 2020 , 35-137		3
11	<i>Desmocysta hadra</i>, a new Late Cretaceous dinoflagellate cyst species: stratigraphic range, palaeogeographic distribution and palaeoecology. <i>Journal of Micropalaeontology</i> , 2020 , 39, 155-167	2	1
10	A review of the Jurassic dinoflagellate cyst genus <i>Gonyaulacysta</i> Deflandre 1964 emend. nov.. <i>Review of Palaeobotany and Palynology</i> , 2022 , 299, 104605	1.7	1
9	Evolution of Thoracosphaeroideae (Peridiniales, Dinophyceae) and a case of atavism in taxonomically clarified <i>Chimonodinium lomnickii</i> var. <i>wierzejskii</i> from the Polish Tatra Mountains. <i>European Journal of Phycology</i> , 1-16	2.2	1

8	Using RDNA sequences to define dinoflagellate species.. <i>PLoS ONE</i> , 2022 , 17, e0264143	3.7	3
7	Gonyaulacalean tabulation revisited using plate homology and plate overlap, with emphasis on the ventral area (Dinophyceae). <i>Phycologia</i> , 1-16	2.7	1
6	The taxonomy of selected marine microplankton from the Middle and Upper Jurassic (Callovian-Kimmeridgian) of the North West Shelf, Australia. <i>Review of Palaeobotany and Palynology</i> , 2022 , 104668	1.7	
5	Morphologic and phylogenic characterization of two bloom-forming planktonic Prorocentrum (Dinophyceae) species and their potential distribution in the China Sea. 2022 , 66, 102788		○
4	Bloom of Prorocentrum cordatum in Paracas Bay, Peru. 2022 , 14, 844		○
3	Prorocentrum pervagatum sp. nov. (Prorocentrales, Dinophyceae): A new, small, planktonic species with a global distribution.		○
2	Morphological and Phylogenetic Characterisation of Prorocentrum spinulentum, sp. nov. (Prorocentrales, Dinophyceae), a Small Spiny Species from the North Atlantic. 2023 , 11, 271		○
1	Oleaginous Heterotrophic Dinoflagellates (Crypthecodiniaceae). 2023 , 21, 162		○