

Prediction of the Height of Water-Conductive Fractures Extraction and Partial Backfill Mining Method”A Case

Sustainability

14, 6582

DOI: [10.3390/su14116582](https://doi.org/10.3390/su14116582)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Prediction of the Adaptability of Using Continuous Extraction and Continuous Backfill Mining Method to Sequester CO ₂ -A Case Study. <i>Minerals</i> (Basel, Switzerland), 2022, 12, 936.	0.8	6
2	Prediction of Water-Blocking Capability of Water-Seepage-Resistance Strata Based on AHP-Fuzzy Comprehensive Evaluation Method—A Case Study. <i>Water</i> (Switzerland), 2022, 14, 2517.	1.2	14
3	New insights into coal slime water in backfill materials: A fundamental study of pretreatment methods to enhance curing time. <i>Journal of Cleaner Production</i> , 2023, 389, 135924.	4.6	2
4	Study on deformation control of overlying strata in short-wall coordinated filling mining of thick coal seam under aquifer. <i>Frontiers in Earth Science</i> , 0, 10, .	0.8	1
5	Effect of the co-activation of sodium silicate and CO ₂ on setting and mechanical properties of coal gangue-fly ash backfill (CGFB). <i>Environmental Earth Sciences</i> , 2023, 82, .	1.3	4