

CITATION REPORT

List of articles citing

Elastic/Plastic Indentation Damage in Ceramics: The Median/Radial Crack System

DOI: 10.1111/j.1151-2916.1980.tb10768.x

Journal of the American Ceramic Society, 1980, 63, 574-581.

Source: <https://exaly.com/paper-pdf/14655566/citation-report.pdf>

Version: 2024-04-24

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
1702	Flaw Characteristics in Dynamic Fatigue: The Influence of Residual Contact Stresses. <i>Journal of the American Ceramic Society</i> , 1980 , 63, 532-536	3.8	98
1701	Elastic recovery at hardness indentations. 1981 , 16, 2745-2752		243
1700	Fatigue analysis of brittle materials using indentation flaws. 1981 , 16, 2846-2854		55
1699	Mechanics of strength-degrading contact flaws in silicon. 1981 , 16, 1769-1775		83
1698	Quantitative Studies of Thermal Shock in Ceramics Based on a Novel Test Technique. <i>Journal of the American Ceramic Society</i> , 1981 , 64, 296-301	3.8	69
1697	Post-Indentation Slow Growth of Radial Cracks in Glasses. <i>Journal of the American Ceramic Society</i> , 1981 , 64, C-112-C-114	3.8	47
1696	Micromechanics of Flaw Growth in Static Fatigue: Influence of Residual Contact Stresses. <i>Journal of the American Ceramic Society</i> , 1981 , 64, 322-325	3.8	29
1695	A Critical Evaluation of Indentation Techniques for Measuring Fracture Toughness: I, Direct Crack Measurements. <i>Journal of the American Ceramic Society</i> , 1981 , 64, 533-538	3.8	4163
1694	A Critical Evaluation of Indentation Techniques for Measuring Fracture Toughness: II, Strength Method. <i>Journal of the American Ceramic Society</i> , 1981 , 64, 539-543	3.8	783
1693	Effect of Machining Damage on the Strength of a Glass-Ceramic. <i>Journal of the American Ceramic Society</i> , 1981 , 64, C-121-C-122	3.8	28
1692	Comment on Elastic/Plastic Indentation Damage in Ceramics: The Median/Radial Crack System□ <i>Journal of the American Ceramic Society</i> , 1981 , 64, C-165-C-166	3.8	19
1691	Surface acoustic wave measurements of surface cracks in ceramics. 1981 , 2, 219-229		15
1690	The response of solids to elastic/plastic indentation. I. Stresses and residual stresses. 1982 , 53, 298-311		348
1689	Comparison of Uniaxial and Biaxial Strengths for Test Pieces with Controlled Flaws. <i>Journal of the American Ceramic Society</i> , 1982 , 65, C-31-C-31	3.8	6
1688	Indentation loading studies of acoustic emission from temper and hydrogen embrittled A533B steel. 1982 , 13, 1965-1975		7
1687	Crack evolution in Vickers indentation for soda-lime-silica glass. 1982 , 17, 1493-1500		18
1686	Fatigue analysis of brittle materials using indentation flaws. 1982 , 17, 1108-1116		34

1685	Residual Stresses in Hot-Pressed Si ₃ N ₄ Grooved by Single-Point Grinding. <i>Journal of the American Ceramic Society</i> , 1982 , 65, 55-60	3.8	34
1684	Structural Reliability:A Processing-Dependent Phenomenon. <i>Journal of the American Ceramic Society</i> , 1982 , 65, 127-137	3.8	174
1683	Acid-Enhanced Crack Initiation in Glass. <i>Journal of the American Ceramic Society</i> , 1982 , 65, C-37-C-38	3.8	15
1682	Further Reply to Comment onElastic/Plastic Indentation Damage in Ceramics: The Median/Radial Crack System□ <i>Journal of the American Ceramic Society</i> , 1982 , 65, c116-c116	3.8	45
1681	Critical Load for Median Crack Initiation in Vickers Indentation of Glasses. <i>Journal of the American Ceramic Society</i> , 1982 , 65, c124-c127	3.8	39
1680	Effect of Water Content on Mechanical Properties of Na ₂ O-SiO ₂ Glasses. <i>Journal of the American Ceramic Society</i> , 1982 , 65, c156-c157	3.8	17
1679	Elastic/Plastic Indentation Damage in Ceramics: The Lateral Crack System. <i>Journal of the American Ceramic Society</i> , 1982 , 65, 561-566	3.8	565
1678	Controlled Flaws in Ceramics: A Comparison of Knoop and Vickers Indentation. <i>Journal of the American Ceramic Society</i> , 1983 , 66, 127-131	3.8	89
1677	A Technique for Introducing Surface Compression into Zirconia Ceramics. <i>Journal of the American Ceramic Society</i> , 1983 , 66, c178-c179	3.8	76
1676	Effect of Indenter Geometry on Controlled-Surface-Flaw Fracture Toughness. <i>Journal of the American Ceramic Society</i> , 1983 , 66, 277-283	3.8	32
1675	Relation of Load to Radial Crack Length for Spherical Indentations in Hot-Pressed ZnS. <i>Journal of the American Ceramic Society</i> , 1983 , 66, 293-296	3.8	4
1674	Influence of temperature on the failure of brittle materials in concentrated loading. 1983 , 22, 1028-1033		6
1673	Dynamic fatigue of brittle materials containing indentation line flaws. 1983 , 18, 1306-1314		19
1672	A fracture mechanics analysis of indentation-induced Palmqvist crack in ceramics. 1983 , 2, 221-223		547
1671	Effect of material parameters on the erosion resistance of brittle materials. 1983 , 18, 766-780		215
1670	On the mechanical behavior of brittle coatings and layers. 1983 , 20, 193-216		229
1669	Kinetics of shear-activated indentation crack initiation in soda-lime glass. 1983 , 18, 2785-2797		103
1668	Characterization of AlN ceramics containing long-period polytypes. 1983 , 18, 525-532		55

1667	Hardness testing of aluminas in air and a simulated body environment. 1983 , 61, L1-L5		8
1666	Microstructural studies of the temperature-dependence of deformation structures around hardness indentations in ceramics. 1983 , 130, 345-360		31
1665	Indentation analysis: applications in the strength and wear of brittle materials. 1983 , 130, 295-308		29
1664	Fracture and its Role in Determining Ice Forces on Offshore Structures. 1983 , 4, 216-221		47
1663	On the mechanics of delamination and spalling in compressed films. 1984 , 20, 455-466		487
1662	Radial crack initiation in glass by Vickers indentation. 1984 , 11, 443-451		5
1661	Theoretical Model of Impact Damage in Structural Ceramics. <i>Journal of the American Ceramic Society</i> , 1984 , 67, 544-548	3.8	28
1660	Preparation and Mechanical Properties of Mg-Al-Si-O-N Glasses. <i>Journal of the American Ceramic Society</i> , 1984 , 67, c225-c227	3.8	50
1659	Erosion Damage in Glass and Alumina. <i>Journal of the American Ceramic Society</i> , 1984 , 67, 769-774	3.8	66
1658	Comparison of Single-Point and Multipoint Grinding Damage in Glass. <i>Journal of the American Ceramic Society</i> , 1984 , 67, 347-353	3.8	22
1657	A "Compressed-Spring" Analogy for Residual Stress Effects on the Extension of Indenter Flaws. <i>Journal of the American Ceramic Society</i> , 1984 , 67, C-201-C-203	3.8	10
1656	Strength and Its Variability in Ceramics with Particular Reference to Alumina. <i>Journal of the American Ceramic Society</i> , 1984 , 67, 432-437	3.8	14
1655	Fracture analysis of single crystal manganese zinc ferrites using indentation flaws. 1984 , 32, 1719-1729		20
1654	Changing the surface mechanical properties of silicon and Al_2O_3 by ion implantation. 1984 , 19, 3524-3545		110
1653	Some aspects of the crystallography, flow and fracture of beryl ($\text{Be}_3\text{Al}_2(\text{SiO}_2)_6$). 1984 , 3, 855-858		2
1652	Acoustic emission during indentation fracture of soda-lime glass. 1984 , 3, 907-910		4
1651	Stress fields and subsurface crack propagation of single and multiple rock indentation and disc cutting. 1984 , 17, 97-112		12
1650	Phenomenology of fracture in sintered alpha silicon carbide. 1984 , 19, 2111-2120		16

1649	Crack-size dependence of fracture toughness in transformation-toughened ceramics. 1984 , 19, 2233-2238	25
1648	Toughening in very high pressure sintered diamond-alumina composite. 1984 , 19, 2319-2322	6
1647	Fracture toughness of high pressure sintered Al ₂ O ₃ -ZrO ₂ ceramics. 1984 , 3, 533-535	4
1646	Measurement of thin-layer surface stresses by indentation fracture. 1984 , 19, 4061-4067	113
1645	Indentation testing of nuclear-waste glasses. 1984 , 19, 2533-2545	24
1644	Delayed Failure in Ceramics. 1984 , 23, 25-32	1
1643	Toughening of hot pressed beta-alumina using zirconia additions prepared from zirconate, tartrate and carbonate precursor materials. 1985 , 140, 183-194	3
1642	Effect of inclusions on size of surface flaws in glass-crystal composites. 1985 , 20, 4050-4056	0
1641	Comments on Crack-size dependence of fracture toughness in transformation-toughened ceramics 1985 , 20, 4239-4241	5
1640	Indentation fracture of WC-Co cermets. 1985 , 20, 1873-1882	693
1639	Factors affecting the measurement of hardness and hardness anisotropy. 1985 , 20, 2388-2398	39
1638	An investigation of ion implantation-induced near-surface stresses and their effects in sapphire and glass. 1985 , 20, 4624-4646	87
1637	Residual strength of ground hot isostatically pressed silicon nitride. 1985 , 20, 1049-1060	25
1636	The effect of grinding on the flexural strength of a sialon ceramic. 1985 , 20, 482-490	15
1635	The elastic/plastic indentation of ceramics. 1985 , 4, 1539-1541	83
1634	Palmqvist cracking in WC-Co composites. 1985 , 4, 207-210	15
1633	Fracture Toughness of High-Pressure-Sintered Diamond/Silicon Nitride Composites. <i>Journal of the American Ceramic Society</i> , 1985 , 68, C-271-C-273	3.8 5
1632	Indenter Flaw Geometry and Fracture Toughness Estimates for a Glass-Ceramic. <i>Journal of the American Ceramic Society</i> , 1985 , 68, C-282-C-284	3.8 3

1631	Effect of Heat Treatment on Fracture Toughness of Alumina-Diamond Composites Sintered at High Pressures. <i>Journal of the American Ceramic Society</i> , 1985 , 68, C-36-C-37	3.8	3
1630	Analysis of Indentation Crack as a Wedge-Loaded Half-Penny Crack. <i>Journal of the American Ceramic Society</i> , 1985 , 68, C-65-C-67	3.8	61
1629	Influence of Cyclic Tangential Loads on Indentation Fracture. <i>Journal of the American Ceramic Society</i> , 1985 , 68, 505-510	3.8	9
1628	Engineering property requirements for high performance ceramics. 1985 , 71, 3-21		52
1627	The hardness, stiffness and toughness of diphasic abrasive materials prepared by sol-gel techniques. 1985 , 20, 413-429		23
1626	Inelastic deformation of Mg?PSZ and its significance for strength-toughness relationship of zirconia toughened ceramics. 1985 , 33, 2083-2091		113
1625	Anisotropy detection in hot-pressed silicon nitride by acoustic microscopy using the line-focus beam. 1985 , 21, 165		11
1624	Stress intensity factor of a penny-shaped crack crossing a misfitting spherical inclusion. 1985 , 19, 1183-1184		1
1623	Crack Stability and Toughness Characteristics in Brittle Materials. 1986 , 16, 415-439		97
1622	Some aspects of the mechanical strength of ceramic/metal bonded systems. 1986 , 34, 1643-1655		76
1621	Decrease in fracture toughness of chert by heat treatment. 1986 , 21, 1963-1966		15
1620	Crack healing and fracture strength of silicon crystals. 1986 , 21, 2185-2192		54
1619	Anisotropic flow and fracture in beryl [Be ₃ Al ₂ (SiO ₃) ₆]. 1986 , 21, 1161-1165		2
1618	Residual Stresses in Machined Ceramic Surfaces. <i>Journal of the American Ceramic Society</i> , 1986 , 69, 44-47, 8		99
1617	Knoop and Vickers Indentation in Ceramics Analyzed as a Three-Dimensional Fracture. <i>Journal of the American Ceramic Society</i> , 1986 , 69, 392-396	3.8	16
1616	Temperature Dependence and Fracture Toughness and Elastic Moduli of a Waste Glass. <i>Journal of the American Ceramic Society</i> , 1986 , 69, C-138-C-139	3.8	12
1615	Origin of Strength Increase of Abraded or Indented Glass upon Annealing. <i>Journal of the American Ceramic Society</i> , 1986 , 69, C-186-C-188	3.8	9
1614	Comparative Single-Point Diamond Scratching Behavior of a Cordierite Glass and Glass-Ceramic. <i>Journal of the American Ceramic Society</i> , 1986 , 69, C-296-C-298	3.8	

1613	Elastic-Plastic Contact Damage in a Lead Lanthanum Zirconate Titanate. <i>Journal of the American Ceramic Society</i> , 1986 , 69, 657-661	3.8	2
1612	Effect of microstructure on reliability predictions for glass ceramics. 1986 , 77, 199-212		8
1611	On estimating fracture toughness of cemented carbides from Palmqvist crack sizes. 1986 , 5, 365-368		24
1610	Vickers microhardness indentation and fracture mechanics of chalcogenide arsenic-selenium glasses. 1986 , 21, 4019-4023		5
1609	Wear Mechanism of Ceramic Materials in Dry Rolling Friction. 1986 , 108, 522-526		58
1608	The effect of lateral crack growth on the strength of contact flaws in brittle materials. 1986 , 1, 589-600		69
1607	Crack resistance by interfacial bridging: Its role in determining strength characteristics. 1987 , 2, 345-356		114
1606	Assessment of Coating Hardness. 1987 , 3, 69-76		63
1605	Slow crack growth in phase-separated glasses. 1987 , 95-96, 1047-1054		2
1604	Fracture mechanics and deformation processes in natural quartz: a combined Vickers indentation, SEM, and TEM study. 1987 , 24, 544-555		31
1603	New formula for indentation toughness in ceramics. 1987 , 6, 355-356		159
1602	A review of indentation fracture theory: its development, principles and limitations. 1987 , 33, 297-312		72
1601	Elastic/plastic indentation hardness and indentation fracture toughness: The inclusion core model. 1987 , 22, 1501-1508		113
1600	Fractographic and acoustic emission of mullite-alumina-zirconia composites prepared by reaction sintering. 1987 , 22, 4398-4402		8
1599	Microfracture in polycrystalline solids. 1987 , 27, 257-267		16
1598	Grinding of Hard and Brittle Materials. 1987 , 36, 463-471		218
1597	The mechanical properties of wear-resistant coatings. 1987 , 148, 41-50		319
1596	The relationship between hardness and scratch adhesion. 1987 , 154, 403-416		448

1595	Fracture of ceramics and glasses. 1987 , 48, 1115-1157		74
1594	Prevention of Hertzian cracks in the handling of semiconductor ingots. 1987 , 85, 75-82		1
1593	Fracture of silicon wafers. 1987 , 85, 83-90		33
1592	Surface chemistry and mechanical behavior of silicon carbide and silicon nitride implanted with titanium to high fluences and high temperatures. 1987 , 33, 487-499		24
1591	Fracture toughness of pressureless sintered silicon carbide: A comparison of K _{Ic} measurement methods. 1987 , 13, 159-165		26
1590	Evaluation of Fracture Toughness Determination Methods as Applied to Ceria-Stabilized Tetragonal Zirconia Polycrystal. <i>Journal of the American Ceramic Society</i> , 1987 , 70, C-366-C-368	3.8	36
1589	Crack-Interface Grain Bridging as a Fracture Resistance Mechanism in Ceramics: II, Theoretical Fracture Mechanics Model. <i>Journal of the American Ceramic Society</i> , 1987 , 70, 289-294	3.8	331
1588	Fracture Initiation in the Directionally Solidified NiO-CaO Eutectic. <i>Journal of the American Ceramic Society</i> , 1987 , 70, 305-310	3.8	5
1587	Measurement of Residual Stresses in Coatings on Brittle Substrati by Indentation Fracture. <i>Journal of the American Ceramic Society</i> , 1987 , 70, 344-348	3.8	51
1586	Effect of Grain-Boundary Oxidation on Fracture Toughness of SiC. <i>Journal of the American Ceramic Society</i> , 1987 , 70, 548-552	3.8	20
1585	Apparent fracture toughness of dental porcelain with a metal substructure. 1988 , 4, 187-90		7
1584	Hartbearbeitung keramischer Werkstoffe, insbesondere mittels Ultraschall-Erosion. 1988 , 19, 81-86		8
1583	Effect of high pressure treatment on the mechanical properties of Y-TZP. 1988 , 7, 212-214		1
1582	Modification of indentation cracks in TZP ceramics by thermal treatment. 1988 , 7, 560-562		8
1581	Strength of poly(methyl methacrylate) with indentation flaws. 1988 , 23, 2370-2378		10
1580	Microindentation characterization of silicide coatings on niobium and titanium. 1988 , 7, 952-954		8
1579	Characterization of some mechanical properties of polycrystalline yttrium iron garnet (YIG) by non-destructive methods. 1988 , 7, 1217-1220		14
1578	Fracture phenomenology of a sintered silicon nitride containing oxide additives. 1988 , 23, 1141-1150		18

1577	Radiation enhanced dislocation glide effect on indentation-induced fracture of GaAs single crystals. 1988 , 109, 383-393		10
1576	Indentation Fracture Response and Damage Resistance of Al ₂ O ₃ -ZrO ₂ Composites Strengthened by Transformation-Induced Residual Stresses. <i>Journal of the American Ceramic Society</i> , 1988 , 71, C-501-C-505	3.8	48
1575	Crack Resistance Curves in Magnesia-Partially-Stabilized Zirconia. <i>Journal of the American Ceramic Society</i> , 1988 , 71, 399-407	3.8	132
1574	Influence of Surface Structure on the Fracture Toughness of Tempered Glass. <i>Journal of the American Ceramic Society</i> , 1988 , 71, C434-C435	3.8	1
1573	The scratch adhesion test: An elastic-plastic indentation analysis. 1988 , 157, 233-254		232
1572	Effect of erodent hardness on erosion of brittle materials. 1988 , 128, 139-152		97
1571	Speed-Stroke Grinding of Advanced Ceramics. 1988 , 37, 299-302		23
1570	Hardness and fracture toughness of semiconducting materials studied by indentation and erosion techniques. 1988 , 105-106, 131-141		90
1569	Mechanical stability of oxide glasses. 1988 , 102, 71-81		6
1568	Failure of fused silica fibers with subthreshold flaws. 1988 , 102, 82-87		24
1567	Adhesion of MOCVD TiO ₂ thin films. 1988 , 21, S75-S77		1
1566	Toughening Mechanisms for Ceramics. 1989 , 3739-3786		4
1565	Effect of firing temperature and water exposure on crack propagation in unglazed porcelain. 1989 , 68, 1075-81		68
1564	Influence of crack velocity thresholds on stabilized nonequilibrium fracture. 1989 , 65, 1902-1910		18
1563	The use of Indentation Tests to Determine the Fracture Toughness of Brittle Materials. 1989 , 203, 333-341		3
1562	Calcium phosphate glasses and glass-ceramics for medical applications. 1989 , 5, 47-53		16
1561	A dislocation model for hardness indentation problems \square 1989 , 27, 1-9		19
1560	Microstructure, deformation and fracture characteristics of an Al ₆₇ Ni ₈ Ti ₂₅ intermetallic alloy. 1989 , 37, 2635-2643		104

1559	Role of interfacial grain-bridging sliding friction in the crack-resistance and strength properties of nontransforming ceramics. 1989 , 37, 2659-2671		230
1558	Validation of the palmqvist indentation approach to toughness determination in WC/Co composites. 1989 , 15, 121-125		9
1557	Toughness determination in ceramics using sharp and blunt indentation techniques. 1989 , 15, 323-325		2
1556	Acoustic microscopy of low-ductility materials. 1989 , 24, 23-40		10
1555	Crack growth of C(T) specimens and indentation cracks in glass. 1989 , 39, R23-R28		10
1554	Stereoscopic Fractography of Crack Propagation Phenomena in a TiB ₂ /AlN Composite. <i>Journal of the American Ceramic Society</i> , 1989 , 72, 116-121	3.8	12
1553	Indentation Fracture Toughness of Sintered Silicon Carbide in the Palmqvist Crack Regime. <i>Journal of the American Ceramic Society</i> , 1989 , 72, 904-911	3.8	168
1552	A Machinable Calcium Alumina-Yttria-Silica Glass-Ceramic. <i>Journal of the American Ceramic Society</i> , 1989 , 72, 1024-1026	3.8	6
1551	Spherical-Impact Damage and Strength Degradation in Silicon Nitrides for Automobile Turbocharger Rotors. <i>Journal of the American Ceramic Society</i> , 1989 , 72, 1422-1428	3.8	47
1550	Effect of Nonstoichiometry on Fracture Toughness and Hardness of Yttrium Oxide Ceramics. <i>Journal of the American Ceramic Society</i> , 1989 , 72, 1562-1563	3.8	41
1549	Ion implantation and annealing of crystalline oxides. 1989 , 4, 41-146		238
1548	Vickers indentation fracture toughness test Part 1 Review of literature and formulation of standardised indentation toughness equations. 1989 , 5, 865-872		489
1547	Vickers indentation fracture toughness test Part 2 Application and critical evaluation of standardised indentation toughness equations. 1989 , 5, 961-976		218
1546	Mechanical Failure Mechanisms in Ceramic Sliding and Rolling Contacts. 1989 , 32, 1-8		28
1545	Surface Deformation Behaviour of Tic and Tin Coated Steels: 1 Indentation Response. 1989 , 5, 213-225		61
1544	Subcritical Crack Growth Characteristics on Compact Type Specimens and Indentation Cracks in Glass. 1989 , 111, 399-403		2
1543	Plasma Assisted Deposition of Integrated Optic Waveguides. 1990 , 6, 107-112		
1542	Mechanical Properties Of Coatings And Interfaces. 1990 , 188, 127		3

1541	Direct Observation and Analysis of Indentation Cracking in Glasses and Ceramics. <i>Journal of the American Ceramic Society</i> , 1990 , 73, 787-817	3.8	825
1540	Ductile-Regime Machining of Germanium and Silicon. <i>Journal of the American Ceramic Society</i> , 1990 , 73, 949-957	3.8	322
1539	Strengthening of Glass by Sol-Gel Coatings. <i>Journal of the American Ceramic Society</i> , 1990 , 73, 978-988	3.8	57
1538	Repeated Indentation Method for Studying Cyclic Fatigue in Ceramics. <i>Journal of the American Ceramic Society</i> , 1990 , 73, 1004-1013	3.8	49
1537	Low-Temperature Treatment of Transformation-Toughened Partially Stabilized Magnesia-Doped Zirconia: A Solid Particle Erosion Study. <i>Journal of the American Ceramic Society</i> , 1990 , 73, 1421-1424	3.8	4
1536	Median Cracking of Brittle Solids Due to Scribing with Sharp Indenters. <i>Journal of the American Ceramic Society</i> , 1990 , 73, 580-586	3.8	14
1535	Impact Damage and Strength Degradation in a Silicon Carbide Reinforced Silicon Nitride Composite. <i>Journal of the American Ceramic Society</i> , 1990 , 73, 3019-3025	3.8	6
1534	Fracture and Stiffness Characteristics of Particulate Composites of Diamond in Zinc Sulfide. <i>Journal of the American Ceramic Society</i> , 1990 , 73, 3074-3080	3.8	16
1533	Role of Grain Size in the Strength and R-Curve Properties of Alumina. <i>Journal of the American Ceramic Society</i> , 1990 , 73, 2419-2427	3.8	280
1532	Studies on fracture toughness of dental ceramics. 1990 , 17, 551-63		47
1531	Microstructure, deformation, and fracture characteristics of an Al67Pd8Ti25 intermetallic alloy. 1990 , 21, 145-151		40
1530	Determination of KISCC by indentation in ceramics. 1990 , 25, 5077-5080		3
1529	Fracture toughness and hardness of zinc sulphide as a function of grain size. 1990 , 25, 1347-1352		43
1528	Defect-eliminated whisker-reinforced SiO ₂ glass composite from surface-oxidized Si ₃ N ₄ whiskers. 1990 , 9, 53-56		2
1527	Behavior of indentation cracks near free surfaces and interfaces. 1990 , 44, 133-143		46
1526	Evaluation by indentation of fracture toughness of ceramic materials. 1990 , 25, 207-214		136
1525	Sliding friction of ceramics: Mechanical action of the wear debris. 1990 , 25, 3592-3604		75
1524	Characterization of engineering ceramics by indentation methods. 1990 , 25, 3731-3738		22

1523	The toughening of alumina with nickel inclusions. 1990 , 6, 31-37		140
1522	Crack velocity functions and thresholds in brittle solids. 1990 , 6, 259-268		81
1521	Effect of indentation load on fragmentation of erosion particle tips. 1990 , 141, 115-124		9
1520	Interaction of lateral cracks and plastic zones. 1990 , 68, 3983-3989		3
1519	R-curve measurements in PSZ ceramics. 1990 , 5, 1490-1495		7
1518	Quasi-static indentation cracking of thermally tempered soda-lime glass with spherical and Vickers indenters. 1990 , 62, 1-27		44
1517	Instrumentation of a conventional hardness tester for load-displacement measurement during indentation. 1990 , 5, 847-851		37
1516	Segregation effects in the fracture of brittle materials: Ca ₂ Al ₂ O ₃ . 1990 , 38, 1083-1100		46
1515	Brittle Fracture: Micromechanics. 1991 , 39-47		
1514	Fractal crushing of ice and brittle solids. 1991 , 433, 469-477		59
1513	The Fracture Toughness Characteristics of Three Dental Composite Resins. 1991 , 1, 223-231		2
1512	Measurement of adhesion of oxides grown on nickel and nickel alloys. 1991 , 7, 1031-1041		7
1511	Acoustic Emissions During Indentation Tests. 1991 , 239, 361		18
1510	Evaluation of some mechanical properties of SiC films deposited on steel by plasma-assisted chemical vapour deposition from tetramethylsilane. 1991 , 48, 121-129		18
1509	Study of the Y-TZP toughness by an indentation method. 1991 , 17, 129-135		29
1508	Rising Crack-Growth-Resistance (R-Curve) Behavior of Toughened Alumina and Silicon Nitride. <i>Journal of the American Ceramic Society</i> , 1991 , 74, 2634-2641	3.8	123
1507	Comment on Indentation Fracture Toughness of Sintered Silicon Carbide in the Palmqvist Crack Regime— <i>Journal of the American Ceramic Society</i> , 1991 , 74, 887-888	3.8	6
1506	Indentation Fatigue of High-Purity Alumina in Fluid Environments. <i>Journal of the American Ceramic Society</i> , 1991 , 74, 148-154	3.8	29

1505	Strength evaluation of ceramic-metal joints. 1991 , 143, 91-102	16
1504	Application of an indentation method to the fracture mechanics study of a polycrystalline graphite. 1991 , 26, 4208-4214	1
1503	Microhardness measurements on dry and wet treated YBa ₂ Cu ₃ O ₇ crystals. 1991 , 123, K105-K109	
1502	Cyclic fatigue of ceramics. 1991 , 26, 3275-3286	72
1501	Fracture mechanics model for subthreshold indentation flaws. 1991 , 26, 2313-2321	17
1500	Spherical particle impact damage behaviour of a SiC fibre-reinforced chemical vapour infiltrated SiC composite. 1991 , 10, 689-692	6
1499	Strength characterization of MgO-partially stabilized zirconia. 1991 , 26, 1545-1555	12
1498	Fracture mechanics model for subthreshold indentation flaws. 1991 , 26, 2157-2168	41
1497	Role for plastic flow in ambient-temperature cracking behaviour at hardness indentations in silicon crystals. 1991 , 26, 3486-3490	5
1496	Fractal fracture of single crystal silicon. 1991 , 6, 1248-1263	82
1495	Preparation and characterization of sputtered TiB ₂ films. 1991 , 6, 1066-1072	14
1494	The Elastic Field for Conical Indentation Including Sliding Friction for Transverse Isotropy. 1992 , 59, S123-S130	61
1493	The determination of film hardness from the composite response of film and substrate to nanometer scale indentations. 1992 , 7, 3056-3064	117
1492	Anisotropic hardness and fracture toughness of highly aligned YBa ₂ Cu ₃ O ₇ . 1992 , 71, 2363-2367	59
1491	Chapter 14 The Correlation between Fracture-toughness Anisotropy and Crack-surface Morphology of Siltstones in the Ithaca Formation, Appalachian Basin. 1992 , 341-370	4
1490	Paper XI (iii) Wear Debris Action in Sliding Friction of Ceramics. 1992 , 21, 453-462	1
1489	Residual Stresses and Resulting Damage Within Fibers Intersecting A Free Surface. 1992 , 273, 119	3
1488	Influence of composition and processing parameters on mechanical properties and erosion response of NiTiB ₂ coatings. 1992 , 8, 825-836	5

1487	The mechanical properties of ceramic composites produced by melt oxidation. 1992 , 40, 177-184		22
1486	Reliability of Ceramics Fracture Toughness Measurements by Indentation. 1992 , 109-118		3
1485	Grain-size effects in the indentation fracture of MgO. 1992 , 27, 4751-4761		16
1484	Mechanical properties and microstructure of SiAlON-SiC composites by pressureless sintering. 1992 , 27, 1908-1912		6
1483	Developments in highly toughened CeO ₂ -Y ₂ O ₃ -ZrO ₂ ceramic system. 1992 , 27, 6197-6203		24
1482	Phase transformation around indentations in zirconia. 1992 , 11, 575-577		33
1481	Objective Evaluation of Short-Crack Toughness Curves Using Indentation Flaws: Case Study on Alumina-Based Ceramics. <i>Journal of the American Ceramic Society</i> , 1992 , 75, 3049-3057	3.8	127
1480	Comparative Measurement of Indentation Fracture Toughness with Berkovich and Vickers Indenters. <i>Journal of the American Ceramic Society</i> , 1992 , 75, 3299-3304	3.8	120
1479	Fracture Toughness and Thermal Shock Behavior of Silicon Nitride/Boron Nitride Ceramics. <i>Journal of the American Ceramic Society</i> , 1992 , 75, 67-70	3.8	57
1478	Effect of Indentation Interaction on Cracking. <i>Journal of the American Ceramic Society</i> , 1992 , 75, 2809-2818	3.8	16
1477	SiC-Whisker-Reinforced Glass-Ceramic Composites: Interfaces and Properties. <i>Journal of the American Ceramic Society</i> , 1992 , 75, 1205-1216	3.8	27
1476	Controlled Crack Shapes for Indentation Fracture of Soda-Lime Glass. <i>Journal of the American Ceramic Society</i> , 1992 , 75, 2593-2596	3.8	8
1475	Crack-Shape Effects for Indentation Fracture Toughness Measurements. <i>Journal of the American Ceramic Society</i> , 1992 , 75, 305-315	3.8	82
1474	Friction and wear behavior of alumina-based ceramics in dry and lubricated sliding against tool steel. 1992 , 157, 263-277		18
1473	A fracture model for wear mechanism in plasma sprayed ceramic coating materials. 1992 , 155, 309-316		12
1472	Roughness effect of silicon nitride sliding on steel under boundary lubrication. 1992 , 159, 173-184		8
1471	Effect of Y ₂ BaCuO ₅ on fracture toughness of YBCO prepared by a MPMG process. 1992 , 203, 103-110		68
1470	Fracture toughness of sintered SiC ceramics: a comparison between different methods. 1992 , 151, 131-135		14

1469	Inherent reinforcement of ceramic microstructures by grain boundary engineering. 1992 , 9, 309-322	25
1468	Processing of alumina/nickel composites. 1992 , 10, 95-100	57
1467	The influence of composition and processing parameters on the mechanical properties and erosion response of Ni + TiB ₂ coatings. 1992 , 1, 129-142	1
1466	Microhardness measurements of renal calculi: regional differences and effects of microstructure. 1992 , 26, 1117-30	26
1465	Fracture and subcritical growth characteristics of indented cracks in soda-lime glass. 1993 , 46, 789-796	4
1464	Modification of the mechanical surface properties and tribochemistry of structural ceramics by ion beam techniques. 1993 , 59, 249-254	7
1463	Optimization of the contact mechanical strength of magnetron-sputtered nitrogen-doped AISI 316L physically vapour deposited coatings. 1993 , 57, 31-42	19
1462	New ceramics based on Ti ₃ SiC ₂ . 1993 , 19, 219-222	58
1461	Scale of microstructure effects on the impact resistance of Al ₂ O ₃ . 1993 , 162-164, 1073-1080	8
1460	Chemomechanical effects in ductile-regime machining of glass. 1993 , 15, 238-247	20
1459	Functional interfaces for oxide/oxide composites. 1993 , 162, 15-25	123
1458	Ultrasonic imaging and characterisation of surface breaking cracks in silicon nitride by leaky Rayleigh waves. 1993 , 12, 15-25	1
1457	Debond coating requirements for brittle matrix composites. 1993 , 28, 5280-5296	11
1456	Preparation and characterization of cordierite-zirconia composites from co-precipitated powder. 1993 , 28, 74-78	12
1455	Evaluation of the fracture toughness of Nb-40Al-8Cr-1W-1Y-0.05B intermetallic material by indentation techniques. 1993 , 28, 155-160	4
1454	Prediction of indentation-load dependence of fracture strengths from R-curves of toughened ceramics. 1993 , 28, 6120-6126	11
1453	The effect of surface-limited microcracks on the effective Young's modulus of ceramics. 1993 , 28, 1885-1900	21
1452	Properties of Zirconia-Teria-Biafnia Alloys. <i>Journal of the American Ceramic Society</i> , 1993 , 76, 1531-1536	3.8 1

1451	Error Propagation Biases in the Calculation of Indentation Fracture Toughness for Ceramics. <i>Journal of the American Ceramic Society</i> , 1993 , 76, 2665-2668	3.8	6
1450	Indentation Creep of Hydrated Soda-Lime Silicate Glass Determined by Nanoindentation. <i>Journal of the American Ceramic Society</i> , 1993 , 76, 904-912	3.8	25
1449	Transformation Driving Force for Indentation Cracking in Zirconia Ceramics. <i>Journal of the American Ceramic Society</i> , 1993 , 76, 3144-3146	3.8	7
1448	Wear of Some Advanced Ceramics under a Sharp Indenter in Unidirectional Sliding. <i>Journal of the American Ceramic Society</i> , 1993 , 76, 2376-2378	3.8	9
1447	Fracture toughness and hardness studies on flux-grown YbFeO ₃ single crystals. 1993 , 34, 257-262		8
1446	Fracture toughness of thermal spray ceramic coatings determined by the indentation technique. 1993 , 2, 35-38		59
1445	Interfacial characterisation of Al ₂ O ₃ -Ni composites. 1993 , 12, 479-485		9
1444	Three-body abrasion of brittle materials as studied by lapping. 1993 , 166, 237-245		113
1443	Failure of tungsten carbide-cobalt alloy tools in machining of carbon materials. 1993 , 169, 135-140		45
1442	In situ formation of metal-ceramic microstructures, including metal-ceramic composites, using reduction reactions. 1993 , 41, 2153-2161		22
1441	Fracture toughness testing of brittle materials. 1993 , 38, 53-78		140
1440	Fracture toughness of single crystal YAG. 1993 , 28, 1383-1385		7
1439	Indentation cracking in soda-lime glass and Ni-Zn ferrite under Knoop and conical indenters and residual stress measurements. 1993 , 67, 1187-1218		25
1438	A Fracture Mechanics Approach to Modeling Strength Degradation in Ceramic Grinding Processes. 1993 , 115, 73-84		23
1437	Postfailure subsidiary cracking from indentation flaws in brittle materials. 1993 , 8, 1411-1417		2
1436	Fracture toughness of PMMA as measured with indentation cracks. 1993 , 8, 3210-3217		22
1435	Characterization of the mechanical properties of aSiC: H films. 1993 , 8, 2908-2915		22
1434	Effect of whisker orientation on toughening behaviour and cutting performance of SiCw/Al ₂ O ₃ composite. 1993 , 9, 21-25		3

1433	Identification of fracture sequences during sharp indentation of polycrystalline Al ₂ O ₃ . 1994 , 9, 1693-1700	9
1432	Cracking During Nanoindentation and its Use in the Measurement of Fracture Toughness. 1994 , 356, 663	135
1431	Mechanical testing of thin films. 1994 , 39, 24-45	108
1430	Mechanical properties of nanocomposite granular metal thin films. 1994 , 76, 3387-3393	11
1429	Spalling mechanism of Al ₂ O ₃ ceramic coating coated WC/Co substrate under sliding contact. 1994 , 245, 104-108	10
1428	Brittle-to-ductile transition studied by constant-rate indentation cracking. 1994 , 176, 121-126	4
1427	Surface toughening of liquid phase sintered silicon carbide by surface nitridation. 1994 , 13, 159-166	7
1426	Analysis of Vickers indentation. 1994 , 31, 2679-2708	306
1425	Optical, mechanical and water drop impact characteristics of polycrystalline GaP. 1994 , 29, 5765-5772	1
1424	Kinetic microhardness measurements of sialon-based ceramics. 1994 , 29, 6551-6560	11
1423	Driving force for cracking by indentation in ceramics containing transformable particles. 1994 , 13, 1153-1156	
1422	Analysis of stress intensity factors for three-dimensional cruciform cracks. 1994 , 66, 339-355	1
1421	Cyclic fatigue and fracture in pyrolytic carbon-coated graphite mechanical heart-valve prostheses: role of small cracks in life prediction. 1994 , 28, 791-804	30
1420	Flaw tolerance and toughness curves in two-phase particulate composites: SiC/glass system. 1994 , 13, 149-157	13
1419	A cavity model of the indentation hardness of a coated substrate. 1994 , 245, 122-131	22
1418	Brittle fracture under a sliding line contact. 1994 , 42, 1375-1396	46
1417	Indentation method for fracture resistance determination of metal/ceramic interfaces in thick TBCs. 1994 , 3, 51-56	15
1416	Toughness Properties of a Silicon Carbide with an in Situ Induced Heterogeneous Grain Structure. <i>Journal of the American Ceramic Society</i> , 1994 , 77, 2518-2522	3.8 231

1415	Erosion Wear Properties of Tetragonal ZrO ₂ (Y ₂ O ₃)-Toughened Al ₂ O ₃ Composites. <i>Journal of the American Ceramic Society</i> , 1994 , 77, 666-672	3.8	13
1414	Indentation Studies on Y ₂ O ₃ -Stabilized ZrO ₂ : I, Development of Indentation-Induced Cracks. <i>Journal of the American Ceramic Society</i> , 1994 , 77, 1185-1193	3.8	74
1413	Deformation and Fracture by Sharp Rolling Contacts. <i>Journal of the American Ceramic Society</i> , 1994 , 77, 1263-1273	3.8	11
1412	Sigmoidal Indentation Strength Characteristics of Polycrystalline Alumina. <i>Journal of the American Ceramic Society</i> , 1994 , 77, 303-314	3.8	34
1411	Electric-Field-Induced Fatigue Crack Growth in Piezoelectrics. <i>Journal of the American Ceramic Society</i> , 1994 , 77, 1783-1786	3.8	217
1410	Determination of fracture toughness and bridging tractions from crack-opening displacement measurements in particulate composites of diamond in zinc sulfide. 1994 , 42, 65-75		8
1409	Ductile Phase Toughened Ceramics by Partial Reduction Reactions in the Ni-Al-O System: Mechanical Properties and Effect of Dopants. 1994 , 365, 125		
1408	Analysis of Vickers Hardness by the Finite Element Method. 1994 , 61, 822-828		19
1407	Effect of crystallization on fracture strength of castable glass-ceramics containing two crystals. 1994 , 13, 47-54		7
1406	Fracture, Fatigue and Indentation Behavior of Pyrolytic Carbon for Biomedical Applications. 1995 , 383, 229		4
1405	Fracture Toughness of Diamond Measured by Vickers Indenter Reloading Technique. 1995 , 383, 255		
1404	Surface and subsurface Vickers indentation cracks in SiC, Si ₃ N ₄ , and sialon ceramics. 1995 , 11, 1093-1098		12
1403	A simplified approach for ceramic fracture toughness evaluation by indentation. 1995 , 51, 209-215		6
1402	Cyclic fatigue and fracture in pyrolytic carbon-coated graphite mechanical heart-valve prostheses: role of small crack in life prediction. 1995 , 29, 673-8		2
1401	Reply to Drs. Lankford and Sines. 1995 , 29, 676-678		
1400	Zirconia crystals with yttrium and cerium oxides. 1995 , 36, 199-207		4
1399	A small-specimen investigation of the fracture toughness of Ti ₅ Si ₃ . 1995 , 30, 5479-5483		34
1398	Indentation deformation and fracture of densified silicate glass. 1995 , 30, 6359-6362		11

1397	Influence of Grain Size on Ferroelastic Toughening and Piezoelectric Behavior of Lead Zirconate Titanate. <i>Journal of the American Ceramic Society</i> , 1995 , 78, 3363-3368	3.8	41
1396	Crack Healing and Stress Relaxation in Al ₂ O ₃ SiC Nanocomposites. <i>Journal of the American Ceramic Society</i> , 1995 , 78, 567-571	3.8	111
1395	Subcritical Growth of Indentation Median Cracks in Soda-Lime-Silica Glass. <i>Journal of the American Ceramic Society</i> , 1995 , 78, 650-656	3.8	24
1394	Measurement of Indentation Residual Stresses in Materials Susceptible to Slow Crack Growth. <i>Journal of the American Ceramic Society</i> , 1995 , 78, 173-177	3.8	5
1393	Indentation-Induced Contact Deformation and Damage of Glasslike Carbon. <i>Journal of the American Ceramic Society</i> , 1995 , 78, 1006-1012	3.8	26
1392	Nonlinear Compliance Testing Applied to Indentation Cracking in Ceramics. <i>Journal of the American Ceramic Society</i> , 1995 , 78, 2328-2334	3.8	5
1391	Scanning Acoustic Microscopy of Indentation Damage in Y ₂ O ₃ -Stabilized Tetragonal Zirconia. <i>Journal of the American Ceramic Society</i> , 1995 , 78, 2889-2896	3.8	12
1390	Fracture Resistance Behavior of Highly Anisotropic Silicon Nitride. <i>Journal of the American Ceramic Society</i> , 1995 , 78, 3125-3128	3.8	81
1389	In situ metal-ceramic microstructures by partial reduction reactions in the Ni ₃ Al ₂ O system and the role of ZrO ₂ . 1995 , 195, 39-50		16
1388	Determining the fracture toughness of brittle materials by Hertzian indentation. 1995 , 15, 201-207		75
1387	Absolute hardness of films and coatings. 1995 , 254, 123-130		134
1386	The effects of angle of impact and material properties on the erosion rates of ceramics. 1995 , 186-187, 117-122		55
1385	Effect of grain boundary dopants and mean grain size on tribomechanical behavior of highly purified alumina in the mild wear regime. 1995 , 181-183, 165-177		1
1384	Influence of Surface Roughness and Oil Ageing on Various Ceramic-Steel Contacts under Boundary Lubrication. 1995 , 209, 173-182		1
1383	Influence of yttrium and of the oxygen pressure on alumina microstructure. Relation with mechanical properties. 1995 , 134, 233-237		10
1382	Influence of indentation crack configuration on strength and fatigue behaviour of soda-lime silicate glass. 1995 , 43, 965-972		31
1381	In situ formation of metal-ceramic microstructures in the Ni ₃ Al ₂ O system by partial reduction reactions. 1995 , 43, 383-389		2
1380	Measurement of the fracture toughness of Ni ₃ Ge using small disk-shaped specimens. 1995 , 3, 397-404		4

1379	Applications in Ceramic Structures. 1995 , 707-735	1
1378	Surface microroughness of optical glasses under deterministic microgrinding. 1996 , 35, 4448-62	53
1377	Twyman effect mechanics in grinding and microgrinding. 1996 , 35, 5704-13	41
1376	Imaging surface contacts: power law contact distributions and contact stresses in quartz, calcite, glass and acrylic plastic. 1996 , 256, 219-239	229
1375	Protoplastic effect and vickers microhardness in ZnS sphalerite. 1996 , 34, 869-875	10
1374	Study on Electro Discharge Diamond Wheel Grinding (EDGM) of Ceramic Materials. 1996 , 11, 763-774	4
1373	Indenter Geometry Effects on the Measurement of Mechanical Properties by Nanoindentation with Sharp Indenters. 1996 , 436, 147	23
1372	Mechanical Behaviors of Si ₃ N ₄ -SiC/Si ₃ N ₄ -Si ₃ N ₄ Layered Composites. 1996 , 104, 699-704	4
1371	Indentation resistance of zirconia ceramics and crystals. 1996 , 37, 73-82	1
1370	Biaxial flexural strength and indentation fracture toughness of three new dental core ceramics. 1996 , 76, 140-4	160
1369	Hardness Studies and Fracture Behaviour on Flux-grown YFeO ₃ Single Crystals. 1996 , 31, 813-819	14
1368	The sub-critical indentation fracture process in soda-lime-silica glass. 1996 , 55, 35-46	17
1367	Apparent interface toughness of substrate and coating couples from indentation tests. 1996 , 283, 151-157	104
1366	Three-dimensional modelling of indentation fracture in brittle materials. 1996 , 206, 208-214	12
1365	Cyclic fatigue of brittle materials with an indentation-induced flaw system. 1996 , 208, 126-130	4
1364	Mechanical characterization of plasma sprayed ceramic coatings on metal substrates by contact testing. 1996 , 208, 158-165	73
1363	Modelling of interfacial fracture. 1996 , 209, 82-90	12
1362	Investigation of the surface integrity of laser-cut ceramic. 1996 , 57, 304-310	27

1361	Surface/subsurface damage and the fracture strength of ground ceramics. 1996 , 57, 207-220		104
1360	Influence of the oxygen pressure on the chemical state of yttrium in polycrystalline Alumina. Relation with microstructure and mechanical toughness. 1996 , 16, 1099-1106		20
1359	Decay of residual stress at indentation cracks during slow crack growth in soda-lime glass. 1996 , 44, 543-546		11
1358	Vickers indentation on the {001} faces of ZnS sphalerite under UV illumination and in darkness. Crack patterns and rosette microstructure. 1996 , 44, 3279-3291		10
1357	Grinding Mechanisms for Ceramics. 1996 , 45, 569-580		334
1356	Glass and glass machining in Zeus panels. 1996 , 50, 475-499		45
1355	N+-implantation induced enhanced adhesion in. 1996 , 103, 315-329		4
1354	Indentation size effect of thermoset polymer: Allyl diglycol carbonate (CR-39). 1996 , 15, 1523-1525		2
1353	Investigation of the properties of NiPSn multilayers using a mechanical microprobe. 1996 , 288, 202-211		6
1352	Fracture toughness and crack morphology in indentation fracture of brittle materials. 1996 , 31, 749-755		36
1351	Contact Damage in Plasma-Sprayed Alumina-Based Coatings. <i>Journal of the American Ceramic Society</i> , 1996 , 79, 1907-1914	3.8	51
1350	R-Curve Behavior of In-Situ-Toughened Al ₂ O ₃ :CaAl ₁₂ O ₁₉ Ceramic Composites. <i>Journal of the American Ceramic Society</i> , 1996 , 79, 3142-3148	3.8	69
1349	Method for Measuring Short-Crack R-Curves without Calibration Parameters: Case Studies on Alumina and Alumina/Aluminum Composites. <i>Journal of the American Ceramic Society</i> , 1996 , 79, 291-297	3.8	29
1348	Mechanical Properties of Polycrystalline Translucent Cubic Boron Nitride as Characterized by the Vickers Indentation Method. <i>Journal of the American Ceramic Society</i> , 1996 , 79, 547-549	3.8	59
1347	Surface Properties of Ceramic Laminates Fabricated by Die Pressing. <i>Journal of the American Ceramic Society</i> , 1996 , 79, 553-556	3.8	35
1346	Influence of Calcination Temperature on the Microstructure and Mechanical Properties of a Gel-Derived and Sintered 3 mol% Y-TZP Material. <i>Journal of the American Ceramic Society</i> , 1996 , 79, 1034-1040	3.8	9
1345	Abrasive Wear Behavior of a Si ₃ N ₄ -MoSi ₂ Composite. <i>Journal of the American Ceramic Society</i> , 1996 , 79, 1297-1302	3.8	23
1344	Using Simultaneous Deposition and Rapid Growth to Produce Nanostructured Composite Films of AlN/TiN by Chemical Vapor Deposition. <i>Journal of the American Ceramic Society</i> , 1996 , 79, 1335-1342	3.8	17

1343	Constitutive Law for the Densification of Fused Silica, with Applications in Polishing and Microgrinding. <i>Journal of the American Ceramic Society</i> , 1996 , 79, 1441-1452	3.8	35
1342	Machining-Induced Surface Residual Stress Behavior in Al ₂ O ₃ /SiC Nanocomposites. <i>Journal of the American Ceramic Society</i> , 1996 , 79, 2403-2409	3.8	52
1341	Toughness determination of zirconia toughened alumina ceramics from growth of indentation-induced cracks. 1996 , 11, 3057-3063		16
1340	A method of monitoring water absorption in polymers using a depth sensing indentation system. 1996 , 11, 529-536		13
1339	Microstructural characterization of carbon films and films produced by implantation. 1997 , 9, 1743-1761		8
1338	Assessment of thin-film hardness through elastic/plastic stress analysis in a microindentation test. 1997 , 82, 3266-3274		17
1337	Crack propagation in piezoelectric ceramics: Effects of applied electric fields. 1997 , 81, 7471-7479		149
1336	Mechanisms of Material Removal in the Precision Production Grinding of Ceramics. 1997 , 119, 509-519		45
1335	Defect evolution during machining of brittle materials. 1997 , 89-98		
1334	Glass-ceramics: deterministic microgrinding, lapping, and polishing. 1997 ,		4
1333	Effects of Microcracks in CVD Coating Layers on Cemented Carbide and Cermet Substrates on Residual Stress and Transverse Rupture Strength. 1997 , 119, 50-54		4
1332	Loose abrasive lapping hardness of optical glasses and its interpretation. 1997 , 36, 1501-16		36
1331	Influence of thermal cycling on the mechanical properties of VGF melt-textured YBCO. 1997 , 279, 173-180		78
1330	The vickers indentation technique used to evaluate thermal shock resistance of brittle materials. 1997 , 37, 443-447		23
1329	Monitoring of indentation fracture in CuO ceramics utilizing an electrical method. 1997 , 17, 249-251		
1328	A new method of fracture toughness determination in brittle ceramics by open-crack shape analysis. 1997 , 32, 1473-1477		6
1327	On the quantification of quenching transient thermal stresses in brittle solids using Vickers indentations. 1997 , 16, 584-587		7
1326	Indentation brittleness of ceramics: a fresh approach. 1997 , 32, 4331-4346		332

1325	Fracture toughness of polycrystalline NiAl from finite-element analysis of miniaturized disk-bend test results. 1997 , 28, 991-996	5
1324	Crack decorating technique for fracture-toughness measurement in alumina. 1997 , 17, 1697-1706	16
1323	Fracture mechanisms of thin amorphous carbon films in nanoindentation. 1997 , 45, 4453-4461	233
1322	Simulation of nacre with TiN/Pt multilayers and a study of their mechanical properties. 1997 , 49, 128-134	13
1321	Variation in some mechanical properties of Y-TZP caused by superplastic compressive deformation. 1997 , 68, 229-235	9
1320	Mechanism of the ultrasonic machining of ceramic composites. 1997 , 71, 195-201	63
1319	Flexural strength of ceramics ground under widely different conditions. 1997 , 70, 198-206	17
1318	Microstructural gradients in thin hard coatings—tailor-made. 1997 , 97, 308-312	8
1317	Mechanical properties of Cordierite and Spodumene glass-ceramics prepared by sintering and crystallization heat treatments. 1997 , 23, 401-407	19
1316	Microstructural dependence of friction and wear behaviours in low purity alumina ceramics. 1997 , 205, 88-96	25
1315	Fatigue wear mechanism of alumina, simulated by synchronized biaxial repeated indentations. 1997 , 205, 200-205	5
1314	Abrasive wear of Si ₃ N ₄ /MoSi ₂ composites. 1997 , 203-204, 247-256	38
1313	Comparison of Profile Functions for the Estimation of the Film Hardness from Compound Hardness Measurements by a Depth-Sensitive Method. 1997 , 159, 447-460	5
1312	Technological Advances in Fine Abrasive Processes. 1997 , 46, 545-596	238
1311	Effect of Multi-point Indentation on the Bending Strength of Silicon Nitride Ceramic. 1998 , 17, 1107-1109	
1310	Measurement of fracture toughness of ultra-thin amorphous carbon films. 1998 , 315, 214-221	158
1309	Quantification of quenching stresses and heat transfer. 1998 , 23, 143-146	4
1308	Depths of cracks produced by abrasion of brittle materials. 1998 , 40, 101-108	22

1307	Validation of the erosion map for spherical particle impacts on glass. 1998 , 215, 77-82	13
1306	Erosion and damage by sharp particles. 1998 , 217, 237-250	153
1305	Effect of tool geometry in nanometric cutting: a molecular dynamics simulation approach. 1998 , 219, 84-97	184
1304	Abrasive wear behaviour of SiC whisker-reinforced silicate matrix composites. 1998 , 223, 79-92	7
1303	The coated surface hardness: a kinematic model. 1998 , 335, 153-159	9
1302	Mechanical behavior and microstructure of SiC and ceramics. 1998 , 18, 51-57	16
1301	Strength/crack-size relationship for Knoop-indented bending specimens and its application to silicon nitride ceramics. 1998 , 18, 891-899	4
1300	Measurement of mechanical properties by ultra-low load indentation. 1998 , 253, 151-159	793
1299	On the hardness of coated systems. 1998 , 99, 171-183	468
1298	Simulation of nacre with TiC/Teflon multilayers and a study of their properties. 1998 , 103-104, 109-112	6
1297	Finite element simulation of vickers microindentation on alumina ceramics. 1998 , 24, 359-364	16
1296	Fracture toughness of Ti _{74.5} Al _{22.1} Cr _{3.0} Nb _{0.2} W from finite element analysis of miniaturized disk-bend test results. 1998 , 6, 471-477	5
1295	Modeling Stresses of Contacts in Wire Saw Slicing of Polycrystalline and Crystalline Ingots: Application to Silicon Wafer Production. 1998 , 120, 123-128	38
1294	Machining of Engineering Ceramics by Ultrasonic Vibration Assisted EDM Method. 1998 , 13, 133-146	30
1293	Surface treatment of wire electro-discharge machined engineering ceramics by abrasive blasting. 1998 , 12, 585-592	6
1292	Effect of Thermal Treatment on the Hardness and Fracture Toughness of Sputter Deposited Bi-Layered Thin Films on Silicon. 1998 , 516, 325	
1291	On the Interaction Between Indentation Cracks on Metallized Silicon. 1998 , 516, 337	
1290	The Dependence of Indentation Cracking in Silicon on Indentation Spacing and Relative Orientation. 1998 , 522, 359	

1289	Fracture and Abrasion Resistance Tests for Optical Fiber Coatings. 1998 , 531, 309	1
1288	Models for hardness and adhesion of coatings. 1999 , 15, 447-453	22
1287	Grinding Mechanisms and Energy Balance for Ceramics. 1999 , 121, 623-631	47
1286	Lapping and Polishing. 1999 , 354-442	
1285	Correlation between surface nanotopography and sintering behaviour of zirconia powders. 1999 , 10, 90-96	2
1284	Mechanochemically synthesized NbC cermets: Part II. Mechanical properties. 1999 , 14, 4285-4290	3
1283	Upper bound analysis for specific energy in grinding of ceramics. 1999 , 231, 161-171	42
1282	Micro/nanomechanical characterization of ceramic films for microdevices. 1999 , 340, 210-217	122
1281	Cyclic fatigue of intrinsically brittle ceramics in contact with spheres. 1999 , 47, 4711-4725	81
1280	Effect of residual microstresses at crystalline multigrain junctions on the toughness of silicon nitride. 1999 , 19, 451-455	7
1279	Determining indentation toughness by incorporating true hardness into fracture mechanics equations. 1999 , 19, 1585-1592	25
1278	Processing and properties of MoSi ₂ BiC and MoSi ₂ Al ₂ O ₃ . 1999 , 261, 252-260	41
1277	Thermal fatigue of alumina: comparison with mechanical data and life time prediction. 1999 , 25, 497-504	4
1276	Grinding induced subsurface cracks in silicon wafers. 1999 , 39, 1103-1116	128
1275	Influence of the electric field on vickers indentation crack growth in BaTiO ₃ . 1999 , 19, 1299-1306	103
1274	Examination of the indentation size effect in low-load vickers hardness testing of ceramics. 1999 , 19, 2625-2631	258
1273	Microstructure and Fracture Toughness of Si ₃ N ₄ Ceramics: Combined Roles of Grain Morphology and Secondary Phase Chemistry. <i>Journal of the American Ceramic Society</i> , 1999 , 82, 1857-1867	3.8 123
1272	Determination of residual stress fields beneath a Vickers indentation using photoelasticity. 1999 , 39, 227-230	7

1271	Postindentation slow growth of cracks in structural ceramics. 1999 , 40, 105-109	2
1270	Fracture toughness anisotropy of partially stabilized ZrO ₂ crystals in the plane (001). 1999 , 31, 492-498	
1269	Comparative study on indentation fracture toughness evaluations of soda-silica glass. 1999 , 98, 165-171	21
1268	Evaluation of Indentation Induced Residual Stress in the Surface of Float Glass.. 2000 , 108, 416-419	8
1267	Design for Hardness of Electroplated Ni Coatings. 2000 , 78, 105-109	4
1266	13.1: Effect of Scribing Wheel Dimensions on the Cutting of LCD Glass Substrate. 2000 , 31, 156-159	3
1265	Methods of Nanoindentation Testing. 2000 , 96-125	
1264	Plasma-sprayed hydroxyapatite (HA) coatings with flame-spheroidized feedstock: microstructure and mechanical properties. 2000 , 21, 1223-34	114
1263	Hardness measurements of Ti and TiC multilayers: a model. 2000 , 359, 228-235	23
1262	Some observations on erosion mechanisms of EB PVD TBCS. 2000 , 242, 89-96	63
1261	Dynamic Vickers indentation of brittle materials. 2000 , 239, 27-35	86
1260	Elastic modulus, indentation pressure and fracture toughness of hybrid coatings on glass. 2000 , 366, 139-149	85
1259	Load-dependence of Knoop hardness of Al ₂ O ₃ /TiC composites. 2000 , 20, 1895-1900	51
1258	Degradation of PZT-4D hard piezoceramics under moderate heating. 2000 , 20, 2705-2711	10
1257	Modelling of the hardness of electroplated nickel coatings on copper substrates. 2000 , 127, 1-8	75
1256	The correlation of scratch adhesion with composite hardness for TiN coatings. 2000 , 126, 152-158	66
1255	The composite and film hardness of TiN coatings prepared by cathodic arc evaporation. 2000 , 127, 138-143	52
1254	Damage resistance and R-curve behavior of multilayer Al ₂ O ₃ /SiC ceramics. 2000 , 26, 801-805	15

1253	Flexural strength and toughness of liquid phase sintered silicon carbide. 2000 , 26, 495-500		52
1252	Analysis and prediction of thermal shock in brittle materials. 2000 , 48, 1655-1665		129
1251	On the significance of the H/E ratio in wear control: a nanocomposite coating approach to optimised tribological behaviour. 2000 , 246, 1-11		1863
1250	Residual stress measurement by Hertzian indentation. 2000 , 288, 148-153		24
1249	Alumina Agglomerate Effects on Toughness-Curve Behavior of Alumina/Mullite Composites. <i>Journal of the American Ceramic Society</i> , 2000 , 83, 3089-3094	3.8	5
1248	Role of hydrogen on adhesion of NiCr thermal sprayed coatings. 2000 , 377-378, 675-680		3
1247	Effect of thermal treatments on adhesive properties of a NiCr thermal sprayed coating. 2000 , 377-378, 681-686		19
1246	Fracture toughness of ceramics and semi-brittle alloys using a miniaturized disk-bend test. 2000 , 3, 250-262		10
1245	Evaluacion termica, mecanica y electrica de materiales compuestos cordierita-mullita. 2000 , 3, 124-130		3
1244	Introduction to Contact Mechanics. 2000 ,		2
1243	An Investigation of Material Removal Mechanisms in Lapping with Grain Size Transition. 2000 , 122, 413-419		45
1242	Role of Unloading in Machining of Brittle Materials. 2000 , 122, 452-462		18
1241	Joining of silicon nitride ceramics for high-temperature applications. 2000 , 15, 136-141		22
1240	Effect of microstructure on fracture behavior of Al ₂ O ₃ /Al composite by reactive metal penetration. 2000 , 306, 292-299		10
1239	Effect of microcracking on the energy-balance relationship for hardness testing of ceramics. 2001 , 49, 180-184		10
1238	Statistical variability in the indentation toughness of TiCN particle reinforced Al ₂ O ₃ composite. 2001 , 49, 357-360		7
1237	Effect of load-dependence of hardness on indentation toughness determination for soda-lime glass. 2001 , 282, 325-328		16
1236	Micro/nanomechanical and tribological studies of bulk and thin-film materials used in magnetic recording heads. 2001 , 398-399, 313-319		46

1235	Modelling the hardness response of bulk materials, single and multilayer coatings. 2001 , 398-399, 291-298	37
1234	The Effect of a Silane Coupling Agent on the Hydrolytic Durability of Thin Epoxy Resin Films. 2001 , 77, 1-24	5
1233	Fracture toughness of bone china and hard porcelain. 2001 , 100, 256-259	17
1232	Mechanical Behavior of Single Crystalline and Polycrystalline Silicon Carbides Evaluated by Vickers Indentation.. 2001 , 109, 602-606	21
1231	Analysis and Testing of Indentation Fracture Behavior of Piezoelectric Ceramics Under an Electric Field. 2001 , 123, 293-300	30
1230	Hardness-depth profiling on nanometer scale. 2001 , 32, 1201-1209	13
1229	Mechanical properties of arc-evaporated CrN coatings.. 2001 , 145, 94-100	10
1228	Analytical correlation of hardness and scratch adhesion for hard films. 2001 , 148, 8-17	27
1227	Ultrasonic erosion of whisker-reinforced ceramic composites. 2001 , 27, 755-760	10
1226	Material removal mechanisms in precision machining of new materials. 2001 , 41, 1831-1843	55
1225	Grinding of WC-Co hardmetals. 2001 , 248, 187-196	135
1224	Toughness and thermal shock resistance of YBa ₂ Cu ₃ O _{7-x} composite superconductors containing Y ₂ BaCuO ₅ or Ag particles. 2001 , 298, 268-283	27
1223	Fatigue behaviour of mullite studied by the indentation flexure method. 2001 , 21, 53-61	2
1222	On the local crack resistance of Al ₂ O ₃ -TiC composites evaluated by direct indentation method. 2001 , 21, 941-946	14
1221	Mechanical properties of the dentinoenamel junction: AFM studies of nanohardness, elastic modulus, and fracture. 2001 , 54, 87-95	277
1220	Nanomechanical probes as new approaches to hydrogen/deformation interaction studies. 2001 , 68, 619-646	86
1219	An elastic-plastic-cracking model for finite element analysis of indentation cracking in brittle materials. 2001 , 38, 5893-5913	75
1218	Tribological Properties of Unidirectionally Aligned Silicon Nitride. <i>Journal of the American Ceramic Society</i> , 2001 , 84, 2579-2584	3.8 46

1217	Use of contact testing in the characterization and design of all-ceramic crownlike layer structures: a review. 2001 , 86, 495-510	195
1216	Substrate effects on indentation plastic zone development in thin soft films. 2001 , 16, 3150-3157	82
1215	Porous Methylsilsesquioxane for Low-k Dielectric Applications. 2001 , 4, F25	55
1214	STABILIZED sp ² /sp ³ CARBON AND METAL-CARBON COMPOSITES OF ATOMIC SCALE AS INTERFACE AND SURFACE-CONTROLLING DIELECTRIC AND CONDUCTING MATERIALS. 2001 , 447-508	2
1213	Surface features and residual strains in ALON grinding. 2001 , 4451, 165	1
1212	A combinatorial approach for efficient mapping of phase diagrams and properties. 2001 , 16, 1565-1578	94
1211	Interface engineering and graded films: Structure and characterization. 2001 , 19, 1404-1414	52
1210	Methods of Nanoindentation Testing. 2002 , 96-125	1
1209	Chemically Bonded Porogens in Methylsilsesquioxane. 2002 , 149, F171	23
1208	Depth-sensing indentation at macroscopic dimensions. 2002 , 17, 2679-2690	40
1207	Modelling of the mechanical and tribological properties of coatings and surface treatments. 2002 , 750, 1	1
1206	Evaluation of Indentation Induced Residual Stress on the Surface of Substrate Glasses for Display.. 2002 , 110, 834-839	1
1205	Rheological Modeling and Fracture of Hard Oxide Ceramics Modified by Ultra-Dispersed Diamond Nanoparticles. 2002 , 20, 209-223	2
1204	Overview: Damage in brittle layer structures from concentrated loads. 2002 , 17, 3019-3036	149
1203	Mechanical Reliability and Life Prediction for Brittle Materials. 809-828	
1202	Fracture toughness of dental ceramics: comparison of bending and indentation method. 2002 , 18, 12-9	118
1201	Fracture mechanisms in nanoscale layered hard thin films. 2002 , 420-421, 275-280	80
1200	Evaluation of surface and subsurface cracks in nanoscale-machined single-crystal silicon by scanning force microscope and scanning laser microscope. 2002 , 48, 141-145	7

1199	On the effect of nano-particle clustering on toughening of nano-composite ceramics. 2002 , 18, 146-158		1
1198	Ultrasonic machining of alumina-based ceramic composites. 2002 , 22, 1235-1241		39
1197	Influence of alumina particle size on fracture toughness of (Y,Nb)-TZP/Al ₂ O ₃ composites. 2002 , 22, 2173-2179	14	
1196	Application of data dependent systems approach for evaluation of fracture modes during a single-grit scratching. 2002 , 34, 25-42		30
1195	The effect of powder processing on densification, microstructure and mechanical properties of hydroxyapatite. 2002 , 28, 355-362		88
1194	Indentation toughness of ceramics: a statistical analysis. 2002 , 28, 767-772		22
1193	Role of residual stresses on interface toughness of thermally sprayed coatings. 2002 , 415, 143-150		44
1192	Tribological behaviour of uni-directionally aligned silicon nitride against steel. 2002 , 252, 484-490		18
1191	Hardness, Toughness, and Scratchability of GermaniumBelenium Chalcogenide Glasses. <i>Journal of the American Ceramic Society</i> , 2002 , 85, 1545-1552	3.8	92
1190	Rate Effects in Critical Loads for Radial Cracking in Ceramic Coatings. <i>Journal of the American Ceramic Society</i> , 2002 , 85, 2019-2024	3.8	67
1189	TitaniumSiliconNitrogen Composites with High Wear Resistance in Water and in Artificial Sea Water. <i>Journal of the American Ceramic Society</i> , 2002 , 85, 2373-2375	3.8	5
1188	Evaluation of dual-ion irradiated SiC by means of indentation methods. 2002 , 307-311, 1187-1190		15
1187	Surface integrity and modification of electro-discharge machined alumina-based ceramic composite. 2002 , 123, 75-79		18
1186	Indentation of plastically graded substrates by sharp indentors. 2002 , 39, 2495-2515		42
1185	Impact attrition of particulate solids. Part 2: Experimental work. 2002 , 57, 3671-3686		93
1184	Improving the fracture toughness of constituent phases and Nb-based in-situ composites by a computational alloy design approach. 2003 , 34, 1833-1849		45
1183	A new function for the description of the nanoindentation unloading data. 2003 , 49, 93-97		17
1182	Increasing the fracture toughness of silicon by ion implantation. 2003 , 206, 937-940		20

1181	Mechanical characteristics of melt grown doped KMgF3 crystals. 2003 , 78, 202-207		26
1180	Strength and attrition resistance of agglomerates and particulate coatings. 2003 , 130, 415-420		6
1179	Material Removal Mechanisms in Lapping and Polishing. 2003 , 52, 611-633		225
1178	Interfacial shear strength of C/C composites. 2003 , 41, 1819-1826		33
1177	Wear behaviour of Si3N4 ceramics reinforced by rod-like Si3N4 grains. 2003 , 254, 94-102		29
1176	Application of Vickers indentation for assessment of PVD TiN coated new nonledeburitic high-speed steels. 2003 , 162, 119-130		22
1175	Hardness analysis of duplex coating. 2003 , 169-170, 735-738		17
1174	Evaluation of surface and subsurface cracks on nano-scale machined brittle materials by scanning force microscope and scanning laser microscope. 2003 , 169-170, 743-747		26
1173	The erosive wear and corrosion behavior of zinc- and aluminum-coated steels in simulated coastal environment. 2003 , 168, 209-215		9
1172	Grinding of nanostructural ceramic coatings: damage evaluation. 2003 , 43, 161-167		21
1171	Mechanical characterization of micro/nanoscale structures for MEMS/NEMS applications using nanoindentation techniques. 2003 , 97, 481-94		255
1170	Strength characteristics of toughened ceramics containing contact-induced small surface cracks. 2003 , 344, 132-139		5
1169	Toughness evaluation of HVOF WC/Co coatings using non-linear regression analysis. 2003 , 357, 337-345		68
1168	Nanoindentation measurements of combustion CVD Al2O3 and YSZ films. 2003 , 359, 112-118		44
1167	Wear behavior of ceramic nozzles in sand blasting treatments. 2003 , 23, 323-329		39
1166	Determining the Toughness of Ceramics from Vickers Indentations Using the Crack-Opening Displacements: An Experimental Study. <i>Journal of the American Ceramic Society</i> , 2003 , 86, 1433-1436	3.8	69
1165	Ultrasonic abrasion of quartz crystals. 2003 , 255, 67-77		37
1164	Indentation behaviour of porous materials: Application to the Vickers indentation cracking of ceramics. 2003 , 83, 125-136		18

1163	Structural Behavior of Ceramics. 2003 , 429-454	3
1162	Surface damage of soda lime silica glasses: indentation scratch behavior. 2003 , 316, 54-63	107
1161	Wear behavior of TiC/MoSi ₂ composites. 2003 , 57, 1239-1243	22
1160	The relationship between the fracture toughness and grain boundary character distribution in polycrystalline NiAl. 2003 , 11, 33-39	48
1159	Cracking and Phase Transformation in Silicon During Nanoindentation. 2003 , 795, 451	
1158	Microstructural aspects of fracture in nanolayered TiAlCrN thin films. 2003 , 795, 439	1
1157	Mechanical and wear properties of Si ₃ N ₄ /W composites using tungsten boride powder. 2003 , 18, 2262-2267	3
1156	Dependence of fracture toughness on annealing temperature in Pb(Zr _{0.52} Ti _{0.48})O ₃ thin films produced by metal organic decomposition. 2003 , 18, 578-584	15
1155	Toughness and Contact Behavior of Conventional and Low-k Dielectric Thin Films. 2003 , 795, 282	1
1154	Determination of fracture toughness from the extra penetration produced by indentation-induced pop-in. 2003 , 18, 1412-1419	69
1153	Nanomechanical characterisation of solid surfaces and thin films. 2003 , 48, 125-164	329
1152	Micromechanical properties of a laser-induced iron oxide/aluminum matrix composite coating. 2003 , 18, 833-839	10
1151	Fracture Toughness Evaluated by Indentation Methods and Its Relation to Surface Energy in Silicon Single Crystals. 2003 , 44, 681-684	21
1150	Squeeze Film Force Using an Elliptical Velocity Profile. 2003 , 70, 137-142	6
1149	Failure Mechanisms of Thermal Barrier Coatings at High Temperature. 2003 , 159	
1148	Erosion Wear Properties of TiC-Al ₂ O ₃ Composites. 2003 , 111, 485-490	2
1147	Indentation Fracture Toughness Measurements of Low Dielectric Constant Materials. 2003 , 766, 931	6
1146	Examining the Fracture of Multi-Layered Coatings by Rheological Modeling of Hertzian Indentation. 2003 , 39	

1145	Dependence of crystalline, ferroelectric and fracture toughness on annealing in Pb(Zr _{0.52} Ti _{0.48})O ₃ thin films deposited by metal organic decomposition. 2003 , 6, 551-556		3
1144	Fracture Behaviour of Nano-composite Ceramics. 2004 , 665-670		
1143	Characterization of the effects of applied electric fields on fracture toughness and cyclic electric field induced fatigue crack growth for piezoceramic PIC 151. 2004 , 13, N9-N16		12
1142	Micro/nanomechanical characterization of a single decagonal AlCoNi quasicrystal. 2004 , 37, 753-757		10
1141	Sharp probes of varying acuity: Instrumented indentation and fracture behavior. 2004 , 19, 165-175		51
1140	Influence of substrate bias on practical adhesion, toughness, and roughness of reactive dc-sputtered zirconium nitride films. 2004 , 22, 2041-2047		14
1139	Acoustic Emission Analysis of Nanoindentation-Induced Fracture Events. 2004 , 841, R8.10.1		
1138	Ultrasonic Machining Mechanism of Sintered Nd-Fe-B Magnetic Materials. 2004 , 471-472, 59-62		1
1137	Nanocomposite TiC/a-C coatings: structure and properties. 2004 , 843, 161		1
1136	On the Mechanics of Indentation Induced Lateral Cracking. 2004 , 841, R11.11.1		
1135	Effect of oxide and nitride films on strength of silicon: A study using controlled small-scale flaws. 2004 , 19, 3569-3575		10
1134	Hardness, elasticity, and fracture toughness of polycrystalline spinel germanium nitride and tin nitride. 2004 , 19, 1392-1399		25
1133	Fracture and deformation in brittle solids: A perspective on the issue of scale. 2004 , 19, 22-29		72
1132	Strength of silicon containing nanoscale flaws. 2004 , 19, 657-660		11
1131	Dense, Shaped Ceramic/Metal Composites at less than equal to 1000°C by the Displacive Compensation of Porosity (DCP) Method. <i>Journal of the American Ceramic Society</i> , 2004 , 82, 757-760	3.8	17
1130	Indentation Determination of Fatigue Limits in Silicate Glasses. <i>Journal of the American Ceramic Society</i> , 2004 , 82, 1269-1274	3.8	6
1129	Spherical and Vickers Indentation Damage in Yttria-Stabilized Tetragonal Zirconia Polycrystals. <i>Journal of the American Ceramic Society</i> , 2004 , 82, 3113-3120	3.8	10
1128	Model for Cyclic Fatigue of Quasi-Plastic Ceramics in Contact with Spheres. <i>Journal of the American Ceramic Society</i> , 2004 , 83, 2255-2262	3.8	37

1127	Morphology of Vickers Indent Flaws in SodaLimeSilica Glass. <i>Journal of the American Ceramic Society</i> , 2004 , 84, 2361-2365	3.8	13
1126	Effect of Flaw State on the Strength of Brittle Coatings on Soft Substrates. <i>Journal of the American Ceramic Society</i> , 2004 , 84, 2377-2384	3.8	55
1125	Thermal Shock Resistance of Silicon Nitrides Using an IndentationQuench Test. <i>Journal of the American Ceramic Society</i> , 2004 , 85, 279-281	3.8	22
1124	Effect of Composition on Properties of Alumina/Titanium Silicon Carbide Composites. <i>Journal of the American Ceramic Society</i> , 2004 , 85, 3099-3101	3.8	33
1123	In Situ Cube-Corner Indentation of SodaLime Glass and Fused Silica. <i>Journal of the American Ceramic Society</i> , 2004 , 87, 1494-1501	3.8	50
1122	Solid-particle erosion of a geopolymer containing fly ash and blast-furnace slag. 2004 , 256, 714-719		35
1121	Influence of Grain Size on the Indentation-Fatigue Behavior of Alumina. <i>Journal of the American Ceramic Society</i> , 2004 , 83, 967-970	3.8	10
1120	Mechanical modelling of multilayer optical coatings. 2004 , 447-448, 26-32		24
1119	Effects of substrate temperature during implantation on the mechanical properties of ion-implanted silicon. 2004 , 217, 598-602		2
1118	Study of mechanical properties of PVD ZrN films, deposited under positive and negative substrate bias conditions. 2004 , 51, 715-719		31
1117	Microhardness, fracture mechanism and dielectric behaviour of flux-grown GdFeO3 single crystals. 2004 , 85, 353-365		66
1116	Mechanical properties of nanocomposite metalCeramic thin films. 2004 , 35, 157-162		32
1115	Erosion and strength degradation of biomorphic SiC. 2004 , 24, 861-870		16
1114	Solid-particle erosion and strength degradation of Si3N4/BN fibrous monoliths. 2004 , 256, 233-242		9
1113	Mechanisms governing the high temperature erosion of thermal barrier coatings. 2004 , 256, 735-746		98
1112	Wear mechanism operating in W-DLC coatings in contact with machined steel surfaces. 2004 , 179, 306-313		26
1111	Indentation damage to boron carbideDLC coatings with different compositions. 2004 , 183, 1-9		9
1110	Scaling, dimensional analysis, and indentation measurements. 2004 , 44, 91-149		773

1109	A threshold stress intensity factor at the onset of stable crack extension of Knoop indentation cracks. 2004 , 71, 2263-2269	14
1108	High temperature erosion/oxidation mechanisms, maps and models. 2004 , 256, 907-917	42
1107	Modelling of the indentation response of coatings and surface treatments. 2004 , 256, 857-866	26
1106	Toughness measurement of ceramic thin films by two-step uniaxial tensile method. 2004 , 469-470, 233-238	14
1105	Analysis of interfacial strengthening from composite hardness of TiN/VN and TiN/NbN multilayer hard coatings. 2004 , 187, 47-53	54
1104	Mechanical behaviour and fracture mechanism of flux grown holmium orthoferrite single crystals. 2004 , 65, 1359-1365	6
1103	Crack opening profiles of indentation cracks in normal and anomalous glasses. 2004 , 52, 293-297	69
1102	Analysis of the nanoindentation data measured with a Berkovich indenter for brittle materials: effect of the residual contact stress. 2004 , 52, 785-793	77
1101	A probe for the high temperature deformation of thermal barrier oxides. 2004 , 52, 1479-1487	48
1100	Strength of silicon, sapphire and glass in the subthreshold flaw region. 2004 , 52, 3459-3466	27
1099	Analysis of Toughening Mechanisms of ZrO ₂ /Nano-SiC Ceramic Composites. 2004 , 38, 227-241	11
1098	New developments for fracture toughness determination by Vickers indentation. 2004 , 20, 877-884	34
1097	Effect of Sintering Temperature on Phase Transition and Mechanical Properties of Lead Zirconate Ceramics. 2004 , 31, 1-13	8
1096	Fracture toughness of SmBaCuO bulk superconductors at cryogenic temperatures. 2004 , 14, 1118-1121	8
1095	The indentation fracture toughness (KC) and its parameters: the case of silica-rich glasses. 2004 , 344, 44-50	44
1094	High temperature microhardness of soda-lime glass. 2004 , 348, 131-138	26
1093	Microstructural characteristics in silicon nitride/tungsten composites by different in-situ processing. 2004 , 58, 21-24	3
1092	Fabrication and mechanical evaluation of SiC/mSiC nanocomposites by SPS. 2004 , 58, 150-153	42

1091	Influence of porosity on the hydrostatic constraint factor for evaluating toughness from Vickers indentation cracks in brittle materials. 2004 , 84, 1-6	3
1090	Colloidal Processing and Mechanical Properties of SiC with Al ₂ O ₃ and Y ₂ O ₃ . 2004 , 112, 22-28	33
1089	Plasticity and strength of metal oxide high-temperature superconductors (Review). 2004 , 30, 345-376	15
1088	Erosion Wear Properties of Pressureless Sintered TiC/Al ₂ O ₃ Composites-Comparison between Pressureless Sintered Composites and Pressurized Sintered Commercial Cutting Tool Materials-. 2004 , 112, 117-120	12
1087	Orientation Dependence of Fracture Toughness and Its Relation to Surface Energy in Si Crystals. 2004 , 68, 787-791	2
1086	Fabrication of Nano-Laminar Composite from Glass Flake. 2005 , 113, 808-811	6
1085	Preparation of Al ₂ O ₃ /rO ₂ /Ni nanocomposite by pulse electric current and pressureless sintering. 2005 , 25, 3125-3133	20
1084	Relating hardness-curve shapes with deformation mechanisms in TiAlN thin films enduring indentation. 2005 , 406, 11-18	17
1083	Elastic recovery of ReBaCuO bulk superconductors during indentation process at cryogenic temperatures. 2005 , 426-431, 714-719	2
1082	Crack opening displacements of Vickers indentation cracks. 2005 , 72, 647-659	52
1081	Comments on the mechanical modelling of multilayer optical coatings: authors' reply. 2005 , 484, 439-442	3
1080	Influence of growth temperature on microstructure and mechanical properties of nanocrystalline zirconium carbide films. 2005 , 479, 130-136	45
1079	Mechanical and tribological behavior of nanocomposite multilayered Cr/a-C thin films. 2005 , 479, 174-181	13
1078	Nanohardness and fracture toughness of combustion chemical vapor deposition deposited yttria stabilized zirconia/alumina films. 2005 , 483, 211-217	13
1077	Nanocoatings for engine application. 2005 , 194, 58-67	82
1076	Toughening of hard nanostructural thin films: a critical review. 2005 , 198, 2-8	241
1075	Toughness measurement of thin films: a critical review. 2005 , 198, 74-84	263
1074	Nanostructured TiC/a-C coatings for low friction and wear resistant applications. 2005 , 198, 44-50	104

1073	Application of composite hardness models to copper thin film hardness measurement. 2005 , 199, 32-37		29
1072	Ni-toughened nc-TiN/a-SiNx nanocomposite thin films. 2005 , 200, 1530-1534		56
1071	Nanostructure and properties of TiC/a-C:H composite coatings. 2005 , 53, 4505-4521		242
1070	R-curve behavior of Si3N4 whisker-reinforced Si3N4 matrix composites. 2005 , 31, 197-204		7
1069	Investigation of an anisotropic plate model to evaluate the interface adhesion of thin film with cross-sectional nanoindentation method. 2005 , 65, 1382-1390		11
1068	Crack Suppression in Strongly Bonded Homogeneous/Heterogeneous Laminates: A Study on Glass/Glass-Ceramic Bilayers. <i>Journal of the American Ceramic Society</i> , 2005 , 79, 634-640	3.8	67
1067	Elastic Response of Thermal Spray Deposits under Indentation Tests. <i>Journal of the American Ceramic Society</i> , 2005 , 80, 2093-2099	3.8	127
1066	Role of Microstructure in Hertzian Contact Damage in Silicon Nitride: I, Mechanical Characterization. <i>Journal of the American Ceramic Society</i> , 2005 , 80, 2367-2381	3.8	80
1065	Contact-Induced Transverse Fractures in Brittle Layers on Soft Substrates: A Study on Silicon Nitride Bilayers. <i>Journal of the American Ceramic Society</i> , 2005 , 81, 571-580	3.8	64
1064	Strengthening and Toughening Mechanisms of Ceramic Nanocomposites. <i>Journal of the American Ceramic Society</i> , 2005 , 81, 1453-1460	3.8	206
1063	Model of Strength Degradation from Hertzian Contact Damage in Tough Ceramics. <i>Journal of the American Ceramic Society</i> , 2005 , 81, 1509-1520	3.8	51
1062	The Mechanics of Indentation Induced Lateral Cracking. <i>Journal of the American Ceramic Society</i> , 2005 , 88, 1233-1238	3.8	67
1061	Toughening of a Cordierite Glass-Ceramic by Compressive Surface Layers. <i>Journal of the American Ceramic Society</i> , 2005 , 88, 2798-2808	3.8	10
1060	Recommendations for Determining the Hardness of Armor Ceramics. 2005 , 1, 219-225		38
1059	Mechanical characteristics of flux-grown calcium titanate and nickel titanate crystals. 2005 , 89, 64-71		84
1058	Fatigue sensitivity of Y-TZP to microscale sharp-contact flaws. 2005 , 72, 388-92		52
1057	Transition between interface defeat and penetration for tungsten projectiles and four silicon carbide materials. 2005 , 31, 781-792		53
1056	Titanium-Titanium diboride composites as part of a gradient armour material. 2005 , 32, 387-399		55

1055	Numerical analysis of the cutting interaction between indenters acting on disordered materials. 2005 , 131, 143-154	13
1054	Radial Fracture During Indentation by Acute Probes: II, Experimental Observations of Cube-corner and Vickers Indentation. 2005 , 136, 265-284	26
1053	Radial Fracture During Indentation by Acute Probes: I, Description by an Indentation Wedging Model. 2005 , 136, 237-264	35
1052	Analyse d'un mode de vieillissement dans un assemblage céramique/métal. 2005 , 6, 101-115	
1051	Wear surface studies on blasting nozzles in abrasive surface treatment. 2005 , 21, 439-444	2
1050	Influence of Confinement Condition on Particle Impact Damage in Soda-Lime Glass. 2005 , 297-300, 1315-1320	
1049	Modification of Alumina Ceramics Properties by Stressonic [®] Shot Peening. 2005 , 490-491, 509-514	2
1048	Fracture Mechanics. 2005 ,	4
1047	Competing fracture modes in brittle materials subject to concentrated cyclic loading in liquid environments: Monoliths. 2005 , 20, 2021-2029	42
1046	Assessment of Indentation Fracture Toughness Based on a Direct Measurement of Crack-Driving Residual Stress. 2005 , 297-300, 286-291	
1045	Determination of micro-hardness and elastic modulus in the transcristalline zone of carbon fibre/PPS composites using a knife edge indenter. 2005 , 65, 1-7	17
1044	Indentation Fracture, Acoustic Emission and Modelling of the Mechanical Properties of Thin Ceramic Coatings. 2005 , 21-41	
1043	Mechanical Properties of Nanostructures. 2005 , 731-771	1
1042	Crack bridging mechanism for glass strengthening by organosilane water-based coatings. 2005 , 351, 323-330	21
1041	Hardness and fracture toughness of moissanite. 2005 , 14, 1669-1672	42
1040	Nanomechanical Properties of Solid Surfaces and Thin Films. 2005 , 575-622	3
1039	Nanoindentation of coatings. 2005 , 38, R393-R413	265
1038	Indentation Size Effect for Glasses: Yes, There is a Fracture Contribution. 2005 , 149-171	2

1037	Fracture Mechanics of Ceramics. 2005,		8
1036	Microhardness, toughness, and modulus of Mohs scale minerals. 2006, 91, 135-142		142
1035	Nanostructured Coatings. 2006,		61
1034	Effects of Mineral Composition and Microstructure on Crack Resistance of Sintered Ore. 2006, 13, 9-12		10
1033	A critical examination of the relationship between plastic deformation zone size and Young's modulus to hardness ratio in indentation testing. 2006, 21, 2617-2627		45
1032	Optimization of Nanostructured Tribological Coatings. 2006, 511-538		15
1031	Effect of Interfacial Adhesion on the Mechanical Properties of Organic/Inorganic Hybrid Nanolaminates. 2006, 82, 447-468		9
1030	Finishing. 2006,		
1029	Instrumented Vickers microindentation of alumina-based materials. 2006, 21, 161-173		17
1028	Testing of Ceramics and Glasses by Indentation Techniques. 2006, 365-377		1
1027	Mechanical Properties of Ceramics. 2006,		
1026	Computation of the Stress Intensity Factor and COD for Submicron Sized Indentation Cracks. 2006, 114, 1044-1048		14
1025	Influence of the Measuring Method for Crack Length on the Fracture Toughness of Silicon Nitride Ceramics Obtained by the Indentation Fracture Technique. 2006, 114, 787-790		
1024	Reinforcement of Hydroxyapatite Bioceramic by Addition of Ti ₃ SiC ₂ . <i>Journal of the American Ceramic Society, 2006, 89, 743-745</i>	3.8	17
1023	Interfacial Fracture Phenomena in Ceramic Composite Directionally Solidified Eutectics with a Ductile Interphase. <i>Journal of the American Ceramic Society, 2006, 89, 767-772</i>	3.8	3
1022	Sensitivity of Scratch Resistance to Grinding-Induced Damage Anisotropy in Silicon Nitride. <i>Journal of the American Ceramic Society, 2006, 89, 2528-2536</i>	3.8	19
1021	Study of Microstructural Effects in the Strength of Alumina Using Controlled Flaws. <i>Journal of the American Ceramic Society, 2006, 67, c67-c69</i>	3.8	17
1020	Geometrical Effects in Elastic/Plastic Indentation. <i>Journal of the American Ceramic Society, 2006, 67, 57-608</i>		61

1019	An instrumented indentation technique for estimating fracture toughness of ductile materials: A critical indentation energy model based on continuum damage mechanics. 2006 , 54, 1101-1109	93
1018	Unlubricated friction and wear behaviors of various alumina-based ceramic composites against cemented carbide. 2006 , 32, 499-507	21
1017	Work of indentation approach to the analysis of hardness and modulus of thin coatings. 2006 , 423, 28-35	30
1016	Effect of thermal fatigue on mechanical characteristics and contact damage of zirconia-based thermal barrier coatings with HVOF-sprayed bond coat. 2006 , 429, 173-180	24
1015	Mechanical properties of InAs/InP semiconductor alloys. 2006 , 253, 2657-2661	
1014	Critical evaluation of indentation fracture toughness measurements with Vickers indenter on ceramic matrix composite tools. 2006 , 174, 67-73	22
1013	Advanced TiC/a-C:H nanocomposite coatings deposited by magnetron sputtering. 2006 , 26, 565-570	61
1012	Evaluation of fracture toughness of as plasma sprayed alumina-13wt.% titania coatings by micro-indentation techniques. 2006 , 26, 3075-3081	41
1011	Deformation and failure mechanism of nano-composite coatings under nano-indentation. 2006 , 200, 6718-6726	82
1010	Fracture toughness, hardness and elastic modulus of hydrogenated amorphous carbon films deposited by chemical vapor deposition. 2006 , 496, 481-488	36
1009	Mechanics of bone tissue revisited from nano to macro. 2006 , 39, S15-S16	
1008	Microcrack growth in cortical bone using indentation fracture. 2006 , 39, S16	
1007	Bone microcrack initiation and propagation towards nano-tomographic imaging using synchrotron light. 2006 , 39, S16	
1006	The fracture process in mineralised tissues visualised by whitening, an indicator of microdamage. 2006 , 39, S16	
1005	TiN coating on an electrical discharge machined WC-Co hardmetal: surface integrity effects on indentation adhesion response. 2006 , 41, 5213-5219	6
1004	Strength and sharp contact fracture of silicon. 2006 , 41, 841-872	144
1003	Acoustic Emission Analysis of Nanoindentation-Induced Fracture Events. 2006 , 46, 333-345	8
1002	Palmqvist fracture toughness of a new wear-resistant weld alloy. 2006 , 37, 3617-3627	9

1001	Failure of brittle layers on polymeric substrates from Vickers indentation. 2006 , 55, 335-338	10
1000	Measurement of fracture toughness of nickel phosphorus coatings. 2006 , 60, 349-351	15
999	Transverse fracture of brittle bilayers: relevance to failure of all-ceramic dental crowns. 2006 , 79, 58-65	49
998	Indentation Fracture Mechanics for Toughness Assessment of PMMA/SiO ₂ Nanocomposites. 2006 , 291, 263-271	44
997	Nanoindentation and Morphological Studies of Epoxy Nanocomposites. 2006 , 291, 1358-1366	64
996	Using work of indentation to predict erosion behavior in bulk materials and coatings. 2006 , 39, 1626-1634	22
995	MD simulation of phase transformations due to nanoscale cutting on silicon monocrystals with diamond tip. 2006 , 39, 3674-3679	37
994	Shot Peening - A New Method for Improving Mechanical Properties of Structural Ceramics. 2006 , 317-318, 277-280	3
993	Strengthening Zirconia by Adding Both Nickel and Alumina Particles. 2006 , 313, 47-52	
992	Mechanical Reliability and Life Prediction for Brittle Materials. 2006 , 962-979	
991	Effect of some thermal treatments on interface adhesion toughness of various thick thermal spray coatings. 2006 , 22, 390-398	11
990	Measuring residual stress in glasses and ceramics using instrumented indentation. 2007 , 22, 2875-2887	10
989	Description of the Nanoindentation Unloading Behavior of Brittle Ceramics with a Modified Surface. 2007 , 336-338, 2422-2425	
988	MAGNETRON SPUTTERED HARD AND YET TOUGH NANOCOMPOSITE COATINGS WITH CASE STUDIES: NANOCRYSTALLINE TiN EMBEDDED IN AMORPHOUS SiN _x . 2007 , 1-110	5
987	Indentation-induced densification of soda-lime silicate glass. 2007 , 98, 360-364	33
986	Fabrication of enamel-mimicking mineralization composite coating induced by electrolytic deposition (ELD) system. 2007 , 1008, 1	
985	Self-Lubrication and Wear Behavior of TiC/a-C:H Nanocomposite Coatings. 2007 , 539-543, 1074-1079	1
984	Comparison of nanoindentation measurements between osteogenesis imperfecta Type III and Type IV and between different anatomic locations (femur/tibia versus iliac crest). 2007 , 48, 70-5	34

983	Fabrication of Nano-Laminar Glass/Metal Composites by Sintering Glass Flakes. 2007 , 539-543, 883-888	
982	Instrumented Indentation Contact with Sharp Probes of Varying Acuity. 2007 , 1049, 1	3
981	Measurement of Mechanical Properties of Thin Films and Nanostructured Materials at High Spatial Resolution. 2007 , 539-543, 3534-3539	
980	Description of Unloading Behavior of Berkovich Nanoindentation. 2007 , 280-283, 1757-1760	1
979	Mechanical Properties of Ag ⁺ /Na ⁺ Ion-exchanged Aluminosilicate Glasses. 2007 , 115, 354-359	3
978	Hardness, toughness, and modulus of some common metamorphic minerals. 2007 , 92, 281-288	83
977	Preparation of hydroxyapatite/zirconia bioceramic nanocomposites for orthopaedic and dental prosthesis applications. 2007 , 18, 065602	51
976	Introduction to Contact Mechanics. 2007 ,	203
975	Nanomechanical Properties of Solid Surfaces and Thin Films. 2007 , 1137-1166	1
974	Indentation fracture and toughness assessment for thin optical coatings on glass. 2007 , 40, 5401-5417	92
973	Intermetallic Formation and Growth. 2007 , 97-126	
972	Multifunctional Ti-Si-B-C-N Tribological Nanocomposite Coatings for Aerospace Applications. 2007 , 539-543, 173-180	1
971	Fracture and deformation behavior of common and novel scintillating single crystals. 2007 ,	7
970	A study of TiAlN coatings prepared by rf co-sputtering. 2007 , 24, 249-257	14
969	Opportunities for TBCs in the ZrO ₂ /O _{1.5} /Al ₂ O ₃ system. 2007 , 201, 6044-6050	103
968	Effects of the powder manufacturing method on microstructure and wear performance of plasma sprayed alumina/titania coatings. 2007 , 202, 34-44	82
967	A universal relation for edge chipping from sharp contacts in brittle materials: A simple means of toughness evaluation. 2007 , 55, 2555-2561	106
966	Enamel inspired nanocomposite fabrication through amelogenin supramolecular assembly. 2007 , 28, 3034-42	75

965	On internal cone cracks induced by conical indentation in brittle materials. 2007 , 74, 2535-2546		14
964	Application of indentation fracture mechanics approach for determination of fracture toughness of brittle polymer systems. 2007 , 26, 51-59		22
963	Fracture properties of sintered UO ₂ ceramic pellets with duplex microstructure. 2007 , 366, 87-98		22
962	Comparison of fracture resistance as measured by the indentation fracture method and fracture toughness determined by the single-edge-precracked beam technique using silicon nitrides with different microstructures. 2007 , 27, 2347-2354		31
961	Measurement of the microstructural fracture toughness of cortical bone using indentation fracture. 2007 , 40, 3285-8		47
960	Fracture toughness properties of three different biomaterials measured by nanoindentation. 2007 , 4, 11-17		52
959	Hard yet Tough Nanocomposite Coatings [Present Status and Future Trends. 2007 , 4, 219-228		100
958	What Can We Learn from R-Curve Measurements?. <i>Journal of the American Ceramic Society</i> , 2007 , 90, 1-15	3.8	92
957	A New Analytical Model for Estimation of Scratch-Induced Damage in Brittle Solids. <i>Journal of the American Ceramic Society</i> , 2007 , 90, 885-892	3.8	112
956	On the Vickers Indentation Fracture Toughness Test. <i>Journal of the American Ceramic Society</i> , 2007 , 90, 673-680	3.8	483
955	Machinable Ti ₃ SiC ₂ /Hydroxyapatite Bioceramic Composites by Spark Plasma Sintering. <i>Journal of the American Ceramic Society</i> , 2007 , 90, 3331-3333	3.8	16
954	Preparation of mica-based glass-ceramics with needle-like fluorapatite. 2007 , 23, 251-8		36
953	Water-based gelcasting of lead zirconate titanate and evaluation of mechanical properties of the gelcast samples. 2007 , 57, 817-820		8
952	Evaluation of mechanical properties of gelcast lead zirconate titanate disks sintered at different temperatures. 2007 , 57, 1024-1027		10
951	Material-independent crack arrest statistics: application to indentation experiments. 2007 , 142, 51-67		6
950	Contact damage initiation in silicon nitride in Hertzian indentation: role of microstructure. 2007 , 42, 3508-3519		3
949	Erosion of geopolymers made from industrial waste. 2007 , 42, 3066-3072		10
948	Interfacial mechanical properties of TiN coating on steels by indentation. 2007 , 42, 2745-2752		1

947	Stress characterization of surface damages on soda-lime glass using a nanocontact deformation method. 2007 , 42, 8203-8208	1
946	Microindentation in bone: hardness variation with five independent variables. 2007 , 18, 591-7	37
945	Adhesion of reactive magnetron sputtered TiNx and TiCy coatings to AISI H13 tool steel. 2007 , 202, 1078-1083	37
944	Assessment of fracture toughness in ornamental stones. 2008 , 45, 554-563	17
943	Comments on "Measurement of the microstructural fracture toughness of cortical bone using indentation fracture". 2008 , 41, 1379-80	18
942	Authors' response to "comments on 'measurement of the microstructural fracture toughness of cortical bone using indentation fracture'". 2008 , 41, 2602-3	4
941	Model to determine the depth of a diffusion layer by normal indentations to the surface. 2008 , 202, 3419-3426	7
940	The deformation and fracture behavior of the scintillating crystal cadmium tungstate. 2008 , 60, 56-58	3
939	The use of nanoindentation for characterizing the properties of mineralized hard tissues: state-of-the art review. 2008 , 87, 286-301	105
938	Study of microcracks morphology produced by Vickers indentation on AISI 1045 borided steels. 2008 , 475, 285-292	17
937	Characterization and determination of FeB layers mechanical properties. 2008 , 206, 231-240	27
936	Experimental observation and numerical analysis of cracking phenomena in adjoining Vickers indentations on glass surface. 2008 , 208, 171-178	5
935	Influence of indenter angle on cracking in Si and Ge during nanoindentation. 2008 , 56, 4458-4469	99
934	An analysis of nanoindentation in elasto-plastic solids. 2008 , 45, 6399-6415	40
933	Effect of bilayer period on properties of Cr/CrN multilayer coatings produced by laser ablation. 2008 , 202, 3501-3506	51
932	Grain size dependence of scratch-induced damage in alumina ceramics. 2008 , 265, 612-619	44
931	Bias effect on microstructure and mechanical properties of magnetron sputtered nanocrystalline titanium carbide thin films. 2008 , 516, 5419-5423	78
930	Study of polycrystalline Al ₂ O ₃ machining cracks using discrete element method. 2008 , 48, 975-982	58

929	Preparation and R-curve properties of laminated Si/SiC ceramics from paper. 2008 , 492, 327-332	17
928	Physicomechanical properties of cryptocrystalline fluorite from the Suran deposit, southern Urals. 2008 , 50, 629-633	
927	Nanoindentation and mechanical properties of solids in submicrovolumes, thin near-surface layers, and films: A Review. 2008 , 50, 2205-2236	160
926	Hardness of microporous SiC ceramics. 2008 , 53, 1591-1596	6
925	Predicting the frictional wear rate of industrial ceramics. 2008 , 28, 554-558	4
924	Characterization of quasi-plastic deformation of WC/Co composite using Hertzian indentation technique. 2008 , 26, 106-114	28
923	Influence of leucite content on slow crack growth of dental porcelains. 2008 , 24, 1114-22	41
922	Anisotropic mechanical properties and contact damage in air-plasma-sprayed thermal barrier coatings with bond coating nature and thermal exposure condition. 2008 , 61, 300-307	8
921	Bibliography. 205-221	
920	A numerical approach to evaluation of elastic modulus using conical indenter with finite tip radius. 2008 , 23, 2528-2537	23
919	Structural, thermal, electromechanical and mechanical property studies on (Pb _{0.93} La _{0.07})(Zr _{0.60} Ti _{0.40})O ₃ ceramics synthesized by a high energy mechanochemical milling process. 2008 , 17, 035020	4
918	Nano- and micro-indentation studies on lithium borate-barium bismuth niobate glasses. 2008 , 354, 3793-3798	5
917	Characterization of an amorphous-crystalline Mg-based composite. 2008 , 463, 173-179	12
916	Optical fluoride nanoceramic. 2008 , 75, 728	4
915	Nanomechanical Properties of Solid Surfaces and Thin Films. 2008 , 607-653	
914	Comparative Study on the Materials Removal Mechanism of Ceramics and Steels. 2008 , 389-390, 18-23	
913	Residual Stress Determination Using Nanoindentation Technique. 2008 , 136-150	2
912	Effect of substrate hardness and film structure on indentation depth criteria for film hardness testing. 2008 , 41, 074010	55

911	On radial crack and half-penny crack induced by Vickers indentation. 2008 , 464, 2967-2984	30
910	Effect of high-temperature ambience during sharp indentation on the residual contact site properties. 2008 , 41, 074025	6
909	Derivation of tensile flow characteristics for austenitic materials from instrumented indentation technique. 2008 , 41, 074014	14
908	Wear and wear maps of coatings. 2008 , 55, 271-282	
907	Mechanism of Brittle-Ductile Transition of Single Silicon Wafer Using Nanoindentation Techniques. 2008 , 375-376, 52-56	4
906	The effect of high energy mechanochemical processing on the microstructure, piezoelectric, ferroelectric and mechanical properties of PLZT ceramics. 2008 , 19, 195201	24
905	Erosion mechanisms of monocrystalline silicon under a microparticle laden air jet. 2008 , 104, 034903	19
904	Critical Depth of Hard Brittle Materials on Nano Plastic Forming. 2008 , 2, 59-70	16
903	Effect of Microstructure on the Mechanical Behavior of Reactive Magnetron Sputtered Al ₂ O ₃ /TiO ₂ Multilayer Ceramics. 2008 , 49, 2714-2722	7
902	Relaxation behaviors of Vickers indentations in soda-lime glass. 2008 , 116, 864-868	10
901	. 2008 ,	29
900	Wear Behavior of Self-mated Ti-Si-C Composites and Ti-Si-N Composites Slid Without Lubricant. 2008 , 3, 185-189	3
899	Characterization of morphology and mechanical properties of glass interior irradiated by femtosecond laser. 2009 ,	1
898	Fracture modes in human teeth. 2009 , 88, 224-8	57
897	Fracture toughness characterization of advanced coatings. 2009 , 19, 115004	10
896	Extensive deformation behavior of an all-oxide Al ₂ O ₃ -TiO ₂ nanostructured multilayer ceramic at room temperature. 2009 , 24, 3387-3396	2
895	Foreign Object Damage in Gas-Turbine Grade Silicon Nitrides by Silicon Nitride Ball Projectiles. 2009 ,	4
894	Prediction of hardness-depth profile from indentations at surface of materials. 2009 , 25, 93-96	6

893	Effective indenter radius and frame compliance in instrumented indentation testing using a spherical indenter. 2009 , 24, 2965-2973	16
892	Indentation techniques for evaluating the fracture toughness of biomaterials and hard tissues. 2009 , 2, 384-95	159
891	Analysis and modelling of particle velocities in micro-abrasive air jet. 2009 , 49, 850-858	95
890	Characterization of Microplasma Sprayed Hydroxyapatite Coating. 2009 , 18, 578-592	44
889	On the behaviour of obsidian under scratch test. 2009 , 266, 621-626	11
888	Indentation induced lateral crack in ceramics with surface hardening. 2009 , 507, 226-235	24
887	Experimental study on abrasive waterjet polishing for hard brittle materials. 2009 , 49, 569-578	68
886	Influence of the microstructure on the mechanical and tribological behavior of TiC/a-C nanocomposite coatings. 2009 , 517, 1662-1671	140
885	Mechanical and deformation behaviour of titanium diboride thin films deposited by magnetron sputtering. 2009 , 517, 2912-2919	16
884	Study of the mechanical properties of CeO ₂ layers with the nanoindentation technique. 2009 , 518, 227-232	16
883	A comparative micro-cantilever study of the mechanical behavior of silicon based passivation films. 2009 , 518, 247-256	163
882	Coating optimisation for high speed machining with advanced nanomechanical test methods. 2009 , 203, 1919-1925	105
881	On the factors affecting the critical indenter penetration for measurement of coating hardness. 2009 , 83, 911-920	87
880	Wear mechanisms in materials with granitic textures—Applicability of a lateral crack system model. 2009 , 266, 753-764	16
879	Evaluation of abradable seal coating mechanical properties. 2009 , 267, 1501-1510	36
878	Discrete element method (DEM) modeling of fracture and damage in the machining process of polycrystalline SiC. 2009 , 29, 1029-1037	117
877	Studies on a novel bioactive glass and composite coating with hydroxyapatite on titanium based alloys: Effect of sterilization on coating. 2009 , 29, 2527-2535	26
876	Inelastic deformation under indentation and scratch loads in a ZrB ₂ SiC composite. 2009 , 29, 3053-3061	26

875	A hazardous waste from secondary aluminium metallurgy as a new raw material for calcium aluminate glasses. 2009 , 165, 180-6	38
874	A practical guide for analysis of nanoindentation data. 2009 , 2, 396-407	141
873	Relationship between fracture toughness determined by surface crack in flexure and fracture resistance measured by indentation fracture for silicon nitride ceramics with various microstructures. 2009 , 35, 493-501	22
872	Preparation and mechanical characterization of dense and porous zirconia produced by gel casting with gelatin as a gelling agent. 2009 , 35, 2481-2491	32
871	Micromechanical properties of single crystal hydroxyapatite by nanoindentation. 2009 , 5, 2206-12	106
870	Toughness of as-cast and partially crystallized composites of a bulk metallic glass. 2009 , 17, 835-839	27
869	Local surface damage and material dissolution in 45S5 bioactive glass: Effect of the contact deformation. 2009 , 355, 874-879	8
868	ISE and fracture toughness evaluation by Vickers hardness testing of an Al ₃ Nb ₁ Nb ₂ Al ₁ NbNi in situ composite. 2009 , 472, 65-70	28
867	Introduction. 2009 , 17, 287	3
866	References. 439-471	
865	Effect of B ₂ O ₃ content on crack initiation under Vickers indentation test. 2010 , 118, 792-798	48
864	Characterization of Morphology and Mechanical Properties of Glass Interior Irradiated by Femtosecond Laser. 2010 , 132,	7
863	Mechanical properties of AlN/Si structures under conditions of low-flux beta irradiations. 2010 , 74, 209-212	2
862	Vibration assisted scribing process on LCD glass substrate. 2010 , 50, 532-537	5
861	Crack profiles under a Vickers indent in silicon nitride ceramics with various microstructures. 2010 , 36, 173-179	14
860	F-substituted hydroxyapatite nanopowders: Thermal stability, sintering behaviour and mechanical properties. 2010 , 36, 313-322	96
859	Thermo-mechanical properties of alumina films created using the atomic layer deposition technique. 2010 , 164, 58-67	72
858	Determination of micromechanical properties of a hen's eggshell by means of nanoindentation. 2010 , 101, 146-151	13

857	Fracture processes and mechanisms of crack growth resistance in human enamel. 2010 , 62, 76-82	25
856	Fracture toughness modification by using a fibre laser surface treatment of a silicon nitride engineering ceramic. 2010 , 45, 6540-6555	22
855	Micromechanical characteristics of flux-grown SmAlO ₃ single crystal. 2010 , 42, 387-396	4
854	A method to determine fracture toughness using cube-corner indentation. 2010 , 62, 199-201	45
853	Petrographical, structural, and mechanical analysis of armorican phtanites: A key raw material for the Mesolithic in Western France. 2010 , 25, 327-351	9
852	Mechanical properties of PECVD thin ceramic films. 2010 , 30, 689-697	16
851	Fabrication and performance of Al ₂ O ₃ /(W,Ti)C+Al ₂ O ₃ /TiC multilayered ceramic cutting tools. 2010 , 527, 1039-1047	29
850	Intrinsic stress effect on fracture toughness of plasma enhanced chemical vapor deposited SiN _x :H films. 2010 , 518, 4898-4907	53
849	Solid particle erosion studies on biomorphic Si/SiC ceramic composites. 2010 , 268, 145-152	18
848	Solid-particle erosion of directionally solidified Al ₂ O ₃ /rO ₂ (Y ₂ O ₃) eutectics. 2010 , 268, 571-578	6
847	Effect of calcium deficiency on the mechanical properties of hydroxyapatite crystals. 2010 , 58, 4841-4848	26
846	Indentation fracture resistance test round robin on silicon nitride ceramics. 2010 , 36, 899-907	15
845	Brittle-to-ductile transition temperature in InP. 2010 , 207, 1190-1195	4
844	Stability of Nanocrystalline Spark Plasma Sintered 3Y-TZP. 2010 , 3, 800-814	23
843	A Study of Abrasive Jet Micro-Grooving of Quartz Crystals. 2010 , 443, 645-651	4
842	A plastic damage model for finite element analysis of cracking of silicon under indentation. 2010 , 25, 2224-2237	13
841	Fracture Toughness of CNTs/AlN Ceramics Tested by Indentation. 2010 , 177, 151-153	
840	Fracture Toughness of a Zirconia Engineering Ceramic and the Effects Thereon of Surface Processing with Fibre Laser Radiation. 2010 , 224, 1555-1569	14

839	Edge Chipping of Rock: An Experimental Study. 2010 , 443, 456-461	2
838	Toughness characteristics of arc enhanced magnetron sputtered SiCN hard films. 2010 , 26, 571-577	3
837	Dislocations and cracks at Vickers indentations in (0 0 0 1) GaN single crystals. 2010 , 90, 565-571	5
836	Notice of Retraction: Study on Ultrasonic Aided Grinding Process. 2010 ,	2
835	Substrate effects on the mechanical properties and contact damage of diamond-like carbon thin films. 2010 , 19, 1273-1280	21
834	Hydrogen-induced cracking and hydrogen embrittlement of Ni ₂ MnGa FSMA. 2010 , 43, 055001	3
833	Computational and Experimental Mechanics of Advanced Materials. 2010 ,	2
832	Effect of densification on crack initiation under Vickers indentation test. 2010 , 356, 1768-1773	101
831	Characteristics of windshield cracking upon low-speed impact: Numerical simulation based on the extended finite element method. 2010 , 48, 582-588	70
830	Nano/micro-mechanical and tribological characterization of Ar, C, N, and Ne ion-implanted Si. 2010 , 25, 880-889	9
829	Mechanical Properties of Nanostructures. 2010 , 1227-1265	1
828	Diamond-like carbon film deposited on nitrided 316L stainless steel substrate: A hardness depth-profile modeling. 2011 , 20, 1344-1352	16
827	Ultraprecision machining of micro-structured functional surfaces on brittle materials. 2011 , 21, 095011	39
826	Mechanical Properties of Nanostructures. 2011 , 527-584	3
825	Nanomechanical Properties of Solid Surfaces and Thin Films. 2011 , 391-437	1
824	Nano-impact testing of TiFeN and TiFeMoN films for dynamic toughness evaluation. 2011 , 44, 085301	38
823	Nanotribology and Nanomechanics I. 2011 ,	17
822	Nanoindentation. 2011 ,	330

821	Determination of fracture toughness of bulk materials and thin films by nanoindentation: comparison of different models. 2011 , 91, 1163-1178	45
820	Microstructure and mechanical properties of reactive magnetron sputtered TiB ₂ /TiN nanocomposite coatings. 2011 , 258, 1021-1026	10
819	Microstructure development and properties of the AlCuFe quasicrystalline coating on near-β titanium alloy. 2011 , 258, 848-859	10
818	Novel hydroxyapatite/β-tricalcium phosphate/bioglass nanocomposite coatings with improved mechanical properties. 2011 , 509, 2273-2276	29
817	Other Techniques in Nanoindentation. 2011 , 163-180	1
816	45.4: Advanced Grinding Development for Laminated TFT-LCDs. 2011 , 42, 659-661	
815	Load dependence of densification in glass during Vickers indentation test. 2011 , 119, 110-115	31
814	Effect of Crack Length on Crack Growth Characteristics in Glass Ceramics and Soda-Lime Glass. 2011 , 5, 311-322	
813	Microstructure and mechanical property evaluation of pulsed DC magnetron sputtered Cr ₂ N and Cr ₂ B ₃ films. 2011 , 206, 1711-1719	26
812	Mechanical and tribological properties evaluation of cathodic arc deposited CrN/ZrN multilayer coatings. 2011 , 206, 1744-1752	37
811	An indentation technique for estimating the energy density as fracture toughness with Berkovich indenter for ductile bulk materials. 2011 , 56, 104-111	23
810	Adhesive and cohesive properties of nanostructured ZrO ₂ coatings by the original Vickers Indentation Cracking technique. 2011 , 519, 7789-7795	4
809	Crack tip fracture toughness of base glasses for dental restoration glass-ceramics using crack opening displacements. 2011 , 4, 1291-8	16
808	A novel method for determination of the subsurface damage depth in diamond turning of brittle materials. 2011 , 51, 918-927	27
807	Joining dental ceramic layers with glass. 2011 , 27, 1011-6	16
806	Amorphous calcium phosphate offers improved crack resistance: a design feature from nature?. 2011 , 7, 4235-41	27
805	Glass strengthening by polymeric coatings: combined effect of mechanical properties and confinement. 2011 , 170, 115-121	4
804	Development of a novel ultrasonic unit for grinding of ceramic matrix composites. 2011 , 57, 945-955	57

803	Evaluation of modulus of elasticity, nano-hardness and fracture toughness of TiB ₂ /TiC/Al ₂ O ₃ composite coating developed by SHS and laser cladding. 2011 , 528, 5327-5335	91
802	Effect of PbO content, loading rate and poling on mechanical properties of tape-cast and sintered PZT wafers. 2011 , 176, 867-872	3
801	Intermittent grinding of ceramic matrix composites (CMCs) utilizing a developed segmented wheel. 2011 , 51, 112-119	88
800	Deformation and material removal in a nanoscale multi-layer thin film solar panel using nanoscratch. 2011 , 51, 182-189	28
799	Analytical model to determine the critical feed per edge for ductile-brittle transition in milling process of brittle materials. 2011 , 51, 170-181	66
798	Roughness damage evolution due to wire saw process. 2011 , 12, 941-947	23
797	Mechanism of brittle-ductile transition of a glass-ceramic rigid substrate. 2011 , 18, 229-233	11
796	Studies on novel bioactive glasses and bioactive glass-nano-HAp composites suitable for coating on metallic implants. 2011 , 37, 759-769	31
795	Determination of hardness, Young's modulus and fracture toughness of lanthanum tungstates as novel proton conductors. 2011 , 37, 1593-1599	20
794	Analysis of interacting cracks due to sequential indentations on sapphire. 2011 , 59, 3528-3536	24
793	Analysis methods and size effects in the indentation fracture toughness assessment of very thin oxide coatings on glass. 2011 , 339, 518-531	27
792	Evaluation of fracture toughness of ZrO ₂ and Si ₃ N ₄ engineering ceramics following CO ₂ and fibre laser surface treatment. 2011 , 49, 229-239	20
791	Structural, thermal and mechanical properties of transparent Yb:(Y _{0.97} Zr _{0.03}) ₂ O ₃ ceramic. 2011 , 31, 733-738	18
790	Mechanical and elastic properties of fine-grained polycrystalline scandia and erbia as determined by indentation techniques. 2011 , 31, 1703-1712	10
789	Material removal of optical glass BK7 during single and double scratch tests. 2011 , 270, 241-246	89
788	Experimental and numerical investigations on erosion damage in glass by impact of small-sized particles. 2011 , 271, 817-826	19
787	Determination of fracture toughness and energy dissipation of SiO ₂ -poly(methyl metacrylate) hybrid films by nanoindentation. 2011 , 519, 5528-5534	14
786	Micro-grooving on quartz crystals by an abrasive air jet. 2011 , 225, 2161-2173	13

785	Methods for studying erosion-corrosion. 2011 , 239-264	1
784	Surface Cracking and Degradation of Dense Hydroxyapatite through Vickers Microindentation Testing. 2011 , 66-68, 614-619	1
783	Evaluation of subsurface crack depth during scratch test for optical glass BK7. 2011 , 225, 2767-2774	32
782	Mechanical Properties of Titania-Doped Ytria Stabilized Zirconia (TiYSZ) for Use as Thermal Barrier Coating (TBC). 2011 , 133,	8
781	Modification of fracture toughness parameter K1c following CO2 laser surface treatment of Si3N4 engineering ceramic. 2011 , 27, 734-741	4
780	Study of Ductile-to-Brittle Transition in Single Grit Diamond Scribing of Silicon: Application to Wire Sawing of Silicon Wafers. 2012 , 134,	66
779	Abrasive Distribution of the Fixed Diamond Wire in Wire Sawing Process. 2012 , 579, 145-152	3
778	A Model to Determine the Effect of Tool Diameter on the Critical Feed Rate for Ductile-Brittle Transition in Milling Process of Brittle Material. 2012 , 134,	5
777	The Effect of the Indenter Orientation on the Formation of Dislocations and Cracks in (0001) GaN Bulk Crystals. 2012 , 725, 67-70	
776	An Experimental Study of the Abrasive Water Jet Micro-Machining Process for Quartz Crystals. 2012 , 565, 339-344	3
775	Process analysis of abrasive jet micromachining for brittle materials. 2012 , 10, 61-69	7
774	Fracture Toughness Tests. 2012 , 109-136	1
773	The Role of Strength in Determining Composite Material Toughness Using the Interface Indentation Fracture Test. 2012 ,	
772	A study on phase transformation of monocrystalline silicon due to ultra-precision polishing by molecular dynamics simulation. 2012 , 2, 042116	34
771	Mechanical and oxidation behavior of spark plasma sintered ZrB2-ZrCBiC composites. 2012 , 120, 143-149	19
770	Microstructural changes in 3Y-TZP induced by scratching and indentation. 2012 , 32, 3919-3927	22
769	A state-of-the-art review of ductile cutting of silicon wafers for semiconductor and microelectronics industries. 2012 , 63, 481-504	45
768	Effect of Water Corrosion on Cracks and Vickers Imprints in Glass. 2012 , 175, 199-206	7

767	Probing material properties with sharp indenters: a retrospective. 2012 , 47, 1-22	63
766	Nanoindentation Techniques for the Determination of Mechanical Properties of Materials in Dentistry. 2012 , 289-306	0
765	Erosion wear of CrN, TiN, CrAlN, and TiAlN PVD nitride coatings. 2012 , 35, 10-16	112
764	Sliding wear behavior of Fe ₅₀ Cr ₁₅ Mo ₁₄ C ₁₅ B ₆ Er _x (x=0, 1, 2 at%) bulk metallic glass. 2012 , 294-295, 246-256	27
763	Recent progresses in the phenomenological description for the indentation size effect in microhardness testing of brittle ceramics. 2012 , 1, 38-49	16
762	Contact mechanics: a review and some applications. 2012 , 28, 1079-1091	17
761	Microstructure and Erosion Resistance Performance of ZrAlN/Cu Coating. 2012 , 32, 757-765	2
760	Evaluation of microhardness, fracture toughness and residual stress in a thermal barrier coating system: A modified Vickers indentation technique. 2012 , 206, 4455-4461	45
759	Carbon nanotube reinforced hydroxyapatite composite for orthopedic application: A review. 2012 , 32, 1727-1758	151
758	Predictive modeling of material removal modes in micro ultrasonic machining. 2012 , 62, 13-23	32
757	Micro-scale deformation of gypsum during micro-indentation loading. 2012 , 54, 140-149	6
756	Mixed alkali effect on Vickers hardness and cracking. 2012 , 358, 1474-1479	30
755	Evaluation of anti-scratch properties of graphene oxide/polypropylene nanocomposites. 2012 , 22, 7871	49
754	Mechanical Reliability of Low-k Dielectrics. 2012 , 339-367	6
753	Cohesive interface simulations of indentation cracking as a fracture toughness measurement method for brittle materials. 2012 , 60, 5448-5467	86
752	Plastic deformation and residual stresses in amorphous silica pillars under uniaxial loading. 2012 , 60, 5555-5566	49
751	Network and void structures for glasses with a higher resistance to crack formation. 2012 , 358, 3453-3458	6
750	Strain energy density method for estimating fracture toughness from indentation test of 0Cr12Mn5Ni4Mo3Al steel with Berkovich indenter. 2012 , 61, 66-72	8

749	Indentation-based methods to assess fracture toughness for thin coatings. 2012 , 45, 203001	64
748	Surface characteristics of Ti-10Ta-10Nb alloy modified by hydrogen peroxide treatment for dental implants. 2012 , 44, 114-120	3
747	Concurrent improvement in biocompatibility and bioinertness of diamond-like carbon films with nitrogen doping. 2012 , 100, 3151-6	17
746	Nanomechanical Quantification of Elastic, Plastic, and Fracture Properties of LiCoO ₂ . 2012 , 2, 940-944	58
745	A Residual Stress Intensity Factor Solution for Knoop Indentation Cracks. 2012 , 175, 65-71	3
744	Determination of Fracture Toughness of Bone Cement by Nano-Indentation Test. 2012 , 175, 193-198	18
743	Slow growth of microcracks in hydroxyapatite during aging. 2012 , 47, 6542-6552	2
742	Comparative study of hydroxyapatite/gelatin composites reinforced with bio-inert ceramic particles. 2012 , 38, 3569-3582	34
741	Prediction of surface generation in microgrinding of ceramic materials by coupled trajectory and finite element analysis. 2012 , 57, 67-80	28
740	A cutting force model for rotary ultrasonic machining of brittle materials. 2012 , 52, 77-84	151
739	A fracture toughness model for brittle coating on ductile substrate under indentation loading. 2012 , 82, 17-28	16
738	Indentation technique for estimating the fracture toughness of 7050 aluminum alloy with the Berkovich indenter. 2012 , 40, 176-184	28
737	Evaluation of fracture toughness of small volumes by means of cube-corner nanoindentation. 2012 , 66, 670-673	33
736	Temperature and load dependent mechanical properties of pressureless sintered carbon nanotube/alumina nanocomposites. 2012 , 531, 61-69	33
735	Evaluation of threshold stress intensity factor of hydrogen embrittlement cracking by indentation testing. 2012 , 531, 147-154	17
734	Evaluation of the micro-hardness and fracture toughness of amorphous and partially crystallized 3CaO/P ₂ O ₅ /Bi ₂ O ₃ /MgO bioglasses. 2012 , 533, 26-32	13
733	Nano-indentation: A tool to investigate crack propagation related phase transitions in PV silicon. 2012 , 96, 166-172	21
732	Structural and mechanical properties of TaN/a-CN _x multilayer films. 2012 , 206, 2242-2248	18

731	Characterisation of the scratch resistance of annealed and tempered architectural glass. 2012 , 520, 4190-4198	55
730	Sputter deposited low-friction and tough CrBi ₃ N ₄ nanocomposite coatings on plasma nitrided M2 steel. 2012 , 86, 1118-1125	5
729	Toughening and strengthening zirconia through the addition of a transient solid solution additive. 2012 , 32, 335-341	8
728	Mechanical behaviour of the constituents inside carbon-fibre/carbon-silicon carbide composites characterised by nano-indentation. 2012 , 32, 579-588	16
727	In-depth profiling of elastic residual stress and the in vivo wear mechanism of self-mating alumina hip joints. 2012 , 284-285, 91-97	5
726	Fracture- and Indentation-Induced Structural Changes of Sodium Borosilicate Glasses. 2012 , 3, 3-13	20
725	Wire Saw Process-Induced Surface Damage Characterization. 2013 , 38, 1209-1215	12
724	Experimental research of brittle-ductile transition conditions and tool wear for micromilling of glass material. 2013 , 68, 1901-1909	9
723	Effect of loading conditions on the fracture toughness of zirconia. 2013 , 57, 82-7	30
722	Effect of erodent properties on the solid particle erosion mechanisms of brittle materials. 2013 , 48, 5543-5558	19
721	Nano-Indentation Measurement of Fracture Toughness of Dental Enamel. 2013 , 183, 113-118	9
720	Determination of fracture toughness using the area of micro-crack tracks left in brittle materials by Vickers indentation test. 2013 , 2, 87-102	69
719	Fracture Toughness and Adhesion of Transparent Al:ZnO Films Deposited on Glass Substrates. 2013 , 22, 3161-3167	6
718	Determination of Interfacial Fracture Toughness of Thermal Spray Coatings by Indentation. 2013 , 22, 1358-1365	26
717	Improved fracture toughness of boride coating developed with a diffusion annealing process. 2013 , 237, 429-439	47
716	Effect of Interfaces on Mechanical Properties of Ceramic/Metal Multilayers. 2013 , 208, 156-166	3
715	Unraveling the mechanical and tribological properties of a novel Ti ₅ Si ₃ /TiC nanocomposite coating synthesized by a double glow discharge plasma technique. 2013 , 39, 9471-9481	14
714	Numerical simulation of surface roughness and erosion rate of abrasive jet micro-machined channels. 2013 , 303, 302-312	32

713	A study of indentation for mechanical characterization of the Fe ₂ B layer. 2013 , 232, 173-181	22
712	Composition dependence of indentation deformation and indentation cracking in glass. 2013 , 61, 5949-5965	120
711	Characterization of mechanical properties and adhesion of TaZrCuAlAg thin film metallic glasses. 2013 , 231, 332-336	23
710	Structure and mechanical properties of Fe _{1-x} Mnx/TiB ₂ multilayer coatings: Possible role of transformation toughening. 2013 , 237, 158-163	11
709	Solid particle erosion mechanisms of hard protective coatings. 2013 , 235, 383-393	29
708	Wear and wear maps of hard coatings. 2013 , 387-403	1
707	The effect of Cr/Zr chemical composition ratios on the mechanical properties of CrN/ZrN multilayered coatings deposited by cathodic arc deposition system. 2013 , 231, 247-252	20
706	Humidity resistant MoS ₂ coatings deposited by unbalanced magnetron sputtering. 2013 , 235, 97-107	35
705	Toughening magnetron sputtered TiB ₂ coatings by Ni addition. 2013 , 232, 767-774	19
704	Mechanical properties of glasses and TiO ₂ nanocrystal glass composites in BaO-TiO ₂ -B ₂ O ₃ system. 2013 , 380, 128-134	10
703	Vickers indentation crack analysis of solid-phase-sintered silicon carbide ceramics. 2013 , 39, 841-845	14
702	Microstructure and mechanical properties of TiB ₂ -Si nanocomposite films deposited by unbalanced magnetron sputtering. 2013 , 31, 061401	2
701	The microstructure and mechanical properties of nitrogen and boron contained ZrCuAlNi thin film metallic glass composites. 2013 , 237, 276-283	13
700	Regularities of Changes in the Properties of Silicon Single Crystals under Low-Dose Beta-Irradiation. 2013 , 56, 942-952	1
699	ULTRASONIC MACHINING: A COMPREHENSIVE REVIEW. 2013 , 17, 325-379	64
698	Mechanical characteristics of thin dies/wafers in three-dimensional large-scale integrated systems. 2013 ,	5
697	A predictive model of the critical undeformed chip thickness for ductile-brittle transition in nano-machining of brittle materials. 2013 , 64, 114-122	120
696	Toughening and dry sliding wear resistance of Co ₃ Mo ₂ Si alloys. 2013 , 297, 952-957	9

695	Round robin on indentation fracture resistance of silicon carbide ceramics by using a powerful optical microscope. 2013 , 39, 611-617	13
694	Microstructure and mechanical properties of hot-pressed WC/MgO composites with Cr ₃ C ₂ or VC addition. 2013 , 41, 41-47	7
693	Improved accuracy of the measurements of indentation fracture resistance for silicon nitride ceramics by the powerful optical microscopy. 2013 , 39, 9499-9504	11
692	Depth-sensing indentation of nanomaterials and nanostructures. 2013 , 78, 1-20	47
691	Influence of tip defect and indenter shape on the mechanical properties determination by indentation of a TiB ₂ /B ₄ C ceramic composite. 2013 , 38, 102-110	22
690	Recent Progress in Zr(Hf)B ₂ Based Ultrahigh Temperature Ceramics. 2013 , 267-299	6
689	Characterization of the 3-D amorphized zone beneath a Vickers indentation in boron carbide using Raman spectroscopy. 2013 , 61, 3888-3896	42
688	Mechanical properties and material removal characteristics of soft-brittle HgCdTe single crystals. 2013 , 559, 480-485	9
687	Correlations Between Microstructure and Mechanical Properties of Air Plasma-Sprayed Thermal Barrier Coatings Exposed to a High Temperature. <i>Journal of the American Ceramic Society</i> , 2013 , 96, 3901-3907 ^{2,8,17}	17
686	Elastic moduli and hardness of highly incompressible platinum perpnictide PtAs ₂ . 2013 , 103, 101901	5
685	Indentation Fracture Response of Al ₃ TiN Nanolaminates. 2013 , 1, 102-108	27
684	Nanoindentation Measurements of Mechanical Properties of Very Thin Films and Nanostructured Materials at High Spatial Resolution. 2013 , 162-189	
683	Influence of Lapping Residual Stress on Machining Precision of Elastic Deformation Molding Method. 2013 , 1,	
682	Effects of coloring agents applied during sintering on bending strength and hardness of zirconia ceramics. 2013 , 32, 793-800	11
681	Further look at correlation between ASTM G65 rubber wheel abrasion and pin-on-disc wear tests for data conversion. 2013 , 7, 109-113	1
680	Tribological Properties of Alumina/Zirconia Composites with and without h-BN Phases. 2013 , 195-206	
679	. 2013 ,	10
678	Round Robin on Indentation Fracture Resistance of Silicon Carbide for Small Ceramic Products. 2013 , 143-150	

677	Modeling and Experimental Studies of Crack Propagation in Laminated Glass Sheets. 2014 , 7, 328-336	3
676	Energy Aspects of Concentrated Contact and Instrumented Indentation. 2014 , 606, 61-64	1
675	Molecular Dynamics Simulation of the Crystal Orientation and Temperature Influences in the Hardness on Monocrystalline Silicon. 2014 , 2014, 1-8	10
674	Solid particle erosion mechanisms of protective coatings for aerospace applications. 2014 , 257, 165-181	77
673	The boriding process in CoCrMo alloy: Fracture toughness in cobalt boride coatings. 2014 , 260, 362-368	30
672	. 2014 , 27, 341-346	5
671	Mechanical Properties of Ba _{1-x} K _x Ce _{0.6} Zr _{0.2} Y _{0.2} O _{3-δ} Oxides by Nanoindentation. 2014 , 79, 599-605	5
670	Determination of high temperature mechanical properties of thermal barrier coatings by nanoindentation. 2014 , 30, 283-289	26
669	Mechanical Properties of Nanoscale Ceramics. 2014 , 705-759	5
668	A Study on the Effect of the Boron Potential on the Mechanical Properties of the Borided Layers Obtained by Boron Diffusion at the Surface of AISI 316L Steel. 2014 , 2014, 1-9	10
667	Nanomechanical Analysis of High Performance Materials. 2014 ,	2
666	Study on the system matching of ultrasonic vibration assisted grinding for hard and brittle materials processing. 2014 , 77, 66-73	120
665	A study of a micro-indentation technique for estimating the fracture toughness of Al6061-T6. 2014 , 58, 10-16	16
664	Pressureless sintered silicon carbide with enhanced mechanical properties obtained by the two-step sintering method. 2014 , 40, 1759-1763	43
663	Mechanical Properties of Biomaterials Determined by Nano-Indentation and Nano-Scratch Tests. 2014 , 189-207	2
662	Mechanical performance of bioceramic coatings obtained by high-velocity oxy-fuel spray for biomedical purposes. 2014 , 242, 92-99	10
661	Size effects in the mechanical response of nanoscale multilayer coatings on glass. 2014 , 571, 290-295	9
660	Mechanical property measurements of heterogeneous materials by selective nanoindentation: Application to LiMn ₂ O ₄ cathode. 2014 , 593, 92-102	44

659	Mechanical and physical properties of calcium silicate/alumina composite for biomedical engineering applications. 2014 , 30, 168-75	46
658	Nanoindentation for probing the mechanical behavior of molecular crystals— review of the technique and how to use it. 2014 , 16, 12-23	116
657	An evaluation of the advantages and limitations in simulating indentation cracking with cohesive zone finite elements. 2014 , 22, 015011	26
656	High-pressure (GPa) impedance measurements based on an indentation-induced local stress field. 2014 , 254, 6-10	2
655	Study on the Model of Surface Crack Depth in Ceramics Grinding. 2014 , 1017, 212-217	1
654	Performance enhancement of white light-emitting diodes using an encapsulant semi-solidification method. 2014 , 2, 8525-8531	13
653	Microstructure and phase composition dependent tribological properties of TiC/a-C nanocomposite thin films. 2014 , 258, 557-565	22
652	Characteristics of indentation cracking using cohesive zone finite element techniques for pyramidal indenters. 2014 , 51, 4327-4335	15
651	Improved Solid-State Photomechanical Materials by Fluorine Substitution of 9-Anthracene Carboxylic Acid. 2014 , 26, 6007-6015	47
650	On the possibility of estimating the fracture toughness of enamel. 2014 , 30, 1224-33	7
649	Evaluation of repeated single-point diamond turning on the deformation behavior of monocrystalline silicon via molecular dynamic simulations. 2014 , 116, 141-150	31
648	Mechanical properties and deformation mechanisms of B ₄ C/TiB ₂ eutectic composites. 2014 , 34, 2043-2050	23
647	On the relationship between ceramic strength and the requirements for mechanical design. 2014 , 34, 3435-3460	66
646	Determination of the energy release rate in the interfacial delamination of silicon nitride film on gallium arsenide substrate via nanoindentation. 2014 , 29, 801-810	14
645	A review of testing methods for thermal spray coatings. 2014 , 59, 179-223	93
644	Nanoindentation characterization of tetragonal zirconia polycrystalline implanted by titanium ions with MEVVA sources. 2014 , 147, 268-272	7
643	Bioinertness and fracture toughness evaluation of the monoclinic zirconia surface film of Oxinium® femoral head by Raman and cathodoluminescence spectroscopy. 2014 , 31, 135-44	11
642	Distribution of diamond grains in fixed abrasive wire sawing process. 2014 , 73, 1485-1494	41

641	Refined measurements of indentation fracture resistance of alumina using powerful optical microscopy. 2014 , 40, 2777-2783		15
640	An inset CT specimen for evaluating fracture in small samples of material. 2014 , 30, 358-68		9
639	In situ quantitative three-dimensional characterisation of sub-indentation cracking in polycrystalline alumina. 2014 , 34, 3127-3132		26
638	Single-grit modeling and simulation of crack initiation and propagation in SiC grinding using maximum undeformed chip thickness. 2014 , 92, 13-21		67
637	Fracture toughness determination and microstructure investigation of a B4CNanoTiB2 composite with various volume percent of Fe and Ni additives. 2014 , 62, 392-400		19
636	Rotary ultrasonic machining of CFRP: a mechanistic predictive model for cutting force. 2014 , 54, 663-75		105
635	Indentation damage evaluation on metal-coated thin-films stacked structure. 2015 , 30, 3071-3083		5
634	Comparing sintering and atomic layer deposition as methods to mechanically reinforce nanocolloidal crystals. 2015 , 30, 3717-3727		6
633	Study on thermal stability and mechanical properties of nanocomposite ZrWBN thin films. 2015 , 284, 173-181		4
632	Fracture Toughness of Porous Material of LSCF in Bulk and Film Forms. <i>Journal of the American Ceramic Society</i> , 2015 , 98, 2183-2190	3.8	18
631	Nanoindentation for Fracture Toughness of Coatings. 2015 , 140-195		4
630	An Improved Indentation Method for Estimating Limits of Fracture Toughness in Brittle Films. 2015 , 1095, 598-602		
629	Toward Demystifying the Mohs Hardness Scale. <i>Journal of the American Ceramic Society</i> , 2015 , 98, 2681-2688	3.8	3
628	Multi-Scale Effects in the Strength of Ceramics. <i>Journal of the American Ceramic Society</i> , 2015 , 98, 2933-2947	3.8	16
627	The Compelling Case for Indentation as a Functional Exploratory and Characterization Tool. <i>Journal of the American Ceramic Society</i> , 2015 , 98, 2671-2680	3.8	58
626	Structural and Thermo-Mechanical Properties of Nd: Y2O3 Transparent Ceramics. <i>Journal of the American Ceramic Society</i> , 2015 , 98, 3326-3331	3.8	34
625	Toughness Evaluation of Thin Hard Coatings and Films. 2015 , 47-122		4
624	Toughness Evaluation of Thin Hard Coatings and Films. 2015 , 64-139		2

623	Advanced Measurements of Indentation Fracture Resistance of Alumina by the Powerful Optical Microscopy for Small Ceramic Products. 2015 , 107-113		
622	Role of impactor properties on the computational simulation of particle impact damage in transparent ceramic windows. 2015 ,		0
621	Peridynamic simulation of the effects of coatings, substrate properties, incident angle, and tilt on sand impact damage in transparent ceramic windows. 2015 ,		
620	Driving force for indentation cracking in glass: composition, pressure and temperature dependence. 2015 , 373,		62
619	Peridynamic modeling of damage and fracture in EM windows and domes. 2015 ,		1
618	Mechanical properties of amorphous silicon carbonitride thin films at elevated temperatures. 2015 , 50, 1553-1564		35
617	A study of the micro-machining process on quartz crystals using an abrasive slurry jet. 2015 , 229, 421-434		14
616	Effect of microstructure and phase of nanostructured YSZ thermal barrier coatings on its thermal shock behaviour. 2015 , 31, 64-73		30
615	High Transparency Nd: Y2O3 Ceramics Prepared with La2O3 and ZrO2 Additives. <i>Journal of the American Ceramic Society</i> , 2015 , 98, 824-828	3.8	42
614	Tuning mechanical properties of pharmaceutical crystals with multicomponent crystals: voriconazole as a case study. 2015 , 12, 889-97		88
613	Characterisation and Testing of Bioceramic Coatings. 2015 , 309-443		
612	How Does Crack Bridging Change at Cryogenic Temperatures?. <i>Journal of the American Ceramic Society</i> , 2015 , 98, 898-901	3.8	6
611	Degradation mechanism for high temperature erosion in surface modified IN718 superalloy. 2015 , 31, 24-28		15
610	Novel measurement technique of crack length for indentation fracture (IF) method using high contrast image of crack tips through thin film coating. 2015 , 35, 2943-2948		3
609	Assessing hardness and fracture toughness in sintered zinc oxide ceramics through indentation technique. 2015 , 640, 267-274		26
608	Toughness measurement and toughening mechanisms of arc ion plating Cr2O3 films treated by annealing. 2015 , 41, 9534-9541		9
607	Fracture Toughness of VVER and PWR Uranium-Dioxide Fuel Pellets with Different Grain Size. 2015 , 118, 117-123		3
606	Geometry of nanoindentation cube-corner cracks observed by FIB tomography: Implication for fracture resistance estimation. 2015 , 35, 2949-2955		23

605	Determination of fracture toughness of brittle materials by indentation. 2015 , 28, 221-234	17
604	On the mechanism and mechanics of material removal in ultrasonic machining. 2015 , 96, 1-14	28
603	Instrumented and Vickers Indentation for the Characterization of Stiffness, Hardness and Toughness of Zirconia Toughened Al ₂ O ₃ and SiC Armor. 2015 , 31, 773-783	68
602	Hardness and toughness of sodium borosilicate glasses via Vickers's indentations. 2015 , 417-418, 66-79	67
601	Mechanical, tribological and thermal properties of hot pressed ZrB ₂ /SiC composite with SiC of different morphology. 2015 , 114, 45-54	24
600	Composition and cooling-rate dependence of plastic deformation, densification, and cracking in sodium borosilicate glasses during pyramidal indentation. 2015 , 419, 97-109	29
599	Slow crack growth behavior of 3Y-TZP in cryogenic environment using dynamic fatigue and indentation technique. 2015 , 636, 203-206	4
598	Influence of Nitrogen Flow Rates on the Structure, Hardness, and Electrical Resistivity of HfN Coatings by DC Sputtering. 2015 , 24, 1558-1564	6
597	Diffusion Boride Coatings in CoCrMo Alloy and Some Indentation Properties. 2015 , 4, 158-168	14
596	Vacuum sintering of transparent Cr:Y ₂ O ₃ ceramics. 2015 , 41, 8755-8760	15
595	Oxidation pre-treatment and electrophoretic deposition of SiC nanowires to improve the thermal shock resistance of SiC coating for C/C composites. 2015 , 636, 165-170	19
594	Measurement of fracture toughness by nanoindentation methods: Recent advances and future challenges. 2015 , 19, 324-333	129
593	Ocean acidification alters the material properties of Mytilus edulis shells. 2015 , 12,	57
592	Analysis of the mechanical response of biomimetic materials with highly oriented microstructures through 3D printing, mechanical testing and modeling. 2015 , 48, 70-85	46
591	Evaluation of indentation fracture toughness for brittle materials based on the cohesive zone finite element method. 2015 , 134, 304-316	20
590	Fracture toughness of esthetic dental coating systems by nanoindentation and FIB sectional analysis. 2015 , 47, 1-11	13
589	Study on Thermal Shock Resistance of Alumina Composite Ceramics by Indention Quenching Method. 2015 , 655, 92-96	
588	Evaluation of the fracture toughness of brittle hardening materials by Vickers indentation. 2015 , 148, 134-144	8

587	Ice crystal impact onto a dry solid wall. Particle fragmentation. 2015 , 471, 20150399	30
586	Study of high velocity solid particle erosion behaviour of Ti ₂ AlC MAX phase coatings. 2015 , 342-343, 391-397	11
585	Analysis of Mechanical Properties of L-Histidinium Perchlorate (LHP) Crystals. 2015 , 2, 1356-1363	2
584	Comparison of three kinds of MC-type carbide modified thick W coatings fabricated by plasma transferred arc surfacing. 2015 , 283, 52-60	8
583	Development of a cutting force prediction model based on brittle fracture for carbon fiber reinforced polymers for rotary ultrasonic drilling. 2015 , 81, 1223-1231	46
582	Charakterisierung der Kratzanfälligkeit von Gläsern im Bauwesen. 2015 ,	17
581	Effects of a Nano-composite Adhesive on Mechanical Properties of Tooth Enamel After Removing Orthodontics Bracket – An Experimental Study Using Nano-indentation Test. 2015 , 55, 1769-1777	6
580	Elastic moduli and hardness of α -Ta ₂ N ₃ from nanoindentation measurements. 2015 , 111, 18006	3
579	The influence of crack forms on indentation hardness test results for ceramic materials. 2015 , 50, 6096-6102	11
578	Effects of cutting parameters on ductile material removal mode percentage in rotary ultrasonic face machining. 2015 , 229, 1547-1556	18
577	Erosion modeling in abrasive slurry jet micro-machining of brittle materials. 2015 , 17, 127-140	45
576	Mechanical properties, sliding wear and solid particle erosion behaviors of plasma enhanced magnetron sputtering CrSiCN coating systems. 2015 , 324-325, 27-35	37
575	On the Fracture Toughness Measurement of Thin Film Coated Silicon Wafers. 2015 , 7, 27-30	4
574	Wire-sawing processes: parametrical study and modeling. 2015 , 132, 392-402	28
573	Depth-of-cut errors in ELID surface grinding of zirconia-based ceramics. 2015 , 88, 34-41	21
572	CO ₂ Laser Glazing Treatment of a Veneering Porcelain: Effects on Porosity, Translucency, and Mechanical Properties. 2015 , 40, 247-54	1
571	Silica-Based and Borate-Based, Titania-Containing Bioactive Coatings Characterization: Critical Strain Energy Release Rate, Residual Stresses, Hardness, and Thermal Expansion. 2016 , 7,	14
570	Evaluation of Sinking-In and Cracking Behavior of Soda-Lime Glass under Varying Angle of Trigonal Pyramid Indenter. 2016 , 3,	12

569	Si: A New Silicon Allotrope with Interesting Physical Properties. 2016 , 9,	22
568	Superlattice effect for enhanced fracture toughness of hard coatings. 2016 , 124, 67-70	98
567	Development of material model for assessment of brittle cracking behavior of plexiglas. 2016 , 146, 012008	5
566	Crystal-Structure-Based Modeling Study of Temperature-Dependent Fracture Toughness for Brittle Coating Deposited on Ductile Substrate. 2016 , 25, 1344-1356	1
565	Nanoindentation Assessed Fracture Toughness of Cement Paste. 2016 , 368, 186-189	8
564	Microstructural and geometric influences in the protective scales of <i>Atractosteus spatula</i> . 2016 , 13,	7
563	Nanomechanical properties and fracture behaviors of GaN and Al _{0.08} Ga _{0.92} N thin films deposited on c-plane sapphire by MOCVD. 2016 ,	
562	Encyclopedia of Nanotechnology. 2016 , 4290-4297	2
561	Toughening Effect of ZrB ₂ in Al ₂ O ₃ -ZrB ₂ Nanocomposite Ceramics. 2016 , 45, 1714-1718	4
560	Research on the Rotary Ultrasonic Facing Milling of Ceramic Matrix Composites. 2016 , 56, 428-433	10
559	Quantitative evaluation of the adhesion of bioactive glasses onto Ti6Al4V substrates. 2016 , 97, 213-221	13
558	Effect of sintering atmosphere on the hardness of ThO ₂ . 2016 , 477, 222-227	6
557	The effect of steel substrate pre-hardening on structural, mechanical, and tribological properties of magnetron sputtered TiN and TiAlN coatings. 2016 , 352-353, 92-101	41
556	Study on subsurface-inclined crack propagation during machining of brittle crystal materials. 2016 , 122, 1	9
555	Reducing the erosive wear rate of Cr ₂ AlC MAX phase ceramic by oxidative healing of local impact damage. 2016 , 358-359, 1-6	19
554	Applications of nano-indentation methods to estimate nanoscale mechanical properties of shale reservoir rocks. 2016 , 35, 1310-1319	93
553	A combined experimental and modelling study of indentation damage test on thin-film stacked structures. 2016 , 615, 74-83	4
552	The effects of microstructure on Vickers indentation damage in TiC-316L stainless steel cermets. 2016 , 61, 151-161	17

551	Crack propagation and the material removal mechanism of glass-ceramics by the scratch test. 2016 , 64, 75-85		45
550	A critical energy model for brittle-ductile transition in grinding considering wheel speed and chip thickness effects. 2016 , 230, 1372-1380		21
549	Competing mechanisms in the wear resistance behavior of biomineralized rod-like microstructures. 2016 , 96, 511-534		13
548	Small-scale fracture toughness of ceramic thin films: the effects of specimen geometry, ion beam notching and high temperature on chromium nitride toughness evaluation. 2016 , 96, 3552-3569		34
547	Fracture Characteristics of Frit Bonding through In-Situ Nano-Indentation Testing. 2016 , 32, 1204-1210		3
546	Effect of wear of diamond wire on surface morphology, roughness and subsurface damage of silicon wafers. 2016 , 364-365, 163-168		59
545	Wear protection potential of TiN coatings for 304 stainless steels used in rotating parts during olive oil extraction. 2016 , 304, 560-566		20
544	Processing and characterisation of plasma sprayed oxides: Microstructure, phases and residual stress. 2016 , 304, 364-374		30
543	Toughness enhancement in zirconium-tungsten-nitride nanocrystalline hard coatings. 2016 , 6, 075211		6
542	Fracture Behaviors and Ferroelastic Deformation in W/Cr Co-Doped Bi ₄ Ti ₃ O ₁₂ Ceramics. <i>Journal of the American Ceramic Society</i> , 2016 , 99, 2103-2109	3.8	14
541	Repetitive nano-impact tests as a new tool to measure fracture toughness in brittle materials. 2016 , 36, 3235-3243		10
540	Prediction of grinding force for brittle materials considering co-existing of ductility and brittleness. 2016 , 87, 1967-1975		34
539	Crack initiation in metallic glasses under nanoindentation. 2016 , 115, 413-422		30
538	. 2016 , 26, 1-6		3
537	Spherical indentation of porous ceramics: Cracking and toughness. 2016 , 36, 3473-3480		24
536	Lanthanum hydride doped tungsten-based coating fabricated by supersonic atmospheric plasma spraying. 2016 , 299, 153-161		5
535	XFEM investigation on Knoop indentation cracking: Fracture toughness and aspect-ratio of radial-median cracks. 2016 , 107, 393-405		5
534	Indentation-induced stress distribution and pressure effect on the resistivity of YSZ. 2016 , 286, 96-101		3

533	Fast reactor irradiation effects on fracture toughness of Si ₃ N ₄ in comparison with MgAl ₂ O ₄ and yttria stabilized ZrO ₂ . 2016 , 471, 69-73	5
532	Fracture Toughness Characterization of Lithiated Germanium as an Anode Material for Lithium-Ion Batteries. 2016 , 163, A90-A95	20
531	Two novel silicon phases with direct band gaps. 2016 , 18, 12905-13	40
530	Effect of lithiation on micro-scale fracture toughness of Li _x Mn ₂ O ₄ cathode. 2016 , 116, 62-66	34
529	Indentation fracture toughness of single-crystal Bi ₂ Te ₃ topological insulators. 2016 , 9, 1032-1042	21
528	Stable reactive deposition of amorphous Al ₂ O ₃ films with low residual stress and enhanced toughness using pulsed dc magnetron sputtering with very low duty cycle. 2016 , 124, 96-100	21
527	Peridynamics. 2016 , 219-247	
526	Ion size, loading, and charge determine the mechanical properties, surface apatite, and cell growth of silver and tantalum doped calcium silicate. 2016 , 6, 190-200	19
525	Wire sawing technology: A state-of-the-art review. 2016 , 43, 1-9	88
524	Development of a cutting force prediction model based on brittle fracture for C/SiC in rotary ultrasonic facing milling. 2016 , 85, 573-583	27
523	Precision machining of aspheric surface based on elastic deformation molding method. 2016 , 83, 665-672	1
522	Gradually varying mechanical properties of in situ synthesized NbC/Be-graded composite coating. 2017 , 33, 220-226	4
521	The mixed modifier effect in ionic conductivity and mechanical properties for xMgO-(50-x)CaO-50SiO ₂ glasses. 2017 , 460, 6-18	24
520	Subsurface Damage of Optical Components in Manufacturing Processes. 2017 , 573-616	
519	Simultaneously achieving superior mechanical and tribological properties in WC/a-C nanomultilayers via structural design and interfacial optimization. 2017 , 698, 420-432	27
518	Analyzing the effect of hydration on the wedge indentation fracture behavior of cortical bone. 2017 , 69, 318-326	3
517	Effect of confinement on the static and dynamic indentation response of model ceramic and cermet materials. 2017 , 110, 123-137	14
516	How does phase transformation affect the fatigue behavior of 3Y-TZP in cryogenic environment?. 2017 , 684, 677-682	1

515	Prediction of sawing force for single-crystal silicon carbide with fixed abrasive diamond wire saw. 2017 , 63, 25-32		34
514	Modeling of tool blockage condition in cutting tool design for rotary ultrasonic machining of composites. 2017 , 91, 2645-2654		7
513	Material removal mechanism in ultrasonic-assisted grinding of Al ₂ O ₃ by single-grain scratch test. 2017 , 91, 2949-2962		18
512	A study on the surface quality and brittle-ductile transition during the elliptical vibration-assisted nanocutting process on monocrystalline silicon via molecular dynamic simulations. 2017 , 7, 4179-4189		26
511	Effect of grit shape and crystal structure on damage in diamond wire scribing of silicon. <i>Journal of the American Ceramic Society</i> , 2017 , 100, 1350-1359	3.8	42
510	Microscale fracture mechanisms of a Cr ₃ C ₂ -NiCr HVOF coating. 2017 , 688, 62-69		8
509	Constitutive modeling of indentation cracking in fused silica. <i>Journal of the American Ceramic Society</i> , 2017 , 100, 1928-1940	3.8	23
508	New method for extracting fracture toughness of ceramic materials by instrumented indentation test with Berkovich indenter. 2017 , 37, 2537-2545		9
507	Nanomechanical Properties of Nanostructures and Scale Effects. 2017 , 253-299		1
506	Research of material removal and deformation mechanism for single crystal GGG (Gd ₃ Ga ₅ O ₁₂) based on varied-depth nanoscratch testing. 2017 , 125, 180-188		44
505	Nanomechanical Characterization of Solid Surfaces and Thin Films. 2017 , 177-251		0
504	Fracture Properties of Mg-Alloys Assessed with Nanoindentation. 2017 , 891, 257-262		2
503	Mechanisms of material removal and subsurface damage in fixed-abrasive diamond wire slicing of single-crystalline silicon. 2017 , 50, 32-43		51
502	Physical properties evolution on ternary and quaternary carbonitride coatings. 2017 , 143, 217-224		1
501	On the relationship between indentation hardness and modulus, and the damage resistance of biological materials. 2017 , 57, 373-383		59
500	Correlation between microstructural evolutions and electrical/mechanical behaviors in Nb/Ce co-doped Pb(Zr _{0.52} Ti _{0.48})O ₃ ceramics at different sintering temperatures. 2017 , 94, 174-182		13
499	Identification of residual stress layers at glass surfaces via crack terminating angles. <i>Journal of the American Ceramic Society</i> , 2017 , 100, 4173-4179	3.8	1
498	Microstructural and geomechanical analysis of Bakken shale at nanoscale. 2017 , 153, 133-144		52

497	Methodology for measuring fracture toughness of ceramic materials by instrumented indentation test with vickers indenter. <i>Journal of the American Ceramic Society</i> , 2017 , 100, 2296-2308	3.8	7
496	Depth-sensing nanoindentation measurement techniques and applications. 2017 , 23, 1595-1649		29
495	Material removal mechanism and grinding force modelling of ultrasonic vibration assisted grinding for SiC ceramics. 2017 , 43, 2981-2993		119
494	Nanomechanical properties of zirconia- yttria and alumina zirconia- yttria biomedical ceramics, subjected to low temperature aging. 2017 , 43, 3931-3939		33
493	Indentation modeling study of temperature-dependent fracture toughness of brittle coating on ductile substrate based on microcrack formation theory. 2017 , 309, 536-544		8
492	Characterization and fracture property of different strontium-containing borate-based glass coatings for Ti6Al4V substrates. 2017 , 458, 69-75		11
491	Effect of point heat source on growth of subsurface crack induced in brittle material machining. 2017 , 40, 72-85		1
490	Effect of Multilayered Structure on Properties of Ti/TiN Coating. 2017 , 46, 1219-1224		16
489	Effect of wire speed on subsurface cracks in wire sawing process of single crystal silicon carbide. 2017 , 184, 273-285		6
488	Effect of MgO on the physical, mechanical and microstructural properties of ZTA-TiO ₂ composites. 2017 , 707, 118-124		15
487	Scratching of SiC ceramics at two dimensional pre-stressing. 2017 , 13, 270		1
486	Mechanical Evaluation of Nanocoatings under Extreme Environments for Application in Energy Systems. 2017 , 69-82		
485	Determining the fracture resistance of B ₄ C-NanoSiB ₆ nanocomposite by Vickers indentation method and exploring its mechanical properties. 2017 , 68, 159-165		9
484	Quantifying the mode II critical strain energy release rate of borate bioactive glass coatings on Ti6Al4V substrates. 2017 , 75, 212-221		3
483	A reinvestigation of the validity of the indentation fracture (IF) method as applied to ceramics. 2017 , 37, 4437-4441		16
482	Effect of Arc-Current and Particle Morphology on Fracture Toughness of Plasma Sprayed Aluminium Oxide Coating. 2017 ,		
481	The effect of residual stress on whisker reinforcements in SiCw-Al ₂ O ₃ composites during cooling. 2017 , 725, 639-643		6
480	The microstructure and mechanical properties evaluation of CrTiAlSiN coatings: Effects of silicon content. 2017 , 638, 220-229		22

479	Development of a generalized cutting force prediction model for carbon fiber reinforced polymers based on rotary ultrasonic face milling. 2017 , 93, 2655-2666		11
478	Effects of indenter angle on micro-scale fracture toughness measurement by pillar splitting. <i>Journal of the American Ceramic Society</i> , 2017 , 100, 5731-5738	3.8	47
477	Recent progress to understand stress corrosion cracking in sodium borosilicate glasses: linking the chemical composition to structural, physical and fracture properties. 2017 , 50, 343002		18
476	Nanomechanical Properties of Nanostructures and Scale Effects. 2017 , 1101-1137		
475	Modeling and optimization for rotary ultrasonic face milling of carbon fiber reinforced polymers. 2017 , 104, 02017		1
474	Modelling the strain rate sensitivity on the subsurface damages of scratched glass ceramics. 2017 , 43, 12930-12938		28
473	Reciprocating wear behaviour of TiC-stainless steel cermets. 2017 , 105, 250-263		35
472	Fracture mechanics of sharp scratch strength of polycrystalline alumina. <i>Journal of the American Ceramic Society</i> , 2017 , 100, 1146-1160	3.8	11
471	Investigation of subsurface damage considering the abrasive particle rotation in brittle material grinding. 2017 , 90, 2461-2476		13
470	Mechanical properties of sol-gel prepared nanocomposite coatings in the presence of titania and alumina-derived nanoparticles. 2017 , 46, 25-34		8
469	Defects/CMAS corrosion resistance relationship in plasma sprayed YPSZ coating. 2017 , 694, 1320-1330		28
468	Impact of process parameters on subsurface crack growth in brittle materials grinding. 2017 , 87, 201-217		
467	Mechanical Characterization of MEMS. 2017 , 133-151		
466	Subsurface crack damage in silicon wafers induced by resin bonded diamond wire sawing. 2017 , 57, 147-156		37
465	Review of Mechanical Characterization Techniques for Thin Films Used in Flexible Electronics. 2017 , 42, 129-152		23
464	Rotary ultrasonic face grinding of carbon fiber reinforced plastic (CFRP): a study on cutting force model. 2017 , 89, 847-856		40
463	Strain rate-sensitive analysis for grinding damage of brittle materials. 2017 , 89, 2221-2229		9
462	HRTEM and Nanoindentation Studies of Bulk WC Nanocrystalline Materials Prepared by Spark Plasma Sintering of Ball-Milled Powders. 2017 , 26, 124-133		6

461	Experimental and numerical investigations on stress induced phase transitions in silicon. 2017 , 106-107, 294-304	7
460	Parametric experimental study and design of experiment modelling of sapphire grinding. 2017 , 141, 323-335	8
459	New nanostructured ceramics from baddeleyite with improved mechanical properties for biomedical applications. 2017 ,	1
458	Quantitative measurement of subsurface damage with self-referenced spectral domain optical coherence tomography. 2017 , 7, 3919	5
457	A Comparison of Microscale Techniques for Determining Fracture Toughness of LiMnO ₄ Particles. 2017 , 10,	8
456	Influence of Cutting Speed on Subsurface Damage Morphology and Distribution in Ground Fused Silica. 2017 , 2, 15	4
455	Investigation on Indentation Cracking-Based Approaches for Residual Stress Evaluation. 2017 , 10,	6
454	Indentation Plasticity and Fracture Studies of Organic Crystals. 2017 , 7, 324	25
453	Influence of Cooling Rate on Cracking and Plastic Deformation during Impact and Indentation of Borosilicate Glasses. 2017 , 4,	11
452	Ultrafine Ceramic Grains Embedded in Metallic Glass Matrix: Achieving Superior Wear Resistance via Increase in Both Hardness and Toughness. 2018 , 10, 16124-16132	17
451	Particle shape effect on erosion of optical glass substrates due to microparticles. 2018 , 123, 115104	2
450	Effect of deposition conditions on physical properties of sputtered silicon oxynitride thin films on float glass. 2018 , 9, 403-412	2
449	Stress analysis in scratching of anisotropic single-crystal silicon carbide. 2018 , 141, 1-8	13
448	Elastic-plastic deformation in ion-exchanged aluminosilicate glass by loading rate dependent nanoindentation. 2018 , 491, 79-88	9
447	Structural, hardness and toughness evolution in Si-incorporated TaC films. 2018 , 44, 9318-9325	9
446	Scratch-tip-size effect and change of friction coefficient in nano / micro scratch tests using XFEM. 2018 , 120, 398-410	33
445	Prediction and verification analysis of grinding force in the single grain grinding process of fused silica glass. 2018 , 96, 597-606	12
444	Ultra-precision diamond turning of optical silicon review. 2018 , 96, 173-208	35

- 443 Fabrication of W-Zr-Si thin film metallic glasses and the influence of post-annealing treatment. **2018**, 482, 170-176 3
- 442 Feasibility Study of Longitudinal-Torsional-Coupled Rotary Ultrasonic Machining of Brittle Material. **2018**, 140, 27
- 441 Effects of additive amount, testing method, fabrication process and sintering temperature on the mechanical properties of Al₂O₃/3Y-TZP composites. **2018**, 191, 446-460 22
- 440 Erosion of Optical Glass Substrates Due to Sand and Sphere Microparticles. **2018**, 20
- 439 Investigation on the Cracking Character of Jointed Rock Mass Beneath TBM Disc Cutter. **2018**, 51, 1263-1277 41
- 438 Indentation for fracture toughness estimation of high-strength rail steels based on a stress triaxiality-dependent ductile damage model. **2018**, 94, 10-25 15
- 437 Crystal structure, molecular packing, FMO, NBO, nonlinear optical and optical limiting properties of an organic imidazolium diphenylacetate diphenylacetic acid single crystal. **2018**, 42, 2439-2449 19
- 436 A cutting force model based on kinematics analysis for C/SiC in rotary ultrasonic face machining. **2018**, 97, 1223-1239 9
- 435 Incipient plasticity and surface damage in LiTaO₃ and LiNbO₃ single crystals. **2018**, 153, 221-231 20
- 434 Diamond Wire Sawing of Solar Silicon Wafers: A Sustainable Manufacturing Alternative to Loose Abrasive Slurry Sawing. **2018**, 21, 549-566 69
- 433 Tribological Study of Fe₃W₂C Electrodeposited Coating on 316 L Stainless Steel. **2018**, 140, 5
- 432 Characterization of fatigue crack growth of concrete mortar under cyclic indentation loading. **2018**, 83, 156-166 13
- 431 Crystallization of SiC and its effects on microstructure, hardness and toughness in TaC/SiC multilayer films. **2018**, 44, 613-621 27
- 430 Evaluation of adhesion and mechanical properties of plasma sprayed NiCrAl/Al₂O₃-13wt.%TiO₂ coatings. **2018**, 32, 801-815 3
- 429 Improving the mechanical and tribological properties of TiB₂/a-C nanomultilayers by structural optimization. **2018**, 44, 3356-3363 18
- 428 Analyzing the microstructures of W-ZrC composites fabricated through reaction sintering and determining their fracture toughness values by using the SENB and VIF methods. **2018**, 189, 501-513 4
- 427 The deformation behavior and fracture toughness of single crystal YSZ(111) by indentation. **2018**, 735, 2423-2427 10
- 426 Effect of arc current and spray distance on elastic modulus and fracture toughness of plasma-sprayed chromium oxide coatings. **2018**, 6, 387-394 8

425	A New Formula for Evaluating Indentation Toughness in Ceramics. 2018 , 58, 177-182	3
424	Excellent adhered thick diamond-like carbon coatings by optimizing hetero-interfaces with sequential highly energetic Cr and C ion treatment. 2018 , 735, 155-162	22
423	Saw damage as an etch mask for the acidic texturization of multicrystalline silicon wafers. 2018 , 74, 238-248	8
422	Research into the transition of material removal mechanism for C/SiC in rotary ultrasonic face machining. 2018 , 95, 1751-1761	12
421	Degradation mechanism for high-temperature sliding wear in surface-modified In718 superalloy. 2018 , 5, 1501864	17
420	Effects of Crystal Orientation on the Crack Propagation of Sapphire by Sequential Indentation Testing. 2018 , 8, 3	16
419	Experimental Analysis of Erosive Behavior on Al-SiCP BasedMMC Using Micro Particle (Al ₂ O ₃) as Erodent. 2018 , 455, 012094	
418	Experimental Research on the Structural Behavior of Fractured Coal under Uniaxial Compression. 2018 , 11, 2538	1
417	Fracture Properties of Cement Studied by Nanoindentation and FIB. 2018 , 784, 3-8	
416	Mechanical and Tribological Behavior of ZrB ₂ -TiB ₂ System Prepared by Mechanical Activation Spark Plasma Sintering Technique. 2018 , 27, 6040-6048	5
415	Fracture Toughness Evaluation and Plastic Behavior Law of a Single Crystal Silicon Carbide by Nanoindentation. 2018 , 1, 198-210	10
414	The Effect of Gradient Bias Design on Electrochemistry and Tribology Behaviors of PVD CrN Film in a Simulative Marine Environment. 2018 , 11,	4
413	Morphological and micromechanical characterization of calcium oxalate (CaOx) crystals embedded in the pecan nutshell (<i>Carya illinoensis</i>). 2018 , 132, 566-570	9
412	A theoretical and experimental investigation on ultrasonic assisted grinding from the single-grain aspect. 2018 , 148, 667-675	21
411	Theoretical model of crack propagation behavior and fracture chip formation mechanism during turning of fluorophlogopite ceramic. 2018 , 99, 2585-2596	0
410	Self-assembly of TaC@Ta core-shell-like nanocomposite film via solid-state dewetting: Toward superior wear and corrosion resistance. 2018 , 160, 72-84	22
409	Fabrication of monolithic rGO/SiC(O) nanocomposite ceramics via precursor (polycarbosilane-vinyltriethoxysilane-graphene oxide) route. 2018 , 44, 14929-14934	10
408	Nanoindentation techniques for the determination of mechanical properties of materials in dentistry. 2018 , 307-326	

407	Indentation Behavior and Mechanical Properties of Tungsten/Chromium co-Doped Bismuth Titanate Ceramics Sintered at Different Temperatures. 2018 , 11,	10
406	Nano-mechanical Properties. 2018 , 71-89	
405	Recent advances and challenges of abrasive jet machining. 2018 , 22, 1-20	65
404	Effect of Nitrogen Doping and Temperature on Mechanical Durability of Silicon Carbide Thin Films. 2018 , 8, 10428	15
403	Where Does Titan Sand Come From: Insight From Mechanical Properties of Titan Sand Candidates. 2018 , 123, 2310-2321	12
402	Investigation of the mechanical properties of ZrO ₂ -doped UO ₂ ceramic pellets by indentation technique. 2018 , 509, 482-487	9
401	Spinodal decomposition in the Ta-Mo-Al-N films activated by Mo incorporation: Toward enhanced hardness and toughness. 2018 , 44, 21358-21364	5
400	Influence of oxygen on the glass formation of MoD binary alloys. 2018 , 500, 210-216	5
399	Review of molecular dynamics/experimental study of diamond-silicon behavior in nanoscale machining. 2018 , 98, 317-371	28
398	Evaluation of shale fracture toughness based on micrometer indentation test. 2019 , 5, 52-57	14
397	Hardness and mechanical anisotropy of hexagonal SiC single crystal polytypes. 2019 , 770, 158-165	23
396	A model of crack healing of glass by viscous flow at elevated temperatures. <i>Journal of the American Ceramic Society</i> , 2019 , 102, 1373-1378	3.8 3
395	Ablation Model Based on Porous Charring Layer Under Alumina Erosion Condition. 2019 , 57, 4792-4803	2
394	A cutting force model based on kinematic analysis in longitudinal and torsional ultrasonic vibration drilling. 2019 , 104, 631-643	5
393	Effect of burnup on the mechanical properties of doped UO ₂ ceramic pellets using the simfuel technique. 2019 , 524, 247-255	1
392	Mechanical properties and epitaxial growth of TiN/AlN superlattices. 2019 , 375, 1-7	12
391	A multi-mechanism constitutive model for the dynamic failure of quasi-brittle materials. Part II: Integrative model. 2019 , 131, 20-42	10
390	Effect of Initial Powders on Properties of FeAlSi Intermetallics. 2019 , 12,	1

389	Synthesis and Mechanical Testing of Calcium Aluminosilicoferrite Crystals with High Alumina Content. 2019 , 9, 906	1
388	Small-scale mechanical properties of constitutive phases within a polycrystalline cubic boron nitride composite. 2019 , 39, 5181-5189	6
387	Tribological behavior of microwave synthesized high entropy alloy claddings. 2019 , 436-437, 203028	10
386	Micro-mechanical properties of a novel silicon nitride fiber reinforced silicon carbide matrix composite nano-indentation method.. 2019 , 9, 26373-26380	4
385	Use of indentation to study the degradation of photovoltaic backsheets. 2019 , 201, 110082	12
384	Nanoindentation of Fused Quartz at Loads Near the Cracking Threshold. 2019 , 59, 369-380	9
383	Microstructure and mechanical properties of a nucleant-free basaltic glass-ceramic. 2019 , 35, 544-551	5
382	Modeling and simulation on the effect of tool rake angle in diamond turning of KDP crystal. 2019 , 273, 116259	20
381	Physical, mechanical properties and antimicrobial analysis of a novel CaO/AlO compound reinforced with Al or Ag particles. 2019 , 97, 385-395	4
380	Energy Partitioning in Granular Flow Depends on Mineralogy via Nanoscale Plastic Work. 2019 , 124, 6397-6408	3
379	Grinding force modelling for ductile-brittle transition in laser macro-micro-structured grinding of zirconia ceramics. 2019 , 45, 18487-18500	24
378	Experimental study on drilling basalt with small diameter drilling tools. 2019 , 64, 1177-1187	3
377	Effect of Stress Wave between Adjacent Asperities Interaction on Subsurface Damage of Optical Glass in Precision Grinding. 2019 , 12,	1
376	Mechanism modeling and validation in ultrasonic vibration assisted drilling with variable cross section drilling tool of brittle materials. 2019 , 103, 3137-3149	2
375	Geomechanical characterization of gondwana shale across nano-micro-meso scales. 2019 , 119, 35-45	11
374	Structural, optical, mechanical and dielectric property studies of adduct single crystal 2,4,6-trinitrobenzene-1,3-diol-2-methylimidazole: A spectroscopic and theoretical approach. 2019 , 567, 25-36	1
373	Strength and toughness. 2019 , 487-535	1
372	The mixed regime and wear mechanism of elliptical contact in the start-up process considering interface material properties: A theoretical prediction. 2019 , 157-158, 60-74	2

371	Indentation cracking of monocrystalline silicon considering fracture anisotropy. 2019 , 100, 128-138	6
370	Synthesis and effect of CaTiO ₃ formation in CaO/Al ₂ O ₃ by solid-state reaction from CaCO ₃ /Al ₂ O ₃ and Ti. 2019 , 232, 57-64	3
369	Influence of sintering temperature on conductivity and mechanical behavior of the solid electrolyte LATP. 2019 , 45, 14697-14703	22
368	Ultra-precision finishing of low expansion ceramics by compliant abrasive technologies: A comparative study. 2019 , 45, 11527-11538	5
367	Nanoindentation-based study of the mechanical behavior of bulk supercrystalline ceramic-organic nanocomposites. 2019 , 39, 3247-3256	32
366	An experimental and peridynamic study of the erosion of optical glass targets due to sand and sphere microparticles. 2019 , 428-429, 340-355	4
365	Strategy for simultaneously increasing both hardness and toughness in ZrB ₂ -rich Zr _{1-x} TaxBy thin films. 2019 , 37, 031506	26
364	A review of experimental approaches to fracture toughness evaluation at the micro-scale. 2019 , 173, 107762	99
363	Nanoscale fracture mechanics of Gondwana coal. 2019 , 204, 102-112	12
362	Study on key factors influencing the surface generation in rotary ultrasonic grinding for hard and brittle materials. 2019 , 38, 549-555	17
361	Micro-Photoelastic Evaluation of Indentation-Induced Stress in Glass. 2019 , 60, 1423-1427	6
360	Effect of dynamic adjustment of diamond tools on nano-cutting behavior of single-crystal silicon. 2019 , 125, 1	5
359	Oxygen octahedron tilting, electrical properties and mechanical behaviors in alkali niobate-based lead-free piezoelectric ceramics. 2019 , 5, 372-384	10
358	Characterization of the Interfacial Toughness in a Novel GaN-on-Diamond Material for High-Power RF Devices. 2019 , 1, 354-369	9
357	High-speed high-efficient grinding of CMCs with structured grinding wheels. 2019 , 9, 1	1
356	Development of a Cutting Force Prediction Model for Silica/Phenolic Composite in Mill-grinding. 2019 , 647, 012009	
355	Effect of hydrogen-induced surface steps on the nanomechanical behavior of a CoCrFeMnNi high-entropy alloy revealed by in-situ electrochemical nanoindentation. 2019 , 114, 106605	16
354	Electrochemical boriding of titanium alloy Ti-6Al-4V. 2019 , 8, 6407-6412	12

353	Microhardness and Crack Resistance of Gallium Oxide. 2019 , 45, 1114-1117		4
352	Material removal mechanism and crack propagation in single scratch and double scratch tests of single-crystal silicon carbide by abrasives on wire saw. 2019 , 45, 384-393		21
351	Determination of ceramic flaw populations from component strengths. <i>Journal of the American Ceramic Society</i> , 2018 , 102, 4794	3.8	5
350	Effect of hydrogen on nanomechanical properties in Fe-22Mn-0.6C TWIP steel revealed by in-situ electrochemical nanoindentation. 2019 , 166, 618-629		38
349	Structural, mechanical and tribological properties evolution in N-incorporated CrS films. 2019 , 358, 378-385		5
348	A lattice Monte Carlo model for solid particle erosion: An application to brittle fracture. 2019 , 418-419, 52-60		3
347	Nucleation location and propagation direction of radial and median cracks for brittle material in scratching. 2019 , 45, 7524-7536		17
346	Determining the micro-fracture properties of Antrim gas shale by an improved micro-indentation method. 2019 , 62, 224-235		18
345	Indentation deformation in oxide glasses: Quantification, structural changes, and relation to cracking. 2019 , 1, 100007		34
344	A factorial design approach to fracture pressure tests of microfluidic BF33 and D263T glass chips with side-port capillary connections. 2019 , 29, 035011		1
343	Mechanical characterization of shale through instrumented indentation test. 2019 , 174, 607-616		12
342	Diffusion-controlled crack propagation in alkali feldspar. 2019 , 46, 15-26		8
341	Investigation on edge chipping evaluation of Si ₃ N ₄ ceramics milling surface. 2019 , 133, 241-250		9
340	Nanolayered multilayer Ti/TiN coatings: Role of bi-layer thickness and annealing on solid particle erosion behaviour at elevated temperature. 2019 , 357, 204-211		26
339	Molecular dynamics simulation of subsurface damage mechanism during nanoscratching of single crystal silicon. 2019 , 233, 61-73		16
338	Damage interaction and angle effects on the erosion behavior of soda-lime-silica glass. 2019 , 28, 118-133		5
337	The correlation between structure, multifunctional properties and application of PVD MAX phase coatings. Part I. Texture and room temperature properties. 2020 , 36, 225-267		2
336	The correlation between structure, multifunctional properties and applications of PVD MAX phase coatings. Part II. Texture and high-temperature properties. 2020 , 36, 268-302		2

335	Characterisation of indentation microstructures for porous SOFC cathodes. 2020 , 46, 803-812	3
334	Investigation of critical material removal transitions in compliant machining of brittle ceramics. 2020 , 185, 108258	3
333	Micro indentation fracture of cement paste assessed by energy-based method: The method improvement and affecting factors. 2020 , 231, 117136	9
332	A detailed analysis of the determination of fracture toughness by nanoindentation induced radial cracks. 2020 , 40, 276-289	2
331	Fracture toughness determination of fused silica by cube corner indentation cracking and pillar splitting. 2020 , 186, 108311	14
330	A Materials Perspective on the Design of Damage-Resilient Bone Implants Through Additive/Advanced Manufacturing. 2020 , 72, 1195-1210	5
329	Mechanism study on ultrasonic vibration assisted face grinding of Hard and brittle materials. 2020 , 50, 520-527	16
328	Nanoscale investigation of deformation characteristics in a polycrystalline silicon carbide. 2020 , 56, 951-967	2
327	Development and evaluation of Al ₂ O ₃ /ZrO ₂ composite processed by digital light 3D printing. 2020 , 46, 8682-8688	24
326	Experiment and theoretical prediction for surface roughness of PV polycrystalline silicon wafer in electroplated diamond wire sawing. 2020 , 49, 82-93	19
325	Assessing fracture toughness in sintered Al ₂ O ₃ /ZrO ₂ (3Y)/SiC ceramic composites through indentation technique. 2020 , 46, 27143-27149	4
324	Sliding of a diamond sphere on fused silica under ramping load. 2020 , 25, 101684	4
323	Applications of Micro-Indentation Technology to Estimate Fracture Toughness of Shale. 2020 , 13,	1
322	On an alternative approach for simulating chemically induced crack pattern evolutions in a single crystal. 2020 , 202, 575-586	2
321	Application of nanoindentation technology in rocks: a review. 2020 , 6, 1	16
320	Self-healing by design: universal kinetic model of strength recovery in self-healing ceramics. 2020 , 21, 593-608	7
319	How Severe Plastic Deformation Changes the Mechanical Properties of Thermoelectric Skutterudites and Half Heusler Alloys. 2020 , 7,	2
318	A fracture mechanics approach to enhance product and process sustainability in diamond wire sawing of silicon wafers for solar cells through improved wire design. 2020 , 4, 186	1

317	Influence of Al ₂ O ₃ Addition on Structure and Mechanical Properties of Borosilicate Glasses. 2020 , 7,	5
316	Realizing high ceramic yield and low shrinkage of in-situ formed lightweight 3D-SiC(rGO)px polymer-derived ceramics with excellent fracture toughness. 2020 , 46, 27426-27436	6
315	Development and Study of the Properties of Impact-Resistant Ceramic Nanocomposite Coatings for Silicon. 2020 , 77, 149-153	
314	Study on Damage of 4H-SiC Single Crystal through Indentation and Scratch Testing in Micro/Nano Scales. 2020 , 10, 5944	4
313	The Analysis of Resistance to Brittle Cracking of Tungsten Doped TiB ₂ Coatings Obtained by Magnetron Sputtering. 2020 , 10, 807	4
312	A Spherical Indentation Study on the Mechanical Response of Selected Rocks in the Range from Very Hard to Soft with Particular Interest to Drilling Application. 2020 , 53, 5809-5821	5
311	Oxidation Resistance of Plasma-Sprayed Double-Layered LC/YSZ Coatings with Different Thickness Ratios at High Temperatures. 2020 , 94, 397-408	3
310	Study on cutting PV polysilicon with a new type of diamond abrasives-helix-distribution saw wire based on controlling the subsurface microcrack damage depth. 2020 , 110, 2389-2406	5
309	Slurry Erosion/Corrosion of Bimodal Complex Concentrated Alloy Composite Cladding. 2020 , 22, 2000626	3
308	Sharp indentation stress fields in fused silica: Finite element analysis and Yoffe analytic model. <i>Journal of the American Ceramic Society</i> , 2020 , 103, 7135-7146	3.8 0
307	Description of the nanoindentation unloading curves with a universal function: Theoretical consideration and applications to brittle materials. 2020 , 251, 123165	4
306	Research on removal function of fluid hydrodynamic fixed abrasive grinding. 2020 , 24, 397-408	
305	Numerical investigation of crack initiation, propagation and suppression in robot-assisted abrasive belt grinding of zirconia ceramics via an improved chip-thickness model. 2020 , 46, 22030-22039	6
304	Crack propagation during Vickers indentation of zirconia ceramics. 2020 , 46, 21311-21318	6
303	Cyclic contact fatigue of cemented carbides under dry and wet conditions: Correlation between microstructure, damage and electrochemical behavior. 2020 , 92, 105279	4
302	A Cutting Force Prediction Model, Experimental Studies, and Optimization of Cutting Parameters for Rotary Ultrasonic Face Milling of C/SiC Composites. 2020 , 27, 407-431	3
301	A review on processing polycrystalline magnesium aluminate spinel (MgAl ₂ O ₄): Sintering techniques, material properties and machinability. 2020 , 193, 108858	18
300	3D FIB/FESEM tomography of grinding-induced damage in WC-Co cemented carbides. 2020 , 87, 385-390	3

299	Formation mechanism of gas phase in supersonic atmospheric plasma sprayed NiCr-Cr ₃ C ₂ cermet coatings. 2020 , 397, 126052		5
298	Critique of materials-based models of ductile machining in brittle solids. <i>Journal of the American Ceramic Society</i> , 2020 , 103, 6096-6100	3.8	20
297	Mathematical modeling and experimental studies on axial drilling load for rotary ultrasonic drilling of C/SiC composites. 2020 , 107, 1309-1326		10
296	Effect of polyvinylidene fluoride on the fracture microstructure characteristics and piezoelectric and mechanical properties of 0-3 barium zirconate titanate ceramic-cement composites. 2020 , 40, 4886-4893		5
295	Analytical prediction of subsurface microcrack damage depth in diamond wire sawing silicon crystal. 2020 , 112, 105015		19
294	Microstructural effects on hardness and optical transparency of birefringent aluminosilicate nanoceramics. 2020 , 2, 76-82		5
293	Analytical modelling of both parallel and cross grinding with arc-shaped wheel for grinding-induced damage and grinding force. 2020 , 107, 731-745		0
292	An investigation on the parameter optimization and abrasive wear behaviour of nanostructured WC-10Co-4Cr TIG weld cladding. 2020 , 386, 125474		12
291	Effects of polishing parameters on surface quality in sapphire double-sided CMP. 2020 , 46, 13356-13364		14
290	Solid particle erosion and corrosion resistance performance of nanolayered multilayered Ti/TiN and TiAl/TiAlN coatings deposited on Ti6Al4V substrates. 2020 , 387, 125531		23
289	A critical evaluation of indentation crack lengths in air. <i>Journal of the American Ceramic Society</i> , 2020 , 103, 2278-2295	3.8	4
288	Peridynamic Modeling of Damage due to Multiple Sand Particle Impacts in the Presence of Contact and Friction. 2020 ,		1
287	Wear debris of friction materials for linear standing-wave ultrasonic motors: Theory and experiments. 2020 , 448-449, 203216		5
286	Tribological Phenomena during Contact Interactions in Nanostructured Coatings. 2020 , 41, 46-51		0
285	The state-of-art in characterizing the micro/nano-structure and mechanical properties of cement-based materials via scratch test. 2020 , 254, 119255		4
284	Evaluation of particle size reduction and agglomeration in dry grinding of natural quartz in a planetary ball mill. 2020 , 368, 149-159		12
283	Complex concentrated alloy bimodal composite claddings with enhanced cavitation erosion resistance. 2020 , 392, 125751		14
282	A new monitor model to detect damages in surface and subsurface during cup grinding process of BK7 optical glass: a new optimization model for energy damage. 2021 , 144, 1949-1957		

281	A study of tribological behaviour and optimization of WC-10Co-4Cr Cladding. 2021 , 37, 70-79	5
280	First-principles study of electronic structure and optical properties of Er:Lu ₂ O ₃ . 2021 , 39, 453-459	5
279	An analytical model for estimation of the stress field and cracks caused by scratching anisotropic single crystal gallium nitride. 2021 , 122, 105446	1
278	Micromechanics of Machining and Wear in Hard and Brittle Materials. <i>Journal of the American Ceramic Society</i> , 2021 , 104, 5-22	3.8 31
277	A Ni ₄₀ Co ₆₀ WB composite developed by devitrification of Ni ₄₀ Co ₆₀ WB bulk metallic glass. 2021 , 803, 140479	3
276	Effect of electroless Ni-B and Ni-W-B coatings on the corrosion-fatigue behaviour of 7075 Al alloy. 2021 , 144, 106040	4
275	Optimizing the Indirect Indentation Method for brittle material property measurements. 2021 , 47, 9635-9642	
274	Insight into high temperature performance of magnetron sputtered Si-Ta-C-(N) coatings with an ion-implanted interlayer. 2021 , 541, 148526	3
273	An Insight into Properties and Characterization of Nanostructures. 2021 , 39-81	
272	R-Curve Behavior of Ceramics. 2021 , 775-796	
271	Evaluation of the surface fatigue behavior of amorphous carbon coatings through cyclic nanoindentation. 2021 , 407, 126769	13
270	Tailoring Multistimuli Responsive Micropatterns Activated by Various Mechanical Modes. 2021 , 31, 2100612	8
269	Enhanced fracture toughness of silica glass by ion-implanted platinum nanoparticles. 2021 , 44, 1423-1438	2
268	Prediction of crater depth, surface roughness and erosion rate during abrasive jet machining of glass. 2021 , 468-469, 203596	1
267	Analysis of crack-free surface generation of photovoltaic polysilicon wafer cut by diamond wire saw. 2021 , 216, 245-258	9
266	Experimental investigation of the tool radius and micro-cutting speed influence on micro-cutting mechanisms for marble based material. 2021 , 9, 015030	
265	Rapid transformation of the metal-polymer laminated packaging materials into ceramic carbide reinforced Al-alloy. 2021 , 167, 105374	2
264	An Improved Cutting Force Model for Ultrasonically Assisted Grinding of Hard and Brittle Materials. 2021 , 11, 3888	2

263	The MoN ₂ TaN system: Role of vacancies in phase stability and mechanical properties. 2021 , 202, 109568	2
262	Anisotropy effect of bioinspired ceramic/ceramic composites: Can the platelet orientation enhance the mechanical properties at micro- and submicrometric length scale?. 2021 , 41, 2753-2762	1
261	Models of grinding-induced surface and subsurface damages in fused silica considering strain rate and micro shape/geometry of abrasive. 2021 , 47, 24924-24924	5
260	Influence of Preaging Temperature on the Indentation Strength of 3Y-TZP Aged in Ambient Atmosphere. 2021 , 14,	3
259	Simulation of the ductile machining mode of silicon. 2021 , 115, 1565-1578	1
258	Nanoindentation based fracture studies of ITO coating. 2021 , 47, 14717-14722	2
257	Characterizing fracture toughness using machine learning. 2021 , 200, 108202	3
256	The Relationship between Surface and In-Depth Hardness for the Nitrocarburizing Treatment Process. 2021 , 11, 812	0
255	Fracture strength of photovoltaic silicon wafers cut by diamond wire saw based on half-penny crack system. 2021 , 251, 107717	1
254	Bridgman Growth and Physical Properties Anisotropy of CeF ₃ Single Crystals. 2021 , 11, 793	2
253	In-situ fabrication of lightweight SiC(Al, rGO) bulk ceramics derived from silicon oxycarbide for aerospace components. 2021 , 869, 159297	0
252	Understanding Nanoscale Plasticity by Quantitative In Situ Conductive Nanoindentation. 2021 , 23, 2001494	4
251	Mechanical behavior in the interior and boundary of magnesium aluminate spinel (MgAlO) grain under nanoindentation. 2021 , 60, 6639-6647	0
250	Influence of polishing technique on crack resistance of quartz plates. 2021 , 231, 61	1
249	Are Shell Strength Phenotypic Traits in Mussels Associated with Species Alone?. 2021 , 1, 3-13	1
248	Characterizing environment-dependent fracture mechanisms of ceramic matrix composites via digital image correlation. <i>Journal of the American Ceramic Society</i> , 2021 , 104, 6545	3.8 2
247	Study on the surface formation mechanism in scratching test with different ultrasonic vibration forms. 2021 , 294, 117108	2
246	Finite element analysis on processing stress of polysilicon cut by diamond multi-wire saw. 2021 , 131, 105860	3

245	Modeling and analysis of the material removal rate for ultrasonic vibration-assisted polishing of optical glass BK7. 1	0
244	Rate-depending plastic deformation behaviour in a nickel-base alloy under hydrogen influence. 2021 ,	1
243	Determination of the Fracture Toughness of Glasses via Scratch Tests with a Vickers Indenter. 1	0
242	Fatigue Life Prediction of Steel Pipelines Based on X-ray Diffraction Analyses. 1	
241	The effect of in-situ formed layered hBN on the machinability and mechanical properties of SPS sintered SiC. 2021 , 48, 1047-1047	0
240	Sea snail shells for synthesis of ceramic compounds reinforced with metallic oxide: Microstructural, mechanical and electrical behavior. 2021 , 28, 102656	
239	Influence of silicon anisotropy on surface shape deviation of wafer by diamond wire saw. 2021 , 133, 105981	0
238	Influence of diamond wire saw slicing parameters on (010) lattice plane beta-gallium oxide single crystal wafer. 2021 , 133, 105939	1
237	An inverse problem in estimating fracture toughness of TiAlN thin films by finite element method based on nanoindentation morphology. 2021 , 192, 110458	1
236	Recent advances in the mechanical characterization of shales at nano-to micro-scales: A review. 2021 , 162, 104043	0
235	A theoretical and experimental investigation of particle embedding and erosion behaviour of PDMS in micro-abrasive air-jet machining. 2021 , 486-487, 204118	2
234	Micromechanical Properties of Biocemented Shale Soils Analyzed Using Nanoindentation Test. 2021 , 147,	0
233	Epimers with distinct mechanical behaviours. 2021 , 23, 5848-5855	1
232	Experimental and FEM based investigation of the influence of the deposition temperature on the mechanical properties of SiC coatings. 2021 , 10, 139-151	3
231	Resistance to fracture in the glassy solid electrolyte Lipon. 2021 , 36, 787-796	4
230	Process Modeling and Manufacturing Processes. 2021 , 71-96	
229	Characterization of Coatings. 293-328	1
228	Nanomechanical Properties of Solid Surfaces and Thin Films. 2004 , 687-716	3

227	Mechanical Properties of Nanostructures. 2004 , 763-787	2
226	Nanoindentation: Localized Probes of Mechanical Behavior of Materials. 2008 , 389-408	12
225	Elastic-Plastic Indentation Stress Fields. 2007 , 137-150	1
224	Piezoelectric Response in the Contact Deformation of Piezoelectric Materials. 2008 , 151-173	1
223	Process of Ultrasonic Machining. 2015 , 1629-1650	2
222	Process of Ultrasonic Machining. 2013 , 1-19	2
221	The Indentation Crack as a Model Surface Flaw. 1983 , 1-25	22
220	Indentation Fracture Toughness of Brittle Materials for Palmqvist Cracks. 1983 , 97-105	67
219	Elastic/Plastic Indentation Hardness of Ceramics: The Dislocation Punching Model. 1990 , 421-431	3
218	Indentation Fracture of Pure and MeV Energy Ion Implanted Sapphire. 1992 , 155-174	7
217	Fracture Toughness Measurement by Indentation Fracture Method at Elevated Temperature. 1992 , 509-521	5
216	The Indentation Fracture Resistance of Self-Reinforced Mullites. 1992 , 119-133	4
215	Deformation-Induced Crack Initiation by Indentation of Silicate Materials. 1984 , 681-693	10
214	Microfracture Behaviour of Fine Grained Alumina Studied by Indentation and Acoustic Emission in Various Environments. 1986 , 69-83	4
213	Effect of Static Loading on the Fracture Toughness of Indentation-Pre-cracked Alumina. 1986 , 101-112	1
212	A Simple Method for Adhesion Measurements. 1981 , 603-617	38
211	A Knoop-Indentation Method for R-Curve Determination. 2002 , 447-456	1
210	Cracked Indents—Friend or Foe?. 1990 , 145-208	4

209	Fracture Toughness Modifications By Means of CO2 Laser Beam Surface Processing of a Silicon Nitride Engineering Ceramic. 2010 , 519-522	1
208	Mechanical Characterization of Materials by Micro-Indentation and AFM Scanning. 2009 , 85-120	2
207	Application of SPM and Related Techniques to the Mechanical Properties of Bioutil Materials. 2009 , 71-103	1
206	Fracture Mechanics. 1999 , 19-51	1
205	Toughening Mechanisms for Monolithic Ceramics. 1990 , 219-276	1
204	The Mechanical Properties of Ion Implanted Ceramics. 1989 , 253-273	14
203	Indentation Testing of Sic-Whisker Reinforced Al2O3 Composites. 1989 , 84-97	3
202	Non-Destructive Failure Prediction in Ceramics. 1983 , 595-625	6
201	Surface Damage in Ceramics: Implications for Strength Degradation, Erosion and Wear. 1983 , 635-656	28
200	Measurement of Fracture Toughness in Thin Films and Small Volumes Using Nanoindentation Methods. 1993 , 449-461	59
199	Friction Processes in Brittle Fracture. 1992 , 137-165	4
198	Microstructure, Toughness Curves and Mechanical Properties of Alumina Ceramics. 1991 , 209-233	9
197	Mechanical Properties of Ceramics. 1991 , 21-49	2
196	Mechanism of brittle-ductile transition of a glass-ceramic rigid substrate. 2011 , 18, 229	2
195	Strength and Toughness. 1994 , 409-453	1
194	Surface integrity of ultrasonic machined ceramics. 1994 , 544-549	2
193	Crack nucleation and growth during dynamic indentation of chemically-strengthened glass. 2020 , 38, 100754	2
192	Indentation deformation and cracking in oxide glass toward understanding of crack nucleation. 2019 , 1, 100009	17

191	Experimental and numerical analysis of scratching induced damage during diamond wire sawing of silicon. 2020 , 454-455, 203328	9
190	Effect of zinc powder content on tribological behaviors of brake friction materials. 2020 , 30, 3078-3092	3
189	New approach of eggshell mechanical properties determination. 2014 , 58, 161-166	3
188	Finite Element Analysis of Brittle Cracking due to Single Grit Rotating Scratch. 2003 , 70, 147-151	12
187	Effect of whisker orientation on toughening behaviour and cutting performance of SiCw/Al ₂ O ₃ composite. 1993 , 9, 21-25	3
186	Surface and subsurface Vickers indentation cracks in SiC, Si ₃ N ₄ , and sialon ceramics. 1995 , 11, 1093-1098	3
185	Topics in indentation hardness. 1982 , 16, 127-138	32
184	Lapping of Brittle Materials. 2006 ,	3
183	Nanocomposite Coatings. 2010 , 205-244	2
182	Fracture Toughness and Interfacial Adhesion Strength of Thin Films: Indentation and Scratch Experiments and Analysis. 2010 , 79-110	5
181	Nanoindentation for Fracture Toughness of Coatings. 2015 , 123-178	21
180	REFRACTORY CERAMICS SYNTHESIS BY SOLID-STATE REACTION BETWEEN CaCO ₃ (MOLLUSK SHELL) AND Al ₂ O ₃ POWDERS. 2018 , 355-363	4
179	Theoretical Comparison of Error in K _{1c} Values Determined by Different Testing Methods of Ceramics. 1991 , 19, 256	3
178	Nanoindentation Test Integrated with Numerical Simulation to Characterize Mechanical Properties of Rock Materials. 2014 , 42, 20130035	16
177	Fracture and deformation in brittle solids: A perspective on the issue of scale. 2004 , 19, 22	1
176	Nanoindentation Study of Phase-pure Highly Crystalline Hydroxyapatite Coatings Deposited by Microplasma Spraying. 2015 , 9, 65-74	2
175	Dynamic Indentation Testing. 2000 , 519-529	6
174	Fracture and its Role in Determining Ice Forces on Offshore Structures. 1983 , 4, 216-221	3

173	Evaluation of Material Characteristics by Micro/Nano Indentation Tests. 2008 , 32, 805-816	7
172	Analysis of Cracking Characteristics with Indenter Geometry Using Cohesive Zone Model. 2013 , 37, 1453-1463	1
171	Fracture Toughness of 3Y-TZP Dental Ceramics by Using Vickers Indentation Fracture and SELNB Methods. 2019 , 56, 37-48	8
170	Micro-Crack Healing on Soda-Lime Glass by Chemical Strengthening. 2019 , 56, 483-488	3
169	Theoretical Modeling and Experimental Analysis of Single-Particle Erosion Mechanism of Optical Glass. 2021 , 12,	2
168	Interference mechanism and damage accumulation in high-speed cross scratches on hard brittle materials. 2021 ,	1
167	Fracture Toughness of Ceramics and Ceramic Matrix Composites. 2000 , 654-664	1
166	Mechanical Properties of Nanostructures. 2004 , 763-787	1
165	Cracking Threshold Analysis for Nanoindentation Using 3D Finite-Element Method. 2004 , 28, 304-310	
164	Wear Mapping and Wear Characterization Methodology. 2004 ,	
163	Microstructural Control of Indentation Crack Extension under Externally Applied Stress. 2005 , 57-67	
162	A New Detecting Method of Micro Cracks on Machined Surface of Monocrystalline Silicon by Using RIE. 2005 , 71, 1291-1295	
161	Double Side Grinding of Advanced Ceramics with Diamond Wheels. 2006 ,	
160	Mechanisms for Grinding of Ceramics. 2006 ,	
159	Mechanical Properties of Nanostructures. 2007 , 1305-1338	
158	Strength of Crack Healed-Specimen and Elastic Wave Characteristics of Al ₂ O ₃ /SiC Composite Ceramics. 2007 , 31, 425-431	4
157	Cathode Thermal Delamination Study for a Planar Solid Oxide Fuel Cell with Functional Graded Properties: Experimental Investigation and Numerical Results. 161-173	
156	Microstructure and Mechanical Properties of Textured Alumina-Zirconia Composites Prepared by Compressive Deformation. 2008 , 23, 1141-1146	

- 155 Laser surface treatment of engineering ceramics and the effects thereof on fracture toughness. **2009**,
- 154 Application of SPM and Related Techniques to the Mechanical Properties of Bioutil Materials. **2010**, 81-113
- 153 Experimental Analysis of Mechanical Behaviour of Advanced Materials. **2010**, 1-49
- 152 Determination of Hardness and Modulus of Thin Films. **2010**, 35-65
- 151 The Fundamentals of Hard and Superhard Nanocomposites and Heterostructures. **2010**, 13-46
- 150 Toughness and Toughening of Hard Nanocomposite Coatings. **2010**, 99-145 1
- 149 Determination of Hardness and Modulus of Thin Films. **2010**, 35-65
- 148 Fatigue Lives and Material Properties of Silicon Nitride Balls for Hybrid Bearing Applications. 259-271
- 147 Microstructure and mechanical properties of Ti-B-C-N nanocomposite coatings. **2011**, 60, 086802
- 146 Vickers Indentation Fracture in Optical Glass Compositions. 129-151
- 145 Transient Creep Analysis in Indentation Tests. **2012**, 36, 81-90 2
- 144 Accuracy of Empirical Formulae to Measure the Toughness of Transformation-Toughened Ceramics [How Accurate do You Need Your KIC?. 1-12
- 143 Effects of Vickers Cracks on the Mechanical Properties of Solid-phase-sintered Silicon Carbide Ceramics. **2012**, 27, 965-969
- 142 Mechanical and Structural Properties of Silicon Carbide (SiC). 421-428
- 141 Variation of Nanoindentation Curve due to Wear of Indenter Apex and Its Correction Method. **2013**, 33, 129-137
- 140 Evaluation of Indentation Fracture Toughness in Brittle Materials Based on FEA Solutions. **2013**, 37, 1503-1512
- 139 Fabrication and Properties of Transformation-Toughened Sodium Beta-Alumina. **1986**, 281-294
- 138 Characteristics of the Alumina-Niobium Solid State Bonding Interface. **1988**, 1391-1396

137 Bruchmechanik. **1989**, 21-68

136 Crack Formation in Brittle Materials by Sharp Contact. **1989**, 3723-3730

135 Failure Analysis. **1991**, 137-142

134 Influence of composition and processing parameters on mechanical properties and erosion response of NiTiB2 coatings. **1992**, 8, 825-836

133 Indentation Fractography. **1994**, 1-35

132 Impact damage on non-oxide ceramics for automotive turbine use. **1994**, 923-928

131 Failure Analysis of Ceramics. **1995**, 905-921

130 Nanomechanical Properties of Solid Surfaces and Thin Films. **1998**,

129 Literature. **1999**, 159-173

128 Influence of Indenter Tip Geometry and Poisson's Ratio on Load-Displacement Curve in Instrumented Indentation Test. **2014**, 38, 943-951

127 Toughness and Toughening Mechanisms of Porous Thin Films. **2015**, 179-224

126 Novel Visualizing Technique of The Tips of The Cracks For Indentation Fracture Resistance Method. 37-43

125 Encyclopedia of Nanotechnology. **2016**, 2498-2508

124 Polycrystalline Zirconia For Joint Replacement. **2016**, 157-306

123 On the relationship between indention hardness and modulus, and the damage resistance of biological materials. ○

122 Hole Surface Formation Mechanism of Al₂O₃ Ceramic Based on Sintering Diamond Bits. **2017**, 6, 20140367

121 Hydrogen Embrittlement Cracking Produced by Indentation Test. **2018**, 1-25

120 Hydrogen Embrittlement Cracking Produced by Indentation Test. **2019**, 289-313

119	Estimation of fracture toughness in ZnO ceramics from indentation crack opening displacement measurements. 2019 , 137, 588-594	2
118	Effect of Cr Dopants on the Structure and Failure Mechanism of TiAlN Multilayered Films. 2019 , 41, 621-631	3
117	Determination of fracture toughness and elastic module in materials based silicon nitride. 2019 , 20, 1-13	1
116	Material removal behavior and crack-inhibiting effect in ultrasonic vibration-assisted scratching of silicon nitride ceramics. 2021 , 48, 4341-4341	3
115	Study on the subsurface damage depth of monocrystalline silicon in ultrasonic vibration assisted diamond wire sawing. 2021 , 258, 108077	1
114	Surface Cracks: Size and Failure Prediction Using Long Wavelength Measurements. 1983 , 175-192	
113	CYCLIC STRENGTH OF PIEZOELECTRIC CERAMICS FOR TRANSDUCERS. 1983 , 313-318	
112	Determination of Strength and Fracture Toughness from Indentation Tests in the Framework of Finite Fracture Mechanics. 2021 , 44-51	0
111	On the Constraint Factor Relating Uniaxial and Indentation Yield Strength of Polycrystalline Materials Using Spherical Microindentation. 2020 , 9, 20190260	1
110	Nanoindentation. 2020 , 371-385	1
109	Nanoindentation. 2005 , 339-352	
108	In-Situ Scanning Electron Microscope Indentation of Gallium Arsenide. 2006 , 61-62	
107	Mechanical Properties of Nanostructures. 2008 , 741-789	
106	Surface formation, morphology, integrity and wire marks in diamond wire slicing of mono-crystalline silicon in the photovoltaic industry. 2022 , 488-489, 204186	1
105	Indentation Testing. 2022 , 269-283	
104	Determination of Mechanical and Fracture Properties of Silicon Single Crystal from Indentation Experiments and Finite Element Modelling. 2021 , 14,	
103	Comparative study on the nanomechanical behavior and physical properties influenced by the epitaxial growth mechanisms of GaN thin films. 2022 , 579, 152188	2
102	Effect of Critical Plasma Spray Parameters on Microstructure and Mechanical Properties of Plasma-Sprayed YSZ-20 wt%LSM Composite Coating. 2022 , 31, 436	0

101	Indentation and abrasion in glass products: Lessons learned and yet to be learned.	1
100	Etching methods for texturing industrial multi-crystalline silicon wafers: A comprehensive review. 2022 , 238, 111531	2
99	Investigations Regarding the Addition of ZnO and LiO-TiO to Phosphate-Tellurite Glasses: Structural, Chemical, and Mechanical Properties.. 2022 , 15,	
98	Simultaneous enhancement of electrical and mechanical properties in CaBi ₂ Nb ₂ O ₉ -based ceramics. 2022 ,	0
97	Validating a facile approach to measuring fracture toughness by instrumented indentation without imaging crack-lengths. 1	0
96	Long-term tribocorrosion resistance and failure tolerable of multilayer carbon-based coatings. 1	0
95	Fine core structure and spectral luminescence features of freshly introduced dislocations in Fe-doped GaN. 2022 , 131, 125707	2
94	Distribution Characteristics of Sub-Surface Cracks in Fused Quartz Ground with Different Worn Wheels.. 2022 , 15,	
93	Ceramic Toughening Strategies for Biomedical Applications.. 2022 , 10, 840372	1
92	Influence of acceptor/donor codoping on the structure, electrical properties, and hardness of CaBi ₂ Nb ₂ O ₉ -based ceramics. 2022 , 164853	0
91	Characterization of Mechanical Property Degradation of Ion-Irradiated Materials. 2022 , 9,	
90	Predictive and experimental research on the polishing slurry consumption model for ultrasonic vibration-assisted polishing of optical glass BK7. 2022 , 48, 10048-10058	1
89	Cavity expansion analysis of normal indentation of rocks with lateral confinement. 2022 , 145, 104693	0
88	Experiment and theoretical prediction for subsurface microcracks and damage depth of multi-crystalline silicon wafer in diamond wire sawing. 2022 , 266, 108391	0
87	A grinding force model in two-dimensional ultrasonic-assisted grinding of silicon carbide. 2022 , 304, 117568	0
86	Microstructure, mechanical, and corrosion properties of Zr _{1-x} Cr _x By diboride alloy thin films grown by hybrid high power impulse/DC magnetron co-sputtering. 2022 , 591, 153164	0
85	Numerical Evaluation of Wedge Penetration Resistance in Brittle Rock Mass with Regard to Equilibrium Propagation of Main Crack. 2021 , 57, 955-964	0
84	Investigations on the Growth and Microhardness Studies of Ga ₂ [x]Fe _x O ₃ Single Crystals. 2021 , 122, 1234-1240	

- 83 Analytical modelling of side grinding of orthogonal laminated SiCf/SiC composites based on effective elastic properties. **2022**, 120, 6419 0
- 82 THRESHOLD DAMAGE MECHANISMS IN BRITTLE SOLIDS AND THEIR IMPACT ON ADVANCED TECHNOLOGIES. **2022**, 117921 2
- 81 Finite element analysis of the clamping stress of photovoltaic silicon brick in diamond wire sawing. **2022**, 147, 106732
- 80 Optimization of Nanostructured Tribological Coatings. 511-538
- 79 Data_Sheet_1.docx. **2020**,
- 78 High-Entropy Transition Metal Nitride Thin Films Alloyed with Al: Microstructure, Phase Composition and Mechanical Properties.
- 77 Predictive model of the surface topography for compliant grinding of brittle materials. **2022**,
- 76 Strengthening and toughening of TiNb films by adjusting internal stress. **2022**, 111127 0
- 75 Mechanical Properties of Ceramics Reinforced with Allotropic Forms of Carbon. **2022**, 100966 3
- 74 Crystallization behavior and mechanical properties of high strength mica-containing glass-ceramics from granite wastes. **2022**, 0
- 73 Grinding force model for longitudinal-torsional ultrasonic-assisted face grinding of ceramic matrix composites. 1 0
- 72 Non-conventional Small-Scale Mechanical Testing of Materials. 1
- 71 Mechanical Properties of Oxide Glasses. **2022**, 87, 229-281 1
- 70 Indentation Fracture Toughness of Semiconducting Gallium Arsenide at Elevated Temperatures. **2022**, 106417
- 69 A material point method based investigation on crack classification and transformation induced by grit geometry during scratching silicon carbide. **2022**, 177, 103884 0
- 68 Morphology of subsurface cracks in glass-ceramics induced by Vickers indentation observed by synchrotron X-ray multiscale tomography.. **2022**, 12, 6994 4
- 67 Chemomechanical weakening of muscovite quantified with in situ liquid nanoindentation. 0
- 66 High-entropy transition metal nitride thin films alloyed with Al: Microstructure, phase composition and mechanical properties. **2022**, 110798 0

65	Indentation Based Fracture Toughness Estimation of Barium Titanate Thin Film Using Experiments and Simulations. 2022 , 139325	0
64	Crack damage control for diamond wire sawing of silicon: The selection of processing parameters. 2022 , 148, 106838	0
63	Achieving high permeability of in-situ formed lightweight Cf/SiC(rGO)p/SiC porous ceramics with improved interfacial compatibility for transpiration cooling. 2022 ,	
62	Microscale formation mechanism of surface morphology and chips features of granitic rocks considering different machining parameters. 2022 , 121, 2399-2413	0
61	Effects of N ₂ /Ar flow ratio on the structures and mechanical behavior of ZrO _x Ny/V ₂ O ₃ nano-multilayered films. 2022 , 143419	0
60	Hardness as an indicator of material strength: a critical review. 1-19	0
59	A material removal coefficient for diamond wire sawing of silicon. 2022 , 504-505, 204400	
58	Exploring Ductility in Dental Ceramics. 002203452211004	0
57	An Investigation into the Densification-Affected Deformation and Fracture in Fused Silica under Contact Sliding. 2022 , 13, 1106	
56	Numerical simulations of grinding force and surface morphology during precision grinding of leucite glass ceramics. 2022 , 107562	1
55	An analytical model of grinding force for ultrasonic processing of Cf/SiC composites.	
54	Additive effect of micro-damage zones from nano-scale crack tip and nano-grains for fracture toughness measurements of 3Y-TZP zirconia ceramics. 2022 ,	0
53	Hunter-Schreger Band configuration in human molars reveals more decussation in the lateral enamel of functional cusps than guiding cusps. 2022 , 142, 105524	1
52	In situ nanomechanical characterization of hydrogen effects on nickel-based alloy 725 under different metallurgical conditions. 2023 , 135, 156-169	
51	Analysis of crack initiation load and stress field in double scratching of single crystal gallium nitride. 2022 , 274, 108732	0
50	Evolution of mechanical properties of kerogen with thermal maturity. 2022 , 145, 105906	0
49	Nano-scale mechanical properties of constituent minerals in shales investigated by combined nanoindentation statistical analyses and SEM-EDS-XRD techniques. 2022 , 159, 105187	2
48	Powder-pack boronizing of CoCrFeNiAl _{0.5} Nb _{0.5} HEA: Modeling of kinetics, microstructural, mechanical, and tribological characterizations. 2022 , 929, 167310	0

47	Fatigue of Biomaterials and Biomedical Systems. 2022 ,	○
46	Micromechanical properties of Dy ³⁺ ion-doped (Lu Y ¹⁻) ₃ Al ₅ O ₁₂ (x = 0, 1/3, 1/2) single crystals by indentation and scratch tests. 2022 ,	○
45	Mechanical properties of oxynitride glasses.	○
44	Thermally-enhanced dislocation density improves both hardness and fracture toughness in single-crystal SrTiO ₃ .	○
43	Integrated simulation, machine learning, and experimental approach to characterizing fracture instability in indentation pillar-splitting of materials. 2022 , 105092	○
42	3D computational model of wedge penetrator-rock mass interaction dynamics. 2022 , 2, 29-37	○
41	Fracture behavior of ceramic restorative materials in the active environments. 2022 , 49, 111-86	○
40	What micro-mechanical testing can reveal about machining processes. 2022 , 103964	1
39	Simulation of Rock Breaking Based on FEM-CZM Method and Its Application in Disc Cutter Parameter Optimization.	○
38	Comparative nanoindentation study of geological and biogenic calcite. 2022 , 105538	○
37	Effect of TiO ₂ as sintering additive on microstructural, physical, and mechanical properties of CeO ₂ doped zirconia toughened alumina ceramic composite. 2022 ,	○
36	Indentation cracking in mono and polycrystalline cubic zirconia: Methodology of an apparent fracture toughness evaluation. 2022 , 144261	○
35	Anthony G. Evans. 4 December 1942– September 2009.	○
34	Current Mechanical Test Methodologies. 2010 , 43-74	○
33	Testing and Analysis of Micro Fracture Properties. 2023 , 235-292	○
32	Nano-scale mechanical characteristics of epitaxial stabilization ZrTiN/NbN superlattice coatings. 2023 , 453, 129123	○
31	Comparison of shale fracture toughness obtained from scratch test and nanoindentation test. 2023 , 162, 105282	○
30	Characterization of Functional Polyphenylsilsesquioxane (PhSiO _{3/2}) Hybrid Glass Reinforced with MWCNTs. 1078, 73-82	○

29	Evaluation of the Fracture Toughness K_{Ic} for Selected Magnetron Sputtering Coatings by Using the Laugier Model. 2022 , 15, 9061	0
28	Pop-in phenomenon at nanoindentation and fracture toughness of two-phase ceramic composites. 2022 ,	0
27	Synergistically toughened epoxy resin based on modified-POSS triggered interpenetrating network. 2023 , 125719	0
26	Effects of excess electrons/holes on fracture toughness of single-crystal Si. 2023 , 133, 035101	0
25	Effects of Y addition on the microstructures and mechanical behavior of ZrOxNy/V2O3-Y nano-multilayered films. 2023 , 864, 144555	0
24	Improving the Surface Properties of an API 5L Grade B Pipeline Steel by Applying the Boriding Process. Part I: Kinetics and Layer Characterization. 2023 , 13, 298	2
23	Deterioration of Crack Growth Resistance Characteristics of a Fine-Grained YSZ _{0.1} LiO(Ni) Anode Material During Its Degradation in a Hydrogen Sulfide Containing Atmosphere. 2023 , 149-165	0
22	Crack growth based on indentation along substrate and nanocrystallites in titanium diboride thin films.	0
21	Review on Research and Development of Abrasive Scratching of Hard Brittle Materials and Its Underlying Mechanisms. 2023 , 13, 428	3
20	Hard yet tough thermodynamics-driven nanostructured (AlCrNbSixTi)N multicomponent nitride hard coating. 2023 , 947, 169645	0
19	Investigation on the growth, characterization and computational analysis of 2-Amino-2-thiazoline single crystals. 2023 , 6, 100187	0
18	Subsurface damage model in single and double scratching of fused silica with a blunt indenter. 2023 , 250, 108309	0
17	Effect of hydrogen on nanomechanical properties of Inconel 625 studied using in-situ electrochemical nanoindentation technique. 2023 , 948, 169742	0
16	Fracture Mechanics of Particle Strengths. 2023 , 325-368	0
15	Lapping: Polishing and Shear Mode Grinding. 1990 ,	0
14	Novel model of material removal rate on ultrasonic-assisted chemical mechanical polishing for sapphire.	0
13	Nanomechanics of minerals: understandings and developments through instrumented nanoindentation techniques. 2023 , 50,	0
12	Synthesis and characterization of metal carbides for nanoindentation tip applications. 2023 , 133, 095107	0

- 11 Compositional gradient affects the residual stress distribution in Si₃N₄/SiC functionally graded materials. **2023**, 49, 19281-19289 ○
- 10 Hydroxyapatite materials-synthesis routes, mechanical behavior, theoretical insights, and artificial intelligence models: a review. ○
- 9 Nanostructure-dependent indentation fracture toughness of metal-organic framework monoliths. **2023**, 1, 100009 ○
- 8 Ultra-Precise Single-Point Diamond Turning Process and Its Low-Cost Alternative Methods. **2023**, 93-116 ○
- 7 Analytical model of grinding force for ultrasonic-assisted grinding of Cf/SiC composites. ○
- 6 Biocrystal assembly patterns, biopolymer distribution and material property relationships in *mytilus galloprovincialis*, *Bivalvia*, and *haliotis glabra*, Gastropoda, shells. **2023**, 28, 101749 ○
- 5 The Effect of Sintering Temperature on Crack Growth Resistance Characteristics of Fine-Grained Partially Stabilized Zirconia Determined by Various Test Methods. **2023**, 331-345 ○
- 4 Estimation of the Role of Nanosized Stabilizing Powders in Gaining High-Level Crack Growth Resistance of Partially Stabilized Zirconia. **2023**, 311-330 ○
- 3 Excavation Simulations and Cutting Tool Wear. **2023**, 93-164 ○
- 2 The Effect of Ultra-fine Alloying Elements on High-Temperature Strength and Fracture Toughness of Ti₃Si₂ and Ti₃Cr₂ Composites. **2023**, 195-216 ○
- 1 THE EFFECT OF THE PRE-CRYSTALLISATION DEFECT SIZE ON THE STRENGTH LIMITATION IN LITHIUM SILICATE GLASS CERAMICS. **2023**, 0-0 ○