

# Serial inbreeding of rabbits with hereditary hyperlipidemia: development of atherosclerosis and xanthoma

Atherosclerosis

36, 261-268

DOI: [10.1016/0021-9150\(80\)90234-8](https://doi.org/10.1016/0021-9150(80)90234-8)

Citation Report

#	ARTICLE	IF	CITATIONS
1	WHHL-Rabbit: a low density lipoprotein receptor-deficient animal model for familial hypercholesterolemia. FEBS Letters, 1980, 118, 81-84.	1.3	181
2	Regulation of plasma cholesterol by lipoprotein receptors. Science, 1981, 212, 628-635.	6.0	890
3	Hypolipidemic effects of CS-500 (ML-236B) in WHHL-rabbit, a heritable animal model for hyperlipidemia. Atherosclerosis, 1981, 38, 27-31.	0.4	45
4	Biological and pharmacological activity of inhibitors of 3-hydroxy-3-methylglutaryl coenzyme A reductase. Trends in Biochemical Sciences, 1981, 6, 10-13.	3.7	62
5	Deficiency of low density lipoprotein receptors in liver and adrenal gland of the WHHL rabbit, an animal model of familial hypercholesterolemia.. Proceedings of the National Academy of Sciences of the United States of America, 1981, 78, 2268-2272.	3.3	236
6	Biochemical Characterization of Skin Fibroblasts Derived from WHHL-Rabbit, a Notable Animal Model for Familial Hypercholesterolemia. FEBS Journal, 1981, 118, 557-564.	0.2	40
7	Concentration and composition of lipoproteins in blood plasma of the WHHL rabbit. An animal model of human familial hypercholesterolemia.. Arteriosclerosis (Dallas, Tex ), 1982, 2, 467-474.	4.9	126
8	Delayed clearance of very low density and intermediate density lipoproteins with enhanced conversion to low density lipoprotein in WHHL rabbits.. Proceedings of the National Academy of Sciences of the United States of America, 1982, 79, 5693-5697.	3.3	193
9	The LDL Receptor Defect in Familial Hypercholesterolemia: Implications for Pathogenesis and Therapy. Medical Clinics of North America, 1982, 66, 335-362.	1.1	182
10	Impaired receptor-mediated catabolism of low density lipoprotein in the WHHL rabbit, an animal model of familial hypercholesterolemia. Proceedings of the National Academy of Sciences of the United States of America, 1982, 79, 3305-3309.	3.3	128
11	Hepatic uptake of chylomicron remnants in WHHL rabbits: a mechanism genetically distinct from the low density lipoprotein receptor.. Proceedings of the National Academy of Sciences of the United States of America, 1982, 79, 3623-3627.	3.3	251
12	Catabolism of low density lipoproteins by perfused rabbit livers: Cholestyramine promotes receptor-dependent hepatic catabolism of low density lipoproteins. Proceedings of the National Academy of Sciences of the United States of America, 1982, 79, 3983-3986.	3.3	20
13	Lipoprotein Metabolism in the Macrophage: Implications for Cholesterol Deposition in Atherosclerosis. Annual Review of Biochemistry, 1983, 52, 223-261.	5.0	2,212
14	Partial ileal bypass inhibits atherosclerosis in WHHL rabbits. Atherosclerosis, 1983, 48, 243-252.	0.4	13
15	The effect of oxygen on the development of atherosclerosis in WHHL rabbits. Atherosclerosis, 1983, 47, 47-53.	0.4	31
16	Regulation of hepatic receptor-dependent degradation of LDL by mevinolin in rabbits with hypercholesterolemia induced by a wheat starch-casein diet. Lipids and Lipid Metabolism, 1983, 754, 134-141.	2.6	56
17	Nutrition and hypertension. Canadian Journal of Physiology and Pharmacology, 1983, 61, 260-270.	0.7	6
18	Hyperreactivity of coronary arterial smooth muscles in response to ergonovine from rabbits with hereditary hyperlipidemia.. Circulation Research, 1983, 53, 63-71.	2.0	124

#	ARTICLE	IF	CITATIONS
19	Cellular pathology of progressive atherosclerosis in the WHHL rabbit. An animal model of familial hypercholesterolemia.. Arteriosclerosis (Dallas, Tex ), 1983, 3, 87-101.	4.9	274
20	Lipoproteins and atherosclerosis. A look back and a look ahead.. Arteriosclerosis (Dallas, Tex ), 1983, 3, 283-301.	4.9	308
21	Defective Lipoprotein Receptors and Atherosclerosis. New England Journal of Medicine, 1983, 309, 288-296.	13.9	474
22	Chapter 17. Progress in Atherosclerosis Therapy: Hypolipidemic Agents. Annual Reports in Medicinal Chemistry, 1983, 18, 161-170.	0.5	5
23	Cholesterol Metabolism in Serum and Aorta of Inbred Mice Fed a High-Cholesterol Diet. The Japanese Journal of Pharmacology, 1984, 34, 153-158.	1.2	3
24	Animal Models of Cholesterol Gallstone Disease. Hepatology, 1984, 4, 191S-198S.	3.6	42
25	Fat absorption and metabolism. Gastroenterologia Japonica, 1984, 19, 251-259.	0.4	4
26	Does nifedipine suppress atherogenesis in WHHL rabbits?. Atherosclerosis, 1984, 53, 91-98.	0.4	72
27	Cholesterol metabolism in serum and aorta of inbred mice fed a high-cholesterol diet.. The Japanese Journal of Pharmacology, 1984, 34, 153-158.	1.2	35
29	Plasma Lipoproteins, Apolipoproteins, and Proteins Concerned with Lipid Metabolism. Advances in Clinical Chemistry, 1985, 24, 217-298.	1.8	16
30	Roles of lipoproteins in the initiation and development of atherosclerosis. , 1985, 31, 237-255.		5
31	Drugs inhibiting HMG-CoA reductase. , 1985, 31, 257-267.		15
32	Role of the Liver in the Degradation of Lipoproteins. Gastroenterology, 1985, 88, 192-205.	0.6	48
33	Serum cholesterol, lecithin-cholesterol acyltransferase, and hepatic hydroxymethylglutaryl coenzyme A reductase activities of lean and obese Zucker rats. Metabolism: Clinical and Experimental, 1985, 34, 19-24.	1.5	21
34	Impaired adrenal reserve in the Watanabe heritable hyperlipidemic rabbit: Implications for LDL-receptor function in steroidogenesis. Metabolism: Clinical and Experimental, 1985, 34, 194-197.	1.5	15
35	The effect of selective breeding on the development of coronary atherosclerosis in WHHL rabbits An animal model for familial hypercholesterolemia. Atherosclerosis, 1985, 56, 71-79.	0.4	93
36	Studies on the mechanism of action of probucol. American Journal of Cardiology, 1986, 57, H16-H21.	0.7	69
37	Secretion of cholesteryl-ester-rich lipoproteins by the perfused livers of rabbits fed a wheat-starch-casein diet. Lipids and Lipid Metabolism, 1986, 876, 392-398.	2.6	23

#	ARTICLE	IF	CITATIONS
38	A receptor-mediated pathway for cholesterol homeostasis. <i>Science</i> , 1986, 232, 34-47.	6.0	5,240
39	Atherosclerotic Changes and Rheological Properties of Thoracic Aortas in WHHL Rabbits. <i>Proceedings of the Japanese Association of Animal Models for Human Diseases</i> , 1986, 2, 30-34.	0.0	0
40	Altered Responsiveness of Atherosclerotic Arteries to Vasoactive Substances. <i>Proceedings of the Japanese Association of Animal Models for Human Diseases</i> , 1986, 2, 15-19.	0.0	0
41	Effects of Atherosclerosis on Capacity of Baroreflex System in WHHL Rabbits. <i>Proceedings of the Japanese Association of Animal Models for Human Diseases</i> , 1986, 2, 24-29.	0.0	0
43	Hyperlipoproteinaemia and Xanthomatosis as a Model of Cholesterol Ester Accumulation. <i>Journal of Dermatology</i> , 1986, 13, 2-9.	0.6	0
44	A Receptor-Mediated Pathway for Cholesterol Homeostasis(Nobel Lecture). <i>Angewandte Chemie International Edition in English</i> , 1986, 25, 583-602.	4.4	53
46	Binding of low-density lipoprotein and chylomicron remnants to the hepatic low-density lipoprotein receptor of dogs, rats and rabbits demonstrated by ligand blotting. Failure to detect a distinct chylomicron-remnant-binding protein by ligand blotting. <i>FEBS Journal</i> , 1986, 159, 333-340.	0.2	31
47	An appraisal of cholesterol feeding in experimental atherogenesis. <i>Progress in Cardiovascular Diseases</i> , 1986, 29, 107-128.	1.6	98
48	Functional Activities of Hepatic Lipoprotein Receptors. <i>Annual Review of Physiology</i> , 1986, 48, 119-134.	5.6	76
49	Deletion in cysteine-rich region of LDL receptor impedes transport to cell surface in WHHL rabbit. <i>Science</i> , 1986, 232, 1230-1237.	6.0	345
51	Plasma lipid concentrations: the concept of "normality" and its implications for detection of high cardiovascular risk.. <i>Journal of Clinical Pathology</i> , 1987, 40, 1118-1127.	1.0	4
52	Hereditary hyperlipidemia and atherosclerosis in the rabbit due to overproduction of lipoproteins. II. Preliminary report of arterial pathology.. <i>Arteriosclerosis (Dallas, Tex )</i> , 1987, 7, 113-124.	4.9	42
53	Hereditary hyperlipidemia in the rabbit due to overproduction of lipoproteins. I. Biochemical studies.. <i>Arteriosclerosis (Dallas, Tex )</i> , 1987, 7, 105-112.	4.9	43
54	Plasma exchange and low density lipoprotein apheresis in Watanabe heritable hyperlipidemic rabbits.. <i>Arteriosclerosis (Dallas, Tex )</i> , 1987, 7, 256-261.	4.9	25
55	The pathology of atherosclerosis with particular reference to the effects of hyperlipidaemia. <i>European Heart Journal</i> , 1987, 8, 3-14.	1.0	8
56	Process of Foam Cell Formation in Diet-induced Hypercholesterolemic Rabbit and the Watanabe Heritable Hyperlipidemic Rabbit. <i>Journal of Dermatology</i> , 1987, 14, 305-312.	0.6	4
57	Probucol prevents the progression of atherosclerosis in Watanabe heritable hyperlipidemic rabbit, an animal model for familial hypercholesterolemia.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1987, 84, 5928-5931.	3.3	845
58	A DIAMOND ANNIVERSARY. THE BAKER MEDICAL RESEARCH INSTITUTE, MELBOURNE. <i>Australian and New Zealand Journal of Medicine</i> , 1987, 17, 185-186.	0.5	0

#	ARTICLE	IF	CITATIONS
59	Nifedipine-suppressed atherosclerosis in cholesterol-fed rabbits but not in Watanabe heritable hyperlipidemic rabbits. <i>Atherosclerosis</i> , 1987, 64, 79-80.	0.4	19
60	Effects of partial ileal bypass on the progression of atherosclerotic lesions in WHHL rabbits. <i>Atherosclerosis</i> , 1987, 63, 225-230.	0.4	1
61	The influence of diet and carnitine supplementation on plasma carnitine, cholesterol and triglyceride in WHHL (Watanabe-heritable hyperlipidemic), Netherland dwarf and New Zealand rabbits ( <i>Oryctolagus cuniculus</i> ). <i>Comparative Biochemistry and Physiology Part B: Comparative Biochemistry</i> , 1987, 87, 587-591.	0.2	6
62	Effect of mevinolin on cholesterol metabolism in obese and lean Zucker rats. <i>Biochemical Pharmacology</i> , 1987, 36, 875-879.	2.0	12
63	Cholestyramine treatment in early life of low-density lipoprotein receptor deficient Watanabe rabbits: decreased aortic cholesteryl ester accumulation and atherosclerosis in adult life. <i>Lipids and Lipid Metabolism</i> , 1987, 920, 251-258.	2.6	15
64	Increase in hepatic low-density lipoprotein receptor activity during pregnancy in Watanabe heritable hyperlipidemic rabbits; an animal model for familial hypercholesterolemia. <i>Lipids and Lipid Metabolism</i> , 1987, 917, 92-100.	2.6	32
65	Ischemic heart disease in the WHHL rabbit: A model for myocardial injury in genetically hyperlipidemic animals. <i>American Heart Journal</i> , 1987, 113, 280-288.	1.2	22
66	The effect of oral l-carnitine on lipoprotein composition in the watanabe heritable hyperlipidemic rabbit ( <i>Oryctolagus cuniculus</i> ). <i>Comparative Biochemistry and Physiology A, Comparative Physiology</i> , 1987, 88, 503-506.	0.7	8
67	Hepatic Chylomicron Remnant (Apolipoprotein E) Receptors: Their Physiologic and Clinical Importance. <i>Scandinavian Journal of Gastroenterology</i> , 1987, 22, 513-520.	0.6	11
68	Studies on fine structure and location of lipids in quick-freeze replicas of atherosclerotic aorta of WHHL rabbits. <i>Virchows Archiv A, Pathological Anatomy and Histopathology</i> , 1987, 410, 231-238.	1.4	34
69	Synthesis of 123I- and 131I-labelled derivatives of low-density lipoprotein for radiopharmaceutical use. <i>Journal of Labelled Compounds and Radiopharmaceuticals</i> , 1987, 24, 1325-1339.	0.5	5
70	Rabbit apolipoprotein A-I mRNA and gene. Evidence that rabbit apolipoprotein A-I is synthesized in the intestine but not in the liver. <i>FEBS Journal</i> , 1987, 170, 99-104.	0.2	32
71	HEMATOPORPHYRIN DERIVATIVE UPTAKE BY ATHEROMA IN ATHEROSCLEROTIC RABBITS: THE SPECTRA OF FLUORESCENCE FROM HEMATOPORPHYRIN DERIVATIVE DEMONSTRATED BY AN EXCIMER DYE LASER. <i>Photochemistry and Photobiology</i> , 1987, 46, 769-775.	1.3	15
72	Prevention of atherosclerotic progression in Watanabe rabbits by probucol. <i>American Journal of Cardiology</i> , 1988, 62, B13-B19.	0.7	54
73	Hepatocytic lipoprotein receptors and intracellular lipoprotein catabolism. <i>Hepatology</i> , 1988, 8, 1689-1704.	3.6	122
74	The relationship of hypercholesterolemia to atherosclerosis with particular emphasis on familial hypercholesterolemia, diabetes mellitus, obstructive jaundice, myxedema, and the nephrotic syndrome. <i>Progress in Cardiovascular Diseases</i> , 1988, 30, 289-306.	1.6	42
75	Ischemic changes in the pancreas of Watanabe heritable hyper-lipidemic (WHHL) rabbits. <i>International Journal of Gastrointestinal Cancer</i> , 1988, 3, 261-271.	0.4	6
76	Preventive effect of pravastatin sodium, a potent inhibitor of 3-hydroxy-3-methylglutaryl coenzyme A reductase, on coronary atherosclerosis and xanthoma in WHHL rabbits. <i>Lipids and Lipid Metabolism</i> , 1988, 960, 294-302.	2.6	89

#	ARTICLE	IF	CITATIONS
77	Quantification of plasma lipids and apolipoproteins in British Halflop rabbits A comparison between normocholesterolemic rabbits, hypercholesterolemic rabbits (modified WHHL rabbits) and rabbits fed an atherogenic diet. <i>Atherosclerosis</i> , 1988, 70, 81-94.	0.4	6
78	Biochemical and pathological features of a modified strain of Watanabe heritable hyperlipidaemic rabbits. <i>Atherosclerosis</i> , 1988, 71, 173-183.	0.4	23
79	Characterization of arachidonic acid metabolism in Watanabe Heritable Hyperlipidemic (WHHL) and New Zealand White (NZW) rabbit aortas. <i>Prostaglandins</i> , 1988, 36, 515-532.	1.2	35
80	Rabbit serum Hypertriglyceridemia after administration of 2,3,7,8-tetrachlorodibenzo-p-dioxin (TCDD). <i>Journal of Toxicology and Environmental Health - Part A: Current Issues</i> , 1988, 25, 495-507.	1.1	38
81	Interaction of Lipoproteins with the Artery Wall. <i>Drugs</i> , 1988, 36, 46-50.	4.9	2
82	Enhanced apolipoprotein E production with normal hepatic mRNA levels in the Watanabe heritable hyperlipidemic rabbit.. <i>Arteriosclerosis (Dallas, Tex )</i> , 1988, 8, 804-809.	4.9	13
83	Decreased coronary vascular reserve in Watanabe heritable hyperlipidemic rabbits.. <i>Arteriosclerosis (Dallas, Tex )</i> , 1988, 8, 310-320.	4.9	17
84	Studies of serum lipids in hypercholesterolaemic rabbits treated with doxazosin. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 1988, 48, 313-317.	0.6	1
85	Lipid composition of aorta of Watanabe heritable hyperlipemic and comparably hypercholesterolemic fat-fed rabbits. Plasma lipid composition determines aortic lipid composition of hypercholesterolemic rabbits.. <i>Arteriosclerosis (Dallas, Tex )</i> , 1988, 8, 338-347.	4.9	37
86	Efficient expression of retroviral vector-transduced human low density lipoprotein (LDL) receptor in LDL receptor-deficient rabbit fibroblasts in vitro.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1988, 85, 6538-6542.	3.3	57
87	Correction of the genetic defect in hepatocytes from the Watanabe heritable hyperlipidemic rabbit.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1988, 85, 4421-4425.	3.3	150
88	Down-Regulation of Hepatic LDL Receptor Protein and Messenger RNA in Fasted Rabbits. <i>Journal of Biochemistry</i> , 1988, 104, 712-716.	0.9	8
89	Functional and Histological Changes in Mesenteric Arteries and Aortas from Monkeys Fed a High Cholesterol Diet. <i>The Japanese Journal of Pharmacology</i> , 1988, 48, 441-451.	1.2	5
90	Distribution and progression of coronary arterial and aortic lesions in the conventional watanabe heritable hyperlipidemic rabbit. Quantitative analysis.. <i>Japanese Circulation Journal</i> , 1988, 52, 327-340.	1.0	11
91	Rheological properties of the thoracic aorta in normal and WHHL rabbits. <i>Biorheology</i> , 1988, 25, 147-156.	1.2	16
92	Chapter 5. Tissue-Lipoprotein Interactions: Lipoprotein Receptors. , 1989, , 113-142.		0
93	Animal Models: The Watanabe Heritable Hyperlipidemic Rabbit. <i>Monographs in Human Genetics</i> , 1989, 12, 125-138.	0.5	0
94	Initiation of atherosclerotic lesions in cholesterol-fed rabbits. I. Focal increases in arterial LDL concentration precede development of fatty streak lesions.. <i>Arteriosclerosis (Dallas, Tex )</i> , 1989, 9, 895-907.	4.9	273

#	ARTICLE	IF	CITATIONS
95	Development of atherosclerosis in genetically hyperlipidemic rabbits during chronic fish-oil ingestion.. Arteriosclerosis (Dallas, Tex ), 1989, 9, 189-194.	4.9	45
96	Augmented vasoconstrictor responses to serotonin precede development of atherosclerosis in aorta of WHHL rabbit.. Arteriosclerosis (Dallas, Tex ), 1989, 9, 195-202.	4.9	53
97	The low density lipoprotein receptor. BBA - Biomembranes, 1989, 988, 303-317.	7.9	84
98	PHOTOFRIN II UPTAKE BY ATHEROMA IN ATHEROSCLEROTIC RABBITS. FLUORESCENCE AND HIGH PERFORMANCE LIQUID CHROMATOGRAPHIC ANALYSIS ON POST-MORTEM AORTA. Photochemistry and Photobiology, 1989, 49, 731-737.	1.3	19
99	Pravastatin Sodium: A Novel Cholesterol-Lowering Agent that Inhibits HMG-CoA Reductase. Cardiovascular Drug Reviews, 1989, 7, 110-126.	4.4	25
100	Effect of menhaden oil and various seedoils on serum lipids and lipoproteins in rabbits. Nutrition Research, 1989, 9, 531-544.	1.3	3
101	Influence of the age on energy metabolism and purines turnover in watanabe hyperlipemic (whhl) rabbit aorta. Pharmacological Research, 1989, 21, 115-116.	3.1	0
102	Accumulation of 125I-factor XI in atheroma of rabbit with hereditary hyperlipidemia (WHHL-rabbit). Thrombosis Research, 1989, 56, 49-58.	0.8	6
103	Anti-inflammatory drugs in experimental atherosclerosis. Atherosclerosis, 1989, 76, 155-161.	0.4	67
104	Plasma lipoproteins and cholesterol metabolism in spontaneously hyperlipemic rats. Atherosclerosis, 1989, 76, 163-171.	0.4	14
105	Kinetics of HDL-apo A-I in the WHHL rabbit, an animal model of familial hypercholesterolemia. Atherosclerosis, 1989, 79, 225-230.	0.4	32
106	The Role of the Low Density Lipoprotein Receptor for $\alpha$ -Tocopherol Delivery to Tissues. Annals of the New York Academy of Sciences, 1989, 570, 61-71.	1.8	26
107	SELECTED SUMMARIES. Journal of Gastroenterology and Hepatology (Australia), 1989, 4, 585-593.	1.4	0
108	The cholesterol controversy is over. Why did it take so long?. Circulation, 1989, 80, 1070-1078.	1.6	114
109	Animal Models: The Pig. Monographs in Human Genetics, 1989, 12, 139-169.	0.5	6
110	The role of oxidized low density lipoprotein in the pathogenesis of atherosclerosis. European Heart Journal, 1990, 11, 122-127.	1.0	25
112	Lipoproteins and atherosclerosis.. Japanese Circulation Journal, 1990, 54, 1226-1232.	1.0	0
113	Pathobiology of human familial hypercholesterolaemia and a related animal model, the Watanabe heritable hyperlipidaemic rabbit. European Heart Journal, 1990, 11, 41-52.	1.0	30



#	ARTICLE	IF	CITATIONS
114	Aortic Compliance in Hypercholesterolemic Watanabe Rabbits Compared to Normal New Zealand Controls. <i>Journal of Investigative Surgery</i> , 1990, 3, 245-251.	0.6	7
115	Temporary amelioration of hyperlipidemia in low density lipoprotein receptor-deficient rabbits transplanted with genetically modified hepatocytes.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1990, 87, 8437-8441.	3.3	123
116	Effect of fish oil on atherogenesis in Watanabe heritable hyperlipidemic rabbit.. <i>Arteriosclerosis (Dallas, Tex )</i> , 1990, 10, 597-606.	4.9	36
117	Colocalization of 15-lipoxygenase mRNA and protein with epitopes of oxidized low density lipoprotein in macrophage-rich areas of atherosclerotic lesions.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1990, 87, 6959-6963.	3.3	418
118	Familial hypercholesterolemia in a rhesus monkey pedigree: molecular basis of low density lipoprotein receptor deficiency.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1990, 87, 3122-3126.	3.3	21
119	Vascular reactivity during the progression of atherosclerotic plaque. A study in Watanabe heritable hyperlipidemic rabbits.. <i>Circulation Research</i> , 1990, 66, 1112-1126.	2.0	90
120	Relationship of vascular 15-lipoxygenase induction to atherosclerotic plaque formation in rabbits. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 1990, 41, 273-278.	1.0	11
121	The Role of Atherogenic Low Density Lipoproteins (LDL) in the Pathogenesis of Atherosclerosis. <i>Annals of the New York Academy of Sciences</i> , 1990, 598, 188-193.	1.8	2
122	Circulating IgA-Lp complexes in Watanabe heritable hyperlipidemic and cholesterol fed NZW rabbits. <i>Atherosclerosis</i> , 1990, 82, 227-235.	0.4	6
123	Retinyl palmitate labeled intestinally derived lipoproteins accumulate in the circulation of WHHL rabbits. <i>Atherosclerosis</i> , 1990, 85, 103-111.	0.4	17
124	Suppression of established atherosclerosis and xanthomas in mature WHHL rabbits by keeping their serum cholesterol levels extremely low. <i>Atherosclerosis</i> , 1990, 83, 69-80.	0.4	56
125	Animal models of atherosclerosis. <i>Atherosclerosis</i> , 1990, 85, 15-23.	0.4	85
126	<sup>99m</sup> Tc-low density lipoprotein: Intracellularly trapped radiotracer for noninvasive imaging of low density lipoprotein metabolism in vivo. <i>Seminars in Nuclear Medicine</i> , 1990, 20, 68-79.	2.5	29
127	The LDL Receptor Locus in Familial Hypercholesterolemia: Mutational Analysis of a Membrane Protein. <i>Annual Review of Genetics</i> , 1990, 24, 133-170.	3.2	655
128	Comparative effects of simvastatin (MK-733) and pravastatin (CS-514) on hypercholesterolemia induced by cholesterol feeding in rabbits. <i>Lipids and Lipid Metabolism</i> , 1990, 1042, 365-373.	2.6	34
129	Arterial lipid biochemistry in the spontaneously hyperlipidemic Zucker rat and its similarity to early atherogenesis. <i>Atherosclerosis</i> , 1991, 86, 139-144.	0.4	15
130	Effect of coconut oil on plasma apo A-I levels in WHHL and NZW rabbits. <i>Lipids and Lipid Metabolism</i> , 1991, 1083, 221-229.	2.6	10
131	Aging and atherosclerosis in the rabbit. <i>Atherosclerosis</i> , 1991, 89, 11-24.	0.4	99



#	ARTICLE	IF	CITATIONS
132	Aortic response to relaxing agents in Watanabe heritable hyperlipidemic (WHHL) rabbits of different age. <i>Atherosclerosis</i> , 1991, 89, 223-230.	0.4	21
133	Characterization and Changes of Glycosphingolipids in the Aorta of the Watanabe Hereditary Hyperlipidemic Rabbit1. <i>Journal of Biochemistry</i> , 1991, 109, 904-908.	0.9	42
134	Aldosine, and Acid Hydrolysis Product from the Aldol Cross-link of Bovine Elastin and Collagen.. <i>Agricultural and Biological Chemistry</i> , 1991, 55, 3147-3149.	0.3	5
135	Senescenceâ€Accelerated Mouse (SAM): A Novel Murine Model of Accelerated Senescence. <i>Journal of the American Geriatrics Society</i> , 1991, 39, 911-919.	1.3	342
136	Ursodeoxycholic acid increases low-density lipoprotein binding, uptake and degradation in isolated hamster hepatocytes. <i>Biochemical Journal</i> , 1991, 280, 589-598.	1.7	22
137	ApoA-I secretion by rabbit intestinal mucosa cell cultures. <i>Lipids</i> , 1991, 26, 684-688.	0.7	1
138	Retroviral vector-mediated in vivo expression of low-density-lipoprotein receptors in the Watanabe heritable hyperlipidemic rabbit. <i>Somatic Cell and Molecular Genetics</i> , 1991, 17, 287-301.	0.7	15
139	Indications for lipid-lowering drugs. <i>European Journal of Clinical Pharmacology</i> , 1991, 40, S3-S10.	0.8	1
140	Antiatherosclerotic effect of probucol in WHHL rabbits: Are there plasma parameters to evaluate this effect?. <i>European Journal of Clinical Pharmacology</i> , 1991, 40, S77-S80.	0.8	2
141	Indications for lipid-lowering drugs. <i>European Journal of Clinical Pharmacology</i> , 1991, 40, S3-S10.	0.8	2
142	Antiatherosclerotic effect of probucol in WHHL rabbits: are there plasma parameters to evaluate this effect?. <i>European Journal of Clinical Pharmacology</i> , 1991, 40, S77-S80.	0.8	18
143	Platelet function in Watanabe heritable hyperlipidemic rabbits. Decreased sensitivity to thromboxane A2.. <i>Arteriosclerosis and Thrombosis: A Journal of Vascular Biology</i> , 1991, 11, 610-616.	3.8	8
144	Long-term improvement of hypercholesterolemia after ex vivo gene therapy in LDLR-deficient rabbits. <i>Science</i> , 1991, 254, 1802-1805.	6.0	384
145	Putative mechanisms of the impairment of endothelium-dependent relaxation of the aorta with atheromatous plaque in heritable hyperlipidemic rabbits.. <i>Circulation Research</i> , 1991, 68, 330-337.	2.0	86
146	Changes in vasoconstrictor and vasodilator responses of the basilar artery during maturation in the Watanabe heritable hyperlipidemic rabbit differ from those in the New Zealand White rabbit.. <i>Arteriosclerosis and Thrombosis: A Journal of Vascular Biology</i> , 1991, 11, 1147-1155.	3.8	17
147	Impaired vasodilatory response to atrial natriuretic peptide during atherosclerosis progression.. <i>Arteriosclerosis and Thrombosis: A Journal of Vascular Biology</i> , 1992, 12, 99-105.	3.8	21
148	Autoradiographic analysis of the distribution of 125I-tyramine-cellobiose-LDL in atherosclerotic lesions of the WHHL rabbit.. <i>Arteriosclerosis and Thrombosis: A Journal of Vascular Biology</i> , 1992, 12, 985-995.	3.8	17
149	Accumulation of 125I-tyramine cellobiose-labeled low density lipoprotein is greater in the atherosclerosis-susceptible region of White Carneau pigeon aorta and further enhanced once atherosclerotic lesions develop.. <i>Arteriosclerosis and Thrombosis: A Journal of Vascular Biology</i> , 1992, 12, 446-460.	3.8	21

#	ARTICLE	IF	CITATIONS
150	Effects of Pravastatin Sodium Alone and in Combination with Cholestyramine on Hepatic, Intestinal and Adrenal Low Density Lipoprotein Receptors in Homozygous Watanabe Heritable Hyperlipidemic Rabbits. <i>The Japanese Journal of Pharmacology</i> , 1992, 59, 65-70.	1.2	16
151	Impaired Baroreflex Control of Arterial Pressure in WHHL Rabbits.. <i>Journal of Veterinary Medical Science</i> , 1992, 54, 983-987.	0.3	4
152	Homeostasis as Regulated by Activated Macrophage. VII. Suppression of Serum Cholesterol Level by LPSw(a Lipopolysaccharide from Wheat Flour) in WHHL(Watanabe Heritable Hyperlipidemic) Rabbit.. <i>Chemical and Pharmaceutical Bulletin</i> , 1992, 40, 1268-1270.	0.6	12
153	Plasma clearance and net uptake of $\alpha$ -tocopherol and low-density lipoprotein by tissues in WHHL and control rabbits. <i>Biochemical Journal</i> , 1992, 287, 247-254.	1.7	36
154	Effects of Atherosclerosis on Mean and Daily Variation of Arterial Pressure in Conscious WHHL Rabbits.. <i>Journal of Veterinary Medical Science</i> , 1992, 54, 669-673.	0.3	2
155	Protective role of heparin on in vitro functional aortic response in Watanabe heritable hyperlipidemic rabbits. <i>Atherosclerosis</i> , 1992, 92, 17-24.	0.4	6
156	Inheritability of atherosclerosis and the role of lipoproteins as risk factors in the development of atherosclerosis in WHHL rabbits: Risk factors related to coronary atherosclerosis are different from those related to aortic atherosclerosis. <i>Atherosclerosis</i> , 1992, 96, 43-52.	0.4	81
157	Effects of chronic aortic coarctation on atherosclerosis and arterial lipid accumulation in the Watanabe hereditary hyperlipidemic (WHHL) rabbit. <i>Atherosclerosis</i> , 1992, 93, 123-132.	0.4	10
158	Functional responses of hindlimb circulation in aged normal and WHHL rabbits. <i>Atherosclerosis</i> , 1992, 93, 133-144.	0.4	10
159	Macrophage colony stimulating factor prevents the progression of atherosclerosis in Watanabe heritable hyperlipidemic rabbits. <i>Atherosclerosis</i> , 1992, 93, 245-254.	0.4	68
160	Probucol and atherosclerosis in the Watanabe heritable hyperlipidemic rabbit – long-term antiatherogenic effect and effects on established plaques. <i>Atherosclerosis</i> , 1992, 92, 131-140.	0.4	81
161	Non-macrophage-related accumulation of cholesterol during probucol treatment in familial hypercholesterolemia: report of two cases. <i>Atherosclerosis</i> , 1992, 92, 193-202.	0.4	8
162	Interleukin 6 gene transcripts are expressed in atherosclerotic lesions of genetically hyperlipidemic rabbits. <i>Atherosclerosis</i> , 1992, 92, 213-218.	0.4	79
163	Plasma lipoproteins and cholesterol metabolism in Yoshida rats: An animal model of spontaneous hyperlipemia. <i>Life Sciences</i> , 1992, 50, 1913-1924.	2.0	20
164	Reduced l-arginine/lysine and l-arginine/aspartic acid ratios in aorta from watanabe heritable hyperlipidaemic (WHHL) rabbit. <i>Pharmacological Research</i> , 1992, 25, 255-258.	3.1	6
165	The rabbit: An underestimated model for the study of chronic allograft rejection. <i>Transplantation Reviews</i> , 1992, 6, 231-241.	1.2	2
166	The effect of atherosclerosis on neuromodulation of sympathetic neurotransmission by neuropeptide Y and calcitonin gene-related peptide in the rabbit mesenteric artery. <i>European Journal of Pharmacology</i> , 1992, 216, 167-174.	1.7	9
167	Decreased lecithin: Cholesterol acyltransferase activity in the plasma of hypercholesterolemic pigs. <i>Lipids</i> , 1992, 27, 266-269.	0.7	8

#	ARTICLE	IF	CITATIONS
168	The role of lipid peroxidation and antioxidants in oxidative modification of LDL. <i>Free Radical Biology and Medicine</i> , 1992, 13, 341-390.	1.3	2,054
169	Concepts and strategies for human gene therapy. <i>FEBS Journal</i> , 1992, 208, 211-225.	0.2	78
170	Selective removal of cholesterol by plasmapheresis and the progression of atherosclerosis. <i>Journal of Clinical Apheresis</i> , 1992, 7, 194-200.	0.7	2
171	Hydroxypropylcyclodextrins in Parenteral Use. II: Effects on Transport and Disposition of Lipids in Rabbit and Humans. <i>Journal of Pharmaceutical Sciences</i> , 1992, 81, 524-528.	1.6	49
172	L-Arginine does not improve endothelium-dependent relaxation in vitro Watanabe rabbit thoracic aorta. <i>Amino Acids</i> , 1993, 5, 403-411.	1.2	6
173	Adenovirus-mediated correction of the genetic defect in hepatocytes from patients with familial hypercholesterolemia. <i>Somatic Cell and Molecular Genetics</i> , 1993, 19, 449-458.	0.7	84
174	Therapeutic strategies for familial hypercholesterolemia based on somatic gene transfer. <i>American Journal of Cardiology</i> , 1993, 72, D59-D63.	0.7	8
175	Human genetic therapy. <i>Molecular Aspects of Medicine</i> , 1993, 14, 451-543.	2.7	8
176	Effect of the lipid-lowering drug lifestrol on lipid metabolism in rat macrophages and in atherosclerotic arteries from swine and WHHL rabbits, in vitro. <i>Biochemical Pharmacology</i> , 1993, 46, 1475-1480.	2.0	2
177	Atherosclerosis in a rhesus monkey with genetic hypercholesterolemia and elevated plasma Lp(a). <i>Atherosclerosis</i> , 1993, 99, 165-174.	0.4	22
178	Different expression of modified low density lipoprotein receptors in rabbit peritoneal macrophages and Kupffer cells. <i>Atherosclerosis</i> , 1993, 101, 25-35.	0.4	13
179	The effect of cholesterol reduction on the endothelial function and progression of atherosclerosis in WHHL rabbits. <i>Atherosclerosis</i> , 1993, 103, 221-230.	0.4	33
180	HMG-CoA reductase inhibitors. <i>Natural Product Reports</i> , 1993, 10, 541.	5.2	67
181	Is the watanabe heritable hyperlipidemic rabbit a suitable experimental model for percutaneous transluminal coronary angioplasty in humans?. <i>Journal of the American College of Cardiology</i> , 1993, 21, 1490-1496.	1.2	28
182	Enzymatic modification of plasma low density lipoproteins in rabbits: a potential treatment for hypercholesterolemia.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1993, 90, 3476-3480.	3.3	33
183	Retinol and retinyl esters in rabbit bone marrow and blood leukocytes. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 1993, 53, 515-519.	0.6	5
184	Influx, efflux, and accumulation of LDL in normal arterial areas and atherosclerotic lesions of white Carneau pigeons with naturally occurring and cholesterol-aggravated aortic atherosclerosis.. <i>Arteriosclerosis and Thrombosis: A Journal of Vascular Biology</i> , 1993, 13, 1368-1381.	3.8	36
185	Hypoxia causes an abnormal contractile response in the atherosclerotic rabbit aorta. Implication of reduced nitric oxide and cGMP production.. <i>Circulation Research</i> , 1993, 72, 616-630.	2.0	32

#	ARTICLE	IF	CITATIONS
186	Localization and smooth muscle cell composition of atherosclerotic lesions in Watanabe heritable hyperlipidemic rabbits.. <i>Arteriosclerosis and Thrombosis: A Journal of Vascular Biology</i> , 1993, 13, 347-359.	3.8	23
187	Cell Transplantation in Liver-Directed Gene Therapy. <i>Cell Transplantation</i> , 1993, 2, 381-400.	1.2	46
189	Increased mRNA for CD63 Antigen in Atherosclerotic Lesions of Watanabe Heritable Hyperlipidemic Rabbits.. <i>Cell Structure and Function</i> , 1994, 19, 219-225.	0.5	8
190	Augmented receptor-mediated Ca <sup>2+</sup> mobilization causes supersensitivity of contractile response to serotonin in atherosclerotic arteries.. <i>Circulation Research</i> , 1994, 75, 1096-1102.	2.0	21
191	Immunohistochemical and Quantitative Analysis of Cellular and Extracellular Components of Aortic Atherosclerosis in WHHL Rabbits. <i>Journal of Atherosclerosis and Thrombosis</i> , 1994, 1, 45-52.	0.9	10
192	Cell compositions of coronary and aortic atherosclerotic lesions in WHHL rabbits differ. An immunohistochemical study.. <i>Arteriosclerosis and Thrombosis: A Journal of Vascular Biology</i> , 1994, 14, 931-937.	3.8	71
193	Atherosclerosis in Watanabe heritable hyperlipidaemic rabbits. <i>Apms</i> , 1994, 102, 177-190.	0.9	29
194	Dextran sulfate, a competitive inhibitor for scavenger receptor, prevents the progression of atherosclerosis in Watanabe heritable hyperlipidemic rabbits. <i>Atherosclerosis</i> , 1994, 106, 43-50.	0.4	18
195	Effect of cholesterol-supplemented diet in heritable hyperlipidemic Yoshida rats: functional and morphological characterization of thoracic aorta. <i>Atherosclerosis</i> , 1994, 106, 51-63.	0.4	26
196	Expression of mRNA for Matrix $\hat{I}^3$ -Carboxyglutamic Acid Protein during Progression of Atherosclerosis in Aortae of Watanabe Heritable Hyperlipidemic Rabbits1. <i>Journal of Biochemistry</i> , 1994, 116, 747-751.	0.9	7
197	Gene therapy: Applications to the treatment of gastrointestinal and liver diseases. <i>Gastroenterology</i> , 1994, 106, 1076-1084.	0.6	47
198	Therapeutic Implications of Delivery and Expression of Foreign Genes in Hepatocytes. <i>Advances in Pharmacology</i> , 1994, 28, 169-192.	1.2	3
199	Responses of Rabbit Basilar Arteries to Vasoconstrictor and Vasodilator Agents: The Effects of Atherosclerosis, Age and Sex. <i>Journal of Vascular Research</i> , 1994, 31, 106-113.	0.6	16
200	The Response of Serum and Hepatic Lipids and the Aortic Wall to Different Levels of Dietary Cholesterol: A Comparative Study between Hyperlipidemia-and-Atherosclerosis-Prone Quail and Commercially Available Quail.. <i>Tohoku Journal of Experimental Medicine</i> , 1995, 175, 1-13.	0.5	10
202	Accumulation of plasma cells in atherosclerotic lesions of Watanabe heritable hyperlipidemic rabbits.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1995, 92, 4937-4941.	3.3	35
203	Probucol inhibits not only the progression of atherosclerotic disease, but causes a different composition of atherosclerotic lesions in WHHL-rabbits. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 1995, 426, 179-88.	1.4	25
204	Overexpression of Human Apolipoprotein B-100 in Transgenic Rabbits Results in Increased Levels of LDL and Decreased Levels of HDL. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1995, 15, 1889-1899.	1.1	61
205	Apolipoprotein E Deficiency Leads to Cutaneous Foam Cell Formation in Mice. <i>Journal of Investigative Dermatology</i> , 1995, 104, 246-250.	0.3	31

#	ARTICLE	IF	CITATIONS
206	Potential gene therapy strategies in the treatment of cardiovascular disease. <i>Annals of Thoracic Surgery</i> , 1995, 60, 721-728.	0.7	28
207	Receptor-mediated pathways of endothelium activity in experimental atherosclerosis. <i>Pharmacological Research</i> , 1995, 31, 163-168.	3.1	9
208	Gene therapy. <i>Current Problems in Surgery</i> , 1996, 33, 961-1041.	0.6	10
209	Liver-directed gene transfer and application to therapy. <i>Journal of Molecular Medicine</i> , 1996, 74, 205-212.	1.7	20
210	Adenoviral delivery of low-density lipoprotein receptors to hyperlipidemic rabbits: Receptor expression modulates high-density lipoproteins. <i>Metabolism: Clinical and Experimental</i> , 1996, 45, 1447-1457.	1.5	13
211	Anti-atherosclerotic effect of E5324, an inhibitor of acyl-CoA:cholesterol acyltransferase, in Watanabe heritable hyperlipidemic rabbits. <i>Atherosclerosis</i> , 1996, 124, 203-210.	0.4	13
212	Detection and localization of tumor necrosis factor- $\alpha$ in WHHL rabbit arteries. <i>Atherosclerosis</i> , 1996, 125, 81-89.	0.4	30
213	Gene Therapy and Inherited Dyslipidemia. <i>Endocrine Practice</i> , 1996, 2, 37-43.	1.1	1
214	Reproductive performance and changes in blood lipids in breeding females and in growing Watanabe Heritable Hyperlipidaemic and New Zealand White rabbits. <i>Laboratory Animals</i> , 1996, 30, 252-259.	0.5	7
215	Effect of Macrophage Colony Stimulating Factor on the Advanced Atherosclerosis in Watanabe Heritable Hyperlipidemic Rabbits. <i>Hormone and Metabolic Research</i> , 1997, 29, 507-509.	0.7	7
216	A high detection efficiency BGO, flow-through, coincidence detection system for arterial blood sampling with PET: application and dispersion correction for small animal PET studies. , 0, , .		1
217	The effects of l-arginine on neointimal formation and vascular function following balloon injury in heritable hyperlipidaemic rabbits. <i>Cardiovascular Research</i> , 1997, 35, 351-359.	1.8	17
218	Effects of low-dose pravastatin sodium on plasma cholesterol levels and aortic atherosclerosis of heterozygous WHHL rabbits fed a low cholesterol (0.03%) enriched diet for one year. <i>Atherosclerosis</i> , 1997, 128, 139-147.	0.4	9
219	Nikolaj Nikolajewitsch Anitschkow (1885â€“1964) established the cholesterol-fed rabbit as a model for atherosclerosis research. <i>Atherosclerosis</i> , 1997, 135, 1-7.	0.4	129
220	Erdheim-Chester disease: Low low-density lipoprotein levels due to rapid catabolism. <i>Metabolism: Clinical and Experimental</i> , 1997, 46, 1215-1219.	1.5	26
221	Altered Compliance and Residual Strain Precede Angiographically Detectable Early Atherosclerosis in Low-Density Lipoprotein Receptor Deficiency. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1997, 17, 2209-2217.	1.1	30
222	The Watanabe Heritable Hyperlipidemic Rabbit Is a Suitable Experimental Model to Study Differences in Tissue Response Between Intimal and Medial Injury After Balloon Angioplasty. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1997, 17, 3611-3619.	1.1	17
223	$\beta$ -VLDL Hypercholesterolemia Relative to LDL Hypercholesterolemia Is Associated With Higher Levels of Oxidized Lipoproteins and a More Rapid Progression of Coronary Atherosclerosis in Rabbits. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1997, 17, 2376-2382.	1.1	31

#	ARTICLE	IF	CITATIONS
224	Mechanism of action of gemfibrozil on HDL metabolism and atherosclerosis in WHHL rabbits. <i>Cardiovascular Drugs and Therapy</i> , 1997, 11, 659-668.	1.3	4
225	MECHANISMS OF IMPAIRMENT OF ENDOTHELIUM-DEPENDENT RELAXATION TO ACETYLCHOLINE IN WATANABE HERITABLE HYPERLIPIDAEMIC RABBIT AORTAS. <i>Clinical and Experimental Pharmacology and Physiology</i> , 1998, 25, 104-109.	0.9	12
226	Effects of pravastatin on cholesterol metabolism of cholesterol-fed heterozygous WHHL rabbits. <i>British Journal of Pharmacology</i> , 1998, 124, 277-282.	2.7	4
227	Experimental evaluation of radiotracers: Role of intact biological models. <i>Journal of Nuclear Cardiology</i> , 1998, 5, 167-183.	1.4	2
228	The cholesterol metabolite cholest-4-en-3-one and its 3-oxo derivatives suppress body weight gain, body fat accumulation and serum lipid concentration in mice. <i>Bioorganic and Medicinal Chemistry Letters</i> , 1998, 8, 2133-2138.	1.0	29
229	Presence of Oxidized LDL in Transplant Arteriosclerotic Lesions Obtained From Renal Transplant Recipients With Hypercholesterolemia. <i>Transplantation Proceedings</i> , 1998, 30, 116-118.	0.3	10
230	Animal Models in Atherosclerosis and Restenosis Research. <i>Journal of Vascular and Interventional Radiology</i> , 1998, 9, 282-291.	0.2	0
231	Expression of Interleukin-6 in Atherosclerotic Lesions of Male ApoE-Knockout Mice. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1998, 18, 1498-1505.	1.1	124
232	An In Vitro Coculture Model of Transmigrant Monocytes and Foam Cell Formation. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1999, 19, 2330-2339.	1.1	45
233	High-Resolution Intravascular Magnetic Resonance Imaging. <i>Circulation</i> , 1999, 99, 1054-1061.	1.6	75
234	Noninvasive 3-D ultrasound of atherosclerotic plaques in the Watanabe rabbit. <i>Ultrasound in Medicine and Biology</i> , 1999, 25, 905-914.	0.7	4
235	Effect of hypercholesterolaemia on voltage-operated calcium channel currents in rabbit arterial smooth muscle cells. <i>Journal of Human Hypertension</i> , 1999, 13, 849-853.	1.0	3
236	Effect of cerivastatin sodium, a new inhibitor of HMG-CoA reductase, on plasma lipid levels, progression of atherosclerosis, and the lesional composition in the plaques of WHHL rabbits. <i>British Journal of Pharmacology</i> , 1999, 126, 961-968.	2.7	56
237	Spontaneously hyperlipidemic (SHL) mice: Japanese wild mice with apolipoprotein E deficiency. <i>Mammalian Genome</i> , 1999, 10, 352-357.	1.0	37
238	Transgenic rabbit models for biomedical research: Current status, basic methods and future perspectives. <i>Pathology International</i> , 1999, 49, 583-594.	0.6	53
239	Atherosclerosis in low density lipoprotein receptor knockout mice fed cholesterol and soybean oil. <i>Nutrition Research</i> , 1999, 19, 613-622.	1.3	4
240	Fibrous cap formation or destruction â€” the critical importance of vascular smooth muscle cell proliferation, migration and matrix formation. <i>Cardiovascular Research</i> , 1999, 41, 345-360.	1.8	301
241	Local Hypomethylation in Atherosclerosis Found in Rabbitec-sodGene. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1999, 19, 2171-2178.	1.1	143



#	ARTICLE	IF	CITATIONS
242	Pipette Aspiration Measurement of Local Elastic Modulus in Aortic Walls of WHHL Rabbits. Comparison with Global Elastic Modulus Measured from Pressure-Diameter Relationship.. Nihon Kikai Gakkai Ronbunshu, A Hen/Transactions of the Japan Society of Mechanical Engineers, Part A, 1999, 65, 1845-1850.	0.2	0
243	Decreased Turnovers of Glutathione and Ascorbic Acid in Watanabe Heritable Hyperlipidemic Rabbits.. Journal of Nutritional Science and Vitaminology, 2000, 46, 205-209.	0.2	2
244	A Quantitative Study of the Aorta of the New Zealand Rabbit ( <i>Oryctolagus cuniculus</i> L.). Journal of Veterinary Medicine Series C: Anatomia Histologia Embryologia, 2000, 29, 145-147.	0.3	5
245	Reduced lung endothelial angiotensin-converting enzyme activity in Watanabe hyperlipidemic rabbits in vivo. American Journal of Physiology - Lung Cellular and Molecular Physiology, 2000, 278, L1280-L1288.	1.3	3
247	Serial In Vivo MRI Documents Arterial Remodeling in Experimental Atherosclerosis. Circulation, 2000, 101, 586-589.	1.6	137
249	Quantification of Cholesteryl Esters in Human and Rabbit Atherosclerotic Plaques by Magic-Angle Spinning <sup>13</sup> C-NMR. Arteriosclerosis, Thrombosis, and Vascular Biology, 2000, 20, 2682-2688.	1.1	25
250	Age-associated decrease in plasma cholesterol and changes in cholesterol metabolism in homozygous watanabe heritable hyperlipidemic rabbits. Metabolism: Clinical and Experimental, 2000, 49, 552-556.	1.5	21
251	Animal Models for Atherosclerosis, Restenosis, and Endovascular Graft Research. Journal of Vascular and Interventional Radiology, 2000, 11, 5-17.	0.2	109
252	Animal Models of Diet-Induced Atherosclerosis. , 2001, 52, 1-6.		1
253	Cerebral atherosclerosis occurs spontaneously in homozygous WHHL rabbits. Atherosclerosis, 2001, 156, 57-66.	0.4	17
254	Development of a lipid-rich, soft plaque in rabbits, monitored by histology and intravascular ultrasound. Atherosclerosis, 2001, 156, 277-287.	0.4	39
255	Animal Models of Liver Failure. , 2001, , 623-636.		2
256	Protective effects of Saiko-ka-ryukotsu-borei-to (Chai-Hu-Jia-Long-Gu-Mu-Li-Tang) against atherosclerosis in kurosawa and kusanagi-hypercholesterolemic (KHC) rabbits. Pharmacological Research, 2001, 43, 481-487.	3.1	15
257	Development of atherosclerotic plaque with endothelial disruption in Watanabe heritable hyperlipidemic rabbit aortas. Cardiovascular Pathology, 2001, 10, 1-11.	0.7	15
258	Squalene synthase inhibitors reduce plasma triglyceride through a low-density lipoprotein receptor-independent mechanism. European Journal of Pharmacology, 2001, 431, 345-352.	1.7	28
259	Heme Oxygenase-1 Inhibits Atherogenesis in Watanabe Heritable Hyperlipidemic Rabbits. Circulation, 2001, 104, 1831-1836.	1.6	128
260	Long-Term Stable Correction of Low-Density Lipoprotein Receptor-Deficient Mice With a Helper-Dependent Adenoviral Vector Expressing the Very Low-Density Lipoprotein Receptor. Circulation, 2001, 103, 1274-1281.	1.6	146
261	EVOLUTION OF CHOLESTEROL CONCEPT OF ATHEROGENESIS FROM ANITCHKOV TO OUR DAYS. Fetal and Pediatric Pathology, 2002, 21, 307-320.	0.3	2



#	ARTICLE	IF	CITATIONS
262	Lipoprotein(a) Enhances Advanced Atherosclerosis and Vascular Calcification in WHHL Transgenic Rabbits Expressing Human Apolipoprotein(a). <i>Journal of Biological Chemistry</i> , 2002, 277, 47486-47492.	1.6	67
263	The Daily Pattern of Cardiovascular Parameters in Kurosawa and Kusanagi-Hypercholesterolemic (KHC) Rabbits.. <i>Experimental Animals</i> , 2002, 51, 353-360.	0.7	8
264	Particulate air pollution induces progression of atherosclerosis. <i>Journal of the American College of Cardiology</i> , 2002, 39, 935-942.	1.2	520
265	EVOLUTION OF CHOLESTEROL CONCEPT OF ATHEROGENESIS FROM ANITCHKOV TO OUR DAYS. <i>Fetal and Pediatric Pathology</i> , 2002, 21, 307-320.	0.3	1
266	Experimental atherosclerosis. <i>Life Sciences</i> , 2002, 70, 855-865.	2.0	143
267	Cholesterol and Cognition. <i>Annals of the New York Academy of Sciences</i> , 2002, 977, 356-366.	1.8	26
268	The transgenic rabbit as model for human diseases and as a source of biologically active recombinant proteins. <i>Transgenic Research</i> , 2003, 12, 541-553.	1.3	54
269	Lipid-lowering effects of TAK-475, a squalene synthase inhibitor, in animal models of familial hypercholesterolemia. <i>European Journal of Pharmacology</i> , 2003, 466, 155-161.	1.7	40
270	Transgenic rabbits as therapeutic protein bioreactors and human disease models. , 2003, 99, 261-282.		145
272	A Novel Nonobstructive Intravascular MRI Coil. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2003, 23, 346-350.	1.1	50
273	Development of an Animal Model for Spontaneous Myocardial Infarction (WHHLMi Rabbit). <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2003, 23, 1239-1244.	1.1	160
274	Correlation of Vulnerable Coronary Plaques to Sudden Cardiac Events. Lessons from a Myocardial Infarction-prone Animal Model (the WHHLMi Rabbit). <i>Journal of Atherosclerosis and Thrombosis</i> , 2004, 11, 184-189.	0.9	37
275	Overexpression of Lipoprotein Lipase in Transgenic Watanabe Heritable Hyperlipidemic Rabbits Improves Hyperlipidemia and Obesity. <i>Journal of Biological Chemistry</i> , 2004, 279, 7521-7529.	1.6	58
276	A sensitive noninvasive method for monitoring successful liver-directed gene transfer of the low-density lipoprotein receptor in Watanabe hyperlipidemic rabbits in vivo. <i>Gene Therapy</i> , 2004, 11, 574-580.	2.3	2
277	Lipoprotein(a) as a risk factor for atherosclerosis and thrombosis: mechanistic insights from animal models. <i>Clinical Biochemistry</i> , 2004, 37, 333-343.	0.8	134
278	Animal models of liver regeneration. <i>Biomaterials</i> , 2004, 25, 1601-1611.	5.7	133
279	The laboratory rabbit: an animal model of atherosclerosis research. <i>Laboratory Animals</i> , 2004, 38, 246-256.	0.5	151
280	Effects of $\alpha$ -tocopherol and astaxanthin on LDL oxidation and atherosclerosis in WHHL rabbits. <i>Atherosclerosis</i> , 2004, 173, 231-237.	0.4	2

#	ARTICLE	IF	CITATIONS
281	Effects of Dai-saiko-to (Da-Chai-Hu-Tang) on plasma lipids and atherosclerotic lesions in female heterozygous heritable Kurosawa and Kusanagi-hypercholesterolemic (KHC) rabbits. <i>Pharmacological Research</i> , 2004, 50, 223-230.	3.1	17
282	Characteristic change in local pulse wave velocity in different segments of the atherosclerotic aorta in KHC rabbits. <i>American Journal of Hypertension</i> , 2004, 17, 181-187.	1.0	15
283	Effects of Î±-tocopherol and astaxanthin on LDL oxidation and atherosclerosis in WHHL rabbits. <i>Atherosclerosis</i> , 2004, 173, 231-237.	0.4	35
284	Novel insights into coronary lumen preservation during progression of coronary atherosclerosis in coronary atherosclerosis-prone rabbits. <i>Coronary Artery Disease</i> , 2004, 15, 419-426.	0.3	7
285	Progression of Coronary Atherosclerosis Relates to the Onset of Myocardial Infarction in an Animal Model of Spontaneous Myocardial Infarction (WHHLMI Rabbits). <i>Experimental Animals</i> , 2004, 53, 339-346.	0.7	28
286	Exposure to ambient particles accelerates monocyte release from bone marrow in atherosclerotic rabbits. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , 2004, 287, L79-L85.	1.3	55
287	Age-Related Changes in Serum/Plasma Biochemical Parameters of WHHLMI Rabbits.. <i>Experimental Animals</i> , 2004, 53, 159-163.	0.7	12
289	Apolipoprotein E Mimetic Peptide Dramatically Lowers Plasma Cholesterol and Restores Endothelial Function in Watanabe Heritable Hyperlipidemic Rabbits. <i>Circulation</i> , 2005, 111, 3112-3118.	1.6	63
290	Animal Models of Atherosclerosis Progression: Current Concepts. <i>Current Drug Targets Cardiovascular &amp; Haematological Disorders</i> , 2005, 5, 433-440.	2.0	13
292	Characterization of the rat LDL receptor 5' flanking region. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2006, 1761, 492-500.	1.2	9
293	G-CSF prevents the progression of atherosclerosis and neointimal formation in rabbits. <i>Biochemical and Biophysical Research Communications</i> , 2006, 344, 370-376.	1.0	29
294	Characteristics of WHHLCA and WHHLMI Rabbits, Animal Models for Hypercholesterolemia and Coronary Atherosclerosis, and the Use for Studies about Atheroma Stabilizing Effects of Hypolipidemic Drugs. <i>Proceedings of the Japanese Society of Animal Models for Human Diseases</i> , 2006, 22, 70-77.	0.1	0
295	Ocular lesions in Watanabe heritable hyperlipidemic rabbits. <i>Veterinary Ophthalmology</i> , 2006, 9, 145-148.	0.6	23
296	Pathogenesis of tendinous xanthoma: Histopathological study of the extremities of Watanabe heritable hyperlipidemic rabbits. <i>Journal of Orthopaedic Science</i> , 2006, 11, 75-80.	0.5	14
297	Magnetic resonance imaging of experimental atherosclerotic plaque: Comparison of two ultrasmall superparamagnetic particles of iron oxide. <i>Journal of Magnetic Resonance Imaging</i> , 2006, 24, 388-393.	1.9	56
298	VEGF $\alpha$ , VEGF $\beta$ , VEGF receptor $\alpha$ 1, VEGF receptor $\alpha$ 2, NF $\kappa$ B, and RAGE in atherosclerotic lesions of diabetic Watanabe heritable hyperlipidemic rabbits. <i>FASEB Journal</i> , 2006, 20, 2159-2161.	0.2	34
299	Pravastatin Inhibits Expression of Lectin-Like Oxidized Low-Density Lipoprotein Receptor-1 (LOX-1) in Watanabe Heritable Hyperlipidemic Rabbits. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2006, 26, 604-610.	1.1	46
300	Cytokines in Atherosclerosis: Pathogenic and Regulatory Pathways. <i>Physiological Reviews</i> , 2006, 86, 515-581.	13.1	1,432

#	ARTICLE	IF	CITATIONS
301	Statin Therapy Alone and in Combination with an Acyl-CoA:Cholesterol &lt;i>O</i>-Acyltransferase Inhibitor on Experimental Atherosclerosis. Pathophysiology of Haemostasis and Thrombosis: International Journal on Haemostasis and Thrombosis Research, 2007, 36, 9-17.	0.5	10
302	Increased plant sterol and stanol levels in brain of Watanabe rabbits fed rapeseed oil derived plant sterol or stanol esters. British Journal of Nutrition, 2007, 98, 890-899.	1.2	22
303	Anti-Atherosclerotic Activity. , 2007, , 1661-1717.		0
304	Hepatic Catabolism of Low Density Lipoprotein: Mechanisms and Metabolic Consequences. Hepatology, 1982, 2, 269S-281S.	3.6	68
305	Imaging of Atherosclerosis in WHHL Rabbits Using High-Resolution Ultrasound. Ultrasound in Medicine and Biology, 2007, 33, 720-726.	0.7	9
306	Dietâ€induced central obesity and insulin resistance in rabbits. Journal of Animal Physiology and Animal Nutrition, 2008, 92, 105-111.	1.0	47
307	Impairment of endothelium-dependent relaxation of aortas and pulmonary arteries from spontaneously hyperlipidemic mice (Apodemus sylvaticus). Vascular Pharmacology, 2007, 47, 166-173.	1.0	6
308	<sup>99m</sup> Tc-Annexin A5 for noninvasive characterization of atherosclerotic lesions: imaging and histological studies in myocardial infarction-prone Watanabe heritable hyperlipidemic rabbits. European Journal of Nuclear Medicine and Molecular Imaging, 2007, 34, 889-899.	3.3	39
309	Lapaquistat acetate, a squalene synthase inhibitor, changes macrophage/lipidâ€rich coronary plaques of hypercholesterolaemic rabbits into fibrous lesions. British Journal of Pharmacology, 2008, 154, 949-957.	2.7	24
310	Dietary Cholesterol Worsens Adipose Tissue Macrophage Accumulation and Atherosclerosis in Obese LDL Receptorâ€Deficient Mice. Arteriosclerosis, Thrombosis, and Vascular Biology, 2008, 28, 685-691.	1.1	161
311	Hyaluronan Accumulation Is Elevated in Cultures of Low Density Lipoprotein Receptor-deficient Cells and Is Altered by Manipulation of Cell Cholesterol Content. Journal of Biological Chemistry, 2008, 283, 36195-36204.	1.6	20
312	Unstable coronary plaques and cardiac events in myocardial infarction-prone Watanabe heritable hyperlipidemic rabbits: questions and quandaries. Current Opinion in Lipidology, 2008, 19, 631-636.	1.2	38
313	Hypertriglyceridemia in Watanabe Heritable Hyperlipidemic Rabbits Was Associated with Increased Production and Reduced Catabolism of Very-Low-Density Lipoproteins. Pathobiology, 2009, 76, 315-321.	1.9	1
314	Fat and Cholesterol Diet Induced Lipid Metabolic Disorders and Insulin Resistance in Rabbit. Experimental and Clinical Endocrinology and Diabetes, 2009, 117, 400-405.	0.6	22
315	Emerging role of FDG-PET/CT in assessing atherosclerosis in large arteries. European Journal of Nuclear Medicine and Molecular Imaging, 2009, 36, 144-151.	3.3	91
316	Apolipoprotein A-I and lecithin:cholesterol acyltransferase transfer induce cholesterol unloading in complex atherosclerotic lesions. Gene Therapy, 2009, 16, 757-765.	2.3	29
317	Animal and cellular models for hypolipidemic drugs. Expert Opinion on Drug Discovery, 2009, 4, 61-69.	2.5	0
319	The Watanabe heritable hyperlipidemic (WHHL) rabbit, its characteristics and history of development: A tribute to the late Dr. Yoshio Watanabe. Atherosclerosis, 2009, 207, 1-7.	0.4	79

#	ARTICLE	IF	CITATIONS
320	Simple Rabbit Model of Vulnerable Atherosclerotic Plaque. <i>Neurologia Medico-Chirurgica</i> , 2009, 49, 327-332.	1.0	22
321	Models to Study Atherosclerosis: A Mechanistic Insight. <i>Current Vascular Pharmacology</i> , 2009, 7, 75-109.	0.8	50
322	Modulation of Rabbit Platelet Aggregation and Calcium Mobilization by Platelet Cholesterol Content. <i>Journal of Veterinary Medical Science</i> , 2010, 72, 285-292.	0.3	8
323	Molecular PET and CT Imaging of Inflammation and Metabolism in Atherosclerosis. <i>Current Cardiovascular Imaging Reports</i> , 2010, 3, 92-98.	0.4	1
324	The effects of chronic hyperlipidemia on bladder function in myocardial infarction-prone Watanabe heritable hyperlipidemic (WHHLMI) rabbits. <i>Neurourology and Urodynamics</i> , 2010, 29, 1350-1354.	0.8	55
325	The relative atherogenicity of VLDL and LDL is dependent on the topographic site. <i>Journal of Lipid Research</i> , 2010, 51, 1478-1485.	2.0	12
326	Preclinical Models of Restenosis and Their Application in the Evaluation of Drug-Eluting Stent Systems. <i>Veterinary Pathology</i> , 2010, 47, 58-76.	0.8	48
327	Metabolomic anatomy of an animal model revealing homeostatic imbalances in dyslipidaemia. <i>Molecular BioSystems</i> , 2011, 7, 1217.	2.9	174
328	The diameter of liver sinusoidal fenestrae is not a major determinant of lipoprotein levels and atherosclerosis in cholesterol-fed rabbits. <i>Cardiovascular Pathology</i> , 2011, 20, 44-50.	0.7	7
329	Antiatherogenic effects of newly developed apolipoprotein A-I mimetic peptide/phospholipid complexes against aortic plaque burden in Watanabe-heritable hyperlipidemic rabbits. <i>Atherosclerosis</i> , 2011, 218, 300-307.	0.4	42
330	Gene Therapy for Familial Hypercholesterolemia. <i>Current Pharmaceutical Design</i> , 2011, 17, 2575-2591.	0.9	30
331	Animal models for the atherosclerosis research: a review. <i>Protein and Cell</i> , 2011, 2, 189-201.	4.8	113
332	Development of Apolipoprotein E-deficient Mice. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2011, 31, 1957-1962.	1.1	23
333	Roles of the WHHL Rabbit in Translational Research on Hypercholesterolemia and Cardiovascular Diseases. <i>Journal of Biomedicine and Biotechnology</i> , 2011, 2011, 1-10.	3.0	26
334	The tale of the Watanabe rabbit. <i>Lab Animal</i> , 2012, 41, 277-277.	0.2	1
335	Animal Models of Atherosclerosis. <i>Progress in Molecular Biology and Translational Science</i> , 2012, 105, 1-23.	0.9	40
336	Hypercholesterolemia and atherosclerosis in low density lipoprotein receptor mutant rats. <i>Biochemical and Biophysical Research Communications</i> , 2012, 418, 553-558.	1.0	19
337	Myocardial Infarction-Prone Watanabe Heritable Hyperlipidemic Rabbits with Mesenteric Fat Accumulation Are a Novel Animal Model for Metabolic Syndrome. <i>Pathobiology</i> , 2012, 79, 329-338.	1.9	9

#	ARTICLE	IF	CITATIONS
338	Animal Models of Atherosclerosis. , 2012, , 133-169.		5
339	MRI of atherosclerosis: from mouse to man. <i>Imaging in Medicine</i> , 2012, 4, 41-58.	0.0	1
340	Rabbit Genetics and Transgenic Models. , 2012, , 165-193.		5
341	The Rabbit as an Experimental Model. , 2012, , 529-560.		9
342	Mycoses and Non-Infectious Diseases. , 2012, , 503-528.		7
343	Effects of Hypercholesterolaemia in the Retina. , 2012, , .		1
344	Genetically Modified Animal Models for Lipoprotein Research. , 0, , .		8
345	Choroidal Vessel Wall: Hypercholesterolaemia-Induced Dysfunction and Potential Role of Statins. , 2012, , .		1
346	Effects of Chronic Hyperlipidemia on Lower Urinary Tract Functionâ€”Bladder Dysfunction in Myocardial Infarctionâ€”Prone Watanabe Heritable Hyperlipidemic Rabbits. <i>LUTS: Lower Urinary Tract Symptoms</i> , 2012, 4, 21-26.	0.6	5
347	Atherosclerosis: Comparative Pathogenesis, Lipoprotein Metabolism, and Avian and Exotic Companion Mammal Models. <i>Journal of Exotic Pet Medicine</i> , 2013, 22, 320-335.	0.2	19
348	Modelos experimentales de aterosclerosis. <i>Revista Espanola De Cardiologia Suplementos</i> , 2013, 13, 3-12.	0.2	3
349	Contribution of the WHHL rabbit, an animal model of familial hypercholesterolemia, to elucidation of the anti-atherosclerotic effects of statins. <i>Atherosclerosis</i> , 2013, 231, 39-47.	0.4	29
350	Small animal positron emission tomography imaging and <i>in vivo</i> studies of atherosclerosis. <i>Clinical Physiology and Functional Imaging</i> , 2013, 33, 173-185.	0.5	4
351	Promoting blood vessel growth in ischemic diseases: challenges in translating preclinical potential into clinical success. <i>DMM Disease Models and Mechanisms</i> , 2013, 6, 312-22.	1.2	76
352	Bisphenol A Exposure Enhances Atherosclerosis in WHHL Rabbits. <i>PLoS ONE</i> , 2014, 9, e110977.	1.1	45
353	Animal models of atherosclerosis. <i>World Journal of Clinical Cases</i> , 2014, 2, 126.	0.3	90
354	Apolipoprotein B mRNA Editing. , 2014, , 325-342.		8
355	Production of Transgenic Rabbits. , 2014, , 275-304.		1

#	ARTICLE	IF	CITATIONS
356	Therapeutic hepatocyte transplant for inherited metabolic disorders: functional considerations, recent outcomes and future prospects. <i>Journal of Inherited Metabolic Disease</i> , 2014, 37, 165-176.	1.7	8
357	Animal models of atherosclerosis and magnetic resonance imaging for monitoring plaque progression. <i>Vascular</i> , 2014, 22, 221-237.	0.4	24
358	Germline transgenesis in rabbits by pronuclear microinjection of Sleeping Beauty transposons. <i>Nature Protocols</i> , 2014, 9, 794-809.	5.5	62
359	Idiopathic cutaneous xanthoma in a pet rabbit. <i>Lab Animal</i> , 2014, 43, 271-274.	0.2	5
360	High-fructose and high-fat diet-induced insulin resistance enhances atherosclerosis in Watanabe heritable hyperlipidemic rabbits. <i>Nutrition and Metabolism</i> , 2015, 12, 30.	1.3	42
361	Nutritional Modulations Used to Translate a Rabbit Model of Atherosclerosis – A Systematic Review and Meta-analysis. , 2015, , .		0
362	Cardiovascular imaging: what have we learned from animal models?. <i>Frontiers in Pharmacology</i> , 2015, 6, 227.	1.6	20
363	Development and rescue of human familial hypercholesterolaemia in a xenograft mouse model. <i>Nature Communications</i> , 2015, 6, 7339.	5.8	51
364	Biology and Diseases of Rabbits. , 2015, , 411-461.		14
365	New Tools in Experimental Cellular Therapy for the Treatment of Liver Diseases. <i>Current Transplantation Reports</i> , 2015, 2, 202-210.	0.9	12
366	Prospect and progress of gene therapy in treating atherosclerosis. <i>Expert Opinion on Biological Therapy</i> , 2015, 15, 1699-1712.	1.4	9
367	Rabbit models for the study of human atherosclerosis: From pathophysiological mechanisms to translational medicine. , 2015, 146, 104-119.		259
368	Dysregulation of the Low-Density Lipoprotein Receptor Pathway Is Involved in Lipid Disorder-Mediated Organ Injury. <i>International Journal of Biological Sciences</i> , 2016, 12, 569-579.	2.6	88
369	[ <sup>18</sup> F]FDG Uptake in the Aortic Wall Smooth Muscle of Atherosclerotic Plaques in the Simian Atherosclerosis Model. <i>BioMed Research International</i> , 2016, 2016, 1-12.	0.9	5
370	High susceptibility of atherosclerotic coronary arteries to the onset of vasospasm and angina pectoris-like symptoms due to coronary spasm in WHHLMI rabbits. <i>Experimental Animals</i> , 2016, 65, 419-426.	0.7	7
372	Plaque Rupture and Thrombosis: the Value of the Atherosclerotic Rabbit Model in Defining the Mechanism. <i>Current Atherosclerosis Reports</i> , 2016, 18, 29.	2.0	11
373	A lipidomics study reveals hepatic lipid signatures associating with deficiency of the LDL receptor in a rat model. <i>Biology Open</i> , 2016, 5, 979-986.	0.6	15
374	Large animal models of atherosclerosis – new tools for persistent problems in cardiovascular medicine. <i>Journal of Pathology</i> , 2016, 238, 257-266.	2.1	55

#	ARTICLE	IF	CITATIONS
375	Hyperlipidemia-associated gene variations and expression patterns revealed by whole-genome and transcriptome sequencing of rabbit models. <i>Scientific Reports</i> , 2016, 6, 26942.	1.6	24
376	InÂvivo detection of atherosclerotic plaque using non-contact and label-free near-infrared hyperspectral imaging. <i>Atherosclerosis</i> , 2016, 250, 106-113.	0.4	9
377	Animal models of atherosclerosis. <i>European Journal of Pharmacology</i> , 2017, 816, 3-13.	1.7	385
378	Inhibition of plaque progression and promotion of plaque stability by glucagon-like peptide-1 receptor agonist: Serial inÂvivo findings from iMap-IVUS in Watanabe heritable hyperlipidemic rabbits. <i>Atherosclerosis</i> , 2017, 265, 283-291.	0.4	40
379	Morphological features of coronary plaques in WHHLM1 rabbits ( <i>Oryctolagus cuniculus</i> ), an animal model for familial hypercholesterolemia. <i>Experimental Animals</i> , 2017, 66, 145-157.	0.7	12
380	Progression of calcific aortic valve sclerosis in WHHLM1 rabbits. <i>Atherosclerosis</i> , 2018, 273, 8-14.	0.4	5
381	OBSOLETE: Animal Models of Ischemic Heart Disease: From Atherosclerosis and Thrombosis to Myocardial Infarction. , 2018, , .		0
382	Genomic and Transcriptomic Analysis of Hypercholesterolemic Rabbits: Progress and Perspectives. <i>International Journal of Molecular Sciences</i> , 2018, 19, 3512.	1.8	11
383	Influence of Exposure to Bisphenols on Cardiac Structure/Function. , 2018, , 447-468.		0
384	Hypertension Enhances Advanced Atherosclerosis and Induces Cardiac Death in Watanabe Heritable Hyperlipidemic Rabbits. <i>American Journal of Pathology</i> , 2018, 188, 2936-2947.	1.9	42
385	Animal Models of Ischemic Heart Disease: From Atherosclerosis and Thrombosis to Myocardial Infarction. , 2018, , 97-110.		0
386	A Familial Hypercholesterolemia Human Liver Chimeric Mouse Model Using Induced Pluripotent Stem Cell-derived Hepatocytes. <i>Journal of Visualized Experiments</i> , 2018, , .	0.2	3
387	Principles and Applications of Rabbit Models for Atherosclerosis Research. <i>Journal of Atherosclerosis and Thrombosis</i> , 2018, 25, 213-220.	0.9	55
388	Animal Models in Cardiovascular Biology. <i>Learning Materials in Biosciences</i> , 2019, , 271-291.	0.2	2
389	Generation of hyperlipidemic rabbit models using multiple sgRNAs targeted CRISPR/Cas9 gene editing system. <i>Lipids in Health and Disease</i> , 2019, 18, 69.	1.2	24
390	Apolipoprotein E deficient rats generated via zinc-finger nucleases exhibit pronounced in-stent restenosis. <i>Scientific Reports</i> , 2019, 9, 18153.	1.6	13
391	The History of the WHHL Rabbit, an Animal Model of Familial Hypercholesterolemia (II) - Contribution to the Development and Validation of the Therapeutics for Hypercholesterolemia and Atherosclerosis -. <i>Journal of Atherosclerosis and Thrombosis</i> , 2020, 27, 119-131.	0.9	10
392	The History of the WHHL Rabbit, an Animal Model of Familial Hypercholesterolemia (I) - Contribution to the Elucidation of the Pathophysiology of Human Hypercholesterolemia and Coronary Heart Disease -. <i>Journal of Atherosclerosis and Thrombosis</i> , 2020, 27, 105-118.	0.9	12



#	ARTICLE	IF	CITATIONS
393	Spontaneous Atherosclerosis in Aged LCAT-Deficient Hamsters With Enhanced Oxidative Stress”Brief Report. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2020, 40, 2829-2836.	1.1	9
394	Hyperlipidemic Rabbit Models for Anti-Atherosclerotic Drug Development. <i>Applied Sciences (Switzerland)</i> , 2020, 10, 8681.	1.3	7
395	Preclinical and Clinical Development of Noncoding RNA Therapeutics for Cardiovascular Disease. <i>Circulation Research</i> , 2020, 126, 663-678.	2.0	140
396	Experimental animal models of coronary microvascular dysfunction. <i>Cardiovascular Research</i> , 2020, 116, 756-770.	1.8	43
397	Corneal Dystrophy in Dutch Belted Rabbits as a Possible Model of Thiel-Behnke Subtype of Epithelial-Stromal TGF $\beta$ 2-Induced Corneal Dystrophy. <i>Toxicologic Pathology</i> , 2021, 49, 555-568.	0.9	1
398	Advanced atherosclerotic plaques in animal models versus human lesions: Key elements to translation. , 2021, , 85-105.		0
399	Genetically Modified Rabbits for Cardiovascular Research. <i>Frontiers in Genetics</i> , 2021, 12, 614379.	1.1	9
400	EXPERIMENTAL MODELS OF THE ATHEROSCLEROSIS ON RABBITS. <i>Morphological Newsletter</i> , 2021, 28, 78-87.	0.0	1
401	Toward the Effective Bioengineering of a Pathological Tissue for Cardiovascular Disease Modeling: Old Strategies and New Frontiers for Prevention, Diagnosis, and Therapy. <i>Frontiers in Cardiovascular Medicine</i> , 2020, 7, 591583.	1.1	3
402	Investigation of Wall Shear Stress in Cardiovascular Research and in Clinical Practice”From Bench to Bedside. <i>International Journal of Molecular Sciences</i> , 2021, 22, 5635.	1.8	32
403	International Harmonization of Nomenclature and Diagnostic Criteria (INHAND): Nonproliferative and Proliferative Lesions of the Rabbit. <i>Journal of Toxicologic Pathology</i> , 2021, 34, 183S-292S.	0.3	11
404	Therapeutic Angiogenesis: Translational and Clinical Experience. <i>Reference Series in Biomedical Engineering</i> , 2021, , 101-144.	0.1	0
405	HMG-Coa Reductase Inhibitors. , 1985, 183, 295-310.		8
406	Genetic Mutations Affecting Human Lipoproteins, Their Receptors, and Their Enzymes. , 1993, 21, 145-319.		66
407	Plasma Apolipoproteins and Lipoprotein Receptors. , 1982, , 145-175.		1
408	Receptor-Mediated Targeted Gene Delivery Using Asialoglycoprotein-Polylysine Conjugates. , 1994, , 382-390.		3
409	Dual Control by Nerves and Endothelial Cells of Arterial Blood Flow in Atherosclerosis. , 1991, , 285-292.		9
410	Animal Models for Atherosclerosis, Restenosis, and Endovascular Aneurysm Repair. , 2008, , 369-384.		7

#	ARTICLE	IF	CITATIONS
411	Liver-Directed Gene Therapy In the Treatment of Familial Hypercholesterolemia. , 1991, , 152-156.		1
412	Probucol. Handbook of Experimental Pharmacology, 1994, , 429-469.	0.9	6
413	Animal Models of Lipoprotein Metabolism. Handbook of Experimental Pharmacology, 1994, , 207-218.	0.9	1
414	Atherosclerosis, Arteries. Monographs on Pathology of Laboratory Animals, 1993, , 105-117.	0.0	1
415	Anti-atherosclerotic activity. , 1997, , 598-623.		1
416	Rabbit as a Model for the Study of Human Diseases. , 2009, , 49-63.		11
418	Animal models of atherosclerosis. Developments in Cardiovascular Medicine, 1994, , 463-474.	0.1	1
419	Antioxidants as Antiatherogens: Animal Studies. , 1994, , 353-385.		2
420	Inherited Diseases and Variations. , 1994, , 293-319.		15
421	Specific Nonsterol Inhibitors of HMG-CoA Reductase. , 1985, , 49-78.		5
422	IMMUNOLOGY OF LAGOMORPHS. , 1998, , 223-260.		4
423	In vivo correction of low density lipoprotein receptor deficiency in the Watanabe heritable hyperlipidemic rabbit with recombinant adenoviruses.. Journal of Biological Chemistry, 1994, 269, 13695-13702.	1.6	275
424	Receptor-dependent and receptor-independent degradation of low density lipoprotein in normal rabbits and in receptor-deficient mutant rabbits.. Journal of Biological Chemistry, 1982, 257, 7994-8000.	1.6	191
425	Tissue sites of degradation of native and reductively methylated [14C]sucrose-labeled low density lipoprotein in rats. Contribution of receptor-dependent and receptor-independent pathways.. Journal of Biological Chemistry, 1982, 257, 8001-8008.	1.6	104
426	Hepatocyte-directed gene transfer in vivo leads to transient improvement of hypercholesterolemia in low density lipoprotein receptor-deficient rabbits.. Journal of Biological Chemistry, 1992, 267, 963-967.	1.6	220
427	Human monocyte colony-stimulating factor enhances the clearance of lipoproteins containing apolipoprotein B-100 via both low density lipoprotein receptor-dependent and -independent pathways in rabbits.. Journal of Biological Chemistry, 1990, 265, 12869-12875.	1.6	58
428	Low density lipoprotein receptor deficiency in cultured hepatocytes of the WHHL rabbit. Further evidence of two pathways for catabolism of exogenous proteins.. Journal of Biological Chemistry, 1981, 256, 9789-9792.	1.6	63
429	Correction of hypoalphalipoproteinemia in LDL receptor-deficient rabbits by lecithin:cholesterol acyltransferase. Journal of Lipid Research, 1998, 39, 1558-1567.	2.0	26

#	ARTICLE	IF	CITATIONS
430	Regulation of classic and alternative bile acid synthesis in hypercholesterolemic rabbits: effects of cholesterol feeding and bile acid depletion. <i>Journal of Lipid Research</i> , 1998, 39, 1608-1615.	2.0	27
431	Transgenic rabbits as models for atherosclerosis research. <i>Journal of Lipid Research</i> , 1999, 40, 365-375.	2.0	90
432	Sites and mechanisms of uptake and degradation of high density and low density lipoproteins. <i>Journal of Lipid Research</i> , 1984, 25, 1577-1585.	2.0	93
433	Partial ileal bypass reduces the production rate of low density lipoproteins in Watanabe heritable hyperlipidemic rabbits.. <i>Journal of Lipid Research</i> , 1984, 25, 1350-1357.	2.0	15
434	A novel mechanism by which probucol lowers low density lipoprotein levels demonstrated in the LDL receptor-deficient rabbit.. <i>Journal of Lipid Research</i> , 1984, 25, 1206-1213.	2.0	117
435	Metabolism of apoprotein B in selectively bred baboons with low and high levels of low density lipoproteins.. <i>Journal of Lipid Research</i> , 1988, 27, 497-507.	2.0	27
436	Hepatic gene transfer of the catalytic subunit of the apolipoprotein B mRNA editing enzyme results in a reduction of plasma LDL levels in normal and watanabe heritable hyperlipidemic rabbits. <i>Journal of Lipid Research</i> , 1996, 37, 2001-2017.	2.0	35
437	ApoVLDL of the Watanabe Heritable Hyperlipidemic rabbit and the cholesterol-fed rabbit.. <i>Journal of Lipid Research</i> , 1984, 25, 246-253.	2.0	12
438	Impaired receptor-mediated catabolism of low density lipoproteins in fasted rabbits.. <i>Journal of Lipid Research</i> , 1984, 25, 33-39.	2.0	35
439	Cholesterol synthesis in vivo and in vitro in the WHHL rabbit, an animal with defective low density lipoprotein receptors. <i>Journal of Lipid Research</i> , 1983, 24, 469-480.	2.0	88
440	Genetic analysis of total cholesterol and triglycerides in a pedigree of St. Thomas rabbits.. <i>Journal of Lipid Research</i> , 1989, 30, 387-394.	2.0	2
441	Apolipoprotein B metabolism in homozygous familial hypercholesterolemia.. <i>Journal of Lipid Research</i> , 1989, 30, 159-169.	2.0	72
442	Characterization of very low density lipoprotein from Watanabe heritable hyperlipidemic rabbits.. <i>Journal of Lipid Research</i> , 1989, 30, 1-7.	2.0	10
443	Genetically determined hypercholesterolemia in a rhesus monkey family due to a deficiency of the LDL receptor.. <i>Journal of Lipid Research</i> , 1988, 29, 1671-1681.	2.0	38
444	Genetic factors affecting blood lipoproteins: the candidate gene approach.. <i>Journal of Lipid Research</i> , 1988, 29, 397-429.	2.0	195
445	Control of variance in experimental studies of hyperlipidemia using the WHHL rabbit.. <i>Journal of Lipid Research</i> , 1991, 32, 1089-1098.	2.0	22
446	Post-transcriptional regulation of retroviral vector-transduced low density lipoprotein receptor activity.. <i>Journal of Lipid Research</i> , 1990, 31, 2167-2178.	2.0	27
447	A genetic model for control of hypertriglyceridemia and apolipoprotein B levels in the Johns Hopkins colony of St. Thomas Hospital rabbits.. <i>Genetics</i> , 1992, 132, 1095-1104.	1.2	18

#	ARTICLE	IF	CITATIONS
448	Effect of Poloxamer 407 on the Activity of Microsomal 3-Hydroxy-3-methylglutaryl CoA Reductase in Rats. <i>Journal of Cardiovascular Pharmacology</i> , 1997, 29, 580-585.	0.8	34
449	Comparison of Endothelium-Dependent Relaxation in Carotid Arteries from Japanese White and Watanabe Heritable Hyperlipidemic Rabbits. <i>Journal of Cardiovascular Pharmacology</i> , 2000, 36, 622-630.	0.8	7
450	TREATMENT OF HYPERCHOLESTEROLEMIA IN THE WATANABE RABBIT USING ALLOGENEIC HEPATOCELLULAR TRANSPLANTATION UNDER A REGENERATION STIMULUS1. <i>Transplantation</i> , 1996, 62, 588-593.	0.5	46
451	MONITORING ENGRAFTMENT OF TRANSPLANTED HEPATOCYTES IN RECIPIENT LIVER WITH 5-BROMO-2'-DEOXYURIDINE. <i>Transplantation</i> , 1997, 63, 513-518.	0.5	16
452	NIKOLAI ANITSCHKOW: THE BIRTH OF THE LIPID HYPOTHESIS OF ATHEROSCLEROSIS AND CORONARY HEART DISEASE. , 2014, , 23-39.		1
453	Development and Progression of Atherosclerosis in Aorta From Heterozygous and Homozygous WHHL Rabbits. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1995, 15, 1152-1160.	1.1	20
454	Low Atherosclerotic Response of a Strain of Rabbits to Diet-Induced Hypercholesterolemia. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1995, 15, 1181-1188.	1.1	10
455	Virus-Encoded Serine Proteinase Inhibitor SERP-1 Inhibits Atherosclerotic Plaque Development After Balloon Angioplasty. <i>Circulation</i> , 1996, 94, 2890-2900.	1.6	96
456	Hypercholesterolemia Attenuates Angiogenesis but Does Not Preclude Augmentation by Angiogenic Cytokines. <i>Circulation</i> , 1997, 96, 2667-2674.	1.6	155
457	Atherogenesis and metabolic dysregulation in LDL receptor "knockout rats. <i>JCI Insight</i> , 2017, 2, .	2.3	31
458	Stimulation of cholesteryl ester synthesis in mouse peritoneal macrophages by cholesterol-rich very low density lipoproteins from the Watanabe heritable hyperlipidemic rabbit, an animal model of familial hypercholesterolemia.. <i>Journal of Clinical Investigation</i> , 1986, 77, 1460-1465.	3.9	41
459	Calcium/calmodulin-mediated action of calcitonin on lipid metabolism in rats.. <i>Journal of Clinical Investigation</i> , 1988, 82, 1165-1172.	3.9	23
460	Apolipoprotein E prevents the progression of atherosclerosis in Watanabe heritable hyperlipidemic rabbits.. <i>Journal of Clinical Investigation</i> , 1992, 89, 706-711.	3.9	82
461	In vivo gene therapy for hyperlipidemia: phenotypic correction in Watanabe rabbits by hepatic delivery of the rabbit LDL receptor gene.. <i>Journal of Clinical Investigation</i> , 1995, 95, 768-773.	3.9	70
462	Unexpected inhibition of cholesterol 7 alpha-hydroxylase by cholesterol in New Zealand white and Watanabe heritable hyperlipidemic rabbits.. <i>Journal of Clinical Investigation</i> , 1995, 95, 1497-1504.	3.9	60
463	Pravastatin Decreases Serum Lipids and Vascular Cholesterol Deposition in Watanabe Heritable Hyperlipidemic(WHHL) Rabbits.. <i>International Heart Journal</i> , 1991, 32, 675-685.	0.6	11
464	Effects of Pravastatin on Cholesterol Metabolism in Watanabe Heritable Hyperlipidemic Rabbits.. <i>International Heart Journal</i> , 1992, 33, 451-463.	0.6	5
465	Animal models of human atherosclerosis: current progress. <i>Brazilian Journal of Medical and Biological Research</i> , 2020, 53, e9557.	0.7	18

#	ARTICLE	IF	CITATIONS
466	Rheological Properties of Atherosclerotic Aorta. Nihon Reorogi Gakkaishi, 1985, 13, 178-783.	0.2	4
467	Application of rabbits in biomedical research: a review.. World Rabbit Science, 2010, 14, .	0.1	14
468	Plaque-Stabilizing Effect of Pitavastatin in Watanabe Heritable Hyperlipidemic(WHHL) Rabbits.. Journal of Atherosclerosis and Thrombosis, 2003, 10, 109-116.	0.9	38
469	A Rapid PCR Method of Genotyping LDL Receptor Mutations in WHHL Rabbits.. Journal of Atherosclerosis and Thrombosis, 2002, 9, 145-148.	0.9	4
470	Characteristics of WHHL Rabbits, An Animal Model for Familial Hypercholesterolemia. The Journal of Japan Atherosclerosis Society, 1983, 11, 743-748.	0.0	1
471	HMG-CoA Reductase Inhibitors. The Journal of Japan Atherosclerosis Society, 1990, 18, 165-171.	0.0	6
472	Characterization of Vitronectins in Atherosclerotic Lesions. Journal of Atherosclerosis and Thrombosis, 1996, 3, 25-31.	0.9	7
473	é«~è,,,è;€ç—‡æ²»ç™,è—→ãf;ãfãfãfãf³(æ—¥æœ—ã§é—ç™ªã•ã,Œãÿè—→ã%o). Journal of JCS Cardiologists, 2000, 8,01#3-150.0		
474	Anti-atherosclerotic activity1. , 2002, , 1095-1124.		0
475	Methoden der Gen¼bertragung. , 2003, , 542-590.		0
477	Atherogenesis and Aging. , 2006, , 865-871.		0
478	Frequently cited criticisms. , 2007, , 205-213.		0
479	Animal Models of Atherosclerosis. , 2007, , 15-26.		0
481	Role of Intact Biological Models for Evaluation of Radiotracers. , 2010, , 27-49.		0
482	Experimental Models of Oxidative Stress Related to Cardiovascular Diseases and Diabetes. , 2011, , 39-60.		1
484	High Susceptibility of Atherosclerotic Coronary Arteries to the Onset of Vasospasm and Angina Pectoris-like Symptoms due to Coronary Spasm in WHHLMI Rabbits. Cardiovascular Pharmacology: Open Access, 2014, 04, .	0.1	0
485	Regulation of Cholesterol Synthesis. Journal of Japan Oil Chemists Society, 1981, 30, 680-684.	0.1	0
486	éª¼æ€§é«~è,,,è;€ç—‡ã,  ã,µã,® (WHHL-Rabbit) ã®ã†...è€³éšœã®³ã®ç”ç©¶. Audiology Japan, 1982, 25, 293-294. 0.1		1

#	ARTICLE	IF	CITATIONS
487	Removal of Plasma Low Density Lipoprotein by Adsorption Chromatography with Porous Glass. The Journal of Japan Atherosclerosis Society, 1982, 10, 929-934.	0.0	0
488	The Responsiveness of Various Blood Vessels from WHHL Rabbits to Ergonovine. The Journal of Japan Atherosclerosis Society, 1982, 10, 507-511.	0.0	0
489	The Effect of Probucol on the Lipoprotein and Cholesterol Metabolism in the WHHL-Rabbit. The Journal of Japan Atherosclerosis Society, 1984, 12, 863-867.	0.0	0
490	Lipoproteins and Atherosclerosis: A Problem in Cell Biology. , 1984, , 249-270.		0
491	Effect of Nifedipine on Atherosclerosis in WHHL Rabbits. The Journal of Japan Atherosclerosis Society, 1985, 13, 1185-1189.	0.0	0
492	æ³;æ²«ç ²èfžä*âfªâfè»ç™¹/²âf-â,»âf-â,;âf¹/4. The Journal of Japan Atherosclerosis Society, 1985, 13, 23-31.	0.0	0
493	WHHL Rabbit as an Animal Model of Spontaneous Myocardial Infarction. The Journal of Japan Atherosclerosis Society, 1986, 14, 1117-1121.	0.0	0
494	Effect of Nifedipine on Atherosclerosis in Cholesterol-fed Rabbits. The Journal of Japan Atherosclerosis Society, 1986, 14, 641-646.	0.0	0
495	The Pathogenesis of Atherosclerosis: Myths and Established Facts About Its Relationship to Aging. , 1987, , 7-19.		1
496	Plasma Lipoproteins and Cholesterol Metabolism in a Strain of Hyperlipemic Rats. Proceedings in Life Sciences, 1987, , 126-130.	0.5	0
497	The Hepatic Handling of Cholesterol and Bile Acids in WHHL-Rabbit. The Journal of Japan Atherosclerosis Society, 1987, 14, 1321-1330.	0.0	0
498	Behavior of 125I-rabbit factor XI in Watanabe-hereditary hyperlipidemic rabbit(WHHL rabbit).. Blood & Vessel, 1988, 19, 208-210.	0.0	0
499	Dietary induction and improvement of lipid metabolism abnormality.. Nihon EiyÅ•ShokuryÅ•Gakkai Shi = Nippon EiyÅ•ShokuryÅ•Gakkaishi = Journal of Japanese Society of Nutrition and Food Science, 1989, 42, 281-293.	0.2	2
500	Analyses of Pressure Pulse Waves in the Aortas of WHHL Rabbits. Nihon Reorji Gakkaishi, 1989, 17, 227-230.	0.2	2
501	Lipoproteins and Atherosclerosis: Lessons from an Animal Model for Familial Hypercholesterolemia. Recent Developments in Lipid and Lipoprotein Research, 1989, , 45-52.	0.2	0
502	Effect of Nifedipine on Atherosclerosis in Cholesterol-Fed Rabbits and Watanabe Heritable Hyperlipidemic Rabbits. , 1989, , 47-59.		0
503	Normal and Defective LDL-Receptor Function in Vivo. , 1990, , 397-450.		0
504	Development of an integrated system for intravascular laser emission under direct angioscopic observation. An experimental study for laser coronary angioplasty.. Japanese Journal of Cardiovascular Surgery, 1990, 19, 988-989.	0.0	0

#	ARTICLE	IF	CITATIONS
505	Lipoprotein(a) and the LDL receptor (LDL-R): examination of the problem in a pedigree of rhesus monkeys with a familial hypercholesterolemia secondary to LDL-R deficiency. , 1990, , 127-130.		0
506	Lipoproteins and Pathogenesis of Atherosclerosis. , 1990, , 497-512.		1
507	Platelet Function in Watanabe Heritable Hyperlipidemic Rabbits, a Model for the Progression of Atherosclerosis. Japanese Journal of Thrombosis and Hemostasis, 1991, 2, 29-33.	0.1	0
508	The pathology of atherosclerosis. Developments in Cardiovascular Medicine, 1991, , 19-31.	0.1	0
509	Concepts and strategies for human gene therapy. , 1993, , 165-179.		0
510	Pharmacological inhibition of atherosclerosis in diet-induced and genetically hypercholesterolemic rabbits. , 1993, , 522-528.		0
511	The merit of Excimer Laser Coronary Angioplasty in Experimental Study and Clinical Experience. Nippon Laser Igakkaishi, 1993, 14, 35-38.	0.0	0
512	Rabbit Models in Genetic Research in Atherosclerosis. Developments in Cardiovascular Medicine, 1994, , 115-124.	0.1	0
513	Lipoprotein Receptors. Handbook of Experimental Pharmacology, 1994, , 53-87.	0.9	0
514	Gene Transfer Technology: Alternative Techniques and Applications. , 1994, , 177-219.		0
515	Gene therapy for the genetic dyslipoproteinaemias. Developments in Cardiovascular Medicine, 1995, , 67-80.	0.1	1
516	Möglichkeiten der Gentherapie von Stoffwechselerkrankungen der Leber. , 1995, , 401-409.		0
517	Methoden der Genübertragung. , 1997, , 197-241.		2
518	Hepatic gene therapy. , 1998, , 608-626.		0
519	Inhibition of Cholesterol Biosynthesis. , 2015, , 1-29.		0
520	Induction of Experimental Atherosclerosis. , 2015, , 1-22.		0
521	Improved Arterial Tissue Differentiation by Spectroscopic Optical Coherence Tomography. Sovremennye Tehnologii V Medicine, 2015, 7, 13-20.	0.4	0
522	Inhibition of Cholesterol Biosynthesis. , 2016, , 2247-2271.		1



#	ARTICLE	IF	CITATIONS
523	Induction of Experimental Atherosclerosis. , 2016, , 2207-2225.		0
525	Research methods for animal models of atherosclerosis (Review). Molecular Medicine Reports, 2021, 24, .	1.1	7
526	WHHL Rabbit. A Heritable Animal Model of Familial Hypercholesterolemia. , 1983, , 140-143.		0
527	The Effects of Systemic Hyperoxia and Hypoxia on Atherogenesis in the Watanabe Heritable Hyperlipidemic Rabbit (WHHL-Rabbit). The Journal of Japan Atherosclerosis Society, 1983, 11, 333-338.	0.0	0
528	Therapeutic Angiogenesis: Translational and Clinical Experience. , 2021, , 1-45.		1
529	Transgenic Rabbits: A Novel Model for the Study of Atherosclerosis. , 2002, , 203-207.		0
530	Familial hypercholesterolemia. , 2011, , 631-641.		5
531	Notes on the breeding of the WHHL rabbit: an animal model of familial hypercholesterolemia.. Journal of Lipid Research, 1985, 26, 776-778.	2.0	6
532	Diet induced atherogenic hyperlipoproteinaemia and liver injury in cynomolgus macaques. British Journal of Experimental Pathology, 1986, 67, 235-49.	0.4	7
533	The role of lipid peroxidation in arteriosclerosis. Transactions of the American Clinical and Climatological Association, 1994, 105, 120-9; discussion 130.	0.9	0
534	Pathologic findings in rabbit models of hereditary hypertriglyceridemia and hereditary postprandial hypertriglyceridemia. Comparative Medicine, 2008, 58, 465-80.	0.4	12
535	Electrocardiograms corresponding to the development of myocardial infarction in anesthetized WHHLM rabbits ( <i>Oryctolagus cuniculus</i> ), an animal model for familial hypercholesterolemia. Comparative Medicine, 2012, 62, 409-18.	0.4	1
536	Radiolabelled probes for imaging of atherosclerotic plaques. American Journal of Nuclear Medicine and Molecular Imaging, 2012, 2, 432-47.	1.0	18
538	Animal Models in Toxicologic Research: Rabbit. , 2022, , 695-719.		0
539	Indications for lipid-lowering drugs. European Journal of Clinical Pharmacology, 1991, 40 Suppl 1, S3-10.	0.8	0
540	Antiatherosclerotic effect of probucol in WHHL rabbits: are there plasma parameters to evaluate this effect?. European Journal of Clinical Pharmacology, 1991, 40 Suppl 1, S77-80.	0.8	3
541	Opinion: On the Way towards the New Paradigm of Atherosclerosis. International Journal of Molecular Sciences, 2022, 23, 2152.	1.8	7
542	Pathological Investigations of Intracranial Atherosclerosis Using Multiple Hypercholesterolemic Rabbit Models. Frontiers in Endocrinology, 2022, 13, .	1.5	0

#	ARTICLE	IF	CITATIONS
543	Animal Models of Atherosclerosisâ€”Supportive Notes and Tricks of the Trade. Circulation Research, 2022, 130, 1869-1887.	2.0	26
544	Hereditary hyperlipidemia ocular lesions in a decorative domestic rabbit. Russian Veterinary Journal, 2022, 2022, 37-52.	0.2	0
545	Alleviation of renal injury in rabbits by allisartan. Journal of Investigative Medicine, 2023, 71, 92-100.	0.7	0
546	Alleviation of renal injury in rabbits by allisartan. Journal of Investigative Medicine, 2023, 71, 92-100.	0.7	0
547	The impact of mild hypercholesterolemia on injury repair in the rat patellar tendon. Journal of Orthopaedic Research, 0, , .	1.2	1
548	Mild hypercholesterolemia impacts achilles sub-tendon mechanical properties in young rats. BMC Musculoskeletal Disorders, 2023, 24, .	0.8	3