

# History of a Late Carboniferous phylloid algal bank com

Lethaia

13, 249-267

DOI: [10.1111/j.1502-3931.1980.tb00639.x](https://doi.org/10.1111/j.1502-3931.1980.tb00639.x)

Citation Report

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | Reef Mound-Entstehung: Algen-Mounds im Unterperm der Karnischen Alpen. <i>Facies</i> , 1987, 17, 73-89.  | 1.4 | 14        |
| 2  | Temporal Changes in Carboniferous Reef Mound Communities. <i>Palaios</i> , 1988, 3, 152.   | 1.3 | 85        |
| 3  | Paleoecology of lower and Middle Pennsylvanian (Middle Carboniferous) Chaetetes in North America. <i>Facies</i> , 1989, 20, 139-167.   | 1.4 | 30        |
| 4  | <i>Tetrataxis</i> : a loosely attached limpet-like foraminifer from the Upper Palaeozoic. <i>Lethaia</i> , 1990, 23, 311-322.  | 1.4 | 26        |
| 5  | Reef-building guilds and a checklist for determining guild membership. <i>Coral Reefs</i> , 1991, 10, 47-52.   | 2.2 | 64        |
| 6  | Construction versus accumulation in phylloid algal mounds: an example of a small constructed mound in the Pennsylvanian of Kansas, USA. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2002, 185, 379-389.   | 2.3 | 31        |
| 7  | A close look at late carboniferous algal mounds: Schulterkofel, Carnic Alps, Austria. <i>Facies</i> , 2003, 49, 325-350.   | 1.4 | 26        |
| 8  | Fossils in Thin Section: It is Not That Difficult. , 2004, , 399-574.  |     | 2         |
| 9  | Paleoecology of Late Carboniferous Phylloid Algae in Southern Guizhou, SW China. <i>Acta Geologica Sinica</i> , 2007, 81, 566-572.   | 1.4 | 14        |
| 10 | Paleoecology of Pennsylvanian phylloid algal buildups in south Guizhou, China. <i>Facies</i> , 2007, 53, 615-623.  | 1.4 | 23        |
| 11 | Sedimentologic role of in situ Beresellid algal colonies, Holder Formation (Upper Pennsylvanian), New Mexico, U.S.A.. <i>Carbonates and Evaporites</i> , 2008, 23, 79-88.  | 1.0 | 4         |
| 13 | A Late Carboniferous algal mound from the Tarim Basin, NW China: internal structure and palaeoecology. <i>Geological Journal</i> , 2012, 47, 477-494.  | 1.3 | 10        |
| 14 | Glacioeustatic cyclicity of a Pennsylvanian carbonate platform in a foreland basin setting: An example from the Bachende Formation of the Cantabrian Zone (NW Spain). <i>Sedimentary Geology</i> , 2012, 245-246, 76-93. | 2.1 | 13        |
| 15 | New insights on the red alga <i>Archaeolithophyllum</i> and its preservation from the Pennsylvanian of the Cantabrian Zone (NW Spain). <i>Facies</i> , 2013, 59, 949-967.  | 1.4 | 3         |
| 16 | Lateral variability of shallow-water facies and high-frequency cycles in foreland basin carbonate platforms (Pennsylvanian, NW Spain). <i>Facies</i> , 2017, 63, 1.  | 1.4 | 8         |
| 17 | Diagenesis of Pennsylvanian phylloid algal mounds from the southern Cantabrian Zone (Spain). <i>Arabian Journal of Geosciences</i> , 2017, 10, 1.  | 1.3 | 1         |
| 18 | Sedimentary characteristics and origins of Late Pennsylvanian "Early Permian carbonate mud-mounds at the Shangdan section, Inner Mongolia. <i>Palaeoworld</i> , 2017, 26, 612-630.                                       | 1.1 | 4         |
| 19 | Reservoir characterization of the Pennsylvanian Caddo Limestone in Stephens County, Texas: A case study of <i>Komia</i> -dominated algal mounds. <i>Marine and Petroleum Geology</i> , 2017, 86, 991-1013.               | 3.3 | 1         |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 20 | Evolution of Pennsylvanian inner-platform phylloid algal reef mounds, Pha Nok Khao platform, northeastern Thailand. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2020, 537, 109380.                | 2.3 | 1         |
| 21 | Late Moscovian phylloid algal-microbial mounds from Wadi Araba, north Eastern Desert, Egypt: a new construction model and paleogeographic distribution. <i>International Journal of Earth Sciences</i> , 0, , 1. | 1.8 | 1         |
| 22 | Constructional and Accumulational Modes of Fabrics in Selected Pennsylvanian Algal-Dominated Buildups in Eastern Kansas, Midcontinent, U.S.A., 0, , 219-237.   |     | 5         |
| 23 | Diagenetic structures and the specifics of paleocoenosis of the Middle-Upper Carboniferous skeletal mounds on the Shchuger River (Northern Urals). <i>Lithosphere (Russian Federation)</i> , 2021, 21, 609-624.  | 0.3 | 0         |
| 24 | The Pennsylvanian section at Chaves Box, Rio Arriba County, New Mexico. , 0, , .   |     | 0         |
| 25 | Marine hardground in the Pennsylvanian Atoka Bank Carbonates, Eddy County, New Mexico. <i>Arabian Journal of Geosciences</i> , 2022, 15, .   | 1.3 | 0         |