Stress-state dependence of slip in Titanium-6Al-4V and

Acta Metallurgica 29, 951-968 DOI: 10.1016/0001-6160(81)90049-3

Citation Report

| # | Article | IF | Citations |
|----|---|-----|-----------|
| 2 | Analysis of Micrographs in TEM, STEM, HREM and SEM. , 1984, , 113-152. | | 1 |
| 3 | slip in titanium polycrystals at room temperature. Scripta Metallurgica, 1986, 20, 1581-1586. | 1.2 | 65 |
| 4 | Computer simulation of dislocation cores in h.c.p. metals III. The effect of applied shear strain. Philosophical Magazine A: Physics of Condensed Matter, Structure, Defects and Mechanical Properties, 1986, 53, 205-220. | 0.6 | 31 |
| 5 | Computer simulation of dislocation cores in h.c.p. metals II. Core structure in unstressed crystals. Philosophical Magazine A: Physics of Condensed Matter, Structure, Defects and Mechanical Properties, 1986, 53, 181-204. | 0.6 | 53 |
| 6 | Computer simulation of dislocation cores in h.c.p. metals I. Interatomic potentials and stacking-fault stability. Philosophical Magazine A: Physics of Condensed Matter, Structure, Defects and Mechanical Properties, 1986, 53, 163-179. | 0.6 | 78 |
| 7 | c-Component dislocations in Zr-2.5 wt% Nb Alloy. Journal of Nuclear Materials, 1987, 149, 51-56. | 2.7 | 35 |
| 8 | The formation of c-component defects in zirconium alloys during neutron irradiation. Journal of Nuclear Materials, 1987, 150, 169-181. | 2.7 | 105 |
| 9 | Description of the yielding of a single crystal with cpu symmetry by a tensor-polynomial condition. Soviet Physics Journal (English Translation of Izvestiia Vysshykh Uchebnykh Zavedenii, Fizika), 1989, 32, 327-331. | 0.0 | 7 |
| 10 | Evolution of the Bauschinger effect in tension and compression in Zircaloy-2. Acta Metallurgica, 1989, 37, 529-539. | 2.1 | 26 |
| 11 | Atomistic study of â"ã€^ <ovl>1</ovl> <ovl>1</ovl> 23〉{10 <ovl>1</ovl> 1} dislocations in h.c.p. crystals. I. Structure of the dislocation cores. Philosophical Magazine A: Physics of Condensed Matter, Structure, Defects and Mechanical Properties, 1990, 62, 525-543. | 0.6 | 28 |
| 12 | Atomistic study of â"ã€^ <ovl>1</ovl> <ovl>1</ovl> 23〉{10 <ovl>1</ovl> 1} dislocations in h.cp. crystals. II. Motion of the dislocations. Philosophical Magazine A: Physics of Condensed Matter, Structure, Defects and Mechanical Properties, 1990, 62, 545-556. | 0.6 | 16 |
| 13 | Plastic Deformation Mechanisms in α Titanium. Tetsu-To-Hagane/Journal of the Iron and Steel Institute of Japan, 1990, 76, 495-502. | 0.4 | 13 |
| 14 | Deformation twinning in h.c.p. metals and alloys. Philosophical Magazine A: Physics of Condensed Matter, Structure, Defects and Mechanical Properties, 1991, 63, 987-1000. | 0.6 | 283 |
| 15 | A generalized model of grain boundary diffusion. Philosophical Magazine A: Physics of Condensed Matter, Structure, Defects and Mechanical Properties, 1991, 64, 1239-1249. | 0.6 | 19 |
| 16 | ã€^ <ovl>1</ovl> <ovl>1</ovl> 23〉{10 <ovl>1</ovl> 1} slip in zirconium. Philosophical Magazine A: Physics of Condensed Matter, Structure, Defects and Mechanical Properties, 1991, 63, 1077-1084. | 0.6 | 44 |
| 17 | Core structure of â"ã€^11 <ovl>2</ovl> 0〉 screw dislocations on basal and prismatic planes in h.c.p. metals: An atomistic study. Philosophical Magazine A: Physics of Condensed Matter, Structure, Defects and Mechanical Properties, 1991, 63, 1059-1075. | 0.6 | 67 |
| 18 | Dislocation dissociation and locking in intermetallics. Philosophical Magazine A: Physics of Condensed Matter, Structure, Defects and Mechanical Properties, 1992, 65, 1095-1102. | 0.6 | 7 |
| 19 | Effects of Elastic Anisotropy on the Properties of a+c Dislocations in H.C.P. Metals. Materials Transactions, JIM, 1992, 33, 1130-1137. | 0.9 | 11 |

ITATION REDO

| # | Article | IF | CITATIONS |
|----|---|-----------------------|---------------|
| 20 | Texture and pyramidal slip in Ti, Zr and their alloys. Scripta Metallurgica Et Materialia, 1992, 27, 1859-1863. | 1.0 | 45 |
| 21 | Structure of dislocation cores in metallic materials and its impact on their plastic behaviour. Progress in Materials Science, 1992, 36, 1-27. | 32.8 | 203 |
| 22 | The motion of non-basal dislocations in ice crystals. Philosophical Magazine A: Physics of Condensed Matter, Structure, Defects and Mechanical Properties, 1994, 69, 1-10. | 0.6 | 10 |
| 23 | Two-dimensional sections of the yield locus of a Tiî—,6%Alî—,4%V alloy with a strong transverse-type crystallographic α-texture. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 1995, 201, 103-110. | 5.6 | 45 |
| 24 | Deformation of the O and α2phases in the Ti-Al-Nb system. Philosophical Magazine A: Physics of Condensed Matter, Structure, Defects and Mechanical Properties, 1995, 72, 1559-1587. | 0.6 | 43 |
| 25 | TEM observations of fatigue damage accumulation at the surface of the near-α titanium alloy IMI 834. Acta Materialia, 1996, 44, 3453-3463. | 7.9 | 47 |
| 26 | An <i>in-situ</i> transmission electron microscopy study of pyramidal slip in Ti ₃ Al: II. Fine structure of dislocations and dislocation loops. Philosophical Magazine A: Physics of Condensed Matter, Structure, Defects and Mechanical Properties, 1997, 76, 1013-1032. | 0.6 | 25 |
| 27 | An in-situ transmission electron microscopy study of pyramidal slip in Ti3Al: I. Geometry and kinetics of glide. Philosophical Magazine A: Physics of Condensed Matter, Structure, Defects and Mechanical Properties, 1997, 76, 995-1011. | 0.6 | 27 |
| 28 | CYCLIC DEFORMATION BEHAVIOUR OF AN α∫β TITANIUM ALLOY—II. INTERNAL STRESSES AND MICROMECHAN MODELLING. Acta Materialia, 1997, 45, 2703-2714. | ШÇ,9 | 23 |
| 29 | Plastic deformation of hafnium under uniaxial compression. Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science, 1997, 28, 1479-1487. | 2.2 | 29 |
| 30 | CYCLIC DEFORMATION BEHAVIOUR OF AN α/β TITANIUM ALLOY—I. MICROMECHANISMS OF PLASTICITY UNDI VARIOUS LOADING PATHS. Acta Materialia, 1997, 45, 2685-2701. | ER _{7.9} | 74 |
| 31 | Modelling and prediction of mechanical properties for materials with hexagonal symmetry (zinc,) Tj ETQq1 1 0.78 | 4314 rgB ⁻ | T /Qyerlock 1 |
| 32 | Cyclic softening of the Ti-10V-2Fe-3Al titanium alloy. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 1997, 224, 146-156. | 5.6 | 37 |
| 33 | Single and duplex creep tests at intermediate temperatures on Ni3Al. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 1997, 233, 26-32. | 5.6 | 1 |
| 34 | Plastic deformation of a Ti-6% Al-4% V alloy with a strong transverse-type crystallographic α-texture at elevated temperatures. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 1997, 234-236, 869-872. | 5.6 | 19 |
| 35 | Study on the microstructure and formability of commercially pure titanium in two-temperature deep drawing. Journal of Materials Processing Technology, 1999, 95, 65-70. | 6.3 | 25 |
| 36 | Dislocation structure and crystallite size distribution in hexagonal nanomaterials from X-ray peak profile analysis. International Journal of Materials Research, 2002, 93, 694-698. | 0.8 | 4 |
| 37 | Plastic Deformation Behavior of Ni ₃ X(X=Nb, Ti, Sn) Type HCP-Based Intermetallics with the Geometrically Close-Packed Structure. Materials Research Society Symposia Proceedings, 2002, 753, 1. | 0.1 | 2 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 39 | Contrast factors of dislocations in the hexagonal crystal system. Journal of Applied Crystallography, 2002, 35, 556-564. | 4.5 | 209 |
| 40 | Local texture and fatigue crack initiation in a Ti-6Al-4V titanium alloy. Fatigue and Fracture of Engineering Materials and Structures, 2002, 25, 527-545. | 3.4 | 161 |
| 41 | A study of active deformation systems in titanium alloys: dependence on alloy composition and correlation with deformation texture. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2003, 344, 20-30. | 5.6 | 264 |
| 42 | Computer programANIZCfor the calculation of diffraction contrast factors of dislocations in elastically anisotropic cubic, hexagonal and trigonal crystals. Journal of Applied Crystallography, 2003, 36, 160-162. | 4.5 | 226 |
| 43 | Nanostructures in Ti processed by severe plastic deformation. Journal of Materials Research, 2003, 18, 1908-1917. | 2.6 | 225 |
| 44 | Dislocation structure and crystallite size distribution in plastically deformed Ti determined by X-ray peak profile analysis. International Journal of Materials Research, 2003, 94, 1185-1188. | 0.8 | 14 |
| 45 | Microstructural parameters from X-ray diffraction peak broadening. Scripta Materialia, 2004, 51, 777-781. | 5.2 | 771 |
| 46 | The evolution of non-basal dislocations as a function of deformation temperature in pure magnesium determined by X-ray diffraction. Acta Materialia, 2004, 52, 2889-2894. | 7.9 | 202 |
| 47 | Stamping formability of pure titanium sheets. Journal of Materials Processing Technology, 2005, 170, 181-186. | 6.3 | 93 |
| 48 | Evolution of dislocation density and character in hot rolled titanium determined by X-ray diffraction. Materials Characterization, 2005, 55, 66-74. | 4.4 | 58 |
| 49 | Deformation Modes and Anomalous Strengthening of Ni ₃ X -Type Intermetallic Compounds with the Geometrically Close-Packed Structure. Materials Science Forum, 2005, 502, 145-150. | 0.3 | 5 |
| 50 | Observation of tension–compression asymmetry in α and titanium alloys. Philosophical Magazine, 2005, 85, 279-295. | 1.6 | 67 |
| 51 | Burgers Vector Populations in hot rolled titanium determined by X-ray Peak Profile Analysis. Zeitschrift Für Kristallographie, Supplement, 2006, 2006, 99-104. | 0.5 | 2 |
| 52 | Mechanical twinning and texture evolution in severely deformed Ti–6Al–4V at high temperatures. Acta Materialia, 2006, 54, 3755-3771. | 7.9 | 169 |
| 53 | Deformation behavior in Zr702 processed by equal-channel angular pressing at room temperature. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2006, 423, 180-183. | 5.6 | 7 |
| 54 | Subgrain Size-Distributions, Dislocation Structures, Stacking- and Twin Faults and Vacancy Concentrations in SPD Materials Determined by X-Ray Line Profile Analysis. Materials Science Forum, 2006, 503-504, 133-140. | 0.3 | 8 |
| 55 | TEM Investigation of Dislocations in Hot Deformed Mg-Al-Zn Alloy. Materials Science Forum, 2007, 550, 259-264. | 0.3 | 2 |
| 56 | Grain to grain slip activity in plastically deformed Zr determined by X-ray micro-diffraction line profile analysis. Acta Materialia, 2007, 55, 1117-1127. | 7.9 | 81 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 57 | Effect of microtexture on fatigue cracking in Ti–6Al–4V. Acta Materialia, 2007, 55, 5655-5665. | 7.9 | 133 |
| 58 | Anisotropic behavior of a Ti–6Al–4V sheet during cold rolling: Evidence of macroscopic shearing. Journal of Materials Processing Technology, 2008, 198, 86-92. | 6.3 | 12 |
| 59 | Slip and fatigue crack formation processes in an α/β titanium alloy in relation to crystallographic texture on different scales. Acta Materialia, 2008, 56, 3951-3962. | 7.9 | 307 |
| 60 | The use of X-ray diffraction to determine slip and twinning activity in commercial-purity (CP) titanium. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2008, 493, 79-85. | 5.6 | 38 |
| 61 | Anisotropy of Young's modulus and tensile properties in cold rolled α′ martensite Ti–V–Sn alloys. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2008, 486, 503-510. | 5.6 | 25 |
| 62 | On the mechanisms of fatigue facet nucleation in titanium alloys. Fatigue and Fracture of Engineering Materials and Structures, 2008, 31, 949-958. | 3.4 | 165 |
| 63 | The role of anisotropy in the response of the titanium alloy Ti–6Al–4V to shock loading. Journal of Applied Physics, 2008, 104, 073531. | 2.5 | 36 |
| 64 | TEM of C-component Dislocations Associated with Pyramidal Slip Activity in Hexagonal α2-Ti3Al. Materials Research Society Symposia Proceedings, 2008, 1128, 40501. | 0.1 | Ο |
| 66 | Deformation modes and anisotropy in magnesium alloy AZ31. International Journal of Materials Research, 2009, 100, 556-563. | 0.3 | 45 |
| 67 | Anisotropy in the plastic flow properties of single-crystal α titanium determined from micro-cantilever beams. Acta Materialia, 2009, 57, 5693-5705. | 7.9 | 257 |
| 68 | On the shock compression of polycrystalline metals. Journal of Materials Science, 2009, 44, 3319-3343. | 3.7 | 54 |
| 69 | Crystal plasticity modeling of slip activity in Ti–6Al–4V under high cycle fatigue loading. International Journal of Plasticity, 2009, 25, 1066-1082. | 8.8 | 201 |
| 70 | Evolution of interphase and intergranular stresses in Zr–2.5Nb during room temperature deformation. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2009, 501, 166-181. | 5.6 | 39 |
| 71 | Modeling the room temperature deformation of a two-phase zirconium alloy. Acta Materialia, 2009, 57, 407-419. | 7.9 | 61 |
| 72 | THE ROLE OF TRANSMISSION ELECTRON MICROSCOPY IN ASSESSING SHOCK PLASTICITY. , 2009, , . | | 0 |
| 73 | Characterization of the microstructure in random and textured polycrystals and single crystals by diffraction line profile analysis. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2010, 528, 112-121. | 5.6 | 150 |
| 74 | Burgers vector population, dislocation types and dislocation densities in single grains extracted from a polycrystalline commercial-purity Ti specimen by X-ray line-profile analysis. Scripta Materialia, 2010, 63, 69-72. | 5.2 | 42 |
| 75 | Effective values of critical resolved shear stress for slip in polycrystalline magnesium and other hcp metals. Scripta Materialia, 2010, 63, 737-740. | 5.2 | 385 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 76 | Deformation mode in biomedical Co–27% Cr–5% Mo alloy consisting of a single hexagonal close-packed structure. Scripta Materialia, 2010, 63, 1092-1095. | 5.2 | 32 |
| 77 | The effect of crystal orientation on the indentation response of commercially pure titanium: experiments and simulations. Proceedings of the Royal Society A: Mathematical, Physical and Engineering Sciences, 2010, 466, 695-719. | 2.1 | 155 |
| 78 | Cyclic deformation response and micromechanisms of Ti alloy Ti–5Al–5V–5Mo–3Cr–0.5Fe. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2011, 528, 8723-8732. | 5.6 | 77 |
| 79 | Geometrically necessary dislocation density distributions in Ti–6Al–4V deformed in tension. Acta Materialia, 2011, 59, 6489-6500. | 7.9 | 113 |
| 80 | Microstructure and mechanical properties of as-cast Zr–Nb alloys. Acta Biomaterialia, 2011, 7, 4278-4284. | 8.3 | 156 |
| 81 | Phenomenological and crystal plasticity approaches to describe the mechanical behaviour of Ti6Al4V titanium alloy. International Journal of Material Forming, 2011, 4, 205-215. | 2.0 | 12 |
| 82 | Slip Transfer Across Hetero-Interfaces in Two-Phase Titanium Aluminum Intermetallics. Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science, 2011, 42, 605-612. | 2.2 | 8 |
| 83 | Experimental characterization and elasto-plastic modeling of the quasi-static mechanical response of TA-6V at room temperature. International Journal of Solids and Structures, 2011, 48, 1277-1289. | 2.7 | 77 |
| 84 | Grain-boundary activated pyramidal dislocations in nano-textured Mg by molecular dynamics simulation. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2011, 528, 5411-5420. | 5.6 | 42 |
| 85 | Texture development in friction stir welds. Science and Technology of Welding and Joining, 2011, 16, 288-294. | 3.1 | 238 |
| 86 | Transmission electron microscopy of deformed Ti–6Al–4 V micro-cantilevers. Philosophical Magazine, 2012, 92, 3290-3314. | 1.6 | 19 |
| 87 | Twinning and its role in wrought magnesium alloys. , 2012, , 105-143. | | 14 |
| 88 | X-ray line profiles analysis of plastically deformed metals. Comptes Rendus Physique, 2012, 13, 293-306. | 0.9 | 46 |
| 89 | Microstructure characterization of Ti–6Al–4V titanium laser weld and its deformation. Transactions of Nonferrous Metals Society of China, 2012, 22, 2118-2123. | 4.2 | 13 |
| 90 | Geometrically necessary dislocation density distributions in cyclically deformed Ti–6Al–4V. Acta Materialia, 2012, 60, 5516-5525. | 7.9 | 61 |
| 91 | Stress fields and geometrically necessary dislocation density distributions near the head of a blocked slip band. Acta Materialia, 2012, 60, 5773-5782. | 7.9 | 180 |
| 92 | Local deformation patterns in Ti–6Al–4V under tensile, fatigue and dwell fatigue loading. International Journal of Fatigue, 2012, 43, 111-119. | 5.7 | 80 |
| 93 | Relations between twin and slip in parent lattice due to kinematic compatibility at interfaces. International Journal of Solids and Structures, 2012, 49, 1355-1364. | 2.7 | 6 |

| # | Article | IF | CITATIONS |
|-----|---|-------------------|-----------|
| 94 | Experimental and numerical study of TA-6V mechanical behavior in different monotonic loading conditions at room temperature. Procedia IUTAM, 2012, 3, 100-114. | 1.2 | 11 |
| 95 | Methodology for estimating the critical resolved shear stress ratios of α-phase Ti using EBSD-based trace analysis. Acta Materialia, 2013, 61, 7555-7567. | 7.9 | 184 |
| 96 | Residual elastic stress–strain field and geometrically necessary dislocation density distribution around nano-indentation in TA15 titanium alloy. Transactions of Nonferrous Metals Society of China, 2013, 23, 7-13. | 4.2 | 30 |
| 97 | Dislocation densities and prevailing slip-system types determined by X-ray line profile analysis in a textured AZ31 magnesium alloy deformed at different temperatures. Journal of Applied Crystallography, 2013, 46, 55-62. | 4.5 | 19 |
| 98 | An experimental investigation into the micro-mechanics of spall initiation and propagation in Ti–6Al–4V during shock loading. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2013, 578, 331-339. | 5.6 | 32 |
| 99 | Mobilities and dislocation energies of planar faults in an ordered A3BÂ(D019) structure. Bulletin of Materials Science, 2013, 36, 677-686. | 1.7 | 1 |
| 100 | Evolution and Prediction of Texture in Commercially Pure Warm Rolled Titanium. Materials Science Forum, 2013, 758, 99-105. | 0.3 | 0 |
| 101 | Microscopic mechanism of plastic deformation in a polycrystalline Co–Cr–Mo alloy with a single hcp phase. Acta Materialia, 2014, 64, 1-11. | 7.9 | 30 |
| 102 | Formation and slip of pyramidal dislocations in hexagonal close-packed magnesium single crystals. Acta Materialia, 2014, 71, 319-332. | 7.9 | 145 |
| 103 | ã€^c+a〉 Dislocations in deformed Ti–6Al–4V micro-cantilevers. Acta Materialia, 2014, 76, 127-134. | 7.9 | 41 |
| 104 | Slip band–grain boundary interactions in commercial-purity titanium. Acta Materialia, 2014, 76, 1-12. | 7.9 | 258 |
| 105 | Deformation and strength of Ti–6Al–4V alloyed with B at cryogenic temperatures. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2014, 611, 45-57. | 5.6 | 36 |
| 106 | Initiation and accommodation of primary twins in high-purity titanium. Acta Materialia, 2014, 71, 293-305. | 7.9 | 99 |
| 107 | Characterising the Effects of Strain Rate, Crystallographic Texture and Direction of Loading on the Mechanical Behaviour of Ti-6Al-4V. Journal of Dynamic Behavior of Materials, 2015, 1, 462-471. | 1.7 | 14 |
| 108 | ã€^a〉 Prismatic, ã€^a〉 basal, and ã€^c+a〉 slip strengths of commercially pure Zr by micro-cantilever to Materialia, 2015, 96, 249-257. | ests, Acta 7.9 | 139 |
| 109 | Quantitative Analysis of Dynamic Softening Behaviors Induced by Dynamic Recrystallization for Ti-10V-2Fe-2Al Alloy. High Temperature Materials and Processes, 2015, 34, . | 1.4 | 10 |
| 110 | On rate-dependent polycrystal deformation: the temperature sensitivity of cold dwell fatigue. Proceedings of the Royal Society A: Mathematical, Physical and Engineering Sciences, 2015, 471, 20150214. | 2.1 | 52 |
| 111 | Mechanical behavior and texture prediction of Ti-6Al-4V based on elastic viscoplastic self-consistent modelling. IOP Conference Series: Materials Science and Engineering, 2015, 82, 012027. | 0.6 | 6 |

| щ | | IF | CITATIONS |
|-----|--|-----|-----------|
| # | ARTICLE | IF | CHATIONS |
| 112 | Energy. Acta Metallurgica Sinica (English Letters), 2015, 28, 876-882. | 2.9 | 13 |
| 113 | On the mechanistic basis of deformation at the microscale in hexagonal close-packed metals. Proceedings of the Royal Society A: Mathematical, Physical and Engineering Sciences, 2015, 471, 20140881. | 2.1 | 128 |
| 114 | Examination of the distribution of the tensile deformation systems in tension and tension-creep of Ti-6Al-4V (wt.%) at 296ÂK and 728ÂK. Philosophical Magazine, 2015, 95, 691-729. | 1.6 | 51 |
| 115 | Orientation dependent deformation by slip and twinning in magnesium during single crystal indentation. Acta Materialia, 2015, 91, 267-288. | 7.9 | 78 |
| 116 | Origin of the reversed yield asymmetry in Mg-rare earth alloys at high temperature. Acta Materialia, 2015, 92, 265-277. | 7.9 | 39 |
| 117 | Deformation processes in polycrystalline Zr by molecular dynamics simulations. Journal of Nuclear Materials, 2015, 462, 147-159. | 2.7 | 25 |
| 118 | Preparation of weak-textured commercially pure titanium by electron beam melting. Additive Manufacturing, 2015, 8, 105-109. | 3.0 | 41 |
| 119 | Incipient slip and long range plastic strain localization in microtextured Ti-6Al-4V titanium. Acta Materialia, 2016, 114, 164-175. | 7.9 | 137 |
| 120 | Onset of plasticity in zirconium in relation with hydrides precipitation. Acta Materialia, 2016, 114, 126-135. | 7.9 | 16 |
| 121 | Mechanism and energetics of 〈c + a〉 dislocation cross-slip in hcp metals. Proceedings of the National Academy of Sciences of the United States of America, 2016, 113, 11137-11142. | 7.1 | 93 |
| 122 | Energetics of dislocation transformations in hcp metals. Acta Materialia, 2016, 119, 203-217. | 7.9 | 52 |
| 123 | Study of plastic deformation mechanisms in TA15 titanium alloy by combination of geometrically necessary and statistically-stored dislocations. International Journal of Materials Research, 2016, 107, 1073-1081. | 0.3 | 1 |
| 124 | Local deformation mechanisms of two-phase Ti alloy. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2016, 649, 39-47. | 5.6 | 75 |
| 125 | Anisotropic and asymmetrical yielding and its evolution in plastic deformation: Titanium tubular materials. International Journal of Plasticity, 2017, 90, 177-211. | 8.8 | 67 |
| 126 | Effect of nanoscale α2 precipitation on strain localisation in a two-phase Ti-alloy. Acta Materialia, 2017, 129, 72-82. | 7.9 | 75 |
| 127 | Stacking faults and the -surface on first-order pyramidal planes in -titanium. Philosophical Magazine, 2017, 97, 1129-1143. An atomic-scale modeling and experimental study of complimate | 1.6 | 21 |
| 128 | xmlns:mml="http://www.w3.org/1998/Math/MathML" altimg="si0029.gif" overflow="scroll"> <mml:mrow><mml:mo stretchy="false">ã€<mml:mi>c</mml:mi><mml:mo>+</mml:mo><mml:mi>a</mml:mi>a</mml:mo stretchy="false">ã€dislocations in Mg_Materials Science & amp:</mml:mrow> | 5.6 | 32 |
| 129 | Engineering A: Structural Materials: Pronerties. Microstructure and Processing, 2017, 695, 270-278. Solute hydrogen and hydride phase implications on the plasticity of zirconium and titanium alloys: a review and some recent advances. Philosophical Transactions Series A, Mathematical, Physical, and Engineering Sciences, 2017, 375, 20160417. | 3.4 | 28 |

| | Сітатіо | CITATION REPORT | |
|----------|--|------------------------|-----------------|
| # 130 | ARTICLE Investigation of the shear response and geometrically necessary dislocation densities in shear | IF 8.8 | Citations |
| 131 | The influence of mechanical constraints introduced by Î ² annealed microstructures on the yield strength and ductility of Ti-6Al-4V. Journal of the Mechanics and Physics of Solids, 2017, 103, 179-198. | 4.8 | 42 |
| 132 | Combination of in-situ SEM tensile test and FFT-based crystal elasticity simulations of Ti-6Al-4V for an improved description of the onset of plastic slip. Mechanics of Materials, 2017, 109, 1-10. | 3.2 | 35 |
| 133 | overflow="scroll"> <mml:mrow><mml:mn>11</mml:mn><mml:mrow><mml:mover accent="true"><mml:mn>2</mml:mn><mml:mo>A⁻</mml:mo></mml:mover </mml:mrow><mml:mn>2twins in titanium: A combined experimental and modelling investigation of the local state of deformation. Acta Materialia. 2017, 126, 221-235.</mml:mn></mml:mrow> | រml:mn <i>sឲ្</i> mml: | m r⁄9 w> |
| 134 | On cold dwell facet fatigue in titanium alloy aero-engine components. International Journal of Fatigue, 2017, 97, 177-189. | 5.7 | 76 |
| 135 | In situ SEM study of tensile deformation of a near-β titanium alloy. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2017, 708, 574-581. | 5.6 | 58 |
| 136 | Evolution of dislocation density in a hot rolled Zr–2.5Nb alloy with plastic deformation studied by neutron diffraction and transmission electron microscopy. Philosophical Magazine, 2017, 97, 2888-2914. | 1.6 | 16 |
| 137 | High-Resolution Single-Grain Diffraction of Polycrystalline Materials. Synchrotron Radiation News, 2017, 30, 35-40. | 0.8 | 5 |
| 138 | On slip initiation in equiaxed $\hat{l} \pm / \hat{l}^2$ Ti-6Al-4V. Acta Materialia, 2017, 136, 288-302. | 7.9 | 79 |
| 139 | Ab initio modeling of dislocation core properties in metals and semiconductors. Acta Materialia, 2017, 124, 633-659. | 7.9 | 221 |
| 140 | Comprehensive first-principles study of stable stacking faults in hcp metals. Acta Materialia, 2017, 123, 223-234. | 7.9 | 139 |
| 141 | An Experimental Study on Evolution of Grainâ€Scale Stress/Strain and Geometrical Necessary Dislocations in Advanced TA15 Titanium Alloy during Uniaxial Tension Deformation. Advanced Engineering Materials, 2017, 19, 1600306. | 3.5 | 3 |
| 142 | ECCI, EBSD and EPSC characterization of rhombohedral twinning in polycrystalline α-alumina deformed in a D-DIA apparatus. Journal of Applied Crystallography, 2017, 50, 1691-1704. | 4.5 | 4 |
| 143 | Characterization of deformation in primary α phase and crack initiation and propagation of TC21 alloy using in-situ SEM experiments. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2018, 725, 33-42. | 5.6 | 55 |
| 144 | Determining the strengths of HCP slip systems using harmonic analyses of lattice strain distributions. Acta Materialia, 2018, 144, 92-106. | 7.9 | 42 |
| 145 | Orientation and strain rate dependent tensile behavior of single crystal titanium nanowires by molecular dynamics simulations. Journal of Materials Science and Technology, 2018, 34, 864-877. | 10.7 | 33 |
| 146 | Plastic deformation mechanisms of biomedical Co–Cr–Mo alloy single crystals with hexagonal close-packed structure. Scripta Materialia, 2018, 142, 111-115. | 5.2 | 24 |
| 147 | Micrographic Digital Image Correlation Coupled with Microlithography: Case Study of Strain Localization and Subsequent Cracking at an FIB Notch Tip in a Laminated Ti-6Al-4V Alloy. Experimental Mechanics, 2018, 58, 381-386. | 2.0 | 12 |

| # | Article | IF | CITATIONS |
|-----|--|------|-----------|
| 148 | Influence of alloy element partitioning on strength of primary α phase in Ti-6Al-4V alloy. Journal of Materials Science and Technology, 2018, 34, 782-787. | 10.7 | 45 |
| 149 | Short crack growth behavior and its transitional interaction with 3D microstructure in Ti-6Al-4V. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2018, 738, 229-237. | 5.6 | 14 |
| 150 | A tomographic TEM study of tension-compression asymmetry response of pyramidal dislocations in a deformed Zr-2.5Nb alloy. Scripta Materialia, 2018, 153, 94-98. | 5.2 | 17 |
| 151 | Separating macro- (Type I) and micro- (Type II+III) residual stresses by ring-core FIB-DIC milling and eigenstrain modelling of a plastically bent titanium alloy bar. Acta Materialia, 2018, 156, 43-51. | 7.9 | 38 |
| 152 | Grain-scale Stress and GND Density Distributions around Slip Traces and Phase Boundaries in a Titanium Alloy. Journal Wuhan University of Technology, Materials Science Edition, 2018, 33, 674-679. | 1.0 | 1 |
| 153 | Concurrent operation of âŸ câ€ ⁻ +â€ ⁻ a⟩ slip and twinning under cyclic loading of Ti-6Al-4V. Scripta Materialia, 2018, 157, 30-33. | 5.2 | 29 |
| 154 | Structural evolutions of metallic materials processed by severe plastic deformation. Materials Science and Engineering Reports, 2018, 133, 1-59. | 31.8 | 401 |
| 155 | Optimization of VPSC Model Parameters for Two-Phase Titanium Alloys: Flow Stress Vs Orientation Distribution Function Metrics. Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science, 2018, 49, 3624-3636. | 2.2 | 13 |
| 156 | The effect of strain path changes on texture evolution and deformation behavior of Ti6Al4V subjected to accumulative angular drawing. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2019, 764, 138168. | 5.6 | 7 |
| 157 | Oxygen effects on crystal plasticity of Titanium: A multiscale calibration and validation framework. Acta Materialia, 2019, 176, 19-32. | 7.9 | 19 |
| 158 | Quantitative Analysis on Light Elements Solution Strengthening in Pure Titanium Sintered Materials by Labusch Model Using Experimental Data. Materials Transactions, 2019, 60, 263-268. | 1.2 | 43 |
| 159 | Asymmetrical response of edge pyramidal dislocations in HCP zirconium under tension and compression: A molecular dynamics study. Computational Materials Science, 2019, 170, 109183. | 3.0 | 8 |
| 160 | In situ characterization of a high work hardening Ti-6Al-4V prepared by electron beam melting. Acta Materialia, 2019, 179, 224-236. | 7.9 | 39 |
| 161 | Slip-stimulated grain boundary sliding in Ti-6Al-4†V at room temperature. Materialia, 2019, 5, 100189. | 2.7 | 28 |
| 162 | Identification of active slip mode in a hexagonal material by correlative scanning electron microscopy. Acta Materialia, 2019, 175, 376-393. | 7.9 | 38 |
| 163 | On microstructural homogenization and mechanical properties optimization of biomedical Co-Cr-Mo alloy additively manufactured by using electron beam melting. Additive Manufacturing, 2019, 28, 215-227. | 3.0 | 38 |
| 164 | In situ EBSD investigation of deformation processes and strain partitioning in bi-modal Ti-6Al-4V using lattice rotations. Acta Materialia, 2019, 171, 261-274. | 7.9 | 72 |
| 165 | A criterion for general description of anisotropic hardening considering strength differential effect with non-associated flow rule. International Journal of Plasticity, 2019, 121, 76-100. | 8.8 | 77 |

| # | Article | IF | CITATIONS |
|-----|---|------|-----------|
| 166 | Deformation Inhomogeneity. , 2019, , 29-83. | | 0 |
| 167 | Uncovering the influence of metallic and non-metallic impurities on the ideal shear strength and ductility of Ti: An ab-initio study. Journal of Alloys and Compounds, 2019, 788, 413-421. | 5.5 | 14 |
| 168 | An evidence of pseudo-elasticity in a caliber rolled Ti 6Al 4V alloy and its effect on tension-compression flow asymmetry. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2019, 754, 650-658. | 5.6 | 7 |
| 169 | Nonbasal Slip Systems Enable a Strong and Ductile Hexagonal-Close-Packed High-Entropy Phase. Physical Review Letters, 2019, 122, 075502. | 7.8 | 83 |
| 170 | Fatigue behavior, microstructural evolution, and fatigue life model based on dislocation annihilation of an Fe-Ni-Cr alloy at 700â€Â°C. International Journal of Plasticity, 2019, 118, 105-129. | 8.8 | 20 |
| 171 | Predicting the Tensile Behavior of Ti-6.6Al-3.3Mo-1.8Zr-0.29Si Alloy via the Temperature-Dependent Crystal Plasticity Method. Materials, 2019, 12, 3138. | 2.9 | 0 |
| 172 | Dependences of Grain Size and Strain-Rate on Deformation Behavior of Commercial Purity Titanium Processed by Multi-Directional Forging. Nippon Kinzoku Gakkaishi/Journal of the Japan Institute of Metals, 2019, 83, 465-473. | 0.4 | 2 |
| 173 | Deformation banding in a precipitation hardened aluminum alloy during simple shear deformation. Scripta Materialia, 2019, 162, 300-305. | 5.2 | 19 |
| 174 | Analysis of deformation mechanisms operating under fatigue and dwell-fatigue loadings in an α/β titanium alloy. International Journal of Fatigue, 2020, 131, 105341. | 5.7 | 35 |
| 175 | A finite element methodology to incorporate kinematic activation of discrete deformation twins in a crystal plasticity framework. Computer Methods in Applied Mechanics and Engineering, 2020, 358, 112653. | 6.6 | 18 |
| 176 | Tension–compression asymmetry of <mml:math <br="" xmlns:mml="http://www.w3.org/1998/Math/MathML">altimg="si3.svg"><mml:mrow><mml:mo>ã€^</mml:mo><mml:mi>c</mml:mi><mml:mo linebreak="goodbreak">+<mml:mi>a</mml:mi><mml:mo>〉</mml:mo></mml:mo </mml:mrow></mml:math> slip in Ti–6Al. Scripta Materialia, 2020, 178, 119-123. | 5.2 | 21 |
| 177 | Characterization and Modeling of Room-Temperature Compressive Creep Behavior of a Near $\hat{I}\pm$ TA31 Titanium Alloy. Metals, 2020, 10, 1190. | 2.3 | 3 |
| 178 | Dislocation structures representing individual slip systems within the α phase of a Ti–6Al–4V alloy deformed in tension. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2020, 797, 140225. | 5.6 | 16 |
| 179 | Predicting dwell fatigue life in titanium alloys using modelling and experiment. Nature Communications, 2020, 11, 5868. | 12.8 | 63 |
| 180 | Deformation processes near a crack initiation site under dwell-fatigue loading of Ti-6Al-4V. MATEC Web of Conferences, 2020, 321, 11074. | 0.2 | 0 |
| 181 | Microplasticity at Room Temperature in α/β Titanium Alloys. Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science, 2020, 51, 4931-4969. | 2.2 | 40 |
| 182 | Measurement Modulus of Elasticity Related to the Atomic Density of Planes in Unit Cell of Crystal Lattices. Materials, 2020, 13, 4380. | 2.9 | 45 |
| 183 | On the slip and twinning mechanisms on first order pyramidal plane of magnesium: Molecular dynamics simulations and first principal studies. Materials and Design, 2020, 191, 108648. | 7.0 | 18 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 184 | High-cycle fatigue of a titanium alloy: the role of microstructure in slip irreversibility and crack initiation. Journal of Materials Science, 2020, 55, 12476-12487. | 3.7 | 15 |
| 185 | Remarkable increase in high-cycle fatigue resistance in a titanium alloy with a fully lamellar microstructure. International Journal of Fatigue, 2020, 138, 105724. | 5.7 | 16 |
| 186 | Hot Rolled Ti6321 Alloy Sheets With Different Initial Microstructures: Microstructure, Mechanical Properties, and Anisotropy Characteristics. Frontiers in Materials, 2020, 7, . | 2.4 | 3 |
| 187 | Introduction of Mille-Feuille-Like α/β Layered Structure into Ti–Mo Alloy. Materials Transactions, 2020, 61, 856-861. | 1.2 | 8 |
| 188 | Effect of heat treatment on the tensile behavior of selective laser melted Ti-6Al-4V by in situ X-ray characterization. Acta Materialia, 2020, 189, 93-104. | 7.9 | 88 |
| 189 | Dynamic mechanical properties and failure characteristics of electron beam melted Ti-6Al-4V under high strain rate impact loadings. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2020, 793, 139794. | 5.6 | 33 |
| 190 | The Formation of \$\$ left{ {10ar{1}2} ight} \$\$ Deformation Twin in Hybrid TiB-TiC Reinforced Titanium Matrix Composites. Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science, 2021, 52, 350-363. | 2.2 | 1 |
| 191 | Modeling the role of local crystallographic correlations in microstructures of Ti-6Al-4V using a correlated structure visco-plastic self-consistent polycrystal plasticity formulation. Acta Materialia, 2021, 203, 116502. | 7.9 | 28 |
| 192 | Orientation Dependence of the Micro-Pillar Compression Strength in an Electron Beam Melted Ti–6Al–4V Alloy. Acta Metallurgica Sinica (English Letters), 2021, 34, 476-484. | 2.9 | 4 |
| 193 | Slip Activity During Low-Stress Cold Creep Deformation in a Near-Î ^t Titanium Alloy. SSRN Electronic Journal, 0, , . | 0.4 | 0 |
| 194 | Transmission electron microscopy investigation of the dislocation structure in a Ti-6Al-4V alloy subjected to an early stage of cyclic deformation. Materials Characterization, 2021, 172, 110896. | 4.4 | 11 |
| 195 | The Plastic Deformation Mechanisms of hcp Single Crystals with Different Orientations: Molecular Dynamics Simulations. Materials, 2021, 14, 733. | 2.9 | 8 |
| 196 | Bayesian analysis reveals the impact of load partitioning on microstructural evolution in Ti-6Al-4V during in-situ tensile loading. Materialia, 2021, 15, 100993. | 2.7 | 3 |
| 197 | Microstructure-Based Estimation of Strength and Ductility Distributions for \$\$alpha +eta \$\$ Titanium Alloys. Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science, 2021, 52, 2411-2434. | 2.2 | 9 |
| 198 | Deformation Behaviour of a FAST Diffusion Bond Processed from Dissimilar Titanium Alloy Powders. Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science, 2021, 52, 3064-3082. | 2.2 | 9 |
| 199 | Effects of hydrogen as a solid solution element on the deformation behavior of a near-alpha titanium alloy. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2021, 815, 141269. | 5.6 | 15 |
| 200 | The effect of temperature on slip in microtextured Ti-6Al-2Sn-4Zr-2Mo under dwell fatigue. International Journal of Fatigue, 2021, 147, 106173. | 5.7 | 17 |
| 201 | Shear localization behavior in hat-shaped specimen of near-α Tiâ~'6Alâ^'2Zrâ~'1Moâ~'1V titanium alloy loaded at high strain rate. Transactions of Nonferrous Metals Society of China, 2021, 31, 1641-1655. | 4.2 | 8 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 202 | Predicting shear transmission across grain boundaries with an iterative stress relief model. Acta Materialia, 2021, 215, 116992. | 7.9 | 7 |
| 203 | Understanding the role of local texture variation on slip activity in a two-phase titanium alloy. Acta Materialia, 2021, 216, 117111. | 7.9 | 19 |
| 204 | Effects of strain rate and strain on microstructural evolution and mechanical properties of a Ti-10Âat.%Al alloy. Materials Characterization, 2021, 179, 111314. | 4.4 | 6 |
| 205 | Cold dwell fatigue analyses integrating crystal-level strain rate sensitivity and microstructural heterogeneity. International Journal of Fatigue, 2021, 151, 106398. | 5.7 | 8 |
| 206 | Mechanistic insights into interface-facilitated dislocation nucleation and phase transformation at semicoherent bimetal interfaces. International Journal of Plasticity, 2021, 146, 103105. | 8.8 | 10 |
| 208 | Texture and Microstructure of Ti-6Al-4V Alloys After High Temperature Rolling. , 1985, , 251-256. | | 3 |
| 209 | Dislocations and Mechanisms Revealed by Computer Simulation. , 1989, , 3-12. | | 1 |
| 210 | Static and dynamic shear-compression response of additively manufactured Ti6Al4V specimens with embedded voids. Mechanics of Materials, 2020, 147, 103413. | 3.2 | 18 |
| 211 | First principles high-throughput screening to enhance the ductility of lightweight magnesium alloys. Physical Review Materials, 2019, 3, . | 2.4 | 1 |
| 212 | Microstructural effect on strength–ductility balance and deformation mode of Ti–4.5Al–2Mo–1.6V–0.5Fe–0.3Si alloy. Keikinzoku/Journal of Japan Institute of Light Metals, 2016, 66, 531-537. | 0.4 | 1 |
| 213 | Tension-compression asymmetry and shear strength of titanium alloys. Acta Materialia, 2021, 221, 117392. | 7.9 | 17 |
| 214 | Analysis of a three-dimensional slip field in a hexagonal Ti alloy from in-situ high-energy X-ray diffraction microscopy data. Acta Materialia, 2021, 221, 117372. | 7.9 | 6 |
| 215 | Intergranular and Interphase Constraints in Zirconium Alloys. Journal of ASTM International, 2008, 5, 1-20. | 0.2 | 1 |
| 216 | New Type of Deformation Processing of Conventional Ti Alloys. Journal of the Japan Society for Technology of Plasticity, 2012, 53, 900-905. | 0.3 | 0 |
| 217 | Influence of Sn on Deformation Mechanisms During Room Temperature Compression of Binary Zr–Sn Alloys. , 2015, , 138-158. | | 0 |
| 218 | A Comparative Study on the Substructure Evolution and Mechanical Properties of TIMETAL® 407 and Ti-64. MATEC Web of Conferences, 2020, 321, 11045. | 0.2 | 2 |
| 219 | Dependences of Grain Size and Strain-Rate on Deformation Behavior of Commercial Purity Titanium Processed by Multi-Directional Forging. Materials Transactions, 2020, 61, 2320-2328. | 1.2 | 3 |
| 220 | Fundamental Aspects. , 2007, , 15-52. | | 0 |

| # | Article | IF | CITATIONS |
|-----|--|---------------------|-----------|
| 221 | Transformation plasticity in high strength, ductile ultrafine-grained FeMn alloy processed by heavy ausforming. International Journal of Plasticity, 2022, 148, 103151. | 8.8 | 12 |
| 222 | Slip activity during low-stress cold creep deformation in a near-α titanium alloy. Acta Materialia, 2022, 229, 117691. | 7.9 | 22 |
| 223 | Dislocation structures in a Ti–6Al–4V alloy subjected to cyclic tensile deformation. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2022, 836, 142700. | 5.6 | 5 |
| 224 | Dislocation structure and crystallite size distribution in plastically deformed Ti determined by X-ray peak profile analysis. International Journal of Materials Research, 2022, 94, 1185-1188. | 0.3 | 0 |
| 225 | Tensile behavior and deformation mechanism of a bimodal microstructure with microtextured region in Ti6242S alloy. Journal of Alloys and Compounds, 2022, 905, 164206. | 5.5 | 3 |
| 226 | Microstructure and Plastic Deformation on $\hat{f}'\hat{J'}$ Ti-10cr with Layered Structures. SSRN Electronic Journal, 0, , . | 0.4 | 0 |
| 227 | The Mechanical Behavior and Microstructure of Additively Manufactured Ti6AI4V for Different Material States and Loading Conditions. Journal of Dynamic Behavior of Materials, 0, , 1. | 1.7 | 0 |
| 228 | Simultaneous strength-ductility enhancement in as-cast Ti6Al4V alloy by trace Ce. Materials and Design, 2022, 215, 110491. | 7.0 | 10 |
| 229 | High-throughput characterization of the cyclic response of Ti-6Al-4V using spherical microindentation stress–strain protocols. International Journal of Fatigue, 2022, 161, 106921. | 5.7 | 0 |
| 230 | Plastic behavior and improved constitutive model of a laser-solid-formed alloy under the synergistic effects of temperature, strain rate, and stress state. Mechanics of Advanced Materials and Structures, 2023, 30, 3406-3418. | 2.6 | 2 |
| 231 | Statistical Analysis of the Distribution of the Schmid Factor in As-Built and Annealed Parts Produced by Laser Powder Bed Fusion. Crystals, 2022, 12, 743. | 2.2 | 4 |
| 232 | A titanium-nitrogen alloy with ultrahigh strength by ball milling and spark plasma sintering. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2022, 848, 143465. | 5.6 | 3 |
| 233 | Potential Rink band formation on <mml:math <br="" xmlns:mml="http://www.w3.org/1998/Math/MathML">altimg="si7.svg" display="inline" id="d1e257"><mml:mrow><mml:mi>l±</mml:mi><mml:mo>/</mml:mo><mml:mi>l²</mml:mi></mml:mrow>two-phase Ti-10Cr alloy under compressive condition. Materials Science & amp; Engineering A:</mml:math> | n sl:e nath> | 5 |
| 234 | Loading direction dependence of asymmetric response of <c+a> pyramidal slip in rolled AZ31 magnesium alloy. Journal of Magnesium and Alloys, 2023, 11, 3634-3641.</c+a> | 11.9 | 4 |
| 235 | Strain mapping in fine scale multivariant $\hat{l}\pm$ structures in titanium alloys. Materials Characterization, 2022, 193, 112260. | 4.4 | 2 |
| 236 | Tensile Deformation Behaviors of Pure Ti with Different Grain Sizes Under Wide-Range of Strain Rate. SSRN Electronic Journal, 0, , . | 0.4 | 0 |
| 237 | Research Progress on Slip Behavior of α-Ti under Quasi-Static Loading: A Review. Metals, 2022, 12, 1571. | 2.3 | 4 |
| 238 | Micro-nano twins appearing in ultrafine-grained Ti–6Al–4V alloy induced by high-pressure water jet technology. Materials Research Express, 0, , . | 1.6 | Ο |

| # | Article | IF | CITATIONS |
|-----|--|------|-----------|
| 239 | Design and comparison of the strength of propeller shaft for truck made of AA2024, AA7068, and Ti-6Al-4V using ANSYS. Materials Today: Proceedings, 2022, 69, 1442-1454. | 1.8 | 1 |
| 240 | High-Cycle Fatigue Behavior and Corresponding Microscale Deformation Mechanisms of Metastable Ti55511 Alloy with A Basket-Weave Microstructure. Materials, 2022, 15, 7144. | 2.9 | 1 |
| 241 | Internal fatigue crack propagation in a Ti-6Al-4V alloy: An in situ study. International Journal of Fatigue, 2023, 168, 107450. | 5.7 | 5 |
| 242 | Tensile Deformation Behaviors of Pure Ti with Different Grain Sizes under Wide-Range of Strain Rate. Materials, 2023, 16, 529. | 2.9 | 2 |
| 243 | <i>In situ</i> synchrotron X-ray multimodal experiment to study polycrystal plasticity. Journal of Synchrotron Radiation, 2023, 30, 379-389. | 2.4 | 4 |
| 244 | Enhancing microstructure refinement and strengthening efficiency of TiBw/near α-Ti composites by combining solid-solution treatment with hot processing. Composites Part B: Engineering, 2023, 257, 110696. | 12.0 | 6 |
| 245 | Correlated structure viscoplastic self-consistent polycrystal plasticity: Application to modeling strain rate sensitive deformation of Ti-6Al-4ÂV. International Journal of Plasticity, 2023, 163, 103571. | 8.8 | 7 |
| 247 | Modelling of dislocations, twins and crack-tips in HCP and BCC Ti. International Journal of Plasticity, 2023, 166, 103644. | 8.8 | 4 |
| 248 | The effect of orientation on the deformation behavior of Cr2AlC. Acta Materialia, 2023, 257, 119136. | 7.9 | 1 |
| 249 | Effect of sub-zero temperatures on activation of basal <a> slip, tension twinning and pyramidal <c+a> slip in magnesium using micropillar compression. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2023, , 145636.</c+a> | 5.6 | 0 |
| 250 | Micromechanical analysis of anisotropy and asymmetry in pure titanium using electron backscatter diffraction and crystal plasticity finite element modeling. Journal of Materials Research and Technology, 2023, 27, 4088-4108. | 5.8 | 0 |
| 251 | Crystal Orientation and Dislocation Slip. Metals, 2023, 13, 1950. | 2.3 | 0 |
| 253 | Outstanding strength-ductility balance in a Ti–N alloy by tuning ball milling time. Journal of Materials Research and Technology, 2023, 27, 5128-5139. | 5.8 | 1 |
| 254 | Effect of texture on the mechanical and micromechanical properties of a dual-phase titanium alloy. Journal of Materials Research and Technology, 2023, 27, 6833-6846. | 5.8 | 1 |
| 255 | Fractional densities and character of dislocations in different slip modes from powder diffraction patterns. Journal of Nuclear Materials, 2024, 589, 154828. | 2.7 | 0 |
| 256 | First-principles study and its experimental verification on the strength and ductility of O/Si solid solution strengthened Ti alloys. Journal of Materials Research and Technology, 2023, 27, 7778-7786. | 5.8 | 0 |
| 257 | Superior strength-ductility combination in TiC/TC4 composites via In situ construction Ti2Cu nanoparticles. Carbon, 2024, 219, 118805. | 10.3 | 1 |
| 258 | Effects of grain size and β fraction on the deformation modes of a Ti-6Al-2Sn-4Zr-2Mo-Si alloy with equiaxed (αÂ+Âβ) microstructures: Slip trace analysis and multiscale simulation of polycrystal plasticity. Journal of Alloys and Compounds, 2024, 981, 173722. | 5.5 | 0 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 259 | Deformation mechanisms and their role in the lack of ductility in the refractory-based high entropy alloy AlMo0.5NbTa0.5TiZr. Acta Materialia, 2024, 269, 119824. | 7.9 | 0 |
| 260 | Deformation mechanisms in the α phase of the Ti-6Al-2Sn-4Zr-2Mo titanium alloy: In situ experiments and simulations. International Journal of Plasticity, 2024, 175, 103947. | 8.8 | 0 |
| 261 | Understanding the Reversed Tension–Compression Asymmetry of an Extruded Mg-10Y Sheet from the Perspective of Slip Activity and Plastic Heterogeneity. Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science, 2024, 55, 1673-1689. | 2.2 | 0 |