

CITATION REPORT

List of articles citing

Focal cerebral ischaemia in the rat: 1. Description of technique and early neuropathological consequences following middle cerebral artery occlusion

DOI: 10.1038/jcbfm.1981.6

Journal of Cerebral Blood Flow and Metabolism, 1981, 1, 53-60.

Source: <https://exaly.com/paper-pdf/15343897/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
1283	Focal cerebral ischaemia in the rat: 2. Regional cerebral blood flow determined by [14C]iodoantipyrine autoradiography following middle cerebral artery occlusion. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1981 , 1, 61-9	7.3	293
1282	Cerebrovascular permeability following MCA occlusion in the rat. The effect of halothane-induced hypotension. 1982 , 57, 186-96		52
1281	The ramp injection of radiotracers for blood flow measurement by emission tomography. 1983 , 28, 963-72		9
1280	Regional cerebral blood flow measurement in rats with radioactive microspheres. 1983 , 33, 1075-80		13
1279	Regional cerebral ischemia by occlusion of the posterior communicating artery and the middle cerebral artery in gerbils. 1983 , 58, 362-7		28
1278	Differential outcome to middle cerebral artery occlusion in spontaneously hypertensive stroke-prone rats (SHRSP) and Wistar Kyoto (WKY) rats. 1983 , 14, 605-11		131
1277	A new model of transient hindbrain ischemia in gerbils. 1984 , 60, 1054-8		10
1276	Focal cerebral ischemia in the rat: topography of hemodynamic and histopathological changes. 1984 , 15, 559-67		144
1275	Ischemia and revascularization of the middle cerebral territory of the rat brain by manipulation of the blood vessels in the neck. 1984 , 21, 351-7		10
1274	Autoradiographic determination of brain pH following middle cerebral artery occlusion in the rat. 1984 , 15, 540-7		57
1273	The distribution of ischaemic damage and cerebral blood flow after unilateral carotid occlusion and hypotension in the rat. 1984 , 15, 704-10		27
1272	Cerebral infarction after middle cerebral artery occlusion in progenies of spontaneously stroke-prone and normal rats. 1984 , 15, 711-6		52
1271	Experimental ischemic stroke: a review. 1984 , 15, 5-14		187
1270	Cerebral infarction in rats using homologous blood emboli: development of a new experimental model. 1985 , 16, 76-84		64
1269	Graded focal cerebral ischemia in the rat by unilateral carotid artery occlusion and elevated intracranial pressure: hemodynamic and biochemical characterization. 1985 , 16, 466-76		29
1268	Correlation of local cerebral blood flow, glucose utilization, and tissue pH following a middle cerebral artery occlusion in the rat. 1985 , 16, 828-34		63
1267	Alterations of the eicosanoid synthetic capacity of rat brain microvessels following ischemia: relevance to ischemic brain edema. 1985 , 44, 85-93		62

1266	Cerebral ischemia in rabbit: a new experimental model with immunohistochemical investigation. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1985 , 5, 529-36	7.3	28
1265	Induction of reproducible brain infarction by photochemically initiated thrombosis. 1985 , 17, 497-504		887
1264	Regional glucose utilization and blood flow following graded forebrain ischemia in the rat: correlation with neuropathology. 1985 , 18, 470-81		89
1263	Effect of pretreatment with the calcium antagonist nimodipine on local cerebral blood flow and histopathology after middle cerebral artery occlusion. 1985 , 18, 705-11		158
1262	Behavioural, electroencephalographic and pathological studies in rats with middle cerebral artery occlusion.. 1985 , 39, 174		
1261	A new model of bilateral hemispheric ischemia in the rat--three vessel occlusion model. 1985 , 16, 489-93		77
1260	Freeze-fracture replica study of capillary endothelium after embolization in the dog. 1985 , 62, 737-42		4
1259	Ischemic brain edema following occlusion of the middle cerebral artery in the rat. I: The time courses of the brain water, sodium and potassium contents and blood-brain barrier permeability to 125I-albumin. 1985 , 16, 101-9		296
1258	Recirculation model following MCA occlusion in rats. Cerebral blood flow, cerebrovascular permeability, and brain edema. 1985 , 63, 272-7		111
1257	Pure cortical ischemia versus striatal ischemia. Circulatory, metabolic, and neuropathologic consequences. 1985 , 24, 47-51		64
1256	Stable xenon CT blood flow mapping for evaluation of patients with extracranial-intracranial bypass surgery. 1985 , 62, 324-33		51
1255	Rat middle cerebral artery occlusion: evaluation of the model and development of a neurologic examination. 1986 , 17, 472-6		2153
1254	Different susceptibilities to cerebral infarction in spontaneously hypertensive (SHR) and normotensive Sprague-Dawley rats. 1986 , 17, 520-5		108
1253	Tissue Na, K, and Ca changes in regional cerebral ischemia: their measurement and interpretation. 1986 , 3, 215-34		14
1252	Calcium antagonists reduce the extent of infarction in rat middle cerebral artery occlusion model as determined by quantitative magnetic resonance imaging. 1986 , 17, 1228-34		134
1251	Ca paradox in neural injury: a hypothesis. 1986 , 3, 235-51		28
1250	Infarct rim: effect of hyperglycemia on direct current potential and [14C]2-deoxyglucose phosphorylation. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1986 , 6, 607-15	7.3	311
1249	Cerebral acidosis in focal ischemia: I. A method for the simultaneous measurement of local cerebral pH with cerebral glucose utilization or cerebral blood flow in the rat. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1986 , 6, 667-75	7.3	12

1248	Cerebral acidosis in focal ischemia: II. Nimodipine and verapamil normalize cerebral pH following middle cerebral artery occlusion in the rat. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1986 , 6, 676-83	73	68
1247	Nimodipine and the haemodynamic and histopathological consequences of middle cerebral artery occlusion in the rat. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1986 , 6, 321-31	73	145
1246	Regional cerebral ischemia in the gerbil: measurement of regional cerebral blood flow by quantitative autoradiography. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1986 , 6, 348-57	73	18
1245	Focal ischemia of the rat brain: autoradiographic determination of cerebral glucose utilization, glucose content, and blood flow. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1986 , 6, 414-24	73	144
1244	Changes of uric acid level in rat brain after focal ischemia. 1986 , 46, 851-3		29
1243	A model of focal ischemic stroke in the rat: reproducible extensive cortical infarction. 1986 , 17, 738-43		514
1242	Evaluation of 2,3,5-triphenyltetrazolium chloride as a stain for detection and quantification of experimental cerebral infarction in rats. 1986 , 17, 1304-8		1108
1241	The effect of isovolaemic haemodilution and intravenous glycerol on the sequelae of middle cerebral artery occlusion in the rat. 1986 , 49, 428-30		11
1240	Quantitative assessment of early brain damage in a rat model of focal cerebral ischaemia. 1987 , 50, 402-10		262
1239	The effect of increased blood pressure on hemispheric lactate and water content during acute cerebral ischaemia in the rat and gerbil. 1987 , 50, 1493-8		22
1238	Immunohistochemical investigation of cerebral ischemia after middle cerebral artery occlusion in gerbils. 1987 , 67, 414-20		18
1237	Regional brain calcium changes in the rat middle cerebral artery occlusion model of ischemia. 1987 , 18, 760-4		66
1236	Acute effect of angiographic contrast medium on cortical specific gravity after middle cerebral artery occlusion in rats. 1987 , 18, 924-6		
1235	Identification and quantitative analysis of hydroxy-eicosatetraenoic acids in rat brains exposed to regional ischemia. 1987 , 18, 490-4		32
1234	Regional brain sodium, potassium, and water changes in the rat middle cerebral artery occlusion model of ischemia. 1987 , 18, 751-9		136
1233	Transient focal ischemia in hyperglycemic rats is associated with increased cerebral infarction. <i>Brain Research</i> , 1987 , 408, 79-85	3-7	147
1232	A model of embolic cerebral ischemia in the rat. 1987 , 96, 393-405		6
1231	Regional differences in local cerebral blood flow (LCBF) and glucose utilization (LCGU) in the basal ganglia after occlusion of the middle cerebral artery in rats. 1987 , 68, 271-87		4

1230	Neuronal injury in the infarct border: a neuropathological study in the rat. 1987 , 73, 267-74		93
1229	Photochemically induced cerebral infarction. II. Edema and blood-brain barrier disruption. 1987 , 72, 326-34		121
1228	Focal ischemia of the rat brain, with special reference to the influence of plasma glucose concentration. 1987 , 73, 131-7		127
1227	Rat middle cerebral artery occlusion: use of evoked potentials and tetrazolium staining to assess chronic ischaemia. 1987 , 22, 133-9		16
1226	Time-dependent changes of lumped and rate constants in the deoxyglucose method in experimental cerebral ischemia. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1987 , 7, 640-8	7:3	20
1225	Correlation of triphenyltetrazolium chloride perfusion staining with conventional neurohistology in the detection of early brain ischaemia. 1988 , 14, 289-98		70
1224	Mechanisms of brain damage in focal cerebral ischemia. 1988 , 77, 81-101		150
1223	The glutamate antagonist MK-801 reduces focal ischemic brain damage in the rat. 1988 , 24, 543-51		523
1222	The influence of intermittent versus continuous brain retractor pressure on regional cerebral blood flow and neuropathology in the rat. 1988 , 93, 13-7		22
1221	The effects of TRH analogues on cerebral ischaemia produced by middle cerebral artery occlusion in the rat. 1988 , 70, 342-50		16
1220	Origins and pathways of cerebrovascular vasoactive intestinal polypeptide-positive nerves in rat. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1988 , 8, 697-712	7:3	190
1219	Experimental cerebral ischemia: barbiturate resistant increase in regional glucose utilization. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1988 , 8, 763-6	7:3	12
1218	Autoradiographic determination of cerebral glucose content, blood flow, and glucose utilization in focal ischemia of the rat brain: influence of the plasma glucose concentration. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1988 , 8, 100-8	7:3	53
1217	Focal cerebral infarction. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1988 , 8, 769-73	7:3	29
1216	Hyperglycemia increases infarct size in collaterally perfused but not end-arterial vascular territories. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1988 , 8, 186-92	7:3	156
1215	Photothrombotic occlusion of rat middle cerebral artery: histopathological and hemodynamic sequelae of acute recanalization. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1988 , 8, 357-66	7:3	62
1214	Prevention of ischemic and postischemic brain edema by a novel calcium antagonist (PN200-110). <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1988 , 8, 436-9	7:3	42
1213	The quantification of cerebral infarction following focal ischemia in the rat: influence of strain, arterial pressure, blood glucose concentration, and age. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1988 , 8, 449-61	7:3	337

1212	Focal brain ischemia in the rat: methods for reproducible neocortical infarction using tandem occlusion of the distal middle cerebral and ipsilateral common carotid arteries. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1988 , 8, 474-85	7.3	441
1211	Ischemic brain edema and the osmotic gradient between blood and brain. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1988 , 8, 552-9	7.3	153
1210	Xanthine and uric acid levels in rat brain following focal ischemia. 1988 , 51, 1882-5		49
1209	The combined effects of hypertension, hemodilution, and osmotherapy on the metabolic sequelae of acute experimental cerebral ischemia. 1988 , 3, 235-44		2
1208	Behavioral changes after focal cerebral ischemia by left middle cerebral artery occlusion in rats. <i>Brain Research</i> , 1988 , 452, 323-8	3.7	174
1207	Imaging of primary and remote ischaemic and excitotoxic brain lesions. An autoradiographic study of peripheral type benzodiazepine binding sites in the rat and cat. <i>Brain Research</i> , 1988 , 445, 77-90	3.7	103
1206	Increased extracellular levels of ascorbate in the striatum after middle cerebral artery occlusion in the rat monitored by intracerebral microdialysis. 1988 , 95, 286-90		76
1205	Temporal evolution of regional energy metabolism following focal cerebral ischemia in the rat. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1988 , 8, 462-73	7.3	53
1204	[Experimental models in cerebral ischemia: application to the study of duxil]. 1988 , 9, 21-6		
1203	Effect of prazosin on microvascular perfusion during middle cerebral artery ligation in the rat. 1988 , 63, 27-34		14
1202	Neuronal changes in fetal cortex transplanted to ischemic adult rat cortex. 1988 , 69, 904-12		30
1201	Effect of opiate antagonists on middle cerebral artery occlusion infarct in the rat. 1988 , 69, 98-103		15
1200	Calcium channel blockers correct acidosis in ischemic rat brain without altering cerebral blood flow. 1988 , 19, 1257-61		37
1199	Neuron-specific enolase is a marker of cerebral ischemia and infarct size in rat cerebrospinal fluid. 1988 , 19, 1140-4		53
1198	Validation of the triple-tracer autoradiographic method in rats. 1988 , 19, 758-63		4
1197	Ischemic cortical lesions after permanent occlusion of individual middle cerebral artery branches in rats. 1988 , 19, 870-7		52
1196	Nicardipine reduces calcium accumulation and electrolyte derangements in regional cerebral ischemia in rats. 1988 , 19, 1125-32		37
1195	Tolerance of the cerebral venous system to retrograde perfusion pressure in focal cerebral ischemia in rats. 1989 , 20, 378-85		15

1194	Effect of bezafibrate on the sequelae of acute experimental focal cerebral ischaemia. 1989 , 52, 1432-4		4
1193	Corticofugal axonal degeneration in rats after middle cerebral artery occlusion. 1989 , 20, 1396-402		47
1192	Intracranial Pressure VII. 1989 ,		1
1191	Effect of Mannitol on Ischemic Brain Edema. 1989 , 987-991		
1190	S-100 protein and neuron-specific enolase in CSF after experimental traumatic or focal ischemic brain damage. 1989 , 71, 727-31		129
1189	Rodent models of cerebral ischemia. 1989 , 20, 1627-42		559
1188	The role of free radicals and eicosanoids in the pathogenetic mechanism underlying ischemic brain edema. 1989 , 10, 101-33		33
1187	Brain edema after middle cerebral artery occlusion. A comparison between normotensive and spontaneously hypertensive rats. 1989 , 80, 12-6		12
1186	The risk of ischaemic brain damage during the use of self-retaining brain retractors. 1989 , 120, 1-30		29
1185	The applicability of brain slice methodology to the study of focal cerebral ischaemia in the rat: an evaluation. 1989 , 28, 1-6		15
1184	A model of proximal middle cerebral artery occlusion in rat. 1989 , 30, 169-74		24
1183	Morphological consequences of early reperfusion following thrombotic or mechanical occlusion of the rat middle cerebral artery. 1989 , 78, 605-14		44
1182	Sequential metabolic changes in rat brain following middle cerebral artery occlusion: a 2-deoxyglucose study. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1989 , 9, 765-73	7-3	91
1181	Nimodipine prevents hyperglycemia-induced cerebral acidosis in middle cerebral artery occluded rats. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1989 , 9, 58-64	7-3	28
1180	Dynamics of extracellular metabolites in the striatum after middle cerebral artery occlusion in the rat monitored by intracerebral microdialysis. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1989 , 9, 607-16	7-3	334
1179	Effect of the NMDA antagonist MK-801 on local cerebral blood flow in focal cerebral ischaemia in the rat. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1989 , 9, 617-22	7-3	90
1178	Alterations in the N-methyl-D-aspartate receptor complex following focal cerebral ischemia. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1989 , 9, 709-12	7-3	12
1177	Effects of middle cerebral artery occlusion on baroreceptor reflex control of heart rate in the rat. 1989 , 27, 165-72		17

1176	Effects of a novel calcium antagonist, KB-2796, on neurologic outcome and size of experimental cerebral infarction in rats. 1989 , 32, 16-20		11
1175	Focal brain ischemia model in rats. An experimental study. 1989 , 31, 203-8		15
1174	Reversible middle cerebral artery occlusion without craniectomy in rats. 1989 , 20, 84-91		5504
1173	Focal ischemia enhances choline output and decreases acetylcholine output from rat cerebral cortex. 1989 , 20, 92-5		72
1172	Treatment of hypertension with isradipine reduces infarct size following stroke in laboratory animals. 1989 , 86, 130-3		24
1171	Cerebrovascular, biochemical, and cytoprotective effects of isradipine in laboratory animals. 1989 , 86, 134-46		28
1170	Autonomic and myocardial changes in middle cerebral artery occlusion: stroke models in the rat. <i>Brain Research</i> , 1989 , 502, 296-305	3-7	123
1169	Allopurinol inhibits uric acid accumulation in the rat brain following focal cerebral ischemia. <i>Brain Research</i> , 1989 , 499, 367-70	3-7	28
1168	Endothelial basement membrane and seamless-type endothelium in the repair process of cerebral infarction in rats. 1989 , 414, 385-92		11
1167	COMMUNICATION. 1989 , 96, 1P-368P		1
1166	Heat shock proteins as markers of neural injury. 1989 , 6, 93-100		289
1165	Correlation between cerebral blood flow and histologic changes in a new rat model of middle cerebral artery occlusion. 1989 , 20, 1037-43		466
1164	Regional cerebral blood flow and histopathologic changes after middle cerebral artery occlusion in rats. 1989 , 20, 930-7		92
1163	Effects of a new thyrotropin-releasing hormone derivative on behavioral changes after focal cerebral ischemia in rats. 1989 , 20, 362-6		30
1162	Selective cortical neuronal damage after middle cerebral artery occlusion in rats. 1989 , 20, 1516-23		31
1161	Deafferentation versus cortical ischemia in a rabbit model of middle cerebral artery occlusion. 1989 , 20, 1071-8		8
1160	Transvenous perfusion of the brain with verapamil during focal cerebral ischemia in rats. 1989 , 20, 501-6		9
1159	Neurologic and neuropathologic outcome after middle cerebral artery occlusion in rats. 1989 , 20, 641-5		141

1158	The ferret as an animal model in cerebrovascular research. 1989 , 20, 1085-8	7
1157	Neuronal network disturbance after focal ischemia in rats. 1989 , 20, 1226-35	90
1156	Effects of a new thyrotropin-releasing hormone analogue administered in rats 1 week after middle cerebral artery occlusion. 1989 , 20, 1089-91	20
1155	Phenylephrine-induced hypertension reduces ischemia following middle cerebral artery occlusion in rats. 1989 , 20, 1538-44	96
1154	Changes in the concentrations of cerebral proteins following occlusion of the middle cerebral artery in rats. 1990 , 21, 917-22	77
1153	Impairment of metabolic recovery with increasing periods of middle cerebral artery occlusion in rats. 1990 , 21, 467-71	39
1152	Effect of ischemia induced by middle cerebral artery occlusion on superoxide dismutase activity in rat brain. 1990 , 21, 1613-7	30
1151	Effect of nimodipine on ischemia-induced brain edema and mortality in a novel transient middle cerebral artery occlusion model. 1990 , 53, 247-53	11
1150	Somatosensory evoked potentials in rat cerebral cortex before and after middle cerebral artery occlusion. 1990 , 21, 124-32	74
1149	The evolution of focal ischemic damage: a metabolic analysis. 1990 , 5, 33-44	27
1148	Neuronal damage following non-lethal but repeated cerebral ischemia in the gerbil. 1990 , 79, 494-500	67
1147	A reversible component of cerebral injury as identified by the histochemical stain 2,3,5-triphenyltetrazolium chloride (TTC). 1990 , 80, 152-5	68
1146	Changes in cerebral free fatty acids and triacylglycerols in focal cerebral ischemia. 1990 , 22, 1269-72	3
1145	Experimental cerebral infarction in the rat: utility of Gd-DOTA for MR imaging. 1990 , 8, 333-40	4
1144	Correlation between amino acid release and neuropathologic outcome in rat brain following middle cerebral artery occlusion. 1990 , 21, 1727-33	263
1143	Alterations in Na(+)-K(+)-ATPase activity and beta-endorphin content in acute ischemic brain with and without naloxone treatment. 1990 , 72, 458-62	30
1142	Liposome-entrapped superoxide dismutase reduces cerebral infarction in cerebral ischemia in rats. 1990 , 21, 1312-7	233
1141	Brain edema and cerebrovascular permeability during cerebral ischemia in rats. 1990 , 21, 582-8	157

1140	Progressive shrinkage of the thalamus following middle cerebral artery occlusion in rats. 1990 , 21, 1485-8		128
1139	Experimental studies with isradipine in stroke. 1990 , 40 Suppl 2, 44-51		9
1138	Cellular distribution of omega 3 (peripheral type benzodiazepine) binding sites in the normal and ischaemic rat brain: an autoradiographic study with the photoaffinity ligand [3H]PK 14105. 1990 , 114, 32-8		36
1137	Reduction of local cerebral blood flow to pathological levels by endothelin-1 applied to the middle cerebral artery in the rat. 1990 , 118, 269-72		100
1136	Arachidonic acid metabolite production following focal cerebral ischemia: time course and effect of meclofenamate. 1990 , 33, 12-4		8
1135	GM1 ganglioside reduces edema and monoaminergic neuronal changes following experimental focal ischemia in rat brain. <i>Brain Research</i> , 1990 , 524, 313-5	3.7	8
1134	Atrophy of the ipsilateral substantia nigra following middle cerebral artery occlusion in the rat. <i>Brain Research</i> , 1990 , 510, 154-7	3.7	134
1133	Kynurenate does not reduce infarct size after middle cerebral artery occlusion in spontaneously hypertensive rats. <i>Brain Research</i> , 1990 , 518, 353-5	3.7	18
1132	The quantification of brain lesions with an omega 3 site ligand: a critical analysis of animal models of cerebral ischaemia and neurodegeneration. <i>Brain Research</i> , 1990 , 522, 275-89	3.7	82
1131	The neuroprotective action of dizocilpine (MK-801) in the rat middle cerebral artery occlusion model of focal ischaemia. 1991 , 103, 2030-6		115
1130	POSTER COMMUNICATIONS. 1991 , 104, 97P-270P		
1129	ORAL COMMUNICATIONS. 1991 , 104, 273P-350P		
1128	Protective effects of minaprine in infarction produced by occluding middle cerebral artery in stroke-prone spontaneously hypertensive rats. 1991 , 22, 143-50		11
1127	Effects of thyrotropin-releasing hormone on behavioral disturbances in middle cerebral artery-occluded rats. 1991 , 197, 117-23		11
1126	Neuroprotective properties of 5-HT1A receptor agonists in rodent models of focal and global cerebral ischemia. 1991 , 203, 213-22		75
1125	The effects of dizocilpine (MK-801), phencyclidine, and nimodipine on infarct size 48 h after middle cerebral artery occlusion in the rat. <i>Brain Research</i> , 1991 , 552, 338-42	3.7	65
1124	Levels of low molecular weight scavengers in the rat brain during focal ischemia. <i>Brain Research</i> , 1991 , 567, 317-20	3.7	63
1123	Sensorimotor performance and rotation correlate to lesion size in right but not left hemisphere brain infarcts in the spontaneously hypertensive rat. <i>Brain Research</i> , 1991 , 547, 249-57	3.7	31

1122	The effects of two 21-aminosteroids on overt infarct size 48 hours after middle cerebral artery occlusion in the rat. <i>Brain Research</i> , 1991 , 560, 159-62	3.7	56
1121	Focal cerebral ischemia in chronic hypertension: no protection by (R)-phenylisopropyladenosine. <i>Brain Research</i> , 1991 , 545, 171-4	3.7	18
1120	Neuroblastoma cells for testing neuroprotective drug effects. 1991 , 26, 139-48		11
1119	Hypothermic protection following middle cerebral artery occlusion in the rat. 1991 , 36, 175-80		44
1118	Induced hypertension during restoration of flow after temporary middle cerebral artery occlusion in the rat: effect on neuronal injury and edema. 1991 , 36, 195-201		29
1117	Effects of the calcium antagonist nilvadipine on focal cerebral ischemia in spontaneously hypertensive rats. 1991 , 35, 105-10		16
1116	Partial or global rat brain ischemia: the SCOT model. <i>Brain Research Bulletin</i> , 1991 , 26, 365-72	3.9	28
1115	Course of Blood Pressure in Different Subsets of Patients after Acute Stroke. 1991 , 1, 281-287		23
1114	Effects of atrial natriuretic peptide on ischemic brain edema in rats evaluated by proton magnetic resonance method. 1991 , 22, 61-5		45
1113	Animal Models of Cerebral Ischemia. 1. Review of Literature. 1991 , 1, 2-15		38
1112	Evaluation of ^{99m} Tc-hexamethylpropyleneamine oxime cerebral blood flow mapping after acute focal ischemia in rats. 1991 , 22, 1284-90		19
1111	Thalamic atrophy following cerebral infarction in the territory of the middle cerebral artery. 1991 , 22, 615-8		113
1110	Basilar artery occlusion in rats. 1991 , 22, 247-52		15
1109	Quantitative proton magnetic resonance imaging in focal cerebral ischemia in rat brain. 1991 , 22, 259-68		29
1108	Lack of effect of PN 200-110 on neuronal injury and neurological outcome in middle cerebral artery-occluded rats. 1991 , 22, 1064-7		7
1107	Efficacy of retrograde perfusion of the cerebral vein with verapamil after focal ischemia in rat brain. 1991 , 22, 1562-6		10
1106	Postischemic (S)-emopamil therapy ameliorates focal ischemic brain injury in rats. 1991 , 22, 355-60		31
1105	Abstracts-part VI (Continue in Part VII). 1991 , 1991, 301-350		

1104	MRI of cerebral ischaemia in rats with occlusion of the middle cerebral artery. 1991 , 1, 118-123		6
1103	Rapid metabolic failure in spontaneously hypertensive rats after middle cerebral artery ligation. 1991 , 6, 57-64		3
1102	Intracarotid infusion of leukotriene C4 selectively increases blood-brain barrier permeability after focal ischemia in rats. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1991 , 11, 638-43	7-3	78
1101	Ischemic thresholds of cerebral protein synthesis and energy state following middle cerebral artery occlusion in rat. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1991 , 11, 753-61	7-3	295
1100	The effects of a competitive NMDA receptor antagonist (CGS-19755) on cerebral blood flow and pH in focal ischemia. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1991 , 11, 786-93	7-3	70
1099	Electrical stimulation of cerebellar fastigial nucleus reduces ischemic infarction elicited by middle cerebral artery occlusion in rat. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1991 , 11, 810-8	7-3	62
1098	Reduction of infarct volume by magnesium after middle cerebral artery occlusion in rats. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1991 , 11, 1025-30	7-3	148
1097	NADH fluorescence and regional energy metabolites during focal ischemia and reperfusion of rat brain. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1991 , 11, 459-65	7-3	63
1096	Blood to brain sodium transport and interstitial fluid potassium concentration during early focal ischemia in the rat. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1991 , 11, 466-71	7-3	62
1095	Basic fibroblast growth factor prevents thalamic degeneration after cortical infarction. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1991 , 11, 472-8	7-3	166
1094	Triphenyltetrazolium chloride (TTC) as a marker for ischaemic changes in rat brain following permanent middle cerebral artery occlusion. 1991 , 17, 61-7		89
1093	Rat middle cerebral artery occlusion using an intraluminal thread technique. 1991 , 109, 126-32		70
1092	A comparison of the area of histochemical dysfunction after focal cerebral ischaemia during anaesthesia with isoflurane and halothane in the rat. <i>Canadian Journal of Anaesthesia</i> , 1991 , 38, 129-35	3	10
1091	Intracranial pressure changes following middle cerebral artery occlusion in rats. 1991 , 191, 99-104		16
1090	Interstitial and cerebrospinal fluid levels of energy-related metabolites after middle cerebral artery occlusion in rats. 1991 , 191, 219-25		26
1089	The relationship between plasma protein extravasation and remote tissue changes after experimental brain infarction. 1991 , 82, 118-26		44
1088	Delayed institution of hypertension during focal cerebral ischemia: effect on brain edema. 1991 , 81, 339-44		11
1087	Effects of MK-801 on cerebral regional oxygen consumption in focal cerebral ischemia in rats. 1991 , 69, 414-20		28

1086	Temporal thresholds for neocortical infarction in rats subjected to reversible focal cerebral ischemia. 1991 , 22, 1032-9	298
1085	Evaluation of 2,3,5-triphenyltetrazolium chloride staining to delineate rat brain infarcts. 1991 , 22, 1394-8	130
1084	Penumbral tissues salvaged by reperfusion following middle cerebral artery occlusion in rats. 1992 , 23, 552-9	417
1083	Autoradiographic analysis of 3H-MK-801 (dizocilpine) in vivo uptake and in vitro binding after focal cerebral ischemia in the rat. 1992 , 76, 127-33	28
1082	Effect of MK-801 on focal brain infarction in normotensive and hypertensive rats. 1992 , 19, 40-6	57
1081	Fetal cortical cells survive in focal cerebral infarct after permanent occlusion of the middle cerebral artery in adult rats. 1992 , 9, 107-12	27
1080	Changes of superoxide dismutase activity and ascorbic acid in focal cerebral ischaemia in rats. 1992 , 14, 26-30	10
1079	Spontaneous cerebral hypothermia diminishes focal infarction in rat brain. 1992 , 23, 1812-6	74
1078	Infarct reduction by the platelet activating factor antagonist apafant in rats. 1992 , 23, 98-103	32
1077	Time course of cerebral blood flow and histological outcome after focal cerebral ischemia in rats. 1992 , 23, 1138-43; discussion 1143-4	59
1076	Effects of retrograde perfusion of the brain with combined drug therapy after focal ischemia in rat brain. 1992 , 23, 1805-10; discussion 1810-1	12
1075	Cerebroprotective effect of a non-N-methyl-D-aspartate antagonist, GYKI 52466, after focal ischemia in the rat. 1992 , 23, 861-4	133
1074	Vascularization of fetal neocortical grafts implanted in brain infarcts in spontaneously hypertensive rats. 1992 , 51, 673-82	26
1073	Interleukin-1 receptor antagonist inhibits ischaemic and excitotoxic neuronal damage in the rat. <i>Brain Research Bulletin</i> , 1992 , 29, 243-6	3.9 499
1072	Neuroprotective actions of riluzole in rodent models of global and focal cerebral ischaemia. 1992 , 140, 225-30	138
1071	Neurological and behavioral outcomes of focal cerebral ischemia in rats. 1992 , 23, 267-72	164
1070	New models of focal cerebral ischaemia. 1992 , 34, 302-8	105
1069	Differing effects of alpha-difluoromethylornithine and CGP 40116 on polyamine levels and infarct volume in a rat model of focal cerebral ischaemia. 1992 , 141, 131-5	22

1068	Inhibition of nitric oxide synthesis does not reduce infarct volume in a rat model of focal cerebral ischaemia. 1992 , 142, 151-4		114
1067	Catecholamine histofluorescence depletion in the infarcted brain parenchyma but not in the adventitia of the occluded cerebral arteries in rats. 1992 , 138, 93-6		
1066	Insulin protects brain tissue against focal ischemia in rats. 1992 , 144, 121-3		31
1065	Neurotoxin-related research: from the laboratory to the clinic. 1992 , 648, 207-18		4
1064	Protective effect of vinconate, a novel vinca alkaloid derivative, on glucose utilization and brain edema in a new rat model of middle cerebral artery occlusion. 1992 , 23, 141-6		8
1063	Sensorimotor and cognitive consequences of middle cerebral artery occlusion in rats. <i>Brain Research</i> , 1992 , 575, 238-46	3.7	213
1062	Autoradiographic evaluation of forskolin and D1 dopamine receptor binding in a rat model of focal cerebral ischaemia. <i>Brain Research</i> , 1992 , 577, 210-7	3.7	14
1061	CSF neuron-specific enolase as a quantitative marker of neuronal damage in a rat stroke model. <i>Brain Research</i> , 1992 , 577, 249-52	3.7	68
1060	The effect of the kappa-opioid receptor agonist CI-977 in a rat model of focal cerebral ischaemia. <i>Brain Research</i> , 1992 , 576, 147-51	3.7	59
1059	The neuroprotective actions of 2,3-dihydroxy-6-nitro-7-sulfamoyl-benzo(F)quinoxaline (NBQX) in a rat focal ischaemia model. <i>Brain Research</i> , 1992 , 580, 35-43	3.7	163
1058	Reduction of glutamate release and protection against ischemic brain damage by BW 1003C87. <i>Brain Research</i> , 1992 , 593, 1-6	3.7	104
1057	Extract of kava (<i>Piper methysticum</i>) and its methysticin constituents protect brain tissue against ischemic damage in rodents. 1992 , 215, 265-9		60
1056	The dose-response relationship and therapeutic window for dizocilpine (MK-801) in a rat focal ischaemia model. 1992 , 216, 1-7		79
1055	Fetal neocortical grafts implanted in adult hypertensive rats with cortical infarcts following a middle cerebral artery occlusion: ingrowth of afferent fibers from the host brain. 1992 , 116, 105-21		45
1054	Failure of Cerebral Blood Flow-Metabolism Coupling after Acute Subdural Hematoma in the Rat. <i>Neurosurgery</i> , 1992 , 31, 1062-1071	3.2	34
1053	Sustained damage to energy metabolism of brain regions after microsphere embolism in rats. 1992 , 23, 62-8		39
1052	The Effect of Mild Hypothermia on Permanent Focal Ischemia in the Rat. <i>Neurosurgery</i> , 1992 , 31, 1056-1061		102
1051	The Effects of Oxiracetam (CT-848) on Local Cerebral Glucose Utilization after Focal Cerebral Ischemia in Rats. 1992 , 58, 127-135		2

1050	Ischemic penumbra in a model of reversible middle cerebral artery occlusion in the rat. 1992 , 89, 67-78		254
1049	Genetic hypertension and increased susceptibility to cerebral ischemia. 1992 , 16, 219-33		128
1048	Striatal protection induced by lesioning the substantia nigra of rats subjected to focal ischemia. 1992 , 59, 1153-7		83
1047	Reversibility of nimodipine binding to brain in transient cerebral ischemia. 1992 , 59, 1745-52		14
1046	Dihydrolipoate reduces neuronal injury after cerebral ischemia. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1992 , 12, 78-87	7-3	65
1045	Inhibition of nitric oxide synthesis increases focal ischemic infarction in rat. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1992 , 12, 717-26	7-3	222
1044	Extracellular antioxidants and amino acids in the cortex of the rat: monitoring by microdialysis of early ischemic changes. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1992 , 12, 96-102	7-3	81
1043	Functional changes in thalamic relay neurons after focal cerebral infarct: a study of unit recordings from VPL neurons after MCA occlusion in rats. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1992 , 12, 954-61	7-3	19
1042	Stimulation of the fastigial nucleus enhances EEG recovery and reduces tissue damage after focal cerebral ischemia. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1992 , 12, 962-70	7-3	39
1041	Focal and perifocal changes in tissue energy state during middle cerebral artery occlusion in normo- and hyperglycemic rats. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1992 , 12, 25-33	7-3	147
1040	Regional imaging of brain tissue calcium ions using aequorin. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1992 , 12, 306-10	7-3	1
1039	The effect of MK-801 on cortical spreading depression in the penumbral zone following focal ischaemia in the rat. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1992 , 12, 371-9	7-3	268
1038	The significance of brain temperature in focal cerebral ischemia: histopathological consequences of middle cerebral artery occlusion in the rat. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1992 , 12, 380-93	7-3	327
1037	Reduction in focal cerebral ischemia by agents acting at imidazole receptors. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1992 , 12, 53-63	7-3	93
1036	The effect of hypothermia on transient middle cerebral artery occlusion in the rat. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1992 , 12, 621-8	7-3	248
1035	Application of magnetic resonance imaging to the measurement of neurodegeneration in rat brain: MRI data correlate strongly with histology and enzymatic analysis. 1992 , 10, 773-8		87
1034	Temporal evolution of focal cerebral ischemia in the rat assessed by T2-weighted and diffusion-weighted magnetic resonance imaging. 1992 , 5, 171-6		41
1033	A mouse model of focal cerebral ischemia for screening neuroprotective drug effects. 1992 , 27, 27-32		73

1032	Protein kinase C activity in permanent focal cerebral ischemia. 1992 , 16, 85-93		9
1031	A modified model of reversible middle cerebral artery embolization in rats without craniectomy. 1992 , 114, 51-8		4
1030	Immunosuppression by whole-body irradiation and its effect on oedema in experimental cerebral ischaemia. 1992 , 86, 256-9		15
1029	Two-dimensional ¹ H spectroscopic imaging for evaluating the local metabolic response to focal ischemia in the conscious rat. 1992 , 5, 11-9		27
1028	Cortical focal stroke model to evaluate neuroprotective action of drugs. 1992 , 27, 307-327		1
1027	Functional integration of cortical grafts placed in brain infarcts of rats. 1993 , 34, 362-8		59
1026	Characterization of microglial reaction after middle cerebral artery occlusion in rat brain. 1993 , 327, 123-32		232
1025	MRI and MRS studies on the time course of rat brain lesions and the effect of drug treatment: volume quantification and characterization of tissue heterogeneity by parameter selection. 1993 , 30, 174-82		19
1024	Diffusion- and T2-weighted imaging: evaluation of oedema reduction in focal cerebral ischaemia by the calcium and serotonin antagonist levemopamil. 1993 , 11, 401-9		39
1023	Perivascular microapplication of endothelin-1: a new model of focal cerebral ischaemia in the rat. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1993 , 13, 865-71	7.3	190
1022	Reductions in focal ischemic infarctions elicited from cerebellar fastigial nucleus do not result from elevations in cerebral blood flow. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1993 , 13, 1020-4	7.3	44
1021	Endothelin-1-induced reductions in cerebral blood flow: dose dependency, time course, and neuropathological consequences. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1993 , 13, 276-84	7.3	201
1020	Characterization of cortical depolarizations evoked in focal cerebral ischemia. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1993 , 13, 568-74	7.3	265
1019	Changes in amino acid neurotransmitters and cerebral blood flow in the ischemic penumbral region following middle cerebral artery occlusion in the rat: correlation with histopathology. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1993 , 13, 575-85	7.3	202
1018	Characterization of the cerebroprotective efficacy of the competitive NMDA receptor antagonist CGP40116 in a rat model of focal cerebral ischemia: an in vivo magnetic resonance imaging study. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1993 , 13, 595-602	7.3	62
1017	Neuroprotective effect of the kappa-agonist enadoline (CI-977) in rat models of focal cerebral ischaemia. 1993 , 5, 961-7		33
1016	Spatial and temporal changes in tissue pH and ATP distribution in a new model of reversible focal forebrain ischemia in the rat. 1993 , 8, 125-35		11
1015	Cerebral blood flow measurement using the hydrogen clearance technique: a microcomputer-based system for data collection and analysis. 1993 , 31, 426-9		2

1014	A reproducible model of reversible, focal, neocortical ischemia in Sprague-Dawley rat. 1993 , 120, 66-71		50
1013	Relationship between blood flow and blood-brain barrier permeability of sodium and albumin in focal ischaemia of rats: a triple tracer autoradiographic study. 1993 , 120, 72-80		7
1012	Temporal changes in superoxide dismutase, glutathione peroxidase, and catalase levels in primary and peri-ischemic tissue. Monosialoganglioside (GM1) treatment effects. 1993 , 18, 1-14		33
1011	Changes of immunoreactivity for synaptophysin ('protein p38') following a transient cerebral ischemia in the rat striatum. <i>Brain Research</i> , 1993 , 616, 320-4	3-7	28
1010	Cardiac and sympathetic effects of middle cerebral artery occlusion in the spontaneously hypertensive rat. <i>Brain Research</i> , 1993 , 621, 79-86	3-7	34
1009	Effect of the kappa-1 opioid agonist CI-977 on ischemic brain damage and cerebral blood flow after middle cerebral artery occlusion in the rat. <i>Brain Research</i> , 1993 , 629, 10-8	3-7	28
1008	Effects of serotonergic drugs in experimental brain ischemia: evidence for a protective role of serotonin in cerebral ischemia. <i>Brain Research</i> , 1993 , 630, 10-20	3-7	82
1007	Endonuclease activation following focal ischemic injury in the rat brain. <i>Brain Research</i> , 1993 , 608, 21-6	3-7	202
1006	Qualitative and quantitative analysis of the progressive cerebral damage after middle cerebral artery occlusion in mice. <i>Brain Research</i> , 1993 , 606, 251-8	3-7	36
1005	Transient increase in endogenous basic fibroblast growth factor in neurons of ischemic rat brains. <i>Brain Research</i> , 1993 , 605, 169-74	3-7	49
1004	Effect of riluzole on focal cerebral ischemia in rats. 1993 , 230, 209-14		68
1003	Effects of naftidrofuryl oxalate on microsphere embolism-induced changes in tricarboxylic acid cycle intermediates of rats. 1993 , 235, 75-81		2
1002	ORAL COMMUNICATIONS. 1993 , 108, 1P-123P		1
1001	Dietary N-3 fatty acids inhibit ischaemic and excitotoxic brain damage in the rat. <i>Brain Research Bulletin</i> , 1993 , 32, 223-6	3-9	37
1000	Role of hypervolemic hemodilution in focal cerebral ischemia of rats. 1993 , 40, 196-206		18
999	Hyperdynamic therapy for focal cerebral ischemia of rats: use of colloidal volume expansion and dobutamine. 1993 , 40, 131-7		13
998	Anatomic variation of the middle cerebral artery in the Sprague-Dawley rat. 1993 , 24, 2087-92; discussion 2092-3		72
997	Middle cerebral artery occlusion increases cerebral capillary permeability. 1993 , 15, 232-6		12

996	Evaluation of the combination of a tissue-type plasminogen activator, SUN9216, and a thromboxane A2 receptor antagonist, vapiprost, in a rat middle cerebral artery thrombosis model. 1993 , 24, 1077-81; discussion 1081-2		93
995	Nitric oxide production during focal cerebral ischemia in rats. 1993 , 24, 1709-16		252
994	Effect of a novel thromboxane A2 receptor antagonist, S-1452, on postischemic brain injury in rats. 1993 , 24, 2059-64; discussion 2064-5		21
993	Cardiovascular changes during focal cerebral ischemia in rats. 1993 , 24, 691-6		13
992	Paw-reaching, sensorimotor, and rotational behavior after brain infarction in rats. 1993 , 24, 889-95		133
991	BW619C89, a glutamate release inhibitor, protects against focal cerebral ischemic damage. 1993 , 24, 1063-7		172
990	Middle Cerebral Artery Occlusion in Rats. <i>Neurosurgery</i> , 1993 , 32, 479-479	3.2	2
989	Mild Hypothermia and MK-801 Have Similar But Not Additive Degrees of Cerebroprotection in the Rat Permanent Focal Ischemia Model. <i>Neurosurgery</i> , 1994 , 34, 1040-1046	3.2	19
988	Effects of the Conventional Anticonvulsants, Phenytoin, Carbamazepine, and Valproic Acid, on Sodium-Potassium-Adenosine Triphosphatase in Acute Ischemic Brain. <i>Neurosurgery</i> , 1994 , 34, 1047-1051 ²		13
987	Variable restriction of albumin diffusion across inflamed cerebral microvessels of the anaesthetized rat. 1994 , 475, 147-57		28
986	Neuroprotective actions of excitatory amino acid receptor antagonists. 1994 , 30, 1-33		3
985	Disturbance of retention of memory after focal cerebral ischemia in rats. 1994 , 25, 2471-5		46
984	Temporary vessel occlusion in spontaneously hypertensive and normotensive rats. Effect of single and multiple episodes on tissue metabolism and volume of infarction. 1994 , 80, 1085-90		16
983	Neuropathological endpoints in experimental stroke pharmacotherapy: the importance of both early and late evaluation. 1994 , 129, 58-63		90
982	Laser Doppler flowmetry of focal ischaemia and reperfusion in deep brain structures in rats. 1994 , 131, 151-6		15
981	Effect of tirilazad mesylate given after permanent middle cerebral artery occlusion in rat. 1994 , 129, 188-92		18
980	Protective effects of 5-HT1A receptor agonists against neuronal damage demonstrated in vivo and in vitro. 1994 , 8, 73-83		23
979	Dual-isotope autoradiographic measurement of regional blood flow and benzodiazepine receptor availability following unilateral middle cerebral artery occlusion. 1994 , 21, 196-202		10

978	MRI monitoring of experimental cerebral ischaemia: comparison of two models. 1994 , 36, 264-8		20
977	MRI in acute cerebral ischaemia: perfusion imaging with superparamagnetic iron oxide in a rat model. 1994 , 36, 23-6		17
976	Monitoring the initial expansion of focal ischaemic changes by diffusion-weighted MRI using a remote controlled method of occlusion. 1994 , 7, 21-8		60
975	Viability thresholds and the penumbra of focal ischemia. 1994 , 36, 557-65		1176
974	Calcium accumulation following middle cerebral artery occlusion in stroke-prone spontaneously hypertensive rats. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1994 , 14, 831-6	7.3	24
973	Mechanism of action and persistence of neuroprotection by cell-permeant Ca ²⁺ chelators. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1994 , 14, 911-23	7.3	64
972	The NOS inhibitor, 7-nitroindazole, decreases focal infarct volume but not the response to topical acetylcholine in pial vessels. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1994 , 14, 924-9	7.3	273
971	Gross persistence of capillary plasma perfusion after middle cerebral artery occlusion in the rat brain. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1994 , 14, 1055-61	7.3	40
970	Cortical negative DC deflections following middle cerebral artery occlusion and KCl-induced spreading depression: effect on blood flow, tissue oxygenation, and electroencephalogram. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1994 , 14, 12-9	7.3	264
969	Relevance of interstitial glutamate to selective vulnerability in focal cerebral ischemia. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1994 , 14, 343-7	7.3	17
968	Elevation of plasma nitric oxide end products during focal cerebral ischemia and reperfusion in the rat. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1994 , 14, 487-91	7.3	86
967	Postischemic administration of AK275, a calpain inhibitor, provides substantial protection against focal ischemic brain damage. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1994 , 14, 537-44	7.3	150
966	Pharmacologic reversal of acute changes in diffusion-weighted magnetic resonance imaging in focal cerebral ischemia. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1994 , 14, 597-603	7.3	77
965	Oedema-related tissue damage after temporary and permanent occlusion of the middle cerebral artery. 1994 , 20, 56-65		24
964	Early entry of plasma proteins into damaged neurons in brain infarcts. An immunohistochemical study on experimental animals. 1994 , 102, 771-6		8
963	Endothelin-1 induced middle cerebral artery occlusion: pathological consequences and neuroprotective effects of MK801. 1994 , 49 Suppl, S177-85		43
962	Corticotrophin-releasing factor antagonist inhibits neuronal damage induced by focal cerebral ischaemia or activation of NMDA receptors in the rat brain. <i>Brain Research</i> , 1994 , 656, 405-8	3.7	85
961	Dose-response analysis of the effect of 21-aminosteroid tirilazad mesylate (U-74006F) upon neurological outcome and ischemic brain damage in permanent focal cerebral ischemia. <i>Brain Research</i> , 1994 , 645, 157-63	3.7	66

960	Oedema reduction by levemopamil in focal cerebral ischaemia of spontaneously hypertensive rats studied by magnetic resonance imaging. 1994 , 254, 65-71		17
959	Effect of 21-aminosteroid lipid peroxidation inhibitor, U74006F, in the rat middle cerebral artery occlusion model. 1994 , 251, 69-74		34
958	Dual role of nitric oxide in focal cerebral ischemia. 1994 , 33, 1447-52		132
957	Anti-ischaemic efficacy of a nitric oxide synthase inhibitor and a N-methyl-D-aspartate receptor antagonist in models of transient and permanent focal cerebral ischaemia. 1994 , 113, 247-53		47
956	Projections of nitric oxide synthase-containing fibers from the sphenopalatine ganglion to cerebral arteries in the rat. 1994 , 60, 745-59		64
955	Induction of interleukin-1 beta mRNA after focal cerebral ischaemia in the rat. 1994 , 23, 126-34		216
954	Antiischemic effects of propentofylline (HWA 285) against focal cerebral infarction in rats. 1994 , 178, 235-8		45
953	Nitrosyl hemoglobin production during reperfusion after focal cerebral ischemia in rats. 1994 , 177, 165-7		28
952	Early 72-kDa heat shock protein induction in microglial cells following focal ischemia in the rat brain. 1994 , 182, 205-7		37
951	Time-dependent changes of vasoactive substances in rat cerebral ischemia. <i>Brain Research Bulletin</i> , 1994 , 34, 541-5	3.9	6
950	Comparative study of voltage-sensitive sodium channel blockers in focal ischaemia and electric convulsions in rodents. 1994 , 172, 19-23		95
949	L-arginine infusion promotes nitric oxide-dependent vasodilation, increases regional cerebral blood flow, and reduces infarction volume in the rat. 1994 , 25, 429-35		209
948	Effects of the conventional anticonvulsants, phenytoin, carbamazepine, and valproic acid, on sodium-potassium-adenosine triphosphatase in acute ischemic brain. <i>Neurosurgery</i> , 1994 , 34, 1047-51; discussion 1051	3.2	17
947	Mild hypothermia and MK-801 have similar but not additive degrees of cerebroprotection in the rat permanent focal ischemia model. <i>Neurosurgery</i> , 1994 , 34, 1040-5; discussion 1045-6	3.2	33
946	Enzymatic barrier protects brain capillaries from leukotriene C4. 1994 , 81, 745-51		29
945	Nitric oxide synthase inhibition alters cerebral blood flow and oxygen balance in focal cerebral ischemia in rats. 1994 , 25, 445-9; discussion 449-50		25
944	Stability of thrombosis induced by electrocoagulation of rat middle cerebral artery. 1994 , 25, 2241-5		8
943	The effect of ritanserin, a 5-HT ₂ receptor antagonist, on ischemic cerebral blood flow and infarct volume in rat middle cerebral artery occlusion. 1994 , 25, 481-5; discussion 485-6		17

942	Effect of intermittent reperfusion and nitric oxide synthase inhibition on infarct volume during reversible focal cerebral ischemia. 1995 , 83, 491-5		16
941	N-tert-butyl-alpha-phenylnitronone improves recovery of brain energy state in rats following transient focal ischemia. 1995 , 92, 5057-61		219
940	Abstracts-part I (Continue in Part II). 1995 , 1995, 1378-1427		
939	Characterisation of an experimental model of stroke produced by intracerebral microinjection of endothelin-1 adjacent to the rat middle cerebral artery. 1995 , 60, 125-31		83
938	Secondary thalamic lesions after ligation of the middle cerebral artery: an ultrastructural study. 1996 , 91, 61-6		20
937	Late thalamic atrophy in infarction of the middle cerebral artery territory in neonates. A prospective clinical and radiological study in four children. 1995 , 11, 133-6		13
936	A comparison of the early development of ischaemic damage following permanent middle cerebral artery occlusion in rats as assessed using magnetic resonance imaging and histology. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1995 , 15, 1-11	7-3	90
935	Long-term spatial cognitive impairment after middle cerebral artery occlusion in rats: no involvement of the hippocampus. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1995 , 15, 1012-21	7-3	54
934	The neuroprotective effect of the glycine site antagonist 3R-(+)-cis-4-methyl-HA966 (L-687,414) in a rat model of focal ischaemia. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1995 , 15, 197-204	7-3	44
933	The neuroprotective effect of the novel noncompetitive NMDA antagonist, FR115427 in focal cerebral ischemia in rats. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1995 , 15, 345-8	7-3	31
932	Long-term spatial cognitive impairment following middle cerebral artery occlusion in rats. A behavioral study. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1995 , 15, 505-12	7-3	60
931	The competitive NMDA antagonist CGP 40116 permanently reduces brain damage after middle cerebral artery occlusion in rats. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1995 , 15, 602-10	7-3	26
930	The asymmetric synthesis of both enantiomers of eliprodil. 1995 , 5, 551-554		16
929	A modified rat model of middle cerebral artery thread occlusion under electrophysiological control for magnetic resonance investigations. 1995 , 13, 65-71		79
928	Effects of RGH-2202 on behavioral deficits after focal cerebral ischemia in rats. 1995 , 52, 695-9		15
927	YM796, a novel muscarinic agonist, improves the impairment of learning behavior in a rat model of chronic focal cerebral ischemia. <i>Brain Research</i> , 1995 , 669, 107-14	3-7	39
926	Morphometric study of focal cerebral ischemia in rats: a stereological evaluation. <i>Brain Research</i> , 1995 , 673, 83-92	3-7	43
925	The role of strain/vendor differences on the outcome of focal ischemia induced by intraluminal middle cerebral artery occlusion in the rat. <i>Brain Research</i> , 1995 , 675, 20-6	3-7	71

924	Tau protein is altered by focal cerebral ischaemia in the rat: an immunohistochemical and immunoblotting study. <i>Brain Research</i> , 1995 , 684, 70-8	3-7	78
923	Local hemodynamic changes during transient middle cerebral artery occlusion and recirculation in the rat: a [¹⁴ C]iodoantipyrine autoradiographic study. <i>Brain Research</i> , 1995 , 691, 160-8	3-7	39
922	Cloning of rat interleukin-3 receptor beta-subunit from cultured microglia and its mRNA expression in vivo. 1995 , 15, 5800-9		38
921	Endothelin, cerebral ischaemia and infarction. 1995 , 17, 399-407		26
920	Cloning of a novel RNA binding polypeptide (RA301) induced by hypoxia/reoxygenation. 1995 , 270, 28216-22		57
919	Neuroprotective effects of Ginkgo biloba constituents. 1995 , 3, 39-48		91
918	A new animal model of cerebral infarction: magnetic embolization with carbonyl iron particles. 1995 , 194, 139-41		8
917	Induction of nitric oxide synthase activity in rodent brain following middle cerebral artery occlusion. 1995 , 194, 214-8		73
916	Neuroprotection after focal cerebral ischaemia in hyperglycaemic and diabetic rats. 1995 , 197, 53-6		34
915	Locomotor and passive avoidance deficits following occlusion of the middle cerebral artery. 1995 , 58, 909-17		103
914	Treatment with basic fibroblastic growth factor following focal cerebral ischemia does not prevent neuronal injury. 1995 , 128, 66-70		14
913	Evaluation of the novel neuroprotective agent BW619C89 in the middle cerebral artery occlusion model of focal ischemia in the spontaneously hypertensive rat and normotensive Fischer 344 rat. 1995 , 765, 39-46; discussion 59-61		8
912	Nimodipine prevents early loss of hippocampal CA1 parvalbumin immunoreactivity after focal cerebral ischemia in the rat. <i>Brain Research Bulletin</i> , 1995 , 36, 569-72	3-9	13
911	Cerebral blood flow and glucose metabolism of the ischemic rim in spontaneously hypertensive stroke-prone rats with occlusion of the middle cerebral artery. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1995 , 15, 235-41	7-3	16
910	Changes in N-acetyl-aspartate content during focal and global brain ischemia of the rat. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1995 , 15, 639-46	7-3	83
909	A standardisable model of focal cerebral ischaemia in normotensive rats. 1995 , 2, 245-51		2
908	Enzyme-histochemical and morphological characteristics of fast- and slow-twitch skeletal muscle after brain infarction in the rat. 1996 , 144, 14-20		8
907	POSTER COMMUNICATIONS. 1996 , 118, 52P-154P		

906	Topographic profile of reperfusion into MCA territory following endothelin-1-induced transient focal cerebral ischaemia. 1996 , 202, 209-13	11
905	Delayed progression of cytotoxic oedema in focal cerebral ischemia after treatment with a torasemide derivative: a diffusion-weighted magnetic resonance imaging study. 1996 , 213, 123-6	6
904	Concomitant in vivo electrophysiological and voltammetric analysis indicate that ascorbic acid is a biochemical index of early ischaemia. 1996 , 215, 189-92	13
903	Expression of tumor necrosis factor alpha after focal cerebral ischaemia in the rat. 1996 , 71, 1-16	225
902	Behavioral studies on rats with transient cerebral ischemia induced by occlusion of the middle cerebral artery. 1996 , 77, 181-8	40
901	Increased expression of basic fibroblast growth factor (bFGF) following focal cerebral infarction in the rat. 1996 , 39, 31-42	77
900	Neuroprotective effects of alpha-lipoic acid and its enantiomers demonstrated in rodent models of focal cerebral ischemia. 1996 , 35, 369-75	80
899	Biphenyl-derivatives of 2-amino-7-phosphono-heptanoic acid, a novel class of potent competitive N-methyl-D-aspartate receptor antagonists--II. Pharmacological characterization in vivo. 1996 , 35, 655-69	17
898	Pharmacological studies of a novel prolyl endopeptidase inhibitor, JTP-4819, in rats with middle cerebral artery occlusion. 1996 , 305, 31-8	31
897	The effects of gamma 2-melanocyte-stimulating hormone and nimodipine on cortical blood flow and infarction volume in two rat models of middle cerebral artery occlusion. 1996 , 306, 113-21	17
896	The effects of bosentan on cerebral blood flow and histopathology following middle cerebral artery occlusion in the rat. 1996 , 307, 171-81	20
895	Induction of NADPH-diaphorase activity in the rat forebrain after middle cerebral artery occlusion. 1996 , 138, 105-20	22
894	Peripheral administration of Interleukin-1 Receptor antagonist inhibits brain damage after focal cerebral ischemia in the rat. 1996 , 138, 206-13	166
893	Lack of evidence for neutrophil participation during infarct formation following focal cerebral ischemia in the rat. 1996 , 139, 188-202	57
892	Environment, social interaction, and physical activity as determinants of functional outcome after cerebral infarction in the rat. 1996 , 139, 322-7	228
891	Ciliary neurotrophic factor attenuates spatial cognition impairment, cortical infarction and thalamic degeneration in spontaneously hypertensive rats with focal cerebral ischemia. 1996 , 206, 141-4	52
890	The influence of repeated doses, route and time of administration on the neuroprotective effects of BIII 277 CL in a rat model of focal cerebral ischemia. 1996 , 6, 93-9	6
889	Radioiodinated diacylglycerol analogue: a potential imaging agent for single-photon emission tomographic investigations of cerebral ischaemia. 1996 , 23, 280-9	2

888	Decompressive craniectomy in a rat model of "malignant" cerebral hemispheric stroke: experimental support for an aggressive therapeutic approach. 1996 , 85, 853-9		131
887	Decompressive craniectomy in a rat model of malignant cerebral hemispheric stroke: experimental support for an aggressive therapeutic approach. 1996 , 1, E1		4
886	The efficacy of retrograde infusion with LY231617 in a rat middle cerebral artery occlusion model. 1996 , 23, 175-83		6
885	Sphingomyelin changes in rat cerebral cortex during focal ischemia. 1996 , 18, 337-41		52
884	Pharmacology of AMPA antagonists and their role in neuroprotection. 1997 , 40, 197-232		45
883	Effects of nilvadipine (a dihydropyridine-type calcium entry blocker) on cerebral blood flow in acute experimental brain ischemia in rats. 1996 , 18, 325-8		3
882	Procedural and strain-related variables significantly affect outcome in a murine model of focal cerebral ischemia. <i>Neurosurgery</i> , 1996 , 38, 523-31; discussion 532	3.2	174
881	Animal Models of Stroke Studied by MRI. 1996 ,		
880	The disruption of spatial cognition and changes in brain amino acid, monoamine and acetylcholine in rats with transient cerebral ischemia. <i>Brain Research</i> , 1996 , 709, 163-72	3.7	47
879	Differences in striatal extracellular amino acid concentrations between Wistar and Fischer 344 rats after middle cerebral artery occlusion. <i>Brain Research</i> , 1996 , 715, 163-71	3.7	14
878	Ischemic tolerance in moderately symptomatic gerbils after unilateral carotid occlusion. <i>Brain Research</i> , 1996 , 716, 39-46	3.7	19
877	Monitoring the temporal and spatial activation pattern of astrocytes in focal cerebral ischemia using in situ hybridization to GFAP mRNA: comparison with sgp-2 and hsp70 mRNA and the effect of glutamate receptor antagonists. <i>Brain Research</i> , 1996 , 735, 285-97	3.7	56
876	The effects of the pretreatment of intravenous high dose methylprednisolone on Na(+)-K(+)/Mg(+2) ATPase and lipid peroxidation and early ultrastructural findings following middle cerebral artery occlusion in the rat. 1996 , 138, 338-45		13
875	Alterations of local cerebral blood flow, phorbol 12,13-dibutyrate binding activity, and histological damage during acute focal ischaemia in rat brain. A pathophysiology of acute focal ischaemia: Part 1. 1996 , 138, 1118-24; discussion 1124-5		
874	Cytochrome oxidase activity during acute focal ischaemia in rat brain. A pathophysiology of acute focal ischaemia: Part 2. 1996 , 138, 1126-31		3
873	1 In vitro and in vivo models of cerebral ischaemia. 1996 , 10, 391-408		1
872	The protective effect of MK-801 on infarct development over a period of 24 h as assessed by diffusion-weighted magnetic resonance imaging. 1996 , 9, 241-8		7
871	Proximal branching patterns of middle cerebral artery (MCA) in rats and their influence on the infarct size produced by MCA occlusion. 1996 , 64, 19-23		21

870	A Novel Prolyl Endopeptidase Inhibitor, JTP-4819, for the Treatment of Alzheimer's Disease: Review of Preclinical Pharmacology.. 1996 , 2, 343-362		2
869	Simultaneous measurement of salicylate hydroxylation and glutamate release in the penumbral cortex following transient middle cerebral artery occlusion in rats. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1996 , 16, 92-9	7-3	118
868	Acute focal ischemia-induced alterations in MAP2 immunostaining: description of temporal changes and utilization as a marker for volumetric assessment of acute brain injury. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1996 , 16, 170-4	7-3	143
867	Very delayed infarction after mild focal cerebral ischemia: a role for apoptosis?. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1996 , 16, 195-201	7-3	546
866	Middle cerebral artery occlusion in Wistar and Fischer-344 rats: functional and morphological assessment of the model. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1996 , 16, 296-302	7-3	33
865	Intracisternal basic fibroblast growth factor (bFGF) enhances behavioral recovery following focal cerebral infarction in the rat. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1996 , 16, 542-7	7-3	147
864	Neuroprotective effects of human recombinant interleukin-1 receptor antagonist in focal cerebral ischaemia in the rat. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1996 , 16, 932-40	7-3	400
863	Spatial memory disturbance after focal cerebral ischemia in rats. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1996 , 16, 973-80	7-3	75
862	Induction of Na ⁺ /myo-inositol cotransporter mRNA after focal cerebral ischemia: evidence for extensive osmotic stress in remote areas. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1996 , 16, 1203-10	7-3	21
861	Consequences of transient focal cerebral ischaemia for second messenger and neurotransmitter binding in the rat: quantitative autoradiographic analysis of forskolin, dopamine D1 receptor binding and cerebral blood flow changes. 1996 , 8, 486-93		7
860	Sequential changes in cerebral blood flow, early neuropathological consequences and blood-brain barrier disruption following radiofrequency-induced localized hyperthermia in the rat. 1996 , 12, 321-34		26
859	Characterization of edema by diffusion-weighted imaging in experimental traumatic brain injury. 1996 , 84, 97-103		208
858	Expression of basic fibroblast growth factor mRNA after transient focal ischemia: comparison with expression of c-fos, c-jun, and hsp 70 mRNA. 1997 , 14, 201-10		21
857	Effective reduction of infarct volume by gap junction blockade in a rodent model of stroke. 1997 , 2, E3		4
856	The effects of nitric oxide synthase inhibitor, L-NAME on NO production during focal cerebral ischemia in rats: could L-NAME be the future treatment of sudden deafness?. 1997 , 89, 61-77		10
855	Intracisternal basic fibroblast growth factor enhances functional recovery and up-regulates the expression of a molecular marker of neuronal sprouting following focal cerebral infarction. 1997 , 94, 8179-84		268
854	Cerebroprotective effects of a novel pyrazoline derivative, MS-153, on focal ischemia in rats. 1997 , 73, 317-24		27
853	Effects of a calcium antagonist, lacidipine, on experimental focal cerebral ischemia in rats. 1997 , 75, 415-23		11

852	Novel glycine antagonists as potent neuroprotective agents. 1997 , 81-95	1
851	Effective reduction of infarct volume by gap junction blockade in a rodent model of stroke. 1997 , 87, 916-20	157
850	MRI study on delayed anicrod therapy of focal cerebral ischaemia in rats. 1997 , 336, 7-14	10
849	Discrepancy between blood flow and muscarinic receptor distribution in rat brain after middle cerebral artery occlusion. 1997 , 24, 665-9	4
848	Endogenous interleukin-1 receptor antagonist is neuroprotective. 1997 , 234, 211-5	126
847	The glycine antagonist GV150526 protects somatosensory evoked potentials and reduces the infarct area in the MCAo model of focal ischemia in the rat. 1997 , 145, 425-33	68
846	Effects of isradipine, an L-type calcium channel blocker on permanent and transient focal cerebral ischemia in spontaneously hypertensive rats. 1997 , 148, 45-50	31
845	Influence of ischemia and reperfusion on the course of brain tissue swelling and blood-brain barrier permeability in a rodent model of transient focal cerebral ischemia. 1997 , 147, 353-60	78
844	Dextromethorphan protects against cerebral injury following transient, but not permanent, focal ischemia in rats. 1997 , 60, 1729-40	48
843	Permeability of a neuroprotective compound NS-7 into brain: comparison between normal and middle cerebral artery-occluded rats. 1997 , 61, 957-66	7
842	Exploration of P-type Ca ²⁺ channels as drug targets for the treatment of epilepsy or ischemic stroke. 1997 , 36, 107-13	17
841	Tissue distribution of the P2X7 receptor. 1997 , 36, 1277-83	438
840	Differential and time-dependent expression of monocyte chemoattractant protein-1 mRNA by astrocytes and macrophages in rat brain: effects of ischemia and peripheral lipopolysaccharide administration. 1997 , 74, 35-44	154
839	A novel prolyl endopeptidase inhibitor, JTP-4819, with potential for treating Alzheimer's disease. 1997 , 83, 147-51	32
838	Zinc-deficiency increases infarct size following permanent middle cerebral artery occlusion in rats. 1997 , 17, 305-316	7
837	Blood flow dependent duration of cortical depolarizations in the periphery of focal ischemia of rat brain. 1997 , 221, 165-8	26
836	Middle cerebral artery occlusion alters neurotransmitter activities in ipsilateral and contralateral rat brain regions: an ex vivo voltammetric study. 1997 , 230, 77-80	14
835	Retinal ischemia induced by the intraluminal suture method in rats. 1997 , 232, 45-8	37

834	Ischemic damage and subsequent proliferation of oligodendrocytes in focal cerebral ischemia. 1997 , 77, 849-861		107
833	Long-term beneficial effects of BW619C89 on neurological deficit, cognitive deficit and brain damage after middle cerebral artery occlusion in the rat. 1997 , 77, 1123-35		52
832	Electrophysiological studies of rat substantia nigra neurons in an in vitro slice preparation after middle cerebral artery occlusion. 1997 , 77, 1021-8		20
831	XVIIIth International Symposium on Cerebral Blood Flow and Metabolism. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1997 , 17, S1-S806	7-3	
830	Neuroprotective Profile of Riluzole in In Vivo Models of Acute Neurodegenerative Diseases. 1997 , 3, 83-101		19
829	Effects of Lamotrigine on brain nitrite and cGMP levels during focal cerebral ischemia in rats. 1997 , 95, 140-6		15
828	Role of colony stimulating factor-1 in brain damage caused by ischemia. 1997 , 21, 187-91		40
827	MRI measurements of water diffusion and cerebral perfusion: their relationship in a rat model of focal cerebral ischemia. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1997 , 17, 183-90	7-3	40
826	Cortical protection by localized striatal injection of IL-1ra following cerebral ischemia in the rat. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1997 , 17, 597-604	7-3	100
825	Rapid alteration of tau in oligodendrocytes after focal ischemic injury in the rat: involvement of free radicals. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1997 , 17, 612-22	7-3	93
824	Expression of growth inhibitory factor mRNA after focal ischemia in rat brain. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1997 , 17, 745-52	7-3	19
823	In vivo uptake of [3H]nimodipine in focal cerebral ischemia: modulation by hyperglycemia. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1997 , 17, 1057-65	7-3	7
822	Neuroprotective efficacy of ebselen, an anti-oxidant with anti-inflammatory actions, in a rodent model of permanent middle cerebral artery occlusion. 1997 , 122, 1251-6		127
821	Sensitivity to cerebral ischaemic insult in a rat model of stroke is determined by a single genetic locus. 1997 , 16, 364-7		188
820	Hyperthermia enhances spectrin breakdown in transient focal cerebral ischemia. <i>Brain Research</i> , 1997 , 746, 43-51	3-7	63
819	Temporal impairment of microcirculatory perfusion following focal cerebral ischemia in the spontaneously hypertensive rat. <i>Brain Research</i> , 1997 , 749, 200-8	3-7	35
818	Amyloid precursor protein accumulates in white matter at the margin of a focal ischaemic lesion. <i>Brain Research</i> , 1997 , 760, 150-7	3-7	78
817	A rat model of focal embolic cerebral ischemia. <i>Brain Research</i> , 1997 , 766, 83-92	3-7	291

816	Postischemic hypothermia. A critical appraisal with implications for clinical treatment. 1997 , 14, 171-201		250
815	Effects of riluzole on the evolution of focal cerebral ischemia: a magnetic resonance imaging study. 1997 , 5, 185-91		8
814	Microvascular changes associated with postischaemic hypoperfusion in rats. 1997 , 139, 670-6; discussion 676-7		9
813	Effect of focal cerebral ischemia on nitric oxide synthase expression in rats. 1997 , 30, 55-62		4
812	Morphological changes of c-Fos-like immunoreactivity in rat cerebral cortex after cerebral ischemia and reperfusion with special reference to vasoactive intestinal polypeptide. 1997 , 30, 111-118		1
811	Microglial and macrophage reactions mark progressive changes and define the penumbra in the rat neocortex and striatum after transient middle cerebral artery occlusion. 1997 , 386, 461-476		117
810	Pathophysiology of the ischemic penumbra--revision of a concept. 1998 , 18, 621-38		73
809	Effects of mild hypothermia on the release of regional glutamate and glycine during extended transient focal cerebral ischemia in rats. 1998 , 23, 991-6		31
808	Peroxynitrite formation in focal cerebral ischemia-reperfusion in rats occurs predominantly in the peri-infarct region. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1998 , 18, 123-9	7-3	110
807	Cerebral interleukin-6 is neuroprotective during permanent focal cerebral ischemia in the rat. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1998 , 18, 176-9	7-3	356
806	Changes in protein synthesis and calcium homeostasis in the thalamus of spontaneously hypertensive rats with focal cerebral ischemia. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1998 , 18, 686-96	7-3	39
805	Exacerbation of ischemic brain damage by localized striatal injection of interleukin-1beta in the rat. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1998 , 18, 833-9	7-3	141
804	Evaluation of a motor deficit after chronic focal cerebral ischemia in rats. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1998 , 18, 1099-106	7-3	91
803	Deficiency of intercellular adhesion molecule 1 attenuates microcirculatory disturbance and infarction size in focal cerebral ischemia. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1998 , 18, 1336-45	7-3	127
802	Brief electrical stimulation of cerebellar fastigial nucleus conditions long-lasting salvage from focal cerebral ischemia: conditioned central neurogenic neuroprotection. <i>Brain Research</i> , 1998 , 780, 161-165	3-7	44
801	Rat middle cerebral artery occlusion by an intraluminal thread compromises collateral blood flow. <i>Brain Research</i> , 1998 , 791, 223-8	3-7	10
800	Collateral hemodynamics after middle cerebral artery occlusion in Wistar and Fischer-344 rats. <i>Brain Research</i> , 1998 , 793, 289-96	3-7	9
799	Rapid disappearance of zinc positive terminals in focal brain ischemia. <i>Brain Research</i> , 1998 , 812, 265-9	3-7	47

798	Characterization of mitochondrial glutaminase and amino acids at prolonged times after experimental focal cerebral ischemia. <i>Brain Research</i> , 1998 , 813, 103-11	3-7	33
797	Neuroprotective effect of 5-HT1A receptor agonist, Bay X 3702, demonstrated in vitro and in vivo. 1998 , 359, 251-60		83
796	A novel rat CC chemokine, identified by targeted differential display, is upregulated in brain inflammation. 1998 , 92, 179-90		30
795	Focal cerebral ischemia in the mouse: hypothermia and rapid screening of drugs. 1998 , 30, 195-200		10
794	The b-wave of the electroretinogram as an index of retinal ischemia. 1998 , 30, 281-7		109
793	Cloning of rat HIV-1-chemokine coreceptor CKR5 from microglia and upregulation of its mRNA in ischemic and endotoxemic rat brain. 1998 , 53, 16-28		39
792	Effects of Panax notoginseng saponins on platelet aggregation in rats with middle cerebral artery occlusion or in vitro and on lipid fluidity of platelet membrane. 1998 , 12, 138-140		39
791	Microglia and macrophages are major sources of locally produced transforming growth factor-beta1 after transient middle cerebral artery occlusion in rats. 1998 , 24, 437-48		152
790	Enhanced protein synthesis in the ipsilateral substantia nigra following middle cerebral artery occlusion in the rat. 1998 , 95, 565-70		1
789	Simple and choice reaction-time performance following occlusion of the anterior cerebral arteries in the rat. 1998 , 123, 269-81		15
788	YM90K, an AMPA receptor antagonist, protects against ischemic damage caused by permanent and transient middle cerebral artery occlusion in rats. 1998 , 358, 586-91		14
787	The influence of plasma proteins on the distribution of leucocytes within the brain parenchyma in a murine model of stroke. 1998 , 24, 177-86		5
786	Middle cerebral artery occlusion in the rat: consistent protocol for a model of stroke. 1998 , 24, 487-97		57
785	Quantification of infarct size on focal cerebral ischemia model of rats using a simple and economical method. 1998 , 84, 9-16		93
784	The problem of assessing effective neuroprotection in experimental cerebral ischemia. 1998 , 54, 531-48		236
783	Middle cerebral artery occlusion in the rat causes a biphasic production of immunoreactive interleukin-1beta in the cerebral cortex. 1998 , 249, 177-9		36
782	Effects of the selective metabotropic glutamate agonist LY354740 in a rat model of permanent ischaemia. 1998 , 254, 121-3		39
781	Transsynaptic changes of neurons and associated microglial reaction in the spinal cord of rats following middle cerebral artery occlusion. 1998 , 256, 41-4		28

780	Topographical and quantitative assessment of white matter injury following a focal ischaemic lesion in the rat brain. 1998 , 2, 315-22	24
779	Three-vessel occlusion using a micro-clip for the proximal left middle cerebral artery produces a reliable neocortical infarct in rats. 1998 , 3, 209-20	18
778	Neuroprotective effect of sumatriptan, a 5-HT(1D) receptor agonist, in focal cerebral ischemia of rat brain. 1998 , 7, 242-9	5
777	Does poly-L-lysine coating of the middle cerebral artery occlusion suture improve infarct consistency in a murine model?. 1998 , 7, 296-301	9
776	(S)-4C3HPG reduces infarct size after focal cerebral ischemia. 1998 , 37, 1649-52	16
775	Tizanidine is an effective agent in the prevention of focal cerebral ischemia in rats: an experimental study. 1998 , 50, 264-70; discussion 270-1	15
774	Axonal injury caused by focal cerebral ischemia in the rat. 1998 , 15, 441-50	47
773	An integrated analysis of the progression of cell responses induced by permanent focal middle cerebral artery occlusion in the rat. 1998 , 154, 199-212	78
772	Local cerebral blood flow during the first hour following acute ligation of multiple arterioles in rat whisker barrel cortex. 1998 , 5, 142-50	21
771	Lubeluzole protects hippocampal neurons from excitotoxicity in vitro and reduces brain damage caused by ischemia. 1998 , 342, 193-201	28
770	The effect of the adrenocorticotropin-(4-9) analogue, ORG 2766, and of dizolcipine (MK-801) on infarct volume in rat brain. 1998 , 346, 159-65	6
769	Induction of Fos-like immunoreactivity in the hypothalamic, medullary and thoracic spinal cord neurons following middle cerebral artery occlusion in rats. 1998 , 30, 145-53	12
768	A novel prolyl endopeptidase inhibitor, JTP-4819--its behavioral and neurochemical properties for the treatment of Alzheimer's disease. 1998 , 9, 17-29	20
767	Neurobiology of stroke. 1998 , 42, 55-101	22
766	Isoflurane and Pentobarbital Reduce the Frequency of Transient Ischemic Depolarizations During Focal Ischemia in Rats. 1998 , 86, 773-780	51
765	YM872, a highly water-soluble AMPA receptor antagonist, preserves the hemodynamic penumbra and reduces brain injury after permanent focal ischemia in rats. 1998 , 29, 2141-8	43
764	Core and Penumbra Nitric Oxide Synthase Activity During Cerebral Ischemia and Reperfusion. 1998 , 29, 1037-1047	222
763	Photothrombotic middle cerebral artery occlusion in spontaneously hypertensive rats: influence of substrain, gender, and distal middle cerebral artery patterns on infarct size. 1998 , 29, 1982-6; discussion 1986-7	39

762	Isoflurane and pentobarbital reduce the frequency of transient ischemic depolarizations during focal ischemia in rats. 1998 , 86, 773-80		56
761	Increased cerebral infarction by cyclic flow reductions: studies in the guinea pig MCA thrombosis model. 1998 , 275, R1578-83		1
760	Restorative neurosurgery: opportunities for restoration of function in acquired, degenerative, and idiopathic neurological diseases. <i>Neurosurgery</i> , 1999 , 45, 741-52	3.2	30
759	Ischemic cell death in brain neurons. 1999 , 79, 1431-568		2415
758	Intrinsic neurons of fastigial nucleus mediate neurogenic neuroprotection against excitotoxic and ischemic neuronal injury in rat. 1999 , 19, 4142-54		29
757	Recommendations for standards regarding preclinical neuroprotective and restorative drug development. 1999 , 30, 2752-8		988
756	Long-term cortical CBF recording by laser-Doppler flowmetry in awake freely moving rats subjected to reversible photothrombotic stroke. 1999 , 90, 23-32		17
755	NBPA: a cerebral ischaemic protective agent. 1999 , 26, 845-6		9
754	The progression and topographic distribution of interleukin-1beta expression after permanent middle cerebral artery occlusion in the rat. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1999 , 19, 87-98 ³		198
753	An 18-mer peptide fragment of prosaposin ameliorates place navigation disability, cortical infarction, and retrograde thalamic degeneration in rats with focal cerebral ischemia. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1999 , 19, 298-306	7.3	24
752	Spatial cognitive performance after chronic focal cerebral ischemia in rats. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1999 , 19, 483-94	7.3	74
751	Dynamics of nitrotyrosine formation and decay in rat brain during focal ischemia-reperfusion. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1999 , 19, 667-72	7.3	51
750	Kynurenine hydroxylase inhibitors reduce ischemic brain damage: studies with (m-nitrobenzoyl)-alanine (mNBA) and 3,4-dimethoxy-[N-4-(nitrophenyl)thiazol-2yl]-benzenesulfonamide (Ro 61-8048) in models of focal or global brain ischemia. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1999 , 19, 771-7	7.3	137
749	Biochemical and molecular characteristics of the brain with developing cerebral infarction. 1999 , 19, 93-108		78
748	[Neuroprotection in stroke. A critical overview]. 1999 , 70, 101-10		2
747	Effects of somatostatin, octreotide and cortistatin on ischaemic neuronal damage following permanent middle cerebral artery occlusion in the rat. 1999 , 360, 633-8		28
746	A photothrombotic ring stroke model in rats with sustained hypoperfusion followed by late spontaneous reperfusion in the region at risk. 1999 , 125, 163-70		20
745	Individual peculiarities of cerebral energy metabolism during local ischemia. In vivo nuclear magnetic resonance spectroscopy data. 1999 , 128, 987-990		

744	The effect of mild hypothermia, mannitol and insulin-induced hypoglycaemia on ischaemic infarct volume in the early period after permanent middle cerebral artery occlusion in the rat. 1999 , 141, 979-87		10
743	Studies with rasagiline, a MAO-B inhibitor, in experimental focal ischemia in the rat. 1999 , 106, 593-606		71
742	Expression of transforming growth factor-beta1, 2, 3 isoforms and type I and II receptors in acute focal cerebral ischemia: an immunohistochemical study in rat after transient and permanent occlusion of middle cerebral artery. 1999 , 97, 447-55		36
741	The role of excitotoxicity in neurodegenerative disease: implications for therapy. 1999 , 81, 163-221		593
740	Pretreatment with intravenous FGF-13 reduces infarct volume and ameliorates neurological deficits following focal cerebral ischemia in rats. <i>Brain Research</i> , 1999 , 818, 140-6	3-7	19
739	Role of potassium channels in the central neurogenic neuroprotection elicited by cerebellar stimulation in rat. <i>Brain Research</i> , 1999 , 842, 496-500	3-7	17
738	A photothrombotic ring stroke model in rats with or without late spontaneous reperfusion in the region at risk. <i>Brain Research</i> , 1999 , 849, 175-86	3-7	11
737	Delayed administration of ethyl eicosapentate improves local cerebral blood flow and metabolism without affecting infarct volumes in the rat focal ischemic model. 1999 , 372, 167-74		25
736	Enalapril and moexipril protect from free radical-induced neuronal damage in vitro and reduce ischemic brain injury in mice and rats. 1999 , 373, 21-33		34
735	Drug development for stroke: importance of protecting cerebral white matter. 1999 , 375, 41-50		102
734	Superiority of platelet integrin GPIIb-IIIa receptor antagonist over aspirin in preventing cyclic flow reductions in the guinea pig middle cerebral artery. 1999 , 374, 377-85		11
733	Synthesis and pharmacological properties of 5H,10H-imidazo[1,2-a]indeno[1,2-e]pyrazine-4-one, a new competitive AMPA/KA receptor antagonist. 1999 , 48, 121-129		12
732	In vivo magnetic resonance methods in pharmaceutical research: current status and perspectives. 1999 , 12, 69-97		89
731	Magnetic resonance angiography of the rat cerebrovascular system without the use of contrast agents. 1999 , 12, 189-96		55
730	Disturbances of Calcium Homeostasis in Ischaemic Stroke. 1999 , 11, 373-386		9
729	Bases expérimentales du traitement de l'ischémie cérébrale focale. 1999 , 8, 269-274		
728	[Central nervous system infections in neurosurgery. Cerebral ischemia]. 1999 , 18, 481-6		
727	[Physiopathology of cerebral ischemia]. 1999 , 18, 574-82		0

726	Reproducibility of cerebral cortical infarction in the wistar rat after middle cerebral artery occlusion. 1999 , 8, 380-7		10
725	Localization of macrophage inflammatory protein: macrophage inflammatory protein-1 expression in rat brain after peripheral administration of lipopolysaccharide and focal cerebral ischemia. 1999 , 88, 1255-66		64
724	Neuroprotective effects of a dihydropyridine derivative, 1,4-dihydro-2,6-dimethyl-4-(3-nitrophenyl)-3,5-pyridinedicarboxylic acid methyl 6-(5-phenyl-3-pyrazolyloxy)hexyl ester (CV-159), on rat ischemic brain injury. 1999 , 64, 869-78		17
723	Model development and behavioral assessment of focal cerebral ischemia in rats. 1999 , 64, 1099-108		74
722	Neuroprotection for acute stroke: making clinical trials work. 1999 , 30, 180-2		100
721	Genetic and gender influences on sensitivity to focal cerebral ischemia in the stroke-prone spontaneously hypertensive rat. 1999 , 33, 681-5		108
720	Experimental model of small deep infarcts involving the hypothalamus in rats: changes in body temperature and postural reflex. 1999 , 30, 2743-51; discussion 2751		72
719	A comparative study of the effects of two nitric oxide synthase inhibitors and two nitric oxide donors on temporary focal cerebral ischemia in the Wistar rat. 1999 , 90, 332-8		29
718	Assessment of quantitative computed tomographic cerebral perfusion imaging with H ₂ (15)O positron emission tomography. 2000 , 22, 457-64		68
717	Synthesis and pharmacological properties of novel glycine antagonists. 2000 , 31, 239-245		
716	Delayed systemic administration of PACAP38 is neuroprotective in transient middle cerebral artery occlusion in the rat. 2000 , 31, 1411-7		136
715	Acute changes in MRI diffusion, perfusion, T(1), and T(2) in a rat model of oligemia produced by partial occlusion of the middle cerebral artery. 2000 , 44, 706-12		39
714	Diffusion weighted imaging and magnetic resonance spectroscopy in a low flow ischaemia model due to endothelin induced vasospasm. 2000 , 13, 154-62		19
713	Cytoprotection does not preserve brain functionality in rats during the acute post-stroke phase despite evidence of non-infarction provided by MRI. 2000 , 13, 361-70		33
712	The effect of CGP-40116 on pilocarpine evoked seizures in mice exposed to transient episode of brain ischemia. 2000 , 41, 213-22		8
711	Application of PET-MRI registration techniques to cat brain imaging. 2000 , 101, 1-7		16
710	Effect of JTP-2942, a novel thyrotropin-releasing hormone analog, on motor deficits after chronic focal cerebral ischemia in rats. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2000 , 20, 74-81	7-3	14
709	Investigation of estrogen status and increased stroke sensitivity on cerebral blood flow after a focal ischemic insult. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2000 , 20, 931-6	7-3	43

708	ME3277, a GPIIb/IIIa antagonist reduces cerebral infarction without enhancing intracranial hemorrhage in photothrombotic occlusion of rabbit middle cerebral artery. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2000 , 20, 988-97	7-3	22
707	Parallel gene expression monitoring using oligonucleotide probe arrays of multiple transcripts with an animal model of focal ischemia. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2000 , 20, 1045-55	7-3	113
706	Synthesis and pharmacological properties of novel glycine antagonists. 2000 , 74, 239-45		7
705	Directed sampling for electrolyte analysis and water content of micro-punch samples shows large differences between normal and ischemic rat brain cortex. <i>Brain Research</i> , 2000 , 868, 370-5	3-7	17
704	Blocking the glycine-binding site of NMDA receptors prevents the progression of ischemic pathology induced by bilateral carotid artery occlusion in spontaneously hypertensive rats. <i>Brain Research</i> , 2000 , 871, 311-8	3-7	15
703	Gender differences and the effects of synthetic exogenous and non-synthetic estrogens in focal cerebral ischemia. <i>Brain Research</i> , 2000 , 878, 88-97	3-7	30
702	Plasminogen activation in experimental permanent focal cerebral ischemia. <i>Brain Research</i> , 2000 , 882, 19-25	3-7	14
701	The effects of N-methyl-N-nitrosourea and azoxymethane on focal cerebral infarction and the expression of p53, p21 proteins. <i>Brain Research</i> , 2000 , 855, 298-306	3-7	10
700	Effect of magnesium on nitric oxide synthase of neurons in cortex during early period of cerebral ischemia. 2000 , 20, 13-5, 42		10
699	Involvement of cortical damage in the ischemia/reperfusion-induced memory impairment of Wistar rats. 2000 , 23, 413-7		4
698	The effect of tizanidine on chronic vasospasm in rats. 2000 , 142, 1047-54		5
697	The influence of MK-801 on bicuculline evoked seizures in adult mice exposed to transient episode of brain ischemia. 2000 , 107, 947-57		5
696	Neuroserpin reduces cerebral infarct volume and protects neurons from ischemia-induced apoptosis. 2000 , 96, 569-576		229
695	Estrogen status affects sensitivity to focal cerebral ischemia in stroke-prone spontaneously hypertensive rats. 2000 , 278, H290-4		82
694	Cognitive deficits after focal cerebral ischemia in mice. 2000 , 31, 1939-44		151
693	Serum amino acid levels after permanent middle cerebral artery occlusion in the rat. 2000 , 10, 449-54		21
692	Mouse Models of Focal Cerebral Ischemia. 2000 , 6, 11.9.1		
691	Restoration of function by neural transplantation in the ischemic brain. 2000 , 127, 461-76		61

690	Nitric oxide deficiency contributes to large cerebral infarct size. 2000 , 35, 1111-8	16
689	Expression of caspases and their substrates in the rat model of focal cerebral ischemia. 2000 , 7, 332-42	74
688	Expression of angiopoietin-1, angiopoietin-2, and tie receptors after middle cerebral artery occlusion in the rat. <i>American Journal of Pathology</i> , 2000 , 157, 1473-83	5.8 183
687	Induction of aquaporin-4 water channel mRNA after focal cerebral ischemia in rat. 2000 , 78, 131-7	212
686	Exogenous spermine reduces ischemic damage in a model of focal cerebral ischemia in the rat. 2000 , 282, 5-8	20
685	Assessment of induction of biliverdin reductase in a mouse model of middle cerebral artery occlusion. 2000 , 6, 53-70	5
684	Synthesis and binding characteristics of N-(1-naphthyl)-N'-(3-[[¹²⁵ I]-iodophenyl]-N'-methylguanidine ([[¹²⁵ I]-CNS 1261): a potential SPECT agent for imaging NMDA receptor activation. 2000 , 27, 557-64	46
683	CNS plasticity and assessment of forelimb sensorimotor outcome in unilateral rat models of stroke, cortical ablation, parkinsonism and spinal cord injury. 2000 , 39, 777-87	1089
682	Time window of intracisternal osteogenic protein-1 in enhancing functional recovery after stroke. 2000 , 39, 860-5	66
681	Rodent models of focal cerebral ischemia. 2001 , Chapter 9, Unit9.6	6
680	Straightforward synthesis of new tetrahydroquinoline derivatives. 2000 , 78, 809-815	16
679	A comparison of long-term functional outcome after 2 middle cerebral artery occlusion models in rats. 2001 , 32, 2648-57	116
678	Apoptosis and cerebral ischemia. 2001 , 6, 137-167	2
677	MRI analysis of the changes in apparent water diffusion coefficient, T(2) relaxation time, and cerebral blood flow and volume in the temporal evolution of cerebral infarction following permanent middle cerebral artery occlusion in rats. 2001 , 169, 56-63	36
676	Real-time measurement of glutamate release from the ischemic penumbra of the rat cerebral cortex using a focal middle cerebral artery occlusion model. 2001 , 299, 37-40	61
675	Nitro-aspirin (NCX4016) reduces brain damage induced by focal cerebral ischemia in the rat. 2001 , 302, 121-4	36
674	Characterisation of gene expression changes following permanent MCAO in the rat using subtractive hybridisation. 2001 , 93, 70-80	36
673	Effects of chronic L-NAME treatment on rat focal cerebral ischemia and cerebral vasoreactivity. 2001 , 69, 2203-16	7

672	Adaptive plasticity in tachykinin and tachykinin receptor expression after focal cerebral ischemia is differentially linked to gabaergic and glutamatergic cerebrocortical circuits and cerebrovenular endothelium. 2001 , 21, 798-811		81
671	The AMPA receptor allosteric potentiator PEPA ameliorates post-ischemic memory impairment. 2001 , 12, 2947-50		13
670	Enoxaparin in experimental stroke: neuroprotection and therapeutic window of opportunity. 2001 , 32, 993-9		44
669	Brain-derived neurotrophic factor reduces cortical cell death by ischemia after middle cerebral artery occlusion in the rat. 2001 , 101, 229-38		130
668	Cognitive and behavioral assessment in experimental stroke research: will it prove useful?. 2001 , 25, 325-42		120
667	Early visual changes in reflected light on non-stained brain sections after focal ischemia mirror the area of ischemic damage. 2001 , 111, 67-73		13
666	Early and delayed neuroprotective effects of FK506 on experimental focal ischemia quantitatively assessed by diffusion-weighted MRI. 2001 , 19, 153-60		16
665	Different dynamic patterns of extracellular glutamate release in rat hippocampus after permanent or 30-min transient cerebral ischemia and histological correlation. 2001 , 21, 181-7		33
664	Application of magnetic resonance to animal models of cerebral ischemia. 2001 , 14, 491-509		128
663	Dynamic patterns of USPIO enhancement can be observed in macrophages after ischemic brain damage. 2001 , 46, 1018-22		114
662	From anatomy to the target: contributions of magnetic resonance imaging to preclinical pharmaceutical research. 2001 , 265, 85-100		62
661	Targeting acute ischemic stroke with a calcium-sensitive opener of maxi-K potassium channels. 2001 , 7, 471-7		265
660	Cell permeable exogenous ceramide reduces infarct size in spontaneously hypertensive rats supporting in vitro studies that have implicated ceramide in induction of tolerance to ischemia. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2001 , 21, 226-32	7-3	48
659	Stroke genomics: approaches to identify, validate, and understand ischemic stroke gene expression. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2001 , 21, 755-78	7-3	78
658	Neuroprotective effects of the CRF1 antagonist R121920 after permanent focal ischemia in the rat. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2001 , 21, 1208-14	7-3	19
657	Production of leukotrienes in a model of focal cerebral ischaemia in the rat. 2001 , 133, 1323-9		88
656	Effects of cerestat and NBQX on functional and morphological outcomes in rat focal cerebral ischemia. 2001 , 68, 443-7		16
655	Cerebroprotective action of a Na ⁺ /Ca ²⁺ channel blocker NS-7. I. Effect on the cerebral infarction and edema at the acute stage of permanent middle cerebral artery occlusion in rats. <i>Brain Research</i> , 2001 , 890, 162-9	3-7	25

654	Cerebroprotective action of a Na ⁺ /Ca ²⁺ channel blocker NS-7. II. Effect on the cerebral infarction, behavioral and cognitive impairments at the chronic stage of permanent middle cerebral artery occlusion in rats. <i>Brain Research</i> , 2001 , 890, 170-6	3.7	16
653	Cerebral hemorrhage due to heparin limits its neuroprotective effects: studies in a rabbit model of photothrombotic middle cerebral artery occlusion. <i>Brain Research</i> , 2001 , 902, 30-9	3.7	14
652	Stimulation of the subthalamic vasodilator area and fastigial nucleus independently protects the brain against focal ischemia. <i>Brain Research</i> , 2001 , 912, 47-59	3.7	28
651	Cycloheximide reduces infarct volume when administered up to 6 h after mild focal ischemia in rats. <i>Brain Research</i> , 2001 , 917, 147-57	3.7	23
650	Neuroprotective actions in vivo and electrophysiological actions in vitro of 202W92. <i>Brain Research</i> , 2001 , 919, 259-68	3.7	18
649	The neuroprotective activity of the glycine receptor antagonist GV150526: an in vivo study by magnetic resonance imaging. 2001 , 419, 147-53		18
648	Synthesis and pharmacological characterisation of a conformationally restrained series of indole-2-carboxylates as in vivo potent glycine antagonists. 2001 , 56, 791-8		5
647	The effects of the pre-treatment of intravenous nimodipine on Na ⁽⁺⁾ -K ⁺ /Mg ²⁺ ATPase, Ca ²⁺ /Mg ²⁺ ATPase, lipid peroxidation and early ultrastructural findings following middle cerebral artery occlusion in the rat. 2001 , 23, 96-104		8
646	Cerebral blood flow and tissue oxygen saturation in immediate and progressive ischemia in rat brain. 2001 , 23, 875-80		1
645	Cerebral ischemia: from animal studies to clinical practice. Should the methods be reviewed?. 2001 , 11 Suppl 1, 20-30		69
644	Post-ischemic administration of DY-9760e, a novel calmodulin antagonist, reduced infarct volume in the permanent focal ischemia model of spontaneously hypertensive rat. 2001 , 23, 662-8		22
643	Functional magnetic resonance imaging of reorganization in rat brain after stroke. 2001 , 98, 12766-71		245
642	Social stress exacerbates stroke outcome by suppressing Bcl-2 expression. 2001 , 98, 11824-8		132
641	Reciprocal consomic strains to evaluate y chromosome effects. 2001 , 37, 391-7		37
640	Characterization of the microglial response to cerebral ischemia in the stroke-prone spontaneously hypertensive rat. 2001 , 38, 116-22		44
639	Inosine induces axonal rewiring and improves behavioral outcome after stroke. 2002 , 99, 9031-6		210
638	Peg3/Pw1 is involved in p53-mediated cell death pathway in brain ischemia/hypoxia. 2002 , 277, 623-9		54
637	Focal cerebral ischemia in rats produced by intracarotid embolization with viscous silicone. 2002 , 24, 181-90		14

636	Effect of neutralization of rat IL-6 bioactivity on collateral blood supply from retrograde flow via cortical anastomoses in the rat central nervous system. 2002 , 24, 405-8	4
635	Effects of the nitric oxide donor 3-morpholinonydnonimine (SIN-1) in focal cerebral ischemia dependent on intracellular brain pH. 2002 , 97, 914-21	13
634	Protection against ischemia and improvement of cerebral blood flow in genetically hypertensive rats by chronic pretreatment with an angiotensin II AT1 antagonist. 2002 , 33, 2297-303	186
633	Beta-hydroxybutyrate, a cerebral function improving agent, protects rat brain against ischemic damage caused by permanent and transient focal cerebral ischemia. 2002 , 89, 36-43	97
632	New insights into brain damage in stroke-prone rats: a nuclear magnetic imaging study. 2002 , 33, 825-30	55
631	Protocol of a thromboembolic stroke model in the rat: review of the experimental procedure and comparison of models. 2002 , 37, 600-8	19
630	Reduced susceptibility of magnocellular neuroendocrine nuclei of the rat hypothalamus to transient focal ischemia produced by middle cerebral artery occlusion. 2002 , 178, 268-79	14
629	Synthesis and structure-activity relationships of 3-aryloxindoles: a new class of calcium-dependent, large conductance potassium (maxi-K) channel openers with neuroprotective properties. 2002 , 45, 1487-99	152
628	Cardiovascular activity1. 2002 , 26-276	
627	CDP-choline reduces pro-caspase and cleaved caspase-3 expression, nuclear DNA fragmentation, and specific PARP-cleaved products of caspase activation following middle cerebral artery occlusion in the rat. 2002 , 42, 846-54	76
626	The 2-oxopyrrolidinacetamide piracetam reduces infarct brain volume induced by permanent middle cerebral artery occlusion in male rats. 2002 , 43, 427-33	21
625	A novel MCA occlusion model of photothrombotic ischemia with cyclic flow reductions: development of cerebral hemorrhage induced by heparin. 2002 , 9, 85-92	19
624	A novel guinea pig model with cyclic flow reductions following thrombotic cerebral ischemia. 2002 , 10, 55-9	3
623	Cortical expression of endothelin receptor subtypes A and B following middle cerebral artery occlusion in rats. 2002 , 112, 993-1000	30
622	Neural plasticity after cerebral ischemia. 2002 , 317-327	
621	Beyond neuroprotection: the protection of axons and oligodendrocytes in cerebral ischemia. 2002 , 404-415	1
620	Nefiracetam improves the impairment of local cerebral blood flow and glucose utilization after chronic focal cerebral ischemia in rats. 2002 , 64, 119-25	9
619	A novel voltage-sensitive Na(+) and Ca(2+) channel blocker, NS-7, prevents suppression of cyclic AMP-dependent protein kinase and reduces infarct area in the acute phase of cerebral ischemia in rat. <i>Brain Research</i> , 2002 , 924, 98-108	3.7 11

618	Specific ligand for a central type prostacyclin receptor attenuates neuronal damage in a rat model of focal cerebral ischemia. <i>Brain Research</i> , 2002 , 925, 176-82	3-7	24
617	Cyclosporin A in blood and brain tissue following intra-carotid injections in normal and stroke-induced rats. <i>Brain Research</i> , 2002 , 943, 1-8	3-7	15
616	Alterations in hippocampal GAP-43, BDNF, and L1 following sustained cerebral ischemia. <i>Brain Research</i> , 2002 , 935, 24-31	3-7	52
615	Changes in oxidative stress, iNOS activity and neutrophil infiltration in severe transient focal cerebral ischemia in rats. <i>Brain Research</i> , 2002 , 958, 166-75	3-7	68
614	Analysis of mitochondrial free radical generation in animal models of neuronal disease. 2002 , 33, 715-23		28
613	Recovery of function in cytoprotected cerebral cortex in rat stroke model assessed by functional MRI. 2002 , 47, 759-65		27
612	Time courses of progress to the chronic stage of middle cerebral artery occlusion models in rats. 2002 , 146, 95-102		21
611	Extracellular glutamate during focal cerebral ischaemia in rats: time course and calcium dependency. 1994 , 63, 1003-11		125
610	A new reproducible focal cerebral ischemia model by introduction of polyvinylsiloxane into the middle cerebral artery: a comparison study. 2002 , 118, 199-206		20
609	In vivo voltammetry and concomitant electrophysiology at a single micro-biosensor to analyse ischaemia, depression and drug dependence. 2002 , 119, 173-84		22
608	Role of caspase-3 activation in cerebral ischemia-induced neurodegeneration in adult and neonatal brain. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2002 , 22, 420-30	7-3	131
607	New method for the quantitative assessment of axonal damage in focal cerebral ischemia. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2002 , 22, 1080-9	7-3	28
606	Differences in the extent of primary ischemic damage between middle cerebral artery coagulation and intraluminal occlusion models. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2002 , 22, 1196-204	7-3	49
605	The synthesis and structure-activity relationships of 4-aryl-3-aminoquinolin-2-ones: a new class of calcium-dependent, large conductance, potassium (maxi-K) channel openers targeted for post-stroke neuroprotection. 2002 , 12, 1779-83		80
604	9-Carboxymethyl-5H,10H-imidazo[1,2-a]indeno[1,2-e]pyrazin-4-one-2-carboxylic acid (RPR117824): selective anticonvulsive and neuroprotective AMPA antagonist. 2002 , 10, 1627-37		29
603	Reduction of mitochondrial electron transport complex activity is restricted to the ischemic focus after transient focal cerebral ischemia in rats: a histochemical volumetric analysis. 2003 , 28, 1805-12		6
602	Enantiomerically pure tetrahydroquinoline derivatives as in vivo potent antagonists of the glycine binding site associated to the NMDA receptor. 2003 , 13, 3863-6		22
601	Rapidly activated microglial cells in the preoptic area may play a role in the generation of hyperthermia following occlusion of the middle cerebral artery in the rat. 2003 , 153, 84-91		7

600	Antioxidant ebselen reduces oxidative damage in focal cerebral ischemia. 2003 , 34, 56-63		86
599	Electrical stimulation of the dorsal periaqueductal gray decreases volume of the brain infarction independently of accompanying hypertension and cerebrovasodilation. <i>Brain Research</i> , 2003 , 994, 135-43	3.7	17
598	Neuroprotective action of tacrolimus (FK506) in focal and global cerebral ischemia in rodents: dose dependency, therapeutic time window and long-term efficacy. <i>Brain Research</i> , 2003 , 965, 137-45	3.7	66
597	Endogenous proteolytic activity in a rat model of spontaneous cerebral stroke. <i>Brain Research</i> , 2003 , 974, 184-92	3.7	20
596	In vivo neuroprotective effects of ACEA 1021 confirmed by magnetic resonance imaging in ischemic stroke. 2003 , 474, 53-62		18
595	Uptake of glutamate is impaired in the cortical penumbra of the rat following middle cerebral artery occlusion: an in vivo microdialysis extraction study. 2003 , 71, 551-8		6
594	MR imaging of postischemic neuronal death in the substantia nigra and thalamus following middle cerebral artery occlusion in rats. 2003 , 16, 152-9		20
593	The macrosphere model: evaluation of a new stroke model for permanent middle cerebral artery occlusion in rats. 2003 , 122, 201-11		95
592	Synthesis and AMPA receptor antagonistic activity of a novel class of quinoxalinecarboxylic acid with a substituted phenyl group at the C-7 position. 2003 , 13, 3521-5		18
591	Microsurgical intraluminal middle cerebral artery occlusion model in rodents. 2003 , 107, 267-75		9
590	Time-course phosphorylation of the mitogen activated protein (MAP) kinase group of signalling proteins and related molecules following middle cerebral artery occlusion (MCAO) in rats. 2003 , 29, 144-58		37
589	Normalization of endothelial and inducible nitric oxide synthase expression in brain microvessels of spontaneously hypertensive rats by angiotensin II AT1 receptor inhibition. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2003 , 23, 371-80	7.3	114
588	Neuroprotective effects of insulin-like growth factor-binding protein ligand inhibitors in vitro and in vivo. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2003 , 23, 1160-7	7.3	50
587	Animal models of focal and global cerebral ischemia. 2003 , 44, 85-95		265
586	Neuroprotective activity of tamoxifen in permanent focal ischemia. 2003 , 99, 138-42		66
585	Tissue microenvironments within functional cortical subdivisions adjacent to focal stroke. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2003 , 23, 997-1009	7.3	45
584	Delayed treatment with 5-nitro-6,7-dichloro-1,4-dihydro-2,3-quinoxalinedione, a glycine site N-methyl-D-aspartate antagonist, protects against permanent middle cerebral artery occlusion in male rats. 2003 , 347, 147-50		9
583	SM-31900, a novel NMDA receptor glycine-binding site antagonist, reduces infarct volume induced by permanent middle cerebral artery occlusion in spontaneously hypertensive rats. 2003 , 42, 375-84		7

582	Biphasic expression of activating transcription factor-3 in neurons after cerebral infarction. 2003 , 115, 147-56		33
581	Neuroprotection associated with running: is it a result of increased endogenous neurotrophic factors?. 2003 , 118, 335-45		117
580	Signal transduction and neurosurvival in experimental models of brain injury. <i>Brain Research Bulletin</i> , 2003 , 59, 339-51	3.9	14
579	Intracisternal administration of Angiotensin II AT1 receptor antisense oligodeoxynucleotides protects against cerebral ischemia in spontaneously hypertensive rats. 2003 , 111, 117-22		15
578	Prolonged drug-induced hypothermia in experimental stroke. 2003 , 12, 97-102		10
577	Temporal and spatial gene expression patterns after experimental stroke in a rat model and characterization of PC4, a potential regulator of transcription. 2003 , 22, 353-64		33
576	All-optical thrombotic stroke model for near-surface blood vessels in rat: focal illumination of exogenous photosensitizers combined with real-time two-photon imaging. 2003 ,		1
575	Treatment with statins after induction of focal ischemia in rats reduces the extent of brain damage. 2003 , 23, 322-7		160
574	Mucosal tolerance to E-selectin provides cell-mediated protection against ischemic brain injury. 2003 , 100, 15107-12		76
573	Effect of mild hypothermia on focal cerebral ischemia. Review of experimental studies. 2003 , 25, 457-64		60
572	Assessment of cognitive and motor deficits in a marmoset model of stroke. 2003 , 44, 153-60		45
571	The novel neuroprotective action of sulfasalazine through blockade of NMDA receptors. 2003 , 305, 48-56		32
570	Effect of basic fibroblast growth factor treatment on brain progenitor cells after permanent focal ischemia in rats. 2003 , 34, 2722-8		66
569	Photothrombotic middle cerebral artery occlusion and reperfusion laser system in spontaneously hypertensive rats. 2003 , 34, 2716-21		40
568	Neuronal apolipoprotein E is not synthesized in neuron after focal ischemia in rat brain. 2003 , 25, 390-4		10
567	Spinal cord stimulation reducing infarct volume in a model of focal cerebral ischemia in rats. 2003 , 99, 131-7		25
566	Pharmacological studies supporting the therapeutic use of Ginkgo biloba extract for Alzheimer's disease. 2003 , 36 Suppl 1, S8-14		73
565	Three-dimensional structure and survival of newly formed blood vessels after focal cerebral ischemia. 2003 , 14, 1171-1176		60

564	Effect of TTC-909 on cerebral infarction following permanent occlusion of the middle cerebral artery in stroke prone spontaneously hypertensive rats. 2003 , 91, 305-12		7
563	Is neuroprotective efficacy of nNOS inhibitor 7-NI dependent on ischemic intracellular pH?. 2003 , 284, H151-9		15
562	Choice, methodology, and characterization of focal ischemic stroke models: the search for clinical relevance. 2005 , 104, 19-48		4
561	Magnetic resonance imaging in animal models of pathologies. 2004 , 386, 177-200		9
560	DY-9760e, a novel calmodulin antagonist, reduces infarction after permanent focal cerebral ischemia in rats. 2004 , 71, 38-45		6
559	Two sodium/calcium exchanger gene products, NCX1 and NCX3, play a major role in the development of permanent focal cerebral ischemia. 2004 , 35, 2566-70		139
558	HIF-1alpha reveals a binding activity to the promoter of iNOS gene after permanent middle cerebral artery occlusion. 2004 , 90, 368-78		65
557	Expression of damage-induced neuronal endopeptidase (DINE) mRNA in peri-infarct cortical and thalamic neurons following middle cerebral artery occlusion. 2004 , 91, 956-64		22
556	Differential effects of 17beta-estradiol upon stroke damage in stroke prone and normotensive rats. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2004 , 24, 298-304	7-3	52
555	Progesterone enhances functional recovery after middle cerebral artery occlusion in male mice. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2004 , 24, 805-13	7-3	157
554	Degeneration of the basalocortical pathway from the cortex induces a functional increase in galaninergic markers in the nucleus basalis magnocellularis of the rat. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2004 , 24, 1255-66	7-3	9
553	Activation of proinflammatory caspases by cathepsin B in focal cerebral ischemia. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2004 , 24, 1272-9	7-3	61
552	CNS injury: the role of the cytokine IL-1. 2004 , 168, 230-7		58
551	Magnetic resonance imaging in drug discovery: lessons from disease areas. 2004 , 9, 35-42		46
550	The time course of ischemic damage and cerebral perfusion in a rat model of space-occupying cerebral infarction. <i>Brain Research</i> , 2004 , 1013, 74-82	3-7	18
549	Reduction of cerebral infarct size by non-competitive AMPA antagonists in rats subjected to permanent and transient focal ischemia. <i>Brain Research</i> , 2004 , 1019, 210-6	3-7	24
548	Microsphere-induced embolic stroke: an MRI study. 2004 , 51, 1232-8		37
547	Synthesis and AMPA receptor antagonistic activity of a novel 7-imidazolyl-6-trifluoromethyl quinoxalinecarboxylic acid with a substituted phenyl group and improved its good physicochemical properties by introduced CF3 group. 2004 , 14, 5107-11		5

546	Temporal and regional expression of Fos-related proteins in response to ischemic injury. <i>Brain Research Bulletin</i> , 2004 , 63, 65-73	3.9	14
545	Evidence for a protective role played by the Na ⁺ /Ca ²⁺ exchanger in cerebral ischemia induced by middle cerebral artery occlusion in male rats. 2004 , 46, 439-48		88
544	Permanent occlusion of the middle cerebral artery upregulates expression of cytokines and neuronal nitric oxide synthase in the spinal cord and urinary bladder in the adult rat. 2004 , 125, 819-31		23
543	Neuroprotective effect of tacrolimus (FK506) on ischemic brain damage following permanent focal cerebral ischemia in the rat. 2004 , 128, 30-8		16
542	Diabetes enhances apoptosis induced by cerebral ischemia. 2004 , 76, 249-62		57
541	Perioperative neuroprotection: are we asking the right questions?. 2004 , 98, 563-5		16
540	Genetic and cellular therapies for cerebral infarction. <i>Neurosurgery</i> , 2004 , 55, 283-6; discussion 296-7	3.2	17
539	P2X7 receptor expression after ischemia in the cerebral cortex of rats. 2004 , 63, 686-99		197
538	Impaired functional recovery after stroke in the stroke-prone spontaneously hypertensive rat. 2005 , 36, 135-41		29
537	Evaluation of Brain Ischemia in Mice. 2005 , 38, 99-106		11
536	Ex vivo Gene Therapy and Cell Therapy for Stroke. 2005 , 18, 439-457		
535	Characterization of a novel thrombotic middle cerebral artery occlusion model in monkeys that exhibits progressive hypoperfusion and robust cortical infarction. 2005 , 146, 106-15		24
534	Design, synthesis, and AMPA receptor antagonistic activity of a novel 6-nitro-3-oxoquinoxaline-2-carboxylic acid with a substituted phenyl group at the 7 position. 2005 , 13, 5841-63		14
533	Novel alpha-amino-3-hydroxy-5-methyl-4-isoxazole propionate (AMPA) receptor antagonists of 2,3-benzodiazepine type: chemical synthesis, in vitro characterization, and in vivo prevention of acute neurodegeneration. 2005 , 48, 4618-27		19
532	Reduced infarct volume and differential effects on glial cell activation after hyperbaric oxygen treatment in rat permanent focal cerebral ischaemia. 2005 , 21, 3189-94		81
531	Cyclophilin C-associated protein and cyclophilin C mRNA are upregulated in penumbral neurons and microglia after focal cerebral ischemia. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2005 , 25, 325-37	7.3	17
530	Detrimental effects of 17beta-oestradiol after permanent middle cerebral artery occlusion. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2005 , 25, 414-20	7.3	49
529	G-CSF reduces infarct volume and improves functional outcome after transient focal cerebral ischemia in mice. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2005 , 25, 431-9	7.3	150

528	The effects of AMPA receptor antagonists in models of stroke and neurodegeneration. 2005 , 519, 58-67		31
527	Long-term protective effect of atorvastatin in permanent focal cerebral ischemia. <i>Brain Research</i> , 2005 , 1052, 174-9	3-7	35
526	Neuroprotective effects of KCL-440, a new poly(ADP-ribose) polymerase inhibitor, in the rat middle cerebral artery occlusion model. <i>Brain Research</i> , 2005 , 1060, 73-80	3-7	17
525	Decomposition and long-lasting downregulation of extracellular matrix in perineuronal nets induced by focal cerebral ischemia in rats. 2005 , 80, 539-48		74
524	Multiexponential T2-relaxation analysis in cerebrally damaged rats in the absence and presence of a gadolinium contrast agent. 2005 , 53, 1326-32		7
523	Corticotropin-releasing factor: effect on cerebral blood flow in physiologic and ischaemic conditions. 2005 , 165, 375-82		14
522	Citicoline inhibits MAP kinase signalling pathways after focal cerebral ischaemia. 2005 , 30, 1067-73		15
521	Gene Discovery Underlying Stroke. 2005 , 18, 336-376		
520	Hyperthermia and hypermetabolism in focal cerebral ischemia. <i>Advances in Experimental Medicine and Biology</i> , 2005 , 566, 83-9	3.6	14
519	The neuroprotective effects of BNG-1: a new formulation of traditional Chinese medicines for stroke. 2005 , 33, 61-71		10
518	New goals in ischemic stroke therapy: the experimental approach--harmonizing science with practice. 2005 , 20 Suppl 2, 159-68		11
517	Expression of the mu-opioid receptor is induced in dentate gyrus granule cells after focal cerebrocortical ischaemia and stimulation of entorhinal afferents. 2005 , 22, 1032-44		7
516	P.5.107 Ischemized brain protection by modulators of GABA-ergic neurotransmission. 2005 , 15, S261-S262		
515	P.5.109 Psychiatric disorders in adolescents with juvenile myoclonic epilepsy. 2005 , 15, S262-S263		
514	The detection and quantification of highly reactive oxygen species using the novel HPF fluorescence probe in a rat model of focal cerebral ischemia. 2005 , 53, 304-13		35
513	Skilled reaching impairments from the lateral frontal cortex component of middle cerebral artery stroke: a qualitative and quantitative comparison to focal motor cortex lesions in rats. 2005 , 156, 125-37		67
512	Modern anesthesia and peroperative monitoring methods reduce per- and postoperative mortality during transient occlusion of the middle cerebral artery in rats. 2005 , 14, 181-90		14
511	Estradiol increases brain lesions in the cortex and lateral striatum after transient occlusion of the middle cerebral artery in rats: no effect of ischemia on galanin in the stroke area but decreased levels in the hippocampus. 2005 , 26, 2257-64		35

510	Inflammation in areas of remote changes following focal brain lesion. 2005 , 75, 342-65	134
509	Effect of allopurinol in focal cerebral ischemia in rats: an experimental study. 2005 , 64 Suppl 2, S5-10	9
508	Middle cerebral artery (MCA) stroke produces dysfunction in adjacent motor cortex as detected by intracortical microstimulation in rats. 2005 , 130, 601-10	48
507	Rodent models of focal stroke: size, mechanism, and purpose. 2005 , 2, 396-409	512
506	Using microwave irradiation in Marchi's method for demonstrating degenerated myelin. 2006 , 81, 63-9	4
505	A reversible middle cerebral artery occlusion model using intraluminal balloon technique in monkeys. 2006 , 15, 202-8	24
504	Protective effect of anthocyanins in middle cerebral artery occlusion and reperfusion model of cerebral ischemia in rats. 2006 , 79, 130-7	96
503	Specific expression of galanin in the peri-infarct zone after permanent focal cerebral ischemia in the rat. 2006 , 134, 38-45	8
502	Targeting molecular constructs of cellular function and injury through in vitro and in vivo experimental models. 181-211	
501	Focal brain ischemia models in rodents. 311-328	2
500	Mechanisms of spinal cord stimulation in ischemia. 2006 , 21, E2	10
499	A new model of focal cerebral ischemia in the miniature pig. 2006 , 104, 123-132	7
498	[Extrapolation of stroke model data to humans]. 2006 , 127, 481-4	
497	Neuroprotective effects of the P2 receptor antagonist PPADS on focal cerebral ischaemia-induced injury in rats. 2006 , 23, 2824-8	49
496	Mechanisms involved in the neuroprotective activity of a nitric oxide synthase inhibitor during focal cerebral ischemia. 1993 , 61, 690-6	143
495	GV150526: A Neuroprotective Agent. 2006 , 6, 135-152	1
494	Neuroprotective profile of enoxaparin, a low molecular weight heparin, in in vivo models of cerebral ischemia or traumatic brain injury in rats: a review. 2002 , 8, 1-30	43
493	YM872: a selective, potent and highly water-soluble alpha-amino-3-hydroxy-5-methylisoxazole-4-propionic acid receptor antagonist. 2002 , 8, 337-52	34

492	KTX 0101: a potential metabolic approach to cytoprotection in major surgery and neurological disorders. 2005 , 11, 113-40		24
491	Non-pharmacologic (physiologic) neuroprotection in the treatment of brain ischemia. 2001 , 939, 271-82		60
490	The orphan receptor GPR17 identified as a new dual uracil nucleotides/cysteinyl-leukotrienes receptor. 2006 , 25, 4615-27		341
489	Permanent focal brain ischemia induces isoform-dependent changes in the pattern of Na ⁺ /Ca ²⁺ exchanger gene expression in the ischemic core, periinfarct area, and intact brain regions. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2006 , 26, 502-17	7-3	75
488	Prevention of ischemic neuronal death by intravenous infusion of a ginseng saponin, ginsenoside Rb(1), that upregulates Bcl-x(L) expression. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2006 , 26, 708-21	7-3	55
487	Design and synthesis of novel 7-heterocycle-6-trifluoromethyl-3-oxoquinoxaline-2-carboxylic acids bearing a substituted phenyl group as superior AMPA receptor antagonists with good physicochemical properties. 2006 , 14, 776-92		12
486	Selective, reversible occlusion of the middle cerebral artery in rats by an intraluminal approach. Optimized filament design and methodology. 2006 , 156, 76-83		36
485	Neuroprotection for ischemic stroke using hypothermia. 2006 , 4, 168-78		21
484	Differences between arterial occlusive and cortical photothrombosis stroke models with magnetic resonance imaging and microtubule-associated protein-2 immunoreactivity. 2006 , 24, 1087-93		6
483	Endovascular middle cerebral artery occlusion in rats as a model for studying vascular dementia. 2006 , 28, 297-307		11
482	Therapeutic time window of neuroprotection by non-competitive AMPA antagonists in transient and permanent focal cerebral ischemia in rats. <i>Brain Research</i> , 2006 , 1123, 60-7	3-7	18
481	Influence of age on the response to fibroblast growth factor-2 treatment in a rat model of stroke. <i>Brain Research</i> , 2006 , 1123, 237-44	3-7	46
480	Activation of NF-kB and ERK1/2 after permanent focal ischemia is abolished by simvastatin treatment. 2006 , 22, 445-51		59
479	17beta-Estradiol treatment following permanent focal ischemia does not influence recovery of sensorimotor function. 2006 , 23, 552-62		16
478	Cilostazol attenuates gray and white matter damage in a rodent model of focal cerebral ischemia. 2006 , 37, 223-8		38
477	Acute Stroke. 2006 ,		
476	Thrombolysis and neuroprotection in cerebral ischemia. 2006 , 21 Suppl 2, 118-26		17
475	Ginkgo biloba leaf extract (EGb761) combined with neuroprotective agents reduces the infarct volumes of gerbil ischemic brain. 2006 , 34, 803-17		29

474 Stroke: Mechanisms of Excitotoxicity and Approaches for Therapy. **2007,**

473 Mouse model of in situ thromboembolic stroke and reperfusion. **2007, 38, 2771-8** 147

472 Intact female stroke-prone hypertensive rats lack responsiveness to mineralocorticoid receptor antagonists. **2007, 293, R1754-63** 21

471 Na⁺/Ca²⁺ exchanger maintains ionic homeostasis in the peri-infarct area. **2007, 38, 1614-20** 11

470 Antithrombin reduces ischemic volume, ameliorates neurologic deficits, and prolongs animal survival in both transient and permanent focal ischemia. **2007, 38, 3272-9** 18

469 Modified permanent middle cerebral artery occlusion rat model aiming to reduce variability in infarct size. **2007, 29, 884-7** 5

468 Effects of alteplase, a thrombolytic agent, in a rat photothrombotic middle cerebral artery occlusion model. **2008, 36, 245-50** 4

467 Measuring and Mapping Optical Properties and Chromophore Changes During Brain Injury in the Near-Infrared Spectral Range Using Spatial Modulation of Light: Initial Results. **2007,**

466 Tissue-type plasminogen activator-mediated shedding of astrocytic low-density lipoprotein receptor-related protein increases the permeability of the neurovascular unit. **2007, 109, 3270-8** 142

465 Focal cerebral ischaemia induces corticotropin releasing factor (CRF) vascular immunoreactivity in rat occluded hemisphere. **2007, 143, 69-75** 5

464 Chronic inhibition of cyclooxygenase-2 induces dendritic hypertrophy and limited functional improvement following motor cortex stroke. **2007, 144, 1160-8** 13

463 Neuroprotective effect of tyrosol on transient focal cerebral ischemia in rats. **2007, 414, 218-21** 82

462 Permanent brain ischemia induces marked increments in hsp72 expression and local protein synthesis in synapses of the ischemic hemisphere. **2007, 415, 77-80** 26

461 Cardiovascular Activity. **2007, 47-391**

460 Evaluation of the neuroprotective effect of ketoprofen on rats submitted to permanent focal brain ischemia. **2007, 65, 978-84** 2

459 Cerebral Ischemia. **2007, 1-5**

458 MRI monitoring of focal cerebral ischemia in peroxisome proliferator-activated receptor (PPAR)-deficient mice. **2007, 20, 335-42** 38

457 Monitoring of brain potassium with rubidium flame photometry and MRI. **2007, 57, 494-500** 10

456	Estrogen receptor beta agonist diarylpropionitrile (DPN) does not mediate neuroprotection in a rat model of permanent focal ischemia. <i>Brain Research</i> , 2007 , 1185, 275-82	3-7	29
455	Acute ischemic stroke: overview of major experimental rodent models, pathophysiology, and therapy of focal cerebral ischemia. 2007 , 87, 179-97		522
454	Synaptic plasticity during recovery from permanent occlusion of the middle cerebral artery. 2007 , 27, 44-53		52
453	Cerebral ischemia, cell cycle elements and Cdk5. 2007 , 2, 958-66		28
452	Rasagiline is neuroprotective in an experimental model of brain ischemia in the rat. 2007 , 114, 595-605		15
451	Characterization of a thromboembolic photochemical model of repeated stroke in mice. 2007 , 162, 244-54		28
450	The protective effect of dexanabinol (HU-211) on nitric oxide and cysteine protease-mediated neuronal death in focal cerebral ischemia. 2008 , 33, 1683-91		8
449	Molecular mechanisms of apoptosis in cerebral ischemia: multiple neuroprotective opportunities. 2008 , 37, 7-38		215
448	Generation of a constitutively active fragment of PKN in microglia/macrophages after middle cerebral artery occlusion in rats. 2001 , 79, 903-13		19
447	Changes in the extracellular concentrations of amino acids in the rat striatum during transient focal cerebral ischemia. 1994 , 62, 1074-8		61
446	Serial postmortem relaxometry in the normal rat brain and following stroke. 2008 , 27, 469-75		7
445	Magnetic resonance methods and applications in pharmaceutical research. 2008 , 97, 3637-65		15
444	Comparison of T2 and LASER T2 dagger image contrast in a rat model of acute cerebral ischemia. 2008 , 26, 323-9		1
443	Synergistic effects of prostaglandin E1 and lithium in a rat model of cerebral ischemia. 2008 , 29, 1141-9		18
442	Potential use of oxygen as a metabolic biosensor in combination with T2*-weighted MRI to define the ischemic penumbra. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2008 , 28, 1742-53	7-3	64
441	Experimental models, neurovascular mechanisms and translational issues in stroke research. 2008 , 153 Suppl 1, S396-405		86
440	Treatment with LXR agonists after focal cerebral ischemia prevents brain damage. 2008 , 582, 3396-400		38
439	Hypothermia-induced increase in galanin concentrations and ischemic neuroprotection in the rat brain. 2008 , 42, 79-87		10

438	Animal models of ischemic stroke. 2009 , 92, 43-66	11
437	Cerebral ischemia: models, methods and outcomes. 2008 , 55, 257-70	133
436	Comparison of 12, 24 and 48 h of systemic hypothermia on outcome after permanent focal ischemia in rat. 2008 , 212, 386-92	59
435	A critical role for the potassium-dependent sodium-calcium exchanger NCKX2 in protection against focal ischemic brain damage. 2008 , 28, 2053-63	32
434	L-PDMP improves glucosylceramide synthesis and behavior in rats with focal ischemia. 2008 , 30, 979-84	6
433	Rodent models of ischemic stroke: a useful tool for stroke drug development. 2008 , 14, 359-70	43
432	Ischemic neuronal damage. 2008 , 14, 3565-73	103
431	Protecting mechanism of puerarin on the brain neurocyte of rat in acute local ischemia brain injury and local cerebral ischemia-reperfusion injury. 2008 , 128, 1689-98	20
430	Imaging Changes in Lymphoid Organs In Vivo after Brain Ischemia with Three-Dimensional Fluorescence Molecular Tomography in Transgenic Mice Expressing Green Fluorescent Protein in T Lymphocytes. 2008 , 7, 7290.2008.00016	27
429	Interleukins and Ischemic Stroke: Effect of Neutralization of Rat IL-6 Bioactivity on the Degree of Ischemic Cerebral Damage Caused by Experimental Middle Cerebral Artery Occlusion in the Rat. 2008 , 18, 256-260	
428	The heat shock/stress response in focal cerebral ischemia. 1994 , 4, 67-76	98
427	Genetic and cellular therapies for cerebral infarction. <i>Neurosurgery</i> , 2008 , 62, 1465-79	3.2 4
426	New targets of neuroprotection in ischemic stroke. 2008 , 8, 698-712	7
425	Neuropathology and pathophysiology of stroke. 1-27	2
424	Phosphodiesterase 5A inhibitors improve functional recovery after stroke in rats: optimized dosing regimen with implications for mechanism. 2009 , 331, 842-50	37
423	Effect of neutralization of rat interleukin 6 bioactivity on inducible nitric oxide synthase up-regulation and cerebral ischemic damage. 2009 , 31, 714-20	4
422	Dually supplied T-junctions in arteriolo-arteriolar anastomosis in mice: key to local hemodynamic homeostasis in normal and ischemic states?. 2009 , 40, 3378-83	43
421	The potential for estrogens in preventing Alzheimer's disease and vascular dementia. 2009 , 2, 31-49	52

420	Imaging cortical absorption, scattering, and hemodynamic response during ischemic stroke using spatially modulated near-infrared illumination. 2009 , 14, 024033	63
419	Impairment of Fos protein formation in the rat infarct borderzone by MK-801, but not by NBQX. 1993 , 87, 510-5	12
418	Differential effect of NMDA and AMPA receptor blockade on protein synthesis in the rat infarct borderzone. 1996 , 93, 160-7	10
417	Effects of progesterone administration on infarct volume and functional deficits following permanent focal cerebral ischemia in rats. <i>Brain Research</i> , 2009 , 1257, 94-101	3-7 98
416	Validation of housekeeping genes for quantitative real-time PCR in in-vivo and in-vitro models of cerebral ischaemia. 2009 , 10, 57	91
415	The adhesive removal test: a sensitive method to assess sensorimotor deficits in mice. 2009 , 4, 1560-4	282
414	TTC, fluoro-Jade B and NeuN staining confirm evolving phases of infarction induced by middle cerebral artery occlusion. 2009 , 179, 1-8	214
413	The usefulness of operant conditioning procedures to assess long-lasting deficits following transient focal ischemia in mice. 2009 , 205, 525-34	41
412	Triple fluorescence labelling of neuronal, glial and vascular markers revealing pathological alterations in various animal models. 2009 , 37, 128-38	21
411	Axon sprouting in adult mouse spinal cord after motor cortex stroke. 2009 , 450, 191-5	18
410	Rodent models of focal cerebral ischemia: procedural pitfalls and translational problems. 2009 , 1, 8	80
409	Animal Models of Acute Neurological Injuries. 2009 ,	7
408	Transient Middle Cerebral Artery Occlusion Model in Rodents. 2009 , 129-139	
407	Treatments (12 and 48 h) with systemic and brain-selective hypothermia techniques after permanent focal cerebral ischemia in rat. 2009 , 220, 391-9	39
406	A novel embolic model of cerebral infarction and evaluation of <i>Stachybotrys microspora</i> triprenyl phenol-7 (SMTP-7), a novel fungal triprenyl phenol metabolite. 2010 , 114, 41-9	32
405	Rodent models and magnetic resonance imaging: diagnostic and therapeutic utilities for stroke. 2010 , 9, 275	
404	Association between changes in weight and cerebral arteries in rats. 2010 , 1, 122-6	4
403	Transglutaminase 2 protects against ischemic stroke. 2010 , 39, 334-43	37

402	Different methods for administering 17beta-estradiol to ovariectomized rats result in opposite effects on ischemic brain damage. 2010 , 11, 39		47
401	Transplantation of placenta-derived mesenchymal stromal cells upon experimental stroke in rats. <i>Brain Research</i> , 2010 , 1315, 128-36	3-7	99
400	Comparison of the post-embolization effects of tissue-plasminogen activator and simvastatin on neurological outcome in a clinically relevant rat model of acute ischemic stroke. <i>Brain Research</i> , 2010 , 1354, 206-16	3-7	13
399	Combinated transplantation of neural stem cells and collagen type I promote functional recovery after cerebral ischemia in rats. 2010 , 293, 911-7		59
398	Mitochondrial function and cerebral blood flow variable responses to middle cerebral artery occlusion. 2010 , 188, 76-82		11
397	A novel rodent model of reperfusion injury following occlusion of the middle cerebral artery. 2010 , 190, 28-33		19
396	An experimental model of focal ischemia using an internal carotid artery approach. 2010 , 193, 246-53		32
395	The preparation and biological characterization of a new HL91-derivative for hypoxic imaging on stroke mice. 2010 , 68, 1610-5		9
394	In vivo MRI assessment of permanent middle cerebral artery occlusion by electrocoagulation: pitfalls of procedure. 2010 , 2, 4		9
393	Neuroprotective effect of HT008-1, a prescription of traditional Korean medicine, on transient focal cerebral ischemia model in rats. 2010 , 24, 1207-12		14
392	Neuroprotective effects of andrographolide in a rat model of permanent cerebral ischaemia. 2010 , 161, 668-79		93
391	Hypoxic ischemia and proteasome dysfunction alter tau isoform ratio by inhibiting exon 10 splicing. 2010 , 114, 160-70		10
390	Different strokes for different folks: the rich diversity of animal models of focal cerebral ischemia. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2010 , 30, 1412-31	7-3	212
389	Acetyl-L-carnitine reduces the infarct size and striatal glutamate outflow following focal cerebral ischemia in rats. 2010 , 1199, 95-104		25
388	Using MicroPET Imaging in Quantitative Verification of Acupuncture Effect in Ischemia Stroke Treatment. 2010 ,		1
387	Effect of angiotensin II type 1 receptor blocker, candesartan, and beta 1 adrenoceptor blocker, atenolol, on brain damage in ischemic stroke. 2010 , 97, 159-71		13
386	Delayed treatment with systemic (S)-roscovitine provides neuroprotection and inhibits in vivo CDK5 activity increase in animal stroke models. 2010 , 5, e12117		72
385	Sleep disruption aggravates focal cerebral ischemia in the rat. 2010 , 33, 879-87		54

384	Local hemodynamics dictate long-term dendritic plasticity in peri-infarct cortex. 2010 , 30, 14116-26	92
383	Preclinical assessment of stem cell therapies for neurological diseases. 2009 , 51, 24-41	20
382	Establishment of a novel hemodynamic cerebral ischemia model of atherosclerotic rabbit. 2010 , 58, 191-4	4
381	Early reperfusion improves the recovery of contralateral electrophysiological diaschisis following focal cerebral ischemia in rats. 2010 , 32, 828-34	9
380	Neuroprotective effect of defatted sesame seeds extract against in vitro and in vivo ischemic neuronal damage. 2010 , 76, 20-6	17
379	TGF β signaling in the brain increases with aging and signals to astrocytes and innate immune cells in the weeks after stroke. 2010 , 7, 62	160
378	Key compound groups for the neuroprotective effect of roots of <i>Polygonum cuspidatum</i> on transient middle cerebral artery occlusion in Sprague-Dawley rats. 2010 , 24, 1214-26	11
377	Imaging mass spectrometry revealed the production of lyso-phosphatidylcholine in the injured ischemic rat brain. 2010 , 168, 219-25	105
376	Irbesartan attenuates ischemic brain damage by inhibition of MCP-1/CCR2 signaling pathway beyond AT I receptor blockade. 2011 , 409, 275-9	29
375	Delayed treatment with YM90K, an AMPA receptor antagonist, protects against ischaemic damage after middle cerebral artery occlusion in rats. 1998 , 50, 891-8	7
374	Intravenous human umbilical cord blood transplantation for stroke: impact on infarct volume and caspase-3-dependent cell death in spontaneously hypertensive rats. 2011 , 227, 218-23	24
373	Histopathology of Cerebral Ischemia. 2011 , 68-74	
372	FTY720 reduces post-ischemic brain lymphocyte influx but does not improve outcome in permanent murine cerebral ischemia. 2011 , 6, e21312	81
371	Combined prostaglandin E1 and lithium exert potent neuroprotection in a rat model of cerebral ischemia. 2011 , 32, 303-10	18
370	Distribution of stomatin expressing in the central nervous system and its up-regulation in cerebral cortex of rat by hypoxia. 2011 , 116, 374-84	7
369	Preclinical stroke research—advantages and disadvantages of the most common rodent models of focal ischaemia. 2011 , 164, 1062-78	145
368	Vascular plasticity in cerebrovascular disorders. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2011 , 31, 1554-71	7-3 73
367	Effects of intracerebroventricular galanin or a galanin receptor 2/3 agonist on the lesion induced by transient occlusion of the middle cerebral artery in female rats. 2011 , 45, 17-23	7

366	Great hospitals of Asia: the University of Tokyo Hospital. 2011 , 75, 364-8		3
365	Intravenous administration of pravastatin immediately after middle cerebral artery occlusion reduces cerebral oedema in spontaneously hypertensive rats. 2011 , 660, 381-6		9
364	Erythropoietin prevents nitric oxide and cathepsin-mediated neuronal death in focal brain ischemia. <i>Brain Research</i> , 2011 , 1370, 185-93	3.7	22
363	Cleaved caspase-3 expression after experimental stroke exhibits different phenotypes and is predominantly non-apoptotic. <i>Brain Research</i> , 2011 , 1381, 237-42	3.7	36
362	Cyclophilin C-associated protein regulation of phagocytic functions via NFAT activation in macrophages. <i>Brain Research</i> , 2011 , 1397, 55-65	3.7	16
361	Comparing Behavioral Assessment of Sensorimotor Function in Rat and Mouse Models of Parkinson's Disease and Stroke. <i>NeuroMethods</i> , 2011 , 325-335	0.4	
360	The application of permanent middle cerebral artery ligation in the mouse. 2011 ,		12
359	Experimental approaches to study functional recovery following cerebral ischemia. 2011 , 68, 3007-17		40
358	Relationship between inflammatory reaction and ischemic injury of caudate-putamen in rats: inflammatory reaction and brain ischemia. 2011 , 86, 86-97		10
357	Histological and ultrastructural comparison of cauterization and thrombosis stroke models in immune-deficient mice. 2011 , 8, 28		11
356	On the importance of long-term functional assessment after stroke to improve translation from bench to bedside. 2011 , 3, 6		28
355	Absence of large-scale dendritic plasticity of layer 5 pyramidal neurons in peri-infarct cortex. 2011 , 31, 1734-8		41
354	Therapeutic time window of YGY-E neuroprotection of cerebral ischemic injury in rats. 2011 , 5, 76-83		8
353	Amount but not pattern of protective sensory stimulation alters recovery after permanent middle cerebral artery occlusion. 2011 , 42, 792-8		19
352	Mild sensory stimulation reestablishes cortical function during the acute phase of ischemia. 2011 , 31, 11495-504		32
351	Injectable caltrop fruit saponin protects against ischemia-reperfusion injury in rat brain. 2011 , 39, 325-33		6
350	History of International Society for Cerebral Blood Flow and Metabolism. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2012 , 32, 1099-106	7.3	1
349	Watermaze performance after middle cerebral artery occlusion in the rat: the role of sensorimotor versus memory impairments. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2012 , 32, 989-99	7.3	32

348	A model of cerebral ischemia induction in neonatal rabbits. 2012 , 40, 37-42	3
347	Image-guided method in the rat for inducing cortical or striatal infarction and for controlling cerebral blood flow under MRI. 2012 , 43, 2437-43	17
346	Mouse model of intraluminal MCAO: cerebral infarct evaluation by cresyl violet staining. 2012 ,	40
345	A non-brain penetrant PDE5A inhibitor improves functional recovery after stroke in rats. 2012 , 30, 283-9	6
344	Protective effects of <i>Galla Rhois</i> , the excrescence produced by the sumac aphid, <i>Schlechtendalia chinensis</i> , on transient focal cerebral ischemia in the rat. 2012 , 12, 10	8
343	Neuroprotection targeting ischemic penumbra and beyond for the treatment of ischemic stroke. 2012 , 34, 331-7	48
342	A new method for focal transient cerebral ischaemia by distal compression of the middle cerebral artery. 2012 , 38, 617-27	33
341	A neuroprotective mechanism of YGY-E in cerebral ischemic injury in rats. 2012 , 18, 14-20	5
340	Single injection of ONO-1301-loaded PLGA microspheres directly after ischaemia reduces ischaemic damage in rats subjected to middle cerebral artery occlusion. 2012 , 64, 353-9	16
339	Repeated longitudinal in vivo imaging of neuro-glio-vascular unit at the peripheral boundary of ischemia in mouse cerebral cortex. 2012 , 212, 190-200	45
338	Effect of permanent middle cerebral artery occlusion on Cytoglobin expression in the mouse brain. 2012 , 424, 274-8	9
337	Neurobehavioural deficits correlate with the cerebral infarction volume of stroke animals: a comparative study on ischaemia-reperfusion and photothrombosis models. 2012 , 33, 60-9	14
336	Isolation of inflammatory cells from rat brain tissue after stroke. 2012 , 4, 20	13
335	Reduced infarct size in neuroglobin-null mice after experimental stroke in vivo. 2012 , 4, 15	27
334	Changes in T2 relaxation time after stroke reflect clearing processes. 2012 , 61, 780-5	19
333	An in vivo study with an MRI tracer method reveals the biophysical properties of interstitial fluid in the rat brain. 2012 , 55, 782-7	27
332	Standards and pitfalls of focal ischemia models in spontaneously hypertensive rats: with a systematic review of recent articles. 2012 , 10, 139	19
331	Pre, intra and post-ischemic hypothermic neuroprotection in temporary focal cerebral ischemia in rats: morphometric analysis. 2012 , 70, 609-16	6

330	The Translation Procedure of Low-Level Laser Therapy in Acute Ischemic Stroke: A Nonpharmaceutics Noninvasive Method. 2012 , 721-743	
329	In vivo experimental stroke and in vitro organ culture induce similar changes in vasoconstrictor receptors and intracellular calcium handling in rat cerebral arteries. 2012 , 219, 507-20	18
328	Chlorogenic acid ameliorates brain damage and edema by inhibiting matrix metalloproteinase-2 and 9 in a rat model of focal cerebral ischemia. 2012 , 689, 89-95	85
327	Etiology of stroke and choice of models. 2012 , 7, 398-406	65
326	Distal hypoxic stroke: a new mouse model of stroke with high throughput, low variability and a quantifiable functional deficit. 2012 , 207, 31-40	32
325	Changes in galanin and GalR1 gene expression in discrete brain regions after transient occlusion of the middle cerebral artery in female rats. 2012 , 46, 19-27	8
324	Pathophysiology of stroke and stroke-induced retinal ischemia: emerging role of stem cells. 2012 , 227, 1269-79	19
323	Animal models of post-ischemic forced use rehabilitation: methods, considerations, and limitations. 2013 , 5, 2	13
322	Effect of anesthesia and cerebral blood flow on neuronal injury in a rat middle cerebral artery occlusion (MCAO) model. 2013 , 224, 155-64	31
321	Early stimulation treatment provides complete sensory-induced protection from ischemic stroke under isoflurane anesthesia. 2013 , 38, 2445-52	19
320	Animal Models of Stroke Versus Clinical Stroke: Comparison of Infarct Size, Cause, Location, Study Design, and Efficacy of Experimental Therapies. 2013 , 531-568	2
319	Multistage histopathological image segmentation of Iba1-stained murine microglia in a focal ischemia model: methodological workflow and expert validation. 2013 , 213, 250-62	15
318	Analysis of serum metabolites for the discovery of amino acid biomarkers and the effect of galangin on cerebral ischemia. 2013 , 9, 2311-21	28
317	Melatonin ameliorates injury and specific responses of ischemic striatal neurons in rats. 2013 , 61, 591-605	20
316	Proximity of brain infarcts to regions of endogenous neurogenesis and involvement of striatum in ischaemic stroke. 2013 , 20, 473-479	26
315	Hyperglycemia accelerates apparent diffusion coefficient-defined lesion growth after focal cerebral ischemia in rats with and without features of metabolic syndrome. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2013 , 33, 1556-63	7-3 13
314	Spectratype analysis of clonal T cell expansion in murine experimental stroke. 2013 , 257, 46-52	29
313	A highly reproducible model of cerebral ischemia/reperfusion with extended survival in CB-17 mice. 2013 , 76, 163-8	11

312	A comparison of four PET tracers for brain hypoxia mapping in a rodent model of stroke. 2013 , 40, 338-44		12
311	Hemodynamic changes during neural deactivation in awake mice: a measurement by laser-Doppler flowmetry in crossed cerebellar diaschisis. <i>Brain Research</i> , 2013 , 1537, 350-5	3-7	13
310	Postischemic brain infiltration of leukocyte subpopulations differs among murine permanent and transient focal cerebral ischemia models. 2013 , 23, 34-44		115
309	Brain ischemic injury in rodents: the protective effect of EPO. 2013 , 982, 79-101		2
308	Neuroprotective effect of a cell-free extract derived from human adipose stem cells in experimental stroke models. 2013 , 54, 414-20		33
307	In vivo animal stroke models: a rationale for rodent and non-human primate models. 2013 , 4, 308-21		36
306	The endoplasmic reticulum stress inhibitor salubrinal inhibits the activation of autophagy and neuroprotection induced by brain ischemic preconditioning. 2013 , 34, 657-66		64
305	Chronic in vivo imaging shows no evidence of dendritic plasticity or functional remapping in the contralesional cortex after stroke. 2013 , 23, 751-62		32
304	Permanent cerebral vessel occlusion via double ligature and transection. 2013 ,		10
303	Using microPET imaging in quantitative verification of the acupuncture effect in ischemia stroke treatment. 2013 , 3, 1070		26
302	Rat forebrain perfusion in vivo by 1 artery like the isolated kidney model: a robust recovery model permitting ischemia without anesthesia to compare multiple brain injury states. <i>Neurosurgery</i> , 2013 , 72, 662-77; discussion 676-7	3.2	
301	Sensory Stimulation-Based Complete Protection from Ischemic Stroke Remains Stable at 4 Months Post-Occlusion of MCA. 2013 , 1, 135		8
300	Temporal dynamics of glyoxalase 1 in secondary neuronal injury. 2014 , 9, e87364		10
299	Cerebral Ischemia?. 2014 ,		
298	. 2014 ,		5
297	Bone marrow cell transplantation time-dependently abolishes efficacy of granulocyte colony-stimulating factor after stroke in hypertensive rats. 2014 , 45, 2431-7		19
296	Animal models of stroke: translational potential at present and in 2050. 2014 , 9, 541-551		47
295	SMTP-7, a novel small-molecule thrombolytic for ischemic stroke: a study in rodents and primates. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2014 , 34, 235-41	7-3	32

294	Cerebrovascular and neuroprotective effects of adamantane derivative. 2014 , 2014, 586501	13
293	The Severity of Ischemia Varies in Sprague-Dawley Rats from Different Vendors. 2014 , 2014, 1-9	1
292	Importance of preclinical research in the development of neuroprotective strategies for ischemic stroke. 2014 , 71, 634-9	47
291	An integrated stroke model with a consistent penumbra for the assessment of neuroprotective interventions. 2014 , 71, 4-18	9
290	Experimental models of brain ischemia: a review of techniques, magnetic resonance imaging, and investigational cell-based therapies. 2014 , 5, 19	47
289	Characteristics of cerebral ischemia in major rat stroke models of middle cerebral artery ligation through craniectomy. 2014 , 9, 793-801	8
288	Continuous adenosine A2A receptor antagonism after focal cerebral ischemia in spontaneously hypertensive rats. 2014 , 387, 165-73	7
287	Ellagic acid-induced thrombotic focal cerebral ischemic model in rats. 2014 , 69, 217-22	12
286	Stroke and Traumatic Brain Injury. 2014 , 367-386	1
285	Endogenous neurogenesis following ischaemic brain injury: insights for therapeutic strategies. 2014 , 56, 4-19	29
284	Biochemical and inflammatory biomarkers in ischemic stroke: translational study between humans and two experimental rat models. 2014 , 12, 220	15
283	A mouse model of permanent focal ischemia: distal middle cerebral artery occlusion. 2014 , 1135, 103-10	23
282	Progesterone in experimental permanent stroke: a dose-response and therapeutic time-window study. 2014 , 137, 486-502	61
281	Ecdysterone protects gerbil brain from temporal global cerebral ischemia/reperfusion injury via preventing neuron apoptosis and deactivating astrocytes and microglia cells. 2014 , 81-82, 21-9	16
280	Blocking of α integrin does not protect from acute ischemic stroke in mice. 2014 , 45, 1799-806	66
279	Differential effects of sympathetic nervous system and hypothalamic-pituitary-adrenal axis on systemic immune cells after severe experimental stroke. 2014 , 41, 200-9	82
278	Multiparametric magnetic resonance imaging of acute experimental brain ischaemia. 2014 , 80, 12-25	11
277	Stem cell transplantation in neurological diseases: improving effectiveness in animal models. 2014 , 2, 17	23

276	The experimental therapy on brain ischemia by improvement of local angiogenesis with tissue engineering in the mouse. 2014 , 23 Suppl 1, S83-95		46
275	Modeling stroke in mice: permanent coagulation of the distal middle cerebral artery. 2014 , e51729		50
274	ILS-920: A Rapamycin Analog for Ischemic Stroke. 2014 , 469-481		
273	Neuropathology and pathophysiology of stroke. 1-32		4
272	Ascorbic Acid Reduces the Adverse Effects of Delayed Administration of Tissue Plasminogen Activator in a Rat Stroke Model. 2015 , 117, 335-9		34
271	Animal models of ischemic stroke and their application in clinical research. 2015 , 9, 3445-54		259
270	Experimental animal models and inflammatory cellular changes in cerebral ischemic and hemorrhagic stroke. 2015 , 31, 717-34		35
269	Coadministration of the Human Umbilical Cord Matrix-Derived Mesenchymal Cells and Aspirin Alters Postischemic Brain Injury in Rats. 2015 , 24, 2005-16		6
268	Effects on locomotion and memory in 2 models of cerebral hypoperfusion in male Wistar rats. 2015 , 30, 407-415		
267	Effects on locomotion and memory in 2 models of cerebral hypoperfusion in male Wistar rats. 2015 , 30, 407-15		1
266	Internal capsule stroke in the common marmoset. 2015 , 284, 400-411		17
265	The relationship between occlusal-masticatory function and brain function in cerebral infarction model rats. 2016 , 8, 358-363		
264	Retinal Cell Degeneration in Animal Models. <i>International Journal of Molecular Sciences</i> , 2016 , 17,	6.3	37
263	Progesterone improves long-term functional and histological outcomes after permanent stroke in older rats. 2016 , 305, 46-56		19
262	Neuroprotective effects of erythromycin on ischemic injury following permanent focal cerebral ischemia in rats. 2016 , 38, 275-84		6
261	Neuroprotective effects of Danggui-Jakyak-San on rat stroke model through antioxidant/antiapoptotic pathway. <i>Journal of Ethnopharmacology</i> , 2016 , 188, 123-33	5	8
260	Rat Middle Cerebral Artery (MCA) Occlusion Models Which Involve a Frontotemporal Craniectomy. <i>Neuromethods</i> , 2016 , 55-71	0.4	1
259	Challenges and Opportunities of Endovascular Stroke Therapy. 2016 , 79, 11-7		29

258	Rodent Models of Stroke. <i>Neuromethods</i> , 2016 ,	0.4	3
257	Performing Permanent Distal Middle Cerebral with Common Carotid Artery Occlusion in Aged Rats to Study Cortical Ischemia with Sustained Disability. 2016 , 53106		9
256	Absence of Sema4D improves oligodendrocyte recovery after cerebral ischemia/reperfusion injury in mice. 2016 , 108, 6-11		4
255	Focal middle cerebral artery ischemia in rats via a transfemoral approach using a custom designed microwire. 2016 , 8, 608-14		5
254	Changes in effective diffusivity for oxygen during neural activation and deactivation estimated from capillary diameter measured by two-photon laser microscope. 2017 , 67, 325-330		3
253	Regulation of mRNA following brain ischemia and reperfusion. 2017 , 8, e1415		8
252	Ischemic stroke: experimental models and reality. 2017 , 133, 245-261		249
251	Inhibition of transient receptor potential vanilloid-1 confers neuroprotection, reduces tumor necrosis factor-alpha, and increases IL-10 in a rat stroke model. 2017 , 31, 420-428		16
250	Multi-Infarct Dementia: A Historical Perspective. 2017 , 7, 160-171		10
249	Diabetic aggravation of stroke and animal models. 2017 , 292, 63-79		18
248	Stem cell transplantation therapy for multifaceted therapeutic benefits after stroke. 2017 , 157, 49-78		86
247	The Effect of Hydroxynaphtazarin Derivatives on Decrease of Ischemic Area After Damage Focal Cerebral Blood Circulation. 2017 , 48, 579-587		1
246	Animal Models of Ischemic Stroke Versus Clinical Stroke: Comparison of Infarct Size, Cause, Location, Study Design, and Efficacy of Experimental Therapies. 2017 , 481-523		3
245	Chronic photoperiod disruption does not increase vulnerability to focal cerebral ischemia in young normotensive rats. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2017 , 37, 3580-3588	7.3	1
244	Insights into the epigenetic mechanisms involving histone lysine methylation and demethylation in ischemia induced damage and repair has therapeutic implication. 2017 , 1863, 152-164		20
243	Neuroprotective effects of Yiqihuoxue calm wind capsule on ischemic stroke in rats. 2017 , 15, 758-765		3
242	CARACTERIZACIÓN TEMPORO-ESPACIAL DEL PATRÓN DE MARCHA EN ROEDORES COMO MODELO ANIMAL DE LESIÓN CEREBRAL CEREBROVASCULAR. 2017 , 22, 307-321		
241	NADPH Oxidase-Related Pathophysiology in Experimental Models of Stroke. <i>International Journal of Molecular Sciences</i> , 2017 , 18,	6.3	16

240	Testing the effects of sensory stimulation as a collateral-based therapeutic for ischemic stroke in C57BL/6J and CD1 mouse strains. 2017 , 12, e0183909	10
239	Kudiezi injection mitigates myocardial injury induced by acute cerebral ischemia in rats. 2017 , 17, 8	7
238	Permanent flame-blunted monofilament of middle cerebral artery occlusion technique for ischemia stroke induction in animal models. 2017 , 26, 183-9	1
237	Animal Models of Stroke?. 2017 ,	
236	TSLP/TSLPR promote angiogenesis following ischemic stroke via activation of the PI3K/AKT pathway. 2018 , 17, 3411-3417	5
235	Modeling Transient Focal Ischemic Stroke in Rodents by Intraluminal Filament Method of Middle Cerebral Artery Occlusion. 2018 , 1717, 101-113	16
234	Monoacylglycerol lipase inhibitor, JZL-184, confers neuroprotection in the mice middle cerebral artery occlusion model of stroke. 2018 , 198, 143-148	3
233	Animal models of ischaemic stroke and characterisation of the ischaemic penumbra. 2018 , 134, 169-177	41
232	The effect of exercise preconditioning on stroke outcome in ovariectomized mice with permanent middle cerebral artery occlusion. 2018 , 96, 287-294	5
231	Neural like cells and acetyl-salicylic acid alter rat brain structure and function following transient middle cerebral artery occlusion. 2018 , 9, 155-168	3
230	Expression of DCX and Transcription Factor Profiling in Photothrombosis-Induced Focal Ischemia in Mice. 2018 , 12, 455	
229	Identification of new molecular targets for PET imaging of the microglial anti-inflammatory activation state. 2018 , 8, 5400-5418	31
228	Stroke: The past, present and future. 2018 , 2, 2398212818810689	13
227	Intracerebral Delivery of Brain-Derived Neurotrophic Factor Using HyStem-C Hydrogel Implants Improves Functional Recovery and Reduces Neuroinflammation in a Rat Model of Ischemic Stroke. <i>International Journal of Molecular Sciences</i> , 2018 , 19,	6.3 22
226	Dickkopf-3 Causes Neuroprotection by Inducing Vascular Endothelial Growth Factor. 2018 , 12, 292	8
225	Hypertension prevents a sensory stimulation-based collateral therapeutic from protecting the cortex from impending ischemic stroke damage in a spontaneously hypersensitive rat model. 2018 , 13, e0206291	2
224	Ischemia-reperfusion injury in stroke: impact of the brain barriers and brain immune privilege on neutrophil function. 2018 , 11, 1756286418794184	44
223	Hyperglycaemia does not increase perfusion deficits after focal cerebral ischaemia in male Wistar rats. 2018 , 2, 2398212818794820	1

222	Power spectrum slope is related to motor function after focal cerebral ischemia in the rat. 2018 , 41,	6
221	JZL184, as a monoacylglycerol lipase inhibitor, down-regulates inflammation in a cannabinoid pathway dependent manner. 2018 , 103, 1720-1726	11
220	Monoacylglycerol Lipase Inhibitor is Safe when Combined with Delayed r-tPA Administration in Treatment of Stroke. 2018 , 41, 2052-2059	2
219	Neuroprotective Effects of Bioactive Compounds and MAPK Pathway Modulation in "Ischemia"-Stressed PC12 Pheochromocytoma Cells. 2018 , 8,	15
218	UPLC-HRMS-Based Plasma Metabolomic Profiling of Novel Biomarkers by Treatment with KDZI in Cerebral Ischemia Reperfusion Rats. 2018 , 23,	9
217	Erythropoietin and Nrf2: key factors in the neuroprotection provided by apo-lactoferrin. 2018 , 31, 425-443	17
216	Bone Marrow Stromal Cells Alleviate Secondary Damage in the Substantia Nigra After Focal Cerebral Infarction in Rats. 2019 , 13, 338	1
215	Neuroprotective Effects of Musk of Muskrat on Transient Focal Cerebral Ischemia in Rats. 2019 , 2019, 9817949	7
214	Development of a Modified Surgical Technique for Simulating Ischemic Cerebral Cortex Injury in Rats. 2019 , 33, 1175-1181	3
213	The effect of anterior communicating artery flow on neurovascular injury and neurobehavioral outcomes in mice with recurrent stroke. <i>Brain Research</i> , 2019 , 1724, 146440	3-7 1
212	Neuropathology and Pathophysiology of Stroke. 2019 , 1-37	0
211	A Novel Method for Assessing Cerebral Edema, Infarcted Zone and Blood-Brain Barrier Breakdown in a Single Post-stroke Rodent Brain. 2019 , 13, 1105	11
210	Oxidative stress-responsive apoptosis inducing protein (ORAIP) plays a critical role in cerebral ischemia/reperfusion injury. 2019 , 9, 13512	23
209	Blood-brain barrier at the interface of air pollution-associated neurotoxicity and neuroinflammation. 2019 , 295-337	2
208	Qingnao dripping pills mediate immune-inflammatory response and MAPK signaling pathway after acute ischemic stroke in rats. 2019 , 139, 143-150	10
207	Animal models of ischemic stroke and their impact on drug discovery. 2019 , 14, 315-326	25
206	Neuroprotective effect of Sanqi Tongshuan Tablets on sequelae post-stroke in rats. 2019 , 11, 45-51	1
205	Advancement in the Pathophysiology of Cerebral Stroke. 2019 ,	2

204	The Role of Autophagy in Ischaemic Stroke: Friend or Foe?. 2019 , 59-71		
203	Reduced tongue force and functional swallowing changes in a rat model of post stroke dysphagia. <i>Brain Research</i> , 2019 , 1717, 160-166	3-7	8
202	Defining and Managing Pain in Stroke and Traumatic Brain Injury Research. 2019 , 69, 510-519		2
201	Spontaneous astrocytic Ca activity abounds in electrically suppressed ischemic penumbra of aged mice. 2019 , 67, 37-52		9
200	Metabolome Changes in Cerebral Ischemia. 2020 , 9,		30
199	Adult Neurogenesis Following Ischemic Stroke and Implications for Cell-Based Therapeutic Approaches. 2020 , 138, 474-480		7
198	A Novel Drug Delivery Carrier Comprised of Nimodipine Drug Solution and a Nanoemulsion: Preparation, Characterization, in vitro, and in vivo Studies. 2020 , 15, 1161-1172		7
197	Danegaptide Enhances Astrocyte Gap Junctional Coupling and Reduces Ischemic Reperfusion Brain Injury in Mice. 2020 , 10,		10
196	Mapping the Fine-Scale Organization and Plasticity of the Brain Vasculature. 2020 , 180, 780-795.e25		88
195	Obesity Drives Delayed Infarct Expansion, Inflammation, and Distinct Gene Networks in a Mouse Stroke Model. 2021 , 12, 331-346		2
194	FPS-ZM1 Alleviates Neuroinflammation in Focal Cerebral Ischemia Rats via Blocking Ligand/RAGE/DIAPH1 Pathway. 2021 , 12, 63-78		8
193	Rodent Stroke Model Guidelines: An Update. 2021 , 1-39		3
192	Laser Doppler Flowmetry Recording for Rodent Stroke Model Confirmation. 2021 , 75-83		
191	Management of Elevated Blood Pressure After Stroke Thrombectomy for Anterior Circulation. 2021 , 14, 405-413		0
190	Correction of mitochondrial dysfunction by succinic acid derivatives under experimental cerebral ischemia conditions. 2021 , 34, 42-48		0
189	A review of experimental models of focal cerebral ischemia focusing on the middle cerebral artery occlusion model. 2021 , 10, 242		1
188	A review of experimental models of focal cerebral ischemia focusing on the middle cerebral artery occlusion model. 2021 , 10, 242		1
187	A novel model of ischemia in rats with middle cerebral artery occlusion using a microcatheter and zirconia ball under fluoroscopy. 2021 , 11, 12806		1

186	Prolonged deficit of low gamma oscillations in the peri-infarct cortex of mice after stroke. 2021 , 341, 113696		2
185	Neuroprotective and cerebrovascular effects of endogenous N-Arachidonoyl-GABA and its putative Cox-2 metabolite [GABA conjugate with Prostaglandin E2. <i>Research Results in Pharmacology</i> , 2021 , 7, 49-61	0.5	0
184	Animal models of stroke. 2021 , 4, 204-219		5
183	Rodent models used in preclinical studies of deep brain stimulation to rescue memory deficits. 2021 , 130, 410-432		
182	3D Printed Hydrogels with Aligned Microchannels to Guide Neural Stem Cell Migration. 2021 , 7, 690-700		6
181	Overcoming Barriers to Translation from Experimental Stroke Models. 2012 , 471-492		6
180	Conditioning Studies in Focal Cerebral Ischemia: Model Selection, Physiological Monitoring, and Other Methodological Issues. 2013 , 269-289		1
179	Therapeutic Potential of L-Arginine, a Precursor of Nitric Oxide, in Focal Cerebral Ischemia. 1994 , 373-387		5
178	Ischemia and stroke. <i>Advances in Experimental Medicine and Biology</i> , 2002 , 513, 455-73	3.6	54
177	New Insights into the Role of Oxygen Radicals in Cerebral Ischemia. 1992 , 277-294		5
176	Metabolic Correlates of Focal Ischemia. 1992 , 9-39		1
175	Comparative Effects of Magnesium Chloride and MK-801 on Infarct Volume after MCA Occlusion in Fischer-344 Rats. 1992 , 93-98		2
174	A Pyrimidine Derivative, BW 1003C87, Decreases Glutamate Release and Protects Against Ischemic Damage. 1992 , 15-20		2
173	Neuroprotective effects of kynurenine-3-hydroxylase inhibitors in models of brain ischemia. <i>Advances in Experimental Medicine and Biology</i> , 1999 , 467, 199-206	3.6	24
172	Regional cerebral blood flow autoregulation in a silicone embolus model of focal brain ischemia as assessed by multichannel laser Doppler flowmetry. <i>Advances in Experimental Medicine and Biology</i> , 1998 , 454, 253-9	3.6	2
171	Hypoxia-induced brain angiogenesis. Signals and consequences. <i>Advances in Experimental Medicine and Biology</i> , 1998 , 454, 287-93	3.6	24
170	Animal Models of Stroke. 1997 , 117-143		1
169	Cerebrovascular Disease and the Blood-Brain Barrier. 1989 , 495-565		5

168	Brain Edema Following Focal Cerebral Ischemia in the Rat. 1984 , 449-458		5
167	A Model to Study Ischemic Brain Edema in Rats and the Influence of Drugs. 1984 , 499-508		9
166	Early and Late Neuronal Damage Following Cerebral Ischemia. 1988 , 23-34		5
165	Gangliosides: New Generation of Neuroprotective Agents. 1992 , 187-223		5
164	Excitotoxicity, Cerebral Ischemia, and Neuroprotection by Competitive NMDA Receptor Antagonists. 1992 , 93-105		1
163	Autoradiographic and biochemical imaging in cerebral ischemia. <i>Advances in Experimental Medicine and Biology</i> , 1993 , 333, 273-85	3.6	3
162	Modeling Focal Cerebral Ischemia in Rodents: Introduction and Overview. <i>Neuromethods</i> , 2016 , 19-29	0.4	1
161	Animal Models Used in Cerebral Ischemia and Stroke Research. 1997 , 265-294		4
160	Modeling Focal Cerebral Ischemia in Rodents: Introduction and Overview. <i>Neuromethods</i> , 2010 , 17-27	0.4	1
159	Measurement of regional cerebral blood flow, oxygen extraction ratio and oxygen utilization in stroke patients using positron emission tomography. 1982 , Suppl 5, 182-6		3
158	Ischemic Brain Edema and the Glutathione System. 1983 , 399-404		1
157	Exudation of Plasma Protein Fractions in Vasogenic Brain Edema. 1985 , 76-87		1
156	Dynamics of Tissue Water Content, Free and Bound Components, Associated with Ischemic Brain Edema. 1985 , 360-366		3
155	An Experimental Model of Cerebral Infarction Produced by Silicone Cylinder Embolization in Normotensive and Hypertensive Rat. 1985 , 474-478		1
154	Determination of Regional Cerebral Function and Structure in Normal Aging and Dementia with Positron Emission Tomography, Magnetic Resonance Imaging and X-Ray Computed Tomography. 1986 , 127-139		2
153	Effect of tromethamine (THAM) on infarct volume following permanent middle cerebral artery occlusion in rats. <i>Acta Neurochirurgica Supplementum</i> , 1997 , 70, 188-90	1.7	3
152	Relationship between cerebral blood flow and blood-brain barrier permeability of sodium and albumin in cerebral infarcts of rats. 1990 , 51, 216-9		3
151	P-glycoprotein expression in brain capillary endothelial cells after focal ischemia in rat. 1994 , 60, 257-60		3

150	Metabolic Derangement and Cell Damage in Cerebral Ischemia with Emphasis on Protein and Nucleic Acid Metabolism. 1991 , 77-98		2
149	Animal Models of Ischemic Stroke. 2019 , 41-50		1
148	Brain ion homeostasis in cerebral ischemia. <i>Neurochemical Pathology</i> , 1988 , 9, 195-209		97
147	Histopathology of Cerebral Ischemia. 2004 , 821-828		3
146	Endothelin-1-Induced Lesions in the Brain as a New Model of Focal Ischemia. 1991 , 256-282		10
145	Microdialysis for metabolic monitoring in cerebral ischemia and trauma: Experimental and clinical studies. 1991 , 389-405		6
144	Animal Models of Global and Focal Cerebral Ischemia. 1997 , 124-126		5
143	Differences in the Extent of Primary Ischemic Damage Between Middle Cerebral Artery Coagulation and Intraluminal Occlusion Models. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2002 , 1196-1204	7.3	18
142	Normalization of Endothelial and Inducible Nitric Oxide Synthase Expression in Brain Microvessels of Spontaneously Hypertensive Rats by Angiotensin II AT1 Receptor Inhibition. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2003 , 371-380	7.3	35
141	Prolonged deficit of gamma oscillations in the peri-infarct cortex of mice after stroke.		0
140	Lempel-Ziv complexity of the EEG predicts long-term functional recovery after stroke in rats.		2
139	Cerebroprotective effect of lamotrigine after focal ischemia in rats. 1995 , 26, 117-21; discussion 121-2		108
138	Induction of cerebral thrombosis with phenytoin in rats. 1995 , 26, 2081-6		3
137	Basic fibroblast growth factor increases regional cerebral blood flow and reduces infarct size after experimental ischemia in a rat model. 1995 , 26, 2154-8; discussion 2158-9		51
136	Decompressive craniectomy for cerebral infarction. An experimental study in rats. 1995 , 26, 259-64		119
135	Environment influences functional outcome of cerebral infarction in rats. 1995 , 26, 644-9		241
134	Experimental stroke and neuroprotection in the aging rat brain. 1995 , 26, 1072-8		104
133	Aminoguanidine ameliorates and L-arginine worsens brain damage from intraluminal middle cerebral artery occlusion. 1996 , 27, 317-23		146

132	Middle cerebral artery occlusion in the rat by intraluminal suture. Neurological and pathological evaluation of an improved model. 1996 , 27, 1616-22; discussion 1623		595
131	Correlation between motor impairment and infarct volume after permanent and transient middle cerebral artery occlusion in the rat. 1997 , 28, 2060-5; discussion 2066		306
130	Neuroprotection with NBQX in rat focal cerebral ischemia. Effects on ADC probability distribution functions and diffusion-perfusion relationships. 1997 , 28, 439-46; discussion 446-7		42
129	Susceptibility to cerebral infarction in the stroke-prone spontaneously hypertensive rat is inherited as a dominant trait. 1998 , 29, 690-4		38
128	Neuroserpin reduces cerebral infarct volume and protects neurons from ischemia-induced apoptosis. 2000 , 96, 569-576		28
127	Animal Models of Ischemic Stroke. 2008 , 5-11		1
126	Core and penumbral nitric oxide synthase activity during cerebral ischemia and reperfusion in the rat pup. 1999 , 46, 390-400		37
125	Transient elevation of the intracranial pressure increases the infarct size and perifocal edema after subsequent middle cerebral artery occlusion in the rat. <i>Neurosurgery</i> , 1992 , 30, 887-90	3.2	10
124	Middle cerebral artery occlusion in rats: a neurological and pathological evaluation of a reproducible model. <i>Neurosurgery</i> , 1992 , 31, 100-6; discussion 106-7	3.2	253
123	The effect of mild hypothermia on permanent focal ischemia in the rat. <i>Neurosurgery</i> , 1992 , 31, 1056-60; discussion 1060-1	3.2	107
122	Failure of cerebral blood flow-metabolism coupling after acute subdural hematoma in the rat. <i>Neurosurgery</i> , 1992 , 31, 1062-71; discussion 1071	3.2	34
121	Procedural and Strain-related Variables Significantly Affect Outcome in a Murine Model of Focal Cerebral Ischemia. <i>Neurosurgery</i> , 1996 , 38, 523-532	3.2	146
120	Cerebroprotective Effects of a Novel Pyrazoline Derivative, MS-153, on Focal Ischemia in Rats. 1997 , 73, 317-324		7
119	Mild sensory stimulation completely protects the adult rodent cortex from ischemic stroke. 2010 , 5, e11270		55
118	Brain 3-Mercaptopyruvate Sulfurtransferase (3MST): Cellular Localization and Downregulation after Acute Stroke. 2013 , 8, e67322		31
117	Malignant infarction of the middle cerebral artery in a porcine model. A pilot study. 2017 , 12, e0172637		13
116	Effect of Focal Cerebral Ischemia on NADPH Diaphorase Histochemical Activity in Rats. 1995 , 7, 61-70		1
115	Pannexin1 knockout and blockade reduces ischemic stroke injury in female, but not in male mice. 2017 , 8, 36973-36983		29

114	Animal models of ischemic stroke. Part two: modeling cerebral ischemia. 2010 , 4, 34-8		94
113	Dodecafluoropentane Emulsion (DDFPe) Decreases Stroke Size and Improves Neurological Scores in a Permanent Occlusion Rat Stroke Model. 2014 , 8, 27-33		14
112	Chromon-3-aldehyde derivatives restore mitochondrial function in rat cerebral ischemia. <i>Iranian Journal of Basic Medical Sciences</i> , 2020 , 23, 1172-1183	1.8	1
111	Blood-brain barrier experiments with clinical magnetic resonance imaging and an immunohistochemical study. 2010 , 47, 203-9		2
110	The macrosphere model-an embolic stroke model for studying the pathophysiology of focal cerebral ischemia in a translational approach. 2015 , 3, 123		6
109	Subchronic hypoxia pretreatment on brain pathophysiology in unilateral common carotid artery occluded albino rats. 2018 , 50, 185-191		2
108	Rat Models for Ischemic Stroke. 2011 , 13, 107		4
107	RODENT STROKE MODEL GUIDELINES FOR PRECLINICAL STROKE TRIALS (1ST EDITION). 2009 , 2, 2-27		109
106	A Reproducible and Simple Model of Permanent Cerebral Ischemia in CB-17 and SCID Mice. 2010 , 3, 28-33		44
105	Exploring cell membrane water exchange in aquaporin-4-deficient ischemic mouse brain using diffusion-weighted MRI. 2021 , 5, 44		1
104	Iptakalim improves cerebral microcirculation in mice after ischemic stroke by inhibiting pericyte contraction. 2021 ,		1
103	In-vivo thrombolytic efficacy of RGD modified protein-polymer conjugated urokinase nanogels. 2021 , 104, 107392		
102	The role of proteolytic enzymes in focal ischaemic brain damage. <i>Acta Neurochirurgica Supplementum</i> , 2000 , 76, 261-4	1.7	2
101	Sphingolipid biosynthesis by L-PDMP after rat MCA occlusion. <i>Acta Neurochirurgica Supplementum</i> , 2000 , 76, 339-41	1.7	3
100	Neuropathologie der zerebralen Durchblutungsstörungen und der intrakraniellen Blutungen. 2001 , 35-60		
99	Role of Nitric Oxide in Variations of the Response of Cerebral Blood Flow to Hypotension and Focal Ischemia. 2001 , 265-281		
98	Experimentelle Pathophysiologie zerebraler Durchblutungsstörungen. 2001 , 89-102		
97	Sphingolipids Metabolism Following Cerebral Ischemia. 2004 , 251-263		

- 96 Cilostazol protects both grey and white matter in a rodent model of permanent focal cerebral ischemia. *Journal of Cerebral Blood Flow and Metabolism*, **2005**, 25, S23-S23 7.3
- 95 Drugs for Treatment of Stroke. **2005**, 201-235
- 94 Surgery Procedure for Distal Middle Cerebral Artery Occlusion Model. **2008**, 99-105
- 93 Surgery Procedure for Distal Middle Cerebral Artery Occlusion Model. **2008**, 99-106
- 92 Three-Vessel Middle Cerebral Artery Occlusion Model. **2009**, 141-153 1
- 91 Intraluminal Middle Cerebral Artery Occlusion Model in Mice. **2009**, 197-205
- 90 Focal Ischemia Models: Middle Cerebral Artery Occlusion Induced by Electrocoagulation, Occluding Devices, and Endothelin-1. *NeuroMethods*, **2010**, 41-53 0.4
- 89 Experimental stroke research: the contributions of in vivo MRI. **2011**, 771, 255-75
- 88 Does Hypoxic Preconditioning Induce Angiogenesis and Protect against Focal Cerebral Ischemic Damage in Rats ?. **2011**, 61, 1-8
- 87 Experimental Platforms for Assessing White Matter Pathophysiology in Stroke. **2012**, 57-78
- 86 Clinical Relevance in a Translational Rodent Model of Acute Ischemic Stroke: Incorporating the Biological Variability of Spontaneous Recanalization. **2012**, 525-540
- 85 Surgical Methods to Induce Brain Preconditioning. **2013**, 225-240
- 84 Neuroprotective effect of Puerariae Radix extract on focal cerebral ischemia in mice. **2012**, 27, 71-76 1
- 83 The Recovery Effects of Joojakwhan - A Traditional Korean Medical Poly-herbal Drug for the Cognitions and Motor Functions in Mild Stroke Rat Model by Using Transient Middle Cerebral Artery Occlusion. *Journal of Oriental Neuropsychiatry*, **2013**, 24, 419-434
- 82 Effects on Blood Supply and on Arterial and Venous Tonus. **2014**, 1-91
- 81 Identification of a Lipoxygenase Product (11-HETE) in Rat Brain Microvessel, and Its Relevance to Ischemic Brain Edema. **1985**, 396-402
- 80 Effect of a Dihydropyridine-Type Calcium Antagonist on Cerebral Blood Flow and Metabolism. *Bayer-Symposium*, **1985**, 353-361 1
- 79 Early Changes in Blood-Brain Barrier Permeability After MCA Occlusion in Rats. **1985**, 210-214 1

78 Experimental Models. **1987**, 9-22

77 The Rheological Effect of Fluosol FC 43 on Focal Cerebral Ischemia in the Rat. **1987**, 371-376

76 Pathophysiological investigation of experimental cerebral ischaemia using in vivo ³¹P-NMR spectroscopy and ¹H-MRI. **1988**, 43, 172-6

75 The Effects of a Dihydropyridine Calcium Antagonist on Cerebral Blood Flow with and without Middle Cerebral Artery Occlusion. **1989**, 196-205

74 Nimodipine Binding in Cerebral Ischemia. **1989**, 206-209

73 Calcium Antagonists and Experimental Focal Cerebral Ischemia. **1989**, 177-186

1

72 Experimental Models of Ischemia. **1989**, 187-208

1

71 Cytoprotective Characteristics of Dihydropyridine Calcium Antagonists in a Rat Model of Stroke: Implications for Clinical Trials. **1989**, 282-291

2

70 Effects of atrial natriuretic peptide on ischaemic brain oedema evaluated by the proton magnetic resonance method. **1990**, 51, 248-50

1

69 Nimodipine attenuates both ischaemia-induced brain oedema and mortality in a rat novel transient middle cerebral artery occlusion model. **1990**, 51, 251-3

2

68 Effects of atrial natriuretic peptide on brain oedema: the change of water, sodium, and potassium contents in the brain. **1990**, 51, 118-21

1

67 Therapeutic potential of the atypical non-competitive NMDA receptor antagonists, ifenprodil and SL 82.0715, in ischaemic cerebrovascular diseases. **1990**, 556-565

66 Effect of Blood Pressure on Cerebral Blood Flow and Infarct Size: Haemodynamic Considerations. **1992**, 175-185

1

65 Neuroprotektion durch Pharmaka. **1992**, 37-44

64 Excitatory Amino Acid Release After Focal Cerebral Ischaemia: Infarct Volume Determines EAA Release. **1992**, 9-14

63 Role of Nigrostriatal Projections in the Vulnerability of the Striatum. **1992**, 111-117

1

62 Temporary Middle Cerebral Artery Clipping: Pathophysiological Investigation on the Effect of Mannitol and Nimodipine: A Model for Aneurysm Surgery. *Advances in Neurosurgery*, **1992**, 371-375

61 Effects of Leukotriene C4 and Acivicin on the Blood-Brain Barrier Permeability of Ischemic Rat Brains: Proof of Existence of Enzymatic Barrier. **1993**, 139-143

60	Middle cerebral artery occlusion in rats: a neurological and pathological evaluation of a reproducible model. <i>Neurosurgery</i> , 1993 , 32, 479	3.2	2
59	Effect of steroids on brain lipocortin immunoreactivity. 1994 , 60, 101-3		3
58	The effect of age on cerebral oedema, cerebral infarction and neuroprotective potential in experimental occlusive stroke. 1994 , 60, 282-4		2
57	Tirilazad reduces brain edema after middle cerebral artery ligation in hypertensive rats. 1994 , 60, 310-3		2
56	Effects of protein kinase C activators on Na, K-ATPase activity in rat brain microvessels. 1994 , 60, 113-5		
55	Biochemical study of the postischemic neuronal damage. <i>Advances in Experimental Medicine and Biology</i> , 1995 , 363, 133-42	3.6	
54	Fetal neocortical grafts placed in brain infarcts do not improve paw-reaching deficits in adult spontaneously hypertensive rats. <i>Acta Neurochirurgica Supplementum</i> , 1996 , 66, 68-72	1.7	11
53	Behavioral Changes After Cerebral Infarction in the Rat: Long-Term Spatial Cognitive Impairment and Cerebral Acetylcholine Levels. 1997 , 169-175		
52	Calcium Homeostasis, Nimodipine, and Stroke. 1997 , 67-99		1
51	Clinical Aspects of Stroke and Therapeutic Strategies. 1997 , 43-66		
50	The effect of non-competitive N-methyl-D-aspartate receptor antagonism on cerebral oedema and cerebral infarct size in the aging ischaemic brain. <i>Acta Neurochirurgica Supplementum</i> , 1997 , 70, 30-3	1.7	3
49	Selective impairments of mitochondrial respiratory chain activity during aging and ischemic brain damage. <i>Acta Neurochirurgica Supplementum</i> , 1997 , 70, 56-8	1.7	20
48	Brain-Derived Neurotrophic Factor and Ciliary Neurotrophic Factor Treatment of Focal Cerebral Ischemia in Rat. 1999 , 251-260		
47	Slowly Progressive Neuronal Degeneration in Remote Areas After Focal Cerebral Ischemia. 1999 , 175-182		
46	Neuroprotective effects of ibudilast on ischemic injury following permanent focal cerebral ischemia in the rat. <i>No Junkan Taisha = Cerebral Blood Flow and Metabolism</i> , 2015 , 26, 19-24		0
45	Sungshim-san-mediated Recovery of Cognition and Motor Function in the Severe Rat Stroke, Permanent Middle Cerebral Artery Occlusion Model. <i>Journal of Oriental Neuropsychiatry</i> , 2015 , 26, 319-336		
44	Effects on Blood Supply and on Arterial and Venous Tonus. 2016 , 349-428		
43	Mouse Model of In Situ Thromboembolic Stroke and Reperfusion. <i>Neuromethods</i> , 2016 , 59-68	0.4	1

42	Focal Ischemia Models: Middle Cerebral Artery Occlusion Induced by Electrocoagulation, Occluding Devices, and Endothelin-1. <i>Neuromethods</i> , 2016 , 45-58	0.4	
41	Power spectrum slope and motor function recovery after focal cerebral ischemia in the rat.		1
40	Intraluminal Middle Cerebral Artery Occlusion Model in Mice. <i>Springer Series in Translational Stroke Research</i> , 2019 , 163-172	0.1	
39	Transient Middle Cerebral Artery Occlusion Model in Rodents. <i>Springer Series in Translational Stroke Research</i> , 2019 , 131-143	0.1	
38	Strain differences in intraluminal thread model of middle cerebral artery occlusion in rats. <i>Physiological Research</i> , 2019 , 68, 37-48	2.1	2
37	Interleukin-1 receptor antagonist decreases the number of necrotic neurons in rats with middle cerebral artery occlusion. <i>American Journal of Pathology</i> , 1995 , 147, 1477-86	5.8	185
36	Experimental treatment of stroke in spontaneously hypertensive rats by CD34+ and CD34- cord blood cells. <i>GMS German Medical Science</i> , 2005 , 3, Doc09	3.2	15
35	Astrocytic swelling in the ipsilateral substantia nigra after occlusion of the middle cerebral artery in rats. <i>American Journal of Neuroradiology</i> , 2001 , 22, 660-3	4.4	26
34	Efficient protein incorporation and release by a jigsaw-shaped self-assembling peptide hydrogel for injured brain regeneration. <i>Nature Communications</i> , 2021 , 12, 6623	17.4	5
33	Low-Dose Piperlongumine Rescues Impaired Function of Endothelial Progenitor Cells and Reduces Cerebral Ischemic Injury in High-Fat Diet-Fed Mice. <i>Frontiers in Pharmacology</i> , 2021 , 12, 689880	5.6	0
32	[Neuroprotective potential of pyrimidine-4-H1-OHa derivatives in experimental cerebral ischemia].. <i>Zhurnal Nevrologii I Psikiatrii Imeni S S Korsakova</i> , 2021 , 121, 63-68	0.4	
31	A Review on the Experimental Animal Models of Cerebral Ischemia. <i>The Neuroscience Journal of Shefaye Khatam</i> , 2021 , 9, 130-139	0.1	
30	Abstracts: annual meeting of the Canadian Anesthetists' Society. June 26-29, 1988, Halifax, Nova Scotia. <i>Canadian Journal of Anaesthesia</i> , 1988 , 35, S59-147	3	
29	Stroke and translational research. 2022 , 121-137		
28	Precise control of embolic stroke with magnetized red blood cells in mice.. <i>Communications Biology</i> , 2022 , 5, 136	6.7	1
27	Experimental Animal Models of Cerebral Ischemic Reperfusion Injury.		
26	Post-ischemia common carotid artery occlusion worsens memory loss, but not sensorimotor deficits, in long-term survived stroke mice.. <i>Brain Research Bulletin</i> , 2022 , 183, 153-161	3.9	0
25	Table_1.docx. 2018 ,		

24	Table_1.DOCX. 2019 ,		
23	Reduction of neural damage in irreversible cerebral ischemia by calcium antagonists. <i>Neurochemical Pathology</i> , 1988 , 9, 211-36		25
22	4-Hydroxy-3,5-di-tert-butyl cinnamic acid restores the activity of the hippocampal mitochondria in rats under permanent focal cerebral ischemia.. <i>Iranian Journal of Basic Medical Sciences</i> , 2021 , 24, 1590-1601	1.8	1
21	Quest for Quality in Translational Stroke Research: A New Dawn for Neuroprotection?. <i>International Journal of Molecular Sciences</i> , 2022 , 23, 5381	6.3	2
20	Metabolomics-based study of the potential interventional effects of Xiao-Xu-Ming Decoction on cerebral ischemia/reperfusion rats. <i>Journal of Ethnopharmacology</i> , 2022 , 295, 115379	5	1
19	Synthesis and evaluation of cerebroprotective activity of novel 6,7-dimethoxyquinazolin-4(3H)-one derivatives containing residues of amino acids and dipeptides. <i>Chimica Techno Acta</i> , 2022 , 9, 20229212	1.3	
18	Neuroprotective effects of a 40% ethanol extract of the black walnut bark (<i>Juglans nigra</i> L.). <i>Research Results in Pharmacology</i> , 2022 , 8, 59-68	0.5	
17	Close association between spreading depolarization and development of infarction under experimental ischemia in anesthetized male mice. <i>Brain Research</i> , 2022 , 1792, 148023	3.7	0
16	Effect of 3-formylchromone derivatives on neuroinflammation reactions and JNK and NF- κ B regulatory pathways. 2022 , 22, 7-15		
15	Translating Animal Models of Ischemic Stroke to the Human Condition.		0
14	Distribution of intraperitoneally administered D2O in AQP4-knockout mouse brain after MCA occlusion.		0
13	Ischemic Stroke, Lessons from the Past towards Effective Preclinical Models. 2022 , 10, 2561		0
12	The cerebrovascular, neuroprotective and antiarrhythmic properties of the anxiolytic fabomotizole. 2022 , 16, 65-73		0
11	Zebrafish as a potential model for stroke: A comparative study with standardized models. 2023 , 312, 121200		0
10	Intraluminal filament induced middle cerebral artery occlusion model of transient focal cerebral ischemia in rats. 2023 , 613-629		0
9	Mild hypothermia combined with dexmedetomidine reduced brain, lung, and kidney damage in experimental acute focal ischemic stroke. 2022 , 10,		0
8	Distribution of intraperitoneally administered deuterium-labeled water in aquaporin-4-knockout mouse brain after middle cerebral artery occlusion. 16,		0
7	Mouse Models of Ischemia. 2011 , 251-273		0

- 6 A Novel Rat Model of Embolic Cerebral Ischemia Using a Cell-Implantable Radiopaque. ○
- 5 Translatome analysis reveals microglia and astrocytes to be distinct regulators of inflammation in the hyperacute and acute phases after stroke. ○
- 4 A Novel Rat Model of Embolic Cerebral Ischemia Using a Cell-Implantable Radiopaque Hydrogel Microfiber. ○
- 3 Molecular Investigation of DKK3 in Cerebral Ischemic/Reperfusion Injury. **2023**, 11, 815 ○
- 2 Astrocyte-neuron lactate shuttle plays a pivotal role in sensory-based neuroprotection in a rat model of permanent middle cerebral artery occlusion. ○
- 1 Translatome analysis reveals microglia and astrocytes to be distinct regulators of inflammation in the hyperacute and acute phases after stroke. ○