

High-resolution separations based on electrophoresis a

Journal of Chromatography A

218, 209-216

DOI: 10.1016/S0021-9673(00)82057-9

Citation Report

#	ARTICLE	IF	CITATIONS
1	Open-tubular microcapillary liquid chromatography with electro-osmosis flow using a UV detector. Journal of Chromatography A, 1982, 248, 241-247.	1.8	329
2	Separation of organic and metal ions by high-voltage capillary electrophoresis. Journal of Chromatography A, 1983, 264, 385-392.	1.8	166
3	High-performance electrophoresis: the electrophoretic counterpart of high-performance liquid chromatography. Journal of Chromatography A, 1983, 270, 1-6.	1.8	207
4	Mobile-phase transport properties of liquefied gases in near critical and supercritical fluid chromatography. Analytical Chemistry, 1983, 55, 1370-1375.	3.2	196
5	Electroosmotic propulsion of eluent through silica-based chromatographic media. Analytical Chemistry, 1983, 55, 1365-1370.	3.2	112
6	Capillary zone electrophoresis. Science, 1983, 222, 266-272.	6.0	1,186
7	High Performance Electrophoresis (HPE)., 1984, , 71-80.		5
8	Chapter 1 Narrow-Bore and Micro-Bore Columns in Liquid Chromatography. Journal of Chromatography Library, 1984, , 1-38.	0.1	18
9	On-column UV absorption detector for open tubular capillary zone electrophoresis. Journal of Chromatography A, 1984, 315, 135-143.	1.8	254
10	Zone electrophoresis in open-tubular capillaries. TrAC - Trends in Analytical Chemistry, 1984, 3, 51-54.	5.8	55
11	Axial dispersion in open-tubular capillary liquid chromatography with electroosmotic flow. Analytical Chemistry, 1984, 56, 614-620.	3.2	109
12	Chapter 7 Liquid Chromatography in Columns of Capillary Dimensions. Journal of Chromatography Library, 1984, 28, 194-259.	0.1	16
13	Micropreparative version of high-performance electrophoresis. Journal of Chromatography A, 1985, 327, 157-164.	1.8	69
14	Capillary zone electrophoresis: Effect of physical parameters on separation efficiency and quantitation. Journal of High Resolution Chromatography, 1985, 8, 407-411.	2.0	285
15	Practical applications of open tubes in liquid chromatography. Journal of High Resolution Chromatography, 1985, 8, 531-534.	2.0	24
16	Determination of Uranium by Reversed-Phase High-Performance Liquid Chromatography. Analytical Chemistry, 1985, 57, 561-563.	3.2	38
17	Peak Broadening in Open-Tubular Liquid Chromatography with Electroosmotic Flow. Analytical Chemistry, 1985, 57, 559-561.	3.2	62
18	Extraction of trivalent lanthanides by a mixture of didodecylphthalenesulfonic acid and a crown ether. Analytical Chemistry, 1986, 58, 1814-1816.	3.2	40

#	ARTICLE	IF	CITATIONS
19	Determination of cinnamic acid and its analogs by electrophoresis in a fused silica capillary tube. <i>Analytical Chemistry</i> , 1986, 58, 1811-1814.	3.2	130
20	Variable-wavelength on-column fluorescence detector for open-tubular zone electrophoresis. <i>Journal of Chromatography A</i> , 1986, 352, 337-343.	1.8	67
21	Determination of ingredients of antipyretic analgesic preparations by micellar electrokinetic capillary chromatography. <i>Analytical Chemistry</i> , 1987, 59, 2773-2776.	3.2	125
22	Application of chelate-forming resin and modified glassy carbon electrode for selective determination of iron(III) by liquid chromatography with electrochemical detection. <i>Analytical Chemistry</i> , 1987, 59, 2776-2780.	3.2	104
23	Capillary zone electrophoresis with electrochemical detection. <i>Analytical Chemistry</i> , 1987, 59, 1762-1766.	3.2	417
24	Characterization of a microinjector for capillary zone electrophoresis. <i>Analytical Chemistry</i> , 1987, 59, 678-681.	3.2	54
25	Liquid chromatography/electrochemical detection of carbohydrates at a cobalt phthalocyanine containing chemically modified electrode. <i>Analytical Chemistry</i> , 1987, 59, 1766-1770.	3.2	189
26	Application of a modulated magnetic field to a flame photometric detection burner in the detection of phosphorus. <i>Analytical Chemistry</i> , 1987, 59, 681-684.	3.2	9
27	Evaluation of an automatic siphonic sampler for capillary zone electrophoresis. <i>Journal of Chromatography A</i> , 1987, 404, 313-320.	1.8	38
28	High-performance capillary electrophoresis using open tubes and gels. <i>Chromatographia</i> , 1987, 24, 15-24.	0.7	230
29	Miniaturisation in pressure and electroosmotically driven liquid chromatography: Some theoretical considerations. <i>Chromatographia</i> , 1987, 24, 135-143.	0.7	528
30	Separation of nucleotides in organs of guinea pig by Capillary Zone Electrophoresis. <i>Journal of High Resolution Chromatography</i> , 1988, 11, 721-723.	2.0	28
31	The history of the development of electrophoresis in Uppsala. <i>Electrophoresis</i> , 1988, 9, 3-15.	1.3	23
32	Catecholamines and their metabolites. <i>Biomedical Applications</i> , 1988, 429, 177-233.	1.7	156
33	Determination of methotrexate and its major metabolite, 7-hydroxymethotrexate, using capillary zone electrophoresis and laser-induced fluorescence detection. <i>Biomedical Applications</i> , 1988, 426, 129-140.	1.7	117
34	Simple sampling device for capillary isotachopheresis and capillary zone electrophoresis. <i>Journal of Chromatography A</i> , 1988, 452, 615-622.	1.8	33
35	Retention of ionic and non-ionic catechols in capillary zone electrophoresis with micellar solutions. <i>Journal of Chromatography A</i> , 1988, 441, 299-309.	1.8	129
36	Analysis of water-soluble vitamins by micellar electrokinetic capillary chromatography. <i>Journal of Chromatography A</i> , 1988, 447, 133-140.	1.8	33

#	ARTICLE	IF	CITATIONS
37	Thermal effects and band spreading in capillary electro-separation. <i>Chromatographia</i> , 1988, 26, 329-337.	0.7	305
38	Amperometric detection of catechols in capillary zone electrophoresis with normal and micellar solutions. <i>Analytical Chemistry</i> , 1988, 60, 258-263.	3.2	196
39	Raman Spectroscopic Detection System for Capillary Zone Electrophoresis. <i>Applied Spectroscopy</i> , 1988, 42, 515-518.	1.2	39
40	Capillary zone electrophoretic separation of peptides and proteins using low pH buffers in modified silica capillaries. <i>Analytical Chemistry</i> , 1988, 60, 2322-2328.	3.2	611
41	Capillary Electrophoresis. <i>Science</i> , 1988, 242, 224-228.	6.0	299
42	Capillary zone electrophoresis of insulin and growth hormone. <i>Analytical Biochemistry</i> , 1989, 177, 20-26.	1.1	87
43	Electrophoresis versus electrochromatography. <i>Journal of High Resolution Chromatography</i> , 1989, 12, 28-31.	2.0	14
44	Some design considerations in miniaturized electrokinetic separation systems. <i>Journal of High Resolution Chromatography</i> , 1989, 12, 797-801.	2.0	27
45	Retention of catechols in capillary electrophoresis with micellar and mixed micellar solutions. <i>Journal of Separation Science</i> , 1989, 1, 23-27.	1.0	48
46	Capillary zone electrophoretic separations of proteins in polyethylene glycol-modified capillaries. <i>Journal of Chromatography A</i> , 1989, 471, 429-436.	1.8	274
47	Capillary zone electrophoresis of histidine-containing compounds. <i>Journal of Chromatography A</i> , 1989, 470, 241-250.	1.8	50
48	Separation of precolumn ortho-phthalaldehyde-derivatized amino acids by capillary zone electrophoresis with normal and micellar solutions in the presence of organic modifiers. <i>Journal of Chromatography A</i> , 1989, 468, 55-65.	1.8	85
49	History of electrophoretic methods. <i>Journal of Chromatography A</i> , 1989, 480, 3-19.	1.8	86
50	Factors affecting free zone electrophoresis and isoelectric focusing in capillary electrophoresis. <i>Journal of Chromatography A</i> , 1989, 480, 311-319.	1.8	254
51	Performance of carbohydrate-modified fused-silica capillaries for the separation of proteins by zone electrophoresis. <i>Journal of Chromatography A</i> , 1989, 480, 339-349.	1.8	132
52	Capillary electrophoresis-electrospray ionization-mass spectrometry. <i>Journal of Chromatography A</i> , 1989, 474, 21-37.	1.8	80
53	Performance of a liquid-junction interface for capillary electrophoresis mass spectrometry using continuous-flow fast-atom bombardment. <i>Rapid Communications in Mass Spectrometry</i> , 1989, 3, 348-351.	0.7	49
54	High-performance capillary electrophoresis in the biological sciences. <i>Biomedical Applications</i> , 1989, 492, 585-614.	1.7	311

#	ARTICLE	IF	CITATIONS
55	Diffusion coefficients of gases in liquids and partition coefficients in gas-liquid interphases by reversed-flow gas chromatography. <i>Analytical Chemistry</i> , 1989, 61, 2231-2237.	3.2	38
56	Separation of Catecholamines by Capillary Zone Electrophoresis Using Complexation with Boric Acid. <i>Analytical Sciences</i> , 1990, 6, 467-468.	0.8	9
57	Comparison of high-performance liquid chromatography, supercritical fluid chromatography and capillary zone electrophoresis in drug analysis. <i>Journal of Chromatography A</i> , 1990, 507, 125-140.	1.8	80
58	Variance contributions to band spread in capillary zone electrophoresis. <i>Journal of Chromatography A</i> , 1990, 504, 1-19.	1.8	33
59	High-performance capillary isotachopheresis of serum lipoproteins and membrane proteins. <i>Chromatographia</i> , 1990, 30, 703-706.	0.7	10
60	Problems and achievements in the instrumentation and column technology for chromatography and capillary electrophoresis. <i>Chromatographia</i> , 1990, 30, 500-508.	0.7	7
61	Recent advances in capillary electrophoresis of proteins, peptides and amino acids. <i>Electrophoresis</i> , 1990, 11, 735-749.	1.3	160
62	Investigation of sample loading in electrokinetic chromatography. <i>Journal of High Resolution Chromatography</i> , 1990, 13, 573-574.	2.0	5
63	Separation of anticoagulant peptide MDL 28,050 from its deletion by-products by capillary zone electrophoresis. <i>Journal of High Resolution Chromatography</i> , 1990, 13, 782-784.	2.0	4
64	Capillary zone electrophoresis of dilute samples with isotachopheretic preconcentration. <i>Journal of Separation Science</i> , 1990, 2, 127-131.	1.0	56
65	Capillary electrophoresis applied to the analysis of pharmaceutical compounds. <i>Journal of Separation Science</i> , 1990, 2, 166-175.	1.0	68
66	Capillary Electrophoresis with indirect amperometric detection. <i>Journal of Chromatography A</i> , 1990, 499, 713-719.	1.8	90
67	Feasibility of capillary zone electrophoresis with suppression of electroosmotic flow in completely closed systems. <i>Journal of Chromatography A</i> , 1990, 503, 245-255.	1.8	48
68	Secondary equilibria and their interaction with chromatographic transport. <i>Journal of Chromatography A</i> , 1990, 506, 45-60.	1.8	54
69	Electrically driven open-tubular liquid chromatography. <i>Journal of Chromatography A</i> , 1990, 517, 557-572.	1.8	101
70	High-pressure and supercritical capillary electrophoresis. <i>Journal of Chromatography A</i> , 1990, 517, 573-581.	1.8	4
71	Ultraviolet-absorbing organic anions in uremic serum separated by capillary zone electrophoresis, and quantification of hippuric acid. <i>Clinical Chemistry</i> , 1990, 36, 435-440.	1.5	44
72	Characterization of the oligomeric dispersion of poly(oxyalkylene)diamine polymers by precolumn derivatization and capillary zone electrophoresis with fluorescence detection. <i>Analytical Chemistry</i> , 1990, 62, 2189-2193.	3.2	28

#	ARTICLE	IF	CITATIONS
73	Absorption detection in capillary electrophoresis by fluorescence energy transfer. <i>Analytical Chemistry</i> , 1990, 62, 2193-2198.	3.2	10
74	Open-tubular liquid chromatography with surfactant-enhanced electroosmotic flow. <i>Analytical Chemistry</i> , 1990, 62, 2178-2182.	3.2	65
75	Micelles in Analytical Chemistry. <i>Critical Reviews in Analytical Chemistry</i> , 1990, 21, 257-278.	1.8	225
76	Ultrasensitive detection for capillary zone electrophoresis using laser-induced capillary vibration. <i>Analytical Chemistry</i> , 1991, 63, 2216-2218.	3.2	26
77	Some physico-chemical characteristics that make D2O-based buffer solutions useful media for capillary electrophoresis. <i>Journal of the Chemical Society Chemical Communications</i> , 1991, , 864.	2.0	4
78	Hydrocarbon type determination of naphthas and catalytically reformed products by automated multidimensional gas chromatography. <i>Analytical Chemistry</i> , 1991, 63, 114-120.	3.2	29
79	Determination of bioactive peptides using capillary zone electrophoresis/mass spectrometry. <i>Analytical Chemistry</i> , 1991, 63, 109-114.	3.2	137
80	Method Development and Selectivity Control for Small Molecule Pharmaceutical Separations by Capillary Electrophoresis. <i>Journal of Liquid Chromatography and Related Technologies</i> , 1991, 14, 923-938.	0.9	75
81	Thermo-Optical Absorption Detection in 25- μ m-i.d. Capillaries: Capillary Electrophoresis of Dansyl-Amino Acids Mixtures. <i>Applied Spectroscopy</i> , 1991, 45, 462-467.	1.2	38
82	A practical approach to high performance capillary electrophoresis with biosynthetic human growth hormone as a model protein. <i>Talanta</i> , 1991, 38, 1369-1379.	2.9	8
83	Capillary electrophoretic separations of proteins using nonionic surfactant coatings. <i>Analytical Chemistry</i> , 1991, 63, 1126-1132.	3.2	351
84	Theoretical background for clinical and biomedical applications of electromigration techniques. <i>Biomedical Applications</i> , 1991, 569, 3-42.	1.7	37
85	Capillary zone electrophoresis: its applicability and potential in biochemical analysis. <i>Biomedical Applications</i> , 1991, 569, 63-122.	1.7	85
86	Influence of operating parameters on reproducibility in capillary electrophoresis. <i>Journal of Chromatography A</i> , 1991, 559, 57-68.	1.8	59
87	Optimization of resolution in capillary zone electrophoresis: Combined effect of applied voltage and buffer concentration. <i>Journal of Chromatography A</i> , 1991, 588, 315-320.	1.8	42
88	Improvement of resolution in the capillary electrophoretic separation of catecholamines by complex formation with boric acid and control of electroosmosis with a cationic surfactant. <i>Journal of Chromatography A</i> , 1991, 538, 385-391.	1.8	85
89	Capillary electrophoresis in [2H]water solution. <i>Journal of Chromatography A</i> , 1991, 541, 489-495.	1.8	16
90	Electrochromatography in packed tubes using 1.5 to 50 μ m silica gels and ODS bonded silica gels. <i>Chromatographia</i> , 1991, 32, 317-328.	0.7	448

#	ARTICLE	IF	CITATIONS
91	High performance capillary electrophoresis. Trends in Biotechnology, 1991, 9, 243-250.	4.9	22
92	Advances in capillary electrophoresis: the challenges to liquid chromatography and conventional electrophoresis. Analytica Chimica Acta, 1991, 250, 45-60.	2.6	24
93	The separation of chondroitin sulfate disaccharides and hyaluronan oligosaccharides by capillary zone electrophoresis. Analytical Biochemistry, 1991, 195, 132-140.	1.1	116
94	Electrochemical detection for capillary electrophoresis. Electroanalysis, 1991, 3, 587-596.	1.5	52
95	Enhanced radial dispersion in open tubular column chromatography. Journal of Separation Science, 1991, 3, 91-113.	1.0	21
96	Determination of the migration times of flow measurement markers in CEC. Journal of High Resolution Chromatography, 1991, 14, 481-483.	2.0	5
97	Micellar electrokinetic chromatography of ionic compounds: The analysis of hop bitter acids. Journal of High Resolution Chromatography, 1991, 14, 795-801.	2.0	39
98	Analysis of peptides and proteins by capillary electrophoresis/mass spectrometry using acidic buffers and coated capillaries. Rapid Communications in Mass Spectrometry, 1991, 5, 484-490.	0.7	68
99	Separation of Xanthines and Uric Acids by Capillary Zone Electrophoresis and Micellar Electrokinetic Capillary Electrophoresis. Journal of Liquid Chromatography and Related Technologies, 1991, 14, 427-435.	0.9	20
100	Separations by High Performance Liquid Chromatography and Capillary Zone Electrophoresis: A Comparative Study. Journal of Liquid Chromatography and Related Technologies, 1991, 14, 817-845.	0.9	32
101	Analyses of Uric Acid in Urine and Reconstituted Serum by Capillary Electrophoresis. Analytical Letters, 1991, 24, 377-389.	1.0	8
102	Chapter 7 Applications. Journal of Chromatography Library, 1992, 52, 377-540.	0.1	0
103	Capillary Electrophoretic Analysis of Somatostatin Analog Peptides. Effect of Organic Solvents as Buffer Modifiers. Journal of Liquid Chromatography and Related Technologies, 1992, 15, 3181-3192.	0.9	30
104	Chapter 2 Sample Injection Methods. Journal of Chromatography Library, 1992, 52, 31-54.	0.1	2
105	Chapter 4 Column Technology. Journal of Chromatography Library, 1992, , 155-200.	0.1	0
106	Pharmaceutical Drug Separations by HPCE: Practical Guidelines. Journal of Liquid Chromatography and Related Technologies, 1992, 15, 961-1021.	0.9	121
107	Chapter 4 Column liquid chromatography. Journal of Chromatography Library, 1992, 51, A151-A225.	0.1	8
108	Capillary electrophoresis: a new analytical tool for food science. Trends in Food Science and Technology, 1992, 3, 6-10.	7.8	31

#	ARTICLE	IF	CITATIONS
109	Trypsin-modified-fused-silica capillary microreactor for peptide mapping by capillary zone electrophoresis. <i>Analytical Chemistry</i> , 1992, 64, 1610-1613.	3.2	129
110	Acridinium chemiluminescence detection with capillary electrophoresis. <i>Analytical Chemistry</i> , 1992, 64, 2758-2762.	3.2	86
111	On-line isotachopheretic analyte focusing for improvement of detection limits in capillary electrophoresis/electrospray mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 1992, 6, 560-563.	0.7	36
112	Capillary electrophoresis with electrochemical detection. <i>TrAC - Trends in Analytical Chemistry</i> , 1992, 11, 325-332.	5.8	30
113	Determination of bis(amidinohydrazones) by micellar electrokinetic capillary chromatography. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 1992, 10, 561-565.	1.4	10
114	Chiral separation by analytical electromigration methods. <i>Journal of Chromatography A</i> , 1992, 609, 1-17.	1.8	102
115	Comparison of liquid-junction and coaxial interfaces for capillary electrophoresis-mass spectrometry with application to compounds of concern to the aquaculture industry. <i>Journal of Chromatography A</i> , 1992, 591, 325-339.	1.8	136
116	Electrokinetic reversed-phase chromatography with packed capillaries. <i>Journal of Chromatography A</i> , 1992, 593, 313-319.	1.8	194
117	Bioanalysis of some anthracyclines in human plasma by capillary electrophoresis with laser-induced fluorescence detection. <i>Biomedical Applications</i> , 1992, 574, 327-334.	1.7	79
118	Small-Molecule Pharmaceutical Separations by Capillary Electrophoresis. <i>ACS Symposium Series</i> , 1992, , 190-202.	0.5	2
119	Chiral separation by capillary electrophoresis. <i>Chromatographia</i> , 1992, 34, 505-512.	0.7	190
120	Fluorescence detector cell for use in an integrated electrically driven separation system. <i>Journal of Chromatography A</i> , 1992, 598, 115-121.	1.8	6
121	Determination and rotamer separation of enalapril maleate by capillary electrophoresis. <i>Journal of Chromatography A</i> , 1992, 626, 251-258.	1.8	54
122	Electrophoretic methods: State of the art, trends and developments. <i>Microchemical Journal</i> , 1992, 46, 399-417.	2.3	1
123	Selective determination of arginine-containing and tyrosine-containing peptides using capillary electrophoresis and laser-induced fluorescence detection. <i>Analytical Biochemistry</i> , 1992, 200, 149-155.	1.1	35
124	Identification of peaks in capillary zone electrophoresis based on actual mobilities. <i>Electrophoresis</i> , 1992, 13, 677-682.	1.3	29
125	Separations of proteins and proteolytic digests of proteins by capillary electrophoresis on superox-coated open tubular columns. <i>Journal of Separation Science</i> , 1992, 4, 411-417.	1.0	12
126	Enantiomer separation by electrochromatography on capillaries coated with chirasil-dex. Dedicated to Professor Ernst Bayer on the occasion of his 65th birthday. <i>Journal of High Resolution Chromatography</i> , 1992, 15, 129-131.	2.0	233

#	ARTICLE	IF	CITATIONS
127	Capillary Electrophoresis: Methods and Scope. <i>Angewandte Chemie International Edition in English</i> , 1993, 32, 629-649.	4.4	34
128	Kapillarelektrophorese: Methoden und Möglichkeiten. <i>Angewandte Chemie</i> , 1993, 105, 659-680.	1.6	30
129	Using capillary electrophoresis in the optimization of a carboxypeptidaseY catalyzed transpeptidation reaction. <i>Electrophoresis</i> , 1993, 14, 486-491.	1.3	11
130	Determination of ten β -blockers in urine by micellar electrokinetic capillary chromatography. <i>Journal of Chromatography A</i> , 1993, 632, 143-148.	1.8	70
131	Observation of flow profiles in electroosmosis in a rectangular capillary. <i>Journal of Chromatography A</i> , 1993, 632, 201-207.	1.8	44
132	Optimized separation of purine bases and nucleosides in human cord plasma by capillary zone electrophoresis. <i>Journal of Chromatography A</i> , 1993, 636, 105-111.	1.8	61
133	Capillary electrophoresis with on-line sample pretreatment for the analysis of biological samples with direct injection. <i>Journal of Chromatography A</i> , 1993, 641, 375-381.	1.8	62
134	Increased selectivity for electrochromatography by dynamic ion exchange. <i>Journal of Chromatography A</i> , 1993, 640, 397-402.	1.8	30
135	Parameters influencing separation and detection of anions by capillary electrophoresis. <i>Journal of Chromatography A</i> , 1993, 640, 463-471.	1.8	157
136	Comparison of high-performance liquid chromatography and capillary electrophoresis in the analysis of somatostatin analogue peptides. <i>Journal of Chromatography A</i> , 1993, 648, 251-256.	1.8	25
137	Off-line coupling of capillary electrophoresis with matrix-assisted laser desorption mass spectrometry. <i>Journal of Chromatography A</i> , 1993, 647, 367-374.	1.8	50
138	Equipment for multifunctional use in high-performance capillary electrophoresis. <i>Journal of Chromatography A</i> , 1993, 638, 147-153.	1.8	15
139	Separation of acidic proteins by capillary zone electrophoresis and size-exclusion high-performance liquid chromatography: a comparison. <i>Journal of Chromatography A</i> , 1993, 655, 21-29.	1.8	20
140	Effect of organic solvents on solute migration and separation in capillary zone electrophoresis. <i>Chromatographia</i> , 1993, 35, 497-502.	0.7	66
141	Capillary electrophoresis-mass spectrometry. <i>Journal of Chromatography A</i> , 1993, 636, 3-19.	1.8	116
142	Capillary zone electrophoresis of malto-oligosaccharides derivatized with 8-aminonaphthalene-1,3,6-trisulfonic acid. <i>Journal of Chromatography A</i> , 1993, 645, 337-352.	1.8	179
143	Planar glass chips for capillary electrophoresis: repetitive sample injection, quantitation, and separation efficiency. <i>Analytical Chemistry</i> , 1993, 65, 1481-1488.	3.2	285
144	Improved method for end-column amperometric detection for capillary electrophoresis. <i>Analytical Chemistry</i> , 1993, 65, 577-581.	3.2	161

#	ARTICLE	IF	CITATIONS
145	Direct chiral separations by capillary electrophoresis using capillaries packed with an .alpha.1-acid glycoprotein chiral stationary phase. <i>Analytical Chemistry</i> , 1993, 65, 3684-3690.	3.2	219
146	Capillary Electrophoresis of Biologically Important Compounds: Optimization of Separation Conditions by the Overlapping Resolution Mapping Scheme. <i>Journal of Liquid Chromatography and Related Technologies</i> , 1993, 16, 3653-3666.	0.9	11
147	Characterization of Dissolved Kraft Lignin by Capillary Zone Electrophoresis. <i>Journal of Wood Chemistry and Technology</i> , 1993, 13, 529-544.	0.9	16
148	[5] Factor XI: Structure-function relationships utilizing monoclonal antibodies, protein modification, computational chemistry, and rational synthetic peptide design. <i>Methods in Enzymology</i> , 1993, 222, 65-96.	0.4	8
149	Terminology and nomenclature in capillary electroseparation systems. <i>Journal of Chromatography A</i> , 1994, 680, 3-13.	1.8	94
150	The use of a microconcentric column in capillary electrophoresis. <i>Journal of Chromatography A</i> , 1994, 680, 33-42.	1.8	8
151	Pressurized gradient electro-high-performance liquid chromatography. <i>Journal of Chromatography A</i> , 1994, 680, 93-98.	1.8	169
152	Influence of sample injection time of ions on migration time in capillary zone electrophoresis. <i>Journal of Chromatography A</i> , 1994, 677, 159-167.	1.8	18
153	Separation of aromatic acids by reversed electroosmotic flow capillary electrophoresis. <i>Journal of Chromatography A</i> , 1994, 663, 239-243.	1.8	21
154	Development of packed capillary column electrochromatography/mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 1994, 8, 544-548.	0.7	60
155	Dual chiral recognition system involving cyclodextrin derivatives in capillary electrophoresis. <i>Journal of Separation Science</i> , 1994, 6, 43-48.	1.0	83
156	Enhanced chiral separation of dansylated amino acids with cyclodextrin-dextran polymer network by capillary electrophoresis. <i>Electrophoresis</i> , 1994, 15, 793-798.	1.3	25
157	On the possibility of performing chiral wall-coated open-tubular electrochromatography in 50 $\hat{1}$ / ₄ m internal diameter capillaries. <i>Electrophoresis</i> , 1994, 15, 842-847.	1.3	39
158	Capillary zone electrophoresis determination of phenylalanine in serum: A rapid, inexpensive and simple method for the diagnosis of phenylketonuria. <i>Electrophoresis</i> , 1994, 15, 94-97.	1.3	23
159	Nonaqueous packed capillary electrokinetic chromatographic separations of large polycyclic aromatic hydrocarbons and fullerenes. <i>Electrophoresis</i> , 1994, 15, 1341-1345.	1.3	47
160	Capillary zone electrophoresis in pharmaceutical and biomedical analysis. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 1994, 12, 579-611.	1.4	62
161	Sodium dodecyl sulfate polyacrylamide gel- and replaceable polymer-filled capillary electrophoresis for molecular mass determination of proteins of pharmaceutical interest. <i>Biomedical Applications</i> , 1994, 662, 291-299.	1.7	19
162	Application of capillary electrophoresis in atmospheric aerosols analysis: Determination of inorganic and organic anions. <i>Journal of Chromatography A</i> , 1994, 671, 389-395.	1.8	70

#	ARTICLE	IF	CITATIONS
163	Electrochromatography and micro high-performance liquid chromatography with 320 μ m I.D. packed columns. <i>Journal of Chromatography A</i> , 1994, 670, 15-23.	1.8	139
164	Adaptation of a microdrop injector to sampling in capillary electrophoresis. <i>Journal of Chromatography A</i> , 1994, 669, 254-258.	1.8	30
165	Packed-capillary electrochromatographic separation of the enantiomers of neutral and anionic compounds using β -cyclodextrin as a chiral selector. <i>Journal of Chromatography A</i> , 1994, 666, 321-335.	1.8	153
166	Factors affecting the performance of sodium dodecyl sulfate gel-filled capillary electrophoresis. <i>Journal of Chromatography A</i> , 1994, 661, 257-264.	1.8	10
167	Quantitative aspects of the separation of arsenical species by free solution capillary electrophoresis. <i>Fresenius' Journal of Analytical Chemistry</i> , 1994, 348, 810-814.	1.5	35
168	A method for the experimental determination of contributions to band broadening in electrochromatography with packed capillaries. <i>Chromatographia</i> , 1994, 38, 737-743.	0.7	162
169	Planar electrochromatography Part 1. Planar electrochromatography on non-wetted thin-layers. <i>Chromatographia</i> , 1994, 38, 83-87.	0.7	43
170	The analysis of pharmaceutical compounds using electrochromatography. <i>Chromatographia</i> , 1994, 38, 649-657.	0.7	272
171	High-Speed Separations on a Microchip. <i>Analytical Chemistry</i> , 1994, 66, 1114-1118.	3.2	469
172	Open Channel Electrochromatography on a Microchip. <i>Analytical Chemistry</i> , 1994, 66, 2369-2373.	3.2	310
173	Comparison of Chiral Separations in Capillary Zone Electrophoresis with Other Methods— <i>Instrumentation Science and Technology</i> , 1994, 22, 119-149.	0.9	18
174	Application of Capillary Electrophoresis for Environmental Analysis. , 0, , 213-265.		0
175	Modification of the inner capillary surface by the sol-gel method: Application to open tubular electrochromatography. <i>Journal of Separation Science</i> , 1995, 7, 485-491.	1.0	34
176	Electrochromatography-electrospray mass spectrometry of textile dyes. <i>Journal of Chromatography A</i> , 1995, 700, 27-33.	1.8	71
177	Pre-column derivatization of proteins to enhance detection sensitivity for sodium dodecyl sulfate non-gel sieving capillary electrophoresis. <i>Journal of Chromatography A</i> , 1995, 715, 167-177.	1.8	30
178	Capillary electrochromatography/mass spectrometry: Principles and potential for application in the pharmaceutical industry. <i>Rapid Communications in Mass Spectrometry</i> , 1995, 9, 1283-1287.	0.7	59
179	Capillary electrophoresis: a new tool in forensic toxicology. Applications and prospects in hair analysis for illicit drugs. <i>Forensic Science International</i> , 1995, 70, 93-104.	1.3	32
180	Quantitative analysis of non-steroidal anti-inflammatory drugs by capillary zone electrophoresis. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 1995, 13, 497-503.	1.4	38

#	ARTICLE	IF	CITATIONS
181	Analysis of the quaternary structure of catalase by capillary zone electrophoresis. Journal of Chromatography A, 1995, 697, 571-578.	1.8	2
182	On-line kinetic monitoring for biochemical reactions using multi-point detection in high-performance capillary electrophoresis. Journal of Chromatography A, 1995, 695, 279-285.	1.8	12
183	Direct and indirect chiral separation of amino acids by capillary electrophoresis. Journal of Chromatography A, 1995, 704, 179-193.	1.8	103
184	Migration behaviour of alkali and alkaline-earth metal ion-EDTA complexes and quantitative analysis of magnesium in real samples by capillary electrophoresis with indirect ultraviolet detection. Journal of Chromatography A, 1995, 707, 343-353.	1.8	46
185	Selective determination of aromatic amines in water samples by capillary zone electrophoresis and solid-phase extraction. Journal of Chromatography A, 1995, 709, 361-366.	1.8	62
186	Development of an instrumental configuration for pseudo-electrochromatography-electrospray mass spectrometry. Journal of Chromatography A, 1995, 712, 201-209.	1.8	39
187	Determination of styrene oxide adducts in DNA and DNA components. Journal of Chromatography A, 1995, 717, 117-125.	1.8	38
188	The efficient analysis of neutral and highly polar pharmaceutical compounds using reversed-phase and ion-exchange electrochromatography. Chromatographia, 1995, 41, 197-203.	0.7	181
189	The efficient analysis of neutral and highly polar pharmaceutical compounds using reversed-phase and ion-exchange electrochromatography. Chromatographia, 1995, 41, 197-203.	0.7	131
190	Charged Polyacrylamide Gels for Capillary Electrochromatographic Separations of Uncharged, Low Molecular Weight Compounds. Analytical Chemistry, 1995, 67, 2050-2053.	3.2	106
191	Capillary Electrochromatography: Analysis of Polycyclic Aromatic Hydrocarbons. Analytical Chemistry, 1995, 67, 2026-2029.	3.2	210
192	DNA Separations by Slab Gel, and Capillary Electrophoresis: Theory and Practice. Separation and Purification Reviews, 1995, 24, 1-118.	0.8	50
193	Analysis of trace level peptides using capillary electrophoresis with UV laser-induced fluorescence. Analytica Chimica Acta, 1995, 307, 163-171.	2.6	45
194	Gradient Elution in Capillary Electrochromatography. Analytical Chemistry, 1996, 68, 2726-2730.	3.2	135
195	Fritless Packed Columns for Capillary Electrochromatography: Separation of Uncharged Compounds on Hydrophobic Hydrogels. Analytical Chemistry, 1996, 68, 2753-2757.	3.2	143
196	Application of Nonaqueous Capillary Electrophoresis to the Separation of Long-Chain Surfactants. Analytical Chemistry, 1996, 68, 293-299.	3.2	121
197	[13] Capillary electrophoretic separation in open and coated tubes with special reference to proteins. Methods in Enzymology, 1996, 270, 296-319.	0.4	8
198	Chapter 2 Column technologies for capillary electrophoresis. Progress in Pharmaceutical and Biomedical Analysis, 1996, 2, 23-80.	0.1	1

#	ARTICLE	IF	CITATIONS
199	<title>Real-time fluorescence imaging in analytical chemistry</title>. , 1996, 2629, 2.		2
200	Capillary electrochromatography using columns packed with a supercritical fluid carrier. <i>Chromatographia</i> , 1996, 43, 313-321.	0.7	74
201	Effect of polyamines on the separation of ovalbumin glycoforms by capillary electrophoresis. <i>Journal of Chromatography A</i> , 1996, 719, 159-170.	1.8	52
202	Capillary electrochromatography: operating characteristics and enantiomeric separations. <i>Journal of Chromatography A</i> , 1996, 723, 145-156.	1.8	202
203	Separation parameters via virtual migration distances in high-performance liquid chromatography, capillary zone electrophoresis and electrokinetic chromatography. <i>Journal of Chromatography A</i> , 1996, 743, 231-246.	1.8	111
204	Determination of the anticancer drug prospidin in human tissue by high-performance capillary electrophoresis using derivatization. <i>Biomedical Applications</i> , 1996, 675, 313-319.	1.7	10
205	Methods for chromatographic and electrophoretic separation and assay of NADP+ oxidoreductases. <i>Biomedical Applications</i> , 1996, 684, 1-23.	1.7	4
206	Separation of polyphosphates and polycarboxylates by capillary electrophoresis in a carrier electrolyte containing adenosine 5â€²-triphosphate and cetyltrimethylammonium bromide with indirect UV detection. <i>Journal of Chromatography A</i> , 1996, 723, 197-205.	1.8	32
207	Automated capillary electrochromatography: reliability and reproducibility studies. <i>Journal of Chromatography A</i> , 1996, 725, 361-366.	1.8	72
208	Electrochromatography in chemically modified etched fused-silica capillaries. <i>Journal of Chromatography A</i> , 1996, 736, 255-264.	1.8	142
209	Selectivity of capillary electrophoresis for the analysis of cardiovascular drugs. <i>Journal of Chromatography A</i> , 1996, 745, 145-154.	1.8	23
210	Determination of ions, amino acids/amines in the haemolymph of fairy shrimps by capillary electrophoresis with indirect UV and laser-induced fluorescence detection. <i>Hydrobiologia</i> , 1996, 319, 103-109.	1.0	1
211	Experiences with packed capillary electrochromatography at ambient pressure. <i>Journal of Chromatography A</i> , 1996, 755, 165-177.	1.8	108
212	Electrochromatography. <i>Critical Reviews in Analytical Chemistry</i> , 1996, 26, 261-304.	1.8	115
213	Voltammetric Characteristics of Adenine and Adenosine at a Copper Electrode and Their Application to End-Column Amperometric Detection for Capillary Zone Electrophoresis. <i>Analytical Letters</i> , 1997, 30, 771-785.	1.0	14
214	Protein Digest Analysis by Pressurized Capillary Electrochromatography Using an Ion Trap Storage/Reflectron Time-of-Flight Mass Detector. <i>Analytical Chemistry</i> , 1997, 69, 2908-2913.	3.2	141
215	Effect of Electrical Double-Layer Overlap on the Electroosmotic Flow in Packed-Capillary Columns. <i>Analytical Chemistry</i> , 1997, 69, 361-363.	3.2	82
216	Capillary Electrochromatography and Capillary Electrochromatographyâ€™Mass Spectrometry for the Analysis of DNA Adduct Mixtures. <i>Analytical Chemistry</i> , 1997, 69, 379-384.	3.2	105

#	ARTICLE	IF	CITATIONS
217	Selective Determination of Cytochrome <i>c</i> by Capillary Zone Electrophoresis with Amperometric Detection at a L-Cysteine-Modified Gold Microdisk Array Electrode. <i>Analytical Letters</i> , 1997, 30, 753-769.	1.0	20
218	Open-Tubular Capillary Electrochromatography with an On-Line Ion Trap Storage/Reflection Time-of-Flight Mass Detector for Ultrafast Peptide Mixture Analysis. <i>Analytical Chemistry</i> , 1997, 69, 320-326.	3.2	67
219	Electrical Conductivity as a Tool for Characterizing Packing Structure in Capillary Electrochromatography. <i>Journal of Physical Chemistry B</i> , 1997, 101, 8449-8453.	1.2	16
220	Capillary Electrochromatography with Gradient Elution. <i>Analytical Chemistry</i> , 1997, 69, 4429-4436.	3.2	118
221	Molded Rigid Polymer Monoliths as Separation Media for Capillary Electrochromatography. <i>Analytical Chemistry</i> , 1997, 69, 3646-3649.	3.2	417
222	Chapter 9 Capillary electrophoresis: Principles and applications. <i>Techniques and Instrumentation in Analytical Chemistry</i> , 1997, , 367-394.	0.0	4
223	Theory concerning the current for an end-column amperometric detector with a disk working electrode in capillary zone electrophoresis. <i>Journal of Chromatography A</i> , 1997, 765, 307-314.	1.8	16
224	Prediction of zone patterns in capillary zone electrophoresis with conductivity detection. <i>Journal of Chromatography A</i> , 1997, 772, 63-71.	1.8	39
225	Capillary electrochromatography: normal-phase mode using silica gel and cellulose-based packing materials. <i>Journal of Chromatography A</i> , 1997, 782, 167-174.	1.8	47
226	Capillary electrochromatography: theories on electroosmotic flow in porous media. <i>Journal of Chromatography A</i> , 1997, 781, 185-195.	1.8	154
227	Selectivity in capillary electrophoresis: the use of proteins. <i>Journal of Chromatography A</i> , 1997, 792, 349-369.	1.8	74
228	Macroporous Polyacrylamide/Poly(ethylene glycol) Matrixes as Stationary Phases in Capillary Electrochromatography. <i>Analytical Chemistry</i> , 1997, 69, 4499-4507.	3.2	327
229	A review of the current status of capillary electrochromatography technology and applications. <i>Chromatographia</i> , 1997, 46, 664-674.	0.7	94
230	The development of microparticulate cellulose-based packing materials and evaluation of potential use in capillary electrochromatography. <i>Chromatographia</i> , 1997, 45, 229-234.	0.7	19
231	Capillary biomolecular separations. <i>Biomedical Applications</i> , 1997, 689, 55-70.	1.7	34
232	Capillary electrophoresis in clinical chemistry. <i>Biomedical Applications</i> , 1997, 697, 3-35.	1.7	53
233	Rules relating electrophoretic mobility, charge and molecular size of peptides and proteins. <i>Biomedical Applications</i> , 1997, 699, 133-147.	1.7	113
234	The coulometric efficiency and steady state current for the end-column amperometric detector in capillary zone electrophoresis. <i>Journal of Electroanalytical Chemistry</i> , 1997, 425, 155-160.	1.9	13

#	ARTICLE	IF	CITATIONS
235	Determination of adenine and guanine by capillary zone electrophoresis with end-column amperometric detection at a carbon fiber microdisk array electrode. <i>Electroanalysis</i> , 1997, 9, 770-774.	1.5	44
236	Peak broadening in capillary zone electrophoresis. <i>Electrophoresis</i> , 1997, 18, 2123-2133.	1.3	117
237	Advances in capillary electrochromatography. <i>Electrophoresis</i> , 1997, 18, 2162-2174.	1.3	114
238	Determination of metal ions by capillary electrophoresis. <i>Electrophoresis</i> , 1997, 18, 2482-2501.	1.3	117
239	Capillary zone electrophoresis of interconverting cis-trans conformers of peptidyl-proline dipeptides: Estimation of the kinetic parameters. <i>Electrophoresis</i> , 1997, 18, 2935-2943.	1.3	30
240	Current measurement of nonaqueous solvents: Applications to capillary electrophoresis and electrochromatography. <i>Journal of High Resolution Chromatography</i> , 1997, 20, 523-528.	2.0	29
241	Determination of selected heterocyclic compounds containing nitrogen, oxygen, and sulfur by capillary electrochromatography. <i>Journal of High Resolution Chromatography</i> , 1997, 20, 615-618.	2.0	11
242	Pressurized flow-driven capillary electrochromatography using ion exchange resins. <i>Journal of Separation Science</i> , 1997, 9, 347-356.	1.0	66
243	Capillary electrochromatography: A review. <i>Journal of Separation Science</i> , 1997, 9, 357-372.	1.0	110
244	Analysis of triglycerides by capillary electrochromatography. <i>Journal of Separation Science</i> , 1997, 9, 409-419.	1.0	70
245	Comparison of ODS-modified silica gels as stationary phases for electrochromatography in packed capillaries. <i>Journal of Chromatography A</i> , 1997, 758, 191-197.	1.8	67
246	Separation of proteins and peptides by capillary electrochromatography in diol- and octadecyl-modified etched capillaries. <i>Journal of Chromatography A</i> , 1997, 763, 307-314.	1.8	79
247	Method development and validation for the simultaneous determination of organic and inorganic acids by capillary zone electrophoresis. <i>Journal of Chromatography A</i> , 1997, 765, 321-328.	1.8	50
248	Displacement electrophoresis of ampholytes in a continuous pH gradient moving in a capillary with a non-constant cross-section. <i>Journal of Chromatography A</i> , 1997, 768, 283-294.	1.8	14
249	Rapid assay for the analysis of class III metallothioneins by capillary zone electrophoresis in crude extracts of microalgal cells exposed to cadmium. <i>Journal of Chromatography A</i> , 1997, 775, 339-347.	1.8	9
250	Some reflections on speed and efficiency of modern chromatographic methods. <i>Journal of Chromatography A</i> , 1997, 778, 3-21.	1.8	371
251	Influence of sample plug width in capillary electrochromatography. <i>Journal of Chromatography A</i> , 1997, 779, 155-163.	1.8	27
252	Capillary electrochromatography: effect of electrolyte concentration on electroosmotic flow and column efficiency. <i>Journal of Chromatography A</i> , 1997, 782, 181-189.	1.8	51

#	ARTICLE	IF	CITATIONS
253	Application of mixed mobile phases and a step gradient method in capillary electrochromatography for the separation of isomeric polycyclic aromatic hydrocarbon-deoxyribonucleoside adduct mixtures prepared in vitro. <i>Journal of Chromatography A</i> , 1997, 781, 327-334.	1.8	33
254	Application of 0.5- μ m porous silanized silica beads in electrochromatography. <i>Journal of Chromatography A</i> , 1997, 786, 229-235.	1.8	83
255	Dynamics of capillary electrochromatography experimental study on the electroosmotic flow and conductance in open and packed capillaries. <i>Journal of Chromatography A</i> , 1997, 781, 161-183.	1.8	175
256	Enantioseparations by electrochromatography with packed capillaries. <i>Journal of Chromatography A</i> , 1997, 782, 175-179.	1.8	113
257	Capillary zone electrophoresis with end-column amperometric detection for the determination of glutathione at a gold/mercury amalgam microelectrode without deoxygenation. <i>Analytica Chimica Acta</i> , 1997, 343, 231-239.	2.6	33
258	Determination of bovine serum albumin by capillary zone electrophoresis with end-column amperometric detection at the carbon fiber microdisk array electrode. <i>Analytica Chimica Acta</i> , 1997, 342, 67-74.	2.6	65
259	Adsorption-voltammetric determination of guanine, guanosine, adenine and adenosine with capillary zone electrophoresis separation. <i>Analytica Chimica Acta</i> , 1997, 347, 269-274.	2.6	24
260	Potentialities of electrochemical detection in conjunction with non-aqueous capillary electrophoresis. <i>Electrochimica Acta</i> , 1998, 43, 3475-3482.	2.6	30
261	On-line analysis by capillary separations interfaced to an ion trap storage/reflectron time-of-flight mass spectrometer. <i>Journal of Chromatography A</i> , 1998, 794, 377-389.	1.8	37
262	Separation of synthetic inorganic polymers of condensed phosphates by capillary gel electrophoresis with indirect photometric detection. <i>Journal of Chromatography A</i> , 1998, 802, 159-165.	1.8	20
263	Some aspects of chromatographic behavior in capillary electrochromatography. <i>Journal of Chromatography A</i> , 1998, 802, 59-71.	1.8	77
264	Sintered octadecylsilica as monolithic column packing in capillary electrochromatography and micro high-performance liquid chromatography. <i>Journal of Chromatography A</i> , 1998, 806, 251-263.	1.8	192
265	Salt effects in capillary zone electrophoresis. <i>Journal of Chromatography A</i> , 1998, 809, 159-171.	1.8	26
266	Separation of high-molecular-mass carrageenan polysaccharides by capillary electrophoresis with laser-induced fluorescence detection. <i>Journal of Chromatography A</i> , 1998, 817, 353-366.	1.8	43
267	High-efficiency chiral separations of N-derivatized amino acids by packed-capillary electrochromatography with a quinine-based chiral anion-exchange type stationary phase. <i>Journal of Chromatography A</i> , 1998, 829, 115-125.	1.8	110
268	HighlightCapillary electrophoresis coupled to electrochemical detection: a review of recent advances. <i>Analytical Communications</i> , 1998, 35, 1-4.	2.2	73
269	Capillary electrochromatography with 1.8- μ m ODS-modified porous silica particles. <i>Journal of Chromatography A</i> , 1998, 808, 71-77.	1.8	56
270	Electrophoretic separation of inorganic anions with an anion complexone-modified capillary column. <i>Journal of Chromatography A</i> , 1998, 815, 251-263.	1.8	33

#	ARTICLE	IF	CITATIONS
271	Deactivation of frits for use in capillary high-performance liquid chromatography and capillary electrochromatography with characterization by imaging with laser-induced fluorescence. <i>Journal of Chromatography A</i> , 1998, 818, 257-259.	1.8	29
272	A brief introduction to capillary electrophoresis. <i>Forensic Science International</i> , 1998, 92, 75-88.	1.3	49
273	The effect of complexation additives on analyte migration behavior in capillary electrochromatography. <i>Electrophoresis</i> , 1998, 19, 1452-1460.	1.3	7
274	Recent developments towards a unified theory for separation science (Minireview). <i>Electrophoresis</i> , 1998, 19, 1586-1589.	1.3	2
275	Method development in pharmaceutical analysis employing capillary electrochromatography. <i>Electrophoresis</i> , 1998, 19, 2073-2082.	1.3	31
276	Separation of 1-phenyl-3-methyl-5-pyrazolone derivatives of monosaccharides by capillary electrochromatography. <i>Electrophoresis</i> , 1998, 19, 2682-2688.	1.3	21
277	Analysis of the Triglycerides and the Free and Derivatized Fatty Acids in Fish Oil by Capillary Electrochromatography. <i>Journal of High Resolution Chromatography</i> , 1998, 21, 545-548.	2.0	25
278	Electrically driven capillary liquid chromatography at ambient pressure. <i>Journal of Separation Science</i> , 1998, 10, 41-49.	1.0	14
279	Dependence of analyte separation on electroosmotic flow in capillary zone electrophoresis: Quantitative description by the reduced mobility. <i>Journal of Separation Science</i> , 1998, 10, 273-279.	1.0	47
280	Isotachophoresis: Trials, tribulations, and trends in trace analysis of organic and inorganic pollutants. <i>Journal of Separation Science</i> , 1998, 10, 567-579.	1.0	15
281	Capillary electrochromatography-applicability to the analysis of pesticides and compounds of environmental concern and the theory of electroosmosis. <i>Chromatographia</i> , 1998, 48, 481-490.	0.7	12
282	Affinity capillary electrophoresis in biomolecular recognition. <i>Cellular and Molecular Life Sciences</i> , 1998, 54, 663-683.	2.4	44
283	Separation and identification of positively charged and neutral nucleoside adducts by capillary electrochromatography-microelectrospray mass spectrometry. <i>Journal of the American Society for Mass Spectrometry</i> , 1998, 9, 823-829.	1.2	37
284	Determination of illicit and/or abused drugs and compounds of forensic interest in biosamples by capillary electrophoretic/electrokinetic methods. <i>Biomedical Applications</i> , 1998, 713, 27-49.	1.7	56
285	Direct quantification of polymerase chain reaction fragments using field-amplified sample injection in capillary zone electrophoresis for gene dosage estimation. <i>Biomedical Applications</i> , 1998, 710, 75-80.	1.7	6
286	Advances in capillary electrophoresis. <i>Forensic Science International</i> , 1998, 92, 89-124.	1.3	34
287	Determination of sulfadiazine and sulfamethoxazole by capillary electrophoresis with end-column electrochemical detection. <i>Analyst</i> , The, 1998, 123, 2357-2360.	1.7	58
288	Study on Migration Behavior of Organic Acids of Low Molecular Weights in Capillary Zone Electrophoresis. <i>Journal of Liquid Chromatography and Related Technologies</i> , 1998, 21, 2645-2661.	0.5	9

#	ARTICLE	IF	CITATIONS
289	Axial Nonuniformities and Flow in Columns for Capillary Electrochromatography. <i>Analytical Chemistry</i> , 1998, 70, 3069-3077.	3.2	99
290	Preparation and Characterization of Monolithic Porous Capillary Columns Loaded with Chromatographic Particles. <i>Analytical Chemistry</i> , 1998, 70, 5103-5107.	3.2	175
291	Advances in Capillary Electrochromatography: A Rapid and High-Efficiency Separations of PAHs. <i>Analytical Chemistry</i> , 1998, 70, 4787-4792.	3.2	91
292	Separation of Explosives Using Capillary Electrochromatography. <i>Analytical Chemistry</i> , 1998, 70, 3275-3279.	3.2	67
293	Modeling and Optimization of Enantioseparation by Capillary Electrochromatography. <i>Analytical Chemistry</i> , 1998, 70, 4586-4593.	3.2	49
294	High-Performance Capillary Gel Electrochromatography with Replaceable Media. <i>Analytical Chemistry</i> , 1998, 70, 4985-4995.	3.2	26
295	Molded Rigid Polymer Monoliths as Separation Media for Capillary Electrochromatography. 1. Fine Control of Porous Properties and Surface Chemistry. <i>Analytical Chemistry</i> , 1998, 70, 2288-2295.	3.2	389
296	On-Line Coupling of Capillary Electrochromatography, Capillary Electrophoresis, and Capillary HPLC with Nuclear Magnetic Resonance Spectroscopy. <i>Analytical Chemistry</i> , 1998, 70, 3280-3285.	3.2	117
297	Rapid Analysis of Norgestimate and Its Potential Degradation Products by Capillary Electrochromatography. <i>Journal of Chromatographic Science</i> , 1998, 36, 155-160.	0.7	34
298	Strategies for Electromigration Separations of Biologically Relevant Compounds. <i>Journal of Chromatography Library</i> , 1998, 60, 53-93.	0.1	3
300	A Linear Solvation Energy Relationship Study of the Effects of Surfactant Chain Length on the Chemical Interactions Governing Retention and Selectivity in Micellar Electrokinetic Capillary Chromatography Using Sodium Alkyl Sulfate Elution Buffers. <i>Separation Science and Technology</i> , 1998, 33, 2075-2100.	1.3	36
301	Retention Prediction Based on the Solvatochromic Comparison Method in Reversed-Phase Capillary Electrochromatography. <i>Journal of Liquid Chromatography and Related Technologies</i> , 1998, 21, 1433-1443.	0.5	12
302	Separation of Nanostructured Gold Particles by Capillary Zone Electrophoresis. <i>Journal of the Chinese Chemical Society</i> , 1998, 45, 47-52.	0.8	14
303	Structurally Related Peptide Agonist, Partial Agonist, and Antagonist Occupy a Similar Binding Pocket within the Cholecystokinin Receptor. <i>Journal of Biological Chemistry</i> , 1999, 274, 4778-4785.	1.6	26
304	Molded Rigid Monolithic Porous Polymers: An Inexpensive, Efficient, and Versatile Alternative to Beads for the Design of Materials for Numerous Applications. <i>Industrial & Engineering Chemistry Research</i> , 1999, 38, 34-48.	1.8	237
305	Application of Capillary Electrophoresis to Anion Speciation in Soil Water Extracts. <i>Advances in Agronomy</i> , 1999, 65, 131-150.	2.4	4
306	Separation of promethazine and thioridazine using capillary electrophoresis with end-column amperometric detection. <i>Biomedical Applications</i> , 1999, 721, 327-332.	1.7	38
307	Detection of hydrazine, methylhydrazine and isoniazid by capillary electrophoresis with a 4-pyridyl hydroquinone self-assembled microdisk platinum electrode. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 1999, 19, 231-237.	1.4	61

#	ARTICLE	IF	CITATIONS
308	Band dispersion in chromatography – a new view of A-term dispersion. Journal of Chromatography A, 1999, 831, 3-15.	1.8	181
309	Low-molecular-mass anion screening for forensic environmental analyses by capillary zone electrophoresis with indirect UV detection. Journal of Chromatography A, 1999, 830, 439-451.	1.8	14
310	Separation of inorganic phosphorus-containing anions by capillary electrophoresis. Journal of Chromatography A, 1999, 834, 233-241.	1.8	16
311	Application of capillary electrochromatography to the separation of phenylthiohydantoin-amino acids. Journal of Chromatography A, 1999, 832, 133-140.	1.8	19
312	Comparison of the electroosmotic flow profiles and selectivity of stationary phases used in capillary electrochromatography. Journal of Chromatography A, 1999, 832, 41-54.	1.8	65
313	Control of separation selectivity in capillary zone electrophoresis of inorganic anions. Journal of Chromatography A, 1999, 834, 213-232.	1.8	36
314	Influence of ionic strength and organic modifier on performance in capillary electrochromatography on phenyl silica stationary phase. Journal of Chromatography A, 1999, 845, 203-216.	1.8	52
315	Monolithic columns containing sol-gel bonded octadecylsilica for capillary electrochromatography. Journal of Chromatography A, 1999, 837, 35-50.	1.8	115
316	Pore flow effects in electrically driven size-exclusion chromatography. Journal of Chromatography A, 1999, 837, 3-15.	1.8	46
317	High-efficiency enantioseparations of N-derivatized amino acids by packed capillary electrochromatography using ODS silica and a quinine-derived chiral selector as ion-pair agent. Journal of Chromatography A, 1999, 839, 167-182.	1.8	61
318	Evaporation-induced solvent migration in electrically-driven thin layer chromatography. Journal of Chromatography A, 1999, 841, 127-132.	1.8	30
319	Electroosmotically driven thin-layer electrochromatography on silica media. Journal of Chromatography A, 1999, 844, 333-340.	1.8	39
320	Preparation of uniformly sized polymeric separation media potentially suitable for small-scale high-performance liquid chromatography and/or capillary electrochromatography. Journal of Chromatography A, 1999, 853, 11-20.	1.8	32
321	Anthracycline analysis by capillary electrophoresis. Journal of Chromatography A, 1999, 853, 449-454.	1.8	42
322	Separation of carbonyl 2,4-dinitrophenylhydrazones by capillary electrochromatography with diode array detection. Journal of Chromatography A, 1999, 853, 487-496.	1.8	34
323	On-line identification of diastereomeric dibenzo[a,l]pyrene diol epoxide-derived deoxyadenosine adducts by capillary electrophoresis – fluorescence line-narrowing and non-line narrowing spectroscopy. Journal of Chromatography A, 1999, 853, 159-170.	1.8	19
324	Separation of selected peptides by capillary electroosmotic chromatography using 3 μ m reversed-phase bonded silica and mixed-mode phases. Journal of Chromatography A, 1999, 853, 263-275.	1.8	79
325	Electrokinetically-driven cation-exchange chromatography of proteins and its comparison with pressure-driven high-performance liquid chromatography. Journal of Chromatography A, 1999, 853, 243-256.	1.8	31

#	ARTICLE	IF	CITATIONS
326	Capillary columns with in situ formed porous monolithic packing for micro high-performance liquid chromatography and capillary electrochromatography. <i>Journal of Chromatography A</i> , 1999, 855, 273-290.	1.8	462
327	Analysis of DNA adducts using high-performance separation techniques coupled to electrospray ionization mass spectrometry. <i>Journal of Chromatography A</i> , 1999, 856, 515-526.	1.8	82
328	Capillary electrochromatography of proteins and peptides with porous-layer open-tubular columns. <i>Journal of Chromatography A</i> , 1999, 858, 91-101.	1.8	131
329	Chromatographic properties of reversed-phase stationary phases under pressure- and electro-driven conditions. <i>Journal of Chromatography A</i> , 1999, 862, 121-135.	1.8	20
330	Enantiomer separation by CEC. <i>Science in China Series B: Chemistry</i> , 1999, 42, 511-519.	0.8	2
331	Analysis of active ingredients and preservatives in creams by capillary electrochromatography (CEC). <i>Chromatographia</i> , 1999, 49, S35-S40.	0.7	12
332	End-Column Electrochemical Detection for Aromatic Amines with High Performance Capillary Electrophoresis. <i>Electroanalysis</i> , 1999, 11, 969-972.	1.5	29
333	Preparation of On-Column Frits in Packed Fused Silica Capillaries by Sol-Gel Technology. <i>Journal of High Resolution Chromatography</i> , 1999, 22, 438-442.	2.0	25
334	Gradient elution capillary electrochromatography and hyphenation with nuclear magnetic resonance. <i>Electrophoresis</i> , 1999, 20, 3-8.	1.3	64
335	Fritless capillary electrochromatography. <i>Electrophoresis</i> , 1999, 20, 43-49.	1.3	69
336	Design and evaluation of a new capillary electrochromatography system. <i>Electrophoresis</i> , 1999, 20, 67-73.	1.3	23
337	Analysis of free fatty acids and fatty acid phenacyl esters in vegetable oils and margarine by capillary electrochromatography. <i>Electrophoresis</i> , 1999, 20, 74-79.	1.3	44
338	Tryptic digest mapping by gradient capillary electrochromatography. <i>Electrophoresis</i> , 1999, 20, 80-83.	1.3	51
339	Study of physically adsorbed stationary phases for open tubular capillary electrochromatography. <i>Electrophoresis</i> , 1999, 20, 2891-2897.	1.3	54
340	Selectivity in capillary electrokinetic separations. <i>Electrophoresis</i> , 1999, 20, 2989-3010.	1.3	38
341	Applications of capillary electrochromatography. <i>Electrophoresis</i> , 1999, 20, 3027-3065.	1.3	104
342	The development and application of capillary electrophoresis methods for food analysis. <i>Electrophoresis</i> , 1999, 20, 3156-3180.	1.3	64
343	Nonaqueous capillary electrophoresis: Application possibilities and suitability of various solvents for the separation of basic analytes. <i>Electrophoresis</i> , 1999, 20, 3396-3401.	1.3	38

#	ARTICLE	IF	CITATIONS
344	Automated capillary electrochromatography tandem mass spectrometry using mixed mode reversed-phase ion-exchange chromatography columns. <i>Rapid Communications in Mass Spectrometry</i> , 1999, 13, 141-149.	0.7	38
345	Pressure- and electroosmotically-driven flow in capillaries packed with nonporous particles for high-Speed separations. <i>Journal of Separation Science</i> , 1999, 11, 723-728.	1.0	12
346	Cloud-point extraction and capillary electrochromatography: An approach for the analysis of selected environmental toxicants in spiked human serum. <i>Journal of Separation Science</i> , 1999, 11, 109-116.	1.0	26
347	Voltage programming in capillary electrochromatography. <i>Journal of Separation Science</i> , 1999, 11, 271-275.	1.0	26
348	Nonaqueous packed capillary electrochromatography on C18 columns: Separation of retinyl esters. <i>Journal of Separation Science</i> , 1999, 11, 421-430.	1.0	20
349	Continuous bed columns containing sol-gel bonded large-pore octadecylsilica for capillary electrochromatography. <i>Journal of Separation Science</i> , 1999, 11, 550-561.	1.0	29
350	Analysis of Nucleic Acids by Capillary Ion-Pair Reversed-Phase HPLC Coupled to Negative-Ion Electrospray Ionization Mass Spectrometry. <i>Analytical Chemistry</i> , 1999, 71, 3730-3739.	3.2	122
351	SEPARATION OF NEUTRAL COMPOUNDS BY HIGH SPEED CAPILLARY ELECTROCHROMATOGRAPHY. <i>Journal of Liquid Chromatography and Related Technologies</i> , 1999, 22, 2715-2758.	0.5	9
352	Reversed-Phase Electrochromatography of Proteins on Modified Continuous Beds Using Normal-Flow and Counterflow Gradients. Theoretical and Practical Considerations. <i>Analytical Chemistry</i> , 1999, 71, 1621-1627.	3.2	132
353	Electroosmotic Mobility and Conductivity in Columns for Capillary Electrochromatography. <i>Analytical Chemistry</i> , 1999, 71, 2633-2641.	3.2	71
354	Fast Analysis of Capillary Electrochromatography with Non-Porous ODS as the Stationary Phase. <i>Analytical Letters</i> , 1999, 32, 2679-2690.	1.0	7
355	<title>Fabrication and design of open microchannels for capillary electrophoresis separations and matrix-assisted laser/desorption mass spectroscopy analysis</title> ., 1999, 3606, 137.		2
356	End-Column Amperometric Detection of 5-Fluorouracil by Capillary Zone Electrophoresis with a Carbon Fiber Microelectrode. <i>Analytical Letters</i> , 1999, 32, 1109-1119.	1.0	9
357	SFC, CE und CEC: Die neue Flüssigchromatographie?. <i>Nachrichten Aus Der Chemie</i> , 2000, 48, 54-57.	0.0	0
358	Monitoring Pyridoxine by Capillary Zone Electrophoresis with Electrochemical Detection. <i>Electroanalysis</i> , 2000, 12, 465-467.	1.5	5
359	Monolithic Stationary Phases for Capillary Electrochromatography Based on Synthetic Polymers: Designs and Applications. <i>Journal of High Resolution Chromatography</i> , 2000, 23, 3-18.	2.0	157
360	Capillary Electrochromatography with Monolithic Poly(styrene-co-divinylbenzene-co-methacrylic) Tj ETQq0 0 0 rgBT/Overlock 10 Tf 50 1	2.0	107
361	Continuous-Bed Columns Containing Sol-Gel Bonded Packing Materials for Capillary Electrochromatography. <i>Journal of High Resolution Chromatography</i> , 2000, 23, 73-80.	2.0	52

#	ARTICLE	IF	CITATIONS
362	Fast Separation of Nucleosides by Capillary Electrochromatography on Non-Endcapped Phenyl-Bonded Silica Phase Using Short-End Injection Method. <i>Journal of High Resolution Chromatography</i> , 2000, 23, 138-142.	2.0	15
363	Quantitative determination of glutathione in single human erythrocytes by capillary zone electrophoresis with electrochemical detection. <i>Electrophoresis</i> , 2000, 21, 774-779.	1.3	53
364	A new method of quantification of pipemidic acid by capillary zone electrophoresis with end-column amperometric detection. <i>Electrophoresis</i> , 2000, 21, 925-929.	1.3	22
365	Determination of clozapine by capillary zone electrophoresis following end-column amperometric detection with simplified capillary/electrode alignment. <i>Electrophoresis</i> , 2000, 21, 1415-1420.	1.3	24
366	Monitoring myoglobin by capillary zone electrophoresis with end-column amperometric detection. <i>Electrophoresis</i> , 2000, 21, 1535-1539.	1.3	14
367	A decade of capillary electrophoresis. <i>Electrophoresis</i> , 2000, 21, 1921-1939.	1.3	107
368	A simple procedure for the preparation of fritless columns by entrapping conventional high performance liquid chromatography sorbents. <i>Electrophoresis</i> , 2000, 21, 3093-3101.	1.3	37
369	Fluorescence imaging of frit effects in capillary separations. <i>Electrophoresis</i> , 2000, 21, 3102-3108.	1.3	26
370	Nonaqueous electrochromatography on continuous bed columns of sol-gel bonded large-pore C30 material: Separation of retinyl esters. <i>Journal of Separation Science</i> , 2000, 12, 561-567.	1.0	19
371	Applications of a sulfonated-polymer wall-modified open-tubular fused-silica capillary in capillary zone electrophoretic separations. <i>Journal of Chromatography A</i> , 2000, 884, 297-309.	1.8	14
372	Enantiomer separation of drugs by capillary electromigration techniques. <i>Journal of Chromatography A</i> , 2000, 875, 3-25.	1.8	196
373	Capillary electrochromatography of proteins and peptides with a cationic acrylic monolith. <i>Journal of Chromatography A</i> , 2000, 887, 465-477.	1.8	101
374	On-line isotachopheretic sample focusing for loadability enhancement in capillary electrochromatography-mass spectrometry. <i>Journal of Chromatography A</i> , 2000, 879, 219-233.	1.8	32
375	Migration of ions in capillary electrochromatography. <i>Journal of Chromatography A</i> , 2000, 892, 291-301.	1.8	7
376	Comparative study of capillary electroosmotic chromatography and electrically assisted gradient nano-liquid chromatography for the separation of peptides. <i>Journal of Chromatography A</i> , 2000, 894, 241-251.	1.8	38
377	Laser-induced dispersed fluorescence detection of polycyclic aromatic compounds in soil extracts separated by capillary electrochromatography. <i>Journal of Chromatography A</i> , 2000, 883, 231-248.	1.8	12
378	Capillary electroosmotic chromatography of peptides. <i>Journal of Chromatography A</i> , 2000, 887, 165-185.	1.8	63
379	Capillary electrochromatography-mass spectrometry for the separation and identification of isomeric polyaromatic hydrocarbon DNA adducts derived from in vitro reactions. <i>Journal of Chromatography A</i> , 2000, 887, 103-113.	1.8	18

#	ARTICLE	IF	CITATIONS
380	Electrochromatography. Journal of Chromatography A, 2000, 892, 219-255.	1.8	48
381	Aspects of column fabrication for packed capillary electrochromatography. Journal of Chromatography A, 2000, 887, 347-365.	1.8	29
382	Instrumentation for capillary electrochromatography. Journal of Chromatography A, 2000, 887, 55-83.	1.8	57
383	Influence of temperature on the behaviour of small linear peptides in capillary electrochromatography. Journal of Chromatography A, 2000, 893, 401-409.	1.8	40
384	Surfactant cloud point extraction and preconcentration of organic compounds prior to chromatography and capillary electrophoresis. Journal of Chromatography A, 2000, 902, 251-265.	1.8	370
385	Resolution of positional isomers by capillary electrochromatography. Journal of Chromatography A, 2000, 904, 99-106.	1.8	6
386	Immobilisation and evaluation of a vancomycin chiral stationary phase for capillary electrochromatography. Journal of Chromatography A, 2000, 869, 395-409.	1.8	111
387	Some considerations concerning the composition of the mobile phase in capillary electrochromatography. Journal of Chromatography A, 2000, 869, 363-374.	1.8	32
388	Determination of diclofenac sodium by capillary zone electrophoresis with electrochemical detection. Journal of Chromatography A, 2000, 868, 101-107.	1.8	91
389	Separation of peptides by strong cation-exchange capillary electrochromatography. Journal of Chromatography A, 2000, 869, 385-394.	1.8	64
390	Capillary electrochromatography using continuous-bed columns of sol-gel bonded silica particles with mixed-mode octadecyl and propylsulfonic acid functional groups. Journal of Chromatography A, 2000, 887, 265-275.	1.8	50
391	Modelling of the pore flow in capillary electrochromatography. Journal of Chromatography A, 2000, 887, 199-208.	1.8	39
392	Design of the monolithic polymers used in capillary electrochromatography columns. Journal of Chromatography A, 2000, 887, 3-29.	1.8	241
393	Hydrophobic-phase-modified fused-silica columns for capillary electrophoresis. Journal of Chromatography A, 2000, 871, 279-287.	1.8	8
394	Influence of mobile phase composition on electroosmotic flow velocity, solute retention and column efficiency in open-tubular reversed-phase capillary electrochromatography. Journal of Chromatography A, 2000, 869, 329-337.	1.8	36
395	Control of dispersion in capillary electrochromatography coupled to UV and mass spectrometric detection. Journal of Chromatography A, 2000, 887, 409-420.	1.8	15
396	On-column amperometric detection in capillary electrophoresis with an improved high-voltage electric field decoupler. Journal of Chromatography A, 2000, 872, 259-268.	1.8	31
397	Theory for migration of ions in capillary electrochromatography. Journal of Chromatography A, 2000, 887, 187-198.	1.8	11

#	ARTICLE	IF	CITATIONS
398	Advances in column technology and instrumentation in capillary electrochromatography. <i>Journal of Chromatography A</i> , 2000, 892, 257-278.	1.8	72
399	Investigation of an enantioselective non-aqueous capillary electrochromatography system applied to the separation of chiral acids. <i>Journal of Chromatography A</i> , 2000, 875, 341-352.	1.8	74
400	Packing columns for capillary electrochromatography. <i>Journal of Chromatography A</i> , 2000, 887, 43-53.	1.8	101
401	Towards the column bed stabilization of columns in capillary electroendosmotic chromatography. <i>Journal of Chromatography A</i> , 2000, 887, 327-337.	1.8	58
402	Study of method validation criteria in a capillary electrophoresis method for the separation of non-steroidal anti-inflammatory drugs. <i>Analytica Chimica Acta</i> , 2000, 416, 29-42.	2.6	31
403	Determination of rutin and quercetin in plants by capillary electrophoresis with electrochemical detection. <i>Analytica Chimica Acta</i> , 2000, 423, 69-76.	2.6	201
404	A simple capillary zone electrophoretic assay for reserpin using end-column amperometric detection at a carbon fiber micro-disk array electrode. <i>Analytica Chimica Acta</i> , 2000, 408, 257-262.	2.6	6
405	Measurement of chloramphenicol by capillary zone electrophoresis following end-column amperometric detection at a carbon fiber micro-disk array electrode. <i>Biomedical Applications</i> , 2000, 741, 155-162.	1.7	35
406	Electromigration methods for amino acids, biogenic amines and aromatic amines. <i>Biomedical Applications</i> , 2000, 747, 1-19.	1.7	55
407	Optimization of a capillary electrophoresis-electrospray mass spectrometry method for the quantitation of the 20 natural amino acids in childrens blood. <i>Biomedical Applications</i> , 2000, 742, 163-171.	1.7	40
408	Capillary electrochromatography – the LC analogue of capillary GC. <i>TrAC - Trends in Analytical Chemistry</i> , 2000, 19, 643-647.	5.8	16
409	Column technology for capillary electrochromatography. <i>TrAC - Trends in Analytical Chemistry</i> , 2000, 19, 648-663.	5.8	79
410	Recent trends in open-tubular capillary electrochromatography. <i>TrAC - Trends in Analytical Chemistry</i> , 2000, 19, 664-675.	5.8	54
411	Migration pathways of hypodermically injected technetium-99m in dogs. <i>European Radiology</i> , 2000, 10, 1019-1025.	2.3	10
412	Determination of monoamine transmitters and tyrosine in biological samples by capillary electrophoresis with electrochemical detection. <i>Chromatographia</i> , 2000, 52, 137-141.	0.7	30
413	Capillary electrochromatography of complex plasma matrix on a C18/SCX column using UV-vis and mass spectrometric detection. <i>Chromatographia</i> , 2000, 51, 18-24.	0.7	23
414	Separation of phenothiazines in aqueous and non-aqueous capillary electrophoresis. <i>Chromatographia</i> , 2000, 51, 29-36.	0.7	25
416	Quantitation of Caffeine by Capillary Zone Electrophoresis with End-Column Amperometric Detection at a Carbon Microdisk Array Electrode. <i>Journal of Chromatographic Science</i> , 2000, 38, 11-15.	0.7	19

#	ARTICLE	IF	CITATIONS
417	CAPILLARY ELECTROCHROMATOGRAPHY: ANALYSIS OF SUCRALOSE AND RELATED CARBOHYDRATE COMPOUNDS. <i>Journal of Liquid Chromatography and Related Technologies</i> , 2000, 23, 1851-1857.	0.5	8
418	Determination of baicalein, baicalin and quercetin in <i>Scutellariae Radix</i> and its preparations by capillary electrophoresis with electrochemical detection. <i>Talanta</i> , 2000, 53, 471-479.	2.9	83
419	On-line system for peptide mapping by capillary electrophoresis at sub-micromolar concentrations. <i>Talanta</i> , 2000, 53, 687-699.	2.9	45
420	Electroosmotic and Pressure-Driven Flow in Open and Packed Capillaries: Velocity Distributions and Fluid Dispersion. <i>Analytical Chemistry</i> , 2000, 72, 2292-2301.	3.2	118
421	2.9. Capillary electrochromatography (CEC). <i>Progress in Pharmaceutical and Biomedical Analysis</i> , 2000, 4, 359-381.	0.1	5
422	Capillary Coatings: Choices for Capillary Electrophoresis of DNA. , 2001, 162, 125-138.		8
423	Chiral Monolithic Columns for Enantioselective Capillary Electrochromatography Prepared by Copolymerization of a Monomer with Quinidine Functionality. 1. Optimization of Polymerization Conditions, Porous Properties, and Chemistry of the Stationary Phase. <i>Analytical Chemistry</i> , 2000, 72, 4614-4622.	3.2	167
424	SINGLE CELL ANALYSIS USING CAPILLARY ELECTROPHORESIS. <i>Journal of Liquid Chromatography and Related Technologies</i> , 2000, 23, 975-997.	0.5	6
425	A Mass Spectrometry Method for the Determination of Enantiomeric Excess in Mixtures of α -Amino Acids. <i>Analytical Chemistry</i> , 2000, 72, 4275-4281.	3.2	113
426	Coupling Photochemical Reaction Detection Based on Singlet Oxygen Sensitization to Capillary Electrochromatography. <i>Analytical Chemistry</i> , 2000, 72, 3038-3042.	3.2	8
427	High-Efficiency On-Line Concentration Technique of Capillary Electrochromatography. <i>Analytical Chemistry</i> , 2000, 72, 5744-5747.	3.2	39
428	SolâGel Monolithic Columns with Reversed Electroosmotic Flow for Capillary Electrochromatography. <i>Analytical Chemistry</i> , 2000, 72, 4090-4099.	3.2	210
429	Capillary Electrokinetic Chromatography with Charged Linear Polymers as a Nonmicellar PseudoStationary Phase: Determination of Capacity Factors and Characterization by Solvation Parameters. <i>Analytical Chemistry</i> , 2000, 72, 74-80.	3.2	31
430	Capillary Electrochromatography Analysis of Hormonal Cyclic and Linear Peptides. <i>Analytical Chemistry</i> , 2001, 73, 4924-4936.	3.2	43
431	On-Column Trace Enrichment by Sequential Frontal and Elution Electrochromatography. 1. Application to Carbamate Insecticides. <i>Analytical Chemistry</i> , 2001, 73, 3365-3372.	3.2	41
432	Chapter 2 Modern techniques for the analysis of polycyclic aromatic hydrocarbons. <i>Handbook of Analytical Separations</i> , 2001, , 39-74.	0.8	2
433	Capillary Electrochromatography for Separation of Peptides Driven with Electrophoretic Mobility on Monolithic Column. <i>Analytical Chemistry</i> , 2001, 73, 4918-4923.	3.2	103
434	Determination of hypaphorine and oligomeric stilbenes in the root of <i>Caragana sinica</i> by capillary electrophoresis with electrochemical detection. <i>Talanta</i> , 2001, 54, 1067-1076.	2.9	18

#	ARTICLE	IF	CITATIONS
435	Effects of Pore Flow on the Separation Efficiency in Capillary Electrochromatography with Porous Particles. <i>Analytical Chemistry</i> , 2001, 73, 3332-3339.	3.2	39
436	THE SEPARATION OF POSITIONAL ISOMERS BY CAPILLARY ELECTROCHROMATOGRAPHY. <i>Journal of Liquid Chromatography and Related Technologies</i> , 2001, 24, 755-771.	0.5	5
437	Influence of Pressure upon Coupling Pressurized Capillary Electrochromatography with Nuclear Magnetic Resonance Spectroscopy. <i>Analytical Chemistry</i> , 2001, 73, 3234-3239.	3.2	60
439	A Handy Detection Cell for End-Column Electrochemical Detection in Capillary Electrophoresis.. <i>Analytical Sciences</i> , 2001, 17, 1383-1387.	0.8	14
440	Violet Diode Laser for Metal Ion Determination by Capillary Electrophoresis-Laser Induced Fluorescence.. <i>Analytical Sciences</i> , 2001, 17, 225-227.	0.8	8
441	Packed Bed Columns. <i>Journal of Chromatography Library</i> , 2001, 62, 111-164.	0.1	9
442	Hyphenation of Capillary Electrochromatography and Mass Spectrometry: Instrumental Aspects, Separation Systems, and Applications. <i>Journal of Chromatography Library</i> , 2001, , 271-316.	0.1	7
443	Application of a novel micro-injector in the determination of indole derivatives in the rat pineal gland by capillary electrophoresis with electrochemical detection. <i>Fresenius' Journal of Analytical Chemistry</i> , 2001, 370, 930-934.	1.5	30
444	Validation and robustness testing of a CEC method used to determine impurities in a pharmaceutically active compound. <i>Chromatographia</i> , 2001, 53, S276-S283.	0.7	4
445	Enantiomers and separation. <i>Chromatographia</i> , 2001, 54, S7-S14.	0.7	1
447	Manipulation of separation selectivity in capillary zone electrophoresis of anionic solutes. <i>TrAC - Trends in Analytical Chemistry</i> , 2001, 20, 375-385.	5.8	23
448	Separation of pyridazinone derivatives using pressurized gradient capillary electrochromatography. <i>Journal of Separation Science</i> , 2001, 13, 191-196.	1.0	22
449	Analysis of nucleic acids by on-line liquid chromatography-Mass spectrometry. <i>Mass Spectrometry Reviews</i> , 2001, 20, 310-343.	2.8	142
450	Inspection of the reversal of enantiomer migration order in ligand exchange micellar electrokinetic capillary chromatography. <i>Biomedical Chromatography</i> , 2001, 15, 207-211.	0.8	11
451	Monitoring human serum transferrin by capillary zone electrophoresis with end-column amperometric detection. <i>Electrophoresis</i> , 2001, 22, 128-133.	1.3	10
452	Separation of basic, acidic and neutral compounds by capillary electrochromatography using uncharged monolithic capillary columns modified with anionic and cationic surfactants. <i>Electrophoresis</i> , 2001, 22, 544-551.	1.3	54
453	Stationary phases for capillary electrophoresis and capillary electrochromatography. <i>Electrophoresis</i> , 2001, 22, 612-628.	1.3	90
454	Separation of 4-dimethylamino-6-(4-methoxy-1-naphthyl)-1,3,5-triazine-2-hydrazine derivatives of carbonyl compounds by reversed-phase capillary electrochromatography. <i>Electrophoresis</i> , 2001, 22, 1298-1304.	1.3	11

#	ARTICLE	IF	CITATIONS
455	Capillary electrophoresis for the analysis of food proteins of animal origin. <i>Electrophoresis</i> , 2001, 22, 1489-1502.	1.3	43
456	Direct electrochemical determination of pyruvate in human sweat by capillary zone electrophoresis. <i>Electrophoresis</i> , 2001, 22, 2793-2796.	1.3	12
457	Enhancement of electroosmotic flow in capillary electrochromatography. <i>Electrophoresis</i> , 2001, 22, 3720-3727.	1.3	12
458	Quantitation and on-line concentration of enantiomers in open-tubular capillary electrochromatography. <i>Electrophoresis</i> , 2001, 22, 3791-3797.	1.3	29
459	Recent applications of capillary electrochromatography. <i>Electrophoresis</i> , 2001, 22, 4064-4103.	1.3	69
460	Chiral separation by open tubular capillary electrochromatography with adsorbed avidin as a stationary phase. <i>Journal of Separation Science</i> , 2001, 24, 17-26.	1.3	57
461	Selectivity adjustment in capillary electrochromatography with ternary mobile phases. <i>Journal of Separation Science</i> , 2001, 24, 736-742.	1.3	6
462	Enantioseparation of o-phthalaldehyde derivatized amino acids using β -CD-modified micellar electrokinetic chromatography in the mixed aqueous-organic media. <i>Analytica Chimica Acta</i> , 2001, 433, 23-30.	2.6	18
463	Chromatographic behavior of poly(styrene- <i>co</i> -divinylbenzene) encapsulated packing material for capillary electrochromatography. <i>Journal of Chromatography A</i> , 2001, 912, 335-342.	1.8	9
464	Capillary electrochromatography of tricyclic antidepressants on strong cation exchangers with different pore sizes. <i>Journal of Chromatography A</i> , 2001, 918, 211-220.	1.8	24
465	Migration of neutral solutes by double stepwise gradient elution in capillary electrochromatography. <i>Journal of Chromatography A</i> , 2001, 922, 277-282.	1.8	7
466	Salt effects in capillary zone electrophoresis. <i>Journal of Chromatography A</i> , 2001, 929, 113-121.	1.8	7
467	Size-exclusion electrochromatography with controlled pore flow. <i>Journal of Chromatography A</i> , 2001, 914, 201-209.	1.8	39
468	Enantioseparations in capillary electromigration techniques: recent developments and future trends. <i>Journal of Chromatography A</i> , 2001, 906, 309-363.	1.8	331
469	Migration of Charged Sample Components and Electroosmotic Flow in Packed Capillary Columns. <i>Journal of Chromatography Library</i> , 2001, , 1-38.	0.1	11
470	Capillary electrochromatography based on molecular imprinting. <i>Techniques and Instrumentation in Analytical Chemistry</i> , 2001, 23, 377-393.	0.0	6
471	CAPILLARY-ELECTROCHROMATOGRAPHIC METHODS FOR THE SEPARATION OF p-NITROPHENYL AND 1-PHENYL-3-METHYL-5-PYRAZOLONE DERIVATIZED MONO- AND OLIGOSACCHARIDES. <i>Journal of Carbohydrate Chemistry</i> , 2001, 20, 1-16.	0.4	3
472	SELECTED APPLICATIONS OF CAPILLARY ELECTROCHROMATOGRAPHY IN THE PHARMACEUTICAL INDUSTRY: TO BUY OR NOT TO BUY?. <i>Journal of Liquid Chromatography and Related Technologies</i> , 2002, 25, 1875-1917.	0.5	8

#	ARTICLE	IF	CITATIONS
473	Die Entwicklung der modernen Flüssigchromatographie. Nachrichten Aus Der Chemie, 2002, 50, 1239-1242.	0.0	1
475	Nanoparticles as Pseudostationary Phase in Capillary Electrochromatography/ESI-MS. Analytical Chemistry, 2002, 74, 4595-4601.	3.2	85
476	Application of Size Exclusion Electrochromatography to the Microanalytical Determination of the Molecular Mass Distribution of Celluloses from Objects of Cultural and Historical Value. Analytical Chemistry, 2002, 74, 2314-2320.	3.2	46
477	Chapter 14 Analysis of carbohydrates in food and beverages by HPLC and CE. Journal of Chromatography Library, 2002, 66, 483-502.	0.1	8
478	Capillary Electrochromatography: A Rapidly Emerging Separation Method. Advances in Biochemical Engineering/Biotechnology, 2002, 76, 1-47.	0.6	14
479	Measurement of Packing Tortuosity and Porosity in Capillary Electrochromatography. Analytical Chemistry, 2002, 74, 5157-5159.	3.2	6
480	THIRTY-FIVE YEARS OF CAPILLARY ELECTROPHORESIS: ADVANCES AND PERSPECTIVES. Journal of Liquid Chromatography and Related Technologies, 2002, 25, 1153-1170.	0.5	28
481	Electrochemical detection of aniline: an electrochemically initiated reaction pathway. Talanta, 2002, 57, 233-242.	2.9	42
482	The application of spline wavelet transform to the determination of electroosmotic mobility in capillary electrophoresis. Talanta, 2002, 57, 1093-1100.	2.9	3
483	Chromatographic and electrophoretic migration parameters in capillary electrochromatography. Electrophoresis, 2002, 23, 1211-1216.	1.3	66
484	Separation of peptides on mixed mode of reversed-phase and ion-exchange capillary electrochromatography with a monolithic column. Electrophoresis, 2002, 23, 1239-1245.	1.3	75
485	Characteristics of electroosmotic flow and migration of neutral solutes under stepwise gradient elution of capillary electrochromatography. Electrophoresis, 2002, 23, 2417-2423.	1.3	6
486	Physically adsorbed chiral stationary phase of avidin on monolithic silica column for capillary electrochromatography and capillary liquid chromatography. Electrophoresis, 2002, 23, 2973-2981.	1.3	91
487	Amperometric and voltammetric detection for capillary electrophoresis. Electrophoresis, 2002, 23, 3649-3658.	1.3	75
488	New technique for capillary electrophoresis directly coupled with end-column electrochemiluminescence detection. Electrophoresis, 2002, 23, 3683-3691.	1.3	91
489	Practical considerations for the use of aqueous/acetonitrile buffer systems in capillary separations. Journal of Separation Science, 2002, 25, 773-777.	1.3	2
490	Assessment of silica-based reversed-phase materials for the analysis of a range of basic analytes by capillary electrochromatography. Journal of Separation Science, 2002, 25, 1257-1268.	1.3	14
491	Capillary electrochromatography: An alternative to HPLC and CE. Journal of Separation Science, 2002, 25, 935-958.	1.3	77

#	ARTICLE	IF	CITATIONS
492	Polymeric monolithic stationary phases for capillary electrochromatography. <i>Electrophoresis</i> , 2002, 23, 3934-3953.	1.3	113
493	Recent progress in adsorbed stationary phases for capillary electrochromatography. <i>Electrophoresis</i> , 2002, 23, 3954-3972.	1.3	49
494	Advances in sol-gel based columns for capillary electrochromatography: Sol-gel open-tubular columns. <i>Electrophoresis</i> , 2002, 23, 3973-3992.	1.3	90
495	Ethylbenzene-modified fused-silica columns for capillary electrophoresis. <i>Chromatographia</i> , 2002, 56, 175-180.	0.7	1
496	Application of CEC procedures for the analysis of synthetic peptides: characterization of linear immunogenic peptides that mimic a HIV-1 gp120 epitope. <i>Chemical Biology and Drug Design</i> , 2002, 59, 159-173.	1.2	16
497	Direct amperometric determination of lactate at a carbon fiber bundle microdisk electrode by capillary zone electrophoresis. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2002, 774, 121-126.	1.2	3
498	Capillary electrochromatography of basic compounds in pharmaceutical analysis. <i>TrAC - Trends in Analytical Chemistry</i> , 2002, 21, 412-427.	5.8	32
499	Preparation of monolithic polymers with controlled porous properties for microfluidic chip applications using photoinitiated free-radical polymerization. <i>Journal of Polymer Science Part A</i> , 2002, 40, 755-769.	2.5	182
500	Novel surface modification of polymer-based separation media controlling separation selectivity, retentivity and generation of electroosmotic flow. <i>Journal of Chromatography A</i> , 2002, 979, 3-10.	1.8	8
501	Quantitative structure-retention relationships in comparative studies of behavior of stationary phases under high-performance liquid chromatography and capillary electrochromatography conditions. <i>Journal of Chromatography A</i> , 2002, 977, 193-206.	1.8	42
502	Review of the methods used in the determination of phytoestrogens. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2002, 777, 3-28.	1.2	101
503	Study of uptake kinetics of vincristine for human erythrocytes by capillary zone electrophoresis with electrochemical detection. <i>Analytica Chimica Acta</i> , 2002, 461, 117-121.	2.6	5
504	Capillary electrochromatography of peptides on a column packed with tentacular weak cation-exchanger particles. <i>Journal of Chromatography A</i> , 2002, 953, 239-249.	1.8	35
505	Electroosmotic flow controllable coating on a capillary surface by a sol-gel process for capillary electrophoresis. <i>Journal of Chromatography A</i> , 2002, 952, 255-266.	1.8	22
506	Modeling of retention behavior in capillary electrochromatography from chromatographic and electrophoretic data. <i>Journal of Chromatography A</i> , 2002, 959, 241-253.	1.8	15
507	Capillary electrophoresis with amperometric detection of curcumin in Chinese herbal medicine pretreated by solid-phase extraction. <i>Journal of Chromatography A</i> , 2002, 962, 117-125.	1.8	75
508	Capillary electrophoresis-inductively coupled plasma-mass spectrometry: an attractive complementary technique for elemental speciation analysis. <i>Journal of Chromatography A</i> , 2002, 975, 245-266.	1.8	143
509	Peak compression effects in capillary electrochromatography of basic drug substances using a strong cation-exchanger. <i>Journal of Chromatography A</i> , 2002, 979, 335-344.	1.8	10

#	ARTICLE	IF	CITATIONS
510	Abnormal phenomenon of the dependence of the retention factors for uncharged species on applied voltage in capillary electrochromatography. <i>Chromatographia</i> , 2003, 57, 777-781.	0.7	4
511	Microchip-based capillary electrochromatography using packed beds. <i>Electrophoresis</i> , 2003, 24, 3018-3025.	1.3	55
512	Optimized preparation of poly(styrene-co-divinylbenzene-co-methacrylic acid) monolithic capillary column for capillary electrochromatography. <i>Electrophoresis</i> , 2003, 24, 3172-3180.	1.3	72
513	Applications of affinity interactions in capillary electrophoresis. <i>Electrophoresis</i> , 2003, 24, 3879-3891.	1.3	83
514	Recent progress in high-performance capillary bioseparations. <i>Electrophoresis</i> , 2003, 24, 3977-3997.	1.3	31
515	Capillary electrophoresis of proteins in dextran-coated columns. <i>Electrophoresis</i> , 2003, 24, 115-120.	1.3	30
516	Mechanism of action of quaternary diamino quenchers in capillary zone electrophoresis. <i>Electrophoresis</i> , 2003, 24, 121-129.	1.3	20
517	Capillary electrochromatography with bare silicas of different pore sizes as stationary phases. <i>Journal of Separation Science</i> , 2003, 26, 1589-1594.	1.3	6
518	Pressurized capillary electrochromatography separation of peptides with strong cation exchange and hydrophilic interaction. <i>Journal of Separation Science</i> , 2003, 26, 1389-1394.	1.3	22
519	Capillary electrophoretic enzyme immunoassay with electrochemical detection for thyroxine. <i>Analytical Biochemistry</i> , 2003, 313, 34-40.	1.1	35
520	Electrochromatography with a 2.7 mm inner diameter monolithic column. <i>Journal of Chromatography A</i> , 2003, 983, 255-262.	1.8	13
521	Packing structure and self-heating in capillary electrochromatography. <i>Journal of Chromatography A</i> , 2003, 986, 297-302.	1.8	2
522	Protein separation by monolithic capillary electrochromatography. <i>Journal of Chromatography A</i> , 2003, 1004, 167-179.	1.8	46
523	(Micellar) electrokinetic chromatography: an interesting solution for the liquid phase separation dilemma. <i>Journal of Chromatography A</i> , 2003, 1000, 935-951.	1.8	20
524	Butyl acrylate porous polymer monoliths in fused-silica capillaries for use in capillary electrochromatography. <i>Journal of Chromatography A</i> , 2003, 1004, 155-165.	1.8	45
525	Supramolecular assemblies for extracting organic compounds. <i>TrAC - Trends in Analytical Chemistry</i> , 2003, 22, 470-485.	5.8	105
526	Separation of peptides by pressurized capillary electrochromatography. <i>Journal of Chromatography A</i> , 2003, 987, 453-458.	1.8	41
527	Systematic development and validation of stability indicating micellar electrokinetic chromatography methods for early stage drug candidates. <i>Journal of Chromatography A</i> , 2003, 988, 297-307.	1.8	1

#	ARTICLE	IF	CITATIONS
528	Comparison of Frits Used in the Preparation of Packed Capillaries for Capillary Electrochromatography. <i>Analytical Chemistry</i> , 2003, 75, 4292-4296.	3.2	50
529	Optimization of Particle Dimensions for High Efficiency in Capillary Electrochromatography. <i>Analytical Chemistry</i> , 2003, 75, 5246-5253.	3.2	16
530	A Metal Nebulizer Capillary Electrophoresis/Fourier Transform Infrared Spectrometric Interface. <i>Analytical Chemistry</i> , 2003, 75, 1393-1399.	3.2	11
531	Monolithic Columns Prepared from Particles. <i>Journal of Chromatography Library</i> , 2003, 67, 197-211.	0.1	2
532	Chapter 9 Capillary zone electrophoresis. <i>Journal of Chromatography Library</i> , 2004, , 369-402.	0.1	0
533	Determination of Morphine by Capillary Zone Electrophoresis Immunoassay Combined with Laser-Induced Fluorescence Detection. <i>Journal of Immunoassay and Immunochemistry</i> , 2004, 25, 57-70.	0.5	25
534	Mass spectrometric methods for the determination of flavonoids in biological samples. <i>Free Radical Biology and Medicine</i> , 2004, 37, 1324-1350.	1.3	149
535	Non-Aqueous Capillary Electrophoresis with Indirect Photometric Detection for Direct Analysis of Pb ²⁺ , Zn ²⁺ and Cd ²⁺ Ions. <i>Mikrochimica Acta</i> , 2004, 144, 63-67.	2.5	4
536	Determination and Comparison of Phytoestrogens in Both Crude and Parched Flos Sophorae Immaturus by Capillary Electrophoresis with Electrochemical Detection. <i>Mikrochimica Acta</i> , 2004, 148, 311-315.	2.5	15
537	Comparison of the chromatographic behavior of monolithic capillary columns in capillary electrochromatography and nano-high-performance liquid chromatography. <i>Journal of Chromatography A</i> , 2004, 1033, 267-273.	1.8	44
538	Development and application of polymeric monolithic stationary phases for capillary electrochromatography. <i>Journal of Chromatography A</i> , 2004, 1044, 3-22.	1.8	208
539	Indirect resolution of α -blocker agents by reversed-phase capillary electrochromatography. <i>Electrophoresis</i> , 2004, 25, 607-614.	1.3	14
540	On-line concentration of neutral and charged species in capillary electrochromatography with a methacrylate-based monolithic stationary phase. <i>Electrophoresis</i> , 2004, 25, 421-427.	1.3	33
541	State-of-the-art of the hyphenation of capillary electrochromatography with mass spectrometry. <i>Electrophoresis</i> , 2004, 25, 1927-1948.	1.3	72
542	Reduced-bore monolithic silica column modified with C8-TEOS for reversed-phase electrochromatography. <i>Journal of Separation Science</i> , 2004, 27, 725-728.	1.3	10
543	Csaba Horváth's contribution to the theory and practice of capillary electrochromatography. <i>Journal of Separation Science</i> , 2004, 27, 1255-1272.	1.3	16
544	Dynamics of Capillary Electrochromatography: Experimental Study of Flow and Transport in Particulate Beds. <i>Chemical Engineering and Technology</i> , 2004, 27, 417-428.	0.9	11
545	Evaluation and comparison of tailor-made stationary phases based on spherical silica-based beads for capillary electrochromatography via peptide separation analysis. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2004, 803, 137-147.	1.2	6

#	ARTICLE	IF	CITATIONS
546	Exact electric field strength over the packed capillary electrochromatography column bed, theoretical considerations and practical determination. <i>Journal of Chromatography A</i> , 2004, 1059, 175-180.	1.8	1
547	Adding sodium dodecylsulfate to the running electrolyte enhances the separation of gold nanoparticles by capillary electrophoresis. <i>Analytica Chimica Acta</i> , 2004, 510, 77-83.	2.6	95
548	The Place of Capillary Electrochromatography Among Separation Techniques—A Review. <i>Critical Reviews in Analytical Chemistry</i> , 2004, 34, 85-94.	1.8	23
549	Nonequilibrium Electrokinetic Effects in Beds of Ion-Permselective Particles. <i>Langmuir</i> , 2004, 20, 11637-11648.	1.6	71
550	Separation and Determination of Carbonyl Compounds in Indoor Air Using Two-Step Gradient Capillary Electrochromatography. <i>Analytical Sciences</i> , 2004, 20, 1691-1695.	0.8	12
551	Assay of the synthetic estrogen fosfestrol in pharmaceutical formulations using capillary electrophoresis. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2005, 39, 559-563.	1.4	8
552	Electrophoresis: The march of pennies, the march of dimes. <i>Journal of Chromatography A</i> , 2005, 1079, 24-40.	1.8	86
553	Homogeneous gels for capillary electrochromatography. <i>Journal of Chromatography A</i> , 2005, 1079, 50-58.	1.8	15
554	Use of mixed-mode sorbents for the electrochromatographic separation of thrombin receptor antagonistic peptides. <i>Journal of Chromatography A</i> , 2005, 1079, 328-334.	1.8	10
555	Separation of structurally related estrogens using isocratic elution pressurized capillary electrochromatography. <i>Journal of Chromatography A</i> , 2005, 1092, 258-262.	1.8	37
556	Capillary Electrochromatography on Methacrylate Based Monolithic Columns: Evaluation of Column Performance and Separation of Polyphenols. <i>Chromatographia</i> , 2005, 62, 409-416.	0.7	16
557	On-line concentration of proteins in pressurized capillary electrochromatography coupled with electrospray ionization-mass spectrometry. <i>Electrophoresis</i> , 2005, 26, 1398-1405.	1.3	23
558	Analysis of nucleic acid constituents by on-line capillary electrophoresis-mass spectrometry. <i>Electrophoresis</i> , 2005, 26, 1221-1253.	1.3	53
559	On-line coupling of pressurized capillary electrochromatography with end-column amperometric detection for analysis of estrogens. <i>Electrophoresis</i> , 2005, 26, 2342-2350.	1.3	42
560	Capillary electrochromatography with a neutral monolithic column for classification of analytes and determination of basic drugs in human serum. <i>Electrophoresis</i> , 2005, 26, 3452-3459.	1.3	36
561	Simultaneous determination of phytoestrogens in different medicinal parts of <i>Sophora japonica</i> L. by capillary electrophoresis with electrochemical detection. <i>Biomedical Chromatography</i> , 2005, 19, 149-154.	0.8	19
562	Recent developments in the field of monolithic stationary phases for capillary electrochromatography. <i>Journal of Separation Science</i> , 2005, 28, 729-745.	1.3	212
563	An efficient slurry packing procedure for the preparation of columns applicable in capillary electrochromatography and capillary electrochromatography-electrospray-mass spectrometry. <i>Journal of Separation Science</i> , 2005, 28, 1539-1549.	1.3	25

#	ARTICLE	IF	CITATIONS
564	Sodium glycyglycine as effective electrolyte run buffer for ascorbic and uric acid separation by CZE: A comparison with two other CE assays. <i>Journal of Separation Science</i> , 2005, 28, 2193-2199.	1.3	12
565	Separation and determination of seven fluoroquinolones by pressurized capillary electrochromatography. <i>Journal of Separation Science</i> , 2005, 28, 2210-2217.	1.3	38
566	Probing affinity via capillary electrophoresis: advances in 2003–2004. <i>Analytical and Bioanalytical Chemistry</i> , 2005, 382, 570-580.	1.9	37
567	Separation modes in capillary electrophoresis. <i>Comprehensive Analytical Chemistry</i> , 2005, 45, 31-134.	0.7	6
568	Reversed-Phase Electrochromatography with a Monolithic Microcolumn Prepared in a 2.2-mm-Inner Diameter Fused-Silica Tube. <i>Analytical Chemistry</i> , 2005, 77, 5622-5627.	3.2	13
569	Isoelectric Focusing in a Poly(dimethylsiloxane) Microfluidic Chip. <i>Analytical Chemistry</i> , 2005, 77, 1303-1309.	3.2	122
570	Capillary electrophoresis for forensic drug analysis: A review. <i>Talanta</i> , 2005, 67, 269-279.	2.9	84
571	Chapter 2 Capillary high-performance liquid chromatography for proteomic and peptidomic analysis. <i>Comprehensive Analytical Chemistry</i> , 2005, , 69-148.	0.7	1
572	Latex-Coated Polymeric Monolithic Ion-Exchange Stationary Phases. 1. Anion-Exchange Capillary Electrochromatography and In-Line Sample Preconcentration in Capillary Electrophoresis. <i>Analytical Chemistry</i> , 2005, 77, 407-416.	3.2	118
573	Electrochemical detection in capillary electrophoresis. <i>Comprehensive Analytical Chemistry</i> , 2005, , 413-440.	0.7	0
574	Electrogenerated Chemiluminescence Detection of Amino Acids Based on Precolumn Derivatization Coupled with Capillary Electrophoresis Separation. <i>Analytical Chemistry</i> , 2006, 78, 2694-2699.	3.2	83
575	Precision in Capillary Electrophoresis. <i>Analytical Letters</i> , 2006, 39, 2345-2357.	1.0	26
576	On-Column Coaxial Flow Chemiluminescence Detection for Underivatized Amino Acids by Pressurized Capillary Electrochromatography Using a Monolithic Column. <i>Analytical Chemistry</i> , 2006, 78, 5322-5328.	3.2	27
577	Nanoparticle-Based Continuous Full Filling Capillary Electrochromatography/Electrospray Ionization-Mass Spectrometry for Separation of Neutral Compounds. <i>Analytical Chemistry</i> , 2006, 78, 6088-6095.	3.2	69
578	Determination of pyrethroid pesticide residues in vegetables by pressurized capillary electrochromatography. <i>Talanta</i> , 2006, 69, 97-102.	2.9	93
579	General Aspects of Instrumentation. , 0, , 233-262.		0
582	Concepts and Principles of High Performance Capillary Electrophoresis. <i>Methods of Biochemical Analysis</i> , 2006, , 41-63.	0.2	1
583	Practical aspects of using methacrylate-ester-based monolithic columns in capillary electrochromatography. <i>Journal of Chromatography A</i> , 2006, 1109, 74-79.	1.8	36

#	ARTICLE	IF	CITATIONS
584	In situ synthesis of monolithic stationary phases for electrochromatographic separations: Study of polymerization conditions. <i>Journal of Chromatography A</i> , 2006, 1119, 80-87.	1.8	42
585	Silica particles encapsulated poly(styrene-divinylbenzene) monolithic stationary phases for $\hat{1}/4$ -high performance liquid chromatography. <i>Journal of Chromatography A</i> , 2006, 1132, 183-189.	1.8	26
586	Selenium speciation analysis using inductively coupled plasma-mass spectrometry. <i>Journal of Chromatography A</i> , 2006, 1114, 1-20.	1.8	176
587	Separation and quantitative analysis of coumarin compounds from <i>Angelica dahurica</i> (Fisch. ex) Tj ETQq1 1 0.784314 rgBT /Overlock and Biomedical Analysis, 2006, 41, 105-116.	1.4	52
588	Monolithic organic polymeric columns for capillary liquid chromatography and electrochromatography. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2006, 841, 79-87.	1.2	70
589	Enantioselective aptameric molecular recognition material: Design of a novel chiral stationary phase for enantioseparation of a series of chiral herbicides by capillary electrochromatography. <i>Electrophoresis</i> , 2006, 27, 3254-3262.	1.3	25
590	Nanoparticle-based pseudostationary phases in capillary electrochromatography. <i>Electrophoresis</i> , 2006, 27, 76-83.	1.3	151
591	Theoretical and nomenclatural considerations of capillary electrochromatography with monolithic stationary phases. <i>Electrophoresis</i> , 2006, 27, 716-725.	1.3	14
592	Capillary electrochromatography with zwitterionic stationary phase on the lysine-bonded poly(glycidyl methacrylate-co-ethylene dimethacrylate) monolithic capillary column. <i>Electrophoresis</i> , 2006, 27, 2518-2525.	1.3	44
593	Reversed-phase and weak anion-exchange mixed-mode silica-based monolithic column for capillary electrochromatography. <i>Electrophoresis</i> , 2006, 27, 3363-3372.	1.3	45
594	Preparation and evaluation of C18-bonded 1- \hat{A} μ m silica particles for pressurized capillary electrochromatography. <i>Electrophoresis</i> , 2006, 27, 3981-3987.	1.3	12
595	Carbon nanotube/poly(methyl methacrylate) composite electrode for capillary electrophoretic measurement of honokiol and magnolol in <i>Cortex Magnoliae Officinalis</i> . <i>Electrophoresis</i> , 2006, 27, 3233-3242.	1.3	42
596	Capillary electrophoresis-based separation techniques for the analysis of proteins. <i>Electrophoresis</i> , 2006, 27, 3503-3522.	1.3	72
597	Capillary electrophoretic separation of inorganic sulfur-sulfide, polysulfides, and sulfur-oxygen species. <i>Journal of Separation Science</i> , 2006, 29, 144-152.	1.3	22
598	Determination of Bioactive Constituents in Traditional Chinese Medicines by CE with Electrochemical Detection. <i>Current Medicinal Chemistry</i> , 2006, 13, 2467-2485.	1.2	43
599	Chapter 17 Electromigration methods: origins, principles, and applications. <i>Comprehensive Analytical Chemistry</i> , 2006, , 575-623.	0.7	1
600	Separation and Determination of Major Bioactive Components in <i>Radix Tinosporae</i> by Gradient Pressurized Capillary Electrochromatography. <i>Journal of Liquid Chromatography and Related Technologies</i> , 2007, 30, 2669-2679.	0.5	4
601	Stereochemical Impurities. , 0, , 47-81.		1

#	ARTICLE	IF	CITATIONS
602	Carbon nanotube and diamond as electrochemical detectors in microchip and conventional capillary electrophoresis. <i>Talanta</i> , 2007, 74, 326-332.	2.9	47
603	Open-Tubular Capillary Electrochromatography Coupled with Electrospray Ionization Mass Spectrometry for Peptide Analysis. <i>Analytical Chemistry</i> , 2007, 79, 4942-4949.	3.2	31
604	Single-Particle Fritting Technology for Capillary Electrochromatography. <i>Analytical Chemistry</i> , 2007, 79, 9229-9233.	3.2	33
605	Stability and Determination of Metamizole Sodium by Capillary Electrophoresis Analysis Combined with Infra-red Spectroscopy. <i>Chemical Research in Chinese Universities</i> , 2007, 23, 654-658.	1.3	9
606	Simultaneous determination of aminothiols, ascorbic acid and uric acid in biological samples by capillary electrophoresis with electrochemical detection. <i>Biomedical Chromatography</i> , 2007, 21, 520-526.	0.8	50
607	CEC and EKC of natural compounds. <i>Electrophoresis</i> , 2007, 28, 1645-1657.	1.3	24
608	CEC separation of insect oostatic peptides using a strong-cation-exchange stationary phase. <i>Electrophoresis</i> , 2007, 28, 1689-1695.	1.3	11
609	Wide-bore monolithic column for electrochromatography. <i>Electrophoresis</i> , 2007, 28, 1674-1680.	1.3	5
610	Recent advances in the control of morphology and surface chemistry of porous polymer-based monolithic stationary phases and their application in CEC. <i>Electrophoresis</i> , 2007, 28, 137-147.	1.3	150
611	Enantioselective separation of the novel antidepressant mirtazapine and its main metabolites by CEC. <i>Electrophoresis</i> , 2007, 28, 2717-2725.	1.3	32
612	Voltage-assisted capillary LC of peptides using monolithic capillary columns prepared by ring-opening metathesis polymerization. <i>Electrophoresis</i> , 2007, 28, 2219-2222.	1.3	10
613	Single-step preparation and characterization of polymeric monolith for pressurized capillary electrochromatography of typical homologs. <i>Journal of Separation Science</i> , 2007, 30, 2993-2999.	1.3	8
614	CEC separation of aromatic compounds and proteins on hexylamine-functionalized acryloxysuccinimide monoliths. <i>Journal of Separation Science</i> , 2007, 30, 3000-3010.	1.3	28
615	Preparation and evaluation of rigid porous polyacrylamide-based strong cation-exchange monolithic columns for capillary electrochromatography. <i>Journal of Separation Science</i> , 2007, 30, 2986-2992.	1.3	37
616	Influence of substituents on selectivity and efficiency of chiral separations of anions containing single nido-7,8-dicarbaundecaborane cluster with β -cyclodextrin. <i>Journal of Chromatography A</i> , 2007, 1143, 143-152.	1.8	8
617	Pressurized capillary electrochromatographic analysis of water-soluble vitamins by combining with on-line concentration technique. <i>Journal of Chromatography A</i> , 2007, 1154, 416-422.	1.8	20
618	Use of nanoparticles in capillary and microchip electrochromatography. <i>Journal of Chromatography A</i> , 2007, 1168, 212-224.	1.8	174
619	Simultaneous determination of four bioactive constituents in Liuwei Dihuang Pills by micellar electrokinetic chromatography. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2007, 44, 1183-1186.	1.4	24

#	ARTICLE	IF	CITATIONS
620	Reversed Phase Continuous Full Filling CECâ€“ESIâ€“MS. <i>Chromatographia</i> , 2007, 65, 291-297.	0.7	11
621	Simultaneous determination of p-hydroxyacetophenone, chlorogenic acid, and caffeic acid in <i>Herba Artemisiae Scopariae</i> by capillary electrophoresis with electrochemical detection. <i>Analytical and Bioanalytical Chemistry</i> , 2007, 388, 475-481.	1.9	26
622	Progress in planar electrochromatography. <i>Analytical and Bioanalytical Chemistry</i> , 2008, 391, 2111-2118.	1.9	30
623	Onâ€“line concentration and pressurized capillary electrochromatographic analysis of phytohormones in corn. <i>Journal of Separation Science</i> , 2008, 31, 859-864.	1.3	17
624	Carbonâ€“Nanotubeâ€“Alginate Composite Modified Electrode Fabricated by In Situ Gelation for Capillary Electrophoresis. <i>Chemistry - A European Journal</i> , 2008, 14, 9779-9785.	1.7	33
625	Evaluation of band broadening in chemiluminescence detection coupled to pressurized capillary electrochromatography with an offâ€“column coaxial flow interface. <i>Electrophoresis</i> , 2008, 29, 401-409.	1.3	9
626	Determination of trace levels of benzodiazepine in urine using capillary electrochromatographyâ€“time of flight mass spectrometry. <i>Electrophoresis</i> , 2008, 29, 2182-2192.	1.3	33
627	CEC separation of peptides using a poly(hexyl acrylateâ€“co â€“1,4â€“butanediol diacrylateâ€“co) Tj ETQq1 1 0.784314 rgBT /Overlock 3875-3886.	1.3	31
628	Entrapment of functionalized silica microspheres with photo-initiated acrylate-based polymers. <i>Journal of Colloid and Interface Science</i> , 2008, 320, 82-90.	5.0	17
629	Electrochromatographic characterization of methacrylate-based monolith with mixed mode of hydrophilic and weak electrostatic interactions by pressurized capillary electrochromatography. <i>Journal of Chromatography A</i> , 2008, 1190, 365-371.	1.8	43
630	Affinity Chromatography. , 2008, 421, vii-viii.		11
631	Monoclonal Behavior of Molecularly Imprinted Polymer Nanoparticles in Capillary Electrophoresis. <i>Analytical Chemistry</i> , 2008, 80, 2881-2887.	3.2	112
632	Elektrophorese. Springer-Lehrbuch, 2008, , 173-209.	0.1	0
633	Capillary Electrophoresis. , 2008, 384, vii-ix.		19
634	Î±-Cyclodextrin-modified infrared sensing system for rapidly determining the enantiomeric composition of chiral compounds. <i>Talanta</i> , 2008, 74, 1104-1112.	2.9	7
635	Analysis of dyes by capillary electrophoresis. <i>Coloration Technology</i> , 2008, 108, 546-551.	0.1	34
636	Searching lab on a chip literature: the need for a glossary of terms and concepts in a multidisciplinary environment. <i>Lab on A Chip</i> , 2008, 8, 1781.	3.1	3
637	6 General considerations to improve performance of CE methods. <i>Separation Science and Technology</i> , 2008, , 123-144.	0.0	3

#	ARTICLE	IF	CITATIONS
638	2 Theoretical considerations in performance of various modes of CE. Separation Science and Technology, 2008, , 9-530.	0.0	0
639	Chapter 8 Capillary-Based Separation Techniques. Comprehensive Analytical Chemistry, 2008, 51, 231-255.	0.7	0
640	3 Equipment considerations for capillary electrophoresis. Separation Science and Technology, 2008, , 43-62.	0.0	3
641	Nanocapillary Electrophoresis. , 0, , 191-244.		0
644	Separation of peptides by openâ€tubular capillary electrochromatography using Fe(III)â€deuteroporphyrin as a covalently attached stationary phase. Electrophoresis, 2009, 30, 2293-2299.	1.3	6
645	Capillary electrophoresis of small ions using complex formation and indirect detection. Electrophoresis, 2009, 30, S34-9.	1.3	29
646	Protein attachment onto silica surfaces â€“ a survey of molecular fundamentals, resulting effects and novel preventive strategies in CE. Electrophoresis, 2009, 30, 2032-2061.	1.3	125
647	Carbon nanotube/poly(ethyleneâ€eoâ€vinyl acetate) composite electrode for capillary electrophoretic determination of esculin and esculetin in Cortex Fraxini. Electrophoresis, 2009, 30, 3419-3426.	1.3	39
648	Organic solvents in CE. Electrophoresis, 2009, 30, S101-11.	1.3	33
649	Capillary electrochromatography with packed bead beds in microfluidic devices. Electrophoresis, 2009, 30, 4237-4244.	1.3	19
650	Pressurized CEC with gradient elution for separation of flavonoids from corn. Journal of Separation Science, 2009, 32, 388-393.	1.3	21
651	Separation of catechins and methylxanthines in tea samples by capillary electrochromatography. Journal of Separation Science, 2009, 32, 1002-1010.	1.3	27
652	Reversed phase capillary HPLC using polymerâ€entrapped C18 particles. Journal of Separation Science, 2009, 32, 4025-4032.	1.3	5
653	Novel Vinylpyridine Based Cationic MIP Monoliths for Enantiomer Separation in CEC. Chromatographia, 2009, 69, 277-285.	0.7	23
654	Fritless Xterra Particles Encapsulated Within a Poly(butylmethacrylate) Based Monolith for Use in CEC. Chromatographia, 2009, 69, 481-488.	0.7	2
655	Electrophoretic separation with 2-mm inner diameter fused-silica microcolumn packed with quartz microncrystals and its application. Talanta, 2009, 79, 460-465.	2.9	4
656	Hydrophobic Interaction Capillary Electrochromatography of Protein Mutants. Use of Lipid-Based Liquid Crystalline Nanoparticles as Pseudostationary Phase. Analytical Chemistry, 2009, 81, 315-321.	3.2	44
658	Ecstasy Analysis by Monolithic Materials-Capillary Electrochromatography. Analytical Sciences, 2009, 25, 517-522.	0.8	7

#	ARTICLE	IF	CITATIONS
659	The Use of Capillary Electrochromatography for Natural Product Analysis – Theoretical Background and Recent Applications. <i>Current Organic Chemistry</i> , 2010, 14, 1769-1780.	0.9	10
661	Off-Column Amperometric Detection for Pressurized Capillary Electrochromatography. <i>Chromatographia</i> , 2010, 71, 659-665.	0.7	3
662	Electrochromatographic characterization of methacrylate ester-based monolith and capillary electrochromatography separation of flavonoids. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2010, 878, 2375-2378.	1.2	9
663	Amphiphilic silica nanoparticles as pseudostationary phase for capillary electrophoresis separation. <i>Journal of Chromatography A</i> , 2010, 1217, 7448-7454.	1.8	22
664	Separation of Basic Drugs Using Pressurized Capillary Electrochromatography. <i>Chinese Journal of Chemistry</i> , 2003, 21, 419-422.	2.6	1
665	Monodispersed submicron porous silica particles functionalized with CD derivatives for chiral CEC. <i>Electrophoresis</i> , 2010, 31, 378-387.	1.3	29
666	Nanoparticle-based capillary electroseparation of proteins in polymer capillaries under physiological conditions. <i>Electrophoresis</i> , 2010, 31, 459-464.	1.3	23
667	CEC of phytochemical bioactive compounds. <i>Electrophoresis</i> , 2010, 31, 260-277.	1.3	26
668	CEC-ESI ion trap MS of multiple drugs of abuse. <i>Electrophoresis</i> , 2010, 31, 1256-1263.	1.3	31
669	Preparation and evaluation of amphiphilic silica-based monolithic column having surface-bound octanoyl-aminopropyl moieties for capillary electrochromatography. <i>Electrophoresis</i> , 2010, 31, 1983-1990.	1.3	4
670	Cationic and anionic lipid-based nanoparticles in CEC for protein separation. <i>Electrophoresis</i> , 2010, 31, 1773-1779.	1.3	16
671	Nanomaterial surface chemistry design for advancements in capillary electrophoresis modes. <i>Analyst</i> , 2011, 136, 54-63.	1.7	18
672	A comparative study on analytical method of total alkaloids from cortex <i>Phellodendri amurensis</i> by reversed phase high performance liquid chromatography (RP-HPLC) and pressurized capillary electrochromatography (pCEC). <i>Revista Brasileira De Farmacognosia</i> , 2011, 21, 16-23.	0.6	5
673	Microchip electrophoresis of bacteria using lipid-based liquid crystalline nanoparticles. <i>Journal of Chromatography A</i> , 2011, 1218, 8281-8288.	1.8	10
674	Study on detection of mutation DNA fragment in gastric cancer by restriction endonuclease fingerprinting with capillary electrophoresis. <i>Biomedical Chromatography</i> , 2012, 26, 393-399.	0.8	18
675	A Comparative Study of Diamine-Modified and Amine-Modified Silica Nanoparticles as Pseudo-Stationary Phases for CE Separation. <i>Chromatographia</i> , 2011, 73, 507-515.	0.7	6
676	Two-step stacking in capillary zone electrophoresis featuring sweeping and micelle to solvent stacking: II. Organic anions. <i>Journal of Chromatography A</i> , 2011, 1218, 1004-1010.	1.8	52
677	Determination of salidroside and tyrosol in <i>Rhodiola</i> by capillary electrophoresis with graphene/poly(urea-formaldehyde) composite modified electrode. <i>Electrophoresis</i> , 2011, 32, 870-876.	1.3	32

#	ARTICLE	IF	CITATIONS
678	Nanoparticle-based pseudostationary phases in CEC: A breakthrough in protein analysis?. <i>Electrophoresis</i> , 2011, 32, 1141-1147.	1.3	30
679	Polystyrene/graphene composite electrode fabricated by in situ polymerization for capillary electrophoretic determination of bioactive constituents in <i>Herba Houttuyniae</i> . <i>Electrophoresis</i> , 2011, 32, 1906-1912.	1.3	32
680	Fabrication of graphene/poly(methyl methacrylate) composite electrode for capillary electrophoretic determination of bioactive constituents in <i>Herba Geranii</i> . <i>Journal of Chromatography A</i> , 2011, 1218, 5542-5548.	1.8	29
681	Separation, Hydrodynamics and Heating Effects in Continuous Annular Electro-Chromatography (CAEC). <i>Procedia Engineering</i> , 2012, 42, 1611-1623.	1.2	3
682	Comparative performance of capillary columns made with totally porous and core-shell particles coated with a polysaccharide-based chiral selector in nano-liquid chromatography and capillary electrochromatography. <i>Journal of Chromatography A</i> , 2012, 1269, 136-142.	1.8	76
683	Single-drop microextraction as a powerful pretreatment tool for capillary electrophoresis: A review. <i>Analytica Chimica Acta</i> , 2012, 739, 14-24.	2.6	60
685	Sample Preparation for Capillary Electrophoretic Applications. , 2012, , 701-721.		15
687	Environmental Applications of Cloud-Point Extraction. , 2012, , 657-680.		5
688	Diamino moiety functionalized silica nanoparticles as pseudostationary phase in capillary electrochromatography separation of plant auxins. <i>Electrophoresis</i> , 2012, 33, 2012-2018.	1.3	17
689	Determination of bioactive constituents in <i>Flos Sophorae Immaturus</i> and <i>Cortex Fraxini</i> by capillary electrophoresis in combination with far infrared-assisted solvent extraction. <i>Food Chemistry</i> , 2012, 130, 1122-1126.	4.2	38
690	Design and evaluation of capillary coupled with optical fiber light-emitting diode induced fluorescence detection for capillary electrophoresis. <i>Electrophoresis</i> , 2013, 34, 2546-2552.	1.3	9
691	Electromigration Techniques. <i>Springer Series in Chemical Physics</i> , 2013, , .	0.2	17
692	Fabrication of a magnet-assisted alignment device for the amperometric detection of capillary electrophoresis using a carbon nanotube/polypropylene composite electrode. <i>Electrophoresis</i> , 2013, 34, 2017-2024.	1.3	9
693	Graphene/poly(ethylene-co-vinyl acetate) composite electrode fabricated by melt compounding for capillary electrophoretic determination of flavones in <i>Cacumen platycladi</i> . <i>Journal of Separation Science</i> , 2013, 36, 721-728.	1.3	13
694	Clinical Applications of Capillary Electrophoresis. <i>Methods in Molecular Biology</i> , 2013, , .	0.4	2
695	Determination of Amifostine and WR1065 in Rat Plasma by CE with Amperometric Detection. <i>Chromatographia</i> , 2013, 76, 1739-1745.	0.7	4
697	Pressurized nano-liquid-junction interface for coupling capillary electrochromatography and nano-liquid chromatography with mass spectrometry. <i>Journal of Chromatography A</i> , 2013, 1317, 67-76.	1.8	23
698	Graphene-epoxy composite electrode fabricated by in situ polycondensation for enhanced amperometric detection in capillary electrophoresis. <i>Journal of Chromatography A</i> , 2013, 1316, 127-134.	1.8	16

#	ARTICLE	IF	CITATIONS
701	An Overview of CE in Clinical Analysis. <i>Methods in Molecular Biology</i> , 2013, 919, 3-10.	0.4	4
702	Simple, Low-Cost Styrene-Ethylene/Butylene-Styrene Microdevices for Electrokinetic Applications. <i>Analytical Chemistry</i> , 2013, 85, 11700-11704.	3.2	18
703	Electrochemiluminescence quenching of tris(2,2'-bipyridyl)ruthenium. <i>TrAC - Trends in Analytical Chemistry</i> , 2013, 51, 107-116.	5.8	37
704	Separation, Hydrodynamics, and Joule Heating Effects in Continuous Annular Electrochromatography. <i>Chemical Engineering and Technology</i> , 2013, 36, 950-958.	0.9	5
705	Electrochromatographic Methods: Capillary Electrochromatography. <i>Springer Series in Chemical Physics</i> , 2013, , 159-189.	0.2	0
707	Cytoplasmic Electric Fields and Electroosmosis: Possible Solution for the Paradoxes of the Intracellular Transport of Biomolecules. <i>PLoS ONE</i> , 2013, 8, e61884.	1.1	17
708	Influence of temperature on the electroosmotic flow in a pH-regulated, zwitterionic cylindrical pore filled with multiple monovalent ions. <i>Electrochemistry Communications</i> , 2014, 48, 169-172.	2.3	5
709	Toward rapid preparation of capillary columns for electrochromatography use. <i>Electrophoresis</i> , 2014, 35, 836-839.	1.3	10
710	Top Down proteomics: Facts and perspectives. <i>Biochemical and Biophysical Research Communications</i> , 2014, 445, 683-693.	1.0	393
711	Advances in chiral separations by nonaqueous capillary electrophoresis in pharmaceutical and biomedical analysis. <i>Electrophoresis</i> , 2014, 35, 926-936.	1.3	105
712	Chemical Vapor Deposition of Aminopropyl Silanes in Microfluidic Channels for Highly Efficient Microchip Capillary Electrophoresis-Electrospray Ionization-Mass Spectrometry. <i>Analytical Chemistry</i> , 2014, 86, 3493-3500.	3.2	60
713	Applications of nanoparticle-modified stationary phases in capillary electrochromatography. <i>TrAC - Trends in Analytical Chemistry</i> , 2014, 61, 29-39.	5.8	52
714	Comparison of monolithic capillary electrochromatography and micellar electrokinetic chromatography for the separation of polycyclic aromatic hydrocarbons. <i>Talanta</i> , 2014, 122, 180-186.	2.9	5
717	Simultaneous determination of nucleoside and purine compounds in human urine based on a hydrophobic monolithic column using capillary electrochromatography. <i>Electrophoresis</i> , 2015, 36, 2727-2735.	1.3	9
718	Tunable thick porous silica coating fabricated by multilayer-by-multilayer bonding of silica nanoparticles for open-tubular capillary chromatographic separation. <i>Journal of Chromatography A</i> , 2015, 1399, 25-31.	1.8	37
719	Determination of arbutin and bergenin in <i>Bergeniae Rhizoma</i> by capillary electrophoresis with a carbon nanotube-epoxy composite electrode. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2015, 115, 323-329.	1.4	11
720	Direct coupling of a free-flow isotachopheresis (FFITP) device with electrospray ionization mass spectrometry (ESI-MS). <i>Lab on A Chip</i> , 2015, 15, 3495-3502.	3.1	21
721	Separation and analysis of triazine herbicide residues by capillary electrophoresis. <i>Biomedical Chromatography</i> , 2015, 29, 835-842.	0.8	30

#	ARTICLE	IF	CITATIONS
722	Electrochemical Determination of Baicalein, Baicalin and Quercetin in <i>Scutellaria barbata</i> . <i>International Journal of Electrochemical Science</i> , 2016, , 8323-8331.	0.5	5
723	Electrokinetic injection of samples into a short electrophoretic capillary controlled by piezoelectric micropumps. <i>Electrophoresis</i> , 2016, 37, 595-600.	1.3	19
724	Mixed-mode acrylamide-based continuous beds bearing tert -butyl groups for capillary electrochromatography synthesized via complexation of N - tert -butylacrylamide with a water-soluble cyclodextrin. Part I: Retention properties. <i>Journal of Chromatography A</i> , 2016, 1477, 114-126.	1.8	7
725	Simultaneous determination of five bioactive constituents in <i>Rhizoma Chuanxiong</i> by capillary electrophoresis with a carbon nanotube-polydimethylsiloxane composite electrode. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2016, 131, 107-112.	1.4	20
726	Neutral hydrophilic coatings for capillary electrophoresis prepared by controlled radical polymerization. <i>Analytica Chimica Acta</i> , 2016, 948, 104-112.	2.6	6
728	Strategies Involving Mass Spectrometry Combined with Capillary Electrophoresis in Metabolomics. <i>Advances in Experimental Medicine and Biology</i> , 2017, 965, 99-141.	0.8	4
729	An overview to nano-scale analytical techniques: Nano-liquid chromatography and capillary electrochromatography. <i>Electrophoresis</i> , 2017, 38, 1822-1829.	1.3	41
730	A novel scalable microfluidic load sensor based on electrokinetic phenomena. <i>Microfluidics and Nanofluidics</i> , 2017, 21, 1.	1.0	25
731	Peak capacity and peak capacity per unit time in capillary and microchip zone electrophoresis. <i>Journal of Chromatography A</i> , 2017, 1523, 80-89.	1.8	9
732	Particle manipulation using standing acoustic waves in the microchannel at dual-frequency excitation: Effect of power ratio. <i>Sensors and Actuators A: Physical</i> , 2017, 263, 521-529.	2.0	8
733	Capillary electrochromatography. , 2017, , 697-718.		1
734	Dual-opposite injection capillary electrophoresis: Principles and misconceptions. <i>Electrophoresis</i> , 2017, 38, 607-616.	1.3	9
735	Capillary Electrophoresis: Overview. , 2018, , 377-377.		0
736	Enantioseparations by Capillary Electromigration Techniques. , 2018, , 565-605.		2
737	Microparticle Manipulation by Standing Surface Acoustic Waves with Dual-frequency Excitations. <i>Journal of Visualized Experiments</i> , 2018, , .	0.2	0
738	Preparation of Cationic Mixed-Mode Acrylamide-Based Monolithic Stationary Phases for Capillary Electrochromatography. <i>Chromatographia</i> , 2018, 81, 1325-1336.	0.7	4
739	Reactive Transport of Protons in Electro-Osmotic Displacements with Electrolyte Concentration Difference in a Microcapillary. <i>Analytical Chemistry</i> , 2018, 90, 11802-11811.	3.2	3
740	Determination of protein charge variants with (imaged) capillary isoelectric focusing and capillary zone electrophoresis. <i>Electrophoresis</i> , 2018, 39, 2492-2511.	1.3	41

#	ARTICLE	IF	CITATIONS
741	Capillary Electrochromatography. , 2018, , 209-233.		2
742	Rational molecular design for realizing high performance sky-blue-emitting gold(<i>scp</i>) complexes with monoaryl auxiliary ligands and their applications for both solution-processable and vacuum-deposited organic light-emitting devices. <i>Chemical Science</i> , 2019, 10, 594-605.	3.7	26
743	Tuning the dispersion of reactive solute by steady and oscillatory electroosmoticâ€“Poiseuille flows in polyelectrolyte-grafted micro/nanotubes. <i>Journal of Fluid Mechanics</i> , 2019, 880, 73-112.	1.4	7
744	Preparation and evaluation of a polydopamine-modified capillary silica monolith for capillary electrochromatography. <i>New Journal of Chemistry</i> , 2019, 43, 1009-1016.	1.4	10
745	Identification of neural stem and progenitor cell subpopulations using DC insulator-based dielectrophoresis. <i>Analyst</i> , The, 2019, 144, 4066-4072.	1.7	22
746	An Overview of CE in Clinical Analysis. <i>Methods in Molecular Biology</i> , 2019, 1972, 3-11.	0.4	3
747	Design of an automated capillary electrophoresis platform for single-cell analysis. <i>Methods in Enzymology</i> , 2019, 628, 191-221.	0.4	6
748	Performance of laterally elongated pillar array columns in capillary electrochromatography mode. <i>Electrophoresis</i> , 2020, 41, 1287-1295.	1.3	6
749	Trackâ€“Etched Nanopore/Membrane: From Fundamental to Applications. <i>Small Methods</i> , 2020, 4, 2000366.	4.6	123
753	Capillary electrophoresis-mass spectrometry. , 2020, , 413-447.		3
754	Towards local deposition of particles by electrophoresis in dc electric fields in polar and nonpolar media and mixtures thereof. <i>Ceramics International</i> , 2020, 46, 17857-17866.	2.3	4
755	Elektrophorese. , 2021, , 223-258.		0
756	History, advancement, bottlenecks, and future of chiral capillary electrochromatography. <i>Journal of Chromatography A</i> , 2021, 1637, 461832.	1.8	36
757	Analysis of Nonsteroidal Anti-inflammatory Drugs by using Microfluidic Techniques: A Review. <i>Current Pharmaceutical Analysis</i> , 2021, 17, 303-315.	0.3	3
758	Native and substituted cyclodextrins as chiral selectors for capillary electrophoresis enantioseparations: Structures, features, application, and molecular modeling. <i>Electrophoresis</i> , 2021, 42, 1676-1708.	1.3	52
759	Capillary Electrophoresis. , 2021, , 290-308.		0
760	Electroosmosis and Electrochromatography. , 0, , 47-74.		1
761	An Overview of the Use of Microchips in Electrophoretic Separation Techniques: Fabrication, Separation Modes, Sample Preparation Opportunities, and On-Chip Detection. <i>Methods in Molecular Biology</i> , 2015, 1274, 3-17.	0.4	3

#	ARTICLE	IF	CITATIONS
762	Capillary Electrochromatography and On-Line Concentration. , 2008, 384, 751-769.		2
763	Analysis of Proteins in Solution Using Affinity Capillary Electrophoresis. , 2008, 421, 303-338.		12
764	Capillary Electrochromatography. Chromatographia CE Series, 1998, , 206-222.	0.1	2
765	Methods of Analyte Concentration in a Capillary. Springer Series in Chemical Physics, 2013, , 215-235.	0.2	8
766	Separation of enantiomeric compounds by micelle-mediated capillary electrokinetic chromatography. , 1997, , 366-385.		1
767	Analytical and Micropreparative High-Performance Electrophoresis. Protides of the Biological Fluids; Proceedings of the Colloquium, 1985, 33, 537-540.	0.1	9
768	Isoelectric Focusing in Capillaries. , 1992, , 191-214.		24
769	Separation of Small Molecules by High-Performance Capillary Electrophoresis. , 1992, , 301-341.		4
770	Analysis of Amino Acids by High Performance Capillary Electrophoresis. , 1990, , 11-22.		1
771	Analytical methods to determine phytoestrogenic compounds. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2004, 812, 325-355.	1.2	35
772	Hippophae rhamnoides L.: chromatographic methods to determine chemical composition, use in traditional medicine and pharmacological effects. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2004, 812, 291-307.	1.2	77
774	Capillary Electrophoresis Coupled To Mass Spectrometry for Forensic Analysis. Open Chemical Engineering Journal, 2007, 1, 30-43.	0.4	5
775	Determination of Phenolic Acetophenones in Radix Cynanchi Paniculati by Capillary Electrophoresis with Electrochemical Detection. Journal of Plant Sciences, 2007, 2, 273-282.	0.2	3
776	Capillary Electrophoresis in Determination of Low Molecular Mass Organic Acids. International Journal of Environmental Science and Development, 2014, 5, 417-425.	0.2	1
777	Capillary Electrochromatography. , 2000, , 293-319.		0
778	The Short History of CE. Chromatographia CE Series, 2000, , 6-8.	0.1	0
779	High performance capillary electrophoresis: an overview. , 2000, , 403-460.		0
780	Other Chiral Selectors. Chromatographia CE Series, 2001, , 78-92.	0.1	1

#	ARTICLE	IF	CITATIONS
781	Amino Acid Analysis. , 2001, , 167-192.		0
782	Capillary Electrophoresis Based Immunoassay. , 2001, , 223-233.		0
783	Capillary Electrophoresis. , 2001, , 3-19.		1
784	Enantiomers and Separation. Chromatographia CE Series, 2001, , 7-14.	0.1	0
785	Capillary electrokinetic chromatography. , 2002, , .		0
786	Metabolism and Disposition of Genistein, the Principal Soy Isoflavone. , 2002, , .		0
787	Inorganic Analyses Of Polymers. , 2003, , .		0
788	Effects of Pore Flow on Separation Efficiency in Capillary Electrochromatography with Porous Particles. , 2003, , .		0
790	Methods Development for Capillary Electrophoresis with Emphasis on Small Molecules. , 2003, , .		0
791	Electroosmotic Mobility and Conductivity in Microchannels. , 2003, , .		0
792	Capillary Electrochromatography. , 2004, , 206-209.		0
793	Enantioseparation by Capillary Electrochromatography. , 2005, , 565-568.		0
797	Analysis of Amino Acids and Small Peptides. , 1988, , 245-283.		0
798	Capillary Electrochromatography. , 1993, , 189-196.		0
799	The Impact of Biotechnology on Analytical Methodology. , 1993, , 97-115.		0
801	Kapillarelektrophorese. Analytiker-Taschenbuch, 1995, , 23-81.	0.2	1
804	Literature Index. , 1996, , 203-207.		0
807	Elektrophorese-Techniken. , 1998, , 123-143.		0

#	ARTICLE	IF	CITATIONS
809	Probe Beam Deflection of Isotachopheresis on Miniaturized Planar Glass Devices. , 1998, , 101-104.		0
810	Kapillarelektrophorese in der anorganischen Analytik. Analytiker-Taschenbuch, 1998, , 263-316.	0.2	0
812	Planar chromatography. , 1999, , 44-116.		1
813	Advances in capillary electrochromatography. Handbook of Analytical Separations, 2020, , 113-142.	0.8	1
814	Microchip Electrophoresis for Fluorescence-Based Measurement of Polynucleic Acids: Recent Developments. Analytical Chemistry, 2021, 93, 367-387.	3.2	15
815	Ä°drarda Orotik Asitâ€™in TemassÄ±z Ä°letkenlik DedektÃ¶rÃ¼ KullanÄ±arak Kapiler Elektroforez YÄ°ntemi Ä°le HÄ±zlanÄ± Tayini. SDU Journal of Science, 0, , 194-202.	0.1	0
816	Capillary electrochromatography applied to drug analysis. Journal of Chromatography Open, 2021, 1, 100015.	0.8	7
817	On the journey exploring nanoscale packing materials for ultra-efficient liquid chromatographic separation. Journal of Chromatography Open, 2022, 2, 100033.	0.8	2
818	Electrochemical membrane technology for environmental remediation. , 2022, , 227-263.		0
819	Introduction to electrochemical membrane technology: current status and recent developments. , 2022, , 1-42.		0
820	Capillary Electrophoresis: General Overview and Applications in the Clinical Laboratory. , 0, , 3-19.		0
822	Chemometric Methods for the Optimization of CE and CE-MS in Pharmaceutical, Environmental, and Food Analysis. , 0, , 133-168.		0
823	Electrochromatography in Biomolecular Analysis. , 0, , 91-115.		0
825	Recognition in the Domain of Molecular Chirality: From Noncovalent Interactions to Separation of Enantiomers. Chemical Reviews, 2022, 122, 13235-13400.	23.0	77
826	Current sample preparation methods and analytical techniques for the determination of synthetic antioxidants in edible oils. Journal of Separation Science, 2022, 45, 3874-3886.	1.3	5
827	Electrokinetics in antimicrobial resistance analysis: A review. Electrophoresis, 2023, 44, 323-336.	1.3	3
828	Recent advances in the hyphenation of electromigration techniques with mass spectrometry. TrAC - Trends in Analytical Chemistry, 2022, 157, 116800.	5.8	4
829	Chromatography and separation in nanocluster science. , 2023, , 177-202.		0

#	ARTICLE	IF	CITATIONS
830	Zero-Degree Celsius Capillary Electrophoresis Electrospray Ionization for Hydrogen Exchange Mass Spectrometry. Analytical Chemistry, 0, , .	3.2	1
833	Capillary electrochromatography. , 2023, , 625-646.		0