## CITATION REPORT List of articles citing



DOI: 10.1146/annurev.bi.50.070181.002025 Annual Review of Biochemistry, 1981, 50, 349-83.

**Source:** https://exaly.com/paper-pdf/15401101/citation-report.pdf

Version: 2024-04-23

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
2171	Promoter sequences of eukaryotic protein-coding genes. <b>1980</b> , 209, 1406-14		954
2170	Inhibition of transcription factor activity by poliovirus. <b>1981</b> , 27, 555-61		72
2169	Structure and evolution of goat gamma-, beta C- and beta A-globin genes: three developmentally regulated genes contain inserted elements. <b>1981</b> , 27, 359-69		99
2168	T antigen repression of SV40 early transcription from two promoters. <b>1981</b> , 27, 603-13		258
2167	Cloning and sequence of cDNA coding for alpha 1-antitrypsin. <b>1981</b> , 78, 6826-30		176
2166	Specific in vitro initiation of transcription on the adenovirus type 2 early and late EII transcription units. <b>1981</b> , 78, 7383-7		50
2165	Genetic variation in rates of antipyrine metabolite formation: a study in uninduced twins. <b>1981</b> , 78, 519	B-6	45
2164	Point mutation in the TATA box curtails expression of sea urchin H2A histone gene in vivo. <b>1981</b> , 294, 178-80		56
2163	Organization and expression of eucaryotic split genes coding for proteins. <i>Annual Review of Biochemistry</i> , <b>1981</b> , 50, 349-83	29.1	4631
2162	A region of the polyoma virus genome between the replication origin and late protein coding sequences is required in cis for both early gene expression and viral DNA replication. <b>1981</b> , 9, 6231-50		313
2161	Human DNA sequences complementary to the small nuclear RNA U2. <b>1981</b> , 9, 6323-38		31
2160	The SV40 72 base repair repeat has a striking effect on gene expression both in SV40 and other chimeric recombinants. <b>1981</b> , 9, 6047-68		769
2159	The actin gene in yeast Saccharomyces cerevisiae: 5' and 3' end mapping, flanking and putative regulatory sequences. <b>1981</b> , 9, 6339-50		59
2158	Nucleotide sequence of the region between the 18S rRNA sequence and the 28S rRNA sequence of rat ribosomal DNA. <b>1982</b> , 10, 3667-80		92
2157	The Alu family of dispersed repetitive sequences. <b>1982</b> , 216, 1065-70		581
2156	The orderly splicing of the first three leaders of the adenovirus-2 major late transcript. <b>1982</b> , 10, 1215-2	.9	54
2155	The DNA sequence of the 5' flanking region of the human beta-globin gene: evolutionary conservation and polymorphic differences. <b>1982</b> , 10, 2109-20		71

2154	Comparative analysis of Xenopus tropicalis and Xenopus laevis vitellogenin gene sequences. <b>1982</b> , 10, 1515-33	15
2153	Cytochrome P1-450 structural gene in mouse, rat, and rabbit: differences in DNA methylation and developmental expression of mRNA. <b>1982</b> , 1, 231-8	22
2152	Nucleotide sequences of the murine retrovirus Friend SFFVp long terminal repeats: identification of a structure with extensive dyad symmetry 5' to the TATA box. <b>1982</b> , 10, 3315-30	34
2151	Construction and identification by partial nucleotide sequence analysis of bovine casein and beta-lactoglobulin cDNA clones. <b>1982</b> , 1, 375-86	29
2150	Recognition of protein coding regions in DNA sequences. <b>1982</b> , 10, 5303-18	778
2149	In vitro accurate initiation of transcription on the adenovirus type 2 IVa2 gene which does not contain a TATA box. <b>1982</b> , 10, 7089-101	21
2148	Epsilon globin gene transcripts originating upstream of the mRNA cap site in K562 cells and normal human embryos. <b>1982</b> , 10, 5133-47	48
2147	Differences in the nuclease sensitivity between the two alleles of the immunoglobulin kappa light chain genes in mouse liver and myeloma nuclei. <b>1982</b> , 10, 3627-45	48
2146	The intervening sequence excised from the ribosomal RNA precursor of Tetrahymena contains a 5-terminal guanosine residue not encoded by the DNA. <b>1982</b> , 10, 2823-38	70
2145	The primary structure of the Saccharomyces cerevisiae gene for 3-phosphoglycerate kinase. <b>1982</b> , 10, 7791-808	174
2144	Prostatic steroid binding protein: organisation of C1 and C2 genes. <b>1982</b> , 10, 5121-32	33
2143	Vitellogenin in Drosophila melanogaster: a comparison of the YPI and YPII genes and their transcription products. <b>1982</b> , 10, 2261-74	30
2142	Accurate in vitro splicing of human beta-globin RNA. <b>1982</b> , 10, 5429-45	76
2141	Organisation of feather keratin genes in the chick genome. <b>1982</b> , 10, 6007-21	42
2140	An immunoglobulin promoter region is unaltered by DNA rearrangement and somatic mutation during B-cell development. <b>1982</b> , 10, 7731-49	52
2139	Complete nucleotide sequence of a sea urchin actin gene. <b>1982</b> , 10, 4081-92	89
2138	Determination of the transcription initiation site of Tetrahymena pyriformis rDNA using in vitro capping of 35S pre-rRNA. <b>1982</b> , 10, 4223-36	41
2137	Form and function of retroviral proviruses. <b>1982</b> , 216, 812-20	570

2136	The nucleotide sequences of two leghemoglobin genes from soybean. <b>1982</b> , 10, 3487-94	95
2135	Base sequence of a cloned snake W-chromosome DNA fragment and identification of a male-specific putative mRNA in the mouse. <b>1982</b> , 79, 3798-802	121
2134	Delimitation of far upstream sequences required for maximal in vitro transcription of an H2A histone gene. <b>1982</b> , 79, 297-301	116
2133	Deletions of N-terminal sequences of polyoma virus T-antigens reduce but do not abolish transformation of rat fibroblasts. <b>1982</b> , 2, 1238-46	22
2132	Silkworm 5S RNA and alanine tRNA genes share highly conserved 5' flanking and coding sequences. <b>1982</b> , 2, 1524-31	33
2131	In vitro characterization of the fibroin gene promoter by the use of single-base substitution mutants. <b>1982</b> , 79, 7258-62	44
2130	DNA sequence analysis of a mouse pro alpha 1 (I) procollagen gene: evidence for a mouse B1 element within the gene. <b>1982</b> , 2, 1362-71	42
2129	Construction of a yeast actin gene intron deletion mutant that is defective in splicing and leads to the accumulation of precursor RNA in transformed yeast cells. <b>1982</b> , 79, 3493-7	58
2128	Insertion of a movable genetic element, 297, into the T-A-T-A box for the H3 histone gene in Drosophila melanogaster. <b>1982</b> , 79, 4143-7	77
2127	Internal structure of a mitochondrial intron of Aspergillus nidulans. <b>1982</b> , 79, 6332-6	98
2126	Accurate transcription of truncated ribosomal DNA templates in a Drosophila cell-free system. <b>1982</b> , 79, 1501-5	83
2125	Isolation of a cDNA clone for the murine transplantation antigen H-2Kb. <b>1982</b> , 79, 3270-4	81
2124	Expression and novel structure of a collagen gene in Drosophila. <b>1982</b> , 79, 1761-5	56
2123	DNA sequences required for specific and efficient initiation of transcription at the polyoma virus early promoter. <b>1982</b> , 2, 737-51	41
2122	Cytochrome c gene-related sequences in mammalian genomes. <b>1982</b> , 79, 739-43	32
2121	In vitro transcription of the thymidine kinase gene of herpes simplex virus. <b>1982</b> , 79, 5215-9	28
2120	A processed human immunoglobulin epsilon gene has moved to chromosome 9. <b>1982</b> , 79, 5956-60	90
2119	Relationship between the total size of exons and introns in protein-coding genes of higher eukaryotes. <b>1982</b> , 79, 6196-200	102

2118	Sequences upstream from the T-A-T-A box are required in vivo and in vitro for efficient transcription from the adenovirus serotype 2 major late promoter. <b>1982</b> , 79, 7132-6	194
2117	The yeast his3 promoter contains at least two distinct elements. <b>1982</b> , 79, 7385-9	104
2116	Functional domains in introns: trans-acting and cis-acting regions of intron 4 of the cob gene. <b>1982</b> , 30, 925-32	150
2115	A common sequence in the inverted terminal repetitions of human and avian adenoviruses. <b>1982</b> , 18, 193-7	46
2114	Long terminal repeats provide regulatory signals at the ends of retroviral genes. <b>1982</b> , 7, 400-403	8
2113	Structure of human immunoglobulin gamma genes: implications for evolution of a gene family. <b>1982</b> , 29, 671-9	214
2112	Nucleotide sequence of bovine parathyroid hormone messenger RNA. <b>1982</b> , 28, 411-24	26
2111	Functional relationships between transcriptional control signals of the thymidine kinase gene of herpes simplex virus. <b>1982</b> , 31, 355-65	259
<b>211</b> 0	The complete nucleotide sequence of the duck alpha A-globin gene. <b>1982</b> , 20, 211-7	29
2109	Nucleotide sequence of the transcription initiation region of a rat ribosomal RNA gene. <b>1982</b> , 18, 115-22	39
2108	Critical sequences within mitochondrial introns: pleiotropic mRNA maturase and cis-dominant signals of the box intron controlling reductase and oxidase. <b>1982</b> , 28, 721-32	257
2107	A complex of interacting DNAase I-hypersensitive sites near the Drosophila glue protein gene, Sgs4. <b>1982</b> , 29, 601-7	129
2106	The nucleotide sequence of mRNA for the Mr 19 000 glycoprotein from early gene block III of adenovirus 2. <b>1982</b> , 20, 339-46	28
2105	Cloning of the am (glutamate dehydrogenase) gene of Neurospora crassa through the use of a synthetic DNA probe. <b>1982</b> , 20, 387-96	112
2104	Transcription of Cauliflower mosaic virus DNA: detection of promoter sequences, and characterization of transcripts. <b>1982</b> , 30, 763-73	317
2103	Actin genes and actin messenger RNA in Acanthamoeba castellanii. Nucleotide sequence of the split actin gene I. <b>1982</b> , 159, 1-18	96
2102	Transcription of a dictyostelium discoidin-i gene in yeast alternative promoter sites used in two different eukaryotic cells. <b>1982</b> , 159, 623-36	18
2101	The ovalbumin gene family. The 5' end region of the X and Y genes. <b>1982</b> , 156, 1-19	47

2100	5' termini of polyoma virus early region transcripts synthesized in vivo by wild-type virus and viable deletion mutants. <b>1982</b> , 159, 189-224		72
2099	Determination of sequences at the capped 5' ends of polyoma virus early region transcripts synthesized in vivo and in vitro demonstrates an unusual microheterogeneity. <b>1982</b> , 159, 225-55		35
2098	Multiple initiation and polyadenylation sites for the chicken ovomucoid transcription unit. <b>1982</b> , 162, 345-64		42
2097	Multiple forms of cytochrome P-450 and the importance of molecular biology and evolution. <b>1982</b> , 31, 2311-7		144
2096	The effect of estrogen on the concentration of ovalbumin gene sequence in the 2 M NaCl residual fraction of oviduct chromatin. <b>1982</b> , 150, 117-21		4
2095	Ribosomal RNA transcription in vitro is species specific. <b>1982</b> , 296, 173-4		254
2094	Transcription of a gene for human U1 small nuclear RNA. <b>1982</b> , 29, 265-74		178
2093	Transcriptional control signals of a eukaryotic protein-coding gene. <b>1982</b> , 217, 316-24		1387
2092	Transcripts coding for variant surface glycoproteins of Trypanosoma brucei have a short, identical exon at their 5' end. <b>1982</b> , 20, 281-9		212
2091	Self-splicing RNA: autoexcision and autocyclization of the ribosomal RNA intervening sequence of Tetrahymena. <b>1982</b> , 31, 147-57		1756
		313	1756 42
	Tetrahymena. <b>1982</b> , 31, 147-57	313	
2090	Tetrahymena. <b>1982</b> , 31, 147-57  Isolation and characterization of the rat tryptophan oxygenase gene <i>EMBO Journal</i> , <b>1982</b> , 1, 1287-129  Disruption of the typical chromatin structure in a 2500 base-pair region at the 5? end of the actively		42
2090	Tetrahymena. <b>1982</b> , 31, 147-57  Isolation and characterization of the rat tryptophan oxygenase gene <i>EMBO Journal</i> , <b>1982</b> , 1, 1287-129  Disruption of the typical chromatin structure in a 2500 base-pair region at the 5? end of the actively transcribed ovalbumin gene <i>EMBO Journal</i> , <b>1982</b> , 1, 223-230  Both early and late control sequences of SV40 and polyoma promote transcription of Escherichia	13	4 <sup>2</sup> 35
2090 2089 2088	Isolation and characterization of the rat tryptophan oxygenase gene <i>EMBO Journal</i> , <b>1982</b> , 1, 1287-129  Disruption of the typical chromatin structure in a 2500 base-pair region at the 5? end of the actively transcribed ovalbumin gene <i>EMBO Journal</i> , <b>1982</b> , 1, 223-230  Both early and late control sequences of SV40 and polyoma promote transcription of Escherichia coli gpt gene in transfected cells <i>EMBO Journal</i> , <b>1982</b> , 1, 895-900  Cloning and structure of the human immune interferon-gamma chromosomal gene <i>EMBO Journal</i> , <b>1982</b> , 1, 953-958	13	42 35 17
2090 2089 2088 2087	Isolation and characterization of the rat tryptophan oxygenase gene <i>EMBO Journal</i> , <b>1982</b> , 1, 1287-129  Disruption of the typical chromatin structure in a 2500 base-pair region at the 5? end of the actively transcribed ovalbumin gene <i>EMBO Journal</i> , <b>1982</b> , 1, 223-230  Both early and late control sequences of SV40 and polyoma promote transcription of Escherichia coli gpt gene in transfected cells <i>EMBO Journal</i> , <b>1982</b> , 1, 895-900  Cloning and structure of the human immune interferon-gamma chromosomal gene <i>EMBO Journal</i> , <b>1982</b> , 1, 953-958	13 13	42 35 17 66
2090 2089 2088 2087 2086	Isolation and characterization of the rat tryptophan oxygenase gene <i>EMBO Journal</i> , <b>1982</b> , 1, 1287-129  Disruption of the typical chromatin structure in a 2500 base-pair region at the 5? end of the actively transcribed ovalbumin gene <i>EMBO Journal</i> , <b>1982</b> , 1, 223-230  Both early and late control sequences of SV40 and polyoma promote transcription of Escherichia coli gpt gene in transfected cells <i>EMBO Journal</i> , <b>1982</b> , 1, 895-900  Cloning and structure of the human immune interferon-gamma chromosomal gene <i>EMBO Journal</i> , <b>1982</b> , 1, 953-958  Origin of transcription of a mouse immunoglobulin light chain gene <i>EMBO Journal</i> , <b>1982</b> , 1, 719-724  Simian virus 40 cRNA is processed into functional mRNA in microinjected monkey cells <i>EMBO</i>	13 13 13	42 35 17 66 3

2082	Signal-Strukturen der Genexpression. <b>1982</b> , 12, 39-48	3
2081	Relative rates of divergence of spacer and gene sequences within the rDNA region of species in the Triticeae: Implications for the maintenance of homogeneity of a repeated gene family. <b>1982</b> , 63, 361-5	76
2080	Transcription of Xenopus 5S ribosomal RNA genes. <b>1982</b> , 295, 101-5	99
2079	Different mRNAs from the transforming region of highly oncogenic and non-oncogenic human adenoviruses. <b>1982</b> , 295, 705-7	27
2078	Linkage of beta-thalassaemia mutations and beta-globin gene polymorphisms with DNA polymorphisms in human beta-globin gene cluster. <b>1982</b> , 296, 627-31	866
2077	Characterization of the structural gene and putative 5'-regulatory sequences for human proopiomelanocortin. <b>1982</b> , 297, 335-9	160
2076	Isolation and structural organization of the human preproenkephalin gene. 1982, 297, 431-4	246
2075	Nucleotide sequence of the rat skeletal muscle actin gene. <b>1982</b> , 298, 857-9	207
2074	Intron-exon splice junctions map at protein surfaces. <b>1982</b> , 299, 180-2	144
2073	The sequences of an expressed rat alpha-tubulin gene and a pseudogene with an inserted repetitive element. <b>1982</b> , 300, 330-5	278
2072	Abnormal RNA processing due to the exon mutation of beta E-globin gene. <b>1982</b> , 300, 768-9	256
2071	Evolutionary divergence of the mRNA transcription initiation mechanism in yeast. <b>1983</b> , 301, 167-9	106
2070	Autocatalytic cyclization of an excised intervening sequence RNA is a cleavage-ligation reaction. <b>1983</b> , 301, 578-83	260
2069	Formation of stable preinitiation complexes between eukaryotic class B transcription factors and promoter sequences. <b>1983</b> , 301, 680-6	504
2068	The seal myoglobin gene: an unusually long globin gene. <b>1983</b> , 301, 732-4	87
2067	Gene and protein structure of a beta-crystallin polypeptide in murine lens: relationship of exons and structural motifs. <b>1983</b> , 302, 310-5	114
2066	Expression of chimaeric genes transferred into plant cells using a Ti-plasmid-derived vector. <b>1983</b> , 303, 209-213	498
2065	Strong homology in promoter and 3'-untranslated regions of chick and rat alpha-actin genes. <b>1983</b> , 303, 348-9	83

2064	RNA processing. Sequences that signal where to splice. <b>1983</b> , 304, 309-10	15
2063	Exon duplication and divergence in the human preproglucagon gene. <b>1983</b> , 304, 368-71	468
2062	A single gene for bovine high molecular weight and low molecular weight kininogens. <b>1983</b> , 305, 545-9	170
2061	Unusual sequences in the murine immunoglobulin mu-delta heavy-chain region. <b>1983</b> , 306, 483-7	110
2060	Cell-specific expression controlled by the 5'-flanking region of insulin and chymotrypsin genes. <b>1983</b> , 306, 557-61	666
2059	Isolation and structural organization of the human preproenkephalin B gene. 1983, 306, 611-4	199
2058	Sequence requirement for transcription in vitro of the human corticotropin/beta-lipotropin precursor gene. <b>1983</b> , 133, 599-605	16
2057	L'explosion des squences: Les annes folles 1980¶990. <b>1983</b> , 11, 305-313	4
2056	Evolution of alpha q- and beta-tubulin genes as inferred by the nucleotide sequences of sea urchin cDNA clones. <b>1983</b> , 19, 397-410	55
2055	RNA-tumorviruses, oncogenes, and their possible role in human carcinogenesis. <b>1983</b> , 61, 1217-31	8
2054	Nucleotide sequence of the T-DNA region from theA grobacterium tumefaciens octopine Ti plasmid pTi15955. <b>1983</b> , 2, 335-50	339
2053	Allosteric effects of cortisol, estradiol, progesterone and of the DNA-sequences poly d(A-T) and poly d(C-G) on the adenosine and thymidine phosphorylating activity of the nuclear nucleoside-nucleotide phosphotransferase C. <b>1983</b> , 15, 1241-8	2
2052	Progress in visualization of eukaryotic gene transcription. <b>1983</b> , 63, 197-215	19
2051	The intron of the mitochondrial 21S rRNA gene: distribution in different yeast species and sequence comparison between Kluyveromyces thermotolerans and Saccharomyces cerevisiae. <b>1983</b> , 192, 487-99	67
2050	Unusual genome organization of the marine invertebrate Rapana thomasiana Grosse (Gastropoda). <b>1983</b> , 88, 124-132	2
2049	Nuclease-hypersensitive sites in the chromatin domain of the chicken lysozyme gene. <b>1983</b> , 11, 3467-85	120
2048	Introduction of genetic material into plant cells. <b>1983</b> , 222, 815-21	164
2047	Fate of an intervening sequence ribonucleic acid: excision and cyclization of the Tetrahymena ribosomal ribonucleic acid intervening sequence in vivo. <b>1983</b> , 22, 2390-7	89

2046	Chromatin structure differs between coding and upstream flanking sequences of the yeast 35S ribosomal genes. <b>1983</b> , 22, 927-34	27
2045	Structure and transcription of the nopaline synthase gene region of T-DNA. <b>1983</b> , 11, 369-85	305
2044	The murine E alpha immune response gene. <b>1983</b> , 32, 745-54	186
2043	Human beta-globin promoter and coding sequences transcribed by RNA polymerase III. <b>1983</b> , 34, 857-64	88
2042	Conformation of promoter DNA: fine mapping of S1-hypersensitive sites. <b>1983</b> , 35, 837-48	217
2041	Evidence for the biochemical role of an internal sequence in yeast nuclear mRNA introns: implications for U1 RNA and metazoan mRNA splicing. <b>1983</b> , 34, 395-403	264
2040	Role of RNA structure in splicing: excision of the intervening sequence in yeast tRNA3leu is dependent on the formation of a D stem. <b>1983</b> , 35, 109-15	33
2039	Identification of two distinct regulatory regions adjacent to the human beta-interferon gene. <b>1983</b> , 34, 865-79	1098
2038	Isolation of transcription factors that discriminate between different promoters recognized by RNA polymerase II. <b>1983</b> , 32, 669-80	742
2037	A repetitive Dictyostelium gene family that is induced during differentiation and by heat shock. <b>1983</b> , 34, 997-1005	40
2036	Alternative RNA splicing of the murine alpha A-crystallin gene: protein-coding information within an intron. <b>1983</b> , 32, 707-12	258
2035	The U1 small nuclear RNA-protein complex selectively binds a 5' splice site in vitro. <b>1983</b> , 33, 509-18	578
2034	Precise excision of intervening sequences from precursor tRNAs by a membrane-associated yeast endonuclease. <b>1983</b> , 32, 525-36	261
2033	Splicing of in vitro synthesized messenger RNA precursors in HeLa cell extracts. <b>1983</b> , 35, 89-99	269
2032	Three regions upstream from the cap site are required for efficient and accurate transcription of the rabbit beta-globin gene in mouse 3T6 cells. <b>1983</b> , 32, 695-706	621
2031	Structures of P transposable elements and their sites of insertion and excision in the Drosophila melanogaster genome. <b>1983</b> , 34, 25-35	784
2030	The promoter-specific transcription factor Sp1 binds to upstream sequences in the SV40 early promoter. <b>1983</b> , 35, 79-87	1424
2029	Structure of the murine immune response I-A beta locus: sequence of the I-A beta gene and an adjacent beta-chain second domain exon. <b>1983</b> , 34, 179-88	191

2028	DNA sequences of yeast H3 and H4 histone genes from two non-allelic gene sets encode identical H3 and H4 proteins. <b>1983</b> , 169, 663-90	131
2027	Genomic organization of the genes coding for the six main histones of the chicken: complete sequence of the H5 gene. <b>1983</b> , 170, 843-59	82
2026	Splicing of adenovirus 2 early region 1A mRNAs is non-sequential. <b>1983</b> , 165, 475-95	86
2025	Core and E antigen synthesis in rodent cells transformed with hepatitis B virus DNA is associated with greater than genome length viral messenger RNAs. <b>1983</b> , 165, 683-99	83
2024	Loci for human U1 RNA: structural and evolutionary implications. <b>1983</b> , 167, 245-57	31
2023	Close relationship between certain nuclear and mitochondrial introns. Implications for the mechanism of RNA splicing. <b>1983</b> , 167, 595-605	107
2022	Functional analysis of the nucleotide sequence surrounding the cap site for adenovirus type 5 region E1A messenger RNAs. <b>1983</b> , 167, 809-22	38
2021	Analysis of the chromatin assembled in germinal vesicles of Xenopus oocytes. <b>1983</b> , 170, 699-722	56
2020	H protein, a minor protein of TMV virions, contains sequences of the viral coat protein. <b>1983</b> , 126, 429-48	16
2019	Equilibrium studies on the interaction of daunomycin with deoxypolynucleotides. <b>1983</b> , 22, 4204-11	118
2018	SV40 T antigen binding site mutations that affect autoregulation. <b>1983</b> , 32, 1227-40	127
2017	Sequence and structure conservation in yolk proteins and their genes. <b>1983</b> , 164, 481-92	108
2016	Nucleotide sequence of the herpes simplex virus type 2 (HSV-2) thymidine kinase gene and predicted amino acid sequence of thymidine kinase polypeptide and its comparison with the HSV-1 thymidine kinase gene. <b>1983</b> , 741, 158-70	51
2015	Structural Analysis of Nuclear Genes Coding for the Precursor to the Small Subunit of Wheat Ribulose <b>I</b> ,5 <b>B</b> isphosphate Carboxylase. <b>1983</b> , 1, 55-61	82
2014	Tandem repetition of the 5' mini-exon of variant surface glycoprotein genes: a multiple promoter for VSG gene transcription?. <b>1983</b> , 34, 891-900	148
2013	Cyclic AMP and the synthesis of phosphoenolpyruvate carboxykinase (GTP) mRNA. <b>1983</b> , 8, 165-167	11
2012	The SV40 72 bp repeat preferentially potentiates transcription starting from proximal natural or substitute promoter elements. <b>1983</b> , 32, 503-14	306
2011	Correct developmental expression of a cloned alcohol dehydrogenase gene transduced into the Drosophila germ line. <b>1983</b> , 34, 59-73	251

2010	Isolation, sequence analysis, and intron-exon arrangement of the gene encoding bovine rhodopsin.  1983, 34, 807-14	655
2009	Evidence for an intron-contained sequence required for the splicing of yeast RNA polymerase II transcripts. <b>1983</b> , 33, 519-27	417
2008	Multiple origins of transcription in the 4.5 Kb upstream of the epsilon-globin gene. <b>1983</b> , 35, 187-97	112
2007	Isolation and characterization of a human interleukin 2 gene. <b>1983</b> , 117, 114-21	18
2006	A weak upstream promoter gives rise to long human beta-globin RNA molecules. <b>1983</b> , 112, 1041-8	25
2005	Isolation and characterization of the mouse corticotropin-beta-lipotropin precursor gene and a related pseudogene. <b>1983</b> , 156, 67-71	88
2004	Nucleotide sequence of the bovine growth hormone chromosomal gene. <b>1983</b> , 33, 81-95	88
2003	Multiple origins of the complementary defective genomes of RF and origin proximal sequences of GS, two human papovavirus isolates. <b>1983</b> , 131, 426-36	33
2002	Characterization of a genomic clone for rat seminal vesicle secretory protein IV. <b>1983</b> , 11, 3169-86	55
2001	A large inverted repeat sequence overlaps two acceptor splice sites in adenovirus. <b>1983</b> , 11, 8891-900	11
2000	Transcription of hepatitis B virus by RNA polymerase II. <b>1983</b> , 3, 1766-73	116
1999	Cycloheximide resistance in yeast: the gene and its protein. <b>1983</b> , 11, 3123-35	182
1998	Structure of the dihydrofolate reductase gene in Chinese hamster ovary cells. <b>1983</b> , 11, 1997-2012	86
1997	Construction of a synthetic messenger RNA encoding a membrane protein. <b>1983</b> , 96, 1464-9	5
1996	The genome of minute virus of mice, an autonomous parvovirus, encodes two overlapping transcription units. <b>1983</b> , 11, 1019-38	136
1995	The nucleotide sequence of the chick cytoplasmic beta-actin gene. <b>1983</b> , 11, 8287-301	327
1994	A cDNA clone containing the entire coding sequence of a mouse H-2Kd histocompatibility antigen. <b>1983</b> , 11, 1567-77	90
1993	The nucleotide sequence of the rat cytoplasmic beta-actin gene. <b>1983</b> , 11, 1759-71	1027

1992	Search algorithm for pattern match analysis of nucleic acid sequences. <b>1983</b> , 11, 2943-57	81
1991	Mammalian keratin gene families: organisation of genes coding for the B2 high-sulphur proteins of sheep wool. <b>1983</b> , 11, 5327-46	68
1990	Organization of the transcriptional unit of a human class II histocompatibility antigen: HLA-DR heavy chain. <b>1983</b> , 11, 8663-75	81
1989	RNA 3'-terminal phosphate cyclase activity and RNA ligation in HeLa cell extract. <b>1983</b> , 11, 1405-18	85
1988	Formation of an adenine-thymine photoadduct in the deoxydinucleoside monophosphate d(TpA) and in DNA. <b>1983</b> , 220, 723-5	91
1987	Physical characteristics in eucaryotic promoters. <b>1983</b> , 11, 4521-40	49
1986	Nucleotide sequence of the Agrobacterium tumefaciens octopine Ti plasmid-encoded tmr gene. <b>1983</b> , 11, 6211-23	60
1985	Analysis in Cos-1 cells of processing and polyadenylation signals by using derivatives of the herpes simplex virus type 1 thymidine kinase gene. <b>1983</b> , 3, 267-79	48
1984	Expression of the human interferon-gamma cDNA in yeast. <b>1983</b> , 11, 1819-37	59
1983	ATA box transcription mutation in beta-thalassemia. <b>1983</b> , 11, 4727-34	94
1982	Long terminal repeat sequences of intracisternal A particle genes in the Syrian hamster genome: identification of tRNAPhe as a putative primer tRNA. <b>1983</b> , 11, 7169-79	47
1981	Accurate and efficient in vitro splicing of purified precursor RNAs specified by early region 2 of the adenovirus 2 genome. <b>1983</b> , 11, 1337-48	46
1980	A functional component of the sea urchin H2A gene modulator contains an extended sequence homology to a viral enhancer. <b>1983</b> , 11, 8123-36	30
1979	Yeast ribosomal protein S33 is encoded by an unsplit gene. <b>1983</b> , 11, 7759-68	44
1978	Multiple 3' ends of the chicken pro alpha 2(I) collagen gene. <b>1983</b> , 11, 5443-50	77
1977	Chick pro alpha 2 (I) collagen gene: exon location and coding potential for the prepropeptide. <b>1983</b> , 11, 91-104	54
1976	Localization of the hsp83 transcript within a 3292 nucleotide sequence from the 63B heat shock locus of D. melanogaster. <b>1983</b> , 11, 7011-30	106
1975	The yeast tRNATyr gene intron is essential for correct modification of its tRNA product. <b>1983</b> , 302, 681-7	153

1974	Sequence organization in Dictyostelium: unique structure at the 5'-ends of protein coding genes. <b>1983</b> , 11, 541-52	138
1973	Complete nucleotide sequence of the human corticotropin-beta-lipotropin precursor gene. <b>1983</b> , 11, 6847-58	122
1972	The complete nucleotide sequence of the I-E alpha d immune response gene. <b>1983</b> , 11, 5055-71	94
1971	Transfer RNA genes in Drosophila mitochondrial DNA: related 5' flanking sequences and comparisons to mammalian mitochondrial tRNA genes. <b>1983</b> , 11, 2411-25	39
1970	Plasmids for the cloning and expression of full-length double-stranded cDNAs under control of the SV40 early or late gene promoter. <b>1983</b> , 11, 7119-36	91
1969	An enhancer element is located 340 base pairs upstream from the adenovirus-2 E1A capsite. <b>1983</b> , 11, 8747-60	124
1968	cDNA cloning and nucleotide sequence comparison of Chinese hamster metallothionein I and II mRNAs. <b>1983</b> , 11, 901-10	76
1967	The adenovirus-2 Ella early gene promoter: sequences required for efficient in vitro and in vivo transcription. <b>1983</b> , 11, 7105-17	76
1966	The nucleotide sequence of the chicken apo very low density lipoprotein II gene. 1983, 11, 2529-40	43
1965	Gene structure of a phenobarbital-inducible cytochrome P-450 in rat liver. <b>1983</b> , 80, 3958-62	130
1964	Biochemical and molecular analysis of naturally occurring Adh variants in Drosophila melanogaster. <b>1983</b> , 80, 4798-802	38
1963	Complete nucleotide sequence of a French bean storage protein gene: Phaseolin. <b>1983</b> , 80, 1897-901	196
1962	Complete nucleotide sequence of an infectious clone of Friend spleen focus-forming provirus: gp55 is an envelope fusion glycoprotein. <b>1983</b> , 80, 5037-41	98
1961	A small region of the mouse mammary tumor virus long terminal repeat confers glucocorticoid hormone regulation on a linked heterologous gene. <b>1983</b> , 80, 5866-70	192
1960	Polyadenylylated nuclear RNA contains branches. <b>1983</b> , 80, 950-4	132
1959	Structure and expression of mouse VL30 genes. <b>1983</b> , 3, 2221-31	65
1958	DNA sequence of two linked actin genes of sea urchin. <b>1983</b> , 3, 448-56	39
1957	An upstream regulatory domain of avian tumor virus long terminal repeat is required for the expression of a procaryotic neomycin gene in eucaryotic cells. <b>1983</b> , 3, 1975-84	16

1956	Characterization of transposable element-associated mutations that alter yeast alcohol dehydrogenase II expression. <b>1983</b> , 3, 20-31	91
1955	Analysis of processing and polyadenylation signals of the hepatitis B virus surface antigen gene by using simian virus 40-hepatitis B virus chimeric plasmids. <b>1983</b> , 3, 2250-8	172
1954	Bovine papilloma virus contains an activator of gene expression at the distal end of the early transcription unit. <b>1983</b> , 3, 1108-22	200
1953	Transient expression of a mouse alpha-fetoprotein minigene: deletion analyses of promoter function. <b>1983</b> , 3, 1295-309	75
1952	Different exon-intron organization at the 5' part of a mouse class I gene is used to generate a novel H-2Kd-related mRNA. <b>1983</b> , 80, 7561-5	36
1951	Promoter-proximal pausing by RNA polymerase II in vitro: transcripts shorter than 20 nucleotides are not capped. <b>1983</b> , 80, 1251-5	85
1950	Yeast is unable to excise foreign intervening sequences from hybrid gene transcripts. <b>1983</b> , 80, 1496-500	63
1949	Modular structural units, exons, and function in chicken lysozyme. <b>1983</b> , 80, 1964-8	132
1948	Intracisternal A-particle genes as movable elements in the mouse genome. <b>1983</b> , 80, 1992-6	162
1947	Isolation of cellular DNA sequences that allow expression of adjacent genes. <b>1983</b> , 80, 2117-21	52
1946	Close relationship between the long terminal repeats of avian leukosis-sarcoma virus and copia-like movable genetic elements of Drosophila. <b>1983</b> , 80, 3193-7	69
1945	Isolation and characterization of the human apolipoprotein A-I gene. <b>1983</b> , 80, 6147-51	226
1944	Nucleotide sequence of the human parathyroid hormone gene. <b>1983</b> , 80, 2127-31	173
1943	Expression of herpes simplex virus beta and gamma genes integrated in mammalian cells and their induction by an alpha gene product. <b>1983</b> , 3, 2028-44	61
1942	Putative introns in tRNA genes of prokaryotes. <b>1983</b> , 80, 3309-12	146
1941	Correct transcription of a cloned mouse immunoglobulin gene in vivo. <b>1983</b> , 80, 417-21	77
1940	Isolation and characterization of a full-length expressible cDNA for human hypoxanthine phosphoribosyl transferase. <b>1983</b> , 80, 477-81	294
1939	Exon-intron organization and complete nucleotide sequence of a human major histocompatibility antigen DC beta gene. <b>1983</b> , 80, 7313-7	144

1938	Transcription modulation in vitro of the fibroin gene exerted by a 200-base-pair region upstream from the "TATA" box. <b>1983</b> , 80, 7442-6		60	
1937	DNA sequence changes in an upstream DNase I-hypersensitive region are correlated with reduced gene expression. <b>1983</b> , 80, 1063-7		66	
1936	Molecular cloning of the human gastrin gene. <b>1983</b> , 11, 8197-203		42	
1935	The exon:intron structure of some mitochondrial genes and its relation to mitochondrial evolution. <b>1983</b> , 82, 1-98		18	
1934	Preimplantation Development: Biology, Genetics, and Mutagenesis. <b>1983</b> , 4, 31-49		О	
1933	Somatic cell genetics and gene mapping. <b>1983</b> , 85, 109-146		23	
1932	Localization of active promoters for eucaryotic RNA polymerase II in the long terminal repeat of avian sarcoma virus DNA. <b>1983</b> , 3, 811-8		19	
1931	Aberrant splicing of Drosophila alcohol dehydrogenase transcripts in Saccharomyces cerevisiae <i>EMBO Journal</i> , <b>1983</b> , 2, 2085-2091	13	23	
1930	Expression of an mRNA coding gene under the control of an RNA polymerase I promoter <i>EMBO Journal</i> , <b>1983</b> , 2, 2319-2322	13	8	
1929	Isolation and sequence analysis of the human corticotropin-releasing factor precursor gene <i>EMBO Journal</i> , <b>1983</b> , 2, 775-779	13	275	
1928	Transcription from the SV40 early-early and late-early overlapping promoters in the absence of DNA replication <i>EMBO Journal</i> , <b>1983</b> , 2, 1605-1611	13	43	
1927	Rat prostatic steroid binding protein: DNA sequence and transcript maps of the two C3 genes <i>EMBO Journal</i> , <b>1983</b> , 2, 769-774	13	26	
1926	The primary structure of the duck alpha D-globin gene: an unusual 5? splice junction sequence <i>EMBO Journal</i> , <b>1983</b> , 2, 1339-1343	13	39	
1925	Conservation and divergence of immunoglobulin VH pseudogenes <i>EMBO Journal</i> , <b>1983</b> , 2, 1795-1800	13	17	
1924	The normal developmental regulation of a cloned sgs3 gluelbene chromosomally integrated in Drosophila melanogaster by P element transformation <i>EMBO Journal</i> , <b>1983</b> , 2, 2137-2142	13	44	
1923	The opine synthase genes carried by Ti plasmids contain all signals necessary for expression in plants <i>EMBO Journal</i> , <b>1983</b> , 2, 1597-1603	13	42	
1922	Identification of sequences involved in the polyadenylation of higher plant nuclear transcripts using Agrobacterium T-DNA genes as models <i>EMBO Journal</i> , <b>1983</b> , 2, 419-426	13	55	
1921	Structural organization of the rat gene for the arginine vasopressin-neurophysin precursor <i>EMBO Journal</i> , <b>1983</b> , 2, 763-767	13	135	

1920	Gene activation and re-expression of a Trypanosoma brucei variant surface glycoprotein <i>EMBO Journal</i> , <b>1983</b> , 2, 1185-1192	13	37
1919	Sequence requirement for transcription in vivo of the human preproenkephalin A gene <i>EMBO Journal</i> , <b>1983</b> , 2, 2223-2228	13	22
1918	Sequence of the murine and human cellular myc oncogenes and two modes of myc transcription resulting from chromosome translocation in B lymphoid tumours <i>EMBO Journal</i> , <b>1983</b> , 2, 2375-2383	13	271
1917	Mouse histocompatibility genes: structure and organisation of a Kd gene <i>EMBO Journal</i> , <b>1983</b> , 2, 245-2	! <b>54</b>	100
1916	Complete nucleotide sequence of a gene encoding a functional human class I histocompatibility antigen (HLA-CW3) <i>EMBO Journal</i> , <b>1984</b> , 3, 879-885	13	106
1915	Note added in proof. EMBO Journal, 1984, 3, 1073-1073	13	
1914	Is actin a transcription initiation factor for RNA polymerase B?. <i>EMBO Journal</i> , <b>1984</b> , 3, 2363-2371	13	164
1913	Characterization of bovine keratin genes: similarities of exon patterns in genes coding for different keratins <i>EMBO Journal</i> , <b>1984</b> , 3, 3279-3287	13	35
1912	Complete nucleotide sequence of the infectious cloned DNA components of tomato golden mosaic virus: potential coding regions and regulatory sequences. <i>EMBO Journal</i> , <b>1984</b> , 3, 2197-2205	13	111
1911	Structure of mouse major urinary protein genes: different splicing configurations in the 3?-non-coding region <i>EMBO Journal</i> , <b>1984</b> , 3, 1045-1052	13	55
1910	Yeast RNA polymerase II initiates transcription in vitro at TATA sequences proximal to potential non-B forms of the DNA template <i>EMBO Journal</i> , <b>1984</b> , 3, 1067-1073	13	10
1909	Two different types of intervening sequences in the glucoamylase gene from Aspergillus niger <i>EMBO Journal</i> , <b>1984</b> , 3, 1581-1585	13	112
1908	DNA sequence requirements for the accurate transcription of a protein-coding plastid gene in a plastid in vitro system from mustard (Sinapis alba L.). <i>EMBO Journal</i> , <b>1984</b> , 3, 1697-1704	13	88
1907	Spliced RNA from the IR1-U2 region of Epstein-Barr virus: presence of an open reading frame for a repetitive polypeptide <i>EMBO Journal</i> , <b>1984</b> , 3, 1913-1917	13	40
1906	Alternative splicing in the 5? moiety of the H-2Kd gene transcript EMBO Journal, 1984, 3, 2383-2386	13	24
1905	Isolation and characterization of the human prolactin gene <i>EMBO Journal</i> , <b>1984</b> , 3, 429-437	13	102
1904	Synthetic donor and acceptor splice sites function in an RNA polymerase B (II) transcription unit <i>EMBO Journal</i> , <b>1984</b> , 3, 2021-2028	13	33
1903	Analysis of the gene coding for the murine cellular tumour antigen p53 EMBO Journal, <b>1984</b> , 3, 2179-2	183	108

1902	Cloning of a gene localized and expressed at the ecdysteroid regulated puff 74EF in salivary glands of Drosophila larvae. <i>EMBO Journal</i> , <b>1984</b> , 3, 289-295	24
1901	Nucleotide sequence of an essential region for autonomous replication of cloned yeast mitochondrial DNA. <b>1984</b> , 95, 589-92	7
1900	The gene structure of human anti-haemophilic factor IX <i>EMBO Journal</i> , <b>1984</b> , 3, 1053-1060	229
1899	The primary structure of the larval beta 1-globin gene of Xenopus laevis and its flanking regions. <b>1984</b> , 12, 7705-19	13
1898	Short and long range activation by the SV40 enhancer. <b>1984</b> , 12, 5589-608	107
1897	A comparison of yeast ribosomal protein gene DNA sequences. <b>1984</b> , 12, 8295-312	271
1896	Translocation affects normal c-myc promoter usage and activates fifteen cryptic c-myc transcription starts in plasmacytoma M603. <b>1984</b> , 12, 8987-9007	27
1895	Poly(pyrimidine) . poly(purine) synthetic DNAs containing 5-methylcytosine form stable triplexes at neutral pH. <b>1984</b> , 12, 6603-14	292
1894	Immunoglobulin genes of different subgroups are interdigitated within the VK locus. <b>1984</b> , 12, 9229-36	117
1893	The nucleotide sequence of a rat myosin light chain 2 gene. <b>1984</b> , 12, 7175-86	81
1892	Human Cu/Zn superoxide dismutase gene: molecular characterization of its two mRNA species. <b>1984</b> , 12, 9349-65	55
1891	Composite human VK genes and a model of their evolution. <b>1984</b> , 12, 5249-63	70
1890	Secondary structure of splice sites in adenovirus mRNA precursors. <b>1984</b> , 12, 8437-56	25
1889	Structural analysis of the two tandemly repeated acid phosphatase genes in yeast. <b>1984</b> , 12, 7721-39	147
1888	Subcellular localization of RNAs in transfected cells: role of sequences at the 5' terminus. <b>1984</b> , 12, 8363-80	10
1887	Comparison of the whey acidic protein genes of the rat and mouse. <b>1984</b> , 12, 8685-97	163
1886	Stimulation of in vitro transcription by the upstream element of the adenovirus-2 major late promoter involves a specific factor. <b>1984</b> , 12, 8779-99	125
1885	Sequence of the pS2 mRNA induced by estrogen in the human breast cancer cell line MCF-7. <b>1984</b> , 12, 2861-78	281

1884	The nucleotide sequence of the chicken thymidine kinase gene and the relationship of its predicted polypeptide to that of the vaccinia virus thymidine kinase. <b>1984</b> , 12, 3959-71	74
1883	A conserved sequence element is present around the transcription initiation site for RNA polymerase A in Saccharomycetoideae. <b>1984</b> , 12, 1137-48	31
1882	Nucleic acid sequence and chromosome assignment of a wheat storage protein gene. <b>1984</b> , 12, 8129-44	92
1881	Generation and functional analyses for base-substitution mutants of the adenovirus 2 major late promoter. <b>1984</b> , 12, 9309-21	66
1880	Only three of the seven human chorionic gonadotropin beta subunit genes can be expressed in the placenta. <b>1984</b> , 12, 8415-36	65
1879	Structural organization of transposable element mdg4 from Drosophila melanogaster and a nucleotide sequence of its long terminal repeats. <b>1984</b> , 12, 3707-23	89
1878	Nucleotide sequences of bovine alpha S1- and kappa-casein cDNAs. <b>1984</b> , 12, 3895-907	128
1877	cDNA and gene nucleotide sequence of porcine plasminogen activator. <b>1984</b> , 12, 9525-41	119
1876	The complete nucleotide sequence of a legumin gene from pea (Pisum sativum L.). <b>1984</b> , 12, 4493-506	157
1875	The TGGCA-binding protein: a eukaryotic nuclear protein recognizing a symmetrical sequence on double-stranded linear DNA. <b>1984</b> , 12, 4295-311	192
1874	The structure of triple helical poly(U).poly(A).poly(U) studied by Raman spectroscopy. <b>1984</b> , 2, 615-25	14
1873	A detailed analysis of an HSV-1 early promoter: sequences involved in trans-activation by viral immediate-early gene products are not early-gene specific. <b>1984</b> , 12, 3037-56	113
1872	Map locations of five transcripts homologous to TR-DNA in tobacco and sunflower crown gall tumors. <b>1984</b> , 12, 2391-406	27
1871	Alternative sites of transcription initiation upstream of the canonical cap site in human gamma-globin and beta-globin genes. <b>1984</b> , 12, 1811-20	51
1870	A retroviral provirus closely associated with the Ren-2 gene of DBA/2 mice. <b>1984</b> , 12, 8579-93	57
1869	Putative promoter region of rRNA operon from archaebacterium Halobacterium halobium. <b>1984</b> , 12, 6537-46	42
1868	Nucleotide sequence of the tmr locus of Agrobacterium tumefaciens pTi T37 T-DNA. <b>1984</b> , 12, 4665-77	51
1867	A mouse histone H4 gene carried by an SV40 vector is accurately expressed in infected monkey cells. <b>1984</b> , 3, 215-22	4

1866	Cytochrome oxidase subunit II gene of rice has an insertion sequence within the intron. <b>1984</b> , 12, 7305-15	96
1865	Nucleotide sequence of the maize transposable element Mul. <b>1984</b> , 12, 5955-67	157
1864	Sequence, structure, and codon preference of the Drosophila ribosomal protein 49 gene. <b>1984</b> , 12, 5495-513	547
1863	Characterization of three chicken pseudogenes for U1 RNA. <b>1984</b> , 3, 281-6	7
1862	Complete nucleotide sequence of the murine H-2Kk gene. Comparison of three H-2K locus alleles. <b>1984</b> , 12, 9473-87	107
1861	Structural comparison of yeast ribosomal protein genes. <b>1984</b> , 12, 6685-700	112
1860	Structure of the chloroplast gene for the precursor of the Mr 32,000 photosystem II protein from mustard (Sinapis alba L.). <b>1984</b> , 12, 945-58	83
1859	Identification and sequence analysis of the 5' end of the major chicken vitellogenin gene. <b>1984</b> , 12, 1117-35	69
1858	Genetic organization of the polymorphic equine alpha globin locus and sequence of the BII alpha 1 gene. <b>1984</b> , 12, 7847-58	38
1857	Transcription control region within the protein-coding portion of adenovirus E1A genes. <b>1984</b> , 4, 1293-305	59
1856	Molecular cloning and characterization of the glucoamylase gene of Aspergillus awamori. <b>1984</b> , 4, 2306-15	164
1855	Sequence of the human somatostatin I gene. <b>1984</b> , 224, 168-71	142
1854	Molecular dissection of transcriptional control elements within the long terminal repeat of the retrovirus. <b>1984</b> , 223, 286-9	30
1853	Towards modeling DNA sequences as automata. <b>1984</b> , 10, 157-167	23
1852	Comparison of the active and inactive chromatin structures of genes transcribed by RNA polymerases I and II. <b>1984</b> , 6, 87-102	3
1851	Pattern recognition in several sequences: consensus and alignment. <b>1984</b> , 46, 515-27	89
1850	The use of cloned gene probes to study differentiation in teratocarcinomas. <b>1984</b> , 15, 257-67	10
1849	NICHD research workshop: normal and abnormal development of the limb. <b>1984</b> , 29, 315-23	4

1848	Isolation and partial sequence of bovine cDNA clones for the high-mobility-group protein (HMG-1). <b>1984</b> , 4, 49-57	27
1847	Active RNA: RNA enzymes in RNA splicing and processing. <b>1984</b> , 4, 707-27	4
1846	Evolution of the genes for the beta subunits of human chorionic gonadotropin and luteinizing hormone. <b>1984</b> , 307, 37-40	317
1845	Activation of a translocated human c-myc gene by an enhancer in the immunoglobulin heavy-chain locus. <b>1984</b> , 307, 334-40	254
1844	Role of an upstream regulatory element in leucine repression of the Saccharomyces cerevisiae leu2 gene. <b>1984</b> , 307, 740-2	69
1843	Isotypic and allotypic variation of human class II histocompatibility antigen alpha-chain genes. <b>1984</b> , 308, 327-33	262
1842	Single base deletion in the vasopressin gene is the cause of diabetes insipidus in Brattleboro rats. <b>1984</b> , 308, 705-9	371
1841	Two protein-binding sites in chromatin implicated in the activation of heat-shock genes. <b>1984</b> , 309, 229-34	485
1840	Intron-less globin genes in the insect Chironomus thummi thummi. <b>1984</b> , 310, 795-798	97
1839	Apparent discontinuous transcription of Trypanosoma brucei variant surface antigen genes. <b>1984</b> , 311, 350-5	192
1838	Characterization of the human factor VIII gene. <b>1984</b> , 312, 326-30	834
1837	Expression of active human factor VIII from recombinant DNA clones. <b>1984</b> , 312, 330-7	621
1836	Primary structure and genomic organization of the histidine-rich protein of the malaria parasite Plasmodium lophurae. <b>1984</b> , 312, 616-20	84
1835	Gene structure of human cardiac hormone precursor, pronatriodilatin. <b>1984</b> , 312, 654-6	118
1834	Nucleotide sequence of the gene encoding human atrial natriuretic factor precursor. <b>1984</b> , 312, 656-8	128
1833	Tissue-specific generation of two preprotachykinin mRNAs from one gene by alternative RNA splicing. <b>1984</b> , 312, 729-34	548
1832	Signal Sequences Associated with Fibroin Gene Expression are Identical in Fibroin-Producer and -Nonproducer Tissues. <b>1984</b> , 26, 139-147	10
1831	The biosynthesis of the ubiquinol-cytochrome c reductase complex in yeast. DNA sequence analysis of the nuclear gene coding for the 14-kDa subunit. <b>1984</b> , 138, 169-77	74

1830	The duck alpha A globin but not the yeast actin gene is transcribed by a HeLa cell extract. <b>1984</b> , 139, 201-8	4
1829	Human and murine class I histocompatibility antigens: Four years after cloning. <b>1984</b> , 1, 100-104	1
1828	DNA-Methylierung: Geninaktivierung durch sequenzspezifische DNA-Methylierungen. <b>1984</b> , 96, 917-929	10
1827	Nucleotide sequence comparison of the Adh gene in three drosophilids. <b>1984</b> , 20, 31-7	38
1826	Diversity in a chorion multigene family created by tandem duplications and a putative gene-conversion event. <b>1984</b> , 20, 265-73	34
1825	Is there a higher level genetic code that directs evolution?. <b>1984</b> , 64, 5-13	19
1824	Organization and evolution of a gene cluster for human immunoglobulin variable regions of the kappa type. <b>1984</b> , 176, 189-204	126
1823	Sequences in the long terminal repeats of the Moloney murine sarcoma virus-124 genome which control transforming gene function. <b>1984</b> , 137, 32-40	6
1822	FBR murine osteosarcoma virus. II. Nucleotide sequence of the provirus reveals that the genome contains sequences acquired from two cellular genes. <b>1984</b> , 135, 229-43	116
1821	Characterization of a solitary long terminal repeat of avian endogenous virus origin. <b>1984</b> , 134, 493-6	15
1820	Nucleotide sequence specifying the glycoprotein gene, gB, of herpes simplex virus type 1. <b>1984</b> , 133, 301-14	182
1819	The distal transcription signals of the herpesvirus tk gene share a common hexanucleotide control sequence. <b>1984</b> , 37, 253-62	294
1818	The C-Value Paradox. <b>1984</b> , 34, 425-429	7
1817	Nine introns with conserved boundary sequences in the Euglena gracilis chloroplast ribulose-1,5-bisphosphate carboxylase gene. <b>1984</b> , 36, 545-53	67
1816	RNA splicing: rearrangement of RNA sequences in the expression of split genes. <b>1984</b> , 9, 139-141	21
1815	The mouse c-abl locus: molecular cloning and characterization. <b>1984</b> , 36, 349-56	202
1814	HMG CoA reductase: a negatively regulated gene with unusual promoter and 5' untranslated regions. <b>1984</b> , 38, 275-85	538
1813	Chromosomal arrangement of the duck alpha-globin genes and primary structure of the embryonic alpha-globin gene pi. <b>1984</b> , 32, 161-70	11

1812	Human metallothionein MT-I and MT-II processed genes. <b>1984</b> , 31, 135-45	38
1811	Cloning cDNAs corresponding to the 5' end of messenger RNAs using specific DNA primers. <b>1984</b> , 66, 673-9	
1810	Use of gene transfer to study expression of steroid-responsive genes. <b>1984</b> , 34, 159-68	13
1809	Mouse T cell antigen receptor: structure and organization of constant and joining gene segments encoding the beta polypeptide. <b>1984</b> , 37, 1101-10	398
1808	Structure and nucleotide sequence of the putative mammary oncogene int-1; proviral insertions leave the protein-encoding domain intact. <b>1984</b> , 39, 233-40	206
1807	Remarkable conservation of structure among intermediate filament genes. <b>1984</b> , 39, 491-8	175
1806	The nucleotide sequence of the yeast ARG4 gene. <b>1984</b> , 29, 271-9	111
1805	A homeo-box-containing gene expressed during oogenesis in Xenopus. <b>1984</b> , 39, 157-62	116
1804	Effects of transposable element insertions on RNA encoded by the white gene of Drosophila. <b>1984</b> , 38, 471-81	143
1803	Linkage map of two HLA-SB beta and two HLA-SB alpha-related genes: an intron in one of the SB beta genes contains a processed pseudogene. <b>1984</b> , 38, 241-9	119
1802	High specificity of the cDNA-RNase assay to detect accurate splicing in vitro. <b>1984</b> , 3, 331-8	3
1801	Molecular analysis of the alcohol dehydrogenase (Adh1) gene of maize. <b>1984</b> , 12, 3983-4000	338
1800	Organization and expression of prostatic steroid binding protein genes. <b>1984</b> , 20, 67-71	12
1799	Characterization of the newly-formed internucleotide bond of in vitro spliced mRNAs. <b>1984</b> , 122, 466-71	2
1798	One base substitution in IVS-2 causes a beta +-thalassemia phenotype in a Chinese patient. <b>1984</b> , 121, 324-30	7
1797	S1-nuclease mapping of the genomic Lepore-Boston DNA demonstrates that the entire large intervening sequence of the fusion gene is of beta-type. <b>1984</b> , 120, 116-23	4
1796	Transcriptionally active chromatin. <b>1984</b> , 782, 343-93	306
1795	Conserved structural features are found upstream from the three co-ordinately regulated discoidin I genes of Dictyostelium discoideum. <b>1984</b> , 172, 203-20	31

1794	A Drosophila RNA polymerase II transcription factor contains a promoter-region-specific DNA-binding activity. <b>1984</b> , 36, 357-69	531
1793	DNA sequence of the white locus of Drosophila melanogaster. <b>1984</b> , 180, 437-55	273
1792	Conserved dyad symmetry structures at the 3' end of H5 histone genes. Analysis of the duck H5 gene. <b>1984</b> , 178, 121-35	34
1791	Dispersal process associated with the L1 family of interspersed repetitive DNA sequences. <b>1984</b> , 178, 795-813	99
1790	Human dihydrofolate reductase gene organization. Extensive conservation of the G + C-rich 5' non-coding sequence and strong intron size divergence from homologous mammalian genes. <b>1984</b> , 176, 169-87	95
1789	Isolation and complete nucleotide sequence of the gene for bovine parathyroid hormone. <b>1984</b> , 28, 319-29	59
1788	Tandem arrangement of the albumin and alpha-fetoprotein genes in the human genome. <b>1984</b> , 32, 255-61	91
1787	The enigma of the Klebsiella connection and ankylosing spondylitis: a commentary. <b>1984</b> , 9, 131-6	10
1786	The human LDL receptor: a cysteine-rich protein with multiple Alu sequences in its mRNA. <b>1984</b> , 39, 27-38	1347
1785	Regulation, linkage, and sequence of mouse metallothionein I and II genes. <b>1984</b> , 4, 1221-30	346
1784	Mouse mammary tumor virus: transcriptional control and involvement in tumorigenesis. <b>1984</b> , 41, 155-84	34
1783	Immunoglobulin RNA rearrangements in B lymphocyte differentiation. <b>1984</b> , 35, 39-59	28
1782	Molecular structure of the human argininosuccinate synthetase gene: occurrence of alternative mRNA splicing. <b>1984</b> , 4, 1978-84	72
1781	Characterization of the expressed gene and several processed pseudogenes for the mouse ribosomal protein L30 gene family. <b>1984</b> , 4, 2518-28	187
1780	Adenovirus 5 E2 transcription unit: an E1A-inducible promoter with an essential element that functions independently of position or orientation. <b>1984</b> , 4, 875-82	102
1779	Structure of the human renin gene. <b>1984</b> , 81, 5999-6003	114
1778	DNA binding activity of polyoma virus large tumor antigen. <b>1984</b> , 81, 1941-5	54
1777	A large interspersed repeat found in mouse DNA contains a long open reading frame that evolves as if it encodes a protein. <b>1984</b> , 81, 2308-12	83

1776	Cardiac alpha- and beta-myosin heavy chain genes are organized in tandem. <b>1984</b> , 81, 2626-30	301
1775	Efficient coupled transcription and mRNA splicing in vitro using plasmids derived from early region 3 of adenovirus 2 and a nondefective adenovirus-simian virus 40 hybrid. <b>1984</b> , 81, 2679-83	2
1774	The long terminal repeat of an endogenous intracisternal A-particle gene functions as a promoter when introduced into eucaryotic cells by transfection. <b>1984</b> , 4, 2128-35	44
1773	Expression of the mouse p53 cellular tumor antigen in monkey cells. <b>1984</b> , 4, 2180-6	35
1772	Polypeptide hormone regulation of gene transcription: specific 5' genomic sequences are required for epidermal growth factor and phorbol ester regulation of prolactin gene expression. <b>1984</b> , 81, 2975-9	70
1771	Intervening sequence in the thymidylate synthase gene of bacteriophage T4. <b>1984</b> , 81, 3049-53	175
1770	Isolation and nucleotide sequence of the gene encoding human rhodopsin. <b>1984</b> , 81, 4851-5	385
1769	Stable transfer and expression of exogenous human globin genes in human erythroleukemia (K562) cells. <b>1984</b> , 81, 5315-9	28
1768	Isolation and characterization of the rat tyrosine aminotransferase gene. <b>1984</b> , 81, 1346-50	110
1767	In vitro mutagenesis and transcriptional analysis of a mouse ribosomal promoter element. <b>1984</b> , 81, 2137-41	70
1766	Location of sequences in polyomavirus DNA that are required for early gene expression in vivo and in vitro. <b>1984</b> , 4, 2594-609	58
1765	Nuclear matrix DNA from chicken erythrocytes contains beta-globin gene sequences. <b>1984</b> , 81, 304-7	58
1764	Are DNA spacers relics of gene amplification events?. <b>1984</b> , 81, 1768-70	4
1763	Primary structure of the RAD52 gene in Saccharomyces cerevisiae. <b>1984</b> , 4, 2735-44	116
1762	Requirement for distal upstream sequences for maximal transcription in vitro of early region IV of adenovirus. <b>1984</b> , 4, 791-8	29
1761	Structural analysis of the gene encoding human gastrin: the large intron contains an Alu sequence. <b>1984</b> , 81, 4662-6	67
1760	Triplication of a four-gene set during evolution of the goat beta-globin locus produced three genes now expressed differentially during development. <b>1984</b> , 81, 6589-93	42
1759	Two regulatory elements for immunoglobulin kappa light chain gene expression. <b>1984</b> , 81, 7041-5	197

1758	Nucleotide sequence of the tms genes of the pTiA6NC octopine Ti plasmid: two gene products involved in plant tumorigenesis. <b>1984</b> , 81, 1728-32	121
1757	Structure and expression of a pea nuclear gene encoding a chlorophyll a/b-binding polypeptide. 1984, 81, 2960-4	227
1756	Synthesis in animal cells of hepatitis B surface antigen particles carrying a receptor for polymerized human serum albumin. <b>1984</b> , 81, 7708-12	160
1755	In vitro-synthesized adenovirus 2 messenger RNA precursors are accurately spliced by nuclear extracts. <b>1984</b> , 81, 4707-11	14
1754	Small fragments of herpesvirus DNA with transforming activity contain insertion sequence-like structures. <b>1984</b> , 81, 4736-40	58
1753	Stimulation of in vitro transcription from heterologous promoters by the simian virus 40 enhancer. <b>1984</b> , 81, 308-12	102
1752	Proximal and distal domains that control in vitro transcription of the adenovirus IVa2 gene. <b>1984</b> , 81, 6290-4	51
1751	Intron splicing: a conserved internal signal in introns of animal pre-mRNAs. <b>1984</b> , 81, 7417-20	320
1750	Promoter-regulatory region of the major immediate early gene of human cytomegalovirus. <b>1984</b> , 81, 659-63	245
1749	Structure of a human gastrin gene. <b>1984</b> , 81, 1067-9	121
1748	beta-Thalassemia in American Blacks: novel mutations in the "TATA" box and an acceptor splice site. <b>1984</b> , 81, 1154-8	168
1747	Insertion of retrovirus into the first intron of alpha 1(I) collagen gene to embryonic lethal mutation in mice. <b>1984</b> , 81, 1504-8	205
1746	Structure and comparison of the oxytocin and vasopressin genes from rat. <b>1984</b> , 81, 2006-10	285
1745	Sequence of a complete chicken delta-crystallin cDNA. <b>1984</b> , 81, 2611-5	31
1744	Primary structure of the nuclear PUT2 gene involved in the mitochondrial pathway for proline utilization in Saccharomyces cerevisiae. <b>1984</b> , 4, 2837-42	66
1743	High-resolution mapping of DNase I-hypersensitive sites of Drosophila heat shock genes in Drosophila melanogaster and Saccharomyces cerevisiae. <b>1984</b> , 4, 1853-63	71
1742	Sequence-specific insertion of the Drosophila transposable genetic element 17.6. <b>1984</b> , 310, 332-3	55
1741	Biochemistry and molecular biology of catecholamine neurons: a single gene or gene family hypothesis. <b>1984</b> , 6, 11-21	

1740	The biochemistry and molecular biology of atrial natriuretic factor. <i>Biochemical Journal</i> , <b>1985</b> , 232, 313-2318	84
1739	Cloning of 11 alpha-tubulin gene sequences from the genome of Chinese hamster ovary cells. <b>1985</b> , 63, 511-8	15
1738	Genetic engineering in the Precambrian: structure of the chicken triosephosphate isomerase gene. <b>1985</b> , 5, 3497-506	68
1737	The origin and evolution of retroposons. <b>1985</b> , 93, 187-279	449
1736	Exons and the evolution of proteins. <b>1985</b> , 93, 149-85	71
1735	Gene encoding human growth hormone-releasing factor precursor: structure, sequence, and chromosomal assignment. <b>1985</b> , 82, 63-7	122
1734	Nucleotide sequence and structure of the human apolipoprotein E gene. <b>1985</b> , 82, 3445-9	247
1733	Transcription factor Sp1 recognizes promoter sequences from the monkey genome that are simian virus 40 promoter. <b>1985</b> , 82, 4915-9	82
1732	Molecular structure of the human cytoplasmic beta-actin gene: interspecies homology of sequences in the introns. <b>1985</b> , 82, 6133-7	616
1731	Saccharomyces cerevisiae CYC1 mRNA 5'-end positioning: analysis by in vitro mutagenesis, using synthetic duplexes with random mismatch base pairs. <b>1985</b> , 5, 3545-51	80
1730	Locus encoding a family of small heat shock genes in Caenorhabditis elegans: two genes duplicated to form a 3.8-kilobase inverted repeat. <b>1985</b> , 5, 1268-78	106
1729	Suppressors of Saccharomyces cerevisiae his3 promoter mutations lacking the upstream element. <b>1985</b> , 5, 1901-9	25
1728	Transcription boundaries of U1 small nuclear RNA. <b>1985</b> , 5, 2332-40	55
1727	Transcription of herpes simplex virus tk sequences under the control of wild-type and mutant human RNA polymerase I promoters. <b>1985</b> , 5, 352-62	152
1726	Accurate and efficient transcription of human c-myc genes injected into Xenopus laevis oocytes. <b>1985</b> , 5, 1434-41	20
1725	Presence of retrovirus reverse transcriptase-related gene sequences in avian cells lacking endogenous avian leukosis viruses. <b>1985</b> , 82, 5097-101	37
1724	Nick-translation of metaphase chromosomes: in vitro labeling of nuclease-hypersensitive regions in chromosomes. <b>1985</b> , 82, 854-8	16
1723	One hundred base pairs of 5' flanking sequence of a vaccinia virus late gene are sufficient to temporally regulate late transcription. <b>1985</b> , 82, 2096-100	112

1722	Identification and characterization of the human type II collagen gene (COL2A1). <b>1985</b> , 82, 2555-9	121
1721	Nucleotide sequence of the 3' exon of the human N-myc gene. <b>1985</b> , 13, 2545-58	14
1720	Sequence organisation of rat seminal vesicle F gene: location of transcriptional start point and sequence comparison with six other androgen-regulated genes. <b>1985</b> , 13, 659-72	39
1719	Activity regulates the levels of acetylcholine receptor alpha-subunit mRNA in cultured chicken myotubes. <b>1985</b> , 82, 4558-62	139
1718	The sequence of a type II keratin gene expressed in human skin: conservation of structure among all intermediate filament genes. <b>1985</b> , 82, 4683-7	119
1717	Nucleotide sequence and predicted amino acid sequence of a protein encoded in a small herpes simplex virus DNA fragment capable of trans-inducing alpha genes. <b>1985</b> , 82, 5870-4	150
1716	Complete sequence of a gene encoding a human type I keratin: sequences homologous to enhancer elements in the regulatory region of the gene. <b>1985</b> , 82, 1609-13	142
1715	Complete sequence of the chicken glyceraldehyde-3-phosphate dehydrogenase gene. <b>1985</b> , 82, 1628-32	97
1714	Adenovirus EIIA early promoter: transcriptional control elements and induction by the viral pre-early EIA gene, which appears to be sequence independent. <b>1985</b> , 82, 2230-4	139
1713	Isolation of stable preinitiation, initiation, and elongation complexes from RNA polymerase II-directed transcription. <b>1985</b> , 82, 2632-6	21
1712	Nucleotide sequence and organization of the mouse adenine phosphoribosyltransferase gene: presence of a coding region common to animal and bacterial phosphoribosyltransferases that has a variable intron/exon arrangement. <b>1985</b> , 82, 2731-5	154
1711	Characterization of the multigene family encoding the mouse S16 ribosomal protein: strategy for distinguishing an expressed gene from its processed pseudogene counterparts by an analysis of total genomic DNA. <b>1985</b> , 5, 3560-76	191
1710	Novel chicken actin gene: third cytoplasmic isoform. <b>1985</b> , 5, 1151-62	80
1709	Characterization of the functional gene and several processed pseudogenes in the human triosephosphate isomerase gene family. <b>1985</b> , 5, 1694-706	95
1708	Structure and developmental regulation of a wheat gene encoding the major chlorophyll a/b-binding polypeptide. <b>1985</b> , 5, 1370-8	133
1707	Nonproductive kappa immunoglobulin genes: recombinational abnormalities and other lesions affecting transcription, RNA processing, turnover, and translation. <b>1985</b> , 5, 1660-75	69
1706	Opposite-strand RNAs from the 5' flanking region of the mouse dihydrofolate reductase gene. <b>1985</b> , 82, 3978-82	113
1705	Characterization and sequence of the promoter region of the human epidermal growth factor receptor gene. <b>1985</b> , 82, 4920-4	361

1704	DNA sequence and transcript mapping of a soybean gene encoding a small heat shock protein. <b>1985</b> , 82, 3726-30	94
1703	Characterization of an HLA DR beta pseudogene. <b>1985</b> , 82, 1475-9	140
1702	RAD6 gene of Saccharomyces cerevisiae encodes a protein containing a tract of 13 consecutive aspartates. <b>1985</b> , 82, 168-72	142
1701	The nucleotide sequence of the gene for human protein C. <b>1985</b> , 82, 4673-7	298
1700	Nucleotide sequence of an unusual regionally expressed silkmoth chorion RNA: predicted primary and secondary structures of an architectural protein. <b>1985</b> , 82, 6035-9	10
1699	An enhancer-like element in the adenovirus E2 promoter contains sequences essential for uninduced and E1A-induced transcription. <b>1985</b> , 82, 381-5	125
1698	Chicken triosephosphate isomerase complements an Escherichia coli deficiency. <b>1985</b> , 82, 2014-8	57
1697	Intron-mediated recombination may cause a deletion in an alpha 1 type I collagen chain in a lethal form of osteogenesis imperfecta. <b>1985</b> , 82, 2870-4	111
1696	Characterization of the myosin light-chain-2 gene of Drosophila melanogaster. <b>1985</b> , 5, 3058-68	75
1695	Structure of the rat alpha 1-acid glycoprotein gene. <b>1985</b> , 5, 3634-9	33
1694	Linker scanning mutagenesis of the 5'-flanking region of the mouse beta-major-globin gene: sequence requirements for transcription in erythroid and nonerythroid cells. <b>1985</b> , 5, 1498-511	137
1694 1693		137 51
1693	sequence requirements for transcription in erythroid and nonerythroid cells. <b>1985</b> , 5, 1498-511  Apparent gene conversion between beta-tubulin genes yields multiple regulatory pathways for a	
1693	Apparent gene conversion between beta-tubulin genes yields multiple regulatory pathways for a single beta-tubulin polypeptide isotype. <b>1985</b> , 5, 2454-65	51
1693 1692	Apparent gene conversion between beta-tubulin genes yields multiple regulatory pathways for a single beta-tubulin polypeptide isotype. 1985, 5, 2454-65  Transcription unit of the rabbit beta 1 globin gene. 1985, 5, 147-60  Myosin light-chain 1 and 3 gene has two structurally distinct and differentially regulated promoters evolving at different rates. 1985, 5, 3168-82	51 52
1693 1692 1691	Apparent gene conversion between beta-tubulin genes yields multiple regulatory pathways for a single beta-tubulin polypeptide isotype. 1985, 5, 2454-65  Transcription unit of the rabbit beta 1 globin gene. 1985, 5, 147-60  Myosin light-chain 1 and 3 gene has two structurally distinct and differentially regulated promoters evolving at different rates. 1985, 5, 3168-82	51 52 93
1693 1692 1691 1690	Apparent gene conversion between beta-tubulin genes yields multiple regulatory pathways for a single beta-tubulin polypeptide isotype. 1985, 5, 2454-65  Transcription unit of the rabbit beta 1 globin gene. 1985, 5, 147-60  Myosin light-chain 1 and 3 gene has two structurally distinct and differentially regulated promoters evolving at different rates. 1985, 5, 3168-82  DNA polymorphism and molecular pathology of the human globin gene clusters. 1985, 69, 1-14	51 52 93 223

1686	DNA sequence analysis of a rat RT1 class II A beta gene. <b>1985</b> , 22, 653-63	27
1685	Primary structure of a gene for subunit V of the cytochrome c oxidase from Saccharomyces cerevisiae. <b>1985</b> , 9, 435-9	15
1684	Primary structure of the trpC gene from Aspergillus nidulans. <b>1985</b> , 199, 37-45	173
1683	Coding and potential regulatory sequences of a cluster of chorion genes in Drosophila melanogaster. <b>1985</b> , 92, 124-35	73
1682	Structure of a functional rabbit class I MHC gene: similarity to human class I genes. <b>1985</b> , 21, 71-82	48
1681	Analysis of gene expression during hematopoiesis: present and future applications. <b>1985</b> , 4, 67-102	2
1680	Isolation of a homoeo box-containing gene from the engrailed region of Drosophila and the spatial distribution of its transcripts. <b>1985</b> , 313, 284-9	329
1679	A trans-acting factor is responsible for the simian virus 40 enhancer activity in vitro. <b>1985</b> , 313, 458-63	219
1678	A test for intron function in the yeast actin gene. <b>1985</b> , 314, 183-4	30
1677	Characterization of cDNA and genomic clones encoding the precursor to rat hypothalamic growth hormone-releasing factor. <b>1985</b> , 314, 464-7	107
1676	A short conserved sequence is involved in the light-inducibility of a gene encoding ribulose 1,5-bisphosphate carboxylase small subunit of pea. <b>1985</b> , 315, 200-204	192
1675	Detection and sequence of mutations in the factor VIII gene of haemophiliacs. <b>1985</b> , 315, 427-30	174
1674	A role for branchpoints in splicing in vivo. <b>1985</b> , 315, 430-2	46
1673	Control of eukaryotic messenger RNA synthesis by sequence-specific DNA-binding proteins. <b>1985</b> , 316, 774-8	1273
1672	Unusual organization and diversity of T-cell receptor alpha-chain genes. 1985, 316, 828-32	204
1671	Genomic organization of the genes encoding mouse T-cell receptor alpha-chain. <b>1985</b> , 316, 832-6	206
1670	Relationship between an enhancer element in the human antithrombin III gene and an immunoglobulin light-chain gene enhancer. <b>1985</b> , 316, 845-8	47
1669	An exonuclease protection assay reveals heat-shock element and TATA box DNA-binding proteins in crude nuclear extracts. <b>1985</b> , 317, 84-7	290

1668	The in vitro transcription of a rainbow trout (Salmo gairdnerii) protamine gene. II. Controlled mutation of the cap site region. <b>1985</b> , 5, 113-20		3
1667	The structure and complexity of the 11S polypeptides in soybeans. <b>1985</b> , 62, 1680-1686		112
1666	Split genes. <b>1985</b> , 9, 18-27		
1665	Characterization of the mRNA transcripts of the maize, ribulose-1,5-bisphosphate carboxylase, large subunit gene. <b>1985</b> , 4, 169-79		20
1664	TheILV1 gene in Saccharomyces cerevisiae: 5? and 3? end mapping of transcripts and their regulation. <b>1985</b> , 50, 163-178		10
1663	Structural wrinkles and the genomic regulatory sites of eukaryotes. <b>1985</b> , 22, 150-9		10
1662	Histone H4 and H2B genes in rainbow trout (Salmo gairdnerii). <b>1985</b> , 22, 1-19		25
1661	The mouse muscle creatine kinase cDNA and deduced amino acid sequences: comparison to evolutionarily related enzymes. <b>1985</b> , 22, 334-41		53
1660	Structure of the 5' end region of the human argininosuccinate synthetase gene. <b>1985</b> , 8, 157-9		6
1659	Organization of the albumin and alpha-fetoprotein genes in fetal and adult rat tissues, and rat hepatomas. <b>1985</b> , 29, 238-42		4
1658	Cloning and nucleotide sequence of the murine interleukin-3 gene. <b>1985</b> , 150, 297-304		54
1657	Major polyadenylated transcripts of cassava latent virus and location of the gene encoding coat protein. <i>EMBO Journal</i> , <b>1985</b> , 4, 33-37	13	68
1656	Differential expression of the eight genes of the petunia ribulose bisphosphate carboxylase small subunit multi-gene family. <i>EMBO Journal</i> , <b>1985</b> , 4, 3055-3061	13	160
1655	Analysis of mouse major urinary protein genes: variation between the exonic sequences of group 1 genes and a comparison with an active gene out with group 1 both suggest that gene conversion has occurred between MUP genes <i>EMBO Journal</i> , <b>1985</b> , 4, 3167-3171	13	21
1654	Promoter analysis of a soybean nuclear gene coding for nodulin-23, a nodule-specific polypeptide involved in symbiosis with Rhizobium. <i>EMBO Journal</i> , <b>1985</b> , 4, 2431-2438	13	5
1653	Novel structure of the 5' end region of the human argininosuccinate synthetase gene. <b>1985</b> , 98, 1395-40	3	26
1652	The human ubiquitin multigene family: some genes contain multiple directly repeated ubiquitin coding sequences <i>EMBO Journal</i> , <b>1985</b> , 4, 755-759	13	268
1651	The human HLA class II alpha chain gene DZ alpha is distinct from genes in the DP, DQ and DR subregions <i>EMBO Journal</i> , <b>1985</b> , 4, 2231-2237	13	115

1650	Purification, chain separation and sequence of the MRC OX-8 antigen, a marker of rat cytotoxic T lymphocytes <i>EMBO Journal</i> , <b>1985</b> , 4, 2539-2545	13	41
1649	The nucleotide sequence of the human int-1 mammary oncogene; evolutionary conservation of coding and non-coding sequences <i>EMBO Journal</i> , <b>1985</b> , 4, 2905-2909	13	70
1648	The 5? region of the p53 gene: evolutionary conservation and evidence for a negative regulatory element <i>EMBO Journal</i> , <b>1985</b> , 4, 3209-3213	13	93
1647	Nucleotide sequence of the RAD10 gene of Saccharomyces cerevisiae <i>EMBO Journal</i> , <b>1985</b> , 4, 3549-35	<b>52</b> 3	32
1646	Specific interaction between a transcription factor and the upstream element of the adenovirus-2 major late promoter <i>EMBO Journal</i> , <b>1985</b> , 4, 3563-3570	13	136
1645	Architecture and anatomy of the chromosomal locus in human chromosome 21 encoding the Cu/Zn superoxide dismutase <i>EMBO Journal</i> , <b>1985</b> , 4, 77-84	13	176
1644	Structural and functional evidence for differential promoter activity of the two linked delta-crystallin genes in the chicken <i>EMBO Journal</i> , <b>1985</b> , 4, 445-452	13	29
1643	The adenovirus-2 early EIIa transcription unit possesses two overlapping promoters with different sequence requirements for EIa-dependent stimulation <i>EMBO Journal</i> , <b>1985</b> , 4, 1293-1300	13	55
1642	Yeast mRNA initiation sites are determined primarily by specific sequences, not by the distance from the TATA element <i>EMBO Journal</i> , <b>1985</b> , 4, 3273-3280	13	95
1641	Epidermal growth factor and oncogenes induce transcription of the same cellular mRNA in rat fibroblasts <i>EMBO Journal</i> , <b>1985</b> , 4, 1435-1440	13	227
1640	Isolation and structural organization of the Neurospora crassa copper metallothionein gene <i>EMBO Journal</i> , <b>1985</b> , 4, 2665-2668	13	48
1639	Sequence structures of a mouse major urinary protein gene and pseudogene compared <i>EMBO Journal</i> , <b>1985</b> , 4, 3159-3165	13	37
1638	Structure, expression and regulation of a nuclear gene encoding a mitochondrial protein: the yeast L(+)-lactate cytochrome c oxidoreductase (cytochrome b2) <i>EMBO Journal</i> , <b>1985</b> , 4, 3265-3272	13	115
1637	Nucleotide sequence of the L1 ribosomal protein gene of Xenopus laevis: remarkable sequence homology among introns <i>EMBO Journal</i> , <b>1985</b> , 4, 3483-3488	13	59
1636	Analysis of the mouse dhfr promoter region: existence of a divergently transcribed gene. <b>1985</b> , 5, 1847	-58	111
1635	Structure of a gene encoding a murine thymus leukemia antigen, and organization of Tla genes in the BALB/c mouse. <b>1985</b> , 162, 528-45		108
1634	Adenosine deaminase: characterization and expression of a gene with a remarkable promoter <i>EMBO Journal</i> , <b>1985</b> , 4, 437-443	13	220
1633	AN ALLOSTERIC REGULATORY MECHANISM FOR ESTROGEN RECEPTOR ACTIVATION. <b>1985</b> , 173-198		3

CHROMATIN, AND I	NDING OF ACTIVATED RECEPTOR-GLUCOCORTICOID COMPLEX TO NUCLEI, DNA. <b>1985</b> , 225-248	
1631 PHOSPHORYLATION	N ON TYROSINE OF THE 173-ESTRADIOL RECEPTOR. <b>1985</b> , 279-298	1
1620	AMMARY RESPONSIVENESS TO ESTROGEN: AN ANALYSIS OF DIFFERENCES RY GLAND AND THE UTERUS. <b>1985</b> , 413-436	2
	IOLOGICAL RESPONSES OF ESTROGENS, ANTIESTROGENS AND I THE FETAL AND NEWBORN UTERUS. <b>1985</b> , 471-504	
1628 STUDIES OF THE SU 1985, 61-84	IBUNIT COMPOSITION OF THE 8.5S RABBIT UTERINE PROGESTIN RECEPTOR.	
1627 STEROID HORMON	ES, RECEPTORS AND NEUROTRANSMITTERS. <b>1985</b> , 701-732	5
	R 2,3,7,8-TETRACHLORODIBENZO-P-DIOXIN: SIMILARITIES AND ITH STEROID HORMONE RECEPTORS. <b>1985</b> , 755-790	1
1625 SUBJECT INDEX. <b>19</b>	<b>985</b> , 817-824	
1624 <b>825-828. 1985</b> , 825-	-828	1
1623  -Vl. <b>1985,</b>  -Vl		
1622 Molecular Mechanis	sm of Steroid Hormone Action. <b>1985</b> ,	3
STRUCTURE, PROPE	esm of Steroid Hormone Action. <b>1985</b> ,  ERTIES AND SUBCELLULAR LOCALIZATION OF THE CHICK OVIDUCT  ECEPTOR <b>1985</b> , 31-60	3
STRUCTURE, PROPE PROGESTERONE RE	ERTIES AND SUBCELLULAR LOCALIZATION OF THE CHICK OVIDUCT	3
STRUCTURE, PROPE PROGESTERONE RE 1620 INTERACTION OF N	ERTIES AND SUBCELLULAR LOCALIZATION OF THE CHICK OVIDUCT ECEPTOR <b>1985</b> , 31-60	3
STRUCTURE, PROPE PROGESTERONE RE  1620 INTERACTION OF N  1619 STEROID HORMONI	ERTIES AND SUBCELLULAR LOCALIZATION OF THE CHICK OVIDUCT ECEPTOR 1985, 31-60  BUCLEOTIDES WITH STEROID HORMONE RECEPTORS. 1985, 351-376  BE RECEPTOR DYNAMICS: THE KEY TO TISSUE RESPONSIVENESS. 1985, 377-398  BOUSE GLUCOCORTICOID RECEPTOR STRUCTURE: EFFECTS OF VARIOUS	3
STRUCTURE, PROPE PROGESTERONE RE  1620 INTERACTION OF N  1619 STEROID HORMONI  1618 ALTERATIONS IN MI HYDROLYTIC ENZYM	ERTIES AND SUBCELLULAR LOCALIZATION OF THE CHICK OVIDUCT ECEPTOR 1985, 31-60  BUCLEOTIDES WITH STEROID HORMONE RECEPTORS. 1985, 351-376  E RECEPTOR DYNAMICS: THE KEY TO TISSUE RESPONSIVENESS. 1985, 377-398  BOUSE GLUCOCORTICOID RECEPTOR STRUCTURE: EFFECTS OF VARIOUS MES. 1985, 85-110  Ces of murine intracisternal A-particle gene LTRs have extensive variability	72
STRUCTURE, PROPE PROGESTERONE RE  1620 INTERACTION OF N  1619 STEROID HORMONI  1618 ALTERATIONS IN MI HYDROLYTIC ENZYI  Nucleotide sequence	ERTIES AND SUBCELLULAR LOCALIZATION OF THE CHICK OVIDUCT ECEPTOR 1985, 31-60  BUCLEOTIDES WITH STEROID HORMONE RECEPTORS. 1985, 351-376  E RECEPTOR DYNAMICS: THE KEY TO TISSUE RESPONSIVENESS. 1985, 377-398  BOUSE GLUCOCORTICOID RECEPTOR STRUCTURE: EFFECTS OF VARIOUS MES. 1985, 85-110  Ces of murine intracisternal A-particle gene LTRs have extensive variability . 1985, 13, 289-302	

LOW-MOLECULAR-WEIGHT AND MACROMOLECULAR TRANSLOCATION MODULATORS

1614	Co-expression of multiple myosin heavy chain genes, in addition to a tissue-specific one, in extraocular musculature. <b>1985</b> , 101, 618-29	273
1613	Human immunoglobulin kappa light chain genes of subgroups II and III. <b>1985</b> , 13, 6499-513	69
1612	Cloning and sequencing of a rearranged V lambda gene from a Burkitt's lymphoma cell line expressing kappa light chains. <b>1985</b> , 13, 4921-34	28
1611	Sequence of the Saccharomyces cerevisiae PHR1 gene and homology of the PHR1 photolyase to E. coli photolyase. <b>1985</b> , 13, 8231-46	72
1610	A primer vector system that allows temperature dependent gene amplification and expression in mammalian cells: regulation of the influenza virus NS1 gene expression. <b>1985</b> , 13, 7959-77	19
1609	The complete sequence of the chicken alpha-cardiac actin gene: a highly conserved vertebrate gene. <b>1985</b> , 13, 1223-37	76
1608	Splicing of the adenovirus-2 E1A 13S mRNA requires a minimal intron length and specific intron signals. <b>1985</b> , 13, 6299-315	24
1607	The yeast alpha-factor receptor: structural properties deduced from the sequence of the STE2 gene. <b>1985</b> , 13, 8463-75	315
1606	Nucleotide sequence of a chicken delta-crystallin gene. <b>1985</b> , 13, 1593-606	54
1605	Subgroup IV of human immunoglobulin K light chains is encoded by a single germline gene. <b>1985</b> , 13, 6515-29	122
1604	S1-sensitive sites in the supercoiled double-stranded form of tomato golden mosaic virus DNA component B: identification of regions of potential alternative secondary structure and regulatory function. <b>1985</b> , 13, 4645-59	20
1603	Precise localization of m6A in Rous sarcoma virus RNA reveals clustering of methylation sites: implications for RNA processing. <b>1985</b> , 5, 2298-306	162
1602	Beta-thalassemia resulting from a single nucleotide substitution in an acceptor splice site. <b>1985</b> , 13, 777-90	43
1601	The nucleotide sequence of the RAD3 gene of Saccharomyces cerevisiae: a potential adenine nucleotide binding amino acid sequence and a nonessential acidic carboxyl terminal region. <b>1985</b> , 13, 2357-72	91
1600	Nucleotide sequence of the yeast ILV2 gene which encodes acetolactate synthase. <b>1985</b> , 13, 4011-27	136
1599	The human apolipoprotein A-II gene: complete nucleic acid sequence and genomic organization. <b>1985</b> , 13, 4597-608	34
1598	Pea cytochrome oxidase subunit II gene has no intron and generates two mRNA transcripts with different 5'-termini. <b>1985</b> , 13, 3195-212	63
1597	Isolation and partial characterization of the entire human pro alpha 1(II) collagen gene. <b>1985</b> , 13, 2207-25	89

1596	Detection of a subgenomic mRNA for gene V, the putative reverse transcriptase gene of cauliflower mosaic virus. <b>1985</b> , 13, 8305-21	42
1595	The human apolipoprotein All gene: structural organization and sites of expression. <b>1985</b> , 13, 6387-98	44
1594	Structure of the human gene encoding the invariant gamma-chain of class II histocompatibility antigens. <b>1985</b> , 13, 8827-41	36
1593	Lack of K1b9 light chains in Basilea rabbits is probably due to a mutation in an acceptor site for mRNA splicing. <b>1985</b> , 162, 1149-60	25
1592	Human N-ras: cDNA cloning and gene structure. <b>1985</b> , 13, 5255-68	112
1591	Size and position of intervening sequences are critical for the splicing efficiency of pre-mRNA in the yeast Saccharomyces cerevisiae. <b>1985</b> , 13, 3791-804	57
1590	Intron splicing: a conserved internal signal in introns of Drosophila pre-mRNAs. <b>1985</b> , 13, 4971-81	164
1589	The ribosomal RNA promoter of Acanthamoeba castellanii determined by transcription in a cell-free system. <b>1985</b> , 13, 6237-48	49
1588	Bidirectional transcription of maize streak virus DNA and identification of the coat protein gene. <b>1985</b> , 13, 7237-56	78
1587	The molecular genetics of human monogenic diseases. <b>1985</b> , 3, 275-309	2
1586	The nucleotide sequence of the yeast MEL1 gene. <b>1985</b> , 13, 7257-68	62
1585	Epidermal growth factor or serum stimulation of rat fibroblasts induces an elevation in mRNA levels for lactate dehydrogenase and other glycolytic enzymes. <b>1985</b> , 13, 711-26	128
1584	An H1 histone gene-specific 5' element and evolution of H1 and H5 genes. <b>1985</b> , 13, 585-94	87
1583	Prediction of splice junctions in mRNA sequences. <b>1985</b> , 13, 5327-40	55
1582	Structure of the eukaryotic transcription apparatus: features of the gene for the largest subunit of Drosophila RNA polymerase II. <b>1985</b> , 42, 611-21	145
1581	Cloning of the human myoglobin gene. <b>1985</b> , 33, 241-9	17
1580	Remote regulatory sequences of the Drosophila glue gene sgs3 as revealed by P-element transformation. <b>1985</b> , 40, 349-57	93
1579	Is abnormal mRNA processing responsible for the low percentage of variants at residue 27 of the human alpha chain?. <b>1985</b> , 9, 609-12	3

1578 The human urokinase-plasminogen activator gene and its promoter. <b>1985</b> , 13, 2759-71	206
Sequence and structure of the serendipity locus of Drosophila melanogaster. A densely transcrib region including a blastoderm-specific gene. <b>1985</b> , 186, 149-66	ed <sub>132</sub>
Structure of the human alpha 1-acid glycoprotein gene: sequence homology with other human acute phase protein genes. <b>1985</b> , 13, 3941-52	110
Molecular structure and expression of the gene locus on chromosome 21 encoding the Cu/Zn superoxide dismutase and its relevance to Down syndrome. <b>1985</b> , 450, 133-56	40
1574 Nucleotide sequence of a herpes simplex virus type 1 gene that causes cell fusion. <b>1985</b> , 145, 36-	48 110
Comparison of the transcriptional properties of the Friend and Moloney retrovirus long terminal repeats: importance of tandem duplications and of the core enhancer sequence. <b>1985</b> , 144, 481-9	28 28
1572 Molecular pathology of the Eglobin gene cluster. <b>1985</b> , 8, 192-200	6
Molecular cloning and sequencing of H-2Kk cDNA: comparison with other H-2 genes and evidence for alternative splicing. <b>1985</b> , 38, 239-44	8
The tissue-specific chicken histone H5 gene is transcribed with fidelity in Xenopus laevis oocytes. <b>1985</b> , 181, 449-52	10
Complete complementary DNA of rat tyrosine aminotransferase messenger RNA. Deduction of the primary structure of the enzyme. <b>1985</b> , 184, 347-50	he 50
1568 The Drosophila ninaE gene encodes an opsin. <b>1985</b> , 40, 839-50	483
$_{1567}$ Transcription of the human adenovirus E1a gene in Saccharomyces cerevisiae. <b>1985</b> , 33, 159-68	6
Complete structure of the hamster alpha A crystallin gene. Reflection of an evolutionary history means of exon shuffling. <b>1985</b> , 185, 273-84	ру 7 <sup>1</sup>
Chromatin-specific hypersensitive sites are assembled on a Xenopus histone gene injected into Xenopus oocytes. <b>1985</b> , 181, 333-49	27
Nucleotide sequence of the chicken cardiac alpha actin gene: absence of strong homologies in the promoter and 3'-untranslated regions with the skeletal alpha actin sequence. <b>1985</b> , 36, 55-63	<b>e</b> 50
Transcription of the triose-phosphate-isomerase gene of Schizosaccharomyces pombe initiates from a start point different from that in Saccharomyces cerevisiae. <b>1985</b> , 40, 125-30	55
Intermolecular exon ligation of the rRNA precursor of Tetrahymena: oligonucleotides can function as 5' exons. <b>1985</b> , 43, 431-7	n 116
Genomic organization and nucleotide sequence of two distinct histone gene clusters from Xenop laevis. Identification of novel conserved upstream sequence elements. <b>1985</b> , 185, 479-99	ous 110

1560	Structure and genomic organization of the rat aldolase B gene. <b>1985</b> , 181, 153-60	66
1559	Yeast promoters URA1 and URA3. Examples of positive control. <b>1985</b> , 185, 65-81	53
1558	The structure of the major immediate early gene of human cytomegalovirus strain AD169. <b>1985</b> , 2, 107-21	165
1557	Functional intron+ and intron- rDNA in the same macronucleus of the ciliate Tetrahymena pigmentosa. <b>1985</b> , 825, 30-8	10
1556	Retroviral insertional mutagenesis in murine mammary cancer. <b>1985</b> , 226, 3-13	13
1555	The molecular biology of geminiviruses. <b>1985</b> , 30, 139-77	92
1554	Structural organization of the P25 gene of Bombyx mori and comparative analysis of its 5' flanking DNA with that of the fibroin gene. <b>1985</b> , 13, 1801-14	57
1553	Amplification of a novel v-erbB-related gene in a human mammary carcinoma. <b>1985</b> , 229, 974-6	910
1552	Exon-intron boundary sliding in the generation of two mRNAs coding for porcine urokinase-like plasminogen activator. <b>1985</b> , 132, 563-9	15
1551	Gene structure and nucleotide sequence for rat cytochrome P-450c. <b>1985</b> , 237, 465-76	59
1550	Structure and analysis of the bovine atrial natriuretic peptide precursor gene. <b>1986</b> , 136, 396-403	50
1549	Splicing pathways of the chicken apo very low density lipoprotein II (pre)messenger RNA. <b>1986</b> , 194, 151-6	10
1548	Gene structure of calcium-dependent protease retains the ancestral organization of the calcium-binding protein gene. <b>1986</b> , 194, 249-52	57
1547	Organization of the human genes for insulin-like growth factors I and II. <b>1986</b> , 195, 179-84	72
1546	Local stability of DNA and RNA secondary structure and its relation to biological functions. <b>1986</b> , 47, 113-57	122
1545	The herpes simplex virus type 2 equivalent of the herpes simplex virus type 1 US7 gene and its flanking sequences. <b>1986</b> , 153, 1-11	6
1544	The properties and sequence of glycoprotein H of herpes simplex virus type 1. <b>1986</b> , 153, 230-47	196
1543	Characterization of a major early gene from the human cytomegalovirus long inverted repeat; predicted amino acid sequence of a 30-kDa protein encoded by the 1.2-kb mRNA. <b>1986</b> , 155, 172-82	18

1542	Nucleotide sequence of the vaccinia virus hemagglutinin gene. <b>1986</b> , 150, 451-62	140
1541	Tissue specificity of Drosophila P element transposition is regulated at the level of mRNA splicing. <b>1986</b> , 44, 7-19	564
1540	Expression of Agrobacterium tumefaciens T-DNA gene 7 in Xenopus laevis oocytes. <b>1986</b> , 141, 1242-8	1
1539	Isolation and characterization of a novel cytochrome P-450-like pseudogene. <b>1986</b> , 134, 499-505	10
1538	Primary structure of a proteinase inhibitor II gene from potato (Solanum tuberosum). <b>1986</b> , 14, 5641-50	90
1537	Regulatory sequences involved in the hormonal control of casein gene expression. <b>1986</b> , 464, 87-99	11
1536	Primary structure of the maltase gene of the MAL6 locus of Saccharomyces carlsbergensis. <b>1986</b> , 41, 75-84	91
1535	Distinct sequence elements involved in the glucocorticoid regulation of the mouse mammary tumor virus promoter identified by linker scanning mutagenesis. <b>1986</b> , 190, 379-89	163
1534	Detailed analysis of the mouse H-2Kb promoter: enhancer-like sequences and their role in the regulation of class I gene expression. <b>1986</b> , 44, 261-72	413
1533	Primary structure of human salivary alpha-amylase gene. <b>1986</b> , 41, 299-304	78
1532	Human renin gene of renin-secreting tumor. <b>1986</b> , 49, 139-45	23
1532 1531		<sup>23</sup>
1531	Structure of human cholecystokinin gene and its chromosomal location. <b>1986</b> , 50, 353-60  Structure of genes in the cytochrome P-450PBc subfamily: conservation of intron locations in the	70
1531 1530 1529	Structure of human cholecystokinin gene and its chromosomal location. <b>1986</b> , 50, 353-60  Structure of genes in the cytochrome P-450PBc subfamily: conservation of intron locations in the phenobarbital-inducible family. <b>1986</b> , 5, 371-82  Molecular genetics of human color vision: the genes encoding blue, green, and red pigments. <b>1986</b> ,	70
1531 1530 1529	Structure of human cholecystokinin gene and its chromosomal location. 1986, 50, 353-60  Structure of genes in the cytochrome P-450PBc subfamily: conservation of intron locations in the phenobarbital-inducible family. 1986, 5, 371-82  Molecular genetics of human color vision: the genes encoding blue, green, and red pigments. 1986, 232, 193-202	70 22 1432
1531 1530 1529 1528	Structure of human cholecystokinin gene and its chromosomal location. 1986, 50, 353-60  Structure of genes in the cytochrome P-450PBc subfamily: conservation of intron locations in the phenobarbital-inducible family. 1986, 5, 371-82  Molecular genetics of human color vision: the genes encoding blue, green, and red pigments. 1986, 232, 193-202  A catalogue of splice junction and putative branch point sequences from plant introns. 1986, 14, 9549-59  Sequence organisation and transcriptional regulation of the mouse elastase II and trypsin genes. 1986, 14, 8307-30	70 22 1432 374

1524	Molecular biology of parathyroid hormone. <b>1986</b> , 19, 353-79	21
1523	Molecular and cell biology of lipoprotein biosynthesis. <b>1986</b> , 128, 41-70	8
1522	Gene for human factor X: a blood coagulation factor whose gene organization is essentially identical with that of factor IX and protein C. <b>1986</b> , 25, 5098-102	192
1521	Structure of Physarum actin gene locus ardA: a nonpalindromic sequence causes inviability of phage lambda and recA-independent deletions. <b>1986</b> , 48, 133-44	24
1520	The steps of reverse transcription of Drosophila mobile dispersed genetic elements and U3-R-U5 structure of their LTRs. <b>1986</b> , 44, 555-63	89
1519	Nucleotide sequence of the triosephosphate isomerase gene from Aspergillus nidulans: implications for a differential loss of introns. <b>1986</b> , 46, 143-7	76
1518	Multiple opsin mRNA species in bovine retina. <b>1986</b> , 387, 251-60	18
1517	Transcription and processing signals in the 3-phosphoglycerate kinase (PGK) gene from Aspergillus nidulans. <b>1986</b> , 44, 97-105	63
1516	The MET2 gene of Saccharomyces cerevisiae: molecular cloning and nucleotide sequence. <b>1986</b> , 49, 283-93	46
1515	Expression of human gastrin gene in normal and gastrinoma tissues. <b>1986</b> , 50, 345-52	32
1515 1514	Expression of human gastrin gene in normal and gastrinoma tissues. 1986, 50, 345-52  Characterization of the intron in the phage T4 thymidylate synthase gene and evidence for its self-excision from the primary transcript. 1986, 45, 157-66	3 <sup>2</sup> 97
	Characterization of the intron in the phage T4 thymidylate synthase gene and evidence for its	
1514	Characterization of the intron in the phage T4 thymidylate synthase gene and evidence for its self-excision from the primary transcript. <b>1986</b> , 45, 157-66  Transposable elements generate novel spatial patterns of gene expression in Antirrhinum majus.	97
1514 1513	Characterization of the intron in the phage T4 thymidylate synthase gene and evidence for its self-excision from the primary transcript. <b>1986</b> , 45, 157-66  Transposable elements generate novel spatial patterns of gene expression in Antirrhinum majus. <b>1986</b> , 47, 285-96  Mutations in a yeast intron demonstrate the importance of specific conserved nucleotides for the	97
1514 1513 1512	Characterization of the intron in the phage T4 thymidylate synthase gene and evidence for its self-excision from the primary transcript. 1986, 45, 157-66  Transposable elements generate novel spatial patterns of gene expression in Antirrhinum majus. 1986, 47, 285-96  Mutations in a yeast intron demonstrate the importance of specific conserved nucleotides for the two stages of nuclear mRNA splicing. 1986, 45, 81-93  Nucleotide sequence analysis of the long terminal repeat of integrated caprine arthritis	97 266 149
1514 1513 1512 1511	Characterization of the intron in the phage T4 thymidylate synthase gene and evidence for its self-excision from the primary transcript. 1986, 45, 157-66  Transposable elements generate novel spatial patterns of gene expression in Antirrhinum majus. 1986, 47, 285-96  Mutations in a yeast intron demonstrate the importance of specific conserved nucleotides for the two stages of nuclear mRNA splicing. 1986, 45, 81-93  Nucleotide sequence analysis of the long terminal repeat of integrated caprine arthritis encephalitis virus. 1986, 5, 145-55	97 266 149
1514 1513 1512 1511 1510	Characterization of the intron in the phage T4 thymidylate synthase gene and evidence for its self-excision from the primary transcript. 1986, 45, 157-66  Transposable elements generate novel spatial patterns of gene expression in Antirrhinum majus. 1986, 47, 285-96  Mutations in a yeast intron demonstrate the importance of specific conserved nucleotides for the two stages of nuclear mRNA splicing. 1986, 45, 81-93  Nucleotide sequence analysis of the long terminal repeat of integrated caprine arthritis encephalitis virus. 1986, 5, 145-55  Cloning and structural analysis of the calf prochymosin gene. 1986, 43, 197-203  Expression of three mRNA species from a single rat aldolase A gene, differing in their 5' non-coding	97 266 149 13

1506	Sequence, evolution and differential expression of the two genes encoding variant small subunits of ribulose bisphosphate carboxylase/oxygenase in Chlamydomonas reinhardtii. <b>1986</b> , 191, 421-32		242
1505	Transcription factor(s) of Ehrlich ascites tumor cells having affinity to the 'TATA' box and a further upstream region of the adenovirus 2 major late gene. <b>1986</b> , 868, 243-8		5
1504	Cloning and sequence analysis of cDNA for mouse prolactin. <b>1986</b> , 868, 30-8		10
1503	Yeast HIS3 expression in Escherichia coli depends upon fortuitous homology between eukaryotic and prokaryotic promoter elements. <b>1986</b> , 191, 221-9		9
1502	Structure and expression of the parotid secretory protein gene of mouse. <b>1986</b> , 192, 567-76		35
1501	Larval salivary gland secretion proteins in Drosophila structural analysis of the Sgs-5 gene. <b>1986</b> , 190, 149-58		21
1500	Molecular organization of the rudimentary gene of Drosophila melanogaster. <b>1986</b> , 189, 25-36		28
1499	Isolation and characterization of sarcomeric actin genes expressed in Xenopus laevis embryos. <b>1986</b> , 187, 349-61		111
1498	Transcription initiation of the Saccharomyces cerevisiae iso-1-cytochrome c gene. Multiple, independent T-A-T-A sequences. <b>1986</b> , 187, 363-78		121
1497	Splicing of the E2A premessenger RNA of adenovirus serotype 2. Multiple pathways in spite of excision of the entire large intron. <b>1986</b> , 187, 379-97		21
1496	Feather Keratin: Composition, Structure and Biogenesis. <b>1986</b> , 666-694		73
1495	Genetic transformation in higher plants. <b>1986</b> , 4, 1-46		167
1494	Complete nucleotide and encoded amino acid sequence of a mammalian myosin heavy chain gene. Evidence against intron-dependent evolution of the rod. <b>1986</b> , 190, 291-317		263
1493	Promoter-specific activation of RNA polymerase II transcription by Sp1. <b>1986</b> , 11, 20-23		1115
1492	Characterization of a human gene inducible by alpha- and beta-interferons and its expression in mouse cells <i>EMBO Journal</i> , <b>1986</b> , 5, 1601-1606	13	73
1491	The complete sequence and structural analysis of human apolipoprotein B-100: relationship between apoB-100 and apoB-48 forms <i>EMBO Journal</i> , <b>1986</b> , 5, 3495-3507	13	169
1490	Accurate in vitro splicing of two pre-mRNA plant introns in a HeLa cell nuclear extract <i>EMBO Journal</i> , <b>1986</b> , 5, 2749-2758	13	58
1489	The nucleotide sequence of an infectious clone of the geminivirus beet curly top virus. <i>EMBO Journal</i> , <b>1986</b> , 5, 1761-1767	13	117

1488 Functional analysis of the 5? flanking sequence of a vaccinia virus late gene.. EMBO Journal, 1986, 5, 19513195752

1487	Purification of a factor specific for the upstream element of the adenovirus-2 major late promoter <i>EMBO Journal</i> , <b>1986</b> , 5, 2577-2584	13	82
1486	Sequence and structure of the dopa decarboxylase gene of Drosophila: evidence for novel RNA splicing variants <i>EMBO Journal</i> , <b>1986</b> , 5, 2663-2672	13	80
1485	Induction of interleukin 2 receptor gene expression by p40x encoded by human T-cell leukemia virus type 1 <i>EMBO Journal</i> , <b>1986</b> , 5, 2883-2888	13	376
1484	DNase I-hypersensitive sites in the 5'-flanking region of the rat serum albumin gene: correlation between chromatin structure and transcriptional activity. <b>1986</b> , 83, 6504-8		30
1483	The mouse E beta 2 gene: a class II MHC beta gene with limited intraspecies polymorphism and an unusual pattern of transcription <i>EMBO Journal</i> , <b>1986</b> , 5, 2469-2476	13	26
1482	Direct evidence that p40x of human T-cell leukemia virus type I is a trans-acting transcriptional activator <i>EMBO Journal</i> , <b>1986</b> , 5, 561-565	13	164
1481	The structure of hobo transposable elements and their insertion sites. <i>EMBO Journal</i> , <b>1986</b> , 5, 3615-36	<b>23</b> 3	110
1480	Molecular analysis of the En/Spm transposable element system of Zea mays. <i>EMBO Journal</i> , <b>1986</b> , 5, 835-841	13	141
1479	Nuclease hypersensitive regions with adjacent positioned nucleosomes mark the gene boundaries of the PHO5/PHO3 locus in yeast <i>EMBO Journal</i> , <b>1986</b> , 5, 2681-2687	13	162
1478	Alternative splicing and alternative initiation of translation explain the four forms of the Ia antigen-associated invariant chain <i>EMBO Journal</i> , <b>1986</b> , 5, 3483-3488	13	106
1477	Molecular characterization of mutant actin genes which induce heat-shock proteins in Drosophila flight muscles. <i>EMBO Journal</i> , <b>1986</b> , 5, 589-596	13	44
1476	A signal regulating mouse histone H4 mRNA levels in a mammalian cell cycle mutant and sequences controlling RNA 3? processing are both contained within the same 80-bp fragment <i>EMBO Journal</i> , <b>1986</b> , 5, 3297-3303	13	41
1475	The chromosomal gene structure and two mRNAs for human granulocyte colony-stimulating factor <i>EMBO Journal</i> , <b>1986</b> , 5, 575-581	13	150
1474	Genetic basis for expression of the idiotypic network. One unique Ig VH germline gene accounts for the major family of Ab1 and Ab3 (Ab1') antibodies of the GAT system. <b>1986</b> , 163, 573-87		54
1473	Nucleotide sequence, transcript mapping, and regulation of the RAD2 gene of Saccharomyces cerevisiae. <b>1986</b> , 166, 914-23		99
1472	T3 delta pre-mRNA is transcribed from a non-TATA promoter and is alternatively spliced in human T cells <i>EMBO Journal</i> , <b>1986</b> , 5, 1245-1252	13	32
1471	Amino acid sequence and gene organization of cytokeratin no. 19, an exceptional tail-less intermediate filament protein <i>EMBO Journal</i> , <b>1986</b> , 5, 1865-1875	13	111

1470	Regulation of adenovirus mRNA formation. <b>1986</b> , 31, 169-228		52
1469	Coexistence of neuronal messengers and molecular selection. <b>1986</b> , 68, 373-403		27
1468	Efficient transcription of a Caenorhabditis elegans heat shock gene pair in mouse fibroblasts is dependent on multiple promoter elements which can function bidirectionally. <b>1986</b> , 6, 3134-43		46
1467	Nucleotide sequence of the putative regulatory region of mouse lactate dehydrogenase-A gene. <i>Biochemical Journal</i> , <b>1986</b> , 235, 435-9	3.8	29
1466	Sequence analysis and transformation by the catabolic 3-dehydroquinase (QUTE) gene from Aspergillus nidulans. <i>Biochemical Journal</i> , <b>1986</b> , 240, 481-8	3.8	37
1465	Structural analysis of the X-linked gene encoding human glucose 6-phosphate dehydrogenase <i>EMBO Journal</i> , <b>1986</b> , 5, 1849-1855	13	127
1464	Rat metallothionein-1 structural gene and three pseudogenes, one of which contains 5'-regulatory sequences. <b>1986</b> , 6, 302-14		81
1463	Sequences involved in accurate and efficient transcription of human c-myc genes microinjected into frog oocytes. <b>1986</b> , 6, 4093-8		31
1462	Human argininosuccinate synthetase minigenes are subject to arginine-mediated repression but not to trans induction. <b>1986</b> , 6, 1244-52		24
1461	Sequence and expression of the dCMP deaminase gene (DCD1) of Saccharomyces cerevisiae. <b>1986</b> , 6, 1711-21		51
1460	Features of the chicken c-myc gene that influence the structure of c-myc RNA in normal cells and bursal lymphomas. <b>1986</b> , 6, 2800-6		22
1459	Complete amino acid sequence of human thyroxine-binding globulin deduced from cloned DNA: close homology to the serine antiproteases. <b>1986</b> , 83, 7708-12		137
1458	Sequences upstream of the STE6 gene required for its expression and regulation by the mating type locus in Saccharomyces cerevisiae. <b>1986</b> , 83, 2536-40		68
1457	A DNA insertion/deletion necessitates an aberrant RNA splice accounting for a mu heavy chain disease protein. <b>1986</b> , 83, 2689-93		53
1456	The chicken delta 1-crystallin gene promoter: binding of transcription factor(s) to the upstream G+C-rich region is necessary for promoter function in vitro. <b>1986</b> , 83, 3131-5		16
1455	Structure of the human la-associated invariant (gamma)-chain gene: identification of 5' sequences shared with major histocompatibility complex class II genes. <b>1986</b> , 83, 4484-8		45
1454	Nucleotide sequence analysis of murine 21-hydroxylase genes: mutations affecting gene expression. <b>1986</b> , 83, 9601-5		85
1453	Individual exons encode the integral membrane domains of human myelin proteolipid protein. <b>1986</b> , 83, 9807-11		157

1452	Isolation of cDNA clones coding for the catalytic subunit of mouse cAMP-dependent protein kinase. <b>1986</b> , 83, 1300-4	242
1451	Isolation and characterization of the actin gene from Tetrahymena thermophila. <b>1986</b> , 83, 5160-4	125
1450	Efficient expression of the Saccharomyces cerevisiae PGK gene depends on an upstream activation sequence but does not require TATA sequences. <b>1986</b> , 6, 4335-43	150
1449	The complete sequence of the mouse skeletal alpha-actin gene reveals several conserved and inverted repeat sequences outside of the protein-coding region. <b>1986</b> , 6, 15-25	103
1448	Characterization of two nonallelic pairs of late histone H2A and H2B genes of the sea urchin: differential regulation in the embryo and tissue-specific expression in the adult. <b>1986</b> , 6, 3746-54	39
1447	Structure of the Saccharomyces cerevisiae HO gene and analysis of its upstream regulatory region. <b>1986</b> , 6, 4281-94	148
1446	Two distant and precisely positioned domains promote transcription of Xenopus laevis rRNA genes: analysis with linker-scanning mutants. <b>1986</b> , 6, 4585-93	48
1445	Structure and expression of the Chinese hamster thymidine kinase gene. <b>1986</b> , 6, 1998-2010	50
1444	Characterization and mutational analysis of a cluster of three genes expressed preferentially during sporulation of Saccharomyces cerevisiae. <b>1986</b> , 6, 2443-51	93
1443	Genetic analysis of the human thymidine kinase gene promoter. <b>1986</b> , 6, 2903-9	41
1443 1442	Genetic analysis of the human thymidine kinase gene promoter. <b>1986</b> , 6, 2903-9  Structure of a bovine gene for P-450c21 (steroid 21-hydroxylase) defines a novel cytochrome P-450 gene family. <b>1986</b> , 83, 4243-7	4 <sup>1</sup> 97
	Structure of a bovine gene for P-450c21 (steroid 21-hydroxylase) defines a novel cytochrome P-450	
1442	Structure of a bovine gene for P-450c21 (steroid 21-hydroxylase) defines a novel cytochrome P-450 gene family. <b>1986</b> , 83, 4243-7  Tissue-specific and constitutive alpha-tubulin genes of Drosophila melanogaster code for structurally distinct proteins. <b>1986</b> , 83, 8477-81  Origin of eukaryotic introns: a hypothesis, based on codon distribution statistics in genes, and its	97
1442	Structure of a bovine gene for P-450c21 (steroid 21-hydroxylase) defines a novel cytochrome P-450 gene family. <b>1986</b> , 83, 4243-7  Tissue-specific and constitutive alpha-tubulin genes of Drosophila melanogaster code for structurally distinct proteins. <b>1986</b> , 83, 8477-81  Origin of eukaryotic introns: a hypothesis, based on codon distribution statistics in genes, and its	97
1442 1441 1440	Structure of a bovine gene for P-450c21 (steroid 21-hydroxylase) defines a novel cytochrome P-450 gene family. <b>1986</b> , 83, 4243-7  Tissue-specific and constitutive alpha-tubulin genes of Drosophila melanogaster code for structurally distinct proteins. <b>1986</b> , 83, 8477-81  Origin of eukaryotic introns: a hypothesis, based on codon distribution statistics in genes, and its implications. <b>1986</b> , 83, 2133-7  Immunologically distinct p53 molecules generated by alternative splicing. <b>1986</b> , 6, 3232-9	97 146 66
1442 1441 1440 1439	Structure of a bovine gene for P-450c21 (steroid 21-hydroxylase) defines a novel cytochrome P-450 gene family. 1986, 83, 4243-7  Tissue-specific and constitutive alpha-tubulin genes of Drosophila melanogaster code for structurally distinct proteins. 1986, 83, 8477-81  Origin of eukaryotic introns: a hypothesis, based on codon distribution statistics in genes, and its implications. 1986, 83, 2133-7  Immunologically distinct p53 molecules generated by alternative splicing. 1986, 6, 3232-9	97 146 66
1442 1441 1440 1439 1438	Structure of a bovine gene for P-450c21 (steroid 21-hydroxylase) defines a novel cytochrome P-450 gene family. 1986, 83, 4243-7  Tissue-specific and constitutive alpha-tubulin genes of Drosophila melanogaster code for structurally distinct proteins. 1986, 83, 8477-81  Origin of eukaryotic introns: a hypothesis, based on codon distribution statistics in genes, and its implications. 1986, 83, 2133-7  Immunologically distinct p53 molecules generated by alternative splicing. 1986, 6, 3232-9  Structural characterization of a heterogeneous family of rat brain mRNAs. 1986, 6, 768-78  Partial purification of a nuclear protein that binds to the CCAAT box of the mouse alpha 1-globin	97 146 66 122

1434	Transcriptional role for the nontranscribed spacer of rat ribosomal DNA. <b>1986</b> , 6, 2766-73	52
1433	Primary structure of human ribosomal protein S14 and the gene that encodes it. <b>1986</b> , 6, 2774-83	140
1432	Structural analysis of a rat liver glutathione S-transferase Ya gene. <b>1986</b> , 83, 9393-7	64
1431	Delimitation and characterization of cis-acting DNA sequences required for the regulated expression and transcriptional control of the chicken skeletal alpha-actin gene. <b>1986</b> , 6, 2462-75	170
1430	Formal proof that different-size Lyt-2 polypeptides arise from differential splicing and post-transcriptional regulation. <b>1986</b> , 83, 3422-6	39
1429	Homeo box gene expression in anterior and posterior regions of the Drosophila embryo. <b>1986</b> , 83, 4809-13	55
1428	Structure and sequence of the human c-sis/platelet-derived growth factor 2 (SIS/PDGF2) transcriptional unit. <b>1986</b> , 83, 2392-6	106
1427	The SPS4 gene of Saccharomyces cerevisiae encodes a major sporulation-specific mRNA. <b>1986</b> , 6, 4478-85	36
1426	Three tightly linked genes encoding human type I keratins: conservation of sequence in the 5'-untranslated leader and 5'-upstream regions of coexpressed keratin genes. <b>1986</b> , 6, 539-48	86
1425	The chronic myelocytic cell line K562 contains a breakpoint in bcr and produces a chimeric bcr/c-abl transcript. <b>1986</b> , 6, 607-16	173
1424	DNA-binding site of major regulatory protein alpha 4 specifically associated with promoter-regulatory domains of alpha genes of herpes simplex virus type 1. <b>1986</b> , 83, 4700-4	91
1423	Structure and gene organization of bovine neuromedin K precursor. <b>1986</b> , 83, 7074-8	180
1422	Cloning, characterization, expression, and chromosomal localization of a human ferritin heavy-chain gene. <b>1986</b> , 83, 7226-30	78
1421	Molecular characterization and phylogenetic studies of a wound-inducible proteinase inhibitor I gene in Lycopersicon species. <b>1986</b> , 83, 7277-81	77
1420	Interferon-stimulated transcription: isolation of an inducible gene and identification of its regulatory region. <b>1986</b> , 83, 8929-33	165
1419	An Epstein-Barr virus transcript from a latently infected, growth-transformed B-cell line encodes a highly repetitive polypeptide. <b>1986</b> , 83, 9298-302	85
1418	Human HSP70 promoter contains at least two distinct regulatory domains. <b>1986</b> , 83, 629-33	311
1417	Conservation and diversity in the class I genes of the major histocompatibility complex: sequence analysis of a Tlab gene and comparison with a Tlac gene. <b>1986</b> , 83, 1782-6	49

1416	Nonmuscle and muscle tropomyosin isoforms are expressed from a single gene by alternative RNA splicing and polyadenylation. <b>1986</b> , 6, 3582-95	195
1415	Transcriptional control signals of a herpes simplex virus type 1 late (gamma 2) gene lie within bases -34 to +124 relative to the 5' terminus of the mRNA. <b>1986</b> , 6, 3652-66	116
1414	Transcriptional control of the mouse prealbumin (transthyretin) gene: both promoter sequences and a distinct enhancer are cell specific. <b>1986</b> , 6, 4697-708	155
1413	Structure of the highly repeated, long interspersed DNA family (LINE or L1Rn) of the rat. <b>1986</b> , 6, 411-24	111
1412	Murine erythropoietin gene: cloning, expression, and human gene homology. <b>1986</b> , 6, 849-58	173
1411	RAD7 gene of Saccharomyces cerevisiae: transcripts, nucleotide sequence analysis, and functional relationship between the RAD7 and RAD23 gene products. <b>1986</b> , 6, 1497-507	74
1410	Control of transcription initiation in vitro requires binding of a transcription factor to the distal promoter of the ovalbumin gene. <b>1986</b> , 6, 2784-91	101
1409	Sequence of the notch locus of Drosophila melanogaster: relationship of the encoded protein to mammalian clotting and growth factors. <b>1986</b> , 6, 3094-108	385
1408	Structure, organization, and regulation of human metallothionein IF gene: differential and cell-type-specific expression in response to heavy metals and glucocorticoids. <b>1986</b> , 6, 26-37	82
1407	Molecular aspects of atrial natriuretic peptides. <b>1986</b> , 5, 66-9, 75	1
1407 1406	The beta zero-thalassemia in an American black family is due to a single nucleotide substitution in	1 24
• •	The beta zero-thalassemia in an American black family is due to a single nucleotide substitution in	
1406 1405	The beta zero-thalassemia in an American black family is due to a single nucleotide substitution in the acceptor splice junction of the second intervening sequence. <b>1986</b> , 22, 259-63  Temporal regulation of influenza hemagglutinin expression in vaccinia virus recombinants and	24
1406 1405	The beta zero-thalassemia in an American black family is due to a single nucleotide substitution in the acceptor splice junction of the second intervening sequence. <b>1986</b> , 22, 259-63  Temporal regulation of influenza hemagglutinin expression in vaccinia virus recombinants and effects on the immune response. <b>1986</b> , 16, 1479-87	24
1406 1405 1404	The beta zero-thalassemia in an American black family is due to a single nucleotide substitution in the acceptor splice junction of the second intervening sequence. 1986, 22, 259-63  Temporal regulation of influenza hemagglutinin expression in vaccinia virus recombinants and effects on the immune response. 1986, 16, 1479-87  Alternative processing of RNA in lymphoid cells. 1986, 7, 168-9  Introns as relict retrotransposons: implications for the evolutionary origin of eukaryotic mRNA splicing mechanisms. 1986, 121, 283-91	24 127 1
1406 1405 1404	The beta zero-thalassemia in an American black family is due to a single nucleotide substitution in the acceptor splice junction of the second intervening sequence. 1986, 22, 259-63  Temporal regulation of influenza hemagglutinin expression in vaccinia virus recombinants and effects on the immune response. 1986, 16, 1479-87  Alternative processing of RNA in lymphoid cells. 1986, 7, 168-9  Introns as relict retrotransposons: implications for the evolutionary origin of eukaryotic mRNA splicing mechanisms. 1986, 121, 283-91  Transcription of eukaryotic ribosomal RNA gene. 1986, 70, 11-20	24 127 1 21
1406 1405 1404 1403	The beta zero-thalassemia in an American black family is due to a single nucleotide substitution in the acceptor splice junction of the second intervening sequence. 1986, 22, 259-63  Temporal regulation of influenza hemagglutinin expression in vaccinia virus recombinants and effects on the immune response. 1986, 16, 1479-87  Alternative processing of RNA in lymphoid cells. 1986, 7, 168-9  Introns as relict retrotransposons: implications for the evolutionary origin of eukaryotic mRNA splicing mechanisms. 1986, 121, 283-91  Transcription of eukaryotic ribosomal RNA gene. 1986, 70, 11-20  The single copy gene coding for human alpha 1 (IV) procollagen is located at the terminal end of the long arm of chromosome 13. 1986, 74, 121-5  Structural analysis of a maize gene coding for glutathione-S-transferase involved in herbicide	24 127 1 21

1398	Two soybean ribulose-1,5-bisphosphate carboxylase small subunit genes share extensive homology even in distant flanking sequences. <b>1986</b> , 7, 451-65	38
1397	An isolated beta 1 exon next to the DR alpha gene in the HLA-D region. <b>1986</b> , 23, 172-80	48
1396	Cloning and structure of a mouse interleukin-2 chromosomal gene. <b>1986</b> , 11, 57-61	13
1395	Yeast adenylate cyclase catalytic domain is carboxy terminal. <b>1986</b> , 10, 343-52	30
1394	Plastocyanin is encoded by an uninterrupted nuclear gene in spinach. 1986, 11, 171-6	90
1393	Characterization of an rbcS gene from Nicotiana plumbaginifolia and expression of an rbcS-CAT chimeric gene in homologous and heterologous nuclear background. <b>1986</b> , 205, 193-200	32
1392	Structure of the chalcone synthase gene of Antirrhinum majus. <b>1986</b> , 202, 429-434	138
1391	Isolation and characterization of a gene from Solanum tuberosum encoding patatin, the major storage protein of potato tubers. <b>1986</b> , 203, 214-220	90
1390	Molecular analysis of the waxy locus of Zea mays. <b>1986</b> , 203, 237-244	185
1389	Both TATA box and upstream regions are required for the nopaline synthase promoter activity in transformed tobacco cells. <b>1986</b> , 203, 245-250	54
1388	Characterization of human c-fes/fps reveals a new transcription unit (fur) in the immediately upstream region of the proto-oncogene. <b>1986</b> , 11, 117-25	85
1387	Dispersed human immunoglobulin kappa light-chain genes. <b>1986</b> , 320, 456-8	82
1386	Alternative splicing of murine T-cell receptor beta-chain transcripts. <b>1986</b> , 322, 379-82	48
1385	Diversity of murine gamma genes and expression in fetal and adult T lymphocytes. <b>1986</b> , 322, 836-40	344
1384	Vitellogenin-specific Non-histone Chromatin Protein. <b>1986</b> , 28, 425-429	1
1383	The nucleotide sequence of the HEM1 gene and evidence for a precursor form of the mitochondrial 5-aminolevulinate synthase in Saccharomyces cerevisiae. <b>1986</b> , 156, 511-9	53
1382	Sequence divergence and selection of cap sites in the rat gamma-crystallin gene family. <b>1986</b> , 157, 203-8	13
1381	Structure and drug inducibility of the human cytochrome P-450c gene. <b>1986</b> , 159, 219-25	72

1380	Partial characterization of the human beta-myosin heavy-chain gene which is expressed in heart and skeletal muscle. <b>1986</b> , 160, 419-26	39
1379	Structure and regulation of the sheep metallothionein-Ia gene. <b>1986</b> , 160, 579-85	32
1378	Promoters for housekeeping genes. <b>1986</b> , 2, 196-197	434
1377	Transcriptional regulation by trans-acting factors. <b>1986</b> , 2, 215-219	156
1376	Rat-liver microsomal cytochrome P-450: purification, characterization, multiplicity and induction. <b>1986</b> , 853, 1-27	44
1375	Gene expression during the mammalian cell cycle. <b>1986</b> , 865, 83-125	42
1374	DNA sequences which influence the selection and efficient utilisation of transcriptional start sites of a eukaryotic gene by RNA polymerase II in vitro and in vivo. <b>1986</b> , 6, 937-44	
1373	A common mechanism of chromosomal translocation in T- and B-cell neoplasia. <b>1986</b> , 234, 982-5	178
1372	Isolation and characterization of the human catalase gene. <b>1986</b> , 14, 5321-35	192
1371	The chicken fast skeletal troponin I gene: exon organization and sequence. <b>1986</b> , 14, 3377-90	63
1370	Evidence of sequences resembling avian retrovirus long terminal repeats flanking the trout protamine gene. <b>1986</b> , 23, 1-10	58
1369	An upstream signal is required for in vitro transcription of Neurospora 5S RNA genes. <b>1986</b> , 205, 189-92	49
1368	Biosynthesis and processing of the somatostatin family of peptide hormones. <b>1986</b> , 119, 22-8	6
1367	The organization of the human HPRT gene. <b>1986</b> , 14, 3103-18	118
1366	A novel chlorophyll a/b binding (Cab) protein gene from petunia which encodes the lower molecular weight Cab precursor protein. <b>1986</b> , 14, 9781-96	60
1365	The ILV5 gene of Saccharomyces cerevisiae is highly expressed. <b>1986</b> , 14, 9631-51	70
1364	Butyrate induced accumulation of a 2.3 kb polyadenylated H1(0) histone mRNA in HeLa cells. <b>1986</b> , 14, 7189-97	47
1363	Homologies of nucleotide sequences in the 5'-end regions of two developmentally regulated genes of Sarcophaga peregrina. <b>1986</b> , 14, 2685-98	20

13	62	Probability of coding of a DNA sequence: an algorithm to predict translated reading frames from their thermodynamic characteristics. <b>1986</b> , 14, 127-35	20	
13	61	Identification, cloning and sequence determination of the genes specifying hexokinase A and B from yeast. <b>1986</b> , 14, 945-63	70	
13	60	Mouse muscle nicotinic acetylcholine receptor gamma subunit: cDNA sequence and gene expression. <b>1986</b> , 14, 3539-55	74	
13	59	Regulatory DNA elements localized remotely upstream from the drug-metabolizing cytochrome P-450c gene. <b>1986</b> , 14, 1465-77	139	
13	58	Fine structure genetic analysis of a beta-globin promoter. <b>1986</b> , 232, 613-8	484	
13	57	Nucleotide sequence of the chicken 5-aminolevulinate synthase gene. <b>1986</b> , 14, 1379-91	62	
13	56	Complete nucleotide sequence of the gene for human interleukin 1 alpha. <b>1986</b> , 14, 3167-79	171	
13	55	Adipsin, the adipocyte serine protease: gene structure and control of expression by tumor necrosis factor. <b>1986</b> , 14, 8879-92	95	
13	54	Nucleotide sequence of SRV-1, a type D simian acquired immune deficiency syndrome retrovirus. <b>1986</b> , 231, 1567-72	183	
13	53	A novel human gene closely related to the abl proto-oncogene. <b>1986</b> , 234, 1545-8	77	
13	52	Molecular cloning of a steroid-regulated 108K heat shock protein gene from hen oviduct. <b>1986</b> , 14, 10053-69	25	
13	51	Human lecithin-cholesterol acyltransferase gene: complete gene sequence and sites of expression. <b>1986</b> , 14, 9397-406	<b>12</b> 0	
13	50	Structure of the gene for Xenopus transcription factor TFIIIA. <b>1986</b> , 14, 2187-200	111	
13	49	Analysis of the organization and nucleotide sequence of the chromosomal gene for the beta-subunit of rat thyrotropin. <b>1986</b> , 5, 299-304	35	
13	48	Adenovirus-2 E1a and E1b gene products regulate enhancer mediated transcription. <b>1986</b> , 14, 9445-56	19	
13	47	Evolution of the casein multigene family: conserved sequences in the 5' flanking and exon regions. <b>1986</b> , 14, 1883-902	102	
13	46	Fine structure of the human hypoxanthine phosphoribosyltransferase gene. <b>1986</b> , 6, 393-403	200	
13	45	Gene structure and organisation in the Domestic Fowl (Gallus domesticus). <b>1986</b> , 42, 232-242	2	

1344	Structure and nucleotide sequence of the 5' region of the human and feline c-sis proto-oncogenes. <b>1986</b> , 14, 765-78	26
1343	Assembly in an in vitro splicing reaction of a mouse insulin messenger RNA precursor into a 60-40S ribonucleoprotein complex. <b>1986</b> , 14, 3687-701	25
1342	The different intron 2 species excised in vivo from the E2A premRNA of adenovirus-2: an approach to analyse alternative splicing. <b>1986</b> , 14, 5207-27	11
1341	Gene organization of the small subunit of human calcium-activated neutral protease. <b>1986</b> , 14, 8805-17	42
1340	Isolation and sequence of a human gene encoding a potent inhibitor of leukocyte proteases. <b>1986</b> , 14, 7883-96	133
1339	An Epstein-Barr virus transcription unit is at least 84 kilobases long. <b>1986</b> , 14, 2611-20	76
1338	Analysis of a human V beta gene subfamily. <b>1986</b> , 164, 1600-14	62
1337	High-altitude respiration of birds. The primary structures of the alpha D-chains of the Bar-headed Goose (Anser indicus), the Greylag Goose(Anser anser) and the Canada Goose (Branta canadensis). 1986, 367, 591-9	19
1336	The genes encoding the small subunit of ribulose-1,5-bisphosphate carboxylase are expressed differentially in petunia leaves. <b>1986</b> , 14, 3325-42	76
1335	A new member of the plasma protease inhibitor gene family. <b>1986</b> , 14, 1073-88	71
1334	Compilation and analysis of eukaryotic POL II promoter sequences. <b>1986</b> , 14, 10009-26	335
		333
1333	Epstein-Barr virus mRNAs produced by alternative splicing. <b>1986</b> , 14, 7103-14	99
1333 1332		
	Epstein-Barr virus mRNAs produced by alternative splicing. 1986, 14, 7103-14  The control of herpes simplex virus type-1 late gene transcription: a 'TATA-box'/cap site region is	99
1332	Epstein-Barr virus mRNAs produced by alternative splicing. 1986, 14, 7103-14  The control of herpes simplex virus type-1 late gene transcription: a 'TATA-box'/cap site region is sufficient for fully efficient regulated activity. 1986, 14, 8247-64  Development of plant promoter expression vectors and their use for analysis of differential activity	99 7°
1332	Epstein-Barr virus mRNAs produced by alternative splicing. 1986, 14, 7103-14  The control of herpes simplex virus type-1 late gene transcription: a 'TATA-box'/cap site region is sufficient for fully efficient regulated activity. 1986, 14, 8247-64  Development of plant promoter expression vectors and their use for analysis of differential activity of nopaline synthase promoter in transformed tobacco cells. 1986, 81, 86-91  Isolation and characterization of the gene for the murine T cell differentiation antigen and	99 7° 281
1332 1331 1330	Epstein-Barr virus mRNAs produced by alternative splicing. 1986, 14, 7103-14  The control of herpes simplex virus type-1 late gene transcription: a 'TATA-box'/cap site region is sufficient for fully efficient regulated activity. 1986, 14, 8247-64  Development of plant promoter expression vectors and their use for analysis of differential activity of nopaline synthase promoter in transformed tobacco cells. 1986, 81, 86-91  Isolation and characterization of the gene for the murine T cell differentiation antigen and immunoglobulin-related molecule, Lyt-2. 1987, 15, 4337-47	99 70 281 23

1326	Xenopus tropicalis U6 snRNA genes transcribed by Pol III contain the upstream promoter elements used by Pol II dependent U snRNA genes. <b>1987</b> , 15, 2463-78	130
1325	Structural analysis of the Drosophila rpA1 gene, a member of the eucaryotic 'A' type ribosomal protein family. <b>1987</b> , 15, 987-1003	76
1324	Factors affecting the level of kanamycin resistance in transformed sunflower cells. <b>1987</b> , 84, 1185-92	11
1323	Sequences of the 5' portion of the human c-sis gene: characterization of the transcriptional promoter and regulation of expression of the protein product by 5' untranslated mRNA sequences. <b>1987</b> , 15, 6017-36	82
1322	Identification of human uromodulin as the Tamm-Horsfall urinary glycoprotein. 1987, 236, 83-8	246
1321	Identification of the principal promoter sequence of the c-H-ras transforming oncogene: deletion analysis of the 5'-flanking region by focus formation assay. <b>1987</b> , 7, 2933-40	46
1320	Cloning and 5' end nucleotide sequences of two juvenile hormone-inducible vitellogenin genes of the African migratory locust. <b>1987</b> , 6, 331-42	55
1319	Genomic characterization of the human DNA excision repair gene ERCC-1. <b>1987</b> , 15, 9195-213	72
1318	A low polymorphic mouse H-2 class I gene from the Tla complex is expressed in a broad variety of cell types. <b>1987</b> , 166, 341-61	69
1317	Stage-specific selection of alternative transcriptional initiation sites from the 5C actin gene of Drosophila melanogaster. <b>1987</b> , 1, 1161-71	48
1316	Four Ia invariant chain forms derive from a single gene by alternate splicing and alternate initiation of transcription/translation. <b>1987</b> , 166, 444-60	70
1315	Effects of mutations in the TATA box region of the Agrobacterium T-cyt gene on its transcription in plant tissues. <b>1987</b> , 15, 8283-92	11
1314	Novel transcripts from the Ultrabithorax domain of the bithorax complex. <b>1987</b> , 1, 307-22	149
1313	Nucleotide sequence and characterization of the transcript of a Dictyostelium ribosomal protein gene. <b>1987</b> , 15, 10285-98	25
1312	Periodicities in introns. <b>1987</b> , 15, 7581-92	28
1311	Sequence of two rat insulin-like growth factor I mRNAs differing within the 5' untranslated region. <b>1987</b> , 15, 7196	68
1310	Structure of the gene for human uroporphyrinogen decarboxylase. <b>1987</b> , 15, 7343-56	56
1309	Sequence and S1 nuclease mapping of the 5' region of the dihydrofolate reductase-thymidylate synthase gene of Leishmania major. <b>1987</b> , 15, 3369-83	32

1308	Structure of the human oestrogen-responsive gene pS2. <b>1987</b> , 15, 1401-14	102
1307	The length but not the sequence of the polyoma virus late leader exon is important for both late RNA splicing and stability. <b>1987</b> , 15, 2593-610	23
1306	Characterization of a silent gene for human pancreatic elastase I: structure of the 5'-flanking region. <b>1987</b> , 101, 591-9	22
1305	Alternative 5' exons either provide or deny an initiator methionine codon to the same alpha-tubulin coding region. <b>1987</b> , 15, 199-218	61
1304	20-Hydroxyecdysone regulates cytoplasmic actin gene expression in Drosophila cultured cells. <b>1987</b> , 15, 2549-61	15
1303	Sequence of the chicken ovotransferrin gene. <b>1987</b> , 15, 7643-5	37
1302	The nucleotide sequence of a cDNA clone encoding the wheat Em protein. 1987, 15, 3607-18	107
1301	Identification and cell type specificity of the tyrosine hydroxylase gene promoter. <b>1987</b> , 15, 2363-84	71
1300	Unusual structure, evolutionary conservation of non-coding sequences and numerous pseudogenes characterize the human H3.3 histone multigene family. <b>1987</b> , 15, 2871-89	73
1299	Androgen regulated expression of a spermine binding protein gene in mouse ventral prostate. <b>1987</b> , 15, 7709-24	39
1298	Factors influencing alternative splice site utilization in vivo. <b>1987</b> , 7, 738-48	136
1297	Upstream regulatory regions required to stabilize binding to the TATA sequence in an adenovirus early promoter. <b>1987</b> , 15, 8367-85	61
1296	3-D graphics modelling of the tRNA-like 3'-end of turnip yellow mosaic virus RNA: structural and functional implications. <b>1987</b> , 4, 707-28	92
1295	Plant expression signals of the Agrobacterium T-cyt gene. <b>1987</b> , 15, 8267-81	27
1294	Specific cellular proteins bind to critical promoter sequences of the adenovirus early EIIa promoter. <b>1987</b> , 15, 509-27	42
1293	Three transposed elements in the intron of a human VK immunoglobulin gene. <b>1987</b> , 15, 9567-75	5
1292	Roles of cis-acting elements and chromatin structure in Drosophila alcohol dehydrogenase gene expression. <b>1987</b> , 15, 7903-20	23
1291	An inspection of the domain between putative TATA box and translation start site in 79 plant genes. <b>1987</b> , 15, 6643-53	731

1290	Firefly luciferase gene: structure and expression in mammalian cells. <b>1987</b> , 7, 725-37	2965
1289	The nucleotide sequence of herpes simplex virus type 2 (333) glycoprotein gB2 and analysis of predicted antigenic sites. <b>1987</b> , 33, 879-87	5
1288	RNA splice junctions of different classes of eukaryotes: sequence statistics and functional implications in gene expression. <b>1987</b> , 15, 7155-74	2136
1287	Primary structure of the P450 lanosterol demethylase gene from Saccharomyces cerevisiae. <b>1987</b> , 6, 529-37	185
1286	Recent studies on nucleotide sequences encoding the caseins. 1987, 54, 447-61	55
1285	Gene structure of human cytochrome P-450(SCC), cholesterol desmolase. <b>1987</b> , 101, 879-87	174
1284	Chapter 3 Genes encoding the immunoglobulin variable regions. <b>1987</b> , 17, 81-109	7
1283	A new T-cell receptor gene located within the alpha locus and expressed early in T-cell differentiation. <b>1987</b> , 327, 677-82	432
1282	Structure and expression of the chicken ferritin H-subunit gene. <b>1987</b> , 7, 1751-8	82
1281	The significance of split genes to developmental genetics. <b>1987</b> , 24, 243-84	3
1281	The significance of split genes to developmental genetics. <b>1987</b> , 24, 243-84  Effects on mRNA splicing of mutations in the 3' region of the Saccharomyces cerevisiae actin intron. <b>1987</b> , 7, 225-30	3
1280	Effects on mRNA splicing of mutations in the 3' region of the Saccharomyces cerevisiae actin intron.	
1280	Effects on mRNA splicing of mutations in the 3' region of the Saccharomyces cerevisiae actin intron. 1987, 7, 225-30  Structural and functional characterization of the promoter region of the mouse c-Ki-ras gene. 1987,	37
1280 1279	Effects on mRNA splicing of mutations in the 3' region of the Saccharomyces cerevisiae actin intron. 1987, 7, 225-30  Structural and functional characterization of the promoter region of the mouse c-Ki-ras gene. 1987, 7, 2592-6	37 90
1280 1279 1278	Effects on mRNA splicing of mutations in the 3' region of the Saccharomyces cerevisiae actin intron.  1987, 7, 225-30  Structural and functional characterization of the promoter region of the mouse c-Ki-ras gene. 1987, 7, 2592-6  Aplysia californica neurons express microinjected neuropeptide genes. 1987, 7, 2762-71  Multiple basal elements of a human hsp70 promoter function differently in human and rodent cell	37 90 12
1280 1279 1278	Effects on mRNA splicing of mutations in the 3' region of the Saccharomyces cerevisiae actin intron. 1987, 7, 225-30  Structural and functional characterization of the promoter region of the mouse c-Ki-ras gene. 1987, 7, 2592-6  Aplysia californica neurons express microinjected neuropeptide genes. 1987, 7, 2762-71  Multiple basal elements of a human hsp70 promoter function differently in human and rodent cell lines. 1987, 7, 3646-55  Novel protein-tyrosine kinase gene (hck) preferentially expressed in cells of hematopoietic origin.	37 90 12 128
1280 1279 1278 1277	Effects on mRNA splicing of mutations in the 3' region of the Saccharomyces cerevisiae actin intron. 1987, 7, 225-30  Structural and functional characterization of the promoter region of the mouse c-Ki-ras gene. 1987, 7, 2592-6  Aplysia californica neurons express microinjected neuropeptide genes. 1987, 7, 2762-71  Multiple basal elements of a human hsp70 promoter function differently in human and rodent cell lines. 1987, 7, 3646-55  Novel protein-tyrosine kinase gene (hck) preferentially expressed in cells of hematopoietic origin. 1987, 7, 2276-85	37 90 12 128 235

1272	Functional domains of a T-DNA promoter active in crown gall tumors. 1987, 7, 59-67	30
1271	A new genetic approach for studying hormonal regulation of urokinase-type plasminogen activator gene expression in LLC-PK1 cells. <b>1987</b> , 7, 4535-41	19
1270	A 5'-flanking region of the chicken acetylcholine receptor alpha-subunit gene confers tissue specificity and developmental control of expression in transfected cells. <b>1987</b> , 7, 951-5	108
1269	Upstream DNA sequences required for tissue-specific expression of the HLA-DR alpha gene. <b>1987</b> , 84, 4254-8	120
1268	Molecular cloning of the human gene for von Willebrand factor and identification of the transcription initiation site. <b>1987</b> , 84, 4393-7	37
1267	Structure of the rat ornithine carbamoyltransferase gene, a large, X chromosome-linked gene with an atypical promoter. <b>1987</b> , 84, 6136-40	42
1266	A human major histocompatibility complex class I gene that encodes a protein with a shortened cytoplasmic segment. <b>1987</b> , 84, 9145-9	421
1265	Identification of the sequences controlling cyclic AMP regulation and cell-type-specific expression of a prestalk-specific gene in Dictyostelium discoideum. <b>1987</b> , 7, 149-59	75
1264	Metal-dependent binding of a factor in vivo to the metal-responsive elements of the metallothionein 1 gene promoter. <b>1987</b> , 7, 3574-81	89
1263	Multiple 5'-flanking regions of the human alpha-skeletal actin gene synergistically modulate muscle-specific expression. <b>1987</b> , 7, 4089-99	162
1262	In vitro splicing of kappa immunoglobulin precursor mRNA. <b>1987</b> , 7, 1346-51	16
1261	A cloned human ribosomal protein gene functions in rodent cells. <b>1987</b> , 7, 3767-74	31
1260	Yeast pre-mRNA splicing requires a minimum distance between the 5' splice site and the internal branch acceptor site. <b>1987</b> , 7, 4010-6	19
1259	Murine DNA polymerase beta gene: mapping of transcription initiation sites and the nucleotide sequence of the putative promoter region. <b>1987</b> , 7, 2012-8	54
1258	Proximal and distal regulatory elements that influence in vivo expression of a cell cycle-dependent human H4 histone gene. <b>1987</b> , 84, 3982-6	70
1257	Characterization of the promoter region of the human c-erbB-2 protooncogene. <b>1987</b> , 84, 4374-8	77
1256	The lens protein alpha A-crystallin of the blind mole rat, Spalax ehrenbergi: evolutionary change and functional constraints. <b>1987</b> , 84, 5320-4	75
1255	Sequence analysis of the complete cDNA and encoded polypeptide for the Glued gene of Drosophila melanogaster. <b>1987</b> , 84, 6501-5	57

1254	Molecular basis of the cell-surface expression of immunoglobulin mu chain without light chain in human B lymphocytes. <b>1987</b> , 84, 9199-203	31
1253	Nucleotide sequence and characterization of the 5' flanking region of the rat Ha-ras protooncogene. <b>1987</b> , 84, 774-8	37
1252	Structure and expression of the rat neuropeptide Y gene. <b>1987</b> , 84, 2068-72	270
1251	Alternative splicing of human elastin mRNA indicated by sequence analysis of cloned genomic and complementary DNA. <b>1987</b> , 84, 5680-4	283
1250	Identification of an essential upstream element in the nopaline synthase promoter by stable and transient assays. <b>1987</b> , 84, 5745-9	102
1249	Characterization of the alpha-tubulin gene family of Arabidopsis thaliana. 1987, 84, 5833-7	80
1248	Origin of noncoding DNA sequences: molecular fossils of genome evolution. <b>1987</b> , 84, 6195-9	13
1247	Sucl+ encodes a predicted 13-kilodalton protein that is essential for cell viability and is directly involved in the division cycle of Schizosaccharomyces pombe. <b>1987</b> , 7, 504-11	163
1246	Sequences required for transcriptional initiation of the Saccharomyces cerevisiae CYC7 genes. <b>1987</b> , 7, 3785-91	42
1245	c-mos proto-oncogene RNA transcripts in mouse tissues: structural features, developmental regulation, and localization in specific cell types. <b>1987</b> , 7, 1629-37	156
1244	Duplicated CArG box domains have positive and mutually dependent regulatory roles in expression of the human alpha-cardiac actin gene. <b>1987</b> , 7, 2803-13	214
1243	Sequences of the genes and polypeptide precursors for two bovine protease inhibitors. <b>1987</b> , 194, 11-22	59
1242	The glyceraldehyde-3-phosphate dehydrogenase gene family in the nematode, Caenorhabditis elegans: isolation and characterization of one of the genes. <b>1987</b> , 908, 21-33	29
1241	(A)GGG(A), (A)CCC(A) and other potential 3' splice signals in primate nuclear pre-mRNA sequences. <b>1987</b> , 910, 261-70	7
1240	Human interleukin-1 beta gene. <b>1987</b> , 52, 95-101	8o
1239	Induction of transformed cells to terminal differentiation. <b>1987</b> , 511, 246-55	21
1238	Posttranscriptional Processing (Splicing and 3End Formation) of Nuclear Messenger RNA Precursors in Vitro. <b>1987</b> , 99-111	
1237	Homologous domains in Trichoderma reesei cellulolytic enzymes: gene sequence and expression of cellobiohydrolase II. <b>1987</b> , 51, 43-52	295

1236	Expression of the caudal gene in the germ line of Drosophila: formation of an RNA and protein gradient during early embryogenesis. <b>1987</b> , 48, 465-78	257
1235	Epidermal growth factor and its receptor. <b>1987</b> , 51, 169-86	181
1234	Structural organization of the mouse mitochondrial aspartate aminotransferase gene. <b>1987</b> , 198, 21-31	49
1233	Structure of the human and murine R-ras genes, novel genes closely related to ras proto-oncogenes. <b>1987</b> , 48, 137-46	217
1232	Isolation and characterization of the porcine growth hormone gene. <b>1987</b> , 55, 339-44	81
1231	Altered structure and expression of c-myc in feline T-cell tumours. <b>1987</b> , 158, 194-205	35
1230	Nuclear events during early chondrogenesis: phosphorylation of the precartilage 35.5-kDa domain-specific chromatin protein and its regulation by cyclic AMP. <b>1987</b> , 120, 92-100	16
1229	Sequence and expression of the chicken calcitonin gene. <b>1987</b> , 223, 63-8	29
1228	The family of human Na+,K+-ATPase genes. A partial nucleotide sequence related to the alpha-subunit. <b>1987</b> , 213, 73-80	28
1227	The human preproapolipoprotein C-II gene. Complete nucleic acid sequence and genomic organization. <b>1987</b> , 213, 221-6	35
1226	Nuclear acceptor sites for sex steroid hormone receptors in chromatin. 1987, 27, 133-47	10
1225	New Genetics and the Pediatrician. <b>1987</b> , 29, 489-494	
1224	Expression of antibody cDNA in murine myeloma cells: possible involvement of additional regulatory elements in transcription of immunoglobulin genes. <b>1987</b> , 60, 205-16	13
1223	Vaccinia virus produces late mRNAs by discontinuous synthesis. <b>1987</b> , 50, 153-62	120
1222	Sequence, structure and promoter characterization of the human thymidine kinase gene. <b>1987</b> , 52, 267-77	124
1221	Structure of the l(2)gl gene of Drosophila and delimitation of its tumor suppressor domain. <b>1987</b> , 50, 215-25	97
1220	Genomic organization and primary structure of five homologous pairs of intron-less genes encoding secretory globins from the insect Chironomus thummi thummi. <b>1987</b> , 56, 41-51	33
1219	Primary structure of an alpha-tubulin gene of Physarum polycephalum. <b>1987</b> , 193, 427-38	47

Splice commitment dictates neuron-specific alternative RNA processing in calcitonin/CGRP gene expression. <b>1987</b> , 48, 517-24	211
Members of a nicotinic acetylcholine receptor gene family are expressed in different regions of the mammalian central nervous system. <b>1987</b> , 48, 965-73	372
The complete amino acid sequence of the human aldolase C isozyme derived from genomic clones. <b>1987</b> , 69, 137-45	64
Structure of the mouse Adh-1 gene and identification of a deletion in a long alternating purine-pyrimidine sequence in the first intron of strains expressing low alcohol dehydrogenase activity. <b>1987</b> , 57, 27-36	55
Transcriptional regulation of nicotinic acetylcholine receptor genes: identification of control elements of a gamma-subunit gene. <b>1987</b> , 427, 69-76	23
Characterization of vaccinia virus early promoters and evaluation of their informational content. <b>1987</b> , 198, 619-31	19
The human V kappa locus. Characterization of extended immunoglobulin gene regions by cosmid cloning. <b>1987</b> , 193, 241-53	60
Transcription of Neurospora crassa 5 S rRNA genes requires a TATA box and three internal elements. <b>1987</b> , 196, 801-11	70
Structure of a gene for rat calmodulin. <b>1987</b> , 193, 439-45	113
Cell-specific expression of the human complement protein factor B gene: evidence for the role of two distinct 5'-flanking elements. <b>1987</b> , 48, 331-42	136
Establishment of stable mouse myeloma cells constitutively secreting human tissue-type plasminogen activator. <b>1987</b> , 57, 131-41	14
The achaete-scute gene complex of D. melanogaster: conserved domains in a subset of genes required for neurogenesis and their homology to myc. <b>1987</b> , 50, 415-24	479
The role of the host cell nucleus in vaccinia virus morphogenesis. <b>1987</b> , 8, 173-91	22
Molecular analysis of mouse alcohol dehydrogenase: nucleotide sequence of the Adh-1 gene and genetic mapping of a related nucleotide sequence to chromosome 3. <b>1987</b> , 59, 171-82	40
Mutually exclusive interaction of the CCAAT-binding factor and of a displacement protein with overlapping sequences of a histone gene promoter. <b>1987</b> , 50, 347-59	403
Characterization of three optional promoters in the 5' region of the human aldolase A gene. <b>1987</b> , 197, 425-38	75
Cellular promoters incorporated into the adenovirus genome. Effect of viral DNA replication on endogenous and exogenous gene transcription. <b>1987</b> , 193, 643-50	18
Unique fusion of bcr and c-abl genes in Philadelphia chromosome positive acute lymphoblastic leukemia. <b>1987</b> , 51, 33-40	350
	Members of a nicotinic acetylcholine receptor gene family are expressed in different regions of the mammalian central nervous system. 1987, 48, 965-73  The complete amino acid sequence of the human aldolase C isozyme derived from genomic clones. 1987, 69, 137-45  Structure of the mouse Adh-1 gene and identification of a deletion in a long alternating purine-pyrimidine sequence in the first intron of strains expressing low alcohol dehydrogenase activity. 1987, 57, 27-36  Transcriptional regulation of nicotinic acetylcholine receptor genes: identification of control elements of a gamma-subunit gene. 1987, 427, 69-76  Characterization of vaccinia virus early promoters and evaluation of their informational content. 1987, 198, 619-31  The human V kappa locus. Characterization of extended immunoglobulin gene regions by cosmid cloning. 1987, 193, 241-53  Transcription of Neurospora crassa 5 S rRNA genes requires a TATA box and three internal elements. 1987, 196, 801-11  Structure of a gene for rat calmodulin. 1987, 193, 439-45  Cell-specific expression of the human complement protein factor B gene: evidence for the role of two distinct S'-flanking elements. 1987, 48, 331-42  Establishment of stable mouse myeloma cells constitutively secreting human tissue-type plasminogen activator. 1987, 57, 131-41  The achaete-scute gene complex of D. melanogaster: conserved domains in a subset of genes required for neurogenesis and their homology to myc. 1987, 50, 415-24  The role of the host cell nucleus in vaccinia virus morphogenesis. 1987, 8, 173-91  Malecular analysis of mouse alcohol dehydrogenase: nucleotide sequence of the Adh-1 gene and genetic mapping of a related nucleotide sequence to chromosome 3. 1987, 59, 171-82  Mutually exclusive interaction of the CCAAT-binding factor and of a displacement protein with overlapping sequences of a histone gene promoter. 1987, 50, 347-59  Characterization of three optional promoters in the 5' region of the human aldolase A gene. 1987, 1974, 25-38

1200	Analysis of RNase-A-resistant regions of adenovirus 2 major late precursor-mRNA in splicing extracts reveals an ordered interaction of nuclear components with the substrate RNA. <b>1987</b> , 196, 559-73	56
1199	Complete nucleotide sequence of bovine alpha-lactalbumin gene: comparison with its rat counterpart. <b>1987</b> , 69, 609-20	55
1198	Further characterization of Hb Henri Mondor or alpha 2 beta 2(26)(B8)GluVal. 1987, 11, 1-11	4
1197	Molecular structure of the gene and the 5'-flanking region of the human lymphocyte immunoglobulin E receptor. <b>1987</b> , 15, 7295-308	80
1196	Nucleotide sequence of the mouse alpha 1-acid glycoprotein gene 1. <b>1987</b> , 26, 5244-50	26
1195	Gene structure of cytochrome P-450(M-1) specifically expressed in male rat liver. <b>1987</b> , 26, 8279-85	46
1194	Organization and evolution of the rat tyrosine hydroxylase gene. <b>1987</b> , 26, 5208-12	73
1193	Structure, polymorphism, and novel repeated DNA elements revealed by a complete sequence of the human alpha-fetoprotein gene. <b>1987</b> , 26, 1332-43	88
1192	Thalassemia Syndromes: Recent Advances. <b>1987</b> , 1, 503-519	
1191	Expression of a homeo domain protein in noncontact-inhibited cultured cells and postmitotic neurons. <b>1987</b> , 1, 482-96	123
1190	An opsin gene that is expressed only in the R7 photoreceptor cell of Drosophila <i>EMBO Journal</i> , <b>1987</b> , 6, 443-451	82
1189	Substance P precursor and kininogen: their structures, gene organizations, and regulation. <b>1987</b> , 67, 1117-42	230
1188	Structure and expression of human B cell stimulatory factor-2 (BSF-2/IL-6) gene <i>EMBO Journal</i> , <b>1987</b> , 6, 2939-2945	348
1187	In vivo identification of multiple promoter domains of adenovirus EIIA-late promoter <i>EMBO Journal</i> , <b>1987</b> , 6, 2045-2052	17
1186	Upstream regions of the hamster desmin and vimentin genes regulate expression during in vitro myogenesis <i>EMBO Journal</i> , <b>1987</b> , 6, 3611-3618	48
1185	Binding of a nuclear factor to a consensus sequence in the 5? flanking region of zein genes from maize. <i>EMBO Journal</i> , <b>1987</b> , 6, 17-22	107
1184	Three Drosophila beta-tubulin sequences: a developmentally regulated isoform (beta 3), the testis-specific isoform (beta 2), and an assembly-defective mutation of the testis-specific isoform (B2t8) reveal both an ancient divergence in metazoan isotypes and structural constraints for	97
1183	Primary structure of the gene for the murine Ia antigen-associated invariant chains (Ii). An alternatively spliced exon encodes a cysteine-rich domain highly homologous to a repetitive 13 sequence of thyroglobulin <i>EMBO Journal</i> , <b>1987</b> , 6, 1677-1683	93

1182	A processed gene coding for a sarcomeric actin in Xenopus laevis and Xenopus tropicalis <i>EMBO Journal</i> , <b>1987</b> , 6, 1989-1995	13	18
1181	Influence of transposable elements on the structure and function of the A1 gene of Zea mays. <i>EMBO Journal</i> , <b>1987</b> , 6, 287-294	13	142
1180	A cellular transcription factor E4F1 interacts with an E1a-inducible enhancer and mediates constitutive enhancer function in vitro <i>EMBO Journal</i> , <b>1987</b> , 6, 1345-1353	13	129
1179	Physical linkage of three CD3 genes on human chromosome 11 <i>EMBO Journal</i> , <b>1987</b> , 6, 2953-2957	13	55
1178	Molecular cloning, nucleotide sequence, and expression of the gene encoding human eosinophil differentiation factor (interleukin 5). <b>1987</b> , 84, 6629-33		277
1177	Isolation and regulation of expression of the Neurospora crassa copper metallothionein gene. <b>1987</b> , 52, 393-400		9
1176	A pituitary-specific factor interacts with an upstream promotor element in the rat growth hormone gene. <b>1987</b> , 1, 90-6		51
1175	Organization of the murine Ig-related lambda 5 gene transcribed selectively in pre-B lymphocytes <i>EMBO Journal</i> , <b>1987</b> , 6, 103-107	13	107
1174	The regulatory c1 locus of Zea mays encodes a protein with homology to myb proto-oncogene products and with structural similarities to transcriptional activators <i>EMBO Journal</i> , <b>1987</b> , 6, 3553-3558	3 <sup>13</sup>	565
1173	Developmental and molecular analysis of Deformed ; a homeotic gene controlling Drosophila head development. <i>EMBO Journal</i> , <b>1987</b> , 6, 767-777	13	145
1172	Regulated expression of the Ren-2 gene in transgenic mice derived from parental strains carrying only the Ren-1 gene <i>EMBO Journal</i> , <b>1987</b> , 6, 983-987	13	59
1171	The analysis of intron data and their use in the detection of short signals. <b>1987</b> , 26, 335-40		24
1170	The structure and light-dependent transient expression of a nuclear-encoded chloroplast protein gene from pea (Pisum sativum L.). <b>1987</b> , 209, 234-9		47
1169	Genomic organization, sequence analysis and expression of all five genes encoding the small subunit of ribulose-1,5-bisphosphate carboxylase/oxygenase from tomato. <b>1987</b> , 209, 247-56		132
1168	Overlapping transcription units in Drosophila: sequence and structure of the Cs gene. <b>1987</b> , 209, 290-8		7
1167	Chromatin structure at the 5? promoter region of the maize Adh2 gene and its role in gene regulation. <b>1987</b> , 208, 185-190		10
1166	Selective and accurate initiation of transcription at the T-DNA promoter in a soluble chromatin extract from wheat germ. <b>1987</b> , 209, 445-52		21
1165	Molecular analysis of paramutant plants of Antirrhinum majus and the involvement of transposable elements. <b>1987</b> , 209, 499-507		35

1164	Interaction between the Tam1 and Tam2 transposable elements of Antirrhinum majus. 1987, 207, 47-53	24
1163	The fibroin genes of Antheraea yamamai and Bombyx mori are different in their core regions but reveal a striking sequence similarity in their 5? ends and 5?flanking regions. <b>1987</b> , 207, 189-195	31
1162	DNA sequence analysis of the rat RT1.B alpha gene. <b>1987</b> , 26, 56-62	22
1161	Sequence determination of a transcribed rabbit class II gene with homology to HLA-DQ alpha. <b>1987</b> , 25, 104-9	27
1160	Characterization of an HLA-DR beta pseudogene in the DRw52 supertypic group. <b>1987</b> , 25, 336-42	44
1159	Nucleotide sequence of the chloroplast gene responsible for triazine resistance in canola. <b>1987</b> , 73, 357-63	27
1158	Upstream sequences of dosage-compensated and non-compensated alleles of the larval secretion protein gene Sgs-4 in Drosophila. <b>1987</b> , 96, 1-7	31
1157	Molecular characterization of a wound-inducible inhibitor I gene from potato and the processing of its mRNA and protein. <b>1987</b> , 8, 199-207	74
1156	Intron/exon structure of the human gene for the muscle isozyme of glycogen phosphorylase. <b>1987</b> , 2, 177-87	73
1155	A highly diverged beta 1 exon in the DR region of the human MHC: sequence and evolutionary implications. <b>1987</b> , 25, 15-20	17
1154	A cluster of rabbit T-cell beta-chain variable region genes. <b>1987</b> , 25, 55-62	11
1153	The structure of the human apolipoprotein genes. <b>1987</b> , 7, 56S-60S	1
1152	Branched RNA. <b>1987</b> , 6, 212-6	4
1151	A potential Z-DNA-forming sequence is an essential upstream element of a plant promoter. <b>1987</b> , 7, 211-214	14
1150	Transkription in Eukaryonten Idie Rolle von Transkriptionskomplexen und ihren Komponenten. <b>1987</b> , 99, 206-215	2
1149	Gentechnik mit Pflanzen. <b>1987</b> , 99, 392-412	8
1148	Proteins, exons and molecular evolution. <b>1987</b> , 20, 181-206	25
1147	Oncogene activation by chromosomal rearrangement in chronic myelocytic leukemia. <b>1987</b> , 186, 161-72	20

1146	Photofootprinting in vivo detects transcription-dependent changes in yeast TATA boxes. <b>1987</b> , 325, 173-7	114
1145	Activation of transcription by two factors that bind promoter and enhancer sequences of the human metallothionein gene and SV40. <b>1987</b> , 325, 368-72	74 <sup>0</sup>
1144	A TATA box implicated in E1A transcriptional activation of a simple adenovirus 2 promoter. <b>1987</b> , 326, 512-5	223
1143	Identical mRNA for preproglucagon in pancreas and gut. <b>1987</b> , 164, 553-8	92
1142	Structural organization of the bovine thyroglobulin gene and of its 5'-flanking region. <b>1987</b> , 164, 591-9	32
1141	The chromosomal gene structure for murine granulocyte colony-stimulating factor. <b>1987</b> , 165, 7-12	43
1140	Structural organization of the proopiomelanocortin gene in Xenopus laevis. 5'-end homologies within the toad and mammalian genes. <b>1987</b> , 165, 467-72	14
1139	Evidence for a type-IV-related collagen in Drosophila melanogaster. Evolutionary constancy of the carboxyl-terminal noncollagenous domain. <b>1987</b> , 165, 587-93	40
1138	Rat glycine methyltransferase. Complete amino acid sequence deduced from a cDNA clone and characterization of the genomic DNA. <b>1987</b> , 168, 141-51	39
1137	Sheep wool (glycine + tyrosine)-rich keratin genes. A family of low sequence homology. <b>1987</b> , 166, 79-85	51
1136	The developmentally regulated expression of two linked myosin heavy-chain genes. 1987, 169, 79-84	26
1135	New inducers revealed by the promoter sequence analysis of two interferon-activated human genes. <b>1987</b> , 169, 313-21	98
1134	Sequence variation of bovine elastin mRNA due to alternative splicing. <b>1987</b> , 7, 235-47	131
1133	The human von Willebrand factor gene. Structure of the 5' region. <b>1988</b> , 171, 51-7	28
1132	The rat vitamin-D-dependent calcium-binding protein (9-kDa CaBP) gene. Complete nucleotide sequence and structural organization. <b>1988</b> , 172, 43-51	44
1131	The structure of the gene for cecropin B, an antibacterial immune protein from Hyalophora cecropia. <b>1988</b> , 172, 371-6	47
1130	Human cellular retinol-binding protein gene organization and chromosomal location. 1988, 173, 35-44	38
1129	Genomic and cDNA cloning of the human C1 inhibitor. Intron-exon junctions and comparison with other serpins. <b>1988</b> , 173, 163-9	47

1128	Isolation, structure and expression of cDNA and genomic clones for murine eosinophil differentiation factor. Comparison with other eosinophilopoietic lymphokines and identity with interleukin-5. <b>1988</b> , 174, 345-52	77
1127	The sheep metallothionein gene family. Structure, sequence and evolutionary relationship of five linked genes. <b>1988</b> , 174, 417-24	42
1126	Differential expression of four linked sheep metallothionein genes. <b>1988</b> , 174, 425-9	29
1125	Human aldolase A gene. Structural organization and tissue-specific expression by multiple promoters and alternate mRNA processing. <b>1988</b> , 174, 569-78	56
1124	Enhancer sequences and the regulation of gene transcription. <b>1988</b> , 176, 485-95	134
1123	Isolation and characterization of the 5' flanking region of the mouse c-Harvey-ras gene. <b>1988</b> , 1, 161-70	53
1122	cDNA cloning of murine interleukin-HP1: homology with human interleukin 6. <b>1988</b> , 18, 193-7	248
1121	Burkitt's lymphoma cell lines producing truncated mu immunoglobulin heavy chains lacking part of the variable region. <b>1988</b> , 18, 1485-9	14
1120	Characterization of a protamine gene from the chum salmon (Oncorhynchus keta). 1988, 27, 8-16	25
1119	Cytoskeletal actin gene families of Xenopus borealis and Xenopus laevis. <b>1988</b> , 27, 17-28	20
1118	Nucleotide sequence of regions homologous to nifH (nitrogenase Fe protein) from the nitrogen-fixing archaebacteria Methanococcus thermolithotrophicus and Methanobacterium ivanovii: evolutionary implications. 1988, 27, 65-76	53
1117	Sequence similarities of the protamine genes: implications for regulation and evolution. <b>1988</b> , 27, 291-7	48
1116	Molecular analysis of the alcohol dehydrogenase gene family of barley. 1988, 11, 147-60	55
1115	The tomato polygalacturonase gene and ripening-specific expression in transgenic plants. <b>1988</b> , 11, 651-62	187
1114	Four genes in two diverged subfamilies encode the ribulose-1,5-bisphosphate carboxylase small subunit polypeptides of Arabidopsis thaliana. <b>1988</b> , 11, 745-59	130
1113	Genes for tRNA(Asp), tRNA (Pro), tRNA (Tyr) and two tRNAs (Ser) in wheat mitochondrial DNA. 1988, 10, 251-62	47
1112	Sequence comparisons of three wild-type Bronze-1 alleles from Zea mays. <b>1988</b> , 11, 473-81	52
1111	DNA sequence analysis of a PR-1a gene from tobacco: Molecular relationship of heat shock and pathogen responses in plants. <b>1988</b> , 211, 290-295	33

1110	Primary structure and promoter analysis of leghemoglobin genes of the stem-nodulated tropical legume Sesbania rostrata: conserved coding sequences, cis-elements and trans-acting factors. <b>1988</b> , 214, 181-91	56
1109	Transposon-induced alterations in the promoter region affect transcription of the chalcone synthase gene of Antirrhinum majus. <b>1988</b> , 211, 49-55	56
1108	Organization and structure of Volvox alpha-tubulin genes. <b>1988</b> , 213, 449-58	39
1107	A feline class II alpha gene with striking similarity to the HLA-DPA pseudogene. <b>1988</b> , 28, 406-11	8
1106	Nucleotide sequence of the Aspergillus niger trpC gene: structural relationship with analogous genes of other organisms. <b>1988</b> , 13, 137-44	22
1105	The role of protein phosphorylation in the control of cell growth and differentiation. <b>1988</b> , 58, 549-55	22
1104	Novel precursor of Alzheimer's disease amyloid protein shows protease inhibitory activity. <b>1988</b> , 331, 530-2	1042
1103	Function of a yeast TATA element-binding protein in a mammalian transcription system. <b>1988</b> , 334, 37-42	357
1102	Distribution of O6-ethylguanine in DNA exposed to ethylnitrosourea in vitro as visualized by electron microscopy using a monoclonal antibody. <b>1988</b> , 198, 179-89	6
1101	Transcriptional activation by the pseudorabies virus immediate early protein requires the TATA box element in the adenovirus 2 E1B promoter. <b>1988</b> , 167, 318-22	30
1100	Sequence of a bovine herpesvirus type-1 glycoprotein gene that is homologous to the herpes simplex gene for the glycoprotein gB. <b>1988</b> , 166, 542-9	66
1099	Nuclear acceptor sites for steroid hormone receptors: comparisons of steroids and antisteroids. 1988, 31, 579-92	14
1098	The Drosophila ets-2 gene: molecular structure, chromosomal localization, and developmental expression. <b>1988</b> , 127, 45-53	58
1097	Schistosoma mansoni: identification and analysis of an mRNA and a gene encoding superoxide dismutase (Cu/Zn). <b>1988</b> , 67, 73-84	69
1096	Isolation and analysis of the mouse opsin gene. <b>1988</b> , 238, 253-6	79
1095	Spectroscopic studies on the mode of binding of ATP, UTP and alpha-amanitin with yeast RNA polymerase II. <b>1988</b> , 241, 33-7	5
1094	Conservation of a gene cluster including glycoprotein B in bovine herpesvirus type 2 (BHV-2) and herpes simplex virus type 1 (HSV-1). <b>1988</b> , 165, 388-405	41
1093	An immediate early gene of human cytomegalovirus encodes a potential membrane glycoprotein.  1988, 165, 151-64	110

1092	Isolation and characterization of the Bos taurus beta-casein gene. 1988, 66, 87-96	42
1091	Structural and functional analysis of the promoter region of the nerve growth factor gene. <b>1988</b> , 427, 133-40	57
1090	Structure and expression of a Manduca sexta larval cuticle gene homologous to Drosophila cuticle genes. <b>1988</b> , 203, 411-23	313
1089	Promoter sequence and cell type can dramatically affect the efficiency of transcriptional activation induced by herpes simplex virus type 1 and its immediate-early gene products Vmw175 and Vmw110. <b>1988</b> , 203, 739-51	34
1088	Structural organization of the mouse cytosolic malate dehydrogenase gene: comparison with that of the mouse mitochondrial malate dehydrogenase gene. <b>1988</b> , 202, 355-64	37
1087	Complete nucleotide sequence of human vasoactive intestinal peptide/PHM-27 gene and its inducible promoter. <b>1988</b> , 527, 87-102	33
1086	Sequence homologies in the mouse protamine 1 and 2 genes. <b>1988</b> , 950, 45-53	96
1085	Identification of germline and somatic mutations affecting the retinoblastoma gene. <b>1988</b> , 241, 1797-800	233
1084	Genomic structure of the human mitochondrial aldehyde dehydrogenase gene. <b>1988</b> , 2, 57-65	115
1083	Characterization of the gene encoding ovine beta-lactoglobulin. Similarity to the genes for retinol binding protein and other secretory proteins. <b>1988</b> , 199, 415-26	113
1082	A yeast and a human CCAAT-binding protein have heterologous subunits that are functionally interchangeable. <b>1988</b> , 53, 25-35	264
1081	Isolation and mapping of a gene for protein synthesis initiation factor 4A and its expression during differentiation of murine erythroleukemia cells. <b>1988</b> , 70, 231-43	17
1080	Mild hemophilia A associated with a cryptic donor splice site mutation in intron 4 of the factor VIII gene. <b>1988</b> , 2, 32-6	18
1079	An explanation for the phenotypic differences between patients bearing partial deletions of the DMD locus. <b>1988</b> , 2, 90-5	946
1078	Transcription elements and factors of RNA polymerase B promoters of higher eukaryotes. <b>1988</b> , 23, 77-120	77
1077	Organization and nucleotide sequence of two chromosomal genes for rat cytochrome c oxidase subunit VIc: a structural and a processed gene. <b>1988</b> , 7, 163-71	35
1076	Structural analysis of the human glucocerebrosidase genes. <b>1988</b> , 7, 107-16	43
1075	The sequence of the human epidermal 58-kD (#5) type II keratin reveals an absence of 5' upstream sequence conservation between coexpressed epidermal keratins. 1988, 7, 337-45	43

1074	Structure and regulation of a lignin peroxidase gene from Phanerochaete chrysosporium. <b>1988</b> , 155, 626-33	85
1073	Proopiomelanocortin gene expression in a pheochromocytoma using upstream transcription initiation sites. <b>1988</b> , 155, 895-900	13
1072	Exon-intron organization of a gene for pregnancy-specific beta 1-glycoprotein, a subfamily member of CEA family: implications for its characteristic repetitive domains and C-terminal sequences. <b>1988</b> , 156, 68-77	42
1071	Isolation of the human platelet glycoprotein IIb gene and characterization of the 5' flanking region. <b>1988</b> , 156, 595-601	57
1070	Organization of the gene encoding the insulin-like growth factor binding protein IBP-1. <b>1988</b> , 157, 898-907	44
1069	Cloning, nucleotide sequence and characterization of a New Zealand rabbit metallothionein-I gene. <b>1988</b> , 153, 209-16	16
1068	The J kappa proximal region of the human K locus contains three uncommon V kappa genes which are arranged in opposite transcriptional polarities. <b>1988</b> , 25, 479-84	33
1067	Molecular Cloning and Expression of Two Forms of Human Protease Nexin I. <b>1988</b> , 6, 172-177	47
1066	Structure of the rainbow trout metallothionein B gene and characterization of its metal-responsive region. <b>1988</b> , 8, 4469-76	101
1065	Molecular analysis of a Phanerochaete chrysosporium lignin peroxidase gene. <b>1988</b> , 70, 127-37	59
1064	Changing the RNA polymerase specificity of U snRNA gene promoters. <b>1988</b> , 55, 435-42	169
1063	Molecular characterization of the patatin multigene family of potato. <b>1988</b> , 62, 27-44	109
1062	Characterization of amalgam: a member of the immunoglobulin superfamily from Drosophila. <b>1988</b> , 55, 589-600	168
1061	Structure of the Chlamydomonas reinhardtii cabII-1 gene encoding a chlorophyll-a/b-binding protein. <b>1988</b> , 73, 397-407	80
1060	Conservation in the 5' flanking sequences of transcribed members of the Caenorhabditis elegans major sperm protein gene family. <b>1988</b> , 199, 15-22	34
1059	Herpes simplex virus regulatory elements and the immunoglobulin octamer domain bind a common factor and are both targets for virion transactivation. <b>1988</b> , 52, 435-45	388
1058	Structural organization of the mouse mitochondrial malate dehydrogenase gene. <b>1988</b> , 200, 1-11	41
1057	Structure and evolution of the bovine prothrombin gene. <b>1988</b> , 200, 31-45	58

1056	The transcriptionally active human ribosomal protein S17 gene. 1988, 70, 107-16	61
1055	Sequence and structure of the nucleolin promoter in rodents: characterization of a strikingly conserved CpG island. <b>1988</b> , 68, 73-84	22
1054	Transcription from each of the Drosophila act5C leader exons is driven by a separate functional promoter. <b>1988</b> , 62, 289-300	62
1053	Structure of a multihormonally regulated rat gene. <b>1988</b> , 71, 413-20	19
1052	Structural organization of the mouse aspartate aminotransferase isoenzyme genes. Introns antedate the divergence of cytosolic and mitochondrial isoenzyme genes. <b>1988</b> , 200, 13-22	37
1051	Mechanism of action of a yeast activator: direct effect of GAL4 derivatives on mammalian TFIID-promoter interactions. <b>1988</b> , 54, 665-9	295
1050	Isolation and analysis of the gene encoding peripheral myelin protein zero. <b>1988</b> , 1, 73-83	265
1049	Structure of chick chromosomal genes for calbindin and calretinin. <b>1988</b> , 200, 615-25	69
1048	Molecular cloning and characterization of the met2 gene from Ascobolus immersus. <b>1988</b> , 63, 297-308	38
1047	The human VK locus. Characterization of a duplicated region encoding 28 different immunoglobulin genes. <b>1988</b> , 199, 23-34	86
1046	Structure of the gene encoding the beta-subunit of chicken prolyl 4-hydroxylase. <b>1988</b> , 71, 451-60	11
1045	Structures of two kinds of mRNA encoding the chum salmon melanin-concentrating hormone. <b>1988</b> , 71, 433-8	49
1044	Structure and characterisation of a duplicated human alpha 1 acid glycoprotein gene. <b>1988</b> , 66, 97-106	28
1043	Sex-lethal, a Drosophila sex determination switch gene, exhibits sex-specific RNA splicing and sequence similarity to RNA binding proteins. <b>1988</b> , 55, 1037-46	431
1042	Nucleotide sequence of the dihydrofolate reductase gene of Saccharomyces cerevisiae. <b>1988</b> , 63, 165-74	28
1041	Ectopic hormone production. <b>1988</b> , 2, 967-86	3
1040	Structure and expression of a newt cardio-skeletal myosin gene. Implications for the C value paradox. <b>1988</b> , 202, 287-96	19
1039	Structure of the mouse nucleolin gene. The complete sequence reveals that each RNA binding domain is encoded by two independent exons. <b>1988</b> , 200, 627-38	105

1038	Developmental and regional expression of beta-nerve growth factor receptor mRNA in the chick and rat. <b>1988</b> , 1, 983-96	229
1037	Factors involved in specific transcription by mammalian RNA polymerase II: purification, genetic specificity, and TATA box-promoter interactions of TFIID. <b>1988</b> , 8, 4028-40	509
1036	Regulation of tissue-specific glycolytic isozyme genes: coordinate response to oxygen availability in myogenic cells. <b>1988</b> , 66, 1046-1058	26
1035	Cloning and structure of the human adrenodoxin gene. <b>1988</b> , 7, 609-15	46
1034	Organization and nucleotide sequence of the gene encoding the beta-subunit of murine thyrotropin. <b>1988</b> , 7, 17-26	41
1033	Nucleotide sequence of the S-acyl fatty acid synthase thioesterase gene and its tissue-specific expression. <b>1988</b> , 7, 449-57	11
1032	A gene expressed in the endoderm of the sea urchin embryo. <b>1988</b> , 7, 637-43	9
1031	The Molecular Biology of Cell Determination and Cell Differentiation. 1988,	1
1030	Nucleotide sequence of the bovine gene for follicle-stimulating hormone beta-subunit. 1988, 7, 227-33	42
1029	Organization and nucleotide sequence of the mouse alpha-subunit gene of the pituitary glycoprotein hormones. <b>1988</b> , 7, 679-90	51
1028	The human thyrotropin beta-subunit gene differs in 5' structure from murine TSH-beta genes. <b>1988</b> , 7, 691-9	28
1027	Structure and expression of a Drosophila male accessory gland gene whose product resembles a peptide pheromone precursor. <b>1988</b> , 2, 1063-73	122
1026	A putative ancestral actin gene present in a thermophilic eukaryote: novel combination of intron positions. <b>1988</b> , 16, 2553-64	27
1025	Sequence of the rat serine dehydratase gene. <b>1988</b> , 16, 10921-3	13
1024	Structural adaptation of bird hemoglobins to high-altitude respiration and the primary sequences of black-headed gull (Larus ridibundus, Charadriiformes) alpha A- and beta/beta'-chains. <b>1988</b> , 369, 341-8	5
1023	Constraints on spacing between transcription factor binding sites in a simple adenovirus promoter. 1988, 2, 403-11	58
1022	Coordinate N-ras mRNA up-regulation with mutational activation in tumorigenic guinea pig cells. <b>1988</b> , 16, 969-80	20
1021	Upstream sequences required for transcription of the TFIIIA gene in Xenopus oocytes. <b>1988</b> , 16, 3801-14	18

1020 Mapping of two novel transcripts of bovine papillomavirus type 4. <b>1988</b> , 69 ( Pt 12), 3033-45	7
1019 Transcriptional Mapping of the Coat Protein Gene of Tomato Golden Mosaic Virus. <b>1988</b> , 69, 1359-1365	36
1018 Methods to define and locate patterns of motifs in sequences. <b>1988</b> , 4, 53-60	26
1017 Exon-intron organization in genes of earthworm and vertebrate globins. <b>1988</b> , 240, 334-6	37
Physical analysis of transcription preinitiation complex assembly on a class II gene promoter. <b>1988</b> , 241, 1335-8	318
Detection of two tissue-specific DNA-binding proteins with affinity for sites in the mouse beta-globin intervening sequence 2. <b>1988</b> , 8, 381-92	71
The gene structure of rat androgen-binding protein: identification of potential regulatory deoxyribonucleic acid elements of a follicle-stimulating hormone-regulated protein. <b>1988</b> , 2, 3-13	63
The Saccharomyces cerevisiae RAD18 gene encodes a protein that contains potential zinc finger domains for nucleic acid binding and a putative nucleotide binding sequence. <b>1988</b> , 16, 7119-31	140
The Drosophila melanogaster tropomyosin II gene produces multiple proteins by use of alternative tissue-specific promoters and alternative splicing. <b>1988</b> , 8, 3591-602	89
1011 Cloning of the human keratin 18 gene and its expression in nonepithelial mouse cells. <b>1988</b> , 8, 1540-50	115
1010 Molecular analysis of a Neurospora crassa gene expressed during conidiation. <b>1988</b> , 8, 2411-8	75
1009 Nucleotide sequence of the rat guanidinoacetate methyltransferase gene. <b>1988</b> , 16, 8715-6	6
1008 Control of IGF-II mRNA levels by glucocorticoids in the neonatal rat. <b>1988</b> , 1, R5-8	27
Two target sites for protein binding in the promoter region of a cell cycle regulated human H1 histone gene. <b>1988</b> , 16, 571-92	75
Structure of the bovine pancreatic ribonuclease gene: the unique intervening sequence in the 5' untranslated region contains a promoter-like element. <b>1988</b> , 16, 5491-502	45
Human liver-type arginase gene: structure of the gene and analysis of the promoter region. <b>1988</b> , $16,8789-802$	61
1004 The genetic structure of mouse ornithine transcarbamylase. <b>1988</b> , 16, 1593-601	29
Structural characterization of normal and mutant human steroid 17 alpha-hydroxylase genes: molecular basis of one example of combined 17 alpha-hydroxylase/17,20 lyase deficiency. <b>1988</b> , 2, 564-	70 <sup>136</sup>

1002	Delimitation of essential genes of cassava latent virus DNA 2. <b>1988</b> , 16, 4811-29	91
1001	Conservation of histone H2A/H2B intergene regions: a role for the H2B specific element in divergent transcription. <b>1988</b> , 16, 8571-86	43
1000	Sequence and analysis of promoter region of human insulin-receptor gene. <b>1988</b> , 37, 1241-6	49
999	Fos and Jun bind cooperatively to the AP-1 site: reconstitution in vitro. <b>1988</b> , 2, 1687-99	437
998	Intron sequences and the length of the downstream second exon affect the binding of hnRNP C proteins in an in vitro splicing reaction. <b>1988</b> , 16, 4995-5011	6
997	Analysis of transcription control elements of the mouse myelin basic protein gene in HeLa cell extracts: demonstration of a strong NFI-binding motif in the upstream region. <b>1988</b> , 16, 11441-59	69
996	EivF, a factor required for transcription of the adenovirus EIV promoter, binds to an element involved in EIa-dependent activation and cAMP induction. <b>1988</b> , 2, 975-90	59
995	An erythrocyte-specific protein that binds to the poly(dG) region of the chicken beta-globin gene promoter. <b>1988</b> , 2, 863-73	93
994	Isolation of a complementary DNA clone encoding a precursor to human eosinophil major basic protein. <b>1988</b> , 168, 2295-308	49
993	Genomic organization and biosynthesis of secreted and cytoplasmic forms of gelsolin. 1988, 106, 375-84	152
993	Genomic organization and biosynthesis of secreted and cytoplasmic forms of gelsolin. <b>1988</b> , 106, 375-84  Transcriptional regulation of the Arabidopsis thaliana chalcone synthase gene. <b>1988</b> , 8, 1985-92	152 255
992	Transcriptional regulation of the Arabidopsis thaliana chalcone synthase gene. <b>1988</b> , 8, 1985-92  Ribosomal protein S14 is encoded by a pair of highly conserved, adjacent genes on the X	255
992	Transcriptional regulation of the Arabidopsis thaliana chalcone synthase gene. <b>1988</b> , 8, 1985-92  Ribosomal protein S14 is encoded by a pair of highly conserved, adjacent genes on the X chromosome of Drosophila melanogaster. <b>1988</b> , 8, 4314-21  Characterization of Gmhsp26-A, a stress gene encoding a divergent heat shock protein of soybean:	255 41
992 991 990	Transcriptional regulation of the Arabidopsis thaliana chalcone synthase gene. <b>1988</b> , 8, 1985-92  Ribosomal protein S14 is encoded by a pair of highly conserved, adjacent genes on the X chromosome of Drosophila melanogaster. <b>1988</b> , 8, 4314-21  Characterization of Gmhsp26-A, a stress gene encoding a divergent heat shock protein of soybean: heavy-metal-induced inhibition of intron processing. <b>1988</b> , 8, 1113-22  Structure and expression of rat osteosarcoma (ROS 17/2.8) alkaline phosphatase: product of a	255 41 135
992 991 990 989	Transcriptional regulation of the Arabidopsis thaliana chalcone synthase gene. 1988, 8, 1985-92  Ribosomal protein S14 is encoded by a pair of highly conserved, adjacent genes on the X chromosome of Drosophila melanogaster. 1988, 8, 4314-21  Characterization of Gmhsp26-A, a stress gene encoding a divergent heat shock protein of soybean: heavy-metal-induced inhibition of intron processing. 1988, 8, 1113-22  Structure and expression of rat osteosarcoma (ROS 17/2.8) alkaline phosphatase: product of a single copy gene. 1988, 85, 319-23	255 41 135 98
992 991 990 989 988	Transcriptional regulation of the Arabidopsis thaliana chalcone synthase gene. 1988, 8, 1985-92  Ribosomal protein S14 is encoded by a pair of highly conserved, adjacent genes on the X chromosome of Drosophila melanogaster. 1988, 8, 4314-21  Characterization of Gmhsp26-A, a stress gene encoding a divergent heat shock protein of soybean: heavy-metal-induced inhibition of intron processing. 1988, 8, 1113-22  Structure and expression of rat osteosarcoma (ROS 17/2.8) alkaline phosphatase: product of a single copy gene. 1988, 85, 319-23  Several distinct "CCAAT" box binding proteins coexist in eukaryotic cells. 1988, 85, 757-61  The chicken skeletal alpha-actin gene promoter region exhibits partial dyad symmetry and a	255 41 135 98 233

984	Upstream regulatory region for inducible expression of the chicken skeletal myosin alkali light-chain gene. <b>1988</b> , 8, 2581-8	25
983	TATA box-dependent protein-DNA interactions are detected on heat shock and histone gene promoters in nuclear extracts derived from Drosophila melanogaster embryos. <b>1988</b> , 8, 3204-14	35
982	Structural and functional analysis of the rat malic enzyme gene promoter. <b>1988</b> , 8, 3542-5	35
981	Transcriptional unit of the murine Thy-1 gene: different distribution of transcription initiation sites in brain. <b>1988</b> , 8, 3847-56	32
980	Characterization of the gene for the a subunit of human factor XIII (plasma transglutaminase), a blood coagulation factor. <b>1988</b> , 85, 5829-33	144
979	Possible evolution of splice-junction signals in eukaryotic genes from stop codons. <b>1988</b> , 85, 1129-33	42
978	Exon-intron organization and sequence comparison of human and murine T11 (CD2) genes. <b>1988</b> , 85, 1615-9	31
977	Gene encoding the human beta-hexosaminidase beta chain: extensive homology of intron placement in the alpha- and beta-chain genes. <b>1988</b> , 85, 1883-7	114
976	Type 1 plasminogen activator inhibitor gene: functional analysis and glucocorticoid regulation of its promoter. <b>1988</b> , 85, 5525-9	209
975	Isolation and nucleotide sequence of the cDNA for rat liver serine dehydratase mRNA and structures of the 5' and 3' flanking regions of the serine dehydratase gene. <b>1988</b> , 85, 5809-13	33
974	Mouse lysozyme M gene: isolation, characterization, and expression studies. <b>1988</b> , 85, 6232-6	196
973	Organization of the human alpha 2-plasmin inhibitor gene. <b>1988</b> , 85, 6836-40	47
972	Structure and chromosomal localization of the functional intronless human JUN protooncogene. <b>1988</b> , 85, 9148-52	207
971	The human transforming growth factor alpha promoter directs transcription initiation from a single site in the absence of a TATA sequence. <b>1988</b> , 8, 5549-54	68
970	Structure of a fish (rainbow trout) growth hormone gene and its evolutionary implications. <b>1988</b> , 85, 5136-40	85
969	In vivo "photofootprint" changes at sequences between the yeast GAL1 upstream activating sequence and "TATA" element require activated GAL4 protein but not a functional TATA element. 1988, 85, 5399-403	28
968	Cloning, nucleotide sequence, and potential regulatory elements of the glutamine synthetase gene from murine 3T3-L1 adipocytes. <b>1988</b> , 85, 5789-93	27
967	Molecular mechanism of retinoblastoma gene inactivation in retinoblastoma cell line Y79. <b>1988</b> , 85, 6017-21	59

966	A conserved CATTCCT motif is required for skeletal muscle-specific activity of the cardiac troponin T gene promoter. <b>1988</b> , 85, 6404-8	179
965	B-cell-specific and interferon-gamma-inducible regulation of the HLA-DR alpha gene. <b>1988</b> , 85, 8598-602	114
964	Seminoma-derived Nagao isozyme is encoded by a germ-cell alkaline phosphatase gene. <b>1988</b> , 85, 3024-8	112
963	DNA affinity labeling of adenovirus type 2 upstream promoter sequence-binding factors identifies two distinct proteins. <b>1988</b> , 8, 105-13	44
962	A regulatory region responsible for proline-specific induction of the yeast PUT2 gene is adjacent to its TATA box. <b>1988</b> , 8, 4634-41	40
961	Stepwise activation of the mouse acetylcholine receptor delta- and gamma-subunit genes in clonal cell lines. <b>1988</b> , 8, 5257-67	37
960	Effects of single-base substitutions within the Acanthamoeba castellanii rRNA promoter on transcription and on binding of transcription initiation factor and RNA polymerase I. <b>1988</b> , 8, 747-53	31
959	Structure, chromosome location, and expression of the human gamma-actin gene: differential evolution, location, and expression of the cytoskeletal beta- and gamma-actin genes. <b>1988</b> , 8, 1775-89	153
958	Delineation of DNA sequences that are important for in vitro transcription from the adenovirus Ella late promoter. <b>1988</b> , 8, 1906-14	9
957	Structure of the murine lck gene and its rearrangement in a murine lymphoma cell line. <b>1988</b> , 8, 3058-64	93
956	Molecular cloning and expression of a gene for a factor which stabilizes formation of inhibitor-mitochondrial ATPase complex from Saccharomyces cerevisiae. <b>1988</b> , 104, 526-30	20
955	Structure and complete nucleotide sequence of the gene encoding chicken cytosolic adenylate kinase. <b>1988</b> , 103, 611-7	13
954	The structure of the human glutathione S-transferase pi gene. <i>Biochemical Journal</i> , <b>1988</b> , 255, 79-83 3.8	126
953	The complete sequence of a frog alpha-tubulin gene and its regulated expression in mouse L-cells. <i>Biochemical Journal</i> , <b>1988</b> , 249, 465-72	13
952	Structure of the human tyrosine hydroxylase gene: alternative splicing from a single gene accounts for generation of four mRNA types. <b>1988</b> , 103, 907-12	123
951	Isolation and nucleotide sequence of the chloroperoxidase gene from Caldariomyces fumago. <b>1988</b> , 170, 1007-11	25
950	Thalassemia: molecular pathology and management. <b>1988</b> , 296, 308-21	3
949	Absence of methylation of a CpG-rich region at the 5' end of the MIC2 gene on the active X, the inactive X, and the Y chromosome. <b>1988</b> , 85, 5605-9	58

948	Organization of the Ly-5 gene. <b>1988</b> , 8, 4889-95		36
947	Transcriptional and posttranscriptional mechanisms regulate murine thymidine kinase gene expression in serum-stimulated cells. <b>1988</b> , 8, 5280-91		58
946	Mutational analysis of upstream activation sequence 2 of the CYC1 gene of Saccharomyces cerevisiae: a HAP2-HAP3-responsive site. <b>1988</b> , 8, 647-54		140
945	The rat alpha-tropomyosin gene generates a minimum of six different mRNAs coding for striated, smooth, and nonmuscle isoforms by alternative splicing. <b>1988</b> , 8, 679-94		189
944	Insertional activation of a promoterless thymidine kinase gene. <b>1988</b> , 8, 3298-302		10
943	Identification of a novel TA-rich DNA binding protein that recognizes a TATA sequence within the brain creatine kinase promoter. <b>1988</b> , 16, 8925-44		54
942	Structural organization of the human alpha-galactosidase A gene: further evidence for the absence of a 3' untranslated region. <b>1988</b> , 85, 3903-7		131
941	Human adrenodoxin reductase: two mRNAs encoded by a single gene on chromosome 17cenq25 are expressed in steroidogenic tissues. <b>1988</b> , 85, 7104-8		81
940	A gene activated in mouse 3T3 cells by serum growth factors encodes a protein with "zinc finger" sequences. <b>1988</b> , 85, 7857-61		643
939	Organization of the murine Mx gene and characterization of its interferon- and virus-inducible promoter. <b>1988</b> , 8, 3065-79		217
938	Multiple cis-acting sequence elements are required for efficient splicing of simian virus 40 small-t antigen pre-mRNA. <b>1988</b> , 8, 3582-90		57
937	Adenovirus transcriptional regulatory regions are conserved in mammalian cells and Saccharomyces cerevisiae. <b>1988</b> , 8, 3717-25		12
936	Sequence of the twist gene and nuclear localization of its protein in endomesodermal cells of early Drosophila embryos <i>EMBO Journal</i> , <b>1988</b> , 7, 2175-2183	13	353
935	The achaete-scute gene complex of Drosophila melanogaster comprises four homologous genes <i>EMBO Journal</i> , <b>1988</b> , 7, 2585-2591	13	199
934	Genomic organization of the human oestrogen receptor gene EMBO Journal, 1988, 7, 3385-3388	13	319
933	Isolation and sequencing of a genomic clone encoding aspartic proteinase of Rhizopus niveus. <b>1988</b> , 170, 272-8		67
932	The role of the polypyrimidine stretch at the SV40 early pre-mRNA 3? splice site in alternative splicing <i>EMBO Journal</i> , <b>1988</b> , 7, 809-817	13	67
931	Isolation and characterization of the chick 14K beta-galactoside-binding lectin gene. <b>1988</b> , 104, 173-7		40

930	Structure and pre-B lymphocyte restricted expression of the VpreB in humans and conservation of its structure in other mammalian species <i>EMBO Journal</i> , <b>1988</b> , 7, 111-116	13	63
929	Cis-acting regions sufficient for spermatocyte-specific transcriptional and spermatid-specific translational control of the Drosophila melanogaster gene mst(3)gl-9 <i>EMBO Journal</i> , <b>1988</b> , 7, 447-454	13	62
928	Differentiation of mammary stem cells in vivo and in vitro. <b>1989</b> , 80, 39-48		5
927	A phenylalanine ammonia-lyase gene from parsley: structure, regulation and identification of elicitor and light responsive cis-acting elements <i>EMBO Journal</i> , <b>1989</b> , 8, 1641-1648	13	296
926	Bibliography. <b>1989</b> , 643-766		
925	Myelin-deficient rat: a point mutation in exon III (AC, Thr75Pro) of the myelin proteolipid protein causes dysmyelination and oligodendrocyte death <i>EMBO Journal</i> , <b>1989</b> , 8, 3295-3302	13	104
924	Molecular analysis of ref(2)P, a Drosophila gene implicated in sigma rhabdovirus multiplication and necessary for male fertility <i>EMBO Journal</i> , <b>1989</b> , 8, 3437-3446	13	34
923	Drosophila Sgs3 TATA: effects of point mutations on expression in vivo and protein binding in vitro with staged nuclear extracts <i>EMBO Journal</i> , <b>1989</b> , 8, 3459-3466	13	9
922	E1a transactivation of the human HSP70 promoter is mediated through the basal transcriptional complex. <b>1989</b> , 9, 2574-87		162
921	Cloning, purification, and properties of Candida albicans thymidylate synthase. <b>1989</b> , 171, 1372-8		30
920	Analysis of the 5'-flanking regions of rat inhibin alpha- and beta-B-subunit genes suggests two different regulatory mechanisms. <b>1989</b> , 3, 1914-25		78
919	Human immunodeficiency virus type 1 LTR TATA and TAR region sequences required for transcriptional regulation <i>EMBO Journal</i> , <b>1989</b> , 8, 765-778	13	197
918	The O2 gene which regulates zein deposition in maize endosperm encodes a protein with structural homologies to transcriptional activators <i>EMBO Journal</i> , <b>1989</b> , 8, 2795-2801	13	142
917	In vivo and in vitro expression of U7 snRNA genes: cis- and trans-acting elements required for RNA polymerase II-directed transcription <i>EMBO Journal</i> , <b>1989</b> , 8, 539-549	13	20
916	Induction and repression of the Drosophila Sgs-3 glue gene are mediated by distinct sequences in the proximal promoter <i>EMBO Journal</i> , <b>1989</b> , 8, 561-568	13	20
915	The nucleotide sequence of a gene for a putative ribosomal protein S31 of Drosophila. <b>1989</b> , 17, 2121		12
914	Role of the branch site/3'-splice site region in adenovirus-2 E1A pre-mRNA alternative splicing: evidence for 5'- and 3'-splice site co-operation. <b>1989</b> , 17, 925-38		31
913	Oncogenic point mutations in the human retinoblastoma gene: their application to genetic counseling. <b>1989</b> , 321, 1689-95		252

912	Stability and expression of bacterial genes in replicating geminivirus vectors in plants. <b>1989</b> , 17, 2391-403	66
911	Structure and biological activity of the transcriptional initiation sequences of the murine c-myb oncogene. <b>1989</b> , 17, 9593-611	15
910	Genes expressed during conidiation in Neurospora crassa: characterization of con-8. <b>1989</b> , 17, 197-214	48
909	Rat gene 33: analysis of its structure, messenger RNA and basal promoter activity. <b>1989</b> , 17, 6651-67	29
908	The human mannose-binding protein gene. Exon structure reveals its evolutionary relationship to a human pulmonary surfactant gene and localization to chromosome 10. <b>1989</b> , 170, 1175-89	249
907	Comparison of exon 5 sequences from 35 class I genes of the BALB/c mouse. <b>1989</b> , 170, 1837-58	36
906	Gastric inhibitory polypeptide: structure and chromosomal localization of the human gene. <b>1989</b> , 3, 1014-21	65
905	Branch point selection in alternative splicing of tropomyosin pre-mRNAs. <b>1989</b> , 17, 5633-50	90
904	Lineage-specific expression of a T cell receptor variable gene promoter controlled by upstream sequences. <b>1989</b> , 169, 1213-31	21
903	Structure and methylation of the human calcitonin/alpha-CGRP gene. <b>1989</b> , 17, 6999-7011	68
902	The human neutrophil elastase gene. Analysis of the nucleotide sequence reveals three distinct classes of repetitive DNA. <b>1989</b> , 370, 737-44	11
901	The Drosophila E74 promoter contains essential sequences downstream from the start site of transcription. <b>1989</b> , 3, 782-92	59
900	Functional domains of the Drosophila melanogaster muscle myosin heavy-chain gene are encoded by alternatively spliced exons. <b>1989</b> , 9, 2957-74	149
899	Transcriptional activation of cKi-ras proto-oncogene resulting from retroviral promoter insertion. <b>1989</b> , 17, 9259-65	16
898	Genomic Adaptability in Somatic Cell Specialization. 1989,	
897	Molecular structure of the rat bone Gla protein gene and identification of putative regulatory elements. <b>1989</b> , 8, 213-21	12
896	cDNA sequence, gene organization, and progesterone induction of mRNA for uteroferrin, a porcine uterine iron transport protein. <b>1989</b> , 8, 543-54	51
895	Characterization of the gene corresponding to bovine placental prolactin-related cDNA I: evolutionary implications. <b>1989</b> , 8, 161-9	10

894	Transient expression analysis of the reticuloendotheliosis virus long terminal repeat element. <b>1989</b> , 17, 3199-215	13
893	Structure and organization of the gene encoding human pulmonary surfactant proteolipid SP-B. <b>1989</b> , 8, 75-86	130
892	Structure of human angiotensinogen gene. <b>1989</b> , 8, 87-99	123
891	The primary structure of human liver type phosphofructokinase and its comparison with other types of PFK. <b>1989</b> , 8, 733-43	40
890	Detection of specific protein binding to the SV40 early promoter in vivo. <b>1989</b> , 17, 7945-63	7
889	Subfamily of submaxillary gland-specific Mup genes: chromosomal linkage and sequence comparison with liver-specific Mup genes. <b>1989</b> , 17, 6191-203	13
888	A point mutation GA in exon 12 of the porphobilinogen deaminase gene results in exon skipping and is responsible for acute intermittent porphyria. <b>1989</b> , 17, 6637-49	117
887	Liver cell specific gene transcription in vitro: the promoter elements HP1 and TATA box are necessary and sufficient to generate a liver-specific promoter. <b>1989</b> , 17, 939-53	58
886	Regulatory elements involved in the bidirectional activity of an immunoglobulin promoter. <b>1989</b> , 17, 1977-87	8
885	Human dopamine beta-hydroxylase gene: two mRNA types having different 3'-terminal regions are produced through alternative polyadenylation. <b>1989</b> , 17, 1089-102	146
884	Identification of the promoter sequences involved in the interleukin-6 dependent expression of the rat alpha 2-macroglobulin gene. <b>1989</b> , 17, 1121-38	73
883	Characterization of the human sex hormone binding globulin (SHBG) gene and demonstration of two transcripts in both liver and testis. <b>1989</b> , 17, 9245-58	63
882	Evidence for a class of very small introns in the gene for hypoxanthine-guanine phosphoribosyltransferase in Schistosoma mansoni. <b>1989</b> , 17, 1635-47	24
881	Human non-histone chromosomal protein HMG-17: identification, characterization, chromosome localization and RFLPs of a functional gene from the large multigene family. <b>1989</b> , 17, 2301-14	27
880	Characterization of cDNAs for human estradiol 17 beta-dehydrogenase and assignment of the gene to chromosome 17: evidence of two mRNA species with distinct 5'-termini in human placenta. <b>1989</b> , 3, 1301-9	262
879	Organization of the human corticosteroid binding globulin gene and analysis of its 5'-flanking region. <b>1989</b> , 3, 1448-54	45
878	The role of cis-acting promoter elements in tissue-specific albumin gene expression. <b>1989</b> , 244, 343-6	321
877	The human sex hormone-binding globulin gene contains exons for androgen-binding protein and two other testicular messenger RNAs. <b>1989</b> , 3, 1869-76	106

876	Complete sequence of the human tissue factor gene, a highly regulated cellular receptor that initiates the coagulation protease cascade. <b>1989</b> , 28, 1755-62	188
875	Expression of low density lipoprotein receptor gene in human placenta during pregnancy. <b>1989</b> , 3, 1252-6	46
874	Communication between mitochondria and the nucleus in regulation of cytochrome genes in the yeast Saccharomyces cerevisiae. <b>1989</b> , 5, 153-80	163
873	The multiple codes of nucleotide sequences. <b>1989</b> , 51, 417-32	145
872	The molecular basis of thalassemias. <b>1989</b> , 56, 693-706	1
871	Evidence for unusually short tubulin mRNA leaders and characterization of tubulin genes in Giardia lamblia. <b>1989</b> , 36, 87-99	46
870	Characterization of cDNAs of spliced HPV-11 E2 mRNA and other HPV mRNAs recovered via retrovirus-mediated gene transfer. <b>1989</b> , 172, 468-77	39
869	Identification of tomato golden mosaic virus-specific RNAs in infected plants. <b>1989</b> , 170, 243-50	51
868	Genome organization of mouse adenovirus type 1 early region 1: a novel transcription map. <b>1989</b> , 170, 523-36	31
867	Transcription map of the B genome component of tomato golden mosaic virus and comparison with A component transcripts. <b>1989</b> , 173, 647-55	51
866	Biological evaluation of glycoproteins mapping to two distinct mRNAs within the BamHI fragment 7 of pseudorabies virus: expression of the coding regions by vaccinia virus. <b>1989</b> , 171, 365-76	28
865	Phylogenetic relationships between the chlorophyll a/b binding protein (CAB) multigene family: an intra- and interspecies study. <b>1989</b> , 29, 266-79	42
864	Conserved organization of an avian histone gene cluster with inverted duplications of H3 and H4 genes. <b>1989</b> , 28, 200-11	11
863	Mapping and nucleotide sequence of a new HLA class II light chain gene, DQB3. <b>1989</b> , 30, 243-9	21
862	Analysis of a new class I gene mapping to the Hmt region of the mouse. <b>1989</b> , 30, 273-83	42
861	The primary structure of a feline class I gene: striking similarity to HLA-A. <b>1989</b> , 30, 330-4	2
860	Isolation and expression of an anther-specific gene from tomato. <b>1989</b> , 217, 240-5	237
859	Parathyroid hormone-related protein in hypercalcaemia of malignancy. <b>1989</b> , 31, 631-47	85

858	Antithrombin: structure, genomic organization, function and inherited deficiency. <b>1989</b> , 2, 961-98	53
857	Structure and expression of an alpha-tubulin gene of Physarum polycephalum. <b>1989</b> , 181, 583-92	12
856	Complete structure of the gene for phosphoenolpyruvate carboxylase from maize. <b>1989</b> , 181, 593-8	57
855	Isolation and characterization of a rat liver alkaline phosphatase gene. A single gene with two promoters. <b>1989</b> , 182, 231-7	30
854	Two genes encode the adenine nucleotide translocator of maize mitochondria. Isolation, characterisation and expression of the structural genes. <b>1989</b> , 183, 303-10	42
853	Molecular analysis of glycophorin A and B gene structure and expression in homozygous Miltenberger class V (Mi. V) human erythrocytes. <b>1989</b> , 184, 337-44	42
852	Structure and some characterization of the gene for phenylalanine ammonia-lyase from rice plants. <b>1989</b> , 185, 19-25	110
851	Structure of sea-urchin arylsulfatase gene. <b>1989</b> , 186, 405-10	15
850	Structure of the human lysosomal acid phosphatase gene. <b>1989</b> , 183, 611-6	30
849	Sex-, tissue-, and stage-specific expression of a vitelline membrane protein gene from region 32 of the second chromosome of Drosophila melanogaster. <b>1989</b> , 10, 33-41	28
848	Isolation and structural characterization of the bovine tyrosine hydroxylase gene. <b>1989</b> , 23, 31-40	37
847	Chromatin structure and transcriptional regulation of human papillomavirus type 18 DNA in HeLa cells. <b>1989</b> , 2, 72-80	30
846	Structure of the elastin gene and alternative splicing of elastin mRNA: implications for human disease. <b>1989</b> , 34, 81-90	63
845	Isolation and characterization of a maize chlorophyll a/b binding protein gene that produces high levels of mRNA in the dark. <b>1989</b> , 215, 431-40	46
844	Molecular and genetic analysis of an embryonic gene, DC 8, from Daucus carota L. <b>1989</b> , 218, 143-51	69
843	Cloning and molecular characterisation of the amdR controlled gatA gene of Aspergillus nidulans. <b>1989</b> , 217, 118-25	34
842	Nucleotide sequence, evolutionary origin and biological role of a rearranged cytokinin gene isolated from a wide host range biotype III Agrobacterium strain. <b>1989</b> , 216, 428-38	41
841	The extra segments of sequence in rat leucocyte common antigen (L-CA) are derived by alternative splicing of only three exons and show extensive O-linked glycosylation. <b>1989</b> , 29, 281-7	15

840	An altered splice site is found in the DRB4 gene that is not expressed in HLA-DR7,Dw11 individuals. <b>1989</b> , 29, 317-22	59
839	Isolation and characterization of a fruit-specific cDNA and the corresponding genomic clone from tomato. <b>1989</b> , 13, 639-51	58
838	The malate synthase gene of cucumber. <b>1989</b> , 13, 673-84	41
837	Phenylalanine ammonia-lyase gene organization and structure. <b>1989</b> , 12, 367-83	172
836	The chalcone synthase multigene family of Petunia hybrida (V30): differential, light-regulated expression during flower development and UV light induction. <b>1989</b> , 12, 213-25	165
835	Structure and expression of the maize gene encoding the phosphoenolpyruvate carboxylase isozyme involved in C4 photosynthesis. <b>1989</b> , 12, 579-89	82
834	Cloning of a beta-tubulin gene from Plasmodium falciparum. <b>1989</b> , 3, 1511-9	49
833	The proline transport protein of Aspergillus nidulans is very similar to amino acid transporters of Saccharomyces cerevisiae. <b>1989</b> , 3, 705-14	65
832	The Drosophila gene torso encodes a putative receptor tyrosine kinase. <b>1989</b> , 338, 478-83	290
831	Primary structure and expression from complementary DNA of skeletal muscle ryanodine receptor. <b>1989</b> , 339, 439-45	1049
8 <sub>3</sub> 1		1049 304
	1989, 339, 439-45  Cloning and structure of a yeast gene encoding a general transcription initiation factor TFIID that	
830	1989, 339, 439-45  Cloning and structure of a yeast gene encoding a general transcription initiation factor TFIID that binds to the TATA box. 1989, 341, 299-303	304
830 829	1989, 339, 439-45  Cloning and structure of a yeast gene encoding a general transcription initiation factor TFIID that binds to the TATA box. 1989, 341, 299-303  Characterization and sequence analysis of the human ornithine decarboxylase gene. 1989, 8, 623-34  Sequence analysis of the URA1 gene encoding orotidine-5'-monophosphate decarboxylase of	304
830 829 828	Cloning and structure of a yeast gene encoding a general transcription initiation factor TFIID that binds to the TATA box. <b>1989</b> , 341, 299-303  Characterization and sequence analysis of the human ornithine decarboxylase gene. <b>1989</b> , 8, 623-34  Sequence analysis of the URA1 gene encoding orotidine-5'-monophosphate decarboxylase of Schizophyllum commune. <b>1989</b> , 83, 387-93  Characterization of the alkane-inducible cytochrome P450 (P450alk) gene from the yeast Candida	304 28 39
830 829 828 827	Cloning and structure of a yeast gene encoding a general transcription initiation factor TFIID that binds to the TATA box. 1989, 341, 299-303  Characterization and sequence analysis of the human ornithine decarboxylase gene. 1989, 8, 623-34  Sequence analysis of the URA1 gene encoding orotidine-5'-monophosphate decarboxylase of Schizophyllum commune. 1989, 83, 387-93  Characterization of the alkane-inducible cytochrome P450 (P450alk) gene from the yeast Candida tropicalis: identification of a new P450 gene family. 1989, 76, 121-36  The keratin BIIIB gene family: isolation of cDNA clones and structure of a gene and a related	304 28 39 87
830 829 828 827	Cloning and structure of a yeast gene encoding a general transcription initiation factor TFIID that binds to the TATA box. 1989, 341, 299-303  Characterization and sequence analysis of the human ornithine decarboxylase gene. 1989, 8, 623-34  Sequence analysis of the URA1 gene encoding orotidine-5'-monophosphate decarboxylase of Schizophyllum commune. 1989, 83, 387-93  Characterization of the alkane-inducible cytochrome P450 (P450alk) gene from the yeast Candida tropicalis: identification of a new P450 gene family. 1989, 76, 121-36  The keratin BIIIB gene family: isolation of cDNA clones and structure of a gene and a related pseudogene. 1989, 4, 182-91	304 28 39 87 36

822	Structure of the Drosophila DNA topoisomerase II gene. Nucleotide sequence and homology among topoisomerases II. <b>1989</b> , 205, 1-13	156
821	Organization of the yeast URA2 gene: identification of a defective dihydroorotase-like domain in the multifunctional carbamoylphosphate synthetase-aspartate transcarbamylase complex. <b>1989</b> , 79, 59-70	92
820	The Drosophila melanogaster RPS17 gene encoding ribosomal protein S17. <b>1989</b> , 79, 289-98	28
819	The nucleotide sequence of a microvitellogenin encoding gene from the tobacco hornworm, Manduca sexta. <b>1989</b> , 80, 259-68	29
818	Human 6-phosphofructo-1-kinase gene has an additional intron upstream of start codon. <b>1989</b> , 76, 167-9	19
817	Epstein-Barr virus small RNA (EBER) genes: unique transcription units that combine RNA polymerase II and III promoter elements. <b>1989</b> , 57, 825-34	153
816	Structure and partial genomic sequence of the human retinoblastoma susceptibility gene. <b>1989</b> , 80, 119-28	132
815	Isolation of a cDNA encoding Aspergillus oryzae Taka-amylase A: evidence for multiple related genes. <b>1989</b> , 84, 319-27	74
814	Genomic structure of the human cytosolic aldehyde dehydrogenase gene. <b>1989</b> , 5, 857-65	65
813	Complete structure of the gene for human keratin 18. <b>1989</b> , 4, 339-47	39
812	Structure of the bovine eye lens gamma s-crystallin gene (formerly beta s). 1989, 78, 225-33	38
811	Cloning and expression of an avian metallothionein-encoding gene. <b>1989</b> , 81, 177-83	32
810	The nucleotide sequence of a mouse renin-encoding gene, Ren-1d, and its upstream region. <b>1989</b> , 84, 91-104	31
809	Molecular cloning and characterization of a human DNA binding factor that represses transcription. <b>1989</b> , 59, 815-25	283
808	Cloning and nucleotide sequence analysis of genes coding for the major chlorophyll-binding protein of the moss Physcomitrella patens and the halotolerant alga Dunaliella salina. <b>1989</b> , 76, 299-312	49
807	Human desmin-coding gene: complete nucleotide sequence, characterization and regulation of expression during myogenesis and development. <b>1989</b> , 78, 243-54	81
806	Structure of the 5' flanking region of the gene encoding human parathyroid-hormone-related protein (PTHrP). <b>1989</b> , 77, 95-105	103
805	Cloning and analysis of calbindin-D28K cDNA and its expression in the central nervous system. <b>1989</b> , 80, 87-98	38

804	The human ATP synthase beta subunit gene: sequence analysis, chromosome assignment, and differential expression. <b>1989</b> , 5, 829-43	67
803	Molecular structure of the human asparagine synthetase gene. <b>1989</b> , 4, 259-65	25
802	Bnurpogenesis: The transcription and assembly of U snRNP components. 1989, 14, 15-19	117
801	Concepts in Viral Pathogenesis III. <b>1989</b> ,	
800	Drosophila melanogaster acetylcholinesterase gene. Structure, evolution and mutations. <b>1989</b> , 210, 15-22	90
799	Initiation of transcription by RNA polymerase II. <b>1989</b> , 1009, 1-10	56
798	An analysis by restriction enzymes of the genomic structure of the 3' untranslated region of the human estrogen receptor gene. <b>1989</b> , 1007, 289-94	1
797	Myosin heavy chain isoform diversity in smooth muscle is produced by differential RNA processing. <b>1989</b> , 210, 673-9	186
796	DNA sequences of two expressed nuclear genes for human mitochondrial ADP/ATP translocase. <b>1989</b> , 206, 261-80	146
795	Genomic organization of the glyceraldehyde-3-phosphate dehydrogenase gene family of Caenorhabditis elegans. <b>1989</b> , 206, 411-24	43
794	Avian keratin genes. I. A molecular analysis of the structure and expression of a group of feather keratin genes. <b>1989</b> , 209, 549-59	75
793	Dual bidirectional promoters at the mouse dhfr locus: cloning and characterization of two mRNA classes of the divergently transcribed Rep-1 gene. <b>1989</b> , 9, 3058-72	130
79²	Structure of the human lipoprotein lipase gene. <b>1989</b> , 28, 4131-5	192
791	Structure of the bovine elastin gene and S1 nuclease analysis of alternative splicing of elastin mRNA in the bovine nuchal ligament. <b>1989</b> , 28, 2365-70	62
790	Human nuclear NAD+ ADP-ribosyltransferase(polymerizing): organization of the gene. <b>1989</b> , 8, 575-80	41
789	Isolation of a single nuclear gene encoding human ubiquinone-binding protein in complex III of mitochondrial respiratory chain. <b>1989</b> , 161, 371-8	11
788	Structural analysis of the gene for human acidic fibroblast growth factor. <b>1989</b> , 164, 1121-9	18
787	The characterization of three types of partially processed mRNA and two pseudogenes for human liver cytochrome b5. <b>1989</b> , 163, 18-24	10

786	Analysis of the human adrenodoxin promoter: evidence for its activity. <b>1989</b> , 159, 343-8	6
7 <sup>8</sup> 5	Structural characterization of the bovine CYP17 (17 alpha-hydroxylase) gene. <b>1989</b> , 271, 479-87	46
7 <sup>8</sup> 4	Expression and hormonal control of a new larval cuticular multigene family at the onset of metamorphosis of the tobacco hornworm. <b>1989</b> , 132, 292-303	78
783	Characterization of two mRNA species encoding human estradiol 17 beta-dehydrogenase and assignment of the gene to chromosome 17. <b>1989</b> , 34, 189-97	20
782	Structure of the alpha 1 subunit of horse Na,K-ATPase gene. <b>1989</b> , 250, 91-8	31
781	Human Na+,K+-ATPase genes. Beta-subunit gene family contains at least one gene and one pseudogene. <b>1989</b> , 257, 439-42	5
780	Multiplicity of the DNA-binding protein HBP-1 specific to the conserved hexameric sequence ACGTCA in various plant gene promoters. <b>1989</b> , 256, 67-70	31
779	The promoter regions of the T-cell receptor V9 gamma (TRGV9) and V2 delta (TRDV2) genes display short direct repeats but no TATA box. <b>1989</b> , 256, 185-91	12
778	The "initiator" as a transcription control element. <b>1989</b> , 57, 103-13	1496
777	Genomic organization of a sex specific gene: the primary sperm receptor of the mouse zona pellucida. <b>1989</b> , 131, 207-14	65
776	Sequence analysis of the 5' region of the human DF3 breast carcinoma-associated antigen gene. <b>1989</b> , 165, 644-9	21
775	Intracellular fatty acid trafficking and the role of cytosolic lipid binding proteins. 1989, 28, 245-72	137
774	The human glucocerebrosidase gene and pseudogene: structure and evolution. 1989, 4, 87-96	337
773	Isolation and characterization of the rat catalase-encoding gene. <b>1989</b> , 79, 279-88	31
772	Structure and expression of the human motilin gene. <b>1989</b> , 8, 615-21	25
771	Structural organization of glycophorin A and B genes: glycophorin B gene evolved by homologous recombination at Alu repeat sequences. <b>1989</b> , 86, 4619-23	104
770	Structure of the human retinoblastoma gene. <b>1989</b> , 86, 5502-6	148
769	Different 3'-end processing produces two independently regulated mRNAs from a single H1 histone gene. <b>1989</b> , 86, 7002-6	63

768	Stability of transcription complexes on class II genes. <b>1989</b> , 9, 342-4	107
767	Cloning and sequence analysis of the Saccharomyces cerevisiae RAD9 gene and further evidence that its product is required for cell cycle arrest induced by DNA damage. <b>1989</b> , 9, 1882-96	126
766	T-kininogen gene expression is induced during aging. <b>1989</b> , 9, 5610-6	59
765	Kluyveromyces lactis maintains Saccharomyces cerevisiae intron-encoded splicing signals. <b>1989</b> , 9, 2208-13	55
764	Rat glucokinase gene: structure and regulation by insulin. <b>1989</b> , 86, 4838-42	203
763	Transcript encoded on the opposite strand of the human steroid 21-hydroxylase/complement component C4 gene locus. <b>1989</b> , 86, 6582-6	130
762	Transcriptional regulatory regions of testis-specific PGK2 defined in transgenic mice. <b>1989</b> , 86, 8437-41	122
761	Dual function of a nuclear factor I binding site in MMTV transcription regulation. <b>1989</b> , 17, 3065-78	53
760	Maize phosphoenolpyruvate carboxylase involved in C4 photosynthesis: nucleotide sequence analysis of the 5' flanking region of the gene. <b>1989</b> , 106, 982-7	25
759	Cloning and characterization of bovine cytochrome P-450(11 beta) genes. <b>1989</b> , 105, 676-9	28
758	Molecular cloning and sequence analysis of the Chlamydomonas gene coding for radial spoke protein 3: flagellar mutation pf-14 is an ochre allele. <b>1989</b> , 109, 235-45	87
757	Structure of an ectodermally expressed sea urchin metallothionein gene and characterization of its metal-responsive region. <b>1989</b> , 9, 5445-55	43
756	Differentiation-responsive elements in the 5' region of the mouse tissue plasminogen activator gene confer two-stage regulation by retinoic acid and cyclic AMP in teratocarcinoma cells. <b>1989</b> , 9, 1691-704	89
755	5' flanking sequence and structure of a gene encoding rat 6-phosphofructo-2-kinase/fructose-2,6-bisphosphatase. <b>1989</b> , 86, 6543-7	69
754	A lipopolysaccharide-induced DNA-binding protein for a class II gene in B cells is distinct from NF-kappa B. <b>1989</b> , 9, 3184-92	27
753	Identification of transcriptional regulatory elements in human mitochondrial DNA by linker substitution analysis. <b>1989</b> , 9, 1200-11	42
752	Organization of the gene encoding common acute lymphoblastic leukemia antigen (neutral endopeptidase 24.11): multiple miniexons and separate 5' untranslated regions. <b>1989</b> , 86, 7103-7	112
75 <sup>1</sup>	Protein kinase C zeta subspecies from rat brain: its structure, expression, and properties. <b>1989</b> , 86, 3099-103	468

75°	Isolation and expression of the eclosion hormone gene from the tobacco hornworm, Manduca sexta. <b>1989</b> , 86, 8123-7	82
749	Sequence of the intron/exon junctions of the coding region of the human androgen receptor gene and identification of a point mutation in a family with complete androgen insensitivity. <b>1989</b> , 86, 9534-8	359
748	Characterization of the human 5-lipoxygenase gene. <b>1989</b> , 86, 2587-91	165
747	Functional distinctions between yeast TATA elements. <b>1989</b> , 9, 5298-304	127
746	Structure of the two promoters of the human lck gene: differential accumulation of two classes of lck transcripts in T cells. <b>1989</b> , 9, 2173-80	66
745	The REV1 gene of Saccharomyces cerevisiae: isolation, sequence, and functional analysis. <b>1989</b> , 171, 230-7	128
744	Molecular Biology of Gut Peptides. <b>1989</b> , 1-43	
743	DNA sequences of a bovine gene and of two related pseudogenes for the proteolipid subunit of mitochondrial ATP synthase. <i>Biochemical Journal</i> , <b>1989</b> , 260, 249-58	34
742	Structure and evolutionary origin of the gene encoding a human serum mannose-binding protein.  Biochemical Journal, 1989, 262, 763-71	192
74 <sup>1</sup>	Structure of an invertebrate gene encoding cytoplasmic intermediate filament (IF) proteins: implications for the origin and the diversification of IF proteins <i>EMBO Journal</i> , <b>1990</b> , 9, 4083-4094	99
740	A combination of closely associated positive and negative cis-acting promoter elements regulates transcription of the skeletal alpha-actin gene. <b>1990</b> , 10, 528-38	125
739	Two forms of Drosophila melanogaster Gs alpha are produced by alternate splicing involving an unusual splice site. <b>1990</b> , 10, 910-7	40
738	Structure and transcription of the Drosophila melanogaster vermilion gene and several mutant alleles. <b>1990</b> , 10, 1423-31	62
737	Characterization of factors that direct transcription of rat ribosomal DNA. <b>1990</b> , 10, 3105-16	110
736	New approaches and concepts in the study of differentiation of oral epithelia. <b>1990</b> , 1, 167-90	58
735	Characterization of a splicing mutation in group A xeroderma pigmentosum. <b>1990</b> , 87, 9908-12	102
734	Mutational analysis of an archaebacterial promoter: essential role of a TATA box for transcription efficiency and start-site selection in vitro. <b>1990</b> , 87, 9509-13	179
733	Human erythropoietin gene expression in transgenic mice: multiple transcription initiation sites and cis-acting regulatory elements. <b>1990</b> , 10, 930-8	99

732	Structure and differential expression of two genes encoding carbonic anhydrase in Chlamydomonas reinhardtii. <b>1990</b> , 87, 9779-83	115
731	E1a transactivation of human HSP70 gene promoter substitution mutants is independent of the composition of upstream and TATA elements. <b>1990</b> , 10, 176-83	31
730	Analysis of the mouse Dhfr/Rep-3 major promoter region by using linker-scanning and internal deletion mutations and DNase I footprinting. <b>1990</b> , 10, 6003-12	25
729	Genomic footprinting: detection of putative regulatory proteins in the promoter region of the interferon alpha-1 gene in normal human tissues. <b>1990</b> , 10, 2554-61	16
728	Identification and characterization of the promoter for the cytotactin gene. <b>1990</b> , 87, 6497-501	62
727	The chicken alpha-globin gene domain is transcribed into a 17-kilobase polycistronic RNA. <b>1990</b> , 87, 503-7	35
726	Factor substitution in a human HSP70 gene promoter: TATA-dependent and TATA-independent interactions. <b>1990</b> , 10, 165-75	85
725	Processing of prosecretin: isolation of a secretin precursor from porcine intestine. <b>1990</b> , 87, 6781-5	27
724	Tissue-specific expression from a compound TATA-dependent and TATA-independent promoter. <b>1990</b> , 10, 5646-54	25
723	Transcription initiation from the dihydrofolate reductase promoter is positioned by HIP1 binding at the initiation site. <b>1990</b> , 10, 653-61	254
722	Oocyte-specific expression of mouse Zp-2: developmental regulation of the zona pellucida genes. <b>1990</b> , 10, 1507-15	152
721	Lack of introns in the ribosomal protein gene S14 of trypanosomes. <b>1990</b> , 10, 3284-8	12
720	Transcription of the rat and mouse proenkephalin genes is initiated at distinct sites in spermatogenic and somatic cells. <b>1990</b> , 10, 3717-26	96
719	Yeast and human TATA-binding proteins have nearly identical DNA sequence requirements for transcription in vitro. <b>1990</b> , 10, 3859-67	291
718	UV cross-linking identifies four polypeptides that require the TATA box to bind to the Drosophila hsp70 promoter. <b>1990</b> , 10, 4233-8	27
717	Frequent inactivation of the retinoblastoma anti-oncogene is restricted to a subset of human tumor cells. <b>1990</b> , 87, 2775-9	463
716	Genomic organization of mouse Fc gamma receptor genes. <b>1990</b> , 87, 2856-60	18
715	Characterization of the human lysosomal alpha-glucosidase gene. <i>Biochemical Journal</i> , <b>1990</b> , 272, 493-7 3.8	117

714	Complex requirements for RNA polymerase III transcription of the Xenopus U6 promoter. <b>1990</b> , 18, 5649-57	23
713	The nucleotide sequence of gene 3 of the soybean chalcone synthase multigene family. <b>1990</b> , 18, 5899	21
712	Structural organization of the bovine adrenodoxin gene. <b>1990</b> , 107, 77-83	17
711	Properties of Parathyroid Hormone-related Protein and its Role in Malignant Hypercalcaemia. <b>1990</b>	
710	Characterization of gene organization and generation of heterogeneous mRNA species of rat ISK protein. <b>1990</b> , 108, 200-6	15
709	Molecular cloning of a cDNA encoding rat NADH-cytochrome b5 reductase and the corresponding gene. <b>1990</b> , 107, 810-6	19
708	Functional Properties of a Phenylalanine Ammonia-Lyase Promoter from Arabidopsis. <b>1990</b> , 2, 837	5
707	Structure and expression of the human cystatin C gene. <i>Biochemical Journal</i> , <b>1990</b> , 268, 287-94 3.8	501
706	Molecular and functional analysis of the muscle-specific promoter region of the Duchenne muscular dystrophy gene. <b>1990</b> , 10, 193-205	140
705	Eukaryotic transcription factors. <i>Biochemical Journal</i> , <b>1990</b> , 270, 281-9	93
704	Structure of the human sialophorin (CD43) gene. Identification of features atypical of genes encoding integral membrane proteins. <i>Biochemical Journal</i> , <b>1990</b> , 270, 569-76	36
703	Molecular cloning of the mammalian fatty acid synthase gene and identification of the promoter region. <i>Biochemical Journal</i> , <b>1990</b> , 271, 675-9	57
702	Sex determination in Drosophila melanogaster. <b>1990</b> , 65, 175-204	47
701	Yeast suppressor mutations and transfer RNA processing. <b>1990</b> , 181, 377-94	11
700	Cell-specific expression of the mouse glial fibrillary acidic protein gene: identification of the cis- and trans-acting promoter elements for astrocyte-specific expression. <b>1990</b> , 55, 1180-8	131
699	Nucleotide sequence and exon-intron organization of the human proacrosin gene. <b>1990</b> , 190, 195-200	27
698	Binding of nuclear proteins to the enhancer elements of the rat apolipoprotein A-I gene. <b>1990</b> , 190, 305-10	4
697	Characterization of the human cyclophilin gene and of related processed pseudogenes. <b>1990</b> , 190, 477-82	62

696	Human poly(ADP-ribose) polymerase gene. Cloning of the promoter region. <b>1990</b> , 194, 521-6	27
695	Structural analysis of the human inter-alpha-trypsin inhibitor light-chain gene. <b>1990</b> , 191, 131-9	42
694	Structure of the arylsulfatase A gene. <b>1990</b> , 191, 627-31	98
693	Structure of the genes of two homologous intracellularly heterotopic isoenzymes. Cytosolic and mitochondrial aspartate aminotransferase of chicken. <b>1990</b> , 192, 119-26	17
692	Structural and functional characterization of human aromatase P-450 gene. <b>1990</b> , 193, 559-65	101
691	Structure of the snake short-chain neurotoxin, erabutoxin c, precursor gene. <b>1990</b> , 193, 629-33	41
690	Isolation and nucleotide sequence of cDNA clone for bovine pancreatic anionic trypsinogen. Structural identity within the trypsin family. <b>1990</b> , 193, 767-73	49
689	Transcriptional regulation of HLA class-II genes. <b>1990</b> , 9, 164-77	26
688	Control of transcription at the murine A alpha locus. <b>1990</b> , 9, 77-92	2
687	The structure of the apolipophorin-III gene from Manduca sexta. <b>1990</b> , 20, 381-388	16
686	Cloning and sequencing of two actin genes from Taenia solium (Cestoda). <b>1990</b> , 40, 87-93	29
685	Molecular analysis of complex human cell populations: mutational spectra of MNNG and ICR-191. <b>1990</b> , 231, 165-76	66
684	Transcriptional activity of the Rous sarcoma virus long terminal repeat correlates with binding of a factor to an upstream CCAAT box in vitro. <b>1990</b> , 177, 33-43	28
683	Vertebrate protamine gene evolution I. Sequence alignments and gene structure. <b>1990</b> , 30, 333-46	60
682	Promoter region of HLA-C genes: regulatory elements common to and different from those of HLA-A and HLA-B genes. <b>1990</b> , 32, 210-3	30
681	The human prolidase gene: structure and restriction fragment length polymorphisms. <b>1990</b> , 13, 771-4	2
680	Regulatory DNA-binding proteins in yeast: an overview. <b>1990</b> , 6, 271-97	78
679	Occurrence of a copia-like transposable element in one of the introns of the potato starch phosphorylase gene. <b>1990</b> , 224, 33-9	43

678	DNA sequence elements required for transcription initiation of the Schizosaccharomyces pombe ADH gene in Saccharomyces cerevisiae. <b>1990</b> , 223, 407-16	40
677	Regulation of a stylar transmitting tissue-specific gene in wild-type and transgenic tomato and tobacco. <b>1990</b> , 224, 183-92	50
676	Coding sequence and flanking regions of the mouse vimentin gene. <b>1990</b> , 221, 33-6	23
675	Classification and characterization of the rice alpha-amylase multigene family. <b>1990</b> , 14, 655-68	164
674	Cloning and sequencing of the Arabidopsis aldolase gene. <b>1990</b> , 15, 517-20	10
673	The b-32 protein from maize endosperm: characterization of genomic sequences encoding two alternative central domains. <b>1990</b> , 14, 1031-40	29
672	Structure of a tobacco endochitinase gene: evidence that different chitinase genes can arise by transposition of sequences encoding a cysteine-rich domain. <b>1990</b> , 14, 357-68	230
671	Structure of the gene and its retinoic acid-regulatory region for murine J6 serpin. An F9 teratocarcinoma cell retinoic acid-inducible protein <b>1992</b> , 267, 15362-15366	17
670	Isolation and characterization of a gene encoding rat nucleoside diphosphate kinase <b>1992</b> , 267, 14366-14372	24
669	xP2, a new member of the P-domain peptide family of potential growth factors, is synthesized in Xenopus laevis skin <b>1992</b> , 267, 14451-14455	32
668	Molecular structure and function of the porcine arachidonate 12-lipoxygenase gene <b>1992</b> , 267, 12188-12191	30
667	Isolation and expression of a gene encoding L-14-II, a new human soluble lactose-binding lectin <b>1992</b> , 267, 10601-10606	8o
666	Identification of two enhancer elements in the gene encoding the type 1 glucose transporter from the mouse which are responsive to serum, growth factor, and oncogenes <b>1992</b> , 267, 9300-9306	90
665	Structure of a gene coding for human HMG2 protein <b>1992</b> , 267, 6641-6645	25
664	Peroxisomal multifunctional beta-oxidation protein of Saccharomyces cerevisiae. Molecular analysis of the fox2 gene and gene product <b>1992</b> , 267, 6646-6653	142
663	Human stomach aldehyde dehydrogenase cDNA and genomic cloning, primary structure, and expression in Escherichia coli <b>1992</b> , 267, 3030-3037	54
662	Aspartylglycosaminuria in a non-Finnish patient caused by a donor splice mutation in the glycoasparaginase gene <b>1992</b> , 267, 3196-3199	8
661	Regulated expression of alpha 2,6-sialyltransferase by the liver-enriched transcription factors HNF-1, DBP, and LAP <b>1992</b> , 267, 3466-3472	69

660	The nucleotide sequence of the rat liver fatty acid-binding protein gene. Evidence that exon 1 encodes an oligopeptide domain shared by a family of proteins which bind hydrophobic ligands <b>1986</b> , 261, 5553-5561	69
659	Identification of a novel class of elastase isozyme, human pancreatic elastase III, by cDNA and genomic gene cloning <b>1988</b> , 263, 1231-1239	37
658	A yeast sigma composite element, TY3, has properties of a retrotransposon <b>1988</b> , 263, 1413-1423	54
657	Structure and expression of the rat transthyretin (prealbumin) gene <b>1988</b> , 263, 480-488	83
656	The 5' flanking region of the ornithine transcarbamylase gene contains DNA sequences regulating tissue-specific expression <b>1986</b> , 261, 7588-7591	16
655	The structure of the rat aggrecan gene and preliminary characterization of its promoter <b>1994</b> , 269, 29232-29	2 <u>4</u> 9
654	Mannose-binding proteins isolated from rat liver contain carbohydrate-recognition domains linked to collagenous tails. Complete primary structures and homology with pulmonary surfactant apoprotein <b>1986</b> , 261, 6878-6887	340
653	The human tissue plasminogen activator gene <b>1986</b> , 261, 6972-6985	149
652	Characterization of cDNA and genomic sequences encoding a chicken phospholamban <b>1991</b> , 266, 5375-5383	28
651	Characterization of the human beta-thromboglobulin gene. Comparison with the gene for platelet factor 4 <b>1991</b> , 266, 5785-5789	36
650	Structure of the human lipoprotein-associated coagulation inhibitor gene. Intro/exon gene organization and localization of the gene to chromosome 2 <b>1991</b> , 266, 5036-5041	41
649	Cloning of the cDNA and gene of mouse mast cell protease-6. Transcription by progenitor mast cells and mast cells of the connective tissue subclass. <b>1991</b> , 266, 3847-3853	127
648	Mutational analysis of the adenovirus 2 IVa2 initiator and downstream elements <b>1992</b> , 267, 25457-25465	11
647	Genomic organization of the mouse granzyme A gene. Two mRNAs encode the same mature granzyme A with different leader peptides <b>1992</b> , 267, 25488-25493	12
646	Gene structure of human mitochondrial ATP synthase gamma-subunit. Tissue specificity produced by alternative RNA splicing <b>1993</b> , 268, 24950-24958	33
645	Characterization and chromosomal mapping of the human thromboxane A2 receptor gene <b>1993</b> , 268, 25253-25259	113
644	Characterization of the human blood coagulation factor XII gene. Intron/exon gene organization and analysis of the 5'-flanking region <b>1987</b> , 262, 13662-13673	96
643	In vitro characterization of the yeast mitochondrial promoter using single-base substitution mutants <b>1987</b> , 262, 13690-13696	49

642	Structural organization, DNA sequence, and expression of the calmodulin gene 1988, 263, 19370-19383	68
641	The rat facilitated glucose transporter gene. Transformation and serum-stimulated transcription initiate from identical sites <b>1988</b> , 263, 19513-19518	45
640	Differentiation-induced gene expression in 3T3-L1 preadipocytes. Characterization of a differentially expressed gene encoding stearoyl-CoA desaturase <b>1988</b> , 263, 17291-17300	273
639	A novel rat carboxypeptidase, CPA2: characterization, molecular cloning, and evolutionary implications on substrate specificity in the carboxypeptidase gene family <b>1988</b> , 263, 17828-17836	80
638	Structural characterization of the rat carboxypeptidase A1 and B genes. Comparative analysis of the rat carboxypeptidase gene family <b>1988</b> , 263, 17837-17845	65
637	Human cathepsin S: chromosomal localization, gene structure, and tissue distribution. <b>1994</b> , 269, 11530-11530	5142
636	Genomic structure and amino acid sequence domains of the human La autoantigen <b>1988</b> , 263, 18043-18051	135
635	Tissue-specific expression of apolipoprotein A-I (ApoA-I) is regulated by the 5?-flanking region of the human ApoA-I gene <b>1988</b> , 263, 18530-18536	54
634	Two SP-C genes encoding human pulmonary surfactant proteolipid <b>1988</b> , 263, 10326-10331	69
633	Identification of a downstream sequence and binding protein that regulate adenovirus major late promoter transcription in vitro <b>1988</b> , 263, 10377-10385	17
632	The gonadotropin alpha-gene contains multiple protein binding domains that interact to modulate basal and cAMP-responsive transcription <b>1988</b> , 263, 9879-9886	77
631	Isolation and characterization of the gene and cDNA encoding human mitochondrial creatine kinase. <b>1989</b> , 264, 2890-2897	57
630	Structure and complete nucleotide sequence of the chicken alpha-smooth muscle (aortic) actin gene. An actin gene which produces multiple messenger RNAs <b>1986</b> , 261, 8965-8976	58
629	Eukaryotic promoters drive gene expression in Escherichia coli. <b>1989</b> , 264, 17656-17659	19
628	Cloning and Characterization of the Mouse Gene That Encodes the Peptide Core of Secretory Granule Proteoglycans and Expression of This Gene in Transfected Rat-1 Fibroblasts. <b>1989</b> , 264, 16719-16726	24
627	Molecular cloning and characterization of a chromosomal gene for human eosinophil peroxidase. <b>1989</b> , 264, 16828-16836	62
626	Structure of the gene encoding the muscle-specific subunit of human phosphoglycerate mutase. <b>1989</b> , 264, 15334-15337	26
625	Nuclear factor ETF specifically stimulates transcription from promoters without a TATA box. <b>1989</b> , 264, 15508-15514	103

624	Human erythrocyte glycophorin C. <b>1989</b> , 264, 3773-3780	53
623	Nucleotide sequence of the Neurospora crassa trp-3 gene encoding tryptophan synthetase and comparison of the trp-3 polypeptide with its homologs in Saccharomyces cerevisiae and Escherichia coli. <b>1989</b> , 264, 3840-3848	30
622	Biosynthesis of Inositol in Yeast. <b>1989</b> , 264, 1274-1283	79
621	In vitro expression of the intron-containing gene for T4 phage thymidylate synthase <b>1985</b> , 260, 10680-1068	8 22
620	Rat hepatic cytosolic phosphoenolpyruvate carboxykinase (GTP). Structures of the protein, messenger RNA, and gene <b>1985</b> , 260, 10748-10760	158
619	Ty4, a new retrotransposon from Saccharomyces cerevisiae, flanked by tau-elements <b>1992</b> , 267, 19798-1980	)514
618	Gene expression of mouse choline acetyltransferase. Alternative splicing and identification of a highly active promoter region <b>1992</b> , 267, 20392-20399	105
617	Structural organization of the human neuronal nitric oxide synthase gene (NOS1). <b>1994</b> , 269, 33082-33090	211
616	Organization, structure, and expression of the gene encoding the rat substance P receptor. <b>1991</b> , 266, 4366-4374	97
615	Partial purification and properties of a pre-mRNA splicing activity <b>1985</b> , 260, 1096-1102	15
614	A gene encoding rat cholecystokinin. Isolation, nucleotide sequence, and promoter activity <b>1985</b> , 260, 1280-1286	90
613	Isolation, characterization, and DNA sequence of the rat somatostatin gene <b>1984</b> , 259, 11798-11803	80
612	Distinct TATA motifs regulate differential expression of human metallothionein I genes MT-IF and MT-IG <b>1993</b> , 268, 24460-24466	21
611	Enzymatic mechanism of an RNA ligase from wheat germ <b>1983</b> , 258, 8374-8383	46
610	Isolation of a cDNA clone for human antithrombin III <b>1983</b> , 258, 8389-8394	76
609	Rat liver NAD(P)H: Quinone reductase. <b>1989</b> , 264, 21793-21797	30
608	Structure of the human aldose reductase gene <b>1991</b> , 266, 6872-6877	57
607	The human tryptophan hydroxylase gene. An unusual splicing complexity in the 5'-untranslated region. <b>1995</b> , 270, 3748-56	55

606	A zinc finger gene from Onchocerca volvulus encodes a protein with a functional signal peptide and an unusual Ser-His finger motif. <b>1996</b> , 271, 16725-33	1
605	How many processed pseudogenes are accumulated in a gene family?. <b>1985</b> , 110, 345-64	23
604	Molecular localization, developmental expression and nucleotide sequence of the alpha-methyldopa hypersensitive gene of Drosophila. <b>1986</b> , 114, 453-67	16
603	Sequence of three bronze alleles of maize and correlation with the genetic fine structure. <b>1988</b> , 119, 185-97	117
602	Molecular basis for allelic polymorphism of the maize Globulin-1 gene. <b>1991</b> , 129, 863-72	63
601	Structure and transcription of the singed locus of Drosophila melanogaster. <b>1991</b> , 129, 1073-84	54
600	Serine and threonine catabolism in Saccharomyces cerevisiae: the CHA1 polypeptide is homologous with other serine and threonine dehydratases. <b>1992</b> , 131, 531-9	22
599	A comparison of the structure and function of the highly homologous maize antioxidant Cu/Zn superoxide dismutase genes, Sod4 and Sod4A. <b>1996</b> , 144, 317-28	23
598	Complex organization of promoter and enhancer elements regulate the tissue- and developmental stage-specific expression of the Drosophila melanogaster Gld gene. <b>2001</b> , 157, 699-716	10
597	Genomic organization and characterization of the white locus of the Mediterranean fruitfly, Ceratitis capitata. <b>2001</b> , 157, 1245-55	23
596	Characterization of the EYE2 gene required for eyespot assembly in Chlamydomonas reinhardtii. <b>2001</b> , 158, 1037-49	26
595	Isolation and characterization of the Xanthine dehydrogenase gene of the Mediterranean fruit fly, Ceratitis capitata. <b>2001</b> , 158, 1645-55	5
594	Identification and characterization of bovine herpesvirus type 5 glycoprotein H gene and gene products. <b>1999</b> , 80 ( Pt 11), 2849-2859	11
593	DNA sequence of the UL6 to UL20 genes of infectious laryngotracheitis virus and characterization of the UL10 gene product as a nonglycosylated and nonessential virion protein. <b>1999</b> , 80 ( Pt 8), 2173-2182	51
592	Characterization of the replication origin (Ori(S)) and adjoining parts of the inverted repeat sequences of the pseudorabies virus genome. <b>2000</b> , 81, 1539-43	15
591	Molecular characterization of the gene locus of the human cell proliferation-associated nuclear protein defined by monoclonal antibody Ki-67. <b>1996</b> , 29, 1-12	50
590	Promoter region of the transcriptional unit for human alpha 1-chimaerin, a neuron-specific GTPase-activating protein for p21rac. <b>1995</b> , 227, 636-46	26
589	Splice variants of the human EP3 receptor for prostaglandin E2. <b>1995</b> , 228, 23-30	91

588	Characterization of the gene for dbpA, a family member of the nucleic-acid-binding proteins containing a cold-shock domain. <b>1995</b> , 231, 72-82	43
587	A Cryptosporidium parvum genomic region encoding hemolytic activity. <b>1995</b> , 63, 3840-5	19
586	Structure and regulation of the HSP90 gene from the pathogenic fungus Candida albicans. <b>1995</b> , 63, 4506-14	71
585	Nucleotide sequence of the tcml gene (ribosomal protein L3) of Saccharomyces cerevisiae. <b>1983</b> , 155, 8-14	123
584	Direct and sensitive detection of a pathogenic protozoan, Toxoplasma gondii, by polymerase chain reaction. <b>1989</b> , 27, 1787-92	558
583	Mapping of the 5' termini of two adeno-associated virus 2 RNAs in the left half of the genome. <b>1982</b> , 41, 518-26	68
582	Sequence of the long terminal repeat and adjacent segments of the endogenous avian virus Rous-associated virus 0. <b>1982</b> , 43, 191-200	59
581	Complete nucleotide sequences of two adjacent early vaccinia virus genes located within the inverted terminal repetition. <b>1982</b> , 44, 637-46	116
580	Transcription of herpes simplex virus genes in vivo: overlap of a late promoter with the 3' end of the early thymidine kinase gene. <b>1983</b> , 45, 10-7	47
579	Nucleotide sequence of the vaccinia virus thymidine kinase gene and the nature of spontaneous frameshift mutations. <b>1983</b> , 46, 530-7	152
578	Evidence of transcription from the late region of the integrated simian virus 40 genome in transformed cells: location of the 5' ends of late transcripts in cells abortively infected and in cells transformed by simian virus 40. <b>1983</b> , 46, 756-67	23
577	Structure of the transforming region of human cytomegalovirus AD169. <b>1984</b> , 49, 109-15	67
576	Structural analysis of the major immediate early gene of human cytomegalovirus. <b>1984</b> , 49, 190-9	288
575	Simian virus 40 late promoter region able to initiate simian virus 40 early gene transcription in the absence of the simian virus 40 origin sequence. <b>1984</b> , 50, 163-73	40
574	Nucleotide sequence of an mRNA transcribed in latent growth-transforming virus infection indicates that it may encode a membrane protein. <b>1984</b> , 51, 411-9	249
573	Transcription of overlapping sets of RNAs from the genome of Autographa californica nuclear polyhedrosis virus: a novel method for mapping RNAs. <b>1984</b> , 52, 255-65	59
572	Anatomy of the herpes simplex virus 1 strain F glycoprotein B gene: primary sequence and predicted protein structure of the wild type and of monoclonal antibody-resistant mutants. <b>1985</b> , 53, 243-53	177
571	Temperature-sensitive viral RNA expression in Moloney murine sarcoma virus ts110-infected cells. <b>1985</b> , 53, 616-23	20

## (1987-1985)

570	In vitro transcription analysis of the viral promoter involved in c-myc activation in chicken B lymphomas: detection and mapping of two RNA initiation sites within the reticuloendotheliosis virus long terminal repeat. <b>1985</b> , 54, 161-70	19
569	Mapping and sequence of the gene for the pseudorabies virus glycoprotein which accumulates in the medium of infected cells. <b>1985</b> , 54, 21-9	102
568	Polyhedrin gene of Bombyx mori nuclear polyhedrosis virus. <b>1985</b> , 54, 436-45	51
567	Deletion in the 3' pol sequence correlates with aberration of RNA expression in certain replication-defective avian sarcoma viruses. <b>1985</b> , 54, 446-59	5
566	Simian agent 12 is a BK virus-like papovavirus which replicates in monkey cells. <b>1985</b> , 54, 483-92	17
565	Latent and viral replicative transcription in vivo from the BamHI K fragment of Epstein-Barr virus DNA. <b>1985</b> , 54, 501-8	19
564	Positive and negative control sequences within the distal domain of the adenovirus IVa2 promoter overlap with the major late promoter. <b>1985</b> , 55, 10-5	29
563	Sequences involved in determining the locations of the 5' ends of the late RNAs of simian virus 40. <b>1985</b> , 56, 1002-13	32
562	Three trans-acting regulatory proteins of herpes simplex virus modulate immediate-early gene expression in a pathway involving positive and negative feedback regulation. <b>1985</b> , 56, 723-33	246
561	Anatomy of region L1 from adenovirus type 2. <b>1985</b> , 56, 879-86	9
560	2.2-kilobase class of early transcripts encoded by cell-related sequences in human cytomegalovirus strain AD169. <b>1986</b> , 57, 591-602	64
559	Parvovirus H-1 expression: mapping of the abundant cytoplasmic transcripts and identification of promoter sites and overlapping transcription units. <b>1986</b> , 58, 271-80	10
558	Molecular cloning and long terminal repeat sequences of human endogenous retrovirus genes related to types A and B retrovirus genes. <b>1986</b> , 58, 937-44	130
557	Genome organization and nucleotide sequence of human papillomavirus type 33, which is associated with cervical cancer. <b>1986</b> , 58, 991-5	128
556	DNA sequence of the gene for pseudorabies virus gp50, a glycoprotein without N-linked glycosylation. <b>1986</b> , 59, 216-23	97
555	Transcription initiation sites and nucleotide sequence of a herpes simplex virus 1 gene conserved in the Epstein-Barr virus genome and reported to affect the transport of viral glycoproteins. <b>1986</b> , 60, 1134-40	35
554	Characterization of the simian virus 40 late promoter: relative importance of sequences within the 72-base-pair repeats differs before and after viral DNA replication. <b>1987</b> , 61, 167-76	23
553	Transcriptional trans-activating function of hepatitis B virus. <b>1987</b> , 61, 3448-53	234

552	Identification of a transcription factor which interacts with the distal domain of the adenovirus IVa2 promoter. <b>1987</b> , 61, 646-52	16
551	Characterization and nucleotide sequence of two herpes simplex virus 1 genes whose products modulate alpha-trans-inducing factor-dependent activation of alpha genes. <b>1987</b> , 61, 992-1001	62
550	Structure of the feline c-fes/fps proto-oncogene: genesis of a retroviral oncogene. <b>1987</b> , 61, 2009-16	26
549	The pseudorabies virus gII gene is closely related to the gB glycoprotein gene of herpes simplex virus. <b>1987</b> , 61, 2691-701	126
548	Nucleotide sequences of cDNAs for human papillomavirus type 18 transcripts in HeLa cells. <b>1988</b> , 62, 1640-6	50
547	Promoters of bovine papillomavirus type 1: in vitro activity and utilization. <b>1988</b> , 62, 2537-43	11
546	Isolation and characterization of the genes for two small RNAs of herpesvirus papio and their comparison with Epstein-Barr virus-encoded EBER RNAs. <b>1988</b> , 62, 2790-8	74
545	Sequences in the human cytomegalovirus 2.7-kilobase RNA promoter which mediate its regulation as an early gene. <b>1989</b> , 63, 5334-43	45
544	Identification and nucleotide sequence of the glycoprotein gB gene of equine herpesvirus 4. <b>1989</b> , 63, 1123-33	48
543	Structure of the Marek's disease virus BamHI-H gene family: genes of putative importance for tumor induction. <b>1989</b> , 63, 2534-42	74
542	Deletion analysis of the polyomavirus late promoter: evidence for both positive and negative elements in the absence of early proteins. <b>1989</b> , 63, 3634-42	29
541	DNA binding and gene regulation by the herpes simplex virus type 1 protein ICP4 and involvement of the TATA element. <b>1989</b> , 63, 3737-47	29
540	The state of cellular differentiation determines the activity of the adenovirus E1A enhancer element: evidence for negative regulation of enhancer function. <b>1990</b> , 64, 161-72	12
539	Vaccinia virus gene encoding a 30-kilodalton subunit of the viral DNA-dependent RNA polymerase. <b>1990</b> , 64, 5376-82	29
538	Mutational analysis of a vaccinia virus intermediate promoter in vivo and in vitro. <b>1990</b> , 64, 6063-9	24
537	Alignment of U3 region sequences of mammalian type C viruses: identification of highly conserved motifs and implications for enhancer design. <b>1990</b> , 64, 534-42	119
536	Replication-dependent transactivation of the polyomavirus late promoter. <b>1990</b> , 64, 992-1001	26
535	Autonomous expression of RTVL-H endogenous retroviruslike elements in human cells. <b>1990</b> , 64, 2157-67	56

## (1990-1990)

534	flvi-1, a common integration domain of feline leukemia virus in naturally occurring lymphomas of a particular type. <b>1990</b> , 64, 3455-62	39
533	The three major immediate-early transcripts of bovine herpesvirus 1 arise from two divergent and spliced transcription units. <b>1991</b> , 65, 195-205	90
532	Regulation of herpes simplex virus true late gene expression: sequences downstream from the US11 TATA box inhibit expression from an unreplicated template. <b>1991</b> , 65, 6749-60	42
531	Common mechanism of retrovirus activation and transduction of c-mil and c-Rmil in chicken neuroretina cells infected with Rous-associated virus type 1. <b>1991</b> , 65, 3633-40	13
530	Functional roles for the TATA promoter and enhancers in basal and Tat-induced expression of the human immunodeficiency virus type 1 long terminal repeat. <b>1992</b> , 66, 139-49	220
529	Regulation of delayed-early gene transcription by dual TATA boxes. <b>1992</b> , 66, 3733-9	51
528	Glycoprotein H of pseudorabies virus is essential for entry and cell-to-cell spread of the virus. <b>1992</b> , 66, 3888-92	58
527	Contribution of the TATA motif to Tat-mediated transcriptional activation of human immunodeficiency virus gene expression. <b>1992</b> , 66, 5594-7	73
526	A transcription initiation site for the hepatitis B virus X gene is directed by the promoter-binding protein. <b>1993</b> , 67, 2559-65	17
525	Identification and characterization of a novel structural glycoprotein in pseudorabies virus, gL. <b>1994</b> , 68, 3868-78	49
524	The transcripts from the sequences flanking the short component of Marek's disease virus during latent infection form a unique family of 3'-coterminal RNAs. <b>1995</b> , 69, 1310-4	25
523	Pseudorabies virus and equine herpesvirus 1 share a nonessential gene which is absent in other herpesviruses and located adjacent to a highly conserved gene cluster. <b>1995</b> , 69, 5560-7	52
522	Inhibition of basal transcription by poliovirus: a virus- encoded protease (3Cpro) inhibits formation of TBP-TATA box complex in vitro. <b>1996</b> , 70, 2922-9	74
521	cis-acting elements involved in transcriptional regulation of the herpes simplex virus type 1 latency-associated promoter 1 (LAP1) in vitro and in vivo. <b>1996</b> , 70, 5384-94	24
520	cis elements that contribute to geminivirus transcriptional regulation and the efficiency of DNA replication. <b>1997</b> , 71, 6947-55	61
519	Role of the transcription start site core region and transcription factor YY1 in Rous sarcoma virus long terminal repeat promoter activity. <b>1998</b> , 72, 6592-601	9
518	Infectious laryngotracheitis herpesvirus expresses a related pair of unique nuclear proteins which are encoded by split genes located at the right end of the UL genome region. <b>1998</b> , 72, 6867-74	29
517	Factor substitution in a human HSP70 gene promoter: TATA-dependent and TATA-independent interactions. <b>1990</b> , 10, 165-175	54

516	E1a transactivation of human HSP70 gene promoter substitution mutants is independent of the composition of upstream and TATA elements. <b>1990</b> , 10, 176-183	23
515	Molecular cloning of the human XRCC1 gene, which corrects defective DNA strand break repair and sister chromatid exchange. <b>1990</b> , 10, 6160-6171	118
514	Factors involved in specific transcription by mammalian RNA polymerase II: role of transcription factors IIA, IID, and IIB during formation of a transcription-competent complex. <b>1990</b> , 10, 6335-6347	148
513	A combination of closely associated positive and negative cis-acting promoter elements regulates transcription of the skeletal alpha-actin gene. <b>1990</b> , 10, 528-538	59
512	Transcription initiation from the dihydrofolate reductase promoter is positioned by HIP1 binding at the initiation site. <b>1990</b> , 10, 653-661	116
511	Oocyte-specific expression of mouse Zp-2: developmental regulation of the zona pellucida genes. <b>1990</b> , 10, 1507-1515	23
510	Characterization of factors that direct transcription of rat ribosomal DNA. <b>1990</b> , 10, 3105-3116	69
509	Yeast and human TATA-binding proteins have nearly identical DNA sequence requirements for transcription in vitro. <b>1990</b> , 10, 3859-3867	153
508	UV cross-linking identifies four polypeptides that require the TATA box to bind to the Drosophila hsp70 promoter. <b>1990</b> , 10, 4233-4238	17
507	Overlapping reading frames at the LYS5 locus in the yeast Yarrowia lipolytica. <b>1990</b> , 10, 4795-4806	19
506	Two distinct domains in the yeast transcription factor IID and evidence for a TATA box-induced conformational change. <b>1991</b> , 11, 63-74	44
505	Heterogeneously initiated transcription from the pre-B- and B-cell-specific mb-1 promoter: analysis of the requirement for upstream factor-binding sites and initiation site sequences. <b>1991</b> , 11, 5756-5766	33
504	Mutations in a conserved region of RNA polymerase II influence the accuracy of mRNA start site selection. <b>1991</b> , 11, 5781-5791	38
503	Retroviral insertions 90 kilobases proximal to the Evi-1 myeloid transforming gene activate transcription from the normal promoter. <b>1991</b> , 11, 1820-1828	29
502	Cloning and characterization of a human c-myc promoter-binding protein. <b>1991</b> , 11, 2154-2161	48
501	Identification of a specific exon sequence that is a major determinant in the selection between a natural and a cryptic 5' splice site. <b>1991</b> , 11, 4581-4590	30
500	The human fibroblast growth factor receptor genes: a common structural arrangement underlies the mechanisms for generating receptor forms that differ in their third immunoglobulin domain. <b>1991</b> , 11, 4627-4634	128
499	The general transcription factor RAP30 binds to RNA polymerase II and prevents it from binding nonspecifically to DNA. <b>1992</b> , 12, 30-37	32

498	112, 2662-2672	90
497	Functional dissection of the lck proximal promoter. <b>1992</b> , 12, 2758-2768	63
496	Anatomy of an unusual RNA polymerase II promoter containing a downstream TATA element. <b>1992</b> , 12, 2884-2897	14
495	Characterization of sgk, a novel member of the serine/threonine protein kinase gene family which is transcriptionally induced by glucocorticoids and serum. <b>1993</b> , 13, 2031-2040	190
494	Upstream basal promoter element important for exclusive RNA polymerase III transcription of the EBER 2 gene. <b>1993</b> , 13, 2655-2665	14
493	The sua8 suppressors of Saccharomyces cerevisiae encode replacements of conserved residues within the largest subunit of RNA polymerase II and affect transcription start site selection similarly to sua7 (TFIIB) mutations. <b>1994</b> , 14, 226-237	48
492	Two distinct factors bind to the rabbit uteroglobin TATA-box region and are required for efficient transcription. <b>1994</b> , 14, 6208-6218	6
491	DNA sequence analysis of a mouse pro alpha 1 (I) procollagen gene: evidence for a mouse B1 element within the gene. <b>1982</b> , 2, 1362-1371	16
490	DNA sequences required for specific and efficient initiation of transcription at the polyoma virus early promoter. <b>1982</b> , 2, 737-751	29
489	Expression of herpes simplex virus beta and gamma genes integrated in mammalian cells and their induction by an alpha gene product. <b>1983</b> , 3, 2028-2044	37
488	Molecular cloning and characterization of the glucoamylase gene of Aspergillus awamori. <b>1984</b> , 4, 2306-2315	38
487	Location of sequences in polyomavirus DNA that are required for early gene expression in vivo and in vitro. <b>1984</b> , 4, 2594-2609	42
486	Primary structure of the RAD52 gene in Saccharomyces cerevisiae. <b>1984</b> , 4, 2735-2744	76
485	High-resolution mapping of DNase I-hypersensitive sites of Drosophila heat shock genes in Drosophila melanogaster and Saccharomyces cerevisiae. <b>1984</b> , 4, 1853-1863	36
484	Transcription unit of the rabbit beta 1 globin gene. <b>1985</b> , 5, 147-160	29
483	Myosin light-chain 1 and 3 gene has two structurally distinct and differentially regulated promoters evolving at different rates. <b>1985</b> , 5, 3168-3182	48
482	Transcription of herpes simplex virus tk sequences under the control of wild-type and mutant human RNA polymerase I promoters. <b>1985</b> , 5, 352-362	100
481	Locus encoding a family of small heat shock genes in Caenorhabditis elegans: two genes duplicated to form a 3.8-kilobase inverted repeat. <b>1985</b> , 5, 1268-1278	43

480	Suppressors of Saccharomyces cerevisiae his3 promoter mutations lacking the upstream element. <b>1985</b> , 5, 1901-1909	16
479	Precise localization of m6A in Rous sarcoma virus RNA reveals clustering of methylation sites: implications for RNA processing. <b>1985</b> , 5, 2298-2306	116
478	The complete sequence of the mouse skeletal alpha-actin gene reveals several conserved and inverted repeat sequences outside of the protein-coding region. <b>1986</b> , 6, 15-25	50
477	Nonmuscle and muscle tropomyosin isoforms are expressed from a single gene by alternative RNA splicing and polyadenylation. <b>1986</b> , 6, 3582-3595	95
476	Transcriptional control signals of a herpes simplex virus type 1 late (gamma 2) gene lie within bases -34 to +124 relative to the 5' terminus of the mRNA. <b>1986</b> , 6, 3652-3666	90
475	Structure of the Saccharomyces cerevisiae HO gene and analysis of its upstream regulatory region. <b>1986</b> , 6, 4281-4294	81
474	Efficient expression of the Saccharomyces cerevisiae PGK gene depends on an upstream activation sequence but does not require TATA sequences. <b>1986</b> , 6, 4335-4343	87
473	The SPS4 gene of Saccharomyces cerevisiae encodes a major sporulation-specific mRNA. <b>1986</b> , 6, 4478-4485	29
472	Fine structure of the human hypoxanthine phosphoribosyltransferase gene. <b>1986</b> , 6, 393-403	61
471	RAD7 gene of Saccharomyces cerevisiae: transcripts, nucleotide sequence analysis, and functional relationship between the RAD7 and RAD23 gene products. <b>1986</b> , 6, 1497-1507	46
470	Sequence and expression of the dCMP deaminase gene (DCD1) of Saccharomyces cerevisiae. <b>1986</b> , 6, 1711-1721	27
469	Characterization and mutational analysis of a cluster of three genes expressed preferentially during sporulation of Saccharomyces cerevisiae. <b>1986</b> , 6, 2443-2451	76
468	Control of transcription initiation in vitro requires binding of a transcription factor to the distal promoter of the ovalbumin gene. <b>1986</b> , 6, 2784-2791	51
467	Sequence of the notch locus of Drosophila melanogaster: relationship of the encoded protein to mammalian clotting and growth factors. <b>1986</b> , 6, 3094-3108	131
466	Immunologically distinct p53 molecules generated by alternative splicing. <b>1986</b> , 6, 3232-3239	62
465	Effects on mRNA splicing of mutations in the 3' region of the Saccharomyces cerevisiae actin intron. <b>1987</b> , 7, 225-230	24
464	Sucl+ encodes a predicted 13-kilodalton protein that is essential for cell viability and is directly involved in the division cycle of Schizosaccharomyces pombe. <b>1987</b> , 7, 504-511	68
463	Multiple basal elements of a human hsp70 promoter function differently in human and rodent cell lines. <b>1987</b> , 7, 3646-3655	60

462	Sequences required for transcriptional initiation of the Saccharomyces cerevisiae CYC7 genes. <b>1987</b> , 7, 3785-3791	32
461	Yeast pre-mRNA splicing requires a minimum distance between the 5' splice site and the internal branch acceptor site. <b>1987</b> , 7, 4010-4016	12
460	Firefly luciferase gene: structure and expression in mammalian cells. 1987, 7, 725-737	1137
459	Factors influencing alternative splice site utilization in vivo. <b>1987</b> , 7, 738-748	84
458	Novel protein-tyrosine kinase gene (hck) preferentially expressed in cells of hematopoietic origin. <b>1987</b> , 7, 2276-2285	95
457	Duplicated CArG box domains have positive and mutually dependent regulatory roles in expression of the human alpha-cardiac actin gene. <b>1987</b> , 7, 2803-2813	129
456	Detection of two tissue-specific DNA-binding proteins with affinity for sites in the mouse beta-globin intervening sequence 2. <b>1988</b> , 8, 381-392	40
455	Factors involved in specific transcription by mammalian RNA polymerase II: purification, genetic specificity, and TATA box-promoter interactions of TFIID. <b>1988</b> , 8, 4028-4040	279
454	A regulatory region responsible for proline-specific induction of the yeast PUT2 gene is adjacent to its TATA box. <b>1988</b> , 8, 4634-4641	31
453	The human transforming growth factor alpha promoter directs transcription initiation from a single site in the absence of a TATA sequence. <b>1988</b> , 8, 5549-5554	31
452	Mutational analysis of upstream activation sequence 2 of the CYC1 gene of Saccharomyces cerevisiae: a HAP2-HAP3-responsive site. <b>1988</b> , 8, 647-654	88
451	The rat alpha-tropomyosin gene generates a minimum of six different mRNAs coding for striated, smooth, and nonmuscle isoforms by alternative splicing. <b>1988</b> , 8, 679-694	66
450	Simian virus 40 major late promoter: a novel tripartite structure that includes intragenic sequences. <b>1988</b> , 8, 2021-2033	67
449	Molecular analysis of a Neurospora crassa gene expressed during conidiation. <b>1988</b> , 8, 2411-2418	32
448	Structure of the murine lck gene and its rearrangement in a murine lymphoma cell line. <b>1988</b> , 8, 3058-3064	48
447	Organization of the murine Mx gene and characterization of its interferon- and virus-inducible promoter. <b>1988</b> , 8, 3065-3079	91
446	TATA box-dependent protein-DNA interactions are detected on heat shock and histone gene promoters in nuclear extracts derived from Drosophila melanogaster embryos. <b>1988</b> , 8, 3204-3214	23
445	Multiple cis-acting sequence elements are required for efficient splicing of simian virus 40 small-t antigen pre-mRNA. <b>1988</b> , 8, 3582-3590	33

444	Stability of transcription complexes on class II genes. <b>1989</b> , 9, 342-344	59
443	Functional distinctions between yeast TATA elements. <b>1989</b> , 9, 5298-5304	76
442	Differentiation-responsive elements in the 5' region of the mouse tissue plasminogen activator gene confer two-stage regulation by retinoic acid and cyclic AMP in teratocarcinoma cells. <b>1989</b> , 9, 1691-1704	32
441	Cloning and sequence analysis of the Saccharomyces cerevisiae RAD9 gene and further evidence that its product is required for cell cycle arrest induced by DNA damage. <b>1989</b> , 9, 1882-1896	62
440	Kluyveromyces lactis maintains Saccharomyces cerevisiae intron-encoded splicing signals. <b>1989</b> , 9, 2208-2213	19
439	E1a transactivation of the human HSP70 promoter is mediated through the basal transcriptional complex. <b>1989</b> , 9, 2574-2587	75
438	Functional domains of the Drosophila melanogaster muscle myosin heavy-chain gene are encoded by alternatively spliced exons. <b>1989</b> , 9, 2957-2974	71
437	Comparison of initiation of protein synthesis in procaryotes, eucaryotes, and organelles. <b>1983</b> , 47, 1-45	1210
436	Deoxyribonucleic acid repair in the yeast Saccharomyces cerevisiae. <b>1988</b> , 52, 70-102	331
435	Investigation of the phenylethanolamine N-methyltransferase gene as a candidate gene for hypertension. <b>1995</b> , 26, 595-601	15
434	Cloning, characterization, and genetic mapping of the rat type 2 angiotensin II receptor gene. <b>1995</b> , 26, 998-1002	26
433	Conservation of an AE3 Cl-/HCO3- exchanger cardiac-specific exon and promoter region and AE3 mRNA expression patterns in murine and human hearts. <b>1995</b> , 76, 584-91	31
432	Molecular cloning of a polymorphic DNA endonuclease fragment associates insulin-dependent diabetes mellitus with HLA-DQ. <b>1987</b> , 79, 1144-52	105
43 <sup>1</sup>	Human adenine phosphoribosyltransferase. Identification of allelic mutations at the nucleotide level as a cause of complete deficiency of the enzyme. <b>1987</b> , 80, 1409-15	78
430	Donor splice site mutation in the apolipoprotein (Apo) C-II gene (Apo C-IIHamburg) of a patient with Apo C-II deficiency. <b>1988</b> , 82, 1489-94	51
429	Rat lung Cu,Zn superoxide dismutase. Isolation and sequence of a full-length cDNA and studies of enzyme induction. <b>1989</b> , 83, 1241-6	51
428	Secretory pancreatic stone protein messenger RNA. Nucleotide sequence and expression in chronic calcifying pancreatitis. <b>1989</b> , 84, 100-6	87
427	Human neutrophil cytochrome b light chain (p22-phox). Gene structure, chromosomal location, and mutations in cytochrome-negative autosomal recessive chronic granulomatous disease. <b>1990</b> , 86, 1729-37	244

426	Cloning and characterization of the novel gene for mast cell carboxypeptidase A. 1992, 89, 273-82	33
425	Molecular cloning of the complementary DNA and gene that encode mouse brain natriuretic peptide and generation of transgenic mice that overexpress the brain natriuretic peptide gene. <b>1994</b> , 93, 1911-21	141
424	A p47-phox pseudogene carries the most common mutation causing p47-phox- deficient chronic granulomatous disease. <b>1997</b> , 100, 1907-18	102
423	Mutations in the liver glycogen synthase gene in children with hypoglycemia due to glycogen storage disease type 0. <b>1998</b> , 102, 507-15	76
422	Interferon- <b>D</b> ependent Inducible Expression of the Human Interleukin-12 p35 Gene in Monocytes Initiates From a TATA-Containing Promoter Distinct From the CpG-Rich Promoter Active in Epstein-Barr Virus-Transformed Lymphoblastoid Cells. <b>1998</b> , 91, 4645-4651	3
421	Expression of Functional CD32 Molecules on Human NK Cells Is Determined by an Allelic Polymorphism of the Fc <b>R</b> IIC Gene. <b>1998</b> , 91, 2369-2380	7
420	Expression of nerve growth factor receptor mRNA during early development of the chicken embryo: emphasis on cranial ganglia. <b>1990</b> , 108, 693-704	52
419	Genomic organization and expression of the planarian homeobox genes Dth-1 and Dth-2. <b>1993</b> , 118, 241-253	41
418	Reggie-1 and reggie-2, two cell surface proteins expressed by retinal ganglion cells during axon regeneration. <b>1997</b> , 124, 577-587	151
4 <sup>1</sup> 7	Isolation of the human genes encoding the pyst1 and Pyst2 phosphatases: characterisation of Pyst2 as a cytosolic dual-specificity MAP kinase phosphatase and its catalytic activation by both MAP and SAP kinases. <b>1998</b> , 111, 3389-3399	95
416	NUANCE, a giant protein connecting the nucleus and actin cytoskeleton. 2002, 115, 3207-3222	223
415	[Development and appraisement of functional molecular marker: intron sequence amplified polymorphism (ISAP)]. <b>2008</b> , 30, 1207-16	3
414	A novel sequence and context based method for promoter recognition. <b>2014</b> , 10, 175-9	4
413	Ssl2/TFIIH function in transcription start site scanning by RNA polymerase II in. <b>2021</b> , 10,	2
412	Causes and consequences of impaired methionine synthase activity in acquired and inherited disorders of vitamin B metabolism. <b>2021</b> , 1-23	3
411	Genetic Engineering of Animal Cells. <b>2001</b> , 662-744	
410	Transcription, Translation, and the Control of Gene Expression.	
409	An Application of Artificial Neural Networks to DNA Sequence Analysis. <b>2003</b> , 363-377	О

408	Expression profile of mouse BWF1, a protein with a BEACH domain, WD40 domain and FYVE domain. <b>2004</b> , 29, 35-42	1
407	Genomic Structure Analyses of Five Kinds of Human Sialyltransferase Gene. <b>2004</b> , 14, 1009-1017	
406	Transcription and the Organization of Eukaryotic Genes. 2005, 17-31	
405	T. <b>2007</b> , 1235-1309	
404	Alternative splicing through intracellular signaling pathways: The emerging importance of diversity and regulation in immune regulation. <b>2007</b> , 27, 575-578	
403	Genetic Engineering of Animal Cells. 662-744	
402	Transcription, Translation, and the Control of Gene Expression in Mammalian Cells. 1	
401	Isolation of Alcohol Dehydrogenase cDNA and Basal Regulatory Region from Metroxylon sagu. <b>2012</b> , 2012, 839427	1
400	Gene Promoter Variation of Phosphoglycerate Kinase, a Glucose Metabolism Enzyme, is a Biomarker for Selection of Disease-resistant Sea Squirt, Halocynthia Roretzi. <b>2013</b> , 23, 190-196	
399	Bibliography on Dictyostelium. <b>1982</b> , 451-538	1
399 398	Bibliography on Dictyostelium. <b>1982</b> , 451-538  Symposium Genetik der angeborenen Stoffwechselstflungen. <b>1982</b> , 1227-1260	1
		1
398	Symposium Genetik der angeborenen Stoffwechselstflungen. <b>1982</b> , 1227-1260  SMALL NUCLEAR RNPs AND RNA PROCESSING11This work was supported by grants from Cancer Center Program Grant 10893, awarded by DHEW; the Bristol-Myers Fund; the Michael E. DeBakey	
398 397	Symposium Genetik der angeborenen Stoffwechselstflungen. 1982, 1227-1260  SMALL NUCLEAR RNPs AND RNA PROCESSING11This work was supported by grants from Cancer Center Program Grant 10893, awarded by DHEW; the Bristol-Myers Fund; the Michael E. DeBakey Medical Foundation; the Pauline Sterne Wolff Memorial Foundation; the Taub Foundation; and the William S. Farish Fund. 1982, 167-187	
398 397 396	Symposium Genetik der angeborenen Stoffwechselstflungen. 1982, 1227-1260  SMALL NUCLEAR RNPs AND RNA PROCESSING11This work was supported by grants from Cancer Center Program Grant 10893, awarded by DHEW; the Bristol-Myers Fund; the Michael E. DeBakey Medical Foundation; the Pauline Sterne Wolff Memorial Foundation; the Taub Foundation; and the William S. Farish Fund. 1982, 167-187  Current understanding of virus etiology in leukemia. 1984, 93, 1-28	1
398 397 396 395	Symposium Genetik der angeborenen Stoffwechselstflungen. 1982, 1227-1260  SMALL NUCLEAR RNPs AND RNA PROCESSING11This work was supported by grants from Cancer Center Program Grant 10893, awarded by DHEW; the Bristol-Myers Fund; the Michael E. DeBakey Medical Foundation; the Pauline Sterne Wolff Memorial Foundation; the Taub Foundation; and the William S. Funda 1982, 167-187  Current understanding of virus etiology in leukemia. 1984, 93, 1-28  Transcription by RNA Polymerase II. 1984, 65-97	1
398 397 396 395 394	Symposium Genetik der angeborenen Stoffwechselstflungen. 1982, 1227-1260  SMALL NUCLEAR RNPs AND RNA PROCESSING11This work was supported by grants from Cancer Center Program Grant 10893, awarded by DHEW; the Bristol-Myers Fund; the Michael E. DeBakey Medical Foundation; the Pauline Sterne Wolff Memorial Foundation; the Taub Foundation; and the William S. Parish Fund. 1982, 107-107  Current understanding of virus etiology in leukemia. 1984, 93, 1-28  Transcription by RNA Polymerase II. 1984, 65-97  Genomic and phenotypic expression of autonomic neurons. 1984, 181, 43-9	1

## (1986-1984)

390	Promoter elements of genes coding for proteins and modulation of transcription by estrogens and progesterone. <b>1984</b> , 40, 1-42	39
389	Cauliflower Mosaic Virus: A Plant Gene Vector. <b>1984</b> , 108-118	1
388	Biogenesis of Messenger RNA. <b>1985</b> , 3-19	
387	Genes. <b>1985</b> , 9-35	
386	Molecular Multiplicity and Gene Structure of Microsomal Cytochrome P-450 in Rat Liver. <b>1985</b> , 157-169	
385	Transcription Control in Eucaryotes-Enhancers and Promoters. <b>1985</b> , 267-283	
384	Alternative Splicing in the H-2 Multigene Family. <b>1985</b> , 121-130	
383	An EBV RNA with A Repetitive Spliced Structure. <b>1985</b> , 256-266	
382	THE INTERPHASE NUCLEUS. <b>1985</b> , 170-261	
381	MOLECULAR STRUCTURE OF PLASMA PROTEASE INHIBITOR GENES IN MAN. <b>1985</b> , 235-263	
380	Promoter Elements of Eukaryotic Protein-Coding Genes. <b>1985</b> , 103-119	1
379	Caulimoviruses as Potential Gene Vectors for Higher Plants. <b>1986</b> , 241-276	1
378	Rekombinante Vakziniaviren: ein Impfstoff der Zukunft?. <b>1986</b> , 154-155	
377	Rat metallothionein-1 structural gene and three pseudogenes, one of which contains 5'-regulatory sequences. <b>1986</b> , 6, 302-314	26
376	The Structure of Plant Genes as Exemplified by Pea Seed Storage Protein Genes and their Expression in Microorganisms. <b>1986</b> , 317-324	
375	Structure, organization, and regulation of human metallothionein IF gene: differential and cell-type-specific expression in response to heavy metals and glucocorticoids. <b>1986</b> , 6, 26-37	25
374	Molecular biology of plant cell transformation. <b>1986</b> , 12, 109-42	
373	Detection of Proteins Produced by Recombinant DNA Techniques. <b>1986</b> , 315-343	

372	Genetic Elements Governing Adenoviral Gene Expression. <b>1986</b> , 161-191	
371	Function of the Genetic Material: Structure and Function of Elements Controlling Transcription in Lower Eukaryotes. <b>1986</b> , 241-248	
370	Characterization and Functional Analysis of the Factors Required for Transcription of the Adenovirus Major Late Promoter. <b>1987</b> , 423-440	1
369	Yeast Factor Genes. <b>1987</b> , 413-434	
368	Possible Viroid Origin. <b>1987</b> , 189-203	
367	The Molecular Basis of Chloroplast Development. <b>1987</b> , 1-74	1
366	Molecular Mechanisms of Epidermal Growth Factor Regulation of Prolactin Gene Transcription. <b>1987</b> , 473-498	
365	Mechanisms of Virus-Induced Alterations of Expression of Class I Genes and Their Role on Tumorigenesis. <b>1987</b> , 203-220	
364	Monoclonal antibodies against putative nuclear acceptor sites of the avian oviduct progesterone receptor. <b>1987</b> , 230, 31-48	
363	Bibliography. <b>1987</b> , 165-184	
362	Regulatory Elements in the Promoter of the H-2Dd Class I Gene. <b>1987</b> , 201-208	2
361	Identification of the sequences controlling cyclic AMP regulation and cell-type-specific expression of a prestalk-specific gene in Dictyostelium discoideum. <b>1987</b> , 7, 149-159	39
360	Messenger Rna-S14 as a Model of Thyroid Hormone Action at the Hepatocellular Level. <b>1987</b> , 305-317	
359	Genomic Structure, Biosynthesis, and Processing of Preproapolipoprotein C-II. <b>1987</b> , 33-50	
358	The 5? End of the Human (2?॰?) Oligo a Synthetase Gene Contains Sequences Responsible for Transcriptional Activation by Interferon. <b>1987</b> , 57-63	
357	Functions of Chromatin and the Expression of Genes. <b>1987</b> , 599-684	
356	Functional domains of a T-DNA promoter active in crown gall tumors. <b>1987</b> , 7, 59-67	16
355	Isolation and Sequence of the Human Glucocorticoid Receptor Gene Promoter. Cloning of the Human Androgen Receptor cDNA. <b>1988</b> , 187-206	1

354	Stoffwechsel und Funktion der Nucleinsüren. <b>1988</b> , 191-222	
353	Molecular Biology of Interleukin 3: A Multilineage Hemopoietic Growth Regulator. <b>1988</b> , 91-126	
352	Molecular Cloning of a Primate cDNA and the Human Gene for Interleukin 3. <b>1988</b> , 375-391	
351	Transcriptional and post-transcriptional strategies in neuroendocrine gene expression. <b>1988</b> , 5, 317-34	
350	Stoffwechsel und Funktion der Nucleinsüren. <b>1988</b> , 191-222	
349	Mammalian expression vectors. <b>1988</b> , 10, 467-92	
348	DNA Binding Proteins and Their Roles in Controlling Tissue Specific Gene Expression and Responses to Second Messengers. <b>1988</b> , 289-297	
347	DNA affinity labeling of adenovirus type 2 upstream promoter sequence-binding factors identifies two distinct proteins. <b>1988</b> , 8, 105-113	23
346	Murine Ornithine Transcarbamylase: Structure and Expression. <b>1989</b> , 121-131	
345	Bibliography. <b>1989,</b> 377-422	
344	The Molecular Basis of ApoC-II Deficiency. <b>1989</b> , 109-119	
343	Cis- and Trans-Activation of HIV. <b>1989</b> , 64-70	
342	The Structure and Expression of a Human Gene for a Nuclear-Coded Mitochondrial Adenosine Triphosphate Synthase Beta Subunit. <b>1989</b> , 67-72	
341	DNA Recombinants and Transformation of Agricultural Crops. <b>1989</b> , 75-98	
340	The pathogenesis of humoral hypercalcaemia of malignancy. <b>1990</b> , 139-173	
339	Molecular and functional analysis of the muscle-specific promoter region of the Duchenne muscular dystrophy gene. <b>1990</b> , 10, 193-205	40
338	Molecular basis of androgen insensitivity. <b>1990</b> , 46, 1-38; discussion 38-42	11
337	Functional Analysis of the Nucleolin Gene Promoter from the Mouse. <b>1990</b> , 73-78	

336 Transcription Factors of RNA Polymerase III from Mammalian Cells. **1990**, 119-136

335	Molecular heterogeneity of human hereditary diseases and problems of their gene therapy. <b>1990</b> , 6, 31-46	1
334	Human erythropoietin gene expression in transgenic mice: multiple transcription initiation sites and cis-acting regulatory elements. <b>1990</b> , 10, 930-938	29
333	Two forms of Drosophila melanogaster Gs alpha are produced by alternate splicing involving an unusual splice site. <b>1990</b> , 10, 910-917	23
332	Structure and transcription of the Drosophila melanogaster vermilion gene and several mutant alleles. <b>1990</b> , 10, 1423-1431	37
331	Genomic footprinting: detection of putative regulatory proteins in the promoter region of the interferon alpha-1 gene in normal human tissues. <b>1990</b> , 10, 2554-2561	6
330	Structure and chromosomal location of the rat ribophorin I gene <b>1990</b> , 265, 8252-8258	1
329	Lack of introns in the ribosomal protein gene S14 of trypanosomes. <b>1990</b> , 10, 3284-3288	5
328	Transcription of the rat and mouse proenkephalin genes is initiated at distinct sites in spermatogenic and somatic cells. <b>1990</b> , 10, 3717-3726	19
327	Tissue-specific expression from a compound TATA-dependent and TATA-independent promoter. <b>1990</b> , 10, 5646-5654	10
326	Analysis of the mouse Dhfr/Rep-3 major promoter region by using linker-scanning and internal deletion mutations and DNase I footprinting. <b>1990</b> , 10, 6003-6012	11
325	p9Ka, A Calcium-Ion-Binding Protein of Cultured Myoepithelial Cells. <b>1991</b> , 105-123	
324	Factor IX: Gene Structure and Protein Synthesis. <b>1991</b> , 13-24	
323	Plant gene structure and expression. <b>1991</b> , 1-37	
322	Plant gene structure and expression. <b>1991</b> , 1-37	
321	An overview of transcription. <b>1991</b> , 6, 3-24	
320	The same CCAAT box-binding factor binds to the promoter of two coordinately regulated major histocompatibility complex class II genes. <b>1991</b> , 11, 578-581	5
319	Cooperative Regulation of Gene Expression in Liver Cells by Hormones and Extracellular Matrix. <b>1991</b> , 69-106	

318	Complementary in vivo and in vitro analyses of the interactions between the cis-acting elements of the rat rDNA promoter. <b>1991</b> , 127-135	
317	Organization and chromosomal localization of the human platelet-derived endothelial cell growth factor gene. <b>1991</b> , 11, 2125-2132	12
316	Organization of the murine and human interleukin-7 receptor genes: two mRNAs generated by differential splicing and presence of a type I-interferon-inducible promoter. <b>1991</b> , 11, 3052-3059	26
315	The gene encoding the transcription factor SCIP has features of an expressed retroposon. <b>1991</b> , 11, 4642	2-4650 <sub>24</sub>
314	Transcriptional regulation of the small nuclear ribonucleoprotein E protein gene. Identification of cis-acting sequences with homology to genes encoding ribosomal proteins <b>1991</b> , 266, 23288-23295	5
313	Structure and Organization of the Mouse pADPRT Gene. <b>1992</b> , 69-72	1
312	Gametophytic and Sporophytic Gene Expression in Helianthus annuus L 1992, 59-68	
311	A Brassica napus gene family which shows sequence similarity to ascorbate oxidase is expressed in developing pollen. Molecular characterization and analysis of promoter activity in transgenic tobacco plants. <b>1992</b> , 2, 331-342	
310	Structure and expression of a calcium-binding protein gene contained within a calmodulin-regulated protein kinase gene. <b>1992</b> , 12, 2359-2371	14
309	Transcription of the mouse secretory protease inhibitor p12 gene is activated by the developmentally regulated positive transcription factor Sp1. <b>1992</b> , 12, 3796-3806	12
308	Evolution of the transposable element Uhu in five species of Hawaiian Drosophila. <b>1993</b> , 275-289	
307	The Norrie Disease Gene: Positional Cloning, Mutation Analysis and Protein Homologies. <b>1993</b> , 135-142	
306	Preparation of an in vitro transcription system of plant origin, with methods and templates for assessing its fidelity. <b>1993</b> , 65-82	
305	Primate genes for glycophorins carrying MN blood group antigens. <b>1993</b> , 22, 7-12	3
304	Transcription and the Organization of Eukaryotic Gene Sequences. <b>1993</b> , 11-19	
303	Regulation of Gastrointestinal Peptide Hormone Gene Expression. <b>1993</b> , 29-67	
302	Preliminary characterization of the rat class 3 aldehyde dehydrogenase gene. <b>1993</b> , 328, 81-6	2
301	Coexpression of two closely linked avian genes for purine nucleotide synthesis from a bidirectional promoter. <b>1993</b> , 13, 4784-4792	19

300	Nucleic Acids and Nuclear Proteins. <b>1994</b> , 9-69	
299	Preparation of an in vitro transcription system of plant origin, with methods and templates for assessing its fidelity. <b>1994</b> , 257-271	1
298	Anther- and Pollen-Specific Gene Expression in Sunflower. <b>1996</b> , 53-66	
297	The molecular biology of the kallikrein-kinin system. <b>1996</b> , 128-143	
296	Structure and chromosomal localization of the human 2-oxoglutarate dehydrogenase gene. <b>1996</b> , 295-305	
295	Molecular Structure of Myelin Genes in the CNS of Trout. <b>1997</b> , 170-181	
294	Molecular cloning of exons II and III of the a-globin major gene from Odontophrynus americanus 2n and 4n (Amphibia, Anura). <b>1997</b> , 20, 613-618	0
293	Generation of large libraries. <b>1999</b> , 189-223	
292	Molekulare Struktur und Regulation eukaryotischer Gene. <b>2015</b> , 261-290	
291	GhMCS1, the Cotton Orthologue of Human GRIM-19, Is a Subunit of Mitochondrial Complex I and Associated with Cotton Fibre Growth. <b>2016</b> , 11, e0162928	O
290	Statistical of Nucleic Acid Sequences. <b>2018</b> , 203-211	
289	Molecular Genetic Analysis of Rbm45/Drbp1: Genomic Structure, Expression, and Evolution.	
288	Promoter scanning during transcription initiation inSaccharomyces cerevisiae: Pol II in the Bhooting gallery[]	2
287	Characterization of transposable element-associated mutations that alter yeast alcohol dehydrogenase II expression. <b>1983</b> , 3, 20-31	58
286	The SV40 72 Base Pair Repeat: An Amazing Enhancer of Eukaryotic Gene Expression. <b>1983</b> , 291-308	
285	Adenovirus Type 5 Region-E1A Transcriptional Control Sequences. <b>1983</b> , 211-223	
284	Preimplantation development: Biology, genetics, and mutagenesis. <b>1983</b> , 4, 31-49	0
283	Structure and Expression of the Cauliflower Mosaic Virus Genome. <b>1983</b> , 451-462	

282 Molekulare Struktur und Regulation eukaryotischer Gene. **2020**, 319-359

281	Translate the untranslated: excising as a novel post-splicing event.	
280	Transthyretin-Like Protein TTR-31 Plays Roles in Post-Embryonic Larval Development and Potentially Apoptosis of Germ Cells. <b>2021</b> , 9, 753667	O
279	STRUCTURE AND EVOLUTION OF THE CHICK CALBINDIN GENE. <b>1988</b> , 489-498	
278	Multiple origins of transcription for the human placental lactogen genes <b>1984</b> , 259, 14642-14646	18
277	High-resolution mapping of DNase I hypersensitive site in the chicken beta-tubulin gene transfected into monkey cells <b>1987</b> , 262, 7764-7769	3
276	Transcription of hepatitis B virus by RNA polymerase II. <b>1983</b> , 3, 1766-1773	69
275	An upstream regulatory domain of avian tumor virus long terminal repeat is required for the expression of a procaryotic neomycin gene in eucaryotic cells. <b>1983</b> , 3, 1975-1984	9
274	Structure and expression of mouse VL30 genes. <b>1983</b> , 3, 2221-2231	34
273	Analysis of processing and polyadenylation signals of the hepatitis B virus surface antigen gene by using simian virus 40-hepatitis B virus chimeric plasmids. <b>1983</b> , 3, 2250-2258	90
272	Analysis in Cos-1 cells of processing and polyadenylation signals by using derivatives of the herpes simplex virus type 1 thymidine kinase gene. <b>1983</b> , 3, 267-279	35
271	DNA sequence of two linked actin genes of sea urchin. <b>1983</b> , 3, 448-456	20
270	Localization of active promoters for eucaryotic RNA polymerase II in the long terminal repeat of avian sarcoma virus DNA. <b>1983</b> , 3, 811-818	14
269	Bovine papilloma virus contains an activator of gene expression at the distal end of the early transcription unit. <b>1983</b> , 3, 1108-1122	114
268	Transient expression of a mouse alpha-fetoprotein minigene: deletion analyses of promoter function. <b>1983</b> , 3, 1295-1309	43
267	Molecular structure of the human argininosuccinate synthetase gene: occurrence of alternative mRNA splicing. <b>1984</b> , 4, 1978-1984	30
266	The long terminal repeat of an endogenous intracisternal A-particle gene functions as a promoter when introduced into eucaryotic cells by transfection. <b>1984</b> , 4, 2128-2135	27
265	Expression of the mouse p53 cellular tumor antigen in monkey cells. <b>1984</b> , 4, 2180-2186	16

264	Characterization of the expressed gene and several processed pseudogenes for the mouse ribosomal protein L30 gene family. <b>1984</b> , 4, 2518-2528	85
263	Primary structure of the nuclear PUT2 gene involved in the mitochondrial pathway for proline utilization in Saccharomyces cerevisiae. <b>1984</b> , 4, 2837-2842	40
262	Requirement for distal upstream sequences for maximal transcription in vitro of early region IV of adenovirus. <b>1984</b> , 4, 791-798	16
261	Adenovirus 5 E2 transcription unit: an E1A-inducible promoter with an essential element that functions independently of position or orientation. <b>1984</b> , 4, 875-882	71
260	Regulation, linkage, and sequence of mouse metallothionein I and II genes. <b>1984</b> , 4, 1221-1230	119
259	Transcription control region within the protein-coding portion of adenovirus E1A genes. <b>1984</b> , 4, 1293-1305	37
258	Characterization of the myosin light-chain-2 gene of Drosophila melanogaster. <b>1985</b> , 5, 3058-3068	37
257	Genetic engineering in the Precambrian: structure of the chicken triosephosphate isomerase gene. <b>1985</b> , 5, 3497-3506	15
256	Saccharomyces cerevisiae CYC1 mRNA 5'-end positioning: analysis by in vitro mutagenesis, using synthetic duplexes with random mismatch base pairs. <b>1985</b> , 5, 3545-3551	43
255	Characterization of the multigene family encoding the mouse S16 ribosomal protein: strategy for distinguishing an expressed gene from its processed pseudogene counterparts by an analysis of total genomic DNA. <b>1985</b> , 5, 3560-3576	76
254	Structure of the rat alpha 1-acid glycoprotein gene. <b>1985</b> , 5, 3634-3639	10
253	Novel chicken actin gene: third cytoplasmic isoform. <b>1985</b> , 5, 1151-1162	43
252	Structure and developmental regulation of a wheat gene encoding the major chlorophyll a/b-binding polypeptide. <b>1985</b> , 5, 1370-1378	67
251	Accurate and efficient transcription of human c-myc genes injected into Xenopus laevis oocytes. <b>1985</b> , 5, 1434-1441	15
250	Linker scanning mutagenesis of the 5'-flanking region of the mouse beta-major-globin gene: sequence requirements for transcription in erythroid and nonerythroid cells. <b>1985</b> , 5, 1498-1511	77
249	Nonproductive kappa immunoglobulin genes: recombinational abnormalities and other lesions affecting transcription, RNA processing, turnover, and translation. <b>1985</b> , 5, 1660-1675	36
248	Characterization of the functional gene and several processed pseudogenes in the human triosephosphate isomerase gene family. <b>1985</b> , 5, 1694-1706	35
247	Analysis of the mouse dhfr promoter region: existence of a divergently transcribed gene. <b>1985</b> , 5, 1847-1858	64

246	Transcription boundaries of U1 small nuclear RNA. <b>1985</b> , 5, 2332-2340	31
245	Apparent gene conversion between beta-tubulin genes yields multiple regulatory pathways for a single beta-tubulin polypeptide isotype. <b>1985</b> , 5, 2454-2465	23
244	Characterization of two nonallelic pairs of late histone H2A and H2B genes of the sea urchin: differential regulation in the embryo and tissue-specific expression in the adult. <b>1986</b> , 6, 3746-3754	22
243	Sequences involved in accurate and efficient transcription of human c-myc genes microinjected into frog oocytes. <b>1986</b> , 6, 4093-4098	13
242	Two distant and precisely positioned domains promote transcription of Xenopus laevis rRNA genes: analysis with linker-scanning mutants. <b>1986</b> , 6, 4585-4593	31
241	Transcriptional control of the mouse prealbumin (transthyretin) gene: both promoter sequences and a distinct enhancer are cell specific. <b>1986</b> , 6, 4697-4708	74
240	Structure of the highly repeated, long interspersed DNA family (LINE or L1Rn) of the rat. <b>1986</b> , 6, 411-424	50
239	Three tightly linked genes encoding human type I keratins: conservation of sequence in the 5'-untranslated leader and 5'-upstream regions of coexpressed keratin genes. <b>1986</b> , 6, 539-548	26
238	The chronic myelocytic cell line K562 contains a breakpoint in bcr and produces a chimeric bcr/c-abl transcript. <b>1986</b> , 6, 607-616	54
237	Structural characterization of a heterogeneous family of rat brain mRNAs. <b>1986</b> , 6, 768-778	6
236	Partial purification of a nuclear protein that binds to the CCAAT box of the mouse alpha 1-globin gene. <b>1986</b> , 6, 821-832	59
235	Cloning, sequencing, and evolutionary analysis of the mouse erythropoietin gene. <b>1986</b> , 6, 842-848	36
234	Murine erythropoietin gene: cloning, expression, and human gene homology. <b>1986</b> , 6, 849-858	45
233	Complete sequence of three alpha-tubulin cDNAs in Chinese hamster ovary cells: each encodes a distinct alpha-tubulin isoprotein. <b>1986</b> , 6, 906-913	21
232	Human argininosuccinate synthetase minigenes are subject to arginine-mediated repression but not to trans induction. <b>1986</b> , 6, 1244-1252	10
231	Structure and expression of the Chinese hamster thymidine kinase gene. <b>1986</b> , 6, 1998-2010	28
230	Delimitation and characterization of cis-acting DNA sequences required for the regulated expression and transcriptional control of the chicken skeletal alpha-actin gene. <b>1986</b> , 6, 2462-2475	100
229	Transcriptional role for the nontranscribed spacer of rat ribosomal DNA. <b>1986</b> , 6, 2766-2773	30

228	Primary structure of human ribosomal protein S14 and the gene that encodes it. <b>1986</b> , 6, 2774-2783	62
227	Features of the chicken c-myc gene that influence the structure of c-myc RNA in normal cells and bursal lymphomas. <b>1986</b> , 6, 2800-2806	15
226	Genetic analysis of the human thymidine kinase gene promoter. <b>1986</b> , 6, 2903-2909	23
225	Efficient transcription of a Caenorhabditis elegans heat shock gene pair in mouse fibroblasts is dependent on multiple promoter elements which can function bidirectionally. <b>1986</b> , 6, 3134-3143	22
224	Metal-dependent binding of a factor in vivo to the metal-responsive elements of the metallothionein 1 gene promoter. <b>1987</b> , 7, 3574-3581	33
223	A cloned human ribosomal protein gene functions in rodent cells. <b>1987</b> , 7, 3767-3774	17
222	Multiple 5'-flanking regions of the human alpha-skeletal actin gene synergistically modulate muscle-specific expression. <b>1987</b> , 7, 4089-4099	83
221	A new genetic approach for studying hormonal regulation of urokinase-type plasminogen activator gene expression in LLC-PK1 cells. <b>1987</b> , 7, 4535-4541	13
220	A 5'-flanking region of the chicken acetylcholine receptor alpha-subunit gene confers tissue specificity and developmental control of expression in transfected cells. <b>1987</b> , 7, 951-955	51
219	In vitro splicing of kappa immunoglobulin precursor mRNA. <b>1987</b> , 7, 1346-1351	12
218	c-mos proto-oncogene RNA transcripts in mouse tissues: structural features, developmental regulation, and localization in specific cell types. <b>1987</b> , 7, 1629-1637	55
217	Structure and expression of the chicken ferritin H-subunit gene. <b>1987</b> , 7, 1751-1758	26
216	Murine DNA polymerase beta gene: mapping of transcription initiation sites and the nucleotide sequence of the putative promoter region. <b>1987</b> , 7, 2012-2018	20
215	Three Drosophila beta-tubulin sequences: a developmentally regulated isoform (beta 3), the testis-specific isoform (beta 2), and an assembly-defective mutation of the testis-specific isoform (B2t8) reveal both an ancient describes an expectation of the testis-specific isoform (B2t8) reveal both an ancient describes and structural constraints for	29
214	Structural and functional characterization of the promoter region of the mouse c-Ki-ras gene. <b>1987</b> , 7, 2592-2596	35
213	Aplysia californica neurons express microinjected neuropeptide genes. <b>1987</b> , 7, 2762-2771	3
212	Identification of the principal promoter sequence of the c-H-ras transforming oncogene: deletion analysis of the 5'-flanking region by focus formation assay. <b>1987</b> , 7, 2933-2940	17
211	Ribosomal protein S14 is encoded by a pair of highly conserved, adjacent genes on the X chromosome of Drosophila melanogaster. <b>1988</b> , 8, 4314-4321	18

210	Structure of the rainbow trout metallothionein B gene and characterization of its metal-responsive region. <b>1988</b> , 8, 4469-4476	19
209	The chicken skeletal alpha-actin gene promoter region exhibits partial dyad symmetry and a capacity to drive bidirectional transcription. <b>1988</b> , 8, 4587-4597	22
208	Organization of the Ly-5 gene. <b>1988</b> , 8, 4889-4895	16
207	Stepwise activation of the mouse acetylcholine receptor delta- and gamma-subunit genes in clonal cell lines. <b>1988</b> , 8, 5257-5267	14
206	Transcriptional and posttranscriptional mechanisms regulate murine thymidine kinase gene expression in serum-stimulated cells. <b>1988</b> , 8, 5280-5291	19
205	Effects of single-base substitutions within the Acanthamoeba castellanii rRNA promoter on transcription and on binding of transcription initiation factor and RNA polymerase I. <b>1988</b> , 8, 747-753	15
204	Functional characterization of a pyrimidine-rich element in the 5'-noncoding region of the yeast iso-1-cytochrome c gene. <b>1988</b> , 8, 1045-1054	10
203	Characterization of Gmhsp26-A, a stress gene encoding a divergent heat shock protein of soybean: heavy-metal-induced inhibition of intron processing. <b>1988</b> , 8, 1113-1122	55
202	Cloning of the human keratin 18 gene and its expression in nonepithelial mouse cells. <b>1988</b> , 8, 1540-1550	43
201	Structure, chromosome location, and expression of the human gamma-actin gene: differential evolution, location, and expression of the cytoskeletal beta- and gamma-actin genes. <b>1988</b> , 8, 1775-1789	63
200	Delineation of DNA sequences that are important for in vitro transcription from the adenovirus Ella late promoter. <b>1988</b> , 8, 1906-1914	3
199	Transcriptional regulation of the Arabidopsis thaliana chalcone synthase gene. <b>1988</b> , 8, 1985-1992	140
198	Upstream regulatory region for inducible expression of the chicken skeletal myosin alkali light-chain gene. <b>1988</b> , 8, 2581-2588	13
197	Herpes simplex virus type 2 mutants with deletions in the intergenic region between ICP4 and ICP22/47: identification of nonessential cis-acting elements in the context of the viral genome. 1989, 63, 2036-47	3
196	Deletions of N-terminal sequences of polyoma virus T-antigens reduce but do not abolish transformation of rat fibroblasts. <b>1982</b> , 2, 1238-1246	12
195	Silkworm 5S RNA and Alanine tRNA Genes Share Highly Conserved 5? Flanking and Coding Sequences. <b>1982</b> , 2, 1524-1531	26
194	Insertional activation of a promoterless thymidine kinase gene. <b>1988</b> , 8, 3298-3302	7
193	Structural and functional analysis of the rat malic enzyme gene promoter. <b>1988</b> , 8, 3542-3545	10

192	The Drosophila melanogaster tropomyosin II gene produces multiple proteins by use of alternative tissue-specific promoters and alternative splicing. <b>1988</b> , 8, 3591-3602		33
191	Adenovirus transcriptional regulatory regions are conserved in mammalian cells and Saccharomyces cerevisiae. <b>1988</b> , 8, 3717-3725		5
190	Transcriptional unit of the murine Thy-1 gene: different distribution of transcription initiation sites in brain. <b>1988</b> , 8, 3847-3856		13
189	Structure of an ectodermally expressed sea urchin metallothionein gene and characterization of its metal-responsive region. <b>1989</b> , 9, 5445-5455		12
188	T-kininogen gene expression is induced during aging. <b>1989</b> , 9, 5610-5616		12
187	Identification of transcriptional regulatory elements in human mitochondrial DNA by linker substitution analysis. <b>1989</b> , 9, 1200-1211		15
186	Structure of the two promoters of the human lck gene: differential accumulation of two classes of lck transcripts in T cells. <b>1989</b> , 9, 2173-2180		30
185	Dual bidirectional promoters at the mouse dhfr locus: cloning and characterization of two mRNA classes of the divergently transcribed Rep-1 gene. <b>1989</b> , 9, 3058-3072		62
184	A lipopolysaccharide-induced DNA-binding protein for a class II gene in B cells is distinct from NF-kappa B. <b>1989</b> , 9, 3184-3192		15
183	Postsynaptic alpha-neurotoxin gene of the spitting cobra, Naja naja sputatrix: structure, organization, and phylogenetic analysis. <i>Genome Research</i> , <b>1999</b> , 9, 259-66	9.7	12
182	Cooperativity in vivo between the E2 transactivator and the TATA box binding protein depends on core promoter structure. <i>EMBO Journal</i> , <b>1994</b> , 13, 147-57	13	27
181	Eight genes and alternative RNA processing pathways generate an unexpectedly large diversity of cytoplasmic intermediate filament proteins in the nematode Caenorhabditis elegans. <i>EMBO Journal</i> , <b>1994</b> , 13, 2625-38	13	16
180	TATA-binding protein-associated factor(s) in TFIID function through the initiator to direct basal transcription from a TATA-less class II promoter. <i>EMBO Journal</i> , <b>1994</b> , 13, 3115-26	13	60
179	Goals for signal transduction pathways: linking up with transcriptional regulation. <i>EMBO Journal</i> , <b>1994</b> , 13, 4717-28	13	18
178	In vivo and in vitro expression of U7 snRNA genes: cis- and trans-acting elements required for RNA polymerase II-directed transcription. <i>EMBO Journal</i> , <b>1989</b> , 8, 539-49	13	16
177	Induction and repression of the Drosophila Sgs-3 glue gene are mediated by distinct sequences in the proximal promoter. <i>EMBO Journal</i> , <b>1989</b> , 8, 561-8	13	19
176	Interaction of nuclear factors with the upstream region of the alpha-subunit gene of chicken muscle acetylcholine receptor: variations with muscle differentiation and denervation. <i>EMBO</i>	13	23
	Journal, <b>1989</b> , 8, 687-94		

174	A phenylalanine ammonia-lyase gene from parsley: structure, regulation and identification of elicitor and light responsive cis-acting elements. <i>EMBO Journal</i> , <b>1989</b> , 8, 1641-8	13	199
173	The O2 gene which regulates zein deposition in maize endosperm encodes a protein with structural homologies to transcriptional activators. <i>EMBO Journal</i> , <b>1989</b> , 8, 2795-801	13	87
172	Myelin-deficient rat: a point mutation in exon III (AC, Thr75Pro) of the myelin proteolipid protein causes dysmyelination and oligodendrocyte death. <i>EMBO Journal</i> , <b>1989</b> , 8, 3295-302	13	27
171	Molecular analysis of ref(2)P, a Drosophila gene implicated in sigma rhabdovirus multiplication and necessary for male fertility. <i>EMBO Journal</i> , <b>1989</b> , 8, 3437-46	13	22
170	Drosophila Sgs3 TATA: effects of point mutations on expression in vivo and protein binding in vitro with staged nuclear extracts. <i>EMBO Journal</i> , <b>1989</b> , 8, 3459-66	13	12
169	Muscle-specific expression of the acetylcholine receptor alpha-subunit gene requires both positive and negative interactions between myogenic factors, Sp1 and GBF factors. <i>EMBO Journal</i> , <b>1993</b> , 12, 443	3-53	20
168	Human transcription factor USF stimulates transcription through the initiator elements of the HIV-1 and the Ad-ML promoters. <i>EMBO Journal</i> , <b>1993</b> , 12, 501-11	13	91
167	A novel gene product associated with mu chains in immature B cells. <i>EMBO Journal</i> , <b>1993</b> , 12, 1827-34	13	7
166	The Drosophila neuralized gene encodes a C3HC4 zinc finger. <i>EMBO Journal</i> , <b>1993</b> , 12, 2411-8	13	13
165	Targeting presequence acquisition after mitochondrial gene transfer to the nucleus occurs by duplication of existing targeting signals. <i>EMBO Journal</i> , <b>1996</b> , 15, 6652-61	13	34
164	TFIID is required for in vitro transcription of the human U6 gene by RNA polymerase III. <i>EMBO Journal</i> , <b>1991</b> , 10, 1853-62	13	70
163	Specific expression of the tobacco Tnt1 retrotransposon in protoplasts. <i>EMBO Journal</i> , <b>1991</b> , 10, 1911-8	313	76
162	Enhancer activation by a single type of transcription factor shows cell type dependence. <i>EMBO Journal</i> , <b>1991</b> , 10, 2543-51	13	13
161	Several different upstream promoter elements can potentiate transactivation by the BPV-1 E2 protein. <i>EMBO Journal</i> , <b>1991</b> , 10, 2931-40	13	25
160	A component of the multisynthetase complex is a multifunctional aminoacyl-tRNA synthetase. <i>EMBO Journal</i> , <b>1991</b> , 10, 4267-77	13	34
159	Structure and pre-B lymphocyte restricted expression of the VpreB in humans and conservation of its structure in other mammalian species. <i>EMBO Journal</i> , <b>1988</b> , 7, 111-6	13	17
158	Cis-acting regions sufficient for spermatocyte-specific transcriptional and spermatid-specific translational control of the Drosophila melanogaster gene mst(3)gl-9. <i>EMBO Journal</i> , <b>1988</b> , 7, 447-54	13	33
157	The role of the polypyrimidine stretch at the SV40 early pre-mRNA 3' splice site in alternative splicing. <i>EMBO Journal</i> , <b>1988</b> , 7, 809-17	13	54

156	Sequence of the twist gene and nuclear localization of its protein in endomesodermal cells of early Drosophila embryos. <i>EMBO Journal</i> , <b>1988</b> , 7, 2175-83	13	124
155	Genomic organization of the human oestrogen receptor gene. <i>EMBO Journal</i> , <b>1988</b> , 7, 3385-8	13	107
154	The achaete-scute gene complex of Drosophila melanogaster comprises four homologous genes. <i>EMBO Journal</i> , <b>1988</b> , 7, 2585-91	13	91
153	The cecropin locus in Drosophila; a compact gene cluster involved in the response to infection. <i>EMBO Journal</i> , <b>1990</b> , 9, 217-24	13	76
152	A yeast tRNA precursor containing a pre-mRNA intron is spliced via the pre-mRNA splicing mechanism. <i>EMBO Journal</i> , <b>1990</b> , 9, 705-9	13	6
151	ERCC2: cDNA cloning and molecular characterization of a human nucleotide excision repair gene with high homology to yeast RAD3. <i>EMBO Journal</i> , <b>1990</b> , 9, 1437-47	13	92
150	Core promoter of the mouse myelin basic protein gene governs brain-specific transcription in vitro. <i>EMBO Journal</i> , <b>1990</b> , 9, 3101-8	13	24
149	In vitro transcription and DNA binding characteristics of chloroplast and etioplast extracts from mustard (Sinapis alba) indicate differential usage of the psbA promoter. <i>EMBO Journal</i> , <b>1990</b> , 9, 3981-7	13	35
148	Structure of an invertebrate gene encoding cytoplasmic intermediate filament (IF) proteins: implications for the origin and the diversification of IF proteins. <i>EMBO Journal</i> , <b>1990</b> , 9, 4083-94	13	25
147	Disruption of the typical chromatin structure in a 2500 base-pair region at the 5' end of the actively transcribed ovalbumin gene. <i>EMBO Journal</i> , <b>1982</b> , 1, 223-30	13	31
146	Both early and late control sequences of SV40 and polyoma promote transcription of Escherichia coli gpt gene in transfected cells. <i>EMBO Journal</i> , <b>1982</b> , 1, 895-900	13	10
145	Cloning and structure of the human immune interferon-gamma chromosomal gene. <i>EMBO Journal</i> , <b>1982</b> , 1, 953-8	13	40
144	Simian virus 40 cRNA is processed into functional mRNA in microinjected monkey cells. <i>EMBO Journal</i> , <b>1982</b> , 1, 1081-8	13	8
143	Isolation and characterization of the rat tryptophan oxygenase gene. <i>EMBO Journal</i> , <b>1982</b> , 1, 1287-93	13	18
142	DNA sequences required for transcription in vivo of the human corticotropin-beta-lipotropin precursor gene. <i>EMBO Journal</i> , <b>1982</b> , 1, 1533-8	13	9
141	Origin of transcription of a mouse immunoglobulin light chain gene. <i>EMBO Journal</i> , <b>1982</b> , 1, 719-24	13	4
140	Binding of a nuclear factor to a consensus sequence in the 5' flanking region of zein genes from maize. <i>EMBO Journal</i> , <b>1987</b> , 6, 17-22	13	78
139	Organization of the murine Ig-related lambda 5 gene transcribed selectively in pre-B lymphocytes. <i>EMBO Journal</i> , <b>1987</b> , 6, 103-7	13	50

138	Influence of transposable elements on the structure and function of the A1 gene of Zea mays. <i>EMBO Journal</i> , <b>1987</b> , 6, 287-94	13	106
137	An opsin gene that is expressed only in the R7 photoreceptor cell of Drosophila. <i>EMBO Journal</i> , <b>1987</b> , 6, 443-51	13	28
136	Developmental and molecular analysis of Deformed; a homeotic gene controlling Drosophila head development. <i>EMBO Journal</i> , <b>1987</b> , 6, 767-77	13	61
135	Regulated expression of the Ren-2 gene in transgenic mice derived from parental strains carrying only the Ren-1 gene. <i>EMBO Journal</i> , <b>1987</b> , 6, 983-7	13	12
134	Primary structure of the gene for the murine Ia antigen-associated invariant chains (Ii). An alternatively spliced exon encodes a cysteine-rich domain highly homologous to a repetitive sequence of thyroglobulin. <i>EMBO Journal</i> , <b>1987</b> , 6, 1677-83	13	42
133	A processed gene coding for a sarcomeric actin in Xenopus laevis and Xenopus tropicalis. <i>EMBO Journal</i> , <b>1987</b> , 6, 1989-95	13	7
132	In vivo identification of multiple promoter domains of adenovirus EIIA-late promoter. <i>EMBO Journal</i> , <b>1987</b> , 6, 2045-52	13	13
131	Human CSF-1: gene structure and alternative splicing of mRNA precursors. <i>EMBO Journal</i> , <b>1987</b> , 6, 2693	<b>3-8</b> 3	41
130	Structure and expression of human B cell stimulatory factor-2 (BSF-2/IL-6) gene. <i>EMBO Journal</i> , <b>1987</b> , 6, 2939-45	13	125
129	Physical linkage of three CD3 genes on human chromosome 11. <i>EMBO Journal</i> , <b>1987</b> , 6, 2953-7	13	23
128	The regulatory c1 locus of Zea mays encodes a protein with homology to myb proto-oncogene products and with structural similarities to transcriptional activators. <i>EMBO Journal</i> , <b>1987</b> , 6, 3553-8	13	344
127	Upstream regions of the hamster desmin and vimentin genes regulate expression during in vitro myogenesis. <i>EMBO Journal</i> , <b>1987</b> , 6, 3611-8	13	25
126	Structure and elicitor or u.vlight-stimulated expression of two 4-coumarate:CoA ligase genes in parsley. <i>EMBO Journal</i> , <b>1987</b> , 6, 1189-95	13	62
125	A cellular transcription factor E4F1 interacts with an E1a-inducible enhancer and mediates constitutive enhancer function in vitro. <i>EMBO Journal</i> , <b>1987</b> , 6, 1345-53	13	106
124	Major polyadenylated transcripts of cassava latent virus and location of the gene encoding coat protein. <i>EMBO Journal</i> , <b>1985</b> , 4, 33-7	13	42
123	Architecture and anatomy of the chromosomal locus in human chromosome 21 encoding the Cu/Zn superoxide dismutase. <i>EMBO Journal</i> , <b>1985</b> , 4, 77-84	13	65
122	Adenosine deaminase: characterization and expression of a gene with a remarkable promoter. <i>EMBO Journal</i> , <b>1985</b> , 4, 437-43	13	148
121	Structural and functional evidence for differential promoter activity of the two linked delta-crystallin genes in the chicken. <i>EMBO Journal</i> , <b>1985</b> , 4, 445-52	13	21

120	The human ubiquitin multigene family: some genes contain multiple directly repeated ubiquitin coding sequences. <i>EMBO Journal</i> , <b>1985</b> , 4, 755-9	13	120
119	Negative supercoiling induces spontaneous unwinding of a bacterial promoter. <i>EMBO Journal</i> , <b>1985</b> , 4, 1025-32	13	41
118	Functional and pseudogenes are similarly organized and may equally contribute to the extensive antibody diversity of the IgVHII family. <i>EMBO Journal</i> , <b>1985</b> , 4, 1225-30	13	22
117	The adenovirus-2 early Ella transcription unit possesses two overlapping promoters with different sequence requirements for Ela-dependent stimulation. <i>EMBO Journal</i> , <b>1985</b> , 4, 1293-300	13	79
116	Structure of the sucrose synthase gene on chromosome 9 of Zea mays L. <i>EMBO Journal</i> , <b>1985</b> , 4, 1373-	8 <b>0</b> 13	89
115	Epidermal growth factor and oncogenes induce transcription of the same cellular mRNA in rat fibroblasts. <i>EMBO Journal</i> , <b>1985</b> , 4, 1435-40	13	114
114	A nuclear gene encoding the beta subunit of the mitochondrial ATP synthase in Nicotiana plumbaginifolia. <i>EMBO Journal</i> , <b>1985</b> , 4, 2159-65	13	143
113	The human HLA class II alpha chain gene DZ alpha is distinct from genes in the DP, DQ and DR subregions. <i>EMBO Journal</i> , <b>1985</b> , 4, 2231-7	13	49
112	Structure of two forms of the interferon-induced (2'-5') oligo A synthetase of human cells based on cDNAs and gene sequences. <i>EMBO Journal</i> , <b>1985</b> , 4, 2249-56	13	53
111	Complete sequence of a bovine type I cytokeratin gene: conserved and variable intron positions in genes of polypeptides of the same cytokeratin subfamily. <i>EMBO Journal</i> , <b>1985</b> , 4, 2261-7	13	18
110	Promoter analysis of a soybean nuclear gene coding for nodulin-23, a nodule-specific polypeptide involved in symbiosis with Rhizobium. <i>EMBO Journal</i> , <b>1985</b> , 4, 2431-8	13	5
109	Purification, chain separation and sequence of the MRC OX-8 antigen, a marker of rat cytotoxic T lymphocytes. <i>EMBO Journal</i> , <b>1985</b> , 4, 2539-45	13	35
108	Isolation and structural organization of the Neurospora crassa copper metallothionein gene. <i>EMBO Journal</i> , <b>1985</b> , 4, 2665-8	13	25
107	The nucleotide sequence of the human int-1 mammary oncogene; evolutionary conservation of coding and non-coding sequences. <i>EMBO Journal</i> , <b>1985</b> , 4, 2905-9	13	34
106	Differential expression of the eight genes of the petunia ribulose bisphosphate carboxylase small subunit multi-gene family. <i>EMBO Journal</i> , <b>1985</b> , 4, 3055-61	13	148
105	Sequence structures of a mouse major urinary protein gene and pseudogene compared. <i>EMBO Journal</i> , <b>1985</b> , 4, 3159-65	13	30
104	Analysis of mouse major urinary protein genes: variation between the exonic sequences of group 1 genes and a comparison with an active gene out with group 1 both suggest that gene conversion has occurred between MUP genes. <i>EMBO Journal</i> , <b>1985</b> , 4, 3167-71	13	30
103	The 5' region of the p53 gene: evolutionary conservation and evidence for a negative regulatory element. <i>EMBO Journal</i> , <b>1985</b> , 4, 3209-13	13	53

102	Structure, expression and regulation of a nuclear gene encoding a mitochondrial protein: the yeast L(+)-lactate cytochrome c oxidoreductase (cytochrome b2). <i>EMBO Journal</i> , <b>1985</b> , 4, 3265-72	13	62
101	Yeast mRNA initiation sites are determined primarily by specific sequences, not by the distance from the TATA element. <i>EMBO Journal</i> , <b>1985</b> , 4, 3273-80	13	98
100	Nucleotide sequence of the L1 ribosomal protein gene of Xenopus laevis: remarkable sequence homology among introns. <i>EMBO Journal</i> , <b>1985</b> , 4, 3483-8	13	45
99	Nucleotide sequence of the RAD10 gene of Saccharomyces cerevisiae. <i>EMBO Journal</i> , <b>1985</b> , 4, 3549-52	13	25
98	Specific interaction between a transcription factor and the upstream element of the adenovirus-2 major late promoter. <i>EMBO Journal</i> , <b>1985</b> , 4, 3563-70	13	89
97	Purification of a protein required for the splicing of pre-mRNA and its separation from the lariat debranching enzyme. <i>EMBO Journal</i> , <b>1985</b> , 4, 3571-81	13	34
96	Mouse histocompatibility genes: structure and organisation of a Kd gene. <i>EMBO Journal</i> , <b>1983</b> , 2, 245-5	413	94
95	Identification of sequences involved in the polyadenylation of higher plant nuclear transcripts using Agrobacterium T-DNA genes as models. <i>EMBO Journal</i> , <b>1983</b> , 2, 419-26	13	43
94	Structural organization of the rat gene for the arginine vasopressin-neurophysin precursor. <i>EMBO Journal</i> , <b>1983</b> , 2, 763-7	13	28
93	Rat prostatic steroid binding protein: DNA sequence and transcript maps of the two C3 genes. <i>EMBO Journal</i> , <b>1983</b> , 2, 769-74	13	18
92	Isolation and sequence analysis of the human corticotropin-releasing factor precursor gene. <i>EMBO Journal</i> , <b>1983</b> , 2, 775-9	13	52
91	Gene activation and re-expression of a Trypanosoma brucei variant surface glycoprotein. <i>EMBO Journal</i> , <b>1983</b> , 2, 1185-92	13	21
90	The primary structure of the duck alpha D-globin gene: an unusual 5' splice junction sequence. <i>EMBO Journal</i> , <b>1983</b> , 2, 1339-43	13	32
89	The opine synthase genes carried by Ti plasmids contain all signals necessary for expression in plants. <i>EMBO Journal</i> , <b>1983</b> , 2, 1597-603	13	22
88	Transcription from the SV40 early-early and late-early overlapping promoters in the absence of DNA replication. <i>EMBO Journal</i> , <b>1983</b> , 2, 1605-11	13	48
87	Conservation and divergence of immunoglobulin VH pseudogenes. <i>EMBO Journal</i> , <b>1983</b> , 2, 1795-800	13	16
86	Aberrant splicing of Drosophila alcohol dehydrogenase transcripts in Saccharomyces cerevisiae. <i>EMBO Journal</i> , <b>1983</b> , 2, 2085-91	13	18
85	The normal developmental regulation of a cloned sgs3 'glue' gene chromosomally integrated in Drosophila melanogaster by P element transformation. <i>EMBO Journal</i> , <b>1983</b> , 2, 2137-42	13	28

84	Sequence requirement for transcription in vivo of the human preproenkephalin A gene. <i>EMBO Journal</i> , <b>1983</b> , 2, 2223-8	13	6
83	Expression of an mRNA coding gene under the control of an RNA polymerase I promoter. <i>EMBO Journal</i> , <b>1983</b> , 2, 2319-22	13	13
82	Cloning and structure of the human interleukin 2 chromosomal gene. <i>EMBO Journal</i> , <b>1983</b> , 2, 2349-53	13	11
81	Sequence of the murine and human cellular myc oncogenes and two modes of myc transcription resulting from chromosome translocation in B lymphoid tumours. <i>EMBO Journal</i> , <b>1983</b> , 2, 2375-83	13	193
80	Rapid activation of a novel plant defense gene is strictly dependent on the Arabidopsis RPM1 disease resistance locus. <i>EMBO Journal</i> , <b>1992</b> , 11, 4677-84	13	64
79	Sequence-specific initiator elements focus initiation of transcription to distinct sites in the yeast TRP4 promoter. <i>EMBO Journal</i> , <b>1992</b> , 11, 4583-90	13	10
78	Cloning of a gene localized and expressed at the ecdysteroid regulated puff 74EF in salivary glands of Drosophila larvae. <i>EMBO Journal</i> , <b>1984</b> , 3, 289-95	13	14
77	Isolation and characterization of the human prolactin gene. <i>EMBO Journal</i> , <b>1984</b> , 3, 429-37	13	29
76	Complete nucleotide sequence of a gene encoding a functional human class I histocompatibility antigen (HLA-CW3). <i>EMBO Journal</i> , <b>1984</b> , 3, 879-85	13	75
75	Complete nucleotide sequence of a functional class I HLA gene, HLA-A3: implications for the evolution of HLA genes. <i>EMBO Journal</i> , <b>1984</b> , 3, 887-94	13	75
74	Structure of mouse major urinary protein genes: different splicing configurations in the 3'-non-coding region. <i>EMBO Journal</i> , <b>1984</b> , 3, 1045-52	13	34
73	The gene structure of human anti-haemophilic factor IX. <i>EMBO Journal</i> , <b>1984</b> , 3, 1053-60	13	118
72	Yeast RNA polymerase II initiates transcription in vitro at TATA sequences proximal to potential non-B forms of the DNA template. <i>EMBO Journal</i> , <b>1984</b> , 3, 1067-73	13	4
71	Two different types of intervening sequences in the glucoamylase gene from Aspergillus niger. <i>EMBO Journal</i> , <b>1984</b> , 3, 1581-5	13	41
70	Tissue-specific and light-regulated expression of a pea nuclear gene encoding the small subunit of ribulose-1,5-bisphosphate carboxylase. <i>EMBO Journal</i> , <b>1984</b> , 3, 1671-9	13	137
69	DNA sequence requirements for the accurate transcription of a protein-coding plastid gene in a plastid in vitro system from mustard (Sinapis alba L.). <i>EMBO Journal</i> , <b>1984</b> , 3, 1697-704	13	67
68	Spliced RNA from the IR1-U2 region of Epstein-Barr virus: presence of an open reading frame for a repetitive polypeptide. <i>EMBO Journal</i> , <b>1984</b> , 3, 1913-7	13	44
67	Synthetic donor and acceptor splice sites function in an RNA polymerase B (II) transcription unit. <i>EMBO Journal</i> , <b>1984</b> , 3, 2021-8	13	32

66	Analysis of the gene coding for the murine cellular tumour antigen p53. EMBO Journal, 1984, 3, 2179-8	313	67
65	Complete nucleotide sequence of the infectious cloned DNA components of tomato golden mosaic virus: potential coding regions and regulatory sequences. <i>EMBO Journal</i> , <b>1984</b> , 3, 2197-205	13	65
64	Is actin a transcription initiation factor for RNA polymerase B?. EMBO Journal, 1984, 3, 2363-71	13	80
63	Alternative splicing in the 5' moiety of the H-2Kd gene transcript. <i>EMBO Journal</i> , <b>1984</b> , 3, 2383-6	13	15
62	The nucleotide sequence of maize streak virus DNA. <i>EMBO Journal</i> , <b>1984</b> , 3, 3063-8	13	41
61	Molecular map of the human HLA-SB (HLA-DP) region and sequence of an SB alpha (DP alpha) pseudogene. <i>EMBO Journal</i> , <b>1984</b> , 3, 3209-14	13	23
60	Characterization of bovine keratin genes: similarities of exon patterns in genes coding for different keratins. <i>EMBO Journal</i> , <b>1984</b> , 3, 3279-87	13	18
59	Direct evidence that p40x of human T-cell leukemia virus type I is a trans-acting transcriptional activator. <i>EMBO Journal</i> , <b>1986</b> , 5, 561-5	13	123
58	The chromosomal gene structure and two mRNAs for human granulocyte colony-stimulating factor. <i>EMBO Journal</i> , <b>1986</b> , 5, 575-81	13	39
57	Molecular characterization of mutant actin genes which induce heat-shock proteins in Drosophila flight muscles. <i>EMBO Journal</i> , <b>1986</b> , 5, 589-96	13	27
56	Structural organization and sequence of the homeotic gene Antennapedia of Drosophila melanogaster. <i>EMBO Journal</i> , <b>1986</b> , 5, 733-9	13	81
55	Molecular analysis of the En/Spm transposable element system of Zea mays. <i>EMBO Journal</i> , <b>1986</b> , 5, 835-41	13	102
54	T3 delta pre-mRNA is transcribed from a non-TATA promoter and is alternatively spliced in human T cells. <i>EMBO Journal</i> , <b>1986</b> , 5, 1245-52	13	11
53	Characterization of a human gene inducible by alpha- and beta-interferons and its expression in mouse cells. <i>EMBO Journal</i> , <b>1986</b> , 5, 1601-6	13	42
52	The nucleotide sequence of an infectious clone of the geminivirus beet curly top virus. <i>EMBO Journal</i> , <b>1986</b> , 5, 1761-7	13	45
51	Structural analysis of the X-linked gene encoding human glucose 6-phosphate dehydrogenase. <i>EMBO Journal</i> , <b>1986</b> , 5, 1849-55	13	77
50	Amino acid sequence and gene organization of cytokeratin no. 19, an exceptional tail-less intermediate filament protein. <i>EMBO Journal</i> , <b>1986</b> , 5, 1865-75	13	57
49	Functional analysis of the 5' flanking sequence of a vaccinia virus late gene. <i>EMBO Journal</i> , <b>1986</b> , 5, 199	51173	31

48	Monocot and dicot pre-mRNAs are processed with different efficiencies in transgenic tobacco. <i>EMBO Journal</i> , <b>1986</b> , 5, 2419-25	13	80
47	The mouse E beta 2 gene: a class II MHC beta gene with limited intraspecies polymorphism and an unusual pattern of transcription. <i>EMBO Journal</i> , <b>1986</b> , 5, 2469-76	13	18
46	Purification of a factor specific for the upstream element of the adenovirus-2 major late promoter. <i>EMBO Journal</i> , <b>1986</b> , 5, 2577-84	13	57
45	Sequence and structure of the dopa decarboxylase gene of Drosophila: evidence for novel RNA splicing variants. <i>EMBO Journal</i> , <b>1986</b> , 5, 2663-72	13	32
44	Nuclease hypersensitive regions with adjacent positioned nucleosomes mark the gene boundaries of the PHO5/PHO3 locus in yeast. <i>EMBO Journal</i> , <b>1986</b> , 5, 2681-7	13	116
43	Accurate in vitro splicing of two pre-mRNA plant introns in a HeLa cell nuclear extract. <i>EMBO Journal</i> , <b>1986</b> , 5, 2749-58	13	52
42	Induction of interleukin 2 receptor gene expression by p40x encoded by human T-cell leukemia virus type 1. <i>EMBO Journal</i> , <b>1986</b> , 5, 2883-8	13	206
41	A signal regulating mouse histone H4 mRNA levels in a mammalian cell cycle mutant and sequences controlling RNA 3' processing are both contained within the same 80-bp fragment. <i>EMBO Journal</i> , <b>1986</b> , 5, 3297-303	13	43
40	Alternative splicing and alternative initiation of translation explain the four forms of the Ia antigen-associated invariant chain. <i>EMBO Journal</i> , <b>1986</b> , 5, 3483-8	13	48
39	The complete sequence and structural analysis of human apolipoprotein B-100: relationship between apoB-100 and apoB-48 forms. <i>EMBO Journal</i> , <b>1986</b> , 5, 3495-507	13	43
38	The structure of hobo transposable elements and their insertion sites. <i>EMBO Journal</i> , <b>1986</b> , 5, 3615-23	13	82
37	Structure and promoter organization of the human monoamine oxidase A and B genes. <i>Journal of Psychiatry and Neuroscience</i> , <b>1993</b> , 18, 25-32	4.5	26
36	Structure, alternative splicing and chromosomal localization of the cystatin-related epididymal spermatogenic gene. <i>Biochemical Journal</i> , <b>1999</b> , 340 ( Pt 1), 85-93	3.8	4
35	Structural and functional characterization of the mouse p8 gene: promotion of transcription by the CAAT-enhancer binding protein alpha (C/EBPalpha) and C/EBPbeta trans-acting factors involves a C/EBP cis-acting element and other regions of the promoter. <i>Biochemical Journal</i> , <b>1999</b> , 343 Pt 2, 377-8	3.8 3	16
34	Organization and sequence of the gene for the human mitochondrial dicarboxylate carrier: evolution of the carrier family. <i>Biochemical Journal</i> , <b>1999</b> , 344 Pt 3, 953-60	3.8	16
33	Genomic organization, chromosomal mapping and promoter analysis of the mouse selenocysteine tRNA gene transcription-activating factor (mStaf) gene. <i>Biochemical Journal</i> , <b>2000</b> , 346 Pt 1, 45-51	3.8	2
32	Organization and chromosomal localization of the human ECEL1 (XCE) gene encoding a zinc metallopeptidase involved in the nervous control of respiration. <i>Biochemical Journal</i> , <b>2000</b> , 346 Pt 3, 611-6	3.8	5
31	A novel multi-gene family of sheep gamma delta T cells. <i>Immunology</i> , <b>1994</b> , 83, 517-23	7.8	30

30	Diversity of functional T-cell receptor delta-chain transcripts from bone marrow cells of athymic nude mice. <i>Immunology</i> , <b>1993</b> , 78, 252-9	7.8	4
29	Developmental anomalies in farm animals: I. Theoretical considerations. <i>Canadian Veterinary Journal</i> , <b>1988</b> , 29, 23-9	0.5	10
28	Diverse growth hormone receptor gene mutations in Laron syndrome. <i>American Journal of Human Genetics</i> , <b>1993</b> , 52, 998-1005	11	73
27	Identification of RNA splicing errors resulting in human ornithine transcarbamylase deficiency. <i>American Journal of Human Genetics</i> , <b>1991</b> , 48, 1105-14	11	53
26	Identification of a splice-site mutation in the human growth hormone-variant gene. <i>American Journal of Human Genetics</i> , <b>1991</b> , 48, 1168-74	11	10
25	Isolation and characterization of the CRIPTO autosomal gene and its X-linked related sequence. <i>American Journal of Human Genetics</i> , <b>1991</b> , 49, 555-65	11	36
24	Molecular analysis of the gene of the alpha 1-antitrypsin deficiency variant, Mnichinan. <i>American Journal of Human Genetics</i> , <b>1990</b> , 46, 602-12	11	25
23	Human carboxypeptidase A identifies a BglII RFLP and maps to 7q31-qter. <i>American Journal of Human Genetics</i> , <b>1990</b> , 46, 795-800	11	7
22	A splice-junction mutation responsible for familial apolipoprotein A-II deficiency. <i>American Journal of Human Genetics</i> , <b>1990</b> , 46, 822-7	11	67
21	Thalassemic hemoglobinopathies. <i>American Journal of Pathology</i> , <b>1983</b> , 113, 396-409	5.8	13
20	Three new mutations in patients with myophosphorylase deficiency (McArdle disease). <i>American Journal of Human Genetics</i> , <b>1994</b> , 54, 44-52	11	22
19	Identification of three novel mutations in non-Ashkenazi Italian patients with muscle phosphofructokinase deficiency. <i>American Journal of Human Genetics</i> , <b>1994</b> , 54, 812-9	11	37
18	Correct splicing despite mutation of the invariant first nucleotide of a 5' splice site: a possible basis for disparate clinical phenotypes in siblings with adenosine deaminase deficiency. <i>American Journal of Human Genetics</i> , <b>1994</b> , 54, 820-30	11	28
17	Bovine and rodent tamm-horsfall protein (THP) genes: cloning, structural analysis, and promoter identification. <i>Gene Expression</i> , <b>1994</b> , 4, 63-75	3.4	12
16	The human aldehyde dehydrogenase 3 gene (ALDH3): identification of a new exon and diverse mRNA isoforms, and functional analysis of the promoter. <i>Gene Expression</i> , <b>1996</b> , 6, 87-99	3.4	4
15	Characterization of a hormone response element in the mouse N-acetyltransferase 2 (Nat2*) promoter. <i>Gene Expression</i> , <b>1998</b> , 7, 13-24	3.4	21
14	Cell-specific transcription of the smooth muscle gamma-actin gene requires both positive- and negative-acting cis elements. <i>Gene Expression</i> , <b>1998</b> , 7, 115-29	3.4	12
13	Postsynaptic ENeurotoxin Gene of the Spitting Cobra, Naja naja sputatrix: Structure, Organization, and Phylogenetic Analysis. <i>Genome Research</i> , <b>1999</b> , 9, 259-266	9.7	39

Avoidance of premature splicing in short introns explains the polypyrimidine tract.

11	Data_Sheet_1.pdf. <b>2019</b> ,		
10	Molecular cloning of the mouse gene coding for carbonic anhydrase IV. <i>Biochemical Genetics</i> , <b>1996</b> , 34, 31-43	2.4	О
9	Nucleotide diversity and molecular characterization of soluble starch synthase I gene in wheat and its ancestral species. <i>Journal of Plant Biochemistry and Biotechnology</i> ,	1.6	
8	Where the Minor Things Are: A Survey of Minor Spliceosomal Introns in Thousands of Eukaryotic Genomes.		O
7	<i>BcBRC1a</i> is a negative regulator for tillering in non-heading Chinese cabbage. <b>2022</b> , 2, 1-8		O
6	OsTBP2.1, a TATA-Binding Protein, Alters the Ratio of OsNRT2.3b to OsNRT2.3a and Improves Rice Grain Yield. <b>2022</b> , 23, 10795		O
5	RNA Tumor Viruses. 1-14		O
4	Gene Structure, Promoter Characterization, and Basis for Alternative mRNA Splicing of the Human CD58 Gene. <b>1998</b> , 160, 2862-2871		1
3	Isolation, Structural Characterization, and Chromosomal Mapping of the Mouse Vascular Adhesion Protein-1 Gene and Promoter. <b>1998</b> , 161, 2953-2960		3
2	Two Constituents of the Initiation Complex of the Mannan-Binding Lectin Activation Pathway of Complement Are Encoded by a Single Structural Gene. <b>1999</b> , 162, 3481-3490		34
1	Introns: the 🛭 ark matterlof the eukaryotic genome. 14,		О