Biological and Immunological Potencies of Lutropin (LH Studies Using Different Standard Preparations

Hormone and Metabolic Research 14, 39-45 DOI: 10.1055/s-2007-1018915

Citation Report

#	Article	IF	CITATIONS
1	MICROHETEROGENEITY OF LUTEINIZING HORMONE IN PITUITARY GLANDS FROM WOMEN OF PRE- AND POSTMENOPAUSAL AGE. Clinical Endocrinology, 1983, 19, 355-363.	2.4	55
2	Polymorphism of human pituitary lutropin (LH). FEBS Letters, 1983, 159, 93-96.	2.8	23
3	Effects of acute stimulation with luteinizing hormone-releasing hormone (LRH) on biologically active and immunoreactive serum luteinizing hormone (LH) in pubertal boys. European Journal of Endocrinology, 1984, 107, 289-294.	3.7	12
4	Differences in the Ratio of Bioactive to Immunoreactive Serum Luteinizing Hormone during Vasomotor Flushes and Hormonal Therapy in Postmenopausal Women. Journal of Clinical Endocrinology and Metabolism, 1984, 58, 925-929.	3.6	26
5	Varying Bioactive to Immunoactive Ratios of the Human Chorionic Gonadotropin-Like Substance Present in Normal Human Tissues*. Journal of Clinical Endocrinology and Metabolism, 1984, 58, 170-175.	3.6	18
6	Desensitization of the cAMP system in mouse Leydig cells by hCC, cholera toxin, dibutyryl cAMP and cAMP: localization of the â€~lesion' to the guanine nucleotide regulatory protein-adenylate cyclase complex. Molecular and Cellular Endocrinology, 1984, 34, 67-80.	3.2	48
7	Effects of acute stimulation with gonadotropin releasing hormone (GnRH) on biologically active serum luteinizing hormone (LH) in elderly men. Journal of Endocrinological Investigation, 1984, 7, 589-595.	3.3	13
8	Polymorphism of human pituitary lutropin (LH). FEBS Letters, 1984, 169, 21-24.	2.8	20
9	The Changing Ratio of Bioactive to Immunoreactive Luteinizing Hormone (LH) through Puberty Principally Reflects Changing LH Radioimmunoassay Dose-Response Characteristics*. Journal of Clinical Endocrinology and Metabolism, 1985, 61, 508-513.	3.6	39
10	Desensitization of Mouse Leydig Cells in Vivo: Evidence for the Depletion of Cellular Cholesterol1. Biology of Reproduction, 1985, 33, 335-345.	2.7	21
11	LOSS OF LUTEINIZING HORMONE BIOACTIVITY IN PATIENTS WITH PROSTATIC CANCER TREATED WITH AN LHRH AGONIST AND A PURE ANTIANDROGEN. Clinical Endocrinology, 1986, 24, 21-30.	2.4	33
12	BIOACTIVE LUTEINIZING HORMONE IN PLASMA OF URAEMIC MEN AND MEN WITH PRIMARY TESTICULAR DAMAGE. Clinical Endocrinology, 1986, 24, 259-266.	2.4	14
13	Characteristics of Radioimmunoassays for the α- and β-Subunits of Human Luteinizing Hormone. Journal of Immunoassay, 1987, 8, 97-114.	0.3	1
14	Luteinizing hormone bioactivity in human menopausal gonadotropin/human chorionic gonadotropin-induced cycles **Presented at the Thirty-Third Annual Meeting of the Society of Gynecologic Investigation, Toronto, Ontario, Canada, March 19 to 22, 1986 Fertility and Sterility, 1987, 47, 238-243.	1.0	5
15	THE ROLE OF MODERN BIOASSAYS IN CLINICAL ENDOCRINOLOGY. Clinical Endocrinology, 1987, 27, 259-278.	2.4	27
16	OVARIAN SUPPRESSION IN POLYCYSTIC OVARIAN DISEASE DURING 6 MONTH ADMINISTRATION OF A LUTEINIZING HORMONEâ€RELEASING HORMONE (LHâ€RH) AGONIST. Clinical Endocrinology, 1987, 27, 703-713.	2.4	36
17	CHANGES IN THE QUALITATIVE AND QUANTITATIVE SECRETION OF LUTEINIZING HORMONE (LH) FOLLOWING ORCHIDECTOMY IN MAN. Clinical Endocrinology, 1988, 29, 189-194.	2.4	14
18	ACUTE PITUITARYâ€OVARIAN RESPONSE DURING CHRONIC LUTEINIZING HORMONEâ€RELEASING HORMONE AGONIST ADMINISTRATION IN POLYCYSTIC OVARIAN SYNDROME. Clinical Endocrinology, 1988, 29, 403-410.	2.4	7

		CITATION	tion Report		
#	Article		IF	Citations	
19	Changes in the bioactivity to immunoreactivity ratio of circulating luteinizing hormone ir men treated with testosterone undecanoate. European Journal of Endocrinology, 1989, 2		3.7	9	
20	Pulsatile Bioactive Luteinizing Hormone Secretion in Men with Chronic Renal Failure and Renal Transplantation. Nephron, 1990, 56, 66-72.	following	1.8	22	
21	Gonadotrophin releasing hormone agonist suppressive treatment of ovarian function de serum LH-β and bloactive LH but maintains elevated levels of LH-α. Clinical Endocrinolog 191-196.	creases şy, 1991, 34,	2.4	10	
22	Bioactive gonadotrophin secretion in man. Clinical Endocrinology, 1991, 35, 193-206.		2.4	24	
23	Polyunsaturated fats enhance peripheral glucose utilization in rats Journal of the Americ of Nutrition, 1991, 10, 340-345.	:an College	1.8	32	
24	Less acidic forms of luteinizing hormone are associated with lower testosterone secretio haemodialysis treatment. Clinical Endocrinology, 1994, 41, 65-73.	n in men on	2.4	44	
25	FSH bioactivity in commercial preparations of gonadotropins. Theriogenology, 1998, 49,	1031-1037.	2.1	18	
26	Inhibitory effect of plasma obtained from hypophysectomized and control women on the bioactive luteinizing hormone. Human Reproduction, 1999, 14, 312-317.	e assay of	0.9	3	
27	Bioactivity of Luteinizing Hormone during Normal Puberty in Girls and Boys. Hormone Re Paediatrics, 1999, 51, 230-237.	search in	1.8	9	
28	Statistical Correction for Nonâ€parallelism in a Urinary Enzyme Immunoassay. Journal of and Immunochemistry, 2004, 25, 259-278.	lmmunoassay	1.1	35	
29	Comparison of the Biological and Immunological Activities of Serum Luteinizing Hormon Follicle Stimulating Hormone in Infertile Males. Andrologia, 2009, 16, 559-567.	e and	2.1	4	
30	A Rise in the Biologically Active LH: Immunologically Active LH (B/I) Ratio during the Norn Phase. Asia-Oceania Journal of Obstetrics and Gynaecology, 1989, 15, 299-305.	nal Luteal	0.0	1	