

CITATION REPORT

List of articles citing

A short questionnaire for the measurement of habitual physical activity in epidemiological studies

DOI: 10.1093/ajcn/36.5.936

American Journal of Clinical Nutrition, 1982, 36, 936-42.

Source: <https://exaly.com/paper-pdf/15745778/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

| # | Paper | IF | Citations |
|------|---|----|-----------|
| 2291 | Food consumption, habitual physical activity, and body fatness in young Dutch adults. <i>American Journal of Clinical Nutrition</i> , 1983 , 37, 278-86 | 7 | 64 |
| 2290 | The Pedometer: A Reassessment of its Usefulness in the Measurement of Activity Level. 1984 , 58, 151-158 | | 4 |
| 2289 | Observed vs. Recalled Exercise Behavior: A Validation of a Seven Day Exercise Recall for Boys 11 to 13 Years Old. 1985 , 56, 161-165 | | 52 |
| 2288 | Test-retest reliability of the Minnesota Leisure Time Physical Activity Questionnaire. 1986 , 39, 505-11 | | 142 |
| 2287 | EFFECTS OF ALCOHOL USE AND OTHER HEALTH PRACTICES ON BLOOD CHEMISTRIES AND BLOOD PRESSURE. 1986 , | | |
| 2286 | A comprehensive evaluation of a worksite nutrition and weight-control program. 1987 , 19, 109-116 | | 10 |
| 2285 | Mesure et valuation de l'activit ^e physique par questionnaire. Questionnaires utilis ^e s dans la littfature anglo-saxonne. 1988 , 3, 245-262 | | 7 |
| 2284 | Validity and Reliability of Self Report Measures of Physical Activity: An Information-Processing Perspective. 1988 , 59, 314-327 | | 199 |
| 2283 | Increase in body fatness as a major determinant of changes in serum total cholesterol and high density lipoprotein cholesterol in young men over a 10-year period. 1989 , 130, 1109-22 | | 53 |
| 2282 | Validity and Reliability of Short Physical Activity History: Cardia and the Minnesota Heart Health Program. 1989 , 9, 448-459 | | 343 |
| 2281 | Body composition in detoxified alcoholics. 1990 , 14, 180-3 | | 9 |
| 2280 | Exercise patterns and trabecular bone density in college women. 1990 , 5, 245-50 | | 86 |
| 2279 | The assessment of physical activity by leisure-time physical activity questionnaires. 1990 , 10, 159-80 | | 38 |
| 2278 | Reliability and physiologic correlates of the Harvard Alumni Activity Survey in a general population. 1991 , 44, 1319-26 | | 86 |
| 2277 | Correlates of high-density lipoprotein cholesterol in a sample of healthy workers. 1991 , 20, 700-12 | | 6 |
| 2276 | Social support for exercise: relationship to physical activity in young adults. 1991 , 20, 737-50 | | 121 |
| 2275 | Fasting serum insulin in relation to fat distribution, serum lipid profile, and blood pressure in European women: the European Fat Distribution Study. 1991 , 40, 781-7 | | 33 |

| | | | |
|------|--|---|-----|
| 2274 | Elevated serum lactate associated with panic attacks induced by hyperventilation. 1991 , 38, 301-11 | | 16 |
| 2273 | Calcium intake, physical activity and bone mass in pre-menopausal women. 1991 , 4, 171-177 | | 11 |
| 2272 | Assessment of nutrient intake in association with weight loss after gastric restrictive procedures for morbid obesity. 1991 , 61, 195-9 | | 25 |
| 2271 | Leisure-time physical activity as an estimate of physical fitness: a validation study. 1991 , 44, 41-52 | | 55 |
| 2270 | Physical-activity-assessment measures compared in a biethnic rural population: the San Luis Valley Diabetes Study. <i>American Journal of Clinical Nutrition</i> , 1991 , 53, 812-20 | 7 | 25 |
| 2269 | Body fat distribution in relation to physical activity and smoking habits in 38-year-old European men. The European Fat Distribution Study. 1991 , 133, 257-65 | | 140 |
| 2268 | Hand movement speed and accuracy in detoxified alcoholics. 1991 , 15, 982-90 | | 24 |
| 2267 | Validation of the physical activity instrument for the Life in New Zealand national survey. 1991 , 133, 73-82 | | 30 |
| 2266 | The effect of posture on triaxial strength in different directions: Its biomechanical consideration with respect to incidence of low-back problem in construction industry. 1991 , 8, 279-287 | | 17 |
| 2265 | The relationships between respiratory sinus arrhythmia and coronary heart disease risk factors. 1992 , | | |
| 2264 | Isokinetic trunk strength and lumbosacral range of motion in elite female field hockey players reporting low back pain. 1992 , 16, 129-35 | | 13 |
| 2263 | Leukocyte count correlates in middle-aged adults: the Atherosclerosis Risk in Communities (ARIC) Study. 1992 , 136, 525-37 | | 125 |
| 2262 | The relationship of muscle and bone loss and activity levels with age in women. 1992 , 21, 286-93 | | 65 |
| 2261 | A prospective study of familial aggregation of blood pressure in young children. 1992 , 45, 959-69 | | 17 |
| 2260 | Determination de l'activit  physique par questionnaire: validation du questionnaire autoadministrable de Baecke. 1992 , 7, 215-221 | | 33 |
| 2259 | Underreporting of food intake in obese "small eaters". 1992 , 19, 273-83 | | 32 |
| 2258 | Relations between hemostasis variables and cardiovascular risk factors in middle-aged adults. Atherosclerosis Risk in Communities (ARIC) Study Investigators. 1992 , 2, 481-94 | | 65 |
| 2257 | Relationships among smoking status, body composition, energy intake, and physical activity in adult males: a longitudinal analysis. 1992 , 4, 47-56 | | 5 |

| | | |
|------|---|-----|
| 2256 | The relation of high density lipoprotein cholesterol and its subfractions to apolipoprotein A-I and fasting triglycerides: the role of environmental factors. The Atherosclerosis Risk in Communities (ARIC) Study. 1992 , 136, 546-57 | 34 |
| 2255 | Toward an empirically derived typology of obese persons: derivation in a nonclinical sample. 1993 , 13, 93-108 | 5 |
| 2254 | Impact of a 12-week aerobic exercise and weight program for law enforcement trainees. 1993 , 7, 410-2, 420 | 7 |
| 2253 | Association of hormone-replacement therapy with various cardiovascular risk factors in postmenopausal women. The Atherosclerosis Risk in Communities Study Investigators. 1993 , 328, 1069-75 | 798 |
| 2252 | Alcohol consumption and ultrasonographically assessed carotid artery wall thickness and distensibility. The Atherosclerosis Risk in Communities (ARIC) Study Investigators. 1993 , 88, 2787-93 | 70 |
| 2251 | Physical Activity and Depression in the Elderly. 1993 , 1, 34-58 | 56 |
| 2250 | Recovery of respiratory sinus arrhythmia in detoxified alcoholic subjects. 1993 , 74, 1816-23 | 18 |
| 2249 | Factors Associated with Male Workers' Engagement in Physical Activity: White Collar vs. Blue Collar Workers. 1993 , 41, 73-83 | 9 |
| 2248 | Active and Passive Smoking Are Associated With Increased Carotid Wall Thickness. 1994 , 154, 1277 | 117 |
| 2247 | Relation of carotid artery wall thickness to diabetes mellitus, fasting glucose and insulin, body size, and physical activity. Atherosclerosis Risk in Communities (ARIC) Study Investigators. 1994 , 25, 66-73 | 343 |
| 2246 | Dissociation of blood pressure level and reactivity. 1994 , 23, 676-7 | 2 |
| 2245 | Plasma phospholipid fatty acid composition and factor VII coagulant activity. 1994 , 111, 199-207 | 10 |
| 2244 | Upper cervical spine flexor muscles: age related performance in asymptomatic women. 1994 , 40, 167-71 | 16 |
| 2243 | Questionnaire de recueil des mesures directes de la consommation maximale d'oxygène. 1994 , 9, 43-46 | |
| 2242 | Low bone mineral density in Crohn's disease, but not in ulcerative colitis, at diagnosis. 1994 , 107, 1031-9 | 228 |
| 2241 | Physical fitness and heart rate recovery from stress.. 1994 , 26, 566-577 | 3 |
| 2240 | Validation of the Minnesota Leisure Time Physical Activity Questionnaire in Spanish men. The MARATHOM Investigators. 1994 , 139, 1197-209 | 348 |
| 2239 | Social inequalities and atherosclerosis. The atherosclerosis risk in communities study. 1995 , 141, 960-72 | 134 |

| | | | |
|------|---|---|------|
| 2238 | Drinking patterns and health status in smoking and nonsmoking alcoholics. 1995 , 19, 666-73 | | 32 |
| 2237 | Resting metabolic rate and diet-induced thermogenesis in young and elderly subjects: relationship with body composition, fat distribution, and physical activity level. <i>American Journal of Clinical Nutrition</i> , 1995 , 61, 772-8 | 7 | 85 |
| 2236 | Validity and repeatability of a modified Baecke questionnaire on physical activity. 1995 , 24, 381-8 | | 201 |
| 2235 | Ability of the Atherosclerosis Risk in Communities (ARIC)/Baecke Questionnaire to assess leisure-time physical activity. 1995 , 24, 685-93 | | 177 |
| 2234 | Routine use of external weights during a low-impact aerobic dance conditioning program: Training benefit. 1995 , 5, 283-291 | | 2 |
| 2233 | Allometry of anaerobic performance: a gender comparison. 1996 , 21, 48-62 | | 18 |
| 2232 | Increased glucose transport-phosphorylation and muscle glycogen synthesis after exercise training in insulin-resistant subjects. 1996 , 335, 1357-62 | | 522 |
| 2231 | Ethnic differences in pre-admission levels of physical activity in patients admitted with myocardial infarction. 1996 , 56, 169-75 | | 19 |
| 2230 | Failure of chronic ginseng supplementation to affect work performance and energy metabolism in healthy adult females. 1996 , 16, 1295-1305 | | 26 |
| 2229 | The reliability, validity, and stability of a measure of physical activity in the elderly. 1996 , 77, 793-5 | | 116 |
| 2228 | Relation between plasma phospholipid saturated fatty acids and hyperinsulinemia. 1996 , 45, 223-8 | | 59 |
| 2227 | Correlates of uric acid and its association with asymptomatic carotid atherosclerosis: the ARIC Study. Atherosclerosis Risk in Communities. 1996 , 6, 331-40 | | 121 |
| 2226 | Dietary fat in relation to body fat and intraabdominal adipose tissue: a cross-sectional analysis. <i>American Journal of Clinical Nutrition</i> , 1996 , 64, 677-84 | 7 | 69 |
| 2225 | Inefficient muscular stabilization of the lumbar spine associated with low back pain. A motor control evaluation of transversus abdominis. 1996 , 21, 2640-50 | | 1163 |
| 2224 | Association of transient ischemic attack/stroke symptoms assessed by standardized questionnaire and algorithm with cerebrovascular risk factors and carotid artery wall thickness. The ARIC Study, 1987-1989. 1996 , 144, 857-66 | | 51 |
| 2223 | Multifidus muscle recovery is not automatic after resolution of acute, first-episode low back pain. 1996 , 21, 2763-9 | | 733 |
| 2222 | Workshop on 'Measurement of energy expenditure.' Report of Macronutrient Metabolism Group Workshop. 1996 , 55, 725-36 | | 1 |
| 2221 | Osteoporosis prevention in premenopausal women: Using a stage model approach to examine the predictors of behavior.. 1996 , 15, 84-93 | | 65 |

| | | | |
|------|---|-----|------|
| 2220 | Physical Activity, Physical Disability, and Osteoarthritic Pain in Older Adults. 1996 , 4, 324-337 | | 13 |
| 2219 | Do dietary and supplementary intakes of antioxidants differ with smoking status?. 1996 , 25, 70-9 | | 80 |
| 2218 | Physical activity assessment: a review of methods. 1996 , 36, 385-96 | | 123 |
| 2217 | A 12-year follow-up study of ankle muscle function in older adults. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 1996 , 51, B202-7 | 6.4 | 82 |
| 2216 | Estrogen replacement therapy and cognitive functioning in the Atherosclerosis Risk in Communities (ARIC) Study. 1996 , 144, 1048-57 | | 72 |
| 2215 | Metabolic defects in lean nondiabetic offspring of NIDDM parents: a cross-sectional study. 1997 , 46, 1001-9 | | 252 |
| 2214 | Estimation of reproducibility and relative validity of the questions included in the EPIC Physical Activity Questionnaire. 1997 , 26 Suppl 1, S181-9 | | 236 |
| 2213 | Validation in London of a physical activity questionnaire for use in a study of postmenopausal osteopaenia. 1997 , 51, 365-72 | | 8 |
| 2212 | Association of coronary heart disease incidence with carotid arterial wall thickness and major risk factors: the Atherosclerosis Risk in Communities (ARIC) Study, 1987-1993. 1997 , 146, 483-94 | | 1563 |
| 2211 | Risk factors for inguinal hernia in women: a case-control study. The Coala Trial Group. 1997 , 146, 721-6 | | 75 |
| 2210 | Uses and Limitations of Physical Activity Questionnaires in Health Education. 1997 , 28, 182-186 | | 1 |
| 2209 | Iron depletion without anemia and physical performance in young women. <i>American Journal of Clinical Nutrition</i> , 1997 , 66, 334-41 | 7 | 82 |
| 2208 | Neighborhood environments and coronary heart disease: a multilevel analysis. 1997 , 146, 48-63 | | 576 |
| 2207 | The impact of a required college health and physical education course on the health status of alumni. 1997 , 46, 77-85 | | 38 |
| 2206 | Relative validity and repeatability of a new questionnaire on physical activity. 1997 , 26, 37-43 | | 40 |
| 2205 | The efficacy of lovastatin in lowering cholesterol in African Americans with primary hypercholesterolemia. 1997 , 102, 387-91 | | 10 |
| 2204 | Effects of a 2-day abstinence from smoking on dietary, cognitive, subjective, and physiologic parameters among younger and older female smokers. 1997 , 61, 671-8 | | 27 |
| 2203 | Factors influencing an ultrasound-estimated bone mass in postmenopausal women. 1997 , 23, 295-300 | | 2 |

| | | |
|------|--|-----|
| 2202 | No ergogenic effects of ginseng (<i>Panax ginseng</i> C.A. Meyer) during graded maximal aerobic exercise. 1997 , 97, 1110-5 | 72 |
| 2201 | Influence of menopause on blood cholesterol levels in women: the role of body composition, fat distribution and hormonal milieu. Virgilio Menopause Health Group. 1997 , 241, 195-203 | 40 |
| 2200 | Exercise therapy compliance in acute low back pain patients. 1998 , 3, 147-152 | 59 |
| 2199 | Pathways: A school-based program for the primary prevention of obesity in American Indian children. 1998 , 9, 535-543 | 55 |
| 2198 | Comparison of diets of NIDDM and non-diabetic African Americans and whites: The atherosclerosis risk in communities study. 1998 , 18, 447-456 | 1 |
| 2197 | Prospective study of coronary heart disease incidence in relation to fasting total homocysteine, related genetic polymorphisms, and B vitamins: the Atherosclerosis Risk in Communities (ARIC) study. 1998 , 98, 204-10 | 499 |
| 2196 | Is low magnesium concentration a risk factor for coronary heart disease? The Atherosclerosis Risk in Communities (ARIC) Study. 1998 , 136, 480-90 | 210 |
| 2195 | Exercise limitations and training for patients with cystic fibrosis. 1998 , 20, 247-53 | 20 |
| 2194 | Insulin and coronary artery disease: is syndrome X the unifying hypothesis?. 1998 , 32, 233-47 | 22 |
| 2193 | Predictors of referral to cardiac rehabilitation and cardiac exercise self-efficacy. 1998 , 7, 147-63 | 38 |
| 2192 | <i>Helicobacter pylori</i> seropositivity and coronary heart disease incidence. Atherosclerosis Risk In Communities (ARIC) Study Investigators. 1998 , 98, 845-50 | 117 |
| 2191 | Cigarette smoking and progression of atherosclerosis: The Atherosclerosis Risk in Communities (ARIC) Study. 1998 , 279, 119-24 | 469 |
| 2190 | Motor performance and motor learning as a function of age and fitness. 1998 , 69, 136-46 | 44 |
| 2189 | Effect of disease localization on the anthropometric and metabolic features of Crohn's disease. 1998 , 93, 2411-9 | 43 |
| 2188 | Older women: social cognitive theory correlates of health behavior. 1997 , 26, 71-85 | 46 |
| 2187 | Cigarette smoking and other risk factors for silent cerebral infarction in the general population. 1998 , 29, 913-7 | 187 |
| 2186 | Body weight change and carotid artery wall thickness. The Atherosclerosis Risk in Communities (ARIC) Study. 1998 , 147, 563-73 | 35 |
| 2185 | African American-white differences in lipids, lipoproteins, and apolipoproteins, by educational attainment, among middle-aged adults: the Atherosclerosis Risk in Communities Study. 1998 , 148, 750-60 | 45 |

| | | |
|------|---|------|
| 2184 | Data-based approach for developing a physical activity frequency questionnaire. 1998 , 147, 147-54 | 113 |
| 2183 | Reliability and validity of three physical activity questionnaires in Flemish males. 1998 , 147, 982-90 | 85 |
| 2182 | Plasma fibrinogen and incident hypertension in the Atherosclerosis Risk in Communities (ARIC) Study. 1998 , 16, 1579-83 | 25 |
| 2181 | VARIED MORPHOLOGY OF SPONTANEOUS SINGLE MUSCLE FIBER DISCHARGES. 1998 , 77, 128-139 | 7 |
| 2180 | Leisure-time physical activity and ischemic stroke risk: the Northern Manhattan Stroke Study. 1998 , 29, 380-7 | 298 |
| 2179 | Correlates of cognitive function in middle-aged adults. Atherosclerosis Risk in Communities (ARIC) Study Investigators. 1998 , 44, 95-105 | 200 |
| 2178 | Physical activity and the risk of breast cancer: a case-control study of Japanese women. 1998 , 8, 116-22 | 34 |
| 2177 | An independent, inverse association of high-density-lipoprotein-cholesterol concentration with nonadipose body mass. <i>American Journal of Clinical Nutrition</i> , 1999 , 69, 614-20 | 7 27 |
| 2176 | Physical activity assessment in American Indian schoolchildren in the Pathways study. <i>American Journal of Clinical Nutrition</i> , 1999 , 69, 788S-795S | 7 40 |
| 2175 | Reference values for lung function tests. I. Static volumes. 1999 , 32, 703-17 | 187 |
| 2174 | Demographic and anthropometric correlates of maximum inspiratory pressure: The Atherosclerosis Risk in Communities Study. 1999 , 159, 415-22 | 33 |
| 2173 | Doubly labelled water validation of three physical activity questionnaires. 1999 , 20, 284-9 | 190 |
| 2172 | Serum and dietary magnesium and the risk for type 2 diabetes mellitus: the Atherosclerosis Risk in Communities Study. 1999 , 159, 2151-9 | 273 |
| 2171 | Seasonal variation of blood cholesterol levels: study methodology. 1999 , 14, 330-9 | 32 |
| 2170 | Low bone mineral density in adults with cystic fibrosis. 1999 , 54, 961-7 | 161 |
| 2169 | Prospective study of markers of hemostatic function with risk of ischemic stroke. The Atherosclerosis Risk in Communities (ARIC) Study Investigators. 1999 , 100, 736-42 | 350 |
| 2168 | Physical activity patterns of rural Senegalese adolescent girls during the dry and rainy seasons measured by movement registration and direct observation methods. 1999 , 53, 636-43 | 37 |
| 2167 | Duration of shiftwork related to body mass index and waist to hip ratio. 1999 , 23, 973-8 | 140 |

| | | |
|------|---|-----|
| 2166 | The Value of Questionnaires in Assessing Physical Activity, Fitness, and Quality of Life. 1999 , 3, 305-311 | 2 |
| 2165 | Maximal aerobic power and leg muscle mass and strength related to age in non-athletic males and females. 1999 , 79, 522-30 | 47 |
| 2164 | Associations between daily physical activity and physical fitness in Flemish males: A cross-sectional analysis. 1999 , 11, 587-597 | 14 |
| 2163 | Lack of effects of moderate-high altitude upon lung function in healthy middle-aged volunteers. 1999 , 93, 739-43 | 4 |
| 2162 | Relationship of serum and dietary magnesium to incident hypertension: the Atherosclerosis Risk in Communities (ARIC) Study. 1999 , 9, 159-65 | 86 |
| 2161 | Women, employment status, and hypertension: cross-sectional and prospective findings from the Atherosclerosis Risk in Communities (ARIC) Study. 1999 , 9, 374-82 | 11 |
| 2160 | Intra-individual variation and estimates of usual physical activity. 1999 , 9, 481-8 | 144 |
| 2159 | Accuracy of recall of occupational physical activity by questionnaire. 1999 , 52, 219-27 | 72 |
| 2158 | [Treatment of chronic postinfectious fatigue: randomized double-blind study of two doses of sulbutiamine (400-600 mg/day) versus placebo]. 1999 , 20, 912-8 | 9 |
| 2157 | Chronotropic competence in endurance trained heart transplant recipients: heart rate is not a limiting factor for exercise capacity. 1999 , 33, 192-7 | 36 |
| 2156 | Altered trunk muscle recruitment in people with low back pain with upper limb movement at different speeds. 1999 , 80, 1005-12 | 454 |
| 2155 | Rationale and design of the Prospective Army Coronary Calcium (PACC) Study: utility of electron beam computed tomography as a screening test for coronary artery disease and as an intervention for risk factor modification among young, asymptomatic, active-duty United States Army Personnel. 1999 , 127, 833-41 | 66 |
| 2154 | Physical activity and incident hypertension in black and white adults: the Atherosclerosis Risk in Communities Study. 1999 , 28, 304-12 | 119 |
| 2153 | Physical activity patterns in a diverse population of women. 1999 , 28, 313-23 | 462 |
| 2152 | Prediction of metabolic and cardiopulmonary responses to maximum cycle ergometry: a randomised study. 1999 , 14, 1304-13 | 123 |
| 2151 | A community-based study of explanatory factors for the excess risk for early renal function decline in blacks vs whites with diabetes: the Atherosclerosis Risk in Communities study. 1999 , 159, 1777-83 | 130 |
| 2150 | Potential explanations for the educational gradient in coronary heart disease: a population-based case-control study of Swedish women. 1999 , 89, 315-21 | 80 |
| 2149 | Physical activity and ischemic stroke risk. The atherosclerosis risk in communities study. 1999 , 30, 1333-9 | 107 |

| | | |
|------|--|-------|
| 2148 | Plasma fatty acid composition and 6-year incidence of hypertension in middle-aged adults: the Atherosclerosis Risk in Communities (ARIC) Study. 1999 , 150, 492-500 | 76 |
| 2147 | Reference values for lung function tests. II. Maximal respiratory pressures and voluntary ventilation. 1999 , 32, 719-27 | 500 |
| 2146 | Lower pulmonary function and cerebral subclinical abnormalities detected by MRI: the Atherosclerosis Risk in Communities study. 1999 , 116, 150-6 | 59 |
| 2145 | Melanocortin-4 receptor mutations are a frequent and heterogeneous cause of morbid obesity. 2000 , 106, 253-62 | 630 |
| 2144 | Nontraditional risk factors for coronary heart disease incidence among persons with diabetes: the Atherosclerosis Risk in Communities (ARIC) Study. 2000 , 133, 81-91 | 152 |
| 2143 | Total-body skeletal muscle mass: development and cross-validation of anthropometric prediction models. <i>American Journal of Clinical Nutrition</i> , 2000 , 72, 796-803 | 7 422 |
| 2142 | Recording Activity in Older Women With TriTrac. 2000 , 24, 370-378 | 9 |
| 2141 | Do sweat calcium losses affect bone mass during firefighter training?. 2000 , 42, 1054-9 | 7 |
| 2140 | Comparing physical activity assessment methods in the Seasonal Variation of Blood Cholesterol Study. 2000 , 32, 976-84 | 64 |
| 2139 | Critical evaluation of energy intake using the Goldberg cut-off for energy intake: basal metabolic rate. A practical guide to its calculation, use and limitations. 2000 , 24, 1119-30 | 953 |
| 2138 | Randomized controlled trial of changes in dietary carbohydrate/fat ratio and simple vs complex carbohydrates on body weight and blood lipids: the CARMEN study. The Carbohydrate Ratio Management in European National diets. 2000 , 24, 1310-8 | 185 |
| 2137 | Lean male high- and low-fat phenotypes--different routes for achieving energy balance. 2000 , 24, 1561-6 | 9 |
| 2136 | An epidemiological study of hypertension and its determinants in a population in transition: the THUSA study. 2000 , 14, 779-87 | 77 |
| 2135 | Fibrinogen, other putative markers of inflammation, and weight gain in middle-aged adults--the ARIC study. Atherosclerosis Risk in Communities. 2000 , 8, 279-86 | 96 |
| 2134 | Lifetime overweight status in relation to serial changes in body composition and risk factors for cardiovascular disease: The Fels Longitudinal Study. 2000 , 8, 422-30 | 28 |
| 2133 | Physical activity among older Mexican American women. 2000 , 23, 383-92 | 27 |
| 2132 | Effect of ageing on the ventilatory response and lactate kinetics during incremental exercise in man. 2000 , 81, 100-7 | 20 |
| 2131 | Occupational determinants of heart rate variability. 2000 , 73, 255-62 | 72 |

| | | | |
|------|---|---|-----|
| 2130 | Changes in body composition, substrate oxidation, and resting metabolic rate in adult celiac disease patients after a 1-y gluten-free diet treatment. <i>American Journal of Clinical Nutrition</i> , 2000 , 72, 76-81 | 7 | 60 |
| 2129 | Effect of weight reduction, obesity predisposition, and aerobic fitness on skeletal muscle mitochondrial function. 2000 , 278, E153-61 | | 15 |
| 2128 | Depressive symptoms and metabolic control in African-Americans with type 2 diabetes. 2000 , 23, 23-9 | | 152 |
| 2127 | Incident type 2 diabetes mellitus in African American and white adults: the Atherosclerosis Risk in Communities Study. 2000 , 283, 2253-9 | | 379 |
| 2126 | Evaluation of the kaiser physical activity survey in women. 2000 , 32, 1327-38 | | 197 |
| 2125 | Carotid wall thickness is predictive of incident clinical stroke: the Atherosclerosis Risk in Communities (ARIC) study. 2000 , 151, 478-87 | | 581 |
| 2124 | Exercise does not induce oxidative stress in trained heart transplant recipients. 2000 , 32, 2018-23 | | 11 |
| 2123 | Assessment of physical activity in older adults. 2000 , 71 Suppl 2, 79-87 | | 102 |
| 2122 | Erratum. 2000 , 71, 409-409 | | 7 |
| 2121 | Lifestyle risk factors for cancer: the relationship with psychosocial work environment. 2000 , 29, 785-92 | | 48 |
| 2120 | Determinants of population changes in fibrinogen and factor VII over 6 years: the Atherosclerosis Risk in Communities (ARIC) Study. 2000 , 20, 601-6 | | 32 |
| 2119 | Trends in plasma cholesterol levels in the atherosclerosis risk in communities (ARIC) study. 2000 , 30, 252-9 | | 21 |
| 2118 | Discrepancy between actual and ideal body images; Impact on eating and exercise behaviors. 2000 , 1, 153-60 | | 65 |
| 2117 | Serum uric acid and risk of coronary heart disease: Atherosclerosis Risk in Communities (ARIC) Study. 2000 , 10, 136-43 | | 222 |
| 2116 | The Family Risk Score for coronary heart disease: associations with lipids, lipoproteins, and body habitus in a middle-aged bi-racial cohort: The ARIC study. 2000 , 10, 239-45 | | 20 |
| 2115 | Effet d'une boisson bicarbonatè sodè sur les adaptations physiologiques ^ l'effort. 2000 , 15, 18-25 | | 1 |
| 2114 | The relation between lower extremity strength and shoulder overuse symptoms: a model based on polio survivors. 2000 , 81, 789-95 | | 17 |
| 2113 | Blood lipid response to 20 weeks of supervised exercise in a large biracial population: the HERITAGE Family Study. 2000 , 49, 513-20 | | 118 |

| | | |
|------|---|------|
| 2112 | Muscle energetics in immunosuppressed patients. 2000 , 32, 415-7 | 1 |
| 2111 | Bone mineral density in posttransplantation patients: effects of physical activity. 2000 , 32, 411-4 | 6 |
| 2110 | Effect of sibutramine on weight maintenance after weight loss: a randomised trial. STORM Study Group. Sibutramine Trial of Obesity Reduction and Maintenance. 2000 , 356, 2119-25 | 657 |
| 2109 | Hypertension and antihypertensive therapy as risk factors for type 2 diabetes mellitus. Atherosclerosis Risk in Communities Study. 2000 , 342, 905-12 | 871 |
| 2108 | Psychometric development of a multidimensional measure of weight-related attitudes and behaviors. 2000 , 5, 73-86 | 12 |
| 2107 | Orthostatic hypotension as a risk factor for stroke: the atherosclerosis risk in communities (ARIC) study, 1987-1996. 2000 , 31, 2307-13 | 261 |
| 2106 | Bone mineral density in patients with recently diagnosed inflammatory bowel disease. 2000 , 119, 1203-8 | 111 |
| 2105 | The relationship between apolipoprotein AI-containing lipoprotein fractions and environmental factors: the prospective epidemiological study of myocardial infarction (PRIME study). 2000 , 152, 399-405 | 18 |
| 2104 | The effect of type 1 diabetes mellitus on the gender difference in coronary artery calcification. 2000 , 36, 2160-7 | 107 |
| 2103 | Prospective study of fibrinolytic factors and incident coronary heart disease: the Atherosclerosis Risk in Communities (ARIC) Study. 2001 , 21, 611-7 | 201 |
| 2102 | Selective serotonin reuptake inhibitors and myocardial infarction. 2001 , 104, 1894-8 | 253 |
| 2101 | Low back pain: reliability of a set of pain measurement tools. 2001 , 82, 735-42 | 139 |
| 2100 | Neighborhood of residence and incidence of coronary heart disease. 2001 , 345, 99-106 | 1302 |
| 2099 | Methodology for Physical Activity Assessment. 51-61 | |
| 2098 | Effect of aging on fatigue characteristics of elbow flexor muscles during sustained submaximal contraction. 2001 , 91, 2654-64 | 84 |
| 2097 | Muscle fatty acid oxidative capacity is a determinant of whole body fat oxidation in elderly people. 2001 , 280, E143-9 | 28 |
| 2096 | Fatores associados à prática de exercícios físicos em homens voluntários adultos e idosos residentes na Grande São Paulo, Brasil. 2001 , 4, 105-113 | 9 |
| 2095 | Peak VO ₂ correction for fat-free mass estimated by anthropometry and DEXA. 2001 , 33, 1968-75 | 5 |

| | | |
|------|---|------|
| 2094 | Obesity in African women in the North West Province, South Africa is associated with an increased risk of non-communicable diseases: the THUSA study. Transition and Health during Urbanisation of South Africans. 2001 , 86, 733-40 | 52 |
| 2093 | Hip Abductor and Knee Extensor Muscle Strength of Children with and without Down Syndrome. 2001 , 13, 18-26 | 38 |
| 2092 | Long-term effects of specific stabilizing exercises for first-episode low back pain. 2001 , 26, E243-8 | 567 |
| 2091 | Arterial distensibility and physical activity in the ARIC study. 2001 , 33, 2065-71 | 31 |
| 2090 | Bone mass and lifetime physical activity in Flemish males: a 27-year follow-up study. 2001 , 33, 1868-75 | 27 |
| 2089 | Cardiorespiratory fitness, physical activity level, and chronic pain: are men more affected than women?. 2001 , 17, 129-37 | 38 |
| 2088 | Physical activity and sport involvement in French high school students. 2001 , 92, 107-20 | 6 |
| 2087 | Development and evaluation of an activity rating scale for disorders of the knee. 2001 , 29, 213-8 | 436 |
| 2086 | Short-term effects of weight loss with or without low-intensity exercise training on fat metabolism in obese men. <i>American Journal of Clinical Nutrition</i> , 2001 , 73, 523-31 | 7 44 |
| 2085 | 24-Hour Heart Rate Variability in Shift Workers: Impact of Shift Schedule. 2001 , 43, 32-38 | 8 |
| 2084 | Ankle-brachial index and 7-year ischemic stroke incidence: the ARIC study. 2001 , 32, 1721-4 | 122 |
| 2083 | Effects of Ginseng Supplementation on Supramaximal Exercise Performance and Short-Term Recovery. 2001 , 15, 290-295 | |
| 2082 | Risk factors for proximal femur osteoporosis in men aged 50 years or older. 2001 , 12, 942-9 | 46 |
| 2081 | Abnormal bone turnover in long-standing Crohn's disease in remission. 2001 , 15, 783-92 | 33 |
| 2080 | Fatigue of elbow flexor muscles in younger and older adults. 2001 , 24, 98-106 | 85 |
| 2079 | Muscularity in adult humans: proportion of adipose tissue-free body mass as skeletal muscle. 2001 , 13, 612-9 | 62 |
| 2078 | Adolescent physical performance and adult physical activity in Flemish males. 2001 , 13, 173-9 | 8 |
| 2077 | Weight change among self-reported dieters and non-dieters in white and African American men and women. 2001 , 17, 917-23 | 21 |

| | | |
|------|--|-----|
| 2076 | Study of differences in peripheral muscle strength of lean versus obese women: an allometric approach. 2001 , 25, 676-81 | 174 |
| 2075 | Twenty-four hour energy expenditure and substrate oxidation before and after 6 months' ad libitum intake of a diet rich in simple or complex carbohydrates or a habitual diet. 2001 , 25, 954-65 | 13 |
| 2074 | Personality and coping: their relationship with lifestyle risk factors for cancer. 2001 , 31, 541-553 | 30 |
| 2073 | Increase of physical activity level after successful renal transplantation: a 5 year follow-up study. 2001 , 16, 134-40 | 64 |
| 2072 | Quantifying energy expenditure and physical activity in the context of dose response. 2001 , 33, S370-8; discussion S419-20 | 164 |
| 2071 | Alcohol consumption and the risk of type 2 diabetes mellitus: atherosclerosis risk in communities study. 2001 , 154, 748-57 | 112 |
| 2070 | Physical activity, biliary lipids, and gallstones in obese subjects. 2001 , 96, 1860-5 | 32 |
| 2069 | Seasonal variation in household, occupational, and leisure time physical activity: longitudinal analyses from the seasonal variation of blood cholesterol study. 2001 , 153, 172-83 | 204 |
| 2068 | Determinants of physical activity and physical and sports activities in French school children. 2001 , 92, 399-414 | 16 |
| 2067 | Reference values for dynamic responses to incremental cycle ergometry in males and females aged 20 to 80. 2001 , 164, 1481-6 | 107 |
| 2066 | White blood cell count and incidence of coronary heart disease and ischemic stroke and mortality from cardiovascular disease in African-American and White men and women: atherosclerosis risk in communities study. 2001 , 154, 758-64 | 240 |
| 2065 | The association of heart-rate variability with cardiovascular risk factors and coronary artery calcification: a study in type 1 diabetic patients and the general population. 2001 , 24, 1108-14 | 104 |
| 2064 | Age, body mass index, race and other determinants of steroid hormone variability: the HERITAGE Family Study. 2001 , 145, 1-9 | 106 |
| 2063 | Thrombomodulin Ala455Val polymorphism and risk of coronary heart disease. 2001 , 103, 1386-9 | 67 |
| 2062 | The relationship between exercise performance and peripheral circulation in patients with peripheral arterial occlusive disease. 2001 , 52, 253-8 | 5 |
| 2061 | Comparison of two questionnaires with a tri-axial accelerometer to assess physical activity patterns. 2001 , 22, 34-9 | 45 |
| 2060 | Incorporation of the fasting plasma FFA concentration into QUICKI improves its association with insulin sensitivity in nonobese individuals. 2001 , 86, 4776-81 | 186 |
| 2059 | Sources of variance in daily physical activity levels in the seasonal variation of blood cholesterol study. 2001 , 153, 987-95 | 46 |

| | | |
|------|--|--------|
| 2058 | Gender factors affect fatty acids-induced insulin resistance in nonobese humans: effects of oral steroidal contraception. 2001 , 86, 3188-96 | 78 |
| 2057 | A prospective study of change in bone mineral density over one year in adults with cystic fibrosis. 2002 , 57, 719-23 | 47 |
| 2056 | Serum insulin, obesity, and the incidence of type 2 diabetes in black and white adults: the atherosclerosis risk in communities study: 1987-1998. 2002 , 25, 1358-64 | 56 |
| 2055 | Dietary soy isoflavones and bone mineral density: results from the study of women's health across the nation. 2002 , 155, 746-54 | 118 |
| 2054 | Socioeconomic disadvantage and change in blood pressure associated with aging. 2002 , 106, 703-10 | 73 |
| 2053 | Cardiovascular risk factors and venous thromboembolism incidence: the longitudinal investigation of thromboembolism etiology. 2002 , 162, 1182-9 | 510 |
| 2052 | Influence of retirement on leisure-time physical activity: the atherosclerosis risk in communities study. 2002 , 155, 692-9 | 100 |
| 2051 | Impact of ambulatory blood pressure monitoring on daily activity. 2002 , 22, 4-7 | 1 |
| 2050 | Physical activity and the presence and extent of calcified coronary atherosclerosis. 2002 , 34, 228-33 | 38 |
| 2049 | Retinal arteriolar narrowing and risk of coronary heart disease in men and women. The Atherosclerosis Risk in Communities Study. 2002 , 287, 1153-9 | 527 |
| 2048 | Associations between weight gain and incident hypertension in a bi-ethnic cohort: the Atherosclerosis Risk in Communities Study. 2002 , 26, 58-64 | 55 |
| 2047 | Ethnic variation in bone density in premenopausal and early perimenopausal women: effects of anthropometric and lifestyle factors. 2002 , 87, 3057-67 | 161 |
| 2046 | Retinal arteriolar narrowing and risk of diabetes mellitus in middle-aged persons. 2002 , 287, 2528-33 | 215 |
| 2045 | Relation between cardiovascular risk factors at adult age, and physical activity during youth and adulthood: the Leuven Longitudinal Study on Lifestyle, Fitness and Health. 2002 , 23 Suppl 1, S32-8 | 30 |
| 2044 | Assessment of isokinetic muscle strength in women who are obese. 2002 , 32, 347-56 | 25 |
| 2043 | Ethnic variation in bone turnover in pre- and early perimenopausal women: effects of anthropometric and lifestyle factors. 2002 , 87, 3051-6 | 69 |
| 2042 | Association of visceral fat with coronary risk factors in a population-based sample of postmenopausal women. 2002 , 26, 33-9 | 54 |
| 2041 | Soleus H-reflex gain in healthy elderly and young adults when lying, standing, and balancing. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2002 , 57, B321-9 | 6.4 41 |

| | | | |
|------|--|-----|-----|
| 2040 | Past and present habitual physical activity and its relationship with bone mineral density in men aged 50 years and older in Brazil. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2002 , 57, M654-7 | 6.4 | 10 |
| 2039 | Serum insulin and glucose levels and breast cancer incidence: the atherosclerosis risk in communities study. 2002 , 156, 349-52 | | 102 |
| 2038 | Does the cardiac autonomic response to postural change predict incident coronary heart disease and mortality? The Atherosclerosis Risk in Communities Study. 2002 , 155, 48-56 | | 35 |
| 2037 | Endogenous postmenopausal hormones and carotid atherosclerosis: a case-control study of the atherosclerosis risk in communities cohort. 2002 , 155, 437-45 | | 96 |
| 2036 | SNP43 of CAPN10 and the risk of type 2 Diabetes in African-Americans: the Atherosclerosis Risk in Communities Study. 2002 , 51, 231-7 | | 78 |
| 2035 | Ethnic differences in use of complementary and alternative medicine at midlife: longitudinal results from SWAN participants. 2002 , 92, 1832-40 | | 105 |
| 2034 | Influence of endurance exercise training status and gender on postexercise hypotension. 2002 , 92, 2368-74 | | 111 |
| 2033 | Cigarette yield and the risk of myocardial infarction in smokers. 2002 , 162, 300-6 | | 14 |
| 2032 | Fatigue-related changes in torque output and electromyographic parameters of trunk muscles during isometric axial rotation exertion: an investigation in patients with back pain and in healthy subjects. 2002 , 27, 637-46 | | 21 |
| 2031 | The relation between the transversus abdominis muscles, sacroiliac joint mechanics, and low back pain. 2002 , 27, 399-405 | | 437 |
| 2030 | A case-control study of risk factors for development of type 2 diabetes: emphasis on physical activity. 2002 , 12, 424-30 | | 8 |
| 2029 | Field methods for body composition assessment are valid in healthy chinese adults. 2002 , 132, 310-7 | | 29 |
| 2028 | A longitudinal study through adolescence to adulthood the Young Hearts Project, Northern Ireland. 2002 , 116, 332-340 | | 2 |
| 2027 | Normal insulin sensitivity and IMCL content in overweight humans are associated with higher fasting lipid oxidation. 2002 , 283, E556-64 | | 51 |
| 2026 | Familial aggregation of blood lipid response to exercise training in the health, risk factors, exercise training, and genetics (HERITAGE) Family Study. 2002 , 105, 1904-8 | | 51 |
| 2025 | History of sport participation in relation to obesity and related health behaviors in women. 2002 , 34, 82-9 | | 46 |
| 2024 | Effects of a short-term exercise training program on aerobic fitness, fatigue, health perception and activity level of subjects with multiple sclerosis. 2002 , 8, 161-8 | | 358 |
| 2023 | Steroids may compromise quality of life of renal transplant recipients on a tacrolimus-based regimen. 2002 , 34, 1691-2 | | 14 |

| | | | |
|------|--|---|-----|
| 2022 | Electromyographic assessment of back muscle weakness and muscle composition: reliability and validity issues. 2002 , 83, 1206-14 | | 23 |
| 2021 | Correlates of the shift in heart rate variability with an active postural change in a healthy population sample: The Atherosclerosis Risk In Communities study. 2002 , 143, 808-13 | | 46 |
| 2020 | C-reactive protein and incident coronary heart disease in the Atherosclerosis Risk In Communities (ARIC) study. 2002 , 144, 233-8 | | 173 |
| 2019 | Hyperinsulinemia, dyslipidemia, and obesity as risk factors for hospitalized gallbladder disease. A prospective study. 2002 , 12, 131-40 | | 67 |
| 2018 | Relation of self-rated measures of physical activity to multiple risk factors of insulin resistance syndrome in young adults: the Bogalusa Heart Study. 2002 , 55, 997-1006 | | 91 |
| 2017 | Genetic factors in physical activity levels: a twin study. 2002 , 23, 87-91 | | 103 |
| 2016 | A longitudinal study through adolescence to adulthood: the Young Hearts Project, Northern Ireland. 2002 , 116, 332-40 | | 25 |
| 2015 | Comparison of lumbar range of movement and lumbar lordosis in back pain patients and matched controls. 2002 , 34, 109-13 | | 22 |
| 2014 | Physical activity in free-living, overweight white and black women: divergent responses by race to diet-induced weight loss. <i>American Journal of Clinical Nutrition</i> , 2002 , 76, 736-42 | 7 | 33 |
| 2013 | Body-size dependence of resting energy expenditure can be attributed to nonenergetic homogeneity of fat-free mass. 2002 , 282, E132-8 | | 168 |
| 2012 | Cortisol and vital exhaustion in relation to significant coronary artery stenosis in middle-aged women with acute coronary syndrome. 2002 , 27, 893-906 | | 54 |
| 2011 | Physical inactivity is the major determinant of obesity in black women in the North West Province, South Africa: the THUSA study. Transition and Health During Urbanisation of South Africa. 2002 , 18, 422-7 | | 96 |
| 2010 | Health-related quality of life in physically active and sedentary obese women. 2002 , 14, 777-85 | | 28 |
| 2009 | The disablement process in rheumatoid arthritis. 2002 , 47, 333-42 | | 55 |
| 2008 | Ultrasound measures of bone and the diurnal free cortisol cycle: a positive association with the awakening cortisol response in healthy premenopausal women. 2002 , 70, 463-8 | | 17 |
| 2007 | Physical activity: measurement in mid-life women. 2002 , 81, 595-602 | | 13 |
| 2006 | Impact of ambulatory blood pressure monitoring on daily activity. 2002 , 22, 4-7 | | |
| 2005 | Discordance between the degree of osteopenia and the prevalence of spontaneous vertebral fractures in Crohn's disease. 2002 , 16, 1519-27 | | 77 |

| | | |
|------|--|-----|
| 2004 | Energy requirements of urban Chinese adults with manual or sedentary occupations, determined using the doubly labeled water method. 2002 , 56, 575-84 | 20 |
| 2003 | Physical activity changes the regulation of mitochondrial respiration in human skeletal muscle. 2002 , 543, 191-200 | 136 |
| 2002 | Impact of body mass index on changes in common carotid artery wall thickness. 2002 , 10, 1000-7 | 9 |
| 2001 | EMG activity of trunk muscles and torque output during isometric axial rotation exertion: a comparison between back pain patients and matched controls. 2002 , 20, 112-21 | 112 |
| 2000 | Genetic and environmental determinants of peak bone mass in young men and women. 2002 , 17, 1273-9 | 123 |
| 1999 | Impaired postural compensation for respiration in people with recurrent low back pain. 2003 , 151, 218-24 | 46 |
| 1998 | The association of endogenous hormone concentrations and bone mineral density measures in pre- and perimenopausal women of four ethnic groups: SWAN. 2003 , 14, 44-52 | 119 |
| 1997 | Endogenous hormones and bone turnover markers in pre- and perimenopausal women: SWAN. 2003 , 14, 191-7 | 88 |
| 1996 | Habitual level of physical activity and muscle fatigue of the elbow flexor muscles in older men. 2003 , 89, 427-34 | 8 |
| 1995 | Cost effectiveness of a multi-stage return to work program for workers on sick leave due to low back pain, design of a population based controlled trial [ISRCTN60233560]. 2003 , 4, 26 | 39 |
| 1994 | Measurement of Activity Levels is an Important Part of Physiotherapy Assessment. 2003 , 89, 585-593 | 2 |
| 1993 | Predictors of 6-minute walk test results in lean, obese and morbidly obese women. 2003 , 13, 98-105 | 170 |
| 1992 | Physical activity in relation to indices of endothelial function and angiogenesis factors in hypertension: a substudy of the Anglo-Scandinavian Cardiac Outcomes Trial (ASCOT). 2003 , 253, 81-91 | 23 |
| 1991 | Older women and exercise: theory of planned behavior beliefs. 2003 , 20, 153-63 | 63 |
| 1990 | Role of the DGAT gene C79T single-nucleotide polymorphism in French obese subjects. 2003 , 11, 1163-7 | 11 |
| 1989 | Inflammation markers predict increased weight gain in smoking quitters. 2003 , 11, 1339-44 | 20 |
| 1988 | Physical fitness and physical activity in obese and nonobese Flemish youth. 2003 , 11, 434-41 | 190 |
| 1987 | Association of body mass index with educational level in Iranian men and women. 2003 , 57, 819-23 | 36 |

| | | |
|------|---|-----|
| 1986 | Relative influence of diet and physical activity on cardiovascular risk factors in urban Chinese adults. 2003 , 27, 920-32 | 38 |
| 1985 | Cigarette smoking is associated with energy balance in premenopausal African-American adult women differently than in similarly aged white women. 2003 , 27, 1219-26 | 8 |
| 1984 | Disuse and deconditioning in chronic low back pain: concepts and hypotheses on contributing mechanisms. 2003 , 7, 9-21 | 198 |
| 1983 | Health-related quality of life and symptom experience in tacrolimus-based regimens after renal transplantation: a multicentre study. 2003 , 16, 653-664 | 53 |
| 1982 | [Strength training with elastic bands: measure of its effects in cardiac rehabilitation after coronary diseases]. 2003 , 46, 545-52 | 10 |
| 1981 | Racial disparity in long-term mortality rate after hospitalization for myocardial infarction: the Atherosclerosis Risk in Communities study. 2003 , 146, 459-64 | 21 |
| 1980 | Are there different predictors of distinct exercise components?. 2003 , 28, 87-91, 97 | 6 |
| 1979 | Randomized controlled trial of the effects of nurse case manager and community health worker interventions on risk factors for diabetes-related complications in urban African Americans. 2003 , 37, 23-32 | 172 |
| 1978 | Plasma fatty acid composition and incidence of coronary heart disease in middle aged adults: the Atherosclerosis Risk in Communities (ARIC) Study. 2003 , 13, 256-66 | 112 |
| 1977 | Effect of individual counseling on physical activity fitness and health: a randomized controlled trial in a workplace setting. 2003 , 24, 218-26 | 96 |
| 1976 | Occupational physical activity in the atherosclerosis risk in communities study. 2003 , 13, 351-7 | 29 |
| 1975 | Surface electromyography assessment of back muscle intrinsic properties. 2003 , 13, 305-18 | 76 |
| 1974 | Prospective association between hormone replacement therapy, heart rate, and heart rate variability. The Atherosclerosis risk in communities study. 2003 , 56, 565-71 | 15 |
| 1973 | Coronary heart disease risk prediction in the Atherosclerosis Risk in Communities (ARIC) study. 2003 , 56, 880-90 | 245 |
| 1972 | Reproducibility and relative validity of the short questionnaire to assess health-enhancing physical activity. 2003 , 56, 1163-9 | 923 |
| 1971 | Snoring and the metabolic syndrome in women. 2003 , 4, 531-6 | 45 |
| 1970 | The effectiveness of two psychomotor therapy programmes on physical fitness and physical self-concept in nonpsychotic psychiatric patients: a randomized controlled trial. 2003 , 17, 637-47 | 13 |
| 1969 | Estimating human energy expenditure: a review of techniques with particular reference to doubly labelled water. 2003 , 33, 683-98 | 163 |

| | | |
|------|--|------|
| 1968 | Relation between cognitive function and mortality in middle-aged adults: the atherosclerosis risk in communities study. 2003 , 157, 327-34 | 67 |
| 1967 | Pro12Ala of the peroxisome proliferator-activated receptor-gamma2 gene is associated with lower serum insulin levels in nonobese African Americans: the Atherosclerosis Risk in Communities Study. 2003 , 52, 1568-72 | 54 |
| 1966 | Risk factors for progression to incident hyperinsulinemia: the Atherosclerosis Risk in Communities Study, 1987-1998. 2003 , 158, 1058-67 | 91 |
| 1965 | Reduced skeletal muscle oxygen uptake and reduced beta-cell function: two early abnormalities in normal glucose-tolerant offspring of patients with type 2 diabetes. 2003 , 26, 2126-32 | 54 |
| 1964 | The pattern and timing of breathing during incremental exercise: a normative study. 2003 , 21, 530-8 | 64 |
| 1963 | Racial differences in the prevalence of hypertensive retinopathy. 2003 , 41, 1086-91 | 44 |
| 1962 | Contractile leg fatigue after cycle exercise: a factor limiting exercise in patients with chronic obstructive pulmonary disease. 2003 , 168, 425-30 | 202 |
| 1961 | Persistent mood symptoms in a multiethnic community cohort of pre- and perimenopausal women. 2003 , 158, 347-56 | 201 |
| 1960 | Prediction of coronary heart disease in middle-aged adults with diabetes. 2003 , 26, 2777-84 | 108 |
| 1959 | Increased occupational physical activity does not improve physical fitness. 2003 , 60, 983-5 | 33 |
| 1958 | Prospective investigation of autonomic nervous system function and the development of type 2 diabetes: the Atherosclerosis Risk In Communities study, 1987-1998. 2003 , 107, 2190-5 | 198 |
| 1957 | Effect of antidepressants and their relative affinity for the serotonin transporter on the risk of myocardial infarction. 2003 , 108, 32-6 | 178 |
| 1956 | Mitochondrial dysfunction in the elderly: possible role in insulin resistance. 2003 , 300, 1140-2 | 1623 |
| 1955 | Evaluation of a pilot school programme aimed at the prevention of obesity in children. 2003 , 18, 287-96 | 147 |
| 1954 | Randomized trial of 2 interventions to increase older women's exercise. 2003 , 27, 380-8 | 22 |
| 1953 | Physical activity and its relationship to physical performance in patients with end stage knee osteoarthritis. 2003 , 33, 745-54 | 48 |
| 1952 | Lifetime history of depression and carotid atherosclerosis in middle-aged women. 2003 , 60, 153-60 | 97 |
| 1951 | Time course of improved flow-mediated dilation after short-term exercise training. 2003 , 35, 847-53 | 56 |

| | | | |
|------|--|---|-----|
| 1950 | Perceived exertion in fatiguing illness: Gulf War veterans with chronic fatigue syndrome. 2003 , 35, 569-74 | | 17 |
| 1949 | Effect of response scales on self-reported exercise frequency. 2003 , 27, 613-22 | | 22 |
| 1948 | . 2003 , 14, 317-322 | | 11 |
| 1947 | Sport and home physical activity are independently associated with bone density. 2003 , 35, 506-12 | | 20 |
| 1946 | The relationship between the 'metabolic score' and sub-clinical atherosclerosis detected with electron beam computed tomography. 2003 , 14, 317-22 | | 19 |
| 1945 | Health-related quality of life in a multiethnic sample of middle-aged women: Study of Women's Health Across the Nation (SWAN). 2003 , 41, 1262-76 | | 131 |
| 1944 | Effects of ginseng on secretory IgA, performance, and recovery from interval exercise. 2003 , 35, 690-6 | | 40 |
| 1943 | Body mass index, but not physical activity, is associated with C-reactive protein. 2003 , 35, 1160-6 | | 91 |
| 1942 | Job strain and blood pressure in employed men and women: a pooled analysis of four northern Italian population samples. 2003 , 65, 558-63 | | 48 |
| 1941 | Insulin resistance, intramyocellular lipid content, and plasma adiponectin in patients with type 1 diabetes. 2003 , 285, E1174-81 | | 130 |
| 1940 | Chronic stress burden, discrimination, and subclinical carotid artery disease in African American and Caucasian women. 2003 , 22, 300-9 | | 213 |
| 1939 | Components of Response Time as a Function of Age, Physical Activity, and Aerobic Fitness. 2003 , 11, 319-332 | | 21 |
| 1938 | Patterns of food consumption and risk factors for cardiovascular disease in the general Dutch population. <i>American Journal of Clinical Nutrition</i> , 2003 , 77, 1156-63 | 7 | 149 |
| 1937 | Relative influence of diet and physical activity on body composition in urban Chinese adults. <i>American Journal of Clinical Nutrition</i> , 2003 , 77, 1409-16 | 7 | 66 |
| 1936 | Plasma fatty acid composition and incidence of diabetes in middle-aged adults: the Atherosclerosis Risk in Communities (ARIC) Study. <i>American Journal of Clinical Nutrition</i> , 2003 , 78, 91-8 | 7 | 275 |
| 1935 | Leisure-time activity is an important determinant of long-term weight maintenance after weight loss in the Sibutramine Trial on Obesity Reduction and Maintenance (STORM trial). <i>American Journal of Clinical Nutrition</i> , 2003 , 78, 209-14 | 7 | 58 |
| 1934 | Associations of whole-grain, refined-grain, and fruit and vegetable consumption with risks of all-cause mortality and incident coronary artery disease and ischemic stroke: the Atherosclerosis Risk in Communities (ARIC) Study. <i>American Journal of Clinical Nutrition</i> , 2003 , 78, 383-90 | 7 | 379 |
| 1933 | Likelihood of drop out during a graded exercise test in non-psychotic psychiatric patients. 2003 , 10, 305-309 | | 4 |

| | | |
|------|---|-----|
| 1932 | Validation and reliability of the Baecke questionnaire for the evaluation of habitual physical activity in adult men. 2003 , 9, 129-135 | 99 |
| 1931 | Effects of exercise on bone density, balance, and self-efficacy in older women. 2003 , 4, 171-80 | 81 |
| 1930 | Impact of electron beam tomography, with or without case management, on motivation, behavioral change, and cardiovascular risk profile: a randomized controlled trial. 2003 , 289, 2215-23 | 120 |
| 1929 | Aerobic Capacity of Gulf War Veterans with Chronic Fatigue Syndrome. 2003 , 168, 750-755 | 14 |
| 1928 | Regional hemodynamics during postexercise hypotension. II. Cutaneous circulation. 2004 , 97, 2071-6 | 56 |
| 1927 | Der Zusammenhang von habitueller körperlicher Aktivität und Gesundheit:. 2004 , 12, 139-147 | 7 |
| 1926 | Regional hemodynamics during postexercise hypotension. I. Splanchnic and renal circulations. 2004 , 97, 2065-70 | 37 |
| 1925 | Retinal arteriolar diameter and risk for hypertension. 2004 , 140, 248-55 | 221 |
| 1924 | [Methodology to evaluation the habitual physical activity in men aged 50 years or more]. 2004 , 38, 307-14 | 64 |
| 1923 | Effects of different combinations of intensity categories on self-reported exercise. 2004 , 75, 429-33 | 32 |
| 1922 | Long term outcome up to 30 years after the Mustard or Senning operation: a nationwide multicentre study in Belgium. 2004 , 90, 307-13 | 183 |
| 1921 | Factorial validity and invariance of a self-report measure of physical activity among adolescent girls. 2004 , 75, 259-71 | 38 |
| 1920 | Relevance of assessing quadriceps endurance in patients with COPD. 2004 , 24, 129-36 | 143 |
| 1919 | Worksite health promotion using individual counselling and the effectiveness on sick leave; results of a randomised controlled trial. 2004 , 61, 275-9 | 21 |
| 1918 | Mood changes after maximal exercise testing in subjects with symptoms of exercise dependence. 2004 , 99, 341-53 | 6 |
| 1917 | Cardiovascular events in diabetic and nondiabetic adults with or without history of myocardial infarction. 2004 , 109, 855-60 | 204 |
| 1916 | Cardiorespiratory fitness, physical activity, and arterial stiffness: the Northern Ireland Young Hearts Project. 2004 , 44, 721-6 | 138 |
| 1915 | The effect of menopause on grip and pinch strength: results from the Chicago, Illinois, site of the Study of Women's Health Across the Nation. 2004 , 160, 484-91 | 46 |

| | | |
|------|--|-----|
| 1914 | Physical activity and changes in weight and waist circumference in midlife women: findings from the Study of Women's Health Across the Nation. 2004 , 160, 912-22 | 226 |
| 1913 | Physical activities and low back pain: a community-based study. 2004 , 36, 9-15 | 37 |
| 1912 | Depressive symptoms and the risk of type 2 diabetes: the Atherosclerosis Risk in Communities study. 2004 , 27, 429-35 | 178 |
| 1911 | Memory functions of Taiwanese American older adults. 2004 , 26, 222-41 | 4 |
| 1910 | Muscle fat oxidative capacity is not impaired by age but by physical inactivity: association with insulin sensitivity. 2004 , 18, 737-9 | 100 |
| 1909 | Postabsorptive and insulin-stimulated energy homeostasis and leucine turnover in offspring of type 2 diabetic patients. 2004 , 27, 2716-22 | 14 |
| 1908 | Regulation of net hepatic glycogenolysis and gluconeogenesis during exercise: impact of type 1 diabetes. 2004 , 89, 4656-64 | 84 |
| 1907 | Glucose intolerance in a large cohort of mediterranean women with polycystic ovary syndrome: phenotype and associated factors. 2004 , 53, 2353-8 | 140 |
| 1906 | Colorectal adenoma risk is modified by the interplay between polymorphisms in arachidonic acid pathway genes and fish consumption. 2005 , 26, 449-57 | 53 |
| 1905 | Effects of increased training load on vagal-related indexes of heart rate variability: a novel sleep approach. 2004 , 287, H2813-8 | 75 |
| 1904 | Dietary intake of n-3, n-6 fatty acids and fish: relationship with hostility in young adults--the CARDIA study. 2004 , 58, 24-31 | 100 |
| 1903 | Micronutrient intake in overweight subjects is not deficient on an ad libitum fat-reduced, high-simple carbohydrate diet. 2004 , 58, 326-36 | 14 |
| 1902 | Lean and weight stable: behavioral predictors and psychological correlates. 2004 , 12, 1085-93 | 14 |
| 1901 | Combined dietary and pharmacological weight management in obese hypopituitary patients. 2004 , 12, 1835-43 | 5 |
| 1900 | Does an energy drink modify the effects of alcohol in a maximal effort test?. 2004 , 28, 1408-12 | 43 |
| 1899 | Comparison of angiotensin-converting enzyme inhibitors and angiotensin receptor blockers in the primary prevention of myocardial infarction in hypertensive patients. 2004 , 94, 479-81 | 5 |
| 1898 | Class effect of angiotensin-converting enzyme inhibitors on prevention of myocardial infarction. 2004 , 94, 1171-3 | 20 |
| 1897 | Prevalence of coronary heart disease and carotid arterial thickening in patients with the metabolic syndrome (The ARIC Study). 2004 , 94, 1249-54 | 139 |

| | | |
|------|--|------|
| 1896 | Risk of colorectal adenomas in relation to meat consumption, meat preparation, and genetic susceptibility in a Dutch population. 2004 , 15, 225-36 | 59 |
| 1895 | Blood leptin and adiponectin as possible mediators of the relation between fat mass and BMD in perimenopausal women. 2004 , 19, 546-51 | 148 |
| 1894 | Assessment of participation in physical activities and relationship to socioeconomic and health factors. The controversial value of self-perception. 2004 , 53, 95-9 | 16 |
| 1893 | Effect of SULT1A1 and NAT2 genetic polymorphism on the association between cigarette smoking and colorectal adenomas. 2004 , 108, 97-103 | 54 |
| 1892 | Determinants and upper-limit heritabilities of skeletal muscle mass and strength. 2004 , 29, 186-200 | 53 |
| 1891 | The nutritional status and eating habits of shift workers: a chronobiological approach. 2004 , 21, 949-60 | 48 |
| 1890 | Impaired mitochondrial activity in the insulin-resistant offspring of patients with type 2 diabetes. 2004 , 350, 664-71 | 1751 |
| 1889 | The relations among upper-extremity loading characteristics and bone mineral density changes in young women. 2004 , 34, 1053-63 | 14 |
| 1888 | Heritability of calcaneal quantitative ultrasound measures in healthy adults from the Fels Longitudinal Study. 2004 , 35, 1157-63 | 10 |
| 1887 | Activity-induced GLP-1 release in lean and obese subjects. 2004 , 83, 459-66 | 27 |
| 1886 | Evaluation of the results of a randomized controlled trial: how to define changes between baseline and follow-up. 2004 , 57, 223-8 | 168 |
| 1885 | Association of apolipoprotein E polymorphism with blood lipids and maximal oxygen uptake in the sedentary state and after exercise training in the HERITAGE family study. 2004 , 53, 108-16 | 41 |
| 1884 | Back schools in occupational health care: design of a randomized controlled trial and cost-effectiveness study. 2004 , 27, 457-65 | 10 |
| 1883 | Alcohol intake is not associated with subclinical coronary atherosclerosis. 2004 , 148, 803-9 | 14 |
| 1882 | Assessing multiple risk behaviors in primary care. Screening issues and related concepts. 2004 , 27, 42-53 | 76 |
| 1881 | Kinesiophobia in chronic fatigue syndrome: assessment and associations with disability. 2004 , 85, 1586-92 | 70 |
| 1880 | Health status, functional abilities, and quality of life after the Mustard or Senning operation. 2004 , 77, 1359-65; discussion 1365 | 55 |
| 1879 | Lifestyle and demographic factors in relation to vasomotor symptoms: baseline results from the Study of Women's Health Across the Nation. 2004 , 159, 1189-99 | 240 |

| | | | |
|------|--|---|-----|
| 1878 | Depressive symptoms, insulin resistance, and risk of diabetes in women at midlife. 2004 , 27, 2856-62 | | 190 |
| 1877 | Impaired fasting glycaemia resembles impaired glucose tolerance with regard to cardiovascular risk factors: population-based, cross-sectional study of risk factors for cardiovascular disease. 2004 , 21, 363-70 | | 32 |
| 1876 | America's obesity epidemic: measuring physical activity to promote an active lifestyle. 2004 , 104, 1398-409 | | 56 |
| 1875 | Snoring and progression of coronary artery disease: The Stockholm Female Coronary Angiography Study. 2004 , 27, 1344-9 | | 41 |
| 1874 | Comparison of self-reported with objectively assessed energy expenditure in black and white women before and after weight loss. <i>American Journal of Clinical Nutrition</i> , 2004 , 79, 1013-9 | 7 | 82 |
| 1873 | No difference in body weight decrease between a low-glycemic-index and a high-glycemic-index diet but reduced LDL cholesterol after 10-wk ad libitum intake of the low-glycemic-index diet. <i>American Journal of Clinical Nutrition</i> , 2004 , 80, 337-47 | 7 | 207 |
| 1872 | Hip strategy for balance control in quiet standing is reduced in people with low back pain. 2004 , 29, E107-12 | | 184 |
| 1871 | Adolescent correlates of adult physical activity: a 26-year follow-up. 2004 , 36, 1930-6 | | 36 |
| 1870 | Effort-limited treadmill walk test: reliability and validity in subjects with postpolio syndrome. 2004 , 83, 613-23 | | 6 |
| 1869 | A longitudinal, community-based study of low back pain outcomes. 2004 , 29, 1810-7 | | 18 |
| 1868 | Impact of one year of shift work on cardiovascular disease risk factors. 2004 , 46, 699-706 | | 68 |
| 1867 | Change in diet, physical activity, and body weight in female college freshman. 2004 , 28, 24-32 | | 217 |
| 1866 | Seasonal variation in serum cholesterol levels: treatment implications and possible mechanisms. 2004 , 164, 863-70 | | 196 |
| 1865 | Cross-cultural comparison of growth, maturation and adiposity indices of two contrasting adolescent populations in rural Senegal (West Africa) and Martinique (Caribbean). 2004 , 7, 479-85 | | 12 |
| 1864 | Association between C-reactive protein and hypertension in healthy middle-aged men and women. 2004 , 15, 331-6 | | 45 |
| 1863 | Le Score d'activit  physique de Dijon : reproductibilit  et corr lations avec l'aptitude physique de sujets sains  g s. 2004 , 47, 546-554 | | 14 |
| 1862 | Cognitive dietary restraint is associated with stress fractures in women runners. 2005 , 15, 147-59 | | 27 |
| 1861 | Postexercise hypotension is not explained by a prostaglandin-dependent peripheral vasodilation. 2005 , 98, 447-53 | | 29 |

| | | | |
|------|---|---|-----|
| 1860 | A randomized, controlled trial to determine the efficacy of paper tape in preventing hypertrophic scar formation in surgical incisions that traverse Langer's skin tension lines. 2005 , 116, 1648-56; discussion 1657-8 | | 144 |
| 1859 | A high-protein diet increases postprandial but not fasting plasma total homocysteine concentrations: a dietary controlled, crossover trial in healthy volunteers. <i>American Journal of Clinical Nutrition</i> , 2005 , 82, 553-558 | 7 | 53 |
| 1858 | Reliability and validity of the occupational physical activity questionnaire. 2005 , 37, 2075-83 | | 51 |
| 1857 | Mucosal IgA and URTI in American college football players: a year longitudinal study. 2005 , 37, 374-80 | | 150 |
| 1856 | Comparison of two physical activity questionnaires in obese subjects: the NUGENOB study. 2005 , 37, 1535-41 | | 57 |
| 1855 | Is postexercise hypotension related to excess postexercise oxygen consumption through changes in leg blood flow?. 2005 , 98, 1463-8 | | 17 |
| 1854 | Rapid assessment of maternal activity among rural Indian mothers (Pune Maternal Nutrition Study). 2005 , 8, 588-95 | | 3 |
| 1853 | Patients exposed to rofecoxib and celecoxib have different odds of nonfatal myocardial infarction. 2005 , 142, 157-64 | | 160 |
| 1852 | Suitability of physical activity questionnaires for older adults in fall-prevention trials: a systematic review. 2005 , 13, 461-81 | | 44 |
| 1851 | Decline in physical activity, disability and pain-related fear in sub-acute low back pain. 2005 , 9, 417-25 | | 53 |
| 1850 | Decisional balance for exercise: adaptation of an instrument for older Mexican American women. 2005 , 28, 388-97 | | 2 |
| 1849 | Veganism and its relationship with insulin resistance and intramyocellular lipid. 2005 , 59, 291-8 | | 51 |
| 1848 | Categorical strategies based on subject characteristics of dietary restraint and physical activity, for weight maintenance. 2005 , 29, 849-57 | | 28 |
| 1847 | Abdominal fat distribution and functional limitations and disability in a biracial cohort: the Atherosclerosis Risk in Communities Study. 2005 , 29, 1457-63 | | 56 |
| 1846 | Muscle performance in patients with Crohn's disease in clinical remission. 2005 , 11, 296-303 | | 59 |
| 1845 | H1 receptor-mediated vasodilatation contributes to postexercise hypotension. 2005 , 563, 633-42 | | 69 |
| 1844 | Assessment of nutritional status in adult patients with cystic fibrosis: whole-body bioimpedance vs body mass index, skinfolds, and leg-to-leg bioimpedance. 2005 , 105, 549-55 | | 25 |
| 1843 | Relation between coronary artery calcium and incident chest pain in a community-dwelling screening population. 2005 , 96, 61-3 | | 4 |

| | | | |
|------|--|---|-----|
| 1842 | History of depression and women's current health and functioning during midlife. 2005 , 27, 200-8 | | 33 |
| 1841 | Similarities in skeletal muscle strength and exercise capacity between renal transplant and hemodialysis patients. 2005 , 5, 1957-65 | | 91 |
| 1840 | Abdominal muscle recruitment during a range of voluntary exercises. 2005 , 10, 144-53 | | 170 |
| 1839 | Substitution of high monounsaturated fatty acid avocado for mixed dietary fats during an energy-restricted diet: effects on weight loss, serum lipids, fibrinogen, and vascular function. 2005 , 21, 67-75 | | 43 |
| 1838 | Cardiovascular disease, risk factors and heart rate variability in the elderly general population: design and objectives of the CARdiovascular disease, Living and Ageing in Halle (CARLA) Study. 2005 , 5, 33 | | 84 |
| 1837 | Reduced intrahepatic fat content is associated with increased whole-body lipid oxidation in patients with type 1 diabetes. 2005 , 48, 2615-21 | | 60 |
| 1836 | Reduced whole-body lipid oxidation is associated with insulin resistance, but not with intramyocellular lipid content in offspring of type 2 diabetic patients. 2005 , 48, 741-7 | | 32 |
| 1835 | Predictors of compliance with a home-based exercise program added to usual medical care in preventing postmenopausal osteoporosis: an 18-month prospective study. 2005 , 16, 325-31 | | 31 |
| 1834 | Cardiac structure and function in monozygotic twin pairs discordant for physical fitness. 2005 , 99, 535-41 | | 14 |
| 1833 | Relation of weight maintenance and dietary restraint to peroxisome proliferator-activated receptor gamma2, glucocorticoid receptor, and ciliary neurotrophic factor polymorphisms. <i>American Journal of Clinical Nutrition</i> , 2005 , 82, 740-6 | 7 | 38 |
| 1832 | Análise de taxa metabólica basal e composição corporal de idosos do sexo masculino antes e seis meses após exercícios de resistência. 2005 , 11, 71-75 | | 8 |
| 1831 | Physical activity and postural control in the elderly: coupling between visual information and body sway. 2005 , 51, 145-8 | | 59 |
| 1830 | Decreased insulin-stimulated ATP synthesis and phosphate transport in muscle of insulin-resistant offspring of type 2 diabetic parents. 2005 , 2, e233 | | 249 |
| 1829 | Hostile marital interactions, proinflammatory cytokine production, and wound healing. 2005 , 62, 1377-84 | | 445 |
| 1828 | Evaluation of a school-based intervention programme to promote physical activity: an application of the theory of planned behavior. 2005 , 101, 787-802 | | 32 |
| 1827 | Development and initial validation of the Brunel lifestyle physical activity questionnaire. 2005 , 39, e23 | | 19 |
| 1826 | Iron stores and vascular function in voluntary blood donors. 2005 , 25, 1577-83 | | 75 |
| 1825 | Reduced bone density in cystic fibrosis: DeltaF508 mutation is an independent risk factor. 2005 , 25, 54-61 | | 78 |

| | | |
|------|---|-----|
| 1824 | Restless legs syndrome: a community-based study of prevalence, severity, and risk factors. 2005 , 64, 1920-4 | 312 |
| 1823 | Androgens are associated with hemostatic and inflammatory factors among women at the mid-life. 2005 , 90, 6064-71 | 48 |
| 1822 | Efficacy of octreotide-LAR in dieting women with abdominal obesity and polycystic ovary syndrome. 2005 , 90, 3854-62 | 36 |
| 1821 | Influence of the PPAR-gamma2 Pro12Ala and ACE I/D polymorphisms on insulin sensitivity and training effects in healthy offspring of type 2 diabetic subjects. 2005 , 37, 99-105 | 33 |
| 1820 | Timing of rotator cuff activation during shoulder external rotation in throwers with and without symptoms of pain. 2005 , 35, 812-20 | 40 |
| 1819 | Physical activity and mental well-being typologies in corporate employees: A mixed methods approach. 2005 , 19, 50-67 | 17 |
| 1818 | Osteoporosis screening in people with airways disease. 2005 , 2, 5-12 | 1 |
| 1817 | Safety and efficacy of weight training in recent breast cancer survivors to alter body composition, insulin, and insulin-like growth factor axis proteins. 2005 , 14, 1672-80 | 231 |
| 1816 | Correlations of work, leisure, and sports physical activities and health status with socioeconomic factors: a national study in Israel. 2005 , 81, 262-5 | 19 |
| 1815 | Quantitative trait loci for human muscle strength: linkage analysis of myostatin pathway genes. 2005 , 22, 390-7 | 34 |
| 1814 | Validity and reliability of the Fels physical activity questionnaire for children. 2005 , 37, 488-95 | 46 |
| 1813 | Endogenous postmenopausal hormones and serum lipids: the atherosclerosis risk in communities study. 2005 , 90, 1202-9 | 84 |
| 1812 | Delta-4-androstene-3,17-dione binds androgen receptor, promotes myogenesis in vitro, and increases serum testosterone levels, fat-free mass, and muscle strength in hypogonadal men. 2005 , 90, 855-63 | 39 |
| 1811 | Glycemic control and coronary heart disease risk in persons with and without diabetes: the atherosclerosis risk in communities study. 2005 , 165, 1910-6 | 194 |
| 1810 | Statins and the risk of colorectal cancer. 2005 , 352, 2184-92 | 607 |
| 1809 | Differential activity of regions of transversus abdominis during trunk rotation. 2005 , 14, 393-400 | 87 |
| 1808 | The effect of weight-bearing exercise with low frequency, whole body vibration on lumbosacral proprioception: a pilot study on normal subjects. 2005 , 51, 259-63 | 64 |
| 1807 | Risk factors for peripheral arterial disease incidence in persons with diabetes: the Atherosclerosis Risk in Communities (ARIC) Study. 2005 , 180, 389-97 | 136 |

| | | |
|------|--|-----|
| 1806 | Impaired lung function and subclinical atherosclerosis. The ARIC Study. 2005 , 180, 367-73 | 59 |
| 1805 | Question 3-6. Les questionnaires d'activité physique - application aux BPCO. 2005 , 22, 47-53 | |
| 1804 | Bone mineral density in relation to efficacy and side effects of budesonide and prednisolone in Crohn's disease. 2005 , 3, 113-21 | 127 |
| 1803 | Cross-sectional analysis of BMI and some lifestyle variables in Flemish vegetarians compared with non-vegetarians. 2005 , 48, 1433-44 | 26 |
| 1802 | Responding to the embodiment of distress in individuals defined as obese: Implications for research. 2005 , 5, 246-255 | 4 |
| 1801 | Random mtDNA deletions and functional consequence in aged human skeletal muscle. 2005 , 332, 542-9 | 28 |
| 1800 | Effects of physical activity level on unobstructed and obstructed walking in young male adults. 2005 , 22, 75-81 | 7 |
| 1799 | Exercise limitation in trained heart and kidney transplant recipients: central and peripheral limitations. 2005 , 24, 1774-80 | 18 |
| 1798 | The influence of different unloading positions upon stature recovery and paraspinal muscle activity. 2005 , 20, 365-71 | 24 |
| 1797 | Relationships between exercise and three components of mental well-being in corporate employees. 2005 , 6, 609-627 | 30 |
| 1796 | Alendronate in the treatment of low bone mass in steroid-treated boys with Duchennes muscular dystrophy. 2005 , 86, 284-8 | 96 |
| 1795 | Raised paraspinal muscle activity reduces rate of stature recovery after loaded exercise in individuals with chronic low back pain. 2005 , 86, 710-5 | 28 |
| 1794 | Risk factors for cardiovascular event recurrence in the Atherosclerosis Risk in Communities (ARIC) study. 2005 , 149, 606-12 | 103 |
| 1793 | Test-retest reliability of adult surveillance measures for physical activity and inactivity. 2005 , 28, 470-8 | 56 |
| 1792 | Physical activity promotion in primary care: bridging the gap between research and practice. 2005 , 29, 242 | 2 |
| 1791 | [Assessment of physical activity in cardiovascular diseases]. 2005 , 48, 404-10 | 12 |
| 1790 | Growth hormone treatment reduces abdominal visceral fat in postmenopausal women with abdominal obesity: a 12-month placebo-controlled trial. 2005 , 90, 1466-74 | 107 |
| 1789 | Is constipation associated with decreased physical activity in normally active subjects?. 2005 , 100, 124-9 | 54 |

| | | |
|------|---|-----|
| 1788 | Discriminant ability of the Trunk Impairment Scale: A comparison between stroke patients and healthy individuals. 2005 , 27, 1023-8 | 64 |
| 1787 | How to assess physical activity? How to assess physical fitness?. 2005 , 12, 102-14 | 200 |
| 1786 | Lipids, lipoproteins, lifestyle, adiposity and fat-free mass during middle age: the Fels Longitudinal Study. 2006 , 30, 251-60 | 89 |
| 1785 | Are localized low back pain and generalized back pain similar entities? Results of a longitudinal community based study. 2006 , 28, 369-77 | 5 |
| 1784 | Lateralization of brain activity during lower limb joints movement. An fMRI study. 2006 , 32, 1709-21 | 116 |
| 1783 | Endothelium-dependent vasodilation and carotid artery wall remodeling in athletes and sedentary subjects. 2006 , 186, 184-92 | 27 |
| 1782 | Motivation for weight-loss diets: A clustering, longitudinal field study using self-esteem and self-determination theory perspectives. 2006 , 65, 53-72 | 14 |
| 1781 | Validating MOSPA questionnaire for measuring physical activity in Pakistani women. 2006 , 5, 18 | 17 |
| 1780 | Leisure-time and occupational physical activity in relation to cardiovascular risk factors and eating habits in French adults. 2006 , 9, 746-54 | 44 |
| 1779 | Cardiovascular risk among adults with chronic kidney disease, with or without prior myocardial infarction. 2006 , 48, 1183-9 | 46 |
| 1778 | Low back pain incident episodes: a community-based study. 2006 , 6, 306-10 | 18 |
| 1777 | Validity and Reliability of the International Physical Activity Questionnaire in College Students. 2006 , 37, 337-343 | 87 |
| 1776 | Parity and risk of type 2 diabetes: the Atherosclerosis Risk in Communities Study. 2006 , 29, 2349-54 | 68 |
| 1775 | Weight loss improves heart rate recovery in overweight and obese men with features of the metabolic syndrome. 2006 , 152, 693.e1-6 | 54 |
| 1774 | Blood pressure usually considered normal is associated with an elevated risk of cardiovascular disease. 2006 , 119, 133-41 | 166 |
| 1773 | Sex steroid hormone polymorphisms, high-density lipoprotein cholesterol, and apolipoprotein A-1 from the Study of Women's Health Across the Nation (SWAN). 2006 , 119, S61-8 | 34 |
| 1772 | The association of genetic polymorphisms in sex hormone biosynthesis and action with insulin sensitivity and diabetes mellitus in women at midlife. 2006 , 119, S69-78 | 58 |
| 1771 | The association of bone mineral density with estrogen receptor gene polymorphisms. 2006 , 119, S79-86 | 66 |

| | | | |
|------|--|---|-----|
| 1770 | Gender differences in pattern of hip and lumbopelvic rotation in people with low back pain. 2006 , 21, 263-71 | | 67 |
| 1769 | Gender influence on fatigability of back muscles during intermittent isometric contractions: a study of neuromuscular activation patterns. 2006 , 21, 893-904 | | 32 |
| 1768 | The circumvention of obstacles during walking in different environmental contexts: a comparison between older and younger adults. 2006 , 24, 364-9 | | 63 |
| 1767 | Conventional, emerging, heredity, lifestyle, and psychosocial coronary risk factors: relationships to subclinical atherosclerosis. 2006 , 9, 25-32 | | 21 |
| 1766 | Attitude toward physical activity in normal-weight, overweight and obese adolescents. 2006 , 38, 560-8 | | 114 |
| 1765 | Estimation de l'aptitude physique par questionnaire. 2006 , 21, 121-130 | | 11 |
| 1764 | Méthodes d'évaluation de l'activité physique habituelle et obésité. 2006 , 21, 80-84 | | 4 |
| 1763 | Relationship between local perfusion and FFA uptake in human skeletal muscle-no effect of increased physical activity and aerobic fitness. 2006 , 101, 1303-11 | | 16 |
| 1762 | Validity and reliability of the Baecke questionnaire for the evaluation of habitual physical activity among people living with HIV/AIDS. 2006 , 22, 535-41 | | 40 |
| 1761 | Determinants of overweight in a cohort of Dutch children. <i>American Journal of Clinical Nutrition</i> , 2006 , 84, 717-24 | 7 | 54 |
| 1760 | Tratamento multidisciplinar reduz o tecido adiposo visceral, leptina, grelina e a prevalência de esteatose hepática não alcoólica (NAFLD) em adolescentes obesos. 2006 , 12, 263-267 | | 20 |
| 1759 | Dietary intake of Brazilian black and white men and its relationship to the bone mineral density of the femoral neck. 2006 , 124, 267-70 | | 11 |
| 1758 | Does the impact of smoking on coronary heart disease differ by low-density lipoprotein cholesterol level?: the Atherosclerosis Risk in Communities (ARIC) Study. 2006 , 70, 1105-10 | | 16 |
| 1757 | H1 and H2 receptors mediate postexercise hyperemia in sedentary and endurance exercise-trained men and women. 2006 , 101, 1693-701 | | 65 |
| 1756 | Longitudinal analysis of the association between vasomotor symptoms and race/ethnicity across the menopausal transition: study of women's health across the nation. 2006 , 96, 1226-35 | | 550 |
| 1755 | The USDA Automated Multiple-Pass Method accurately estimates group total energy and nutrient intake. 2006 , 136, 2594-9 | | 408 |
| 1754 | The association between the body mass index of first-year female university students and their weight-related perceptions and practices, psychological health, physical activity and other physical health indicators. 2006 , 9, 234-43 | | 30 |
| 1753 | Predictors of physical activity in older adults with borderline hypertension. 2006 , 55, 110-20 | | 24 |

| | | |
|------|--|-----|
| 1752 | H2-receptor-mediated vasodilation contributes to postexercise hypotension. 2006 , 100, 67-75 | 62 |
| 1751 | Physical activity, diet and gene-environment interactions in relation to body mass index and waist circumference: the Swedish young male twins study. 2006 , 9, 851-8 | 45 |
| 1750 | Complementary and Alternative Therapies for Women Transitioning through Menopause. 2006 , 30, 18-26 | 3 |
| 1749 | Validation of the Kaiser Physical Activity Survey in pregnant women. 2006 , 38, 42-50 | 85 |
| 1748 | Do patients with chronic low back pain have a lower level of aerobic fitness than healthy controls?: are pain, disability, fear of injury, working status, or level of leisure time activity associated with the difference in aerobic fitness level?. 2006 , 31, 90-7; discussion 98 | 85 |
| 1747 | Osteopenia, physical activity and health-related quality of life in survivors of brain tumors treated in childhood. 2006 , 46, 357-62 | 64 |
| 1746 | Prevalence of obesity in Portugal. 2006 , 7, 233-7 | 31 |
| 1745 | Effects of energy drink ingestion on alcohol intoxication. 2006 , 30, 598-605 | 198 |
| 1744 | Myocardial and peripheral vascular functional adaptation to exercise training. 2007 , 17, 139-47 | 11 |
| 1743 | A primary care weight management intervention for low-income African-American women. 2006 , 14, 1412-20 | 75 |
| 1742 | Réhabilitation respiratoire et prise en charge nutritionnelle dans la bronchopneumopathie chronique obstructive. 2006 , 20, 196-201 | |
| 1741 | A brief behavioral feedback intervention in hospital outpatients with a high cardiovascular risk. 2006 , 60, 32-40 | 16 |
| 1740 | Volumetric BMD and vascular calcification in middle-aged women: the Study of Women's Health Across the Nation. 2006 , 21, 1839-46 | 116 |
| 1739 | Association of social problem solving with glycemic control in a sample of urban African Americans with type 2 diabetes. 2006 , 29, 69-78 | 32 |
| 1738 | Workers' beliefs and expectations affect return to work over 12 months. 2006 , 16, 685-95 | 85 |
| 1737 | Physical activity and breast cancer incidence in middle-aged women: a prospective cohort study. 2006 , 97, 209-14 | 32 |
| 1736 | Genetic factors in physical activity and the equal environment assumption-- the Swedish young male twins study. 2006 , 36, 238-47 | 62 |
| 1735 | Natural breath control during lifting tasks: effect of load. 2006 , 96, 453-8 | 14 |

| | | |
|------|--|-----|
| 1734 | Improved perceived health status persists three months after a special sports camp for children with congenital heart disease. 2006 , 165, 767-72 | 22 |
| 1733 | Sarcopenia in premenopausal and postmenopausal women with osteopenia, osteoporosis and normal bone mineral density. 2006 , 17, 61-7 | 167 |
| 1732 | Unique and common genetic effects between bone mineral density and calcaneal quantitative ultrasound measures: the Fels Longitudinal Study. 2006 , 17, 865-71 | 13 |
| 1731 | Anger temperament is modestly associated with the risk of type 2 diabetes mellitus: the Atherosclerosis Risk in Communities Study. 2006 , 31, 325-32 | 34 |
| 1730 | Active rehabilitation for chronic low back pain: cognitive-behavioral, physical, or both? First direct post-treatment results from a randomized controlled trial [ISRCTN22714229]. 2006 , 7, 5 | 153 |
| 1729 | Prospective research on musculoskeletal disorders in office workers (PROMO): study protocol. 2006 , 7, 55 | 29 |
| 1728 | Trunk muscle activity in healthy subjects during bridging stabilization exercises. 2006 , 7, 75 | 129 |
| 1727 | Binge eating and exercise behavior after surgery for severe obesity: a structural equation model. 2006 , 39, 369-75 | 37 |
| 1726 | The metabolic syndrome and risk of incident colorectal cancer. 2006 , 107, 28-36 | 250 |
| 1725 | Assessment of muscle fatigue during exercise in chronic obstructive pulmonary disease. 2006 , 34, 62-71 | 31 |
| 1724 | Predictors of South African male testosterone levels: the THUSA study. 2006 , 18, 123-32 | 22 |
| 1723 | Lung function and ischemic stroke incidence: the Atherosclerosis Risk in Communities study. 2006 , 130, 1642-9 | 68 |
| 1722 | Treatment with flutamide, metformin, and their combination added to a hypocaloric diet in overweight-obese women with polycystic ovary syndrome: a randomized, 12-month, placebo-controlled study. 2006 , 91, 3970-80 | 171 |
| 1721 | Body composition and adiponectin serum concentrations in adult patients with cystic fibrosis. 2006 , 91, 1586-90 | 27 |
| 1720 | Hormone predictors of bone mineral density changes during the menopausal transition. 2006 , 91, 1261-7 | 180 |
| 1719 | Beta cell function, insulin resistance and plasma adiponectin concentrations are predictors for the change of postprandial glucose in non-diabetic subjects at risk for type 2 diabetes. 2006 , 38, 178-82 | 27 |
| 1718 | Lung function decline and outcomes in an adult population. 2006 , 173, 985-90 | 88 |
| 1717 | Determinants of employee participation in physical activity: critical review of the literature. 2006 , 54, 249-61 | 57 |

| | | |
|------|---|-----|
| 1716 | Impact of exercise training on insulin sensitivity, physical fitness, and muscle oxidative capacity in first-degree relatives of type 2 diabetic patients. 2006 , 290, E998-1005 | 65 |
| 1715 | Behavioral and physiological regulation of body fatness: a cross-sectional study in elderly men. 2006 , 30, 322-30 | 7 |
| 1714 | The metabolic syndrome is associated with reduced risk of prostate cancer. 2006 , 164, 1094-102 | 118 |
| 1713 | Coffee and sweetened beverage consumption and the risk of type 2 diabetes mellitus: the atherosclerosis risk in communities study. 2006 , 164, 1075-84 | 129 |
| 1712 | Randomized controlled trial of weight training and lymphedema in breast cancer survivors. 2006 , 24, 2765-72 | 247 |
| 1711 | Goal setting frequency and the use of behavioral strategies related to diet and physical activity. 2007 , 22, 532-8 | 60 |
| 1710 | Orthostatic hypotension predicts mortality in middle-aged adults: the Atherosclerosis Risk In Communities (ARIC) Study. 2006 , 114, 630-6 | 218 |
| 1709 | Factors associated with prevalent and incident urinary incontinence in a cohort of midlife women: a longitudinal analysis of data: study of women's health across the nation. 2007 , 165, 309-18 | 166 |
| 1708 | Intra-abdominal adipose tissue deposition and parity. 2006 , 30, 1119-24 | 33 |
| 1707 | The latest and greatest new biomarkers: which ones should we measure for risk prediction in our practice?. 2006 , 166, 2428-30 | 8 |
| 1706 | Plasma enterolignans are associated with lower colorectal adenoma risk. 2006 , 15, 1132-6 | 69 |
| 1705 | The relationship between active living and health-related quality of life: income as a moderator. 2006 , 21, 146-56 | 9 |
| 1704 | The assessment of dietary habits in obese women: influence of eating behavior patterns. 2006 , 14, 121-9 | 17 |
| 1703 | Cardiac parasympathetic regulation: respective associations with cardiorespiratory fitness and training load. 2006 , 291, H451-8 | 184 |
| 1702 | Increased prevalence of insulin resistance and nonalcoholic fatty liver disease in Asian-Indian men. 2006 , 103, 18273-7 | 284 |
| 1701 | Self-monitoring of physical activity: effects on self-efficacy and behavior in people with type 2 diabetes. 2006 , 32, 69-77 | 70 |
| 1700 | Intrinsic risk factors for the development of achilles tendon overuse injury: a prospective study. 2006 , 34, 226-35 | 156 |
| 1699 | Quantifying physical activity in daily life with questionnaires and motion sensors in COPD. 2006 , 27, 1040-55 | 316 |

| | | |
|------|--|-----|
| 1698 | Increased Lipid Availability Impairs Insulin-Stimulated ATP Synthesis in Human Skeletal Muscle. 2006 , 55, 136-140 | 182 |
| 1697 | Relation of daily urinary hormone patterns to vasomotor symptoms in a racially/ethnically diverse sample of midlife women: study of women's health across the nation. 2007 , 14, 786-97 | 13 |
| 1696 | Oxidized phospholipids, lipoprotein(a), lipoprotein-associated phospholipase A2 activity, and 10-year cardiovascular outcomes: prospective results from the Bruneck study. 2007 , 27, 1788-95 | 186 |
| 1695 | Abnormal left ventricular energy metabolism in obese men with preserved systolic and diastolic functions is associated with insulin resistance. 2007 , 30, 1520-6 | 51 |
| 1694 | The effect of a single aerobic training session on cognitive flexibility in late middle-aged adults. 2007 , 28, 82-7 | 53 |
| 1693 | The effects of non-pharmacological interventions on fatigue in four chronic illness conditions: a critical review. 2007 , 12, 324-334 | 9 |
| 1692 | Muscle mitochondrial ATP synthesis and glucose transport/phosphorylation in type 2 diabetes. 2007 , 4, e154 | 186 |
| 1691 | Effects of the menstrual cycle and sex on postexercise hemodynamics. 2007 , 292, R1260-70 | 29 |
| 1690 | Perceived neighborhood environments and physical activity in an elderly sample. 2007 , 104, 438-44 | 23 |
| 1689 | Genetic variations in PPARD and PPARGC1A determine mitochondrial function and change in aerobic physical fitness and insulin sensitivity during lifestyle intervention. 2007 , 92, 1827-33 | 107 |
| 1688 | 17-hydroxyprogesterone responses to gonadotropin-releasing hormone disclose distinct phenotypes of functional ovarian hyperandrogenism and polycystic ovary syndrome. 2007 , 92, 4208-17 | 39 |
| 1687 | The effect of sibutramine on energy expenditure and body composition in obese adolescents. 2007 , 92, 1409-14 | 33 |
| 1686 | Reliability and validity of the Flemish Physical Activity Computerized Questionnaire in adults. 2007 , 78, 293-306 | 83 |
| 1685 | Kidney function and risk of peripheral arterial disease: results from the Atherosclerosis Risk in Communities (ARIC) Study. 2007 , 18, 629-36 | 175 |
| 1684 | Nine-year changes in cardiovascular disease risk factors with weight maintenance in the atherosclerosis risk in communities cohort. 2007 , 165, 890-900 | 18 |
| 1683 | Leisure time physical activity prevents accumulation of central fat in HIV/AIDS subjects on highly active antiretroviral therapy. 2007 , 18, 692-6 | 28 |
| 1682 | Measurement of behavioral objectives for weight management. 2007 , 34, 793-809 | 34 |
| 1681 | Self-reported physical activities in patients after the Mustard or Senning operation: comparison with healthy control subjects. 2007 , 6, 247-51 | 6 |

| | | | |
|------|---|---|-----|
| 1680 | Sequence variation in proprotein convertase subtilisin/kexin type 9 serine protease gene, low LDL cholesterol, and cancer incidence. 2007 , 16, 2455-8 | | 22 |
| 1679 | Physical activity levels in adults with congenital heart disease. 2007 , 14, 287-93 | | 66 |
| 1678 | The role of skeletal muscle insulin resistance in the pathogenesis of the metabolic syndrome. 2007 , 104, 12587-94 | | 490 |
| 1677 | Effect of raw garlic vs commercial garlic supplements on plasma lipid concentrations in adults with moderate hypercholesterolemia: a randomized clinical trial. 2007 , 167, 346-53 | | 108 |
| 1676 | Changes in body composition in women over six years at midlife: ovarian and chronological aging. 2007 , 92, 895-901 | | 306 |
| 1675 | Habitual physical activity is associated with intrahepatic fat content in humans. 2007 , 30, 683-8 | | 241 |
| 1674 | Sex differences in leg vasodilation during graded knee extensor exercise in young adults. 2007 , 103, 1583-91 | | 91 |
| 1673 | Sports participation among Portuguese youth 10 to 18 years. 2007 , 4, 370-80 | | 32 |
| 1672 | A prospective investigation of the relations among cognitive dietary restraint, subclinical ovulatory disturbances, physical activity, and bone mass in healthy young women. <i>American Journal of Clinical Nutrition</i> , 2007 , 86, 1791-801 | 7 | 24 |
| 1671 | Failure to use movement in postural strategies leads to increased spinal displacement in low back pain. 2007 , 32, E537-43 | | 85 |
| 1670 | Helping midlife women predict the onset of the final menses: SWAN, the Study of Women's Health Across the Nation. 2007 , 14, 415-24 | | 56 |
| 1669 | Cross-sectional analysis of specific complementary and alternative medicine (CAM) use by racial/ethnic group and menopausal status: the Study of Women's Health Across the Nation (SWAN). 2007 , 14, 612-23 | | 51 |
| 1668 | Disentangling cultural issues in quality of life data. 2007 , 14, 708-16 | | 17 |
| 1667 | Effectiveness of static quadriceps stretching in individuals with patellofemoral joint pain. 2007 , 17, 234-41 | | 23 |
| 1666 | Disuse and physical deconditioning in the first year after the onset of back pain. 2007 , 130, 279-286 | | 110 |
| 1665 | Daily physical activity counts vs structured activity counts in lean and overweight Dutch children. 2007 , 92, 611-6 | | 14 |
| 1664 | Three-year incidence and cumulative prevalence of retinopathy: the atherosclerosis risk in communities study. 2007 , 143, 970-6 | | 43 |
| 1663 | Supplementation with vitamins C and E improves arterial stiffness and endothelial function in essential hypertensive patients. 2007 , 20, 392-7 | | 153 |

| | | |
|------|---|-----|
| 1662 | Cumulative socioeconomic status across the life course and subclinical atherosclerosis. 2007 , 17, 296-303 | 68 |
| 1661 | Symmetry of timing of hip and lumbopelvic rotation motion in 2 different subgroups of people with low back pain. 2007 , 88, 351-60 | 98 |
| 1660 | Depressive symptoms and production of proinflammatory cytokines by peripheral blood mononuclear cells stimulated in vitro. 2007 , 21, 229-37 | 54 |
| 1659 | Effects of yoga on quality of life and flexibility in menopausal women: a case series. 2007 , 3, 42-5 | 8 |
| 1658 | Habitual coffee but not green tea consumption is inversely associated with metabolic syndrome: an epidemiological study in a general Japanese population. 2007 , 76, 383-9 | 97 |
| 1657 | Forearm bone geometry and mineral content in UK women of European and South-Asian origin. 2007 , 41, 117-21 | 17 |
| 1656 | Illness representations among patients with type 2 diabetes and their partners: relationships with self-management behaviors. 2007 , 63, 175-84 | 70 |
| 1655 | Low back pain: clinimetric properties of the Trendelenburg test, active straight leg raise test, and breathing pattern during active straight leg raising. 2007 , 30, 270-8 | 73 |
| 1654 | Adult-onset asthma is associated with increased carotid atherosclerosis among women in the Atherosclerosis Risk in Communities (ARIC) study. 2007 , 195, 129-37 | 70 |
| 1653 | Associations between HDL-cholesterol and polymorphisms in hepatic lipase and lipoprotein lipase genes are modified by dietary fat intake in African American and White adults. 2007 , 194, e131-40 | 52 |
| 1652 | Lifestyle risk factors associated with fatigue in graduate students. 2007 , 106, 565-72 | 13 |
| 1651 | Lower limb sensorimotor network: issues of somatotopy and overlap. 2007 , 43, 219-32 | 66 |
| 1650 | Impaired mitochondrial substrate oxidation in muscle of insulin-resistant offspring of type 2 diabetic patients. 2007 , 56, 1376-81 | 349 |
| 1649 | Physical capacity tasks in chronic low back pain: what is the contributing role of cardiovascular capacity, pain and psychological factors?. 2007 , 29, 577-86 | 40 |
| 1648 | Biological consequences of stress: conflicting findings on the association between job strain and blood pressure. 2007 , 50, 1717-26 | 17 |
| 1647 | Patterns of lumbar region movement during trunk lateral bending in 2 subgroups of people with low back pain. 2007 , 87, 441-54 | 56 |
| 1646 | An accurate risk score based on anthropometric, dietary, and lifestyle factors to predict the development of type 2 diabetes. 2007 , 30, 510-5 | 283 |
| 1645 | Subjective measurement of activity in chronic obstructive pulmonary disease. 2007 , 4, 243-9 | 14 |

| | | | |
|------|--|---|-----|
| 1644 | Diet and lifestyle factors associated with premenstrual symptoms in a racially diverse community sample: Study of Women's Health Across the Nation (SWAN). 2007 , 16, 641-56 | | 45 |
| 1643 | [Daily living activity in chronic obstructive pulmonary disease: validation of the Spanish version and comparative analysis of 2 questionnaires]. 2007 , 129, 326-32 | | 55 |
| 1642 | Socio-economic status, growth, physical activity and fitness: the Madeira Growth Study. 2007 , 34, 107-22 | | 62 |
| 1641 | Plasma n-3 fatty acids and the risk of cognitive decline in older adults: the Atherosclerosis Risk in Communities Study. <i>American Journal of Clinical Nutrition</i> , 2007 , 85, 1103-11 | 7 | 198 |
| 1640 | Dietary fiber intake and retinal vascular caliber in the Atherosclerosis Risk in Communities Study. <i>American Journal of Clinical Nutrition</i> , 2007 , 86, 1626-32 | 7 | 31 |
| 1639 | Materials handling ability of regular and reserve British Army soldiers. 2007 , 172, 220-3 | | 4 |
| 1638 | Evidence for reduced sympatholysis in leg resistance vasculature of healthy older women. 2007 , 292, H1148-56 | | 52 |
| 1637 | Relation between plasma enterodiol and enterolactone and dietary intake of lignans in a Dutch endoscopy-based population. 2007 , 137, 1266-71 | | 51 |
| 1636 | [Evaluation of body composition and bone mineral density in women with rheumatoid arthritis]. 2007 , 53, 135-41 | | 4 |
| 1635 | Body mass index, total cholesterol, and ratio total to HDL cholesterol were determinants of metabolic syndrome in the Indonesian elderly. 2007 , 195 | | 2 |
| 1634 | Postural response of the pelvic floor and abdominal muscles in women with and without incontinence. 2007 , 26, 377-85 | | 122 |
| 1633 | Sex differences in young adulthood metabolic syndrome and physical activity: the Fels longitudinal study. 2007 , 19, 544-50 | | 12 |
| 1632 | Increased mediastinal fat and impaired left ventricular energy metabolism in young men with newly found fatty liver. 2008 , 47, 51-8 | | 157 |
| 1631 | Increased physical activity decreases hepatic free fatty acid uptake: a study in human monozygotic twins. 2007 , 578, 347-58 | | 40 |
| 1630 | Gene-environment interaction and the GNB3 gene in the Atherosclerosis Risk in Communities study. 2007 , 31, 919-26 | | 30 |
| 1629 | Successful long-term weight maintenance: a 2-year follow-up. 2007 , 15, 1258-66 | | 57 |
| 1628 | The addition of metformin in type 1 diabetes improves insulin sensitivity, diabetic control, body composition and patient well-being. 2007 , 9, 143-5 | | 45 |
| 1627 | Genetic variation and decreased risk for obesity in the Atherosclerosis Risk in Communities Study. 2007 , 9, 548-57 | | 21 |

| | | |
|------|---|-----|
| 1626 | Physical activity and exercise performance predict long-term prognosis in middle-aged women surviving acute coronary syndrome. 2007 , 261, 178-87 | 25 |
| 1625 | Lifestyle intervention in individuals with normal versus impaired glucose tolerance. 2007 , 37, 535-43 | 86 |
| 1624 | Muscle fatigue resistance during stimulated contractions is reduced in young male smokers. 2007 , 191, 123-9 | 31 |
| 1623 | Variable selection under multiple imputation using the bootstrap in a prognostic study. 2007 , 7, 33 | 108 |
| 1622 | Reliability and validity of the Baecke physical activity questionnaire in adult women with hip disorders. 2007 , 8, 61 | 53 |
| 1621 | The Internet for weight control in an obese sample: results of a randomised controlled trial. 2007 , 7, 206 | 103 |
| 1620 | The relationship between leisure, walking, and transportation activity with the natural environment. 2007 , 13, 588-602 | 88 |
| 1619 | Reliability of the Thomas test for assessing range of motion about the hip. 2007 , 8, 14-21 | 36 |
| 1618 | China's transition: the effect of rapid urbanization on adult occupational physical activity. 2007 , 64, 858-70 | 175 |
| 1617 | Risk factors for inguinal hernia in adult males: a case-control study. 2007 , 141, 262-6 | 74 |
| 1616 | A prospective examination of illness beliefs and coping in patients with type 2 diabetes. 2007 , 12, 621-38 | 44 |
| 1615 | Postural activity of the pelvic floor muscles is delayed during rapid arm movements in women with stress urinary incontinence. 2007 , 18, 901-11 | 78 |
| 1614 | Differential effects of fatness, fitness and physical activity energy expenditure on whole-body, liver and fat insulin sensitivity. 2007 , 50, 1698-706 | 33 |
| 1613 | Correlates of physical activity in pregnancy among Latina women. 2007 , 11, 353-63 | 84 |
| 1612 | Early-life and adult socioeconomic status and inflammatory risk markers in adulthood. 2007 , 22, 55-66 | 160 |
| 1611 | Urban ethnic minority women's attendance at health clinic vs. church based exercise programs. 2007 , 22, 129-36 | 29 |
| 1610 | Obesity of Czech children and adolescents: relation to parental obesity and socioeconomic factors. 2007 , 15, 163-170 | 13 |
| 1609 | Improvement of VO ₂ max by cardiac output and oxygen extraction adaptation during intermittent versus continuous endurance training. 2007 , 101, 377-83 | 109 |

| | | |
|------|---|-----|
| 1608 | Exploring associations between physical activity and perceived and objective measures of the built environment. 2007 , 84, 162-84 | 226 |
| 1607 | A laboratory study to quantify the biomechanical responses to whole-body vibration: The influence on balance, reflex response, muscular activity and fatigue. 2008 , 38, 626-639 | 37 |
| 1606 | Genetic and environmental factors in familial clustering in physical activity. 2008 , 23, 205-11 | 45 |
| 1605 | Terugkeer naar het werk in een cohort van werknemers met lage ruggijn: ontwikkeling en validatie van een klinische predictieregel. 2008 , 27, 200-222 | 1 |
| 1604 | Age group differences in diet and physical activity-related behaviors among rural men and women. 2008 , 12, 169-74 | 4 |
| 1603 | Hunger control and regular physical activity facilitate weight loss after laparoscopic adjustable gastric banding. 2008 , 18, 833-40 | 93 |
| 1602 | Persons with recurrent low back pain exhibit a rigid postural control strategy. 2008 , 17, 1177-84 | 175 |
| 1601 | Age and microvascular responses to knee extensor exercise in women. 2008 , 103, 343-51 | 15 |
| 1600 | Skeletal muscle properties and fatigue resistance in relation to smoking history. 2008 , 104, 103-10 | 80 |
| 1599 | Reliability of the Ely's test for assessing rectus femoris muscle flexibility and joint range of motion. 2008 , 26, 793-9 | 34 |
| 1598 | Is balance different in women with and without stress urinary incontinence?. 2008 , 27, 71-8 | 46 |
| 1597 | Designing patient-related interventions in COPD care: empirical test of a theoretical model. 2008 , 72, 223-31 | 30 |
| 1596 | A new episode of low back pain: who relies on bed rest?. 2008 , 12, 508-16 | 21 |
| 1595 | BMD and bone geometry in transtibial and transfemoral amputees. 2008 , 23, 1449-57 | 54 |
| 1594 | Ecological differences in weight, length, and weight for length of Mexican American children in the WIC program. 2008 , 13, 154-67 | 12 |
| 1593 | Effect of dairy calcium on fecal fat excretion: a randomized crossover trial. 2008 , 32, 1816-24 | 82 |
| 1592 | Sex differences in contractile properties and fatigue resistance of human skeletal muscle. 2008 , 93, 843-50 | 108 |
| 1591 | Physical inactivity and obesity: a vicious circle. 2008 , 16, 409-14 | 190 |

| | | |
|------|---|-----|
| 1590 | Weight loss maintenance following a primary care intervention for low-income minority women. 2008 , 16, 2462-7 | 74 |
| 1589 | Longitudinal relationships between occupational and domestic physical activity patterns and body weight in China. 2008 , 62, 1318-25 | 121 |
| 1588 | Association between regular participation in sports and leisure time behaviors in Brazilian adolescents: a cross-sectional study. 2008 , 8, 329 | 17 |
| 1587 | Stay@Work: Participatory Ergonomics to prevent low back and neck pain among workers: design of a randomised controlled trial to evaluate the (cost-)effectiveness. 2008 , 9, 145 | 26 |
| 1586 | Subclinical cardiac abnormalities in human immunodeficiency virus-infected men receiving antiretroviral therapy. 2008 , 101, 1213-7 | 72 |
| 1585 | Relation of adult-onset asthma to coronary heart disease and stroke. 2008 , 101, 1247-52 | 77 |
| 1584 | The effect of different skin-ankle brace application pressures with and without shoes on single-limb balance, electromyographic activation onset and peroneal reaction time of lower limb muscles. 2008 , 18, 228-36 | 5 |
| 1583 | Incident heart failure is associated with lower whole-grain intake and greater high-fat dairy and egg intake in the Atherosclerosis Risk in Communities (ARIC) study. 2008 , 108, 1881-7 | 79 |
| 1582 | Hip rotation range of motion in people with and without low back pain who participate in rotation-related sports. 2008 , 9, 72-81 | 109 |
| 1581 | Olfactory influences on mood and autonomic, endocrine, and immune function. 2008 , 33, 328-39 | 96 |
| 1580 | Variation in ANGPTL4 and risk of coronary heart disease: the Atherosclerosis Risk in Communities Study. 2008 , 57, 1591-6 | 50 |
| 1579 | Validity of the modified Baecke questionnaire: comparison with energy expenditure according to the doubly labeled water method. 2008 , 5, 30 | 67 |
| 1578 | Television, physical activity, diet, and body weight status: the ARIC cohort. 2008 , 5, 68 | 35 |
| 1577 | Metabolic effects of weight loss on a very-low-carbohydrate diet compared with an isocaloric high-carbohydrate diet in abdominally obese subjects. 2008 , 51, 59-67 | 128 |
| 1576 | Community-based provision of statin and aspirin after the detection of coronary artery calcium within a community-based screening cohort. 2008 , 51, 1337-41 | 99 |
| 1575 | Skeletal muscle capillarization and oxidative metabolism in healthy smokers. 2008 , 33, 1240-5 | 13 |
| 1574 | Effect of interval versus continuous training on cardiorespiratory and mitochondrial functions: relationship to aerobic performance improvements in sedentary subjects. 2008 , 295, R264-72 | 201 |
| 1573 | Hormone therapy is associated with preserved smooth muscle structure and dilation in the arterial vasculature of the leg in older women. 2008 , 59, 46-54 | 4 |

| | | |
|------|--|-----|
| 1572 | The assessment of back muscle capacity using intermittent static contractions. Part I - Validity and reliability of electromyographic indices of fatigue. 2008 , 18, 1006-19 | 30 |
| 1571 | Ratings of perceived exertion during aerobic exercise in multiple sclerosis. 2008 , 89, 1570-4 | 38 |
| 1570 | Relationship of alcohol consumption and type of alcoholic beverage consumed with plasma lipid levels: differences between Whites and African Americans of the ARIC study. 2008 , 18, 101-7 | 55 |
| 1569 | HDL-cholesterol and incidence of breast cancer in the ARIC cohort study. 2008 , 18, 671-7 | 91 |
| 1568 | Longitudinal changes in triglycerides according to ANGPTL4[E40K] genotype and longitudinal body weight change in the atherosclerosis risk in communities study. 2008 , 18, 842-6 | 7 |
| 1567 | Revue des questionnaires de mesure de lâactivit'physique valids chez les enfants et les adolescents. 2008 , 23, 118-125 | 12 |
| 1566 | Chronic low back pain: physical training, graded activity with problem solving training, or both? The one-year post-treatment results of a randomized controlled trial. 2008 , 134, 263-276 | 79 |
| 1565 | Leptin-adiposity relationship changes, plus behavioral and parental factors, are involved in the development of body weight in a Dutch children cohort. 2008 , 93, 967-74 | 11 |
| 1564 | Coping with urbanization: a cardiometabolic risk? The THUSA study. 2008 , 79, 323-8 | 51 |
| 1563 | Body composition, volumetric and areal bone parameters in male-to-female transsexual persons. 2008 , 43, 1016-21 | 88 |
| 1562 | Altered postural control in anticipation of postural instability in persons with recurrent low back pain. 2008 , 28, 657-62 | 125 |
| 1561 | Stature loss and recovery following a period of loading: effect of time of day and presence or absence of low back pain. 2008 , 23, 721-6 | 8 |
| 1560 | Differences in symmetry of lumbar region passive tissue characteristics between people with and people without low back pain. 2008 , 23, 986-95 | 24 |
| 1559 | On the use of EMG-ratios to assess the coordination of back muscles. 2008 , 23, 1209-19 | 9 |
| 1558 | A randomized controlled crossover trial of the effect of ginseng consumption on the immune response to moderate exercise in healthy sedentary men. 2008 , 33, 966-75 | 21 |
| 1557 | Blood viscosity and hematocrit as risk factors for type 2 diabetes mellitus: the atherosclerosis risk in communities (ARIC) study. 2008 , 168, 1153-60 | 119 |
| 1556 | Dietary intake and the development of the metabolic syndrome: the Atherosclerosis Risk in Communities study. 2008 , 117, 754-61 | 628 |
| 1555 | Retinal arteriolar narrowing and left ventricular hypertrophy in African Americans. the Atherosclerosis Risk in Communities (ARIC) study. 2008 , 21, 352-9 | 44 |

| | | |
|------|--|-----|
| 1554 | Variation in TCF7L2 and increased risk of colon cancer: the Atherosclerosis Risk in Communities (ARIC) Study. 2008 , 31, 905-9 | 53 |
| 1553 | Variations in PPARD determine the change in body composition during lifestyle intervention: a whole-body magnetic resonance study. 2008 , 93, 1497-500 | 61 |
| 1552 | Identification and characterization of metabolically benign obesity in humans. 2008 , 168, 1609-16 | 736 |
| 1551 | Changes in abdominal obesity and age-related macular degeneration: the Atherosclerosis Risk in Communities Study. 2008 , 126, 1554-60 | 47 |
| 1550 | Associations between sport participation, demographic and socio-cultural factors in Portuguese children and adolescents. 2008 , 18, 25-30 | 37 |
| 1549 | Physical activity and mammographic density in a cohort of midlife women. 2008 , 40, 451-6 | 18 |
| 1548 | Reliability and validity of the PAD questionnaire: a measure to assess pain-related decline in physical activity. 2008 , 40, 9-14 | 10 |
| 1547 | Construct validation of physical activity surveys in culturally diverse older adults: a comparison of four commonly used questionnaires. 2008 , 79, 42-50 | 25 |
| 1546 | The relationships between self-assessed habitual physical activity and non-invasive measures of cardiac autonomic modulation in young healthy volunteers. 2008 , 26, 1171-7 | 16 |
| 1545 | Abdominal bloating in employed adults: prevalence, risk factors, and association with other bowel disorders. 2008 , 103, 1241-8 | 48 |
| 1544 | Increased substrate oxidation and mitochondrial uncoupling in skeletal muscle of endurance-trained individuals. 2008 , 105, 16701-6 | 82 |
| 1543 | Acquired obesity and poor physical fitness impair expression of genes of mitochondrial oxidative phosphorylation in monozygotic twins discordant for obesity. 2008 , 295, E148-54 | 59 |
| 1542 | Recreational physical activity modifies the association between a common GH1 polymorphism and colorectal cancer risk. 2008 , 17, 3314-8 | 15 |
| 1541 | Social support and physical activity in type 2 diabetes: a social-ecologic approach. 2008 , 34, 1037-44 | 23 |
| 1540 | Influence of muscle mass and physical activity on serum and urinary creatinine and serum cystatin C. 2008 , 3, 348-54 | 398 |
| 1539 | How do I measure physical activity in my patients? Questionnaires and objective methods. 2009 , 43, 6-9 | 80 |
| 1538 | Sensitivity and specificity of recalled vasomotor symptoms in a multiethnic cohort. 2008 , 168, 1452-9 | 11 |
| 1537 | Genetic variation of maximal velocity and EMG activity. 2008 , 29, 177-81 | 4 |

| | | |
|------|--|-----|
| 1536 | Unexpected endocrine features and normal pigmentation in a young adult patient carrying a novel homozygous mutation in the POMC gene. 2008 , 93, 4955-62 | 71 |
| 1535 | Factors related to declining luteal function in women during the menopausal transition. 2008 , 93, 1711-21 | 47 |
| 1534 | Levels of sex steroid and cardiovascular disease measures in premenopausal and hormone-treated women at midlife: implications for the "timing hypothesis". 2008 , 168, 2146-53 | 32 |
| 1533 | Genome-wide linkage scan for maximum and length-dependent knee muscle strength in young men: significant evidence for linkage at chromosome 14q24.3. 2008 , 45, 275-83 | 15 |
| 1532 | Genome-wide linkage scan for contraction velocity characteristics of knee musculature in the Leuven Genes for Muscular Strength Study. 2008 , 35, 36-44 | 15 |
| 1531 | Changes in diet and physical activity following BRCA1/2 testing. 2008 , 26, 63-80 | 28 |
| 1530 | Effect of stabilization training on multifidus muscle cross-sectional area among young elite cricketers with low back pain. 2008 , 38, 101-8 | 229 |
| 1529 | Habitual physical activity levels are positively correlated with CD4 counts in an HIV-positive South African population. 2008 , 7, 237-42 | 7 |
| 1528 | n-3 Fatty acids, hypertension and risk of cognitive decline among older adults in the Atherosclerosis Risk in Communities (ARIC) study. 2008 , 11, 17-29 | 43 |
| 1527 | Inhibition of bone turnover by milk intake in postmenopausal women. 2008 , 100, 866-74 | 41 |
| 1526 | Quadriceps cross-sectional area changes in young healthy men with different magnitude of Q angle. 2008 , 105, 800-4 | 16 |
| 1525 | The Relationship Between Depression and Occupational, Household, and Leisure-Time Physical Activity. 2008 , 2, 95-107 | 7 |
| 1524 | Associations between parents' and 12-year-old children's sport and vigorous activity: the role of self-esteem and athletic competence. 2008 , 5, 359-73 | 36 |
| 1523 | Decrease in oxidative stress through supplementation of vitamins C and E is associated with a reduction in blood pressure in patients with essential hypertension. 2008 , 114, 625-34 | 92 |
| 1522 | Sex-specific influence of aging on exercising leg blood flow. 2008 , 104, 655-64 | 76 |
| 1521 | Reliability limits of the modified Thomas test for assessing rectus femoris muscle flexibility about the knee joint. 2008 , 43, 470-6 | 26 |
| 1520 | The Marshfield Clinic Personalized Medicine Research Project: 2008 scientific update and lessons learned in the first 6 years. 2008 , 5, 529-542 | 31 |
| 1519 | Blood loss is a stronger predictor of iron status in men than C282Y heterozygosity or diet. 2008 , 27, 158-67 | 5 |

| | | | |
|------|--|---|-----|
| 1518 | Estimating activity energy expenditure: how valid are physical activity questionnaires?. <i>American Journal of Clinical Nutrition</i> , 2008 , 87, 279-91 | 7 | 149 |
| 1517 | Sleep Disturbance During the Menopausal Transition in a Multi-Ethnic Community Sample of Women. 2008 , | | 3 |
| 1516 | Age and sex differences in physical activity of Portuguese adolescents. 2008 , 40, 65-70 | | 24 |
| 1515 | Selective serotonin reuptake inhibitor use and bone mineral density in women with a history of depression. 2008 , 23, 84-7 | | 84 |
| 1514 | Potential benefit from an H1-receptor antagonist on postexercise syncope in the heat. 2008 , 40, 1953-61 | | 11 |
| 1513 | An evaluation of self-report physical activity instruments used in studies involving cardiac patients. 2008 , 28, 358-69 | | 19 |
| 1512 | Individual and neighborhood socioeconomic status characteristics and prevalence of metabolic syndrome: the Atherosclerosis Risk in Communities (ARIC) Study. 2008 , 70, 986-92 | | 67 |
| 1511 | Use of complementary and alternative medicine during the menopause transition: longitudinal results from the Study of Women's Health Across the Nation. 2008 , 15, 32-43 | | 65 |
| 1510 | Impact of visceral fat on the metabolic syndrome and nonalcoholic fatty liver disease. 2008 , 23, 789-95 | | 24 |
| 1509 | [Risk of overweight in adolescents from different socioeconomic levels]. 2008 , 54, 334-8 | | 10 |
| 1508 | A low-glycemic-index diet reduces plasma plasminogen activator inhibitor-1 activity, but not tissue inhibitor of proteinases-1 or plasminogen activator inhibitor-1 protein, in overweight women. <i>American Journal of Clinical Nutrition</i> , 2008 , 87, 97-105 | 7 | 31 |
| 1507 | Influence of vibration resistance training on knee extensor and plantar flexor size, strength, and contractile speed characteristics after 60 days of bed rest. 2009 , 107, 1789-98 | | 30 |
| 1506 | Association between osteoporosis and rheumatoid arthritis in women: a cross-sectional study. 2009 , 127, 216-22 | | 13 |
| 1505 | Effects of Physical Activity and Aerobic Exercise Capacity on Aortic Stiffness in Patients With Untreated Hypertension. 2009 , 39, 52 | | 3 |
| 1504 | The six-minute walk test and body weight-walk distance product in healthy Brazilian subjects. 2009 , 42, 1080-5 | | 126 |
| 1503 | Physical deconditioning in chronic low back pain. 2009 , 41, 262-6 | | 17 |
| 1502 | Anterior cruciate ligament deficiency causes brain plasticity: a functional MRI study. 2009 , 37, 2419-26 | | 120 |
| 1501 | Short-term exercise training does not stimulate skeletal muscle ATP synthesis in relatives of humans with type 2 diabetes. 2009 , 58, 1333-41 | | 56 |

| | | | |
|------|---|---|-----|
| 1500 | Predictors of cardiovascular fitness in sedentary men. 2009 , 34, 99-106 | | 9 |
| 1499 | Coffee intake, smoking, and pulmonary function in the Atherosclerosis Risk in Communities Study. 2009 , 169, 1445-53 | | 17 |
| 1498 | Genetic analysis of self-reported physical activity and adiposity: the Southwest Ohio Family Study. 2009 , 12, 1052-60 | | 32 |
| 1497 | What do pedometer counts represent? A comparison between pedometer data and data from four different questionnaires. 2009 , 12, 74-81 | | 40 |
| 1496 | Vigorous physical activity and vagal modulation in young adults. 2009 , 16, 705-11 | | 23 |
| 1495 | Longitudinal impact of physical activity on lipid profiles in middle-aged adults: the Atherosclerosis Risk in Communities Study. 2009 , 50, 1685-91 | | 63 |
| 1494 | Cardiorespiratory fitness and components of the metabolic syndrome in sedentary men. 2009 , 2, 318-24 | | 3 |
| 1493 | Use of hormone replacement therapy and the risk of colorectal cancer. 2009 , 27, 4542-7 | | 64 |
| 1492 | Bone density comparisons in male competitive road cyclists and untrained controls. 2009 , 41, 290-6 | | 49 |
| 1491 | Anthropometric and skeletal phenotype in men with idiopathic osteoporosis and their sons is consistent with deficient estrogen action during maturation. 2009 , 94, 4300-8 | | 16 |
| 1490 | Fat mass is negatively associated with cortical bone size in young healthy male siblings. 2009 , 94, 2325-31 | | 79 |
| 1489 | Long-term effects of a very-low-carbohydrate weight loss diet compared with an isocaloric low-fat diet after 12 mo. <i>American Journal of Clinical Nutrition</i> , 2009 , 90, 23-32 | 7 | 183 |
| 1488 | Psychometric properties of the KPAS in diverse ethnic groups of midlife women. 2009 , 31, 1014-34 | | 3 |
| 1487 | Cardiovascular risk factors and atherosclerosis in young women: atherosclerosis risk factors in female youngsters (ARFY study). 2009 , 40, 1063-9 | | 65 |
| 1486 | Aerobic fitness and limiting factors of maximal performance in chronic low back pain patients. 2009 , 22, 113-9 | | 12 |
| 1485 | Fish consumption and markers of colorectal cancer risk: a multicenter randomized controlled trial. <i>American Journal of Clinical Nutrition</i> , 2009 , 90, 354-61 | 7 | 31 |
| 1484 | Strategies to increase vegetable or reduce energy and fat intake induce weight loss in adults. 2009 , 234, 542-52 | | 30 |
| 1483 | Lipid changes during the menopause transition in relation to age and weight: the Study of Women's Health Across the Nation. 2009 , 169, 1352-61 | | 170 |

| | | |
|------|---|-----|
| 1482 | Association of hip circumference with incident diabetes and coronary heart disease: the Atherosclerosis Risk in Communities study. 2009 , 169, 837-47 | 48 |
| 1481 | High cardiorespiratory fitness is an independent predictor of the reduction in liver fat during a lifestyle intervention in non-alcoholic fatty liver disease. 2009 , 58, 1281-8 | 192 |
| 1480 | Biochemical and nutritional indices as cardiovascular risk factors among Iranian firefighters. 2009 , 46, 385-9 | 3 |
| 1479 | Validity and reliability of cardiorespiratory measurements recorded by the LifeShirt during exercise tests. 2009 , 167, 162-7 | 44 |
| 1478 | Nutrition and health of elderly people in Europe: the EURONUT-SENECA Study. 1992 , 50, 185-94 | 32 |
| 1477 | Effects of capsaicin, green tea and CH-19 sweet pepper on appetite and energy intake in humans in negative and positive energy balance. 2009 , 28, 260-5 | 95 |
| 1476 | [Structured review of physical activity measurement with questionnaires and scales in older adults and the elderly]. 2009 , 23, 334.e1-334.e17 | 9 |
| 1475 | Vascular cell adhesion molecule 1 as a predictor of severe osteoarthritis of the hip and knee joints. 2009 , 60, 2381-9 | 62 |
| 1474 | Altered response of the anterolateral abdominal muscles to simulated weight-bearing in subjects with low back pain. 2009 , 18, 410-8 | 81 |
| 1473 | The impact of pregnancy on physical activity level. 2009 , 13, 597-603 | 106 |
| 1472 | Smoking attenuates the negative association between carotenoids consumption and colorectal cancer risk. 2009 , 20, 1327-38 | 21 |
| 1471 | Physical activity--the more we measure, the more we know how to measure. 2009 , 24, 119-22 | 17 |
| 1470 | Cardiovascular diseases, risk factors and short-term heart rate variability in an elderly general population: the CARLA study 2002-2006. 2009 , 24, 123-42 | 81 |
| 1469 | Measures of physical activity and their correlates: the Swedish National March Cohort. 2009 , 24, 161-9 | 38 |
| 1468 | Return to work in a cohort of low back pain patients: development and validation of a clinical prediction rule. 2009 , 19, 155-65 | 49 |
| 1467 | A new non exercise-based VO2max prediction equation for patients with chronic low back pain. 2009 , 19, 293-9 | 5 |
| 1466 | Clinical presentation of patients with symptomatic anterior hip impingement. 2009 , 467, 638-44 | 342 |
| 1465 | Sleep disturbance in relation to health-related quality of life in adults: the Fels Longitudinal Study. 2009 , 13, 576-83 | 87 |

| | | |
|------|--|-----|
| 1464 | Physical activity monitoring in obese people in the real life environment. 2009 , 6, 47 | 26 |
| 1463 | Clinical trial: a nutritional supplement Viusid, in combination with diet and exercise, in patients with nonalcoholic fatty liver disease. 2009 , 30, 999-1009 | 73 |
| 1462 | Pre-gravid physical activity and reduced risk of glucose intolerance in pregnancy: the role of insulin sensitivity. 2009 , 70, 615-22 | 56 |
| 1461 | The training stimulus experienced by the leg muscles during cycling in humans. 2009 , 94, 684-94 | 27 |
| 1460 | Fluid replacement and heat stress during exercise alter post-exercise cardiac haemodynamics in endurance exercise-trained men. 2009 , 587, 3605-17 | 31 |
| 1459 | Long-term effects of increased dietary polyunsaturated fat from walnuts on metabolic parameters in type II diabetes. 2009 , 63, 1008-15 | 121 |
| 1458 | Characteristics of women who frequently under report their energy intake: a doubly labelled water study. 2009 , 63, 1192-9 | 82 |
| 1457 | Impact of overweight and obesity on hospitalization: race and gender differences. 2009 , 33, 249-56 | 18 |
| 1456 | The effect of a low-fat, high-protein or high-carbohydrate ad libitum diet on weight loss maintenance and metabolic risk factors. 2009 , 33, 296-304 | 112 |
| 1455 | Several obesity- and nutrient-related gene polymorphisms but not FTO and UCP variants modulate postabsorptive resting energy expenditure and fat-induced thermogenesis in obese individuals: the NUGENOB study. 2009 , 33, 669-79 | 33 |
| 1454 | Overweight and obesity in young and middle age and early retirement: the ARIC study. 2009 , 17, 143-9 | 22 |
| 1453 | The effect of dietary glycemic index on weight maintenance in overweight subjects: a pilot study. 2009 , 17, 396-401 | 16 |
| 1452 | Rapid postnatal weight gain and visceral adiposity in adulthood: the Fels Longitudinal Study. 2009 , 17, 2060-6 | 77 |
| 1451 | Effects of a low carbohydrate weight loss diet on exercise capacity and tolerance in obese subjects. 2009 , 17, 1916-23 | 32 |
| 1450 | Stress-related development of obesity and cortisol in women. 2009 , 17, 1678-83 | 97 |
| 1449 | Skeletal muscle fiber-type distribution and habitual physical activity in daily life. 2009 , 19, 373-80 | 3 |
| 1448 | Comparison of aerobic exercise capacity and muscle strength in overweight women with and without polycystic ovary syndrome. 2009 , 116, 1242-50 | 34 |
| 1447 | Respiratory dysfunction in chronic neck pain patients. A pilot study. 2009 , 29, 701-10 | 61 |

| | | |
|------|---|-----|
| 1446 | More is not always better: cost-effectiveness analysis of combined, single behavioral and single physical rehabilitation programs for chronic low back pain. 2009 , 13, 71-81 | 49 |
| 1445 | Daily physical activities in chronic lower back pain patients assessed with accelerometry. 2009 , 13, 649-54 | 64 |
| 1444 | Determinants of bone mineral density in older men. 1995 , 10, 1769-77 | 105 |
| 1443 | Serum estradiol is associated with volumetric BMD and modulates the impact of physical activity on bone size at the age of peak bone mass: a study in healthy male siblings. 2009 , 24, 1075-85 | 54 |
| 1442 | Application of high-resolution skeletal imaging to measurements of volumetric BMD and skeletal microarchitecture in Chinese-American and white women: explanation of a paradox. 2009 , 24, 1953-9 | 69 |
| 1441 | Physical activity ratios for various commonly performed sedentary and physical activities in obese adolescents. 2009 , 32, 79-82 | 4 |
| 1440 | Impact of short-duration lifestyle intervention in collaboration with general practitioners in patients with the metabolic syndrome. 2009 , 35, 185-91 | 19 |
| 1439 | Sports activity and risk of type 2 diabetes in Chinese. 2009 , 84, 311-8 | 15 |
| 1438 | Differences in lumbopelvic motion between people with and people without low back pain during two lower limb movement tests. 2009 , 24, 7-12 | 117 |
| 1437 | Effects of restrained eating behaviour on insulin sensitivity in normal-weight individuals. 2009 , 96, 703-8 | 6 |
| 1436 | Carotid atherosclerosis and the risk factors in early postmenopausal Chinese women. 2009 , 63, 233-9 | 17 |
| 1435 | A submaximal test to assess back muscle capacity: evaluation of construct validity. 2009 , 19, e422-9 | 8 |
| 1434 | Cardio-respiratory fitness, habitual physical activity and serum brain derived neurotrophic factor (BDNF) in men and women. 2009 , 451, 152-5 | 96 |
| 1433 | Life course socioeconomic conditions and metabolic syndrome in adults: the Atherosclerosis Risk in Communities (ARIC) Study. 2009 , 19, 875-83 | 63 |
| 1432 | Is the fear avoidance model associated with the reduced level of aerobic fitness in patients with chronic low back pain?. 2009 , 90, 109-17 | 35 |
| 1431 | Physical activity and subclinical MRI cerebral infarcts: the ARIC Study. 2009 , 284, 135-9 | 8 |
| 1430 | Toward the development of predictive equations of back muscle capacity based on frequency- and temporal-domain electromyographic indices computed from intermittent static contractions. 2009 , 9, 87-95 | 5 |
| 1429 | Six-minute walk test: functional capacity of severely obese before and after bariatric surgery. 2009 , 5, 540-3 | 55 |

| | | |
|------|---|------|
| 1428 | Comparison of weight-loss diets with different compositions of fat, protein, and carbohydrates. 2009 , 360, 859-73 | 1358 |
| 1427 | Clinical assessment of the physical activity pattern of chronic fatigue syndrome patients: a validation of three methods. 2009 , 7, 29 | 31 |
| 1426 | Shift work and metabolic syndrome: respective impacts of job strain, physical activity, and dietary rhythms. 2009 , 26, 544-59 | 225 |
| 1425 | Transcription factor 7-like 2 (TCF7L2) polymorphism and context-specific risk of type 2 diabetes in African American and Caucasian adults: the Atherosclerosis Risk in Communities study. 2009 , 58, 285-9 | 23 |
| 1424 | Physical activity, cardiorespiratory fitness, and metabolic syndrome in young Mexican and Mexican-American women. 2009 , 34, 10-7 | 8 |
| 1423 | Dietary glycemic load, glycemic index, and associated factors in a multiethnic cohort of midlife women. 2009 , 28, 636-47 | 18 |
| 1422 | The usability of a modified Astrand bicycle test to assess the aerobic capacity in patients with musculoskeletal pain and healthy controls. 2009 , 31, 1988-95 | 5 |
| 1421 | Marital happiness and sleep disturbances in a multi-ethnic sample of middle-aged women. 2009 , 7, 2-19 | 94 |
| 1420 | Virtual Self-Modeling: The Effects of Vicarious Reinforcement and Identification on Exercise Behaviors. 2009 , 12, 1-25 | 310 |
| 1419 | Variation in PCSK9, low LDL cholesterol, and risk of peripheral arterial disease. 2009 , 202, 211-5 | 33 |
| 1418 | Risk factor correlates of platelet and leukocyte markers assessed by flow cytometry in a population-based sample. 2009 , 205, 272-8 | 17 |
| 1417 | Physical performance of migrant schoolchildren with marginal and severe iron deficiency in the suburbs of Beijing. 2009 , 22, 333-9 | 6 |
| 1416 | Prevalence of low bone mass in relation to estrogen treatment and body composition in male-to-female transsexual persons. 2009 , 12, 306-13 | 43 |
| 1415 | A Review of Self-Report Functional Outcome Measures in Selected Obstetric Physical Therapy Interventions. 2009 , 33, 7-12 | 6 |
| 1414 | Lifetime history of major depression predicts the development of the metabolic syndrome in middle-aged women. 2009 , 71, 266-72 | 116 |
| 1413 | Depressive symptoms and increased visceral fat in middle-aged women. 2009 , 71, 410-6 | 74 |
| 1412 | A mathematical model to describe fat oxidation kinetics during graded exercise. 2009 , 41, 1615-25 | 35 |
| 1411 | Change in health-related quality of life over the menopausal transition in a multiethnic cohort of middle-aged women: Study of Women's Health Across the Nation. 2009 , 16, 860-9 | 190 |

| | | |
|------|--|-----|
| 1410 | Physiology of walking in patients with moderate to severe chronic obstructive pulmonary disease. 2009 , 41, 1540-8 | 28 |
| 1409 | Impact of preinduced quadriceps fatigue on exercise response in chronic obstructive pulmonary disease and healthy subjects. 2009 , 107, 832-40 | 59 |
| 1408 | The impact of physical activity level on SF-36 role-physical and bodily pain indices in midlife women. 2009 , 6, 33-42 | 23 |
| 1407 | Insulin-sensitivity response to a single bout of resistive exercise in type 1 diabetes mellitus. 2009 , 18, 564-71 | 16 |
| 1406 | Fitness's moderation of the facilitative effect of acute exercise on cognitive flexibility in older women. 2009 , 17, 154-66 | 22 |
| 1405 | Relationship between the hip and low back pain in athletes who participate in rotation-related sports. 2009 , 18, 60-75 | 76 |
| 1404 | Validation of the Jackson Heart Study Physical Activity Survey in African Americans. 2009 , 6 Suppl 1, S124-32 | 64 |
| 1403 | Physical activity questionnaire comprehension: lessons from cognitive interviews. 2009 , 41, 336-43 | 46 |
| 1402 | Physical activity participation constraints among athletic trainers: A profession based assessment. 2009 , 33, 563-587 | 3 |
| 1401 | Comparisons of bone mineral density and bone quality in adult rock climbers, resistance-trained men, and untrained men. 2010 , 24, 2468-74 | 9 |
| 1400 | Determinants of accurate compensation for previous energy intake over 1 h. 2010 , 69, | |
| 1399 | The effect of inspiratory muscles fatigue on postural control in people with and without recurrent low back pain. 2010 , 35, 1088-94 | 53 |
| 1398 | Performance tests in people with chronic low back pain: responsiveness and minimal clinically important change. 2010 , 35, E1559-63 | 36 |
| 1397 | Specificity of a back muscle exercise machine in healthy and low back pain subjects. 2010 , 42, 592-9 | 18 |
| 1396 | Childhood abuse is associated with adiposity in midlife women: possible pathways through trait anger and reproductive hormones. 2010 , 72, 215-23 | 52 |
| 1395 | Reproducibility of a simplified Q-angle measurement technique. 2010 , 21, 158-164 | 2 |
| 1394 | Smoking, smoking cessation, and risk for type 2 diabetes mellitus: a cohort study. 2010 , 152, 10-7 | 237 |
| 1393 | Oat beta-glucan supplementation does not enhance the effectiveness of an energy-restricted diet in overweight women. 2010 , 103, 1212-22 | 78 |

| | | |
|------|--|-----|
| 1392 | The association between physical activity, productivity, and health care utilization among employees in Brazil. 2010 , 52, 706-12 | 15 |
| 1391 | Associations of obesity measures with subtypes of ischemic stroke in the ARIC Study. 2010 , 20, 347-54 | 39 |
| 1390 | Physical fitness and physical activity in adolescents with asperger syndrome: a comparative study. 2010 , 27, 308-20 | 35 |
| 1389 | Early smoking is associated with peak bone mass and prevalent fractures in young, healthy men. 2010 , 25, 379-87 | 37 |
| 1388 | NOS1AP variant associated with incidence of type 2 diabetes in calcium channel blocker users in the Atherosclerosis Risk in Communities (ARIC) study. 2010 , 53, 510-6 | 11 |
| 1387 | Long-term lifestyle intervention lowers the incidence of stroke in Japanese patients with type 2 diabetes: a nationwide multicentre randomised controlled trial (the Japan Diabetes Complications Study). 2010 , 53, 419-28 | 101 |
| 1386 | Race/ethnic differences in bone mineral densities in older men. 2010 , 21, 2115-23 | 55 |
| 1385 | Joint position sense and vibratory perception sense in patients with Ehlers-Danlos syndrome type III (hypermobility type). 2010 , 29, 289-95 | 57 |
| 1384 | The effect of sex and chronic low back pain on back muscle reflex responses. 2010 , 109, 577-90 | 31 |
| 1383 | Cold-induced vasoconstriction at forearm and hand skin sites: the effect of age. 2010 , 109, 915-21 | 23 |
| 1382 | Differences in whole-body fat oxidation kinetics between cycling and running. 2010 , 109, 1037-45 | 31 |
| 1381 | Inter-individual variability in adaptation of the leg muscles following a standardised endurance training programme in young women. 2010 , 109, 1111-8 | 28 |
| 1380 | Inter-individual variability in the adaptation of human muscle specific tension to progressive resistance training. 2010 , 110, 1117-25 | 61 |
| 1379 | Are measures of height and leg length related to incident diabetes mellitus? The ARIC (Atherosclerosis Risk in Communities) study. 2010 , 47, 237-42 | 29 |
| 1378 | Quality of diet, screened by the Mediterranean diet quality index and the evaluation of the content of advanced glycation endproducts, in a population of high school students from Emilia Romagna. 2010 , 3, 153-157 | 4 |
| 1377 | The relationship between 24-h urinary cortisol and bone in healthy young women. 2010 , 17, 207-15 | 11 |
| 1376 | Exercise following bariatric surgery: systematic review. 2010 , 20, 657-65 | 144 |
| 1375 | Adherence is a multi-dimensional construct in the POUNDS LOST trial. 2010 , 33, 35-46 | 43 |

| | | |
|------|---|-----|
| 1374 | Early behavioral adherence predicts short and long-term weight loss in the POUNDS LOST study. 2010 , 33, 305-14 | 45 |
| 1373 | Physical activity and the risk of breast cancer in BRCA1/2 mutation carriers. 2010 , 120, 235-44 | 60 |
| 1372 | Socioeconomic status, obesity and lifestyle in men: The Geelong Osteoporosis Study. 2010 , 7, 31-41 | 31 |
| 1371 | Distribution of C-reactive protein and its association with subclinical atherosclerosis in asymptomatic postmenopausal Chinese women. 2010 , 59, 1672-9 | 5 |
| 1370 | Validation of handgrip strength and endurance as a measure of physical function and quality of life in healthy subjects and patients. 2010 , 26, 542-50 | 72 |
| 1369 | Do depression and pain intensity interfere with physical activity in daily life in patients with Chronic Low Back Pain?. 2010 , 150, 161-166 | 66 |
| 1368 | The effect of within-session instruction on lumbopelvic motion during a lower limb movement in people with and people without low back pain. 2010 , 15, 496-501 | 32 |
| 1367 | Marital behavior, oxytocin, vasopressin, and wound healing. 2010 , 35, 1082-90 | 145 |
| 1366 | Association of health behaviour with heart rate variability: a population-based study. 2010 , 10, 58 | 12 |
| 1365 | A pragmatic randomised controlled trial of the Welsh National Exercise Referral Scheme: protocol for trial and integrated economic and process evaluation. 2010 , 10, 352 | 27 |
| 1364 | Dietary quality and associated factors among factory workers in the metropolitan region of São Paulo, Brazil. 2010 , 110, 786-90 | 10 |
| 1363 | A hypertension risk score for middle-aged and older adults. 2010 , 12, 800-8 | 41 |
| 1362 | Transcription factor 7-like 2 (TCF7L2) polymorphism and context-specific risk of impaired fasting glucose in African American and Caucasian adults: the atherosclerosis risk in communities (ARIC) study. 2010 , 26, 371-7 | 13 |
| 1361 | Bayesian longitudinal plateau model of adult grip strength. 2010 , 22, 648-56 | 35 |
| 1360 | Relationships between serial childhood adiposity measures and adult blood pressure: The Fels longitudinal study. 2010 , 22, 830-5 | 2 |
| 1359 | Association between physical activity and retinal microvascular signs: the Atherosclerosis Risk in Communities (ARIC) Study. 2010 , 17, 381-93 | 29 |
| 1358 | Retraining motor control of abdominal muscles among elite cricketers with low back pain. 2010 , 20, 834-42 | 58 |
| 1357 | Ethnic differences in exercise and leisure time physical activity among midlife women. 2010 , 66, 814-27 | 25 |

| | | |
|------|--|----|
| 1356 | Admixture mapping of obesity-related traits in African Americans: the Atherosclerosis Risk in Communities (ARIC) Study. 2010 , 18, 563-72 | 41 |
| 1355 | Gestational diabetes and postpartum physical activity: evidence of lifestyle change 1 year after delivery. 2010 , 18, 1323-9 | 22 |
| 1354 | Sleep duration and body-weight development during puberty in a Dutch children cohort. 2010 , 34, 1508-14 | 23 |
| 1353 | Effect of leisure-time physical activity on the prognosis of coronary artery bypass graft surgery. 2010 , 25, 73-8 | 12 |
| 1352 | Quality of diet, screened by the Mediterranean diet quality index and the evaluation of the content of advanced glycation endproducts, in a population of high school students from Emilia Romagna. 2010 , 3, 153-157 | 7 |
| 1351 | Determination of the power-duration relationship in upper-limb exercises. 2010 , | |
| 1350 | Leisure time behaviors: Prevalence, correlates and associations with overweight in Brazilian adults. A cross-sectional analysis. 2010 , 138, | 8 |
| 1349 | Maximal respiratory pressure in healthy 20 to 89 year-old sedentary individuals of central So Paulo State. 2010 , 14, 60-7 | 35 |
| 1348 | Changes in functional capacity of patients two years after coronary artery bypass grafting surgery. 2010 , 25, 224-8 | 10 |
| 1347 | [Physical activity behavior among coronary outpatients according to socio-demographic and clinical profile]. 2010 , 63, 741-8 | 3 |
| 1346 | Higher Dietary Protein Intake is Associated with Lower Body Fat in the Newfoundland Population. 2010 , 3, 25-35 | 13 |
| 1345 | Avaliao antropomtrica e do ngulo quadricepsital na osteoartrite de joelho em mulheres obesas. 2010 , 17, 220-224 | 2 |
| 1344 | Diet quality index adjusted for energy requirements in adults. 2010 , 26, 2121-8 | 9 |
| 1343 | Nutritional status of Flemish vegetarians compared with non-vegetarians: a matched samples study. 2010 , 2, 770-80 | 24 |
| 1342 | Traduo e adaptao transcultural do Questionrio de Atividade Fsica Habitual. 2010 , 37, 16-22 | 14 |
| 1341 | Emotional exhaustion, absenteeism, and turnover intentions in childcare teachers: examining the impact of physical activity behaviors. 2010 , 15, 905-14 | 50 |
| 1340 | Body mass index increases risk of colorectal adenomas in men with Lynch syndrome: the GEOLynch cohort study. 2010 , 28, 4346-53 | 54 |
| 1339 | Does exercise have a role in the management of gestational diabetes mellitus?. 2010 , 3, 133-8 | |

| | | | |
|------|---|---|-----|
| 1338 | Association of blood lactate with type 2 diabetes: the Atherosclerosis Risk in Communities Carotid MRI Study. 2010 , 39, 1647-55 | | 133 |
| 1337 | Physical activity and change in mammographic density: the Study of Women's Health Across the Nation. 2010 , 171, 960-8 | | 18 |
| 1336 | Effect of lifestyle intervention on dietary habits, physical activity, and gestational weight gain in obese pregnant women: a randomized controlled trial. <i>American Journal of Clinical Nutrition</i> , 2010 , 91, 373-80 | 7 | 247 |
| 1335 | Reproductive hormones and obesity: 9 years of observation from the Study of Women's Health Across the Nation. 2010 , 171, 1203-13 | | 62 |
| 1334 | High-molecular-weight adiponectin is selectively reduced in women with polycystic ovary syndrome independent of body mass index and severity of insulin resistance. 2010 , 95, 1378-85 | | 57 |
| 1333 | Cellular aging reflected by leukocyte telomere length predicts advanced atherosclerosis and cardiovascular disease risk. 2010 , 30, 1649-56 | | 211 |
| 1332 | Consistency in size and asymmetry of the psoas major muscle among elite footballers. 2010 , 44, 1173-7 | | 26 |
| 1331 | A case-control study of levothyroxine and the risk of colorectal cancer. 2010 , 102, 568-72 | | 39 |
| 1330 | Musculoskeletal complaints, physical activity and health-related quality of life among patients with the Ehlers-Danlos syndrome hypermobility type. 2010 , 32, 1339-45 | | 150 |
| 1329 | Effect of honey versus sucrose on appetite, appetite-regulating hormones, and postmeal thermogenesis. 2010 , 29, 482-93 | | 18 |
| 1328 | Adiposity, physical activity and blood lipid profile in 13-year-old adolescents. 2010 , 23, 333-43 | | 5 |
| 1327 | Changes in family variables among normal and overweight preschoolers. 2010 , 33, 20-38 | | 19 |
| 1326 | Retinal microvascular abnormalities and risk of lacunar stroke: Atherosclerosis Risk in Communities Study. 2010 , 41, 1349-55 | | 145 |
| 1325 | Health-related quality of life by the type of physical activity in Korea. 2010 , 27, 96-106 | | 6 |
| 1324 | Risk of incident cardiovascular disease among users of smokeless tobacco in the Atherosclerosis Risk in Communities (ARIC) study. 2010 , 172, 600-5 | | 49 |
| 1323 | Acute elevation of plasma lipids does not affect ATP synthesis in human skeletal muscle. 2010 , 299, E33-8 | | 27 |
| 1322 | β-blocker therapy and heart rate control during exercise testing in the general population: role of a common G-protein β subunit variant. 2010 , 11, 1209-21 | | 9 |
| 1321 | Relationships between components of physical activity, cardiorespiratory fitness, cardiac autonomic health, and brain-derived neurotrophic factor. 2010 , 28, 843-9 | | 6 |

| | | |
|------|--|------|
| 1320 | Serum vitamin D concentration does not predict insulin action or secretion in European subjects with the metabolic syndrome. 2010 , 33, 923-5 | 77 |
| 1319 | Metabolic responses on the early shift. 2010 , 27, 1080-92 | 35 |
| 1318 | Walking for the assessment of balance in healthy subjects older than 40 years. 2010 , 56, 467-73 | 21 |
| 1317 | Race- and sex-specific associations of obesity measures with ischemic stroke incidence in the Atherosclerosis Risk in Communities (ARIC) study. 2010 , 41, 417-25 | 65 |
| 1316 | Countermeasures against lumbar spine deconditioning in prolonged bed rest: resistive exercise with and without whole body vibration. 2010 , 109, 1801-11 | 65 |
| 1315 | A prospective exploration of cognitive dietary restraint, subclinical ovulatory disturbances, cortisol, and change in bone density over two years in healthy young women. 2010 , 95, 3291-9 | 31 |
| 1314 | Effects of smoking on tibial and radial bone mass and strength may diminish with age. 2010 , 95, 2763-71 | 7 |
| 1313 | Muscle mitochondrial oxidative phosphorylation activity, but not content, is altered with abdominal obesity in sedentary men: synergism with changes in insulin sensitivity. 2010 , 95, 2948-56 | 26 |
| 1312 | You reap what you sow: the long-term benefits of your investment. 2010 , 33, 878-9 | |
| 1311 | Lipoprotein subclass patterns in women with polycystic ovary syndrome (PCOS) compared with equally insulin-resistant women without PCOS. 2010 , 95, 3933-9 | 33 |
| 1310 | [Physical activity and exercise training for patients with cystic fibrosis]. 2010 , 27, 301-13 | 11 |
| 1309 | Apolipoprotein C3 gene variants in nonalcoholic fatty liver disease. 2010 , 362, 1082-9 | 327 |
| 1308 | Glycated hemoglobin, diabetes, and cardiovascular risk in nondiabetic adults. 2010 , 362, 800-11 | 1045 |
| 1307 | No long-term weight maintenance effects of gelatin in a supra-sustained protein diet. 2010 , 101, 237-44 | 7 |
| 1306 | Differences in activity limitation between 2 low back pain subgroups based on the movement system impairment model. 2010 , 2, 1113-8 | 4 |
| 1305 | The prognosis of chronic low back pain is determined by changes in pain and disability in the initial period. 2010 , 10, 847-56 | 48 |
| 1304 | Breath control during manual free-style lifting of a maximally tolerated load. 2010 , 53, 385-92 | 6 |
| 1303 | Exercise training in adults with congenital heart disease: feasibility and benefits. 2010 , 138, 196-205 | 102 |

| | | |
|------|---|------|
| 1302 | Psychological factors and subclinical atherosclerosis in postmenopausal Chinese women in Hong Kong. 2010 , 67, 186-91 | 14 |
| 1301 | Short term effects of energy restriction and dietary fat sub-type on weight loss and disease risk factors. 2010 , 20, 317-25 | 31 |
| 1300 | Position de consensus : activit physique et ob sit chez lâ nfant et chez lâ dulte. 2010 , 25, 207-225 | 11 |
| 1299 | Cardiorespiratory and electroencephalographic responses to exhaustive acute physical exercise in people with temporal lobe epilepsy. 2010 , 19, 504-8 | 44 |
| 1298 | Metabolic syndrome and incidence of atrial fibrillation among blacks and whites in the Atherosclerosis Risk in Communities (ARIC) Study. 2010 , 159, 850-6 | 134 |
| 1297 | Serum magnesium and risk of sudden cardiac death in the Atherosclerosis Risk in Communities (ARIC) Study. 2010 , 160, 464-70 | 91 |
| 1296 | Are caloric beverages compensated for in the short-term by young adults? An investigation with particular focus on gender differences. 2010 , 55, 137-46 | 39 |
| 1295 | Impact of restraint and disinhibition on PYY plasma levels and subjective feelings of appetite. 2010 , 55, 208-13 | 11 |
| 1294 | Associations between dietary patterns and flow cytometry-measured biomarkers of inflammation and cellular activation in the Atherosclerosis Risk in Communities (ARIC) Carotid Artery MRI Study. 2010 , 212, 260-7 | 29 |
| 1293 | Elevated systemic hepcidin and iron depletion in obese premenopausal females. 2010 , 18, 1449-56 | 110 |
| 1292 | Physical activity and reduced intra-abdominal fat in midlife African-American and white women. 2010 , 18, 1260-5 | 21 |
| 1291 | Plasma microRNA profiling reveals loss of endothelial miR-126 and other microRNAs in type 2 diabetes. 2010 , 107, 810-7 | 1086 |
| 1290 | The consequences of modern military deployment on calcium status and bone health. 2010 , 45, 109-22 | 4 |
| 1289 | Qualitative attributes and measurement properties of physical activity questionnaires: a checklist. 2010 , 40, 525-37 | 167 |
| 1288 | Physical activity questionnaires for adults: a systematic review of measurement properties. 2010 , 40, 565-600 | 405 |
| 1287 | Work demands and need for recovery from work in ageing seafarers. 2010 , 53, 1006-15 | 20 |
| 1286 | Obesity, physical activity and the development of metabolic syndrome: the Atherosclerosis Risk in Communities study. 2010 , 17, 309-13 | 28 |
| 1285 | Local histamine H(1-) and H(2)-receptor blockade reduces postexercise skeletal muscle interstitial glucose concentrations in humans. 2010 , 35, 617-26 | 21 |

| | | |
|------|---|-----|
| 1284 | Early physical activity promotes lower prevalence of chronic diseases in adulthood. 2010 , 33, 926-31 | 106 |
| 1283 | Significant associations of age, menopausal status and lifestyle factors with visceral adiposity in African-American and European-American women. 2011 , 38, 247-56 | 23 |
| 1282 | Non-exercise estimation of VO(2)max using the International Physical Activity Questionnaire. 2011 , 15, 168-181 | 24 |
| 1281 | Meal distribution across the day and its relationship with body composition. 2011 , 42, 119-129 | 10 |
| 1280 | Disrupted working body schema of the trunk in people with back pain. 2011 , 45, 168-73 | 120 |
| 1279 | Patterns of leisure time and non-leisure time physical activity of Korean immigrant women. 2011 , 32, 140-53 | 6 |
| 1278 | Smoking and incidence of atrial fibrillation: results from the Atherosclerosis Risk in Communities (ARIC) study. 2011 , 8, 1160-6 | 141 |
| 1277 | Community prevalence of ideal cardiovascular health, by the American Heart Association definition, and relationship with cardiovascular disease incidence. 2011 , 57, 1690-6 | 497 |
| 1276 | Lack of physical activity during leisure time contributes to an impaired health related quality of life in patients with schizophrenia. 2011 , 129, 122-7 | 80 |
| 1275 | Vastus medialis obliquus atrophy: does it exist in patellofemoral pain syndrome?. 2011 , 39, 1450-5 | 61 |
| 1274 | The incremental shuttle walk test in older Brazilian adults. 2011 , 81, 223-8 | 52 |
| 1273 | Reduction in reactive oxygen species production by mitochondria from elderly subjects with normal and impaired glucose tolerance. 2011 , 60, 2051-60 | 94 |
| 1272 | Low interrater reliability of examiners performing the prone instability test: a clinical test for lumbar shear instability. 2011 , 92, 913-9 | 16 |
| 1271 | Age and experience predict accurate short-term energy compensation in adults. 2011 , 56, 602-6 | 15 |
| 1270 | Influence of substrate oxidation on the reward system, no role of dietary fibre. 2011 , 57, 134-41 | 6 |
| 1269 | Association between birthweight and cognitive function in middle age: the atherosclerosis risk in communities study. 2011 , 21, 851-6 | 6 |
| 1268 | White blood cell count, C-reactive protein, and incident heart failure in the Atherosclerosis Risk in Communities (ARIC) Study. 2011 , 21, 739-48 | 43 |
| 1267 | Ageing modifies the fibre angle and biomechanical function of the lumbar extensor muscles. 2011 , 26, 543-7 | 23 |

| | | |
|------|--|----|
| 1266 | Association of the metabolic syndrome with physical activity performance in patients with schizophrenia. 2011 , 37, 318-23 | 45 |
| 1265 | Postural recovery following voluntary arm movement is impaired in people with chronic low back pain. 2011 , 34, 97-102 | 25 |
| 1264 | Relationship between osteoporosis and adipose tissue leptin and osteoprotegerin in patients with chronic obstructive pulmonary disease. 2011 , 48, 1008-14 | 21 |
| 1263 | Differences in activity-related behaviour among patients with chronic low back pain. 2011 , 15, 748-55 | 62 |
| 1262 | Negative eating and body attitudes are associated with increased daytime ambulatory blood pressure in healthy young women. 2011 , 79, 147-54 | 1 |
| 1261 | Liver and pancreatic fat content and metabolism in healthy monozygotic twins with discordant physical activity. 2011 , 54, 545-52 | 68 |
| 1260 | Physiological and electroencephalographic responses to acute exhaustive physical exercise in people with juvenile myoclonic epilepsy. 2011 , 22, 718-22 | 35 |
| 1259 | Postmastication digestion factors influence glycemic variability in humans. 2011 , 31, 452-9 | 36 |
| 1258 | Protective effect of physical activity on dissatisfaction with body image in children – a cross-sectional study. 2011 , 12, 563-569 | 26 |
| 1257 | Evaluating physical activity: the AQAP questionnaire and its interpretation software. 2011 , 54, 478-95 | 14 |
| 1256 | Dietary omega-3 polyunsaturated fatty acid intake is related to a protective high-density lipoprotein subspecies profile independent of genetic effects: a monozygotic twin pair study. 2011 , 219, 880-6 | 15 |
| 1255 | Associaço entre doenas crnicas em adultos e reduo dos nveis de atividade fsica. 2011 , 44, 389 | 0 |
| 1254 | Physical activity participation, functional exercise capacity and self-esteem in patients with schizophrenia. 2011 , 18, 222-229 | 6 |
| 1253 | Equaes de referncia para o teste de caminhada de seis minutos em indivduos saudveis. 2011 , 96, e128-e138 | 21 |
| 1252 | Prevalence of dyslipidemia in individuals physically active during childhood, adolescence and adult age. 2011 , 97, 317-23 | 35 |
| 1251 | Socioeconomic status as determinant of risk factors for overweight in adolescents. 2011 , 16, 4051-7 | 10 |
| 1250 | Higher urinary sodium, a proxy for intake, is associated with increased calcium excretion and lower hip bone density in healthy young women with lower calcium intakes. 2011 , 3, 951-61 | 20 |
| 1249 | Atividade fsica: prevalncia, fatores relacionados e associao entre pais e filhos. 2011 , 29, 54-59 | 6 |

| | | |
|------|--|-----|
| 1248 | Custo com tratamento e indicadores de risco em pacientes diabéticos, segundo esquema terapêutico. 2011 , 22, | |
| 1247 | Usual gait speed assessment in middle-aged and elderly Brazilian subjects. 2011 , 15, 117-22 | 48 |
| 1246 | Association of the joint effect of menopause and hormone replacement therapy and cancer in African American women: the Jackson Heart Study. 2011 , 8, 2491-504 | 9 |
| 1245 | Prevalência de fatores de risco para doenças cardiovasculares entre escolares em Londrina - PR: diferenças entre classes econômicas. 2011 , 14, 27-35 | 6 |
| 1244 | Six-minute walk test: reference values for healthy adults in Brazil. 2011 , 37, 576-83 | 72 |
| 1243 | Effects of adiposity on physical activity in childhood: Iowa Bone Development Study. 2011 , 43, 443-8 | 31 |
| 1242 | Physical activity and hypertensive disorders of pregnancy among Hispanic women. 2011 , 43, 639-46 | 23 |
| 1241 | Changes in lumbar movement in people with low back pain are related to compromised balance. 2011 , 36, E45-52 | 50 |
| 1240 | Childhood adversity heightens the impact of later-life caregiving stress on telomere length and inflammation. 2011 , 73, 16-22 | 308 |
| 1239 | Negative affect and vasomotor symptoms in the Study of Women's Health Across the Nation Daily Hormone Study. 2011 , 18, 1270-7 | 27 |
| 1238 | Specificity of a back muscle roman chair exercise in healthy and back pain subjects. 2011 , 43, 157-64 | 22 |
| 1237 | Somatotype is More Interactive with Strength than Fat Mass and Physical Activity in Peripubertal Children. 2011 , 29A, 83-91 | 5 |
| 1236 | Changes in lifestyle habits and behaviours are associated with weight loss maintenance in members of a commercial weight loss organisation. 2011 , 70, | |
| 1235 | Aerobic fitness and multidomain cognitive function in advanced age. 2011 , 23, 114-24 | 46 |
| 1234 | Feasibility and Efficacy of a Physical Activity Intervention Among Pregnant Women: The Behaviors Affecting Baby and You (B.A.B.Y.) Study. 2011 , 8, S228-S238 | 29 |
| 1233 | Reliability and validity of the International Physical Activity Questionnaire (IPAQ) in elderly adults: the Fujiwara-kyo Study. 2011 , 21, 459-65 | 185 |
| 1232 | Changes in intervertebral disc morphology persist 5 mo after 21-day bed rest. 2011 , 111, 1304-14 | 30 |
| 1231 | Relationships between menopausal and mood symptoms and EEG sleep measures in a multi-ethnic sample of middle-aged women: the SWAN sleep study. 2011 , 34, 1221-32 | 40 |

| | | |
|------|---|-----|
| 1230 | Lower Extremity Joint Posture and Peak Knee Valgus Moment during Side-step Cutting Performed by Males and Females. 2011 , 23, 585-589 | 3 |
| 1229 | Stability of measurement outcomes for voluntary task performance in participants with chronic ankle instability and healthy participants. 2011 , 46, 366-75 | 9 |
| 1228 | Associations between sports participation, cardiorespiratory fitness, and adiposity in young adult twins. 2011 , 110, 681-6 | 28 |
| 1227 | Vegetarian diet improves insulin resistance and oxidative stress markers more than conventional diet in subjects with Type 2 diabetes. 2011 , 28, 549-59 | 154 |
| 1226 | Impaired insulin stimulation of muscular ATP production in patients with type 1 diabetes. 2011 , 269, 189-99 | 37 |
| 1225 | Association of lung function with cognitive decline and dementia: the Atherosclerosis Risk in Communities (ARIC) Study. 2011 , 18, 888-98 | 63 |
| 1224 | Relationships between obesity, functional exercise capacity, physical activity participation and physical self-perception in people with schizophrenia. 2011 , 123, 423-30 | 92 |
| 1223 | Correlates of physical activity in Portuguese adolescents from 10 to 18 years. 2011 , 21, 318-23 | 22 |
| 1222 | Genome-wide linkage scan for resistance to muscle fatigue. 2011 , 21, 580-8 | 8 |
| 1221 | DNA methylation variability at growth-related imprints does not contribute to overweight in monozygotic twins discordant for BMI. 2011 , 19, 1519-22 | 22 |
| 1220 | Interaction of FTO and physical activity level on adiposity in African-American and European-American adults: the ARIC study. 2011 , 19, 1866-72 | 35 |
| 1219 | Tackling childhood overweight: treating parents exclusively is effective. 2011 , 35, 501-9 | 31 |
| 1218 | Histamine-receptor blockade reduces blood flow but not muscle glucose uptake during postexercise recovery in humans. 2011 , 96, 664-73 | 17 |
| 1217 | Variability in the magnitude of response of metabolic enzymes reveals patterns of co-ordinated expression following endurance training in women. 2011 , 96, 699-707 | 13 |
| 1216 | A placebo-controlled, randomized clinical trial using testosterone undecanoate with injectable norethisterone enanthate: effect on anthropometric, metabolic and biochemical parameters. 2011 , 34, 548-55 | 4 |
| 1215 | Hormonal appetite control is altered by shift work: a preliminary study. 2011 , 60, 1726-35 | 51 |
| 1214 | Instruments to assess physical activity in patients with osteoarthritis of the hip or knee: a systematic review of measurement properties. 2011 , 19, 620-33 | 131 |
| 1213 | Effects of in vivo exercise on ankle cartilage deformation and recovery in healthy volunteers: an experimental study. 2011 , 19, 1123-31 | 18 |

| | | |
|------|---|-----|
| 1212 | The value of a symptom cluster of fatigue, dyspnea, and cough in predicting clinical outcomes in lung cancer survivors. 2011 , 42, 213-21 | 60 |
| 1211 | Effects of self-discrepancies on activity-related behaviour: explaining disability and quality of life in patients with chronic low back pain. 2011 , 152, 2165-2172 | 29 |
| 1210 | The relationship of transversus abdominis and lumbar multifidus clinical muscle tests in patients with chronic low back pain. 2011 , 16, 573-7 | 73 |
| 1209 | A clinical risk score for atrial fibrillation in a biracial prospective cohort (from the Atherosclerosis Risk in Communities [ARIC] study). 2011 , 107, 85-91 | 234 |
| 1208 | Acculturation and metabolic syndrome risk factors in young Mexican and Mexican-American women. 2011 , 13, 119-26 | 21 |
| 1207 | Physical activity and risk of small-for-gestational-age birth among predominantly Puerto Rican women. 2011 , 15, 49-59 | 16 |
| 1206 | Physical activity, quality of life, and the interest in physical exercise programs in patients undergoing palliative chemotherapy. 2011 , 19, 613-9 | 31 |
| 1205 | Decreased variability in postural control strategies in young people with non-specific low back pain is associated with altered proprioceptive reweighting. 2011 , 111, 115-23 | 111 |
| 1204 | HIF1A P582S gene association with endurance training responses in young women. 2011 , 111, 2339-47 | 11 |
| 1203 | The effects of rehabilitation on the muscles of the trunk following prolonged bed rest. 2011 , 20, 808-18 | 54 |
| 1202 | Maximal aerobic power in patients with chronic low back pain: a comparison with healthy subjects. 2011 , 20, 87-93 | 31 |
| 1201 | Effect of Q-angle on patellar positioning and thickness of knee articular cartilages. 2011 , 33, 97-104 | 9 |
| 1200 | Longitudinal changes in calcaneal quantitative ultrasound measures during childhood. 2011 , 22, 2295-305 | 12 |
| 1199 | Sport in der palliativen Krebstherapie. 2011 , 26, 34-37 | |
| 1198 | Physical activity after surgery for severe obesity: the role of exercise cognitions. 2011 , 21, 1894-9 | 45 |
| 1197 | Impact of aerobic exercise training on heart rate variability and functional capacity in obese women after gastric bypass surgery. 2011 , 21, 1739-49 | 74 |
| 1196 | Influence of activity levels and energy intake on percent excess weight loss after Roux-en-Y gastric bypass. 2011 , 21, 1731-8 | 8 |
| 1195 | The burden of physical activity on type 2 diabetes public healthcare expenditures among adults: a retrospective study. 2011 , 11, 275 | 36 |

| | | |
|------|--|------|
| 1194 | Reduced thoracolumbar fascia shear strain in human chronic low back pain. 2011 , 12, 203 | 157 |
| 1193 | Functional ability and physical activity in children and young adults after limb-salvage or ablative surgery for lower extremity bone tumors. 2011 , 103, 276-82 | 34 |
| 1192 | Prior heat stress effects fatigue recovery of the elbow flexor muscles. 2011 , 44, 115-25 | 5 |
| 1191 | Inverse association between adiposity and telomere length: The Fels Longitudinal Study. 2011 , 23, 100-6 | 138 |
| 1190 | Better skeletal microstructure confers greater mechanical advantages in Chinese-American women versus white women. 2011 , 26, 1783-92 | 71 |
| 1189 | Patellofemoral joint forces and stress during forward step-up, lateral step-up, and forward step-down exercises. 2011 , 41, 241-8 | 26 |
| 1188 | Quadriceps metabolism during constant workrate cycling exercise in chronic obstructive pulmonary disease. 2011 , 110, 116-24 | 33 |
| 1187 | Disassociation of liver and muscle insulin resistance from ectopic lipid accumulation in low-birth-weight individuals. 2011 , 96, 3873-80 | 10 |
| 1186 | Individuals with low back pain breathe differently than healthy individuals during a lifting task. 2011 , 41, 141-8 | 23 |
| 1185 | Changes in need satisfaction and motivation orientation as predictors of psychological and behavioural outcomes in exercise referral. 2011 , 26, 1521-39 | 26 |
| 1184 | Effects of a supra-sustained gelatin-milk protein diet compared with (supra-)sustained milk protein diets on body-weight loss. 2011 , 105, 1388-98 | 4 |
| 1183 | Pregravid physical activity, dietary intake, and glucose intolerance during pregnancy. 2011 , 20, 1847-51 | 13 |
| 1182 | Work demands during firefighting training: does age matter? 2011 , 54, 555-564 | 2 |
| 1181 | Egg consumption as part of an energy-restricted high-protein diet improves blood lipid and blood glucose profiles in individuals with type 2 diabetes. 2011 , 105, 584-92 | 73 |
| 1180 | Cardiorespiratory fitness determines the reduction in blood pressure and insulin resistance during lifestyle intervention. 2011 , 29, 1220-7 | 20 |
| 1179 | Twenty-four-hour rhythms of muscle strength with a consideration of some methodological problems. 2011 , 42, 473-490 | 11 |
| 1178 | Effect of macronutrient intake during the second trimester on glucose metabolism later in pregnancy. <i>American Journal of Clinical Nutrition</i> , 2011 , 94, 1232-40 | 7 55 |
| 1177 | Association of inflammatory markers with colorectal cancer incidence in the atherosclerosis risk in communities study. 2011 , 20, 297-307 | 46 |

| | | |
|------|--|------|
| 1176 | Relaci3n de los motivos de pr3ctica deportiva en adolescentes con la percepci3n de competencia, imagen corporal y h3bitos saludables. 2011 , 23, 533-542 | 5 |
| 1175 | Influence of perceived sport competence and body attractiveness on physical activity and other healthy lifestyle habits in adolescents. 2011 , 14, 282-92 | 21 |
| 1174 | Effectiveness of Nurse Based Motivational Interviewing for smoking cessation in high risk cardiovascular outpatients: a randomized trial. 2011 , 10, 174-9 | 24 |
| 1173 | Does genetic ancestry explain higher values of glycated hemoglobin in African Americans?. 2011 , 60, 2434-8 | 36 |
| 1172 | Influence of noninvasive cardiovascular imaging in primary prevention: systematic review and meta-analysis of randomized trials. 2011 , 171, 977-82 | 10 |
| 1171 | A low glycemic index diet does not affect postprandial energy metabolism but decreases postprandial insulinemia and increases fullness ratings in healthy women. 2011 , 141, 1679-84 | 35 |
| 1170 | Lung function impairment, COPD hospitalisations and subsequent mortality. 2011 , 66, 585-90 | 105 |
| 1169 | Habitual physical activity can be increased in people with cerebral palsy: a systematic review. 2011 , 25, 303-15 | 24 |
| 1168 | Cohort profile: the study of health in Pomerania. 2011 , 40, 294-307 | 704 |
| 1167 | Leukocyte telomere length and marital status among middle-aged adults. 2011 , 40, 73-8 | 31 |
| 1166 | Relationship of physical activity and eating behaviour with obesity and type 2 diabetes mellitus: Sofia Lifestyle (SLS) study. 2011 , 53, 11-8 | 7 |
| 1165 | Long-term prognosis associated with J-point elevation in a large middle-aged biracial cohort: the ARIC study. 2011 , 32, 3098-106 | 105 |
| 1164 | Postprandial and fasting hepatic glucose fluxes in long-standing type 1 diabetes. 2011 , 60, 1752-8 | 30 |
| 1163 | Reversal of muscle insulin resistance with exercise reduces postprandial hepatic de novo lipogenesis in insulin resistant individuals. 2011 , 108, 13705-9 | 121 |
| 1162 | Glycated hemoglobin and the risk of kidney disease and retinopathy in adults with and without diabetes. 2011 , 60, 298-305 | 104 |
| 1161 | The stroke offspring study: is parental stroke history of value in targeted risk factor screening?. 2011 , 12, 21-8 | 1 |
| 1160 | Hormonal and metabolic effects of polyunsaturated fatty acids in young women with polycystic ovary syndrome: results from a cross-sectional analysis and a randomized, placebo-controlled, crossover trial. <i>American Journal of Clinical Nutrition</i> , 2011 , 93, 652-62 | 7 60 |
| 1159 | The contribution of major risk factors and job strain to occupational class differences in coronary heart disease incidence: the MONICA Brianza and PAMELA population-based cohorts. 2011 , 68, 717-22 | 13 |

| | | | |
|------|--|---|-----|
| 1158 | Effect of trans fatty acid intake on abdominal and liver fat deposition and blood lipids: a randomized trial in overweight postmenopausal women. 2011 , 1, e4 | | 24 |
| 1157 | A chinese herbal preparation containing radix salviae miltiorrhizae, radix notoginseng and borneolum syntheticum reduces circulating adhesion molecules. 2011 , 2011, 790784 | | 8 |
| 1156 | Daily physical activity of patients with the chronic fatigue syndrome: a systematic review. 2011 , 25, 112-33 | | 26 |
| 1155 | Military hierarchy, job stress and mental health in peacetime. 2012 , 62, 182-7 | | 20 |
| 1154 | Genetic influences on physical activity in young adults: a twin study. 2012 , 44, 1293-301 | | 18 |
| 1153 | Short-duration resistive exercise sustains neuromuscular function after bed rest. 2012 , 44, 1764-72 | | 10 |
| 1152 | Injury of peripheral muscles in smokers with chronic obstructive pulmonary disease. 2012 , 36, 228-38 | | 19 |
| 1151 | Adipokine levels are altered by shiftwork: a preliminary study. 2012 , 29, 587-94 | | 10 |
| 1150 | Impact of maternal physical activity and infant feeding practices on infant weight gain and adiposity. 2012 , 2012, 293821 | | 8 |
| 1149 | Whey protein does not enhance the adaptations to elbow flexor resistance training. 2012 , 44, 1791-800 | | 34 |
| 1148 | Regulation of mitochondrial biogenesis by lipoprotein lipase in muscle of insulin-resistant offspring of parents with type 2 diabetes. 2012 , 61, 877-87 | | 50 |
| 1147 | Perceived muscular tension predicts future neck-shoulder and arm-wrist-hand symptoms. 2012 , 69, 261-7 | | 15 |
| 1146 | Associations of prenatal metabolic abnormalities with insulin and adiponectin concentrations in human milk. <i>American Journal of Clinical Nutrition</i> , 2012 , 95, 867-74 | 7 | 59 |
| 1145 | Impact of age at smoking initiation, dosage, and time since quitting on cardiovascular disease in african americans and whites: the atherosclerosis risk in communities study. 2012 , 175, 816-26 | | 47 |
| 1144 | Effects of increased dietary protein-to-carbohydrate ratios in women with polycystic ovary syndrome. <i>American Journal of Clinical Nutrition</i> , 2012 , 95, 39-48 | 7 | 41 |
| 1143 | Bone mass, bone geometry, and body composition in female-to-male transsexual persons after long-term cross-sex hormonal therapy. 2012 , 97, 2503-11 | | 104 |
| 1142 | Discontinuing long-term GH replacement therapy--a randomized, placebo-controlled crossover trial in adult GH deficiency. 2012 , 97, 3185-95 | | 29 |
| 1141 | Do PTK2 gene polymorphisms contribute to the interindividual variability in muscle strength and the response to resistance training? A preliminary report. 2012 , 112, 1329-34 | | 14 |

| | | | |
|------|---|---|-----|
| 1140 | Heterogeneous atrophy occurs within individual lower limb muscles during 60 days of bed rest. 2012 , 113, 1545-59 | | 52 |
| 1139 | Fracture risk assessment without race/ethnicity information. 2012 , 97, 3593-602 | | 31 |
| 1138 | Diabetes and femoral neck strength: findings from the Hip Strength Across the Menopausal Transition Study. 2012 , 97, 190-7 | | 69 |
| 1137 | Are patients 1 year post-stroke active enough to improve their physical health?. 2012 , 34, 574-80 | | 44 |
| 1136 | Effect of diet composition on energy expenditure during weight loss: the POUNDS LOST Study. 2012 , 36, 448-55 | | 31 |
| 1135 | Low hemoglobin A(1c) in nondiabetic adults: an elevated risk state?. 2012 , 35, 2055-60 | | 46 |
| 1134 | Cohort profile: Geelong Osteoporosis Study. 2012 , 41, 1565-75 | | 164 |
| 1133 | Glycated hemoglobin and risk of hypertension in the atherosclerosis risk in communities study. 2012 , 35, 1031-7 | | 29 |
| 1132 | Sucrose-sweetened beverages increase fat storage in the liver, muscle, and visceral fat depot: a 6-mo randomized intervention study. <i>American Journal of Clinical Nutrition</i> , 2012 , 95, 283-9 | 7 | 386 |
| 1131 | Effects of patellar taping on brain activity during knee joint proprioception tests using functional magnetic resonance imaging. 2012 , 92, 821-30 | | 38 |
| 1130 | Healthier by Safe Persuasion. 2012 , 245, 9-14 | | 2 |
| 1129 | Sclerostin and its association with physical activity, age, gender, body composition, and bone mineral content in healthy adults. 2012 , 97, 148-54 | | 195 |
| 1128 | Determinants of childhood obesity in representative sample of children in north East of iran. 2012 , 2012, 875163 | | 10 |
| 1127 | Physical activity in multiple sclerosis: a comparative study of vitamin D, brain-derived neurotrophic factor and regulatory T cell populations. 2012 , 68, 122-8 | | 13 |
| 1126 | An evaluation of the effectiveness and cost effectiveness of the National Exercise Referral Scheme in Wales, UK: a randomised controlled trial of a public health policy initiative. 2012 , 66, 745-53 | | 101 |
| 1125 | Prevalences of overweight and obesity and their association with physical activity pattern among Iranian adolescents aged 12-17 years. 2012 , 15, 2246-52 | | 37 |
| 1124 | Continuous glucose monitoring and cognitive performance in type 2 diabetes. 2012 , 14, 1126-33 | | 10 |
| 1123 | Physical fitness differences between prepubescent boys and girls. 2012 , 26, 1756-66 | | 34 |

| | | |
|------|---|-----|
| 1122 | What predicts functional outcome after treatment for patellofemoral pain?. 2012 , 44, 1827-33 | 32 |
| 1121 | MAPK signaling in the quadriceps of patients with chronic obstructive pulmonary disease. 2012 , 113, 159-66 | 41 |
| 1120 | Comparing the validity of 2 physical activity questionnaire formats in African-American and Hispanic women. 2012 , 9, 237-48 | 8 |
| 1119 | A systematic approach to selecting an appropriate measure of self-reported physical activity or sedentary behavior. 2012 , 9 Suppl 1, S19-28 | 41 |
| 1118 | Measurement of physical activity by self-report in low- and middle-income countries: more of the same is not enough. 2012 , 9 Suppl 1, S88-90 | 19 |
| 1117 | Fetal development in women with diabetes: imprinting for a life-time?. 2012 , 25, 11-4 | 6 |
| 1116 | Skeletal muscle reoxygenation after high-intensity exercise in mitochondrial myopathy. 2012 , 112, 1763-71 | 7 |
| 1115 | Sugar-sweetened and diet beverages in relation to visceral adipose tissue. 2012 , 20, 689-91 | 51 |
| 1114 | Volumetric bone mineral density at the spine and hip in Chinese American and White women. 2012 , 23, 2499-506 | 14 |
| 1113 | The effects of low back pain on natural breath control during a lowering task. 2012 , 112, 3519-24 | 5 |
| 1112 | Workers who stay at work despite chronic nonspecific musculoskeletal pain: do they differ from workers with sick leave?. 2012 , 22, 489-502 | 48 |
| 1111 | Behavior, nutrition and lifestyle in a comprehensive health and disease paradigm: skills and knowledge for a predictive, preventive and personalized medicine. 2012 , 3, 8 | 48 |
| 1110 | Physical activity, hormone replacement therapy, and the presence of coronary calcium in midlife women. 2012 , 52, 423-36 | 6 |
| 1109 | Tracking of fatness during childhood, adolescence and young adulthood: a 7-year follow-up study in Madeira Island, Portugal. 2012 , 39, 59-67 | 35 |
| 1108 | The influence of scapular depression on upper limb neurodynamic test responses. 2012 , 20, 75-82 | 10 |
| 1107 | Serum myostatin levels and skeletal muscle wasting in chronic obstructive pulmonary disease. 2012 , 106, 102-8 | 77 |
| 1106 | Assessment tools in obesity - psychological measures, diet, activity, and body composition. 2012 , 107, 154-71 | 56 |
| 1105 | Association between cardiovascular disease risk factors and occurrence of venous thromboembolism. A time-dependent analysis. 2012 , 108, 508-15 | 104 |

| | | |
|------|--|-----|
| 1104 | Evolution of cardiorespiratory fitness after stroke: a 1-year follow-up study. Influence of prestroke patients' characteristics and stroke-related factors. 2012 , 93, 669-76 | 36 |
| 1103 | Key characteristics of low back pain and disability in college-aged adults: a pilot study. 2012 , 93, 1217-24 | 13 |
| 1102 | Left ventricular function and energy homeostasis in patients with type 1 diabetes with and without microvascular complications. 2012 , 154, 111-5 | 3 |
| 1101 | Hemostatic markers are associated with the risk and prognosis of atrial fibrillation: the ARIC study. 2012 , 155, 217-22 | 50 |
| 1100 | The relationship between subclinical atherosclerosis, non-high-density lipoprotein cholesterol, exercise, and diet among male participants of the PACC Project. 2012 , 6, 174-9 | 10 |
| 1099 | Body mass index at age 25 and all-cause mortality in whites and African Americans: the Atherosclerosis Risk in Communities study. 2012 , 50, 221-7 | 17 |
| 1098 | Failure to increase postprandial blood flow in subcutaneous adipose tissue is associated with tissue resistance to adrenergic stimulation. 2012 , 38, 27-33 | 15 |
| 1097 | Quarterly individual outpatients lifestyle counseling after initial inpatients education on type 2 diabetes: the REDIA Prev-2 randomized controlled trial in Reunion Island. 2012 , 38, 46-53 | 21 |
| 1096 | Addition of different fats to a carbohydrate food: Impact on gastric emptying, glycaemic and satiety responses and comparison with in vitro digestion. 2012 , 48, 91-97 | 23 |
| 1095 | Muscle mass, muscle strength, functional performance, and physical impairment in women with the hypermobility type of Ehlers-Danlos syndrome. 2012 , 64, 1584-92 | 63 |
| 1094 | Foot pain and functional limitation in healthy adults with hallux valgus: a cross-sectional study. 2012 , 13, 197 | 50 |
| 1093 | Normal inter-limb differences during the straight leg raise neurodynamic test: a cross sectional study. 2012 , 13, 245 | 19 |
| 1092 | Chromium supplementation in non-obese non-diabetic subjects is associated with a decline in insulin sensitivity. 2012 , 12, 31 | 12 |
| 1091 | Structured self-management education maintained over two years in insufficiently controlled type 2 diabetes patients: the ERMIES randomised trial in Reunion Island. 2012 , 11, 91 | 14 |
| 1090 | Patient-reported physical activity questionnaires: a systematic review of content and format. 2012 , 10, 28 | 37 |
| 1089 | Total and femoral neck bone mineral density and physical activity in a sample of men and women. 2012 , 37, 947-54 | 7 |
| 1088 | Increased intramuscular fatty infiltration without differences in lumbar muscle cross-sectional area during remission of unilateral recurrent low back pain. 2012 , 17, 584-8 | 109 |
| 1087 | The missing risk: MRI and MRS phenotyping of abdominal adiposity and ectopic fat. 2012 , 20, 76-87 | 130 |

| | | |
|------|---|-----|
| 1086 | Improvement in β -cell function after diet-induced weight loss is associated with decrease in pancreatic polypeptide in subjects with type 2 diabetes. 2012 , 26, 442-9 | 25 |
| 1085 | Altered preparatory pelvic control during the sit-to-stance-to-sit movement in people with non-specific low back pain. 2012 , 22, 821-8 | 27 |
| 1084 | Do workers with chronic nonspecific musculoskeletal pain, with and without sick leave, have lower functional capacity compared with healthy workers?. 2012 , 93, 2216-22 | 5 |
| 1083 | Relatively high-protein or 'low-carb' energy-restricted diets for body weight loss and body weight maintenance?. 2012 , 107, 374-80 | 62 |
| 1082 | Clinical outcomes analysis of conservative and surgical treatment of patients with clinical indications of prearthritic, intra-articular hip disorders. 2012 , 4, 479-87 | 95 |
| 1081 | Physical and psychosocial predictors of functional trunk capacity in older adults with and without low back pain. 2012 , 35, 338-45 | 22 |
| 1080 | Shiftwork and higher pancreatic secretion: early detection of an intermediate state of insulin resistance?. 2012 , 29, 1258-66 | 23 |
| 1079 | Comparison of the effects of 52 weeks weight loss with either a high-protein or high-carbohydrate diet on body composition and cardiometabolic risk factors in overweight and obese males. 2012 , 2, e40 | 40 |
| 1078 | The contribution of stress to the social patterning of clinical and subclinical CVD risk factors in African Americans: the Jackson Heart Study. 2012 , 75, 1697-707 | 49 |
| 1077 | Revue critique des questionnaires d'activit  physique administr s en population fran aise et perspectives de d veloppement. 2012 , 47, 234-241 | 6 |
| 1076 | Multiple sclerosis relapses are not associated with exercise. 2012 , 18, 232-5 | 57 |
| 1075 | Hippocampal volumes in patients exposed to low-dose radiation to the basal brain. A case-control study in long-term survivors from cancer in the head and neck region. 2012 , 7, 202 | 12 |
| 1074 | Compromised quality of life in adult patients who have received a radiation dose towards the basal part of the brain. A case-control study in long-term survivors from cancer in the head and neck region. 2012 , 7, 179 | 8 |
| 1073 | Pentraxin-3 as a marker of advanced atherosclerosis results from the Bruneck, ARMY and ARFY Studies. 2012 , 7, e31474 | 49 |
| 1072 | Adiposity is associated with blunted cardiovascular, neuroendocrine and cognitive responses to acute mental stress. 2012 , 7, e39143 | 44 |
| 1071 | Caloric restriction induces changes in insulin and body weight measurements that are inversely associated with subsequent weight regain. 2012 , 7, e42858 | 22 |
| 1070 | The Association of Retirement with Physical and Behavioral Health. 2012 , | 4 |
| 1069 | Validity and reliability of korean version of international physical activity questionnaire short form in the elderly. 2012 , 33, 144-51 | 164 |

| | | |
|------|---|-----|
| 1068 | [Physical activity and healthcare cost of type 2 diabetic patients seen at basic units of healthcare]. 2012 , 56, 6-11 | 15 |
| 1067 | Efeitos do estímulo verbal sobre o desempenho no teste de escada e ajustes cardiorrespiratórios em sujeitos saudáveis. 2012 , 19, 369-374 | |
| 1066 | Validity and reproducibility of a physical activity questionnaire for older adults: questionnaire versus accelerometer for assessing physical activity in older adults. 2012 , 4, 171-80 | 22 |
| 1065 | Sex-specific associations between soft tissue body composition and bone mineral density among older adults. 2012 , 39, 206-13 | 20 |
| 1064 | Skeletal muscle insulin resistance promotes increased hepatic de novo lipogenesis, hyperlipidemia, and hepatic steatosis in the elderly. 2012 , 61, 2711-7 | 102 |
| 1063 | A prospective study on quality of life and functional outcome in children and adolescents after malignant bone tumor surgery. 2012 , 58, 978-85 | 25 |
| 1062 | Bariatric surgery highlights in the International Journal of Obesity. 2012 , 36, 327 | |
| 1061 | New insights into scaling of fat-free mass to height across children and adults. 2012 , 24, 648-53 | 10 |
| 1060 | Characteristics of family nucleus as correlates of regular participation in sports among adolescents. 2012 , 57, 431-5 | 22 |
| 1059 | [A cohort study investigating risk factors for cardiovascular disease in an urban elderly East-German population (CARLA study)]. 2012 , 55, 795-800 | 9 |
| 1058 | Ethnic differences in composite indices of femoral neck strength. 2012 , 23, 1381-90 | 34 |
| 1057 | Discriminative ability of heel quantitative ultrasound in postmenopausal women with prevalent vertebral fractures: application of optimal threshold cutoff values using classification and regression tree models. 2012 , 91, 114-20 | 4 |
| 1056 | Genetics of physical activity and physical inactivity in humans. 2012 , 42, 559-78 | 60 |
| 1055 | Defensive coping, urbanization, and neuroendocrine function in Black Africans: the THUSA study. 2012 , 49, 807-14 | 9 |
| 1054 | Cardiac response to exercise in normal-weight and obese, Hispanic men and women: implications for exercise prescription. 2012 , 205, 113-23 | 16 |
| 1053 | Long-term multiple risk factor interventions in Japanese elderly diabetic patients: the Japanese Elderly Diabetes Intervention Trial—study design, baseline characteristics and effects of intervention. 2012 , 12 Suppl 1, 7-17 | 57 |
| 1052 | Lower physical activity, but not excessive calorie intake, is associated with metabolic syndrome in elderly with type 2 diabetes mellitus: the Japanese Elderly Diabetes Intervention Trial. 2012 , 12 Suppl 1, 68-76 | 12 |
| 1051 | Lower physical activity is a strong predictor of cardiovascular events in elderly patients with type 2 diabetes mellitus beyond traditional risk factors: the Japanese Elderly Diabetes Intervention Trial. 2012 , 12 Suppl 1, 77-87 | 22 |

| | | |
|------|---|-----|
| 1050 | Risk factors for a 6-year decline in physical disability and functional limitations among elderly people with type 2 diabetes in the Japanese Elderly Diabetes Intervention Trial. 2012 , 12 Suppl 1, 117-26 | 17 |
| 1049 | Low fatness, reduced fat intake and adequate plasmatic concentrations of LDL-cholesterol are associated with high bone mineral density in women: a cross-sectional study with control group. 2012 , 11, 37 | 10 |
| 1048 | Genome-wide linkage scan for quantitative trait loci underlying normal variation in heel bone ultrasound measures. 2012 , 16, 8-13 | 3 |
| 1047 | Does exercise improve weight loss after bariatric surgery? A systematic review. 2012 , 22, 335-41 | 116 |
| 1046 | Muscle ceramide content is similar after 3 weeks' consumption of fat or carbohydrate diet in a crossover design in patients with type 2 diabetes. 2012 , 112, 911-8 | 7 |
| 1045 | Physical activity is inversely associated with high blood pressure independently of overweight in Brazilian adolescents. 2013 , 23, 317-22 | 29 |
| 1044 | Association between physical activity, lower urinary tract symptoms (LUTS) and prostate volume. 2013 , 111, 122-8 | 22 |
| 1043 | Influence of risk behavior aggregation in different categories of physical activity on the occurrence of cardiovascular risk factors. 2013 , 6, 26 | 7 |
| 1042 | Trajectories of femoral neck strength in relation to the final menstrual period in a multi-ethnic cohort. 2013 , 24, 2471-81 | 19 |
| 1041 | Resting heart rate: its correlations and potential for screening metabolic dysfunctions in adolescents. 2013 , 13, 48 | 25 |
| 1040 | Associations of cardiorespiratory fitness, physical activity, and obesity with metabolic syndrome in Hong Kong Chinese midlife women. 2013 , 13, 614 | 16 |
| 1039 | Construct validity of functional capacity tests in healthy workers. 2013 , 14, 180 | 8 |
| 1038 | Does a patient's physical activity predict recovery from an episode of acute low back pain? A prospective cohort study. 2013 , 14, 126 | 17 |
| 1037 | Associations of visceral fat, physical activity and muscle strength with the metabolic syndrome. 2013 , 76, 139-45 | 17 |
| 1036 | Effects of a multimodal exercise program in pedal dexterity and balance: study with Portuguese older adults of different contexts. 2013 , 10, 141-150 | |
| 1035 | Gender Difference in Cardiovascular Risk Factors among Older Persons in Northern Iran. 2013 , 38, 233-244 | 1 |
| 1034 | Physiological and functional evaluation of healthy young and older men and women: design of the European MyoAge study. 2013 , 14, 325-37 | 46 |
| 1033 | Short-term effects of fish and fish oil consumption on total and high molecular weight adiponectin levels in overweight and obese adults. 2013 , 62, 651-60 | 11 |

| | | |
|------|--|-------|
| 1032 | Reliability of ultrasound measures of the transversus abdominis: effect of task and transducer position. 2013 , 5, 104-13 | 27 |
| 1031 | Association between leisure time, physical activity, and mood disorder levels in individuals with epilepsy. 2013 , 28, 47-51 | 37 |
| 1030 | Polydextrose: its impact on short-term food intake and subjective feelings of satiety in males-a randomized controlled cross-over study. 2013 , 52, 885-93 | 18 |
| 1029 | Comparison of the effects of weight loss from a high-protein versus standard-protein energy-restricted diet on strength and aerobic capacity in overweight and obese men. 2013 , 52, 317-25 | 27 |
| 1028 | The kinesiopathological model and mechanical low back pain. 2013 , 89-98 | 2 |
| 1027 | Moderate physical activity as predictor of weight loss after bariatric surgery. 2013 , 23, 1645-9 | 18 |
| 1026 | Lung age in women with morbid obesity. 2013 , 59, 265-269 | |
| 1025 | Lung age in women with morbid obesity. 2013 , 59, 265-9 | 8 |
| 1024 | Troponin T, B-type natriuretic peptide, C-reactive protein, and cause-specific mortality. 2013 , 23, 66-73 | 59 |
| 1023 | Changes in cardiovascular risk factors by hysterectomy status with and without oophorectomy: Study of Women's Health Across the Nation. 2013 , 62, 191-200 | 57 |
| 1022 | Brown adipose tissue activity after a high-calorie meal in humans. <i>American Journal of Clinical Nutrition</i> , 2013 , 98, 57-64 | 7 118 |
| 1021 | Movement of the lumbar spine is critical for maintenance of postural recovery following support surface perturbation. 2013 , 231, 305-13 | 21 |
| 1020 | Oxidative stress and Nrf2 signaling in McArdle disease. 2013 , 110, 297-302 | 20 |
| 1019 | Factors related to age at natural menopause: longitudinal analyses from SWAN. 2013 , 178, 70-83 | 214 |
| 1018 | Rank, job stress, psychological distress and physical activity among military personnel. 2013 , 13, 716 | 17 |
| 1017 | Association between habitual dietary intake and lipoprotein subclass profile in healthy young adults. 2013 , 23, 1071-8 | 28 |
| 1016 | Cartilage status in relation to return to sports after anterior cruciate ligament reconstruction. 2013 , 41, 550-9 | 50 |
| 1015 | Obesity prevalence and unfavorable health risk behaviors among German kindergarten teachers: cross-sectional results of the kindergarten teacher health study. 2013 , 13, 927 | 19 |

| | | |
|------|---|-----|
| 1014 | Psychodynamic Motivation and Training program (PMT) for the secondary prevention in patients with stable coronary heart disease: study protocol for a randomized controlled trial of feasibility and effects. 2013 , 14, 314 | 7 |
| 1013 | Beneficial association of serum ghrelin and peptide YY with bone mineral density in the Newfoundland population. 2013 , 13, 35 | 14 |
| 1012 | Study of Health and Activity in Preschool Environments (SHAPES): study protocol for a randomized trial evaluating a multi-component physical activity intervention in preschool children. 2013 , 13, 728 | 25 |
| 1011 | Trunk isometric force production parameters during erector spinae muscle vibration at different frequencies. 2013 , 10, 89 | 6 |
| 1010 | Foods, nutrients or whole diets: effects of targeting fish and LCn3PUFA consumption in a 12mo weight loss trial. 2013 , 13, 1231 | 18 |
| 1009 | Effects of alcohol mixed with energy drink and alcohol alone on subjective intoxication. 2013 , 45, 1385-93 | 17 |
| 1008 | Acquired liver fat is a key determinant of serum lipid alterations in healthy monozygotic twins. 2013 , 21, 1815-22 | 6 |
| 1007 | Gender Differences in Pain Experience and Physical Activity of Fibromyalgia Syndrome Patients. 2013 , 21, 147-155 | 7 |
| 1006 | Using digital photography to document rectus femoris flexibility: A reliability study of the modified Thomas test. 2013 , 29, 319-27 | 7 |
| 1005 | Association of ideal cardiovascular health metrics and retinal microvascular findings: the Atherosclerosis Risk in Communities Study. 2013 , 2, e000430 | 24 |
| 1004 | Troponin T, N-terminal pro-B-type natriuretic peptide, and incidence of stroke: the atherosclerosis risk in communities study. 2013 , 44, 961-7 | 120 |
| 1003 | C-reactive protein, bone strength, and nine-year fracture risk: data from the Study of Women's Health Across the Nation (SWAN). 2013 , 28, 1688-98 | 64 |
| 1002 | Ethnic variability in bone geometry as assessed by hip structure analysis: findings from the hip strength across the menopausal transition study. 2013 , 28, 771-9 | 29 |
| 1001 | Concordance of BAI and BMI with DXA in the Newfoundland population. 2013 , 21, 499-503 | 24 |
| 1000 | Dietary patterns and colorectal adenomas in Lynch syndrome: the GEOLynch cohort study. 2013 , 119, 512-21 | 33 |
| 999 | Monocarboxylate transporters and mitochondrial creatine kinase protein content in McArdle disease. 2013 , 108, 259-62 | 6 |
| 998 | Motor performance and habitual physical activity in individuals with Parkinson's disease. 2013 , 6, 96-100 | 1 |
| 997 | Respiratory weakness in patients with chronic neck pain. 2013 , 18, 248-53 | 49 |

| | | |
|-----|--|----|
| 996 | Western dietary pattern and sedentary life: independent effects of diet and physical exercise intensity on NAFLD. 2013 , 108, 1932-3 | 18 |
| 995 | Low bone mass is prevalent in male-to-female transsexual persons before the start of cross-sex hormonal therapy and gonadectomy. 2013 , 54, 92-7 | 74 |
| 994 | High impact exercise increased femoral neck bone mineral density in older men: a randomised unilateral intervention. 2013 , 53, 321-8 | 75 |
| 993 | The relationship between nut consumption and blood pressure in an Iranian adult population: Isfahan Healthy Heart Program. 2013 , 23, 929-36 | 14 |
| 992 | The craniocervical flexion test: an investigation of performance in young asymptomatic subjects. 2013 , 18, 83-6 | 12 |
| 991 | Walk Score [®] : associations with purposive walking in recent Cuban immigrants. 2013 , 45, 202-6 | 45 |
| 990 | Effect of muscle fatigue and physical activity level in motor control of the gait of young adults. 2013 , 38, 702-7 | 38 |
| 989 | Estimated plasma stearoyl co-A desaturase-1 activity and risk of incident diabetes: the Atherosclerosis Risk in Communities (ARIC) study. 2013 , 62, 100-8 | 17 |
| 988 | Ultrasound measures of the lumbar multifidus: effect of task and transducer position on reliability. 2013 , 5, 678-87 | 22 |
| 987 | Greater diaphragm fatigability in individuals with recurrent low back pain. 2013 , 188, 119-23 | 29 |
| 986 | Leucocytosis in women with polycystic ovary syndrome (PCOS) is incompletely explained by obesity and insulin resistance. 2013 , 78, 107-13 | 26 |
| 985 | Thyroid hormones and thyroid disease in relation to perchlorate dose and residence near a superfund site. 2013 , 23, 399-408 | 4 |
| 984 | Factors contributing to lumbar region passive tissue characteristics in people with and people without low back pain. 2013 , 28, 255-61 | 11 |
| 983 | Childhood physical abuse is associated with incident metabolic syndrome in mid-life women. 2013 , 32, 121-7 | 51 |
| 982 | Serum sclerostin levels in men with idiopathic osteoporosis. 2013 , 168, 615-20 | 25 |
| 981 | [Daily physical activity in adult patients with cystic fibrosis]. 2013 , 69, 3-9 | 0 |
| 980 | Asthma control and concordance of opinions between patients and pulmonologists. 2013 , 50, 877-83 | 13 |
| 979 | Habitual alcohol consumption is associated with lower cardiovascular stress responses--a novel explanation for the known cardiovascular benefits of alcohol?. 2013 , 16, 369-76 | 13 |

| | | | |
|-----|---|---|-----|
| 978 | Association between physical activity and risk of stroke subtypes: the atherosclerosis risk in communities study. 2013 , 40, 109-16 | | 29 |
| 977 | Vitamin D status and cardiometabolic assessment in infancy. 2013 , 74, 217-22 | | 4 |
| 976 | Circulating sclerostin levels and markers of bone turnover in Chinese-American and white women. 2013 , 98, 4736-43 | | 20 |
| 975 | Normal protein intake is required for body weight loss and weight maintenance, and elevated protein intake for additional preservation of resting energy expenditure and fat free mass. 2013 , 143, 591-6 | | 79 |
| 974 | Perceptions of wellness and burnout among certified athletic trainers: sex differences. 2013 , 48, 424-30 | | 31 |
| 973 | Rates of bone loss among women initiating antidepressant medication use in midlife. 2013 , 98, 4355-63 | | 32 |
| 972 | Health risk behaviors in adolescents and emerging adults with congenital heart disease: psychometric properties of the Health Behavior Scale-Congenital Heart Disease. 2013 , 12, 544-57 | | 33 |
| 971 | Insulin resistance and inflammation predict kinetic body weight changes in response to dietary weight loss and maintenance in overweight and obese subjects by using a Bayesian network approach. <i>American Journal of Clinical Nutrition</i> , 2013 , 98, 1385-94 | 7 | 61 |
| 970 | Clinical outcomes assessment in clinical trials to assess treatment of femoroacetabular impingement: use of patient-reported outcome measures. 2013 , 21 Suppl 1, S39-46 | | 24 |
| 969 | IRS1 genotype modulates metabolic syndrome reversion in response to 2-year weight-loss diet intervention: the POUNDS LOST trial. 2013 , 36, 3442-7 | | 24 |
| 968 | Comparison of steps and energy expenditure assessment in adults of Fitbit Tracker and Ultra to the Actical and indirect calorimetry. 2013 , 37, 456-62 | | 147 |
| 967 | Hypocapnia in patients with chronic neck pain: association with pain, muscle function, and psychologic states. 2013 , 92, 746-54 | | 14 |
| 966 | Acute cartilage loading responses after an in vivo squatting exercise in people with doubtful to mild knee osteoarthritis: a case-control study. 2013 , 93, 1049-60 | | 9 |
| 965 | Physical activity and sleep among midlife women with vasomotor symptoms. 2013 , 20, 946-52 | | 13 |
| 964 | Range of variation of genu valgum and association with anthropometric characteristics and physical activity: comparison between children aged 3-9 years. 2013 , 22, 296-305 | | 11 |
| 963 | The importance of supporting adolescents' autonomy in promoting physical-sport exercise. 2013 , 16, E81 | | 5 |
| 962 | Associations between metabolomic compounds and incident heart failure among African Americans: the ARIC Study. 2013 , 178, 534-42 | | 60 |
| 961 | Effects of low-dose prednisolone on hepatic and peripheral insulin sensitivity, insulin secretion, and abdominal adiposity in patients with inflammatory rheumatologic disease. 2013 , 36, 2822-9 | | 37 |

| | | |
|-----|--|------|
| 960 | Changes in bone resorption across the menopause transition: effects of reproductive hormones, body size, and ethnicity. 2013 , 98, 2854-63 | 80 |
| 959 | Ideal cardiovascular health is inversely associated with incident cancer: the Atherosclerosis Risk In Communities study. 2013 , 127, 1270-5 | 164 |
| 958 | Protein v. carbohydrate intake differentially affects liking- and wanting-related brain signalling. 2013 , 109, 376-81 | 13 |
| 957 | Protein leverage affects energy intake of high-protein diets in humans. <i>American Journal of Clinical Nutrition</i> , 2013 , 97, 86-93 | 7 59 |
| 956 | Diabetes and risk of fracture-related hospitalization: the Atherosclerosis Risk in Communities Study. 2013 , 36, 1153-8 | 62 |
| 955 | ENVIRONMENT-WIDE ASSOCIATION STUDY (EWAS) FOR TYPE 2 DIABETES IN THE MARSHFIELD PERSONALIZED MEDICINE RESEARCH PROJECT BIOBANK. 2013 , | 4 |
| 954 | Effect of weight loss on the severity of psoriasis: a randomized clinical study. 2013 , 149, 795-801 | 134 |
| 953 | A comparative approach to using the diabetes prevention program to reduce diabetes risk in a worksite setting. 2013 , 14, 199-204 | 18 |
| 952 | Long- and short-term weight change and incident coronary heart disease and ischemic stroke: the Atherosclerosis Risk in Communities Study. 2013 , 178, 239-48 | 41 |
| 951 | Validation of the German Diabetes Risk Score within a population-based representative cohort. 2013 , 30, 1047-53 | 7 |
| 950 | Improving physical activity in COPD: towards a new paradigm. 2013 , 14, 115 | 96 |
| 949 | Motor cortex plasticity induced by theta burst stimulation is impaired in patients with obstructive sleep apnoea. 2013 , 37, 1844-52 | 23 |
| 948 | Heritability of motor control and motor learning. 2013 , 1, e00188 | 15 |
| 947 | Sleep duration and weight change in midlife women: the SWAN sleep study. 2013 , 21, 77-84 | 47 |
| 946 | Are older adults with chronic musculoskeletal pain less active than older adults without pain? A systematic review and meta-analysis. 2013 , 14, 1316-31 | 100 |
| 945 | Metabolomics and incident hypertension among blacks: the atherosclerosis risk in communities study. 2013 , 62, 398-403 | 63 |
| 944 | Long-term evaluation of donor-site morbidity after radial forearm flap phalloplasty for transsexual men. 2013 , 10, 1644-51 | 46 |
| 943 | Metabolic syndrome in healthy obese, overweight, and normal weight individuals: the Atherosclerosis Risk in Communities Study. 2013 , 21, 203-9 | 83 |

| | | |
|-----|--|--------|
| 942 | Diabetes, physical activity participation and exercise capacity in patients with schizophrenia. 2013 , 67, 451-6 | 22 |
| 941 | Relationship between high-sensitivity C-reactive protein and risk factors in patients with peripheral arterial disease--a cross-sectional study. 2013 , 64, 230-6 | 7 |
| 940 | Association between adiponectin and tumor necrosis factor-alpha levels at eight to fourteen weeks gestation and maternal glucose tolerance: the Parity, Inflammation, and Diabetes Study. 2013 , 22, 259-66 | 6 |
| 939 | Long-term aerobic exercise is associated with greater muscle strength throughout the life span. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2013 , 68, 631-8 | 6.4 47 |
| 938 | Body mass index following natural menopause and hysterectomy with and without bilateral oophorectomy. 2013 , 37, 809-13 | 29 |
| 937 | Higher insulin sensitivity in vegans is not associated with higher mitochondrial density. 2013 , 67, 1310-5 | 16 |
| 936 | Baseline dietary patterns are a significant consideration in correcting dietary exposure for weight loss. 2013 , 67, 330-6 | 16 |
| 935 | Soups increase satiety through delayed gastric emptying yet increased glycaemic response. 2013 , 67, 8-11 | 28 |
| 934 | Vegetarian diet-induced increase in linoleic acid in serum phospholipids is associated with improved insulin sensitivity in subjects with type 2 diabetes. 2013 , 3, e75 | 12 |
| 933 | Long-chain monounsaturated Fatty acids and incidence of congestive heart failure in 2 prospective cohorts. 2013 , 127, 1512-21, 1521e1-18 | 41 |
| 932 | No racial differences in the association of glycated hemoglobin with kidney disease and cardiovascular outcomes. 2013 , 36, 2995-3001 | 33 |
| 931 | Sustaining person-environment fit with a changing workforce. 2013 , 56, 565-77 | 12 |
| 930 | Sense of coherence and perceived physical health explain the better quality of life in adolescents with congenital heart disease. 2013 , 12, 475-83 | 46 |
| 929 | Dietary patterns, metabolic markers and subjective sleep measures in resident physicians. 2013 , 30, 1032-41 | 31 |
| 928 | Activity characteristics and movement patterns in people with and people without low back pain who participate in rotation-related sports. 2013 , 22, 161-9 | 9 |
| 927 | Functional fitness and physical activity of Portuguese community-residing older adults. 2013 , 21, 1-19 | 23 |
| 926 | Consistently high sports/exercise activity is associated with better sleep quality, continuity and depth in midlife women: the SWAN sleep study. 2013 , 36, 1279-88 | 53 |
| 925 | Post-exercise heart rate variability recovery: a time-frequency analysis. 2013 , 68, 607-13 | 11 |

| | | |
|-----|---|----|
| 924 | Benefits of neuromuscular electrical stimulation prior to endurance training in patients with cystic fibrosis and severe pulmonary dysfunction. 2013 , 143, 485-493 | 28 |
| 923 | Energy density and diet quality among Brazilian workers. 2013 , 43, 422-431 | 3 |
| 922 | Muscle functional MRI to evaluate quadriceps dysfunction in patellofemoral pain. 2013 , 45, 1023-9 | 14 |
| 921 | Lumbar muscle dysfunction during remission of unilateral recurrent nonspecific low-back pain: evaluation with muscle functional MRI. 2013 , 29, 187-94 | 44 |
| 920 | Physical activity and cardiovascular disease in African Americans in Atherosclerosis Risk in Communities. 2013 , 45, 901-7 | 70 |
| 919 | Comparison of maximal muscle strength of elbow flexors and knee extensors between younger and older men with the same level of daily activity. 2013 , 8, 401-7 | 15 |
| 918 | Associação entre atividade física e fatores de risco cardiovasculares em indivíduos de um programa de reabilitação cardíaca. 2013 , 19, 231-235 | 1 |
| 917 | GSTM1 polymorphism modifies the effect of smoking on calcaneal quantitative ultrasound in young men. 2013 , 7, 509-12 | 1 |
| 916 | [Risks for impaired daily life function in the elderly with type 2 diabetes in Japan]. 2013 , 50, 60-4 | |
| 915 | Novel association between plasma matrix metalloproteinase-9 and risk of incident atrial fibrillation in a case-cohort study: the Atherosclerosis Risk in Communities study. 2013 , 8, e59052 | 34 |
| 914 | Habitual chocolate consumption may increase body weight in a dose-response manner. 2013 , 8, e70271 | 33 |
| 913 | Reduced risk for metabolic syndrome and insulin resistance associated with ovo-lacto-vegetarian behavior in female Buddhists: a case-control study. 2013 , 8, e71799 | 36 |
| 912 | Development of mother's lifestyle scale during pregnancy with an approach to social determinants of health. 2013 , 5, 208-19 | 14 |
| 911 | [Relationship between the level of physical activity and premenstrual syndrome incidence]. 2013 , 35, 210-4 | 7 |
| 910 | Efeitos de um programa de jogos pr ² desportivos nos aspectos psicobiológicos de idosas. 2013 , 16, 713-725 | 3 |
| 909 | Barreiras pessoais para prática de atividade física percebidas por portadores de AIDS. 2013 , 24, | 0 |
| 908 | Determinantes biológicos e comportamentais do uso de medicamentos em diabéticos do tipo 2 atendidos no Sistema Único de Saúde. 2013 , 15, | |
| 907 | Fat mass and obesity-associated (FTO) gene polymorphisms are associated with physical activity, food intake, eating behaviors, psychological health, and modeled change in body mass index in overweight/obese Caucasian adults. 2014 , 6, 3130-52 | 56 |

| | | |
|-----|---|-----|
| 906 | Improved metabolic health alters host metabolism in parallel with changes in systemic xeno-metabolites of gut origin. 2014 , 9, e84260 | 34 |
| 905 | Genetic variations in the androgen receptor are associated with steroid concentrations and anthropometrics but not with muscle mass in healthy young men. 2014 , 9, e86235 | 15 |
| 904 | Is a coded physical activity diary valid for assessing physical activity level and energy expenditure in stroke patients?. 2014 , 9, e98735 | 16 |
| 903 | Frequent extreme cold exposure and brown fat and cold-induced thermogenesis: a study in a monozygotic twin. 2014 , 9, e101653 | 20 |
| 902 | The potential of a high protein-low carbohydrate diet to preserve intrahepatic triglyceride content in healthy humans. 2014 , 9, e109617 | 13 |
| 901 | Leucocyte telomere length and risk of type 2 diabetes mellitus: new prospective cohort study and literature-based meta-analysis. 2014 , 9, e112483 | 144 |
| 900 | How fast is recovery of impaired glucose tolerance after 21-day bed rest (NUC study) in healthy adults?. 2014 , 2014, 803083 | 9 |
| 899 | A Prospective Cluster-Randomized Trial of Telehealth Coaching to Promote Bone Health and Nutrition in Deployed Soldiers. 2014 , 2, 505-15 | 2 |
| 898 | Management of LBP at primary care level in South Africa: up to standards?. 2014 , 14, 698-706 | 14 |
| 897 | Teorã de la Acciã Planeada y tasa de ejercicio: un modelo predictivo en estudiantes adolescentes de educaciã fãsica. 2014 , 30, | 2 |
| 896 | Qualidade de sono e suas associaães com a prãtica de exercãcios fãsicos no lazer e o excesso de peso entre servidores pãblicos.. 2014 , 16, | 1 |
| 895 | Physical activity, adiposity and hypertension among patients of public healthcare system. 2014 , 17, 925-37 | 5 |
| 894 | O baixo consumo de oxigãnio tem reflexos nos escores de depressão em idosos. 2014 , 17, 505-515 | |
| 893 | [Malnutrition and its association with activities during leisure time among adolescents]. 2014 , 19, 875-80 | |
| 892 | [Factors associated with participation in sports and physical education among students from Londrina, ParanãState, Brazil]. 2014 , 30, 533-45 | 4 |
| 891 | Anthropometric measures of adiposity as correlates of atherogenic index of plasma in non-obese sedentary Nigerian males. 2014 , 9, 23798 | 11 |
| 890 | Physical activity, obesity, weight change, and risk of atrial fibrillation: the Atherosclerosis Risk in Communities study. 2014 , 7, 620-5 | 104 |
| 889 | Progression from metabolically benign to at-risk obesity in perimenopausal women: a longitudinal analysis of study of women across the nation (SWAN). 2014 , 99, 2516-25 | 20 |

| | | |
|-----|---|----|
| 888 | Sustainable medical research by effective and comprehensive medical skills: overcoming the frontiers by predictive, preventive and personalized medicine. 2014 , 5, 14 | 23 |
| 887 | Cohort profile: The Japan diabetes complications study: a long-term follow-up of a randomised lifestyle intervention study of type 2 diabetes. 2014 , 43, 1054-62 | 34 |
| 886 | Weight loss effects from vegetable intake: a 12-month randomised controlled trial. 2014 , 68, 778-85 | 40 |
| 885 | Vitamin D and parathyroid hormone status in pregnancy: effect on insulin sensitivity, β -cell function, and gestational diabetes mellitus. 2014 , 99, 4506-13 | 34 |
| 884 | Modulation of (Na,K)-ATPase activity by membrane fatty acid composition: therapeutic implications in human hypertension. 2014 , 36, 17-26 | 19 |
| 883 | Sleep pattern is associated with adipokine levels and nutritional markers in resident physicians. 2014 , 31, 1130-8 | 27 |
| 882 | Cardiac autonomic responses at onset of exercise: effects of aerobic fitness. 2014 , 35, 879-85 | 13 |
| 881 | Pulmonary function of patients with chronic neck pain: a spirometry study. 2014 , 59, 543-9 | 19 |
| 880 | The association between exercise enjoyment and physical activity in women with fibromyalgia. 2014 , 35, 1044-50 | 6 |
| 879 | Embodied mental rotation: a special link between egocentric transformation and the bodily self. 2014 , 5, 505 | 24 |
| 878 | Measuring physical activity and sports participation after autologous cartilage implantation: a systematic review. 2014 , 23, 171-81 | 4 |
| 877 | Urinary albumin excretion from spot urine samples predict all-cause and stroke mortality in Africans. 2014 , 27, 811-8 | 9 |
| 876 | Effect of weight loss on the cardiovascular risk profile of obese patients with psoriasis. 2014 , 94, 691-4 | 19 |
| 875 | Dietary intake according to the course of symptoms of eating disorders in a school-based follow-up study of adolescents. 2014 , 22, 412-22 | 3 |
| 874 | Fibroblast growth factor-23 and incident coronary heart disease, heart failure, and cardiovascular mortality: the Atherosclerosis Risk in Communities study. 2014 , 3, e000936 | 88 |
| 873 | High-sensitivity cardiac troponin T and cognitive function and dementia risk: the atherosclerosis risk in communities study. 2014 , 35, 1817-24 | 28 |
| 872 | Pleiotropic effects of obesity on fracture risk: the Study of Women's Health Across the Nation. 2014 , 29, 2561-70 | 48 |
| 871 | Cardiometabolic implications of postpartum weight changes in the first year after delivery. 2014 , 37, 1998-2006 | 54 |

| | | |
|-----|---|----|
| 870 | Pregnancy and cognition: deficits in inhibition are unrelated to changes in fitness. 2014 , 36, 178-85 | 2 |
| 869 | Occupational versus leisure-time physical activity in reducing cardiovascular risks and mortality among ethnic Chinese adults in Taiwan. 2014 , 26, 604-13 | 23 |
| 868 | Functional status declines among cancer survivors: trajectory and contributing factors. 2014 , 5, 359-67 | 51 |
| 867 | Body mass index at early adulthood, subsequent weight change and cancer incidence and mortality. 2014 , 135, 2900-9 | 51 |
| 866 | Promotion of autonomy for participation in physical activity: a study based on the trans-contextual model of motivation. 2014 , 34, 367-384 | 30 |
| 865 | Muscle atrophy, voluntary activation disturbances, and low serum concentrations of IGF-1 and IGFBP-3 are associated with weakness in people with chronic stroke. 2014 , 94, 957-67 | 30 |
| 864 | Postexercise syncope: Wingate syncope test and effective countermeasure. 2014 , 99, 172-86 | 21 |
| 863 | Associations of suPAR with lifestyle and cardiometabolic risk factors. 2014 , 44, 619-26 | 13 |
| 862 | Each degree of glucose intolerance in pregnancy predicts distinct trajectories of β -cell function, insulin sensitivity, and glycemia in the first 3 years postpartum. 2014 , 37, 3262-9 | 68 |
| 861 | Serum 25-hydroxyvitamin D and risk of venous thromboembolism: the Atherosclerosis Risk in Communities (ARIC) Study. 2014 , 12, 1455-60 | 21 |
| 860 | Association of physical activity with lower type 2 diabetes incidence is weaker among individuals at high genetic risk. 2014 , 57, 2530-4 | 21 |
| 859 | Cohort Profile: The Namwon Study and the Dong-gu Study. 2014 , 43, 558-67 | 53 |
| 858 | Workplace Sitting Breaks Questionnaire (SITBRQ): an assessment of concurrent validity and test-retest reliability. 2014 , 14, 1249 | 19 |
| 857 | Development and validation of a Spanish translation of the Yale activity questionnaire. 2014 , 15, 120 | 5 |
| 856 | Competing effects of pain and fear of pain on postural control in low back pain?. 2014 , 39, E1518-23 | 14 |
| 855 | Physical functioning in patients with ankylosing spondylitis: comparing approaches of experienced ability with self-reported and objectively measured physical activity. 2014 , 20, 133-7 | 9 |
| 854 | Recurring pain and the potential of employer support to improve participant health. 2014 , 56, 1221-7 | 2 |
| 853 | Impairments in local heat loss in type 1 diabetes during exercise in the heat. 2014 , 46, 2224-33 | 37 |

| | | |
|-----|---|-----|
| 852 | Association of 1,5-anhydroglucitol with diabetes and microvascular conditions. 2014 , 60, 1409-18 | 44 |
| 851 | Does body shaping influence brain shape? Habitual physical activity is linked to brain morphology independent of age. 2014 , 15, 387-96 | 15 |
| 850 | Haptoglobin 2-2 genotype is not associated with cardiovascular risk in subjects with elevated glycohemoglobin-results from the Bruneck Study. 2014 , 3, e000732 | 21 |
| 849 | Effects of a beetroot juice with high neobetanin content on the early-phase insulin response in healthy volunteers. 2014 , 3, e9 | 40 |
| 848 | Vitamin D and subclinical cerebrovascular disease: the Atherosclerosis Risk in Communities brain magnetic resonance imaging study. 2014 , 71, 863-71 | 35 |
| 847 | Vastus medialis obliquus muscle morphology in primary and recurrent lateral patellar instability. 2014 , 2014, 326586 | 15 |
| 846 | Role of diacylglycerol activation of PKC β in lipid-induced muscle insulin resistance in humans. 2014 , 111, 9597-602 | 262 |
| 845 | The Alberta Pregnancy Outcomes and Nutrition (APrON) cohort study: rationale and methods. 2014 , 10, 44-60 | 105 |
| 844 | Lower fasting muscle mitochondrial activity relates to hepatic steatosis in humans. 2014 , 37, 468-74 | 22 |
| 843 | The Effect of Family Attitudes and Preparation of High School Entrance Exam on Habitual Physical Activity in Children. 2014 , 116, 2852-2856 | |
| 842 | Validity and reproducibility of an interviewer-administered food frequency questionnaire in Austrian adults at risk of or with overt diabetes mellitus. 2014 , 34, 410-9 | 3 |
| 841 | Exercise capacity in polycystic kidney disease. 2014 , 64, 239-46 | 10 |
| 840 | Electronic dietary recording system improves nutrition knowledge, eating attitudes and habitual physical activity: a randomised controlled trial. 2014 , 15, 410-3 | 4 |
| 839 | Respiratory dysfunction in patients with chronic neck pain - influence of thoracic spine and chest mobility. 2014 , 19, 440-4 | 34 |
| 838 | Acculturation factors and metabolic syndrome among Japanese-Brazilian men in Japan: a cross-sectional descriptive study. 2014 , 16, 68-76 | 2 |
| 837 | Physical activity as determinant of femoral neck strength relative to load in adult women: findings from the hip strength across the menopause transition study. 2014 , 25, 265-72 | 22 |
| 836 | Effects of load and type of physical training on resting and postexercise cardiac autonomic control. 2014 , 34, 114-20 | 13 |
| 835 | Correlates of 15-year maintenance of physical activity in middle-aged women. 2014 , 21, 511-8 | 24 |

| | | |
|-----|---|-----|
| 834 | Genetic influences of sports participation in Portuguese families. 2014 , 14, 510-7 | 3 |
| 833 | Characterising metabolically healthy obesity in weight-discordant monozygotic twins. 2014 , 57, 167-76 | 104 |
| 832 | Familial resemblance of physical activity levels in the Portuguese population. 2014 , 17, 381-6 | 19 |
| 831 | Non-traditional risk factors are important contributors to the racial disparity in diabetes risk: the atherosclerosis risk in communities study. 2014 , 29, 290-7 | 26 |
| 830 | Effect of fat free mass on serum and plasma BDNF concentrations during exercise and recovery in healthy young men. 2014 , 560, 137-41 | 24 |
| 829 | Leptin in association with common variants of MC3R mediates hypertension. 2014 , 27, 973-81 | 13 |
| 828 | The division of visual attention affects the transition point from level walking to stair descent in healthy, active older adults. 2014 , 50, 26-33 | 22 |
| 827 | A Population-Based Cohort Study on Chronic Obstructive Pulmonary Disease in Latin America: Methods and Preliminary Results. The PLATINO Study Phase II. 2014 , 50, 10-17 | 4 |
| 826 | Eating two larger meals a day (breakfast and lunch) is more effective than six smaller meals in a reduced-energy regimen for patients with type 2 diabetes: a randomised crossover study. 2014 , 57, 1552-60 | 95 |
| 825 | The association between cardiovascular risk factors and high blood pressure in adolescents: a school-based study. 2014 , 26, 518-22 | 13 |
| 824 | The contribution of muscle hypertrophy to strength changes following resistance training. 2014 , 114, 1239-49 | 68 |
| 823 | Loss of fat-free mass over four years in adult cystic fibrosis is associated with high serum interleukin-6 levels but not tumour necrosis factor-alpha. 2014 , 33, 150-5 | 16 |
| 822 | Validation of physical activity habit strength with subjective and objective criterion measures. 2014 , 15, 65-71 | 10 |
| 821 | [Physical activity and chronic kidney disease: an update in 2013?]. 2014 , 10, 86-93 | 2 |
| 820 | Clustering of body composition, blood pressure and physical activity in Portuguese families. 2014 , 41, 159-67 | 9 |
| 819 | A randomized controlled trial comparing the effects of yoga with an active control on ambulatory blood pressure in individuals with prehypertension and stage 1 hypertension. 2014 , 16, 54-62 | 36 |
| 818 | Vitamin D and cognitive function and dementia risk in a biracial cohort: the ARIC Brain MRI Study. 2014 , 21, 1211-8, e69-70 | 35 |
| 817 | Multi-level modelling of physical activity in nuclear families. 2014 , 41, 138-44 | 8 |

| | | | |
|-----|---|---|-----|
| 816 | Review of the epidemiological evidence for physical activity and health from low- and middle-income countries. 2014 , 9, 369-81 | | 46 |
| 815 | Assessment of the physical activity, body mass index and energy intake of HIV-uninfected and HIV-infected women in Mangaung, Free State province. 2014 , 56, 196-200 | | 5 |
| 814 | Health effect of the New Nordic Diet in adults with increased waist circumference: a 6-mo randomized controlled trial. <i>American Journal of Clinical Nutrition</i> , 2014 , 99, 35-45 | 7 | 136 |
| 813 | Both age and physical activity level impact on eye-hand coordination. 2014 , 36, 80-96 | | 26 |
| 812 | Child-caregivers' body weight and habitual physical activity status is associated with overweight in kindergartners. 2014 , 14, 822 | | 13 |
| 811 | Development and testing of a past year measure of sedentary behavior: the SIT-Q. 2014 , 14, 899 | | 31 |
| 810 | No protein intake compensation for insufficient indispensable amino acid intake with a low-protein diet for 12 days. 2014 , 11, 38 | | 11 |
| 809 | Correlates of foot pain severity in adults with hallux valgus: a cross-sectional study. 2014 , 7, 32 | | 10 |
| 808 | Trajectory of overall health from self-report and factors contributing to health declines among cancer survivors. 2014 , 25, 1179-86 | | 17 |
| 807 | Which patellae are likely to redislocate?. 2014 , 22, 2308-14 | | 144 |
| 806 | Effect of chicken, fat and vegetable on glycaemia and insulinaemia to a white rice-based meal in healthy adults. 2014 , 53, 1719-26 | | 39 |
| 805 | Does family history of depression predict major depression in midlife women? Study of Women's Health Across the Nation Mental Health Study (SWAN MHS). 2014 , 17, 269-78 | | 12 |
| 804 | Dietary B vitamin and methionine intake and MTHFR C677T genotype on risk of colorectal tumors in Lynch syndrome: the GEOLynch cohort study. 2014 , 25, 1119-29 | | 12 |
| 803 | Exposure to persistent organic pollutants: relationship with abnormal glucose metabolism and visceral adiposity. 2014 , 37, 1951-8 | | 50 |
| 802 | Static and dynamic body balance following provocation of the visual and vestibular systems in females with and without joint hypermobility syndrome. 2014 , 18, 159-64 | | 12 |
| 801 | Long-term effects of a very low-carbohydrate weight loss diet on exercise capacity and tolerance in overweight and obese adults. 2014 , 33, 267-73 | | 9 |
| 800 | Development of Measurement Model for the Value of QOL as an Influential Factor of Metabolic Syndrome. 2014 , 79, 2639-2654 | | 4 |
| 799 | Primary prevention of childhood obesity through counselling sessions at Swedish child health centres: design, methods and baseline sample characteristics of the PRIMROSE cluster-randomised trial. 2014 , 14, 335 | | 27 |

| | | |
|-----|---|------|
| 798 | Effects of fish oil on lipid profile and other metabolic outcomes in HIV-infected patients on antiretroviral therapy: a randomized placebo-controlled trial. 2014 , 25, 96-104 | 10 |
| 797 | Walking and proximity to the urban growth boundary and central business district. 2014 , 47, 481-6 | 10 |
| 796 | Protein leverage effects of beef protein on energy intake in humans. <i>American Journal of Clinical Nutrition</i> , 2014 , 99, 1397-406 | 7 33 |
| 795 | Melanin-concentrating hormone receptor 1 polymorphisms are associated with components of energy balance in the Complex Diseases in the Newfoundland Population: Environment and Genetics (CODING) study. <i>American Journal of Clinical Nutrition</i> , 2014 , 99, 384-91 | 7 18 |
| 794 | Dysautonomia and its underlying mechanisms in the hypermobility type of Ehlers-Danlos syndrome. 2014 , 44, 93-100 | 89 |
| 793 | Hip flexor muscle size, strength and recruitment pattern in patients with acetabular labral tears compared to healthy controls. 2014 , 19, 405-10 | 31 |
| 792 | A comprehensive metabolic evaluation reveals impaired glucose metabolism and dyslipidemia in breast cancer patients early in the disease trajectory. 2014 , 33, 550-7 | 21 |
| 791 | Predicting a beneficial response to motor control training in patients with low back pain: a longitudinal cohort study. 2019 , 28, 2462-2469 | 4 |
| 790 | Relationship of different domains of physical activity practice with health-related quality of life among community-dwelling older people: a cross-sectional study. 2019 , 9, e027751 | 11 |
| 789 | Blood pressure lowering medication initiation and fracture risk: a SWAN pharmacoepidemiology study. 2019 , 14, 73 | 1 |
| 788 | Prenatal, biological and environmental factors associated with physical activity maintenance from childhood to adolescence. 2019 , 24, 1201-1210 | 1 |
| 787 | Perfluoroalkyl substances and changes in bone mineral density: A prospective analysis in the POUNDS-LOST study. 2019 , 179, 108775 | 13 |
| 786 | Mechanistic insights into the aetiology of post-prandial decline in testosterone in reproductive-aged men. 2019 , 51, e13418 | 3 |
| 785 | Muscle quality and functionality in older women improve similarly with muscle power training using one or three sets. 2019 , 128, 110745 | 15 |
| 784 | Fat oxidation at rest and during exercise in male monozygotic twins. 2019 , 119, 2711-2722 | 3 |
| 783 | Thioether-Functionalized 2D Covalent Organic Framework Featuring Specific Affinity to Au for Photocatalytic Hydrogen Production from Seawater. 2019 , 7, 18574-18581 | 44 |
| 782 | ATRX loss induces telomere dysfunction and necessitates induction of alternative lengthening of telomeres during human cell immortalization. 2019 , 38, e96659 | 30 |
| 781 | Habitual exercise affects inhibitory processing in young and middle age men and women. 2019 , 146, 73-84 | 6 |

| | | | |
|-----|---|---|----|
| 780 | Relationship between total physical activity and physical activity domains with body composition and energy expenditure among Brazilian adults. 2019 , 31, e23317 | | 5 |
| 779 | Factors Influencing Longitudinal Stair Climb Performance from Midlife to Early Late Life: The Study of Women's Health Across the Nation Chicago and Michigan Sites. 2019 , 23, 821-828 | | 5 |
| 778 | Mid-life serum Vitamin D concentrations were associated with incident dementia but not late-life neuropsychological performance in the Atherosclerosis Risk in Communities (ARIC) Study. 2019 , 19, 244 | | 1 |
| 777 | Dietary patterns and risk of incident chronic kidney disease: the Atherosclerosis Risk in Communities study. <i>American Journal of Clinical Nutrition</i> , 2019 , 110, 713-721 | 7 | 31 |
| 776 | Short-term dietary reduction of branched-chain amino acids reduces meal-induced insulin secretion and modifies microbiome composition in type 2 diabetes: a randomized controlled crossover trial. <i>American Journal of Clinical Nutrition</i> , 2019 , 110, 1098-1107 | 7 | 68 |
| 775 | Validation of the two-minute step test in obese with comorbidities and morbidly obese patients. 2019 , 52, e8402 | | 4 |
| 774 | Associations of Leisure-Time Physical Activity and Television Viewing With Life Expectancy Free of Nonfatal Cardiovascular Disease: The ARIC Study. 2019 , 8, e012657 | | 5 |
| 773 | Exercise plasma metabolomics and xenometabolomics in obese, sedentary, insulin-resistant women: impact of a fitness and weight loss intervention. 2019 , 317, E999-E1014 | | 14 |
| 772 | Sarcopenia and its components in adult renal transplant recipients: prevalence and association with body adiposity. 2019 , 122, 1386-1397 | | 10 |
| 771 | The Sedentary Time and Physical Activity Levels on Physical Fitness in the Elderly: A Comparative Cross Sectional Study. 2019 , 16, | | 14 |
| 770 | Role of abdominal obesity and body position in kinematics of the chest wall. 2019 , 16, 100141 | | 1 |
| 769 | Cross-Sectional Associations of Neighborhood Perception, Physical Activity, and Sedentary Time in Community-Dwelling, Socioeconomically Diverse Adults. 2019 , 7, 256 | | 4 |
| 768 | Acute and regular exercise distinctly modulate serum, plasma and skeletal muscle BDNF in the elderly. 2019 , 78, 101961 | | 20 |
| 767 | Change in Children's Physical Activity: Predictors in the Transition From Elementary to Middle School. 2019 , 56, e65-e73 | | 29 |
| 766 | Body Fat Percentage, Body Mass Index, Fat Mass Index and the Ageing Bone: Their Singular and Combined Roles Linked to Physical Activity and Diet. 2019 , 11, | | 25 |
| 765 | Plasma Proteomics Analysis Reveals Dysregulation of Complement Proteins and Inflammation in Acquired Obesity-A Study on Rare BMI-Discordant Monozygotic Twin Pairs. 2019 , 13, e1800173 | | 9 |
| 764 | Study protocol of a multi-center RCT testing a social-cognitive intervention to promote volunteering in older adults against an active control. 2019 , 19, 22 | | 4 |
| 763 | Behavioral cardiovascular risk factors in HIV-infected people in France: Diversity of profiles across groups requires an urgent and tailored preventive approach. 2019 , 67, 21-31 | | 2 |

| | | |
|-----|---|----|
| 762 | Leisure-time physical activity and DNA methylation age-a twin study. 2019 , 11, 12 | 16 |
| 761 | Manufacturing assembly serial and cells layouts impact on rest breaks and workers's health. 2019 , 70, 22-27 | 8 |
| 760 | The effects of introducing electric adjustable height desks in an office setting on workplace physical activity levels: A randomised control field trial. 2019 , 62, 139-150 | 5 |
| 759 | Neighborhood social cohesion is associated with lower levels of interleukin-6 in African American women. 2019 , 76, 28-36 | 15 |
| 758 | Serum Sex Hormones and the Risk of Fracture Across the Menopausal Transition: Study of Women's Health Across the Nation. 2019 , 104, 2412-2418 | 9 |
| 757 | Motivational Profiles of High School Physical Education Students: The Role of Controlling Teacher Behavior. 2019 , 16, | 11 |
| 756 | Exploring the interplay between job strain and different domains of physical activity on the incidence of coronary heart disease in adult men. 2019 , 26, 1877-1885 | 4 |
| 755 | Vitamin B status in kidney transplant recipients: association with dietary intake, body adiposity and immunosuppression. 2019 , 122, 450-458 | |
| 754 | Assessing Endogenous Pain Inhibition: Test-Retest Reliability of Exercise-Induced Hypoalgesia in Local and Remote Body Parts After Aerobic Cycling. 2019 , 20, 2272-2282 | 8 |
| 753 | Types of Sedentary Behavior and Risk of Cardiovascular Events and Mortality in Blacks: The Jackson Heart Study. 2019 , 8, e010406 | 20 |
| 752 | Use of previous-day recalls of physical activity and sedentary behavior in epidemiologic studies: results from four instruments. 2019 , 19, 478 | 10 |
| 751 | Differences in brain processing of proprioception related to postural control in patients with recurrent non-specific low back pain and healthy controls. 2019 , 23, 101881 | 10 |
| 750 | Consumption of an Anthocyanin-Rich Extract Made From New Zealand Blackcurrants Prior to Exercise May Assist Recovery From Oxidative Stress and Maintains Circulating Neutrophil Function: A Pilot Study. 2019 , 6, 73 | 13 |
| 749 | Individual and Neighborhood Deprivation and Carotid Stiffness. 2019 , 73, 1185-1194 | 10 |
| 748 | A pilot study of combined endurance and resistance exercise rehabilitation for verbal memory and functional connectivity improvement in epilepsy. 2019 , 96, 44-56 | 10 |
| 747 | Addition of milk fat globule membrane-enriched supplement to a high-fat meal attenuates insulin secretion and induction of soluble epoxide hydrolase gene expression in the postprandial state in overweight and obese subjects. 2019 , 8, e16 | 8 |
| 746 | Improved skeletal muscle energy metabolism relates to the recovery of cell function by intensive insulin therapy in drug naïve type 2 diabetes. 2019 , 35, e3177 | 1 |
| 745 | The Association of Life's Simple 7 with Aldosterone among African Americans in the Jackson Heart Study. 2019 , 11, | 3 |

| | | | |
|-----|---|---|----|
| 744 | Evaluation of the eNutri automated personalised nutrition advice by users and nutrition professionals in the UK. 2019 , 14, e0214931 | | 11 |
| 743 | A randomized controlled trial contrasting the effects of 4 low-calorie sweeteners and sucrose on body weight in adults with overweight or obesity. <i>American Journal of Clinical Nutrition</i> , 2019 , 109, 1288-1301 | 7 | 49 |
| 742 | The effect of high compared with low dairy consumption on glucose metabolism, insulin sensitivity, and metabolic flexibility in overweight adults: a randomized crossover trial. <i>American Journal of Clinical Nutrition</i> , 2019 , 109, 1555-1568 | 7 | 11 |
| 741 | ApoB, small-dense LDL-C, Lp(a), LpPLA activity, and cognitive change. 2019 , 92, e2580-e2593 | | 9 |
| 740 | Using the Barthel Index to Assess Activities of Daily Living after Musculoskeletal Tumour Surgery: A Single-centre Observational Study. 2019 , 4, 20190010 | | 2 |
| 739 | Plasma Metabolites Associated with Brain MRI Measures of Neurodegeneration in Older Adults in the Atherosclerosis Risk in Communities? Neurocognitive Study (ARIC-NCS). 2019 , 20, | | 3 |
| 738 | Patterns of Cardiometabolic Health as Midlife Women Transition to Menopause: A Prospective Multiethnic Study. 2019 , 104, 1404-1412 | | 12 |
| 737 | Spousal diabetes status as a risk factor for incident type 2 diabetes: a prospective cohort study and meta-analysis. 2019 , 56, 619-629 | | 11 |
| 736 | Local cryostimulation acutely preserves maximum isometric handgrip strength following fatigue in young women. 2019 , 87, 40-46 | | 3 |
| 735 | A single whole body vibration session influences quadriceps muscle strength, functional mobility and balance of elderly with osteopenia and/or osteoporosis? Pragmatic clinical trial. 2019 , 18, 73-80 | | 0 |
| 734 | Unfavorable Associations Between Serum Trimethylamine N-Oxide and L-Carnitine Levels With Components of Metabolic Syndrome in the Newfoundland Population. 2019 , 10, 168 | | 29 |
| 733 | Longitudinal changes in hip geometry in relation to the final menstrual period: Study of Women's Health Across the Nation (SWAN). 2019 , 122, 237-245 | | 6 |
| 732 | Study rationale and protocol of the BARICO study: a longitudinal, prospective, observational study to evaluate the effects of weight loss on brain function and structure after bariatric surgery. 2019 , 9, e025464 | | 2 |
| 731 | Behavioral, socio-environmental, educational and demographic correlates of excess body weight in Italian adolescents and young adults. 2019 , 29, 279-289 | | 3 |
| 730 | Leg muscle strength is reduced and is associated with physical quality of life in Antineutrophil cytoplasmic antibody-associated vasculitis. 2019 , 14, e0211895 | | 3 |
| 729 | Body Silhouette Trajectories Over the Lifespan and Insomnia Symptoms: The Paris Prospective Study 3. 2019 , 9, 1581 | | 1 |
| 728 | Double burden of malnutrition among ever-married women in Bangladesh: a pooled analysis. 2019 , 19, 24 | | 22 |
| 727 | Motor Competence and Body Composition in young adults: An exploratory study. 2019 , 14, 100087 | | 1 |

| | | | |
|-----|--|---|----|
| 726 | Physical activity and associations with clinical outcome measures in adults with cystic fibrosis; a systematic review. 2019 , 18, 590-601 | | 8 |
| 725 | Serum 25-Hydroxyvitamin D Concentrations and Incidence of Age-Related Macular Degeneration: The Atherosclerosis Risk in Communities Study. 2019 , 60, 1362-1371 | | 7 |
| 724 | Convenience Behavior and Being Overweight in Adults: Development and Validation of the Convenience Behavior Questionnaire. 2019 , 7, 20 | | 1 |
| 723 | Health indicators and costs among outpatients according to physical activity level and obesity. 2019 , 13, 1375-1379 | | 2 |
| 722 | Potential effects of reduced red meat compared with increased fiber intake on glucose metabolism and liver fat content: a randomized and controlled dietary intervention study. <i>American Journal of Clinical Nutrition</i> , 2019 , 109, 288-296 | 7 | 7 |
| 721 | Dietary Niacin Intake Predicts the Decrease of Liver Fat Content During a Lifestyle Intervention. 2019 , 9, 1303 | | 7 |
| 720 | Domain-specific physical activity and sedentary behavior during pregnancy and postpartum depression risk in the French EDEN and ELFE cohorts. 2019 , 121, 33-39 | | 5 |
| 719 | Effects of running on adiponectin, insulin and cytokines in cerebrospinal fluid in healthy young individuals. 2019 , 9, 1959 | | 15 |
| 718 | Functional status measures for the COPD patient: A practical categorization. 2019 , 16, 1479973118816464 | | 6 |
| 717 | Alcohol consumption and incident diabetes: The Atherosclerosis Risk in Communities (ARIC) study. 2019 , 62, 770-778 | | 9 |
| 716 | Sibling Similarity in Metabolic Syndrome: The Portuguese Sibling Study on Growth, Fitness, Lifestyle and Health. 2019 , 49, 299-309 | | 2 |
| 715 | Physical activity trajectories and subsequent fall risk: ARIC Study. 2019 , 121, 40-46 | | 6 |
| 714 | Explaining Individual Differences in Fine Motor Performance and Learning in Older Adults: The Contribution of Muscle Strength and Cardiovascular Fitness. 2019 , 27, 725-738 | | 4 |
| 713 | AB1209 THE RHEUMA-BUS-TOUR: TWO WEEK OPEN-ACCESS SCREENING FOR EARLY RHEUMATIC DISEASES. 2019 , | | 1 |
| 712 | Healthy eating index-2010 and physical activity and disabilities of old age. 2019 , 5, 61-69 | | 1 |
| 711 | Towards Prepared mums (TOP-mums) for a healthy start, a lifestyle intervention for women with overweight and a child wish: study protocol for a randomised controlled trial in the Netherlands. 2019 , 9, e030236 | | 5 |
| 710 | Total and Compartmental Chest Wall Volumes, Lung Function, and Respiratory Muscle Strength in Individuals with Abdominal Obesity: Effects of Body Positions. 2019 , 2019, 9539846 | | 6 |
| 709 | Czech Brain Aging Study (CBAS): prospective multicentre cohort study on risk and protective factors for dementia in the Czech Republic. 2019 , 9, e030379 | | 14 |

| | | |
|-----|--|-----|
| 708 | TwinssCan - Gene-Environment Interaction in Psychotic and Depressive Intermediate Phenotypes: Risk and Protective Factors in a General Population Twin Sample. 2019 , 22, 460-466 | 5 |
| 707 | Association Between Occupational, Sport, and Leisure Related Physical Activity and Baroreflex Sensitivity: The Paris Prospective Study III. 2019 , 74, 1476-1483 | 5 |
| 706 | Nutritional Assessment in Inflammatory Bowel Disease (IBD)-Development of the Groningen IBD Nutritional Questionnaires (GINQ). 2019 , 11, | 3 |
| 705 | The Effect of Macronutrients on Reproductive Hormones in Overweight and Obese Men: A Pilot Study. 2019 , 11, | 3 |
| 704 | The relationship between physical activity intensity and domains with cardiac autonomic modulation in adults: An observational protocol study. 2019 , 98, e17400 | 6 |
| 703 | The Physical Activity Questionnaire for the Elderly (PAQE): A Polish Adaptation. 2019 , 16, | |
| 702 | A descriptive report of the variability in 3D hip and knee kinematics during a single limb squat in women who have patellofemoral pain and visually classified dynamic knee valgus. 2021 , 37, 1481-1490 | 2 |
| 701 | Change and Stability in Sibling Resemblance in Obesity Markers: The Portuguese Sibling Study on Growth, Fitness, Lifestyle, and Health. 2019 , 2019, 2432131 | 0 |
| 700 | Dynamic Resistance Training Improves Cardiac Autonomic Modulation and Oxidative Stress Parameters in Chronic Stroke Survivors: A Randomized Controlled Trial. 2019 , 2019, 5382843 | 11 |
| 699 | Changes in the Organization of the Secondary Somatosensory Cortex While Processing Lumbar Proprioception and the Relationship With Sensorimotor Control in Low Back Pain. 2019 , 35, 394-406 | 6 |
| 698 | The Effect of Lumbosacral Orthosis on the Thickness of Deep Trunk Muscles Using Ultrasound Imaging: A Randomized Controlled Trial in Patients With Chronic Low Back Pain. 2019 , 98, 536-544 | 4 |
| 697 | Work Exposures and Musculoskeletal Disorders Among Railroad Maintenance-of-Way Workers. 2019 , 61, 584-596 | 8 |
| 696 | Kinesiophobia as a Problem in Adherence to Physical Activity Recommendations in Elderly Polish Patients with Coronary Artery Disease. 2019 , 13, 2129-2135 | 9 |
| 695 | Trajectory and determinants of change in lean soft tissue over the postpartum period. 2019 , 121, 1137-1145 | 3 |
| 694 | Sex differences in relation patterns between health-related quality of life of older adults and its correlates: a population-based cross-sectional study in Madeira, Portugal. 2018 , 20, e54 | 2 |
| 693 | Insulin resistance, weight, and behavioral variables as determinants of brain reactivity to food cues: a Prevention of Diabetes through Lifestyle Intervention and Population Studies in Europe and around the World - a PREVIEW study. <i>American Journal of Clinical Nutrition</i> , 2019 , 109, 315-321 | 7 8 |
| 692 | Inspiratory muscle strength training improves lung function in patients with the hypermobile Ehlers-Danlos syndrome: A randomized controlled trial. 2019 , 179, 356-364 | 10 |
| 691 | Weight Change After Roux-en Y Gastric Bypass, Physical Activity and Eating Style: Is There a Relationship?. 2019 , 29, 526-533 | 13 |

| | | |
|-----|---|----|
| 690 | Longitudinal association of inflammation with depressive symptoms: A 7-year cross-lagged twin difference study. 2019 , 75, 200-207 | 33 |
| 689 | Impaired Lung Function, Lung Disease, and Risk of Incident Dementia. 2019 , 199, 1385-1396 | 37 |
| 688 | Socioeconomic status and risk of kidney dysfunction: the Atherosclerosis Risk in Communities study. 2019 , 34, 1361-1368 | 10 |
| 687 | Association of sedentary behavior and metabolic syndrome. 2019 , 167, 96-102 | 21 |
| 686 | Beneficial Impact of Moderate to Vigorous Physical Activity Program on Circulating Number and Functional Capacity of Endothelial Progenitor Cells in Children: The Crucial Role of Nitric Oxide and VEGF-A. 2019 , 31, 322-329 | 2 |
| 685 | Impact of sports participation on mortality rates among Brazilian adults. 2019 , 37, 1443-1448 | 7 |
| 684 | Determinants of Changes in Metabolic Syndrome Components in a 12-Year Cohort of Iranian Adults. 2019 , 17, 120-127 | |
| 683 | Shear wave elastography of the healing human patellar tendon following ACL reconstruction. 2019 , 26, 347-354 | 5 |
| 682 | Serum dietary fatty acids and coronary heart disease risk - A nested case-control-study within the CARLA cohort. 2019 , 29, 152-158 | 1 |
| 681 | Physical activity levels are associated with regional bone mineral density in boys. 2019 , 47, 336-340 | 1 |
| 680 | Relation of Elevated Resting Heart Rate in Mid-Life to Cognitive Decline Over 20 Years (from the Atherosclerosis Risk in Communities [ARIC] Study). 2019 , 123, 334-340 | 14 |
| 679 | Acute and chronic effects of soccer game on the retinal vessel diameters in middle-aged adults. 2019 , 59, 1085-1092 | 1 |
| 678 | Balance and mobility relationships in older adults: A representative population-based cross-sectional study in Madeira, Portugal. 2019 , 80, 65-69 | 7 |
| 677 | Physical Activity Associates with Muscle Insulin Sensitivity Postbariatric Surgery. 2019 , 51, 278-287 | 3 |
| 676 | Leisure-time physical activity sustained since midlife and preservation of cognitive function: The Atherosclerosis Risk in Communities Study. 2019 , 15, 273-281 | 22 |
| 675 | Association of TV Viewing and All-Cause Mortality in Older Adults With Hypertension: A 6-Year Longitudinal Study. 2019 , 27, 378-383 | 2 |
| 674 | Identification and Evaluation of Self-Report Physical Activity Instruments in Adults With Osteoarthritis: A Systematic Review. 2019 , 71, 237-251 | 6 |
| 673 | Selenium and large artery structure and function: a 10-year prospective study. 2019 , 58, 3313-3323 | 4 |

| | | |
|-----|--|----|
| 672 | Changes in Body Adiposity, Dietary Intake, Physical Activity and Quality of Life of Obese Individuals Submitted to Intra-gastric Balloon Therapy for 6 Months. 2019 , 29, 843-850 | 5 |
| 671 | Physically active undergraduates: Motivational and emotional profiles. 2019 , 67, 706-716 | 2 |
| 670 | Comparisons of Conditioned Pain Modulation and Physical Activity Between Hispanic and Non-Hispanic White Adults. 2019 , 6, 472-480 | 1 |
| 669 | Haptic information provided by anchors and the presence of cognitive tasks contribute separately to reducing postural sway in young adults. 2019 , 68, 213-219 | 2 |
| 668 | Predictors of plantar fasciitis in Thai novice conscripts after 10-week military training: A prospective study. 2019 , 35, 29-35 | 4 |
| 667 | Bênfices physiques et psychologiques de lâactivit’sportive adaptêe dans une cohorte de malades chroniques. 2019 , 34, 10-15 | 1 |
| 666 | Sedentary behaviour is associated with diabetes mellitus in adults: findings of a cross-sectional analysis from the Brazilian National Health System. 2019 , 41, 742-749 | 4 |
| 665 | Behaviour change techniques applied in interventions to enhance physical activity adherence in patients with chronic musculoskeletal conditions: A systematic review and meta-analysis. 2019 , 102, 25-36 | 21 |
| 664 | Carotid Artery Stiffness and Incident Depressive Symptoms: The Paris Prospective Study III. 2019 , 85, 498-505 | 15 |
| 663 | Excessive bodybuilding as pathology? A first neurophysiological classification. 2019 , 20, 626-636 | 10 |
| 662 | Does a cycling program combined with education and followed by coaching promote physical activity in subacute stroke patients? A randomized controlled trial. 2019 , 41, 413-421 | 4 |
| 661 | Psychosocial and health-related risk factors for depressive symptom trajectories among midlife women over 15 years: Study of Women’s Health Across the Nation (SWAN). 2019 , 49, 250-259 | 6 |
| 660 | Racial differences in hemoglobin and plasma volume variation: implications for muscle performance and recovery. 2019 , 24, 182-193 | 3 |
| 659 | Using the refined ICF Linking Rules to compare the content of existing instruments and assessments: a systematic review and exemplary analysis of instruments measuring participation. 2019 , 41, 584-600 | 17 |
| 658 | Association between physical activity, occupational sitting time and mortality in a general population: An 18-year prospective survey in Tanushimaru, Japan. 2020 , 27, 758-766 | 10 |
| 657 | Development of the Metabolic Syndrome: Study Design and Baseline Data of the Lufthansa Prevention Study (LUPS), A Prospective Observational Cohort Survey. 2020 , 128, 777-787 | 1 |
| 656 | Is obesity associated with impaired reaction time in youth?. 2020 , 25, 415-425 | 3 |
| 655 | Is physical activity associated with resting heart rate in boys and girls? A representative study controlled for confounders. 2020 , 96, 247-254 | 2 |

| | | | |
|-----|--|---|----|
| 654 | Distribution of Cardiovascular Health by Individual- and Neighborhood-Level Socioeconomic Status: Findings From the Jackson Heart Study. 2019 , 14, 241-250 | | 13 |
| 653 | Alcohol Consumption and Incident Kidney Disease: Results From the Atherosclerosis Risk in Communities Study. 2020 , 30, 22-30 | | 21 |
| 652 | Adherence to the Healthy Eating Index-2015 and Other Dietary Patterns May Reduce Risk of Cardiovascular Disease, Cardiovascular Mortality, and All-Cause Mortality. 2020 , 150, 312-321 | | 47 |
| 651 | The Critical Point to Step into a Hole is Similar in Young and Older Adults. 2020 , 52, 656-665 | | 2 |
| 650 | Empagliflozin Effectively Lowers Liver Fat Content in Well-Controlled Type 2 Diabetes: A Randomized, Double-Blind, Phase 4, Placebo-Controlled Trial. 2020 , 43, 298-305 | | 86 |
| 649 | Physical activity intervention improved the number and functionality of endothelial progenitor cells in low birth weight children. 2020 , 30, 60-70 | | 2 |
| 648 | Physical activity is associated with functional capacity of older women with osteosarcopenic obesity: 24-month prospective study. 2020 , 74, 912-919 | | 12 |
| 647 | Serum magnesium and the incidence of coronary artery disease over a median 27 years of follow-up in the Atherosclerosis Risk in Communities (ARIC) Study and a meta-analysis. <i>American Journal of Clinical Nutrition</i> , 2020 , 111, 52-60 | 7 | 10 |
| 646 | Methodology and reliability of respiratory muscle assessment. 2020 , 273, 103321 | | 1 |
| 645 | The transtheoretical model (TTM) to gain insight into young women's long-term physical activity after bariatric surgery: a qualitative study. 2020 , 30, 595-602 | | 6 |
| 644 | Adherence to a home exercise programme following a clinical programme for non-acute non-specific low back pain: an exploratory study. 2020 , 22, 299-308 | | 2 |
| 643 | Total cholesterol/HDL-cholesterol ratio discordance with LDL-cholesterol and non-HDL-cholesterol and incidence of atherosclerotic cardiovascular disease in primary prevention: The ARIC study. 2020 , 27, 1597-1605 | | 15 |
| 642 | Hip muscle atrophy in patients with acetabular labral joint pathology. 2020 , 33, 538-544 | | 2 |
| 641 | Sedentary behavior is more related with cardiovascular parameters in normal weight than overweight adolescents. 2020 , 42, e215-e222 | | 4 |
| 640 | Associations of dietary trans fatty acid intake with depressive symptoms in midlife women. 2020 , 260, 194-199 | | 5 |
| 639 | Diet quality, change in diet quality and risk of incident CVD and diabetes. 2020 , 23, 329-338 | | 14 |
| 638 | Subgrouping patients with chronic low back pain: What are the differences in actual daily life behavior between patients classified as avoider or persister?. 2020 , 33, 303-311 | | |
| 637 | Gender Analyses of Brazilian Parental Eating and Activity With Their Adolescents' Eating Habits. 2020 , 52, 503-511 | | 4 |

| | | |
|-----|---|----|
| 636 | Associations between dietary oleic acid and linoleic acid and depressive symptoms in perimenopausal women: The Study of Women's Health Across the Nation. 2020 , 71, 110602 | 3 |
| 635 | Validation of the German-language version of the Volition in Exercise Questionnaire (VEQ-D). 2020 , 50, 102-113 | 1 |
| 634 | Whole-body heat exchange in black-African and Caucasian men during exercise eliciting matched heat-loss requirements in dry heat. 2020 , 105, 7-12 | 2 |
| 633 | Osteopathic manipulation treatment versus therapeutic exercises in patients with chronic nonspecific low back pain: A randomized, controlled and double-blind study. 2020 , 33, 367-377 | 5 |
| 632 | Adherence to the World Cancer Research Fund/American Institute for Cancer Research cancer prevention guidelines and colorectal cancer incidence among African Americans and whites: The Atherosclerosis Risk in Communities study. 2020 , 126, 1041-1050 | 6 |
| 631 | Higher fracture prevalence and smaller bone size in patients with hEDS/HSD-a prospective cohort study. 2020 , 31, 849-856 | 8 |
| 630 | In vivo assessment of mitochondrial capacity using NIRS in locomotor muscles of young and elderly males with similar physical activity levels. 2020 , 42, 299-310 | 9 |
| 629 | Dietary n-6 to n-3 fatty acid ratio is related to liver fat content independent of genetic effects: Evidence from the monozygotic co-twin control design. 2020 , 39, 2311-2314 | 1 |
| 628 | Phenotypes and concentration of PON1 in cardiovascular disease: The role of nutrient intake. 2020 , 30, 40-48 | 5 |
| 627 | Trunk and hip muscle activity during the Balance-Dexterity task in persons with and without recurrent low back pain. 2020 , 50, 102378 | 2 |
| 626 | Community-dwelling older adults with mild cognitive impairments show subtle visual attention costs when descending stairs. 2020 , 69, 102561 | 1 |
| 625 | Participation of white adipose tissue dysfunction on circulating HDL cholesterol and HDL particle size in apparently healthy humans. 2020 , 44, 920-928 | 3 |
| 624 | Assessing the association between optimal energy intake and all-cause mortality in older patients with diabetes mellitus using the Japanese Elderly Diabetes Intervention Trial. 2020 , 20, 59-65 | 15 |
| 623 | Nutrition and physical activity level of adolescents with idiopathic scoliosis: a narrative review. 2020 , 20, 785-799 | 3 |
| 622 | Effects of Gender-Affirming Hormone Therapy on Insulin Sensitivity and Incretin Responses in Transgender People. 2020 , 43, 411-417 | 21 |
| 621 | Comparative Cognitive Effects of Choreographed Exercise and Multimodal Physical Therapy in Older Adults with Amnesic Mild Cognitive Impairment: Randomized Clinical Trial. 2020 , 73, 769-783 | 13 |
| 620 | Obesity Increases Costs With Productivity Loss Due to Disability Retirements, Independent of Physical Activity: A Cohort Study. 2020 , 62, 325-330 | 1 |
| 619 | Association of Life's Simple 7 with Atrial Fibrillation Burden (From the Atherosclerosis Risk in Communities Study). 2020 , 137, 31-38 | 3 |

| | | |
|-----|---|----|
| 618 | Physical activity behaviors in parents of children with disabilities: A systematic review. 2020 , 107, 103787 | 5 |
| 617 | Structural remodelling of the lumbar multifidus, thoracolumbar fascia and lateral abdominal wall perimuscular connective tissues: A cross-sectional and comparative ultrasound study. 2020 , 24, 293-302 | 2 |
| 616 | Aging reduces the maximal level of peripheral fatigue tolerable and impairs exercise capacity. 2020 , 319, R617-R625 | 3 |
| 615 | Weight change over 9 years and subsequent risk of venous thromboembolism in the ARIC cohort. 2020 , 44, 2465-2471 | 2 |
| 614 | Enquêe ^ propos de lântff des outils connectés dans le maintien de lâactivit^ physique chez les patients adultes atteints de mucoviscidose. 2020 , 20, 21-26 | |
| 613 | Shedding Light on the Effects of Moderate Acute Exercise on Working Memory Performance in Healthy Older Adults: An fNIRS Study. 2020 , 10, | 5 |
| 612 | The Association between Type and Intensity of Sport and Tobacco or Nicotine Use-A Cross-Sectional Study among Young Swiss Men. 2020 , 17, | 1 |
| 611 | Interaction of Age and Self-reported Physical Sports Activity on White Matter Hyperintensity Volume in Healthy Older Adults. 2020 , 12, 576025 | 4 |
| 610 | Exercise-mediated downregulation of MALAT1 expression and implications in primary and secondary cancer prevention. 2020 , 160, 28-39 | 5 |
| 609 | Serum magnesium and burden of atrial and ventricular arrhythmias: The Atherosclerosis Risk in Communities (ARIC) Study. 2020 , 62, 20-25 | 2 |
| 608 | Sex Hormones and Incident Heart Failure in Men and Postmenopausal Women: The Atherosclerosis Risk in Communities Study. 2020 , 105, | 13 |
| 607 | Trends in LDL-C and Non-HDL-C Levels with Age. 2020 , 11, 1046-1057 | 10 |
| 606 | Physical activity is more related to adiposity in hypertensive than nonhypertensive middle-aged and older adults. 2020 , 25, 171-177 | 3 |
| 605 | Periodontal disease and incident dementia: The Atherosclerosis Risk in Communities Study (ARIC). 2020 , 95, e1660-e1671 | 15 |
| 604 | Increased mitochondrial respiration of adipocytes from metabolically unhealthy obese compared to healthy obese individuals. 2020 , 10, 12407 | 11 |
| 603 | Change and Stability in Sibling Physical Fitness: The Portuguese Sibling Study. 2020 , 52, 1511-1517 | |
| 602 | A Five-Ingredient Nutritional Supplement and Home-Based Resistance Exercise Improve Lean Mass and Strength in Free-Living Elderly. 2020 , 12, | 16 |
| 601 | Metabolic control achievement in a population with premature coronary artery disease: results of the genetics of atherosclerotic disease study. 2020 , 11, 2042018820943374 | 2 |

| | | |
|-----|--|----|
| 600 | An integrative machine learning approach to discovering multi-level molecular mechanisms of obesity using data from monozygotic twin pairs. 2020 , 7, 200872 | 0 |
| 599 | Fear of movement and (re)injury is associated with condition specific outcomes and health-related quality of life in women with patellofemoral pain. 2020 , 1-10 | 3 |
| 598 | Self-Report Measures of Physical Activity. 2020 , 72 Suppl 10, 717-730 | 4 |
| 597 | Association of Changes in Cardiovascular Health Metrics and Risk of Subsequent Cardiovascular Disease and Mortality. 2020 , 9, e017458 | 10 |
| 596 | Lower brain-derived neurotrophic factor levels are associated with age-related memory impairment in community-dwelling older adults: the Sefuri study. 2020 , 10, 16442 | 13 |
| 595 | Differences in prevalence and associated factors of underweight and overweight/obesity according to rural-urban residence strata among women of reproductive age in Bangladesh: evidence from a cross-sectional national survey. 2020 , 10, e034321 | 13 |
| 594 | Relationship between domains of physical activity and cardiac autonomic modulation in adults: a cross-sectional study. 2020 , 10, 15510 | 7 |
| 593 | Subclinical macro and microvascular disease is differently associated with depressive symptoms in men and women: Findings from the SABRE population-based study. 2020 , 312, 35-42 | |
| 592 | Impact of a weight loss and fitness intervention on exercise-associated plasma oxylinin patterns in obese, insulin-resistant, sedentary women. 2020 , 8, e14547 | 2 |
| 591 | Synergistic effects of fructose and glucose on lipoprotein risk factors for cardiovascular disease in young adults. 2020 , 112, 154356 | 8 |
| 590 | Associations of Leisure-Time Physical Activity and Television Viewing with Life Expectancy Cancer-Free at Age 50: The ARIC Study. 2020 , 29, 2617-2625 | 2 |
| 589 | Effects of Consuming Sugar-Sweetened Beverages for 2 Weeks on 24-h Circulating Leptin Profiles, Ad Libitum Food Intake and Body Weight in Young Adults. 2020 , 12, | 3 |
| 588 | Adherence to Dietary Patterns and Risk of Incident Dementia: Findings from the Atherosclerosis Risk in Communities Study. 2020 , 78, 827-835 | 4 |
| 587 | The influence of age on spinal and lower limb muscle activity during repetitive lifting. 2020 , 55, 102482 | 1 |
| 586 | Diet quality and colorectal tumor risk in persons with Lynch syndrome. 2020 , 69, 101809 | 2 |
| 585 | Is physical activity associated with resting heart rate in boys and girls? A representative study controlled for confounders. 2020 , 96, 247-254 | |
| 584 | Missing Something? Comparisons of Effectiveness and Outcomes of Bariatric Surgery Procedures and Their Preferred Reporting: Refining the Evidence Base. 2020 , 30, 3167-3177 | 6 |
| 583 | Birth Weight and Weight Changes from Infancy to Early Childhood as Predictors of Body Mass Index in Adolescence. 2020 , 222, 120-126.e3 | 4 |

| | | | |
|-----|--|---|----|
| 582 | Muscle-Bone Interactions in Chinese Men and Women Aged 18-35 Years. 2020 , 2020, 8126465 | | 1 |
| 581 | A Subject-Specific Approach to Detect Fatigue-Related Changes in Spine Motion Using Wearable Sensors. 2020 , 20, | | 2 |
| 580 | Physical activity among patients with breast cancer receiving aromatase inhibitors is associated with bone health: a cross-sectional observational study. 2020 , 182, 187-193 | | 1 |
| 579 | Cultural adaptation and reliability of the "Global Physical Activity Questionnaire" in patients with heart failure in Greece. 2020 , 15, 1-11 | | |
| 578 | Longitudinal Associations Between Body Mass Index During Young Adulthood, Subsequent Weight Change, and Incident Diabetes During Mid- and Older-Adulthood in Non-Hispanic White and African American Populations: The Atherosclerosis Risk in Communities Study. 2020 , 18, 313-320 | | 2 |
| 577 | Neighborhood walkability and risk of gestational diabetes. 2020 , 8, | | 3 |
| 576 | Expiratory Flow Limitation at Different Exercise Intensities in Coronary Artery Disease. 2020 , 2020, 4629548 | | |
| 575 | No effect of resveratrol supplementation after 6 months on insulin sensitivity in overweight adults: a randomized trial. <i>American Journal of Clinical Nutrition</i> , 2020 , 112, 1029-1038 | 7 | 18 |
| 574 | Postural transitions detection and characterization in healthy and patient populations using a single waist sensor. 2020 , 17, 70 | | 9 |
| 573 | Mid- and Late-Life Leisure-Time Physical Activity and Global Brain Amyloid Burden: The Atherosclerosis Risk in Communities (ARIC)-PET Study. 2020 , 76, 139-147 | | 2 |
| 572 | Body size dissatisfaction associated with dietary pattern, overweight, and physical activity in adolescents: A cross-sectional study. 2020 , 22, 749-757 | | 6 |
| 571 | Daily Consumption of an Anthocyanin-Rich Extract Made From New Zealand Blackcurrants for 5 Weeks Supports Exercise Recovery Through the Management of Oxidative Stress and Inflammation: A Randomized Placebo Controlled Pilot Study. 2020 , 7, 16 | | 18 |
| 570 | Regional influence of nitric oxide on cutaneous vasodilatation and sweating during exercise-heat stress in young men. 2020 , 105, 773-782 | | 0 |
| 569 | Association between regular aerobic exercise and hyperhomocysteine in hypertensive patients. 2020 , 132, 458-464 | | |
| 568 | Translation and Cultural Adaptation of PROactive Instruments for COPD in French and Influence of Weather and Pollution on Its Difficulty Score. 2020 , 15, 471-478 | | 2 |
| 567 | Persons in remission from recurrent low back pain alter trunk coupling under dual-task interference during a dynamic balance task. 2020 , 238, 957-968 | | 2 |
| 566 | Type 2 Diabetes Mellitus Is Independently Associated With Decreased Neural Baroreflex Sensitivity: The Paris Prospective Study III. 2020 , 40, 1420-1428 | | 8 |
| 565 | Resting Energy Expenditure in Obese Women with Primary Hypothyroidism and Appropriate Levothyroxine Replacement Therapy. 2020 , 105, | | 4 |

| | | |
|-----|--|----|
| 564 | Occupational risk factors for musculoskeletal disorders among railroad maintenance-of-way workers. 2020 , 63, 402-416 | 9 |
| 563 | Adherence to a Mediterranean-style eating pattern and risk of diabetes in a U.S. prospective cohort study. 2020 , 10, 8 | 13 |
| 562 | Lipase C, Hepatic Type -250A/G (rs2070895) Variant Enhances Carotid Atherosclerosis in Normolipidemic and Asymptomatic Individuals from Brazil. 2020 , 55, 225-237 | |
| 561 | The impact of metabolic syndrome on mental health-related quality of life and depressive symptoms. 2020 , 29, 2063-2072 | 3 |
| 560 | Association between excessive daytime sleepiness and measures of supraventricular arrhythmia burden: evidence from the Atherosclerosis Risk in Communities (ARIC) study. 2020 , 24, 1223-1227 | 2 |
| 559 | Patterns of physical activity-related health competence: stability over time and associations with subjective health indicators. 2020 , 50, 218-228 | 6 |
| 558 | Race and Gender Differences in the Association Between Experiences of Everyday Discrimination and Arterial Stiffness Among Patients With Coronary Heart Disease. 2020 , 54, 761-770 | 3 |
| 557 | Osteopenia and osteoporosis among treatment-experienced people living with HIV. 2020 , 24, 288-295 | 1 |
| 556 | Physical activity, cardiovascular health and mood state in older adults. 2020 , 41, 846-851 | 1 |
| 555 | Occupational and leisure-time physical activity decreases the odds of disability in older adults: Prospective study. 2021 , 21, 927-934 | 2 |
| 554 | Bone health in bipolar disorder: a study protocol for a case-control study in Australia. 2020 , 10, e032821 | 2 |
| 553 | Control of blood pressure levels in patients with premature coronary artery disease: Results from the Genetics of Atherosclerotic Disease study. 2020 , 22, 1253-1262 | 2 |
| 552 | Regular participation in leisure time activities and high cardiovascular fitness improve motor sequence learning in older adults. 2021 , 85, 1488-1502 | 1 |
| 551 | Stratifying cellular metabolism during weight loss: an interplay of metabolism, metabolic flexibility and inflammation. 2020 , 10, 1651 | 4 |
| 550 | Ancestry specific associations of FTO gene variant and metabolic syndrome: A longitudinal ARIC study. 2020 , 99, e18820 | 7 |
| 549 | Effects of an Autonomy-Supportive Physical Activity Program for Compensatory Care Students During Recess Time. 2019 , 10, 3091 | 2 |
| 548 | Effects of media-assisted therapeutic approaches on physical activity of obese adults: a systematic review. 2020 , 20, 28 | 1 |
| 547 | Resting heart rate and incidence of venous thromboembolism. 2020 , 4, 238-246 | 3 |

| | | | |
|-----|--|----|----|
| 546 | Adherence to healthy diet is related to better linear growth with open growth plate in adolescent girls. 2020 , 76, 29-36 | 5 | |
| 545 | The impact of sensory and/or sensorimotor neuropathy on lower limb muscle endurance, explosive and maximal muscle strength in patients with type 2 diabetes mellitus. 2020 , 34, 107562 | 9 | |
| 544 | Resting Whole Body Energy Metabolism in Class 3 Obesity; from Preserved Insulin Sensitivity to Overt Type 2 Diabetes. 2020 , 13, 489-497 | 2 | |
| 543 | Characteristics of participants who benefit most from personalised nutrition: findings from the pan-European Food4Me randomised controlled trial. 2020 , 123, 1396-1405 | 5 | |
| 542 | Beyond BMI: waist circumference and social environment is associated with motor performance ability in kindergartners. 2020 , 20, 4 | 1 | |
| 541 | Associations of Perfluoroalkyl substances with blood lipids and Apolipoproteins in lipoprotein subspecies: the POUNDS-lost study. 2020 , 19, 5 | 17 | |
| 540 | Physical Activity Decreases the Risk of Sarcopenia and Sarcopenic Obesity in Older Adults with the Incidence of Clinical Factors: 24-Month Prospective Study. 2020 , 46, 166-177 | 8 | |
| 539 | Fecal metatranscriptomics and glycomics suggest that bovine milk oligosaccharides are fully utilized by healthy adults. 2020 , 79, 108340 | 5 | |
| 538 | Association of sedentary behaviour patterns with dietary and lifestyle habits among public school teachers: a cross-sectional study. 2020 , 10, e034322 | 5 | |
| 537 | Variability of Lower Limb Artery Systolic-Diastolic Velocities in Futsal Athletes and Non-Athletes: Evaluation by Arterial Doppler Ultrasound. 2020 , 17, | 2 | |
| 536 | Alterations in heart rate variability are associated with abnormal myocardial perfusion. 2020 , 305, 99-105 | 3 | |
| 535 | Cyclic Guanosine Monophosphate and Risk of Incident Heart Failure and Other Cardiovascular Events: the ARIC Study. 2020 , 9, e013966 | 7 | |
| 534 | The Tyrolean early vascular ageing-study (EVA-Tyrol): study protocol for a non-randomized controlled trial : Effect of a cardiovascular health promotion program in youth, a prospective cohort study. 2020 , 20, 59 | 9 | |
| 533 | Walkability and its association with walking/cycling and body mass index among adults in different regions of Germany: a cross-sectional analysis of pooled data from five German cohorts. 2020 , 10, e033941 | 1 | |
| 532 | Body size dissatisfaction associated with dietary pattern, overweight, and physical activity in adolescents - a cross-sectional study. 2020 , 22, 749 | 1 | |
| 531 | Nicotinamide riboside supplementation alters body composition and skeletal muscle acetylcarnitine concentrations in healthy obese humans. <i>American Journal of Clinical Nutrition</i> , 2020 , 112, 413-426 | 7 | 46 |
| 530 | The Impact of Physical Activity on Food Reward: Review and Conceptual Synthesis of Evidence from Observational, Acute, and Chronic Exercise Training Studies. 2020 , 9, 63-80 | 14 | |
| 529 | Plasma phospholipid very-long-chain SFAs in midlife and 20-year cognitive change in the Atherosclerosis Risk in Communities (ARIC): a cohort study. <i>American Journal of Clinical Nutrition</i> , 2020 , 111, 1252-1258 | 7 | 5 |

| | | |
|-----|--|----|
| 528 | Whole-Genome Approach Discovers Novel Genetic and Nongenetic Variance Components Modulated by Lifestyle for Cardiovascular Health. 2020 , 9, e015661 | 5 |
| 527 | Internet-guided cognitive, behavioral and chronobiological interventions in depression-prone insomnia subtypes: protocol of a randomized controlled prevention trial. 2020 , 20, 163 | 3 |
| 526 | Built Environment and Frailty: Neighborhood Perceptions and Associations With Frailty, Experience From the Nagoya Longitudinal Study. 2021 , 40, 609-619 | 3 |
| 525 | A Multidisciplinary Exploratory Approach for Investigating the Experience of Older Adults Attending Hospital Services. 2021 , 14, 141-163 | |
| 524 | A 3-year prospective cohort study of dietary patterns and frailty risk among community-dwelling older adults. 2021 , 40, 229-236 | 6 |
| 523 | Associations of anger, vital exhaustion, anti-depressant use, and poor social ties with incident atrial fibrillation: The Atherosclerosis Risk in Communities Study. 2021 , 28, 633-640 | 11 |
| 522 | Gesundheitskompetenz und gesundheitliche Situation von Erzieher/innen. 2021 , 16, 81-87 | |
| 521 | Dietary Patterns and Muscle Mass, Muscle Strength, and Physical Performance in the Elderly: A 3-Year Cohort Study. 2021 , 25, 108-115 | 7 |
| 520 | Ergogenic Effects of Bihemispheric Transcranial Direct Current Stimulation on Fitness: a Randomized Cross-over Trial. 2021 , 42, 66-73 | 4 |
| 519 | Effect of a high protein/low glycaemic index diet on insulin resistance in adolescents with overweight/obesity-A PREVIEW randomized clinical trial. 2021 , 16, e12702 | 2 |
| 518 | Measurement Properties of the Sedentary Behavior Questionnaire in Patients with Chronic Nonspecific Low Back Pain. 2021 , 13, 250-257 | 1 |
| 517 | Objective and subjective measures of the neighbourhood environment: Associations with frailty levels. 2021 , 92, 104257 | 2 |
| 516 | Day and night changes in energy expenditure of patients on automated peritoneal dialysis. 2021 , 40, 3454-3461 | 0 |
| 515 | Physical activity and cardiorespiratory fitness-A ten-year follow-up. 2021 , 31, 742-751 | 2 |
| 514 | Age-related GABAergic differences in the primary sensorimotor cortex: A multimodal approach combining PET, MRS and TMS. 2021 , 226, 117536 | 6 |
| 513 | Influence of exertional hypoxemia on cerebral oxygenation in fibrotic interstitial lung disease. 2021 , 285, 103601 | 3 |
| 512 | Employment status as a major determinant for lower physical activity of patients with epilepsy: A case-control study. 2021 , 115, 107655 | 1 |
| 511 | Feasibility and acceptability of aquatic exercise therapy in burn patients â a pilot study. 2021 , 5, 10-20 | 0 |

| | | | |
|-----|--|-----|---|
| 510 | Structural remodeling of the lumbar multifidus, thoracolumbar fascia and lateral abdominal wall perimuscular connective tissues: A search for its potential determinants. 2021 , 238, 536-550 | | 1 |
| 509 | Single joint fatiguing exercise decreases long but not short-interval intracortical inhibition in older adults. 2021 , 239, 47-58 | | 2 |
| 508 | Midlife Factors Related to Psychological Well-Being at an Older Age: Study of Women's Health Across the Nation. 2021 , 30, 332-340 | | 2 |
| 507 | Is a colorectal neoplasm diagnosis a trigger to change dietary and other lifestyle habits for persons with Lynch syndrome? A prospective cohort study. 2021 , 20, 125-135 | | 1 |
| 506 | Evaluation of Absenteeism, Pain, and Disability in Nurses With Persistent Low Back Pain Following Cognitive Functional Therapy: A Case Series Pilot Study With 3-Year Follow-Up. 2021 , 101, | | 1 |
| 505 | Identifying mood disorders and health-related quality of life of individuals submitted to mandatory military service. 2021 , 33, 9-14 | | |
| 504 | Predicting physical activity recovery after hip and knee arthroplasty? A longitudinal cohort study. 2021 , 25, 30-39 | | 4 |
| 503 | Interaction Between Physical Activity and Polygenic Score on Type 2 Diabetes Mellitus in Older Black and White Participants From the Health and Retirement Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2021 , 76, 1214-1221 | 6.4 | 1 |
| 502 | Association Between Midlife Physical Activity and Incident Kidney Disease: The Atherosclerosis Risk in Communities (ARIC) Study. 2021 , 77, 74-81 | | 9 |
| 501 | Prospective Analysis of Leisure-Time Physical Activity in Midlife and Beyond and Brain Damage on MRI in Older Adults. 2021 , 96, e964-e974 | | 3 |
| 500 | A Platform for Difficulty Assessment and Recommendation of Hiking Trails. 2021 , 109-122 | | 1 |
| 499 | The combined effects of obesity and ageing on skeletal muscle function and tendon properties in vivo in men. 2021 , 72, 411-422 | | 4 |
| 498 | Effect of Physical Activity Level and Lumbar Muscle Fatigue on Natural Gait Parameters and ASI in Male College Students. 2021 , 09, 326-332 | | |
| 497 | Relationship between smartphone use management and physical activity in leisure time of children aged 4-6. 2021 , 55, 477-508 | | 0 |
| 496 | Dietary patterns and intrinsic capacity among community-dwelling older adults: a 3-year prospective cohort study. 2021 , 60, 3303-3313 | | 5 |
| 495 | Predictors of Metabolic Syndrome in Adults and Older Adults from Amazonas, Brazil. 2021 , 18, | | 8 |
| 494 | Oxygen supplementation during exercise improves leg muscle fatigue in chronic fibrotic interstitial lung disease. 2021 , 76, 672-680 | | 3 |
| 493 | Blood and skeletal muscle ageing determined by epigenetic clocks and their associations with physical activity and functioning. | | |

| | | |
|-----|---|----|
| 492 | Systemic cross-talk between brain, gut, and peripheral tissues in glucose homeostasis: effects of exercise training (CROSSYS). Exercise training intervention in monozygotic twins discordant for body weight. 2021 , 13, 16 | 0 |
| 491 | Effect of Kidney Function on Relationships between Lifestyle Behaviors and Mortality or Cardiovascular Outcomes: A Pooled Cohort Analysis. 2021 , 32, 663-675 | 8 |
| 490 | The Association Between Leisure-time Physical Activity, Sedentary Behavior, and Low Back Pain: A Cross-sectional Analysis in Primary Care Settings. 2021 , 46, 596-602 | 3 |
| 489 | Physical activity behaviour and screen time in Dutch children during the COVID-19 pandemic: Pre-, during- and post-school closures. 2021 , 16, e12779 | 31 |
| 488 | No Effect of Lifestyle Intervention during Third Trimester on Brain Programming in Fetuses of Mothers with Gestational Diabetes. 2021 , 13, | 0 |
| 487 | The effect of unsupported arm elevations on regional chest wall volumes and thoracoabdominal asynchrony in patients with chronic obstructive pulmonary disease. 2021 , 1-13 | 0 |
| 486 | Physical activity in Sahara Moroccan hemodialysis patients. 2021 , 14, 65 | |
| 485 | Physical Activity, Anthropometric Characteristics, and Quality of Life of Middle-Aged Women Living in Rural and Nomadic Areas of Kermanshah Province. 2021 , In Press, | |
| 484 | Retention of Physical Gains in the Community Following Physical Training for Multiple Sclerosis: A Systematic Review and Implications. 2021 , 41, 177-188 | 1 |
| 483 | Transcranial direct current stimulation (a-tCDS) after subacromial injections in patients with subacromial pain syndrome: a randomized controlled pilot study. 2021 , 22, 265 | |
| 482 | Longitudinal Assessment of Physical Activity and Cognitive Outcomes Among Women at Midlife. 2021 , 4, e213227 | 4 |
| 481 | Metabolic and Psychological Features are Associated with Weight Loss 12 Months After Sleeve Gastrectomy. 2021 , 106, e3087-e3097 | 1 |
| 480 | Interferon Regulatory Factor 5 () Gene Haplotypes Are Associated with Premature Coronary Artery Disease. Association of the Polymorphisms with Cardiometabolic Parameters. The Genetics of Atherosclerotic Disease (GEA) Mexican Study. 2021 , 11, | 0 |
| 479 | Variability and coordination patterns of walking with different speeds in active and non-active children with Down syndrome: A cross-sectional case-control study. 1-9 | 1 |
| 478 | Low birth weight and its relation to physical fitness parameters in children: Its negative effect on muscle strength and cardiorespiratory endurance. 2021 , e23595 | 0 |
| 477 | Adipokines and Subclinical Cardiovascular Disease in Post-Menopausal Women: Study of Women's Health Across the Nation. 2021 , 10, e019173 | 1 |
| 476 | Leisure-time exercise is associated with lower depressive symptoms in community dwelling adults. 2021 , 1-10 | 3 |
| 475 | Effect of low-fat dairy products fortified with 1500IU nano encapsulated vitamin D on cardiometabolic indicators in adults with abdominal obesity: a total blinded randomized controlled trial. 2021 , 37, 579-588 | 5 |

| | | |
|-----|---|----|
| 474 | An exploratory study to investigate the association between age, physical activity, femoral trochlear cartilage thickness and biomarkers of tissue metabolism in adult males. 2021 , 121, 1871-1880 | 2 |
| 473 | Head injury and 25-year risk of dementia. 2021 , 17, 1432-1441 | 7 |
| 472 | Isokinetic Muscle Strength and Postural Sway of Recreationally Active Older Adults vs. Master Road Runners. 2021 , 12, 623150 | 1 |
| 471 | Optimism and telomere length among African American adults in the Jackson Heart Study. 2021 , 125, 105124 | 1 |
| 470 | Kinesiophobia in Stroke Patients, Multiple Sclerosis and Parkinson's Disease. 2021 , 11, | 3 |
| 469 | Genetic variants predictive of reproductive aging are associated with vasomotor symptoms in a multiracial/ethnic cohort. 2021 , 28, 883-892 | |
| 468 | Dietary spermidine improves cognitive function. 2021 , 35, 108985 | 25 |
| 467 | Development and validation of the Cystic Fibrosis Decisional Balance for Physical Activity scale (CF-DB-PA). 2021 , 21, 121 | 1 |
| 466 | Molecular pathways behind acquired obesity: Adipose tissue and skeletal muscle multiomics in monozygotic twin pairs discordant for BMI. 2021 , 2, 100226 | 6 |
| 465 | Effects of Health Promotion Model-Based Visual Learning Module on Self-Efficacy and Health Promotion Behavior of Stroke Survivors: A Nonrandomized Controlled Trial. 2021 , 12, 389-397 | 1 |
| 464 | Muscular fitness is associated with spinal pain among young people: A cross-sectional exploratory study. 2021 , 26, 174-179 | 0 |
| 463 | Whole-body electrical stimulation as a strategy to improve functional capacity and preserve lean mass after bariatric surgery: a randomized triple-blind controlled trial. 2021 , 45, 1476-1487 | 2 |
| 462 | Association of Innate and Acquired Aerobic Capacity With Resilience in Healthy Adults: Protocol for a Randomized Controlled Trial of an 8-Week Web-Based Physical Exercise Intervention. 2021 , 10, e29712 | 1 |
| 461 | Ancestry specific associations of a genetic risk score, dietary patterns and metabolic syndrome: a longitudinal ARIC study. 2021 , 14, 118 | 4 |
| 460 | Frequent Premature Atrial Contractions Are Associated With Poorer Cognitive Function in the Atherosclerosis Risk in Communities (ARIC) Study. 2021 , 96, 1147-1156 | 1 |
| 459 | Lumbopelvic sagittal standing posture associations with anthropometry, physical activity levels and trunk muscle endurance in healthy adults. 2021 , 41, 127-137 | |
| 458 | A prolonged hiatus in postmenopausal HRT, does not nullify the therapy's positive impact on ageing related sarcopenia. 2021 , 16, e0250813 | 1 |
| 457 | Sexual Dimorphism in Body Weight Loss, Improvements in Cardiometabolic Risk Factors and Maintenance of Beneficial Effects 6 Months after a Low-Calorie Diet: Results from the Randomized Controlled DiOGenes Trial. 2021 , 13, | 1 |

| | | |
|-----|--|---|
| 456 | Impact of home-based aerobic training combined with food orientation on food consumption, daily physical activity and cardiorespiratory fitness among breast cancer survivors: six-month clinical trial. 2021 , 139, 259-268 | 0 |
| 455 | Blood and skeletal muscle ageing determined by epigenetic clocks and their associations with physical activity and functioning. 2021 , 13, 110 | 1 |
| 454 | The role of diet quality and dietary patterns in predicting muscle mass and function in men over a 15-year period. 2021 , 32, 2193-2203 | 3 |
| 453 | Short-term intensive insulin as induction and maintenance therapy for the preservation of beta-cell function in early type 2 diabetes (RESET-IT Main): A 2-year randomized controlled trial. 2021 , 23, 1926-1935 | 0 |
| 452 | Classification of cardiorespiratory fitness using the six-minute walk test in adults: Comparison with cardiopulmonary exercise testing. 2021 , 27, 500-508 | 6 |
| 451 | Relationships between cognitive function, seizure control, and self-reported leisure-time exercise in epilepsy. 2021 , 118, 107900 | 1 |
| 450 | Physical Activity, Weight Loss, and Weight Maintenance in the DiOGenes Multicenter Trial. 2021 , 8, 683369 | 1 |
| 449 | Prestroke Physical Activity and Adverse Health Outcomes After Stroke in the Atherosclerosis Risk in Communities Study. 2021 , 52, 2086-2095 | 2 |
| 448 | The PERSONalized Glucose Optimization Through Nutritional Intervention (PERSON) Study: Rationale, Design and Preliminary Screening Results. 2021 , 8, 694568 | 4 |
| 447 | The rs12617336 and rs17574 Dipeptidyl Peptidase-4 Polymorphisms Are Associated With Hypoalphalipoproteinemia and Dipeptidyl Peptidase-4 Serum Levels: A Case-Control Study of the Genetics of Atherosclerotic Disease (GEA) Cohort. 2021 , 12, 592646 | 2 |
| 446 | Life's Simple 7 cardiovascular health score and premature atrial contractions: The atherosclerosis risk in communities (ARIC) study. 2021 , 332, 70-77 | 0 |
| 445 | Performance of the American Heart Association/American College of Cardiology Pooled Cohort Equations to Estimate Atherosclerotic Cardiovascular Disease Risk by Self-reported Physical Activity Levels. 2021 , 6, 690-696 | 1 |
| 444 | Associations Between Occupational and Leisure-Time Physical Activity With Employee Stress, Burnout and Well-Being Among Healthcare Industry Workers. 2021 , 35, 957-965 | 1 |
| 443 | Moderate Caloric Restriction Partially Improved Oxidative Stress Markers in Obese Humans. 2021 , 10, | 8 |
| 442 | Exploring overweight and obesity beyond body mass index: A body composition analysis in people with and without patellofemoral pain. 2021 , | 0 |
| 441 | Personalised nutrition advice reduces intake of discretionary foods and beverages: findings from the Food4Me randomised controlled trial. 2021 , 18, 70 | 5 |
| 440 | Perception of competence and self-regulation for physical activity in women with breast cancer. 1-12 | |
| 439 | NAD ⁺ -Precursor Supplementation With L-Tryptophan, Nicotinic Acid, and Nicotinamide Does Not Affect Mitochondrial Function or Skeletal Muscle Function in Physically Compromised Older Adults. 2021 , 151, 2917-2931 | 2 |

| | | |
|-----|---|-------|
| 438 | Characteristics Associated With People With Chronic Low Back Pain Meeting Physical Activity Guidelines and Recommendations for Sedentary Behavior: A Cross-Sectional Study. 2021 , 44, 378-388 | 0 |
| 437 | Triglyceride-glucose index in the development of peripheral artery disease: findings from the Atherosclerosis Risk in Communities (ARIC) Study. 2021 , 20, 126 | 6 |
| 436 | Per- and Polyfluoroalkyl Substances and Hormone Levels During the Menopausal Transition. 2021 , 106, e4427-e4437 | 3 |
| 435 | Omega-3 Fatty Acids in Erythrocyte Membranes as Predictors of Lower Cardiovascular Risk in Adults without Previous Cardiovascular Events. 2021 , 13, | 2 |
| 434 | Upper extremity musculoskeletal disorders and work exposures among railroad maintenance-of-way workers. 2021 , 64, 744-757 | 0 |
| 433 | Exercise modality, but not exercise training, alters the acute effect of exercise on endothelial function in healthy men. 2021 , 130, 1716-1723 | 1 |
| 432 | Association of Psychobehavioral Variables With HOMA-IR and BMI Differs for Men and Women With Prediabetes in the PREVIEW Lifestyle Intervention. 2021 , 44, 1491-1498 | 1 |
| 431 | Matrisome, innervation and oxidative metabolism affected in older compared with younger males with similar physical activity. 2021 , 12, 1214-1231 | 2 |
| 430 | Structural remodeling of the lumbar multifidus, thoracolumbar fascia and lateral abdominal wall perimuscular connective tissues: Medium-term test-retest reliability of ultrasound measures. 2021 , 27, 265-273 | 0 |
| 429 | [Síndrome metabólico, lipoproteína(a) y aterosclerosis subclílica en población mexicana]. 2020 , | |
| 428 | Physical activity domains are differently related with quality of life in breast cancer survivors: a cross-sectional study. 2021 , 28, 1233-1238 | 2 |
| 427 | App-Tailoring Requirements to Increase Stress Management Competencies Within Families: Cross-sectional Survey Study. 2021 , 23, e26376 | 1 |
| 426 | Metabolic Syndrome Trajectories and Objective Physical Performance in Mid-To-Early Late Life: The Study of Women's Health Across the Nation (SWAN). <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2021 , | 6.4 2 |
| 425 | Physical activity across life stages and sleep quality in adulthood - an epidemiological study. 2021 , 83, 34-39 | 4 |
| 424 | A hypocaloric diet rich in high fiber rye foods causes greater reduction in body weight and body fat than a diet rich in refined wheat: A parallel randomized controlled trial in adults with overweight and obesity (the RyeWeight study). 2021 , 45, 155-169 | 1 |
| 423 | Reliability of the Thai version of the International Physical Activity Questionnaire Short Form in chronic obstructive pulmonary disease. 2021 , 27, 55-59 | 0 |
| 422 | Physical Activity Among Parents of Children With Disabilities: A Systematic Review. 0192513X2110300 | 0 |
| 421 | Waist circumference was associated with 2-year blood pressure change in community dwelling adults independently of BMI.. 2022 , 27, 1-8 | 0 |

| | | |
|-----------------|--|---|
| 4 ²⁰ | Daily activity limitations and physical activity encouragement influence adolescents seeking health care for neck and low back pain. 2021 , 54, 102385 | 1 |
| 4 ¹⁹ | Yoga in women with abdominal obesity - Do lifestyle factors mediate the effect? Secondary analysis of a RCT. 2021 , 60, 102741 | 2 |
| 4 ¹⁸ | Subtypes of gestational diabetes and future risk of pre-diabetes or diabetes. 2021 , 40, 101087 | 1 |
| 4 ¹⁷ | Adherence to Healthy Lifestyle and the Risk of Function Limitations in Late Life: The Atherosclerosis Risk in Communities Study. 2021 , 13, 698699 | 1 |
| 4 ¹⁶ | Work Organization Factors Associated with Health and Work Outcomes among Apprentice Construction Workers: Comparison between the Residential and Commercial Sectors. 2021 , 18, | 0 |
| 4 ¹⁵ | The associations of butyrate-producing bacteria of the gut microbiome with diet quality and muscle health. 1-36 | 2 |
| 4 ¹⁴ | Associations between physical activity, sedentary time and cardiovascular risk factors among Dutch children. 2021 , 16, e0256448 | 0 |
| 4 ¹³ | Divergent dynamics in systemic and tissue-specific metabolic and inflammatory responses during weight loss in subjects with obesity. 2021 , 144, 155587 | 0 |
| 4 ¹² | The Efficacy of a Multicomponent Functional Fitness Program Based on Exergaming on Cognitive Functioning of Healthy Older Adults: A Randomized Controlled Trial. 2020 , 29, 586-594 | 3 |
| 4 ¹¹ | Physical activity and sleep quality correlations with anthropometric measurements in young adults. 2021 , 1-8 | 0 |
| 4 ¹⁰ | Arterial stiffness and age moderate the association between physical activity and global cognition in older adults. 2021 , | |
| 4 ⁰⁹ | Factors associated with fear of falling among frail older adults. 2021 , 42, 1035-1041 | 3 |
| 4 ⁰⁸ | Structural equation model of the effect of biological maturation on metabolic syndrome risk and C-reactive protein: effect of trunk fat and sports participation. 2021 , 11, 18052 | |
| 4 ⁰⁷ | Effect of very large body mass loss on energetics, mechanics and efficiency of walking in adults with obesity: mass-driven versus behavioural adaptations. 2021 , | 0 |
| 4 ⁰⁶ | Association between neighborhood social cohesion, awareness of chronic diseases, and participation in healthy behaviors in a community cohort. 2021 , 21, 1611 | 2 |
| 4 ⁰⁵ | Regional education and wealth-related inequalities in malnutrition among women in Bangladesh. 2021 , 1-19 | 1 |
| 4 ⁰⁴ | Is Energy Expenditure or Physical Activity Considered When Energy Intake Is Measured? A Scoping Review 1975-2015. 2021 , 13, | 1 |
| 4 ⁰³ | Association of physical activity with arterial stiffness among Black adults. 2021 , 1358863X211032725 | 0 |

| | | |
|-----|---|---|
| 402 | Sitting less elicits metabolic responses similar to exercise and enhances insulin sensitivity in postmenopausal women. 2021 , 64, 2817-2828 | 4 |
| 401 | Serum Afamin a Novel Marker of Increased Hepatic Lipid Content. 2021 , 12, 670425 | 3 |
| 400 | Visceral Fat Accumulation Is Related to Impaired Pancreatic Blood Perfusion and Beta-Cell Dysfunction in Obese Women. 2021 , 1-6 | 2 |
| 399 | Peak retrograde flow a potential objective management tool to identify young adults with varicocele 'at risk' for a high sperm DNA fragmentation. 2021 , | 0 |
| 398 | Impaired Isometric, Concentric, and Eccentric Rate of Torque Development at the Hip and Knee in Patellofemoral Pain. 2021 , 35, 2492-2497 | 5 |
| 397 | The Role of Physical Activity-Related Health Competence and Leisure-Time Physical Activity for Physical Health and Metabolic Syndrome: A Structural Equation Modeling Approach for German Office Workers. 2021 , 18, | 2 |
| 396 | The association of social frailty with intrinsic capacity in community-dwelling older adults: a prospective cohort study. 2021 , 21, 515 | 3 |
| 395 | Sex differences in central and peripheral fatigue induced by sustained isometric ankle plantar flexion. | |
| 394 | Manorah training alleviates median neural tension and improves physical fitness in sedentary young adults: A randomized control trial. 2021 , 28, 49-55 | |
| 393 | Cardioprotective effects of resistance training add to those of total activity in Americans. 2021 , 62, 13-18 | 1 |
| 392 | Knee and Hip Isometric Force Steadiness Are Impaired in Women With Patellofemoral Pain. 2021 , 35, 2878-2885 | 3 |
| 391 | The efficacy of dairy products fortified with nano-encapsulated vitamin D3 on physical and mental aspects of the health in obese subjects; the protocol of the SUVINA trial. 2021 , 4, 1-9 | 2 |
| 390 | Dietary fructose intake is correlated with fat distribution in the Newfoundland population. 2022 , 93, 111434 | 0 |
| 389 | Evolution of body composition following successful kidney transplantation is strongly influenced by physical activity: results of the CORPOS study. 2021 , 22, 31 | 1 |
| 388 | The associations between dietary pattern of chronic obstructive pulmonary disease patients and depression: a cross-sectional study. 2021 , 21, 8 | 2 |
| 387 | Sphingolipids and physical function in the Atherosclerosis Risk in Communities (ARIC) study. 2021 , 11, 1169 | |
| 386 | Study protocol: randomised controlled trial evaluating exercise therapy as a supplemental treatment strategy in early multiple sclerosis: the Early Multiple Sclerosis Exercise Study (EMSES). 2021 , 11, e043699 | 4 |
| 385 | No evidence for brown adipose tissue activation after creatine supplementation in adult vegetarians. 2021 , 3, 107-117 | 6 |

| | | |
|-----|---|------|
| 384 | Physical Activity Epidemiology. 2014 , 1927-2002 | 1 |
| 383 | Körperliche Aktivität. 2017 , 3-11 | 1 |
| 382 | [Aortic valve calcification prevalence and association with coronary risk factors and atherosclerosis in Mexican population]. 2017 , 87, 108-115 | 3 |
| 381 | [Prevalence and extent of coronary artery calcification in an asymptomatic cardiovascular Mexican population: Genetics of Atherosclerotic Disease study]. 2017 , 87, 292-301 | 4 |
| 380 | An overview of physical activities among family members with risk of type 2 diabetes mellitus in Pekanbaru. 2019 , 29, 26-29 | 1 |
| 379 | Assessing physical activity through questionnaires – A consensus of best practices and future directions. 2020 , 50, 101715 | 20 |
| 378 | Physical activity, physical fitness, gross motor coordination, and metabolic syndrome: focus of twin research in Portugal. 2013 , 16, 296-301 | 4 |
| 377 | The Association Between Physical Activity and Attentional Control in Younger and Older Middle-Aged Adults. 2012 , 25, 207-221 | 15 |
| 376 | Messung der Bewegungs- und Sportaktivität mit dem BSA-Fragebogen. 2015 , 23, 60-76 | 88 |
| 375 | Diagnose körperlich-sportlicher Aktivität im Erwachsenenalter. 2004 , 11, 54-70 | 19 |
| 374 | The relationship between cumulative unfair treatment and intima media thickness and adventitial diameter: The moderating role of race in the study of women's health across the nation. 2016 , 35, 313-21 | 22 |
| 373 | The effects of aerobic training on subclinical negative affect: A randomized controlled trial. 2020 , 39, 255-264 | 4 |
| 372 | Psychometric properties of the Adulthood Trauma Inventory. 2020 , 39, 679-688 | 3 |
| 371 | Metabolic Syndrome in Healthy Obese, Overweight, and Normal Weight Individuals: The Atherosclerosis Risk in Communities Study. | 3 |
| 370 | Association of visceral fat with coronary risk factors in a population-based sample of postmenopausal women. | 3 |
| 369 | Associations between weight gain and incident hypertension in a bi-ethnic cohort: the Atherosclerosis Risk in Communities Study. | 1 |
| 368 | Dietary and Biochemical Indices of Nutritional Status in Male Athletes and Controls. 1992 , 11, 181-191 | 35 |
| 367 | A high-protein diet increases postprandial but not fasting plasma total homocysteine concentrations: a dietary controlled, crossover trial in healthy volunteers. <i>American Journal of Clinical Nutrition</i> , 2005 , 82, 553-8 | 7 22 |

| | | |
|-----|--|------|
| 366 | Dietary fiber intake and retinal vascular caliber in the Atherosclerosis Risk in Communities Study. | 15 |
| 365 | A prospective investigation of the relations among cognitive dietary restraint, subclinical ovulatory disturbances, physical activity, and bone mass in healthy young women. <i>American Journal of Clinical Nutrition</i> , 2007 , 86, 1791-1801 | 7 14 |
| 364 | A second look at the relation between colorectal adenomas and consumption of foods containing partially hydrogenated oils. 2000 , 11, 469-73 | 25 |
| 363 | Repeatability and relative validity of two physical activity questionnaires in elderly women. 1996 , 28, 1020-5 | 51 |
| 362 | Fat distribution, physical activity, and cardiovascular risk factors. 1997 , 29, 362-9 | 69 |
| 361 | Baecke Questionnaire of Habitual Physical Activity. 1997 , 29, 15-18 | 4 |
| 360 | Physical activity and incidence of coronary heart disease in middle-aged women and men. 1997 , 29, 901-9 | 160 |
| 359 | Is there a relationship between physical activity and dietary calcium intake? A survey in 10,373 young French subjects. 1998 , 30, 732-9 | 8 |
| 358 | Is physical activity or aerobic power more influential on reducing cardiovascular disease risk factors?. 1998 , 30, 1521-9 | 76 |
| 357 | Assessment of physical activity level in relation to obesity: current evidence and research issues. 1999 , 31, S522-5 | 72 |
| 356 | Older adults and exercise: path analysis of self-efficacy related constructs. 1998 , 47, 180-9 | 130 |
| 355 | Relation between steroid dose, body composition and physical activity in renal transplant patients. 2000 , 69, 1591-8 | 49 |
| 354 | How to assess physical activity? How to assess physical fitness?. 2005 , 12, 102-114 | 181 |
| 353 | Association of general and abdominal obesities and metabolic syndrome with subclinical atherosclerosis in asymptomatic Chinese postmenopausal women. 2008 , 15, 185-92 | 21 |
| 352 | Phytoestrogen and fiber intakes in relation to incident vasomotor symptoms: results from the Study of Women's Health Across the Nation. 2013 , 20, 305-14 | 18 |
| 351 | Genome-wide association study of habitual physical activity in over 277,000 UK Biobank participants identifies multiple variants including <i>CADM2</i> and <i>APOE</i> . | 2 |
| 350 | No associations between physical activity and clinical outcomes among hospitalized patients with severe COVID-19. | 0 |
| 349 | Muscle Mass and Muscle Strength Relationships to Balance: The Role of Age and Physical Activity. 2020 , 28, 262-268 | 5 |

| | | |
|-----|---|-----|
| 348 | Sports Participation and Health Care Costs in Older Adults Aged 50 Years or Older. 2020 , 1-7 | 4 |
| 347 | Parents' Lifestyle, Sedentary Behavior, and Physical Activity in Their Children: A Cross-Sectional Study in Brazil. 2019 , 16, 631-636 | 9 |
| 346 | Metabolic Syndrome, Physical Activity, and Medication-Related Expenditures: A Longitudinal Analysis. 2019 , 16, 830-835 | 2 |
| 345 | The Association of Sport and Exercise Activities With Cardiovascular Disease Risk: The Atherosclerosis Risk in Communities (ARIC) Study. 2019 , 16, 698-705 | 4 |
| 344 | Are Individuals Who Engage in More Frequent Self-Regulation Less Susceptible to Mental Fatigue?. 2019 , 1-9 | 9 |
| 343 | No association of menopause and hormone replacement therapy with carotid artery intima-media thickness. Atherosclerosis Risk in Communities (ARIC) Study Investigators. 1996 , 94, 1857-63 | 44 |
| 342 | Prospective study of hemostatic factors and incidence of coronary heart disease: the Atherosclerosis Risk in Communities (ARIC) Study. 1997 , 96, 1102-8 | 473 |
| 341 | Residual pressor effects of chronic alcohol in detoxified alcoholics. 1996 , 28, 133-8 | 13 |
| 340 | Reduced mitochondrial density and increased IRS-1 serine phosphorylation in muscle of insulin-resistant offspring of type 2 diabetic parents. 2005 , 115, 3587-93 | 600 |
| 339 | Field Assessment of Physical Activity and Energy Expenditure among Athletes. 2002 , 225-256 | 2 |
| 338 | Leisure-time physical activity and other factors in relation to blood pressure in Japanese-Americans in Hawaii, USA. 2001 , 24, 145-51 | 8 |
| 337 | Reduced basal ATP synthetic flux of skeletal muscle in patients with previous acromegaly. 2008 , 3, e3958 | 23 |
| 336 | A common CNR1 (cannabinoid receptor 1) haplotype attenuates the decrease in HDL cholesterol that typically accompanies weight gain. 2010 , 5, e15779 | 11 |
| 335 | Insulin resistance in non-obese subjects is associated with activation of the JNK pathway and impaired insulin signaling in skeletal muscle. 2011 , 6, e19878 | 39 |
| 334 | Association of common genetic variants in the MAP4K4 locus with prediabetic traits in humans. 2012 , 7, e47647 | 24 |
| 333 | The ABCA1 gene R230C variant is associated with decreased risk of premature coronary artery disease: the genetics of atherosclerotic disease (GEA) study. 2012 , 7, e49285 | 51 |
| 332 | Diabetes medication use and blood lactate level among participants with type 2 diabetes: the atherosclerosis risk in communities carotid MRI study. 2012 , 7, e51237 | 11 |
| 331 | Modulation of protein fermentation does not affect fecal water toxicity: a randomized cross-over study in healthy subjects. 2012 , 7, e52387 | 52 |

| | | |
|-----|--|----|
| 330 | Proprioceptive changes impair balance control in individuals with chronic obstructive pulmonary disease. 2013 , 8, e57949 | 57 |
| 329 | High dietary magnesium intake is associated with low insulin resistance in the Newfoundland population. 2013 , 8, e58278 | 40 |
| 328 | Origins of balance disorders during a daily living movement in obese: can biomechanical factors explain everything?. 2013 , 8, e60491 | 26 |
| 327 | Factors associated with impairment of quadriceps muscle function in Chinese patients with chronic obstructive pulmonary disease. 2014 , 9, e84167 | 11 |
| 326 | Adipose tissue CIDEA is associated, independently of weight variation, to change in insulin resistance during a longitudinal weight control dietary program in obese individuals. 2014 , 9, e98707 | 7 |
| 325 | Associations between childhood body size, composition, blood pressure and adult cardiac structure: the Fels Longitudinal Study. 2014 , 9, e106333 | 13 |
| 324 | Prolonged Adaptation to a Low or High Protein Diet Does Not Modulate Basal Muscle Protein Synthesis Rates - A Substudy. 2015 , 10, e0137183 | 16 |
| 323 | A Dietary Supplement Containing Cinnamon, Chromium and Carnosine Decreases Fasting Plasma Glucose and Increases Lean Mass in Overweight or Obese Pre-Diabetic Subjects: A Randomized, Placebo-Controlled Trial. 2015 , 10, e0138646 | 40 |
| 322 | Association between Time of Day of Sports-Related Physical Activity and the Onset of Acute Myocardial Infarction in a Chinese Population. 2016 , 11, e0146472 | 10 |
| 321 | An Allometric Modelling Approach to Identify the Optimal Body Shape Associated with, and Differences between Brazilian and Peruvian Youth Motor Performance. 2016 , 11, e0149493 | 11 |
| 320 | Objectively Measured Physical Activity in European Adults: Cross-Sectional Findings from the Food4Me Study. 2016 , 11, e0150902 | 16 |
| 319 | Higher Dietary Choline and Betaine Intakes Are Associated with Better Body Composition in the Adult Population of Newfoundland, Canada. 2016 , 11, e0155403 | 45 |
| 318 | Best anthropometric discriminators of incident type 2 diabetes among white and black adults: A longitudinal ARIC study. 2017 , 12, e0168282 | 18 |
| 317 | A multilevel analysis of health-related physical fitness. The Portuguese sibling study on growth, fitness, lifestyle and health. 2017 , 12, e0172013 | 9 |
| 316 | High dietary selenium intake is associated with less insulin resistance in the Newfoundland population. 2017 , 12, e0174149 | 24 |
| 315 | Combined sprint and resistance training abrogates age differences in somatotrophic hormones. 2017 , 12, e0183184 | 15 |
| 314 | Higher serum choline and betaine levels are associated with better body composition in male but not female population. 2018 , 13, e0193114 | 20 |
| 313 | Muscle Fatigue Does Not Change the Effects on Lower Limbs Strength Caused by Aging and Parkinson's Disease. 2018 , 9, 988-998 | 8 |

| | | |
|-----|---|----|
| 312 | The Activity and Its Barriers and the Well-Being of Older Poles. 2014 , 22, 8-14 | 1 |
| 311 | Association between type 2 diabetes mellitus, biochemical factors and UCSNP-43 polymorphisms of CALPIN-10 gene in patients with atherosclerosis of coronary artery disease in Southern Iran population. 2016 , 8, 13-9 | 2 |
| 310 | Effects of dietary fat on insulin secretion in subjects with the metabolic syndrome. 2019 , 180, 321-328 | 7 |
| 309 | Identifying children who are susceptible to dropping out from physical activity and sport: a cross-sectional study. 2019 , 137, 329-335 | 6 |
| 308 | Prediço da frequncia cardaca basal de indivduos com nveis de atividade fsica alto e baixo. 2013 , 19, 22-26 | 1 |
| 307 | Fatores associados ao excesso de peso entre adolescentes de diferentes redes de ensino do municpio de Presidente Prudente, So Paulo. 2009 , 9, 443-449 | 3 |
| 306 | Obesidade e sobrepeso em adolescentes: relao com atividade fsica, aptido fsica, maturaço biolgica e "status" socioeconmico. 2011 , 25, 225-235 | 3 |
| 305 | Nvel de atividade fsica, comorbidades e idade de pacientes hipertensos. 2013 , 19, 16-24 | 2 |
| 304 | A haplotype of the phosphodiesterase 4D (PDE4D) gene is associated with myocardial infarction and with cardiometabolic parameters: the GEA study. 2018 , 17, 1182-1190 | 0 |
| 303 | Pretiree lifestyles in relation to musculoskeletal health: cross-sectional data from the Geelong Osteoporosis Study. 2018 , 3, | 1 |
| 302 | Leisure-time physical activity volume, intensity, and duration from mid- to late-life in U.S. subpopulations by race and sex. The Atherosclerosis Risk In Communities (ARIC) Study. 2020 , 12, 4592-4602 | 1 |
| 301 | Alterations of hand sensorimotor function and cortical motor representations over the adult lifespan. 2020 , 12, 4617-4640 | 5 |
| 300 | Hubungan Asupan Energi Dan Tingkat Aktivitas Fisik Dengan Produktivitas Pada Tenaga Kerja Berstatus Gizi Lebih Bagian Packaging Di PT Timur Megah Steel. 2019 , 3, 315 | 3 |
| 299 | Relationship Among Physical Activity Level, Mood and Anxiety States and Quality of Life in Physical Education Students. 2017 , 13, 82-91 | 11 |
| 298 | Individualized Web-Based Exercise for the Treatment of Depression: Randomized Controlled Trial. 2018 , 5, e10698 | 12 |
| 297 | Feasibility and Effect of the Exergame BOOSTH Introduced to Improve Physical Activity and Health in Children: Protocol for a Randomized Controlled Trial. 2020 , 9, e24035 | 2 |
| 296 | Effects of a Web-Based Personalized Intervention on Physical Activity in European Adults: A Randomized Controlled Trial. 2015 , 17, e231 | 20 |
| 295 | Changes in Physical Activity Following a Genetic-Based Internet-Delivered Personalized Intervention: Randomized Controlled Trial (Food4Me). 2016 , 18, e30 | 21 |

| | | | |
|-----|--|---|-----|
| 294 | Application of Behavior Change Techniques in a Personalized Nutrition Electronic Health Intervention Study: Protocol for the Web-Based Food4Me Randomized Controlled Trial. 2018 , 7, e87 | | 11 |
| 293 | Association between quality of life, physical activity, use of medication and costs of treatment for chronic diseases in Primary Care. 2020 , 60, 456-463 | | 2 |
| 292 | EVALUATION OF A SCHOOL-BASED INTERVENTION PROGRAMME TO PROMOTE PHYSICAL ACTIVITY: AN APPLICATION OF THE THEORY OF PLANNED BEHAVIOR. 2005 , 101, 787 | | 4 |
| 291 | THE FORMAL PACE OF SESAME STREET OVER 26 YEARS. 2004 , 99, 354 | | 1 |
| 290 | An Analysis of Relations Between a Self-Assessment of Health and Active Life-Style. 2009 , 13, 17-21 | | 4 |
| 289 | Powered-hand tools and vibration-related disorders in US-railway maintenance-of-way workers. 2020 , 58, 539-553 | | 5 |
| 288 | [Prospective study of the relation between exercise performance for health promotion, self-efficacy, and outcome expectation of elderly people]. 2007 , 44, 107-16 | | 2 |
| 287 | The labile iron pool in monocytes reflects the activity of the atherosclerotic process in men with chronic cardiovascular disease. 2017 , 66, 49-61 | | 9 |
| 286 | Determining the Optimal Cognitive Screening Tool in Older People With Diabetes. 2020 , 11, 322 | | 1 |
| 285 | Visceral adiposity and its anatomical distribution as predictors of the metabolic syndrome and cardiometabolic risk factor levels. <i>American Journal of Clinical Nutrition</i> , 2008 , 88, 1263-71 | 7 | 134 |
| 284 | The effect of a 10-week high-intensity interval training and ginger consumption on inflammatory indices contributing to atherosclerosis in overweight women. 2016 , 21, 116 | | 6 |
| 283 | "Theory Based Health Education: Application of Health Belief Model for Iranian Obese and Overweight Students about Physical Activity" in Urmia, Iran. 2016 , 7, 115 | | 7 |
| 282 | A comparative study of nutritional status and foodstuffs in adolescent girls in iran. 2014 , 4, 38-43 | | 2 |
| 281 | Health Status and Lifestyle Habits of US Medical Students: A Longitudinal Study. 2016 , 6, 341-347 | | 17 |
| 280 | Adherence to Medication and Physical Activity among People Living with HIV/AIDS. 2019 , 24, 397-399 | | 6 |
| 279 | The Effects of a Training Program Based on the Health Promotion Model on Physical Activity in Women with Type 2 Diabetes: A Randomized Controlled Clinical Trial. 2020 , 25, 224-231 | | 3 |
| 278 | Occupational and leisure-time physical activity differentially predict 6-year incidence of stroke and transient ischemic attack in women. 2019 , 45, 267-279 | | 18 |
| 277 | Validity and Reliability of the Persian Version of Baecke Habitual Physical Activity Questionnaire in Healthy Subjects. 2016 , 7, e31778 | | 23 |

| | | | | |
|-----|--|-----|--|----|
| 276 | Impact of Sport on the Cardiovascular Diseases Scale Based on Health Belief Model: Questionnaire Psychometric Properties. 2018 , 20, | | | 3 |
| 275 | Physical Activities and Health Belief of Elementary School Students for Obesity Prevention and Management among Elementary School Students. 2012 , 26, 227-238 | | | 10 |
| 274 | Back and neck pain and poor sleep quality in adolescents are associated even after controlling for confounding factors: An epidemiological study. 2020 , 13, 107-112 | | | 2 |
| 273 | p.Q192R SNP of PON1 seems not to be Associated with Carotid Atherosclerosis Risk Factors in an Asymptomatic and Normolipidemic Brazilian Population Sample. 2015 , 105, 45-52 | | | 7 |
| 272 | Assessment of a questionnaire for breast cancer case-control studies. 2013 , 14, 2777-82 | | | 4 |
| 271 | Comparison of Lumbopelvic Rhythm between Healthy Individuals and Lumbar Clinical Instability Patients. 2021 , 28, 95-103 | | | 1 |
| 270 | Effects and challenges of using a nutrition assistance system: results of a long-term mixed-method study. 1 | | | 0 |
| 269 | Fatigue, depression, and physical activity in patients with malignant hyperthermia: a cross-sectional observational study. 2021 , | | | |
| 268 | Education and Cardiovascular Health as Effect Modifiers of APOE ϵ on Dementia: The Atherosclerosis Risk in Communities (ARIC) Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2021 , | 6.4 | | 1 |
| 267 | Age-Related Changes in Bone Density, Microarchitecture, and Strength in Postmenopausal Black and White Women: The SWAN Longitudinal HR-pQCT Study. 2021 , | | | 0 |
| 266 | The German Gestational Diabetes Study (PREG): Rationale, Methodology and Design. | | | |
| 265 | Midlife Cardiovascular Health and Robust versus Frail Late-Life Status: The Atherosclerosis Risk in Communities (ARIC) Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2021 , | 6.4 | | 1 |
| 264 | Trunk muscle endurance in individuals with and without patellofemoral pain: Sex differences and correlations with performance tests. 2021 , 52, 248-255 | | | 0 |
| 263 | The Measurement of Energy Expenditure and Physical Activity. 2007 , 159-189 | | | |
| 262 | Effect of Power Walking Program on the Immune Response in Human Body. 2008 , 17, 1-10 | | | |
| 261 | Effects of a Low Carbohydrate Weight Loss Diet on Exercise Capacity and Tolerance in Obese Subjects. | | | |
| 260 | Development of Physical Activity Questionnaire for Korean Adults. 2009 , 20, 400-416 | | | 3 |
| 259 | Exercise and Quality of Life in COPD. 2010 , 4119-4131 | | | 0 |

- 258 Análise de dados gemelares: uma aventura guiada para investigadores das Ciências do Desporto. **2011**, 25, 351-368 2
- 257 Serum 25-hydroxyvitamin D and Ethnic Differences in Arterial Stiffness and Endothelial Function. **2012**, 4, 197-205 7
- 256 Sleep Duration and Weight Change in Midlife Women: The SWAN Sleep Study.
- 255 Clinical Outcomes Assessment in Clinical Trials to Assess Treatment of Femoroacetabular Impingement: Use of Patientreported Outcome Measures. **2013**, 21, S39-S46 12
- 254 CHAPTER NUMBER 11. **2013**, 119-122
- 253 CHAPTER NUMBER 20. **2013**, 167-169
- 252 Erfassung körperlicher Aktivität - Ein Überblick über Anspruch und Realität einer validen Messung. **2014**, 97-124
- 251 The burden of abdominal obesity with physical inactivity on health expenditure in Brazil. **2015**, 21, 68-74
- 250 Measurement Properties of Physical Activity Questionnaires Used in Studies Involving Populations with Diabetes: A Systematic Review. **2015**, 17, 25-47
- 249 In reply. **2015**, 112, 563
- 248 The Efficacy of Goal Setting in Cardiac Rehabilitation-a Gender-Specific Randomized Controlled Trial. **2016**, 113, 525-31 6
- 247 Competição na dança clássica: um fator ansiogênico negativo?. **2016**, 30, 793-803
- 246 Physical activity during the early years of life and osteoporosis in adulthood: study among users of the Brazilian National Health System. **2016**, 22, 353-358
- 245 Postexercise Hemodynamics in Patients With Type 2 Diabetes: Effect of Exercise Intensity and Duration. **2017**, 6, 1-8 1
- 244 Relationship between Habitual Physical Activity and Variability of Cardiac Frequency in Women with Type 2 Diabetes. **2017**, 1,
- 243 Relationship Between Knee Extensors Power Output and Vastus Lateralis EMG Activation in Elderly Women: Influence of Mother Wavelet Selection. **2017**, 10, 263-271
- 242 Klinimetrie bij volwassenen. **2019**, 155-165
- 241 The Effect of Lower and Higher Calorie Meal on the Parameters of Ventricular Repolarization in Healthy Subjects. **2019**, 7, 329-335

- 240 The Relationship between Lifestyle and Costs Related to Medicine Use in Adults. **2019**, 112, 749-755 2
- 239 HUBUNGAN ASUPAN ZAT GIZI MIKRO DAN AKTIVITAS FISIK DENGAN KEJADIAN OBESITAS SENTRAL PADA PEKERJA BAGIAN PERKANTORAN. **2019**, 3, 33
- 238 A Whole-Genome Approach Discovers Novel Genetic and Non-Genetic Variance Components Modulated by Lifestyle for Cardiovascular Health. 1
- 237 Exploring the Occupational Physical Activity Levels in young Adult Restaurant Servers.. **2019**, 4, 20-28
- 236 Sleep pattern, obesity and healthcare expenditures in Brazilian adults. **2019**, 24, 4103-4110 1
- 235 An integrative machine learning approach to discovering multi-level molecular mechanisms of obesity using data from monozygotic twin pairs.
- 234 Chronic low back pain and physical activity among patients within the Brazilian National Health System: a cross-sectional study. **2020**, 138, 106-111
- 233 CRITICAL VS ESTIMATED HEART RATE IN ELDERLY SUBJECTS. **2020**, 26, 134-138
- 232 The Relationship Between Antioxidants and Inflammation in Children With Attention Deficit Hyperactivity Disorder. **2020**, 11, 313-321 2
- 231 Correlation between quality of life and physical activity level of professionals of the Family Health Support Center (NASF). **2020**, 18, 37-44 0
- 230 What Is the Profile of Overweight Individuals Who Are Unsuccessful Responders to a Low-Energy Diet? A PREVIEW Sub-study. **2021**, 8, 707682 0
- 229 II.4. Relations entre dterminants proximaux et tat nutritionnel. **2020**, 362-387
- 228 Diaphragm thickness and stiffness in patients with hyperkyphosis due to osteoporotic vertebral fracture: an ultrasonographic and elastographic study. **2020**, 85, e575-e580 0
- 227 Early Decline of Androgen Levels in Healthy Adult Men: An Effect of Aging Per Se? A Prospective Cohort Study. **2021**, 106, 1074-1083 4
- 226 The Impact of Aerobic Training on Cardiovascular Reactivity to and Recovery From Psychological and Orthostatic Challenge. **2021**, 83, 125-137 1
- 225 HEART RATE AND LOWER LIMB MUSCLE ACTIVITY ON CYCLE ERGOMETER. **2020**, 26, 487-492
- 224 The Physical Capacity of Rowing Athletes Cannot Reverse the Influence of Age on Heart Rate Variability during Orthostatic Stress. **2021**, 93, e20201677 0
- 223 Nine-Year Ethanol Intake Trajectories and Their Association With 15-Year Cognitive Decline Among Black and White Adults. **2020**, 189, 788-800

| | | |
|-----|--|-----|
| 222 | Ferramentas de avaliação de atividade física, capacidade funcional e condicionamento aeróbio: uma abordagem. 2019 , 6-16 | |
| 221 | Using an educational program based on health belief model to improve the preventive behaviors of nurses against cardiovascular diseases. 2020 , 9, 100 | 2 |
| 220 | Relationship between Health Costs and Inflammatory Profile in Public Health. 2020 , 25, 4622-4629 | |
| 219 | Impact of physical activity levels on musculoskeletal symptoms and absenteeism of workers of a metallurgical company. 2021 , 18, 425-433 | 1 |
| 218 | Cardiovascular autonomic responses during head-up tilt test in newly diagnosed type 2 diabetes. 2021 , 1 | |
| 217 | Association Between Different Domains of Physical Activity and Body Adiposity Indicators in Breast Cancer Survivors. 2021 , | |
| 216 | Physical fitness and cardiovascular risk factors in the novel diabetes subgroups. 2021 , | 0 |
| 215 | Personal, Social, and Environmental Influences on Physical Activity in Groups of Children As Defined by Different Physical Activity Patterns. 2020 , 17, 867-873 | |
| 214 | Benefits of a four-week functional restoration program in chronic low back pain patients and three-month follow-up: focus on paraspinal muscle aerobic metabolism responses to exercise. 2020 , 60, 1558-1566 | |
| 213 | A Survey of Physical Activity Levels of Certified Athletic Trainers. 2002 , 37, 281-285 | 19 |
| 212 | Sea-level physical activity and acute mountain sickness at moderate altitude. 1995 , 163, 117-21 | 9 |
| 211 | Assessment of physical activity in epidemiologic research: problems and prospects. 1985 , 100, 131-46 | 215 |
| 210 | Role of apolipoprotein E and B gene variation in determining response of lipid, lipoprotein, and apolipoprotein levels to increased dietary cholesterol. 1991 , 49, 1145-54 | 53 |
| 209 | Prediction of an unfavourable course of low back pain in general practice: comparison of four instruments. 2007 , 57, 15-22 | 47 |
| 208 | Sleep disturbance during the menopausal transition in a multi-ethnic community sample of women. 2008 , 31, 979-90 | 200 |
| 207 | Incidence and risk factors for cardiovascular disease in African Americans with diabetes: the Atherosclerosis Risk in Communities (ARIC) study. 2002 , 94, 1025-35 | 10 |
| 206 | Smoking, fibrinogen and cancer mortality. 2007 , 99, 328-33 | 9 |
| 205 | Sex steroid hormone profiles are related to sleep measures from polysomnography and the Pittsburgh Sleep Quality Index. 2008 , 31, 1339-49 | 81 |

| | | |
|-----|--|----|
| 204 | Differences in coronary heart disease risk markers among apparently healthy individuals of African ancestry. 2007 , 99, 658-64 | 13 |
| 203 | Diet and obesity among Chamorro and Filipino adults on Guam. 2008 , 17, 216-22 | 27 |
| 202 | Associations of chronic obstructive pulmonary disease with all-cause mortality in Blacks and Whites: the atherosclerosis risk in communities (ARIC) study. 2009 , 19, 308-14 | 5 |
| 201 | Cardiovascular risk factor variation within a Hispanic cohort: SWAN, the Study of Women's Health Across the Nation. 2010 , 20, 396-402 | 28 |
| 200 | Dietary calcium intake and risk of obesity in school girls aged 8-10 years. 2012 , 17, 1102-7 | 3 |
| 199 | Motivation and performance in physical education: an experimental test. 2010 , 9, 79-85 | 17 |
| 198 | A physical activity questionnaire: reproducibility and validity. 2007 , 6, 505-18 | 29 |
| 197 | Environment-wide association study (EWAS) for type 2 diabetes in the Marshfield Personalized Medicine Research Project Biobank. 2014 , 200-11 | 24 |
| 196 | The relationship between skeletal muscle mitochondrial citrate synthase activity and whole body oxygen uptake adaptations in response to exercise training. 2014 , 6, 84-101 | 48 |
| 195 | The Association between Depression and Climatic Conditions in the Iran Way to Preventive of Depression. 2014 , 5, 947-51 | 4 |
| 194 | Influence of Body Composition, Oral Contraceptive Use, and Physical Activity on Bone Mineral Density in Premenopausal Women. 2009 , 2, 28-37 | 2 |
| 193 | Feasibility and efficacy of a physical activity intervention among pregnant women: the behaviors affecting baby and you (B.A.B.Y.) study. 2011 , 8 Suppl 2, S228-38 | 9 |
| 192 | Use of Heart Rate Variability to Estimate Lactate Threshold in Coronary Artery Disease Patients during Resistance Exercise. 2016 , 15, 649-657 | 4 |
| 191 | [Nonorganized and organized physical activity and health-related physical fitness in Burundian adults: cross-sectional study]. 2016 , 25, 38 | |
| 190 | Decreased Time to Return to Work Using Robotic-Assisted Unicompartmental Knee Arthroplasty Compared to Conventional Techniques. 2018 , 32, 279-283 | 5 |
| 189 | Acute whole-body electromyostimulation associated with dynamic exercises did not alter cardiac autonomic modulation and oxygen uptake in obese and eutrophic men. 28, | |
| 188 | Isolation Related to the COVID-19 Pandemic in People Suffering from Parkinson's Disease and Activity, Self-Assessment of Physical Fitness and the Level of Affective Disorders. 2021 , 9, | 0 |
| 187 | Responses of different functional tests in candidates for bariatric surgery and the association with body composition, metabolic and lipid profile. 2021 , 11, 22840 | |

| | | |
|-----|---|---|
| 186 | Objective Measurements of Physical Activity and Sedentary Behavior Using Wearable Devices in Patients With Axial Spondyloarthritis: Protocol for a Systematic Review. 2021 , 10, e23359 | 0 |
| 185 | Systemic Response of Antioxidants, Heat Shock Proteins, and Inflammatory Biomarkers to Short-Lasting Exercise Training in Healthy Male Subjects. 2021 , 2021, 1938492 | 0 |
| 184 | Submaximal isometric fatiguing exercise of the elbow flexors has no age-related effect on GABA mediated inhibition. 2021 , | 0 |
| 183 | THE ROLE OF ANTHROPOMETRIC PARAMETERS AND PHYSICAL ACTIVITY LEVEL IN PATIENTS WITH ACUTE CORONARY SYNDROME ADMITTED TO THE INTENSIVE CARDIAC CARE UNIT. 2021 , 60, 201-208 | 0 |
| 182 | Cardiovascular health is associated with the epigenetic clock in the Berlin Aging Study II (BASE-II). 2021 , 201, 111616 | 3 |
| 181 | Effects of vitamin D3-fortified low-fat yogurt and milk on serum cytokine levels and anti hsp-27 antibody titer in adults with abdominal obesity: A randomized clinical trial. 2022 , 30, 100382 | |
| 180 | Objective Measurements of Physical Activity and Sedentary Behavior Using Wearable Devices in Patients With Axial Spondyloarthritis: Protocol for a Systematic Review (Preprint). | |
| 179 | Proton Pump Inhibitor Use, Hypomagnesemia and Risk of Cardiovascular Diseases. 2021 , 55, 677-683 | 0 |
| 178 | Self-perceived social relationships are related to health risk behaviors and mental health in adolescents. 2021 , 26, 5273-5280 | 1 |
| 177 | Older Adults' Views and Attitudes on Physical Activity; Reasons to Participate and Abstain. 2021 , 38, 232-243 | 0 |
| 176 | Cardiovascular risk factors, living and ageing in Halle: the CARLA study.. 2022 , 37, 103 | 0 |
| 175 | Effect of Application of Repeated Downhill Walking Bouts on Ankle Isokinetic Parameters in Children with Obesity.. 2022 , 2022, 1128794 | |
| 174 | Association of adolescent lipoprotein subclass profile with carotid intima-media thickness and comparison to adults: Prospective population-based cohort studies.. 2021 , 341, 34-42 | |
| 173 | Rehabilitation and Return-to-Work of Patients Acquiring COVID-19 in the Workplace: A Study Protocol for an Observational Cohort Study. 2022 , 2, | 0 |
| 172 | Relationship of sleep quality with screen-based sedentary time and physical activity in adolescents - the moderating effect of body mass index.. 2022 , 1 | 3 |
| 171 | Metabolic comorbidities and systemic arterial hypertension: the challenge faced by HIV patients on long-term use of antiretroviral therapy.. 2022 , | |
| 170 | Sociodemographic determinants of change in cardiovascular health in middle adulthood in a bi-racial cohort.. 2022 , | 0 |
| 169 | Validity and reliability of the Greek version of modified Baecke questionnaire.. 2022 , 203, 58-64 | 2 |

| | | |
|-----|--|----|
| 168 | Changes in Pedometer-measured Physical Activity are associated with Weight Loss and Changes in Body Composition and Fat Distribution in Response to Reduced Energy Diet Interventions: the POUNDS Lost trial.. 2022 , | |
| 167 | Analysis of Calcaneal Bone Mineral Density (cBMD) in Healthy College Students.. 2022 , 17, 218-227 | |
| 166 | Relationship of Obesity with Lifestyle and Comorbidities in Public School Teachersâ Cross-Sectional Study. 2022 , 2, 52-63 | 2 |
| 165 | Comparison of bone mineral density according to domains of sedentary behavior in children and adolescents.. 2022 , 22, 72 | 2 |
| 164 | Posture economy: the importance of metabolic state on metabolic phenotype assessment and the energy cost of sitting and standing. A whole body calorimetry trial.. 2022 , | |
| 163 | Gait control to step into a lowered surface with one limb with different demands for accuracy in younger and older adults.. 2022 , 161, 111716 | 0 |
| 162 | The effects of an exergame implemented in primary schools on physical activity, sedentary time and motivation in children (Preprint). | |
| 161 | Disparities in Reproductive Aging and Midlife Health between Black and White women: The Study of Women's Health Across the Nation (SWAN).. 2022 , 8, 3 | 2 |
| 160 | Changes in Bone Mineral Density and Serum Lipids across the First Postpartum Year: Effect of Aerobic Fitness and Physical Activity.. 2022 , 14, | 0 |
| 159 | Long COVID a New Derivative in the Chaos of SARS-CoV-2 Infection: The Emergent Pandemic?. 2021 , 10, | 10 |
| 158 | The impact of diabetic neuropathy on the distal versus proximal comparison of weakness in lower and upper limb muscles of patients with type 2 diabetes mellitus: a cross-sectional study. 2021 , 21, 464-474 | |
| 157 | Episodic memory and aging: Benefits of physical activity depend on the executive resources required for the task.. 2022 , 17, e0263919 | 0 |
| 156 | Impaired Metabolic Health and low Cardiorespiratory Fitness independently associate with Subclinical Atherosclerosis in Obesity.. 2022 , | 0 |
| 155 | Sleep Disturbance, Changes in Energy Intake and Body Compositing During Weight Loss in the POUNDS LOST Trial.. 2022 , | 0 |
| 154 | The German Gestational Diabetes Study (PREG), a prospective multicentre cohort study: rationale, methodology and design.. 2022 , 12, e058268 | 0 |
| 153 | Brain Activation During Active Balancing and Its Behavioral Relevance in Younger and Older Adults: A Functional Near-Infrared Spectroscopy (fNIRS) Study.. 2022 , 14, 828474 | 0 |
| 152 | The Impact of Functional Bars and Adapted Physical Activity on Quality of Life in Chronic Kidney Disease: A Pilot Study.. 2022 , 19, | 2 |
| 151 | Associations of long-term physical activity trajectories with coronary artery calcium progression and cardiovascular disease events: results from the CARDIA study.. 2022 , | 0 |

| | | |
|-----|---|---|
| 150 | Aerobic Training and Circulating Neurotrophins in Alzheimer's Disease Patients: A Controlled Trial.. 2022 , 1-17 | 1 |
| 149 | Socioeconomic Inequalities in Glycaemic Control in Recently Diagnosed Adults with Type 1 and Type 2 Diabetes.. 2022 , e14833 | 1 |
| 148 | Cohort Profile Update: The Study of Health in Pomerania (SHIP).. 2022 , | 6 |
| 147 | Daily-Life Physical Activity of Healthy Young Adults Associates With Function and Structure of the Hippocampus.. 2022 , 16, 790359 | 0 |
| 146 | Kinesiophobia in People with Multiple Sclerosis and Its Relationship with Physical Activity, Pain and Acceptance of Disease.. 2022 , 58, | 0 |
| 145 | Investigating the potential disease-modifying and neuroprotective efficacy of exercise therapy early in the disease course of multiple sclerosis: The Early Multiple Sclerosis Exercise Study (EMSES).. 2022 , 13524585221079200 | 1 |
| 144 | Associations between dietary patterns, FTO genotype and obesity in adults from seven European countries.. 2022 , 1 | 0 |
| 143 | Physical activity levels, cardiovascular risk, and self-perceived barrier to physical activity in people living with HIV in Maranhão, Brazil: a short report.. 2022 , 1-5 | |
| 142 | Ethnic and gender differences in hepatic lipid content and related cardiometabolic parameters in lean individuals.. 2022 , | 0 |
| 141 | Longitudinal studies of sleep, physical activity and nutritional intake in shift workers: A scoping review.. 2022 , 63, 101612 | 0 |
| 140 | Association of Physical Activity with the Incidence of Atrial Fibrillation in Persons >65 Years Old: The Atherosclerosis Risk In Communities (ARIC) Study. | |
| 139 | Effect of Application of Different Exercise Intensities on Vitamin D and Parathormone in Children with Down's Syndrome.. 2021 , 2021, 7424857 | |
| 138 | Association between Parenthood and Health Behaviour in Later Life-Results from the Population-Based CARLA Study.. 2021 , 19, | |
| 137 | Physical Activity Dimensions Differentially Predict Physical and Mental Components of Health-Related Quality of Life: Evidence from a Sport for All Study. 2021 , 13, 13370 | 0 |
| 136 | Five-year weight loss, physical activity, and eating style trajectories following bariatric surgery. 2022 , | 1 |
| 135 | Revisiting regional variation in the age-related reduction in 'sweat rate during passive heat stress.. 2022 , 10, e15250 | 1 |
| 134 | Table_1.docx. 2019 , | |
| 133 | Effectiveness of Web-Based Personalized Nutrition Advice for Adults Using the eNutri Web App: Evidence From the EatWellUK Randomized Controlled Trial.. 2022 , 24, e29088 | 2 |

- 132 Comparison of Prevalence and Risk Factors of Acute Coronary Syndrome in Patients with Different Ethnicity: A Cross-sectional Study.. **2021**, 31, 1011-1018
- 131 OUP accepted manuscript. 0
- 130 Analysis of the association between exercise induced bronchospasm, cardiorespiratory fitness, and physical activity levels of adolescents. **2022**, 29, 103-110
- 129 Occupational Physical Activity Was Associated With Disability Levels at 6-Month Follow-Up of Patients With Chronic Nonspecific Low Back Pain: A Prospective Cohort Study.. **2022**, 1-8
- 128 Upper extremity field tests and isokinetic shoulder internal and external strength and power in sports active males. **2022**, 1-13
- 127 Analysis of different domains of physical activity with health-related quality of life in adults: 2-year cohort.. **2022**, 20, 71 1
- 126 Nicotinamide riboside improves muscle mitochondrial biogenesis, satellite cell differentiation and gut microbiota composition in a twin study.
- 125 Association of physical activity with the incidence of atrial fibrillation in persons > 65 years old: the Atherosclerosis Risk in Communities (ARIC) study.. **2022**, 22, 196 0
- 124 Cardiovascular risk factors and breast cancer incidence in a large middle-aged cohort study.. **2022**, 22, 534
- 123 Inter-joint coordination variability during a sit-to-stand fatiguing protocol.. **2022**, 138, 111132
- 122 Gait balance control after fatigue: Effects of age and cognitive demand.. **2022**, 95, 129-134
- 121 Effectiveness of Web-Based Personalized Nutrition Advice for Adults Using the eNutri Web App: Evidence From the EatWellUK Randomized Controlled Trial (Preprint).
- 120 The temporal relationships between sleep disturbance and autonomic Dysregulation: A co-twin control study.. **2022**, 1
- 119 No alteration of back muscle oxygenation during isometric exercise in individuals with non-specific low back pain.. **2022**, 12, 8306 1
- 118 Telephone-based support for physical activity: Results and lessons learned during the COVID-19 pandemic.. **2022**, 17, e0268429
- 117 The HERITAGE Family Study: A Review of the Effects of Exercise Training on Cardiometabolic Health, with Insights into Molecular Transducers. **2022**, 54, S1-S43 1
- 116 Electrocortical correlates of the association between cardiorespiratory fitness and sustained attention in young adults. **2022**, 172, 108271
- 115 Genetic Risk, Midlife Life's Simple 7, and Incident Dementia in the Atherosclerosis Risk in Communities Study. 10.1212/WNL.000000000200520 0

| | | |
|-----|--|-----|
| 114 | The development of a clinical screening tool to evaluate unilateral landing performance in a healthy population. 2022 , 55, 309-315 | |
| 113 | Sex differences in central and peripheral fatigue induced by sustained isometric ankle plantar flexion. 2022 , 102676 | |
| 112 | Exploring the Role of Physical Activity in Mediating the Association between Educational Level and Health-Related Quality of Life in an Adult Lifespan Sample from Madeira Island. 2022 , 19, 7608 | |
| 111 | The association of catechol-O-methyltransferase genetic polymorphism rs4680 in physical activity among adult women. | |
| 110 | Longitudinal associations of mid-life employment status with impaired physical function in the Study of Women's Health Across the Nation. 2022 , | 1 |
| 109 | Cerebrospinal fluid and plasma metabolomics of acute endurance exercise. 2022 , 36, | 0 |
| 108 | Association of desphospho-uncarboxylated matrix gla protein with incident cardiovascular disease and all-cause mortality: Results from the prospective Bruneck Study. 2022 , 353, 20-27 | |
| 107 | Postural control performance of active and inactive older adults assessed through postural tasks with different levels of difficulty. 28, | |
| 106 | FutureMS cohort profile: a Scottish multicentre inception cohort study of relapsing-remitting multiple sclerosis. 2022 , 12, e058506 | 0 |
| 105 | Clusters of obesogenic behaviors and metabolic risk according to somatic maturity status among adolescents. | |
| 104 | Association of the rs17574 DPP4 Polymorphism with Premature Coronary Artery Disease in Diabetic Patients: Results from the Cohort of the GEA Mexican Study. 2022 , 12, 1716 | 0 |
| 103 | Relative validity of a short screener to assess diet quality in patients with morbid obesity before and after bariatric surgery. 1-27 | 0 |
| 102 | Diet-induced inflammation is associated with sarcopenia and muscle strength in older adults who visit a frailty clinic. | 0 |
| 101 | Cognitive-motor multitasking in older adults: a randomized controlled study on the effects of individual differences on training success. 2022 , 22, | 0 |
| 100 | Indoor Built Environment and Older Adults's Activity: A Systematic Review. 1-18 | 1 |
| 99 | Long-Term Exposure to Ozone and Fine Particulate Matter and Risk of Premature Coronary Artery Disease: Results from Genetics of Atherosclerotic Disease Mexican Study. <i>Biology</i> , 2022 , 11, 1122 | 4.9 |
| 98 | Objective physical activity accumulation and brain volume in older adults: An MRI and whole brain volume study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , | 6.4 |
| 97 | Medici3n de la salud f3sica y mental durante el embarazo: escalas y test m3s usados para la promoci3n de la AF y la prescripci3n del ejercicio. 2015 , 93-128 | |

- 96 A theory-based educational intervention to promote behavior change and physical activity participation in middle-aged women: A randomized controlled trial. **2022**, 5, 93
- 95 Factors associated with trabecular bone score and bone mineral density; a machine learning approach. **2022**,
- 94 The longitudinal relation of inflammation to incidence of vasomotor symptoms. **2022**, 29, 894-904 ○
- 93 Muscle Strength and Balance as Mediators in the Association between Physical Activity and Health-Related Quality of Life in Community-Dwelling Older Adults. **2022**, 11, 4857 ○
- 92 Long-term outcome of a pragmatic trial of multifaceted intervention (STROKE-CARD care) to reduce cardiovascular risk and improve quality-of-life after ischaemic stroke and transient ischaemic attack: study protocol. **2022**, 22,
- 91 Mental Health and Physical Activity of Female Higher Education Students during the COVID-19 Pandemic: A Comparative Cross-Sectional Study from Lithuania. **2022**, 19, 9725
- 90 The Preventive Role of Physical Activity in Systemic Sclerosis: A Cross-Sectional Study on the Correlation with Clinical Parameters and Disease Progression. **2022**, 19, 10303
- 89 Gesundheitsbezogene Ziele der digitalen Prävention und Gesundheitsförderung in Familien.
- 88 Prognostic values of modifiable risk factors for cardiovascular events in South African health promotion. **2022**, 17, e0271169 ○
- 87 Mediating role of physical activity in the relationship between exercise-induced muscle pain and symptom severity in women with fibromyalgia. 1-9
- 86 Productivity loss, healthcare costs and habitual physical activity among adults with cardiovascular diseases. Publish Ahead of Print,
- 85 The Mental health related barriers and benefits to EXercise (MEX) scale.
- 84 Office job sitting demand scale: Evidence of construct and predictive validity.
- 83 Long-term changes in plasma proteomic profiles in premenopausal and postmenopausal Black and White women: the Atherosclerosis Risk in Communities study. Publish Ahead of Print,
- 82 Validity and reliability of the Baecke questionnaire against accelerometer-measured physical activity in community dwelling adults according to educational level. **2022**, 17, e0270265 2
- 81 Helicobacter pylori infection and DNMT3a polymorphism are associated with the presence of premature coronary artery disease and subclinical atherosclerosis. Data from the GEA Mexican Study. **2022**, 170, 105719 1
- 80 Aging effects of haptic input on postural control under a dual-task paradigm. **2022**, 168, 111928 1
- 79 Outcomes between different validated questionnaires to assess the level of physical activity in cardiac patients adhering to a rehabilitation program. 35, ○

- 78 Desfechos entre diferentes questionários validados para a avaliação do nível de atividade física em cardiopatas adeptos a um programa de reabilitação. 35, ○
- 77 Cost-utility analysis of traditional drug therapy with and without exercise program for hypertensive patients in real-life data primary health care. 28, ○
- 76 Recreational fishing, health and well-being: findings from a cross-sectional survey. **2022**, 18, 530-546 ○
- 75 Effect of pulsed electromagnetic field as an intervention for patients with quadriceps weakness after anterior cruciate ligament reconstruction: a double-blinded, randomized-controlled trial. **2022**, 23, ○
- 74 Effect of an educational program on physical activity in individuals undergoing their first percutaneous coronary intervention: A randomized clinical trial. **2022**, 26, 100443 ○
- 73 Association of High Blood Pressure With Physical Activity, Screen-Based Sedentary Time, and Sedentary Breaks in a 2-Year Cohort of Community Dwelling Adults. 67, ○
- 72 The Association Between Midlife Leisure-Time Physical Activity and Hearing Loss in Late-life in the Atherosclerosis Risk in Communities (ARIC) Study. ○
- 71 Obesity- and Sex-related Metabolism of Arginine and Nitric Oxide in Adults. ○
- 70 Association of Musculoskeletal Pain With Sedentary Behavior in Public School Teachers: The Role of Habitual Physical Activity. **2022**, ○
- 69 Physical Function and Subsequent Risk of Cardiovascular Events in Older Adults: The Atherosclerosis Risk in Communities Study. **2022**, 11, ○
- 68 Associations of the age of menarche and menopause with hypertension in menopausal women in Rasht, Iran in 2020-2021. ○
- 67 Timing of daily calorie loading affects appetite and hunger responses without changes in energy metabolism in healthy subjects with obesity. **2022**, 34, 1472-1485.e6 1
- 66 Association Between Social Determinants of Health and Glycemic Control Among African American People with Type 2 diabetes: The Jackson Heart Study. ○
- 65 Reproducibility of spatial summation of pain effect during COVID-19 pandemic. ○
- 64 Prevalence of Vertebral Fractures and Non-fracture Deformities in Healthy Adult Men: The Importance of Morphologic Criteria. ○
- 63 Sedentary behavior is associated with musculoskeletal pain in adolescents: A cross sectional study. **2022**, 26, 100452 1
- 62 Palpitations across the menopause transition in SWAN: trajectories, characteristics, and associations with subclinical cardiovascular disease. Publish Ahead of Print, ○
- 61 Intra- and Interrater Reliability of Short-Term Measurement of Heart Rate Variability on Rest in Individuals Post-COVID-19. **2022**, 19, 13587 ○

- 60 No evidence for a difference in lateralization and distinctiveness level of transcranial magnetic stimulation-derived cortical motor representations over the adult lifespan. 14, ○
- 59 The Mediating Role of Physical Activity and Physical Function in the Association between Body Mass Index and Health-Related Quality of Life: A Population-Based Study with Older Adults. **2022**, 19, 13718 ○
- 58 Association of Cardiovascular Risk Factors between Adolescents and Their Parents Is Mitigated by Parental Physical Activity: A Cross-Sectional Study. **2022**, 19, 14026 ○
- 57 The Association of Inflammatory Factors With Peripheral Neuropathy: The Study of Women's Health Across the Nation. ○
- 56 Long-term life history predicts current gut microbiome in a population-based cohort study. **2022**, 2, 885-895 ○
- 55 Relationship between physical activity domains and musculoskeletal disorders in public school teachers. **2022**, 92, 103379 ○
- 54 Comparisons of lumbar spine loads and kinematics in healthy and non-specific low back pain individuals during unstable lifting activities. **2022**, 144, 111344 1
- 53 Bone parameters in hypermobile Ehlers-Danlos syndrome and hypermobility spectrum disorder: A comparative cross-sectional study. **2023**, 166, 116583 1
- 52 The Baecke Habitual Physical Activity Questionnaire (BHPAQ): a valid internal structure of the instrument to assess healthy Brazilian adults. **2022**, 68, 912-916 ○
- 51 A Clinical Trial of the Effects of a Dietary Pattern on Health Metrics and Fecal Metabolites in Volunteers With Risk of Cardiovascular Disease. 9, ○
- 50 Association Between Subclinical Thyroid Dysfunction and Fracture Risk. **2022**, 5, e2240823 ○
- 49 Improvement of physical activity significantly reduced serum hepatocyte growth factor levels in a general population: 10-year prospective study. ○
- 48 The role of adolescent lifestyle habits in biological aging: A prospective twin study. 11, 1
- 47 Aquatic Exercise on Brain Activity in Type 2 Diabetic: Randomized Clinical Trial. **2022**, 19, 14759 ○
- 46 Physical activity correlates in people with fibromyalgia: a systematic review. 1-10 ○
- 45 Exploring biomarkers of osteosarcopenia in older adults attending a frailty clinic. **2023**, 172, 112047 ○
- 44 Association between Different Domains of Sedentary Behavior and Health-Related Quality of Life in Adults: A Longitudinal Study. **2022**, 19, 16389 1
- 43 Circulating thrifty microRNA is related to insulin sensitivity, adiposity, and energy metabolism in adults with overweight and obesity: the POUNDS Lost trial. **2022**, ○

- 42 Relationship Between Heart Rate Variability and Resting Heart Rate in Accordance with the Physical Activity Level of Children and Adolescents: A Cross-Sectional Study. ○
- 41 The relationship between clinical examination measures and ultrasound measures of fascia thickness surrounding trunk muscles or lumbar multifidus fatty infiltrations: An exploratory study. ○
- 40 Attrition and social vulnerability during 2-year-long structured care in type 2 diabetes, the ERMIES randomized controlled trial. **2022**, 22, ○
- 39 Association Between Physical Activity Levels in Different Domains and Cardiac Autonomic Modulation in Breast Cancer Survivors. Publish Ahead of Print, ○
- 38 Exploring the sex differences in conditioned pain modulation and its biobehavioral determinants in healthy adults. **2022**, 102710 ○
- 37 Behavioral factors predict all-cause mortality in female coronary patients and healthy controls over 26 years – prospective secondary analysis of the Stockholm Female Coronary Risk Study. **2022**, 17, e0277028 ○
- 36 Maternal Weight Gain during Pregnancy and the Developing Autonomic Nervous System – Possible Impact of GDM. **2022**, 14, 5220 ○
- 35 Measurement Tools to Assess Usual Dietary Intake and Physical Activity in Individuals with Autism Spectrum Disorder: a Scoping Review. ○
- 34 Body surface scan anthropometrics are related to cardiorespiratory fitness in the general population. **2022**, 12, ○
- 33 Hypertriglyceridemia promotes dysfunctions in high-density lipoprotein increasing the cardiovascular risk. 58, ○
- 32 Double blind control trial of vitamin D fortified milk on the expression of lncRNAs and adiponectin for patients with metabolic syndrome. **2023**, 15, ○
- 31 Cardiometabolic health improvements upon dietary intervention are driven by tissue-specific insulin resistance phenotype: A precision nutrition trial. **2023**, 35, 71-83.e5 ○
- 30 The Role of Aldosterone and Ideal Cardiovascular Health in Incident Diabetes: The Jackson Heart Study. **2023**, 100466 ○
- 29 Young, but not in the Dark - the Influence of Reduced Lighting on Gait Stability in Middle-aged adults. ○
- 28 Quantifying leg muscle deoxygenation during incremental cycling in hypoxemic patients with fibrotic interstitial lung disease. ○
- 27 Differential Patterns in Motivations for Practicing Sport and Their Effects on Physical Activity Engagement across the Lifespan. **2023**, 11, 274 ○
- 26 Patellofemoral pain over time: Protocol for a prospective, longitudinal study investigating physical and non-physical features. 4, ○
- 25 Psychosocial factors and physical activity among workers in Brazil. **2022**, 1-10 ○

- 24 A Novel Creatinine Muscle Index Based on Creatinine Filtration: Associations with Frailty and Mortality. **2023**, Publish Ahead of Print, ○
- 23 Combination of the effect of ginger and anti-inflammatory diet on children with obesity with nonalcoholic fatty liver disease: A randomized clinical trial. ○
- 22 Physical activity trajectories at older age and all-cause mortality: A cohort study. **2023**, 18, e0280878 ○
- 21 How Do Health, Biological, Behavioral, and Cognitive Variables Interact over Time in Children of Both Sexes? A Complex Systems Approach. **2023**, 20, 2728 ○
- 20 Body Image and Physical Activity and the Diet of Polish Youth Aged 15â18. **2023**, 20, 3213 ○
- 19 The role of aldosterone and ideal cardiovascular health in incident cardiovascular disease: The Jackson heart study. **2023**, 14, 100494 ○
- 18 Educational Attainment and Dementia: Mediation by Mid-Life Vascular Risk Factors. ○
- 17 Sexual dysfunction in female and male people with multiple sclerosis: disability, depression and hormonal status matter. **2023**, 30, 991-1000 ○
- 16 The effect of family empowerment on preventive lifestyle of cardiovascular disease risk factors in middle-aged women during the covid-19 pandemic: A Randomized Clinical Trial. **2023**, 11, 5-19 ○
- 15 Reference Data on the Normal Abdominal Wall Anatomy and Baseline Characteristics in Seventy-One Nulliparous Women. 2, ○
- 14 Physical activity and sedentary behavior show distinct associations with tissue-specific insulin sensitivity in adults with overweight. **2023**, 237, ○
- 13 Spousal Cognitive Status and Risk for Declining Cognitive Function and Dementia: The Atherosclerosis Risk in Communities Study. 089826432311559 ○
- 12 Dementia occurring over a 32-year follow-up attributable to hypertension observed at different ages: Implications for dementia prevention. ○
- 11 Comparison of Quality of Life in Breast Cancer Survivors with and without Persistent Depressive Symptoms: A 12-Month Follow-Up Study. **2023**, 20, 3663 ○
- 10 Development and Psychometric Validation of the Mental Health-Related Barriers and Benefits to EXercise (MEX) Scale in Healthy Adults. **2023**, 9, ○
- 9 Epidemiological characteristics of a population visiting a patient-centered informative website about irritable bowel syndrome. **2023**, 86, 17-25 ○
- 8 Acute endurance exercise modulates growth differentiation factor 11 in cerebrospinal fluid of healthy young adults. 14, ○
- 7 Are the digit ratio (2D:4D) and hand grip strength related to Parkinson disease in elderly males?. **2023**, 15, ○

- 6 Improving Physical Fitness and Health of Office Workers in Iran. **2023**, 36, 186-193 ○
- 5 Association between Diet and Adiposity in Adults: Influence of Sedentary Behavior Patterns. **2023**, 11, 1157 ○
- 4 Postoperative Physical Activity and Nutrition. **2023**, 87-96 ○
- 3 Life's simple 7 and its association with trajectories in depressive symptoms among urban middle-aged adults. **2023**, ○
- 2 The Efficacy of New Zealand Greenshellâ€Mussel Powder Supplementation in Supporting Muscle Recovery Following Eccentric Exercise-Induced Muscle Damage in Healthy, Untrained Adult Males. **2023**, 15, 2316 ○
- 1 A COMPARISON OF CARDIOVASCULAR RISK FACTORS AMONG INDO-ASIAN AND CAUCASIAN PATIENTS ADMITTED WITH ACUTE MYOCARDIAL INFARCTION IN KUALA LUMPUR, MALAYSIA AND BIRMINGHAM, ENGLAND. **2001**, 55, 665-668 ○