

CITATION REPORT

List of articles citing

Parkinson's disease: a disorder due to nigral glutathione deficiency?

DOI: 10.1016/0304-3940(82)90390-1
Neuroscience Letters, 1982, 33, 305-10.

Source: <https://exaly.com/paper-pdf/15764072/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
699	Aetiology of Parkinson's disease. 1983 , 2, 1457-9		361
698	Etiology of Parkinson's disease: A research strategy. 1984 , 11, 24-8		96
697	Nigrostriatal dopaminergic neurons remain undamaged in rats given high doses of L-DOPA and carbidopa chronically. 1984 , 43, 990-3		127
696	The possible relation of glutathione, melanin and 1-methyl-4-phenyl-1,2,5,6-tetrahydropyridine (MPTP) to Parkinson's disease. 1984 , 33, 2697-8		45
695	The free radical theory of aging: A critical review. 1985 , 1, 165-223		66
694	1-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine (MPTP) does not destroy nigrostriatal neurons in the scorbutic guinea pig. 1985 , 36, 1233-8		35
693	In vitro demonstration of dopamine uptake by neostriatal serotonergic neurons of the rat. <i>Neuroscience Letters</i> , 1985 , 59, 9-14	3.3	29
692	Protection against 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine neurotoxicity by the antioxidant ascorbic acid. 1985 , 24, 1257-9		56
691	Glutathione peroxidase activity in Parkinson's disease brain. <i>Neuroscience Letters</i> , 1985 , 58, 343-6	3.3	265
690	Effect of N-methyl-4-phenyl-1,2,3,6-tetrahydropyridine (MPTP) on age-related changes in dopamine turnover and transporter function in the mouse striatum. 1985 , 113, 135-6		38
689	Glutathione-induced inhibition of Na ⁺ -independent and -dependent bindings of L-[3H]glutamate in rat brain. 1986 , 39, 2411-8		75
688	Lipid peroxidation as cause of nigral cell death in Parkinson's disease. 1986 , 2, 639-40		136
687	The potential use of vitamin E and selenium in parkinsonism. 1986 , 20, 87-94		26
686	Depletion of glutathione in brainstem of mice caused by N-methyl-4-phenyl-1,2,3,6-tetrahydropyridine is prevented by antioxidant pretreatment. <i>Neuroscience Letters</i> , 1986 , 63, 56-60	3.3	122
685	Idiopathic Parkinson's disease, progressive supranuclear palsy and glutathione metabolism in the substantia nigra of patients. <i>Neuroscience Letters</i> , 1986 , 67, 269-74	3.3	315
684	Manipulation of glutathione contents fails to alter dopaminergic nigrostriatal neurotoxicity of N-methyl-4-phenyl-1,2,3,6-tetrahydropyridine (MPTP) in the mouse. <i>Neuroscience Letters</i> , 1986 , 70, 261-3	3.3	30
683	Effect of nicotine and amphetamine on the neurotoxicity of N-methyl-4-phenyl-1,2,3,6-tetrahydropyridine (MPTP) in mice. 1986 , 25, 1231-4		14

682	Effect of 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine (MPTP) on levels of glutathione in the extrapyramidal system of the mouse. 1986 , 25, 1071-4			58
681	In vivo voltammetry: some methodological considerations. 1986 , 17, 1-29			64
680	Brain glutathione peroxidase in neurodegenerative disorders. 1986 , 4, 23-8			48
679	Pathophysiology and biochemical mechanisms involved in MPTP-induced parkinsonism. 1987 , 35, 660-8			4
678	Raised cerebrospinal-fluid copper concentration in Parkinson's disease. 1987 , 2, 238-41			168
677	Alpha-tocopherol and beta-carotene do not protect marmosets against the dopaminergic neurotoxicity of N-methyl-4-phenyl-1,2,3,6-tetrahydropyridine. 1987 , 81, 321-31			45
676	Reduced concentrations of ascorbic acid and glutathione in a single case of Rett syndrome: a postmortem brain study. 1987 , 9, 529-31			21
675	COMMUNICATION. 1987 , 92, 511P-792p			1
674	Reduced and oxidized glutathione in human and monkey brain. <i>Neuroscience Letters</i> , 1987 , 74, 112-8	3-3		149
673	Exposure to cigarette smoke does not decrease the neurotoxicity of N-methyl-4-phenyl-1,2,3,6-tetrahydropyridine in mice. <i>Neuroscience Letters</i> , 1987 , 74, 217-20	3-3		25
672	Effect of hydrazine sulphate on whole-body protein breakdown measured by ¹⁴ C-lysine metabolism in lung cancer patients. 1987 , 2, 241-4			33
671	Possible presence of [³ H]glutathione (GSH) binding sites in synaptic membranes from rat brain. 1987 , 4, 486-96			33
670	Possible presence of [³ H]glutathione (GSH) binding sites in synaptic membranes from rat brain. 1987 , 4, 486-496			
669	Erythrocyte antioxidant activity in human patients with Parkinson's disease. <i>Neuroscience Letters</i> , 1987 , 75, 345-8	3-3		31
668	MPTP induced dopaminergic neurotoxicity-a useful model in the study of parkinson's disease?. 1987 , 11, 379-81			9
667	Antioxidant therapy in Parkinson's disease. 1987 , 14, 483-7			30
666	Effects of manganese oxide on monkeys as revealed by a combined neurochemical, histological and neurophysiological evaluation. 1987 , 61, 46-52			119
665	Amino acids, glutathione, and glutathione transferase activity in the brains of patients with Alzheimer's disease. 1987 , 21, 331-6			106

664	Hypothesis: a nicotine-dopamine interaction linking smoking with Parkinson's disease and tardive dyskinesia. 1988 , 8, 285-91		37
663	Pyridine and other coal tar constituents as free radical-generating environmental neurotoxicants. 1988 , 84, 217-22		15
662	Covalent protein binding of a metabolite of 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine to mouse and monkey brain in vitro and in vivo. 1988 , 37, 4163-9		4
661	Regional distribution of malonaldehyde in mouse brain. 1988 , 37, 2287-8		15
660	Temperature-dependent and -independent apparent binding activities of [3H]glutathione in brain synaptic membranes. 1988 , 463, 37-46		29
659	Role of dopamine in manganese neurotoxicity. 1988 , 473, 236-40		68
658	Oxygen toxicity protecting enzymes in Parkinson's disease. Increase of superoxide dismutase-like activity in the substantia nigra and basal nucleus. 1988 , 86, 321-31		219
657	2-Phenylpyridine and 3-phenylpyridine, constituents of tea, are unlikely to cause idiopathic Parkinson's disease. 1988 , 85, 309-17		10
656	Prevention of progression of Parkinson's disease with antioxidative therapy. 1988 , 12, 165-72		11
655	Increased erythrocyte susceptibility to lipid peroxidation in human Parkinson's disease. <i>Neuroscience Letters</i> , 1988 , 87, 307-10	3.3	48
654	Susceptibility in Parkinson's disease. 'Of mice and men'. 1988 , 27, 205-7		2
653	The Neurobiology of N-Acetylasparty. 1988 , 39-100		67
652	DATATOP: a multicenter controlled clinical trial in early Parkinson's disease. Parkinson Study Group. 1989 , 46, 1052-60		345
651	Clues to the mechanism underlying dopamine cell death in Parkinson's disease. 1989 , Suppl, 22-8		40
650	Interactions of manganese with human brain glutathione-S-transferase. 1989 , 57, 183-91		19
649	The apparent autoxidation rate of catechols in dopamine-rich regions of human brains increases with the degree of depigmentation of substantia nigra. 1989 , 1, 279-95		136
648	Neurochemical perspectives to the function of monoamine oxidase. <i>Acta Neurologica Scandinavica</i> , 1989 , 126, 41-5	3.8	48
647	Basal lipid peroxidation in substantia nigra is increased in Parkinson's disease. 1989 , 52, 381-9		1168

646	Transition metals, ferritin, glutathione, and ascorbic acid in parkinsonian brains. 1989 , 52, 515-20	1208
645	A selective increase in particulate superoxide dismutase activity in parkinsonian substantia nigra. 1989 , 53, 692-7	412
644	Low glutathione levels in brain regions of aged rats. <i>Neuroscience Letters</i> , 1989 , 101, 187-90	3.3 84
643	The endogenous toxin hypothesis of the etiology of Parkinson's disease and a pilot trial of high-dosage antioxidants in an attempt to slow the progression of the illness. 1989 , 570, 186-96	57
642	Retrospective Evaluation of Vitamin E Therapy in Parkinson's Disease. 1989 , 570, 441-442	4
641	The effect of aging on glutathione and cysteine levels in different regions of the mouse brain. 1989 , 190, 399-402	77
640	Selective potentiation by L-cysteine of apparent binding activity of [3H]glutathione in synaptic membranes of rat brain. 1989 , 38, 1499-505	13
639	Xenobiotic metabolism in human brain--presence of cytochrome P-450 and associated mono-oxygenases. 1989 , 496, 331-5	73
638	Administration of L-2-oxothiazolidine-4-carboxylate increases glutathione levels in rat brain. 1989 , 478, 181-3	48
637	Chemically induced Parkinson's disease. II: Intermediates in the oxidation and reduction reactions of the 1-methyl-4-phenyl-2,3-dihydropyridinium ion and its deprotonated form. 1989 , 158, 63-71	14
636	The role of environmental toxins in the etiology of Parkinson's disease. 1989 , 12, 49-54	236
635	Animal models of parkinsonism using selective neurotoxins: clinical and basic implications. 1989 , 31, 1-79	155
634	7 Free Radicals, Central Nervous System Processes and Brain Functions. 1990 , 172-192	1
633	The MPTP story: MAO activates tetrahydropyridine derivatives to toxins causing parkinsonism. 1990 , 22, 291-332	49
632	The glutathionyl radical formation in the reaction between manganese and glutathione and its neurotoxic implications. 1990 , 33, 83-7	14
631	Parkinson's disease: management. 1991 , 337, 1324-7	21
630	Influence of aging on the acute depletion of reduced glutathione induced by electrophilic agents. 1991 , 12, 227-31	9
629	Selegiline. A review of its pharmacology, symptomatic benefits and protective potential in Parkinson's disease. 1991 , 1, 228-48	50

628	Biochemical mechanisms of 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine toxicity. Could oxidative stress be involved in the brain?. 1991 , 41, 1099-105		84
627	Parkinson's disease: pathophysiology. 1991 , 337, 1321-4		382
626	Chronic administration of nicotine fails to alter the MPTP-induced neurotoxicity in mice. 1991 , 22, 669-72		14
625	Alterations in the levels of iron, ferritin and other trace metals in Parkinson's disease and other neurodegenerative diseases affecting the basal ganglia. 1991 , 114 (Pt 4), 1953-75		845
624	Environment, genetics and idiopathic Parkinson's disease. 1991 , 18, 70-6		18
623	MPTP-induced neurotoxicity and the quest for a preventative therapy for Parkinson's disease. 1991 , 18, 77-82		12
622	Selegiline in the treatment of Parkinson's disease. 1991 , 302, 392-5		3
621	Comparison of effects of Aroclors 1016 and 1260 on non-human primate catecholamine function. 1991 , 66, 145-63		110
620	Cellular and regional distribution of reduced glutathione in the nervous system of the rat: histochemical localization by mercury orange and o-phthaldialdehyde-induced histofluorescence. 1991 , 107, 215-27		111
619	Oxygen free radicals and Parkinson's disease. 1991 , 10, 161-9		250
618	Determination of glutathione, glutathione disulphide, ascorbic acid and dehydroascorbic acid in tissues by reversed-phase liquid chromatography with electrochemical detection. 1991 , 339, 258-260		13
617	Oxidative stress as a cause of Parkinson's disease. <i>Acta Neurologica Scandinavica</i> , 1991 , 136, 6-15	3.8	150
616	A review of the pharmacology of selegiline. <i>Acta Neurologica Scandinavica</i> , 1991 , 136, 44-59	3.8	87
615	Chemically induced Parkinson's disease. III: A study of a possible role of singlet molecular oxygen in Parkinson's disease. 1991 , 11, 261-7		3
614	Alzheimer's and Parkinson's disease. Brain levels of glutathione, glutathione disulfide, and vitamin E. 1991 , 14, 213-26		145
613	Manganese neurotoxicity: cellular effects and blood-brain barrier transport. 1991 , 15, 333-40		221
612	Glutathione peroxidase in early and advanced Parkinson's disease. 1991 , 54, 679-82		31
611	Avicenna or Ibn Sina (980-1036 AD). 1991 , 54, 682		1

610	Parkinson's disease. 1992 , 68, 538-43		10
609	Induction of stress proteins in SV-40 transformed human RPE-derived cells by organic oxidants. 1992 , 11, 385-96		24
608	Reduced and oxidized glutathione in the substantia nigra of patients with Parkinson's disease. <i>Neuroscience Letters</i> , 1992 , 142, 128-30	3.3	502
607	The mitochondrial electron transfer alteration as a factor involved in the brain aging. 1992 , 13, 361-8		109
606	Glutathione: new candidate neuropeptide in the central nervous system. <i>Neuroscience</i> , 1992 , 51, 835-42	3.9	55
605	Oxidative damage and cerebral aging. 1992 , 38, 601-9		65
604	Screening of thiol compounds: depolarization-induced release of glutathione and cysteine from rat brain slices. 1992 , 59, 181-9		122
603	Chronic dietary pergolide preserves nigrostriatal neuronal integrity in aged-Fischer-344 rats. 1992 , 13, 339-51		145
602	Serum lipid peroxides in patients with Parkinson's disease. <i>Neuroscience Letters</i> , 1992 , 136, 137-40	3.3	24
601	Characterization and localization of glutathione binding sites on cultured astrocytes. 1992 , 15, 207-15		23
600	Serum levels of vitamin A in Parkinson's disease. 1992 , 111, 73-6		15
599	Serum levels of zinc and copper in patients with Parkinson's disease. 1992 , 112, 30-3		38
598	Comparison of MPTP and amphetamines as dopaminergic neurotoxins. 1992 , 648, 87-95		13
597	Mitochondrial poisons cause depletion of reduced glutathione in isolated hepatocytes. 1992 , 295, 132-6		65
596	Microsomal cytochrome P450 in human brain regions. 1992 , 44, 1223-5		28
595	What Process Causes Nigral Cell Death in Parkinson's Disease?. 1992 , 10, 387-403		23
594	NADPH-diaphorase-positive cell populations in the human amygdala and temporal cortex: neuroanatomy, peptidergic characteristics and aspects of aging and Alzheimer's disease. 1992 , 83, 636-46		64
593	Toxic effects of iron for cultured mesencephalic dopaminergic neurons derived from rat embryonic brains. 1992 , 59, 118-27		47

592	The role of glutathione in aging and cancer. 1992 , 27, 615-26		58
591	Effects of exogenous factors on the cerebral glutathione in rodents. 1992 , 66, 279-85		10
590	Neurotoxicity of levodopa on catecholamine-rich neurons. <i>Movement Disorders</i> , 1992 , 7, 23-31	7	105
589	The oxidant stress hypothesis in Parkinson's disease: evidence supporting it. 1992 , 32, 804-12		803
588	An introduction to the free radical hypothesis in Parkinson's disease. 1992 , 32 Suppl, S2-9		310
587	Oxidative stress as a cause of nigral cell death in Parkinson's disease and incidental Lewy body disease. The Royal Kings and Queens Parkinson's Disease Research Group. 1992 , 32 Suppl, S82-7		402
586	Alterations in levels of iron, ferritin, and other trace metals in neurodegenerative diseases affecting the basal ganglia. The Royal Kings and Queens Parkinson's Disease Research Group. 1992 , 32 Suppl, S94-100		226
585	Role of iron and iron chelation in dopaminergic-induced neurodegeneration: implication for Parkinson's disease. 1992 , 32 Suppl, S105-10		80
584	Glutathione in Parkinson's disease: a link between oxidative stress and mitochondrial damage?. 1992 , 32 Suppl, S111-5		93
583	A rationale for monoamine oxidase inhibition as neuroprotective therapy for Parkinson's disease. <i>Movement Disorders</i> , 1993 , 8 Suppl 1, S1-7	7	30
582	Infusion of iron into the rat substantia nigra: nigral pathology and dose-dependent loss of striatal dopaminergic markers. 1993 , 35, 67-82		96
581	Confirmation of a dopamine metabolite in parkinsonian brain tissue by gas chromatography-mass spectrometry. 1993 , 614, 205-12		25
580	Experimental Parkinson's disease in monkeys. Effect of ergot alkaloid derivative on lipid peroxidation in different brain areas. 1993 , 18, 1101-6		25
579	Changes in heat shock protein 70 and ubiquitin mRNA levels in C1300 N2A mouse neuroblastoma cells following treatment with iron. 1993 , 60, 659-65		27
578	Increased striatal lipid peroxidation after intracerebroventricular MPP+ administration to mice. 1993 , 72, 364-8		53
577	A scientific rationale for protective therapy in Parkinson's disease. 1993 , 91, 161-80		26
576	Sulfhydryl drugs reduce neurotoxicity of 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine (MPTP) in the mouse. 1993 , 6, 45-52		29
575	Age and GSH metabolism in rat cerebral cortex, as related to oxidative and energy parameters. <i>Mechanisms of Ageing and Development</i> , 1993 , 70, 65-82	5.6	32

574	Thiazolidine derivatives as source of free L-cysteine in rat tissue. 1993 , 46, 1917-28		27
573	Serum levels of beta-carotene and other carotenoids in Parkinson's disease. <i>Neuroscience Letters</i> , 1993 , 157, 103-6	3-3	30
572	Glutathione peroxidase, glial cells and Parkinson's disease. <i>Neuroscience</i> , 1993 , 52, 1-6	3-9	363
571	Iron, melanin and dopamine interaction: relevance to Parkinson's disease. 1993 , 17, 139-50		34
570	Glutathione modulates the N-methyl-D-aspartate receptor-activated calcium influx into cultured rat cerebellar granule cells. <i>Neuroscience Letters</i> , 1993 , 156, 153-7	3-3	48
569	Serum levels of ascorbic acid (vitamin C) in patients with Parkinson's disease. 1993 , 118, 25-8		40
568	The lysosomal system in neuronal cell death: a review. 1993 , 679, 87-109		75
567	Free radicals and mitochondrial dysfunction in Parkinson's disease. 1993 , 21, 367-70		37
566	Mitochondrial dysfunction in neurodegenerative disorders and aging. 1994 , 227-244		12
565	Increased levels of lipid hydroperoxides in the parkinsonian substantia nigra: an HPLC and ESR study. <i>Movement Disorders</i> , 1994 , 9, 92-7	7	367
564	Nigrostriatal function in vitamin E deficiency: clinical, experimental, and positron emission tomographic studies. 1994 , 35, 298-303		47
563	The brain on fire?. 1994 , 36, 333-4		29
562	Alterations in glutathione levels in Parkinson's disease and other neurodegenerative disorders affecting basal ganglia. 1994 , 36, 348-55		918
561	Glutathione-related enzymes in brain in Parkinson's disease. 1994 , 36, 356-61		271
560	Characterization of peroxidative oxidation products of dopamine by mass spectrometry. 1994 , 658, 21-30		8
559	Degeneration of nigrostriatal dopaminergic neurons increases iron within the substantia nigra: a histochemical and neurochemical study. 1994 , 660, 8-18		143
558	Antisera to glutathione: characterization and immunocytochemical application to the rat cerebellum. 1994 , 6, 793-804		102
557	Peripheral iron metabolism in patients with Parkinson's disease. 1994 , 125, 82-6		26

556	Relationship between age and GSH metabolism in synaptosomes of rat cerebral cortex. 1994 , 15, 429-33		18
555	Localization of NADPH cytochrome P450 oxidoreductase in rat brain by immunohistochemistry and in situ hybridization and a comparison with the distribution of neuronal NADPH-diaphorase staining. <i>Neuroscience</i> , 1994 , 61, 331-50	3.9	47
554	Unaltered aconitase activity, but decreased complex I activity in substantia nigra pars compacta of patients with Parkinson's disease. <i>Neuroscience Letters</i> , 1994 , 169, 126-8	3.3	172
553	Serum and urinary manganese levels in patients with Parkinson's disease. <i>Acta Neurologica Scandinavica</i> , 1995 , 91, 317-20	3.8	16
552	Decreased serum selenium concentrations in patients with Parkinson's disease. 1995 , 2, 111-4		12
551	Oxidative stress in Parkinson's disease. 1995 , 21, 3-9		76
550	The effect of deprenyl and levodopa on the progression of Parkinson's disease. 1995 , 38, 771-7		293
549	Melatonin protects neurons from singlet oxygen-induced apoptosis. 1995 , 18, 222-6		203
548	Influence of glutathione on the oxidation chemistry of the catecholaminergic neurotransmitter dopamine. 1995 , 398, 117-128		44
547	Neuronal antioxidant system and MPTP-induced oxidative stress in the striatum and brain stem of the rat. 1995 , 51, 581-92		15
546	Toxic effects of L-DOPA on mesencephalic cell cultures: protection with antioxidants. 1995 , 682, 133-43		118
545	An endogenous dopaminergic neurotoxin: implication for Parkinson's disease. 1995 , 4, 271-81		77
544	Immunocytochemical evidence for the presence of high levels of reduced glutathione in radial glial cells and horizontal cells in the rabbit retina. <i>Neuroscience Letters</i> , 1995 , 193, 25-8	3.3	73
543	Vulnerability of mitochondrial complex I in PC12 cells exposed to manganese. 1995 , 293, 377-83		86
542	Oxygen radical detoxification processes during aging: the functional importance of melatonin. 1995 , 7, 340-51		34
541	Bioenergetic and oxidative stress in neurodegenerative diseases. 1995 , 56, 1151-71		258
540	Increased sensitivity to oxidative stress and the loss of muscarinic receptor responsiveness in senescence. 1996 , 786, 112-9		23
539	Dopamine-induced apoptosis in human neuronal cells: inhibition by nucleic acids antisense to the dopamine transporter. <i>Neuroscience</i> , 1996 , 74, 39-50	3.9	115

538	Oxidative stress and antioxidant therapy in Parkinson's disease. 1996 , 48, 1-19	276
537	Selective role of glutathione in protecting human neuronal cells from dopamine-induced apoptosis. 1996 , 35, 571-8	62
536	The isomers of thioctic acid alter C-deoxyglucose incorporation in rat basal ganglia. 1996 , 51, 983-6	29
535	Mitochondrial respiratory enzyme function and superoxide dismutase activity following brain glutathione depletion in the rat. 1996 , 52, 1657-63	32
534	Quinolinic acid neurotoxicity: in vivo increased copper and manganese content in rat corpus striatum after quinolinate intrastriatal injection. 1996 , 87, 113-9	12
533	Reduced intravenous glutathione in the treatment of early Parkinson's disease. 1996 , 20, 1159-70	112
532	Relevance of Lewy bodies to alterations in oxidative stress in Lewy body dementia and Parkinson's disease. 1996 , 477-486	
531	Role of oxidation in the neurotoxic effects of intrastriatal dopamine injections. 1996 , 93, 1956-61	456
530	Evaluation of Free Radical-Initiated Oxidant Events within the Nervous System. 1996 , 243-259	4
529	Immunohistochemical detection of 4-hydroxynonenal protein adducts in Parkinson disease. 1996 , 93, 2696-701	848
528	Glutamate and Parkinson's disease. <i>Molecular Neurobiology</i> , 1996 , 12, 73-94	6.2 258
527	Thioctic acid does not restore glutathione levels or protect against the potentiation of 6-hydroxydopamine toxicity induced by glutathione depletion in rat brain. 1996 , 103, 315-29	19
526	Differential neurotoxicity induced by L-DOPA and dopamine in cultured striatal neurons. 1996 , 743, 278-83	148
525	Effect of ginsenoside Rb1 on lipid peroxidation and neurotoxicity induced by MPTP in liver and brain of mouse. 1996 , 28, 199-205	2
524	Observations on serum uric acid levels and the risk of idiopathic Parkinson's disease. 1996 , 144, 480-4	175
523	Indices of oxidative stress in Parkinson's disease, Alzheimer's disease and dementia with Lewy bodies. <i>Journal of Neural Transmission Supplementum</i> , 1997 , 51, 167-73	39
522	Requirement for cGMP in nerve cell death caused by glutathione depletion. 1997 , 139, 1317-24	120
521	Levodopa-Induced Neurotoxicity. 1997 , 8, 376-393	46

520	Comparison of neurotoxicity following repeated administration of l-dopa, d-dopa and dopamine to embryonic mesencephalic dopamine neurons in cultures derived from Fisher 344 and Sprague-Dawley donors. 1997 , 6, 309-15	33
519	Cerebrospinal fluid carnitine levels in patients with Parkinson's disease. 1997 , 145, 183-5	10
518	An immunohistochemical study on manganese superoxide dismutase in Parkinson's disease. 1997 , 148, 181-6	29
517	Dopamine- and L-beta-3,4-dihydroxyphenylalanine hydrochloride (L-Dopa)-induced cytotoxicity towards catecholaminergic neuroblastoma SH-SY5Y cells. Effects of oxidative stress and antioxidative factors. 1997 , 53, 363-72	172
516	Expression of glutathione and gamma-glutamylcysteine synthetase mRNA is Jun dependent. 1997 , 234, 588-93	88
515	A role for 12-lipoxygenase in nerve cell death caused by glutathione depletion. 1997 , 19, 453-63	407
514	EPR investigations of the iron domain in neuromelanin. 1997 , 1361, 49-58	42
513	Elevated reactive oxygen species and antioxidant enzyme activities in animal and cellular models of Parkinson's disease. 1997 , 1362, 77-86	209
512	Premorbid dietetic habits and risk for Parkinson's disease. 1997 , 3, 55-61	12
511	Species differences in the role of excitatory amino acids in experimental parkinsonism. 1997 , 21, 401-15	43
510	Neurodegenerative disorders in humans: the role of glutathione in oxidative stress-mediated neuronal death. 1997 , 25, 335-58	576
509	Comparison of Neurotoxicity following Repeated Administration of L-Dopa, D-Dopa, and Dopamine to Embryonic Mesencephalic Dopamine Neurons in Cultures Derived from Fisher 344 and Sprague-Dawley Donors. 1997 , 6, 309-315	45
508	In vitro and in vivo protective effects of melatonin against glutamate oxidative stress and neurotoxicity. 1997 , 825, 79-84	27
507	Neuroprotection by the metabolic antioxidant alpha-lipoic acid. 1997 , 22, 359-78	524
506	Cholesterol: a two-edged sword in brain aging. 1997 , 22, 455-62	32
505	Decreased glutathione results in calcium-mediated cell death in PC12. 1997 , 23, 1055-66	59
504	Involvement of iron in MPP+ toxicity in substantia nigra: protection by desferrioxamine. 1997 , 773, 76-81	17
503	Metabolic inhibition enhances selective toxicity of L-DOPA toward mesencephalic dopamine neurons in vitro. 1997 , 777, 202-9	25

502	Metallothionein inducers protect against 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine neurotoxicity in mice. 1997 , 22, 17-22	24
501	Lesion of nigrostriatal neurons by 6-hydroxydopamine induces changes in rat brain glutathione-S-transferase. 1997 , 31, 149-59	6
500	Intranigral iron infusion in the rat. Acute elevations in nigral lipid peroxidation and striatal dopaminergic markers with ensuing nigral degeneration. 1997 , 58, 177-95	16
499	Mesencephalic neuron death induced by congeners of nitrogen monoxide is prevented by the lazaroid U-83836E. 1997 , 113, 138-43	24
498	Glutathione depletion in rat brain does not cause nigrostriatal pathway degeneration. 1997 , 104, 67-75	78
497	Excessive iron accumulation in the brain: a possible potential risk of neurodegeneration in Parkinson's disease. 1997 , 104, 649-60	87
496	Alterations in the distribution of glutathione in the substantia nigra in Parkinson's disease. 1997 , 104, 661-77	273
495	Mitochondrial free radical signal in ceramide-dependent apoptosis: a putative mechanism for neuronal death in Parkinson's disease. 1997 , 69, 1612-21	142
494	Stress, aging, and neurodegenerative disorders. Molecular mechanisms. 1998 , 851, 429-43	46
493	Expression of multiple forms of cytochrome P450 and associated mono-oxygenase activities in rat brain regions. 1998 , 56, 371-5	18
492	Some aspects of tyrosine secondary metabolism. 1998 , 56, 1089-96	18
491	Treatment with the spin-trap agent alpha-phenyl-N-tert-butyl nitron does not enhance the survival of embryonic or adult dopamine neurons. 1998 , 805, 155-68	23
490	MPTP produces differential oxidative stress and antioxidative responses in the nigrostriatal and mesolimbic dopaminergic pathways. 1998 , 24, 76-84	75
489	Striatal dopamine dynamics are altered following an intranigral infusion of iron in adult rats. 1998 , 24, 988-93	14
488	Cellular mechanisms of resistance to chronic oxidative stress. 1998 , 24, 1375-89	128
487	(E)-4-hydroxy-2-nonenal may be involved in the pathogenesis of Parkinson's disease. 1998 , 25, 169-74	164
486	Dopamine, in the presence of tyrosinase, covalently modifies and inactivates tyrosine hydroxylase. 1998 , 54, 691-7	141
485	Subcellular compartmentation of glutathione and glutathione precursors. A high resolution immunogold analysis of the outer retina of guinea pig. 1998 , 198, 277-87	35

484	Cerebrospinal fluid selenium and chromium levels in patients with Parkinson's disease. 1998 , 105, 1245-51	35
483	Neuroprotection by nitric oxide against hydroxyl radical-induced nigral neurotoxicity. 1998 , 14, 195-205	62
482	Direct evidence for glutathione as mediator of apoptosis in neuronal cells. 1998 , 52, 349-55	26
481	Energy thresholds in brain mitochondria. Potential involvement in neurodegeneration. <i>Journal of Biological Chemistry</i> , 1998 , 273, 12753-7	5-4 276
480	Understanding cell death in Parkinson's disease. 1998 , 44, S72-84	530
479	Manganese augments nitric oxide synthesis in murine astrocytes: a new pathogenetic mechanism in manganism?. 1998 , 149, 277-83	67
478	Neural heme oxygenase-1 expression in idiopathic Parkinson's disease. 1998 , 150, 60-8	233
477	Repin-induced neurotoxicity in rodents. 1998 , 152, 129-36	18
476	Mitochondrial function, GSH and iron in neurodegeneration and Lewy body diseases. 1998 , 158, 24-9	127
475	The glutathione content of retinal Müller (glial) cells: the effects of aging and of application of free-radical scavengers. 1998 , 30, 351-60	31
474	Phosphatidylcholine-specific phospholipase C regulates glutamate-induced nerve cell death. 1998 , 95, 7748-53	93
473	Neurodegeneration and glutamate induced oxidative stress. 1998 , 116, 245-63	21
472	Peroxynitrite modulates tyrosine phosphorylation and phosphoinositide signalling in human neuroblastoma SH-SY5Y cells: attenuated effects in human 1321N1 astrocytoma cells. 1998 , 331 (Pt 2), 599-606	108
471	New directions in Parkinson's research and treatment. 1998 , 8, 1251-1268	3
470	Neuroprotection by bromocriptine against 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine-induced neurotoxicity in mice. 1998 , 12, 905-12	199
469	Excitotoxicity and oxidative stress during inhibition of energy metabolism. 1998 , 20, 444-53	46
468	Pathogenesis and preclinical course of Parkinson's disease. <i>Journal of Neural Transmission Supplementum</i> , 1999 , 56, 31-74	31
467	Mechanism and consequences of nerve cell death in Parkinson's disease. <i>Journal of Neural Transmission Supplementum</i> , 1999 , 56, 127-37	27

466	Final common pathways in neurodegenerative diseases: regulatory role of the glutathione cycle. 1999 , 23, 1079-86	52
465	Increased glutathione levels in neurochemically identified fibre systems in the aged rat lumbar motor nuclei. 1999 , 11, 2935-48	11
464	The antioxidative effect of carboxyfullerenes (C3/D3) on iron-induced oxidative injury in CNS. 1999 , 890, 340-51	4
463	Effect of vitamin E deficiency on rat brain monoamine metabolism. 1999 , 24, 1307-11	15
462	Parkinson's disease: a major hypokinetic basal ganglia disorder. 1999 , 106, 443-76	65
461	Immunocytochemical demonstration of reduced glutathione in neurons of rat forebrain. 1999 , 817, 199-205	10
460	Protection of methamphetamine nigrostriatal toxicity by dietary selenium. 1999 , 851, 76-86	84
459	Local striatal infusion of MPP+ does not result in increased hydroxylation after systemic administration of 4-hydroxybenzoate. 1999 , 27, 997-1007	16
458	Cytotoxic and genotoxic potential of dopamine. 1999 , 55, 659-65	354
457	Brain α -glutamyl cysteine synthetase (GCS) mRNA expression patterns correlate with regional-specific enzyme activities and glutathione levels. 1999 , 58, 436-441	48
456	Does levodopa accelerate Parkinson's disease?. 1999 , 14, 399-408	20
455	The role of iron in neurodegeneration: prospects for pharmacotherapy of Parkinson's disease. 1999 , 14, 115-40	171
454	Measurement of glutathione, glutathione disulfide, and other thiols in mammalian cell and tissue homogenates using high-performance liquid chromatography separation of N-(1-pyrenyl)maleimide derivatives. 1999 , 299, 258-67	41
453	Multiple antioxidants in the prevention and treatment of Parkinson's disease. 1999 , 18, 413-23	71
452	In vivo modulation of rodent glutathione and its role in peroxynitrite-induced neocortical synaptosomal membrane protein damage. 1999 , 1453, 407-11	39
451	An evaluation of the role of mitochondria in neurodegenerative diseases: mitochondrial mutations and oxidative pathology, protective nuclear responses, and cell death in neurodegeneration. 1999 , 29, 1-25	315
450	Hypothesis: can N-acetylcysteine be beneficial in Parkinson's disease?. 1999 , 64, 1253-7	49
449	Inhibition of mitochondrial complex I by haloperidol: the role of thiol oxidation. 1999 , 38, 567-77	73

448	Reduced levels of catalase activity potentiate MPP ⁺ -induced toxicity: comparison between MN9D cells and CHO cells. 1999 , 104, 49-56	13
447	New reaction pathways of dopamine under oxidative stress conditions: nonenzymatic iron-assisted conversion to norepinephrine and the neurotoxins 6-hydroxydopamine and 6, 7-dihydroxytetrahydroisoquinoline. 1999 , 12, 1090-7	52
446	Parkinson's disease is associated with oxidative damage to cytoplasmic DNA and RNA in substantia nigra neurons. 1999 , 154, 1423-9	499
445	Bromocriptine protects dopaminergic neurons from levodopa-induced toxicity by stimulating D(2)receptors. 1999 , 159, 98-104	41
444	Cysteamine pretreatment of the astroglial substratum (mitochondrial iron sequestration) enhances PC12 cell vulnerability to oxidative injury. 1999 , 160, 376-85	30
443	L-DOPA-induced neurotoxic and apoptotic changes on cultured chromaffin cells. 2000 , 11, 503-6	14
442	Enhancement of dopaminergic neurotoxicity by the mercapturate of dopamine: relevance to Parkinson's disease. 2000 , 74, 970-8	26
441	Glutathione, oxidative stress and neurodegeneration. 2000 , 267, 4904-11	886
440	Calpain upregulation in spinal cords of mice with 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine (MPTP)-induced Parkinson's disease. 2000 , 914, 275-83	21
439	Melatonin suppresses iron-induced neurodegeneration in rat brain. 2000 , 28, 904-11	62
438	Preferential resistance of dopaminergic neurons to glutathione depletion in a reconstituted nigrostriatal system. 2000 , 873, 203-11	14
437	In vivo hydroxyl radical generation in the striatum following systemic administration of 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine in mice. 2000 , 852, 221-4	51
436	Antioxidants protect against dopamine-induced metallothionein-III (GIF) mRNA expression in mouse glial cell line (VR-2g). 2000 , 853, 310-6	8
435	Cerebral antioxidant status and free radical generation following glutathione depletion and subsequent recovery. 2000 , 209, 55-61	16
434	NO synthase and NO-dependent signal pathways in brain aging and neurodegenerative disorders: the role of oxidant/antioxidant balance. 2000 , 25, 1315-41	228
433	Depletion of brain glutathione potentiates the effect of 6-hydroxydopamine in a rat model of Parkinson's disease. 2000 , 14, 147-53	18
432	Glial cells and Parkinson's disease. 2000 , 247 Suppl 2, II58-62	43
431	Influence of neurotoxins and oxidative stress on the onset and progression of Parkinson's disease. 2000 , 247 Suppl 2, II82-94	58

430	Sequestration of iron by Lewy bodies in Parkinson's disease. 2000 , 100, 111-4		192
429	Oxidative DNA damage precedes DNA fragmentation after experimental stroke in rat brain. 2000 , 14, 955-67		139
428	Mechanisms of antiapoptotic effects of estrogens in nigral dopaminergic neurons. 2000 , 14, 1202-14		138
427	Molecular mechanisms of oxidative stress in aging: free radicals, aging, antioxidants and disease. 2000 , 881-923		10
426	Glutathione depletion in PC12 results in selective inhibition of mitochondrial complex I activity. Implications for Parkinson's disease. <i>Journal of Biological Chemistry</i> , 2000 , 275, 26096-101	5-4	206
425	Influence of exercise-induced oxidative stress on the central nervous system. 2000 , 713-751		4
424	The antioxidant ebselen prevents neurotoxicity and clinical symptoms in a primate model of Parkinson's disease. 2000 , 166, 235-45		84
423	Role of oxidative changes in the degeneration of dopamine terminals after injection of neurotoxic levels of dopamine. <i>Neuroscience</i> , 2000 , 101, 67-76	3-9	96
422	Oxidative stress during energy impairment in mesencephalic cultures is not a downstream consequence of a secondary excitotoxicity. <i>Neuroscience</i> , 2000 , 96, 309-16	3-9	23
421	Low selenium diet induces tyrosine hydroxylase enzyme in nigrostriatal system of the rat. 2000 , 84, 7-16		13
420	In-vivo glutathione elevation protects against hydroxyl free radical-induced protein oxidation in rat brain. 2000 , 36, 185-91		136
419	The early treatment of Parkinson's disease: levodopa, dopamine agonists or both. 2000 , 7, 27-33		7
418	Reactive oxygen species scavenging activity of Du-zhong (<i>Eucommia ulmoides</i> oliv.) and its active compounds. 2000 , 48, 3431-6		72
417	The biochemistry of aging. 2000 , 35, 1-62		141
416	Glutathione elevation and its protective role in acrolein-induced protein damage in synaptosomal membranes: relevance to brain lipid peroxidation in neurodegenerative disease. 2001 , 39, 141-9		155
415	Effect of acute administration of 1,2,3,4-tetrahydroisoquinoline on the levels of glutathione and reactive oxygen species, and on the enzymatic activity of gamma-glutamyl transpeptidase in dopaminergic structures of rat brain. <i>Neuroscience</i> , 2001 , 108, 413-20	3-9	10
414	Modulation of large conductance calcium-activated potassium channels from rat hippocampal neurons by glutathione. <i>Neuroscience Letters</i> , 2001 , 298, 115-8	3-3	16
413	Hypothyroidism in the developing rat brain is associated with marked oxidative stress and aberrant intraneuronal accumulation of neurofilaments. 2001 , 40, 273-9		55

412	Quantitation of reduced and total glutathione at the femtomole level by high-performance liquid chromatography with fluorescence detection: application to red blood cells and cultured fibroblasts. 2001 , 752, 123-32		132
411	Effects of glutathione depletion by 2-cyclohexen-1-one on excitatory amino acids-induced enhancement of activator protein-1 DNA binding in murine hippocampus. 2001 , 76, 1905-15		9
410	Hydrogen peroxide removal and glutathione mixed disulfide formation during metabolic inhibition in mesencephalic cultures. 2001 , 77, 1496-507		27
409	Carboxyfullerene prevents iron-induced oxidative stress in rat brain. 1999 , 72, 1634-40		110
408	Glutamyl cysteine synthetase catalytic and regulatory subunits localize to dopaminergic nigral neurons as well as to astrocytes. 2001 , 64, 203-6		6
407	6-Hydroxydopamine increases ubiquitin-conjugates and protein degradation: implications for the pathogenesis of Parkinson's disease. 2001 , 21, 771-81		47
406	Mitochondrial involvement in brain function and dysfunction: relevance to aging, neurodegenerative disorders and longevity. 2001 , 26, 739-64		209
405	Alpha synuclein aggregation: is it the toxic gain of function responsible for neurodegeneration in Parkinson's disease?. <i>Mechanisms of Ageing and Development</i> , 2001 , 122, 1499-510	5.6	46
404	SKF-38393, a dopamine receptor agonist, attenuates 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine-induced neurotoxicity. 2001 , 892, 241-7		33
403	6-Hydroxydopamine-lesioning of the nigrostriatal pathway in rats alters basal ganglia mRNA for copper, zinc- and manganese-superoxide dismutase, but not glutathione peroxidase. 2001 , 922, 51-64		28
402	Coexistence of zinc and iron augmented oxidative injuries in the nigrostriatal dopaminergic system of SD rats. 2001 , 30, 225-31		21
401	Effect of iron and manganese on hydroxyl radical production by 6-hydroxydopamine: mediation of antioxidants. 2001 , 31, 986-98		28
400	Regulation of antioxidant metabolism by translation initiation factor 2alpha. 2001 , 152, 997-1006		60
399	Antiproliferative action of dopamine and norepinephrine in neuroblastoma cells expressing the human dopamine transporter. 2001 , 15, 1607-9		21
398	Chemistry and biochemistry of oxidative stress in neurodegenerative disease. 2001 , 8, 721-38		525
397	Iron and Parkinson's disease. 2002 , 8, 22-32		66
396	Parkinson's disease. 2002 , 53, 283-314		6
395	Oxidative stress involves in astrocytic alterations induced by manganese. 2002 , 175, 216-25		110

394	Neuroprotective effect of intermittent hypoxia on iron-induced oxidative injury in rat brain. 2002 , 176, 328-35		42
393	Dopamine in the CNS II. <i>Handbook of Experimental Pharmacology</i> , 2002 ,	3.2	1
392	Thiolic antioxidants protect from nitric oxide-induced toxicity in fetal midbrain cultures. 2002 , 43, 877-88		35
391	Glutathione depletion and oxidative stress. 2002 , 8, 385-7		142
390	A review of specific dietary antioxidants and the effects on biochemical mechanisms related to neurodegenerative processes. 2002 , 23, 719-35		254
389	Lipopolysaccharide prevents cell death caused by glutathione depletion: possible mechanisms of protection. <i>Neuroscience</i> , 2002 , 114, 361-72	3.9	19
388	PARKINSON'S DISEASE. 2002 , 927-960		
387	Interleukin-6 protects PC12 cells from 4-hydroxynonenal-induced cytotoxicity by increasing intracellular glutathione levels. 2002 , 32, 1324-32		41
386	Neuroprotective and neurotoxic roles of levodopa (L-DOPA) in neurodegenerative disorders relating to Parkinson's disease. 2002 , 23, 57-63		54
385	Glutathione decreases in dopaminergic PC12 cells interfere with the ubiquitin protein degradation pathway: relevance for Parkinson's disease?. 2002 , 80, 555-61		60
384	Dopamine-induced apoptosis is mediated by oxidative stress and is enhanced by cyanide in differentiated PC12 cells. 2000 , 74, 2296-304		116
383	Preferential resistance of dopaminergic neurons to the toxicity of glutathione depletion is independent of cellular glutathione peroxidase and is mediated by tetrahydrobiopterin. 2000 , 74, 2305-14		36
382	Glutathione depletion switches nitric oxide neurotrophic effects to cell death in midbrain cultures: implications for Parkinson's disease. 2001 , 79, 1183-95		54
381	5-s-Cysteinyl-conjugates of catecholamines induce cell damage, extensive DNA base modification and increases in caspase-3 activity in neurons. 2002 , 81, 122-9		92
380	Lazaroid treatment prevents death of cultured rat embryonic mesencephalic neurons following glutathione depletion. 1996 , 67, 1653-60		34
379	Oxidant injury in PC12 cells--a possible model of calcium "dysregulation" in aging: I. Selectivity of protection against oxidative stress. 1997 , 69, 1252-8		32
378	Role of oxidative stress and the glutathione system in loss of dopamine neurons due to impairment of energy metabolism. 1998 , 70, 1421-30		66
377	Role of endogenous glutathione in the oxidation of dopamine. 1998 , 71, 2071-8		66

376	Glial cells mediate toxicity in glutathione-depleted mesencephalic cultures. 1999 , 73, 112-9		38
375	Effect of MPTP on Dopamine metabolism in Ames dwarf mice. 2002 , 27, 457-64		8
374	Parkinson's Disease: Mechanisms of Neuronal Death. 2003 , 35, 54-66		2
373	Paraquat and iron exposure as possible synergistic environmental risk factors in Parkinson's disease. 2003 , 5, 307-13		34
372	Alterations in m-RNA expression for Cu,Zn-superoxide dismutase and glutathione peroxidase in the basal ganglia of MPTP-treated marmosets and patients with Parkinson's disease. 2003 , 968, 206-18		29
371	Cigarette smoke and nicotine protect dopaminergic neurons against the 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine Parkinsonian toxin. 2003 , 984, 224-32		81
370	Nigral glutathione deficiency is not specific for idiopathic Parkinson's disease. <i>Movement Disorders</i> , 2003 , 18, 969-76	7	64
369	Oxidative stress in Parkinson's disease. 2003 , 53 Suppl 3, S26-36; discussion S36-8		1488
368	Dose-dependent protective effect of selenium in rat model of Parkinson's disease: neurobehavioral and neurochemical evidences. 2003 , 84, 438-46		114
367	Isofurans, but not F2-isoprostanes, are increased in the substantia nigra of patients with Parkinson's disease and with dementia with Lewy body disease. 2003 , 85, 645-50		80
366	Cooperative interaction between ascorbate and glutathione during mitochondrial impairment in mesencephalic cultures. 2003 , 86, 1487-97		22
365	Selective and persistent activation of extracellular signal-regulated protein kinase by nitric oxide in glial cells induces neuronal degeneration in glutathione-depleted midbrain cultures. 2003 , 24, 1012-26		39
364	Protective effect of adenosine in rat model of Parkinson's disease: neurobehavioral and neurochemical evidences. 2003 , 26, 143-51		21
363	Nicotine protects rat brain mitochondria against experimental injuries. 2003 , 44, 642-52		73
362	Alteration of 8-hydroxyguanosine concentrations in the cerebrospinal fluid and serum from patients with Parkinson's disease. <i>Neuroscience Letters</i> , 2003 , 336, 105-8	3-3	81
361	Oxidative stress regulated genes in nigral dopaminergic neuronal cells: correlation with the known pathology in Parkinson's disease. 2003 , 110, 76-84		84
360	Genetic or pharmacological iron chelation prevents MPTP-induced neurotoxicity in vivo: a novel therapy for Parkinson's disease. 2003 , 37, 899-909		535
359	Disease model: Parkinson's disease. 2003 , 9, 360-5		135

358	Essentials of Apoptosis. 2003 ,	3
357	Withania somnifera (Ashwagandha) attenuates antioxidant defense in aged spinal cord and inhibits copper induced lipid peroxidation and protein oxidative modifications. 2003 , 19, 211-22	44
356	Histone deacetylase inhibitors prevent oxidative neuronal death independent of expanded polyglutamine repeats via an Sp1-dependent pathway. 2003 , 100, 4281-6	221
355	Nitric oxide triggers the toxicity due to glutathione depletion in midbrain cultures through 12-lipoxygenase. <i>Journal of Biological Chemistry</i> , 2003 , 278, 21542-9	5-4 77
354	Semichronic inhibition of glutathione reductase promotes oxidative damage to proteins and induces both transcription and translation of tyrosine hydroxylase in the nigrostriatal system. 2003 , 37, 1003-12	5
353	Levodopa is toxic to dopamine neurons in an in vitro but not an in vivo model of oxidative stress. 2003 , 304, 792-800	67
352	Glutaredoxin is essential for maintenance of brain mitochondrial complex I: studies with MPTP. 2003 , 17, 717-9	69
351	Dopamine and uric acid act as antioxidants in the repair of DNA radicals: implications in Parkinson's disease. 2003 , 37, 1131-6	33
350	Toxicity of glutathione depletion in mesencephalic cultures: a role for arachidonic acid and its lipoxygenase metabolites. 2004 , 19, 280-6	16
349	Role of extracellular signal-regulated protein kinase in neuronal cell death induced by glutathione depletion in neuron/glia mesencephalic cultures. 2004 , 91, 667-82	84
348	Oxidative stress in neurodegeneration: cause or consequence?. 2004 , 10 Suppl, S18-25	1337
347	Brain antioxidant systems in human methamphetamine users. 2004 , 89, 1396-408	65
346	Iron-sulfur enzyme mediated mitochondrial superoxide toxicity in experimental Parkinson's disease. 2004 , 90, 1076-84	66
345	Progressive iron accumulation induces a biphasic change in the glutathione content of neuroblastoma cells. 2004 , 37, 953-60	44
344	Oxidative stress, induced by 6-hydroxydopamine, reduces proteasome activities in PC12 cells: implications for the pathogenesis of Parkinson's disease. 2004 , 24, 387-400	46
343	Mitochondrial dysfunction and oxidative damage in Alzheimer's and Parkinson's diseases and coenzyme Q10 as a potential treatment. 2004 , 36, 381-6	196
342	Initiation of neuronal damage by complex I deficiency and oxidative stress in Parkinson's disease. 2004 , 29, 569-77	144
341	Experimental strategy to identify genes susceptible to oxidative stress in nigral dopaminergic neurons. 2004 , 29, 1223-34	12

340	Inhibition of proteasome activity sensitizes dopamine neurons to protein alterations and oxidative stress. 2004 , 111, 1237-51		50
339	Melatonin protects against oxidative stress caused by 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine in the mouse nigrostriatum. 2004 , 36, 25-32		98
338	Systemic administration of N-acetylcysteine protects dopaminergic neurons against 6-hydroxydopamine-induced degeneration. 2004 , 76, 551-62		35
337	A 100% increase of dopaminergic cells in the olfactory bulb may explain hyposmia in Parkinson's disease. <i>Movement Disorders</i> , 2004 , 19, 687-92	7	237
336	Minocycline in Huntington's disease: a pilot study. <i>Movement Disorders</i> , 2004 , 19, 692-5	7	91
335	Levodopa in the treatment of Parkinson's disease: current controversies. <i>Movement Disorders</i> , 2004 , 19, 997-1005	7	291
334	Redox status of plasma coenzyme Q10 indicates elevated systemic oxidative stress in Parkinson's disease. 2004 , 223, 161-6		116
333	Effects of red algae cultivated with deep-sea water on the oxidation/reduction status of liver, lung, brain, and bone metabolism in SAMP1 and SAMR1. 2004 , 1260, 413-416		3
332	Iron dysregulation and Parkinson's disease. 2004 , 6, S47-52		47
331	Melatonin generates singlet oxygen on laser irradiation but acts as a quencher when irradiated by lamp photolysis. 2005 , 38, 153-6		7
330	Neuroprotective effects of TEMPOL in central and peripheral nervous system models of Parkinson's disease. 2005 , 70, 1371-81		49
329	Acute intranigral infusion of rotenone in rats causes progressive biochemical lesions in the striatum similar to Parkinson's disease. 2005 , 1049, 147-55		102
328	Challenging conventional wisdom: the etiologic role of dopamine oxidative stress in Parkinson's disease. <i>Movement Disorders</i> , 2005 , 20, 271-82	7	64
327	Brain aging phenomena in migrating sockeye salmon <i>Oncorhynchus nerka nerka</i> . 2005 , 112, 1177-99		8
326	Nitric Oxide and Dopamine Neurons. Implications for Parkinsons Disease. 2005 , 5, 193-205		1
325	Knockdown of glutamate-cysteine ligase by small hairpin RNA reveals that both catalytic and modulatory subunits are essential for the survival of primary neurons. <i>Journal of Biological Chemistry</i> , 2005 , 280, 38992-9001	5-4	62
324	Rapid purification and mass spectrometric characterization of mitochondrial NADH dehydrogenase (Complex I) from rodent brain and a dopaminergic neuronal cell line. 2005 , 4, 84-96		44
323	Evidence of oxidative stress in the neocortex in incidental Lewy body disease. 2005 , 64, 816-30		176

322	Parkinson's disease: the first common neurological disease due to auto-intoxication?. 2005 , 98, 215-26		37
321	Thiol redox state and oxidative stress in midbrain and striatum of weaver mutant mice, a genetic model of nigrostriatal dopamine deficiency. <i>Neuroscience Letters</i> , 2005 , 376, 24-8	3-3	17
320	Pharmacological manipulation of ataxia-telangiectasia kinase activity as a treatment for Parkinson's disease. 2005 , 64, 736-41		7
319	Metallothionein provides zinc-mediated protective effects against methamphetamine toxicity in SK-N-SH cells. 2005 , 67, 466-75		29
318	Searching for the role and the most suitable biomarkers of oxidative stress in Alzheimer's disease and in other neurodegenerative diseases. 2005 , 26, 587-95		104
317	Brain oxidation is an initial process in sleep induction. <i>Neuroscience</i> , 2005 , 130, 1029-40	3-9	57
316	Brain-derived growth factor and glial cell line-derived growth factor use distinct intracellular signaling pathways to protect PD cybrids from H ₂ O ₂ -induced neuronal death. 2005 , 20, 141-54		57
315	Redox regulation of heat shock protein expression by signaling involving nitric oxide and carbon monoxide: relevance to brain aging, neurodegenerative disorders, and longevity. 2006 , 8, 444-77		102
314	The role of oxidative stress in signal transduction changes and cell loss in senescence. 1994 , 738, 37-43		14
313	Superoxide dismutase expression in Parkinson's disease. 1994 , 738, 116-20		26
312	Ferrous-citrate complex and nigral degeneration: evidence for free-radical formation and lipid peroxidation. 1994 , 738, 392-9		91
311	Serotonin binding proteins: an in vitro model system for monoamine-related neurotoxicity. 1994 , 738, 408-18		1
310	In vitro and in vivo neuroprotection by gamma-glutamylcysteine ethyl ester against MPTP: relevance to the role of glutathione in Parkinson's disease. <i>Neuroscience Letters</i> , 2006 , 402, 137-41	3-3	38
309	Midbrain neuronal cultures from parkin mutant mice are resistant to nitric oxide-induced toxicity. 2006 , 51, 327-40		18
308	. 2006 ,		31
307	The Role of Iron in the Pathogenesis of Parkinson's Disease. 2006 , 125-149		9
306	Calpain upregulation and neuron death in spinal cord of MPTP-induced parkinsonism in mice. 2002 , 965, 274-80		28
305	Lack of protective effect by intermittent hypoxia on MPTP-induced neurotoxicity in mice. 2001 , 939, 33-44		1

304	Reversible inhibition of mitochondrial complex I activity following chronic dopaminergic glutathione depletion in vitro: implications for Parkinson's disease. 2006 , 41, 1442-8	103
303	Different effects of 7-nitroindazole in reserpine-induced hypolocomotion in two strains of mice. 2006 , 535, 199-207	22
302	Phosphoproteomic profiling of human SH-SY5Y neuroblastoma cells during response to 6-hydroxydopamine-induced oxidative stress. 2006 , 1763, 977-89	23
301	Oxidative Damage to Proteins: Structural Modifications and Consequences in Cell Function. 2006 , 399-471	12
300	Dual effects of antioxidants in neurodegeneration: direct neuroprotection against oxidative stress and indirect protection via suppression of glia-mediated inflammation. 2006 , 12, 3521-33	193
299	Overstimulation of PrPC signaling pathways by prion peptide 106-126 causes oxidative injury of bioaminergic neuronal cells. <i>Journal of Biological Chemistry</i> , 2006 , 281, 28470-9	5-4 58
298	Beating a dead horse: dopamine and Parkinson disease. 2007 , 69, 1701-11	101
297	An orally active catalytic metalloporphyrin protects against 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine neurotoxicity in vivo. 2007 , 27, 4326-33	81
296	Peripheral blood markers of oxidative stress in Parkinson's disease. 2007 , 58, 78-83	66
295	Antioxidant responses and lipid peroxidation following intranasal 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine (MPTP) administration in rats: increased susceptibility of olfactory bulb. 2007 , 80, 1906-14	21
294	Upregulation of cerebral cortical glutathione synthesis by ammonia in vivo and in cultured glial cells: the role of cystine uptake. 2007 , 50, 883-9	22
293	Treating neurodegeneration by modifying mitochondria: potential solutions to a "complex" problem. 2007 , 9, 1591-603	60
292	Mitochondria in the etiology of Parkinson's disease. 2007 , 83, 479-91	7
291	Levodopa. 2007 , 84, 31-72	2
290	Reduced vesicular storage of dopamine causes progressive nigrostriatal neurodegeneration. 2007 , 27, 8138-48	298
289	Prevention and Therapy of Neurodegenerative Disorders: Role of Nutritional Antioxidants. 2007 , 621-661	8
288	Glutathione depletion in hippocampal cells increases levels of H and L ferritin and glutathione S-transferase mRNAs. 2007 , 12, 561-7	16
287	In vivo induction of heat shock proteins in the substantia nigra following L-DOPA administration is associated with increased activity of mitochondrial complex I and nitrosative stress in rats: regulation by glutathione redox state. 2007 , 101, 709-17	46

286	17Beta-estradiol reduces nitrotyrosine immunoreactivity and increases SOD1 and SOD2 immunoreactivity in nigral neurons in male mice following MPTP insult. 2007 , 1164, 24-31		27
285	Constitutive expression and functional characterization of mitochondrial glutaredoxin (Grx2) in mouse and human brain. 2007 , 1185, 8-17		39
284	Mitochondrial dysfunction, peroxidation damage and changes in glutathione metabolism in PARK6. 2007 , 25, 401-11		172
283	Modulation of [3H]dopamine release by glutathione in mouse striatal slices. 2007 , 32, 1357-64		27
282	Increased iron in the substantia nigra compacta of the MPTP-lesioned hemiparkinsonian African green monkey: evidence from proton microprobe elemental microanalysis. 1994 , 62, 134-46		114
281	Antiparkinson drug--Mucuna pruriens shows antioxidant and metal chelating activity. 2008 , 22, 6-11		55
280	The clinical relevance of levodopa toxicity in the treatment of Parkinson's disease. <i>Movement Disorders</i> , 2008 , 23 Suppl 3, S515-20	7	41
279	Myoglobin modification by enzyme-generated dopamine reactive species. 2008 , 14, 8661-73		21
278	Protective effects of a new metalloporphyrin on paraquat-induced oxidative stress and apoptosis in N27 cells. 2008 , 40, 125-32		8
277	Redox-based endoplasmic reticulum dysfunction in neurological diseases. 2008 , 107, 20-34		39
276	Oxidative and nitrative protein modifications in Parkinson's disease. 2008 , 44, 1787-94		153
275	Potent induction of total cellular GSH and NQO1 as well as mitochondrial GSH by 3H-1,2-dithiole-3-thione in SH-SY5Y neuroblastoma cells and primary human neurons: protection against neurocytotoxicity elicited by dopamine, 6-hydroxydopamine, 4-hydroxy-2-nonenal, or hydrogen peroxide. 2008 , 1197, 159-69		50
274	Proteome analysis of human substantia nigra in Parkinson's disease. 2008 , 6, 8		115
273	Complex I and energy thresholds in the brain. 2008 , 1777, 777-82		32
272	The interplay between nitric oxide and peroxiredoxins. 2008 , 213, 815-22		22
271	Early alpha-synuclein lipoxidation in neocortex in Lewy body diseases. 2008 , 29, 408-17		61
270	Glutathione and Parkinson's disease: is this the elephant in the room?. 2008 , 62, 236-49		156
269	Redox imbalance in Parkinson's disease. 2008 , 1780, 1362-7		204

268	Oxygen-induced radical intermediates in the nNOS oxygenase domain regulated by L-arginine, tetrahydrobiopterin, and thiol. 2008 , 47, 405-20	24
267	Do Alterations in Glutathione and Iron Levels Contribute to Pathology Associated with Parkinson's Disease?. 2008 , 11-25	9
266	The role of NADPH oxidase 1-derived reactive oxygen species in paraquat-mediated dopaminergic cell death. 2009 , 11, 2105-18	125
265	A disruption in iron-sulfur center biogenesis via inhibition of mitochondrial dithiol glutaredoxin 2 may contribute to mitochondrial and cellular iron dysregulation in mammalian glutathione-depleted dopaminergic cells: implications for Parkinson's disease. 2009 , 11, 2083-94	65
264	Does tissue glutathione level indicate organ senescence?. 1989 , 47, 330-2	3
263	Glutathione depletion in immortalized midbrain-derived dopaminergic neurons results in increases in the labile iron pool: implications for Parkinson's disease. 2009 , 46, 593-8	41
262	Increased oxidation of certain glycolysis and energy metabolism enzymes in the frontal cortex in Lewy body diseases. 2009 , 87, 1002-13	41
261	Levodopa in the treatment of Parkinson's disease. 2009 , 16, 982-9	136
260	Transcribe to survive: transcriptional control of antioxidant defense programs for neuroprotection in Parkinson's disease. 2009 , 11, 509-28	77
259	The transcription factor Nrf2 as a new therapeutic target in Parkinson's disease. 2009 , 13, 319-29	103
258	Determination and applications of the molar absorptivity of phenolic adducts with captopril and mesna. 2009 , 57, 1143-50	
257	Early involvement of the cerebral cortex in Parkinson's disease: convergence of multiple metabolic defects. 2009 , 88, 89-103	80
256	Withania somnifera root extract improves catecholamines and physiological abnormalities seen in a Parkinson's disease model mouse. 2009 , 125, 369-73	95
255	Cytotoxicity of dopaminochrome in the mesencephalic cell line, MN9D, is dependent upon oxidative stress. 2009 , 30, 1030-5	20
254	Identification of glutathione S-transferase pi as a protein involved in Parkinson disease progression. 2009 , 175, 54-65	73
253	Functional aspects of redox control during neuroinflammation. 2010 , 13, 193-247	49
252	Liposomal-glutathione provides maintenance of intracellular glutathione and neuroprotection in mesencephalic neuronal cells. 2010 , 35, 1575-87	30
251	Intranigral LPS administration produces dopamine, glutathione but not behavioral impairment in comparison to MPTP and 6-OHDA neurotoxin models of Parkinson's disease. 2010 , 35, 1620-7	20

250	Fibroblast growth factor 9 upregulates heme oxygenase-1 and gamma-glutamylcysteine synthetase expression to protect neurons from 1-methyl-4-phenylpyridinium toxicity. 2010 , 49, 1099-108	28
249	Arsenite induces oxidative injury in rat brain: synergistic effect of iron. 2010 , 1199, 27-35	10
248	Persistent mitochondrial damage by nitric oxide and its derivatives: neuropathological implications. 2010 , 2, 1	75
247	Specific oxidative stress profile associated with partial striatal dopaminergic depletion by 6-hydroxydopamine as assessed by a novel multifunctional marker molecule. 2010 , 44, 635-44	15
246	Redox control of endoplasmic reticulum function. 2010 , 13, 77-108	70
245	Levodopa deactivates enzymes that regulate thiol-disulfide homeostasis and promotes neuronal cell death: implications for therapy of Parkinson's disease. 2010 , 49, 2715-24	53
244	Neuroprotective multifunctional iron chelators: from redox-sensitive process to novel therapeutic opportunities. 2010 , 13, 919-49	69
243	Ageing and neurodegenerative diseases. 2010 , 9 Suppl 1, S36-46	137
242	Antioxidant protection: A promising therapeutic intervention in neurodegenerative disease. 2011 , 45, 888-905	90
241	Intervention of mitochondrial dysfunction-oxidative stress-dependent apoptosis as a possible neuroprotective mechanism of lipoic acid against rotenone-induced parkinsonism and L-dopa toxicity. 2011 , 71, 387-95	31
240	Comparison of HPLC and enzymatic recycling assays for the measurement of oxidized glutathione in rat brain. 1997 , 49, 332-5	19
239	The promise of neuroprotective agents in Parkinson's disease. 2011 , 2, 68	68
238	Oxidation of DJ-1 induced by 6-hydroxydopamine decreasing intracellular glutathione. <i>PLoS ONE</i> , 2011 , 6, e27883	3-7 29
237	Glutamylcysteine ethyl ester protects cerebral endothelial cells during injury and decreases blood-brain barrier permeability after experimental brain trauma. 2011 , 118, 248-55	15
236	Depletion of glutathione does not affect electron transport chain complex activity in brain mitochondria: Implications for Parkinson disease and postmortem studies. 2011 , 50, 899-902	12
235	What genetics tells us about the causes and mechanisms of Parkinson's disease. 2011 , 91, 1161-218	422
234	Evaluation of markers of oxidative stress, antioxidant function and astrocytic proliferation in the striatum and frontal cortex of Parkinson's disease brains. 2011 , 36, 1452-63	106
233	Glutathione depletion and overproduction both initiate degeneration of nigral dopaminergic neurons. 2011 , 121, 475-85	44

232	Iron mediates neuritic tree collapse in mesencephalic neurons treated with 1-methyl-4-phenylpyridinium (MPP+). 2011 , 118, 421-31		14
231	The most cited works in Parkinson's disease. <i>Movement Disorders</i> , 2011 , 26, 380-90	7	43
230	Anti-ageing effects of protocatechuic acid from <i>Alpinia</i> on spleen and liver antioxidative system of senescent mice. 2011 , 29, 342-7		38
229	Studies on Experimental Models. 2011 ,		
228	Current concepts on the etiology and pathogenesis of Parkinson disease. 2011 , 93-118		0
227	Quantitative mapping of reversible mitochondrial Complex I cysteine oxidation in a Parkinson disease mouse model. <i>Journal of Biological Chemistry</i> , 2011 , 286, 7601-8	5-4	47
226	Nitrosylation and nitration of mitochondrial complex I in Parkinson's disease. 2011 , 45, 53-8		72
225	Chelators in the treatment of iron accumulation in Parkinson's disease. 2012 , 2012, 983245		55
224	γ-Glutamylcysteine detoxifies reactive oxygen species by acting as glutathione peroxidase-1 cofactor. 2012 , 3, 718		90
223	Isoquinolines And Beta-Carbolines As Neurotoxins And Neuroprotectants. 2012 ,		6
222	Mitochondria: redox metabolism and dysfunction. 2012 , 2012, 896751		74
221	Cerebrospinal fluid biomarkers of neuropathologically diagnosed Parkinson's disease subjects. 2012 , 34, 669-76		47
220	Revisiting oxidative stress and mitochondrial dysfunction in the pathogenesis of Parkinson disease--resemblance to the effect of amphetamine drugs of abuse. 2012 , 53, 1791-806		75
219	Recent updates in redox regulation and free radical scavenging effects by herbal products in experimental models of Parkinson's disease. 2012 , 17, 11391-420		24
218	X-ray absorption spectroscopy at the sulfur K-edge: a new tool to investigate the biochemical mechanisms of neurodegeneration. 2012 , 3, 178-85		56
217	N-acetyl-cysteine in the treatment of Parkinson's disease. What are we waiting for?. 2012 , 79, 8-12		28
216	<i>Lonicera japonica</i> THUNB. protects 6-hydroxydopamine-induced neurotoxicity by inhibiting activation of MAPKs, PI3K/Akt, and NF-κB in SH-SY5Y cells. 2012 , 50, 797-807		34
215	Can mesenchymal stem cells reduce vulnerability of dopaminergic neurons in the substantia nigra to oxidative insult in individuals at risk to Parkinson's disease?. 2012 , 36, 617-24		10

214	Synthesis of catecholamine conjugates with nitrogen-centered bionucleophiles. 2012 , 44, 19-24	7
213	Mitochondrial Dysfunction in Neurodegenerative Disorders. 2012 ,	2
212	Loss of glutathione homeostasis associated with neuronal senescence facilitates TRPM2 channel activation in cultured hippocampal pyramidal neurons. 2012 , 5, 11	51
211	Iron toxicity in neurodegeneration. 2012 , 25, 761-76	136
210	Mucuna pruriens seeds in treatment of Parkinson's disease: pharmacological review. 2013 , 13, 165-174	20
209	Reprint of: revisiting oxidative stress and mitochondrial dysfunction in the pathogenesis of Parkinson disease-resemblance to the effect of amphetamine drugs of abuse. 2013 , 62, 186-201	60
208	Long-term effects of ionising radiation on the brain: cause for concern?. 2013 , 52, 5-16	33
207	Autophagy and Mitophagy in Cellular Damage Control. 2013 , 1, 19-23	131
206	Relationship Between Serum Level of Selenium and Metabolites Using ¹ HNMR-Based Metabonomics in Parkinson's Disease. 2013 , 44, 721-734	5
205	Neuroprotective effects of α-ketoglutarate and ethyl pyruvate against motor dysfunction and oxidative changes caused by repeated 1-methyl-4-phenyl-1,2,3,6 tetrahydropyridine exposure in mice. 2013 , 32, 747-58	14
204	HIBCH mutations can cause Leigh-like disease with combined deficiency of multiple mitochondrial respiratory chain enzymes and pyruvate dehydrogenase. 2013 , 8, 188	57
203	Safety survey of intranasal glutathione. 2013 , 19, 459-63	15
202	Thioredoxins, glutaredoxins, and peroxiredoxins--molecular mechanisms and health significance: from cofactors to antioxidants to redox signaling. 2013 , 19, 1539-605	464
201	Neuroprotective effects of umbelliferone and esculetin in a mouse model of Parkinson's disease. 2013 , 91, 453-61	51
200	Mitochondrial dysfunction and oxidative stress in Parkinson's disease and monogenic parkinsonism. 2013 , 51, 35-42	305
199	Glutathione deficiency in Gclm null mice results in complex I inhibition and dopamine depletion following paraquat administration. 2013 , 134, 366-73	18
198	Oxidative stress and neurodegenerative disorders. <i>International Journal of Molecular Sciences</i> , 2013 , 14, 24438-75	6.3 249
197	The role of oxidative stress in Parkinson's disease. 2013 , 3, 461-91	875

196	Autophagy: A Possible Defense Mechanism in Parkinson's Disease?. 2013 ,		
195	Oxidative Changes and Possible Effects of Polymorphism of Antioxidant Enzymes in Neurodegenerative Disease. 2013 ,		1
194	The interplay between iron accumulation, mitochondrial dysfunction, and inflammation during the execution step of neurodegenerative disorders. <i>Frontiers in Pharmacology</i> , 2014 , 5, 38	5.6	141
193	Loss of UCHL1 promotes age-related degenerative changes in the enteric nervous system. 2014 , 6, 129		23
192	Oxidized DJ-1 as a possible biomarker of Parkinson's disease. 2014 , 54, 138-44		47
191	Rhythmic oscillations of the microRNA miR-96-5p play a neuroprotective role by indirectly regulating glutathione levels. 2014 , 5, 3823		55
190	6-Hydroxydopamine as Preclinical Model of Parkinson's Disease. 2014 , 639-651		1
189	Rotigotine protects against glutamate toxicity in primary dopaminergic cell culture. 2014 , 724, 31-42		23
188	Sexual dimorphism in xenobiotic genetic variants-mediated risk for Parkinson's disease. 2014 , 35, 897-903		6
187	Complex deregulation and expression of cytokines and mediators of the immune response in Parkinson's disease brain is region dependent. 2014 , 24, 584-98		57
186	Comparison of the neuroprotective potential of Mucuna pruriens seed extract with estrogen in 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine (MPTP)-induced PD mice model. 2014 , 65, 1-13		41
185	Sulfuretin inhibits 6-hydroxydopamine-induced neuronal cell death via reactive oxygen species-dependent mechanisms in human neuroblastoma SH-SY5Y cells. 2014 , 74, 53-64		26
184	Selenium and selenoprotein function in brain disorders. 2014 , 66, 229-39		101
183	Antioxidant gene therapy against neuronal cell death. 2014 , 142, 206-30		77
182	Dysregulation of glucose metabolism is an early event in sporadic Parkinson's disease. 2014 , 35, 1111-5		129
181	Mitochondrial reactive oxygen species (ROS) and ROS-induced ROS release. 2014 , 94, 909-50		1961
180	Progressive Parkinsonism by acute dysfunction of excitatory amino acid transporters in the rat substantia nigra. 2014 , 65, 69-81		36
179	Ophthalmological features of Parkinson disease. 2014 , 20, 2243-9		60

178	Mitochondria in Parkinson's Disease. 2015 , 339-358	
177	Mass spectrometry based detection of glutathione with sensitivity for single-cell analysis. 2015 , 29, 681-9	30
176	. 2015 ,	
175	Blockade of metabotropic glutamate receptor 5 protects against DNA damage in a rotenone-induced Parkinson's disease model. 2015 , 89, 567-80	23
174	The many roads to mitochondrial dysfunction in neuroimmune and neuropsychiatric disorders. 2015 , 13, 68	148
173	Free Radicals and Oxidative Stress in Neurodegenerative Disorders. 2015 , 143-158	
172	Glutaredoxin deficiency exacerbates neurodegeneration in C. elegans models of Parkinson's disease. 2015 , 24, 1322-35	31
171	Assessment of Protective Role of Multifunctional Dopamine Agonist D-512 Against Oxidative Stress Produced by Depletion of Glutathione in PC12 Cells: Implication in Neuroprotective Therapy for Parkinson's Disease. 2015 , 28, 302-18	15
170	Dietary modifications in Parkinson's disease: A neuroprotective intervention?. 2015 , 85, 1002-5	11
169	Transcriptional mutagenesis by 8-oxodG in β synuclein aggregation and the pathogenesis of Parkinson's disease. 2015 , 47, e179	17
168	Glutamate excitotoxicity in neurons triggers mitochondrial and endoplasmic reticulum accumulation of Parkin, and, in the presence of N-acetyl cysteine, mitophagy. 2015 , 74, 180-93	69
167	Parkinson's Disease: The Mitochondria-Iron Link. 2016 , 2016, 7049108	36
166	Glutathione as a Biomarker in Parkinson's Disease: Associations with Aging and Disease Severity. 2016 , 2016, 9409363	32
165	The Role of Reactive Oxygen Species in the Pathogenesis of Alzheimer's Disease, Parkinson's Disease, and Huntington's Disease: A Mini Review. 2016 , 2016, 8590578	248
164	Further structure-activity relationships study of substituted dithiolethiones as glutathione-inducing neuroprotective agents. 2016 , 10, 64	8
163	Thiol Oxidation by Diamide Leads to Dopaminergic Degeneration and Parkinsonism Phenotype in Mice: A Model for Parkinson's Disease. 2016 , 25, 252-67	4
162	Deciphering variability in the role of interleukin-1 β in Parkinson's disease. 2016 , 27, 635-50	11
161	Oxidative stress and mitochondrial dysfunction are the underlying events of dopaminergic neurodegeneration in homocysteine rat model of Parkinson's disease. 2016 , 101, 48-55	46

160	Carotenoids and Neurobiological Health. 2016 , 12, 199-228	13
159	Simultaneous assessment of endogenous thiol compounds by LC-MS/MS. 2016 , 1029-1030, 213-221	22
158	Oxidation and interaction of DJ-1 with 20S proteasome in the erythrocytes of early stage Parkinson's disease patients. 2016 , 6, 30793	23
157	The protective mechanism of docosahexaenoic acid in mouse model of Parkinson: The role of hemeoxygenase. 2016 , 101, 110-110	27
156	Central nervous system uptake of intranasal glutathione in Parkinson's disease. 2016 , 2, 16002	33
155	Complex I assembly into supercomplexes determines differential mitochondrial ROS production in neurons and astrocytes. 2016 , 113, 13063-13068	175
154	Antioxidant-Mediated Modulation of Protein Reactivity for 3,4-Dihydroxyphenylacetaldehyde, a Toxic Dopamine Metabolite. 2016 , 29, 1098-107	20
153	Do glutathione levels decline in aging human brain?. 2016 , 93, 110-7	26
152	Lutein protects dopaminergic neurons against MPTP-induced apoptotic death and motor dysfunction by ameliorating mitochondrial disruption and oxidative stress. 2016 , 19, 237-46	54
151	Neuronal Glutathione Content and Antioxidant Capacity can be Normalized In Situ by N-acetyl Cysteine Concentrations Attained in Human Cerebrospinal Fluid. 2016 , 13, 217-25	24
150	Oxidative Stress in Neurodegenerative Diseases. <i>Molecular Neurobiology</i> , 2016 , 53, 4094-4125	6.2 367
149	Mitochondrial mechanisms of redox cycling agents implicated in Parkinson's disease. 2016 , 123, 113-23	7
148	Mitochondrial Complex I Activity is Conditioned by Supercomplex I-IIIIV Assembly in Brain Cells: Relevance for Parkinson's Disease. 2017 , 42, 1676-1682	13
147	Inhibition of neuronal mitochondrial complex I or lysosomal glucocerebrosidase is associated with increased dopamine and serotonin turnover. 2017 , 109, 94-100	6
146	Pre-clinical therapeutic development of a series of metalloporphyrins for Parkinson's disease. 2017 , 326, 34-42	9
145	Mitochondrial respiratory chain disorganization in Parkinson's disease-relevant PINK1 and DJ1 mutants. 2017 , 109, 101-105	28
144	Maltodextrin modified liposomes for drug delivery through the blood-brain barrier. 2017 , 8, 1337-1345	23
143	Targeting urate to reduce oxidative stress in Parkinson disease. 2017 , 298, 210-224	67

142	Nutrition and Nonmotor Symptoms of Parkinson's Disease. 2017 , 134, 1143-1161		7
141	Post-Translational Oxidative Modifications of Mitochondrial Complex I (NADH: Ubiquinone Oxidoreductase): Implications for Pathogenesis and Therapeutics in Human Diseases. 2017 , 60, S69-S86		13
140	Nrf2 activation by tauroursodeoxycholic acid in experimental models of Parkinson's disease. 2017 , 295, 77-87		50
139	Impairment of dynamic thiol-disulphide homeostasis in patients with idiopathic Parkinson's disease and its relationship with clinical stage of disease. 2017 , 153, 50-55		16
138	DJ-1 as a Biomarker of Parkinson's Disease. <i>Advances in Experimental Medicine and Biology</i> , 2017 , 1037, 149-171	3.6	17
137	Alpha-synuclein-induced oxidative stress correlates with altered superoxide dismutase and glutathione synthesis in human neuroblastoma SH-SY5Y cells. 2017 , 91, 1245-1259		25
136	Phase IIb Study of Intranasal Glutathione in Parkinson's Disease. 2017 , 7, 289-299		38
135	Glaucoma in Patients with Parkinson's Disease. 2017 , 07,		0
134	Increased Oxidative Stress Markers in Cerebrospinal Fluid from Healthy Subjects with Parkinson's Disease-Associated Gene Mutations. 2017 , 9, 89		23
133	Protective effect of tangeritin in transgenic Drosophila model of Parkinson's disease. 2017 , 9, 44-53		14
132	Impact of aging, Alzheimer's disease and Parkinson's disease on the blood-brain barrier transport of therapeutics. 2018 , 135, 62-74		46
131	Pannexin hemichannels: A novel promising therapy target for oxidative stress related diseases. 2018 , 233, 2075-2090		16
130	Sulforaphane Promotes Mitochondrial Protection in SH-SY5Y Cells Exposed to Hydrogen Peroxide by an Nrf2-Dependent Mechanism. <i>Molecular Neurobiology</i> , 2018 , 55, 4777-4787	6.2	29
129	Metals and Parkinson's Disease: Mechanisms and Biochemical Processes. 2018 , 25, 2198-2214		69
128	Role of NADPH oxidase in cooperative reactive oxygen species generation in dopaminergic neurons induced by combined treatment with dieldrin and lindane. 2018 , 299, 47-55		12
127	Normal glutathione levels in autopsied brain of chronic users of heroin and of cocaine. 2018 , 190, 20-28		6
126	Disruption of the Circadian Clock Alters Antioxidative Defense via the SIRT1-BMAL1 Pathway in 6-OHDA-Induced Models of Parkinson's Disease. 2018 , 2018, 4854732		30
125	Treatment of Visual Disorders in Parkinson Disease. 2018 , 20, 30		3

124	What Have We Learned from Cerebrospinal Fluid Studies about Biomarkers for Detecting LRRK2 Parkinson's Disease Patients and Healthy Subjects with Parkinson's-Associated LRRK2 Mutations?. 2019 , 9, 467-488	5
123	Phenotypic assays in yeast and zebrafish reveal drugs that rescue deficiency. 2019 , 1, fcz019	5
122	Disubstituted Dithiolethione ACDT Exerts Neuroprotective Effects Against 6-Hydroxydopamine-Induced Oxidative Stress in SH-SY5Y Cells. 2019 , 44, 1878-1892	5
121	Iron and other metals in the pathogenesis of Parkinson's disease: Toxic effects and possible detoxification. 2019 , 199, 110717	25
120	Case report and novel treatment of an autosomal recessive Leigh syndrome caused by short-chain enoyl-CoA hydratase deficiency. 2019 , 179, 803-807	8
119	Preventing and Slowing the Progression of Parkinson's: A Clinical Conversation with Laurie Mischley, ND, MPH, PhD, and Robert Rountree, MD. 2019 , 25, 59-67	
118	Pharmacological strategies to lower crosstalk between nicotinamide adenine dinucleotide phosphate (NADPH) oxidase and mitochondria. 2019 , 111, 1478-1498	22
117	Redox Mechanisms in Neurodegeneration: From Disease Outcomes to Therapeutic Opportunities. 2019 , 30, 1450-1499	50
116	A dual druggable genome-wide siRNA and compound library screening approach identifies modulators of parkin recruitment to mitochondria. <i>Journal of Biological Chemistry</i> , 2020 , 295, 3285-3300 ^{5,4}	3
115	Fibrillar β -Synuclein toxicity depends on functional lysosomes. <i>Journal of Biological Chemistry</i> , 2020 , 295, 17497-17513	5,4 14
114	β -Synuclein amplifies cytoplasmic peroxide flux and oxidative stress provoked by mitochondrial inhibitors in CNS dopaminergic neurons in vivo. 2020 , 37, 101695	12
113	Co-administration of TiO-nanowired dl-3-n-butylphthalide (dl-NBP) and mesenchymal stem cells enhanced neuroprotection in Parkinson's disease exacerbated by concussive head injury. 2020 , 258, 101-155	8
112	Index. 2020 , 160-162	
111	Common aspects between glaucoma and brain neurodegeneration. 2020 , 786, 108323	3
110	Evidence of a Role for the TRPC Subfamily in Mediating Oxidative Stress in Parkinson's Disease. 2020 , 11, 332	2
109	Nutraceuticals Targeting Generation and Oxidant Activity of Peroxynitrite May Aid Prevention and Control of Parkinson's Disease. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6,3 10
108	Healthspan Enhancement by Olive Polyphenols in Wild Type and Parkinson's Models. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6,3 56
107	The Hypothesis That Refuses to Die. 2020 , 95-104	

106 Preface 1 The Question. **2020**, ix-x

105 The Shaky Six and the Second Reality **2020**, 1-10

104 Pieces of a Puzzle?. **2020**, 11-24

103 Disease Redefinition A Tough Pill to Swallow. **2020**, 25-32

102 Disease Subtypes: The Promise and the Fallacy. **2020**, 33-40

101 Protein Paradox. **2020**, 41-56

100 The Fault in Our Models. **2020**, 57-70

99 Biomarkers: The Promise and the Fallacy. **2020**, 71-80

98 Lessons from Oncology. **2020**, 81-86

97 Symptomatic vs. Disease-Modifying Therapies. **2020**, 87-94

96 Our Living Dissonance. **2020**, 105-110

95 The Scientific and Lay Narratives. **2020**, 111-124

94 Challenges Viewed from Afar. **2020**, 125-132

93 The Moonshot: Population-Based Studies of Aging. **2020**, 133-138

92 Predictions for the 2020s and Beyond. **2020**, 139-147

91 Note Added at Press Time Reviving LOF. **2020**, 150-150

90 References. **2020**, 151-159

89 Epilogue. **2020**, 148-149

88	Glutaredoxin 1 Downregulation in the Substantia Nigra Leads to Dopaminergic Degeneration in Mice. <i>Movement Disorders</i> , 2020 , 35, 1843-1853	7	2
87	Silver nanoclusters and carbon dots based light-addressable sensors for multichannel detections of dopamine and glutathione and its applications in probing of parkinson's diseases. <i>Talanta</i> , 2020 , 219, 121290	6.2	5
86	Copper Ions and Parkinson's Disease: Why Is Homeostasis So Relevant?. <i>Biomolecules</i> , 2020 , 10,	5.9	37
85	The Effect of Sulfur-Containing Compounds on the Quinoid Process of Adrenaline Autoxidation; Potential Neuroprotectors. <i>Biochemistry (Moscow) Supplement Series B: Biomedical Chemistry</i> , 2020 , 14, 62-69	0.4	
84	Proteomic Complexity in Parkinson's Disease: A Redox Signaling Perspective of the Pathophysiology and Progression. <i>Neuroscience</i> , 2021 , 453, 287-300	3.9	3
83	Perspective: Low Risk of Parkinson's Disease in Quasi-Vegan Cultures May Reflect GCN2-Mediated Upregulation of Parkin. <i>Advances in Nutrition</i> , 2021 , 12, 355-362	10	7
82	Etiology and pathogenesis of Parkinson disease. 2021 , 121-163.e16		1
81	Coumarin-based fluorescent probe for the detection of glutathione and nitroreductase. <i>Tetrahedron</i> , 2021 , 82, 131890	2.4	2
80	Intersection between Redox Homeostasis and Autophagy: Valuable Insights into Neurodegeneration. <i>Antioxidants</i> , 2021 , 10,	7.1	7
79	The Effect of Oxidized Dopamine on the Structure and Molecular Chaperone Function of the Small Heat-Shock Proteins, β -Crystallin and Hsp27. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	2
78	Do peripheral immune and neurotrophic markers correlate with motor severity of Parkinson's disease?. <i>Journal of Neuroimmunology</i> , 2021 , 354, 577545	3.5	3
77	A novel treatment strategy to prevent Parkinson's disease: focus on iron regulatory protein 1 (IRP1). <i>International Journal of Neuroscience</i> , 2021 , 1-10	2	2
76	Regulation of Tissue Inflammation by 12-Lipoxygenases. <i>Biomolecules</i> , 2021 , 11,	5.9	6
75	15 Glutathione in the Nervous System: Roles in Neural Function and Health and Implications for Neurological Disease. 2007 , 347-399		9
74	Aging and Oxidative Stress Response in the CNS. 2008 , 103-146		5
73	Parkinson's Disease. 1999 , 459-475		7
72	The Current Clinical Picture Of Parkinson's Disease. 1988 , 1-10		2
71	Hydrogen Peroxide Production in Dopamine Neurons: Implications for Understanding Parkinson's Disease. 1988 , 119-126		10

70	Aging-Related Pathology in Human Neuroblastoma and Teratocarcinoma Cell Lines. 1987 , 453-473		4
69	Potential Roles of Accelerated Dopamine Oxidation, Altered Glutathione Metabolism, 5-S-Cysteiny-Dopamine and its Oxidative Metabolites in the Pathogenesis of Parkinson's Disease. 2000 , 181-209		1
68	Formation of Excess Reactive Oxygen Species within the Brain. 1992 , 255-272		3
67	Parkinson's disease and Alzheimer's disease: neurodegenerative disorders due to brain antioxidant system deficiency?. <i>Advances in Experimental Medicine and Biology</i> , 1990 , 264, 493-8	3.6	24
66	Mitochondrial Disturbances in Parkinson's Disease. 1994 , 169-176		3
65	Reactive dopamine metabolites and neurotoxicity: implications for Parkinson's disease. <i>Advances in Experimental Medicine and Biology</i> , 1996 , 387, 97-106	3.6	71
64	Manganese Neurotoxicity and Oxidative Damage. 1997 , 77-93		23
63	Neurodegenerative Disease and Oxidative Stress: Insights from an Animal Model of Parkinsonism. 1996 , 37-46		2
62	MPTP. 1998 , 141-194		14
61	MAO-B Inhibitors in Neurological Disorders with Special Reference to Selegiline. <i>Milestones in Drug Therapy</i> , 1993 , 253-275		3
60	Oxidative stress, antioxidants, aging and disease. 1995 , 1-14		20
59	Selective modulation of brain antioxidant defense capacity by genetic or metabolic manipulations. 1994 , 173-192		1
58	The Role of Dopamine in the Control of Neurobiological Functions. <i>Basic and Clinical Aspects of Neuroscience</i> , 1989 , 1-17		5
57	Molecular and Cellular Events Regulating Dopamine Neuron Survival. <i>Handbook of Experimental Pharmacology</i> , 2002 , 321-386	3.2	4
56	Impaired iron homeostasis in Parkinson's disease. <i>Journal of Neural Transmission Supplementum</i> , 2000 , 37-58		30
55	Loss of dopaminergic neurons in parkinsonism: possible role of reactive dopamine metabolites. <i>Journal of Neural Transmission Supplementum</i> , 1997 , 49, 103-10		38
54	Neurochemical abnormalities in Alzheimer's disease and Parkinson's disease - a comparative review. <i>Journal of Neural Transmission Supplementum</i> , 1997 , 145-159		10
53	Histochemistry of MAO subtypes in the brainstem of humans: a relation to the radical hypothesis of Parkinson's disease?. <i>Key Topics in Brain Research</i> , 1989 , 243-248		7

52	Oxidative stress: a role in the pathogenesis of Parkinson's disease. <i>Journal of Neural Transmission Supplementum</i> , 1990 , 29, 241-9		58
51	MR imaging of putamenal iron predicts response to dopaminergic therapy in parkinsonian patients. <i>New Vistas in Drug Research</i> , 1990 , 99-109		5
50	Senile dementia of Alzheimer's type and Parkinson's disease: neurochemical overlaps and specific differences. <i>New Vistas in Drug Research</i> , 1990 , 221-232		6
49	Pathological evidence for oxidative stress in Parkinson's disease and related degenerative disorders. 1996 , 23-45		7
48	Photoinactivation of B-type monoamine oxidase by a 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine metabolite.. <i>Journal of Biological Chemistry</i> , 1985 , 260, 11899-11902	5.4	6
47	Brain Fables: The Hidden History of Neurodegenerative Diseases and a Blueprint to Conquer Them. 2020 ,		2
46	The hunt for a cure for Parkinson's disease. <i>Science of Aging Knowledge Environment: SAGE KE</i> , 2001 , 2001, re1		2
45	Induction of apoptosis in catecholaminergic PC12 cells by L-DOPA. Implications for the treatment of Parkinson's disease. <i>Journal of Clinical Investigation</i> , 1995 , 95, 2458-64	15.9	188
44	Oral N-acetyl-cysteine attenuates loss of dopaminergic terminals in alpha-synuclein overexpressing mice. <i>PLoS ONE</i> , 2010 , 5, e12333	3.7	80
43	[Effect of the sulfur-containing compounds on the quinoid process of adrenaline autoxidation; potential neuroprotectors]. <i>Biomeditsinskaya Khimiya</i> , 2019 , 65, 316-323	0.8	5
42	Proteomic identification of oxidative-stress-reporting biomarkers differentially secreted from human neuroblastoma SH-SY5Y cells. <i>Journal of Electrophoresis</i> , 2007 , 51, 21-26	0.8	3
41	Molecules for Neuroprotection and Regeneration in Animal Models of Parkinson's Disease. 2000 , 187-207		
40	Generation of Neurotoxins by New Reaction Pathways of Dopamine under Oxidative Stress Conditions: Contributing Etiopathological Factors in Parkinson's Disease. 2000 , 233-236		
39	References. 2000 ,		
38	Iron Chelators and Therapeutic Uses. 2003 , 480-561		
37	Cell-Death Mechanisms in Neurodegenerative Diseases. 2003 , 211-224		
36	Role of Nutritional Antioxidants in the Prevention and Treatment of Neurodegenerative Disorders. <i>Nutrition and Disease Prevention</i> , 2006 , 129-178		
35	Parkinson's Disease. 2009 ,		

- 34 Intervention with Multiple Micronutrients Including Dietary and Endogenous Antioxidants for Healthy Aging. **2010**, 55-78
- 33 Micronutrients in Healthy Aging. **2010**, 35-53
- 32 Protection of Oxidant-Induced Neuronal Cells Injury by a Unique Cruciferous Nutraceutical. **2011**, 563-577
- 31 Potential Therapies for Mitochondrial Dysfunction. **2012**, 215-230
- 30 Two Faces of 1,2,3,4-Tetrahydroisoquinoline Mode of Action in the Mammalian Brain: Is It an Endogenous Neurotoxin or a Neuromodulator?. **2012**, 3-30 0
- 29 Iron Neurotoxicity in Parkinson's Disease. **2014**, 789-818 0
- 28 Diabetes. **2014**, 115-146
- 27 Oxygen Free Radicals and Radical Scavengers in Neurology. **1990**, 557-563 1
- 26 Aging and Electron Leakage Outside Mitochondrial Energy-Transducing Sequence. **1992**, 41-52
- 25 Altered mitochondrial function, iron metabolism and glutathione levels in Parkinson's disease. *Acta Neurologica Scandinavica*, **1993**, 87, 6-13 3.8 80
- 24 Neurotoxic Phenylalkylamines and Indolealkylamines. **1994**, 225-291
- 23 Parkinson's Disease. **1996**, 343-388
- 22 Oxidative Stress with Emphasis on the Role of LAMMA in Parkinson's Disease. **1997**, 277-294
- 21 Neurotransporters at the Juncture of Drug Action: Role in Programmed Cell Death, and Toxicity of Abused MDMA. **1997**, 237-248
- 20 Oxidative Stress in Parkinson's Disease. *Neuroscience Intelligence Unit*, **1997**, 175-193
- 19 Etiological Considerations. **1997**, 153-185
- 18 Metallothionein in oxidative stress of Parkinson's disease. **1999**, 341-349
- 17 6Chapter Micronutrients for the Prevention of Diabetes and Improvement of the Standard Therapy. **2016**, 103-128

16	Preface 2 [Enter Patient. 2020 , xi-xii		
15	Possible Therapeutic Potential of Flavonoids and Phenolic Acids from Honey in Age-Related Neurodegenerative Diseases Via Targeting NAD ⁺ Degradation. 2020 , 19-43		
14	Conditioning Against the Pathology of Parkinson's disease. <i>Conditioning Medicine</i> , 2018 , 1, 143-162	1.4	5
13	Pharmacological Modulation of Nrf2/HO-1 Signaling Pathway as a Therapeutic Target of Parkinson's Disease. <i>Frontiers in Pharmacology</i> , 2021 , 12, 757161	5.6	8
12	Neuroprotection against Aminochrome Neurotoxicity: Glutathione Transferase M2-2 and DT-Diaphorase.. <i>Antioxidants</i> , 2022 , 11,	7.1	1
11	POTENTIAL PREVENTION AND TREATMENT OF NEURODEGENERATIVE DISORDERS BY OLIVE POLYPHENOLS AND HYDROX.. <i>Mechanisms of Ageing and Development</i> , 2022 , 111637	5.6	3
10	-Acetyl-Cysteine: Modulating the Cysteine Redox Proteome in Neurodegenerative Diseases.. <i>Antioxidants</i> , 2022 , 11,	7.1	3
9	Cellular and Molecular Events Leading to Paraquat-Induced Apoptosis: Mechanistic Insights into Parkinson's Disease Pathophysiology.. <i>Molecular Neurobiology</i> , 2022 , 1	6.2	1
8	Highly selective fluorescent detection platform based on isoquinoline Schiff base ligand monitors glutathione in biological systems. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2022 , 428, 113864	4.7	0
7	Parkinson's Disease and the Metal-Microbiome-Gut-Brain Axis: A Systems Toxicology Approach.. <i>Antioxidants</i> , 2021 , 11,	7.1	0
6	CHAPTER 8. Redox Signalling in Dopaminergic Cell Death and Survival. <i>Issues in Toxicology</i> , 210-254	0.3	
5	CHAPTER 13. Biomarkers of Oxidative Stress in Parkinson's Disease. <i>Issues in Toxicology</i> , 423-446	0.3	
4	Novel inflammasome and oxidative modulators in Parkinson's disease: A prospective study. <i>Neuroscience Letters</i> , 2022 , 786, 136768	3.3	0
3	Mechanism Action of Iron Regulatory Protein 1 (IRP1/ACO1) in Disease. 2022 , 12, 11662-11668		0
2	Increased cysteine metabolism in PINK1 models of Parkinson's disease. 2023 , 16,		0
1	Mitochondrial Complex I Inhibition in Dopaminergic Neurons Causes Altered Protein Profile and Protein Oxidation: Implications for Parkinson's disease.		0