

CITATION REPORT

List of articles citing

The Guild Composition of Arthropod Communities in Trees

DOI: 10.2307/4325

Journal of Animal Ecology, 1982, 51, 289.

Source: <https://exaly.com/paper-pdf/15772273/citation-report.pdf>

Version: 2024-04-26

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
244	The assessment of arboreal insect fauna: comparisons of knockdown sampling and faunal lists. <i>Ecological Entomology</i> , 1982 , 7, 331-340	2.1	54
243	Trophic diversity, niche breadth and generation times of exopterygote insects in a secondary succession. 1983 , 56, 220-225		91
242	Arthropod accumulation on tea in young and old habitats. <i>Ecological Entomology</i> , 1983 , 8, 117-123	2.1	24
241	Distribution of invertebrates on foliage in forests of south-eastern Australia. 1984 , 9, 207-232		66
240	Length-weight relationships for invertebrates from forests in south-eastern New South Wales. 1984 , 9, 5-8		47
239	Enemy free space and the structure of ecological communities. 1984 , 23, 269-286		587
238	Insects associated with birch. 1984 , 85, 169-181		3
237	Factors underlying the late seasonal appearance of the lepidopterous leaf-mining guild on oak. <i>Ecological Entomology</i> , 1985 , 10, 111-120	2.1	93
236	Microhabitats of stream invertebrates on two submersed macrophytes with contrasting leaf morphology. 1985 , 8, 313-319		9
235	Predator-prey ratios in communities of freshwater invertebrates: the role of enemy free space. 1985 , 15, 105-112		83
234	Resource availability and plant antiherbivore defense. 1985 , 230, 895-9		2924
233	Food-web models that generate constant predator-prey ratios. 1986 , 69, 542-550		28
232	<i>Euphydryas anicia</i> (Lepidoptera: Nymphalidae) utilization of iridoid glycosides from <i>Castilleja</i> and <i>Besseyia</i> (Scrophulariaceae) host plants. 1986 , 12, 1459-68		40
231	Density, biomass, and guild structure of arboreal arthropods as related to their inhabited tree size in a <i>Cryptomeria japonica</i> plantation. <i>Ecological Research</i> , 1986 , 1, 97-118	1.9	16
230	The arthropod fauna of bracken (<i>Pteridium aquilinum</i>) on the Port Hills, South Island, New Zealand. 1987 , 10, 99-104		5
229	Guild structure of arthropods from Bornean rain forest trees. <i>Ecological Entomology</i> , 1987 , 12, 69-80	2.1	127
228	Canopy fogging, a method of collecting living insects for investigations of life history strategies. 1987 , 21, 563-566		13

227	Arthropod faunal similarity of Bornean rain forest trees. <i>Ecological Entomology</i> , 1987 , 12, 219-226	2.1	60
226	Marine invertebrates in an algal succession. I. Variations in abundance and diversity with succession. 1987 , 109, 195-215		59
225	Diverging patterns of host use by phytophagous insects in relation to leaf pubescence in <i>Arbutus xalapensis</i> (Ericaceae). 1987 , 72, 479-480		13
224	Species number, species abundance and body length relationships of arboreal beetles in Bornean lowland rain forest trees. <i>Ecological Entomology</i> , 1988 , 13, 25-37	2.1	172
223	The impact of predation on the viburnum whitefly, (<i>Aleurotrachelus jelinekii</i>). 1988 , 74, 566-570		4
222	Insect diversity: facts, fiction and speculation*. 1988 , 35, 321-337		308
221	Arthropod communities in a Japanese cedar (<i>Cryptomeria japonica</i> D. Don) plantation: Abundance, biomass and some properties. <i>Ecological Research</i> , 1989 , 4, 243-260	1.9	17
220	On insect-plant associations in agriculture and the selection of agents for weed biocontrol*. 1989 , 114, 157-166		23
219	Thermal properties and fauna on the bark of trees in two different African ecosystems. 1989 , 80, 421-430		29
218	A null model of guild proportionality, applied to stratification of a New Zealand temperate rain forest. 1989 , 80, 263-267		79
217	Estimation of arboreal arthropod density in a dry evergreen forest in Northeastern Thailand. 1989 , 5, 151-158		13
216	Biomonitoring and invertebrate taxonomy. 1990 , 14, 265-73		62
215	How many species?. 1990 , 330, 293-304		237
214	Densities and biomass of invertebrates in stands of rotationally managed coppice woodland. 1990 , 51, 167-176		12
213	The seasonality of arboreal arthropods foraging within an Australian rainforest tree. <i>Ecological Entomology</i> , 1991 , 16, 265-278	2.1	41
212	Herbivory and the evolution of leaf size and shape. 1991 , 333, 265-272		121
211	Species number, species abundance and body length of arboreal arthropods associated with an Australian rainforest tree. <i>Ecological Entomology</i> , 1991 , 16, 391-402	2.1	63
210	Arthropod community structures of rice ecosystems in the Philippines. 1991 , 81, 407-416		72

209	Arthropod community organization and development in pear. 1991 , 15, 83-104		2
208	The composition of the arthropod fauna of Bornean lowland rain forest trees. 1991 , 7, 161-180		148
207	Colonization, survival, and causes of mortality of <i>Camerarius hamadryadella</i> (Lepidoptera: Gracillariidae) on four species of host plants. <i>Ecological Entomology</i> , 1991 , 16, 315-322	2.1	14
206	How many species are there in apple insect communities?: testing the resource diversity and intermediate disturbance hypotheses. <i>Ecological Entomology</i> , 1991 , 16, 491-503	2.1	38
205	Predator-prey ratios: a special case of a general pattern?. 1992 , 338, 113-130		39
204	Evolution and Coevolution of Plants and Phytophagous Arthropods. 1992 , 439-475		32
203	Predator: non-predator ratios in beetle assemblages. 1992 , 90, 417-421		11
202	Arthropod fauna of jarrah (<i>Eucalyptus marginata</i>) foliage in Mediterranean forest of Western Australia: Spatial and temporal variation in abundance, biomass, guild structure and species composition. 1992 , 17, 263-274		21
201	The arthropod community of an Australian rainforest tree: Abundance of component taxa, species richness and guild structure. 1992 , 17, 89-98		35
200	How many species are there?. <i>Biodiversity and Conservation</i> , 1993 , 2, 215-232	3.4	149
199	Use of Terrestrial Arthropods to Evaluate Restored Riparian Woodlands. 1993 , 1, 107-116		50
198	Relationships between abundance and body size: where do tourists fit?. <i>Ecological Entomology</i> , 1993 , 18, 310-314	2.1	25
197	Food Webs: Theory and Reality. 1993 , 24, 187-239		127
196	Herbivorous insect species in the tree canopy of a relict South African forest. <i>Ecological Entomology</i> , 1994 , 19, 147-154	2.1	15
195	A test of the validity of insect food-plant and life-history records: Lepidoptera on heather (<i>Calluna vulgaris</i>). <i>Ecological Entomology</i> , 1995 , 20, 343-350	2.1	8
194	Community structure and assembly rules in a dune slack: Variance in richness, guild proportionality, biomass constancy and dominance/diversity relations. 1995 , 116, 93-106		41
193	Seasonality and vertical structure of light-attracted insect communities in a dipterocarp forest in Sarawak. 1995 , 37, 59-79		88
192	The Croonian lecture, 1995 Natural communities: structure and dynamics. 1996 , 351, 1113-1129		45

191	The myth of constant predator: prey ratios. 1996 , 106, 272-276		17
190	How many species of host-specific insects feed on a species of tropical tree?. 1996 , 59, 201-216		54
189	FORUM: THE ARBOREAL SUPERHIGHWAY: ARTHROPODS AND LANDSCAPE DYNAMICS. 1997 , 129, 595-599		5
188	TOWARD AN INTEGRATION OF LANDSCAPE AND FOOD WEB ECOLOGY: The Dynamics of Spatially Subsidized Food Webs. 1997 , 28, 289-316		1576
187	Insect diversity of Acacia canopies in Mkomazi game reserve, north-east Tanzania. 1998 , 21, 261-268		16
186	Arboreal arthropod communities of remnant podocarp-hardwood rainforest in North Island, New Zealand. 1998 , 25, 157-169		36
185	Canopy knockdown of arthropods in exotic plantations and natural forest in Sabah, north-east Borneo, using insecticidal mist-blowing. 1998 , 88, 15-24		20
184	Vertical and seasonal variation in canopy arthropod communities in an old-growth conifer forest in southwestern Washington, USA. 1998 , 88, 633-640		40
183	Canopy arthropods. Edited by N.E. Stork, J. Adis and R.K. Didham (London: Chapman & Hall, 1997). xvi + 567 pp. Hord cover £85.00 ISBN 0 412 47900 9.. 1998 , 88, 104-105		
182	Comunidade local de Coleoptera em cerrado: diversidade de espécies e tamanho do corpo. 1998 , 27, 543-550		3
181	Effect of island geological age on the arthropod species richness of Azorean pastures. 1999 , 66, 373-410		63
180	Taxonomic and structural similarities in soil oribatid communities. 1999 , 22, 567-574		18
179	Invertebrate communities in a tropical rain forest canopy in Puerto Rico following Hurricane Hugo. <i>Ecological Entomology</i> , 1999 , 24, 191-201	2.1	53
178	The impact of canopy development on arthropod faunas in recently established Eucalyptus globulus plantations in Western Australia. <i>Forest Ecology and Management</i> , 1999 , 121, 147-158	3.9	8
177	Studying insect diversity in the tropics. 1999 , 354, 1811-24		96
176	Structure of two macrolepidopteran assemblages on Salix nigra (Marsh) and Acer negundo L.: abundance, diversity, richness, and persistence of scarce species. <i>Ecological Entomology</i> , 2000 , 25, 374-379 ²¹		25
175	What's Up? A Critical Look at the Basic Terms of Canopy Biology1. <i>Biotropica</i> , 2000 , 32, 569	2.3	80
174	Diversity patterns of eucalypt canopy arthropods in eastern and western Australia. <i>Ecological Entomology</i> , 2000 , 25, 295-306	2.1	28

173	Isolated trees and forest patches: Patterns in canopy arthropod abundance and diversity in <i>Pinus sylvestris</i> (Scots Pine). <i>Forest Ecology and Management</i> , 2000 , 137, 53-63	3.9	50
172	Macroecology of local insect communities. 2000 , 21, 21-28		14
171	Estimating density and biomass of canopy arthropods in coniferous plantations: an approach based on a tree-dimensional parameter. <i>Forest Ecology and Management</i> , 2001 , 144, 147-157	3.9	11
170	Os grupos tróficos em Coleoptera. 2001 , 18, 205-224		14
169	Variation in the guild composition of herbivorous insect assemblages among co-occurring plant species. 2001 , 26, 385-399		22
168	Tree shape, forest structure and diversity of drosophilid community: Comparison between boreal and temperate birch forests. <i>Ecological Research</i> , 2001 , 16, 369-385	1.9	35
167	Predator-prey ratio and guild constancy in a tropical insect community. 2001 , 253, 265-273		8
166	North-South Patterns within Arboreal Ant Assemblages from Rain Forests in Eastern Australia1. <i>Biotropica</i> , 2001 , 33, 643-661	2.3	19
165	Stratification and diel activity of arthropods in a lowland rainforest in Gabon. 2001 , 72, 585-607		76
164	The spatial distribution of beetles within the canopies of oak trees in Richmond Park, U.K.. <i>Ecological Entomology</i> , 2001 , 26, 302-311	2.1	35
163	North-South Patterns within Arboreal Ant Assemblages from Rain Forests in Eastern Australia1. <i>Biotropica</i> , 2001 , 33, 643	2.3	15
162	Variation in Species and Trophic Composition of Insect Communities in Puerto Rico1. <i>Biotropica</i> , 2002 , 34, 357	2.3	1
161	THE ANT FAUNA OF A TROPICAL RAIN FOREST: ESTIMATING SPECIES RICHNESS THREE DIFFERENT WAYS. 2002 , 83, 689-702		365
160	The influence of stand structure and composition on diversity of canopy Coleoptera in coniferous plantations in Britain. <i>Forest Ecology and Management</i> , 2002 , 163, 27-41	3.9	18
159	Beetle assemblages on willow trees: do phenolic glycosides matter?. 2002 , 8, 85-106		10
158	Variation in Species and Trophic Composition of Insect Communities in Puerto Rico1. <i>Biotropica</i> , 2002 , 34, 357-367	2.3	16
157	Experimental evidence that aboveground predators are sustained by underground detritivores. 2003 , 103, 31-36		48
156	Terrestrial Arthropods as Indicators of Ecological Restoration Success in Coastal Sage Scrub (California, U.S.A.). 2003 , 11, 397-409		105

155	Canopy herbivore community structure: large-scale geographical variation and relation to forest composition. <i>Ecological Entomology</i> , 2003 , 28, 278-290	2.1	13
154	Species loss and the structure and functioning of multitrophic aquatic systems. 2004 , 104, 467-478		200
153	Horizontal and Vertical Distribution of Genus <i>Xanthopimpla</i> (Hymenoptera: Ichneumonidae) in an Ecological Plot of Pasoh Forest Reserve, Malaysia. 2004 , 7, 221-225		
152	ASSEMBLAGES OF SPIDERS ON MODELS OF SEMI-ARID SHRUBS. <i>Journal of Arachnology</i> , 2004 , 32, 313-323		21
151	Body size, energy consumption and allometric scaling: a new dimension in the diversity-stability debate. 2004 , 1, 139-175		28
150	Species diversity and structure of phytophagous beetle assemblages along a latitudinal gradient: predicting the potential impacts of climate change. <i>Ecological Entomology</i> , 2004 , 29, 527-542	2.1	57
149	Species richness of phytophagous beetles in the tropical tree <i>Brosimum utile</i> (Moraceae): the effects of sampling strategy and the problem of tourists. <i>Ecological Entomology</i> , 2004 , 29, 76-88	2.1	36
148	Canopy arthropod communities on Mexican oaks at sites with different disturbance regimes. 2004 , 115, 79-87		21
147	Arthropod community structure along a latitudinal gradient: Implications for future impacts of climate change. 2005 , 30, 281-297		44
146	Aphidophagous insect communities in tree crowns of the neophyte Douglas-fir [<i>Pseudotsuga menziesii</i> (Mirb.) Franco] and Norway spruce (<i>Picea abies</i> L.). 2005 , 129, 81-88		9
145	Testing the enemies hypothesis in forest stands: the important role of tree species composition. 2005 , 142, 90-7		69
144	The composition and abundance of microarthropod communities on arboreal litter in the canopy of <i>Cryptomeria japonica</i> trees. 2005 , 10, 35-42		17
143	Biomass of Arthropod Trophic Levels on <i>Tamarix ramosissima</i> (Tamaricaceae) Branches. 2005 , 34, 656-663		18
142	The effect of prey availability on spider assemblages on European black pine (<i>Pinus nigra</i>) bark: spatial patterns and guild structure. 2005 , 83, 324-335		30
141	A lack of native congeners may limit colonization of introduced conifers by indigenous insects in Europe. 2006 , 36, 299-313		50
140	Spatial and temporal organisation of the pre-dispersal seed predator guild in a perennial legume, <i>Vicia tenuifolia</i> . <i>Ecological Entomology</i> , 2006 , 31, 114-122	2.1	6
139	Arthropods within the woody element of hedgerows and their distribution pattern. 2006 , 8, 203-211		51
138	What's Up? A Critical Look at the Basic Terms of Canopy Biology1. <i>Biotropica</i> , 2006 , 32, 569-596	2.3	19

137	Beetle assemblages from an Australian tropical rainforest show that the canopy and the ground strata contribute equally to biodiversity. 2006 , 273, 1969-75	92
136	Differences between forest type and vertical strata in the diversity and composition of hymenopteran families and mymarid genera in northeastern temperate forests. 2007 , 36, 1073-83	30
135	Influence of local illumination and plant composition on the spatial and seasonal distribution of litter-dwelling arthropods in a tropical rainforest. 2007 , 51, 131-145	14
134	Insect guild structure associated with eastern hemlock in the southern Appalachians. 2007 , 36, 1408-14	44
133	Geological age, ecosystem development, and local resource constraints on arthropod community structure in the Hawaiian Islands. 2007 , 90, 551-570	36
132	Vertical stratification of feeding guilds and body size in beetle assemblages from an Australian tropical rainforest. 2007 , 32, 77-85	60
131	Efficiency of extracting microarthropods from the canopy litter in a Japanese cedar (<i>Cryptomeria japonica</i> D. Don) plantation: a comparison between the washing and Tullgren methods. 2008 , 13, 68-72	3
130	Choice of metrics for studying arthropod responses to habitat disturbance: one example from Gabon. 2008 , 1, 55-66	34
129	Changes in arthropod assemblages along a wide gradient of disturbance in Gabon. 2008 , 22, 1552-63	47
128	Four ways towards tropical herbivore megadiversity. 2008 , 11, 398-416	131
127	Do arthropod assemblages display globally consistent responses to intensified agricultural land use and management?. 2008 , 17, 585-599	127
126	The canopy beetle faunas of Gondwanan element trees in Chilean temperate rain forests. 2008 , 35, 914-925	14
125	Faunal turnover of arthropod assemblages along a wide gradient of disturbance in Gabon. 2008 , 16, 47-59	5
124	Sharply increased insect herbivory during the Paleocene-Eocene Thermal Maximum. 2008 , 105, 1960-4	180
123	The invertebrate fauna of epiphyte mats in the canopy of northern rata (<i>Myrtaceae</i> : <i>Metrosideros robusta</i> A. Cunn.) on the West Coast of the South Island, New Zealand. 2009 , 36, 177-202	6
122	Assemblage of Hymenoptera arriving at logs colonized by <i>Ips pini</i> (Coleoptera: Curculionidae: Scolytinae) and its microbial symbionts in western Montana. 2009 , 141, 172-199	6
121	Is there competition between phytophagous insects?1. 2009 , 23, 275-285	19
120	Monitoring arthropods in a tropical landscape: relative effects of sampling methods and habitat types on trap catches. 2009 , 13, 103-118	56

119	Importance of the understory stratum to entomofaunal diversity in a temperate deciduous forest. <i>Ecological Research</i> , 2009 , 24, 263-272	1.9	28
118	Anti-herbivore effects of an ant species, <i>Crematogaster difformis</i> , inhabiting myrmecophytic epiphytes in the canopy of a tropical lowland rainforest in Borneo. <i>Ecological Research</i> , 2009 , 24, 1393-1397	1.9	13
117	Diversity of canopy and understorey spiders in north-temperate hardwood forests. 2009 , 11, 225-237		42
116	Biodiversity consequences of genetic variation in bark characteristics within a foundation tree species. 2009 , 23, 1146-55		33
115	Spatiotemporal changes of beetle communities across a tree diversity gradient. 2009 , 15, 660-670		71
114	Canopy Herbivory and Insect Herbivore Diversity in a Dry Forest-Savanna Transition in Brazil. <i>Biotropica</i> , 2010 , 42, 112-118	2.3	45
113	Are ecologists blind to small things? The missed stories on non-tropical seed predation on feces. 2010 , 119, 1537-1545		11
112	Fallowing did not disrupt invertebrate fauna in Philippine low-pesticide irrigated rice fields. <i>Journal of Applied Ecology</i> , 2010 , 47, 593-602	5.8	25
111	On the vertical distribution of bees in a temperate deciduous forest. 2010 , 3, 222		29
110	Fossil insect folivory tracks paleotemperature for six million years. 2010 , 80, 547-567		91
109	Arthropod vertical stratification in temperate deciduous forests: Implications for conservation-oriented management. <i>Forest Ecology and Management</i> , 2011 , 261, 1479-1489	3.9	113
108	Bibliography. 2011 , 525-606		
107	Arthropod assemblages in tree canopies: a comparison of orders on box mistletoe (<i>Amyema miquelii</i>) and its host eucalypts. 2011 , 50, no-no		7
106	Relationship between plant development, tannin concentration and insects associated with <i>Copaifera langsdorffii</i> (Fabaceae). 2011 , 5, 9-18		26
105	Tri-trophic level interactions affect host plant development and abundance of insect herbivores. 2011 , 5, 351-357		13
104	Multi-scale patterns in the host specificity of plant-dwelling arthropods: the influence of host plant and temporal variation on species richness and assemblage composition of true bugs (Hemiptera). 2011 , 45, 2577-2604		9
103	A comparison of two common flight interception traps to survey tropical arthropods. 2012 , 43-55		28
102	Diversity of plant evolutionary lineages promotes arthropod diversity. 2012 , 15, 1308-1317		94

101	Arthropod diversity in a tropical forest. 2012 , 338, 1481-4		316
100	Diversity and composition of arboreal beetle assemblages in tropical pasture afforestations: effects of planting schemes and tree species identity. <i>Biodiversity and Conservation</i> , 2012 , 21, 3423-3444 ^{3,4}		11
99	Invertebrate community composition differs between invasive herb alligator weed and native sedges. 2012 , 41, 65-73		5
98	Ontogenetic and temporal variations in herbivory and defense of <i>Handroanthus spongiosus</i> (Bignoniaceae) in a Brazilian tropical dry forest. 2012 , 41, 541-50		13
97	Are psyllids affiliated with the threatened plants <i>Acacia ausfeldii</i> , <i>A. dangarensis</i> and <i>A. gordonii</i> at risk of co-extinction?. 2012 , 37, 140-148		4
96	Feeding guild structure of beetles on Australian tropical rainforest trees reflects microhabitat resource availability. <i>Journal of Animal Ecology</i> , 2012 , 81, 1086-94	4-7	38
95	Composition and stratification of a tachinid (Diptera: Tachinidae) parasitoid community in a European temperate plain forest. 2012 , 5, 346-357		14
94	Beetle communities associated with the tree fern <i>Dicksonia antarctica</i> Labill. in Tasmania. 2012 , 51, 154-165		4
93	Herbivory on <i>Handroanthus ochraceus</i> (Bignoniaceae) along a successional gradient in a tropical dry forest. 2012 , 6, 45-57		30
92	Species richness and temporal partitioning in the beetle fauna of oak trees (<i>Quercus robur</i> L.) in Richmond Park, UK. 2013 , 6, 67-81		13
91	Effects of ants on arthropod assemblages of a native timber tree in a tropical reforestation plantation. 2013 , 137, 418-428		8
90	Body size variation among invertebrates inhabiting different canopy microhabitat: flower visitors are smaller. <i>Ecological Entomology</i> , 2013 , 38, 101-111	2.1	9
89	Association between individual genetic diversity of two oak host species and canopy arthropod community structure. 2013 , 132, 165-179		18
88	Variation in beetle community structure across five microhabitats in Australian tropical rainforest trees. 2013 , 6, 463-472		14
87	Sticky plant traps insects to enhance indirect defence. 2013 , 16, 219-24		50
86	Species abundance distributions of moth and beetle assemblages in a cool-temperate deciduous forest. 2013 , 6, 494-501		5
85	Testing two methods that relate herbivorous insects to host plants. 2013 , 13, 92		3
84	BACK MATTER. 2013 , 347-430		

83	Integrating landscape disturbance and indicator species in conservation studies. <i>PLoS ONE</i> , 2013 , 8, e63294	49
82	Insect herbivores associated with an evergreen tree <i>Goniorrhachis marginata</i> Taub. (Leguminosae: Caesalpinioideae) in a tropical dry forest. 2014 , 74, 623-31	2
81	Spatial variation in leaf traits and herbivore community within the beech canopy between two different latitudes. 2014 , 8, 571	2
80	Detecting impacts of non-native species on associated invertebrate assemblages depends on microhabitat. 2014 , 39, 511-521	5
79	Canopy invertebrate community composition on rainforest trees: Different microhabitats support very different invertebrate communities. 2014 , 39, 367-377	7
78	Insect Herbivores and Leaf Damage along Successional and Vertical Gradients in a Tropical Dry Forest. <i>Biotropica</i> , 2014 , 46, 14-24	2.3 46
77	Untangling interactions: do temperature and habitat fragmentation gradients simultaneously impact biotic relationships?. 2014 , 281,	6
76	Oak canopy arthropod communities: which factors shape its structure?. 2015 , 88,	10
75	Reverse influence of riparian buffer width on herbivorous and predatory Hemiptera. 2015 , 139, 539-552	6
74	Vertical stratification and effect of petiole and dry leaf size on arthropod feeding guilds in <i>Cecropia pachystachya</i> (Urticaceae). 2015 , 75, 517-23	1
73	Entrapment bias of arthropods in Miocene amber revealed by trapping experiments in a tropical forest in Chiapas, Mexico. <i>PLoS ONE</i> , 2015 , 10, e0118820	3.7 40
72	Moving beyond the guild concept: developing a practical functional trait framework for terrestrial beetles. <i>Ecological Entomology</i> , 2015 , 40, 1-13	2.1 51
71	Diversity and host specificity of Psylloidea (Hemiptera) inhabiting box mistletoe, <i>Amyema miquelii</i> (Loranthaceae) and three of its host <i>Eucalyptus</i> species. 2015 , 54, 306-314	9
70	The siren song of a sticky plant: Columbines provision mutualist arthropods by attracting and killing passerby insects. 2015 , 96, 2862-9	26
69	Patterns of Trophic-level Diversity Associated with Herbaceous Dune Vegetation Across a Primary Successional Gradient. 2015 , 173, 177-190	20
68	Effects of sika deer browsing on the arthropod communities on understory vegetation in a thinned Japanese cypress plantation. 2015 , 20, 347-356	5
67	Insects as food and feed in the Asia Pacific region: current perspectives and future directions. 2015 , 1, 33-55	86
66	Arthropod Assemblages Associated with Wild and Cultivated Indigenous Proteas in the Grabouw area, Cape Floristic Region. 2015 , 23, 19-36	2

- 65 South African National Survey of Arachnida (SANSA): review of current knowledge, constraints and future needs for documenting spider diversity (Arachnida: Araneae). **2015**, 70, 245-275 22
- 64 Bibliography. **2016**, 609-702
- 63 Roles of family and architecture in driving insect community structure: a comparison of nine Australian plant species. **2016**, 55, 423-432
- 62 Update and expansion of the database of bio-ecological information on non-target arthropod species established to support the environmental risk assessment of genetically modified crops in the EU. **2016**, 13, 956E 7
- 61 Taxonomic and functional composition of arthropod assemblages across contrasting Amazonian forests. *Journal of Animal Ecology*, **2016**, 85, 227-39 4-7 19
- 60 Sugar maple tree canopies as reservoirs for arthropod functional diversity in forest patches across a fragmented agricultural landscape in southern Quebec, Canada. **2016**, 23, 1-12
- 59 European Fire Ant Presence Decreases Native Arboreal Insect Abundance in Acadia National Park, Maine, USA. **2016**, 36, 162-165 7
- 58 Designing Standardized and Optimized Surveys to Assess Invertebrate Biodiversity in Tropical Irrigated Rice Using Structured Inventory and Species Richness Models. **2016**, 45, 446-64 2
- 57 Does neighbourhood tree diversity affect the crown arthropod community in saplings?. *Biodiversity and Conservation*, **2016**, 25, 169-185 3-4 10
- 56 Ground Spider Guilds and Functional Diversity in Native Pine Woodlands and Eucalyptus Plantations. **2016**, 45, 292-300 10
- 55 Regional-scale effects override the influence of fine-scale landscape heterogeneity on rice arthropod communities. **2017**, 246, 269-278 15
- 54 Landscapes, orchards, pesticides: Abundance of beetles (Coleoptera) in apple orchards along pesticide toxicity and landscape complexity gradients. **2017**, 247, 246-254 19
- 53 Seasonal and diel variations in the activity of canopy insect herbivores differ between deciduous and evergreen plant species in a tropical dry forest. **2017**, 21, 667-676 13
- 52 Effects of a mud snail *Cipangopaludina chinensis laeta* (Architaenioglossa: Viviparidae) on the abundance of terrestrial arthropods through rice plant development in a paddy field. **2017**, 52, 97-106 3
- 51 Atmospheric change causes declines in woodland arthropods and impacts specific trophic groups. **2017**, 19, 101-112 10
- 50 Effects of the emerald ash borer invasion on the community composition of arthropods associated with ash tree boles in Maryland, U.S.A.. **2017**, 19, 122-129 11
- 49 Temporal variation in the spider assemblage (Arachnida, Araneae) in canopies of *Callisthene fasciculata* (Vochysiaceae) in the Brazilian Pantanal biome. **2017**, 107, 4
- 48 Variation in bird assemblages and their invertebrate prey in eucalypt formations across a rainfall gradient in south-west Australia. **2017**, 23, 372

47	A cross-continental comparison of assemblages of seed- and fruit-feeding insects in tropical rain forests: Faunal composition and rates of attack. 2018 , 45, 1395-1407		10
46	Insect community composition and functional roles along a tropical agricultural production gradient. 2018 , 25, 13426-13438		7
45	Landscape composition, configuration, and trophic interactions shape arthropod communities in rice agroecosystems. <i>Journal of Applied Ecology</i> , 2018 , 55, 2461-2472	5.8	36
44	Vertical canopy gradient shaping the stratification of leaf-chewer-parasitoid interactions in a temperate forest. <i>Ecology and Evolution</i> , 2018 , 8, 7297-7311	2.8	7
43	Dimensions of Host Specificity in Foliar Fungal Endophytes. <i>Forestry Sciences</i> , 2018 , 15-42		4
42	The Effects of Repeated Prescribed Fire and Thinning on Bees, Wasps, and Other Flower Visitors in the Understory and Midstory of a Temperate Forest in North Carolina. <i>Forest Science</i> , 2018 , 64, 299-306	1.4	19
41	The Amazonas-trap: a new method for sampling plant-inhabiting arthropod communities in tropical forest understory. <i>Entomologia Experimentalis Et Applicata</i> , 2019 , 167, 534-543	2.1	4
40	Forest cover drives insect guild diversity at different landscape scales in tropical dry forests. <i>Forest Ecology and Management</i> , 2019 , 443, 36-42	3.9	11
39	Asian needle ant (<i>Brachyponera chinensis</i>) and woodland ant responses to repeated applications of fuel reduction methods. <i>Ecosphere</i> , 2019 , 10, e02547	3.1	1
38	Arthropod carrion influences plant choice, oviposition, and cannibalism by a specialist predator on a sticky plant. <i>Ecological Entomology</i> , 2020 , 45, 182-189	2.1	0
37	Tree canopy arthropods have idiosyncratic responses to plant ecophysiological traits in a warm temperate forest complex. <i>Scientific Reports</i> , 2020 , 10, 19905	4.9	5
36	Flower power in the city: Replacing roadside shrubs by wildflower meadows increases insect numbers and reduces maintenance costs. <i>PLoS ONE</i> , 2020 , 15, e0234327	3.7	10
35	The diet of Malagasy dry forest understory birds based on faecal samples. <i>Ostrich</i> , 2020 , 91, 35-44	0.9	2
34	Gradients in richness and turnover of a forest passerine's diet prior to breeding: A mixed model approach applied to faecal metabarcoding data. <i>Molecular Ecology</i> , 2020 , 29, 1199-1213	5.7	19
33	Latitude, paleo-history and forest size matter for Afromontane canopy beetle diversity in a world context. <i>Biodiversity and Conservation</i> , 2021 , 30, 659-672	3.4	1
32	The spatial configuration of biotic interactions shapes coexistence-area relationships in an annual plant community.		0
31	Towards an actualistic view of the Crato Konservat-Lagerstätte paleoenvironment: A new hypothesis as an Early Cretaceous (Aptian) equatorial and semi-arid wetland. <i>Earth-Science Reviews</i> , 2021 , 216, 103573	10.2	25
30	Pest consumption by generalist arthropod predators increases with crop stage in both organic and conventional farms. <i>Ecosphere</i> , 2021 , 12, e03625	3.1	0

29	Vertical stratification of dung beetles in young secondary forests of Singapore. <i>Biotropica</i> , 2021 , 53, 1522	2.3	1
28	Vertical Distribution of Arthropod Assemblages and the Effects of Weather Conditions on Arthropod Rain in a Temperate Conifer Forest. <i>Frontiers in Forests and Global Change</i> , 2021 , 4,	3.7	0
27	Insect Herbivores, Herbivory and Plant Succession. 1990 , 183-196		8
26	Life Cycle Strategies and Plant Succession. <i>Proceedings in Life Sciences</i> , 1986 , 105-124		13
25	Evolution: Who Drives Whom?. 1998 , 279-313		3
24	Species Richness, Species Packing, and Evolution in Insect-Plant Systems. <i>Ecological Studies</i> , 1987 , 301-319		29
23	Sensory Ecology of Arthropods Utilizing Plant Infochemicals. 2001 , 253-270		2
22	The theory and practice of estimating regional species richness from local samples. <i>Monographiae Biologicae</i> , 1996 , 193-213	0.3	7
21	Nutrient Cycling and Decomposition in Natural Terrestrial Ecosystems. 1986 , 14-73		11
20	The effects of changes in habitat structure during succession in terrestrial communities. 1991 , 141-168		20
19	Invertebrates in the canopy of tropical rain forests How much do we really know?. <i>Forestry Sciences</i> , 2001 , 87-107		3
18	Contrasting arthropod communities associated with dwarf mistletoes <i>Arceuthobium globosum</i> and <i>A. vaginatum</i> and their host <i>Pinus hartwegii</i> . <i>Journal of Forestry Research</i> , 2018 , 29, 1351-1364	2	2
17	Global patterns of guild composition and functional diversity of spiders. <i>PLoS ONE</i> , 2011 , 6, e21710	3.7	239
16	Seasonality, abundance, species richness and specificity of the phytophagous guild of insects on oak (<i>Quercus</i>) canopies. <i>European Journal of Entomology</i> , 2004 , 101, 43-50		82
15	The composition of the arthropod fauna of the canopies of some species of oak (<i>Quercus</i>). <i>European Journal of Entomology</i> , 2005 , 102, 65-72		32
14	COMPOSICIÓN DEL ENSAMBLE DE INSECTOS DEL DOSEL DE BOSQUES SUBTROPICALES SECOS DEL CHACO SEMIRÍDO, ARGENTINA. <i>Caldasia</i> , 2016 , 38, 197-210	0.4	2
13	Estimation of biomass from shape-specific length-mass equations for arboreal spiders in subtropical montane forest of Taiwan. <i>Journal of Arachnology</i> , 2019 , 47, 326	1.1	1
12	Spatiotemporal Distribution of Herbivorous Insects Along Always-Green Mountaintop Forest Islands. <i>Frontiers in Forests and Global Change</i> , 2021 , 4,	3.7	2

11	Bibliography. 2006 , 483-536		
10	Spatial distribution of Coleoptera (Insecta) in the valley forests of the Ussuri Nature Reserve (South Primorye, Russia). <i>Open Journal of Ecology</i> , 2013 , 03, 464-468	0.5	
9	The Importance of Flowers for Beetle Biodiversity and Abundance. 2013 , 275-288		
8	Einheimische, standortgerechte Einzelbäume und Alleen. 1997 , 60-63		
7	Effect of Leaf Quality on Herbivory of Three Atlantic Forest Species. <i>Floresta E Ambiente</i> , 2019 , 26,	1	1
6	Metabarcoding of canopy arthropods reveals negative impacts of forestry insecticides on community structure across multiple taxa. <i>Journal of Applied Ecology</i> ,	5.8	1
5	Landscape heterogeneity filters functional traits of rice arthropods in tropical agroecosystems.. <i>Ecological Applications</i> , 2022 , e2560	4.9	1
4	Guild structure of stored grain insects reflects food resource availability in tropical forest ecosystems. <i>Journal of Stored Products Research</i> , 2022 , 96, 101953	2.5	
3	Community structure. 2022 , 411-461		
2	Are the functional diversity terms functional? The hindrances of functional diversity understanding in the Brazilian scientific community. <i>Ecological Research</i> ,	1.9	
1	Diversity and Functional Relevance of Canopy Arthropods in Central Europe. 2022 , 14, 660		0