

CITATION REPORT

List of articles citing

Development and validation of a geriatric depression screening scale: a preliminary report

DOI: 10.1016/0022-3956(82)90033-4
Journal of Psychiatric Research, 1982, 17, 37-49.

Source: <https://exaly.com/paper-pdf/15840012/citation-report.pdf>

Version: 2024-04-25

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
2292	.		
2291	Historic Sketches of the Cattle Trade of the West and Southwest. 1940 , 27, 304		
2290	Effects of relaxation and mnemonics on memory, attention and anxiety in the elderly. 1984 , 10, 211-4		45
2289	Depression and hypochondriasis in family practice patients with somatization disorder. 1985 , 7, 321-9		12
2288	A study of depression in nursing homes. <i>Journal of Psychiatric Research</i> , 1986 , 20, 327-33	5.2	63
2287	Assessment of depression in an elderly medical population. 1986 , 11, 121-4		55
2286	Self-reported excessive daytime somnolence and impaired respiration in sleep. 1986 , 90, 177-80		31
2285	Effective low dose tricyclic antidepressant treatment for depressed geriatric rehabilitation patients. A double-blind study. 1986 , 34, 421-6		48
2284	Applicability of depression scales to the old old person. 1986 , 34, 215-8		40
2283	Dementia, depression and life satisfaction in nursing homes. 1986 , 1, 85-91		25
2282	Comparison among four measures of depression in younger and older alcoholics. 1986 , 59, 287-93		5
2281	Self-report measure of depression in college students. 1986 , 59, 761-2		5
2280	Standardized Assessment of A Dementia Clinic Population: Diagnosis of Dementia. 1987 , 2, 9-15		0
2279	Psychological depressive symptoms in grade II hypothyroidism in a nursing home. 1987 , 21, 199-204		4
2278	Assessing Affect in the Elderly. 1987 , 3, 65-85		24
2277	The dexamethasone suppression test in dementia. 1987 , 8, 125-8		3
2276	Validation of the hospital anxiety and depression rating scale (HADS) in an elderly psychiatric population. 1987 , 2, 189-193		29

2275	Reliability and validity of the short form Beck Depression Inventory with older adults. 1988 , 44, 853-7		68
2274	Post-stroke depression in the elderly. 1988 , 3, 508-17		9
2273	A new validation of the Hamilton Rating Scale for Depression. <i>Journal of Psychiatric Research</i> , 1988 , 22, 21-8	5.2	149
2272	Bereaved elderly mothers: changes in health, functional activities, family cohesion, and psychological well-being. 1988 , 26, 81-90		21
2271	Severe illness in older patients: the association between depressive disorders and functional dependency during the recovery phase. 1988 , 36, 890-6		40
2270	Self-rated depression scales and screening for major depression in the older hospitalized patient with medical illness. 1988 , 36, 699-706		171
2269	Irritability as a symptom of depression in the elderly. 1988 , 36, 736-8		5
2268	Hearing impairment as a predictor of cognitive decline in dementia. 1988 , 36, 981-6		77
2267	Assessment of Mood, Affect, and Personality. 1989 , 5, 441-459		6
2266	The role of the home health care nurse in mental health assessment of the elderly. 1989 , 2, 9-15		1
2265	Effectiveness of writing groups in nursing homes. 1989 , 8, 382-97		2
2264	Performance subtypes of everyday memory function. 1989 , 5, 267-283		19
2263	Work therapy: Intervention for community-based Alzheimer's patients. 1989 , 4, 7-15		7
2262	Amino acid levels in elderly nursing home residents. 1989 , 2, 215-22		6
2261	A correlation between cognitive performance and daily functioning in elderly people. 1989 , 2, 96-100		46
2260	The impact of religious orientation in conjugal bereavement among older adults. 1989 , 28, 251-60		37
2259	Use of the Geriatric Depression Scale in dementia of the Alzheimer type. 1989 , 37, 856-60		168
2258	The Geriatric Depression Scale: discriminant validity and elderly day-treatment clients. 1989 , 64, 1082		7

2257	Antidepressant use in elderly medical inpatients: lessons from an attempted clinical trial. 1989 , 4, 498-505	55
2256	Impaired extra-dimensional shift performance in medicated and unmedicated Parkinson's disease: evidence for a specific attentional dysfunction. 1989 , 27, 1329-43	451
2255	Boston Naming Test in Alzheimer's disease. 1989 , 27, 1073-9	145
2254	The anorexia of the elderly. 1989 , 575, 50-8; discussion 58-9	33
2253	Instruments for screening for depression and dementia in a long-term care facility. 1989 , 37, 29-34	148
2252	The use of depression rating scales. 1989 , 37, 390-1	4
2251	Death by starvation. A modern American problem?. 1989 , 37, 184-5	17
2250	Cognitive, behavioral and psychological issues in the rheumatological care of the elderly. 1989 , 82, 39-49	6
2249	Depression. 1989 , 37, 459-72	51
2248	Assessment in geriatrics. Of caveats and names. 1989 , 37, 570-2	57
2247	Canadian collaborative study of tetrahydroaminoacridine (THA) and lecithin treatment of Alzheimer's disease: effect on mood. 1989 , 34, 165-70	8
2246	In Reply. 1989 , 37, 819-820	
2245	Health status assessment for elderly patients. Report of the Society of General Internal Medicine Task Force on Health Assessment. 1989 , 37, 562-9	108
2244	Survival and health care utilization in elderly medical inpatients with major depression. 1989 , 37, 599-606	126
2243	Formal geriatric assessment instruments and the care of older general medical outpatients. 1990 , 38, 645-51	53
2242	Association between hearing impairment and the quality of life of elderly individuals. 1990 , 38, 45-50	219
2241	Major depression and the NIMH Diagnostic Interview Schedule: validation in medically ill hospitalized patients. 1989 , 19, 123-32	15
2240	A double-blind comparison of mianserin and maprotiline in depressed medically ill elderly people. 1990 , 81, 289-94	23

2239	Renal failure in older people. 1990 , 38, 239-53	10
2238	Development and Validation of the Adult Attachment Scale: Assessing Attachment in Elderly Adults. 1990 , 11, 79-92	4
2237	Pain in the nursing home. 1990 , 38, 409-14	419
2236	Caregiver burden should be evaluated during geriatric assessment. 1990 , 38, 455-60	73
2235	How to unmask depression. 1990 , 11, 179-81	5
2234	Alzheimer's: a decade of progress, a future of nursing challenges. 1990 , 11, 116-9	5
2233	Auditory sensory/perceptual alteration: suggested revision of defining characteristics. 1990 , 1, 147-54	2
2232	Screening elderly veterans for alcoholism. 1990 , 5, 361-4	30
2231	Understanding the context of perceived health ratings: The case of spousal bereavement in later life. 1990 , 4, 231-243	5
2230	Verbal fluency in Parkinson's disease. 1990 , 28, 737-41	49
2229	Changes in resident mix in nursing homes: cognitive and sensory data from a (redesigned) sampling plan. 1990 , 66, 547-50	1
2228	Double-blind, placebo controlled study of acetyl-L-carnitine in patients with Alzheimer's dementia. 1990 , 11, 638-47	69
2227	Assessments on a geropsychiatry unit. 1990 , 3, 17-20	7
2226	Depression in the medically ill homebound patient. 1990 , 2, 33-38	1
2225	Étude psychométrique de l'échelle de dépression gériatrique. 1990 , 9, 348-355	77
2224	The Mislplaced Objects Test: a measure of everyday visual memory. 1990 , 12, 819-33	28
2223	A Music Therapy Strategy for Depressed Older Adults in the Community. 1990 , 9, 283-298	26
2222	The Reliability and Validity of Self-Report Activities of Daily Living Scales. 1990 , 57, 273-278	44

2221	Principles of geriatric care. 1990 , 16, 354-9	12
2220	Dementia and depression in the elderly: A framework for addressing difficulties in differential diagnosis. 1990 , 10, 513-537	19
2219	Dietary and anthropometric measures in mild to moderate senile dementia of the Alzheimer type (SDAT). 1990 , 3, 177-181	8
2218	Instruments for the functional assessment of older patients. 1990 , 322, 1207-14	315
2217	The management of diabetes mellitus in older individuals. 1991 , 41, 548-65	41
2216	The short form of the Geriatric Depression Scale: a comparison with the 30-item form. 1991 , 4, 173-8	396
2215	Measures of Depression and Loneliness. 1991 , 195-289	97
2214	The prognosis of depression in old age. 1991 , 158, 64-71	85
2213	Dementia in institutionalized elderly: relation to sleep apnea. 1991 , 39, 258-63	160
2212	Depression after acute myocardial infarction. The role of primary care physicians in rehabilitation. 1991 , 89, 83-9	4
2211	A new behavioral assessment scale for geriatric out- and in-patients: the NOSGER (Nurses' Observation Scale for Geriatric Patients). 1991 , 39, 339-47	151
2210	Pain management in elderly people. 1991 , 39, 64-73	246
2209	Dementia and the older driver. 1991 , 33, 527-37	49
2208	Why do physicians fail to recognize and treat malnutrition in older persons?. 1991 , 39, 1139-40	63
2207	The prevalence of depression among Australian nursing home residents: results using draft ICD-10 and DSM-III-R criteria. 1991 , 21, 739-48	68
2206	Abnormal eating attitudes and body image in older undernourished individuals. 1991 , 39, 462-6	44
2205	Medicare reimbursement for geriatric assessment: report of the American Geriatrics Society Ad Hoc Committee on Geriatrics Assessment. 1991 , 39, 926-31	13
2204	Outpatient psychogeriatric nursing services: an integrative model. 1991 , 5, 151-64	8

2203	Screening for hearing impairment in the elderly: rationale and strategy. 1991 , 6, 249-58	43
2202	Perception and memory for faces in Parkinson's disease. 1991 , 29, 785-802	55
2201	Guardianship: Protection versus peril. 1991 , 12, 11-13	6
2200	Social support in a general practice elderly sample. 1991 , 6, 89-93	10
2199	Epidemiological studies of depression among the elderly in residential and nursing homes. 1991 , 6, 347-354	46
2198	Depression in the general hospital setting. 1991 , 6, 363-370	14
2197	The outcome of depression in old age. 1991 , 6, 395-400	26
2196	Further evidence of preserved memory function in Alzheimer's disease. 1991 , 6, 583-588	12
2195	The detection of psychiatric morbidity and its effects on outcome in acute elderly medical admissions. 1991 , 6, 861-866	53
2194	Sexuality and aging in male veterans: a cross-sectional study of interest, ability, and activity. 1991 , 20, 17-25	75
2193	Prevalent sleep problems in the aged. 1991 , 16, 349-59	62
2192	The role of functional assessment in evaluating urinary incontinence. 1991 , 2, 50-54	
2191	Book review. 1991 , 2, 54-54	
2190	Screening a skilled nursing home population for depression. 1991 , 4, 218-21	22
2189	Performance of age-matched controls on a battery of visuo-spatial neglect tests. 1991 , 54, 341-4	30
2188	Double-blind comparative multicentre study of fluvoxamine and mianserin in the treatment of major depressive episode in elderly people. 1991 , 83, 476-9	60
2187	Eliciting medical care preferences from nursing home residents. 1991 , 31, 358-63	34
2186	The Geriatric Depression Scale and Hopelessness Index: longitudinal psychometric data on frail nursing home residents. 1991 , 72, 875-80	20

2185	The association of memory complaint with computer-simulated everyday memory performance. 1991 , 13, 466-78	47
2184	Response to treatment of depression in the old and very old. 1991 , 4, 65-70	9
2183	Sustained benefits of hearing aids. 1992 , 35, 1402-5	126
2182	Standard assessment scales for elderly people. Recommendations of the Royal College of Physicians of London and the British Geriatrics Society. 1992 , 46, 628-9	10
2181	Elderly Viewers' Responses to Televised Portrayals of Old Age: Empathy and Mood Management Versus Social Comparison. 1992 , 19, 459-478	109
2180	Activities of Daily Living after Hip Fracture: Pre- and Post Discharge. 1992 , 12, 342-356	22
2179	Bereaved older adults who seek early professional help. 1992 , 16, 17-30	23
2178	Validation of a telephone version of the mini-mental state examination. 1992 , 40, 697-702	251
2177	A simple method of recognizing geriatric patients at risk for death and disability. 1992 , 40, 34-8	54
2176	Post-operative delirium: predictors and prognosis in elderly orthopedic patients. 1992 , 40, 759-67	243
2175	Somatic complaints and the CES-D. 1992 , 40, 259-62	59
2174	Screening for depression in hospitalized elderly medical patients: taking a closer look. 1992 , 40, 1013-7	37
2173	BASDEC: a novel screening instrument for depression in elderly medical inpatients. 1992 , 305, 397	94
2172	Sleep-disordered breathing in the healthy elderly. Clinically significant?. 1992 , 101, 345-9	68
2171	A brief depression scale for use in the medically ill. 1992 , 22, 183-95	79
2170	Measurement of activities of daily living in hospitalized elderly: a comparison of self-report and performance-based methods. 1992 , 40, 457-62	134
2169	Depression in the elderly: effect on patient attitudes toward life-sustaining therapy. 1992 , 40, 983-8	53
2168	The elderly. 1992 , 4, 251-255	5

2167	Factor study of the Geriatric Depression Scale. 1992 , 86, 283-6	42
2166	Factors attenuating the validity of the Geriatric Depression Scale in a dementia population. 1992 , 40, 906-9	86
2165	Development of an interview-based geriatric depression rating scale. 1992 , 35, 193-204	20
2164	Personality, life events and coping in the oldest-old. 1992 , 34, 19-30	35
2163	The influences of cognitive resources on adaptation and old age. 1992 , 34, 31-46	53
2162	The Georgia Centenarian Study. 1992 , 34, 1-17	119
2161	Test-retest reliability of computerized, everyday memory measures and traditional memory tests. 1992 , 6, 276-286	31
2160	Fronto-striatal cognitive deficits at different stages of Parkinson's disease. 1992 , 115 (Pt 6), 1727-51	731
2159	Impotence in elderly men. 1992 , 2, 330-44	19
2158	Decrease of depression during stroke and amputation rehabilitation. 1992 , 14, 135-41	28
2157	Screening for depression in the medically ill. The future of paper and pencil tests. 1992 , 160, 212-6	53
2156	Neuropsychological functioning and sleep patterns in the elderly. 1992 , 157, 51-2	43
2155	Depression and Physical Illness in the Elderly. 1992 , 8, 275-287	29
2154	Depression in Nursing Home Residents. 1992 , 8, 309-322	45
2153	Geriatric Preventive Care: Counseling Techniques in Practice Settings. 1992 , 8, 215-228	4
2152	Risk factors for asymptomatic bacteriuria in elderly ambulatory women. 1992 , 2, 99-103	2
2151	Community psychiatric nursing and depression in elderly people. 1992 , 17, 34-42	11
2150	Improving self-care among older patients with type II diabetes: the "Sixty Something..." Study. 1992 , 19, 61-74	170

2149	Researching and evaluating model geriatric mental health programs. Part III: Statistical analysis issues. 1992 , 6, 151-62	1
2148	THE PREVALENCE OF DEPRESSIVE SYMPTOMS AND COGNITIVE IMPAIRMENT IN SUPPORTED RESIDENTIAL SERVICES IN VICTORIA—PILOT STUDY. 1992 , 11, 16-18	6
2147	Major depression in hospitalized medically ill older men: Documentation, management, and outcome. 1992 , 7, 25-34	50
2146	“Negative symptoms” health, depression, and level of functioning among nursing home residents. 1992 , 7, 203-209	4
2145	Clinical assessment of psychopathology among elderly residents (CAPER): Development and pilot testing of a screening instrument to detect the presence of psychiatric disorders among residents of long-term institutions. 1992 , 7, 399-406	0
2144	The geriatric depression scale: Rater-administered or self-administered?. 1992 , 7, 511-515	24
2143	Psychiatric morbidity among continuing care geriatric inpatients. 1992 , 7, 517-525	27
2142	Video training of imagery for mature adults. 1992 , 6, 307-320	18
2141	Depression as a confounding variable in the estimation of habitual sleep time. 1993 , 49, 471-7	39
2140	Psychiatric disorders in the nursing home: A selective review of studies related to clinical care. 1993 , 8, 75-87	63
2139	Evaluation of the hospital anxiety and depression scale as a screening instrument in geriatric medical inpatients. 1993 , 8, 165-169	35
2138	Does psychiatric morbidity predict mortality in continuing care geriatric inpatients?. 1993 , 8, 255-259	14
2137	Determinants of disability in alzheimer’s disease. 1993 , 8, 581-586	26
2136	Perceptions of Overprotection in Ill Adults ¹ . 1993 , 23, 85-97	33
2135	Noncompliance in the elderly: a pathway to suicide. 1993 , 5, 67-72	7
2134	Evaluating the older patient’s ability to function. 1993 , 5, 167-74	
2133	MEDICATION USE BY ELDERLY PERSONS IN SYDNEY. 1993 , 12, 14-21	6
2132	Comprehensive geriatric assessment in the outpatient setting: population characteristics and factors influencing outcome. 1993 , 28, 447-57	23

2131	Measuring anxiety states in the elderly using the State-trait Anxiety Inventory for Children. <i>Journal of Psychiatric Research</i> , 1993 , 27, 111-7	5.2	17
2130	Visuospatial memory deficits at different stages of Parkinson's disease. 1993 , 31, 627-44		196
2129	A predictive index for functional decline in hospitalized elderly medical patients. 1993 , 8, 645-52		199
2128	The nature and time course of cognitive side effects during electroconvulsive therapy in the elderly. 1993 , 6, 78-83		29
2127	The measurement of depression in old age. 1993 , 47, 53-58		2
2126	Multivariate Modeling of Anxiety and Depression in Community-Dwelling Elderly Persons. 1993 , 1, 327-338		17
2125	A Collateral Source Version of the Geriatric Depression Rating Scale. 1993 , 1, 143-152		34
2124	Detecting Subclinical Change in Cognitive Functioning in Older Adults: Part II: Initial Validation of the Method. 1993 , 1, 275-287		7
2123	Event-related potentials and repetition priming in young, middle-aged and elderly normal subjects. 1993 , 1, 123-34		38
2122	Psychological tests and clinical discriminations: Beginning to address the base rate problem. 1993 , 13, 409-419		77
2121	Effects of reality orientation therapy on elderly patients in the community. 1993 , 17, 211-8		37
2120	Effects of bright light on mood in normal elderly women. 1993 , 47, 87-97		36
2119	The mini-mental state examination: Normative study of an Italian random sample. 1993 , 9, 77-85		557
2118	A Multidimensional Examination of Depression among the Elderly. 1993 , 15, 198-219		59
2117	The driving-reaction time test: Assessing age declines in dual-task performance. 1993 , 9, 31-39		15
2116	Learning, forgetting, and retrieval of everyday material across the adult life span. 1993 , 15, 447-60		29
2115	The romance with personal meaning in gerontology: cultural aspects of life themes. 1993 , 33, 445-52		57
2114	Loneliness and its relationship with misery. 1993 , 73, 584-6		9

2113	Depression in Older Women. 1993 , 2, 317-322	5
2112	New adult age-and education-correction norms for the benton visual retention test. 1993 , 7, 155-160	29
2111	Assessment in rehabilitation. 1993 , 3, 169-186	3
2110	Pulse. 1993 , 269, 673	
2109	Factors associated with constipation in a community based sample of people aged 70 years and over. 1993 , 47, 23-6	79
2108	Development of the common data base for the FICSIT trials. 1993 , 41, 297-308	244
2107	Medical treatment preferences of nursing home residents: relationship to function and concordance with surrogate decision-makers. 1993 , 41, 953-60	70
2106	Effects of testosterone replacement therapy in old hypogonadal males: a preliminary study. 1993 , 41, 149-52	339
2105	Identification of alcoholism and depression in a geriatric medicine outpatient clinic. 1993 , 41, 737-41	22
2104	Falls: an examination of three reporting methods in nursing homes. 1993 , 41, 662-6	48
2103	References. 1993 , 87, 65-81	1
2102	Should physicians screen for depression in elderly medical inpatients?: Results of a decision analysis. 1993 , 23, 239-63	12
2101	Profile of depressive symptoms in younger and older medical inpatients with major depression. 1993 , 41, 1169-76	84
2100	Clock completion: an objective screening test for dementia. 1993 , 41, 1235-40	208
2099	Effects of physical therapy on functional status of nursing home residents. 1993 , 41, 326-8	21
2098	What do depression rating scales measure?. 1993 , 163, 293-8	117
2097	Over 80 years and no evidence of coronary heart disease: characteristics of a survivor group. 1993 , 41, 1333-8	9
2096	Developing a consensus for the assessment of elderly people—the SAFE (Standardised Assessment for the Elderly) multi-centre project. 1993 , 7, 67-70	1

2095	Depression in old age. A reconsideration of cerebral disease in relation to outcome. 1993 , 163, 82-90	49
2094	A single photon emission computerised tomography study of regional brain function in elderly patients with major depression and with Alzheimer-type dementia. 1993 , 163, 155-65	71
2093	Psychologic Care of the Older Rehabilitation Patient. 1993 , 9, 841-857	2
2092	Assessment of the Older Woman. 1993 , 9, 1-19	4
2091	Behavior and Affect in Alzheimer's Disease. 1994 , 10, 315-337	30
2090	Evaluation of involuntary weight loss. 1994 , 95, 143-150	13
2089	WAIS-R Digit Symbol Patterns for Persons 75 Years and Older. 1994 , 12, 67-75	3
2088	Does suboptimal measurement reliability constrain the explained variance in regression?. 1994 , 16, 447-52	2
2087	Depression in disabling illness: severity and patterns of self-reported symptoms in three groups. 1994 , 7, 121-8	21
2086	The Zung Self-rating Depression Scale: screening for depression among the Hong Kong Chinese elderly. 1994 , 7, 216-20	79
2085	Is there a distinct subtype of major depression in the elderly?. 1994 , 8, 177-84	7
2084	Association between presenting motor symptoms and the risk of cognitive impairment in Parkinson's disease. 1994 , 57, 1203-7	18
2083	Is right hemisphere decline in the perception of emotion a function of aging?. 1994 , 79, 1-11	78
2082	Effectiveness and tolerance of the hypericum extract LI 160 in comparison with imipramine: randomized double-blind study with 135 outpatients. 1994 , 7 Suppl 1, S19-23	103
2081	Reliability and Validity of Set 1 of the Depression Adjective Check Lists With the Elderly. 1994 , 1, 17-22	3
2080	Age and marital status are major factors associated with institutionalisation in elderly Hong Kong Chinese. 1994 , 48, 306-9	31
2079	Psychogenic origins of multiple chemical sensitivities syndrome: a critical review of the research literature. 1994 , 49, 316-25	55
2078	Pain in older persons. 1994 , 16, 127-39	81

2077	Treatment of urethral catheter dependence: A case study of intervention in the interdisciplinary geriatric setting. 1994 , 1, 363-73	
2076	Clinical cutoffs for the beck Depression inventory and the Geriatric Depression scale with older adult psychiatric outpatients. 1994 , 16, 233-242	25
2075	Physical dependency and dementia in nhs continuing care wards and contracted nhs beds in voluntary nursing homes. 1994 , 9, 229-232	3
2074	Memory performance, self-reported memory loss and depressive symptoms in attenders at a GP-referral and a self-referral memory clinic. 1994 , 9, 305-311	12
2073	The age-associated memory impairment construct revisited comments and recommendations of a french-speaking workgroup. 1994 , 9, 577-586	8
2072	Factor structure of the geriatric depression scale in a cohort of depressed nursing home residents. 1994 , 9, 611-617	16
2071	Psychiatric symptoms as predictors of mortality in continuing care geriatric inpatients. 1994 , 9, 695-702	11
2070	Validation of the Geriatric Depression Scale--Short Form among inpatients. 1994 , 50, 256-60	343
2069	Depression in hospitalized medically ill elders: evolution of the concept. 1994 , 8, 124-36	4
2068	Parkinsonian patients without dementia or depression do not suffer from bradyphrenia as indexed by performance in mental rotation tasks with and without advance information. 1994 , 32, 1383-96	37
2067	The development of an instrument to measure self-consistency. 1994 , 20, 509-16	12
2066	Successful treatment using behavioral interventions of urinary incontinence in homebound older adults. 1994 , 15, 303-7	3
2065	Neuropeptide Y cerebrospinal fluid levels in patients with normal pressure hydrocephalus syndrome. 1994 , 36, 61-3	12
2064	Factors determining the level of anxiety state in geriatric primary care patients in a community dwelling. 1994 , 35, 50-8	17
2063	How convincing is the evidence for cognitive slowing in Parkinson's disease?. 1994 , 30, 431-43	7
2062	Factors associated with weight control in older adults. 1994 , 2, 220-9	1
2061	The effect of low dose lofepramine in depressed elderly patients in general medical wards. 1994 , 37, 321-4	24
2060	Depression in senior day care participants: Ratings by different informants. 1994 , 2, 272-277	8

2059	Exercise training and nutritional supplementation for physical frailty in very elderly people. 1994 , 330, 1769-75	2220
2058	Serotonin Reuptake Inhibitors for the Treatment of Coexisting Depression and Psychosis in Dementia of the Alzheimer Type. 1994 , 2, 352-354	16
2057	Social Support and Depression After Cardiac Surgery in Elderly Patients. 1994 , 2, 309-323	23
2056	Chewing difficulties and nutritional status in the elderly. 1994 , 14, 1649-1654	8
2055	Frequency and correlates of adjustment disorder related to cardiac surgery in older patients. 1994 , 35, 557-68	32
2054	APM task force on psychosocial interventions in the general hospital inpatient setting. A review of cost-offset studies. 1994 , 35, 253-62	49
2053	The Use of the Hamilton Rating Scale for Depression in Elderly Patients With Cognitive Impairment and Physical Illness. 1994 , 2, 220-229	44
2052	Differential diagnosis of dementia, delirium and depression. Implications for drug therapy. 1994 , 5, 431-45	33
2051	Pretherapy Training for Group Cognitive Therapy with Depressed Older Adults. 1994 , 13, 221-235	20
2050	La traduction d'instruments de mesure pour la recherche gfontologique en langue franãise: critères mtrologiques et inventaire*. 1994 , 13, 392-405	10
2049	Predictors of Community Discharge from a Geriatric Assessment and Rehabilitation Unit. 1994 , 13, 41-50	4
2048	Estrogen replacement therapy and memory in older women. 1994 , 42, 919-22	172
2047	Differences in appraisal and coping between elderly coronary artery disease patients high and low in depressive symptoms. 1994 , 3, 79-89	10
2046	Comparison of clinical and biomechanical measures of balance and mobility in elderly nursing home residents. 1994 , 42, 493-500	62
2045	The relationship between disease and function and perceived health in very frail elders. 1994 , 42, 374-80	64
2044	The effects of closed head injury, senile dementia of the Alzheimer's type, and Parkinson's disease on covert orientation of visual attention. 1994 , 46, 63-72	6
2043	Delirium in hospitalized older persons: outcomes and predictors. 1994 , 42, 809-15	299
2042	An in-home preventive assessment program for independent older adults: a randomized controlled trial. 1994 , 42, 630-8	123

2041	Effects of antipsychotic withdrawal in elderly nursing home residents. 1994 , 42, 280-6	57
2040	Validating the GDS depression screen in the nursing home. 1994 , 42, 490-2	156
2039	Performance of case-finding tools for depression in the nursing home: influence of clinical and functional characteristics and selection of optimal threshold scores. 1994 , 42, 1103-9	111
2038	Screening for depression: single question versus GDS. 1994 , 42, 1006-8	117
2037	Challenges for acute care geriatric inpatient units under the present Medicare prospective payment system. 1994 , 42, 553-8	7
2036	High versus Moderate Intensity Aerobic Exercise in Older Adults: Psychological and Physiological Effects. 1994 , 2, 293-303	24
2035	The influence of rural/urban residence on health in the oldest-old. 1994 , 38, 65-89	15
2034	The prevalence and correlates of fear of falling in elderly persons living in the community. 1994 , 84, 565-70	444
2033	Suicide and Elderly People: Assessment and Intervention. 1994 , 28, 317-331	5
2032	Risk of falls after hospital discharge. 1994 , 42, 269-74	160
2031	The prevalence of depressive symptoms and predisposing factors in an elderly Chinese population. 1994 , 89, 8-13	186
2030	Screening instruments for depression and anxiety following stroke: experience in the Perth community stroke study. 1995 , 91, 252-7	133
2029	Differential Diagnosis in Older Adults: Dementia, Depression, and Delirium. 1995 , 73, 346-351	6
2028	Efficiency of geriatric case-finding in a private practitioner's office. 1995 , 43, 533-7	13
2027	A prevalence study of age-associated memory impairment. 1995 , 167, 642-8	64
2026	Mental status examination of an exceptional case of longevity J. C. aged 118 years. 1995 , 166, 229-35	30
2025	Life satisfaction and associated factors in older Hong Kong Chinese. 1995 , 43, 252-5	62
2024	Older age and the underreporting of depressive symptoms. 1995 , 43, 216-21	143

2023	Lack of social participation or religious strength and comfort as risk factors for death after cardiac surgery in the elderly. 1995 , 57, 5-15	297
2022	The Psychogeriatric Assessment Scales: a multi-dimensional alternative to categorical diagnoses of dementia and depression in the elderly. 1995 , 25, 447-60	116
2021	Prognosis of depression in the elderly. 1995 , 12, 6-11	2
2020	Memory for novel and familiar spatial and linguistic temporal distance information in hypoxic subjects. 1995 , 1, 454-68	52
2019	The reliability and validity of the Geriatric Depression Rating Scale administered by telephone. 1995 , 43, 674-9	55
2018	Relationship between physical performance and self-perceived physical function. 1995 , 43, 93-101	182
2017	Aerobic Exercise and Self-Reported Sleep Quality in Elderly Individuals. 1995 , 3, 120-134	8
2016	The effect of medical status on the activity level of older pain clinic patients. 1995 , 43, 102-7	25
2015	Insulin-like growth factor 1 and functional status in healthy older men. 1995 , 43, 1350-5	67
2014	Depression in a long-term care facility: clinical features and discordance between nursing assessment and patient interviews. 1995 , 43, 1118-22	47
2013	MODELS OF GERIATRICS PRACTICE. 1995 , 43, 1155-1160	20
2012	Depression in Alzheimer's disease patients: caregivers as surrogate reporters. 1995 , 43, 150-5	64
2011	Standardized Assessment for Elderly People (SAFE)--a feasibility study in district nursing. 1995 , 4, 303-10	10
2010	Reliance on advance information and movement sequencing in Huntington's disease. 1995 , 10, 472-81	57
2009	Detecting and managing depression in older people. 1995 , 10, S229-S234	3
2008	A group therapy programme for depressed and anxious elderly inpatients. 1995 , 10, 37-40	6
2007	Depression and dementia in geriatric inpatients: Diagnostic comparisons between psychiatrists, geriatricians and test scores. 1995 , 10, 447-456	7
2006	Hallucinations in Parkinson's disease: Characteristics and associated clinical features. 1995 , 10, 487-495	26

2005	Memory complaint in attenders at a self-referral memory clinic: The role of cognitive factors, affective symptoms and personality. 1995 , 10, 777-781	26
2004	Pavia memory project: study design and first results. 1995 , 16, 141-8	5
2003	Aging and memory: corrections for age, sex and education for three widely used memory tests. 1995 , 16, 177-84	16
2002	Clinical expression and diagnosis of atypical cortical degenerative syndromes. 1995 , 2, 275-88	
2001	Assessment and approach to treatment in post-stroke depression. 1995 , 7, 493-7	3
2000	Memory strategies used by cognitively intact and cognitively impaired older adults. 1995 , 7, 369-77	9
1999	ERP indices of auditory selective attention in aging and Parkinson's disease. 1995 , 32, 335-50	72
1998	Depressive disorders in primary care: prevalence, functional disability, and identification. 1995 , 10, 7-12	114
1997	Triazolam in Alzheimer's disease: pilot study on sleep and memory effects. 1995 , 52, 447-52	30
1996	Effects of delayed visual feedback on handwriting in Parkinson's disease. 1995 , 14, 109-123	7
1995	Methodologic Issues regarding Outcome Measures for Clinical Drug Trials of Psychiatric Complications in Dementia. 1995 , 8, 8-17	2
1994	Mental Health Issues in Elderly African Americans. 1995 , 11, 1-13	7
1993	Failure to Thrive in the Elderly. 1995 , 11, 653-660	20
1992	The Role of Control in Depression, Anxiety, and Life Satisfaction among Visually Impaired Older Adults. 1995 , 26, 26-36	19
1991	Depressive symptoms in Alzheimer's disease and multi-infarct dementia. 1995 , 8, 96-9	32
1990	Assessing persons with human immunodeficiency virus (HIV) infection using the Beck Depression Inventory: disease processes and other potential confounds. 1995 , 64, 86-100	86
1989	Effects of aging and of Alzheimer's disease on verbal memory. 1995 , 17, 580-9	18
1988	The Older Adult Health and Mood Questionnaire: a measure of geriatric depressive disorder. 1995 , 8, 162-7	45

1987	Methodologic issues regarding outcome measures for clinical drug trials of psychiatric complications in dementia. 1995 , 8 Suppl 1, S8-17	15
1986	Toward an understanding of three control constructs: personal control, self-efficacy, and hardiness. 1995 , 16, 33-50	14
1985	Screening for alcohol use disorders in the nursing home. 1995 , 43, 368-73	50
1984	Analysis of a WAIS R Old-Age Normative Sample in Terms of Gender, Years of Education, and Preretirement Occupation. 1995 , 2, 225-231	5
1983	Depression in old age. 1995 , 5, 427-441	11
1982	Advance information and movement sequencing in Gilles de la Tourette's syndrome. 1995 , 58, 184-91	47
1981	Social skills training for depressed, visually impaired older adults. A treatment manual. 1995 , 19, 379-424	14
1980	Depression in the older woman. 1995 , 2, 63-66	
1979	Capsaicin-induced flare and vasodilatation in patients with post-herpetic neuralgia. 1995 , 63, 93-101	23
1978	Unrecognized delirium in ED geriatric patients. 1995 , 13, 142-5	197
1977	Autoperception and satisfaction with health: two medical care markers in elderly hospitalized patients. Quality of life as an outcome estimate of clinical practice. 1995 , 48, 1031-40	2
1976	Social skills training in a depressed, visually impaired older adult. 1995 , 26, 65-75	11
1975	Prediction of outcome in behaviorally based insomnia treatments. 1995 , 26, 17-23	33
1974	Influence of depression on verbal fluency performance. 1995 , 2, 206-215	13
1973	A multicenter randomized trial of comprehensive geriatric assessment and management: experimental design, baseline data, and six-month preliminary results. 1995 , 7, 224-33	3
1972	Transient global amnesia: memory and metamemory. 1995 , 7, 423-9	7
1971	Minor depression in the aged. Concepts, prevalence and optimal management. 1995 , 6, 278-92	56
1970	Religious coping and cognitive symptoms of depression in elderly medical patients. 1995 , 36, 369-75	95

1969	Moclobemide and nortriptyline in elderly depressed patients. A randomized, multicentre trial against placebo. 1995 , 33, 1-9	68
1968	Aging, encoding specificity, and memory change in the Double Memory Test. 1995 , 1, 483-93	42
1967	A Comparison of Two Depression Scales in a Geriatric Assessment Clinic. 1995 , 3, 60-67	24
1966	Screening Tests for Depression in Older Black vs. White Patients. 1995 , 3, 43-51	15
1965	Validation of a Depression Screening Measure for Stroke Inpatients. 1996 , 4, 131-139	15
1964	Attention-related brain potential and cognition in alcoholism-associated organic brain disorders. 1996 , 39, 143-6	6
1963	Simon effect and attention in Parkinson's disease: a comparison with Huntington's disease and Tourette's syndrome. 1996 , 18, 276-90	22
1962	Major depression in the primary care setting. 1996 , 101, 3S-9S	30
1961	Screening for common problems in ambulatory elderly: clinical confirmation of a screening instrument. 1996 , 100, 438-43	63
1960	Refusal and information bias associated with postal questionnaires and face-to-face interviews in very elderly subjects. 1996 , 49, 373-81	89
1959	Use of surrogate respondents in studies of stroke and dementia. 1996 , 49, 1187-94	10
1958	Mood improvement in elderly women after in-hospital physical rehabilitation. 1996 , 77, 346-9	20
1957	Physical, psychological, and social outcomes in geriatric rehabilitation patients. 1996 , 77, 783-92	20
1956	Ascertaining dementia by expert panel in epidemiologic studies of nursing home residents. 1996 , 6, 431-7	31
1955	"Failure to thrive" in older adults. 1996 , 124, 1072-8	59
1954	Cognition, language, and speech in amyotrophic lateral sclerosis: a review. 1996 , 18, 291-303	56
1953	Changes in local cerebral blood flow by neuroactivation and vasoactivation in patients with impaired cognitive function. 1996 , 23, 878-88	16
1952	Aspects of cognitive status as predictors of mobility following geriatric rehabilitation. 1996 , 8, 328-33	15

1951	Silent lacunar infarcts in elderly patients with chronic non valvular atrial fibrillation. 1996 , 8, 341-6	12
1950	Factors related to length of stay in a geriatric evaluation and rehabilitation unit. 1996 , 8, 170-5	23
1949	Determinants of Malnutrition in a Geriatric Ward. 1996 , 16, 11-22	5
1948	Determinants of Functional Health of Low-Income Black Women with Osteoarthritis. 1996 , 12, 437-443	4
1947	Major depression and refusal of life-sustaining medical treatment in the elderly. 1996 , 165, 416-9	25
1946	Managing depression in older people. 1996 , 2, 178-185	3
1945	Sleep-disordered breathing in healthy, aged persons. Fifth and final year follow-up. 1996 , 110, 654-8	61
1944	Brief cognitive screening of the elderly: a comparison of the Mini-Mental State Examination (MMSE), Abbreviated Mental Test (AMT) and Mental Status Questionnaire (MSQ). 1996 , 26, 427-30	100
1943	Atrophy of the corpus callosum in Alzheimer's disease versus healthy aging. 1996 , 44, 798-803	71
1942	Multiple surgery indications in an older woman undergoing stroke rehabilitation: the rationale of complex decision-making in geriatric medicine. 1996 , 44, 982-5	
1941	Relationships of nurses' critical thinking ability and perceived patient self-disclosure to accuracy in assessment of depression. 1996 , 17, 111-22	3
1940	Nutritional assessment: a primary component of multidimensional geriatric assessment in the acute care setting. 1996 , 44, 166-74	69
1939	The Relative Contribution of Subjective Factors to Expressed Burden among Spousal Caregivers of Suspected Dementia Patients*. 1996 , 15, 583-596	10
1938	Early life experience in elderly women with a history of depression: a pilot study using the Brief Parenting Interview. 1996 , 13, 18-20	3
1937	Screening for depression in hospitalised elderly medical patients. 1996 , 13, 144-147	
1936	Inner-city older blacks have high levels of functional disability. 1996 , 44, 1166-73	35
1935	Controlled trial of a geriatric case-finding and liaison service in an emergency department. 1996 , 44, 513-20	95
1934	Characteristics of urinary incontinence in homebound older adults. 1996 , 44, 963-8	25

1933	Nutritional risk in inner-city-dwelling older black Americans. 1996 , 44, 959-62	44
1932	Predictors of the use of memory improvement strategies by older adults. 1996 , 21, 202-9	5
1931	Mental disorder in an elderly home care population: associations with health and social service use. 1996 , 168, 750-6	69
1930	[Psychometric properties of the French version of the Modified Mini-Mental State (3MS) in elderly patients evaluated in geriatric psychiatry]. 1996 , 41, 114-21	6
1929	Cognitive skills associated with estrogen replacement in women with Alzheimer's disease. 1996 , 21, 421-30	171
1928	Are perception and memory for faces influenced by a specific age at onset factor in Parkinson's disease?. 1996 , 34, 315-20	16
1927	Multidimensional evaluation in a group of centenarians. 1996 , 22 Suppl 1, 377-80	1
1926	Teaching about ageing: The new challenge for Australian clinical psychology. 1996 , 31, 124-126	13
1925	Recognizing depression in older adults: the role of the dietitian. 1996 , 96, 1042-4	5
1924	Training Functional Ability in Old Age. 1996 , 82, 159-167	91
1923	Audit of care programming in an acute psychiatric admission ward for the elderly. 1996 , 11, 109-118	5
1922	The prevalence of anxiety disorders in nursing homes. 1996 , 11, 405-410	30
1921	A validation study of The Geriatric Depression Scale short form. 1996 , 11, 457-460	128
1920	Screening for depression: Clinical validation of geriatricians' diagnosis, The Brief Assessment Schedule Depression Cards and the 5-item version of the Symptom Check List among non-demented geriatric inpatients. 1996 , 11, 461-465	14
1919	Use of antidepressants, and the prevalence of depression and cognitive impairment in Sydney nursing homes. 1996 , 11, 599-606	30
1918	Psychiatric illness and length of stay in elderly patients with hip fracture. 1996 , 11, 607-611	6
1917	Medical illness, religion, health control and depression of institutionalized medically ill veterans in long-term care. 1996 , 11, 613-620	14
1916	A PILOT STUDY COMPARING PSYCHOLOGICAL AND PHYSICAL MORBIDITY IN CARERS OF ELDERLY PEOPLE WITH DEMENTIA AND THOSE WITH DEPRESSION. 1996 , 11, 741-744	8

1915	A TWO-YEAR REVIEW OF AN "OPEN ACCESS" MULTIDISCIPLINARY COMMUNITY PSYCHIATRIC SERVICE FOR THE ELDERLY. 1996 , 11, 795-799	2
1914	SCREENING FOR DEPRESSION AMONG GERIATRIC INPATIENTS WITH SHORT VERSIONS OF THE GERIATRIC DEPRESSION SCALE. 1996 , 11, 915-918	57
1913	VALIDATION OF THE HOSPITAL ANXIETY AND DEPRESSION SCALE AS A MEASURE OF SEVERITY OF GERIATRIC DEPRESSION. 1996 , 11, 991-994	14
1912	Urge incontinence in elderly people: factors predicting the severity of urine loss before and after pharmacological treatment. 1996 , 15, 53-7	13
1911	The effect of progressive resistance training in rheumatoid arthritis. Increased strength without changes in energy balance or body composition. 1996 , 39, 415-26	120
1910	Association of chronic non-steroidal anti-inflammatory drugs use and cognitive decline in non-demented elderly patients admitted to a geriatric evaluation and rehabilitation unit. 1996 , 23, 71-9	13
1909	Functional status and well-being of centenarians. 1996 , 22 Suppl 1, 363-6	11
1908	Variable effect of comorbidity on the association of chronic cardiac failure with disability in community-dwelling older persons. 1996 , 23, 283-92	10
1907	Elderly patients' problems with medication. An in-hospital and follow-up study. 1996 , 49, 255-9	130
1906	Perceived Quality of Sleep and Levels of Daytime Sleepiness among Elderly Women Caregivers of Alzheimer's Disease Patients. 1996 , 8, 52-57	3
1905	Mental health factors in late-life insomnia. 1996 , 6, 75-83	2
1904	Avian companionship in alleviation of depression, loneliness, and low morale of older adults in skilled rehabilitation units. 1996 , 78, 339-48	53
1903	Clinical validation of the Geriatric Depression Scale (GDS): Chinese version. 1996 , 8, 238-53	193
1902	Coping Strategies of Middle-Aged and Older Women Who Have Undergone a Mastectomy. 1996 , 15, 376-386	12
1901	Screening for mental illness in general population and primary care settings. 1996 , 5, 168-171	
1900	Emotional Distress Following Stroke: Interpretive Limitations of the SCL-90-R. 1996 , 3, 291-305	7
1899	Discriminative properties of somatic and nonsomatic symptoms for post stroke depression. 1996 , 10, 141-148	27
1898	Moclobemide in elderly patients with cognitive decline and depression: an international double-blind, placebo-controlled trial. 1996 , 168, 149-57	136

1897	Use of Acute Hospital Services and Mortality Among Religious and Non-Religious Copers with Medical Illness. 1996 , 9, 1-22	14
1896	Grammatical ambiguity resolution in right hemisphere-damaged patients: Evidence from an insertion task. 1996 , 10, 801-814	5
1895	Falls in the elderly: a prospective study of risk factors and risk profiles. 1996 , 143, 1129-36	550
1894	Minor depression: a review of the literature. 1996 , 26, 177-209	62
1893	Functional Impairment, Physical Disease, and Depression in Older Adults. 1996 , 161-184	7
1892	Companion animals and the psychological health of Alzheimer patients' caregivers. 1996 , 78, 467-81	35
1891	Correlation among three psychological scales used in research of caregivers for patients with Alzheimer's disease. 1997 , 80, 67-80	3
1890	The Effect of Geriatric Day Treatment on a Measure of Depression. 1997 , 18, 43-63	3
1889	Factors Related to Depressive Symptoms in an Elderly Chinese American Sample. 1997 , 17, 57-70	69
1888	Functional asymmetries in the movement kinematics of patients with Tourette's syndrome. 1997 , 63, 188-95	28
1887	An estimate of chronic disease burden and some economic consequences among the elderly Hong Kong population. 1997 , 51, 486-9	26
1886	Screening for delirium: a means to improved outcome in hospitalized elderly patients. 1997 , 7, 235-256	6
1885	Weight change: an indicator of caregiver stress. 1997 , 9, 43-69	30
1884	Stroke Rehabilitation in Nursing Homes. 1997 , 4, 53-63	3
1883	Geriatric Depression Scale vs. Hamilton Rating Scale for Depression in a Sample of Anxiety Patients. 1997 , 17, 3-13	9
1882	Effect of directed attention in Huntington's disease. 1997 , 19, 367-77	15
1881	Health, age and mental ability. 1997 , 18, 104-131	10
1880	"Are you depressed?" Screening for depression in the terminally ill. 1997 , 154, 674-6	358

1879	Use of an Aviary to Relieve Depression in Elderly Males. 1997 , 10, 32-36	35
1878	Nighttime drop in body temperature: a physiological trigger for sleep onset?. 1997 , 20, 505-11	129
1877	Depression and mortality in medically ill older adults. 1997 , 45, 307-12	59
1876	Determinants of functional status in healthy Italian nonagenarians and centenarians: a comprehensive functional assessment by the instruments of geriatric practice. 1997 , 45, 1196-202	40
1875	Stability of age-associated memory impairment during a longitudinal population-based study. 1997 , 45, 120-2	17
1874	Diagnosis and management of late life depression: a guide for the primary care physician. 1997 , 27, 269-81	8
1873	Religious coping in the nursing home: a biopsychosocial model. 1997 , 27, 365-76	60
1872	Mental health and health care utilization in geriatric primary care patients. 1997 , 27, 23-32	
1871	Identifying hospitalized older patients at varying risk for physical performance decline: a new approach. 1997 , 45, 604-9	24
1870	Development and validation of a clinical prediction rule for prolonged nursing home residence after hip fracture. 1997 , 45, 1510-4	29
1869	HM-PAO (CERETEC) SPECT brain scanning in the diagnosis of Alzheimer's disease. 1997 , 45, 15-20	21
1868	Relations entre certaines caractéristiques des sujets et la réponse à la thérapie cognitive de la dépression avec des personnes âgées. 1997 , 16, 70-83	5
1867	The role of blood pressure in cognitive impairment in an elderly population. Osservatorio Geriatrico Campano Group. 1997 , 15, 135-42	95
1866	Functional outcome of cognitively impaired hip fracture patients on a geriatric rehabilitation unit. 1997 , 45, 35-42	107
1865	CLINICAL COMMENTS. 1997 , 18, 39-67	1
1864	Testosterone replacement in older hypogonadal men: a 12-month randomized controlled trial. 1997 , 82, 1661-7	696
1863	Comparison of temporal order memory in early and middle stage Alzheimer's disease. 1997 , 19, 83-100	12
1862	Unmasking the heterogeneity of Alzheimer's disease: case studies of individuals from distinct neuropsychological subgroups. 1997 , 19, 713-54	11

1861	Control-relevant intervention in the treatment of minor and major depression in a long-term care facility. 1997 , 5, 247-57	27
1860	The association between Apo E genotype and depressive symptoms in elderly African-American subjects. 1997 , 5, 339-43	12
1859	Factors that disturb sleep in nursing home residents. 1997 , 9, 207-13	37
1858	Standardization and validation of the visual analog mood scales. 1997 , 11, 407-415	46
1857	An open-label, randomized, prospective comparison of sertraline and amisulpride in the treatment of dysthymia in the elderly. 1997 , 58, 798-808	9
1856	Depression and life satisfaction in aging polio survivors versus age-matched controls: relation to postpolio syndrome, family functioning, and attitude toward disability. 1997 , 78, 187-92	59
1855	Aging and depression: vulnerability and stress across adulthood. 1997 , 17, 847-79	57
1854	Snoring, nightmares, and morning headaches in elderly women: a preliminary study. 1997 , 46, 275-84	12
1853	Sex differences in the corpus callosum with aging. 1997 , 18, 191-7	77
1852	Visual impairment and depression in residential care. 1997 , 167, 416	3
1851	The relationship between stressful and traumatic life events and depression in the elderly. 1997 , 18, 86-8	11
1850	Depression in the elderly. 1997 , 170, 292-295	1
1849	Nutritional status of urban homebound older adults. 1997 , 66, 815-8	71
1848	Preferences for voluntary euthanasia during major depression and following improvement in an elderly population. 1997 , 16, 3-7	15
1847	Spatial and non-spatial working memory at different stages of Parkinson's disease. 1997 , 35, 519-32	323
1846	Suicide in later life. 1997 , 28, 23-41	26
1845	Distorted visual feedback effects on drawing in Parkinson's disease. 1997 , 95, 255-66	19
1844	Co-occurrence of disadvantage conditions in elderly subjects with depressive symptoms. 1997 , 46, 247-54	7

1843	Nursing standard of practice protocol: depression in elderly patients. NICHE faculty. 1997 , 18, 192-9; quiz 200	22
1842	Depression, cognitive impairment, and understanding of medication directions in hospitalized elderly patients. 1997 , 14, 316-9	6
1841	Depression in geriatric ED patients: prevalence and recognition. 1997 , 30, 141-5	65
1840	Case-finding instruments for depression. Two questions are as good as many. 1997 , 12, 439-45	1284
1839	Impairments of movement kinematics in patients with Huntington's disease: a comparison with and without a concurrent task. 1997 , 12, 386-96	28
1838	Screening for depression on continuing care psychogeriatric wards. 1997 , 12, 125-7	5
1837	A Spanish version of the geriatric depression scale in Mexican-American elders. 1997 , 12, 21-5	18
1836	Detection of depression in primary care: comparison of two self-administered scales. 1997 , 12, 35-7	14
1835	The psychogeriatric assessment scales (PAS): further data on psychometric properties and validity from a longitudinal study of the elderly. 1997 , 12, 93-100	20
1834	Dementia programme effectiveness in long-term care. 1997 , 12, 173-82	8
1833	Experience with a Swedish version of the Geriatric Depression Scale in primary care centres. 1997 , 12, 1029-34	61
1832	Geriatric assessment in oncology. 1997 , 80, 1311-6	26
1831	A study of factors facilitating and inhibiting the willingness of the institutionalized disabled elderly for rehabilitation: a United States-Japanese comparison. 1998 , 13, 127-57	5
1830	Neuropsychological evaluation of everyday memory. 1998 , 8, 203-27	14
1829	The validity of cognitive testing in screening for dementia. 1998 , 22, 33-41	3
1828	Differential diagnosis of the major progressive dementias and depression in middle and late adulthood: a summary of the literature of the early 1990s. 1998 , 8, 109-67	45
1827	Rural mobile health unit: outcomes. 1998 , 15, 3-11	22
1826	Depressive disorders among the Chinese elderly in a suburban community. 1998 , 15, 196-200	39

1825	Screening for geriatric problems in the emergency department: reliability and validity. Identification of Seniors at Risk (ISAR) Steering Committee. 1998 , 5, 883-93	73
1824	Management of Late-life Depression. 1998 , 17, 57-62	2
1823	Screening for Depression by the Nursing Staff in an Acute Psychogeriatric Unit. 1998 , 17, 81-84	2
1822	Who are older adults? Demographics and major health problems. 1998 , 16, 9-15	7
1821	Excessive vasoconstriction after stress by the aging kidney: inadequate prostaglandin modulation of increased endothelin activity. 1998 , 132, 186-94	30
1820	Natural immunity and bone and muscle remodelling hormones in the elderly. 1998 , 102, 279-92	20
1819	Risk indicators for malnutrition are associated inversely with quality of life for participants in meal programs for older adults. 1998 , 98, 548-53	93
1818	Steroid hormones, memory and mood in a healthy elderly population. 1998 , 23, 583-603	80
1817	Pain in participants of adult day care centers: assessment by different raters. 1998 , 15, 8-17	43
1816	Stealing lately: a case of late-onset kleptomania. 1998 , 13, 116-21	10
1815	The use of the SelfCARE(D) as a screening tool for depression in the clients of local authority home care services--a preliminary study. 1998 , 13, 695-9	8
1814	Trimethoprim-sulfamethoxazole and biopterin treatment in Machado-Joseph disease. 1998 , 13, 622	8
1813	Global health care: the role of geriatrician, general practitioner and oncology nurse. 1998 , 27, 101-9	13
1812	Delirium risk factors in elderly hospitalized patients. 1998 , 13, 204-12	359
1811	Measures of functional status in community-dwelling elders. 1998 , 13, 817-23	64
1810	Reproducibility of the low dose dexamethasone suppression test: comparison between direct plasma and salivary cortisol assays. 1998 , 49, 307-10	36
1809	Measuring depression in hospitalized, medically ill, older adults. 1998 , 12, 209-18	8
1808	Risk factors for falls among blind elderly in a nursing home for the blind. 1998 , 27, 9-17	5

1807	The 'eye test' in recognition of late-onset Alzheimer's disease. 1998 , 27, 171-7	8
1806	Psychological assessment in the elderly with new mild systolic hypertension. 1998 , 26, 79-82	6
1805	Dementia and videorecording. 1998 , 26, 99-102	2
1804	Social status, alcohol consumption and affective disorders in non-institutionalized elderly. 1998 , 26, 111-116	
1803	Using a single question to screen for depression in the nursing home. 1998 , 26, 235-240	8
1802	The role of exercise training in aged subjects with anxiety-depression syndrome. 1998 , 26, 381-384	8
1801	Subjective hunger sensation: Chronotype analysis of obese elderly subjects and controls in relation to affective state. 1998 , 26, 451-454	1
1800	Metabolic alterations in malnourished, depressed aged subjects. 1998 , 26, 525-530	2
1799	Prevalence of mood disorders and utility of the PRIME-MD in patients undergoing radiation therapy. 1998 , 42, 1105-12	44
1798	Non-invasive home ventilation in patients over 75 years of age: tolerance, compliance, and impact on quality of life. 1998 , 92, 1311-20	26
1797	Predicting cognitive decline in patients with hypoxaemic COPD. 1998 , 92, 527-33	70
1796	The Academy of Psychosomatic Medicine practice guidelines for psychiatric consultation in the general medical setting. The Academy of Psychosomatic Medicine. 1998 , 39, S8-30	68
1795	A prospective study of the impact of psychiatric comorbidity on length of hospital stays of elderly medical-surgical inpatients. 1998 , 39, 273-80	57
1794	Structural and functional abnormalities in elderly patients clinically recovered from early- and late-onset depression. 1998 , 44, 34-46	71
1793	Mood Disorders in Late Life. 1998 , 193-229	6
1792	Frequently missed diagnosis in geriatric psychiatry. 1998 , 21, 941-71, viii	14
1791	Maintenance Electroconvulsive Therapy for Intractable Parkinson's Disease. 1998 , 6, 263-269	1
1790	The Factor Structure of the Cornell Scale for Depression in Dementia Among Probable Alzheimer's Disease Patients. 1998 , 6, 212-220	2

1789	Health of older women. 1998 , 82, 127-44	21
1788	SCL 90-R interpretation and brain tumour: a correction factor?. 1998 , 12, 977-85	8
1787	The Geriatric Depression Scale and Japanese American Older Adults. 1998 , 19, 13-24	21
1786	Increasing Memory Self-Efficacy and Strategy Use in Hispanic Elders. 1998 , 19, 57-76	16
1785	Sociocultural Status, Psychosocial Factors, and Cognitive Functional Limitation in Elderly Mexican Americans. 1998 , 30, 99-121	19
1784	A review of quality of life in Alzheimer's disease. Part 1: Issues in assessing disease impact. 1998 , 14, 499-530	46
1783	The relationship between cognitive functioning and disease severity with depression in dementia of the Alzheimer's type. 1998 , 2, 319-327	8
1782	The Apparent Emotion Rating Instrument. 1998 , 18, 17-29	19
1781	CLINICAL COMMENTS. 1998 , 19, 69-86	8
1780	Predictors of functional ability in geriatric rehabilitation patients. 1998 , 23, 21-9	39
1779	Use of the Apathy Evaluation Scale as a measure of motivation in elderly people. 1998 , 23, 141-7	64
1778	Last in, first to go: age of acquisition and naming in the elderly. 1998 , 64, 146-63	81
1777	Prevalence and causes of undernutrition in medical outpatients. 1998 , 104, 56-63	172
1776	Memory Complaints in the Able Elderly. 1998 , 19, 3-24	56
1775	Characteristics of geriatric patients related to early and late readmissions to hospital. 1998 , 10, 339-46	25
1774	Predictors of pain self-report in nursing home residents. 1998 , 10, 411-20	34
1773	Telephone-Based Interventions with Family Caregivers: A Feasibility Study. 1998 , 4, 255-270	17
1772	The American Heart Association Stroke Outcome Classification: executive summary. 1998 , 97, 2474-8	56

1771	Correlations between scores on Chinese versions of long and short forms of the Geriatric Depression Scale among elderly Chinese. 1998 , 82, 211-4	80
1770	The use of multidimensional assessment instruments in community-based care. 1998 , 16, 15-34	1
1769	Nursing staff and screening for depression among acutely ill geriatric inpatients: A pilot study. 1998 , 2, 71-74	7
1768	Geriatric Depression Scale-Short Form—Validity and Reliability of the Hebrew Version. 1998 , 18, 3-9	29
1767	Quantitative Electroencephalographic Correlates of Post-Stroke Depression. 1998 , 3, 1-8	2
1766	Measuring Depressive Mood in Hospitalized Geriatric Patients. 1998 , 19, 25-34	
1765	Suicidal ideation amongst acutely medically ill and continuing care geriatric inpatients. 1998 , 2, 300-305	6
1764	Network therapy: A unique intervention for dementia caregivers. 1998 , 2, 343-345	4
1763	Prevalence of Depression in Older Mexicans. 1998 , 18, 11-18	3
1762	Functional performance of older adults in a long-term care setting. 1998 , 7, 230-46; discussion 246-9	65
1761	Improving pain control for the elderly patient with dementia. 1998 , 13, 10-14	2
1760	Donepezil improves symptoms of delirium in dementia: implications for future research. 1998 , 11, 159-61	77
1759	The American Heart Association Stroke Outcome Classification. 1998 , 29, 1274-80	144
1758	The Factor Structure of the Cornell Scale for Depression in Dementia Among Probable Alzheimer's Disease Patients. 1998 , 6, 212-220	1
1757	Cross-cultural adaptation of the hearing handicap inventory for the Elderly-Screening Version (HHIE-S) for use with Spanish-speaking Mexican Americans. 1998 , 46, 492-8	41
1756	The timed "up & go" test is a useful predictor of falls in community-dwelling older people. 1998 , 46, 928-30	91
1755	Identification of medications that cause cognitive impairment in older people: the case of oxybutynin chloride. 1998 , 46, 8-13	192
1754	Decreasing hospitalization rates for older home care patients with symptoms of depression. 1998 , 46, 31-8	32

1753	Medical illness burden, trait neuroticism, and depression in older primary care patients. 1998 , 155, 969-71	43
1752	Meaninglessness in the second half of life: the development of a construct. 1998 , 47, 81-104	21
1751	The Role of Medical Conditions and Depression in the Functional Outcome of Stroke Survivors: A Review and Pilot Study. 1998 , 5, 30-50	4
1750	The management of chronic pain in older persons: AGS Panel on Chronic Pain in Older Persons. American Geriatrics Society. 1998 , 46, 635-51	358
1749	Psychometric characteristics of the minimum data set II: validity. 1998 , 46, 736-44	152
1748	Pharmacologic treatment of geriatric depression: key issues in interpreting the evidence. 1998 , 46, 106-10	7
1747	Congestive heart failure and cognitive impairment in an older population. Osservatorio Geriatrico Campano Study Group. 1998 , 46, 1343-8	156
1746	Outpatient geriatric evaluation and management. 1998 , 46, 296-302	21
1745	Remission of cancer chemotherapy-induced emesis during antidepressant therapy with nefazodone. 1998 , 60, 89-91	6
1744	Diagnostic Performance of the Geriatric Depression Scale and the Beck Depression Inventory with Nursing Home Residents. 1998 , 17, 401-413	16
1743	Stratégies d'adaptation, symptômes dépressifs, anxiété et bien-être au sein des personnes âgées vivant en milieu institutionnel*. 1998 , 17, 40-58	2
1742	Randomised trial of impact of model of integrated care and case management for older people living in the community. 1998 , 316, 1348-51	286
1741	Effects of central nervous system polypharmacy on falls liability in community-dwelling elderly. 1998 , 44, 217-21	120
1740	Symptom Management in the Geriatric Patient. 1998 , 5, 46-47	6
1739	Cognitive Rehabilitation with Older Adults. 1998 , 4, 82-96	1
1738	One-year prognosis of depressive illness in the elderly population in Japan. 1998 , 52, 391-5	1
1737	Memory awareness in nursing home residents. 1998 , 44, 281-7	14
1736	Depression. 1998 , 14, 765-786	27

1735	Management of Psychiatric Symptoms in Medically Ill Patients in the Homecare Setting. 1998 , 10, 315-326	2
1734	Insulin-like growth factor I in skeletal muscle after weight-lifting exercise in frail elders. 1999 , 277, E135-43	95
1733	[Reliability of the Brazilian version of the ++abbreviated form of Geriatric Depression Scale (GDS) short form]. 1999 , 57, 421-6	386
1732	AKEntAnnos. The Sardinia Study of Extreme Longevity. 1999 , 11, 142-149	27
1731	Factors related to the length of in-hospital stay of geriatric patients. 1999 , 11, 150-154	4
1730	Older AdultsâPerspectives on Their Successful Adjustment to Vision Loss. 1999 , 93, 69-81	23
1729	Development of a Comprehensive Assessment Toolbox for Stroke. 1999 , 15, 885-916	24
1728	[Not Available]. 1999 , 45, 246-59	1
1727	Signed route to good dementia care. 1999 , 10, 30-32	
1726	Development of Clinical Pathways for Stroke Management: An Example from Saint LukeâHospital, Kansas City. 1999 , 15, 741-764	10
1725	Prefrontal gray and white matter volumes in healthy aging and Alzheimer disease. 1999 , 56, 338-44	214
1724	Sexual functioning among stroke patients and their spouses. 1999 , 30, 715-9	149
1723	A randomized clinical trial of outpatient comprehensive geriatric assessment coupled with an intervention to increase adherence to recommendations. 1999 , 47, 269-76	163
1722	Motoric encoding and retention of pictures in Alzheimer's disease. 1999 , 88, 1029-36	1
1721	Evidence for cortical dysfunction in clinically non-demented patients with Parkinson's disease: a proton MR spectroscopy study. 1999 , 67, 20-6	49
1720	Depression and aging: a look to the future. 1999 , 50, 1167-72	97
1719	The stroke impact scale version 2.0. Evaluation of reliability, validity, and sensitivity to change. 1999 , 30, 2131-40	874
1718	Affect and quality of life: objective and subjective. 1999 , 11, 169-98	81

1717	The Nurse-Managed Wellness Clinic Model Developed by Duquesne University School of Nursing. 1999 , 11, 26-35	5
1716	The role of depression in the association between self-rated physical health and clinically defined illness. 1999 , 39, 291-8	29
1715	Impaired renal adaptation to stress in the elderly with isolated systolic hypertension. 1999 , 34, 1106-11	15
1714	New and worsening conditions and change in physical and cognitive performance during weekly evaluations over 6 months: the Women's Health and Aging Study. 1999 , 54, M410-22	23
1713	Depressive symptoms in chronically ill elderly people in residential homes. 1999 , 3, 221-226	19
1712	A 1H MRS study of probable Alzheimer's disease and normal aging: implications for longitudinal monitoring of dementia progression. 1999 , 17, 291-9	110
1711	A nursing intervention to decrease depression in family caregivers of persons with dementia. 1999 , 13, 80-8	89
1710	Vitamin D, thyroid hormones and muscle mass influence natural killer (NK) innate immunity in healthy nonagenarians and centenarians. 1999 , 116, 19-27	64
1709	Apolipoprotein E phenotypes in demented and cognitively impaired patients with and without cerebrovascular disease. 1999 , 6, 415-21	27
1708	Falls among healthy, community-dwelling, older women: a prospective study of frequency, circumstances, consequences and prediction accuracy. 1999 , 23, 41-8	207
1707	Stress, coping, and the mental health of older vietnamese migrants. 1999 , 34, 82-86	8
1706	Books available for review. 1999 , 34, 156-156	
1705	Geriatric Pain. 1999 , 3, 388-399	5
1704	Mechanisms underlying attentional set-shifting in Parkinson's disease. 1999 , 37, 605-16	80
1703	Alterations in taste thresholds in men with chronic obstructive pulmonary disease. 1999 , 99, 1536-41	12
1702	Practical and Validated Use of the Mini Nutritional Assessment in Geriatric Evaluation. 1999 , 2, 146-154	22
1701	Problem solving, sense of coherence and instrumental ADL of elderly people with depression and normal control group. 1999 , 6, 243-256	8
1700	Differential clinical and motor control function in a pair of monozygotic twins with Huntington's disease. 1999 , 14, 320-5	72

1699	Adult and geriatric normative data and validation of the profile of mood states. 1999 , 55, 79-86	220
1698	Cultural, interpersonal and psychodynamic factors in caregiving: towards a greater understanding of treatment noncompliance. 1999 , 6, 63-68	2
1697	Factors affecting the results of the clock drawing test in elderly patients hospitalized for physical rehabilitation. 1999 , 14, 325-330	20
1696	Detection of depression in elderly hospitalized patients in emergency wards in France using the CES-D and the mini-GDS: preliminary experiences. 1999 , 14, 373-8	19
1695	Interpretative guidelines for neuropsychiatric measures with dichotomously scored items. 1999 , 14, 385-8	2
1694	Geriatric Depression Screening Scale (GDS) in patients hospitalized for physical rehabilitation. 1999 , 14, 549-55	20
1693	Prevalence and correlates of depression among Saudi elderly. 1999 , 14, 739-47	66
1692	“Not knowing where I am doesn’t mean I don’t know what I like” cognitive impairment and quality of life responses in elderly people. 1999 , 14, 776-783	117
1691	Short versions of the geriatric depression scale: a study of their validity for the diagnosis of a major depressive episode according to ICD-10 and DSM-IV. 1999 , 14, 858-65	725
1690	Can an informant questionnaire be used to predict the development of dementia in medical inpatients?. 1999 , 14, 941-945	33
1689	The challenge of health care delivery to the elderly patient with cardiovascular disease. Demographic, epidemiologic, fiscal, and health policy implications. 1999 , 17, 1-15, vii	26
1688	Use of the Geriatric Depression Scale by nurses. 1999 , 3, 227-233	9
1687	Depression Detection in Geriatric Rehabilitation. 1999 , 20, 13-21	20
1686	Screening for depression in stroke: relationship to rehabilitation efficiency. 1999 , 8, 300-6	17
1685	Depression among nursing home elders: testing an intervention strategy. 1999 , 12, 185-95	38
1684	Geriatric assessment. 1999 , 83, 1503-23, vii-viii	25
1683	Assessment of the aging man. 1999 , 83, 1131-49	3
1682	Depressive Symptoms and Nine-Year Survival of 1,001 Male Veterans Hospitalized With Medical Illness. 1999 , 7, 124-131	23

1681	Current Issues in Depression in Parkinson's Disease. 1999 , 7, 110-118	1
1680	Pulmonary rehabilitation-1999. American Thoracic Society. 1999 , 159, 1666-82	377
1679	Living Alone and Depression Among Older Chinese Immigrants. 1999 , 30, 147-166	70
1678	Older persons' perceptions of home and hospital as sites of treatment for acute illness. 1999 , 107, 317-23	17
1677	Relationships between dehydroepiandrosterone sulfate (DHEAS) and cortisol (CRT) plasma levels and everyday memory in Alzheimer's disease patients compared to healthy controls. 1999 , 35, 254-63	55
1676	Reduction of tremor severity and disability following behavioral relaxation training. 1999 , 30, 119-35	15
1675	Determining the cause of memory loss in the elderly. From in-office screening to neuropsychological referral. 1999 , 106, 99-100, 103-4, 106 passim	2
1674	Multifaceted shared care intervention for late life depression in residential care: randomised controlled trial. 1999 , 319, 676-82	89
1673	Associations among the Mini Nutritional Assessment instrument, dehydration, and functional status among older African Americans in St. Louis, Mo., USA. 1999 , 1, 79-86	5
1672	Health of the Nation Outcome Scales for elderly people (HoNOS 65+). 1999 , 174, 424-7	98
1671	Lower body osteoarticular pain and dose of analgesic medications in older disabled women: the Women's Health and Aging Study. 1999 , 89, 930-4	51
1670	Élaboration et validation d'un instrument évaluant le degré d'adaptation de la personne à sa résidence*. 1999 , 18, 363-375	10
1669	Who walks? Factors associated with walking behavior in disabled older women with and without self-reported walking difficulty. 1999 , 47, 672-80	80
1668	Contrasting results between caregiver's report and direct assessment of activities of daily living in patients affected by mild and very mild dementia: the contribution of the caregiver's personal characteristics. 1999 , 47, 196-202	152
1667	Age-related brain changes associated with motor function in healthy older people. 1999 , 47, 330-4	76
1666	Development and testing of a five-item version of the Geriatric Depression Scale. 1999 , 47, 873-8	441
1665	Quality of Life among the Elderly. 1999 , 13, 91-95	3
1664	Detection of older people at increased risk of adverse health outcomes after an emergency visit: the ISAR screening tool. 1999 , 47, 1229-37	356

1663	Body mass index and mortality among older people living in the community. 1999 , 47, 1072-6	147
1662	The validity of nutritional status as a marker for future disability and depressive symptoms among high-risk older adults. 1999 , 47, 995-9	33
1661	Cardiac rehabilitation in older coronary patients. 1999 , 47, 98-105	40
1660	Firearm presence in households of patients with Alzheimer's disease and related dementias. 1999 , 47, 1183-6	26
1659	Anxiety, Depression and Sleep in Male Patients Undergoing Coronary Artery Bypass Surgery. 1999 , 13, 137-143	2
1658	The power of ageism on physical function of older persons: reversibility of age-related gait changes. 1999 , 47, 1346-9	148
1657	Effectiveness of behavioral therapy to treat incontinence in homebound older adults. 1999 , 47, 309-18	68
1656	Who uses bibliotherapy and why? A survey from an underserved area. 2000 , 45, 645-9	24
1655	Outcome measures in Alzheimer's disease: do they go far enough?. 2000 , 11 Suppl 1, 3-10	27
1654	Older person's preferences for home vs hospital care in the treatment of acute illness. 2000 , 160, 1501-6	43
1653	Cognitive deficit induced by acute tryptophan depletion in patients with Alzheimer's disease. 2000 , 157, 638-40	55
1652	Acetylcholinesterase inhibition in dementia with Lewy bodies: results of a prospective pilot trial. 2000 , 11, 314-21	25
1651	Assessment of pain in cognitively impaired older adults: a comparison of pain assessment tools and their use by nonprofessional caregivers. 2000 , 48, 1607-11	99
1650	Predictors for functional decline among nondisabled older Japanese living in a community during a 3-year follow-up. 2000 , 48, 1424-9	168
1649	Predictors of neuropsychological outcome in patients following microelectrode-guided pallidotomy for Parkinson's disease. 2000 , 93, 410-20	17
1648	Self-reported walking ability predicts functional mobility performance in frail older adults. 2000 , 48, 1408-13	85
1647	The high prevalence of depression and dementia in elder abuse or neglect. 2000 , 48, 205-8	224
1646	Teaching the older patient in the home assessment and adaptation. 2000 , 18, 374-86; quiz 386-7	

1645	The efficacy of ginkgo for elderly people with dementia and age-associated memory impairment: new results of a randomized clinical trial. 2000 , 48, 1183-94	128
1644	Depression Among the Elderly Chinese in Canada*. 2000 , 19, 409-429	18
1643	Outcome and utilization differences for older persons with stroke in HMO and fee-for-service systems. 2000 , 48, 726-34	31
1642	Comparison of chronic pain experience between pain clinic and community samples. 2000 , 12, 193-203	
1641	Measures of depression in older adults with generalized anxiety disorder: a psychometric evaluation. 2000 , 11, 114-20	38
1640	Depression in holocaust survivors: profile and treatment outcome in a geriatric day hospital program. 2000 , 15, 331-7	11
1639	Validation and comparison of three brief depression scales in an elderly Chinese population. 2000 , 15, 824-30	116
1638	Depression in institutionalised older people with impaired vision. 2000 , 15, 1120-4	43
1637	Effects of depressive symptoms on health-related quality of life in asthma patients. 2000 , 15, 301-10	133
1636	The effects of pain and depression on physical functioning in elderly residents of a continuing care retirement community. 2000 , 1, 340-50	52
1635	Recognition of depression by staff in nursing and residential homes. 2000 , 9, 445-50	86
1634	Assessment of cognitive and affective disorders in an elderly population undergoing hemodialysis. 1999 , 29, 239-48	7
1633	Sleep disturbance and its correlates among elderly Japanese. 2000 , 30, 85-100	25
1632	Prevalence of Analgesic and Psychotropic Medication Use by Older People with Chronic Pain. 2000 , 19, 33-37	2
1631	Predicting Depression in a Sample of Older Women Living in a Retirement Village. 2000 , 19, 40-42	4
1630	Position Statement No. 8 Geriatric Assessment and Community Practice. 2000 , 19, 165-171	
1629	Exercise and Depression in the Older Adult. 2000 , 3, 197-208	27
1628	Assessment of protein energy malnutrition in older persons, part I: History, examination, body composition, and screening tools. 2000 , 16, 50-63	213

1627	Jog your memory: a community screening model. 2000 , 21, 51-4	1
1626	Correlates of symptomatic, minor and major depression in the elderly. 2000 , 60, 87-95	23
1625	Emotional curiosity: modulation of visuospatial attention by arousal is preserved in aging and early-stage Alzheimer's disease. 2000 , 38, 1734-40	69
1624	Understanding memory for faces in Parkinson's disease: the role of configural processing. 2000 , 38, 837-47	23
1623	Cognitive and vestibulo-proprioceptive components of spatial ability in Parkinson's disease. 2000 , 38, 757-67	22
1622	Preliminary assessment of cognitive function in breast cancer patients treated with tamoxifen. 2000 , 64, 165-76	199
1621	Development of a depression scale for veterans and war widows. 2000 , 7, 256-270	5
1620	Psychological assessment and psychotherapy in long-term care.. 2000 , 7, 317-328	9
1619	Development of a measure of resident satisfaction with the nursing home. 2000 , 23, 237-45	39
1618	Alcohol, dementia, and Alzheimer's disease: comparison of neuropsychological profiles. 2000 , 13, 141-9	51
1617	Diagnosis of depression in elderly patients. 2000 , 6, 49-56	29
1616	Evaluation of nursing home patients. A systematic approach can improve care. 2000 , 107, 201-4, 207-10, 215	1
1615	Transtornos depressivos na doença de Alzheimer: diagnóstico e tratamento. 2000 , 22, 87-95	5
1614	Depressive Symptoms and Cognitive Performance in Older Adults. 2000 , 21, 27-47	8
1613	Appraisal of clinical, psychosocial, and environmental health of elderly in Saudi Arabia: a household survey. 2000 , 50, 43-60	11
1612	The effects of outpatient geriatric evaluation and management on caregiver burden. 2000 , 40, 429-36	40
1611	Environmental press and adaptation to disability in hospitalized live-alone older adults. 2000 , 40, 549-56	32
1610	Value-added outcomes: the use of advanced practice nurses in long-term care facilities. 2000 , 40, 654-62	83

1609	Factors that modify the association between knee pain and mobility limitation in older women: the Women's Health and Aging Study. 2000 , 59, 331-7	107
1608	Quality control of spirometry in the elderly. The SA.R.A. study. SALute Respiration nell'Anziano = Respiratory Health in the Elderly. 2000 , 161, 1094-100	173
1607	Vitamin B(12) deficiency and depression in physically disabled older women: epidemiologic evidence from the Women's Health and Aging Study. 2000 , 157, 715-21	234
1606	Epidemiology of cognitive impairment in Spain. 2000 , 6, 52-56	0
1605	Health-related quality of life (HR-QOL) in nursing home residents with dementia: Stability and relationships among measures. 2000 , 14, 669-679	10
1604	Psychiatric inferences from data on psychologic/psychiatric symptoms in multiple chemical sensitivities syndrome. 2000 , 55, 165-75	19
1603	Stress, Coping, and Depression Among Elderly Korean Immigrants. 2000 , 3, 281-299	41
1602	[Expressions of depression in Alzheimer's disease. The current scientific debate]. 2000 , 9, 126-39	1
1601	Cultural Verification and Application of the Profile of Mood States (POMS) with Korean Elders. 2000 , 22, 68-83	12
1600	Do pain and disability differ in depressed cancer patients?. 2000 , 14, 11-7	22
1599	The prevalence of dementia in a statewide sample of new nursing home admissions aged 65 and older: diagnosis by expert panel. Epidemiology of Dementia in Nursing Homes Research Group. 2000 , 40, 663-72	246
1598	Community-based services help people in the early stages of Alzheimer's disease and other cognitive impairments. 2000 , 15, 309-313	2
1597	The behavioral assessment of depression for people with dementia. 2000 , 15, 303-307	
1596	Cognitive performance in hypertensive and normotensive older subjects. 2000 , 36, 1079-82	148
1595	Cognitive adaptation and self-consistency in hearing-impaired older persons: testing Roy's adaptation model. 2000 , 13, 158-65	12
1594	Coping, Social Support, and Depressive Symptoms of Older Adults with Type II Diabetes Mellitus. 2000 , 22, 15-30	24
1593	The variability of practice hypothesis in motor learning: does it apply to Alzheimer's disease?. 2000 , 44, 470-89	46
1592	The contribution of apraxic speech to working memory deficits in Parkinson's disease. 2000 , 74, 269-88	14

1591	Cognitive factors and the experience of pain and suffering in older persons. 2000 , 85, 375-383	46
1590	Psychosocial interventions for individuals with dementia: an integration of theory, therapy, and a clinical understanding of dementia. 2000 , 20, 755-82	111
1589	Anxiety disorders. 2000 , 20, 731-54	66
1588	Conventional and new antidepressant drugs in the elderly. 2000 , 61, 353-96	99
1587	An exploration of emotional health in nursing home residents: making the pieces fit. 2000 , 13, 214-7	4
1586	Low caloric expenditure in cardiac rehabilitation. 2000 , 140, 527-33	46
1585	Functional impairment in COPD patients: the impact of anxiety and depression. 2000 , 41, 465-71	233
1584	Association of muscle power with functional status in community-dwelling elderly women. 2000 , 55, M192-9	413
1583	Assessment of anxiety in older adults: current status. 2000 , 14, 109-32	119
1582	Unilateral pallidotomy for Parkinson's disease: speech, motor, and neuropsychological outcome measurements. 2000 , 6, 133-143	17
1581	Psychological functioning in patients with Parkinson's disease. 2000 , 6, 185-190	15
1580	Exercise training in the debilitated aged: strength and functional outcomes. 2000 , 81, 312-8	87
1579	Use of the Beck Depression Inventory-II with depressed geriatric inpatients. 2000 , 38, 311-8	143
1578	Alzheimer patients' ability to read words with irregular stress. 2000 , 36, 703-14	17
1577	Pain management. 2000 , 16, 853-74	31
1576	Impact of the earthquake of September 26, 1997 in Umbria, Italy on the socioenvironmental and psychophysical conditions of an elderly population. 2000 , 12, 281-6	5
1575	Practice as an intervention to improve speeded motor performance and motor learning in Parkinson's disease. 2000 , 174, 127-36	68
1574	Demographic and psychosocial characteristics of cognitively-intact chronically ill elders receiving home health services. 1999 , 18, 1-25	9

1573	Depression in Patients with Parkinson's Disease. 2000 , 13, 253-264	3
1572	CLINICAL COMMENTS. 2000 , 21, 73-76	5
1571	Longitudinal analysis of the effects of the aging process on neuropsychological test performance in the healthy young-old and oldest-old. 2000 , 17, 323-37	34
1570	An actigraphic comparison of sleep restriction and sleep hygiene treatments for insomnia in older adults. 2000 , 13, 17-27	117
1569	Recognition of Depression in the Older Adult. 2000 , 15, 17-34	2
1568	La depresi3n en el anciano. 2000 , 26, 339-46	5
1567	Mental status change in older surgical patients. Cognition, depression, and other comorbidity. 2000 , 8, 40-6	18
1566	Valoraci3n geri3trica en atenci3n primaria. 2000 , 26, 77-89	2
1565	[Risk factors for hospital admission in persons older than 64-years of age]. 2000 , 14, 363-70	4
1564	[Application of a geriatric evaluation protocol in primary care: comparison with data from the clinical history]. 2000 , 25, 630-3	3
1563	[Depression in the elderly and the role of family dynamics]. 2000 , 25, 226-9	6
1562	Geriatric assessment for the rheumatologist. 2000 , 26, 415-32, v	8
1561	A Longitudinal Study of Apolipoprotein-E Genotype and Depressive Symptoms in Community-Dwelling Older Adults. 2000 , 8, 196-200	26
1560	Depression, Hopelessness, and the Desire for Life-Saving Treatments Among Elderly Medically Ill Veterans. 2000 , 8, 333-342	25
1559	The Relationship of Aging and Dysthymia in Primary Care. 2000 , 8, 318-326	6
1558	A community-based program that provides free choice of intervention for older people with chronic pain. 2000 , 1, 293-308	6
1557	Increase of NK-T cells in aged depressed patients not treated with antidepressive drugs. 2000 , 48, 1024-7	5
1556	Cross-cultural comparability of the Geriatric Depression Scale: comparison between older Koreans and older Americans. 2001 , 5, 31-7	65

1555	Pain in nursing home residents: management strategies. 2001 , 18, 13-29	56
1554	Assessing working memory and language comprehension in Alzheimer's disease. 2001 , 78, 17-42	85
1553	Outcome measurement in sleep medicine practice and research. Part 2: assessment of neurobehavioral performance and mood. 2001 , 5, 223-236	28
1552	Depression, visual acuity, comorbidity, and disability associated with age-related macular degeneration. 2001 , 108, 1893-900; discussion 1900-1	406
1551	Urinary free cortisol excretion in elderly persons with minor and major depression. 2001 , 104, 39-47	68
1550	Clock drawing, clock copying, and physical abilities in geriatric rehabilitation. 2001 , 82, 920-4	21
1549	Depressive symptoms and history of depression predict rehabilitation efficiency in stroke patients. 2001 , 82, 1645-9	200
1548	First night effect and reverse first night effect in older adults with primary insomnia: does anxiety play a role?. 2001 , 2, 125-133	54
1547	Strategies for evaluating adherence to sleep restriction treatment for insomnia. 2001 , 39, 201-12	66
1546	Assessing older adults with generalized anxiety: a replication and extension. 2001 , 39, 221-35	100
1545	Rational approach to patients with unintentional weight loss. 2001 , 76, 923-9	25
1544	Prevalencia de depresion en adultos mayores en poblacion urbana. 2001 , 36, 140-144	3
1543	The Impact of Behavioral Symptoms on Activities of Daily Living in Patients With Dementia. 2001 , 9, 41-48	72
1542	Functional Disability and Neuroticism as Predictors of Late-Life Depression. 2001 , 9, 241-248	15
1541	The Reliability, Validity, and Responsiveness in an Elderly Population. 2001 , 2, 110-114	63
1540	The Zarit Burden Interview: a new short version and screening version. 2001 , 41, 652-7	848
1539	Midiendo la prevalencia de la «depresión». 2001 , 36, 127-130	1
1538	Influence of anosognosia on treatment outcome among dementia patients. 2001 , 11, 455-475	84

1537	Evaluating geriatric medical outpatients with the Beck Depression Inventory-FastScreen for medical patients. 2001 , 5, 143-8	35
1536	A review of health-related quality-of-life measures in stroke. 2001 , 19, 155-85	35
1535	Occupational Therapy as a Means to Wellness with the Elderly. 2001 , 18, 3-22	15
1534	Psychometric Evaluation of the Geriatric Depression Scale (GDS). 2001 , 23, 57-68	19
1533	Alzheimer rehabilitation by students: Interventions and outcomes. 2001 , 11, 273-317	25
1532	Exploring Connections Between Occupation and Mental Health in Care Homes for Older People. 2001 , 8, 14-19	23
1531	Geriatric Depression Scale. 2001 , 22, 63-70	21
1530	Interdisciplinary education in a community-based geriatric evaluation clinic. 2001 , 13, 247-52	12
1529	Survival of Hospitalized Elderly Patients With Delirium: A Prospective Study. 2001 , 9, 141-147	34
1528	Beck Depression Inventory-II (BDI-II) and the Geriatric Depression Scale (GDS) in Older Women. 2001 , 22, 3-12	18
1527	Depression in Parkinson's Disease. 2001 , 22, 59-70	2
1526	Effectiveness of geriatric evaluation and care. One-year results of a multicenter randomized clinical trial. 2001 , 13, 395-405	13
1525	Involuntary weight loss in elderly individuals: assessment and treatment. 2001 , 119, 72-7	25
1524	Melatonin in older people with age-related sleep maintenance problems: a comparison with age matched normal sleepers. 2001 , 24, 418-24	35
1523	Post stroke depression. 2001 , 62, 268-73	10
1522	Association of the apolipoprotein E epsilon4 allele with late-onset depression. 2001 , 20, 268-72	48
1521	Etiology and modification of gait instability in older adults: a randomized controlled trial of exercise. 2001 , 90, 2117-29	139
1520	Post-stroke depression. 2001 , 8, 252-257	3

1519	Physical activity dose-response effects on outcomes of depression and anxiety. 2001 , 33, S587-97; discussion 609-10	472
1518	Telephone Follow-Up After Cardiac Surgery. 2001 , 101, 2400	11
1517	Rational Approach to Patients With Unintentional Weight Loss. 2001 , 76, 923-929	62
1516	Evaluation of a portable low cost videophone system in the assessment of depressive symptoms and cognitive function in elderly medically ill veterans. 2001 , 189, 399-401	25
1515	Quality improvement research on late life depression in primary care. 2001 , 39, 772-84	97
1514	Self-efficacy, depressive symptoms, and patients' expectations predict outcomes in asthma. 2001 , 39, 1326-38	118
1513	Methylphenidate increases the motor effects of L-Dopa in Parkinson's disease: a pilot study. 2001 , 24, 208-13	37
1512	Cognitive intervention in Alzheimer disease: a randomized placebo-controlled study. 2001 , 15, 1-9	195
1511	Hopelessness predicts mortality in older Mexican and European Americans. 2001 , 63, 344-51	67
1510	Thacit'et flexibilit' dans la poursuite de projets personnels: Impact sur le bien-êre ^ la retraite. 2001 , 20, 557-576	12
1509	The influence of soy-derived phosphatidylserine on cognition in age-associated memory impairment. 2001 , 4, 121-34	50
1508	The Alzheimer's Disease Centers' Neuropsychological Database Initiative: A Resource for Alzheimer's Disease Prevention Trials. 129-140	
1507	Relationship of deep white matter hyperintensities and apolipoprotein E genotype to depressive symptoms in older adults without clinical depression. 2001 , 158, 878-84	99
1506	A longitudinal analysis of anxiety and depressive symptoms.. 2001 , 16, 187-195	96
1505	Primary versus secondary insomnia in older adults: Subjective sleep and daytime functioning.. 2001 , 16, 264-271	39
1504	Short-term memory for duration and distance in humans: Role of the hippocampus.. 2001 , 15, 58-68	55
1503	A randomized trial of the effectiveness of cognitive-behavioral therapy and supportive counseling for anxiety symptoms in older adults.. 2001 , 69, 756-762	100
1502	Relationships between ADL, QOL and Physical Functions in Elderly Female Residents of Geriatric Health Services Facility.. 2001 , 16, 179-185	2

1501	Pain Management in Older Adults. 2001 , 23, 33-42	6
1500	Outcome evaluation: an essential component for CNS practice. 1999 [classical article]. 2001 , 15, 260-8	6
1499	Transforming exercise-based cardiac rehabilitation programs into secondary prevention centers: a national imperative. 2001 , 21, 263-72	40
1498	The prevalence of psychiatric disorders and subsyndromal mental illness in low-income, medically ill elderly. 2001 , 31, 9-24	22
1497	Financial difficulty in acquiring food among elderly disabled women: results from the Women's Health and Aging Study. 2001 , 91, 68-75	93
1496	Critical Illness in the Elderly: Review of Pathophysiology of Aging and Outcome of Intensive Care. 2001 , 16, 114-127	10
1495	Primary degenerative mild cognitive impairment: study population, clinical, brain imaging and biochemical findings. 2001 , 12, 379-86	41
1494	Randomised comparison of three methods of administering a screening questionnaire to elderly people: findings from the MRC trial of the assessment and management of older people in the community. 2001 , 323, 1403-7	58
1493	Assessing the risk of falls in the elderly. 2001 , 54, 10	1
1492	Cognitive dysfunction in fibromyalgia. 2001 , 3, 123-7	66
1491	[Geriatric assessment. The status of current knowledge with reference to suitability criteria (discrimination, prediction, evaluation, practical aspects)]. 2001 , 34 Suppl 1, 36-42	7
1490	Validity of the five-item WHO Well-Being Index (WHO-5) in an elderly population. 2001 , 251 Suppl 2, 1127-31	186
1489	Late life depression. 2001 , 251 Suppl 2, 1157-61	62
1488	Neural network analysis in predicting 2-year survival in elderly people: a new statistical-mathematical approach. 2001 , 32, 35-44	5
1487	Correlation between the bone mass, psychometric performances, and the levels of autonomy and autosufficiency in an elderly Italian population above 80 years of age. 2001 , 33, 265-71	5
1486	Validation of a telephone-administered geriatric depression scale in a hispanic elderly population. 2001 , 16, 446-50	23
1485	A randomized clinical trial of outpatient geriatric evaluation and management. 2001 , 49, 351-9	191
1484	Ethnic differences in mini-mental state examination (MMSE) scores: where you live makes a difference. 2001 , 49, 538-48	117

1483	Longitudinal changes in body mass index and body composition over 3 years and relationship to health outcomes in Hong Kong Chinese age 70 and older. 2001 , 49, 737-46	92
1482	Muscle power of the ankle flexors predicts functional performance in community-dwelling older women. 2001 , 49, 1161-7	235
1481	Rapid emergency department intervention for older people reduces risk of functional decline: results of a multicenter randomized trial. 2001 , 49, 1272-81	180
1480	Fragmented sleep and tiredness in males and females one year after percutaneous transluminal coronary angioplasty (PTCA). 2001 , 34, 203-11	29
1479	Fatigue in Parkinson's disease: a nine-year follow-up. 2001 , 16, 1120-2	100
1478	Validity of Korean form of Geriatric Depression Scale (KGDS) among cognitively impaired Korean elderly and development of a 15-item short version (KGDS-15). 2001 , 10, 204-210	13
1477	Evaluation of three nurse-administered depression rating scales on acute admission and continuing care geriatric psychiatry wards. 2001 , 10, 43-51	1
1476	4D deformation modeling of cortical disease progression in Alzheimer's dementia. 2001 , 46, 661-6	90
1475	The prevalence and outcome of depression and dementia in Botany's elderly population. 2001 , 16, 293-9	16
1474	The effectiveness of very short scales for depression screening in elderly medical patients. 2001 , 16, 321-6	92
1473	A comparison of five clock scoring methods using ROC (receiver operating characteristic) curve analysis. 2001 , 16, 394-9	50
1472	Development and validation of the Observation List for early signs of Dementia (OLD). 2001 , 16, 406-14	29
1471	Clinically significant depressive symptoms and very mild to mild dementia of the Alzheimer type. 2001 , 16, 694-701	33
1470	Secondary prevention of depressive symptoms in elderly inhabitants of residential homes. 2001 , 16, 702-8	32
1469	Depressive symptoms in patients with Alzheimer's disease. 2001 , 16, 960-4	32
1468	Mortality and depressive symptoms in inhabitants of residential homes. 2001 , 16, 131-8	35
1467	Variation in perceptions of treatment and self-care practices in elderly with osteoarthritis: a comparison between African American and white patients. 2001 , 45, 340-5	106
1466	Cognitive function in fibromyalgia patients. 2001 , 44, 2125-33	244

1465	The impact of cholesterol lowering on patients' mood. 2001 , 24, 517-36	8
1464	Suicide in later life: a review and recommendations for prevention. 2001 , 31 Suppl, 32-47	106
1463	The efficacy of group psychotherapy for depression: A meta-analysis and review of the empirical research.. 2001 , 8, 98-116	111
1462	Factors Associated with Functional Dependence in Alzheimer's Disease. 2001 , 7, 79-89	2
1461	Health locus of control, depression and quality of life in people who are elderly. 2001 , 20, 192-195	6
1460	Depression in later life: three etiologically different subgroups. 2001 , 65, 19-26	68
1459	Depression in acutely medically ill elderly inpatients: a pilot study of early identification and intervention by formal psychogeriatric consultation. 2001 , 62, 233-40	14
1458	Basal ganglia dysfunction, working memory, and sentence comprehension in patients with Parkinson's disease. 2001 , 39, 962-71	38
1457	A comparison of relaxation training and syntax stimulation for chronic nonfluent aphasia. 2001 , 34, 87-113	28
1456	Critical Illness in the Elderly: Review of Pathophysiology of Aging and Outcome of Intensive Care. 2001 , 16, 114-127	8
1455	Treatment of reactivated post-traumatic stress disorder. Imaginal exposure in an older adult with multiple traumas. 2001 , 25, 94-115	23
1454	Prospective study of hallucinations and delusions in Parkinson's disease. 2001 , 70, 734-8	228
1453	Cognitive function in the oldest old: women perform better than men. 2001 , 71, 29-32	46
1452	Prevalence and recognition of depressive symptoms among homebound older adults with urinary incontinence. 2001 , 14, 130-9	28
1451	Cognitive Flexibility in the Normal Elderly and in Persons with Dementia as Measured by the Written and Oral Trail Making Tests. 2001 , 2, 11-21	11
1450	A comparison of marital interaction patterns between couples in which the husband does or does not have Alzheimer's disease. 2001 , 56, S140-50	51
1449	A 3-year follow-up study of social, lifestyle and health predictors of cognitive impairment in a Chinese older cohort. 2001 , 30, 1389-96	75
1448	Insight in Alzheimer's patients: results of a longitudinal study using three assessment methods. 2001 , 16, 211-24	30

1447	A student-run Geriatric Home Health Care Program. 2001 , 76, 199	2
1446	Conceptualization of a new stroke-specific outcome measure: the stroke impact scale. 2001 , 8, 19-33	58
1445	Older adults' acceptance of psychological and pharmacological treatments for depression. 2001 , 56, P285-91	70
1444	Ego-integrity versus ego-despair: the effect of "accepting the past" on depression in older women. 2001 , 53, 75-89	21
1443	Have we oversold the benefit of late-life exercise?. 2001 , 56, M412-23	171
1442	One year of insulin-like growth factor I treatment does not affect bone density, body composition, or psychological measures in postmenopausal women. 2001 , 86, 1496-503	83
1441	Successful aging in the oldest old: Who can be characterized as successfully aged?. 2001 , 161, 2694-700	304
1440	Cognitive functional status of age-confirmed centenarians in a population-based study. 2001 , 56, P134-40	65
1439	The relationship between subjective and objective memory in the oldest old: comparisons of findings from a representative and a convenience sample. 2001 , 13, 248-66	42
1438	Early detection and differential diagnosis of Alzheimer's disease and depression with neuropsychological tasks. 2001 , 12, 265-80	272
1437	Reality orientation therapy to delay outcomes of progression in patients with dementia. A retrospective study. 2001 , 15, 471-8	37
1436	Walking difficulty, walking speed, and age as predictors of self-rated health: the women's health and aging study. 2001 , 56, M609-17	115
1435	Extensive metabolic and neuropsychological abnormalities associated with discrete infarction of the genu of the internal capsule. 2001 , 71, 658-62	33
1434	Future Directions in Late Life Suicide Prevention. 2001 , 42, 37-53	16
1433	Cognitive Biases and Suicidal Ideation in Elderly Psychiatric Inpatients. 2001 , 42, 21-36	10
1432	Correlates of subjective health in older adults: A meta-analysis.. 2001 , 16, 414-426	279
1431	Bright light treatment decreases depression in institutionalized older adults: a placebo-controlled crossover study. 2001 , 56, M356-60	60
1430	Depression among Alzheimer's caregivers: identifying risk factors. 2001 , 16, 353-9	25

1429	Measurement sensitivity and the Minimum Data Set depression quality indicator. 2001 , 41, 401-5	56
1428	Metabolic, psychological, and health correlates of dietary restraint in healthy postmenopausal women. 2001 , 56, M206-11	13
1427	Depressive symptoms, depletion, or developmental change? Withdrawal, apathy, and lack of vigor in the Geriatric Depression Scale. 2001 , 41, 768-77	89
1426	Predictors of healthy brain aging. 2001 , 56, B294-301	18
1425	Should identification audiometry include a screening for depression among residents of upper socioeconomic retirement centers?. 2001 , 92, 1251-4	2
1424	Negative life events and depressive symptoms in the elderly: a life span perspective. 2001 , 5, 84-91	115
1423	Psychiatric assessment of a nursing home population using audiovisual telecommunication. 2001 , 14, 63-5	34
1422	Spiritual and Religious Coping in Caregivers of Patients with Alzheimer's Disease. 2002 , 24, 127-136	22
1421	Cognitive coping and depressive symptoms in the elderly: a longitudinal study. 2002 , 6, 275-81	107
1420	Effects of hydrocortisone administration on cognitive function in the elderly. 2002 , 16, 65-71	28
1419	[The prevalence of dementia in a population-based study carried out in Granarolo, Ravenna]. 2002 , 11, 258-65	
1418	Screening and Quantification of Depression in Mild-to-Moderate Dementia Through the GDS Short Forms. 2002 , 24, 115-125	8
1417	Comorbidities and impairments explaining the association between diabetes and lower extremity disability: The Women's Health and Aging Study. 2002 , 25, 678-83	171
1416	Bilateral stimulation of the subthalamic nucleus in patients with Parkinson disease: a study of efficacy and safety. 2002 , 96, 666-72	106
1415	Effects of resistance training on physical function in older disabled women with coronary heart disease. 2002 , 92, 672-8	110
1414	Cerebrospinal fluid tau and beta-amyloid 42 proteins identify Alzheimer disease in subjects with mild cognitive impairment. 2002 , 59, 1729-34	180
1413	Would older medical patients use psychological services?. 2002 , 42, 392-8	81
1412	Co-morbidity adjustment for functional outcomes in community-dwelling older adults. 2002 , 16, 420-8	106

1411	Three-month follow up of patients discharged from a geriatric day hospital. 2002 , 31, 471-5	15
1410	Quality of Life, Depression, and End-of-Life Attitudes and Behaviors. 2002 , 147-171	2
1409	Clinical correlates of selective pathology in the amygdala of patients with Parkinson's disease. 2002 , 125, 2431-45	324
1408	Hearing disability: a source of distress for older people and carers. 2002 , 11, 1021-5	16
1407	Risk for acute confusion on hospital admission. 2002 , 11, 153-72	20
1406	Development and initial validation of an inventory to assess grief in caregivers of persons with Alzheimer's disease. 2002 , 42, 751-65	105
1405	Dementia caregiver intervention research: in search of clinical significance. 2002 , 42, 589-602	312
1404	Elderly Inner City Women Who Return Home to Live Alone. 2002 , 22, 59-69	2
1403	The impact of the use of statins on the prevalence of dementia and the progression of cognitive impairment. 2002 , 57, M414-8	128
1402	Late-life depression and mental health services in primary care. 2002 , 15, 134-40	8
1401	A Reliability Generalization Study of the Geriatric Depression Scale. 2002 , 62, 969-994	51
1400	Ability to learn inhaler technique in relation to cognitive scores and tests of praxis in old age. 2002 , 78, 37-9	64
1399	The "time and change" test: an appropriate method to detect cognitive decline in the elderly. 2002 , 15, 12-5	7
1398	Therapeutic recreation interventions for need-driven dementia-compromised behaviors in community-dwelling elders. 2002 , 17, 367-81	45
1397	Rating scales in old age psychiatry. 2002 , 180, 161-7	87
1396	Education, occupation, and prevalence of dementia: findings from the Conselice study. 2002 , 14, 90-100	62
1395	Cognitive deficits and striatal dopaminergic denervation in Parkinson's disease: a single photon emission computed tomography study using 123iodine-beta-CIT in patients on and off levodopa. 2002 , 25, 216-24	32
1394	Understanding ethnic differences in the utilization of joint replacement for osteoarthritis: the role of patient-level factors. 2002 , 40, 144-51	120

1393	Objective Screening Tools to Assess Cognitive Impairment and Depression. 2002 , 18, 28-46	8
1392	Assessing quality of life in older adults with cognitive impairment. 2002 , 64, 510-9	860
1391	Seven-day (24-h) ambulatory blood pressure monitoring, self-reported depression and quality of life scores. 2002 , 7, 69-76	41
1390	Developing a restorative care program. 2002 , 102, 91-5	6
1389	Proximal deep vein thrombosis after hip fracture surgery in elderly patients despite thromboprophylaxis. 2002 , 81, 745-50	15
1388	Therapeutic psychosocial intervention for elderly subjects with very mild Alzheimer disease in a community: the tajiri project. 2002 , 16, 261-9	33
1387	Effectiveness of Prompted Voiding in Treating Urinary Incontinence in Cognitively Impaired Homebound Older Adults. 2002 , 29, 252-265	2
1386	Measuring subclinical disability in older mexican americans. 2002 , 64, 520-30	5
1385	Weight reduction in the cardiac rehabilitation setting. 2002 , 22, 154-60	33
1384	Comprehensive geriatric assessment: making the most of the aging years. 2002 , 5, 19-24	74
1383	Assessing behavioral health using OASIS: Part 1: Depression and suicidality. 2002 , 20, 154-61	10
1382	Ethnic differences in the perception of prayer and consideration of joint arthroplasty. 2002 , 40, 471-6	78
1381	Serum thyroxine level and cognitive decline in euthyroid older women. 2002 , 58, 1055-61	101
1380	Dual-task attention deficits in dysphoric mood.. 2002 , 111, 370-379	68
1379	Physical therapists' nonverbal communication predicts geriatric patients' health outcomes. 2002 , 17, 443-452	141
1378	The search for dimensional structure differences between normality and abnormality: A statistical review of published data on personality and psychopathology.. 2002 , 83, 962-982	132
1377	The Relationship of Major Depressive Disorder to Alzheimer's Disease. 2002 , 257-275	
1376	Prevalence and incidence of major depressive disorder in Alzheimer's disease: findings from two databases. 2002 , 13, 8-12	28

1375	Lifestyle factors and health outcomes in elderly Hong Kong chinese aged 70 years and over. 2002 , 48, 234-40	55
1374	Depression and Disability. 2002 , 11-29	2
1373	Interpersonal psychotherapy as augmentation treatment in depressed elderly responding poorly to antidepressant drugs: a case series. 2002 , 71, 357-61	9
1372	Effect of liquid dietary supplements on energy intake in the elderly. 2002 , 75, 944-7	117
1371	A Prospective Community-Based Study of Falls among Older People in Australia: Frequency, Circumstances, and Consequences. 2002 , 22, 143-152	6
1370	Word-reading thresholds in Alzheimer disease and mild memory loss: a pilot study. 2002 , 16, 31-9	20
1369	Distinguishing between neurodegenerative disease and disease-free aging: correlating neuropsychological evaluations and neuropathological studies in centenarians. 2002 , 64, 493-501	82
1368	Mattis Dementia Rating Scale. 2002 , 24, 107-114	3
1367	At Risk in Old Age. 2002 , 24, 77-91	2
1366	Attentional Processes in Mildly Depressed and Non-Depressed Able Elderly. 2002 , 24, 37-62	1
1365	A Functional Approach to Nutrition Screening Among Ambulatory Older Persons. 2002 , 22, 71-82	
1364	Geriatric rehabilitation: the influence of efficacy beliefs and motivation. 2002 , 27, 152-9	70
1363	The validity and reliability of a Computerized Dementia Screening Test developed in Korea. 2002 , 203-204, 109-14	10
1362	Development of a CT-based weighted rating scale for subcortical cerebrovascular disease sensitive to mild clinical symptoms. 2002 , 203-204, 241-5	0
1361	Medical comorbidity and late life depression: what is known and what are the unmet needs?. 2002 , 52, 226-35	76
1360	Comorbidity of depression with other medical diseases in the elderly. 2002 , 52, 559-88	206
1359	Atherosclerosis and cognitive impairment are linked in the elderly. The Leiden 85-plus Study. 2002 , 165, 353-9	59
1358	Health-related quality of life and long-term therapy with pravastatin and tocopherol (vitamin E) in older adults. 2002 , 19, 793-805	25

1357	Nonpharmacologic treatment of behavioral disturbance in dementia. 2002 , 86, 641-56, viii	57
1356	Cognitive Functioning and Geriatric Suicide Ideation: Testing a Mediation Model. 2002 , 10, 428-436	34
1355	Circadian temporal organization of lipidic fractions in elderly people. Entrainment to the dietary schedule. 2002 , 14, 94-9	5
1354	Stress, Coping, and Depression Among Japanese American Elders. 2002 , 36, 63-81	33
1353	Magnetization transfer ratio in mild cognitive impairment and dementia of Alzheimer's type. 2002 , 15, 604-10	86
1352	Rehabilitation therapists' recognition of cognitive and mood disorders in geriatric patients. 2002 , 83, 609-12	33
1351	Physiologic, psychologic, and health predictors of 6-minute walk performance in older people. 2002 , 83, 907-11	166
1350	Rehabilitation after proximal femur fracture surgery in the oldest old. 2002 , 83, 1360-3	11
1349	Assessment and diagnosis of insomnia in non-pharmacological intervention studies. 2002 , 6, 379-406	19
1348	Determinants of disability in older coronary patients. 2002 , 143, 151-6	81
1347	Symptom presentations of older adult crime victims: description of a clinical sample. 2002 , 16, 299-309	16
1346	Self-assessed global quality of life: a comparison between African-American and white older patients with arthritis. 2002 , 55, 512-7	48
1345	A high response is not essential to prevent selection bias: results from the Leiden 85-plus study. 2002 , 55, 1119-25	164
1344	Depression, quality of life, and lifestyle: chronoecological health watch in a community. 2002 , 56 Suppl 2, 231s-242s	7
1343	Socioeconomic and health status differences between depressed and nondepressed ED elders. 2002 , 20, 71-3	18
1342	Validation of a brief screening tool to detect depression in elderly ED patients. 2002 , 20, 99-102	32
1341	More than meets the eye: how examiner training affects the reliability of the MacNeill-Lichtenberg decision tree in geriatric rehabilitation patients. 2002 , 83, 405-11	3
1340	[Development of a clinical test of gait in frail elderly by a cognitive approach of locomotion]. 2002 , 45, 123-30	6

1339	[Diogenes syndrome in the elderly: clinical form of frontal dysfunction? Report of 4 cases]. 2002 , 23, 122-31	14
1338	New Postoperative Depressive Symptoms and Long-Term Cardiac Outcomes After Coronary Artery Bypass Surgery. 2002 , 10, 192-198	35
1337	Cerumen, Hearing, and Cognition in the Elderly. 2002 , 3, 136-139	28
1336	The Functional Pain Scale: Reliability, Validity, and Responsiveness in an Elderly Population. 2002 , 3, S71-S75	1
1335	Similarities and Differences in Depression Among Black and White Nursing Home Residents. 2002 , 10, 175-184	19
1334	Undernutrition in medical outpatients. 2002 , 18, 759-71, vii	12
1333	Characterizing Behavioral and Psychological Symptoms of Dementia (BPSD) Among Geropsychiatric Inpatients. 2002 , 3, 146-151	8
1332	Identifying the elderly at risk for malnutrition. The Mini Nutritional Assessment. 2002 , 18, 737-57	621
1331	Hyperbaric oxygen for acute carbon monoxide poisoning. 2002 , 347, 1057-67	633
1330	The neuropsychological assessment of dementia. 2002 , 7, 371-5	
1329	Frontal atrophy correlates with behavioural changes in progressive supranuclear palsy. 2002 , 125, 789-800	115
1328	Individualized drug use assessment in the elderly. 2002 , 22, 1239-48	78
1327	Assessment for depression among nursing home elders: evaluation of the MDS mood assessment. 2002 , 23, 103-8	24
1326	A family assessment tool for hospitalized elders. 2002 , 23, 316-9, 335	5
1325	Higher dietary variety is associated with better nutritional status in frail elderly people. 2002 , 102, 1096-104	214
1324	Local-global processing in Alzheimer's disease: an examination of interference, inhibition and priming. 2002 , 40, 1173-86	39
1323	[Introduction to geriatric oncology]. 2002 , 152, 166-9	
1322	Dehydroepiandrosterone-sulfate serum levels and common age-related diseases: results from a cross-sectional Italian study of a general elderly population. 2002 , 37, 701-12	44

1321	Clinical, neuropsychological, and morphometric correlates of apathy in Parkinson's disease. 2002 , 17, 366-71	164
1320	Effect of an attentional strategy on movement-related potentials recorded from subjects with Huntington's disease. 2002 , 17, 998-1003	7
1319	An imaging study of parkinsonism among African-Caribbean and Indian London communities. 2002 , 17, 1321-8	13
1318	Regional magnetization transfer ratio changes in mild cognitive impairment. 2002 , 47, 143-8	55
1317	Differences in expectations of outcome mediate African American/white patient differences in "willingness" to consider joint replacement. 2002 , 46, 2429-35	146
1316	The second Leicester survey of memory clinics in the British Isles. 2002 , 17, 41-7	66
1315	Non-neurological factors are implicated in impairments in gait and mobility among patients in a clinical dementia referral population. 2002 , 17, 128-33	18
1314	Validation of the Spanish version of the geriatric depression scale (GDS) in primary care. 2002 , 17, 279-87	47
1313	Does the HoNOS 65+ meet the criteria for a clinical outcome indicator for mental health services for older people?. 2002 , 17, 226-30	23
1312	The prevalence and phenomenology of auditory hallucinations among elderly subjects attending an audiology clinic. 2002 , 17, 444-52	69
1311	Prevalence and correlates of late-life depression compared between urban and rural populations in Korea. 2002 , 17, 409-15	51
1310	Longitudinal increase in the volume of white matter hyperintensities in late-onset depression. 2002 , 17, 526-30	49
1309	A randomized, placebo-controlled trial of paroxetine in nursing home residents with non-major depression. 2002 , 15, 102-10	38
1308	Depression in Parkinson's disease. 2002 , 4, 69-73	34
1307	Mild cognitive impairment with subcortical vascular features: clinical characteristics and outcome. 2002 , 249, 1423-32	132
1306	Deciphering the 4 D's: cognitive decline, delirium, depression and dementia--a review. 2002 , 38, 360-8	29
1305	Effect of light treatment on sleep and circadian rhythms in demented nursing home patients. 2002 , 50, 282-9	233
1304	Geriatric depression, antidepressant treatment, and healthcare utilization in a health maintenance organization. 2002 , 50, 307-12	39

1303	High-velocity resistance training increases skeletal muscle peak power in older women. 2002 , 50, 655-62	319
1302	Musculoskeletal pain and risk for falls in older disabled women living in the community. 2002 , 50, 671-8	185
1301	Improvement of cognitive function after pacemaker implantation in very old persons with bradycardia. 2002 , 50, 778-80	13
1300	Low serum vitamin d does not predict new disability or loss of muscle strength in older women. 2002 , 50, 912-7	101
1299	Screening for Alzheimer's disease: the memory impairment screen versus the conventional three-word memory test. 2002 , 50, 1086-91	84
1298	Screening for depression in patients in long-term care facilities: a randomized controlled trial of physician response. 2002 , 50, 1092-9	17
1297	Looking at the relationship between hemoglobin concentration and prevalent mobility difficulty in older women. Should the criteria currently used to define anemia in older people be reevaluated?. 2002 , 50, 1257-64	204
1296	Common chronic diseases and general impairments as determinants of walking disability in the oldest-old population. 2002 , 50, 1405-10	94
1295	Outcomes of a community-based dissemination of the health enhancement program. 2002 , 50, 1519-24	49
1294	The development of outpatient Clinical Glidepaths. 2002 , 50, 1886-901	51
1293	Effects of exercise training on frailty in community-dwelling older adults: results of a randomized, controlled trial. 2002 , 50, 1921-8	412
1292	Subcortical vascular disease and functional decline: a 6-year predictor study. 2002 , 50, 1969-77	46
1291	Second-generation issues in the management of depression in nursing homes. 2002 , 50, 2100-1; author reply 2101	7
1290	Cognitive status and behavioral problems in older hospitalized patients. 2002 , 1, 1	15
1289	d-penicillamine reduces serum oxidative stress in Alzheimer's disease patients. 2002 , 32, 51-9	90
1288	Prevalence and characteristics of older community residents with mild cognitive decline. 2002 , 2, 57-67	25
1287	Measuring fatigue in patients with Parkinson's disease - the Fatigue Severity Scale. 2002 , 9, 595-600	141
1286	MR image-based measurement of rates of change in volumes of brain structures. Part II: application to a study of Alzheimer's disease and normal aging. 2002 , 20, 41-8	51

1285	Diagnosing and treating Alzheimer's disease: a practitioner's overview. 2002 , 14, 103-9; quiz 110-2	
1284	A checklist for comprehensive health assessment for the over 70's. 2002 , 21, 14-20	4
1283	Predictors of the decision to yield care of a person with dementia. 2002 , 21, 86-91	9
1282	An outreach intervention for older rural African Americans. 2002 , 18, 407-15	11
1281	Reversible bronchial obstruction and disease-related health status in COPD. 2002 , 11, 517-25	6
1280	Psychological adjustment after CVA— case study. 2002 , 6, 41-43	
1279	Cost-effectiveness of a brief two-stage emergency department intervention for high-risk elders: results of a quasi-randomized controlled trial. 2003 , 41, 45-56	48
1278	Cerebrovascular risk factors and depressed mood in inner city older adults. 2003 , 7, 11-20	13
1277	Pharmacology of cytotoxic agents: a helpful tool for building dose adjustment guidelines in the elderly. 2003 , 48, 199-214	11
1276	Psychiatric issues in older cancer patients. 2003 , 48, 185-97	45
1275	Pain management in older adults. 2003 , 5, 55-61	5
1274	Factors affecting diabetes knowledge in Type 2 diabetic veterans. 2003 , 46, 1170-8	85
1273	Cerebral metabolic changes accompanying conversion of mild cognitive impairment into Alzheimer's disease: a PET follow-up study. 2003 , 30, 1104-13	438
1272	Risk factor management in stable, insulin-treated patients with Type 2 diabetes: the Diabetes Outcomes in Veterans Study. 2003 , 17, 186-91	9
1271	Cognitive-behavioral treatment of depression: A three-stage model to guide treatment planning. 2003 , 10, 231-239	10
1270	Cognitive behavioral therapy for older adults: Practical guidelines for the use of homework assignments. 2003 , 10, 324-332	21
1269	The quality of life of spouse dementia caregivers: changes associated with yielding to formal care and widowhood. 2003 , 57, 2385-95	42
1268	Effects of osteoporotic fractures on quality of life-related variables in the community elderly in Japan: An 8-year follow-up study in TMIG-LISA. 2003 , 3, S50-S54	1

1267	Balance and gait in older adults with systemic hypertension. 2003 , 91, 643-5	36
1266	Effects of toy stimulation on the cognitive, communicative, and emotional functioning of adults in the middle stages of Alzheimer's disease. 2003 , 36, 101-27	7
1265	Impact of psychological and endocrine factors on cytokine production of healthy elderly people. 2003 , 124, 887-95	62
1264	Major depressive disorder in the general hospital: adaptation of clinical practice guidelines. 2003 , 25, 185-93	25
1263	Psychosocial and vascular risk factors of depression in later life. 2003 , 74, 237-46	29
1262	Anomia for people names in DAT--evidence for semantic and post-semantic impairments. 2003 , 41, 1593-8	42
1261	Depression and congestive heart failure. 2003 , 9, 163-9	74
1260	Rey verbal learning test is a useful tool for differential diagnosis in the preclinical phase of Alzheimer's disease: comparison with mild cognitive impairment and normal aging. 2003 , 18, 1021-8	144
1259	A prevalence study of suicide ideation among older adults in Hong Kong SAR. 2003 , 18, 1056-62	110
1258	Accuracy of the 15-item geriatric depression scale (GDS-15) in a community sample of the oldest old. 2003 , 18, 63-6	245
1257	The effect of Qigong on general and psychosocial health of elderly with chronic physical illnesses: a randomized clinical trial. 2003 , 18, 441-9	100
1256	Factors associated with depression in a representative sample of 14 217 people aged 75 and over in the United Kingdom: results from the MRC trial of assessment and management of older people in the community. 2003 , 18, 623-30	78
1255	Self-administered treatment in stepped-care models of depression treatment. 2003 , 59, 341-9	114
1254	The Depression-Arkansas scale: A validation study of a new brief depression scale in an HMO. 2003 , 59, 465-81	12
1253	A series of brief cognitive therapy interventions with people experiencing both dementia and depression: a description of techniques and common themes. 2003 , 10, 175-185	38
1252	Do depressive episodes lead to accumulation of vulnerability in the elderly?. 2003 , 18, 67-75	7
1251	Parkinson's disease is associated with hippocampal atrophy. 2003 , 18, 784-90	245
1250	Primary progressive aphasia: PPA and the language network. 2003 , 53, 35-49	115

1249	Quality of well-being in older people with osteoarthritis. 2003 , 49, 23-8	24
1248	Concordance of four methods of disability assessment using performance in the home as the criterion method. 2003 , 49, 640-7	42
1247	Management of depression in rheumatoid arthritis: a combined pharmacologic and cognitive-behavioral approach. 2003 , 49, 766-77	76
1246	The influence of fatigue on health-related quality of life in patients with Parkinson's disease. 2003 , 107, 1-6	121
1245	Efficacy of percutaneous electrical nerve stimulation for the treatment of chronic low back pain in older adults. 2003 , 51, 599-608	62
1244	Handgrip strength and cause-specific and total mortality in older disabled women: exploring the mechanism. 2003 , 51, 636-41	435
1243	The validity and feasibility of saliva melatonin assessment in the elderly. 2003 , 34, 88-94	21
1242	Depression in older Chinese migrants to Auckland. 2003 , 37, 445-51	33
1241	Exploring the therapeutic environment for older women with late-life depression: An examination of the benefits of an activity group for older people suffering from depression. 2003 , 50, 158-169	2
1240	Physical performance measures in the clinical setting. 2003 , 51, 314-22	921
1239	Clinical characteristics of flexed posture in elderly women. 2003 , 51, 1419-26	118
1238	Quality of life in patients undergoing treatment for chronic radiation-induced rectal bleeding. 1998 , 85, 1251-4	22
1237	The nutritional status of 250 older Australian recipients of domiciliary care services and its association with outcomes at 12 months. 2003 , 51, 1007-11	129
1236	Patient and caregiver characteristics associated with depression in caregivers of patients with dementia. 2003 , 18, 1006-14	379
1235	Cognitive function assessment in individuals at risk for Alzheimer's disease. 2003 , 15, 79-86	
1234	Strengthening research to improve the practice and management of long-term care. 2003 , 81, 179-220, 171	42
1233	Progression of lower-extremity disability in older women with diabetes: the Women's Health and Aging Study. 2003 , 26, 70-5	91
1232	Epidemiology of late-life mental disorders. 2003 , 19, 663-96, v	136

1231	Assessing Resistance to Activities of Daily Living in Long-Term Care. 2003 , 4, 313-319	10
1230	Late-life mood disorders. 2003 , 19, 777-97, vii	17
1229	Propiedades psicométricas de la escala geriátrica de depresi3n (GDS): an3lisis procedente de cuatro investigaciones. 2003 , 38, 132-144	1
1228	Assessing Antipsychotic Effectiveness in Dementia with the Factor Structure of the Psychogeriatric Dependency Rating Scale (PGDRS). 2003 , 4, 61-66	2
1227	Dependencia evitable para las actividades de la vida diaria: una perspectiva de g3nero. 2003 , 38, 327-333	3
1226	Estudio prospectivo sobre la depresi3n post-ictus y los resultados funcionales. 2003 , 37, 181-189	1
1225	MRI study of caudate nucleus volume in Parkinson's disease with and without dementia with Lewy bodies and Alzheimer's disease. 2003 , 16, 57-63	74
1224	Congestive heart failure and depression in older adults: clinical course and health services use 6 months after hospitalization. 2003 , 44, 367-73	66
1223	Electrophysiological assessment of language function following stroke. 2003 , 114, 662-72	48
1222	fMRI BOLD response to increasing task difficulty during successful paired associates learning. 2003 , 20, 1006-19	98
1221	CLINICAL COMMENTS. 2003 , 26, 165-175	1
1220	CLINICAL COMMENTS. 2003 , 26, 143-146	1
1219	State of the art in geriatric rehabilitation. Part I: review of frailty and comprehensive geriatric assessment. 2003 , 84, 890-7	149
1218	The apolipoprotein E epsilon4 allele and antidepressant efficacy in cognitively intact elderly depressed patients. 2003 , 54, 665-73	36
1217	Sequence learning in Parkinson's disease: the effect of spatial stimulus-response compatibility. 2003 , 52, 239-49	28
1216	Imaging of the 5-HT2A system: age-, gender-, and Alzheimer's disease-related findings. 2003 , 24, 553-61	78
1215	A double-blind, placebo-controlled study of sertraline in the prevention of depression in stroke patients. 2003 , 44, 216-21	154
1214	Reduction in obesity and coronary risk factors after high caloric exercise training in overweight coronary patients. 2003 , 146, 317-23	54

1213	Depression in Parkinson's disease: clinical correlates and outcome. 2003 , 10, 23-8	106
1212	Spirometry reference values for women and men aged 65-85 living in southern Europe: the effect of health outcomes. 2003 , 70, 484-9	11
1211	End-of-life care in geriatric psychiatry. 2003 , 19, 841-56, vii-viii	14
1210	Psychological Resilience in Older Adults Following the 1997 Flood. 2003 , 26, 139-143	12
1209	Japanese American Elders and the Geriatric Depression Scale. 2003 , 26, 91-104	5
1208	Temporal preparation strategy may inflate RT deficit in patients with Parkinson's disease. 2003 , 25, 1079-89	6
1207	Clinical practice. Early Alzheimer's disease. 2003 , 349, 1056-63	85
1206	Multidimensional assessment and risk factors for prolonged hospitalization in the elderly. 2003 , 15, 305-9	10
1205	Depression in late life: review and commentary. 2003 , 58, 249-65	1343
1204	Effect of increasing the dose and duration of sertraline trial in the treatment of depressed nursing home residents. 2003 , 16, 109-11	10
1203	Advance Directives among Elderly Veterans. 2003 , 22, 197-213	5
1202	Depressive symptoms in advanced cancer. Part 1. Assessing depression: the Mood Evaluation Questionnaire. 2003 , 17, 596-603	25
1201	The Efficacy of an Integrated Group Treatment Program for Depressed Assisted Living Residents. 2003 , 13, 608-621	7
1200	A cognitive and physical performance assessment of retirees entering a continuing care retirement community: the Moorings Assessment Protocol. 2003 , 18, 73-8	4
1199	Validation study of a CT-based weighted rating scale for subcortical ischemic vascular disease in patients with mild cognitive deterioration. 2003 , 49, 193-209	33
1198	Is pneumonia still the old man's friend?. 2003 , 163, 1491-2; author reply 1492	1
1197	The aging eyewitness: effects of age on face, delay, and source-memory ability. 2003 , 58, P338-45	42
1196	Student-led exercise sessions yield significant fitness gains for Alzheimer's patients. 2003 , 18, 159-70	73

1195	Validity of Self-Reports in Dementia Research. 2003 , 26, 155-163	30
1194	Confidentiality and Informed Consent versus Collaboration. 2003 , 25, 277-292	
1193	Palliative Excellence in Alzheimer Care Efforts (PEACE): a program description. 2003 , 6, 315-20	72
1192	Agreement Between the Geriatric Depression Scale and the General Health Questionnaire in a Population-Based Elderly Cohort. 2003 , 26, 69-82	2
1191	Effects of hypertension on attention, memory, and executive function in older adults. 2003 , 22, 587-91	78
1190	Does melatonin improve sleep in older people? A randomised crossover trial. 2003 , 32, 164-70	58
1189	Efficacy of enhanced evening light for advanced sleep phase syndrome. 2003 , 1, 213-26	36
1188	Clinical profile of acute confusion in the long-term care setting. 2003 , 12, 145-58	32
1187	Clinical outcomes of possible versus probable Alzheimer's disease. 2003 , 61, 661-7	30
1186	Cinguloparietal atrophy distinguishes Alzheimer disease from semantic dementia. 2003 , 60, 949-56	102
1185	Differences in psychosocial and behavioral profiles between heart failure patients admitted to cardiology and geriatric wards. 2003 , 5, 557-67	27
1184	Rivastigmine in subcortical vascular dementia: a randomized, controlled, open 12-month study in 208 patients. 2003 , 18, 265-72	46
1183	Focal right inferotemporal atrophy in AD with disproportionate visual constructive impairment. 2003 , 61, 1485-91	38
1182	Direct and indirect effects of everyday emotions on food intake of elderly patients in institutions. 2003 , 58, 153-8	35
1181	A hidden problem: identifying depression in older people. 2003 , 8, 314-20	4
1180	Risk Factors for Falling in Home-Dwelling Older Women With Stroke. 2003 , 34, 494-501	211
1179	The clock-drawing test in elderly Italian community dwellers: associations with sociodemographic status and risk factors for vascular cognitive impairment. 2003 , 16, 287-95	20
1178	Aging and disability affect misdiagnosis of COPD in elderly asthmatics: the SARA study. 2003 , 123, 1066-72	115

1177	Pharmacogenetics of antidepressant medication intolerance. 2003 , 160, 1830-5	228
1176	Screening for depression in clinical practice: reliability and validity of a five-item subset of the CES-Depression. 2003 , 97, 855-61	37
1175	Homocysteine as a risk factor for cognitive impairment in stroke patients. 2003 , 15, 155-62	46
1174	An electronic memory aid to support prospective memory in patients in the early stages of Alzheimer's disease: a pilot study. 2003 , 7, 22-7	63
1173	Measuring depression of elderly Chinese Americans: a replication study. 2003 , 22, 69-85	8
1172	Cognitive behavioural interventions for sleep problems in adults aged 60+. 2003 ,	63
1171	Clinical prediction of falls in the elderly. 2003 , 82, 273-8	23
1170	CE. 2003 , 103, 42	
1169	Effects of stimulus modality and response mode on the P300 event-related potential differentiation of young and elderly adults. 2003 , 34, 182-90	4
1168	Attitudes about impairment and depression in elders suffering from chronic heart failure. 2003 , 33, 117-32	19
1167	Screening for depression in a geriatric rehabilitation sample. 2003 , 33, 333-41	7
1166	The psychosocial aspects of heart failure. 2003 , 103, 32-42; quiz 43	10
1165	Efficacy of a self-management group intervention for elderly persons with chronic pain. 2003 , 19, 156-67	76
1164	2nd Asia-Pacific regional meeting of the International Working Group on Harmonization of Dementia Drug Guidelines: meeting report. 2003 , 17, 129-31	4
1163	Comparison of Health Buddy with traditional approaches to heart failure management. 2003 , 26, 275-88	56
1162	Effects of maintenance electroconvulsive therapy on cognitive functions. 2003 , 19, 151-7	34
1161	Regulation of attention and response to therapy in dementia by butyrylcholinesterase. 2003 , 13, 231-9	78
1160	Poor tolerability of a transdermal nicotine treatment in Parkinson's disease. 2003 , 26, 227-9	15

1159	L'appropriation territoriale de la chambre: un outil d'évaluation de l'adaptation de la personne âgée en maison de retraite?. 2003 , 22, 407-414	3
1158	Circadian phase-shifting effects of nocturnal exercise in older compared with young adults. 2003 , 284, R1542-50	90
1157	Changes in function and disability after resistance training: does velocity matter?: a pilot study. 2003 , 82, 605-13	51
1156	Diagnostic evaluation of elderly patients with mild memory problems. 2003 , 138, 411-9	26
1155	Quality of life in geriatric patients with mood and anxiety disorders. 2003 , 8, 35-47	12
1154	The Meaning of Longevity in Centenarians. 2003 , 28, 238-253	2
1153	Motivators and Barriers to Exercise in an Older Community-Dwelling Population. 2003 , 11, 242-253	163
1152	Recommendations about the knowledge and skills required of psychologists working with older adults.. 2003 , 34, 435-443	19
1151	Syntactic comprehension in Parkinson's disease: Investigating early automatic and late integrational processes using event-related brain potentials.. 2003 , 17, 133-142	112
1150	Facilitating acquisition and transfer of a continuous motor task in healthy older adults and patients with Alzheimer's disease. 2003 , 17, 202-12	52
1149	Differentiating anxiety and depression in older adults with generalized anxiety disorder. 2003 , 15, 184-92	36
1148	Depression in later life: cross-sequential patterns and possible determinants. 2003 , 18, 80-90	95
1147	The Revised Memory and Behavior Problems Checklist--Nursing Home: instrument development and measurement of burden among certified nursing assistants. 2003 , 18, 886-95	18
1146	Assessing worry in older adults: confirmatory factor analysis of the Penn State Worry Questionnaire and psychometric properties of an abbreviated model. 2003 , 15, 173-83	179
1145	Comprehensive Geriatric Assessment of Older Patients with Gastrointestinal Disorders. 2003 , 32, 12-27	6
1144	Construct validity of the abbreviated mental test in older medical inpatients. 2003 , 15, 199-206	26
1143	Nutritional risk assessment and obesity in rural older adults: a sex difference. 2003 , 77, 551-8	68
1142	[Intervention study using a fall prevention program to prevent functional decline of old-old elderly in a rural community]. 2003 , 40, 47-52	5

1141	Pain management programs in residential aged care. 2003 , 178, 44-5	1
1140	Hyperhomocysteinemia and vitamin B-12 deficiency in elderly using Title IIIc nutrition services. 2003 , 77, 211-20	84
1139	Instruments to Assess Functional Status. 2003 , 185-194	3
1138	Ten recommendations for advancing patient-centered outcomes measurement for older persons. 2003 , 139, 403-9	48
1137	Memory complaints and test performance in healthy elderly persons. 2003 , 61, 920-4	42
1136	Suicide prevention program for the elderly: the experience in Japan. 2004 , 53, 1-6	18
1135	Elder Abuse. 2004 , 743-766	1
1134	[Depression in the elderly: are doctors investigating it?]. 2004 , 26, 145-9	14
1133	Exercise and volunteer work: contexts for AD language and memory interventions. 2004 , 25, 151-67	7
1132	Quantitative and Qualitative Impairments in Semantic Fluency, but not Phonetic Fluency, as a Potential Risk Factor for Alzheimer's Disease. 2004 , 5, 177-186	3
1131	Rehabilitation following hip fracture surgery: a comparative study of females and males. 2004 , 26, 85-90	39
1130	Social services and the Single Assessment Process: early warning signs?. 2004 , 18, 129-39	9
1129	A 10-item Rasch modeled memory self-efficacy scale. 2004 , 8, 293-306	46
1128	Meeting Life Challenges. 2004 , 10, 155-174	10
1127	The use of assessment scales in Old Age Psychiatry Services in England and Northern Ireland. 2004 , 8, 249-55	32
1126	The Efficacy of Somatic Symptoms in Assessing Depression in Older Primary Care Patients. 2004 , 27, 43-57	14
1125	Biopsychological markers of distress in informal caregivers. 2004 , 6, 90-9	27
1124	The clock drawing test as a measure of executive dysfunction in elderly depressed patients. 2004 , 17, 190-4	11

1123	Physical activity and exercise recommendations for stroke survivors: an American Heart Association scientific statement from the Council on Clinical Cardiology, Subcommittee on Exercise, Cardiac Rehabilitation, and Prevention; the Council on Cardiovascular Nursing; the Council on Nutrition, Physical Activity, and Metabolism; and the Stroke Council. 2004 , 109, 2031-41	284
1122	Frequency of orthostatic hypotension in a community based cohort of patients with Parkinson's disease. 2004 , 75, 1470-1	101
1121	Toward a middle-range theory of adaptation to chronic pain. 2004 , 17, 78-84	15
1120	The prevalence of "cognitive impairment no dementia" in community-dwelling elderly: a pilot study. 2004 , 38, 725-31	10
1119	Screening for depression in nursing home palliative care patients. 2004 , 17, 212-8	15
1118	Neuroticism and longitudinal change in caregiver depression: impact of a spouse-caregiver intervention program. 2004 , 44, 311-7	56
1117	A brief history of geriatrics. 2004 , 59, 1132-52	73
1116	Physical activity and exercise recommendations for stroke survivors: an American Heart Association scientific statement from the Council on Clinical Cardiology, Subcommittee on Exercise, Cardiac Rehabilitation, and Prevention; the Council on Cardiovascular Nursing; the Council on Nutrition, Physical Activity, and Metabolism; and the Stroke Council. 2004 , 35, 1230-40	239
1115	Effect of soy protein containing isoflavones on cognitive function, bone mineral density, and plasma lipids in postmenopausal women: a randomized controlled trial. 2004 , 292, 65-74	308
1114	Individual differences in the effects of disease and disability on depressive symptoms: the role of age and subjective health. 2004 , 59, 125-37	44
1113	Executive deficits in elderly patients with major unipolar depression. 2004 , 17, 195-201	67
1112	Effects of cholinergic drugs and cognitive training on dementia. 2004 , 18, 50-4	50
1111	Isolated executive impairment and associated frontal neuropathology. 2004 , 17, 360-7	22
1110	Preclinical memory profile in Alzheimer patients with and without allele APOE-epsilon4. 2004 , 51, 199-205	4
1109	Differences in the Structure of Depression Among Older Asian Indian Immigrants in the United States. 2004 , 23, 370-384	15
1108	Effects of transcutaneous electrical nerve stimulation (TENS) on self-efficacy and mood in elderly with mild cognitive impairment. 2004 , 18, 166-75	10
1107	Assessing the executive function deficits of patients with Parkinson's disease: utility of the Tower of London-Drexel. 2004 , 11, 27-39	37
1106	The effects of multidimensional home-based exercise on functional performance in elderly people. 2004 , 59, 154-60	195

1105	Semantic knowledge of famous people in mild cognitive impairment and progression to Alzheimer's disease. 2004 , 17, 188-95	55
1104	Detecting dementia: novel neuropsychological markers of preclinical Alzheimer's disease. 2004 , 17, 42-8	226
1103	Falls and depression in older people. 2004 , 50, 303-8	66
1102	Management of depression in later life. 2004 , 10, 131-139	19
1101	Temporal relation between depression and cognitive impairment in old age: prospective population based study. 2004 , 329, 881	147
1100	Assessing for depression and mood disturbance in later life. 2004 , 9, 492-4	5
1099	Memory functions of Taiwanese American older adults. 2004 , 26, 222-41	4
1098	Self-awareness of deficits in Parkinson disease. 2004 , 18, 352-61	58
1097	Living arrangements decisions at discharge and later: differences in criteria and outcomes. 2004 , 23, 29-47	4
1096	Nursing Home Transition and Depressive Symptoms in Older Medical Rehabilitation Patients. 2004 , 27, 59-70	1
1095	Outcomes of progressive resistance strength training following stroke: a systematic review. 2004 , 18, 27-39	167
1094	Case-finding for depression in elderly people: balancing ease of administration with validity in varied treatment settings. 2004 , 59, 378-84	67
1093	Effect of an exercise program on functional performance of institutionalized elderly. 2004 , 41, 659-68	64
1092	Geriatric Depression Scale Short Form and Zung Self-Rating Depression Scale. 2004 , 27, 55-66	4
1091	Risk factors for geriatric depression: the importance of executive functioning within the vascular depression hypothesis. 2004 , 59, 1290-4	24
1090	Plasma levels of amyloid beta-protein 42 are increased in women with mild cognitive impairment. 2004 , 63, 828-31	100
1089	Minimum data set for nutritional intervention studies in elderly people. 2004 , 59, 724-9	10
1088	Impact of muscle power and force on gait speed in disabled older men and women. 2004 , 59, 1200-6	184

1087	Study on effects of life review activities on the quality of life of the elderly: a randomized controlled trial. 2004 , 73, 302-11	37
1086	Confirmatory factor analysis of the geriatric depression scale. 2004 , 44, 818-26	75
1085	Cholinergic enhancement of frontal lobe activity in mild cognitive impairment. 2004 , 127, 1574-83	188
1084	Depression among recipients of informal care: the effects of reciprocity, respect, and adequacy of support. 2004 , 59, S173-80	52
1083	The relationship between functional disability and depressive mood in Japanese older adult inpatients. 2004 , 17, 93-8	17
1082	Rivastigmine superior to aspirin plus nimodipine in subcortical vascular dementia: an open, 16-month, comparative study. 2004 , 58, 346-53	33
1081	Physical check-up and blood data analysis in the Thai elderly of Chaingmai Province, Thailand. 2004 , 4, S220-S222	1
1080	The prevalence of 'cognitive impairment no dementia' in community-dwelling elderly: a pilot study. 2004 , 38, 725-731	24
1079	Anxiety and depression in community-dwelling, Italian Alzheimer's disease caregivers. 2004 , 10, 93-100	64
1078	Animal assisted therapy for people with dementia. 2004 , 4, 40-42	62
1077	Acute and chronic pain in geriatrics: clinical characteristics of pain and the influence of cognition. 2004 , 5, 253-62	36
1076	The longitudinal occurrence and impact of comorbid chronic pain and chronic depression over two years in continuing care retirement community residents. 2004 , 5, 335-48	73
1075	Carbon Monoxide Research Group, LDS Hospital, Utah in reply to Scheinkestel et al. and Emerson: the role of hyperbaric oxygen in carbon monoxide poisoning. 2004 , 16, 394-9; discussion 481-2	13
1074	Abnormal fronto-parietal coupling of brain rhythms in mild Alzheimer's disease: a multicentric EEG study. 2004 , 19, 2583-90	114
1073	Clinical Global Impression of Change in Physical Frailty: development of a measure based on clinical judgment. 2004 , 52, 1560-6	200
1072	Pain in community-dwelling persons with dementia: frequency, intensity, and congruence between patient and caregiver report. 2004 , 28, 585-92	74
1071	Psychoneuroendocrine correlates of lymphocyte subsets during healthy ageing. 2004 , 125, 219-27	26
1070	Factors associated with the use of publicly funded services by Hong Kong Chinese older adults. 2004 , 58, 1025-35	44

1069	Serum levels of estradiol and testosterone and performance in different cognitive domains in healthy elderly men and women. 2004 , 29, 405-21	89
1068	Computer-assisted assessment of depression and function in older primary care patients. 2004 , 73, 165-71	18
1067	"Closing-in" phenomenon in Alzheimer's disease and subcortical vascular dementia. 2004 , 4, 3	13
1066	Effects of home visits by home nurses to elderly people with health problems: design of a randomised clinical trial in the Netherlands [ISRCTN92017183]. 2004 , 4, 35	19
1065	Psychomotor retardation in elderly depressed patients. 2004 , 81, 73-7	21
1064	Prevalence and risk indicators of depression in elderly nursing home patients: the AGED study. 2004 , 83, 135-42	284
1063	Food frequency questionnaire results correlate with metabolic control in insulin-treated veterans with type 2 diabetes: the Diabetes Outcomes in Veterans Study. 2004 , 104, 1816-26	15
1062	More favorable dietary patterns are associated with lower glycemc load in older adults. 2004 , 104, 1828-35	26
1061	Functional independence after major abdominal surgery in the elderly. 2004 , 199, 762-72	341
1060	Is somatization a significant depressive symptom in older Taiwanese Americans?. 2004 , 25, 157-63	17
1059	Affective aprosodia from a medial frontal stroke. 2004 , 89, 411-6	71
1058	An additive factor analysis of the effect of depression on the reaction time of old patients. 2004 , 117, 1-11	17
1057	Efficacy of a smoking-cessation intervention for elective-surgical patients. 2004 , 27, 148-61	71
1056	Enhanced skills training and health care management for older persons with severe mental illness. 2004 , 40, 75-90	54
1055	Posttraumatic stress disorder following diagnosis of multiple sclerosis. 2004 , 17, 423-8	37
1054	Three year health outcomes among older women at risk of elder abuse: women's health Australia. 2004 , 13, 1043-52	28
1053	Validation of a quality of life questionnaire measuring the subjective fear of falling in nursing home residents. 2004 , 37, 459-66	7
1052	Preliminary evaluation of a video-based intervention for older adult victims of violence. 2004 , 17, 535-41	12

1051	Physical health, subjective health, and psychological distress in older adults: Reciprocal relationships concurrently and over time. 2004 , 29, 247-266	9
1050	The effect of dyadic intervention on self-efficacy, social support, and depression for men with prostate cancer. 2004 , 13, 47-60	123
1049	Psychosocial interventions for people with a milder dementing illness: a systematic review. 2004 , 45, 644-58	46
1048	Effects of resistance and all-round, functional training on quality of life, vitality and depression of older adults living in long-term care facilities: a 'randomized' controlled trial [ISRCTN87177281]. 2004 , 4, 5	56
1047	Chronic pain self-management for older adults: a randomized controlled trial [ISRCTN11899548]. 2004 , 4, 7	20
1046	The 15-item Geriatric Depression Scale (GDS-15) detects changes in depressive symptoms after a major negative life event. The Leiden 85-plus Study. 2004 , 19, 80-4	58
1045	Differential associations of Head and Body Symptoms with depression and physical comorbidity in patients with cognitive impairment. 2004 , 19, 209-15	2
1044	Can we trust depression screening instruments in healthy 'old-old' adults?. 2004 , 19, 278-85	45
1043	Risk indicators of depression in residential homes. 2004 , 19, 634-40	33
1042	Symptoms of depression and anxiety (MHI) following acute medical/surgical hospitalization and post-discharge psychiatric diagnoses (DSM) in 839 geriatric US veterans. 2004 , 19, 1155-67	14
1041	A pilot study of behavioural and psychological signs and symptoms of dementia in patients of Indian sub-continent origin admitted to a dementia day hospital in the United Kingdom. 2004 , 19, 1195-204	18
1040	Assessing fatigue in persons with cancer: an instrument development and testing study. 2004 , 101, 1685-95	37
1039	Depression and sex hormones in elderly women. 2004 , 39, 239-44	29
1038	Alzheimer's disease and acetylcholinesterase inhibitor agents: a two-year longitudinal study. 2004 , 38, 187-94	6
1037	Recovery from unilateral neglect after right-hemisphere stroke. 2004 , 26, 471-7	36
1036	Effects of chronic airway disease on health status of geriatric patients. 2004 , 16, 26-33	5
1035	Informal caregiver characteristics and subsequent hospitalization outcomes among recipients of care. 2004 , 16, 307-13	19
1034	Disability and 6-year mortality in elderly population. Role of visual impairment. 2004 , 16, 382-8	59

1033	Religion, spirituality, and health status in geriatric outpatients. 2004 , 2, 49-53	77
1032	Parkinson's Disease, Depression and Medication Adherence. 2004 , 42, 3-18	10
1031	The social and psychological impact of an older relative's hearing difficulties. 2004 , 9, 3-15	4
1030	Practice effect and test-retest reliability of attentional and executive tests in middle-aged to elderly subjects. 2004 , 18, 284-302	118
1029	Utilization of Formal Support Services Among Hispanic Americans Caring for Aging Parents. 2004 , 43, 5-23	14
1028	Cognitive therapy for depression: a comparison of individual psychotherapy and bibliotherapy for depressed older adults. 2004 , 28, 297-318	89
1027	Psychoactive Medications and Actigraphically Scored Sleep Quality in Frail Nursing Home Patients. 2004 , 5, 223-227	7
1026	[Health and functional status among elderly individuals living in nursing homes in Madrid]. 2004 , 18, 268-74	16
1025	High-intensity resistance training improves muscle strength, self-reported function, and disability in long-term stroke survivors. 2004 , 35, 1404-9	237
1024	Depresión en pacientes de edad avanzada. Dos enfoques: un centro sociosanitario y un programa de soporte domiciliario. 2004 , 39, 232-239	3
1023	Holocaust Experience and Suicidal Ideation in High-Risk Older Adults. 2004 , 12, 65-74	19
1022	Using the Minimum Data Set 2.0 Mood Disturbance Items as a Self-Report Screening Instrument for Depression in Nursing Home Residents. 2004 , 12, 43-49	14
1021	Recognition of facial expressions of emotion by patients with dementia of the Alzheimer type. 2004 , 18, 75-9	42
1020	Geriatric assessment in elderly patients with prostate cancer. 2004 , 2, 236-40	41
1019	Predictors of quality of life in older people living at home and in institutions. 2004 , 16, 212-20	88
1018	Longitudinal Support for the Relationship Between Vascular Risk Factors and Late-Life Depressive Symptoms. 2004 , 12, 93-101	24
1017	Recognizing and evaluating potential dementia in office settings. 2004 , 20, 1-14	3
1016	Factors affecting hypoglycemia awareness in insulin-treated type 2 diabetes: The Diabetes Outcomes in Veterans Study (DOVES). 2004 , 65, 61-7	18

1015	Do medical factors predict disability in older adults with persistent low back pain?. 2004 , 112, 214-20	35
1014	The relationship between pain and negative affect in older adults: anxiety as a predictor of pain. 2004 , 18, 733-44	68
1013	Age related changes in emotional memory. 2004 , 25, 1117-24	120
1012	Home-based exercise improves functional performance and quality of life in women with diastolic heart failure. 2004 , 33, 210-8	123
1011	Prevalence and predictors of depression at one year in a Swedish population-based cohort with first-ever stroke. 2004 , 13, 52-7	33
1010	Development of the Korean version of the Geriatric Depression Scale and its short form among elderly psychiatric patients. 2004 , 57, 297-305	355
1009	Geriatric rehabilitation. 2. Physiatric approach to the older adult. 2004 , 85, S7-11; quiz S27-30	6
1008	Geriatric rehabilitation. 4. Physical medicine and rehabilitation interventions for common age-related disorders and geriatric syndromes. 2004 , 85, S18-22; quiz S27-30	8
1007	Chronomic community screening reveals about 31% depression, elevated blood pressure and infradian vascular rhythm alteration. 2004 , 58 Suppl 1, S48-55	14
1006	Modification and psychometric examination of a self-report measure of fear in older adults. 2004 , 18, 397-409	39
1005	Age-related sleep change: Gender and estrogen effects on the subjective-objective sleep quality relationships of healthy, noncomplaining older men and women. 2004 , 56, 503-10	238
1004	Effects of religiosity on patients' perceptions of do-not-resuscitate status. 2004 , 45, 119-28	13
1003	Mapping distributed sources of cortical rhythms in mild Alzheimer's disease. A multicentric EEG study. 2004 , 22, 57-67	195
1002	Lack of efficacy of a nicotine transdermal treatment on motor and cognitive deficits in Parkinson's disease. 2004 , 28, 31-9	74
1001	Plasma amino acid concentrations in patients with amnesic mild cognitive impairment or Alzheimer disease. 2004 , 80, 483-8	32
1000	Colostrinin (a naturally occurring, proline-rich, polypeptide mixture) in the treatment of Alzheimer's disease. 2004 , 6, 17-26	87
999	Event-related potentials in young and elderly adults during a visual spatial working memory task. 2004 , 35, 185-92	8
998	The sensitivity of dual-task performance to cognitive status in aging. 2004 , 10, 230-8	23

997	Prevalence and cognitive performances of clinical dementia rating 0.5 and mild cognitive impairment in Japan. The Tajiri project. 2004 , 18, 3-10	55
996	Development of a Worry Questionnaire for Nursing Home Residents. 2004 , 23, 359-66	1
995	Dementia Deficits Scale. Rating self-awareness of deficits. 2004 , 18, 22-31	32
994	Effects of cardiac rehabilitation on the recovery outcomes of older adults after coronary artery bypass surgery. 2004 , 24, 236-44	26
993	Cortical networks generating movement-related EEG rhythms in Alzheimer's disease: an EEG coherence study. 2004 , 118, 698-706	20
992	Exploring the identification-production hypothesis of repetition priming in young and older adults. 2004 , 19, 108-24	24
991	Use of IQ-adjusted norms to predict progressive cognitive decline in highly intelligent older individuals. 2004 , 18, 38-49	65
990	A brief version of the geriatric depression scale for the chinese. 2004 , 16, 182-6	32
989	Contributions of weekly mean blood glucose values to hemoglobin A1c in insulin-treated type 2 diabetes: the Diabetes Outcomes in Veterans Study (DOVES). 2004 , 327, 319-23	16
988	Hippocampal volume change in depression: late- and early-onset illness compared. 2004 , 184, 488-95	139
987	Aging and Individual Variation in Interhemispheric Collaboration and Hemispheric Asymmetry. 2005 , 12, 316-339	15
986	Resistance training increases total daily energy expenditure in disabled older women with coronary heart disease. 2005 , 98, 1280-5	59
985	Usefulness of p300 in subjective memory complaints: a prospective study. 2005 , 22, 279-84	59
984	Concerned about client decision-making capacity? Considerations for practice. 2005 , 6, 50-5	6
983	The factor structure of a Chinese version of the Geriatric Depression Scale. 2005 , 35, 137-48	14
982	The Effects of Widowhood on Disabled Older Women (The Women's Health and Aging Study). 2005 , 50, 217-235	4
981	Pelvic floor surgery in the older woman: enhanced compared with usual preoperative assessment. 2005 , 105, 800-7	15
980	Appetite assessment: simple appetite questionnaire predicts weight loss in community-dwelling adults and nursing home residents. 2005 , 82, 1074-81	442

979	Geriatrics in the United States. 1923-1933	
978	Care staff training in detection of depression in residential homes for the elderly: randomised trial. 2005 , 186, 404-9	45
977	Biological age--a concept whose time has come: a preliminary study. 2005 , 98, 985-93	13
976	Assembling a toolkit to measure geriatric rehabilitation outcomes. 2005 , 84, 460-72	12
975	Screening for cognitive impairment and depression in ethnically diverse older populations. 2005 , 19, 275-8	24
974	Quetiapine for insomnia in Parkinson disease: results from an open-label trial. 2005 , 28, 185-7	70
973	Affective outcome following carbon monoxide poisoning: a prospective longitudinal study. 2005 , 18, 127-34	53
972	Depression, anxiety and quality of life scores in seniors after an endurance exercise program. 2005 , 27, 266-71	88
971	Hospital at home: feasibility and outcomes of a program to provide hospital-level care at home for acutely ill older patients. 2005 , 143, 798-808	230
970	Can Elderly Patients Who Have Had a Hip Fracture Perform Moderate- to High-Intensity Exercise at Home?. 2005 , 85, 727-739	85
969	A randomized, placebo-controlled trial on the effects of soy protein containing isoflavones on quality of life in postmenopausal women. 2005 , 12, 56-62	27
968	Effects of Telephone Intervention on Arthritis Self-Efficacy, Depression, Pain, and Fatigue in Older Adults with Arthritis. 2005 , 28, 67-73	44
967	Troubles psychiques des personnes âgées. 2005 , 2, 1-15	1
966	Affective facial and lexical expression in aprosodic versus aphasic stroke patients. 2005 , 11, 677-85	24
965	CME Self-Assessment Exam. 2005 , 84, 472	
964	The effects of physical activity and sedentary behavior on cognitive health in older adults. 2005 , 13, 294-313	71
963	Cortico-striatal contributions to category learning: dissociating the verbal and implicit systems. 2005 , 119, 1438-47	24
962	Symptoms of depression in older home-care patients: patient and informant reports. 2005 , 20, 507-18	12

961	Study of verbal working memory in patients with Parkinson's disease. 2005 , 19, 106-14	41
960	Evidence-based assessment of depression in adults. 2005 , 17, 267-77	114
959	Cardiovascular aging and psychometric performances: correlations in a group of ultraseptagenarian elderly. 2005 , 40, 1-5	4
958	Vitamin B12, folate, homocysteine and dementia: are they really related?. 2005 , 40, 139-46	33
957	Successful aging in centenarians: myths and reality. 2005 , 40, 241-51	103
956	Depression, activities of daily living, and quality of life of community-dwelling elderly in three Asian countries: Indonesia, Vietnam, and Japan. 2005 , 41, 271-80	90
955	Automatic detection of movement disorders using recordings of rapid alternating movements. 2005 , 146, 183-90	18
954	An exploratory study of depression among older African American users of an academic outpatient rehabilitation program. 2005 , 19, 3-9	11
953	The relationship between age and carotid artery intima-media thickness, hemoglobin A1c in nondiabetic, healthy geriatric population. 2005 , 41, 113-9	12
952	The relationship between smoking history and current functioning in disabled community-living older adults. 2005 , 29, 166-73	10
951	Depression in Long-Term Care.. 2005 , 12, 280-299	24
950	Psychosocial Treatment of Depression in Older Adults with Dementia.. 2005 , 12, 303-316	35
949	Assessment and Treatment of Depressed Older Adults in Primary Care.. 2005 , 12, 321-335	25
948	Improving mental health assessment and service planning practices for older adults: a controlled comparison study. 2005 , 7, 213-23	7
947	The influence of anxiety on the progression of disability. 2005 , 53, 34-9	111
946	Sex steroid level, androgen receptor polymorphism, and depressive symptoms in healthy elderly men. 2005 , 53, 636-42	64
945	Predictors of combined cognitive and physical decline. 2005 , 53, 1197-202	115
944	Haloperidol prophylaxis for elderly hip-surgery patients at risk for delirium: a randomized placebo-controlled study. 2005 , 53, 1658-66	502

943	Diabetes, hyperglycaemia and mortality in disabled older women: The Women's Health and Ageing Study I. 2005 , 22, 543-50	14
942	Intellect declines in healthy elderly subjects and cerebellum. 2005 , 59, 45-51	46
941	Factors associated with suicidal ideation in an elderly urban Japanese population: a community-based, cross-sectional study. 2005 , 59, 327-36	89
940	Anosognosia in Alzheimer's disease: association with patient characteristics, psychiatric symptoms and cognitive deficits. 2005 , 59, 697-704	91
939	Towards multidisciplinary assessment of older people: exploring the change process. 2005 , 14, 518-29	12
938	Depressive symptomatology among Turkish older adults with low incomes in a rural community sample. 2005 , 14, 1232-40	14
937	Screening and recruitment procedure of late-middle aged and older subjects: the ZENITH study. 2005 , 59 Suppl 2, S8-12	24
936	Cognitive function in healthy older European adults: the ZENITH study. 2005 , 59 Suppl 2, S26-30	17
935	Home-based comprehensive assessment of rural elderly persons: the CARE project. 2005 , 21, 322-8	7
934	From mild cognitive impairment to dementia: a prevalence study in a district of Tuscany, Italy. 2005 , 112, 65-71	59
933	Common mental disorders and use of general health services: a review of the literature on population-based studies. 2005 , 111, 341-50	43
932	Cognitive functioning in community dwelling older adults with chronic partial epilepsy. 2005 , 46, 298-303	65
931	Screening for nutritional risk in community-dwelling old-old. 2005 , 22, 138-46	35
930	Incidence and risk factors for developing fear of falling in older adults. 2005 , 22, 45-52	142
929	Exercise as a treatment for depression in elders. 2005 , 17, 60-6	22
928	A psychometric analysis of the Geriatric Hopelessness Scale (GHS): towards improving assessment of the construct. 2005 , 87, 211-20	18
927	Male elderly subthreshold depression patients have smaller volume of medial part of prefrontal cortex and precentral gyrus compared with age-matched normal subjects: a voxel-based morphometry. 2005 , 88, 313-20	89
926	Length of hospital stay and health services use of medical inpatients with comorbid noncognitive mental disorders: a review of the literature. 2005 , 27, 44-56	35

925	Benefits and challenges of research with the oldest old for participants and nurses. 2005 , 26, 21-8	7
924	Recognizing late-life depression: why is this important for nurses in the home setting?. 2005 , 26, 145-9	8
923	Emotional enhancement of perceptual priming is preserved in aging and early-stage Alzheimer's disease. 2005 , 43, 1824-37	35
922	[Design and validation of a questionnaire for the detection of major depression in elderly patients]. 2005 , 19, 103-12	4
921	Bright light treatment of depression for older adults [ISRCTN55452501]. 2005 , 5, 41	37
920	Bright green light treatment of depression for older adults [ISRCTN69400161]. 2005 , 5, 42	19
919	Cognitive-behavioral therapy for late-life generalized anxiety disorder: Who gets better?. 2005 , 36, 147-156	36
918	Prevalence and correlates of depression in Chinese oldest-old. 2005 , 20, 41-50	85
917	Validation of short screening tests for depression: comment on Goring et al. (2004). 2005 , 20, 289; author reply 289-90	1
916	Comorbidity of depression and anxiety in nursing home patients. 2005 , 20, 218-26	46
915	Depressive symptoms, chronic medical conditions and functional status: a comparison of urban and rural elders in Taiwan. 2005 , 20, 635-44	79
914	Prevalence of depression among elderly Chinese with diabetes. 2005 , 20, 570-5	35
913	The need for a consensus in the use of assessment tools for Alzheimer's disease: the Feasibility Study (assessment tools for dementia in Alzheimer Centres across Europe), a European Alzheimer's Disease Consortium's (EADC) survey. 2005 , 20, 744-8	27
912	Development and initial validation of a 15-item informant version of the Geriatric Depression Scale. 2005 , 20, 911-8	92
911	Depression is the predominant factor contributing to morale as measured by the Philadelphia Geriatric Morale Scale in elderly Chinese aged 70 years and over. 2005 , 20, 1052-9	16
910	Diagnostic accuracy of the original 30-item and shortened versions of the Geriatric Depression Scale in nursing home patients. 2005 , 20, 1067-74	99
909	Gender differences in the contributions of risk factors to depressive symptoms among the elderly persons dwelling in a community, Japan. 2005 , 20, 1084-9	22
908	Behavioural and psychological signs and symptoms of dementia across cultures: current status and the future. 2005 , 20, 1187-95	28

907	Analyzing reliability of change in depression among persons with rheumatoid arthritis. 2005 , 53, 973-8	2
906	Longitudinal study of negative workplace events among employed rheumatoid arthritis patients and healthy controls. 2005 , 53, 958-64	13
905	Sydney Multicenter Study of Parkinson's disease: non-L-dopa-responsive problems dominate at 15 years. 2005 , 20, 190-9	799
904	Evaluation of acupuncture in the treatment of Parkinson's disease: a double-blind pilot study. 2005 , 20, 1185-8	82
903	Absence of previously reported variants in the SCNA (G88C and G209A), NR4A2 (T291D and T245G) and the DJ-1 (T497C) genes in familial Parkinson's disease from the GenePD study. 2005 , 20, 1188-91	13
902	Suboptimal medication adherence in Parkinson's disease. 2005 , 20, 1502-7	155
901	The development and initial validation of the Terminally Ill Grief or Depression Scale (TIGDS). 2005 , 14, 202-12	21
900	Die Verhandlungsfähigkeit des alten (multimorbiden) Patienten. 2005 , 15, 143-147	5
899	Depression and bone mineral density: is there a relationship in elderly Asian men? Results from Mr. Os (Hong Kong). 2005 , 16, 610-5	78
898	Quality of life in patients with osteoporosis. 2005 , 16, 447-55	249
897	The abbreviated comprehensive geriatric assessment (aCGA): a retrospective analysis. 2005 , 54, 129-36	107
896	Treatment of pain in older patients. 2005 , 54, 157-64	19
895	[The emotional sensitivity of elderly people--validation of the Profile of Mood States for people over 60 years]. 2005 , 38, 431-40	4
894	Clinical characteristics of elderly patients with a cautious gait of unknown origin. 2005 , 252, 300-6	85
893	Psychotic symptoms in Parkinson's disease. From description to etiology. 2005 , 252, 753-64	96
892	Ketenzorg rond de vallende oudere: de valpolikliniek in Zeeuws-Vlaanderen. 2005 , 36, 186-193	
891	Erectile dysfunction in the aging male. 2005 , 2, 13-16	
890	Implementing a screening and diagnosis program for dementia in primary care. 2005 , 20, 572-577	255

889	Depressive symptoms among older adults: long-term reduction after a physical activity intervention. 2005 , 28, 385-94	84
888	Emotional responses to APO E genotype disclosure for Alzheimer disease. 2005 , 14, 141-50	19
887	Depressed mood and social support as predictors of quality of life in women receiving home health care. 2005 , 14, 1925-9	18
886	Measuring depression in nursing home residents with the MDS and GDS: an observational psychometric study. 2005 , 5, 1	83
885	A descriptive study of older adults with persistent pain: use and perceived effectiveness of pain management strategies [ISRCTN11899548]. 2005 , 5, 12	24
884	Protocol for Project FACT: a randomised controlled trial on the effect of a walking program and vitamin B supplementation on the rate of cognitive decline and psychosocial wellbeing in older adults with mild cognitive impairment [ISRCTN19227688]. 2005 , 5, 18	14
883	Depression. 2005 , 245-251	4
882	How is the diagnosis of asthma in older people established in clinical practice?. 2005 , 183, S44-6	
881	Role of Neuropsychiatric Assessment in Diagnosis and Research. 2005 , 163-183	
880	Psychosocial correlates of nutritional risk in older adults. 2005 , 66, 95-7	20
879	Sex differences in delta and alpha EEG activities in healthy older adults. 2005 , 28, 1525-34	64
878	[Validation of geriatric depression scale in a general outpatient clinic]. 2005 , 39, 918-23	163
877	Non-biased lineup instructions do matter â a problem for older witnesses. 2005 , 11, 147-159	21
876	A randomized, controlled study of an Alzheimer's caregiver skills training program. 2005 , 20, 204-10	17
875	STAR: a dementia-specific training program for staff in assisted living residences. 2005 , 45, 686-93	105
874	Signs of Silent Suicide Among Depressed Hospitalized Geriatric Patients. 2005 , 11, 290-292	2
873	Do Alzheimer's disease patients want to participate in a treatment decision, and would their caregivers let them?. 2005 , 45, 381-8	85
872	fMRI evidence of compensatory mechanisms in older adults at genetic risk for Alzheimer disease. 2005 , 64, 501-8	314

871	Late-Life Depression: People Aged 65+ Account for Relatively High Number of Suicide Deaths. 2005 , 138, 31-36	1
870	A randomized controlled trial of high versus low intensity weight training versus general practitioner care for clinical depression in older adults. 2005 , 60, 768-76	280
869	The prevalence of undiagnosed geriatric health conditions among adult protective service clients. 2005 , 45, 820-3	15
868	Exploring the relationship between marital status and women's retirement satisfaction. 2005 , 61, 37-55	28
867	Neuropsychological differences between late-onset and recurrent geriatric major depression. 2005 , 162, 691-8	144
866	An approach to the management of unintentional weight loss in elderly people. 2005 , 172, 773-80	167
865	Change in self-rated health and mortality among community-dwelling disabled older women. 2005 , 45, 216-21	60
864	Increase in interleukin-1beta in late-life depression. 2005 , 162, 175-7	245
863	Functional neuroanatomy of successful paired associate learning in Alzheimer's disease. 2005 , 162, 2049-60	55
862	Treatment of Depressive Symptoms in a Chinese Female Dementia Caregiver. 2005 , 28, 81-85	1
861	Factors associated with self- and caregiver report of pain among community-dwelling persons with dementia. 2005 , 8, 567-75	19
860	Factors influencing susceptibility to compulsive dopaminergic drug use in Parkinson disease. 2005 , 65, 1570-4	209
859	Determinants of quality of life in stroke survivors and their informal caregivers. 2005 , 36, 803-8	236
858	Home-based video CBT for comorbid geriatric insomnia: a pilot study using secondary data analyses. 2005 , 3, 158-75	36
857	Aiding the Performance of Older Eyewitnesses: Enhanced Non-Biased Line-Up Instructions and Line-Up Presentation. 2005 , 12, 129-140	19
856	Atypical Parkinsonian Disorders. 2005 ,	10
855	Relationship between impulsive sensation seeking traits, smoking, alcohol and caffeine intake, and Parkinson's disease. 2006 , 77, 317-21	134
854	Are preoperative depressive symptoms associated with postoperative delirium in geriatric surgical patients?. 2005 , 60, 1563-8	87

853	Improving resident outcomes with GAPN organization level interventions. 2005 , 27, 322-37	35
852	Social determinants of frailty. 2005 , 51, 402-8	177
851	Measuring a Dimension of Spirituality for Health Research: Validity of the Spirituality Index of Well-Being. 2005 , 27, 556-577	62
850	Integrating health and social care: implications for joint working and community care outcomes for older people. 2005 , 19, 22-34	40
849	Predictors of use of services among dementia caregivers. 2005 , 27, 126-40; discussion 141-7	71
848	Comparing the Geriatric Depression Scale, Minimum Data Set, and Primary Care Provider Diagnosis for Depression in Rural Nursing Home Residents. 2005 , 11, 269-275	12
847	Depression is associated with impairment of ADL, not motor function in Parkinson disease. 2005 , 64, 2134-5	70
846	Clinical predictions and decisions to perform cardiac surgery on high-risk patients. 2005 , 9, 179-86	4
845	Peripheral electrical stimulation in Alzheimer's disease. 2005 , 19, 361-8	4
844	Changing patient characteristics and survival experience in an Alzheimer's center patient cohort. 2005 , 20, 198-208	43
843	Visual search in patients with subcortical vascular dementia: short fixations but long reaction times. 2005 , 20, 375-80	13
842	Effects of Religious Orientation and Gender on Cardiovascular Reactivity Among Older Adults. 2005 , 27, 221-240	10
841	Longitudinal study on the relationship between symptomatology of dementia and levels of subjective burden and depression among family caregivers in memory clinic patients. 2005 , 18, 119-28	76
840	Testing a middle-range theoretical model of adaptation to chronic pain. 2005 , 18, 146-56	14
839	Effect of an enriched drink on cognitive function in frail elderly persons. 2005 , 60, 265-70	30
838	Effect of presentation modality on immediate and delayed recall in individuals with Alzheimer's disease. 2005 , 14, 144-55	16
837	Florida Cognitive Activities Scale: initial development and validation. 2005 , 11, 108-16	54
836	Risk factors for falls in older disabled women with diabetes: the women's health and aging study. 2005 , 60, 1539-45	143

835	Cerebrovascular disease and executive dysfunction in geriatric depression. 2005 , 60, 1606	0
834	Stress proliferation in caregivers: The relationships between caregiving stressors and deterioration in family relationships. 2005 , 20, 207-221	22
833	Is it possible to predict one-year survival in centenarians? A neural network study. 2005 , 51, 199-205	5
832	Utilidad de la estaci3n unipodal en la valoraci3n del riesgo de ca3das. 2005 , 40, 18-23	3
831	Evaluaci3n del riesgo de ca3das. Protocolos de valoraci3n cl3nica. 2005 , 40, 54-63	12
830	Depressive mood is independently related to stroke and cardiovascular events in a community. 2005 , 59 Suppl 1, S31-9	12
829	[The handling of anti-cancer drugs in elderly patients]. 2005 , 34, 673-80	0
828	Auditory brain-stem, middle- and long-latency evoked potentials in mild cognitive impairment. 2005 , 116, 1918-29	56
827	Validation d'une nouvelle 3preuve projective pour les personnes 3g3es : le SHiPA. 2005 , 50, 403-418	2
826	Del envejecimiento al deterioro funcional. 2005 , 12, 434-444	
825	Inhibitory control of saccadic eye movements and cognitive impairment in Alzheimer's disease. 2005 , 57, 1052-60	126
824	How Do Patients With Alzheimer Disease Rate Their Overall Quality of Life?. 2005 , 13, 484-490	27
823	Prevalence of Depression and Its Correlates in Hong Kong's Chinese Older Adults. 2005 , 13, 409-416	108
822	Echelles d'3valuation de la d3pression en consultation g3rontologique. 2005 , 5, 44-51	1
821	Cognitive Status, Depressive Symptoms, and Health Status as Predictors of Functional Disability Among Elderly Persons With Low-to-Moderate Education: The Faenza Community Aging Study. 2005 , 13, 672-685	10
820	Assessing Mental Health and Its Association With Income and Resource Utilization in Old-Old Chinese in Hong Kong. 2005 , 13, 236-243	5
819	Transition through the continuum of care in a continuing care retirement community: can a functional rating scale be a decision-making tool?. 2005 , 6, 205-8	6
818	Effects of Acute Tryptophan Depletion on Mood and Cognitive Functioning in Older Recovered Depressed Subjects. 2005 , 13, 607-615	19

817	Assessment instruments. 2005 , 21, 121-46, ix	5
816	Adherence to Antidepressant Medications in Black and Latino Elderly Patients. 2005 , 13, 572-580	48
815	Assessing dysfunctional behaviors in long-term care. 2005 , 6, 300-9	5
814	Would Caregivers of Alzheimer Disease Patients Involve Their Relative in a Decision to Use an AD-Slowing Medication?. 2005 , 13, 1014-1021	14
813	Caregiver Self-Efficacy, Ethnicity, and Kinship Differences in Dementia Caregivers. 2005 , 13, 787-794	42
812	Correlates of Anxiety Symptoms in Physically Disabled Older Women. 2005 , 13, 15-22	15
811	Does the Geriatric Depression Scale (GDS) Distinguish Between Older Adults With High Versus Low Levels of Suicidal Ideation?. 2005 , 13, 876-883	28
810	Activation de pensées automatiques négatives spécifiques vers 60 ans chez des sujets d'primé âgés de 20 ^ 99 ans. 2005 , 15, 61-68	7
809	Fear of falling and depressive symptoms in Chinese elderly living in nursing homes: fall efficacy and activity level as mediator or moderator?. 2005 , 9, 255-61	33
808	GRAND ROUNDS: an atypical progressive dementia in a male carrier of the fragile X premutation: an example of fragile X-associated tremor/ataxia syndrome. 2005 , 12, 169-78	24
807	Motor and functional recovery in patients with post-stroke depression. 2005 , 27, 170-5	59
806	Mental health for older adults and benzodiazepine use. 2005 , 22, 213-29	17
805	General characteristics, clinical features and related factors of osteoporosis in a group of elderly Turkish men. 2005 , 17, 108-15	8
804	Effects of aging on sensation of dyspnea and health-related quality of life in elderly asthmatics. 2005 , 17, 287-92	21
803	The Geriatric Multidimensional Pain and Illness Inventory. 2005 , 28, 45-61	8
802	Acculturation and manifestation of depressive symptoms among Korean-American older adults. 2005 , 9, 500-7	88
801	Impact of anemia and cardiovascular disease on frailty status of community-dwelling older women: the Women's Health and Aging Studies I and II. 2005 , 60, 729-35	181
800	Evaluating Social Integration and Psychological Outcomes for Older Adults Enrolled at a University Intergenerational Program. 2005 , 3, 65-81	12

799	Hospitalization and development of dependence in activities of daily living in a cohort of disabled older women: the Women's Health and Aging Study I. 2005 , 60, 888-93	83
798	Evaluation of a Partial Hospitalization Mental Health Program for Older Adults. 2005 , 28, 27-44	11
797	Patient perception and provider assessment of severity of heart failure as predictors of hospitalization. 2005 , 34, 89-98	15
796	Alpha rhythms in mild dementias during visual delayed choice reaction time tasks: a MEG study. 2005 , 65, 457-70	34
795	A 2-item screen for depression in rehabilitation inpatients. 2005 , 86, 469-72	8
794	Unilateral spatial neglect: relation to rehabilitation outcomes in patients with right hemisphere stroke. 2005 , 86, 763-7	136
793	Geriatric depression, medical diagnosis, and functional recovery during acute rehabilitation. 2005 , 86, 2256-60	33
792	Timed up and go test predicts mortality in older adults in Peru: a population-based cohort study.. 2022 , 22, 61	1
791	Comprehensive geriatric assessment.. 2022 , 172, 122	0
790	Non-Pharmacological Interventions for Wandering/Aberrant Motor Behaviour in Patients with Dementia.. 2022 , 12,	0
789	Effects of a nurse-led multicomponent intervention for frail older adults living alone in a community: a quasi-experimental study.. 2022 , 21, 20	0
788	White matter lesion load is associated with lower within- and greater between- network connectivity across older age.. 2022 , 112, 170-180	2
787	Sex differences in cognitive resilience in preclinical autosomal-dominant Alzheimer's disease carriers and non-carriers: Baseline findings from the API ADAD Colombia Trial.. 2022 ,	2
786	The association between appetite loss, frailty, and psychosocial factors in community-dwelling older adults.. 2022 , 47, 194-198	1
785	Cognitive function, daily function and physical and mental health in older adults: A comparison of venue and home-visit community surveys in Metropolitan Tokyo.. 2021 , 100, 104617	0
784	Cross-Sectional Associations of Sarcopenia and Its Components with Neuropsychological Performance among Memory Clinic Patients with Mild Cognitive Impairment and Alzheimer's Disease.. 2022 , 11, 182-189	
783	Cross-cultural adaptation and validation of the 15-item Geriatric Depression Scale (GDS-15) into Igbo language: a validation study.. 2022 , 20, 22	2
782	Dietary Patterns and Intrinsic Capacity in Community-Dwelling Older Adults: A Cross-Sectional Study.. 2022 , 26, 174-182	1

781	Autonomic and Depression Symptoms in Parkinson's Disease: Clinical Evidence for Overlapping Physiology.. 2022 ,	0
780	Orthostatic intolerance: a frailty marker for older adults.. 2022 , 1	0
779	Associations between sedentary behaviour patterns and depression among people aged 60 and older in Hebei Province of China.. 2022 , 22, 283	1
778	Depression in hospitalized older adults with chronic illness from a hilly Indian state.. 2022 ,	
777	Understanding associative false memories in aging using multivariate analyses.. 2022 , 1-26	1
776	The experience of European hospital-based health care workers on following infection prevention and control procedures and their wellbeing during the first wave of the COVID-19 pandemic.. 2022 , 17, e0245182	2
775	Participation Predicts Cognitive Functioning in Older Adults Using the PART-O Transformed Scores Systems.. 2022 , 7334648211057096	
774	Feasibility and preliminary efficacy of the LEAD trial: a cluster randomized controlled lifestyle intervention to improve hippocampal volume in older adults at-risk for dementia.. 2022 , 8, 37	0
773	Psychological Effects of Social Isolation During the COVID-19 Pandemic 2020.	0
772	An update on cognitive frailty: Its definition, impact, associated factors and underlying mechanisms, and interventions. 2021 ,	5
771	Prevalent, persistent, and impairing: Longitudinal course and impact of apathy in Alzheimer's disease.. 2021 , 13, e12169	1
770	Loneliness, Depression and Cognition in Older Adults: A Comparative Study of a Rural Municipality. 2022 , 225-232	
769	Analysis of neuropathological comorbid conditions in elderly patients with mild cognitive impairment in a tertiary care center in South India.. 2022 , 11, 1268-1274	
768	Antibody response with SARS-CoV-2 inactivated vaccine (CoronaVac) in Turkish geriatric population.. 2022 , 51,	0
767	A Forced Choice Performance Validity Test for the Repeatable Battery for the Assessment of Neuropsychological Status.. 2022 ,	0
766	Assessment of psychiatric disorders in consultation-liaison setting. 2022 , 64, 211	
765	Reduced cortical cholinergic innervation measured using [F]-FEOBV PET imaging correlates with cognitive decline in mild cognitive impairment.. 2022 , 34, 102992	1
764	Health-Related Quality of Life and Associated Factors: Regional Differences Among Oldest-Old in Brazil.. 2022 , 59, 469580221086922	0

763	Alzheimer's Disease Assessments Optimized for Diagnostic Accuracy and Administration Time.. 2022 , 10, 4900809	1
762	Gender Differences in Perceived Stress and Its Relationship to Telomere Length in Costa Rican Adults.. 2022 , 13, 712660	
761	Neuropsychological assessment in the multicultural memory clinic: Development and feasibility of the TULIPA battery.. 2022 , 1-21	1
760	A simple counting of verbal fluency errors discriminates between normal cognition, mild cognitive impairment and Alzheimer's disease.. 2022 , 1-18	0
759	Racial/ethnic disparities in initiation and persistent use of anti-dementia medications.. 2022 ,	
758	Reduced Inter-Voxel White Matter Integrity in Subjective Cognitive Decline: Diffusion Tensor Imaging With Tract-Based Spatial Statistics Analysis.. 2022 , 14, 810998	
757	Late-life depression. 2022 , 892-903	
756	Frailty and functional dependence in older population: lessons from the FREEDOM Limousin - Nouvelle Aquitaine Cohort Study.. 2022 , 22, 128	0
755	Oral health and its association with self-rated health in Colombian community-dwelling older adults.	
754	Translation of a Successful Behavioral Intervention to a Digital Therapeutic Self-Management System for Older Adults. 106480462110664	1
753	Evaluating the Color Preferences for Elderly Depression in the United Arab Emirates. 2022 , 12, 234	2
752	Depression and Dementia: The Role of Cortisol and Vascular Brain Lesions. AGES-Reykjavik Study.. 2021 ,	0
751	Prospective Associations of Tea Consumption With Risk of Cognitive Decline in the Elderly: A 1-Year Follow-Up Study in China.. 2022 , 9, 752833	1
750	Comprehensive geriatric assessment as a useful tool in predicting adverse events in elderly patients with diffuse large B-cell lymphoma.. 2022 , 12, 3124	0
749	Rehabilitation. 2022 , 1249-1264	
748	Efficacy of B-vitamins and vitamin D therapy in improving depressive and anxiety disorders: a systematic review of randomized controlled trials.. 2022 , 1-21	1
747	Telling functional networks apart using ranked network features stability.. 2022 , 12, 2562	
746	Association between amyloid-beta deposition and cortical thickness in dementia with Lewy bodies.. 2022 , 48674221081773	

- 745 Repetitive Transcranial Magnetic Stimulation as a Treatment for Veterans with Cognitive Impairment and Multiple Comorbidities.. **2021**, 1
- 744 Time perspective and amnesic mild cognitive impairment.. **2022**,
- 743 Estradiol treatment in young postmenopausal women with self-reported cognitive complaints: Effects on cholinergic-mediated cognitive performance.. **2022**, e2838 0
- 742 Substance Use-Related Cognitive Decline in Families with Autosomal Dominant Alzheimer's Disease: A Cohort Study.. **2021**, 1
- 741 When More is Less: Evaluating Multiple Versions of the Geriatric Depression Scale.. **2022**, 1-5 0
- 740 Identification of Geriatric Depression and Anxiety Using Activity Tracking Data and Minimal Geriatric Assessment Scales. **2022**, 12, 2488
- 739 Frequency and Risk Factors of Re-hospitalization in Geriatric Inpatient Wards: A Multicenter Retrospective Analysis.. **2022**, 1-13
- 738 Descripción y aplicación clínica de las escalas de valoración geriátrica integral: una revisión sistemática rápida de revisiones. **2022**,
- 737 Effects of Animal-Assisted Therapy (AAT) in Alzheimer's Disease: A Case Study.. **2022**, 10,
- 736 Health-related quality of life among older adults who experienced the Pohang earthquake in South Korea: A cross-sectional survey.. **2022**, 20, 37 0
- 735 Cognition and Cognitive Reserve in Cochlear Implant Recipients.. **2022**, 14, 838214 2
- 734 The Prevalence of Amnesic and Non-Amnesic Mild Cognitive Impairment and Its Association with Different Lifestyle Factors in a South Italian Elderly Population.. **2022**, 19, 1
- 733 Validation of the Spanish version of the Memory Failures of Everyday questionnaire in older adults using Rasch analysis.. **2022**, 1
- 732 Combating sarcopenia in geriatric rehabilitation patients: study protocol of the EMPOWER-GR observational cohort, sarcopenia awareness survey and randomised controlled feasibility trial.. **2022**, 12, e054950 0
- 731 Physical Activity Self-Report Is Not Reliable Among Subjects with Mild Vascular Cognitive Impairment: The AFIVASC Study.. **2022**,
- 730 Eye-gaze Strategies During Facial Emotion Recognition in Neurodegenerative Diseases and Links With Neuropsychiatric Disorders.. **2022**, 35, 14-31 0
- 729 Prevalence of Behavioral and Psychological Symptoms in Patients With Cognitive Decline Before and During the COVID-19 Pandemic.. **2022**, 13, 839683 0
- 728 Inferring excitation-inhibition dynamics using a maximum entropy model unifying brain structure and function. 1-25 0

727	Application of Muscle Thickness and Quality Measured by Ultrasound in Frailty Assessment in China.. 2022 , 9, 859555	
726	Public assistance program and depressive symptoms of the recipient: a cross-sectional Japan Gerontological Evaluation Study.. 2022 , 22, 177	0
725	Set Size of Information in Long-Term Memory Similarly Modulates Retrieval Dynamics in Young and Older Adults.. 2022 , 13, 817929	
724	Neurocognitive aging data release with behavioral, structural and multi-echo functional MRI measures.. 2022 , 9, 119	3
723	Unconditional cash transfers for reducing poverty and vulnerabilities: effect on use of health services and health outcomes in low- and middle-income countries.. 2022 , 3, CD011135	1
722	Healthy Aging Brain Care Monitor, Caregiver Version: Screening for Post-Intensive Care Syndrome.. 2022 , 31, 137-144	1
721	Factors Contributing to Persistent Frequent Attendance in Primary Care Among the Oldest Old: Longitudinal Evidence From the AgeCoDe-AgeQualiDe Study.. 2022 , 9, 815419	
720	Occupational Therapy Practice Guidelines for Adults With Chronic Conditions.. 2022 , 76,	1
719	The Association between Cognitive Reserve and Depressive Mood in Older Inpatients: Gender and Age Differences.. 2022 , 1-10	0
718	Functional Cognitive Disorder Presents High Frequency and Distinct Clinical Profile in Patients With Low Education.. 2022 , 14, 789190	
717	Differential Diagnosis of MCI, Dementia and DepressionâA Comparison of Different Cognitive Profiles. 2022 , 4, 187-199	
716	Depression in nursing home residents and its correlation with meaning of family involvement and depression of family.. 2022 , 1-9	0
715	Comparison of cognitive function in older adults with type 1 diabetes, type 2 diabetes, and no diabetes: results from the Study of Longevity in Diabetes (SOLID).. 2022 , 10,	0
714	Lower novelty-related locus coeruleus function is associated with AÎ-related cognitive decline in clinically healthy individuals.. 2022 , 13, 1571	1
713	Normative cognitive scores in western India, stratified by age, rurality, cognitive domains, and psychiatric comorbidity.	
712	Evaluation of the Comprehensive Geriatric Assessment (CGA) tool as a predictor of postoperative complications following major oncological abdominal surgery in geriatric patients.. 2022 , 17, e0264790	0
711	Lower Education and Reading and Writing Habits Are Associated With Poorer Oral Discourse Production in Typical Adults and Older Adults.. 2022 , 13, 740337	0
710	The Association Between Discrimination and Falling. A National Sample of Older Adults.. 2022 , 8982643211052364	

- 709 Pain in older adults: a brief clinical guide. **2022**, 419-431
- 708 Effects of Social Interaction and Depression on Homeboundness in Community-Dwelling Older Adults Living Alone.. **2022**, 19, 0
- 707 The role of comprehensive geriatric assessment in predicting fall risk.. **2022**, 1
- 706 Making Europe health literate: including older adults in sparsely populated Arctic areas.. **2022**, 22, 511 0
- 705 Different MMSE domains are associated to cognitive decline and education.. **2022**, 1-7 0
- 704 Association Between Inflammation and Appetite in Healthy Community-Dwelling Older Adults: An enable Study. **2022**, 3, 1
- 703 Detecting depression in persons living in long-term care: a systematic review and meta-analysis of diagnostic test accuracy studies.. **2022**, 51, 1
- 702 Memory decline in older individuals predicts an objective indicator of oral health: findings from the Sydney Memory and Ageing Study.. **2022**, 22, 93 0
- 701 Sustained Long-term Improvement in Neuropsychiatric Symptoms of an Individual With Initial bvFTD Diagnosis: A Case Report.. **2022**, 35, 76-82
- 700 How Does Driving Anxiety Relate to the Health and Quality of Life of Older Drivers?. **2022**, 7334648211072540
- 699 Subjective cognitive decline predicts lower cingulo-opercular network functional connectivity in individuals with lower neurite density in the forceps minor.
- 698 Association Between Copper and Global Cognition and the Moderating Effect of Iron.. **2022**, 14, 811117 0
- 697 Developing neuropalliative care for sporadic Creutzfeldt-Jakob Disease.. **2022**, 16, 23-39 2
- 696 impaired bed mobility in prediagnostic and de novo Parkinson's disease.
- 695 Using Virtual Reality to Improve the Quality of Life of Older Adults with Cognitive Impairments and their Family Members who Live at a Distance.. **2022**, 1-12 3
- 694 Temporal pole volume is associated with episodic autobiographical memory in healthy older adults.. **2022**, 1
- 693 Pain Management and Risks Associated With Substance Use: Practice Recommendations.. **2021**, 0
- 692 Development of a Comprehensive Battery to Collect Social and Structural Determinants of Health (SSDOH) in Cognitively Normal or Very Mildly Impaired Persons.. **2022**, 0

691	Intra-individual variability identifies individuals vulnerable to contextually induced executive lapses.. 2022 , 1-28	1
690	Sample size and precision of estimates in studies of depression screening tool accuracy: A meta-research review of studies published in 2018-2021.. 2022 , e1910	0
689	Prehabilitation for Older Adults Undergoing Liver Resection: Getting Patients and Surgeons Up to Speed.. 2022 ,	1
688	Guidelines for Diagnosis and Treatment of Depression in Older Adults: a Report from the Japanese Society of Mood Disorders.. 2022 ,	1
687	Neural sensitivity to semantic neighbors is stable across the adult lifespan.. 2022 , 108237	0
686	Can mild cognitive impairment with depression be improved merely by exercises of recall memories accompanying everyday conversation? A longitudinal study 2016-2019.	
685	An Increased Aspartate to Alanine Aminotransferase Ratio Is Associated With a Higher Risk of Cognitive Impairment.. 2022 , 9, 780174	0
684	Cardiovascular disease patients and predictors of length of stay of residential of cardiac rehabilitation. A specific rehabilitation is mandatory in very old patients?. 2022 ,	
683	Lower Blood Vitamin D Levels Are Associated with Depressive Symptoms in a Population of Older Adults in Kuwait: A Cross-Sectional Study.. 2022 , 14,	0
682	Mortality and Epidemiological Changes in Proximal Hip Fractures in the Course of a Pandemic.. 2022 , 11,	
681	Development and psychometric evaluation of a questionnaire for assessing self-management behaviors in stroke survivors.. 2022 , 31, 106389	1
680	Does social support predict increased use of dental services in older men?. 2022 ,	
679	Predictive validity of the Cornell Scale for depression in dementia among older adults with and without dementia: A systematic review and meta-analysis.. 2022 , 310, 114445	0
678	Depressive symptoms predict memory decline in Essential Tremor.. 2022 , 98, 16-20	
677	Neutrophil to lymphocyte ratio is a transdiagnostic biomarker of depression and structural and functional brain alterations in older adults.. 2022 , 365, 577831	0
676	Prevalence of depression in older adults: A systematic review and meta-analysis.. 2022 , 311, 114511	5
675	Types of exercise and training duration on depressive symptoms among older adults in long-term care facilities.. 2022 , 77, 101613	1
674	More flexible brain activation underlies cognitive reserve in older adults.. 2022 , 113, 63-72	

673 Longitudinal analysis of aging in place at TigerPlace: Resident function and well-being.. **2022**, 45, 47-54

672 RCT of the effectiveness of stepped-care sleep therapy in general practice: The RESTING study protocol.. **2022**, 106749 ○

671 Brain health correlates of mobility-related confidence.. **2022**, 163, 111776 ○

670 Sentence processing in mild cognitive impairment. **2022**, 63, 101070

669 Module 5: Skills for Brain Health: Healthy Cognitive Aging. **2021**, 181-200

668 Module 3: Skills for Doing: Values-Based Living and Solving Problems. **2021**, 127-144

667 Psychotherapy Modifications with Aging Clients. **2021**, 75-88

666 Module 9: Skills for Living with Loss: Bereavement and Grief. **2021**, 255-272

665 Module 11: Skills for Wrapping Up: Finishing Treatment. **2021**, 167-178

664 Cognitive-Behavioral Therapies 101. **2021**, 59-74

663 Depression and Age-Related Issues. **2021**, 17-34

662 Treating Later-Life Depression. **2021**, ○

661 Module 2: Skills for Feeling: Recognizing and Managing Strong Emotions. **2021**, 109-126

660 How to Use This Treatment Approach. **2021**, 3-16

659 Assessment with Aging Individuals. **2021**, 35-58

658 Module 8: Skills for Caregiving: Reducing Stress While Helping Others. **2021**, 231-254 1

657 Module 10: Skills for Relating: Getting Along and Communicating Your Needs. **2021**, 273-290

656 Module 6: Skills for Managing Chronic Pain: Improving Daily Life. **2021**, 201-214

655 Module 7: Skills for Healthy Sleep: Resting Better and Longer. **2021**, 215-230

654 Module 1: Skills for Getting Started: Planning Your Treatment. **2021**, 91-108

653 Module 4: Skills for Thinking: Self-Compassion and Helpful Thoughts. **2021**, 145-166

652 Creative dance associated with traditional Portuguese singing as a strategy for active aging: a comparative cross-sectional study.. **2022**, 21, 2334

651 Risk factors for depression in older adults in Bogotá-Colombia. **2021**, 26, 109

650 The Impact of Robotic Companion Pets on Depression and Loneliness for Older Adults with Dementia During the COVID-19 Pandemic. **2021**, 8980101211064605 3

649 Dementia-Free Older Adults with Subjective Cognitive Impairment Show Lower Mood and No Deficits of Spontaneous Memory Retrieval.. **2021**, 914150211066561 1

648 A Randomized Clinical Trial of the Effect of Zinc Supplement on Depression and Anxiety in the Elderly. **2021**, 14, 537-544 0

647 Can Changes in Social Contact (Frequency, Mode) Mitigate Low Mood Before and During the COVID-19 pandemic? I-CONNECT Project. **2021**, 1

646 Autobiographical Memory, Gratitude, Forgiveness and Sense of Humor: An Intervention in Older Adults.. **2021**, 12, 731319 0

645 Effects of Ai-Chi Practice on Balance and Left Cerebellar Activation during High Working Memory Load Task in Older People: A Controlled Pilot Trial. **2021**, 18, 0

644 Predictors of Future Walking Speed: A 12-Month Monitoring Program. **2021**, 914150211066566 0

643 The Relationship between Gut Microbiome and Cognition in Older Australians.. **2021**, 14, 0

642 Adapting Cognitive Behavioral Therapy for Older Adults with Anxiety Disorders and Depression. **2021**, 599-619

641 Effectiveness and Safety of the Korean Medicine Senior Health Promotion Program Using Herbal Medicine and Acupuncture for Mild Cognitive Impairment: A Retrospective Study of 500 Patients in Seoul, Korea.. **2021**, 2021, 8820705

640 Specialist Applications of Cognitive Behavioral Therapy for Anxiety Disorders and Depression. **2021**, 505-640

639 Effect of Preoperative Chronic Opioid Use on Mortality and Morbidity in Vascular Surgical Patients.. **2021**, 13, e20484

638 Sarcopenia and coronary heart disease synergistically increase the risk of new onset depressive symptoms in older adults.. **2021**, 21, 731 1

- 637 Hearing aid use and gender differences in the auditory-cognitive cascade in the oldest old.. **2021**, 1-9 0
- 636 The Difficult Task of Diagnosing Depression in Elderly People with Cancer: A Systematic Review.. **2021**, 17, 295-306 0
- 635 Comparison of Computerised and Pencil-and-Paper Neuropsychological Assessments in Older Culturally and Linguistically Diverse Australians. **2021**, 1-14 0
- 634 Relationships of social support and attitudes towards death: A mediator role of depression in older patients on haemodialysis. **2021**, 1 1
- 633 Prevalence, Influencing Factors, and Cognitive Characteristics of Depressive Symptoms in Elderly Patients with Schizophrenia.. **2021**, 17, 3645-3654 0
- 632 Impacts of biophilic design on the development of gerotranscendence and the Profile of Mood States during the COVID-19 pandemic. 1-25 2
- 631 Higher prevalence of geriatric depression, catastrophizing pain and sleep disorders in institutionalized elders: a cross-sectional study in Galle District, Sri Lanka. **2021**, 21, 685 0
- 630 Trajectory and Correlation of Intrinsic Capacity and Frailty in a Beijing Elderly Community.. **2021**, 8, 751586 1
- 629 Reduction of Potentially Inappropriate Medication in the ElderlyâResults of a Cluster- Randomized, Controlled Trial in German Primary Care Practices (RIME).. **2021**, 0
- 628 Interactive Associations of Neuropsychiatry Inventory-Questionnaire Assessed Sleep Disturbance and Vascular Risk on Alzheimer's Disease Stage Progression in Clinically Normal Older Adults.. **2021**, 13, 763264 0
- 627 A comparison of the effect of physical activity and cognitive training on dual-task performance in older adults. **2021**, 1 1
- 626 Towards Healthy Ageing: Using the Concept of Intrinsic Capacity in Frailty Prevention.. **2022**, 26, 30-36 3
- 625 Vietnamese Version of the Geriatric Depression Scale (30 Items): Translation, Cross-Cultural Adaptation, and Validation.. **2021**, 6, 0
- 624 Socio-Demographic, Clinical and Psychological Profile of Frailty Patients Living in the Home Environment and Nursing Homes: A Cross-Sectional Study.. **2021**, 12, 736804 0
- 623 Association between functional disability and depressive symptoms among older adults in rural China: a cross-sectional study. **2021**, 11, e047939 0
- 622 Risk Factors of Frailty in Patients with Distal Radius Fractures.. **2022**, 13, 21514593221094736 0
- 621 The Effect of Instrumental Activities of Daily Living and Depression on the Life Satisfaction of the Elderly Living Together during the Daytime in the Rural Areas. **2022**, 33, 96 0
- 620 Cortisol Reactivity to a physical stressor in Patients with Depression and Alzheimer's disease. **2022**, 16, 61-68 0

- 619 A new diagnostic approach in Alzheimer's disease: The critical flicker fusion threshold. **2022**, 16, 89-96 ○
- 618 Standardization and diagnostic utility of the Frontal Assessment Battery for healthy people and patients with dementia in the Chilean population. **2022**, 16, 69-78 ○
- 617 Multiple Cost Optimisation for Alzheimer's Disease Diagnosis.
- 616 WalkingPad protocol: a randomized clinical trial of behavioral and motivational intervention added to smartphone-enabled supervised home-based exercise in patients with peripheral arterial disease and intermittent claudication.. **2022**, 23, 326
- 615 Relationship between Associated Neuropsychological Factors and Fall Risk Factors in Community-Dwelling Elderly.. **2022**, 10, ○
- 614 Comparing the cost-effectiveness of the Otago Exercise Programme among older women and men: A secondary analysis of a randomized controlled trial.. **2022**, 17, e0267247 ○
- 613 Polyarthrite rhumatoïde et dpression. **2022**,
- 612 Effectiveness of emotional freedom techniques (EFT) vs sleep hygiene education group therapy (SHE) in management of sleep disorders among elderly.. **2022**, 12, 6521 ○
- 611 Impaired bed mobility in prediagnostic and de novo Parkinson's disease.. **2022**, 98, 47-52
- 610 Agitation in Cognitive Disorders: Use of the National Alzheimer's Coordinating Center Uniform Data Set (NACC-UDS) to Evaluate International Psychogeriatric Association Definition.. **2022**, ○
- 609 Longitudinal Predictors of Informant-Rated Everyday Function in Mild Cognitive Impairment.. **2022**, 8919887221093360
- 608 Ambulophobia as a Specific Phobia-Defining the Problem Among Patients of Long-Term Care Facilities in Poland.. **2022**, 10, 801109 ○
- 607 A prospective observational cohort study to screen major depressive disorders in geriatric oncology-Comparison of different scales.. **2022**, e13591
- 606 Practical Advice for Primary Care Clinicians on the Safe and Effective Use of Vortioxetine for Patients with Major Depressive Disorder (MDD).. **2022**, 18, 867-879 1
- 605 High dose melatonin increases sleep duration during nighttime and daytime sleep episodes in older adults.. **2022**, 1
- 604 The impact of depressive symptoms and social support on resilience among older adult caregivers.. **2022**, 1-17 ○
- 603 Temporal speech parameters detect mild cognitive impairment in different languages: validation and comparison of the Speech-GAP Test in English and Hungarian.. **2022**, ○
- 602 Recognizing and Acting on Mentation Concerns.. **2022**, 122, 50-55

601 Which cognitive behavioral therapy delivery formats work for depressive symptoms in dementia caregivers? - A systematic review and network meta-analysis of randomized controlled trials.. **2022**,

1

600 Functional Assessment. **2002**, 337-357

599 Demenz aus psychologischer Sicht. **2008**, 141-172

598 Data_Sheet_1.PDF. **2020**,

597 Table1.PDF. **2018**,

596 Table_1.docx. **2018**,

595 Data_Sheet_1.docx. **2018**,

594 Table_1.docx. **2018**,

593 DataSheet1.docx. **2018**,

592 Data_Sheet_1.PDF. **2020**,

591 Data_Sheet_2.PDF. **2020**,

590 Data_Sheet_3.PDF. **2020**,

589 Table_1.DOCX. **2020**,

588 Data_Sheet_1.docx. **2018**,

587 Data_Sheet_1.pdf. **2020**,

586 Table_1.docx. **2020**,

585 Data_Sheet_1.PDF. **2019**,

584 Table_1.docx. **2019**,

583 Image_1.PDF. 2020,

582 Image_2.PDF. 2020,

581 Table_1.DOCX. 2020,

580 Table_2.DOCX. 2020,

579 Table_3.DOCX. 2020,

578 Table_1.docx. 2020,

577 Data_Sheet_1.pdf. 2020,

576 Data_Sheet_1.zip. 2018,

575 Image_1.TIF. 2020,

574 Image_2.TIF. 2020,

573 Table_1.DOCX. 2020,

572 Data_Sheet_1.docx. 2019,

571 Table_1.DOCX. 2019,

570 Data_Sheet_1.doc. 2020,

569 Data_Sheet_2.docx. 2020,

568 Data_Sheet_1.PDF. 2020,

567 Data_Sheet_1.DOCX. 2020,

566 Data_Sheet_1.PDF. 2019,

565 Data_Sheet_2.PDF. 2019,

564 Image_1.TIF. 2020,

563 Image_2.JPEG. 2020,

562 Image_3.TIF. 2020,

561 Table_1.DOCX. 2020,

560 Table_2.DOCX. 2020,

559 Table_3.DOCX. 2020,

558 Data_Sheet_1.pdf. 2018,

557 Table_1.pdf. 2018,

556 Table_2.pdf. 2018,

555 Table_3.pdf. 2018,

554 Table_4.pdf. 2018,

553 Table_5.pdf. 2018,

552 Table_6.pdf. 2018,

551 Table_7.pdf. 2018,

550 Table_8.pdf. 2018,

549 Table_9.pdf. 2018,

548 Data_Sheet_1.PDF. 2020,

547 Data_Sheet_2.PDF. **2020**,

546 Data_Sheet_3.PDF. **2020**,

545 Table_1.docx. **2018**,

544 Table_2.docx. **2018**,

543 Data_Sheet_1.ZIP. **2018**,

542 Table_1.DOCX. **2019**,

541 DataSheet1.doc. **2018**,

540 Data_Sheet_1.docx. **2020**,

539 Data_Sheet_1.docx. **2020**,

538 Data_Sheet_1.PDF. **2019**,

537 DataSheet_1.xlsx. **2020**,

536 Table_1.DOCX. **2020**,

535 Psychological treatments for depression and anxiety in dementia and mild cognitive impairment.. **2022**, 4, CD009125 ○

534 Objectively measured secondhand tobacco smoke and cognitive impairment in disability-free older adults.. **2022**, 113352 ○

533 Relationship between Health Literacy and Frailty in Older Adults with Chronic Kidney Disease.. **2022**, 1-13

532 Cognitive decline complaints scale (CDCS): validation and normative studies for the adults and older adults Portuguese population.. **2022**, 1-8

531 Prefrontal hyperactivation during dual-task walking related to apathy symptoms in older individuals.. **2022**, 17, e0266553 1

530 Role of frailty in functional recovery after hip fracture, the variable impact in restoring autonomy.. **2022**, 92, e2021387

- 529 Health-Related Quality of Life, Psychosocial Distress and Unmet Needs in Older Patients With Head and Neck Cancer.. **2022**, 12, 834068 ○
- 528 Assessing the Structural Validity and Measurement Invariance of the Psychological Problems Scale on a Sample of International Students.. **2021**, 18, 77-85
- 527 Study on Factors Associated with Depression among Elderly and Comparison of Two Scales Used for Screening. **2021**, 46, 446-449
- 526 Aging and Suicide. **2022**, 1501-1521
- 525 Effect of loneliness and sociodemographic, health, COVID-19 pandemic-related factors on depression among older adults. 1-15
- 524 Socializing Targets of Older AdultsâSNS Use: Social Strain Mediates the Relations Between Older AdultsâSNS Use With Friends and Well-Being Outcomes. **2022**, 8, 205630512210947 ○
- 523 Description and clinical application of comprehensive geriatric assessment scales: A rapid systematic review of reviews.. **2022**,
- 522 Childlessness, personal social networks and wellbeing at advanced ages: a cross-sectional study in a Southern European familistic welfare state. 1-25 ○
- 521 Peripheral Vascular Disease is Associated with Impaired Activities of Daily Living in the Elderly with Dementia: A Prospective Study.. **2022**,
- 520 The Association Between Depressive Symptoms and Sarcopenia Among Community-Dwelling Older Adults: A Cross-Sectional Study.. **2022**, 15, 837-846 ○
- 519 The Relationship between F2-Isoprostanes Plasma Levels and Depression Symptoms in Healthy Older Adults. **2022**, 11, 822 2
- 518 Everyday function profiles in prodromal stages of MCI: Prospective cohort study.. **2022**,
- 517 Mediators of Life-Course and Late-Life Financial Strain on Late-Life Health in Japan: Based on a Cross-Sectional Survey.. **2022**, 15, 883-896
- 516 Sarcopenia Prevalence and Risk Factors among Residents in Aged Care.. **2022**, 14, 1
- 515 Blood Pressure and Heart Rate Responses following Dietary Protein Intake in Older Men.. **2022**, 14,
- 514 Learning transfer from singing to speech: Insights from vowel analyses in aging amateur singers and non-singers. **2022**,
- 513 Relationship between hearing loss and depression symptoms among older adults in China: The mediating role of social isolation and loneliness.. **2022**, 37, ○
- 512 Effects of Sport Stacking on Neuropsychological, Neurobiological, and Brain Function Performances in Patients With Mild Alzheimer's Disease and Mild Cognitive Impairment: A Randomized Controlled Trial. **2022**, 14, ○

- 511 Predictors of change over time in satisfaction with outdoor activities ratings among long-term care services and supports recipients.. **2022**, 45, 153-159
- 510 Diagnostic classification of Parkinsonâ€™ disease based on non-motor manifestations and machine learning strategies. 1 0
- 509 Visual impairment as a predictor for deterioration in functioning: the Leiden 85-plus Study.. **2022**, 22, 397 0
- 508 Geriatric Assessments. **2022**, 2, 81-97
- 507 Explainable Fall Risk Prediction in Older Adults Using Gait and Geriatric Assessments. **2022**, 4, 1
- 506 Driving decision-making among older adults with dementia in Taiwan: A longitudinal study. **2022**, 0
- 505 Relationship between tooth loss and sarcopenia in suburban community-dwelling older adults in Shanghai and Tianjin of China.. **2022**, 12, 7618
- 504 Impact of quarantine due to COVID-19 pandemic on health and lifestyle conditions in older adults from Centro American countries.. **2022**, 17, e0264087 0
- 503 Which of the Cornell Scale for Depression in Dementia or the Geriatric Depression Scale is more useful to screen for depression in older adults?. **2022**, 72, 103147 1
- 502 Abnormal EEG Signal Energy in the Elderly: A Wavelet Analysis of Event-related Potentials During a Stroop Task.. **2022**, 109608 0
- 501 CARE frailty e-health scale: Association with incident adverse health outcomes and comparison with the Cardiovascular Health Study frailty scale in the NuAge cohort.. **2022**, 162, 37-43 0
- 500 Secondhand tobacco smoke and functional impairments in older adults living in the community.. **2022**, 0
- 499 Hemiplejili Bir Bireyde Paralimpik Boccia Sporunun Etkilerinin ıncelenmesi: Olgu Sunumu.
- 498 Health effects of loneliness and social isolation in older adults living in congregate long term care settings: A systematic review of quantitative and qualitative evidence. **2022**, 104728 1
- 497 Defining and assessing intrinsic capacity in older people: a systematic review and a proposed scoring system.. **2022**, 101640 1
- 496 Bibliographie. **2020**, 169-195
- 495 BDNF and KIBRA Polymorphisms Are Related to Altered Resting State Network Connectivity in Middle Age. **2021**, 1-12
- 494 Relationship between Depression and Antihypertensive Medication Adherence in the Elderly. 310-317

- 493 Sentence Comprehension in Primary Progressive Aphasia: A Study of the Application of the Brazilian Version of the Test for the Reception of Grammar (TROG2-Br). **2022**, 13,
- 492 Serum Omega-3 Fatty Acids and Cognitive Domains in Community-Dwelling Older Adults From the Nuage Study: Exploring the Associations with Other Fatty Acids and Sex.. **2022**, 1
- 491 Childhood maltreatment, late-life depression, and sense of coherence: a structural equation modeling.. **2022**, 1-8
- 490 Association of ßAmyloid and Vascular Risk on Longitudinal Patterns of Brain Atrophy.. **2022**,
- 489 Visual Rehabilitation after Retinal Prosthesis Implantation: An 18-month Case Report, From Candidate Selection to Follow-Up. 0145482X2210920
- 488 Assess of Combinations of Non-Pharmacological Interventions for the Reduction of Irritability in Patients with Dementia and their Caregivers: A Cross-Over RCT. **2022**, 12, 691
- 487 Assessment of Testamentary Capacity in Older Adults: Description and Initial Validation of a Standardized Interview Instrument. 0
- 486 Verifying small vessel disease and mild cognitive impairment with a computational ßgenetic resonance imaging analysis. **2022**, 24, 90-95
- 485 Effectiveness and Acceptability of e- and m-Health Interventions to Promote Physical Activity and Prevent Falls in Nursing HomesâA Systematic Review. **2022**, 13, 0
- 484 Fall risk in older adults mediates the association between depression, executive dysfunction and daily life. 030802262110727
- 483 Prevalence of malnutrition and associated factors among older adults from urban and rural residences of Metu district, Southwest Ethiopia. **2022**, 8, 0
- 482 Prevalence, Influencing Factors, and Clinical Characteristics of Cognitive Impairment in Elderly Patients With Schizophrenia. **2022**, 13,
- 481 Insomnia in the Older Adult. **2022**, 17, 233-239 1
- 480 Volumetric Assessment of Hippocampus and Subcortical Gray Matter Regions in Alzheimer Disease and Amnestic Mild Cognitive Impairment. **2022**, 35, 95-103
- 479 Effect of simple calculation and reading aloud on cognitive function and depression in postoperative older adults. 0
- 478 Abnormalities in the default mode network in late-life depression: A study of resting-state fMRI. **2022**, 22, 100317 0
- 477 Évaluation thymique. **2022**, 33-42
- 476 Dynamics of Cognitive Impairments in Patients with Parkinsonâ Disease Receiving L-DOPA Treatment. **2022**, 52, 368-372

475	Effects of the "Active Communication Education" Program on Hearing-Related Quality of Life in a Group of Italian Older Adults Cochlear Implant Users. 13,	1
474	Study design and protocol of a low to high intensity computer-based cognitive training at home in supplement to standard care in patients with AD. 2022, 12, e050993	1
473	Development and validation of 21-item outcome inventory (OI-21). 2022, 8, e09682	0
472	Association Between Psychosocial Parameters and Response to Chiropractic Care Among Older Adults With Chronic Low Back Pain: Secondary Analysis of a Randomized Clinical Trial. 2022,	
471	Cognitive Correlates of Impaired Testamentary Capacity in Alzheimer's Dementia.	0
470	On the effectiveness of interventions in hearing-impaired elders: a review of findings for psychosocial wellness and quality of life. 1-8	
469	Psychometric properties of the Czech version of the brief Older People Quality of Life questionnaire (OPQoL-brief). 2022, 22,	1
468	Psychological Resilience Among Older Japanese Adults With Mild Cognitive Impairment During the COVID-19 Pandemic. 13,	0
467	Psychometric Comparisons of Three Depression Measures for Patients With Stroke. 2022, 76,	1
466	Regional associations of white matter hyperintensities and early cortical amyloid pathology.	1
465	Factors associated with and 1-year outcomes of fear of falling in a geriatric post-hip fracture assessment.	0
464	The Influence of Depressive Mood on Mortality in Elderly with Different Health Status: Evidence from the Taiwan Longitudinal Study on Aging (TLISA). 2022, 19, 6922	
463	Assessing psychological health and social support in older adults with cancer, a how-to guide "A Young International Society of Geriatric Oncology and Nursing & Allied Health Interest Group initiative. 2022,	
462	Huzurevinde Yaşayan 65 Yaş ve Üzerindeki Bireylerde Obezitenin Bilişsel Fonksiyonlar ile İlişisi. 367-375	
461	Validation of a "Subjective MCR" Screening Tool for Motoric Cognitive Risk Syndrome "a prospective cohort study.	1
460	The Prevalence and the Effect of COVID-19 Infection on Older Patients with Dementia: A Single-center Experience in the Light of Comprehensive Geriatric Assessment. 2022, 0-0	
459	Evaluation of the Relationship Between Polypharmacy and Malnutrition in Diabetic Elderly. 2022, 10, 199-205	
458	Effects of Tianeptine Treatment on Depression and Cognitive Function in Patients with Alzheimer's Disease: A 12-Month Retrospective Observational Study. 2022, 1-14	0

- 457 Establishing Equivalent Aerobic Exercise Parameters Between Early-Stage Parkinson's Disease and Pink1 Knockout Rats. **2022**, 1-19 ○
- 456 The health impacts of place-based creative programmes on older adults's health: A critical realist review. **2022**, 76, 102839 ○
- 455 Motor features associated with cognition in non-demented individuals with essential tremor. **2022**, 439, 120323 ○
- 454 Purpose in life and performance of advanced activities of daily living among the oldest old. **2022**, 25, ○
- 453 Impact of the abandonment of assistive technologies for mobility on the incidence of serious falls in older adults living at home: Results of the ECOCAT study. **2022**, 9, 205566832211108
- 452 Propósito de vida e desempenho de atividades avançadas de vida diária em idosos mais velhos. **2022**, 25, ○
- 451 Analysis of depression in social media texts through the Patient Health Questionnaire-9 and natural language processing. **2022**, 8, 205520762211142 ○
- 450 Methodologies Used to Study the Feasibility, Usability, Efficacy, and Effectiveness of the Social Robots in Clinical and Social Care Settings for Elderly Adults: A Scoping Review (Preprint). ○
- 449 Prevalence of depression and its related factors among older adults in Indonesian nursing homes. **2022**, 8, 222-228 ○
- 448 Improving mental health and social participation outcomes in older adults with depression and anxiety: Study protocol for a randomised controlled trial. **2022**, 17, e0269981
- 447 The association of depression and apathy with Alzheimer's disease biomarkers in a cross-cultural sample. 1-17 ○
- 446 Applying classification and regression tree analysis to identify risks of developing sarcopenia in the older population.
- 445 Electroencephalography Findings in Older Adults Undergoing Geriatric Treatment: A Surrogate for the Outcome?. **2022**, 12, 839
- 444 Predicting future cognitive decline from non-brain and multimodal brain imaging data in healthy and pathological aging. **2022**, 1
- 443 Psychometric Properties of the Short-Form Geriatric Depression Scale (GDS-SF) and Its Associated Factors among the Elderly in Bangladesh. **2022**, 19, 7935
- 442 Acute effects of whey protein, alone and mixed with other macronutrients, on blood pressure and heart rate in older men. **2022**, 22,
- 441 Effects of Health Status, Depression, Gerotranscendence, Self-Efficacy, and Social Support on Healthy Aging in the Older Adults with Chronic Diseases. **2022**, 19, 7930 1
- 440 Study protocol for the Alzheimer and music therapy study: An RCT to compare the efficacy of music therapy and physical activity on brain plasticity, depressive symptoms, and cognitive decline, in a population with and at risk for Alzheimer's disease. **2022**, 17, e0270682 ○

- 439 Social Disconnectedness and Mental Health Problems During the COVID-19 Pandemic in China: A Moderated Mediation Model. 67,
- 438 Motoric Cognitive Risk Syndrome, Subtypes and 8-Year All-Cause Mortality in Aging Phenotypes: The Salus in Apulia Study. **2022**, 12, 861 1
- 437 Metacognition, cortical thickness, and tauopathy in aging. **2022**,
- 436 The DOMIROB protocol: testing and evaluating the usability and acceptability of a telepresence robot and its impact on social isolation in older adults at home (Preprint).
- 435 The effect of perceived social support on frailty and depression: A multicategorical multiple mediation analysis. **2022**,
- 434 BCI-FES With Multimodal Feedback for Motor Recovery Poststroke. 16, 0
- 433 Adaptation and Incremental Validity of the Pemberton Happiness Index: A New Measure of Integrative well-being for People with Intellectual Disabilities. 1-14
- 432 Baseline health-related quality of life predicts falls: a secondary analysis of a randomized controlled trial.
- 431 Resting State Neural Networks at Complex Visual Hallucinations in Charles Bonnet Syndrome.
- 430 Clinical utility of the Diagnostic Criteria for Psychosomatic Research for a comprehensive assessment of the elderly. 0
- 429 The impact of the COVID -19 pandemic on well-being of seniors attending online programs at University of the Third Age: a follow-up study.
- 428 Caregiving. **2022**, 727-735
- 427 Using comprehensive geriatric assessment for older adults undertaking a facility-based transition care program to evaluate functional outcomes: a feasibility study. **2022**, 22, 0
- 426 Longitudinal association between nutritional status and behavioral and psychological symptoms of dementia in older women with mild cognitive impairment and early-stage Alzheimer's disease. **2022**, 0
- 425 Brain Amyloid Index as a Probable Marker Bridging Between Subjective Memory Complaint and Objective Cognitive Performance. 16,
- 424 No Common Factor Underlying Decline of Visual Abilities in Mild Cognitive Impairment. 1-18 1
- 423 Transcranial direct current stimulation in the treatment of visual hallucinations in Charles Bonnet syndrome: A randomized placebo-controlled crossover trial.. **2022**,
- 422 From Subjective Cognitive Decline to Mild Cognitive Impairment to Dementia: Clinical and Capacity Assessment Considerations.

- 421 The impact of frailty on adverse outcomes after transcatheter aortic valve replacement in older adults: A retrospective cohort study. 1
- 420 Organized Registration for the Assessment of Dementia by the Nationwide General Consortium Toward Effective Treatment (ORANGE) Registry: Current Status and Perspectives of Mild Cognitive Impairment. **2022**, 1-11
- 419 Advancing our understanding of skeletal muscle across the lifecourse: Protocol for the MASS_Lifecourse study and characteristics of the first 80 participants. **2022**, 166, 111884
- 418 Evaluation of bio-psycho-social and socio-cultural problems of Syrian elderly living in Turkey. 002076402211091
- 417 Assessing Relationships between Physically Demanding Work and Late-Life Disability in Italian Nonagenarian Women Living in a Rural Area. **2022**, 19, 8880
- 416 Perception of Physical Demand, Mental Demand, and Performance: A Comparison of Two Voice Interventions for Parkinson's Disease. 1-16 2
- 415 Effect of a multicomponent exercise program and cognitive stimulation (VIVIFRAIL-COGN) on falls in frail community older persons with high risk of falls: study protocol for a randomized multicenter control trial. **2022**, 22, 0
- 414 Linking Brain Age Gap to Mental and Physical Health in the Berlin Aging Study II. 14, 0
- 413 Association of Being Accompanied at Medical Consultation and Having Memory Complaints With Cognitive Impairment in Elderly Brazilian Outpatients. Publish Ahead of Print,
- 412 The relationship between Comprehensive Geriatric Assessment parameters and depression in elderly patients. 14, 0
- 411 Sociodemographic and Health-Related Factors Influencing Drug Intake among the Elderly Population. **2022**, 19, 8766
- 410 Medición de la salud física y mental durante el embarazo: escalas y test más usados para la promoción de la AF y la prescripción del ejercicio. **2015**, 93-128
- 409 Preface. **2021**, xi-xvi
- 408 Forms and Worksheets. **2021**,
- 407 Master List of Learn Pages and Practice Forms in Treating Later-Life Depression Workbook. **2021**, xix-xxx
- 406 Afterword: Professional Development. **2021**, 291-294
- 405 Clinical Tools and Measures. **2021**, 313-330
- 404 Recommendations for Group Treatments. **2021**, 299-308

403 About the Authors. **2021**, 331-332

402 About Treatments That Work **2021**, v-viii

401 California Older Person's Positive Experiences Schedule-Revised (COPPE-R). **2021**, 309-312

400 Copyright Page. **2021**, iv-iv

399 Professional Development Resources. **2021**, 295-298

398 Multivariate genome-wide association study of depression, cognition, and memory phenotypes and validation analysis identify 12 cross-ethnic variants. **2022**, 12,

397 Episodic Memory, Hippocampal Volume, and Function for Classification of Mild Cognitive Impairment Patients Regarding Amyloid Pathology. **2022**, 1-12

396 Awareness of caregivers of geriatric deficits among older people—the results of a cross-sectional study in Krakow, Poland. **2022**, 23,

395 Brain microstructural alterations of depression in Parkinson's disease: A systematic review of diffusion tensor imaging studies. 1

394 Networks of inflammation, depression, and cognition in aging males and females. 1

393 Suicidal ideation and suicide attempts among older recipients of public welfare assistance in Japan. jech-2022-218893

392 Association of Pace of Aging Measured by Blood-Based DNA Methylation With Age-Related Cognitive Impairment and Dementia. 10.1212/WNL.000000000200898 1

391 Heterogenous Subtypes of Late-Life Depression and Their Cognitive Patterns: A Latent Class Analysis. 13,

390 Resilience among older adults living at home: urban-rural difference in a population-based study. 1-8

389 Factors Affecting Engagement of Older Adults in Exercise Following Hospitalization. Publish Ahead of Print,

388 The association among eHealth literacy, depressive symptoms and health-related quality of life among older people: A cross-section study.

387 Dual Mediating Effect of Electronic Device Utilization and Life Satisfaction on the Relationship between Instrumental Activities of Daily Living and Depression in Older Adults. **2022**, 19, 10617

386 Beta-blockers in elderly patients: neuroprotective effect or risk of cognitive decline?. **2022**, 26, 23-30

- 385 A 5-year community program in Singapore to prevent cognitive decline. 0
- 384 Effects of cognitive ageing trajectories on multiple adverse outcomes among Chinese community-dwelling elderly population. **2022**, 22, 0
- 383 Dyadic analysis of very old parents and their children's interdependence and self-perceptions of aging. 026540752211180
- 382 COVID-19 infection prevention and control procedures and institutional trust: Perceptions of Palestinian healthcare workers. 10, 1
- 381 The acceptability, adoption, and feasibility of a music application developed using participatory design for home-dwelling persons with dementia and their caregivers. The "Alight" app in the LIVE@Home.Path trial. 13, 1
- 380 Prevalence of cognitive impairment in Brazilian indigenous community from Amazonas.
- 379 Motoric cognitive risk syndrome and incident hospitalization in Quebec's older population: Results of the NuAge cohort study. 9,
- 378 Reliability and Validity of the Turkish Version of the Mini Depression Status Test (MDST-TR).
- 377 Application of the Older Adult Self-Report and Older Adult Behavior Checklist to Chinese Older Adults: Syndrome Structure and Inter-Informant Agreement. **2022**, 48, 26-32 1
- 376 Research on depression in Parkinson disease: A bibliometric and visual analysis of studies published during 2012-2021. **2022**, 101, e29931 1
- 375 Mastering the Relationship between the Body and the Brain? The Case of a Female Master Athlete. 1-17 0
- 374 Prevalence and Association of Basal Ganglia Calcifications and Depressive Symptoms in Patients With Mild Cognitive Impairment or Dementia. Publish Ahead of Print,
- 373 Normalized Theta but Increased Gamma Activity after Acetylcholinesterase Inhibitor Treatment in Alzheimer's Disease: Preliminary qEEG Study. 155005942211207 0
- 372 Exploring cognitive and brain oxygenation changes over a 1-year period in physically active individuals with mild cognitive impairment: a longitudinal fNIRS pilot study. **2022**, 22, 0
- 371 Identifying Biomarkers of Subjective Cognitive Decline Using Graph Convolutional Neural Network for fMRI Analysis. **2022**,
- 370 Implications of the Metabolic Control of Diabetes in Patients with Frailty Syndrome. **2022**, 19, 10327
- 369 Effects of an internet-delivered insomnia intervention for older adults: A secondary analysis on symptoms of depression and anxiety.
- 368 Cognitive assessment in the time of pandemics: mandatory surgical face mask usage affects cognitive test performance of older adults.

367	Psychometric Properties of the Montreal Cognitive Assessment (MoCA) to Detect Major Neurocognitive Disorder Among Older People in Ethiopia: A Validation Study. Volume 18, 1789-1798	
366	Long-covid cognitive impairment: Cognitive assessment and apolipoprotein E (APOE) genotyping correlation in a Brazilian cohort. 13,	0
365	The Prevalence and Correlates of Depression among Senior Citizens in Greater Kumasi of the Ashanti Region.	
364	Incongruences Between Facial Expression and Self-Reported Emotional Reactivity in Frontotemporal Dementia and Related Disorders.	
363	The prevalence of depression in isolated/idiopathic rapid eye movement sleep behavior disorder: A systematic review and meta-analysis. 2022 , 101684	0
362	Ultrasonografically-Assessed Osteosarcopenic Obesity is Associated With Frailty In Community-Dwelling Older Adults. 2022 , 111827	
361	Cognition and brain health among older adults in Iceland: the AGES-Reykjavik study.	0
360	Depression and associated factors among older adults in Bahir Dar city administration, Northwest Ethiopia, 2020: Cross-sectional study. 2022 , 17, e0273345	0
359	Increased Social Support Reduces the Incidence of Motoric Cognitive Risk Syndrome.	
358	The Role of MR Assessments of Cardiac Morphology, Function, and Tissue Characteristics on Exercise Capacity in Well-Functioning Older Adults.	
357	Pain catastrophizing and pre-operative psychological state are predictive of chronic pain after joint arthroplasty of the hip, knee or shoulder: results of a prospective, comparative study at one year follow-up.	0
356	Fusing features of speech for depression classification based on higher-order spectral analysis. 2022 , 143, 46-56	1
355	Intrinsic capacity and 10-year mortality: Findings from a cohort of older people. 2022 , 167, 111926	0
354	Associations between objectively measured sedentary behavior patterns and depressive symptoms in older adults: A cross sectional study. 2022 , 23, 100471	1
353	Depression in the Elderly. 1991 , 26, 585-600	5
352	DIFFERENTIATED NURSING ASSESSMENT OF DEPRESSIVE SYMPTOMS IN COMMUNITY-DWELLING ELDERLY. 1998 , 33, 407-416	0
351	A formula for calculating 30-item Geriatric Depression Scale (GDS-30) scores from the 15-item version (GDS-15).	0
350	Risk factors of frailty and functional disability in community-dwelling older adults: a cross-sectional analysis of the FREEDOM-LNA cohort study. 2022 , 22,	0

- 349 Relationship of creatinine cystatin C ratio with muscle mass and grip strength in memory clinic outpatients. **2022**, 168, 111935 ○
- 348 Psychometric properties of the Lithuanian version of the NDDI-E in persons with epilepsy and suicidal ideation. **2022**, 136, 108913 ○
- 347 Evaluating associations of RNFL thickness and multifocal VEP with cognitive assessment and brain MRI volumes in older adults: Optic nerve decline and cognitive change (ONDCC) initiative. **2022**, 2, 100049 ○
- 346 Repercussões na saúde mental e infodemia de covid-19 de idosos paulistanos. 56, ○
- 345 Infodemic of covid-19 and repercussions on the mental health of the elderly from São Paulo. 56, ○
- 344 Sintomas depressivos e fatores associados em pessoa idosa durante a pandemia da covid-19 na cidade de São Paulo-SP. **2022**, 25, ○
- 343 A Systematic Mapping Study of Emotional Response Evaluation Instruments. **2022**, 302-317 ○
- 342 Comprehensive Geriatric Assessment (CGA). **2022**, 219-228 ○
- 341 Depressive Symptoms and Their Correlates Among Older People in Rural Viet Nam: A Study Highlighting the Role of Family Factors. **2022**, 15, 117863292211254 1
- 340 Suicide Prevention Among Elderly. **2022**, 1-23 ○
- 339 Efecto de una sola infusión de ketamina sobre síntomas depresivos en pacientes geriátricos sometidos a cirugía oftalmológica: ensayo controlado aleatorizado**. **2022**, 45, 231-237 ○
- 338 EmoFrame: Prototype of a Framework to Assess Users' Emotional Responses. **2022**, 282-301 ○
- 337 Depressive symptoms and associated factors in older people during the COVID-19 pandemic in the city of São Paulo-SP. **2022**, 25, ○
- 336 Is fatigue associated with balance in Parkinson's disease?. 28, ○
- 335 Telepresence robot intervention to reduce loneliness and social isolation in older adults living at home (Project DOMIROB): Protocol for a clinical non-randomized study (Preprint). ○
- 334 The association of depression with mortality and major adverse limb event outcomes in patients with peripheral artery disease: A systematic review and meta-analysis. **2023**, 320, 169-177 ○
- 333 Multiple Cost Optimisation for Alzheimer's Disease Diagnosis. **2022**, ○
- 332 Integrated cognitive and physical fitness training enhances attention abilities in older adults. **2022**, 8, ○

- 331 Effect of Resistance Exercise Orders on Health Parameters in Trained Older Women: A Randomized Crossover Trial. Publish Ahead of Print, ○
- 330 The Effect of Empowerment Interventions Applied to Geriatric Patients Receiving Physical Therapy on Their Depression and Self-Efficacy Levels. 1-12 ○
- 329 A lower CD4+/CD8+ ratio predicts activities of daily living decline among older adults with HIV. ○
- 328 Functional status in older patients with cancer and a frailty risk profile: A multicenter observational study. **2022**, ○
- 327 The effects of music therapy program with the hand manipulation on the depression and cognition in elderly women with mild depression. **2022**, 43, 181-194 ○
- 326 Cross-sectional association of metrics derived from continuous glucose monitoring with cognitive performance in older adults with type 2 diabetes. ○
- 325 Regression-Based Normative Data for Independent and Cognitively Active Spanish Older Adults: Verbal Fluency Tests and Boston Naming Test. **2022**, 19, 11445 ○
- 324 Gender-specific prevalence and risk factors of mild cognitive impairment among older adults in Chongming, Shanghai, China. 14, 1
- 323 Poor sleep quality is associated with fatigue and depression in early Parkinson's disease: A longitudinal study in the PALS cohort. 13, ○
- 322 Comprehensive geriatric assessment of older patients and associated factors of admission to Emergency Departments in pre-covid 19 Era –A Portuguese study. **2022**, ○
- 321 Advances in the Psychological Management of Older Adult Mental Health. **2022**, 2, 193-210 ○
- 320 Relationship between Pain, Fear of Falling and Physical Performance in Older People Residents in Long-Stay Institutions: A Cross-Sectional Study. **2022**, 19, 12014 1
- 319 Hypnosis for pain and anxiety management in cognitively impaired older adults undergoing scheduled lumbar punctures: a randomized controlled pilot study. **2022**, 14, ○
- 318 Static and dynamic functional connectivity variability of the anterior-posterior hippocampus with subjective cognitive decline. **2022**, 14, ○
- 317 A multi-expert ensemble system for predicting Alzheimer transition using clinical features. **2022**, 9, ○
- 316 A new model for general practice-led, regional, community-based, memory clinics. **2022**, 23, ○
- 315 A Scoping Review of the Measurement of Depression in Older Adults with Cognitive Impairment. 1-13 ○
- 314 EEG-neurofeedback for promoting neuromodulation in the elderly: evidence from a double-blind study. ○

- 313 French Phonological Component Analysis and aphasia recovery: A bilingual perspective on behavioral and structural data. 16, ○
- 312 Memory markers in the continuum of the Alzheimer's clinical syndrome. **2022**, 14, ○
- 311 Factors affecting the quality of life of family caregivers of patients with heart failure: A cross-sectional study. **2022**, 101, e30042 1
- 310 Objective Sleep Quality and the Underlying Functional Neural Correlates Among Older Adults with Possible Mild Cognitive Impairment. **2022**, 1-10 ○
- 309 Development and Validation of a Short Form of the Geriatric Anxiety Scale (GAS-12) among Italian Older Adults. 1-17 ○
- 308 Reshaping the path of mild cognitive impairment by refining exercise prescription: a study protocol of a randomized controlled trial to understand the "what," "for whom," and "how" of exercise to promote cognitive function. **2022**, 23, ○
- 307 Forecasting Postoperative Delirium in Older Adult Patients with Fast-and-Frugal Decision Trees. **2022**, 11, 5629 ○
- 306 External validation and further exploration of fall prediction models based on questionnaires and daily-life trunk accelerometry. ○
- 305 Psychological interventions for symptoms of depression among informal caregivers of older adult populations: A systematic review and meta-analysis of randomized controlled trials. **2022**, ○
- 304 A Systematic Review of Normative Data for Verbal Fluency Test in Different Languages. ○
- 303 Parkinsonics: A Randomized, Blinded, Cross-Over Trial of Group Singing for Motor and Nonmotor Symptoms in Idiopathic Parkinson Disease. **2022**, 2022, 1-14 ○
- 302 Psychosocial Effects of Remote Reading with Telephone Support versus In-Person Health Education for Diverse, Older Adults. 073346482211270 1
- 301 Cognitive Performance and Learning Parameters Predict Response to Working Memory Training in Parkinson's Disease. **2022**, 1-13 ○
- 300 Effect of a Robotic Pet on Social and Physical Frailty in Community-Dwelling Older Adults: A Randomized Controlled Trial. **2022**, 15, 229-237 ○
- 299 Locus coeruleus catecholamines link neuroticism and vulnerability to tau pathology in aging. **2022**, 119658 ○
- 298 Relationship between cognitive domains and hearing ability in memory clinic patients: How did the relationship change after 6 months of introducing a hearing aid?. **2022**, ○
- 297 Respiratory Responses to Two Voice Interventions for Parkinson's Disease. 1-19 ○
- 296 Association of cholinesterase activities and POD in older adult abdominal surgical patients. **2022**, 22, ○

- 295 Factors Associated with Nutritional Status in Geriatric Outpatients. **2022**, 10, 276-282 ○
- 294 Associations between blood-based biomarkers of Alzheimer’s disease with cognition in motoric cognitive risk syndrome: A pilot study using plasma A β 2 and total tau. 14, ○
- 293 Sustained upregulation of widespread hippocampal–neocortical coupling following memory encoding. ○
- 292 Getting over past mistakes: prospective and retrospective regret in older adults. ○
- 291 Preliminary Validation Study of the French-Quebec Version of the Mild Behavioral Impairment Checklist. Publish Ahead of Print, ○
- 290 Effect of priming on adjunctive repetitive transcranial magnetic stimulation in treatment of late life depression: Protocol of a prospective randomized sham-controlled study. 1-21 ○
- 289 The increased cortisol levels with preserved rhythmicity in aging and its relationship with dementia and metabolic syndrome. ○
- 288 Relationship Between Dietary Protein Intake and Gut Microbiome Composition in Community-Dwelling Older Men: Findings from the MrOS Study. 1
- 287 Hippocampus and temporal pole functional connectivity is associated with age and individual differences in autobiographical memory. **2022**, 119, ○
- 286 Soluble LRP-1 in Parkinson’s disease: clues for paradoxical effects. 1-12 ○
- 285 Subjective cognitive decline predicts lower cingulo-opercular network functional connectivity in individuals with lower neurite density in the forceps minor. **2022**, 263, 119662 ○
- 284 Brain MRI and clinical exam findings in women with multiple gadolinium-based contrast agent (GBCA) exposures due to screening breast MRIs. **2022**, 92, 57-62 ○
- 283 Relationship between the ability to walk long distances and to climb up and down stairs with the health-related quality of life of older adults with symptomatic knee osteoarthritis. **2021**, 24, ○
- 282 Relação da capacidade para caminhar longas distâncias e para subir e descer escadas com a qualidade de vida relacionada à saúde de idosos com osteoartrite sintomática de joelhos. **2021**, 24, ○
- 281 TACTILE – A Mixed Reality Solution for Staying Active and Socially Included. **2022**, 277-291 ○
- 280 The Role of Daily Step Count in Determining Risk Factors for Falls. **2022**, 1-8 ○
- 279 Control of Therapeutic Levels of Anticoagulation and Associated Factors: A Prospective Cohort Study. **2022**, 13, 215013192211299 ○
- 278 Medial temporal lobe and obstructive sleep apnea: Effect of sex, age, cognitive status and free-water. **2022**, 36, 103235 ○

- 277 Fases do teste Timed Up and Go como predictoras de quedas futuras em idosos da comunidade. 35, 0
- 276 The Effects of Spiritual Well-Being on Elderly People's Cognitive Function: Mediating Effects of Health-Promoting Behaviors and Depression. **2022**, 34, 478 0
- 275 Timed Up and Go test phases as predictors of future falls in community-dwelling older adults. 35, 1
- 274 Relationships between Plasma Concentrations of Testosterone and Dihydrotestosterone and Geriatric Depression Scale Scores in Men and Women Aged 60-85 Years: A Multivariate Approach with the Use of Quade's Test. **2022**, 19, 12507 0
- 273 Antidepressant Effects of a Multimodal Group Therapy Program for Mild Dementia: A Retrospective Evaluation of Clinical Routine Data. **2022**, 1-13 0
- 272 Examining the Relationship Between Race and Ethnicity and Depression in Older Adults With Low Vision. **2022**, 38, 254-260 0
- 271 Identifying Distractors for People with Computer Anxiety Based on Mouse Fixations. 1
- 270 International depiction of the cost of functional independence limitations among older adults living in the community: a systematic review and cost-of-impairment study. **2022**, 22, 0
- 269 The Effect of Reminiscence on Depression in Elderly People with Suicidal Ideation: A Randomized Controlled Trial. **2022**, 11, 0
- 268 Activation changes induced by cognitive training are consistent with improved cognitive reserve in older adults with subjective cognitive decline. **2022**, 0
- 267 Remember NIBS? tACS improves memory performance in elders with subjective memory complaints. 0
- 266 Quality of Life and Related Outcomes Among Unpaid Caregivers of Older Adults With Visual Impairment. 009141502211321 0
- 265 Effectiveness of a Novel Food Composed of Leucine, Omega-3 Fatty Acids and Probiotic Lactobacillus paracasei PS23 for the Treatment of Sarcopenia in Elderly Subjects: A 2-Month Randomized Double-Blind Placebo-Controlled Trial. **2022**, 14, 4566 0
- 264 Reliability and Validity of the Japanese Version of the Assessment of Readiness for Mobility Transition (ARMT-J) for Japanese Elderly. **2022**, 19, 13957 0
- 263 How emotions induced by reading influence sleep quality in young and 'older' adults. 1-9 2
- 262 The effects of aging and perceived loneliness on lexical ambiguity resolution. 13, 0
- 261 Emotion Recognition in a Health Continuum: Comparison of Healthy Adults of Advancing Age, Community Dwelling Adults Bearing Vascular Risk Factors and People Diagnosed with Mild Cognitive Impairment. **2022**, 19, 13366 0
- 260 Metabolic risk factors and psychosocial problems independently explain poor sleep quality and obstructive sleep apnea symptoms among adults in urban India. 0

259	Reliability of the Spanish Version of the Movement Imagery Questionnaire-3 (MIQ-3) and Characteristics of Motor Imagery in Institutionalized Elderly People. 2022 , 11, 6076	0
258	Frailty. 2022 ,	0
257	The correlation between Comprehensive Geriatric Assessment parameters and cognitive impairment in elderly inpatients.	0
256	Association of homocysteine-related subcortical brain atrophy with white matter lesion volume and cognition in healthy aging. 2022 ,	1
255	Effects of Mindful Awareness Practice (MAP) on Subclinical Depressive and Anxiety Symptoms and General Cognitive Function in Older Adults with Mild Cognitive Impairment: A 5-Year Follow-Up of the MAP-Randomized Controlled Trial. 2022 , 1-12	0
254	Machine Learning-Based Depression Detection. 2023 , 809-821	0
253	High frequency of Depressive Disorders and Suicidal Phenomena in Late-Stage Parkinson's Disease – A Cross-Sectional Study. 089198872211355	0
252	Task-based profiles of language impairment and their relationship to cognitive dysfunction in Parkinson's disease. 2022 , 17, e0276218	0
251	Clinical Data Interchange Standards in Clinical Trials on Alzheimer's Disease. 2022 , 19, 814-823	0
250	Cognitive and biological effects of citrus phytochemicals in subjective cognitive decline: a 36-week, randomized, placebo-controlled trial. 2022 , 21,	1
249	Can cochlear implantation prevent cognitive decline in the long-term follow-up?. 13,	0
248	Self-reported cognition in older adults with insomnia: Associations with sleep and domain specific cognition.	0
247	Hyperconnectivity and altered interactions of a nucleus accumbens network in post-stroke depression.	0
246	Cross-sectional and longitudinal association of sleep and Alzheimer biomarkers in cognitively unimpaired adults. 2022 , 4,	0
245	Recognizing and Acting on Mentation Concerns Caregivers are key partners in addressing depression, dementia, and delirium in older adults.. 2022 , 40, 311-316	0
244	Association of low meal frequency with decreased in vivo Alzheimer's pathology. 2022 , 25, 105422	0
243	Socially Assistive Humanoid Robots: Effects on Depression and Health-Related Quality of Life among Low-Income, Socially Isolated Older Adults in South Korea. 073346482211382	0
242	Plasma amyloid-beta oligomer is related to subjective cognitive decline and brain amyloid status. 2022 , 14,	0

- 241 KOVİD-19 PANDEMİSİ SİRECİNDE TRKİYE'DE YAŞAYAN YAŞLI BİREYLERİN YAŞAM ALANLARININ FİZİKSEL AKTİVİTE, DEPRESYON VE YAŞAM KALİTESİNE ETKİSİ. ○
- 240 Moderating effect of cognitive reserve on brain integrity and cognitive performance. 14, ○
- 239 Auditory cognitive aging in amateur singers and non-singers. **2023**, 230, 105311 1
- 238 The Prognostic Utility of a Geriatric Assessment for Patients with Pancreatic Cancer Receiving Gemcitabine-based Chemotherapy: A Prospective Observational Study. **2023**, ○
- 237 Klinische Erhebungsmethoden und Instrumente. **2023**, 37-46 ○
- 236 Memory Clinicsaa Guide to Implementation and Evaluation. **2003**, 828-843 ○
- 235 Brain patterns of pace âbut not rhythm âare associated with vascular disease in older adults. **2022**, 3, 100154 ○
- 234 Tackling malnutrition with a new compact oral nutrient supplement among residents in aged care: a pilot study. **2022**, ○
- 233 Geriatric Depression Scale (1983â2020). **2022**, 1-9 ○
- 232 Frailty and the risk of infection-related hospitalizations in older age: Differences by sex. **2023**, 168, 1-6 ○
- 231 Innovazioni in psicologia della salute: il contributo della Social Assistive Robotics. Tra opportunit  terapeutiche e questioni aperte della robotica sociale. **2022**, 14-27 ○
- 230 Prevalence and factors associated with frailty in older hospitalized patients: A point-prevalence study. **2022**, ○
- 229 Cognitive Status is Better in Older Adults under Colchicine Treatment: A Case-Control Study. 1-11 ○
- 228 A Revision on the Effectiveness of Omega-3 Polyunsaturated Fatty Acids as Monotherapy in the Treatment of Major Depressive Disorder. **2022**, 2022, 1-10 ○
- 227 Feasibility Study of Caregiver-Provided Life Review: Implementation, Adaptation, and Effects on Care RecipientsâDepressive Symptoms. 1-12 ○
- 226 Muscle endurance & self-perceived fatigue predict decline in gait speed and activities of Daily Living after one year follow-up: results from the BUTTERFLY Study. ○
- 225 La r alit  virtuelle personnalis e sur les troubles de lâhumeur en tablissement d abergement pour personnes g es d pendantes et unit  de soin de longue dur e : tude de cas chez un r sident pr sentant des troubles cognitifs mod f s. **2022**, ○
- 224 Preoperative cognition predicts clinical stroke/TIA and mortality after surgical aortic valve replacement in older adults. 1-11 ○

223	Addictive smartphone use in the elderly: relationship with depression, anxiety and sleep quality.	0
222	Fatigue and primary sarcopenia in geriatric patients.	1
221	Associations of tea consumption with cognitive function and mental health among older adults in China.	0
220	Late-life depression, allostatic load, and risk of dementia: The AGES-Reykjavik Study. 2022 , 105975	0
219	SUPeRO: A Multidimensional Approach to Prevent and Manage Oncological Frailty in a Radiation Oncology Unit. 2022 , 11, 6768	0
218	Diffusion Tensor Imaging of Superficial Prefrontal White Matter in Healthy Aging. 2022 , 148152	0
217	Moderating effects of uric acid and sex on non-motor symptoms in asymmetric Parkinson's disease.	0
216	Biomarkers and non-motor symptoms as a function of motor symptom asymmetry in early Parkinson's disease. 2022 , 108419	0
215	Loneliness in Elderly Inpatients.	0
214	Depression: A guide for eye care practitioners âpart 1. 2016 , 2016, 147443-1	0
213	Effects of Pharmacological Treatments in Alzheimer's Disease: Permutation Entropy-Based EEG Complexity Study.	0
212	Fatigue and depression in elderly patients with poorly controlled diabetes. 2022 , 101, e31713	0
211	Variability and symmetry of gait kinematics under dual-task performance of older patients with depression.	0
210	Preliminary Evidence that Memantine Enhances Prepulse Effects on Startle Magnitude and Latency in Patients with Alzheimer's Disease. 2022 , 1-8	0
209	Incidence of falls and fall-related injuries and their predictive factors in frail older persons with cancer: a multicenter study. 2022 , 22,	0
208	A Study of Depression in Adult Patients with Bronchial Asthma Presenting to a Tertiary Care Hospital in Eastern India. 2022 , 57, 87-90	0
207	A Randomized, Controlled Pilot Study of Mindfulness-Based Stress Reduction in Healthy Older Adults. 1-16	0
206	Interest in Physician-Assisted Suicide among Oregon Cancer Patients. 2006 , 17, 27-38	1

- 205 Age differences in the association between sleep and Alzheimer's disease biomarkers in the EPAD cohort. **2022**, 14, ○
- 204 Systematic review of arts and culture-based interventions for people living with dementia and their caregivers. **2023**, 83, 101793 ○
- 203 Increasing empathic concern relates to salience network hyperconnectivity in cognitively healthy older adults with elevated amyloid- β burden. **2023**, 37, 103282 ○
- 202 The use of herbs and spices in sodium-reduced meals enhances saltiness and is highly accepted by the elderly. **2023**, 105, 104789 ○
- 201 Does computerized cognitive training improve diabetes self-management and cognition? A randomized control trial of middle-aged and older veterans with type 2 diabetes. **2023**, 195, 110149 1
- 200 Antibiotic use and the development of depression: A systematic review. **2023**, 164, 111113 ○
- 199 Suicide Prevention Among Elderly. **2022**, 443-465 ○
- 198 Randomized Controlled Trial of Social Ballroom Dancing and Treadmill Walking: Preliminary Findings on Executive Function and Neuroplasticity From Dementia-at-Risk Older Adults. **2022**, 1-11 ○
- 197 A cross-cultural survey to identify Seniors' preferences towards the Empathic Virtual Coach. **2022**, ○
- 196 Risk of Malnutrition and Insufficient Protein Intake among Older People Living at Home: Baseline Findings of the Power Meals Study. **2022**, 41, 257-269 ○
- 195 Depressive symptoms exacerbate disability in older adults: A prospective cohort analysis of participants in the MemAID trial. **2022**, 17, e0278319 ○
- 194 Third-party disability in cochlear implant users. 1-8 ○
- 193 The Association of Depression With QT Duration: A Comparison Between Individuals Younger or Older Than 65 Years. **2023**, 85, 18-25 ○
- 192 Deep Reinforcement Learning-Based iTrain Serious Game for Caregivers Dealing with Post-Stroke Patients. **2022**, 13, 564 ○
- 191 Assessment of Depression and Anxiety in Young and Old with a Question Based Computational Language Approach. ○
- 190 Fatores associados ao desempenho no Miniexame do estado mental de idosos jovens e longevos social e fisicamente ativos - um estudo comparativo. **2022**, 10, e42857 ○
- 189 Nutritional risk and depression in adults over 60 years old. **2022**, 1-10 ○
- 188 Dementia lifestyle coach pilot program. ○

- 187 Global prevalence of depression in older adults: a systematic review and meta-analysis of epidemiological surveys. **2022**, 103417
- 186 Exploring factors that influence HRQoL for people living with Parkinson's in one region of Ireland: A cross-sectional study. **2022**, 22,
- 185 Analyses of correct responses and errors on measures of verbal fluency among Parkinson's disease and essential tremor patients. 1-19
- 184 Emotional recognition across the adult lifespan: Effects of age, sex, cognitive empathy, alexithymia traits, and amygdala subnuclei volumes.
- 183 The Impact of COVID-19 on Nursing Homes: Study Design and Population Description. **2022**, 19, 16629
- 182 Evaluation of the non-auditory neurocognitive test MoCA-HI for hearing-impaired. 13,
- 181 Determinants of cognitive impairment in multiple system atrophy: Clinical and genetic study. **2022**, 17, e0277798
- 180 Special orthopaedic geriatrics (SOG) - a new multiprofessional care model for elderly patients in elective orthopaedic surgery: a study protocol for a prospective randomized controlled trial of a multimodal intervention in frail patients with hip and knee replacement. **2022**, 23,
- 179 Amyloid- β and APOE genotype predict memory decline in cognitively unimpaired older individuals independently of Alzheimer's disease polygenic risk score. **2022**, 22,
- 178 Hemispheric Patterns of Recruitment of Object Processing Regions in Early Alzheimer's Disease: A Study Along the Entire Ventral Stream. **2022**, 1-14
- 177 Association of Psychological Well-Being and Physical Health with Subjective and Objective Memory in Older Adults. 089826432211438
- 176 Adjuvant aromatase inhibitor treatment worsens depressive symptoms and sleep quality in postmenopausal women with localized breast cancer: A one-year follow-up study. **2022**, 66, 310-316
- 175 Community ambulation after chronic stroke: A cross-sectional study. **2022**,
- 174 Trajectories of Cognitive Impairment in Adults Bearing Vascular Risk Factors, with or without Diagnosis of Mild Cognitive Impairment: Findings from a Longitudinal Study Assessing Executive Functions, Memory, and Social Cognition. **2022**, 12, 3017
- 173 The Effects of 3D Custom Foot Orthotics with Mechanical Plantar Stimulation in Older Individuals with Cognitive Impairment: A Pilot Study. **2022**, 12, 1669
- 172 Effects of an exercise program combining unsupervised home exercises and supervised group-based exercises on fall-related variables in older adults: a randomized controlled trial.
- 171 Constructing and Verifying an Alexithymia Risk-Prediction Model for Older Adults with Chronic Diseases Living in Nursing Homes: A Cross-Sectional Study in China. **2022**, 7, 139
- 170 Determination of the motor status of patients with advanced Parkinson's disease under levodopa/parbidopa intestinal gel using a machine learning model.

- 169 Multi-Disease Validation of the RUDAS for Cognitive Screening in Alzheimer’s Disease, Parkinson’s Disease, and Multiple Sclerosis. **2022**, 1-13
- 168 A nurse-led mHealth intervention to alleviate depressive symptoms in older adults living alone in the community: A quasi-experimental study. **2022**, 104431
- 167 Short term effect of sacubitril/valsartan on comprehensive geriatric assessment in chronic heart failure: a real life analysis.
- 166 Coherence in event-related EEG oscillations in patients with Alzheimer’s disease dementia and amnesic mild cognitive impairment.
- 165 Antihypertensive treatment changes and related clinical outcomes in older hospitalized patients.
- 164 Preserved distraction analgesia but greater impact of pain on task performance in old compared with young subjects.
- 163 From Sarcopenia to Depressive Symptoms in Elderly: A Path Analysis. **2023**, 20, 972
- 162 The impact of falls on the need for hospital care in older people: results from the Pro.V.A. study. 1-9
- 161 Memory Loss and Cognitive Impairment. **2022**, 667-680
- 160 The association between leisure activity patterns and the prevalence of mild cognitive impairment in community-dwelling older adults. 13,
- 159 Validation of the cross-cultural dementia screening test in Alzheimer’s disease and Parkinson’s disease. 13,
- 158 Longitudinal relationships between non-motor symptoms and biomarkers as a function of motor symptom asymmetry in early Parkinson’s disease.
- 157 Structural But Not Functional Connectivity Differences within Default Mode Network Indicate Conversion to Dementia. **2023**, 1-12
- 156 Multimodality imaging of neurodegenerative disorders with a focus on multiparametric magnetic resonance and molecular imaging. **2023**, 14,
- 155 Elasticity of leg muscles and incidence of falls in older adults: a prospective cohort analysis.
- 154 Predictors of everyday functional impairment in older patients with schizophrenia: A cross-sectional study. 13,
- 153 The Rossy Progressive Supranuclear Palsy Centre: creation and initial experience. 1-28
- 152 Outpatient Service Use in Korean Older Adult Women with Degenerative Arthritis Based on Andersen’s Model. **2023**, 8, 9

- 151 The effect of the Mindfulness-Based Stress Reduction program on the level of perceived stress and geriatric depression in older adults: a randomised controlled study. ○
- 150 The relationship between physical activity, physical health, and mental health among older Chinese adults: A scoping review. 10, ○
- 149 Heart Failure-Smart Life: a randomized controlled trial of a mobile app for self-management in patients with heart failure. **2023**, 23, ○
- 148 Clinimetric properties of the diagnostic criteria for psychosomatic research among the elderly. ○
- 147 Changes in Tangible Social Support Over Time Among Older Adults Receiving Long-Term Services and Supports. 073346482211509 ○
- 146 R4Alz-Revised: A Tool Able to Strongly Discriminate "Subjective Cognitive Decline" from Healthy Cognition and "Minor Neurocognitive Disorder" **2023**, 13, 338 ○
- 145 Larger dlPFC and vmPFC grey matter volumes are associated with high adherence to the Mediterranean diet: A cross-sectional study in older adults. **2023**, 3, 100064 ○
- 144 Association Between Multimorbidity and Rate of Falls: A 3-Year 5-Country Prospective Study in Generally Healthy and Active Community-Dwelling Adults Aged ≥70 Years. **2023**, ○
- 143 A Novel Approach to Measurement-Based Care: Integrating Palliative Care Tools Into Geriatric Mental Health. 104990912211502 ○
- 142 Suicidality among older Australian adults. 10, ○
- 141 A formula for calculating 30-item Geriatric Depression Scale (GDS-30) scores from the 15-item version (GDS-15). **2023**, 172, 112077 ○
- 140 Volumetric regional MRI and neuropsychological predictors of motor task variability in cognitively unimpaired, Mild Cognitive Impairment, and probable Alzheimer's disease older adults. **2023**, 173, 112087 ○
- 139 Developing a coping skills group based on acceptance and commitment therapy for older adults. **2009**, 1, 29-33 ○
- 138 Punjabi Depression Inventory: A culturally sensitive measure for Punjabi-speaking migrants residing in the UK. **2020**, 35, 22-29 ○
- 137 Neuropsychological Assessment of Late-Life Cognitive Disorders. **2022**, ○
- 136 The Psychiatric Interview of Older Adults. **2022**, ○
- 135 Clinical Psychiatry in the Nursing Home. **2022**, ○
- 134 The Factors Affecting Frailty among the Elderly in Korea: A Study Using the Frailty Cohort. **2023**, 20, 670 ○

- 133 A Comparison of Fatigue, Depression, and Psychosocial Well-being according Care Dependency in Stroke Patients. **2022**, 25, 70-80 ○
- 132 Psychosocial factors and hippocampal subfields: The Medea-7T study. ○
- 131 Late-Onset Depression but not Early-Onset Depression may Increase the Risk of All-Cause Mortality in Older Age: 8-Year Follow-Up of the Salus in Apulia Study. **2022**, ○
- 130 Associations between cortical β -amyloid burden, fornix microstructure and cognitive processing of faces, places, bodies and other visual objects in early Alzheimer's disease. ○
- 129 Sex-Specific Interactions Between Hearing and Memory in Older Adults With Mild Cognitive Impairment: Findings From the COMPASS-ND Study. Publish Ahead of Print, ○
- 128 Change in prevalence over time and factors associated with depression among Bangladeshi older adults during the COVID -19 pandemic. ○
- 127 Effects of a 12-week Vivifrail exercise program on intrinsic capacity among frail cognitively impaired community-dwelling older adults: secondary analysis of a multicentre randomised clinical trial. **2022**, 51, ○
- 126 Deep Learning for Brain MRI Confirms Patterned Pathological Progression in Alzheimer's Disease. 2204717 ○
- 125 Cognitive and Mood Effect of Alpha-Lipoic Acid Supplementation in a Nonclinical Elder Sample: An Open-Label Pilot Study. **2023**, 20, 2358 ○
- 124 Sensory testing in new product development: Working with older people. **2023**, 545-568 ○
- 123 Increasing Identification and Follow-Up of Older Adult Depression in Primary Care. **2023**, 14, 215013192311527 ○
- 122 Ginseng intake and Alzheimer disease-specific cognition in older adults according to apolipoprotein ϵ allele status. ○
- 121 Prevalencia y factores asociados a la fragilidad en pacientes mayores hospitalizados. **2023**, ○
- 120 New onset, transient and stable motoric cognitive risk syndrome: Clinical characteristics and association with incidence of probable dementia in the NuAge cohort. 14, ○
- 119 Brain Gray Matter Volume Mediated the Correlation Between Plasma P-Tau and Cognitive Function of Early Alzheimer's Disease in China: A Cross-Sectional Observational Study. **2023**, 1-13 ○
- 118 Cognitive stimulation to improve cognitive functioning in people with dementia. **2023**, 2023, 1
- 117 Executive function abilities in cognitively healthy young and older adults—a cross-sectional study. 15, ○
- 116 Pharmacologic treatment of depression in Alzheimer's disease. Publish Ahead of Print, ○

- 115 Sequential production of motor-action verb subtypes in Parkinson’s disease patients. 17, ○
- 114 Effect of a Seated Upper Extremity Exercise Program with Cognitive Task on the Cerebral Hemodynamics of Older Females. **2023**, 38, 38-44 ○
- 113 Do Sleep-Related Metacognitive Strategies Shape My Sleep? The Relationships between Strategies for Controlling Sleep-Related Intrusive Thoughts and Subjective and Objective Sleep Quality in Young Adulthood and Older Age. **2023**, 13, 271 ○
- 112 Risk factors of poor sleep quality in older adults: an analysis based on comprehensive geriatric assessment. 1-6 ○
- 111 Mortality Risks and Causes of Death by Dementia Types in a Japanese Cohort with Dementia: NCGG-STORIES. **2023**, 92, 487-498 ○
- 110 Demographic and Neuropsychologic Profiles of Patients with Neurodegenerative Dementia: Results from A Tertiary Referral University Hospital. **2023**, 5, 59-65 ○
- 109 The determinants of depression among the urban elderly: A study based on the Seoul Aging Survey, Korea. ○
- 108 Psychometric properties of the Chinese version of the Nursing Home Adjustment Scale (C-NHAS) in Central China: Classical test theory and item response theory. **2023**, 51, 102-111 ○
- 107 Psychosocial effects of intergenerational learning on primary school children and older Adults: A systematic review. 1-34 ○
- 106 APOIO SOCIAL E SINTOMAS DEPRESSIVOS EM IDOSOS ATENDIDOS EM UM AMBULATÓRIO. 31, ○
- 105 SOCIAL SUPPORT AND DEPRESSIVE SYMPTOMS IN OLDER ADULTS TREATED IN AN OUTPATIENT SERVICE. 31, ○
- 104 IMOVE: Protocol for a randomized, controlled 2x2 factorial trial of improvisational movement and social engagement interventions in older adults with early Alzheimer’s disease. **2023**, 32, 101073 ○
- 103 Cognitive evidence on EEG-P300 in healthy individuals with high depression scores. **2022**, 39, 92 ○
- 102 Patients with Alzheimer’s disease dementia show partially preserved parietal α modeled from resting-state alpha electroencephalographic rhythms. 15, ○
- 101 Effect of 3D-MOT training on the execution of manual dexterity skills in a population of older adults with mild cognitive impairment and mild dementia. 1-10 ○
- 100 Emotion recognition and baseline cortisol levels relationship in early Alzheimer disease. **2023**, 177, 108511 1
- 99 Use of Absorbent Products in Older Men and Women Are Associated with Depressive Symptoms: A Retrospective Study from a University Hospital. **2023**, 5, 78-83 ○
- 98 Diagnostic Performance of Screening Tools for Depressive Symptoms in Vulnerable Older Patients with Cancer Undergoing Comprehensive Geriatric Assessment (CGA): Results from the SCREEN Pilot Study. **2023**, 30, 1805-1817 ○

- 97 Assessing learning potential in elderly stroke patients: The validity of the dynamic Clock Drawing Task in comparison with the dynamic Wisconsin Card Sorting Test. 1-11 ○
- 96 Psychosocial changes during COVID-19 lockdown on nursing home residents, their relatives and clinical staff: a prospective observational study. **2023**, 23, ○
- 95 Genetic and environmental influences on fruit and vegetable consumption and depression in older adults. **2023**, 23, ○
- 94 Safety and tolerability of adjunct non-invasive vagus nerve stimulation in people with parkinsonâs: a study protocol. **2023**, 23, ○
- 93 Modified Prolonged Exposure Therapy for Posttraumatic Stress Disorder with an 85-Year-Old Native American Cajun Man With Late-Onset Deafness: A Case Report. 1-8 ○
- 92 Subphenotypes of frailty in lung transplant candidates. **2023**, 23, 531-539 ○
- 91 Frailty, falls and poor functional mobility predict new onset of activity restriction due to concerns about falling in older adults: a prospective 12-month cohort study. **2023**, 14, 345-351 1
- 90 Fully Immersive Virtual Reality Using 360° Videos to Manage Well-Being in Older Adults: A Scoping Review. **2023**, 24, 564-572 1
- 89 Factors Correlating with Functional Capacity in Older People with Chronic Pain. **2023**, 20, 2748 ○
- 88 Computer-Based Cognitive Training vs. Paper-and-Pencil Training for Language and Cognitive Deficits in Greek Patients with Mild Alzheimerâs Disease: A Preliminary Study. **2023**, 11, 443 ○
- 87 Pain and Depression Levels Related to the Quality of Life in Elderly People with Chronic Non-Specific Low Back Pain?. ○
- 86 The cerebellum is causally involved in episodic memory under aging. ○
- 85 Psychometric Properties of the 11-Item De Jong Gierveld Loneliness Scale in a Representative Sample of Mexican Older Adults. **2023**, 11, 489 ○
- 84 Impact of behavioral and psychological symptoms of dementia (BPSD) in institutionalized people. **2019**, 4, 233-239 ○
- 83 Normative scores for attentional tests used by the Spanish consortium for ageing normative data (SCAND) study: Trail Making Test, Digit Symbol and Letter Cancellation. 1-21 ○
- 82 Clinical features and outcomes of elderly hospitalised patients with chronic obstructive pulmonary disease, heart failure or both. **2023**, 18, 523-534 ○
- 81 Benefits vs risks: SGLT-2 inhibitors in older adults living with frailty: a retrospective study from a university hospital. ○
- 80 Aging and Mixed Emotions: A Word-Suffix Approach in Free Recall. **2023**, 13, 160 ○

- 79 Know thyself: Executive functioning and sex predict self-appraisal of functional abilities in community-dwelling older adults. 1-24 ○
- 78 Oral function and cumulative long-term care costs among older Japanese adults: a prospective 6-year follow-up study of long care receipt data. **2023**, 13, e066349 ○
- 77 Greater subjective cognitive decline severity is associated with worse memory performance and lower entorhinal cerebral blood flow in healthy older adults. 1-10 ○
- 76 Accurate Detection of β -Synuclein Seeds in Cerebrospinal Fluid from Isolated Rapid Eye Movement Sleep Behavior Disorder and Patients with Parkinson's Disease in the DeNovo Parkinson (DeNoPa) Cohort. **2023**, 38, 567-578 ○
- 75 The effects of white matter hyperintensities on MEG power spectra in population with mild cognitive impairment. 17, ○
- 74 Psychosocial needs of older patients with metastatic breast cancer treated at community centers. **2023**, 14, 101444 ○
- 73 "What Did You Do in the War, Daddy?" Paternal Military Conscription During WWII, Economic Hardship and Family Violence in Childhood, and Health in Late Life in Japan. 088626052311538 ○
- 72 Relationships between Perceived Social Support and Physical Activity with Mood, Physical Fitness and Cognitive Status of Elderly in Golestan Province, Iran. **2021**, 18, 1-4 ○
- 71 Comparison of the predictive value of intrinsic capacity and comorbidity on adverse health outcome in community-dwelling older adults. **2023**, 50, 222-226 ○
- 70 Bilateral Hippocampal Volume Mediated the Relationship Between Plasma BACE1 Concentration and Memory Function in the Early Stage of Alzheimer's Disease: A Cross-Sectional Study. **2023**, 92, 1001-1013 ○
- 69 Home-Based Pilot Intervention to Improve Quality of Life and Related Outcomes among Unpaid Caregivers and Their Care-Recipients with Visual Impairments. **2023**, 20, 3867 ○
- 68 Effects of multimodal cognitive exercise program on cognitive function, bone density, blood lipid, fitness, and depression in old women with mild cognitive impairment. **2023**, 19, 27-34 ○
- 67 Effects of continuous positive airway pressure on comprehensive geriatric assessment and cognitive function in elderly patients with obstructive sleep apnea syndrome. **2023**, 18, 769-779 ○
- 66 Carotid Intima-Media Thickness (cIMT) and Cognitive Performance. **2023**, 37, 35-41 ○
- 65 Psychological well-being in persons with dementia: The role of caregiver expressed emotion. ○
- 64 The Effects of Aerobic and Resistance Exercises on the Cognitive and Physical Function of Persons with Mild Dementia: A Randomized Controlled Trial Protocol. **2023**, 11, 677 ○
- 63 Characterization of Depressive Symptoms in Dementia and Examination of Possible Risk Factors. **2023**, 7, 213-225 ○
- 62 Effectiveness of Individual Oral Health Care Training in Hospitalized Inpatients in Geriatric Wards. **2023**, 20, 4275 ○

- 61 Physical function, depressive symptoms, and quality of life with post-acute stroke care. **2023**, 0
- 60 Hypertensive Blood Pressure and Its Impact on Functional Outcomes among Older Adults Receiving Comprehensive Geriatric Care. **2023**, 8, 32 0
- 59 The influence of stimulus eccentricity on prosaccade outcomes in patients with Alzheimer's Disease dementia at an early stage and amnesic mild cognitive impairment. **2022**, 44, 713-729 2
- 58 Critical periods for cognitive reserve building activities for late life global cognition and cognitive decline: the Sydney memory and aging cohort study. 1-17 0
- 57 Collaborative Care and Geriatric Psychiatry. **2023**, 1-15 0
- 56 Prediction of Nursing Home Admission Using the FRAIL-NH Scale Among Older Adults in Post-Acute Care Settings. **2023**, 27, 213-218 0
- 55 Validation of the Portuguese version of the social isolation scale with a sample of community-dwelling older adults. **2023**, 0
- 54 Effects of Resistance Exercise on Cognitive Performance and Depressive Symptoms in Community-Dwelling Older Chinese Americans: A Pilot Randomized Controlled Trial. **2023**, 13, 241 0
- 53 Functional and Cognitive Occupational Therapy (FaCoT) Improves Self-Efficacy and Behavioral Emotional Status of Individuals with Mild Stroke; Analysis of Secondary Outcomes. **2023**, 20, 5052 0
- 52 On taking up space: a qualitative inquiry of depression in older adults with cancer. 1-8 0
- 51 Predicting Conversion from Subjective Cognitive Decline to Mild Cognitive Impairment and Alzheimer's Disease Dementia Using Ensemble Machine Learning. **2023**, 1-16 0
- 50 Olfactory identification, cognition, depressive symptoms, and 5-year mortality in patients with subjective cognitive decline, mild cognitive impairment, and Alzheimer's disease. 0
- 49 Delirium in older hospitalized patients: A prospective analysis of the detailed course of delirium in geriatric inpatients. **2023**, 18, e0279763 0
- 48 Impact of dynamic light exposure on sleep-wake pattern and BPSD in people with dementia living at home. **2023**, 7, 64-81 0
- 47 Measuring hope and resilience in carers of people living with dementia: The positive psychology outcome measure for carers (PPOM-C). 147130122311651 0
- 46 Blood pressure and dementia risk by physical frailty in the elderly: a nationwide cohort study. **2023**, 15, 0
- 45 Cognitive Impairment in Neurodegenerative Movement Disorders. **2023**, 43, 081-094 0
- 44 Investigating Compensatory Brain Activity in Older Adults with Subjective Cognitive Decline. **2023**, 1-18 0

43	Intrinsic capacity and readmission and other adverse outcomes in older hypertensive patients in China: a one-year follow up study.	o
42	Challenging the Pleiotropic Effects of Repetitive Transcranial Magnetic Stimulation in Geriatric Depression: A Multimodal Case Series Study. 2023 , 11, 958	o
41	Classification of Parkinson’s disease with dementia using phase locking factor of event-related oscillations to visual and auditory stimuli. 2023 , 20, 026025	o
40	Enfermedad de Alzheimer. 2023 , 13, 4360-4371	o
39	Engagement in a structured physical activity program and its effects upon health-related quality of life in elderly women: An observational study. 14,	o
38	Structural connectivity and brain network analyses in Parkinson’s disease: A cross-sectional and longitudinal study. 14,	o
37	Social isolation and intrinsic capacity among left-behind older adults in rural China: The chain mediating effect of perceived stress and health-promoting behavior. 11,	o
36	Brain health registry updates: An online longitudinal neuroscience platform.	o
35	Social isolation, loneliness, and their correlates in older Japanese adults.	o
34	Hospital length of stay and 30-day readmissions in older people: their association in a 20-year cohort study in Italy. 2023 , 23,	o
33	Family Conferences to Facilitate Deprescribing in Older Outpatients With Frailty and With Polypharmacy. 2023 , 6, e234723	o
32	Models for evaluating intrinsic capacity based on different locomotion assessments in the old-old.	o
31	Depressive Symptoms are Associated with Decline Over Time in Verbal Fluency Performance in Female but Not Male Community-Dwelling Older Adults. 1-16	o
30	Reliability and Validity of the Turkish Version of the Observation and Interview Based Diurnal Sleepiness Inventory. 2023 , 5, 25-30	o
29	Uncorrected errors and correct saccades in the antisaccade task distinguish between early-stage Alzheimer’s disease dementia, amnesic mild cognitive impairment, and normal aging. 1-22	1
28	Mortality was predicted by depression and functional dependence in a cohort of elderly adults of Italian descent from southern Brazil. 2023 , 13,	o
27	Comparison between tools for automatic segmentation of white matter hyperintensities of presumed vascular origin in aging: which one, how and why to choose the most suitable for your purpose?.	o
26	The impact of the COVID-19 pandemic on self-efficacy scores and intensity of depressiveness in people aged over 60 years providing kinship foster care. 2023 , 23,	o

- 25 Associations of a biopsychosocial frailty phenotype with all-cause dementia, Alzheimer's disease, vascular dementia, and other dementias: the Italian Project on the Epidemiology of Alzheimer's disease (IPREA). ○
- 24 Change in the Quick Dementia Rating System Across Time in Older Adults with and without Cognitive Impairment. **2023**, 1-9 ○
- 23 Dementia Quality of Life Instrument. **2021**, 1-6 ○
- 22 Association of Loneliness With the Incidence of Disability in Older Adults With Hearing Impairment in Japan. ○
- 21 Word Reading and Spelling Processing and Acquired Dyslexia post Unilateral Stroke. ○
- 20 Fortasyn Connect Improves Neuropsychiatric Symptoms in Patients with Mild Cognitive Impairment and Dementia: Results from a Retrospective Real-World Study. **2023**, 1-11 ○
- 19 A Systematic Review of International Affective Picture System (IAPS) around the World. **2023**, 23, 3866 ○
- 18 Ginseng intake and Alzheimer disease-specific cognition in older adults according to apolipoprotein E4 allele status. 15, ○
- 17 Oral health and self-rated health in community-dwelling older adults in Colombia. ○
- 16 Moderating effects of uric acid and sex on cognition and psychiatric symptoms in asymmetric Parkinson's disease. ○
- 15 Subjective impacts of computerized cognitive training for healthy older adults in the context of the COVID-19 pandemic. **2023**, 81, 240-247 ○
- 14 Self-assessed medication risk factors as part of comprehensive health screening in home-dwelling older adults. **2023**, 6, ○
- 13 It's complicated: Executive functioning moderates impacts of daily busyness on everyday functioning in community-dwelling older adults. 1-9 ○
- 12 Analysis of the effectiveness of multi-disciplinary team integrated management combined with full-media health education intervention in patients with coronary heart disease and diabetes mellitus. 1-15 ○
- 11 Acute Effects of a Maximal Cardiopulmonary Exercise Test on Cardiac Hemodynamic and Cerebrovascular Response and Their Relationship with Cognitive Performance in Individuals with Type 2 Diabetes. **2023**, 20, 5552 ○
- 10 A 12-month randomised pilot trial of the Alzheimer's and music therapy study: a feasibility assessment of music therapy and physical activity in patients with mild-to-moderate Alzheimer's disease. **2023**, 9, ○
- 9 Measuring the Impact of Social Media on Young People's Mental Health: Development and Validation of the Social Media-Induced Tendency Scale. **2023**, 2023, 1-11 ○
- 8 Diagnostic performance analysis of the ICOPE screening tool for identifying decline in intrinsic capacity. ○

- 7 Changes in Physical Performance among Community-Dwelling Older Adults in Six Years. **2023**, 20, 5579 ○
- 6 Prevalence of nutrition disorders and nutrition-related conditions in older patients with Alzheimer's disease. ○
- 5 Assessment of fall risks in older females and males using an automated smartphone mobility suite. **2023**, 531-549 ○
- 4 Saccadic Eye Movements in Patients with Mild Cognitive Impairment: A Longitudinal Study. 1-19 ○
- 3 Impact of pharmaceutical care integrated at a psychosocial intervention to reduce caregiver's burden in Alzheimer's disease or related dementias: Negative results at 18 months and difficulties to conduct PHARMAID RCT. **2023**, 101146 ○
- 2 Assessment of socio-demographics, cognitive function and depressive symptoms in homeless seniors and community-dwelling seniors â pilot study. **2023**, 30, 25-30 ○
- 1 An effective and practical tool to assess physical frailty in older adults: Turkish validation of the FRAIL scale. ○