

CITATION REPORT

List of articles citing

Identification of Hodgkin and Sternberg-reed cells as a unique cell type derived from a newly-detected small-cell population

DOI: 10.1002/ijc.2910300411

International Journal of Cancer, 1982, 30, 445-59.

Source: <https://exaly.com/paper-pdf/16016426/citation-report.pdf>

Version: 2024-04-19

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
398	HIV Replication in the Central Nervous System of AIDS Patients. 1990 , 69-81		
397	Immunohistology and aetiology of histiocytic necrotizing lymphadenitis. Report of three instructive cases. 1983 , 7, 825-39		119
396	Human dendritic reticulum cells of lymphoid follicles: their antigenic profile and their identification as multinucleated giant cells. 1983 , 42, 161-72		107
395	The tissue architecture of synovial membranes in inflammatory and non-inflammatory joint diseases. I. The localization of the major synovial cell populations as detected by monoclonal reagents directed towards Ia and monocyte-macrophage antigens. 1983 , 3, 173-81		99
394	Production of a mouse monoclonal antibody reactive with a human nuclear antigen associated with cell proliferation. <i>International Journal of Cancer</i> , 1983 , 31, 13-20	7.5	2151
393	Production of colony-stimulating factors by Hodgkin cell lines. <i>International Journal of Cancer</i> , 1983 , 31, 269-74	7.5	37
392	Carrier detection in Duchenne muscular dystrophy by use of cloned DNA sequences. 1983 , 1, 1325-6		20
391	Lymphoproliferative diseases in Japan and Western countries: Proceedings of the United States--Japan Seminar, September 6 and 7, 1982, in Seattle, Washington. 1983 , 14, 745-72		119
390	Experience with the Oxford tumour marker (Ca1) in serous fluids. 1983 , 1, 1326		14
389	Nature of non-B, non-T lymphomas: an immunohistological study on frozen tissues using monoclonal antibodies. 1984 , 37, 911-8		28
388	Cytochemical distribution of dipeptidylaminopeptidase IV (DAP IV; EC-3.4.14.5) in T-lymphoblastic lymphoma/leukemia characterized with monoclonal antibodies. 1984 , 8, 397-406		16
387	Clinical features of nodular paragranuloma (Hodgkin's disease, lymphocyte predominance type, nodular). 1984 , 108, 321-30		69
386	In situ immunological characterization of the infiltrating cells in positive patch tests. 1984 , 111, 13-22		28
385	Characterization of benign cutaneous lymphocytic infiltrates by monoclonal antibodies. 1984 , 111, 635-45		37
384	Characteristics of Sternberg-Reed, and related cells in Hodgkin's disease: an immunohistological study. 1984 , 49, 465-76		62
383	Neoplastic kappa and lambda cells in a B-PLL with chromosome translocations of both light chain gene regions. <i>International Journal of Cancer</i> , 1984 , 34, 769-73	7.5	3
382	Immunopathology of non-Hodgkin lymphomas. 1984 , 62, 1001-10		6

381	Reticulum cells: characterization and immune functions and the nature of Hodgkin and Reed-Sternberg cells. 1984 , 144, 227-32		9
380	Further evidence for the B-cell nature of hairy cells. A study using immunostaining of splenic tissue with a wide panel of monoclonal antibodies. 1984 , 49, 395-403		6
379	Interleukin-1-like activity constitutively generated by Hodgkin derived cell lines. I. Measurement in a human lymphocyte co-stimulator assay. 1984 , 166, 318-33		15
378	Histiocytosis X cells and Langerhans cells: enzyme histochemical and immunologic similarities. 1984 , 15, 826-33		113
377	Immunohistological analysis of human lymphoma: correlation of histological and immunological categories. 1984 , 42, 67-147		220
376	In situ immunologic characterization of follicular lymphomas. 1984 , 2, 221-37		15
375	Growth fractions in malignant non-Hodgkin's lymphomas (NHL) as determined in situ with the monoclonal antibody Ki-67. 1984 , 2, 365-71		270
374	Lymphomatoid papulosis. Characterization of skin infiltrates by monoclonal antibodies. 1985 , 84, 587-93		41
373	Phenotypic characterization of lymphocyte subsets in mycosis fungoides. Comparison with large plaque parapsoriasis and benign chronic dermatoses. 1985 , 84, 610-9		91
372	The blood microvasculature in T-cell lymphomas. A morphological, ultrastructural and immunohistochemical study. 1985 , 405, 439-52		14
371	Leucocyte antigens in human post mortem tissues: their preservation and loss as demonstrated by monoclonal antibody immunohistological staining. 1985 , 9, 791-804		18
370	On the natural biology of the malignant cells in Hodgkin's disease. 1985 , 11, 37-48		12
369	HTLV-positive and -negative T-cell lymphomas. Morphological and immunohistochemical differences between European and HTLV-positive Japanese T-cell lymphomas. <i>International Journal of Cancer</i> , 1985 , 35, 65-72	7.5	52
368	An immunohistological method for estimating cell growth fractions in rapid histopathological diagnosis during surgery. <i>International Journal of Cancer</i> , 1985 , 35, 169-71	7.5	66
367	B- and T-lymphocytes in Hodgkin's disease. An immunohistochemical study utilizing heterologous and monoclonal antibodies. 1985 , 55, 728-37		41
366	Immune monitoring of tumor development after renal transplantation. 1985 , 55, 988-94		6
365	Monoclonal antibodies reactive with B-lymphocytes and histiocytes in paraffin sections. 1985 , 56, 95-104		58
364	Lymphomatoid Papulosis. 1985 , 3, 735-747		44

363	Monoclonal Antibody Patterns in Lymphomatoid Papulosis. 1985 , 3, 749-757		24
362	Cells Associated with the Malignant Clone in Non-Hodgkin's Lymphomas. 1985 , 61-72		
361	Intracytoplasmic inclusions in B prolymphocytic leukaemia: ultrastructural, cytochemical, and immunological studies. 1985 , 38, 897-903		12
360	In situ analysis of antigens on malignant and benign cells of the melanocyte lineage. Differential expression of two surface molecules, gp75 and p89. 1985 , 161, 366-77		50
359	Common activated helper-T-cell origin for lymphomatoid papulosis, mycosis fungoides, and some types of Hodgkin's disease. 1985 , 2, 864-5		97
358	Inflammatory tumor response to monoclonal antibody infusion. 1985 , 21, 907-12		22
357	Hodgkin-cell leukaemia of B-cell origin. 1985 , 1, 78-80		32
356	Immunoglobulin gene rearrangements in Hodgkin's disease. 1986 , 17, 1009-14		172
355	Biochemical and Ultrastructural Study of Leu M1 Antigen in Reed-Sternberg Cells: Comparison With Granulocytes and Interdigitating Reticulum Cells. 1986 ,		
354	Immunopathology of Hodgkin's disease. 1986 , 5, 253-64		4
353	Immunoglobulin and T-cell receptor beta-chain gene rearrangement analysis of Hodgkin's disease: implications for lineage determination and differential diagnosis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1986 , 83, 7942-6	11.5	124
352	Reed-Sternberg and Hodgkin cells in lymphocyte-predominant Hodgkin's disease of nodular subtype contain J chain. 1986 , 86, 292-7		154
351	Immunohistologic identification of phenotypic antigens associated with Hodgkin and Reed-Sternberg cells. A paraffin section study. 1986 , 57, 2135-40		31
350	Nasal T-cell lymphoma associated with hemophagocytic syndrome. 1986 , 58, 67-71		56
349	An investigation of Ki-1 positive large cell lymphoma with antibodies reactive with tissue macrophages. 1986 , 4, 315-22		24
348	A monoclonal antibody reacting with a membrane determinant expressed on activated chicken T lymphocytes. 1986 , 16, 1331-6		55
347	On the origin and function of Hodgkin and Reed-Sternberg cells. 1986 , 12, 1713-4		
346	Defining bone marrow progenitor cell for human Langerhans cells and the lack of specific markers. 1986 , 149, 67-8		4

345	T-zone lymphoma with predominance of 'plasmacytoid T-cells' associated with myelomonocytic leukaemia--a distinct clinicopathological entity. 1986 , 150, 247-55	48
344	Paragranuloma is a variant of Hodgkin's disease with predominance of B-cells. 1986 , 409, 171-81	56
343	A monoclonal antibody detecting dipeptidylpeptidase IV in human tissue. 1986 , 409, 263-73	22
342	Lymphoreticular infiltrates in invasive ductal breast cancer. A histological and immunohistological study. 1986 , 409, 275-86	28
341	Atypical cells in lymphomatoid papulosis express the Hodgkin cell-associated antigen Ki-1. 1986 , 86, 350-4	76
340	An immunocytochemical study of T-cell lymphomas using monoclonal and polyclonal antibodies effective in routinely fixed wax embedded tissues. 1986 , 10, 1243-60	78
339	Photosensitive dermatitis with actinic reticuloid syndrome: an immunohistological study of the cutaneous infiltrate. 1986 , 114, 47-56	23
338	Immunohistological reactivity pattern of the anti-cutaneous T-cell lymphoma antibody BE2. 1986 , 114, 677-84	20
337	Cytogenetic and immunohistochemical analysis of lymphoepithelioid cell lymphoma (Lennert's lymphoma): further substantiation of its T-cell nature. 1986 , 10, 313-23	20
336	Hodgkin's disease derived cell lines HDLM-2 and L-428: comparison of morphology, immunological and isoenzyme profiles. 1986 , 10, 487-500	95
335	Immunophenotyping of T-lymphoblastic lymphoma/leukemia: correlation with normal T-cell maturation. 1986 , 10, 1025-31	23
334	Hodgkin disease: malignancy, inflammation and abnormal immunity. 1986 , 10, 1267-70	7
333	Immunohistological patterns of non-neoplastic changes in the thymus in Myasthenia gravis. 1986 , 52, 237-57	63
332	Immunophenotyping of acute non-lymphoblastic leukaemias. 1986 , 51, 79-88	2
331	Differentiation-linked leukemogenesis in lymphocytes. 1986 , 234, 697-704	277
330	Immunophenotype analysis of malignant histiocytosis of the intestine. 1986 , 39, 8-15	31
329	Reactivity of T lymphotropic retrovirus antibody (12/1-2) in man: comparison of epidermis with other epithelial cells. 1986 , 39, 547-52	3
328	High proliferative activity of Reed Sternberg associated antigen Ki-1 positive cells in normal lymphoid tissue. 1986 , 39, 993-7	52

327	Growth fractions in breast cancers determined in situ with monoclonal antibody Ki-67. 1986 , 39, 977-80	200
326	Unusual crystalline inclusions in a case of AIDS-related complex. 1987 , 11, 389-95	4
325	Cytochemical profile of megakaryoblastic leukaemia: a study with cytochemical methods, monoclonal antibodies, and ultrastructural cytochemistry. 1987 , 40, 663-9	22
324	Immunocytology of plasmacytoid T cells: marker analysis indicates a unique phenotype of this enigmatic cell. 1987 , 18, 28-32	43
323	Immunoglobulin and T cell receptor beta chain gene DNA probes in the diagnosis and classification of human lymphoid neoplasia. 1987 , 1, 15-31	14
322	Lymphoreticular infiltrates in adenocarcinoma of the large intestine. 1987 , 182, 222-7	5
321	Hematopathological features of acute erythremia (morbus Di Guglielmo). A contribution to the classification and differential diagnosis of erythroid neoplasias. 1987 , 77, 193-7	10
320	Lack of TdT and Immunoglobulin and T-Cell Receptor Gene Rearrangements in Hodgkin's Disease. 1987 , 2, 65-70	4
319	T-lymphocyte colony formation of murine thymocytes in agar contained in glass capillaries. 1987 , 55, 517-22	
318	Hodgkin's disease: the Sternberg-Reed cell. 1987 , 55, 413-20	15
317	Expression of a Hodgkin and Reed-Sternberg cell associated antigen (Ki-1) in cutaneous lymphoid infiltrates. 1987 , 279, 285-92	45
316	The histogenesis of the Reed-Sternberg cell and its mononuclear counterparts. 1987 , 151, 191-5	34
315	Identification of cells of the human mononuclear phagocyte system with rat monoclonal antibodies. 1987 , 152, 265-73	2
314	The immunohistology of Hodgkin's disease--Reed-Sternberg cells and their variants. 1987 , 153, 21-30	46
313	Leu-M1 antigen expression in acute leukaemias. 1987 , 153, 225-32	4
312	T-cell lymphomas of the stomach: morphological and immunological studies characterizing two cases of T-cell lymphoma. 1987 , 411, 523-9	26
311	The correlation of growth fractions with histologic grading and lymph node status in human mammary carcinoma. 1987 , 59, 83-8	122
310	Characterization and frequency distribution of lymphoreticular infiltrates in axillary lymph node metastases of invasive ductal carcinoma of the breast. 1987 , 60, 3001-7	20

309	Immunoprecipitation of the interleukin-2 receptor from Hodgkin's disease derived cell lines by monoclonal antibodies. 1987 , 5, 57-64		22
308	Lymph node architecture in Hodgkin's disease: evidence for the role of the composite nodule in nodular sclerosing Hodgkin's disease. 1987 , 5, 147-54		6
307	Clonal rearrangements of T-cell receptor and immunoglobulin genes and immunophenotypic antigen expression in different subclasses of Hodgkin's disease. <i>International Journal of Cancer</i> , 1987 , 40, 157-60	7.5	84
306	Phenotype versus immunoglobulin and T-cell receptor genotype of Hodgkin-derived cell lines: activation of immature lymphoid cells in Hodgkin's disease. <i>International Journal of Cancer</i> , 1987 , 40, 262-9	7.5	60
305	Determination of growth fractions in benign breast disease (BBD) with monoclonal antibody Ki-67. 1987 , 113, 73-7		22
304	Hodgkin's lymphoma of the oropharyngeal region: report of four cases and diagnostic value of monoclonal antibodies in detecting antigens associated with Reed-Sternberg cells. 1987 , 64, 88-94		21
303	Influence of immunoglobulin isotypes and lymphoid cell phenotype on the transfer of immune complexes to follicular dendritic cells. 1987 , 107, 99-106		11
302	Sequential immunophenotypic study of lymphoid infiltrate in allergic and irritant reactions. 1987 , 16, 239-45		36
301	Stages in LAV/HTLV-III lymphadenitis. I. Histological and immunohistological classification. 1987 , 25, 83-91		38
300	Hodgkin's disease. 1987 , 11, 1211-7		6
299	Genotypic analysis of large cell lymphomas which express the Ki-1 antigen. 1987 , 11, 733-40		103
298	The lymphomas. Histopathology and immunobiology. 1987 , 1, 1-44		1
297	Comparative analysis of different approaches to investigate cell kinetics. 1988 , 21, 123-31		17
296	Primary gastric peripheral T-cell malignant lymphoma with helper/inducer phenotype. First case report with a complete histological ultrastructural and immunochemical study. 1988 , 61, 1602-10		30
295	Identification and characterization of a novel membrane activation antigen with wide cellular distribution. 1988 , 18, 7-11		39
294	Comparative analysis of [3H]-thymidine labelling index and monoclonal antibody Ki-67 in non-Hodgkin's lymphomas. 1988 , 6, 21-8		34
293	Hodgkin's disease in 1987--is history repeating itself?. 1988 , 6, 201-4		4
292	Monocyte/macrophage-directed antibodies Ki-M3 and Ki-M7 detect renal-cell carcinomas. <i>International Journal of Cancer</i> , 1988 , 3, 45-9	7.5	4

291	Cell cycle dependent distribution of the proliferation-associated Ki-67 antigen in human embryonic lung cells. 1988 , 56, 25-33	92
290	Primary cultures of human thymic epithelial tumors. Morphological and immunocytochemical characterization. 1989 , 56, 363-70	6
289	Proliferation-associated expression of DNA methyltransferase in human embryonic lung cells. 1989 , 56, 371-5	5
288	Ultrastructural study of 4 cases of Ki-1 positive large anaplastic cell malignant lymphoma. 1988 , 413, 215-22	14
287	Comments on Hodgkin's disease: the Sternberg-Reed cell by P. Bucsky. 1988 , 57, 143-6	4
286	Lymph node morphology after allogeneic bone marrow transplantation for chronic myeloid leukemia: a histological and immunohistological study focusing on the phenotype of the recovering lymphoid cells. 1988 , 57, 31-40	10
285	Lymphadenitis mimicking Hodgkin's disease. 1988 , 12, 253-62	9
284	A simple guide to the terminology and application of leucocyte monoclonal antibodies. 1988 , 12, 461-80	65
283	Correlation of content of B cells and Leu7-positive cells with subtype and stage in lymphocyte predominance type Hodgkin's disease. 1988 , 114, 405-10	23
282	L-428 Reed-Sternberg cells and mononuclear Hodgkin's cells arise from a single cloned mononuclear cell. 1988 , 6, 417-31	47
281	Peripheral T cell lymphoma presenting primarily as lethal midline granuloma. 1988 , 19, 1093-101	55
280	Monoclonal antibodies Ki-B3 and Leu-M1 discriminate giant cells of infectious mononucleosis and of Hodgkin's disease. 1988 , 19, 1168-73	19
279	Monoclonal antibody Leu-22 (L60) permits the demonstration of some neoplastic T cells in routinely fixed and paraffin-embedded tissue sections. 1988 , 19, 1434-43	18
278	Importance of an 85 kDa membrane glycoprotein for a variety of cell-cell interactions. 1988 , 25, 1053-61	15
277	Expression of Epidermal Growth Factor Receptors (EGFR) on Breast Carcinomas in Relation to Growth Fractions, Estrogen Receptor Status and Morphological Criteria: An Immunohistochemical Study. 1988 , 183, 17-24	19
276	Prognostic significance of immunohistochemical parameters in breast carcinomas. 1988 , 183, 277-83	25
275	Relationships Between Drug Regime and Histology of Rectal Mucosa in Crohn's Disease. 1988 , 183, 25-29	23
274	Morphological differentiation of human lymphocyte subpopulations following polyclonal stimulation with bacteria and lectin. 1988 , 177, 220-32	2

273	Characterization of synovial macrophages by monoclonal antibodies in rheumatoid arthritis and osteoarthritis. 1988 , 76, 61-6		4
272	[Acute multifocal gastric hemorrhage in non-Hodgkin's lymphoma of the upper digestive tract in a 7-year-old female]. 1988 , 200, 45-8		2
271	An Approach to Practical Problems in the Diagnosis of Lymphoproliferative Disorders Using Cytochemistry and Immunocytochemistry. <i>Clinics in Laboratory Medicine</i> , 1988 , 8, 211-222	2.1	
270	Immunology and Cellular Biology of Hodgkin's Disease. <i>Hematology/Oncology Clinics of North America</i> , 1989 , 3, 205-220	3.1	12
269	Differenzierungsprogramme lymphatischer Zellen und deren Beziehung zur Klassifikation maligner Lymphome. 1989 , 3-38		
268	Familial hemophagocytic lymphohistiocytosis macrophages showing immunohistochemical properties of activated macrophages and T-accessory cells. 1989 , 6, 237-46		14
267	Immunoglobulin and T-cell receptor gene rearrangements in Hodgkin's disease and Ki-1-positive anaplastic large cell lymphoma: dissociation between phenotype and genotype. 1989 , 13, 103-16		160
266	Is the Hodgkin cell a T- or B-lymphocyte? Recent evidence from geno- and immunophenotypic analysis and in-vitro cell lines. 1989 , 7, 95-113		40
265	Primary intestinal lymphoma of Ki-1 large cell anaplastic type with mesenteric lymph node and spleen involvement in a renal transplant recipient. 1989 , 7, 441-9		27
264	Expression of 7F7-antigen, a human adhesion molecule identical to intercellular adhesion molecule-1 (ICAM-1) in human carcinomas and their stromal fibroblasts. <i>International Journal of Cancer</i> , 1989 , 43, 768-73	7.5	76
263	Ki67 and 4F2 antigen expression as well as DNA synthesis predict survival at relapse/tumour progression in low-grade B-cell lymphoma. <i>International Journal of Cancer</i> , 1989 , 44, 975-80	7.5	30
262	The immunophenotype of Reed-Sternberg cells. A study of 50 cases of Hodgkin's disease using fixed frozen tissues. 1989 , 63, 2083-7		117
261	Assessment of cell proliferation in colorectal carcinomas using the monoclonal antibody Ki-67. Correlation with pathohistologic criteria and influence of irradiation. 1989 , 64, 2501-5		73
260	Histological and immunohistological analysis of human lymphomas. <i>Critical Reviews in Oncology/Hematology</i> , 1989 , 9, 351-419	7	34
259	Lymphocyte predominant Hodgkin's disease of nodular subtype combined with pulmonary lymphoid infiltration and hypogammaglobulinaemia. 1989 , 415, 481-7		7
258	Malignant lymphomas of the nasal cavity and paranasal sinuses. 1989 , 414, 399-405		92
257	Large cell anaplastic lymphoma of the skin. 1989 , 121, 593-602		24
256	The expression of the CD3 antigen in Hodgkin's disease. 1989 , 15, 599-605		35

255	Phenotypic characterization of non-haemopoietic small cell tumours of childhood with monoclonal antibodies to leucocytes, epithelial cells and cytoskeletal proteins. 1989 , 14, 347-57	17
254	Anaplastic large cell Ki-1 lymphoma. Delineation of two morphological types. 1989 , 15, 11-34	139
253	Morphological and immunohistochemical investigation of non-Hodgkin's lymphoma combined with Hodgkin's disease. 1989 , 15, 35-48	38
252	CD4+ Cutaneous T-Cell Lymphomas Show the Phenotype of Helper/Inducer T Cells (CD45RA-, CDw29+). 1989 , 93, 413-416	51
251	Lack of efficacy of pyrimethamine prophylaxis in pregnant Nigerian women. 1989 , 2, 830-4	26
250	Clinicopathological study of Ki-1-positive lymphomas. 1989 , 185, 461-7	24
249	Nodular paragranuloma can transform into high-grade malignant lymphoma of B type. 1989 , 20, 1169-75	110
248	The dendritic reticulum cell pattern in B cell lymphomas of the small cleaved, mixed, and large cell types: an immunohistochemical study of 48 cases. 1989 , 20, 124-31	29
247	Primary peripheral T cell lymphoma in a kidney transplant under immunosuppression with cyclosporine A. 1989 , 20, 1027-30	28
246	Expression of T-cell-receptor beta chain in Reed-Sternberg cells. 1989 , 2, 828-30	55
245	CD30(Ki-1) antigen expression in a subset of gastric mucosal plasma cells and in a primary gastric plasmacytoma. 1989 , 91, 18-23	23
244	CD4+ cutaneous T-cell lymphomas show the phenotype of helper/inducer T cells (CD45RA-, CDw29+). 1989 , 93, 413-416	30
243	Progressive transformation of germinal centers with and without association to Hodgkin's disease. 1990 , 93, 219-26	90
242	Acute infectious mononucleosis. CD30 (Ki-1) antigen expression and histologic correlations. 1990 , 93, 698-702	54
241	CD30 expression in non-Hodgkin's lymphoma. 1990 , 17, 211-8	81
240	The diagnostic significance of the CD30 (Ki-1) antigen. 1990 , 16, 409-13	60
239	Methodological approaches to immunohistochemical demonstration of beta-hexosaminidase in human placental and renal tissue with monoclonal antibodies. 1990 , 59, 313-9	3
238	Absence of the Epstein-Barr virus genome in the normal thymus, thymic epithelial tumors, thymic lymphoid hyperplasia in a European population. 1990 , 59, 359-65	18

237	Reciprocal/dichotomic expression of vimentin and B cell differentiation antigens in Reed-Sternberg's cells. 1990 , 416, 213-20	6
236	Immunohistochemical differential diagnosis of granulocytic sarcomas and malignant lymphomas on formalin-fixed material. 1990 , 416, 351-5	20
235	Antigenic phenotyping of human follicular dendritic cells isolated from nonmalignant and malignant lymphatic tissue. 1990 , 20, 1013-8	70
234	Characterization of giant cells in Hodgkin's lymphomas by immunohistochemistry applied to randomly collected diagnostic biopsies from the German Hodgkin Trial. 1990 , 8, 241-50	11
233	Expression of Ki-1 antigen (CD30) in mesenchymal tumors. 1990 , 66, 1732-7	66
232	Histopathologic, immunophenotypic, and genotypic analysis of Ki-1 anaplastic large cell lymphomas that express histiocyte-associated antigens. 1990 , 66, 2547-56	42
231	Misworded Sentences. 1990 , 126, 1616	
230	Ber-EP4: new monoclonal antibody which distinguishes epithelia from mesothelial. 1990 , 43, 213-9	303
229	Regressing Atypical Histiocytosis. 1990 , 126, 1609	7
228	Protein kinase activity of the intracellular but not of the membrane-associated form of the Ki-1 antigen (CD30). 1990 , 141, 13-31	20
227	Large anaplastic cell Ki-1 positive malignant lymphoma with peculiar endocytotic vacuoles. 1990 , 186, 784-92; discussion 792-4	10
226	Immunohistology of the human spleen after bone marrow transplantation for leukemia with special reference to the early post-transplantation period. 1990 , 186, 775-83	8
225	Genotypic and immunophenotypic analysis of anaplastic large cell lymphoma (Ki-1 lymphoma). 1990 , 186, 582-8	16
224	Letter to the Case. 1990 , 186, 792-793	
223	Peripheral T-cell lymphomas: a clinicopathologic study of 75 cases. 1990 , 21, 1117-25	65
222	Hodgkin's disease followed by lymphomatoid papulosis. Immunophenotypic evidence for a close relationship between lymphomatoid papulosis and Hodgkin's disease. 1990 , 22, 999-1006	50
221	Antigenic profile of mammary fibroadenoma and cystosarcoma phyllodes. A study using antibodies to estrogen- and progesterone receptors and to a panel of cell surface molecules. 1990 , 186, 427-38	25
220	Skeletal muscle involvement in human immunodeficiency virus infection. 1991 , 81, 496-502	10

219	Immunophenotypic analysis of benign and malignant cutaneous lymphoid infiltrates. 1991 , 9, 261-72	8
218	Proliferation of germinal center B lymphocytes in vitro by direct membrane contact with follicular dendritic cells. 1991 , 183, 451-62	31
217	Malignant hemangiopericytoma of the pelvis. Report of a case with urological implications and immunohistochemical analysis. 1991 , 47, 94-7	7
216	Hodgkin's disease in northern Sweden 1971-1981. I. A histopathological reevaluation of 223 cases. 1991 , 30, 593-6	6
215	beta-hexosaminidase in cultured normal and mutant human fibroblasts: an immunohistochemical and biochemical investigation. 1991 , 51, 711-4	1
214	Immunotoxins in the therapy of leukemias and lymphomas. 1991 , 9, 211-9	3
213	Karzinom der Harnblase. 1991 , 22, 110-113	
212	Interdigitating Reticulum Cell Sarcoma Positive immunohistochemistry for HLA-DR and two other activation antigens, CD30(Ki-1) and CD25(IL2R). 1991 , 4, 411-7	2
211	Immune markers in hematologic malignancies. <i>Critical Reviews in Oncology/Hematology</i> , 1991 , 11, 267-97	37
210	Immunophenotypic study of lymphocyte predominance Hodgkin's disease. 1991 , 18, 19-24	18
209	CD30 expression in follicular lymphoma. 1991 , 18, 25-9	20
208	Monocytoid B-cell lymphoma: morphological variants and relationship to low-grade B-cell lymphoma of the mucosa-associated lymphoid tissue. 1991 , 18, 403-14	99
207	Tumor-infiltrating lymphoreticular cells. Histologic and immunohistologic investigations performed on metastasizing squamous cell carcinomas of the head and neck. 1991 , 68, 2397-402	18
206	CD antigens as promising tools for the functional analysis of solid tumours. 1991 , 419, 1-5	3
205	Large cell anaplastic lymphoma: evaluation of immunophenotype on paraffin and frozen sections in comparison with ultrastructural features. 1991 , 418, 427-33	7
204	Ber-ACT8: new monoclonal antibody to the mucosa lymphocyte antigen. 1991 , 44, 636-45	43
203	The nature of Hodgkin and Reed-Sternberg cells, their association with EBV, and their relationship to anaplastic large-cell lymphoma. <i>Annals of Oncology</i> , 1991 , 2, 33-38	10.3 76
202	Twelve cases of Ki-1 positive anaplastic large cell lymphoma of skin. 1991 , 44, 119-25	69

201	New concepts on histopathology of Hodgkin's disease. <i>Annals of Oncology</i> , 1992 , 3 Suppl 4, 35-8	10.3	2
200	Recent results on the biology of Hodgkin and Reed-Sternberg cells. I. Biopsy material. 1992 , 8, 283-313		113
199	Growth fraction in breast carcinoma determined by Ki-67 immunostaining: correlation with pathological and clinical variables. 1992 , 33, 47-50		11
198	Large cell anaplastic lymphoma (Ki-1 lymphoma). 1992 , 47, 170-7		7
197	Assignment of the human CD30 (Ki-1) gene to 1p36. 1992 , 14, 825-6		45
196	Distribution of transforming growth factor-beta 1 in human astrocytomas. 1992 , 23, 1284-8		30
195	Molecular cloning and expression of a new member of the nerve growth factor receptor family that is characteristic for Hodgkin's disease. 1992 , 68, 421-7		544
194	Primary small cell carcinoma of the urinary bladder. Report of a case with immunohistochemical analyses. 1992 , 48, 95-8		4
193	Lymphocyte-predominance Hodgkin's disease. <i>International Review of Experimental Pathology</i> , 1992 , 33, 53-79		13
192	High incidence of EBV genome in CD30-positive non-Hodgkin's lymphomas. 1992 , 168, 307-15		41
191	Detection of immunoglobulin light chain mRNA in nodular sclerosing Hodgkin's disease by in situ hybridization with biotinylated oligonucleotide probes compared with immunohistochemical staining with poly- and monoclonal antibodies. 1992 , 21, 353-8		8
190	c-myc mRNA expression in non-Hodgkin's lymphomas. 1992 , 62, 61-8		3
189	Hodgkin's disease. <i>Critical Reviews in Oncology/Hematology</i> , 1992 , 13, 135-87	7	30
188	Paraffin section immunohistochemistry in the diagnosis of Hodgkin's disease and anaplastic large cell (CD30+) lymphomas. 1992 , 420, 527-32		27
187	Simultaneous occurrence of t(14;18) and t(8;22) common acute lymphoblastic leukemia. 1992 , 64, 101-4		14
186	Proliferation of non-Hodgkin-lymphoma lymphocytes in vitro is dependent upon follicular dendritic cell interactions. <i>British Journal of Haematology</i> , 1992 , 80, 21-6	4.5	38
185	Regressing atypical histiocytosis, a regressing cutaneous phase of Ki-1-positive anaplastic large cell lymphoma. Immunocytochemical, nucleic acid, and cytogenetic studies of a new case in view of current opinion. 1992 , 70, 476-83		23
184	Immunohistochemistry of Hodgkin and non-Hodgkin lymphomas with emphasis on the diagnostic significance of the BNH9 antibody reactivity with anaplastic large cell (CD30 positive) lymphomas. 1992 , 70, 2691-8		28

183	Anaplastic large cell lymphoma (Ki-1+/CD30+) in childhood. 1993 , 21, 402-10	48
182	Expression of CD30 and nerve growth factor-receptor in neoplastic and reactive vascular lesions: an immunohistochemical study. 1993 , 23, 173-8	18
181	Cultured human NK cells express the Ki-1/CD30 antigen. <i>British Journal of Haematology</i> , 1993 , 85, 270-6 4.5	22
180	CD30 antigen, a marker for Hodgkin's lymphoma, is a receptor whose ligand defines an emerging family of cytokines with homology to TNF. 1993 , 73, 1349-60	462
179	Anaplastic Ki-1 + large-cell lymphoma. 1993 , 11, 554-8	5
178	Classification of Hodgkin's disease biopsies by a panel of four histopathologists. Report of 1,140 patients from the German National Trial. 1993 , 9, 365-70	26
177	Ki-1-anaplastic large cell lymphoma: is it a discrete entity?. 1993 , 10 Suppl, 81-4	28
176	What is the origin of the malignant cell in Hodgkin's disease?. 1993 , 10 Suppl, 99-102	4
175	Unresolved issues concerning Hodgkin's disease and its relationship to non-Hodgkin's lymphoma. 1993 , 99, 436-44	12
174	The Use of Monoclonal Antibodies on Paraffin Sections in the Diagnosis of Cutaneous Lymphoproliferative Disorders. 1994 , 12, 219-229	14
173	CD30 antigen in non-Hodgkin's lymphoma. 1994 , 44, 428-34	13
172	DNA content and expression of PCNA and p53 in Hodgkin's disease and Hodgkin's-like B-cell lymphoma. 1994 , 102, 865-73	5
171	Ki-1 (CD30) anaplastic large-cell lymphoma in children. <i>Annals of Oncology</i> , 1995 , 6, 915-20	10.3 41
170	Ewing tumor after treatment of Ki-1+ anaplastic large cell lymphoma. Therapy-associated secondary neoplasm or unrelated coincidence?. 1995 , 83, 5-11	22
169	Recombinant CD30 ligand and CD40 ligand share common biological activities on Hodgkin and Reed-Sternberg cells. 1995 , 25, 2083-9	64
168	Hodgkin's disease with monoclonal and polyclonal populations of Reed-Sternberg cells. 1995 , 333, 901-6	185
167	Cross-linking of CD30 induces HIV expression in chronically infected T cells. 1995 , 2, 587-96	73
166	Detection of the t(2;5)(p23;q35) chromosomal translocation in large B-cell lymphomas other than anaplastic large cell lymphoma. 1996 , 27, 590-4	35

165	Impaired negative selection of T cells in Hodgkin's disease antigen CD30-deficient mice. 1996 , 84, 551-62	282
164	Evolution of Hodgkin's disease. 1996 , 47, 199-213	3
163	[Cutaneous large cell anaplastic Ki-1 (CD 30) positive T-cell lymphoma]. 1996 , 47, 294-8	1
162	Modulation of HLA-DR and CD1a expression on human cornea with low-dose UVB irradiation. 1996 , 15, 669-79	7
161	Correlation of light microscopic, immunocytochemical and ultrastructural cytomorphology of anaplastic large cell Ki-1 lymphoma, an activated lymphocyte phenotype. A case report. 1996 , 40, 1283-8	3 ¹
160	A case of Ki-1 positive anaplastic large cell lymphoma transformed from mycosis fungoides. 1996 , 23, 606-13	1
159	Fine needle aspiration cytology, histology and immunohistochemistry of anaplastic large cell Ki-1-positive lymphoma. A report of three cases. 1996 , 40, 779-85	37
158	Case report: primary CD30 (Ki-1)-positive anaplastic large cell lymphoma of the duodenum. 1996 , 41, 2343-7	3
157	NPM/ALK gene fusion transcripts identify a distinct subgroup of null type Ki-1 positive anaplastic large cell lymphomas. <i>British Journal of Haematology</i> , 1996 , 92, 866-71	4.5 15
156	Expression of the monoclonal antibody HECA-452 defined E-selectin ligands in Langerhans cell histiocytosis. 1996 , 427, 477-81	4
155	Granulocytic sarcoma with expression of CD30. 1996 , 49, 762-3	23
154	Expression of CD15 in normal and metaplastic Paneth cells of the digestive tract. 1996 , 49, 474-7	13
153	Structural and biological features of the TNF receptor and TNF ligand superfamilies: interactive signals in the pathobiology of Hodgkin's disease. <i>Annals of Oncology</i> , 1996 , 7 Suppl 4, 19-26	10.3 37
152	CD30 ligand, a member of the TNF ligand superfamily, with growth and activation control CD30+ lymphoid and lymphoma cells. 1996 , 20, 397-409	37
151	Abortive mitoses and nuclear DNA fragmentation in CD30+ large cells of Hodgkin's disease. 1996 , 22, 119-24, follow. 186, color plate XI	18
150	CD30+ lymphocytes in chronic gingivitis from HIV-positive patients: a pilot study. 1997 , 68, 881-3	4
149	Reed-Sternberg cells and the TNF family of receptors/ligands. 1997 , 27, 195-205	23
148	Nasal mucosa inflammation induced by oxygen administration in humans. 1997 , 41, 1011-6	8

147	Allograft conduit wall calcification in a model of chronic arterial graft rejection. 1997 , 12, 86-92		9
146	Targeting of saporin to Hodgkin's lymphoma cells by anti-CD30 and anti-CD25 bispecific antibodies. <i>British Journal of Haematology</i> , 1998 , 102, 1061-8	4.5	9
145	CD30 is a CD40-inducible molecule that negatively regulates CD40-mediated immunoglobulin class switching in non-antigen-selected human B cells. 1998 , 9, 247-56		67
144	Immunohistochemical study of apical periodontal cysts. 1998 , 24, 36-7		17
143	Low-grade metaplastic carcinoma of the thymus. 1999 , 35, 19-30		32
142	The therapy of primary adult systemic CD30-positive anaplastic large cell lymphoma: results of 40 cases treated in a single center. 1999 , 35, 159-69		18
141	Involvement of Sp1 and microsatellite repressor sequences in the transcriptional control of the human CD30 gene. <i>American Journal of Pathology</i> , 2000 , 156, 1723-31	5.8	46
140	The role of CD30 in skin and heart allograft rejection in the mouse. 2001 , 33, 140-1		7
139	Anaplastic large cell lymphoma: the shifting sands of diagnostic hematopathology. 2001 , 14, 219-28		154
138	Down-regulation of BOB.1/OBF.1 and Oct2 in classical Hodgkin disease but not in lymphocyte predominant Hodgkin disease correlates with immunoglobulin transcription. <i>Blood</i> , 2001 , 97, 496-501	2.2	230
137	Anaplastic large cell lymphoma: pathological, molecular and clinical features. <i>British Journal of Haematology</i> , 2001 , 114, 741-60	4.5	106
136	CD30:CD30 ligand interactions in the immune response. 2000 , 33, 45-60		7
135	Characterization of NF-kappaB expression in Hodgkin's disease: inhibition of constitutively expressed NF-kappaB results in spontaneous caspase-independent apoptosis in Hodgkin and Reed-Sternberg cells. 2001 , 14, 297-310		85
134	Cowpox virus encodes a fifth member of the tumor necrosis factor receptor family: a soluble, secreted CD30 homologue. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002 , 99, 8348-53	11.5	53
133	Classical Hodgkin lymphoma is characterized by recurrent copy number gains of the short arm of chromosome 2. <i>Blood</i> , 2002 , 99, 1381-7	2.2	183
132	T-Cell costimulatory pathways relevant to transplant rejection and tolerance. 2002 , 16, 205-219		4
131	Mediastinal (thymic) large B-cell lymphoma: where do we stand?. 2002 , 3, 229-34		100
130	Anaplastic large-cell lymphoma (Ki-1 lymphoma): ultrastructural and immunohistochemical studies. 2002 , 35, 153-9		3

129	Hodgkin's lymphoma and CD30 signal transduction. 2003 , 77, 37-47		32
128	Frequent expression of CD30 antigen in the primary gastric non-B, non-Hodgkin lymphomas. 2004 , 54, 503-9		12
127	Prevalence and characterization of anaplastic large cell lymphoma and its association with Epstein-Barr virus in Pakistani patients. 2004 , 200, 669-79		10
126	Human embryonal epithelial cells of the developing small intestinal crypts can express the Hodgkin-cell associated antigen Ki-1 (CD30) in spontaneous abortions during the first trimester of gestation. 2005 , 2, 1		20
125	Ber-H2 (CD30) immunohistochemical staining of human fetal tissues. 2005 , 1, 135-40		2
124	Cell membrane-specific epitopes on CD30: Potentially superior targets for immunotherapy. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005 , 102, 7946-51	11.5	26
123	A prospective on stem cell research. 2006 , 24, 289-97		12
122	An overview of childhood lymphomas. 15-48		
121	The CD30 gene promoter microsatellite binds transcription factor Yin Yang 1 (YY1) and shows genetic instability in anaplastic large cell lymphoma. 2008 , 214, 65-74		7
120	Expression of HLA-A and -B antigens on differentiating U-937 cells. 1985 , 25, 235-46		5
119	Classification of lymphoid neoplasms: the microscope as a tool for disease discovery. <i>Blood</i> , 2008 , 112, 4384-99	2.2	283
118	Histopathology of Hodgkin's lymphoma. 2009 , 15, 129-37		49
117	Vascular endothelial growth inhibitor in human cancer (Review). 2009 , 24, 3-8		19
116	Immunohistochemical identification of lymphocyte subsets and accessory cells in human hyperplastic lymph nodes. The functional significance of the compartmentalization of lymphoid tissue. 1984 , 32, 536-43		8
115	Szary syndrome: phenotypic and functional characterization of the neoplastic cells. 1985 , 34, 385-93		7
114	Immunoelectronmicroscopic investigation of Hodgkin's disease with monoclonal antibodies against histiocytes. 1988 , 40, 25-30		9
113	Correlation of immunophenotype to morphology in unfavourable non-Hodgkin lymphoma. 1983 , 91, 425-33		1
112	Functional aspects of the CD30 gene in Hodgkin's lymphoma and anaplastic large cell lymphoma. 2009 , 3, 89-101		1

111	[Primary cutaneous CD30+ ALK(-) anaplastic large cell T-cell lymphoma]. 2009 , 60, 954-6		
110	Oral lesions and lymphoproliferative disorders. 2010 , 2010,		3
109	Development of anti-CD30 radioimmunoconstructs (RICs) for treatment of Hodgkin's lymphoma. Studies with cell lines and animal studies. 2010 , 49, 97-105		7
108	Papel de los nuevos marcadores inmunohistoquímicos en los tumores de células germinales malignos gonadales. 2012 , 45, 195-203		2
107	Pathogenetic importance and therapeutic implications of NF- κ B in lymphoid malignancies. 2012 , 246, 359-78		116
106	CD30-positive malignant lymphomas: time for a change of management?. 2013 , 98, 1165-8		7
105	Germ cell tumors of the ovary: an update. <i>Archives of Pathology and Laboratory Medicine</i> , 2014 , 138, 351-62		52
104	First Hodgkin cell line L428 and the CD30 antigen: their role for diagnostic and treatment of CD30-positive neoplasms. <i>Hematology/Oncology Clinics of North America</i> , 2014 , 28, 1-11	3.1	2
103	Neues von der Histopathologie des Hodgkin-Lymphoms. 2014 , 20, 421-428		
102	Brentuximab Vedotin. 2014 , 20, 464-469		
101	The epidemiology and targeted therapies for relapsed and refractory CD30+ lymphomas. 2015 , 31, 537-45		5
100	Advances in the diagnosis and treatment of Hodgkin lymphoma and systemic anaplastic large cell lymphoma. 2015 , 4, S1-S11		0
99	CD30: receptor, marker, target. 2016 , 27		2
98	Potential application and prevalence of the CD30 (Ki-1) antigen among solid tumors: A focus review of the literature. <i>Critical Reviews in Oncology/Hematology</i> , 2017 , 113, 8-17	7	9
97	Pathology and Biology of Human Germ Cell Tumors. 2017 ,		3
96	Brentuximab vedotin for treatment of non-Hodgkin lymphomas: A systematic review. <i>Critical Reviews in Oncology/Hematology</i> , 2017 , 109, 42-50	7	47
95	Understanding CD30 biology and therapeutic targeting: a historical perspective providing insight into future directions. <i>Blood Cancer Journal</i> , 2017 , 7, e603	7	89
94	Small and big Hodgkin-Reed-Sternberg cells of Hodgkin lymphoma cell lines L-428 and L-1236 lack consistent differences in gene expression profiles and are capable to reconstitute each other. <i>PLoS ONE</i> , 2017 , 12, e0177378	3.7	5

93	CD30 Expression vs. Serum Soluble CD30 (sCD30) Level: Role in Prognosis and Treatment of Acute Myeloid Leukaemia. <i>Journal of Clinical & Cellular Immunology</i> , 2017 , 08,	2.7	
92	Combining Biology and Chemistry for a New Take on Chemotherapy: Antibody-Drug Conjugates in Hematologic Malignancies. <i>Current Hematologic Malignancy Reports</i> , 2018 , 13, 555-569	4.4	6
91	Treatment Options for Paediatric Anaplastic Large Cell Lymphoma (ALCL): Current Standard and beyond. <i>Cancers</i> , 2018 , 10,	6.6	38
90	3D image analysis reveals differences of CD30 positive cells and network formation in reactive and malignant human lymphoid tissue (classical Hodgkin Lymphoma). <i>PLoS ONE</i> , 2019 , 14, e0224156	3.7	2
89	From bench to bedside: the past, present and future of therapy for systemic paediatric ALCL, ALK. <i>British Journal of Haematology</i> , 2019 , 185, 1043-1054	4.5	8
88	A Review of Primary Cutaneous CD30 Lymphoproliferative Disorders. <i>Hematology/Oncology Clinics of North America</i> , 2019 , 33, 121-134	3.1	3
87	Practical Approaches on CD30 Detection and Reporting in Lymphoma Diagnosis. <i>American Journal of Surgical Pathology</i> , 2020 , 44, e1-e14	6.7	5
86	Essential role of the linear ubiquitin chain assembly complex and TAK1 kinase in A20 mutant Hodgkin lymphoma. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020 , 117, 28980-28991	11.5	4
85	Molecular Pathogenesis of Hodgkin Lymphoma: Past, Present, Future. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	5
84	Safety and Efficacy of Brentuximab Vedotin in the Treatment of Classic Hodgkin Lymphoma. <i>OncoTargets and Therapy</i> , 2020 , 13, 5993-6009	4.4	4
83	Pathology of Peritoneal Metastases. 2020 ,		0
82	A20 and RBX1 Regulate Brentuximab Vedotin Sensitivity in Hodgkin Lymphoma Models. <i>Clinical Cancer Research</i> , 2020 , 26, 4093-4106	12.9	11
81	Primärkutane T-Zell-Lymphome im Kindes- und Jugendalter. <i>JDDG - Journal of the German Society of Dermatology</i> , 2021 , 19, 563-583	1.2	5
80	Primary cutaneous T-cell lymphomas in childhood and adolescence. <i>JDDG - Journal of the German Society of Dermatology</i> , 2021 , 19, 563-581	1.2	2
79	Immunologic approaches to the classification of lymphomas and lymphoid leukemias. <i>Cancer Treatment and Research</i> , 1988 , 38, 1-30	3.5	1
78	Conclusions from Hodgkin-derived cell lines. <i>Cancer Treatment and Research</i> , 1989 , 41, 29-41	3.5	2
77	Normal and neoplastic Langerhans cells: phenotypic comparison with other types of macrophages. <i>Advances in Experimental Medicine and Biology</i> , 1985 , 186, 1009-15	3.6	9
76	Human lymphocyte subpopulations in lymphadenopathies in homosexual men. <i>Advances in Experimental Medicine and Biology</i> , 1985 , 186, 1069-76	3.6	3

75	Biological Markers in Lymphoproliferative Disorders. <i>Cancer Treatment and Research</i> , 1985 , 69-112	3.5	12
74	Upon the enigma of Hodgkin's disease and the Reed-Sternberg cell. <i>Cancer Treatment and Research</i> , 1983 , 91-110	3.5	6
73	Monoclonal Antibodies to Human Neuroblastoma Cells and Other Solid Tumors. 1984 , 215-237		2
72	The nature of Hodgkin and Reed-Sternberg cells, their association with EBV, and their relationship to anaplastic large-cell lymphoma. <i>Annals of Oncology</i> , 1991 , 2 Suppl 2, 33-8	10.3	22
71	Hodgkin's disease cell lines: characteristics and biological activities. <i>Hamatologie Und Bluttransfusion</i> , 1983 , 28, 411-7		7
70	Evidence of Sternberg-Reed cells being derived from activated lymphocytes. <i>Hamatologie Und Bluttransfusion</i> , 1985 , 29, 441-4		12
69	Monoclonal Antibodies: Characterization and Diagnosis of Malignant Lymphomas and Other Skin Neoplasms. 1988 , 26-39		1
68	Immunology of Hodgkin and Reed-Sternberg cells. <i>Recent Results in Cancer Research</i> , 1989 , 117, 14-26	1.5	14
67	Biology of Hodgkin cell lines. <i>Recent Results in Cancer Research</i> , 1989 , 117, 53-61	1.5	3
66	Phenotypic and genotypic analysis of two cell lines derived from Hodgkin's disease tissue biopsies. <i>Recent Results in Cancer Research</i> , 1989 , 117, 62-6	1.5	10
65	Lymphknoten. 1984 , 563-681		3
64	New Approaches to the Diagnosis of Thymic Epithelial Tumors. 1989 , 167-189		110
63	Immunophenotype of Reed-Sternberg Cells. <i>International Review of Experimental Pathology</i> , 1992 , 33, 81-114		17
62	Hodgkin's disease: analysis of cell line data. <i>International Review of Experimental Pathology</i> , 1992 , 33, 185-203		5
61	Classical Hodgkin's Lymphoma. 2011 , 454-472		1
60	Use of the APAAP Method in the Classification and Diagnosis of Hematologic Disorders. <i>Clinics in Laboratory Medicine</i> , 1988 , 8, 223-236	2.1	11
59	3 The normal and malignant germinal centre. <i>Clinics in Haematology</i> , 1982 , 11, 531-559		255
58	CD30-positive multilobated peripheral T-cell lymphoma primarily involving the subcutaneous tissue. <i>American Journal of Dermatopathology</i> , 1997 , 19, 284-8	0.9	13

57	Strong immunoexpression of the monoclonal antibody CD-30 in lymphocytic infiltrates of the skin not by itself evidence for diagnosing malignant lymphoma. <i>American Journal of Dermatopathology</i> , 2001 , 23, 79-80	0.9	13
56	Transformation of follicular lymphoma into CD30-large cell lymphoma with anaplastic cytologic features. <i>American Journal of Surgical Pathology</i> , 1997 , 21, 528-36	6.7	39
55	Thymus in myasthenia gravis. Isolation of T-lymphocyte lines specific for the nicotinic acetylcholine receptor from thymuses of myasthenic patients. <i>Journal of Clinical Investigation</i> , 1988 , 81, 902-8	15.9	124
54	CD30+ anaplastic large cell lymphoma: a review of its histopathologic, genetic, and clinical features. <i>Blood</i> , 2000 , 96, 3681-3695	2.2	198
53	Anaplastic large cell lymphoma: pathology, genetics, and clinical aspects. <i>Journal of Clinical and Experimental Hematopathology: JCEH</i> , 2017 , 57, 120-142	1.9	48
52	The small cell variant of anaplastic large cell lymphoma. <i>Archives of Pathology and Laboratory Medicine</i> , 2010 , 134, 1706-10	5	21
51	Onkologie II. <i>Verhandlungen Der Deutschen Gesellschaft Fur Innere Medizin</i> , 1984 , 1040-1058		
50	Infektionskrankheiten I. <i>Verhandlungen Der Deutschen Gesellschaft Fur Innere Medizin</i> , 1984 , 777-798		
49	Benign and malignant lymphocytic skin infiltrates: immunological patterns recognized by immunohistochemical staining with monoclonal antibodies. <i>Advances in Experimental Medicine and Biology</i> , 1985 , 186, 1033-41	3.6	2
48	Immunodiagnosis of Lymphoid and Mononuclear Phagocytic Neoplasms. 1985 , 83-115		
47	Phenotypic Heterogeneity and the Origins of Lymphoid Malignancy in Man: Biological and Clinical Implications. 1985 , 95-110		
46	Monoklonale Antikörper beim malignen Melanom. 1985 , 130-136		1
45	Myelolactoferrin index (MLF) and myelopoiesis during bacterial infections and malignant diseases. <i>Hamatologie Und Bluttransfusion</i> , 1985 , 29, 183-6		
44	Charakterisierung von Pankreastumorzellantigenen mit Hilfe monoklonaler Antikörper □ Perspektiven für die Pankreastumordiagnostik □ 1986 , 161-164		
43	Pathohistologie der Halslymphknoten. 1986 , 1-44		
42	Radioimmuno-detection of Hodgkin Tumors in Nude Mice. 1986 , 383-390		
41	Maligne Systemerkrankungen. 1987 , 1080-1332		3
40	Monoclonal antibodies against the viral and human cellular myb gene product. <i>Hamatologie Und Bluttransfusion</i> , 1987 , 31, 488-92		1

39	Growth Fraction as Determined in Cytologic Specimens of Breast Carcinomas: A Study with the Monoclonal Antibody Ki-67. 1988 , 212-215		
38	The Clinical and Prognostic Relevance of Histopathologic Classification in Hodgkin's Disease. 1989 , 127-151		2
37	The Sternberg-Reed cell. A cell-fusion product?. <i>Cancer Treatment and Research</i> , 1989 , 41, 43-51		3.5
36	The Origin of the Reed-Sternberg Cell. 1990 , 91-106		
35	CD30 Ligand: Cloning, Characterisation and Biological Activities. 1995 , 127-141		
34	Allograft conduit wall calcification in a model of chronic arterial graft rejection. 1997 , 123-133		
33	Primary systemic anaplastic large cell lymphoma (ALCL). 1999 , 209-213		
32	Diagnostic Immunopathology of Germ Cell Tumors. 2017 , 131-179		
31	A rare case of paediatric non-Hodgkin's lymphoma. <i>The Journal of Clinical and Scientific Research</i> , 2019 , 8, 95		0.2
30	Evidence for the origin of Hodgkin and Sternberg-Reed cells from a newly detected small cell population. <i>Hamatologie Und Bluttransfusion</i> , 1983 , 28, 407-10		1
29	Rare Peritoneal Tumours: Histopathological Diagnosis and Patterns of Peritoneal Dissemination. 2020 , 181-228		
28	Individual epitopes of an 85,000 MW membrane adherence molecule are variably expressed on cells of different lineage. <i>Immunology</i> , 1988 , 64, 581-6	7.8	10
27	Cutaneous lymphoma expressing both T-cell and macrophage features. <i>Journal of the Royal Society of Medicine</i> , 1984 , 77 Suppl 4, 12-5	2.3	2
26	CD30 ligand expression in nonmalignant and Hodgkin's disease-involved lymphoid tissues. <i>American Journal of Pathology</i> , 1996 , 149, 469-81	5.8	52
25	CD30 antigen in embryonal carcinoma and embryogenesis and release of the soluble molecule. <i>American Journal of Pathology</i> , 1995 , 146, 463-71	5.8	55
24	Primary and secondary cutaneous Ki-1+ (CD30+) anaplastic large cell lymphomas. Morphologic, immunohistologic, and clinical-characteristics. <i>American Journal of Pathology</i> , 1989 , 135, 359-67	5.8	158
23	Formalin-resistant leukocyte surface antigens in the diagnosis of cutaneous malignant lymphomas. <i>American Journal of Pathology</i> , 1989 , 135, 177-84	5.8	8
22	Pathogenesis of myasthenia gravis. Acetylcholine receptor-related antigenic determinants in tumor-free thymuses and thymic epithelial tumors. <i>American Journal of Pathology</i> , 1988 , 130, 268-80	5.8	90

21	The phenotype of human placental macrophages and its variation with gestational age. <i>American Journal of Pathology</i> , 1988 , 133, 648-59	5.8	78
20	Cellular localizations and processing of the two molecular forms of the Hodgkin-associated Ki-1 (CD30) antigen. The protein kinase Ki-1/57 occurs in the nucleus. <i>American Journal of Pathology</i> , 1992 , 140, 473-82	5.8	21
19	Peripheral T-cell lymphomas of the intestine. <i>American Journal of Pathology</i> , 1992 , 141, 1361-71	5.8	102
18	High expression of the CD30 molecule in human decidual cells. <i>American Journal of Pathology</i> , 1994 , 145, 276-80	5.8	29
17	Expression of monoclonal antibody HML-1-defined alpha E beta 7 integrin in cutaneous T cell lymphoma. <i>American Journal of Pathology</i> , 1994 , 145, 1148-58	5.8	35
16	Phenotypic expression of Hodgkin's and Reed-Sternberg cells in Hodgkin's disease. <i>American Journal of Pathology</i> , 1985 , 118, 209-17	5.8	149
15	Leu-M1--a marker for Reed-Sternberg cells in Hodgkin's disease. An immunoperoxidase study of paraffin-embedded tissues. <i>American Journal of Pathology</i> , 1985 , 119, 244-52	5.8	122
14	The immunohistology of non-T cells in the acquired immunodeficiency syndrome. <i>American Journal of Pathology</i> , 1985 , 120, 371-9	5.8	12
13	Human dendritic cells and macrophages. In situ immunophenotypic definition of subsets that exhibit specific morphologic and microenvironmental characteristics. <i>American Journal of Pathology</i> , 1985 , 119, 73-82	5.8	192
12	An evaluation of the utility of anti-granulocyte and anti-leukocyte monoclonal antibodies in the diagnosis of Hodgkin's disease. <i>American Journal of Pathology</i> , 1986 , 123, 508-19	5.8	67
11	Immunopathology of Hodgkin's disease. Characterization of Reed-Sternberg cells with monoclonal antibodies. <i>American Journal of Pathology</i> , 1986 , 123, 293-300	5.8	29
10	Monocyte/macrophage-reactive monoclonal antibody Ki-M6 recognizes an intracytoplasmic antigen. <i>American Journal of Pathology</i> , 1986 , 125, 141-51	5.8	81
9	Detailed phenotypic analysis of B-cell lymphoma using a panel of antibodies reactive in routinely fixed wax-embedded tissue. <i>American Journal of Pathology</i> , 1987 , 128, 225-40	5.8	106
8	AIDS subacute encephalitis. Identification of HIV-infected cells. <i>American Journal of Pathology</i> , 1987 , 126, 403-10	5.8	202
7	Tumor cell growth fraction in Hodgkin's disease. <i>American Journal of Pathology</i> , 1987 , 128, 390-3	5.8	45
6	DNA aneuploidy in Hodgkin's disease. A multiparameter flow-cytometric analysis with cytologic correlation. <i>American Journal of Pathology</i> , 1987 , 128, 573-82	5.8	33
5	Immunophenotyping of non-Hodgkin's lymphomas using a panel of antibodies on paraffin-embedded tissues. <i>American Journal of Pathology</i> , 1987 , 129, 54-63	5.8	61
4	Immature sinus histiocytes. Their identification as a novel B-cell population. <i>American Journal of Pathology</i> , 1984 , 117, 44-52	5.8	53

3	Monocyte/macrophage-specific monoclonal antibody Ki-M1 recognizes interdigitating reticulum cells. <i>American Journal of Pathology</i> , 1984 , 117, 441-50	5.8	62
2	CD30+ Lymphoproliferative Disorders as Potential Candidates for CD30-Targeted Therapies.. <i>Archives of Pathology and Laboratory Medicine</i> , 2022 , 146, 415-432	5	0
1	Peripheral T-cell lymphomas. 410-431		