

CITATION REPORT

List of articles citing

Graphical evaluation of blood-to-brain transfer constants from multiple-time uptake data

DOI: 10.1038/jcbfm.1983.1

Journal of Cerebral Blood Flow and Metabolism, 1983, 3, 1-7.

Source: <https://exaly.com/paper-pdf/16127053/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
2327	Gadolinium-enhanced plaque imaging. 288-301		
2326	Transport of alpha-aminoisobutyric acid across brain capillary and cellular membranes. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1983 , 3, 8-32	7.3	470
2325	Selection of experimental conditions for the accurate determination of blood-brain transfer constants from single-time experiments: a theoretical analysis. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1983 , 3, 215-25	7.3	77
2324	Effects of age on dopamine and serotonin receptors measured by positron tomography in the living human brain. 1984 , 226, 1393-6		627
2323	Estimates of Michaelis-Menten constants for the two membranes of the brain endothelium. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1984 , 4, 241-9	7.3	78
2322	A kinetic evaluation of blood-brain barrier permeability in human brain tumors with [68Ga]EDTA and positron computed tomography. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1984 , 4, 507-15	7.3	70
2321	A quantitative model for the measurement of cerebral vascular extraction fraction in vivo following intravenous injection: simulation studies. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1984 , 4, 564-73	7.3	4
2320	On the construction of functional maps in positron emission tomography. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1984 , 4, 629-32	7.3	140
2319	Physiological responses to focal cerebral ischemia in humans. 1984 , 16, 546-52		232
2318	Positron tomography in cerebral ischemia. A review. 1985 , 27, 509-16		72
2317	Estimation of local cerebral glucose utilization by positron emission tomography of [18F]2-fluoro-2-deoxy-D-glucose: a critical appraisal of optimization procedures. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1985 , 5, 115-25	7.3	165
2316	Comparative regional analysis of 2-fluorodeoxyglucose and methylglucose uptake in brain of four stroke patients. With special reference to the regional estimation of the lumped constant. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1985 , 5, 163-78	7.3	156
2315	Graphical evaluation of blood-to-brain transfer constants from multiple-time uptake data. Generalizations. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1985 , 5, 584-90	7.3	1306
2314	Cerebral blood flow and cerebral metabolic rate of oxygen requirements for cerebral function and viability in humans. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1985 , 5, 600-8	7.3	406
2313	Regional cerebral blood flow and metabolism in reversible ischemia due to vasospasm. Determination by positron emission tomography. 1985 , 62, 539-46		145
2312	Current models of blood-brain transfer. 1985 , 8, 449-453		15
2311	Imaging neurotransmitters and their receptors in living human brain by positron emission tomography. 1986 , 9, 241-245		11

2310	The selective barrier between blood and brain. 1986 , 11, 525-527	7
2309	Defining the lower limits of blood-brain barrier permeability: factors affecting the magnitude and interpretation of permeability-area products. 1986 , 16, 709-19	26
2308	Quantification of neuroreceptors in the living human brain. I. Irreversible binding of ligands. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1986 , 6, 137-46	7-3 234
2307	Strategies for in vivo measurement of receptor binding using positron emission tomography. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1986 , 6, 154-69	7-3 110
2306	Neuroreceptor assay with positron emission tomography: equilibrium versus dynamic approaches. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1986 , 6, 515-21	7-3 142
2305	Failure of glucose and branched-chain amino acids to normalize brain glucose use in portacaval shunted rats. 1986 , 47, 1434-43	17
2304	Measurement of solute transport across the blood-brain barrier in the perfused guinea pig brain: method and application to N-methyl-alpha-aminoisobutyric acid. 1986 , 46, 1444-51	139
2303	Thalamic tumours invading the brain stem produce crossed cerebellar diaschisis demonstrated by PET. 1986 , 49, 524-8	19
2302	Mapping human brain monoamine oxidase A and B with 11C-labeled suicide inactivators and PET. 1987 , 235, 481-5	336
2301	Permeability changes in blood-retinal barrier of galactosemic rats are prevented by aldose reductase inhibitors. 1987 , 36, 1271-5	35
2300	Comparison of the Accumulation Kinetics of L-(Methyl-11C)-Methionine and D-(Methyl-11C)-Methionine in Brain Tumors Studied with Positron Emission Tomography. 1987 , 28, 225-229	47
2299	Quantitative assessment of the permeability of the rat blood-retinal barrier to small water-soluble non-electrolytes. 1987 , 389, 483-90	42
2298	Effect of nifedipine on myocardial metabolism in patients with unstable angina. 1987 , 8 Suppl K, 9-13	1
2297	Proceedings of the Physiological Society, 19-20 September 1986, Oxford Meeting: Communications. 1987 , 382, 149-171	
2296	Application of a Kinetic Model on the Methionine Accumulation in Intracranial Tumours Studied with Positron Emission Tomography. 1987 , 28, 505-509	20
2295	The contribution of PET scanning to understanding metabolism and drug actions in the basal ganglia. 1987 , 32, 77-87	2
2294	D-[Ala1]-peptide T-amide is transported from blood to brain by a saturable system. 1987 , 19, 629-33	51
2293	Cerebral glucose and dopa metabolism in movement disorders. 1987 , 14, 448-51	13

2292	The normal pituitary examined with positron emission tomography and (methyl-11C)-L-methionine and (methyl-11C)-D-methionine. 1987 , 29, 221-5		18
2291	Carrier-mediated transport of vasopressin across the blood-brain barrier of the mouse. 1987 , 18, 326-32		95
2290	The effect of spontaneous reperfusion on metabolic function in early human cerebral infarcts. 1987 , 21, 279-89		118
2289	Beneficial effect of nitrates on myocardial glucose utilization in unstable angina pectoris. 1987 , 60, 26H-30H		3
2288	Examination of blood-brain barrier permeability in dementia of the Alzheimer type with [68Ga]EDTA and positron emission tomography. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1987 , 7, 1-8	7.3	102
2287	Positron emission tomography in minor ischemic stroke using oxygen-15 steady-state technique. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1987 , 7, 137-42	7.3	10
2286	Measurement of glucose utilisation with [18F]2-fluoro-2-deoxy-D-glucose: a comparison of different analytical methods. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1987 , 7, 161-72	7.3	69
2285	The influence of tissue heterogeneity on results of fitting nonlinear model equations to regional tracer uptake curves: with an application to compartmental models used in positron emission tomography. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1987 , 7, 214-29	7.3	39
2284	Blood-brain barrier monoamine oxidase: enzyme characterization in cerebral microvessels and other tissues from six mammalian species, including human. 1987 , 49, 856-64		110
2283	Turnover of brain monoamine oxidase measured in vivo by positron emission tomography using L-[11C]deprenyl. 1987 , 49, 522-7		111
2282	Transport of leucine-enkephalin across the blood-brain barrier in the perfused guinea pig brain. 1987 , 49, 310-5		111
2281	Phenylalanine transport across the blood-brain barrier as studied with the in situ brain perfusion technique. 1987 , 48, 1291-300		73
2280	Positron emission tomography (PET) in the study of dopamine receptors in the primate brain: evaluation of a kinetic model using 11C-N-methyl-spiperone. 1987 , 75, 168-78		37
2279	Pathophysiological aspects of acute experimental allergic encephalomyelitis. 1988 , 119, 1-21		106
2278	Cerebral blood flow requirement for brain viability in newborn infants is lower than in adults. 1988 , 24, 218-26		167
2277	Abnormalities in myocardial metabolism in patients with unstable angina as assessed by positron emission tomography. 1988 , 2, 41-6		31
2276	Non-stationary spatial filtering and accelerated curve fitting for parametric imaging with dynamic PET. 1988 , 14, 477-84		26
2275	Influx of a choline analog to dog brain measured by positron emission tomography. 1988 , 2, 406-11		11

2274	Oxygen extraction fraction at maximally vasodilated tissue in the ischemic brain estimated from the regional CO ₂ responsiveness measured by positron emission tomography. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1988 , 8, 227-35	7.3	104
2273	Assessment of [¹¹ C]-L-methionine transport into the human brain. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1988 , 8, 341-5	7.3	27
2272	Slow penetration of thyrotropin-releasing hormone across the blood-brain barrier of an in situ perfused guinea pig brain. 1988 , 51, 252-7		81
2271	Uncoupling of hexose transport and phosphorylation in human gliomas demonstrated by PET. 1988 , 24, 1139-50		15
2270	Studies of the slow bidirectional transport of iron and transferrin across the blood-brain barrier. 1988 , 21, 881-5		85
2269	Quantitative assessment of blood-brain barrier permeability in multiple sclerosis using ⁶⁸ Ga-EDTA and positron emission tomography. 1988 , 51, 1058-62		43
2268	Positron Emission Tomography: A New Approach to Brain Chemistry. 1988 , 260, 2704		10
2267	Measures of the inflammatory response in cryptogenic fibrosing alveolitis. 1988 , 138, 1234-41		54
2266	Prevention of nerve edema and increased blood-nerve barrier permeability-surface area product in galactosemic rats by aldose reductase or thromboxane synthetase inhibitors. 1989 , 38, 1469-77		17
2265	Quantitation of blood-brain barrier permeability by positron emission tomography. 1989 , 34, 1767-71		14
2264	Minimisation of parameter estimation errors in dynamic PET: choice of scanning schedules. 1989 , 34, 895-908		30
2263	Nigrostriatal function in humans studied with positron emission tomography. 1989 , 26, 535-42		281
2262	Structural specificity of sugar transport at the blood-nerve barrier. 1989 , 53, 119-23		9
2261	Kinetic analysis of leucine-enkephalin cellular uptake at the luminal side of the blood-brain barrier of an in situ perfused guinea-pig brain. 1989 , 53, 1333-40		83
2260	Kinetic evaluation of ¹¹ C-1-aminocyclopentane carboxylic acid in rabbits bearing VX-2 tumors using positron emission tomography. 1989 , 80, 1257-60		1
2259	Use of PET methods for measurement of cerebral energy metabolism and hemodynamics in cerebrovascular disease. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1989 , 9, 723-42	7.3	149
2258	Bidirectional transport of interleukin-1 alpha across the blood-brain barrier. 1989 , 23, 433-7		316
2257	Saturable mechanism for delta sleep-inducing peptide (DSIP) at the blood-brain barrier of the vascularly perfused guinea pig brain. 1989 , 10, 249-54		30

2256	Chronic amphetamine intoxication and the blood-brain barrier permeability to inert polar molecules studied in the vascularly perfused guinea pig brain. 1989 , 94, 41-50		14
2255	Blood-brain barrier sodium transport limits development of brain edema during partial ischemia in gerbils. 1989 , 20, 1253-9		49
2254	Permeability of the murine blood-brain barrier to some octapeptide analogs of somatostatin. 1990 , 87, 6762-6		81
2253	Positron Emission Tomography in Psychopharmacology. 1990 , 2, 427-439		3
2252	Permeability of the blood-brain barrier to the immunosuppressive cyclic peptide cyclosporin A. 1990 , 55, 1222-30		117
2251	Metabolic stability of 3-O-methyl-D-glucose in brain and other tissues. 1990 , 55, 989-1000		30
2250	Gallium-67 as a potential marker for aluminium transport in rat brain: implications for Alzheimer's disease. 1990 , 55, 251-9		51
2249	Optimal duration of experimental period in measurement of local cerebral glucose utilization with the deoxyglucose method. 1990 , 54, 307-19		45
2248	A new method to measure brain serotonin synthesis in vivo. I. Theory and basic data for a biological model. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1990 , 10, 1-12	7-3	157
2247	Blood-brain transfer and metabolism of 6-[18F]fluoro-L-dopa in rat. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1990 , 10, 707-19	7-3	52
2246	Graphical analysis of reversible radioligand binding from time-activity measurements applied to [N-11C-methyl]-(-)-cocaine PET studies in human subjects. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1990 , 10, 740-7	7-3	1125
2245	Kinetic analysis of 3-quinuclidinyl 4-[125I]iodobenzilate transport and specific binding to muscarinic acetylcholine receptor in rat brain in vivo: implications for human studies. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1990 , 10, 781-807	7-3	49
2244	A new method to measure brain serotonin synthesis in vivo. II. A practical autoradiographic method tested in normal and lithium-treated rats. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1990 , 10, 13-21	7-3	84
2243	Decrease in perfusion of cerebral capillaries during incomplete ischemia and reperfusion. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1990 , 10, 213-20	7-3	43
2242	Refinement of the kinetic model of the deoxyglucose method. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1990 , 10, 435-8	7-3	
2241	Positron emission tomographic measurements of cerebral glucose utilization using [1-11C]D-glucose. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1990 , 10, 467-83	7-3	52
2240	Identifiability analysis and parameter identification of an in vivo ligand-receptor model from PET data. 1990 , 37, 653-61		86
2239	Striatal binding of 11C-NMSP studied with positron emission tomography in patients with persistent tardive dyskinesia: no evidence for altered dopamine D2 receptor binding. 1990 , 79, 215-26		48

2238	Where have we got to with neuroreceptor mapping of the human brain?. 1990 , 16, 817-35	37
2237	65zinc uptake from blood into brain and other tissues in the rat. 1990 , 15, 1003-8	19
2236	Nuclear medicine to image applied pathophysiology: evaluation of reserves by emission computerized tomography. 1990 , 16, 129-35	11
2235	Positron emission tomography studies of neurotransmitter systems. 1990 , 237, 451-6	7
2234	Striatal function in normal aging: implications for Parkinson's disease. 1990 , 28, 799-804	145
2233	PET demonstrates different behaviour of striatal dopamine D-1 and D-2 receptors in early Parkinson's disease. 1990 , 27, 494-9	68
2232	The metabolic anatomy of Parkinson's disease: complementary [18F]fluorodeoxyglucose and [18F]fluorodopa positron emission tomographic studies. 1990 , 5, 203-13	192
2231	D-[U-11C]glucose uptake and metabolism in the brain of insulin-dependent diabetic subjects. 1990 , 258, E805-12	21
2230	Tracer kinetics: a proposal for unified symbols and nomenclature. 1990 , 35, 449-465	11
2229	Noninvasive quantification of muscarinic receptors in vivo with positron emission tomography in the dog heart. 1990 , 82, 1494-504	63
2228	Proceedings of the Physiological Society, 15-16 December 1989, King's College London Meeting: Communications. 1990 , 423, 9-68	3
2227	Proceedings of the Physiological Society, 27-28 July 1990, Oxford Meeting: Communications. 1990 , 430, 77-133	
2226	Response. 1990 , 28, 1068-1070	
2225	Two-phase [11C]L-methionine PET in childhood brain tumors. 1990 , 6, 163-70	55
2224	In vivo approaches for studying peptide interactions at the blood-brain barrier. 1990 , 13, 185-201	19
2223	Kinetics of arginine-vasopressin uptake at the blood-brain barrier. 1990 , 1025, 191-8	88
2222	Blood to brain transport of interleukin links the immune and central nervous systems. 1991 , 48, PL117-21	138
2221	Quantitative evaluation of regional substrate metabolism in the human heart by positron emission tomography. 1991 , 18, 101-11	72

2220	Lack of saturable transport across the blood-brain barrier in either direction for beta-amyloid1-28 (Alzheimer's disease protein). 1991 , 27, 819-23		21
2219	.		
2218	Positron emission tomography applied in the study of pituitary adenomas. 1991 , 14, 509-28		31
2217	Positron emission tomography studies of brain receptors. 1991 , 5, 61-91		16
2216	Dihydroergotamine as a pharmacologic euglycemic clamp in the surgically traumatized rabbit. 1991 , 40, 594-9		5
2215	Probing the human brain with a simple positron detection system. 1991 , 620, 145-52		
2214	Blood-nerve and blood-brain barrier permeabilities and nerve vascular space in Fischer-344 rats of different ages. 1991 , 58, 177-90		23
2213	Pathophysiology of Acute Cerebral Ischemia: PET Studies in Humans. 1991 , 1, 22-31		46
2212	Transfer constants for blood-brain barrier permeation of the neuroexcitatory shellfish toxin, domoic acid. 1991 , 18, 39-44		67
2211	Delivering peptides to the central nervous system: dilemmas and strategies. 1991 , 8, 1345-50		47
2210	Rapid feasibility studies of tracers for positron emission tomography: high-resolution PET in small animals with kinetic analysis. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1991 , 11, 926-31	7-3	56
2209	Serotonin synthesis rate measured in living dog brain by positron emission tomography. 1991 , 56, 153-62		84
2208	⁶⁵ Zn uptake from blood into brain in the rat. 1991 , 56, 485-9		33
2207	Measurement of cerebral monoamine oxidase B activity using L-[¹¹ C]deprenyl and dynamic positron emission tomography. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1991 , 11, 545-56	7-3	65
2206	In vivo binding of nimodipine in the brain: II. Binding kinetics in focal cerebral ischemia. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1991 , 11, 771-8	7-3	20
2205	Kinetics and modeling of L-6-[¹⁸ F]fluoro-dopa in human positron emission tomographic studies. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1991 , 11, 898-913	7-3	152
2204	MRI of blood-brain barrier permeability in astrocytic gliomas: application of small and large molecular weight contrast media. 1991 , 22, 288-92		9
2203	Brain kinetics of L-[beta- ¹¹ C]dopa in humans studied by positron emission tomography. 1991 , 86, 25-41		57

2202	Mathematical modelling in nuclear medicine. 1991 , 18, 351-62	35
2201	Amphetamine induced decreases in (18F)-N-methylspiroperidol binding in the baboon brain using positron emission tomography (PET). 1991 , 7, 324-7	80
2200	Effects of endogenous dopamine on measures of [18F]N-methylspiroperidol binding in the basal ganglia: comparison of simulations and experimental results from PET studies in baboons. 1991 , 9, 195-207	88
2199	Pharmacokinetics of 11C-labelled BCNU and SarCNU in gliomas studied by PET. 1991 , 10, 47-55	30
2198	The nigrostriatal dopaminergic pathway in Wilson's disease studied with positron emission tomography. 1991 , 54, 12-7	51
2197	Delineation of ECT images using global constraints and dynamic programming. 1991 , 10, 489-98	37
2196	(99mTc)-HM-PAO SPECT and cognitive impairment in Parkinson's disease: a comparison with dementia of the Alzheimer type. 1991 , 54, 787-92	60
2195	The metabolic landscape of cortico-basal ganglionic degeneration: regional asymmetries studied with positron emission tomography. 1991 , 54, 856-62	116
2194	Bidirectional passage of peptides across the blood-brain barrier. 1992 , 91, 139-48	29
2193	An absorptiometry method for the determination of arterial blood concentration of injected iodinated contrast agent. 1992 , 37, 1741-58	23
2192	Uses and limitations of positron emission tomography in clinical pharmacokinetics/dynamics (Part II). 1992 , 22, 274-83	4
2191	Positron emission tomography with 18F-dopa: interpretation and biological correlates in nonhuman primates. 1992 , 45, 153-68	12
2190	Production of 6-[18F]fluoro-L-dopa and its metabolism in vivo--a critical review. 1992 , 19, 149-58	44
2189	Tacrine restores cholinergic nicotinic receptors and glucose metabolism in Alzheimer patients as visualized by positron emission tomography. 1992 , 13, 747-58	135
2188	Differentiation of Pituitary Adenoma and Meningioma Visualization with Positron Emission Tomography and [11C]-L-Deprenyl. 1992 , 30, 855-861	24
2187	Positron Emission Tomography Studies in Parkinsonism. 1992 , 10, 421-433	35
2186	A quantitative approach to technetium-99m hexamethylpropylene amine oxime. 1992 , 19, 195-200	85
2185	Dynamic study of methionine uptake in glioma using positron emission tomography. 1992 , 19, 426-30	9

2184	In vivo CT measurement of blood-brain transfer constant of iopamidol in human brain tumors. 1992 , 14, 177-87		22
2183	Germanium-68 as a possible marker for silicon transport in rat brain. 1992 , 17, 1181-5		6
2182	Blood-brain exchange routes and distribution of 65Zn in rat brain. 1992 , 17, 767-71		20
2181	Effects of vasopressin on blood-brain transfer of methionine in dogs. 1992 , 59, 1421-9		9
2180	Uptake and distribution of iron and transferrin in the adult rat brain. 1992 , 59, 300-6		118
2179	In vivo distribution of CGS-19755 within brain in a model of focal cerebral ischemia. 1992 , 58, 186-91		27
2178	Brain transfer coefficients for 67Ga: comparison to 55Fe and effect of calcium deficiency. 1992 , 58, 898-902		8
2177	Errors introduced by tissue heterogeneity in estimation of local cerebral glucose utilization with current kinetic models of the [18F]fluorodeoxyglucose method. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1992 , 12, 823-34	7.3	72
2176	Attenuated development of ischemic brain edema in vasopressin-deficient rats. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1992 , 12, 681-90	7.3	62
2175	The interleukins-1 alpha, -1 beta, and -2 do not acutely disrupt the murine blood-brain barrier. 1992 , 14, 629-36		48
2174	Regional brain kinetics of 6-fluoro-(beta-11C)-L-dopa and (beta-11C)-L-dopa following COMT inhibition. A study in vivo using positron emission tomography. 1992 , 87, 15-22		34
2173	Drug transport across the blood-brain barrier. II. Experimental techniques to study drug transport. 1992 , 14, 338-48		7
2172	Dynamic studies of gadolinium uptake in brain tumors using inversion-recovery echo-planar imaging. 1992 , 26, 241-58		110
2171	Measurement of blood-brain barrier permeability in a tumor model using magnetic resonance imaging with gadolinium-DTPA. 1992 , 27, 68-75		56
2170	Enhanced permeabilities of cationized-bovine serum albumins at the blood-nerve and blood-brain barriers in awake rats. 1992 , 32, 407-14		10
2169	Transplantation of fetal dopamine neurons in Parkinson's disease: PET [18F]6-L-fluorodopa studies in two patients with putaminal implants. 1992 , 31, 166-73		279
2168	Positron emission tomographic findings in Filipino X-linked dystonia-parkinsonism. 1993 , 34, 185-91		47
2167	The detection of preclinical Parkinson's disease: what is the role of positron emission tomography?. 1993 , 8, 271-7		43

2166	Measurement of capillary permeability to macromolecules by dynamic magnetic resonance imaging: a quantitative noninvasive technique. 1993 , 29, 616-22			161
2165	An animal model for in vivo evaluation of tumor glycolytic rates with positron emission tomography. 1993 , 53, 104-9			6
2164	Functional vascular volume and blood-brain barrier permeability images by angio-CT in the diagnosis of cerebral lesions. 1993 , 17, 35-44			13
2163	Factors affecting myocardial 2-[F-18]fluoro-2-deoxy-D-glucose uptake in positron emission tomography studies of normal humans. 1993 , 20, 308-18			77
2162	Noninvasive measurements of regional cerebral blood flow using technetium-99m hexamethylpropylene amine oxime. 1993 , 20, 391-401			81
2161	Decreased dopamine D2 receptor availability is associated with reduced frontal metabolism in cocaine abusers. 1993 , 14, 169-77			724
2160	Parametric imaging of the rate constant Ki using [18Fluoro]-L-dopa positron emission tomography in progressive supranuclear palsy. 1993 , 35, 404-9			4
2159	Striatal 18F-dopa uptake: absence of an aging effect. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1993 , 13, 881-8	7.3		84
2158	Spectral analysis of dynamic PET studies. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1993 , 13, 15-23	7.3		388
2157	PET study of changes in local brain hemodynamics and oxygen metabolism after unilateral middle cerebral artery occlusion in baboons. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1993 , 13, 416-24	7.3		120
2156	Human striatal L-dopa decarboxylase activity estimated in vivo using 6-[18F]fluoro-dopa and positron emission tomography: error analysis and application to normal subjects. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1993 , 13, 43-56	7.3		93
2155	6-[18F]fluoro-L-dopa metabolism in living human brain: a comparison of six analytical methods. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1993 , 13, 57-69	7.3		103
2154	Quantification and parametric imaging of renal cortical blood flow in vivo based on Patlak graphical analysis. 1993 , 44, 985-96			39
2153	. 1993 , 40, 135-142			17
2152	Delivery of peptides and proteins through the blood-brain barrier. 1993 , 10, 205-245			35
2151	Evaluation of critically perfused area in acute ischemic stroke for therapeutic reperfusion: a clinical PET study. 1993 , 7, 167-71			9
2150	Brain tumor accumulation and plasma pharmacokinetic parameters of 2'-deoxy-5-18F-fluorouridine. 1993 , 7, 199-205			6
2149	Relationship between blood flow and blood-brain barrier permeability of sodium and albumin in focal ischaemia of rats: a triple tracer autoradiographic study. 1993 , 120, 72-80			7

2148	Striatal [¹¹ C]-N-methyl-spiperone binding in patients with focal dystonia (torticollis) using positron emission tomography. 1993 , 5, 79-87	10
2147	Skeletal muscle glucose uptake during short-term contractile activity in vivo: effect of prior contractions. 1993 , 42, 1609-16	13
2146	6-[¹⁸ F]fluoro-L-dihydroxyphenylalanine metabolism and positron emission tomography after catechol-O-methyltransferase inhibition in normal and hemiparkinsonian monkeys. 1993 , 626, 1-13	19
2145	. 1993 , 13, 15-26	23
2144	Interleukin-1 alpha in blood has direct access to cortical brain cells. 1993 , 163, 41-4	77
2143	Peri-Infarct perfusion in human ischemia: Its relation to tissue metabolism, morphology, and clinical outcome. 1993 , 3, 123-31	11
2142	Murine tumor necrosis factor alpha is transported from blood to brain in the mouse. 1993 , 47, 169-76	482
2141	Imaging radiotracer model parameters in PET: a mixture analysis approach. 1993 , 12, 399-412	58
2140	Positron emission tomography (PET) in neuroendocrine gastrointestinal tumors. 1993 , 32, 189-96	45
2139	Regional myocardial blood flow and glucose utilization in symptomatic patients with hypertrophic cardiomyopathy. 1993 , 87, 1580-90	79
2138	Carbon-11-methionine and PET in evaluation of treatment response of breast cancer. 1993 , 67, 787-91	55
2137	Positron emission tomography in tumor diagnosis and treatment follow-up. 1993 , 32, 183-8	7
2136	6-[¹⁸ F]fluoro-L-dopa and cerebral blood flow in unilaterally MPTP-treated monkeys. 1993 , 4, 27-38	15
2135	Separating Parkinson's disease from normality. Discriminant function analysis of fluorodopa F 18 positron emission tomography data. 1994 , 51, 237-43	61
2134	Error in Tabular Data. 1994 , 51, 243-243	
2133	Blood-brain barrier permeability in staphylococcal cerebritis and early brain abscess. 1994 , 80, 897-905	20
2132	Histological alterations in chronically hypoperfused myocardium. Correlation with PET findings. 1994 , 90, 735-45	239
2131	Quantitative brain FDG/PET studies using dynamic aortic imaging. 1994 , 39, 1475-87	16

2130	Quantitative comparison between ^{99m} Tc-HMPAO and ^{99m} Tc-ECD: measurement of arterial input and brain retention. 1994 , 21, 124-30	13
2129	Glucose metabolism in relation to perfusion in patients with ischaemic heart disease. 1994 , 21, 292	
2128	Fluorine-18 deoxyglucose uptake in sarcoidosis measured with positron emission tomography. 1994 , 21, 297	
2127	Measurement of the ratio of glomerular filtration rate to plasma volume from the technetium-99m diethylene triamine pentaacetic acid renogram: comparison with glomerular filtration rate in relation to extracellular fluid volume. 1994 , 21, 322	
2126	A simple method for measuring glucose utilization of insulin-sensitive tissues by using the brain as a reference. 1994 , 21, 228-31	10
2125	Dopamine D2 receptor binding and cerebral glucose metabolism recover after D-penicillamine-therapy in Wilson's disease. 1994 , 241, 577-84	17
2124	Glucose metabolism in relation to perfusion in patients with ischaemic heart disease. 1994 , 21, 292-6	5
2123	Fluorine-18 deoxyglucose uptake in sarcoidosis measured with positron emission tomography. 1994 , 21, 297-305	193
2122	Measurement of the ratio of glomerular filtration rate to plasma volume from the technetium-99m diethylene triamine pentaacetic acid renogram: comparison with glomerular filtration rate in relation to extracellular fluid volume. 1994 , 21, 322-7	12
2121	PET: brain tumor biochemistry. 1994 , 22, 275-9	16
2120	In vivo quantification of the unidirectional influx constant for Gd-DTPA diffusion across the myocardial capillaries with MR imaging. 1994 , 4, 433-40	108
2119	Functional perfusion and blood-brain barrier permeability images in the diagnosis of cerebral tumors by Angio CT. 1994 , 18, 145-50	11
2118	Functional circulation and blood-brain permeability images by Angio CT in the assessment of cerebral ischemia. 1994 , 18, 151-61	8
2117	Measurement of capillary permeability from the Gd enhancement curve: a comparison of bolus and constant infusion injection methods. 1994 , 12, 81-91	63
2116	Strategies for delivery of peptide drugs to the central nervous system: exploiting molecular structure. 1994 , 29, 293-306	25
2115	Stereospecific distribution of methylphenidate enantiomers in rat brain: specific binding to dopamine reuptake sites. 1994 , 11, 407-11	14
2114	FDG-PET for predicting the prognosis of malignant lymphoma. 1994 , 8, 187-91	63
2113	FDG-PET for the evaluation of tumor viability after anticancer therapy. 1994 , 8, 109-13	12

2112	Assessment of dopamine metabolism in brain of patients with dementia by means of 18F-fluorodopa and PET. 1994 , 8, 245-51		39
2111	[11C]tropanyl benzilate-binding to muscarinic cholinergic receptors: methodology and kinetic modeling alternatives. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1994 , 14, 85-99	7.3	65
2110	Graphical, kinetic, and equilibrium analyses of in vivo [123I] beta-CIT binding to dopamine transporters in healthy human subjects. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1994 , 14, 982-94	7.3	245
2109	Blood-brain barrier permeability and brain concentration of sodium, potassium, and chloride during focal ischemia. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1994 , 14, 29-37	7.3	131
2108	The use of spectral analysis to determine regional cerebral glucose utilization with positron emission tomography and [18F]fluorodeoxyglucose: theory, implementation, and optimization procedures. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1994 , 14, 406-22	7.3	71
2107	SPECT quantification of [123I]iomazenil binding to benzodiazepine receptors in nonhuman primates: I. Kinetic modeling of single bolus experiments. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1994 , 14, 439-52	7.3	68
2106	The distribution and kinetics of [18F]6-fluoro-3-O-methyl-L-dopa in the human brain. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1994 , 14, 664-70	7.3	35
2105	Positron emission tomography with L-methyl-11C-methionine in the monitoring of therapy response in muscle-invasive transitional cell carcinoma of the urinary bladder. 1994 , 74, 767-74		34
2104	Regional cerebral oxidative and total glucose consumption during rest and activation studied with positron emission tomography. 1994 , 151, 29-43		36
2103	PET studies of patients with partial epilepsy: visual interpretation vs. semi-quantification/quantification. 1994 , 152, 175-8		56
2102	References. 1994 , 90, 30-34		2
2101	Cerebral glucose metabolism in type 1 diabetic patients. 1994 , 11, 205-9		21
2100	Blood-borne interleukin-1 receptor antagonist crosses the blood-brain barrier. 1994 , 55, 153-60		138
2099	Opposite direction of transport across the blood-brain barrier for Tyr-MIF-1 and MIF-1: comparison with morphine. 1994 , 15, 23-9		70
2098	Penetration of interleukin-6 across the murine blood-brain barrier. 1994 , 179, 53-6		353
2097	Positron-emission tomography as a radiological technique in neuroendocrine gastrointestinal tumors. 1994 , 733, 446-52		8
2096	Study of passage of peptides across the blood-brain barrier: biological effects of cyclo(His-Pro) after intravenous and oral administration. 1994 , 739, 101-7		4
2095	Pharmacokinetics of Drugs. 1994 ,		1

2094	Effect of exercise supplementation during adenosine infusion on hyperemic blood flow and flow reserve. 1994 , 128, 52-60	22
2093	Positron emission tomography and central neurotransmitter systems in movement disorders. 1994 , 8, 503-17	6
2092	Effects of acute ethanol administration on the uptake of ⁵⁹ Fe-labeled transferrin by rat liver and cerebellum. 1994 , 47, 1835-41	13
2091	Transport of alpha-aminoisobutyric acid across the blood-brain barrier studied with in situ perfusion of rat brain. 1994 , 643, 100-7	17
2090	Passage of human amyloid beta-protein 1-40 across the murine blood-brain barrier. 1994 , 55, 1643-50	95
2089	Interleukin-2 does not cross the blood-brain barrier by a saturable transport system. 1994 , 34, 103-9	73
2088	Transport properties of vertebrate blood-nerve barrier: comparison with blood-brain barrier. 1994 , 43, 235-79	24
2087	BloodBrain Barrier. 1994 , 480, 7-21	
2086	Blood-borne interleukin-1 alpha is transported across the endothelial blood-spinal cord barrier of mice. 1994 , 479 (Pt 2), 257-64	47
2085	The effect of entacapone (OR-611) on brain [¹⁸ F]-6-L-fluorodopa metabolism: implications for levodopa therapy of Parkinson's disease. 1994 , 44, 1292-7	90
2084	An Efficient Estimation Method for Biomedical System Modeling. 1994 , 27, 251-252	
2083	Macromolecular permeability across the blood-nerve and blood-brain barriers. 1994 , 91, 5705-9	274
2082	The direct calculation of parametric images from raw PET data using maximum likelihood iterative reconstruction.	1
2081	Developmental changes in blood-brain barrier potassium permeability in the rat: relation to brain growth. 1995 , 488 (Pt 2), 439-48	38
2080	Non-invasive measurement of microvascular permeability to a small solute in man: validation of the technique. 1995 , 89, 191-200	4
2079	Myocardial glucose uptake evaluated by positron emission tomography and fluorodeoxyglucose during hyperglycemic clamp in IDDM patients. Role of free fatty acid and insulin levels. 1995 , 44, 537-42	19
2078	Eleventh international symposium on radiopharmaceutical chemistry: Abstracts. 1995 , 37, 208-308	1
2077	Single photon emission computed tomography to determine effective hepatic blood flow and intrahepatic shunting. 1995 , 21, 359-365	20

2076	Evaluation of response to radiotherapy in head and neck cancer by positron emission tomography and [11C]methionine. 1995 , 32, 787-94		47
2075	Effect of tissue heterogeneity on quantification in positron emission tomography. 1995 , 22, 652-63		21
2074	Clinical application of 18F-FUDR in glioma patients--PET study of nucleic acid metabolism. 1995 , 23, 53-61		14
2073	Evaluation of the incorporation of bone grafts used in maxillofacial surgery with [18F]fluoride ion and dynamic positron emission tomography. 1995 , 22, 1133-40		51
2072	Imaging of serotonin and dopamine transporters in the living human brain. 1995 , 22, 346-50		66
2071	Uptake of 75-Selenium into the central nervous system of the rat. 1995 , 20, 1141-6		5
2070	5HT2 receptors in cerebral cortex of migraineurs studied using PET and 18F-fluoroseroperone. 1995 , 15, 104-8; discussion 77		25
2069	Lipophilic metabolite of [123I]beta-CIT in human plasma may obstruct quantitation of the dopamine transporter. 1995 , 19, 297-300		18
2068	Analysis of time courses of metabolic precursors and products in heterogeneous rat brain tissue: limitations of kinetic modeling for predictions of intracompartmental concentrations from total tissue activity. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1995 , 15, 474-84	7-3	9
2067	Functional circulation images by angio-CT in the assessment of small deep cerebral infarctions. 1995 , 19, 313-23		3
2066	Regional variation in transport of pancreatic polypeptide across the blood-brain barrier of mice. 1995 , 51, 139-47		43
2065	Living neurochemistry: the dopaminergic system. 1995 , 7, 173-177		
2064	Permeability of the blood-brain barrier to the neurotensin8-13 analog NT1. 1995 , 695, 59-63		28
2063	Permeability of the blood-retinal and blood-aqueous barriers in galactose-fed rats. 1995 , 11, 469-87		6
2062	Clinical and [18F] dopa PET findings in early Parkinson's disease. 1995 , 59, 597-600		168
2061	The assessment of the non-equilibrium effect in the 'Patlak analysis' of Fdopa PET studies. 1995 , 40, 1243-54		8
2060	Early differential diagnosis of Parkinson's disease with 18F-fluorodeoxyglucose and positron emission tomography. 1995 , 45, 1995-2004		136
2059	Uptake mechanisms of meta-[123I]iodobenzylguanidine in isolated rat heart. 1995 , 22, 1-12		56

2058	Propionyl-L-carnitine: labelling in the N-methyl position with carbon-11 and pharmacokinetic studies in rats. 1995 , 22, 699-709		12
2057	Isolated involvement of substantia nigra in acute transient parkinsonism: MRI and PET observations. 1995 , 1, 67-72		13
2056	Cytokine-to-brain communication: a review & analysis of alternative mechanisms. 1995 , 57, 1011-26		460
2055	Permeability of the blood-brain barrier to amylin. 1995 , 57, 1993-2001		138
2054	Metabolism and blood-brain clearance of L-3,4-dihydroxy-[3H]phenylalanine ([3H]DOPA) and 6-[18F]fluoro-L-DOPA in the rat. 1995 , 50, 943-6		25
2053	Alteration of blood-brain barrier in human brain tumors: comparison of [18F]fluorodeoxyglucose, [11C]methionine and rubidium-82 using PET. 1995 , 132, 20-7		61
2052	Permeability of the developing blood-brain barrier to 14C-mannitol using the rat in situ brain perfusion technique. 1995 , 87, 69-76		80
2051	An evaluation of the algorithms for determining local cerebral metabolic rates of glucose using positron emission tomography dynamic data. 1995 , 14, 697-710		68
2050	Granulocyte margination in bone marrow: comparison with margination in the spleen and liver. 1995 , 55, 87-96		39
2049	Serotonin 5HT2 receptor imaging in the human brain using positron emission tomography and a new radioligand, [18F]altanserin: results in young normal controls. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1995 , 15, 787-97	73	73
2048	Striatal [18F]fluorodopa utilization after COMT inhibition with entacapone studied with PET in advanced Parkinson's disease. 1995 , 10, 91-106		28
2047	Spatial mapping of microvascular permeability and tissue blood volume using magnetic resonance imaging. 1996 , 3 Suppl 2, S344-6		
2046	Brain 6-[18F]fluorodopa metabolism in early and late onset of Parkinson's disease studied by positron emission tomography. 1996 , 144, 70-6		14
2045	Neurological impairment and recovery in Wilson's disease: evidence from PET and MRI. 1996 , 136, 129-39		38
2044	Preclinical evidence of Alzheimer's disease in persons homozygous for the epsilon 4 allele for apolipoprotein E. 1996 , 334, 752-8		1163
2043	An unbiased parametric imaging algorithm for nonuniformly sampled biomedical system parameter estimation. 1996 , 15, 512-8		86
2042	Reversible association of the cytokines MIP-1 alpha and MIP-1 beta with the endothelia of the blood-brain barrier. 1996 , 205, 202-6		39
2041	Glutamate is transported across the rat blood-brain barrier by a sodium-independent system. 1996 , 210, 9-12		40

2040	Mesure in vivo de la concentration de récepteurs par la modélisation des interactions ligand-récepteur. 1996 , 11, 152-160	
2039	Biodistribution of the lipophilic complexes $^{59}\text{Fe}(\text{RsalH}_2)_3\text{tach}$ (R = H, NO ₂ and OMe) and $^{68}\text{Ga}(\text{NO}_2\text{salH}_2)_3\text{tach}$. 1996 , 23, 645-52	5
2038	Leptin enters the brain by a saturable system independent of insulin. 1996 , 17, 305-11	1022
2037	Selenium homeostasis in the central nervous system of the rat. 1996 , 58, 2125-35	6
2036	Imaging allergen-invoked airway inflammation in atopic asthma with [¹⁸ F]-fluorodeoxyglucose and positron emission tomography. 1996 , 347, 937-40	60
2035	Tachykinin NK1 receptor antagonists act centrally to inhibit emesis induced by the chemotherapeutic agent cisplatin in ferrets. 1996 , 35, 1121-9	182
2034	Longitudinal behavioral and 6-[¹⁸ F]fluoro-L-DOPA-PET assessment in MPTP-hemiparkinsonian monkeys. 1996 , 141, 318-29	21
2033	Radiolabelled-tyrosine for the measurement of protein synthesis rate in vivo by positron emission tomography. 1996 , 10, 497-510	11
2032	Simultaneous observation of regional cerebral blood flow and event-related potential during performance of an auditory task. 1996 , 4, 289-96	20
2031	Clinical renography: 25 years on. 1996 , 23, 1541-6	8
2030	Quantitative evaluation of neutral amino acid transport in cerebral gliomas using positron emission tomography and fluorine-18 fluorophenylalanine. 1996 , 23, 889-95	20
2029	Initial human studies with single-photon emission tomography using iodine-123 labelled 3-(5-cyclopropyl-1,2,4-oxadiazol-3-yl)-7-iodo-5,6-dihydro-5-methyl-6-oxo-4H-imidazo[1,5-a][1,4]-benzodiazepine (NNC 13-8241). 1996 , 23, 798-803	8
2028	Quantification of dopamine metabolism in man: a mathematically justifiable approach. 1996 , 41, 963-78	3
2027	Patlak Analysis Applied to Sinogram Data. 1996 , 307-311	1
2026	Differential permeability of the BBB in acute EAE: enhanced transport of TNT-alpha. 1996 , 271, E636-42	54
2025	Simulation and analysis of dynamic brain PET images. 1996 ,	
2024	An [¹⁸ F]dopa-PET and clinical study of the rate of progression in Parkinson's disease. 1996 , 119 (Pt 2), 585-91	335
2023	Brain monoamine oxidase A inhibition in cigarette smokers. 1996 , 93, 14065-9	361

2022	Effect of the duration of fasting on myocardial fluorine-18-fluorodeoxyglucose positron emission tomography images in normal males. 1996 , 60, 319-27		16
2021	Simple method to quantify myocardial glucose metabolism from MB ratio in myocardial FDG PET. 1996 , 10, 323-8		3
2020	Blood-endothelial cell and blood-brain transport of L-proline, alpha-aminoisobutyric acid, and L-alanine. 1996 , 21, 1227-35		16
2019	Identification of a saturable uptake system for deoxyribonucleosides at the blood-brain and blood-cerebrospinal fluid barriers. 1996 , 741, 230-9		31
2018	Arterial input functions from MR phase imaging. 1996 , 36, 809-15		54
2017	6-[18F]fluoro-L-DOPA-PET studies show partial reversibility of long-term effects of chronic amphetamine in monkeys. 1996 , 22, 63-9		35
2016	The potential of high-resolution positron emission tomography to monitor striatal dopaminergic function in rat models of disease. 1996 , 67, 103-112		1
2015	Assessment of regional cerebral blood flow images with non-diffusible contrast media and angio-CT. Comparison with Xe-CT. 1996 , 20, 19-29		3
2014	Assessment of the CO ₂ response by means of non diffusible contrast media and angio-CT in patients with cluster headache. 1996 , 20, 171-82		2
2013	Brain tumor iron uptake measured with positron emission tomography and ⁵² Fe-citrate. 1996 , 29, 157-65		11
2012	Radiofluorinated L-m-tyrosines: new in-vivo probes for central dopamine biochemistry. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1996 , 16, 667-78	7-3	59
2011	Fluorodopa positron emission tomography with an inhibitor of catechol-O-methyltransferase: effect of the plasma 3-O-methyldopa fraction on data analysis. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1996 , 16, 854-63	7-3	46
2010	Inhibition of monoamine oxidase B in the brains of smokers. 1996 , 379, 733-6		551
2009	Brain perfusion systems for studies of drug uptake and metabolism in the central nervous system. 1996 , 8, 285-307		85
2008	Positron emission tomography in the diagnosis and staging of urinary bladder cancer. 1996 , 37, 180-5		72
2007	Review article: the quantification of renal function with enhanced computed tomography. 1996 , 69, 989-95		35
2006	The role of positron emission tomography in pharmacokinetic analysis. 1997 , 29, 923-56		64
2005	Effect of enalapril maleate on cerebral blood flow in patients with chronic heart failure. 1997 , 48, 707-13		25

2004	No difference in cerebral glucose metabolism in patients with Alzheimer disease and differing apolipoprotein E genotypes. 1997 , 54, 273-7	63
2003	Cognitive deficits in Huntington's disease are predicted by dopaminergic PET markers and brain volumes. 1997 , 120 (Pt 12), 2207-17	164
2002	CT measurements of capillary permeability within nodal masses: a potential technique for assessing the activity of lymphoma. 1997 , 70, 74-9	34
2001	The In Vivo Quantification of the Receptor Site Concentration Using Ligand-Receptor Interaction Modeling. 1997 , 31, 1019-1027	1
2000	Photodynamic-therapy-induced alterations of the blood-brain barrier transfer constant of a tracer molecule in normal brain. 1997 ,	4
1999	Measurement of rCBF, Mean Transit Time, Vascular Volume and Blood Brain Barrier Permeability in Ischemic Patients with Angio-CT. 1997 , 10, 124-127	
1998	Measurement of Mean Transit Time, Vascular Volume and Blood Brain Barrier Permeability in Cerebral Vascular Malformations. 1997 , 10, 143-144	
1997	Differences between males and females in rates of serotonin synthesis in human brain. 1997 , 94, 5308-13	716
1996	Positron emission tomography with ¹¹ C-D-deprenyl in patients with rheumatoid arthritis. Evaluation of knee joint inflammation before and after intra-articular glucocorticoid treatment. 1997 , 26, 43-8	20
1995	Linear least squares compartmental-model-independent parameter identification in PET. 1997 , 16, 11-6	8
1994	Estimation of Differential Renal Function in Children With a Prenatal Diagnosis of Unilateral Pelvic Dilatation. 1997 , 157, 1390-1393	9
1993	Biological imaging and the molecular basis of dopaminergic diseases. 1997 , 54, 341-8	49
1992	Effect of deadtime loss on quantitative measurement of cerebral blood flow with technetium-99m hexamethylpropylene amine oxime. 1997 , 24, 1418-21	4
1991	Does fluorine-18 fluorodeoxyglucose metabolic imaging of tumours benefit oncology?. 1997 , 24, 691-705	77
1990	Quantitative analysis of scatter- and attenuation-compensated dynamic single-photon emission tomography for functional hepatic imaging with a receptor-binding radiopharmaceutical. 1997 , 24, 59-67	13
1989	The direct calculation of parametric images from dynamic PET data using maximum-likelihood iterative reconstruction. 1997 , 42, 1155-73	90
1988	Carbon-11 labelled ketamine-synthesis, distribution in mice and PET studies in baboons. 1997 , 24, 145-50	34
1987	¹¹ C-harmine as a tracer for monoamine oxidase A (MAO-A): in vitro and in vivo studies. 1997 , 24, 287-93	63

1986	Positron emission tomography (PET) with ¹¹ C-5-hydroxytryptophan (5-HTP) in patients with metastatic hormone-refractory prostatic adenocarcinoma. 1997 , 24, 319-25		16
1985	Pelvic girdle chondrosarcoma and inferior vena cava thrombosis. 1997 , 23, 577-9		5
1984	Quantitative regional cerebral flow measured by Tc-99M HMPAO SPECT in mood disorder. 1997 , 68, 143-54		40
1983	HIV-1 protein gp120 crosses the blood-brain barrier: role of adsorptive endocytosis. 1997 , 61, PL119-25		67
1982	Assessment of myocardial viability in chronic coronary artery disease using technetium-99m sestamibi SPECT. Correlation with histologic and positron emission tomographic studies and functional follow-up. 1997 , 29, 62-8		125
1981	Permeability of the blood-brain and blood-spinal cord barriers to interferons. 1997 , 76, 105-11		174
1980	Relative contributions of peripheral and central sources to levels of IL-1 alpha in the cerebral cortex of mice: assessment with species-specific enzyme immunoassays. 1997 , 79, 22-8		45
1979	Ethological and 6-[¹⁸ F]fluoro-L-DOPA-PET profiles of long-term vulnerability to chronic amphetamine. 1997 , 84, 259-68		19
1978	Transport of insulin across the blood-brain barrier: saturability at euglycemic doses of insulin. 1997 , 18, 1423-9		237
1977	Effect of diabetes mellitus on the permeability of the blood-brain barrier to insulin. 1997 , 18, 1577-84		117
1976	Age-related increases in brain monoamine oxidase B in living healthy human subjects. 1997 , 18, 431-5		188
1975	Transport of CRH from mouse brain directly affects peripheral production of beta-endorphin by the spleen. 1997 , 273, E1083-9		12
1974	XVIIIth International Symposium on Cerebral Blood Flow and Metabolism. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1997 , 17, S1-S806	7-3	
1973	Psychiatric wandering behaviour in dementia patients correlated with increased striatal dopamine D2 receptor as shown by [¹¹ C]YM-09151 and positron emission tomography. 1997 , 4, 221-226		7
1972	On the rate of decarboxylation of dopa to dopamine in living mammalian brain. 1997 , 835, 274-308		10
1971	Quantification of neuroreceptors in the living human brain: III. D2-like dopamine receptors: theory, validation, and changes during normal aging. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1997 , 17, 316-30	7-3	89
1970	Analysis of [¹¹ C]alpha-methyl-tryptophan kinetics for the estimation of serotonin synthesis rate in vivo. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1997 , 17, 659-69	7-3	94
1969	In vivo kinetics of [¹⁸ F](N-methyl)benperidol: a novel PET tracer for assessment of dopaminergic D2-like receptor binding. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1997 , 17, 833-45	7-3	32

1968	Noninvasive quantitative measurements of regional cerebral blood flow using technetium-99m-L,L-ECD SPECT activated with acetazolamide: quantification analysis by equal-volume-split 99mTc-ECD consecutive SPECT method. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1997 , 17, 1020-32	7-3	49
1967	In vivo regulation of DOPA decarboxylase by dopamine receptors in rat brain. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1997 , 17, 1254-60	7-3	47
1966	Dynamic image data compression in spatial and temporal domains: theory and algorithm. 1997 , 1, 219-28		21
1965	6-[18F]fluoro-L-m-tyrosine: metabolism, positron emission tomography kinetics, and 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine lesions in primates. 1997 , 750, 264-76		55
1964	Evidence for pore-like opening of the blood-brain barrier following forebrain ischemia in rats. 1997 , 761, 4-10		45
1963	Recovery of striatal dopamine function after acute amphetamine- and methamphetamine-induced neurotoxicity in the vervet monkey. 1997 , 766, 113-20		112
1962	Cerebral 6-[18F]fluoro-L-DOPA uptake in rhesus monkey: pharmacological influence of aromatic amino acid decarboxylase (AAAD) and catechol-O-methyltransferase (COMT) inhibition. 1997 , 767, 45-54		10
1961	Acidic amino acid accumulation by rat choroid plexus during development. 1997 , 102, 47-52		16
1960	In vivo diagnosis of human malignant melanoma with positron emission tomography using specific melanoma-seeking 18F-DOPA analogue. 1997 , 33, 163-9		27
1959	Detection of local recurrence of soft-tissue sarcoma with positron emission tomography using [18F]fluorodeoxyglucose. 1997 , 4, 57-63		85
1958	Do organic solvents induce changes in the dopaminergic system? Positron emission tomography studies of occupationally exposed subjects. 1997 , 70, 180-6		28
1957	Design, construction and six years' experience of an integrated system for automated handling of discrete blood samples. 1998 , 25, 85-90		3
1956	MAO-A inhibition in brain after dosing with esuprone, moclobemide and placebo in healthy volunteers: in vivo studies with positron emission tomography. 1997 , 52, 121-8		43
1955	Use of positron emission tomography (PET) in the assessment of skeletal muscle glucose metabolism. 1997 , 36, 359-63		1
1954	Glucose uptake and lumped constant variability in normal human hearts determined with [18F]fluorodeoxyglucose. 1997 , 4, 125-32		61
1953	On the accuracy of an [18F]FDOPA compartmental model: evidence for vesicular storage of [18F]fluorodopamine in vivo. 1997 , 76, 157-65		31
1952	In vivo estimation of cerebral blood flow, oxygen consumption and glucose metabolism in the pig by [15O]water injection, [15O]oxygen inhalation and dual injections of [18F]fluorodeoxyglucose. 1997 , 77, 199-209		46
1951	The kinetic behaviour of [3H]DOPA in living rat brain investigated by compartmental modelling of static autoradiograms. 1997 , 78, 157-68		15

1950	XIIIth international symposium on radiopharmaceutical chemistry: Abstracts and programme. 1997 , 40, 670-720		1
1949	Assessing tumor angiogenesis using macromolecular MR imaging contrast media. 1997 , 7, 68-74		229
1948	Modeling tracer kinetics in dynamic Gd-DTPA MR imaging. 1997 , 7, 91-101		1194
1947	A MRI spatial mapping technique for microvascular permeability and tissue blood volume based on macromolecular contrast agent distribution. 1997 , 37, 236-42		71
1946	Striatal 6-[18F]fluorodopa accumulation after combined inhibition of peripheral catechol-O-methyltransferase and monoamine oxidase type B: differing response in relation to presynaptic dopaminergic dysfunction. 1997 , 27, 336-46		21
1945	Dynamic contrast-enhanced imaging and analysis at high spatial resolution of MCF7 human breast tumors. 1997 , 128, 161-71		36
1944	Tracer transport and metabolism in a patient with juvenile pilocytic astrocytoma. A PET study. 1998 , 36, 279-83		14
1943	Transport of opioid peptides into the central nervous system. 1998 , 87, 1433-9		50
1942	The transport of the anti-HIV drug, 2',3'-didehydro-3'-deoxythymidine (D4T), across the blood-brain and blood-cerebrospinal fluid barriers. 1998 , 125, 49-54		39
1941	Striatal presynaptic dopamine function in type 1 alcoholics measured with positron emission tomography. 1998 , 3, 156-61		70
1940	Effects of large neutral amino acid concentrations on 6-[F-18]Fluoro-L-DOPA kinetics. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1998 , 18, 43-51	7-3	44
1939	[3H]DOPA formed from [3H]tyrosine in living rat brain is not committed to dopamine synthesis. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1998 , 18, 491-9	7-3	29
1938	Noninvasive quantification of the cerebral metabolic rate for glucose using positron emission tomography, 18F-fluoro-2-deoxyglucose, the Patlak method, and an image-derived input function. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1998 , 18, 716-23	7-3	209
1937	Validation of the three-dimensional acquisition mode in positron emission tomography for the quantitation of [18F]fluoro-DOPA uptake in the human striata. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1998 , 18, 951-9	7-3	11
1936	Validation of a less-invasive method for measurement of serotonin synthesis rate with alpha-[11C]methyl-tryptophan. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1998 , 18, 1121-9	7-3	34
1935	Distribution volume of radiolabeled large neutral amino acids in brain tissue. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1998 , 18, 1288-93	7-3	12
1934	Validation of deconvolutional analysis for the measurement of hepatic function in dogs with toxic-induced liver disease. 1998 , 39, 375-83		8
1933	Temporal lobe epilepsy visualized with PET with 11C-L-deuterium-deprenyl--analysis of kinetic data. 1998 , 98, 224-31		36

1932	An approximate bootstrap technique for variance estimation in parametric images. 1998 , 2, 379-93	5
1931	Permeability of the blood-brain barrier to neurotrophins. 1998 , 788, 87-94	141
1930	Lack of evidence for direct involvement of NMDA receptors or polyamines in blood-brain barrier injury after cerebral ischemia in rats. 1998 , 813, 191-4	8
1929	Brain serotonin synthesis rates in rhesus monkeys determined by [¹¹ C]alpha-methyl-L-tryptophan and positron emission tomography compared to CSF 5-hydroxyindole-3-acetic acid concentrations. 1998 , 19, 345-53	31
1928	Detection of cholangiocarcinoma in primary sclerosing cholangitis by positron emission tomography. 1998 , 28, 700-6	166
1927	Characterization of lectin-mediated brain uptake of HIV-1 GP120. 1998 , 54, 522-9	39
1926	Human brain serotonin synthesis capacity measured in vivo with alpha-[C-11]methyl-L-tryptophan. 1998 , 28, 33-43	123
1925	[¹⁸ F]CFT [(¹⁸ F)WIN 35,428], a radioligand to study the dopamine transporter with PET: characterization in human subjects. 1998 , 28, 244-50	51
1924	Compartmental analysis of dopa decarboxylation in living brain from dynamic positron emission tomograms. 1998 , 29, 37-61	93
1923	Rapid detection of Parkinson's disease by SPECT with altropane: a selective ligand for dopamine transporters. 1998 , 29, 128-41	82
1922	Effect of catechol-O-methyltransferase inhibition on brain uptake of [¹⁸ F]fluorodopa: implications for compartmental modelling and clinical usefulness. 1998 , 30, 351-61	17
1921	Quantification of the extraction fraction for gadopentetate across breast cancer capillaries. 1998 , 40, 537-43	76
1920	PET studies of peripheral catechol-O-methyltransferase in non-human primates using [¹⁸ F]Ro41-0960. 1998 , 105, 1199-211	4
1919	Cerebral muscarinic acetylcholinergic receptor measurement in Alzheimer's disease patients on ¹¹ C-N-methyl-4-piperidyl benzilate--comparison with cerebral blood flow and cerebral glucose metabolism. 1998 , 12, 35-42	26
1918	Correlation of dynamic contrast-enhanced magnetic resonance imaging with histologic tumor grade: comparison of macromolecular and small-molecular contrast media. 1998 , 28, 67-78	69
1917	Skeletal metastases from breast cancer: uptake of ¹⁸ F-fluoride measured with positron emission tomography in correlation with CT. 1998 , 27, 72-6	72
1916	Non-invasive estimation of the net influx constant using the standardized uptake value for quantification of FDG uptake of tumours. 1998 , 25, 559-64	50
1915	How to obtain high-accuracy image registration: application to movement correction of dynamic positron emission tomography data. 1998 , 25, 575-86	25

1914	PET study of striatal fluorodopa uptake and dopamine D2 receptor binding in a patient with juvenile parkinsonism. 1998 , 5, 243-248	4
1913	A theoretical four-compartment model to evaluate separate kidney technetium-99m-MAG3 kinetics in humans. 1998 , 54, 2029-36	4
1912	Glucose consumption by various tissues in pregnant rats: effects of a 6-day euglycaemic hyperinsulinaemic clamp. 1998 , 164, 325-34	9
1911	The effect of hyperglycaemia on regional cerebral glucose oxidation in humans studied with [1-11C]-D-glucose. 1998 , 163, 403-15	7
1910	Differential permeability of the blood-brain barrier to two pancreatic peptides: insulin and amylin. 1998 , 19, 883-9	248
1909	Effects of radiochemical impurities on measurements of transfer constants for [14C]sucrose permeation of normal and injured blood-brain barrier of rats. 1998 , 45, 111-6	10
1908	Long-term intracerebral infusion of fibroblast growth factors restores motility and enhances F-DOPA uptake in parkinsonian monkeys. 1998 , 4, 147-58	9
1907	Quantitative low-dose assessment of seafood toxin, domoic acid, in the rat brain: application of physiologically-based pharmacokinetic (PBPK) modeling. 1998 , 6, 49-58	9
1906	Positron emission tomography in ischaemic stroke: cerebral perfusion and metabolism after stroke onset. 1998 , 5, 413-6	15
1905	Kinetics of the norepinephrine analog [76Br]-meta-bromobenzylguanidine in isolated working rat heart. 1998 , 25, 1-16	15
1904	First-pass cerebral extraction of benzamide-derivative radiotracers for SPECT. 1998 , 25, 289-93	1
1903	Effects of the GABAergic system on in vivo binding of [3H]N-methylspiperone. 1998 , 37, 375-81	2
1902	Transport of brain-derived neurotrophic factor across the blood-brain barrier. 1998 , 37, 1553-61	976
1901	Positron emission tomography in urological oncology. 1998 , 159, 347-56	115
1900	La tomographie par émission de positons (TEP). 1998 , 9, 227-235	
1899	Correlation of dynamic contrast-enhanced MR imaging with histologic tumor grade: comparison of macromolecular and small-molecular contrast media. 1998 , 171, 941-9	223
1898	Information technology in biomedical functional imaging.	
1897	Clinical investigation of a knowledge-based data compression algorithm for dynamic neurologic FDG-PET images.	

1896	Generalized linear least squares method for fast generation of myocardial blood flow parametric images with N-13 ammonia PET. 1998 , 17, 236-43	41
1895	Effect of spinal cord injury on the permeability of the blood-brain and blood-spinal cord barriers to the neurotrophin PACAP. 1998 , 151, 116-23	29
1894	The evaluation of lung function with PET. 1998 , 28, 341-51	46
1893	Macromolecular contrast media-enhanced MRI estimates of microvascular permeability correlate with histopathologic tumor grade. 1998 , 5 Suppl 1, S2-5	19
1892	Intracerebroventricular infusion of nerve growth factor in three patients with Alzheimer's disease. 1998 , 9, 246-57	363
1891	A JAVA environment for medical image data analysis: initial application for brain PET quantitation. 1998 , 23, 207-14	125
1890	A new method to estimate parameters of linear compartmental models using artificial neural networks. 1998 , 43, 1659-78	3
1889	Diurnal uptake of circulating interleukin-1alpha by brain, spinal cord, testis and muscle. 1998 , 5, 36-41	40
1888	Neuropharmacological actions of cigarette smoke: brain monoamine oxidase B (MAO B) inhibition. 1998 , 17, 23-34	96
1887	Estimation of kinetic constants in double injection FDG-PET studies: application in neurology and oncology.	
1886	Brain muscarinic receptors in progressive supranuclear palsy and Parkinson's disease: a positron emission tomographic study. 1998 , 65, 155-63	62
1885	Spatially-coordinated regression for image-wise model fitting to dynamic PET data for generating parametric images. 1998 , 45, 1194-1199	15
1884	Dynamic contrast-enhanced x-ray CT measurement of cerebral blood volume in a rabbit tumor model. 1998 ,	
1883	Imagewise model fitting for generating parametric images in dynamic PET studies. 1998 ,	
1882	Estimating glucose metabolism using glucose analogs and two tracer kinetic models in isolated rabbit heart. 1998 , 275, H668-79	5
1881	Comparison of Ketamine/Midazolam versus Pentobarbital on [18 F]Fluorodopa PET Kinetics in Monkeys. 1998 , 183-186	2
1880	Passage of leptin across the blood-testis barrier. 1999 , 276, E1099-104	27
1879	Germ cell tumor: differentiation of viable tumor, mature teratoma, and necrotic tissue with FDG PET and kinetic modeling. 1999 , 211, 249-56	88

1878	Cerebral blood volume measurements using dynamic contrast-enhanced x-ray computed tomography: application to isoflurane anaesthetic studies. 1999 , 20, 75-86	7
1877	The meaning and significance of the equilibrium phase in enhanced computed tomography of the liver. 1999 , 72, 438-42	4
1876	¹⁸ F-DG-positron emission tomography in pancreatic cancer. 1999 , 10, S28-S32	6
1875	Increased brain serotonin synthesis in migraine. 1999 , 53, 1473-9	98
1874	Progressive frontal gait disturbance with atypical Alzheimer's disease and corticobasal degeneration. 1999 , 67, 345-52	31
1873	Application of mathematical methods in dynamic nuclear medicine studies. 1999 , 44, R57-98	26
1872	Statistical parametric mapping with ¹⁸ F-dopa PET shows bilaterally reduced striatal and nigral dopaminergic function in early Parkinson's disease. 1999 , 66, 754-8	40
1871	Increasing incidence of medically recognized migraine headache in a United States population. 1999 , 53, 1468-73	53
1870	Mapping the ischaemic penumbra with PET: implications for acute stroke treatment. 1999 , 9, 193-201	287
1869	The increased accumulation of [¹⁸ F]fluorodeoxyglucose in untreated prostate cancer. 1999 , 29, 623-9	122
1868	Glucose for the heart. 1999 , 99, 578-88	328
1867	Noninvasive quantitation of cytosine deaminase transgene expression in human tumor xenografts with in vivo magnetic resonance spectroscopy. 1999 , 96, 9821-6	148
1866	Application of positron emission tomography to determine cerebral glucose utilization in conscious infant monkeys. 1999 , 88, 123-33	7
1865	Kinetic analysis of ⁵² Fe-labelled iron(III) hydroxide-sucrose complex following bolus administration using positron emission tomography. 1999 , 104, 288-95	25
1864	Pharmacokinetics and red cell utilization of iron(III) hydroxide-sucrose complex in anaemic patients: a study using positron emission tomography. 1999 , 104, 296-302	57
1863	The development of x-ray imaging to study renal function. 1999 , 55, 400-16	25
1862	The role of ¹⁸ F-fluoro-deoxyglucose positron emission tomography (¹⁸ F-FDG PET) in diagnosis of ovarian cancer. 1999 , 9, 117-122	69
1861	Which linear compartmental systems can be analyzed by spectral analysis of PET output data summed over all compartments?. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1999 , 19, 560-9	73 29

1860	Quantification of delta-opioid receptors in human brain with N1'-([11C]methyl) naltrindole and positron emission tomography. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1999 , 19, 956-66	73	42
1859	A PET study of 18FDG uptake in soft tissue masses. 1999 , 26, 22-30		213
1858	Allogenic bone graft viability after hip revision arthroplasty assessed by dynamic [18F]fluoride ion positron emission tomography. 1999 , 26, 615-24		65
1857	Non-invasive assessment of skeletal kinetics using fluorine-18 fluoride positron emission tomography: evaluation of image and population-derived arterial input functions. 1999 , 26, 1424-9		58
1856	On the use of image-derived input functions in oncological fluorine-18 fluorodeoxyglucose positron emission tomography studies. 1999 , 26, 1489-92		31
1855	A trial for the quantification of regional myocardial blood flow with continuous infusion of Tc-99m MIBI and dynamic SPECT. 1999 , 13, 61-4		6
1854	Dynamic changes in glucose metabolism of living rat brain slices induced by hypoxia and neurotoxic chemical-loading revealed by positron autoradiography. 1999 , 106, 1075-87		18
1853	Information technology applications in biomedical functional imaging. 1999 , 3, 221-30		7
1852	The effect of sequential lesioning in the basal forebrain on cerebral cortical glucose metabolism in rats. An animal positron emission tomography study. 1999 , 837, 75-82		9
1851	Cocaine withdrawal and the cerebral influx of [18F]fluoro-L-DOPA (FDOPA). 1999 , 20, 395-8		
1850	Monitoring of graft perfusion and osteoblast activity in revascularised fibula segments using [18F]-positron emission tomography. 1999 , 28, 349-355		26
1849	The role of inheritance in sporadic Parkinson's disease: evidence from a longitudinal study of dopaminergic function in twins. 1999 , 45, 577-82		275
1848	Positron emission tomographic studies in restless legs syndrome. 1999 , 14, 141-5		149
1847	Apolipoprotein E and Alzheimer's Disease. 1999 , 11, 411-420		4
1846	Generalized ridge regression versus simple ridge regression for generation of kinetic parametric images in PET.		
1845	Use of ridge regression for improved estimation of kinetic constants from PET data. 1999 , 18, 115-25		49
1844	Measurement of clinical and subclinical tumour response using [18F]-fluorodeoxyglucose and positron emission tomography: review and 1999 EORTC recommendations. European Organization for Research and Treatment of Cancer (EORTC) PET Study Group. 1999 , 35, 1773-82		1325
1843	[18F]Fluoro-beta-fluoromethylene-m-tyrosine derivatives show stereo, geometrical, and regio specificities as in vivo central dopaminergic probes in monkeys. 1999 , 26, 365-70		7

1842	2Beta-carbomethoxy-3beta-(4- and 2-[18F]fluoromethylphenyl)tropanes: specific probes for in vivo quantification of central dopamine transporter sites. 1999 , 26, 897-903	11
1841	Functional CT of the kidney. 1999 , 30, 191-7	30
1840	Tumour angiogenesis and its relation to contrast enhancement on computed tomography: a review. 1999 , 30, 198-205	233
1839	Imaging of tumour therapy responses by dynamic CT. 1999 , 30, 221-6	40
1838	Monitoring of graft perfusion and osteoblast activity in revascularised fibula segments using [18F]-positron emission tomography. 1999 , 28, 349-355	26
1837	Noninvasive scintigraphic method to quantify unstimulated secretions from individual salivary glands. 1999 , 26, 453-6	11
1836	Use of contrast-enhanced computed tomography to measure clearance per unit renal volume: a novel measurement of renal function and fractional vascular volume. 1999 , 33, 754-60	38
1835	Uptake and degradation of blood-borne insulin by the olfactory bulb. 1999 , 20, 373-8	56
1834	Entry of EGF into brain is rapid and saturable. 1999 , 20, 1091-8	93
1833	Impaired transport of leptin across the blood-brain barrier in obesity. 1999 , 20, 1341-5	270
1832	Hemodynamic and antihypertensive effects of felodipine in patients with essential hypertension: A pilot study. 1999 , 60, 392-401	5
1831	Effects of wheatgerm agglutinin and aging on the regional brain uptake of HIV-1GP120. 1999 , 65, 81-9	14
1830	Dynamic changes in glucose metabolism induced by thiamine deficiency and its replenishment as revealed by a positron autoradiography technique using rat living brain slices. 1999 , 164, 29-36	13
1829	Depressive symptoms and presynaptic dopamine function in neuroleptic-naive schizophrenia. 1999 , 35, 41-50	212
1828	Effects of dextranation on the pharmacokinetics of short peptides. A PET study on mEGF. 1999 , 10, 938-46	14
1827	Ischemic core and penumbra in human stroke. 1999 , 30, 93-9	173
1826	TGFalpha and the blood-brain barrier: accumulation in cerebral vasculature. 1999 , 160, 454-9	29
1825	Functional Circulation Time, rCBV and rCBF Images by Angio-CT in the Assessment of Altered Carotid Canalization. 1999 , 12, 387-398	

1824	Bound Generalized Linear Least Square (B-GLLS) Algorithm for Parametric Imaging with Pet. 2000 , 33, 303-305		
1823	Regional variations in the transport of interleukin-1alpha across the blood-brain barrier in ICR and aging SAMP8 mice. 2000 , 8, 165-70		32
1822	Improving the measurement of the 99Tc(m)-ECD brain perfusion index by temporal analysis. 2000 , 21, 811-6		4
1821	[11C]Hyaluronan uptake with positron emission tomography in liver disease. 2000 , 30, 600-7		10
1820	Striatal dopaminergic transmission and neocortical glucose utilization in Alzheimer's disease: a triple-tracer positron emission tomography study. 2000 , 31, 147-158		10
1819	Alpha[C-11]methyl-L-tryptophan PET maps brain serotonin synthesis and kynurenine pathway metabolism. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2000 , 20, 2-9	7-3	122
1818	The suitability of [11C]-alpha-methyl-L-tryptophan as a tracer for serotonin synthesis: studies with dual administration of [11C] and [14C] labeled tracer. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2000 , 20, 244-52	7-3	62
1817	Hypoxic but not ischemic neurotoxicity of free radicals revealed by dynamic changes in glucose metabolism of fresh rat brain slices on positron autoradiography. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2000 , 20, 350-8	7-3	24
1816	Imaging synaptic neurotransmission with in vivo binding competition techniques: a critical review. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2000 , 20, 423-51	7-3	855
1815	Noninvasive assessment of the functional neovasculature in 9L-glioma growing in rat brain by dynamic 1H magnetic resonance imaging of gadolinium uptake. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2000 , 20, 861-70	7-3	35
1814	Modeling dynamic PET-SPECT studies in the wavelet domain. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2000 , 20, 879-93	7-3	50
1813	Striatal kinetic modeling of FDOPA with a cerebellar-derived constraint on the distribution of volume of 30MFD: a PET investigation using non-human primates. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2000 , 20, 1134-48	7-3	8
1812	Content-based retrieval of dynamic PET functional images. 2000 , 4, 152-8		72
1811	Saturable entry of leukemia inhibitory factor from blood to the central nervous system. 2000 , 106, 172-80		56
1810	Neurotoxicity after hypoxia/during ischemia due to glutamate with/without free radicals as revealed by dynamic changes in glucose metabolism. 2000 , 865, 259-63		5
1809	Recovery from methamphetamine induced long-term nigrostriatal dopaminergic deficits without substantia nigra cell loss. 2000 , 871, 259-70		112
1808	Differential transport of rat and human interleukin-1alpha across the blood-brain barrier and blood-testis barrier in rats. 2000 , 881, 57-61		29
1807	A phase I study of a new polyamine biosynthesis inhibitor, SAM486A, in cancer patients with solid tumours. 2000 , 83, 594-601		31

1806	Short dynamic FDG-PET imaging protocol for patients with lung cancer. 2000 , 27, 1538-42	30
1805	"FUR"--one size suits all. 2000 , 27, 1708-13	9
1804	Dynamic 2-[18F]fluoro-2-deoxy-D-glucose positron emission tomography of liver tumours without blood sampling. 2000 , 27, 407-12	25
1803	Monitoring response to therapy in cancer using [18F]-2-fluoro-2-deoxy-D-glucose and positron emission tomography: an overview of different analytical methods. 2000 , 27, 731-43	188
1802	Short-term effects of growth hormone on myocardial glucose uptake in healthy humans. 2000 , 278, E1053-9	3
1801	Lumped constant for [(18F)]fluorodeoxyglucose in skeletal muscles of obese and nonobese humans. 2000 , 279, E1122-30	73
1800	Positron emission tomography using [(18F)]-fluorodeoxy-D-glucose to predict the pathologic response of breast cancer to primary chemotherapy. 2000 , 18, 1676-88	355
1799	Visualization of biomedical processes: local quantitative physiological functions in living human body.	
1798	Fast parametric image reconstruction for FDG using dynamic PET data.	
1797	Interactions of IGF-1 with the blood-brain barrier in vivo and in situ. 2000 , 72, 171-8	114
1796	Variance in parametric images: direct estimation from parametric projections. 2000 , 45, 91-102	1
1795	Posthypoxic reoxygenation-induced neurotoxicity prevented by free radical scavenger and NMDA/non-NMDA antagonist in tandem as revealed by dynamic changes in glucose metabolism with positron autoradiography. 2000 , 164, 269-79	6
1794	Glucose metabolism in the rat frontal cortex recovered without the recovery of choline acetyltransferase activity after lesioning of the nucleus basalis magnocellularis. 2000 , 280, 9-12	14
1793	Effect of middle cerebral artery occlusion on the passage of pituitary adenylate cyclase activating polypeptide across the blood-brain barrier in the rat. 2000 , 91, 89-95	35
1792	Dynamic regulation of leptin entry into brain by the blood-brain barrier. 2000 , 92, 37-43	84
1791	Graphical analysis of PET data applied to reversible and irreversible tracers. 2000 , 27, 661-70	303
1790	Quantitative assessment of tumor metabolism using FDG-PET imaging. 2000 , 27, 683-7	120
1789	The role of model-based methods in the development of single scan techniques. 2000 , 27, 637-42	17

1788	Comparison of simplified quantitative analyses of FDG uptake. 2000 , 27, 647-55	127
1787	Anatomy of SUV. Standardized uptake value. 2000 , 27, 643-6	349
1786	Demonstration of [¹¹ C] 5-hydroxy-L-tryptophan uptake and decarboxylation in carcinoid tumors by specific positioning labeling in positron emission tomography. 2000 , 27, 33-41	38
1785	Reproducibility of repeated measures of deuterium substituted [¹¹ C]L-deprenyl ([¹¹ C]L-deprenyl-D2) binding in the human brain. 2000 , 27, 43-9	37
1784	Brain uptake and receptor binding of two [¹¹ C]labelled selective high affinity NK1-antagonists, GR203040 and GR205171--PET studies in rhesus monkey. 2000 , 39, 664-70	61
1783	Extrastriatal mean regional uptake of fluorine-18-FDOPA in the normal aged brain--an approach using MRI-aided spatial normalization. 2000 , 11, 760-6	21
1782	Imaging transgene expression with radionuclide imaging technologies. 2000 , 2, 118-38	272
1781	Role of radionuclide imaging in trials of antiangiogenic therapy. 2000 , 7, 851-67	31
1780	Regional cerebral blood flow in male schizophrenic patients performing an auditory discrimination task. 2000 , 42, 29-39	16
1779	Spatial pattern of cerebral glucose metabolism (PET) correlates with localization of intracerebral EEG-generators in Alzheimer's disease. 2000 , 111, 1817-24	241
1778	Amphetamine-induced dopamine release in human ventral striatum correlates with euphoria. 2001 , 49, 81-96	573
1777	Quantitative evaluation of skeletal tumours with dynamic FDG PET: SUV in comparison to Patlak analysis. 2001 , 28, 704-10	24
1776	Validity of multiple-time regression analysis in measurement of tritiated and iodinated leptin crossing the blood-brain barrier: meaningful controls. 2001 , 22, 2127-36	70
1775	Regional transport of TNF-alpha across the blood-brain barrier in young ICR and young and aged SAMP8 mice. 2001 , 22, 671-6	62
1774	Actual trends in diagnosis/thrombolytic therapy of acute cerebral stroke. 2001 , 38, 28-40	3
1773	Measurement of single kidney contrast media clearance by multiphasic spiral computed tomography: preliminary results. 2001 , 39, 201-8	21
1772	Kinetics of the metabolism of four PET radioligands in living minipigs. 2001 , 28, 97-104	43
1771	[⁷⁶ Br]Bromodeoxyuridine PET in tumor-bearing animals. 2001 , 28, 51-7	21

1770	Receptor binding radiotracers: personal history of the past 20 years. 2001 , 28, 573-83	4
1769	Models and methods for derivation of in vivo neuroreceptor parameters with PET and SPECT reversible radiotracers. 2001 , 28, 595-608	162
1768	Saturable transport of the neurokinin-1 non-peptide antagonist LY303870 across the rat blood-brain barrier after intravenous administration. 2001 , 69, 1683-9	
1767	Obesity-inducing lesions of the central nervous system alter leptin uptake by the blood-brain barrier. 2001 , 69, 2765-73	24
1766	Correlation of microvascular permeability derived from dynamic contrast-enhanced MR imaging with histologic grade and tumor labeling index: a study in human brain tumors. 2001 , 8, 384-91	106
1765	. 2001 , 48, 1418-1422	
1764	Linear ridge regression with spatial constraint for generation of parametric images in dynamic positron emission tomography studies. 2001 , 48, 125-130	51
1763	Determination of glomerular filtration rate per unit renal volume using computerized tomography: correlation with conventional measures of total and divided renal function. 2001 , 165, 382-5	45
1762	Metabolic characterization of spinocerebellar ataxia type 6. 2001 , 58, 300-4	38
1761	Physiological Modelling of Positron Emission Tomography Images. 2001 , 179-211	2
1760	Age-related changes in energy production in fresh senescence-accelerated mouse brain slices as revealed by positron autoradiography. 2001 , 12, 78-84	10
1759	Greater resistance and lower contribution of free radicals to hypoxic neurotoxicity in immature rat brain compared to adult brain as revealed by dynamic changes in glucose metabolism. 2001 , 23, 412-9	5
1758	Tc-99m ethyl cysteinate dimer brain perfusion spect in presurgical evaluation for intractable partial epilepsy in a young infant. 2001 , 26, 557-8	
1757	Tc-99m mercaptoacetyltriglycine clearance: comparison of camera-assisted methods. 2001 , 26, 745-50	7
1756	Functional CT imaging of the acute hyperemic response to radiation therapy of the prostate gland: early experience. 2001 , 25, 43-9	49
1755	Impaired cerebral glucose metabolism and cognitive functioning predict deterioration in mild cognitive impairment. 2001 , 12, 851-5	234
1754	Localizing value of alpha-methyl-L-tryptophan PET in intractable epilepsy of neocortical origin. 2001 , 57, 1629-36	84
1753	PET in neuro-oncology. 2001 , 127, 2-8	22

1752	Binding rate constant of Tc-99m DTPA galactosyl human serum albumin measured by quantitative dynamic SPECT--clinical evaluation as a total and regional liver function test. 2001 , 15, 191-8	4
1751	Microvascular permeability to macromolecules in human melanoma xenografts assessed by contrast-enhanced MRI--intertumor and intratumor heterogeneity. 2001 , 19, 723-30	19
1750	Study of the brain serotonergic system with labeled alpha-methyl-L-tryptophan. 2001 , 78, 1185-200	90
1749	Synthesis and characterization of binding of 5-[⁷⁶ Br]bromo-3-[[2(S)-azetidiny]methoxy]pyridine, a novel nicotinic acetylcholine receptor ligand, in rat brain. 1999 , 73, 1264-72	20
1748	Evaluation of PET ligands (+)N-[(¹¹ C)ethyl-3-piperidyl benzilate and (+)N-[(¹¹ C)propyl-3-piperidyl benzilate for muscarinic cholinergic receptors: a PET study with microdialysis in comparison with (+)N-[(¹¹ C)methyl-3-piperidyl benzilate in the conscious monkey brain. 2001 , 40, 159-69	25
1747	Transvascular and interstitial transport of a 19 kDa linear molecule in human melanoma xenografts measured by contrast-enhanced magnetic resonance imaging. 2001 , 14, 608-16	7
1746	Novel observations with FDOPA-PET imaging after early nigrostriatal damage. 2001 , 16, 838-48	33
1745	Evaluation of novel PET ligands (+)N-[¹¹ C]methyl-3-piperidyl benzilate ([¹¹ C](+)3-MPB) and its stereoisomer [¹¹ C](-)3-MPB for muscarinic cholinergic receptors in the conscious monkey brain: a PET study in comparison with. 2001 , 39, 182-92	36
1744	Estimation of coronary flow reserve: can SPECT compete with other modalities?. 2001 , 8, 620-5	14
1743	PET reversed mismatch in an experimental model of subacute myocardial infarction. 2001 , 28, 457-65	11
1742	PET "reversed mismatch pattern" early after acute myocardial infarction: follow-up of flow, metabolism and function. 2001 , 28, 466-71	20
1741	Modeling of receptor ligand data in PET and SPECT imaging: a review of major approaches. 2001 , 11, 30-9	25
1740	Evaluation of heart time-activity curves as a predictor of hepatic extraction of ^{99m} Tc-mebrofenin in dogs. 2001 , 42, 162-8	8
1739	A reversible tracer analysis approach to the study of effective dopamine turnover. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2001 , 21, 469-76	7-3 57
1738	Positron emission tomography compartmental models. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2001 , 21, 635-52	7-3 382
1737	The (¹⁸ F)-fluorodeoxyglucose lumped constant determined in human brain from extraction fractions of (¹⁸ F)-fluorodeoxyglucose and glucose. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2001 , 21, 995-1002	7-3 26
1736	Myocardial imaging in patients with defibrillator patch electrodes. 2001 , 88, 448-52	1
1735	Changing the chemokine gradient: CINC1 crosses the blood-brain barrier. 2001 , 115, 64-70	53

1734	Delivery of peptides and proteins through the blood-brain barrier. 2001 , 46, 247-79	348
1733	Age-related changes in muscarinic cholinergic receptors in the living brain: a PET study using N-[¹¹ C]methyl-4-piperidyl benzilate combined with cerebral blood flow measurement in conscious monkeys. 2001 , 916, 22-31	12
1732	Welding-related parkinsonism: clinical features, treatment, and pathophysiology. 2001 , 56, 8-13	302
1731	Brain Regional alpha-[¹¹ C]methyl-L-tryptophan trapping in impulsive subjects with borderline personality disorder. 2001 , 158, 775-82	201
1730	Transport of human immunodeficiency virus type 1 pseudoviruses across the blood-brain barrier: role of envelope proteins and adsorptive endocytosis. 2001 , 75, 4681-91	101
1729	Characteristics of sustained blood-brain barrier opening and tissue injury in a model for focal trauma in the rat. 2001 , 18, 83-92	29
1728	Segmentation of dynamic PET images using cluster analysis. 2002 , 49, 200-207	91
1727	Parametric imaging and statistical mapping of brain tumor in Ga-68 EDTA dynamic PET studies.	
1726	The role of insulin in human brain glucose metabolism: an 18fluoro-deoxyglucose positron emission tomography study. 2002 , 51, 3384-90	229
1725	Transport of an antifungal trypsin inhibitor isolated from corn across the blood-brain barrier. 2002 , 46, 2633-5	5
1724	Alpha[¹¹ C] methyl-L-typtophan positron emission tomography in patients with alternating hemiplegia of childhood. 2002 , 17, 253-60	10
1723	Striatal and extrastriatal dysfunction in Parkinson's disease with dementia: a 6-[¹⁸ F]fluoro-L-dopa PET study. 2002 , 125, 1358-65	143
1722	Extracting kinetic information from dynamic imaging protocols: a Bayesian approach to parametric image analysis.	1
1721	Fast formation of statistically reliable FDG parametric images based on clustering and principal components. 2002 , 47, 455-68	53
1720	Effect of acute hyperketonemia on the cerebral uptake of ketone bodies in nondiabetic subjects and IDDM patients. 2002 , 283, E20-8	39
1719	Rezeptorliganden ff die Bildgebung der Neurotransmission mit SPECT und PET. 2002 , 25, 150-156	
1718	Contrast media clearance in a single kidney measured on multiphasic helical CT: results in 50 patients without acute renal disorder. 2002 , 178, 111-8	18
1717	TUMOR IMAGING APPLICATIONS IN THE TESTING OF NEW DRUGS. 2002 , 353-cp3	1

1716	Preliminary results of Tc-99m ECD SPECT to evaluate cerebral collateral circulation during balloon test occlusion. 2002 , 27, 633-7	15
1715	Non-invasive quantitative monitoring of cerebral blood flow in aneurysmal subarachnoid haemorrhage with 99mTc-ECD. 2002 , 23, 5-11	8
1714	Parametric analysis of breast MRI. 2002 , 26, 376-86	43
1713	Modeling /sup 13/N-ammonia from projections in rat-PET studies.	
1712	Mean transit times without deconvolution...reconsidered. 2002 , 23, 91-6	6
1711	TNFalpha transport across the blood-brain barrier is abolished in receptor knockout mice. 2002 , 174, 193-200	154
1710	Parametric imaging of tumor perfusion with deuterium magnetic resonance imaging. 2002 , 64, 104-15	8
1709	Sex differences in striatal presynaptic dopamine synthesis capacity in healthy subjects. 2002 , 52, 759-63	154
1708	Radioligand studies: imaging and quantitative analysis. 2002 , 12, 513-6	41
1707	Pharmacokinetic imaging: a noninvasive method for determining drug distribution and action. 2002 , 41, 581-602	75
1706	Positron emission tomography in non-Hodgkin's lymphoma (NHL): relationship between tracer uptake and pathological findings, including preliminary experience in the staging of low-grade NHL. 2002 , 3, 56-61	24
1705	Fractal image coding for emission tomographic image compression.	
1704	Monitoring the correction of glycogen storage disease type 1a in a mouse model using [(18)F]FDG and a dedicated animal scanner. 2002 , 71, 1293-301	9
1703	Improved parametric image generation using spatial-temporal analysis of dynamic PET studies. 2002 , 15, 697-707	47
1702	Abstracts. 2002 , 16, S1-S108	
1701	PET for in vivo pharmacokinetic and pharmacodynamic measurements. 2002 , 38, 2094-107	90
1700	Alzheimer's disease through the eye of a mouse. Acceptance lecture for the 2001 Gayle A. Olson and Richard D. Olson prize. 2002 , 23, 589-99	50
1699	Novel peptide-peptide cooperation may transform feeding behavior. 2002 , 23, 2189-96	30

1698	Passage of amyloid beta protein antibody across the blood-brain barrier in a mouse model of Alzheimer's disease. 2002 , 23, 2223-6	163
1697	Pathophysiological brain mapping in Parkinson's disease. 2002 , 1232, 571-577	
1696	Hypoxic tolerance induction in rat brain slices following 3-nitropropionic acid pretreatment as revealed by dynamic changes in glucose metabolism. 2002 , 319, 83-6	5
1695	Hypoxic tolerance induction in rat brain slices following hypoxic preconditioning due to expression of neuroprotective proteins as revealed by dynamic changes in glucose metabolism. 2002 , 329, 205-8	11
1694	Functional imaging of tumors using CT and iodinated contrast media of different molecular weights. 2002 , 9 Suppl 1, S212-4	4
1693	Quantitative estimation of microvascular permeability in human brain tumors: correlation of dynamic Gd-DTPA-enhanced MR imaging with histopathologic grading. 2002 , 9 Suppl 1, S151-5	47
1692	Tumor responses to radiation therapy: use of dynamic contrast material-enhanced CT to monitor functional and anatomical indices. 2002 , 9 Suppl 1, S215-9	3
1691	Antibodies to beta-amyloid decrease the blood-to-brain transfer of beta-amyloid peptide. 2002 , 227, 609-15	31
1690	Dynamic image data compression in the spatial and temporal domains: clinical issues and assessment. 2002 , 6, 262-8	2
1689	Functional CT: physiological models. 2002 , 20, S3-S10	144
1688	Generalized linear least squares algorithms for modeling glucose metabolism in the human brain with corrections for vascular effects. 2002 , 68, 1-14	11
1687	Leptin transport across the blood-brain barrier of the Koletsy rat is not mediated by a product of the leptin receptor gene. 2002 , 950, 130-6	91
1686	Increment of in vivo binding of [3H]SCH 23390, a dopamine D1 receptor ligand, induced by cyclic AMP-dependent protein kinase in rat brain. 2002 , 952, 211-7	4
1685	Parametric imaging of tumor perfusion using flow- and permeability-limited tracers. 2002 , 16, 289-99	36
1684	Effect of guanidino modification and proline substitution on the in vitro stability and blood-brain barrier permeability of endomorphin II. 2002 , 91, 2140-9	41
1683	Is quantitation necessary for oncological PET studies? Against. 2002 , 29, 135-8	9
1682	Is quantitation necessary for oncological PET studies? For. 2002 , 29, 133-5	27
1681	Assessment of infarct size by positron emission tomography and [18F]2-fluoro-2-deoxy-D-glucose: a new absolute threshold technique. 2002 , 29, 203-15	19

1680	Use of arterialised venous instead of arterial blood for measurement of myocardial glucose metabolism during euglycaemic-hyperinsulinaemic clamping. 2002 , 29, 663-9			23
1679	Kinetic Modeling of ⁵² Fe/ ⁵² mMn-Citrate at the Blood-Brain Barrier by Positron Emission Tomography. 2002 , 73, 2047-2055			
1678	Biochemical and autoradiographic measurements of brain serotonin synthesis rate in the freely moving rat: a reexamination of the alpha-methyl-L-tryptophan method. 1999 , 72, 2593-600			30
1677	¹⁸ F-dopa PET evidence that tolcapone acts as a central COMT inhibitor in Parkinson's disease. 2002 , 43, 201-7			86
1676	Increase in dopamine turnover occurs early in Parkinson's disease: evidence from a new modeling approach to PET ¹⁸ F-fluorodopa data. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2002 , 22, 232-9	7.3		101
1675	Modified regression model for the Logan plot. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2002 , 22, 240-4	7.3		81
1674	Strategies to improve neuroreceptor parameter estimation by linear regression analysis. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2002 , 22, 1271-81	7.3		250
1673	Positron emission tomography compartmental models: a basis pursuit strategy for kinetic modeling. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2002 , 22, 1425-39	7.3		148
1672	Reduced prefrontal activity predicts exaggerated striatal dopaminergic function in schizophrenia. 2002 , 5, 267-71			542
1671	Dose-response relationship between probability of pathologic tumor control and glucose metabolic rate measured with FDG PET after preoperative chemoradiotherapy in locally advanced non-small-cell lung cancer. 2002 , 54, 1024-35			111
1670	Myocardial metabolic and receptor imaging in idiopathic dilated cardiomyopathy. 2002 , 29, 1403-13			17
1669	Variability of insulin-stimulated myocardial glucose uptake in healthy elderly subjects. 2002 , 29, 1600-7			4
1668	Correlations between cerebral glucose metabolism and neuropsychological test performance in nonalcoholic cirrhotics. 2002 , 17, 29-40			67
1667	Use of positron emission tomography in anticancer drug development. 2003 , 21, 169-81			26
1666	The possible role of glutamate uptake in metaphit-induced seizures. 2003 , 28, 723-31			11
1665	Comparison of SUV and Patlak slope for monitoring of cancer therapy using serial PET scans. 2003 , 30, 46-53			71
1664	Multitracer study with positron emission tomography in Creutzfeldt-Jakob disease. 2003 , 30, 85-95			82
1663	FDG metabolism and uptake versus blood flow in women with untreated primary breast cancers. 2003 , 30, 274-80			83

1662	Measuring [(18)F]FDG uptake in breast cancer during chemotherapy: comparison of analytical methods. 2003 , 30, 674-81		72
1661	Graphical analysis of 99mTc thyroid scintigraphy. 2003 , 17, 235-8		
1660	In vivo mapping of fractional plasma volume (fpv) and endothelial transfer coefficient (Kps) in solid tumors using a macromolecular contrast agent: correlation with histology and ultrastructure. 2003 , 104, 462-8		31
1659	Measurement of single-kidney glomerular filtration rate using a contrast-enhanced dynamic gradient-echo sequence and the Rutland-Patlak plot technique. 2003 , 18, 714-25		132
1658	Patlak plots of Gd-DTPA MRI data yield blood-brain transfer constants concordant with those of 14C-sucrose in areas of blood-brain opening. 2003 , 50, 283-92		158
1657	Use of positron emission tomography with methyl-11C-choline and 2-18F-fluoro-2-deoxy-D-glucose in comparison with magnetic resonance imaging for the assessment of inflammatory proliferation of synovium. 2003 , 48, 3077-84		85
1656	Performance evaluation of principal component analysis in dynamic FDG-PET studies of recurrent colorectal cancer. 2003 , 27, 43-51		21
1655	PET kinetic modeling of 11C-acetate from projections. 2003 , 27, 373-9		13
1654	The antioxidants alpha-lipoic acid and N-acetylcysteine reverse memory impairment and brain oxidative stress in aged SAMP8 mice. 2003 , 84, 1173-83		342
1653	Pharmacokinetics and red cell utilization of 52Fe/59Fe-labelled iron polymaltose in anaemic patients using positron emission tomography. 2003 , 120, 853-9		50
1652	Detection of response to chemotherapy using positron emission tomography in patients with oesophageal and gastric cancer. 1998 , 85, 1403-6		73
1651	Monoamine oxidase A imaging in peripheral organs in healthy human subjects. 2003 , 49, 178-87		20
1650	Effect of dopamine loss and the metabolite 3-O-methyl-[18F]fluoro-dopa on the relation between the 18F-fluorodopa tissue input uptake rate constant K _{occ} and the [18F]fluorodopa plasma input uptake rate constant K _i . <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2003 , 23, 301-9	7.3	27
1649	Improved statistical power of the multilinear reference tissue approach to the quantification of neuroreceptor ligand binding by regularization. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2003 , 23, 612-20	7.3	10
1648	Lactate: a preferred fuel for human brain metabolism in vivo. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2003 , 23, 658-64	7.3	195
1647	Capillaries within compartments: microvascular interpretation of dynamic positron emission tomography data. 2003 , 225, 127-41		15
1646	The use of positron emission tomography in cerebrovascular disease. 2003 , 13, 741-58		36
1645	Quantitative positron emission tomography imaging to measure tumor response to therapy: what is the best method?. 2003 , 5, 281-5		30

1644	Positron emission tomography using 2-deoxy-2-[18F]-fluoro-D-glucose for response monitoring in locally advanced gastroesophageal cancer; a comparison of different analytical methods. 2003 , 5, 337-46	69
1643	Role of acetyl-L-carnitine in the brain: revealed by Bioradiography. 2003 , 306, 1064-9	21
1642	Glial cell line-derived neurotrophic factor does not enter normal mouse brain. 2003 , 340, 239-41	64
1641	Passage of vasoactive intestinal peptide across the blood-brain barrier. 2003 , 24, 437-44	62
1640	Glutamine transport at the blood-brain and blood-cerebrospinal fluid barriers. 2003 , 43, 279-88	37
1639	Interleukin-10 as a CNS therapeutic: the obstacle of the blood-brain/blood-spinal cord barrier. 2003 , 114, 168-71	34
1638	Influence of synaptic serotonin level on [18F]altanserin binding to 5HT2 receptors in man. 2003 , 139, 21-9	24
1637	Measurement of the global lumped constant for 2-deoxy-2-[18F]fluoro-D-glucose in normal human brain using [15O]water and 2-deoxy-2-[18F]fluoro-D-glucose positron emission tomography imaging. A method with validation based on multiple methodologies. 2003 , 5, 32-41	49
1636	The value of positron emission tomography for monitoring response to radiotherapy in head and neck cancer. 2003 , 5, 257-70	29
1635	A review of graphical methods for tracer studies and strategies to reduce bias. 2003 , 30, 833-44	67
1634	The use of gene-manipulated mice in the validation of receptor binding radiotracer. 2003 , 30, 851-60	17
1633	PET kinetic modeling of /sup 13/N-ammonia from sinograms in rats. 2003 , 50, 32-36	2
1632	A new automatic detection approach for hepatocellular carcinoma using C-acetate positron emission tomography.	
1631	A linear wavelet filter for parametric imaging with dynamic PET. 2003 , 22, 289-301	56
1630	Brain Edema XII. 2003 ,	1
1629	Quantitative magnetic resonance imaging analysis of neovasculature volume in carotid atherosclerotic plaque. 2003 , 107, 851-6	309
1628	Automated kinetic analysis of FDG uptake in living rat brain slices from dynamic positron autoradiography. 2003 , 18, 405-11	1
1627	The Blood-Brain Barrier. 2003 ,	16

1626	A review of blood-brain barrier transport techniques. 2003 , 89, 193-208	60
1625	In vivo assessment of lung inflammatory cell activity in patients with COPD and asthma. 2003 , 21, 567-73	108
1624	Perfusion CT: a worthwhile enhancement?. 2003 , 76, 220-31	336
1623	Uptake of 18fluorodeoxyglucose in the cystic fibrosis lung: a measure of lung inflammation?. 2003 , 21, 848-54	25
1622	Multimedia Information Retrieval and Management. 2003 ,	32
1621	Guidelines and recommendations for perfusion imaging in cerebral ischemia: A scientific statement for healthcare professionals by the writing group on perfusion imaging, from the Council on Cardiovascular Radiology of the American Heart Association. 2003 , 34, 1084-104	238
1620	Quantification of breast tumor microvascular permeability with feruglose-enhanced MR imaging: initial phase II multicenter trial. 2003 , 229, 885-92	68
1619	Measuring single-kidney glomerular filtration rate on single-detector helical CT using a two-point Patlak plot technique in patients with increased interstitial space. 2003 , 181, 147-56	46
1618	Rapid bone and blood flow formation in impacted morselized allografts: positron emission tomography (PET) studies on allografts in 5 femoral component revisions of total hip arthroplasty. 2003 , 74, 633-43	66
1617	Rank-shaping regularization of exponential spectral analysis for application to functional parametric mapping. 2003 , 48, 3819-41	33
1616	Database deconvolution. 2003 , 24, 101-6	6
1615	Dynamic gadolinium uptake in thermally treated canine brain tissue and experimental cerebral tumors. 2003 , 38, 102-7	9
1614	Persistent vegetative state: evaluation of brain metabolism and brain perfusion with PET and SPECT. 2003 , 24, 643-9	39
1613	Accurate determination of metabolic rates from dynamic positron emission tomography data with very-low temporal resolution. 2003 , 27, 597-605	2
1612	Impaired transport of leptin across the blood-brain barrier in obesity is acquired and reversible. 2003 , 285, E10-5	159
1611	Strategies for reducing noise level of parametric images in emission tomography. 2003 , 36, 5-10	
1610	Parameter estimation with discrete linear least squares method. 2003 , 36, 135-138	
1609	Effects of hypoxia-reoxygenation on rat blood-brain barrier permeability and tight junctional protein expression. 2003 , 285, H2820-31	148

1608	Personality traits and striatal dopamine synthesis capacity in healthy subjects. 2003 , 160, 904-10	94
1607	Development of a New Reporter Gene System-dsRed/Xanthine Phosphoribosyltransferase-Xanthine for Molecular Imaging of Processes Behind the Intact Blood-Brain Barrier. 2003 , 2, 153535002003031	
1606	Magnetic resonance imaging of tumor vasculature. 2003 , 89, 25-33	31
1605	Sex differences of brain serotonin synthesis in patients with irritable bowel syndrome using alpha-[11C]methyl-L-tryptophan, positron emission tomography and statistical parametric mapping. 2003 , 17, 191-6	36
1604	Kinetic Modeling in Positron Emission Tomography. 2004 , 499-540	44
1603	Brain Influx of Endogenous Peptides Affecting Food Intake. 2004 , 57-62	3
1602	Molecular and functional imaging of cancer: advances in MRI and MRS. 2004 , 386, 3-60	53
1601	Molecular imaging of enzyme function in lungs. 2004 , 385, 315-33	3
1600	Glomerular filtration rate measured by using triphasic helical CT with a two-point Patlak plot technique. 2004 , 230, 221-6	47
1599	Blood-brain barrier permeability of novel [D-arg2]dermorphin (1-4) analogs: transport property is related to the slow onset of antinociceptive activity in the central nervous system. 2004 , 310, 177-84	16
1598	Efficient transfer of receptor-associated protein (RAP) across the blood-brain barrier. 2004 , 117, 5071-8	118
1597	PET imaging of opioid receptors in pain: progress and new directions. 2004 , 10, 759-68	34
1596	Restoration of detector scatter in quantitative Rat-PET studies.	
1595	Developmentally regulated mannose 6-phosphate receptor-mediated transport of a lysosomal enzyme across the blood-brain barrier. 2004 , 101, 12658-63	131
1594	Selective metabolic reduction in gray matter acutely following human traumatic brain injury. 2004 , 21, 149-61	89
1593	Striatal and cortical pre- and postsynaptic dopaminergic dysfunction in sporadic parkin-linked parkinsonism. 2004 , 127, 1332-42	92
1592	Positron emission tomography with [18F]fluorodeoxyglucose to evaluate neutrophil kinetics during acute lung injury. 2004 , 286, L834-40	91
1591	Pathophysiology of parkinsonism due to hydrocephalus. 2004 , 75, 1617-9	44

1590	Low but Significant Subdivision among Populations of <i>Chirostoma grandocule</i> from Lake Patzcuaro, Mexico. 2004 , 36, 85-98		5
1589	Levodopa effect on [¹⁸ F]fluorodopa influx to brain: normal volunteers and patients with Parkinson's disease. 2004 , 110, 188-95		28
1588	Changes of dopamine turnover in the progression of Parkinson's disease as measured by positron emission tomography: their relation to disease-compensatory mechanisms. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2004 , 24, 869-76	7-3	73
1587	In vivo measurement of glucose utilization in rats using a beta-microprobe: direct comparison with autoradiography. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2004 , 24, 1015-24	7-3	9
1586	Modulation of feeding-related peptide/protein signals by the blood-brain barrier. 2004 , 90, 455-61		37
1585	Functional brain imaging in the differential diagnosis of Parkinson's disease. 2004 , 3, 284-90		57
1584	Noninvasive quantification of the differential portal and arterial contribution to the liver blood supply from PET measurements using the ¹¹ C-acetate kinetic model. 2004 , 51, 1579-85		14
1583	Passage of erythropoietic agents across the blood-brain barrier: a comparison of human and murine erythropoietin and the analog darbepoetin alfa. 2004 , 505, 93-101		112
1582	Pharmacological and PET studies in patient's with Parkinson's disease and a short duration-motor response: implications in the pathophysiology of motor complications. 2004 , 111, 497-509		18
1581	Non-esterified fatty acids impair insulin-mediated glucose uptake and disposition in the liver. 2004 , 47, 1149-1156		35
1580	Measuring response to chemotherapy in locally advanced breast cancer: methodological considerations. 2004 , 31 Suppl 1, S103-11		36
1579	Assessment of the metabolic activity of bone grafts with (¹⁸ F)-fluoride PET. 2004 , 31, 1291-8		33
1578	Comparison of methodologies for the in vivo assessment of ¹⁸ FFLT utilisation in colorectal cancer. 2004 , 31, 169-78		60
1577	Non-invasive assessment of distribution volume ratios and binding potential: tissue heterogeneity and interindividually averaged time-activity curves. 2004 , 31, 564-77		8
1576	Estimating the input function non-invasively for FDG-PET quantification with multiple linear regression analysis: simulation and verification with in vivo data. 2004 , 31, 692-702		15
1575	MDMA-evoked changes in [¹¹ C]raclopride and [¹¹ C]NMSP binding in living pig brain. 2004 , 53, 222-33		34
1574	Imaging brain amyloid in Alzheimer's disease with Pittsburgh Compound-B. 2004 , 55, 306-19		3088
1573	Regional differences in cerebral blood flow and cerebral ammonia metabolism in patients with cirrhosis. 2004 , 40, 73-9		90

1572	Quantitation of differential renal blood flow and renal function using dynamic contrast-enhanced MRI in rats. 2004 , 51, 510-7	34
1571	Quantitative assessment of uptake and distribution of iron oxide particles (NC100150) in human melanoma xenografts by contrast-enhanced MRI. 2004 , 51, 727-35	22
1570	Tracer kinetic parametric imaging in PET.	2
1569	Quantification in PET. 2004 , 42, 1055-62, viii	41
1568	Cerebral perfusion imaging in acute stroke. 2004 , 15, S29-46	36
1567	MRI evaluation of treatment of embolic stroke in rat with intra-arterial and intravenous rt-PA. 2004 , 224, 57-67	5
1566	Oncological Applications of FDG-PET. 2004 , 321-388	3
1565	.	10
1564	Permeability of the mouse blood-brain barrier to murine interleukin-2: predominance of a saturable efflux system. 2004 , 18, 434-42	44
1563	A simplified autoradiographic method with alpha-[14C]methyl-tryptophan to measure serotonin synthesis rate in the rat brain. 2004 , 31, 1013-9	
1562	Role of lactate in the brain energy metabolism: revealed by Bioradiography. 2004 , 48, 13-20	17
1561	Kinetic analysis of neuroreceptor binding using PET. 2004 , 1265, 12-24	6
1560	Formation of parametric images with statistical clustering. 2004 , 1265, 25-30	1
1559	Tracer kinetic modeling of 11C-acetate applied in the liver with positron emission tomography. 2004 , 23, 426-32	29
1558	Bootstrapped DEPICT for error estimation in PET functional imaging. 2004 , 21, 1096-104	10
1557	11C-methionine PET, a novel method for measuring regional salivary gland function after radiotherapy of head and neck cancer. 2004 , 73, 289-96	29
1556	Quantification in positron emission tomography for research in pharmacology and drug development. 2004 , 25, 643-6	30
1555	A method to quantify the uptake rate of 2-[18F]fluoro-2-deoxy-D-glucose in tissues. 2004 , 25, 851-4	9

1554	Subcortical white matter metabolic changes remote from focal hemorrhagic lesions suggest diffuse injury after human traumatic brain injury. 2004 , 55, 1306-15; discussio 1316-7	50
1553	Quantitative evaluation of perfusion and permeability of peripheral tumors using contrast-enhanced computed tomography. 2004 , 39, 340-9	47
1552	Increased presynaptic dopamine function in Asperger syndrome. 2004 , 15, 757-60	30
1551	Use of 18FDG-pet to discriminate between infection and rejection in lung transplant recipients. 2004 , 77, 1462-4	28
1550	Quantification in clinical fluorodeoxyglucose positron emission tomography. 2004 , 25, 647-50	16
1549	Effects of subanesthetic ketamine on regional cerebral glucose metabolism in humans. 2004 , 100, 1065-71	92
1548	Measurement of brain regional alpha-[11C]methyl-L-tryptophan trapping as a measure of serotonin synthesis in medication-free patients with major depression. 2004 , 61, 556-63	98
1547	References. 2004 , 655-708	16
1546	Quantitative Functional Imaging with Positron Emission Tomography: Principles and Instrumentation. 2005 , 57-116	1
1545	NEW PARAMETER ESTIMATION APPROACHES FOR DUAL-INPUT11C-ACETATE LIVER KINETIC MODEL. 2005 , 38, 55-59	
1544	Initial computed tomography imaging experience using a new macromolecular iodinated contrast medium in experimental breast cancer. 2005 , 40, 614-20	20
1543	Contrast-enhanced computed tomography and ultrasound for the evaluation of tumor blood flow. 2005 , 40, 134-47	38
1542	Measurement of skeletal muscle glucose utilization by dynamic 18F-FDG PET without arterial blood sampling. 2005 , 26, 31-7	7
1541	The A1 allele of the human D2 dopamine receptor gene is associated with increased activity of striatal L-amino acid decarboxylase in healthy subjects. 2005 , 15, 387-91	118
1540	Development of myocardial microcirculation and metabolism in acute ST-elevation myocardial infarction evaluated with positron emission tomography. 2005 , 12, 43-54	5
1539	Intravital imaging of tumour vascular networks using multi-photon fluorescence microscopy. 2005 , 57, 135-52	122
1538	Analysis of combined treatment of embolic stroke in rat with r-tPA and a GPIIb/IIIa inhibitor. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2005 , 25, 87-97	7:3 31
1537	High-resolution blood-brain barrier permeability and blood volume imaging using quantitative synchrotron radiation computed tomography: study on an F98 rat brain glioma. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2005 , 25, 145-53	7:3 29

1536	Quantitative evaluation of BBB permeability after embolic stroke in rat using MRI. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2005 , 25, 583-92	7.3	56
1535	Preferred stereoselective transport of the D-isomer of cis-4-[18F]fluoro-proline at the blood-brain barrier. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2005 , 25, 607-16	7.3	35
1534	PET studies of net blood-brain clearance of FDOPA to human brain: age-dependent decline of [18F]fluorodopamine storage capacity. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2005 , 25, 807-19	7.3	48
1533	Measurement of tumor hypoxia in spontaneous canine sarcomas. 2005 , 46, 348-54		27
1532	An input-delay neural-network-based approach for piecewise ECG signal compression. 2005 , 52, 945-7		17
1531	Performance evaluation of functional medical imaging compression via optimal sampling schedule designs and cluster analysis. 2005 , 52, 943-5		5
1530	Heterogeneity in the angiogenic response of a BT474 human breast cancer to a novel vascular endothelial growth factor-receptor tyrosine kinase inhibitor: assessment by voxel analysis of dynamic contrast-enhanced MRI. 2005 , 22, 511-9		52
1529	Glomerular filtration rate measured using the Patlak plot technique and contrast-enhanced dynamic MRI with different amounts of gadolinium-DTPA. 2005 , 22, 406-14		77
1528	[18F]FDOPA PET and clinical features in parkinsonism due to manganism. 2005 , 20, 492-496		94
1527	Effect of intravascular-to-extravascular water exchange on the determination of blood-to-tissue transfer constant by magnetic resonance imaging. 2005 , 53, 282-93		31
1526	Noninvasive mapping of regional response to segmental allergen challenge using magnetic resonance imaging and [F-18]fluorodeoxyglucose positron emission tomography. 2005 , 53, 1243-50		9
1525	Quantitation and localization of blood-to-brain influx by magnetic resonance imaging and quantitative autoradiography in a model of transient focal ischemia. 2005 , 54, 813-21		40
1524	Acute blood-brain barrier opening in experimentally induced focal cerebral ischemia is preferentially identified by quantitative magnetization transfer imaging. 2005 , 54, 822-32		24
1523	Incidence of stunned, hibernating and scarred myocardium in ischaemic cardiomyopathy. 2005 , 32, 314-21		14
1522	A simplified analysis of [18F]3'-deoxy-3'-fluorothymidine metabolism and retention. 2005 , 32, 1269-75		56
1521	Stability of alpha-[11C]methyl-L-tryptophan brain trapping in healthy male volunteers. 2005 , 32, 1199-204		13
1520	Study of myocardial glucose metabolism in rats with PET using wavelet analysis techniques. 2005 , 29, 357-65		5
1519	Principles of quantitative positron emission tomography. 2005 , 29, 341-53		29

1518	Binding kinetics of 11C-N-methyl piperidyl benzilate (11C-NMPB) in a rhesus monkey brain using the cerebellum as a reference region. 2005 , 19, 499-505	3
1517	An internet-based "kinetic imaging system" (KIS) for MicroPET. 2005 , 7, 330-41	40
1516	A computational positron emission tomography simulation model for imaging beta-amyloid in mice. 2005 , 7, 69-77	8
1515	In vivo follow-up of rat tumor models with 2-deoxy-2-[F-18]fluoro-D-glucose/dual-head coincidence gamma camera imaging. 2005 , 7, 220-8	3
1514	Molecular imaging of lung glucose uptake after endotoxin in mice. 2005 , 289, L760-8	40
1513	Metabolic monitoring of chemosensitivity with 18FDG PET. 2005 , 111, 417-40	7
1512	Tracer Kinetic Modelling for T1-Weighted DCE-MRI. 2005 , 81-92	34
1511	Chemosensitivity: Volume II. 2005 ,	3
1510	Handbook of Biomedical Image Analysis. 2005 ,	10
1509	Medical Image Segmentation: Methods and Applications in Functional Imaging. 2005 , 111-182	19
1508	Antagonists of growth hormone-releasing hormone cross the blood-brain barrier: a potential applicability to treatment of brain tumors. 2005 , 102, 12495-500	36
1507	Tracer Kinetic Modeling in PET. 2005 , 127-159	48
1506	Stroke research in the modern era: images versus dogmas. 2005 , 20, 154-63	22
1505	Progress and promise of FDG-PET imaging for cancer patient management and oncologic drug development. 2005 , 11, 2785-808	512
1504	Computer observer design for dynamic PET image using time domain filtering.	
1503	An integrated microfluidic blood sampler for determination of blood input function in quantitative mouse microPET studies.	1
1502	Investigation of neural progenitor cell induced angiogenesis after embolic stroke in rat using MRI. 2005 , 28, 698-707	139
1501	MicroPET imaging of MCF-7 tumors in mice via unr mRNA-targeted peptide nucleic acids. 2005 , 16, 294-305	46

1500	Positron Emission Tomography. 2005 ,	209
1499	An assessment of the effects of shell cross-linked nanoparticle size, core composition, and surface PEGylation on in vivo biodistribution. 2005 , 6, 2541-54	193
1498	Significance of abnormalities in developmental trajectory and asymmetry of cortical serotonin synthesis in autism. 2005 , 23, 171-82	187
1497	Permeability of the blood-brain barrier to HIV-1 Tat. 2005 , 193, 218-27	120
1496	Evidence for reduced arterial plasma input, prolonged lung retention and reduced lung monoamine oxidase in smokers. 2005 , 32, 521-9	7
1495	How to measure drug transport across the blood-brain barrier. 2005 , 2, 15-26	159
1494	Polypeptide point modifications with fatty acid and amphiphilic block copolymers for enhanced brain delivery. 2005 , 16, 793-802	69
1493	Imaging approaches for monitoring chemotherapy. 2005 , 2, 329-34	1
1492	Neuroreceptor imaging in psychiatry: theory and applications. 2005 , 67, 385-440	13
1491	Handbook of Biomedical Image Analysis. 2005 ,	13
1490	Quantitative Analysis in Nuclear Medicine Imaging. 2006 ,	64
1489	A model to simulate tumour oxygenation and dynamic [18F]-Fmiso PET data. 2006 , 51, 5859-73	67
1488	Volume-Wise Application of Principal Component Analysis on Masked Dynamic PET Data in Sinogram Domain. 2006 , 53, 2759-2768	6
1487	Future direction of renal positron emission tomography. 2006 , 36, 36-50	49
1486	MAP-based kinetic analysis for voxel-by-voxel compartment model estimation: detailed imaging of the cerebral glucose metabolism using FDG. 2006 , 29, 1203-11	10
1485	A comparison of recent parametric neuroreceptor mapping approaches based on measurements with the high affinity PET radioligands [11C]FLB 457 and [11C]WAY 100635. 2006 , 32, 1690-708	63
1484	Multi-resolution Bayesian regression in PET dynamic studies using wavelets. 2006 , 32, 111-21	36
1483	A new application of pre-normalized principal component analysis for improvement of image quality and clinical diagnosis in human brain PET studies--clinical brain studies using [11C]-GR205171, [11C]-L-deuterium-deprenyl, [11C]-5-Hydroxy-L-Tryptophan, [11C]-L-DOPA and Pittsburgh Compound B. 2006 , 33, 588-98	20

1482	Individual radiation response of parotid glands investigated by dynamic 11C-methionine PET. 2006 , 78, 262-9	25
1481	Quantitative measurement of blood-brain barrier permeability using perfusion-CT in extra-axial brain tumors. 2006 , 33, 164-8	19
1480	Imaging pulmonary inflammation with positron emission tomography: a biomarker for drug development. 2006 , 3, 488-95	38
1479	Feasibility of an SUV normalization to 1 hour after the 18F-FDG injection. 2006 , 329, 520-6	
1478	Functional imaging in CT. 2006 , 60, 331-40	47
1477	Estimation of contrast agent concentration in intra- and extra-vascular spaces of brain tissue. 2006 , 204, 102-18	2
1476	Preproenkephalin targeted antisenses cross the blood-brain barrier to reduce brain methionine enkephalin levels and increase voluntary ethanol drinking. 2006 , 27, 784-96	15
1475	PET Imaging of the AT1 receptor with [11C]KR31173. 2006 , 33, 5-13	26
1474	. 2006 ,	1
1473	Blood-brain barrier flux of aluminum, manganese, iron and other metals suspected to contribute to metal-induced neurodegeneration. 2006 , 10, 223-53	197
1472	A STUDY OF PARTIAL VOLUME EFFECTS ON CLUSTERING-AIDED PARAMETRIC IMAGES. 2006 , 39, 261-266	
1471	Mesure de la fonction rénale par les méthodes radio-isotopiques. 2006 , 1, 1-15	2
1470	METHODS FOR IMPROVING RELIABILITY OF GLLS FOR PARAMETRIC IMAGE GENERATION. 2006 , 39, 237-241	2
1469	Fuzzy C-mean clustering on kinetic parameter estimation with generalized linear least square algorithm in SPECT. 2006 , 6144, 1268	2
1468	Blood-brain barrier imaging and therapeutic potentials. 2006 , 17, 107-16	25
1467	Distribution of PK11195 binding sites in porcine brain studied by autoradiography in vitro and by positron emission tomography. 2006 , 59, 418-26	17
1466	Validation studies on the 5-hydroxy-L-[beta-11C]-tryptophan/PET method for probing the decarboxylase step in serotonin synthesis. 2006 , 59, 521-31	16
1465	[123I]TPCNE--a novel SPET tracer for the sigma-1 receptor: first human studies and in vivo haloperidol challenge. 2006 , 60, 109-17	35

1464	Imaging triiodothyronine binding kinetics in rat brain: a model for studies in human subjects. 2006 , 60, 212-22		8
1463	Cerebrovascular permeability coefficients to sodium, potassium, and chloride. 1986 , 46, 1732-42		154
1462	Extracellular brain glucose levels reflect local neuronal activity: a microdialysis study in awake, freely moving rats. 1992 , 59, 2141-7		126
1461	Determination of glomerular filtration rate in dogs using contrast-enhanced computed tomography. 2006 , 47, 127-35		37
1460	Transport of pituitary adenylate cyclase-activating polypeptide across the blood-brain barrier and the prevention of ischemia-induced death of hippocampal neurons. 1996 , 805, 270-7; discussion 277-9		61
1459	Model selection in magnetic resonance imaging measurements of vascular permeability: Gadomer in a 9L model of rat cerebral tumor. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2006 , 26, 310-20	7-3	110
1458	In vivo uptake and metabolism of alpha-[11C]methyl-L-tryptophan in human brain tumors. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2006 , 26, 345-57	7-3	79
1457	Dopamine storage capacity in caudate and putamen of patients with early Parkinson's disease: correlation with asymmetry of motor symptoms. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2006 , 26, 358-70	7-3	41
1456	Kalman filtering for reliable estimation of BBB permeability. 2006 , 24, 1039-49		9
1455	Positron emission tomography measurement of tumor metabolism and growth: its expanding role in oncology. 2006 , 8, 141-50		106
1454	Longitudinal PET evaluation of cerebral glucose metabolism in rivastigmine treated patients with mild Alzheimer's disease. 2006 , 113, 205-18		65
1453	Analysis of contrast-enhanced MR images to assess renal function. 2006 , 19, 167-79		38
1452	MR urography in children. 2006 , 36, 1119-32; quiz 1228-9		64
1451	Myocardial glucose utilisation in type II diabetes mellitus patients treated with sulphonylurea drugs. 2006 , 33, 703-8		8
1450	Carbidopa pretreatment improves image interpretation and visualisation of carcinoid tumours with 11C-5-hydroxytryptophan positron emission tomography. 2006 , 33, 60-5		72
1449	Evaluation of (123)I-orthoiodohippurate single kidney clearance rate by renal sequential scintigraphy in a large cohort of likely normal subjects aged between 0 and 18 years. 2006 , 33, 1483-90		1
1448	Simplified quantification of small animal [18F]FDG PET studies using a standard arterial input function. 2006 , 33, 948-54		45
1447	How should we analyse FDG PET studies for monitoring tumour response?. 2006 , 33 Suppl 1, 16-21		54

1446	The application of NMR in tumor angiogenesis research. 2006 , 49, 27-44	12
1445	Fast parametric imaging algorithm for dual-input biomedical system parameter estimation. 2006 , 81, 49-55	7
1444	Detection of BBB disruption and hemorrhage by Gd-DTPA enhanced MRI after embolic stroke in rat. 2006 , 1114, 195-203	25
1443	Novel parameter estimation methods for 11C-acetate dual-input liver model with dynamic PET. 2006 , 53, 967-73	4
1442	Brain metabolism of 13N-ammonia during acute hepatic encephalopathy in cirrhosis measured by positron emission tomography. 2006 , 43, 42-50	97
1441	The brain permeability-surface product for ammonia. 2006 , 44, 1052-3; author reply 1053-4	5
1440	Dynamic FDG-PET is useful for detection of cholangiocarcinoma in patients with PSC listed for liver transplantation. 2006 , 44, 1572-80	69
1439	Precision in measurements of perfusion and microvascular permeability with T1-weighted dynamic contrast-enhanced MRI. 2006 , 56, 986-92	86
1438	Measurement of single kidney function using dynamic contrast-enhanced MRI: comparison of two models in human subjects. 2006 , 24, 1117-23	109
1437	An apparent unidirectional influx constant for manganese as a measure of myocardial calcium channel activity. 2006 , 24, 1047-55	20
1436	[18F]FDOPA PET as an endophenotype for Parkinson's Disease linkage studies. 2006 , 141B, 245-9	10
1435	In Vivo Radiotracer Imaging. 103-147	
1434	Enhanced parameter estimation with GLLS and the Bootstrap Monte Carlo method for dynamic SPECT. 2006 , 2006, 468-71	3
1433	Partial Volume Correction Using Continuous Wavelet Technique in Small Animal PET Imaging. 2006 ,	2
1432	Age-related differences in levodopa dynamics in Parkinson's: implications for motor complications. 2006 , 129, 1050-8	71
1431	Quantifying pulmonary inflammation in cystic fibrosis with positron emission tomography. 2006 , 173, 1363-9	85
1430	Quantitative assessment of lung cancer perfusion using MDCT: does measurement reproducibility improve with greater tumor volume coverage?. 2006 , 187, 1079-84	68
1429	Visualizing pathology deposits in the living brain of patients with Alzheimer's disease. 2006 , 412, 144-60	34

1428	Lung cancer perfusion at multi-detector row CT: reproducibility of whole tumor quantitative measurements. 2006 , 239, 547-53	123
1427	Reciprocal interactions of insulin and insulin-like growth factor I in receptor-mediated transport across the blood-brain barrier. 2006 , 147, 2611-5	48
1426	Two-year follow-up of amyloid deposition in patients with Alzheimer's disease. 2006 , 129, 2856-66	513
1425	In Vivo MR Techniques in Drug Discovery and Development. 2006 ,	11
1424	Functional Imaging Techniques for the Evaluation of Hepatocellular Carcinoma Using Dynamic 11C-Acetate PET Imaging. 2006 , 2, 205-214	3
1423	Quantitative Analysis in Nuclear Oncologic Imaging. 2006 , 494-536	11
1422	FDG-PET imaging of pulmonary inflammation in healthy volunteers after airway instillation of endotoxin. 2006 , 100, 1602-9	68
1421	Adiponectin Does Not Cross the Blood-Brain Barrier but Modifies Cytokine Expression of Brain Endothelial Cells. 2006 , 55, 141-147	172
1420	Tracer Kinetic Modeling in Nuclear Medicine: Theory and Applications. 2006 , 391-413	3
1419	Attenuation of insulin-evoked responses in brain networks controlling appetite and reward in insulin resistance: the cerebral basis for impaired control of food intake in metabolic syndrome?. 2006 , 55, 2986-92	155
1418	Epinephrine enhances lysosomal enzyme delivery across the blood brain barrier by up-regulation of the mannose 6-phosphate receptor. 2007 , 104, 12873-8	45
1417	Cyclooxygenase inhibition limits blood-brain barrier disruption following intracerebral injection of tumor necrosis factor-alpha in the rat. 2007 , 323, 488-98	135
1416	Elevated [18F]fluorodopamine turnover in brain of patients with schizophrenia: an [18F]fluorodopa/positron emission tomography study. 2007 , 27, 8080-7	126
1415	Chemotherapy response evaluation with 18F-FDG PET in patients with non-small cell lung cancer. 2007 , 48, 1592-8	99
1414	Mismatch between uniform increase in cardiac glucose uptake and regional contractile dysfunction in pacing-induced heart failure. 2007 , 293, H2747-56	50
1413	Clustering-based linear least square fitting method for generation of parametric images in dynamic FDG PET studies. 2007 , 2007, 65641	8
1412	Bone regeneration 6 years after impaction bone grafting: a PET analysis. 2007 , 78, 201-5	31
1411	Single-slice dynamic computed tomographic determination of glomerular filtration rate by use of Patlak plot analysis in anesthetized pigs. 2007 , 68, 297-304	16

1410	Positron emission tomography and computed tomography versus positron emission tomography computed tomography: tools for imaging the lung. 2007 , 4, 328-33	15
1409	Assessment of lung cancer perfusion by using Patlak analysis: what do we measure?. 2007 , 243, 907; author reply 907-8	15
1408	Dynamic and static approaches to quantifying 18F-FDG uptake for measuring cancer response to therapy, including the effect of granulocyte CSF. 2007 , 48, 920-5	57
1407	Image-derived input function for assessment of 18F-FDG uptake by the inflamed lung. 2007 , 48, 1889-96	39
1406	Comparison of mathematic models for assessment of glomerular filtration rate with electron-beam CT in pigs. 2007 , 242, 417-24	45
1405	Parametric image of regional bone metabolism using F-18 PET using a multiple linear regression analysis method. 2007 ,	
1404	A technical solution to avoid partial scan artifacts in cardiac MDCT. 2007 , 34, 4726-37	20
1403	Quantitative tumor perfusion assessment with multidetector CT: are measurements from two commercial software packages interchangeable?. 2007 , 242, 777-82	106
1402	Estimation of the 18F-FDG input function in mice by use of dynamic small-animal PET and minimal blood sample data. 2007 , 48, 2037-45	59
1401	Measuring elevated microvascular permeability and predicting hemorrhagic transformation in acute ischemic stroke using first-pass dynamic perfusion CT imaging. 2007 , 28, 1292-8	82
1400	Correlations between magnetic resonance spectroscopy alterations and cerebral ammonia and glucose metabolism in cirrhotic patients with and without hepatic encephalopathy. 2007 , 56, 1736-42	59
1399	In vitro methods for estimating unbound drug concentrations in the brain interstitial and intracellular fluids. 2007 , 35, 1711-9	162
1398	Analysis of blood flow and glucose metabolism in mammary carcinomas and normal breast: a H2(15)O PET and 18F-FDG PET study. 2007 , 28, 789-97	20
1397	Evaluation of porcine myocardial microvascular permeability and fractional vascular volume using 64-slice helical computed tomography (CT). 2007 , 42, 274-82	35
1396	Dynamic contrast-enhanced MRI in oncology drug development. 2007 , 2, 111-22	16
1395	Permeability of the blood-brain barrier to a novel satiety molecule nesfatin-1. 2007 , 28, 2372-81	123
1394	Hematopoietic growth factors pass through the blood-brain barrier in intact rats. 2007 , 204, 569-73	85
1393	Anti-amyloid beta protein antibody passage across the blood-brain barrier in the SAMP8 mouse model of Alzheimer's disease: an age-related selective uptake with reversal of learning impairment. 2007 , 206, 248-56	79

1392	Bradykinesia in cirrhotic patients with early hepatic encephalopathy is related to a decreased glucose uptake of frontomesial cortical areas relevant for movement initiation. 2007 , 46, 1034-9	27
1391	Les limites du SUV. 2007 , 31, 165-172	23
1390	Biphasic mechanism of the toxicity induced by 1-methyl-4-phenylpyridinium ion (MPP+) as revealed by dynamic changes in glucose metabolism in rat brain slices. 2007 , 28, 672-8	7
1389	Novel quantitative techniques for assessing regional and global function and structure based on modern imaging modalities: implications for normal variation, aging and diseased states. 2007 , 37, 223-39	85
1388	¹⁸ F-Fluoride positron emission tomography and positron emission tomography/computed tomography. 2007 , 37, 462-9	144
1387	FLT: measuring tumor cell proliferation in vivo with positron emission tomography and 3'-deoxy-3'-[¹⁸ F]fluorothymidine. 2007 , 37, 429-39	126
1386	Tracer Kinetic Modeling in PET. 2007 , 2, 267-77	52
1385	Clinical and Research Applications of Quantitative PET Imaging. 2007 , 2, 161-72	5
1384	In Vivo Imaging of Cancer Therapy. 2007 ,	2
1383	Insulin and the Blood-Brain Barrier. 2007 , 265-285	
1382	In vivo quantitation of glucose metabolism in mice using small-animal PET and a microfluidic device. 2007 , 48, 837-45	82
1381	Pathophysiology of the blood-brain barrier: animal models and methods. 2008 , 80, 277-309	61
1380	Fast and reliable estimation of multiple parametric images using an integrated method for dynamic SPECT. 2007 , 26, 179-89	9
1379	MR-based renography as a replacement for radionuclide diagnostic studies. 2007 ,	1
1378	Cutting-edge brain imaging with positron emission tomography. 2007 , 17, 427-40, viii	6
1377	Cutting-Edge Brain Imaging with Positron Emission Tomography. 2007 , 2, 91-104	3
1376	Advances in PET Image Reconstruction. 2007 , 2, 173-90	81
1375	Quantification of liver glucose metabolism by positron emission tomography: validation study in pigs. 2007 , 132, 531-42	52

1374	Pioglitazone improves myocardial blood flow and glucose utilization in nondiabetic patients with combined hyperlipidemia: a randomized, double-blind, placebo-controlled study. 2007 , 50, 2051-8	40
1373	Predictive and prognostic value of FDG-PET in nonsmall-cell lung cancer: a systematic review. 2007 , 110, 1654-64	126
1372	Quantifying angiogenesis in VEGF-enhanced tissue-engineered bladder constructs by dynamic contrast-enhanced MRI using contrast agents of different molecular weights. 2007 , 25, 137-45	39
1371	Quantitative evaluation of the effect of propylene glycol on BBB permeability. 2007 , 25, 39-47	19
1370	T1 measurement of flowing blood and arterial input function determination for quantitative 3D T1-weighted DCE-MRI. 2007 , 25, 1073-8	56
1369	Improved tumor vascular function following high-dose epidermal growth factor receptor tyrosine kinase inhibitor therapy. 2007 , 26, 1618-25	20
1368	Assessment of glucose metabolism from the projections using the wavelet technique in small animal pet imaging. 2007 , 31, 157-65	5
1367	Acute tumor vascular effects following fractionated radiotherapy in human lung cancer: In vivo whole tumor assessment using volumetric perfusion computed tomography. 2007 , 67, 417-24	71
1366	Tumor antivascular effects of radiotherapy combined with combretastatin a4 phosphate in human non-small-cell lung cancer. 2007 , 67, 1375-80	68
1365	Partial volume effect compensation for improved reliability of quantitative blood-brain barrier permeability. 2007 , 25, 613-25	9
1364	AG-013736, a novel inhibitor of VEGF receptor tyrosine kinases, inhibits breast cancer growth and decreases vascular permeability as detected by dynamic contrast-enhanced magnetic resonance imaging. 2007 , 25, 319-27	119
1363	Effects of increased endogenous serotonin on the in vivo binding of [11C]DASB to serotonin transporters in conscious monkey brain. 2007 , 61, 724-31	16
1362	5-Hydroxy-L-[beta-11C]tryptophan versus alpha-[11C]methyl-L-tryptophan for positron emission tomography imaging of serotonin synthesis capacity in the rhesus monkey brain. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2007 , 27, 821-30	7.3 20
1361	Quantitative contrast enhanced ultrasound and CT assessment of tumor response to antiangiogenic therapy in rats. 2007 , 33, 235-45	30
1360	Reperfusion injury following cerebral ischemia: pathophysiology, MR imaging, and potential therapies. 2007 , 49, 93-102	268
1359	Issues in quantification of cardiac PET studies. 2007 , 34, 316-9	3
1358	Brain regional alpha-[11C]methyl-L-tryptophan trapping, used as an index of 5-HT synthesis, in healthy adults: absence of an age effect. 2007 , 34, 1254-64	15
1357	Accuracy of 3D acquisition mode for myocardial FDG PET studies using a BGO-based scanner. 2007 , 34, 1439-46	1

1356	Quantitation, regional vulnerability, and kinetic modeling of brain glucose metabolism in mild Alzheimer's disease. 2007 , 34, 1467-79	34
1355	Kinetic modeling of contrast-enhanced MRI: an automated technique for assessing inflammation in the rheumatoid arthritis wrist. 2007 , 35, 781-95	10
1354	Topological and chronological features of the impairment of glucose metabolism induced by 1-methyl-4-phenylpyridinium ion (MPP+) in rat brain slices. 2007 , 114, 1155-9	4
1353	SPECT evaluation of cerebral blood flow during arm exercise in patients with subclavian steal. 2007 , 21, 463-70	7
1352	Brain perfusion CT: principles, technique and clinical applications. 2007 , 112, 1225-43	45
1351	Dynamic contrast enhanced MRI of mouse fibrosarcoma using small-molecular and novel macromolecular contrast agents. 2007 , 23, 85-90	8
1350	On the rate and extent of drug delivery to the brain. 2008 , 25, 1737-50	352
1349	The effects of anesthetic agent and carrier gas on blood glucose and tissue uptake in mice undergoing dynamic FDG-PET imaging: sevoflurane and isoflurane compared in air and in oxygen. 2008 , 10, 192-200	45
1348	FLT-PET imaging of radiation responses in murine tumors. 2008 , 10, 325-34	25
1347	Blood flow and glucose metabolism in stage IV breast cancer: heterogeneity of response during chemotherapy. 2008 , 10, 356-63	6
1346	Modeling systemic and renal gadolinium chelate transport with MRI. 2008 , 38 Suppl 1, S28-34	6
1345	MRU post-processing. 2008 , 38 Suppl 1, S18-27	25
1344	Diffusion-weighted and dynamic contrast-enhanced imaging as markers of clinical behavior in children with optic pathway glioma. 2008 , 38, 1293-9	44
1343	In vivo amyloid imaging with PET in frontotemporal dementia. 2008 , 35, 100-6	137
1342	Evaluation of 2'-deoxy-2'-[18F]fluoro-5-methyl-1-beta-L: -arabinofuranosyluracil ([18F]-L: -FMAU) as a PET imaging agent for cellular proliferation: comparison with [18F]-D: -FMAU and [18F]FLT. 2008 , 35, 990-8	31
1341	Chronic ACE inhibitor treatment increases angiotensin type 1 receptor binding in vivo in the dog kidney. 2008 , 35, 1109-16	6
1340	Regional analysis of FDG and PIB-PET images in normal aging, mild cognitive impairment, and Alzheimer's disease. 2008 , 35, 2169-81	217
1339	Circulating and imaging markers for angiogenesis. 2008 , 11, 321-35	38

1338	Blood to brain and brain to blood passage of native horseradish peroxidase, wheat germ agglutinin, and albumin: pharmacokinetic and morphological assessments. 1994 , 62, 2404-19		83
1337	Effects of acute and chronic administration of the serotonin1A agonist buspirone on serotonin synthesis in the rat brain. 1999 , 72, 2022-31		64
1336	MRI measurement of change in vascular parameters in the 9L rat cerebral tumor after dexamethasone administration. 2008 , 27, 1430-8		18
1335	Improvement of MRI-functional measurement with automatic movement correction in native and transplanted kidneys. 2008 , 28, 970-8		34
1334	MR imaging of adventitial vasa vasorum in carotid atherosclerosis. 2008 , 59, 507-14		164
1333	Sinusoidal perfusion in the veno-occlusive region of living liver donors evaluated by indocyanine green and near-infrared spectroscopy. 2008 , 14, 872-80		20
1332	Effect of phenserine treatment on brain functional activity and amyloid in Alzheimer's disease. 2008 , 63, 621-31		111
1331	Estimation of apparent tumor vascular permeability from multiphoton fluorescence microscopic images of P22 rat sarcomas in vivo. 2008 , 15, 65-79		46
1330	Perfusion CT measurements in healthy cervical spinal cord: feasibility and repeatability of the study as well as interchangeability of the perfusion estimates using two commercially available software packages. 2008 , 18, 2321-8		7
1329	Comparison of noninvasive quantification methods of in vivo vesicular acetylcholine transporter using [¹²³ I]-IBVM SPECT imaging. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2008 , 28, 1624-34	7-3	16
1328	Multiple linear analysis methods for the quantification of irreversibly binding radiotracers. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2008 , 28, 1965-77	7-3	10
1327	Quantitative techniques in 18FDG PET scanning in oncology. 2008 , 98, 1597-601		58
1326	Noninvasive quantification of local cerebral metabolic rate of glucose for clinical application using positron emission tomography and 18F-fluoro-2-deoxy-D-glucose. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2008 , 28, 242-50	7-3	15
1325	Neuroprotective effect of chronic lithium treatment against hypoxia in specific brain regions with upregulation of cAMP response element binding protein and brain-derived neurotrophic factor but not nerve growth factor: comparison with acute lithium treatment. 2008 , 10, 360-8		29
1324	Dynamic positron emission tomography data-driven analysis using sparse Bayesian learning. 2008 , 27, 1356-69		17
1323	Enhanced parameter estimation methods for noisy SPECT data. 2008 , 89, 102-11		1
1322	A novel blood-cell-two-compartment model for transferring a whole blood time activity curve to plasma in rodents. 2008 , 92, 299-304		4
1321	Targeted imaging: an important biomarker for understanding disease progression in the era of personalized medicine. 2008 , 13, 748-59		42

1320	Extrastriatal monoamine neuron function in Parkinson's disease: an 18F-dopa PET study. 2008 , 29, 381-90	96
1319	Striatal dopamine synthesis in first-degree relatives of patients with schizophrenia. 2008 , 63, 114-7	96
1318	Neuropeptide Techniques. 2008 ,	0
1317	Despite irreversible binding, PET tracer [11C]-SA5845 is suitable for imaging of drug competition at sigma receptors-the cases of ketamine and haloperidol. 2008 , 53, 45-50	17
1316	PET imaging of amyloid deposition in patients with mild cognitive impairment. 2008 , 29, 1456-65	533
1315	In vivo measurement of cell proliferation in canine brain tumor using C-11-labeled FMAU and PET. 2008 , 35, 131-41	23
1314	Feasibility studies of 4'-[methyl-(11)C]thiothymidine as a tumor proliferation imaging agent in mice. 2008 , 35, 67-74	45
1313	N(3)-Substituted thymidine analogues V: synthesis and preliminary PET imaging of N(3)-[(18)F]fluoroethyl thymidine and N(3)-[(18)F]fluoropropyl thymidine. 2008 , 35, 697-705	12
1312	Effects of triglycerides, obesity, and starvation on ghrelin transport across the blood-brain barrier. 2008 , 29, 2061-5	112
1311	Characterization of apolipoprotein A-IV in brain areas involved in energy homeostasis. 2008 , 95, 161-7	36
1310	Opiate modulation of IL-1alpha, IL-2, and TNF-alpha transport across the blood-brain barrier. 2008 , 22, 1096-1102	18
1309	Measurement of glomerular filtration rate with magnetic resonance imaging: principles, limitations, and expectations. 2008 , 38, 47-55	45
1308	Magnetic resonance urography in pediatric urology. 2008 , 4, 74-82; quiz 82-3	32
1307	Dopaminergic dysfunction in attention deficit hyperactivity disorder (ADHD), differences between pharmacologically treated and never treated young adults: a 3,4-dihydroxy-6-[18F]fluorophenyl-L-alanine PET study. 2008 , 41, 718-27	62
1306	Correlation between serotonin synthesis and 5-HT1A receptor binding in the living human brain: a combined alpha-[11C]MT and [18F]MPPF positron emission tomography study. 2008 , 42, 850-7	24
1305	Quantitative imaging biomarkers in the clinical development of targeted therapeutics: current and future perspectives. 2008 , 9, 766-76	121
1304	MR urography: technique and results for the evaluation of urinary obstruction in the pediatric population. 2008 , 16, 643-60, viii-ix	19
1303	Modeling pulmonary kinetics of 2-deoxy-2-[18F]fluoro-D-glucose during acute lung injury. 2008 , 15, 763-75	40

1302	Dynamic contrast-enhanced CT of head and neck tumors: comparison of first-pass and permeability perfusion measurements using two different commercially available tracer kinetics models. 2008 , 15, 1580-9	24
1301	Radiographic staging of mediastinal lymph nodes in non-small cell lung cancer patients. 2008 , 18, 349-61	13
1300	Quantitative Issues in Response Measurement by PET. 2008 , 3, 5-11	2
1299	Variables Involved in Measuring Cancer Response to Treatment. 2008 , 3, 13-36	
1298	Wavelet denoising in voxel-based parametric estimation of small animal PET images: a systematic evaluation of spatial constraints and noise reduction algorithms. 2008 , 53, 5899-915	9
1297	Evaluation of Hepatocellular Carcinoma With Dynamic ^{11}C -Acetate PET: A Dual-Modeling Method. 2008 , 55, 999-1007	4
1296	Dynamic perfusion CT assessment of the blood-brain barrier permeability: first pass versus delayed acquisition. 2008 , 29, 1671-6	49
1295	Quantitative measurements of bone remodeling using $^{99\text{m}}\text{Tc}$ -methylene diphosphonate bone scans and blood sampling. 2008 , 49, 375-82	22
1294	Chemotherapy response evaluation with FDG-PET in patients with colorectal cancer. 2008 , 19, 348-52	86
1293	Accuracy and anatomical coverage of perfusion CT assessment of the blood-brain barrier permeability: one bolus versus two boluses. 2008 , 26, 600-5	11
1292	Imaging of opioid receptors in the central nervous system. 2008 , 131, 1171-96	149
1291	The blood-brain barrier as a cause of obesity. 2008 , 14, 1606-14	85
1290	MRI: the next frontier for cystic fibrosis clinicians?. 2008 , 2, 179-82	1
1289	Study of direct and indirect parametric estimation methods of linear models in dynamic positron emission tomography. 2008 , 35, 1299-309	77
1288	Age-related changes in midbrain dopaminergic regulation of the human reward system. 2008 , 105, 15106-11	161
1287	Medical Imaging and Informatics. 2008 ,	1
1286	Long-term precision of ^{18}F -fluoride PET skeletal kinetic studies in the assessment of bone metabolism. 2008 , 49, 700-7	59
1285	In vivo Techniques Quantifying Blood-Brain Barrier Permeability to Small Proteins in Mice. 2008 , 97-113	

1284	A warmer ambient temperature increases the passage of interleukin-1beta into the brains of old rats. 2008 , 295, R361-8	5
1283	Subtraction method for intravital two-photon microscopy: intraparenchymal imaging and quantification of extravasation in mouse brain cortex. 2008 , 13, 011002	14
1282	Simultaneous in vivo synchrotron radiation computed tomography of regional ventilation and blood volume in rabbit lung using combined K-edge and temporal subtraction. 2008 , 53, 775-91	26
1281	Mannose 6-phosphate receptor-mediated transport of sulfamidase across the blood-brain barrier in the newborn mouse. 2008 , 16, 1261-6	66
1280	A method to estimate dispersion in sampling catheters and to calculate dispersion-free blood time-activity curves. 2008 , 35, 3471-81	20
1279	Starvation and triglycerides reverse the obesity-induced impairment of insulin transport at the blood-brain barrier. 2008 , 149, 3592-7	83
1278	Determination of glomerular filtration rate in anesthetized pigs by use of three-phase whole-kidney computed tomography and Patlak plot analysis. 2008 , 69, 1455-62	9
1277	A survey of approaches for direct parametric image reconstruction in emission tomography. 2008 , 35, 3963-71	70
1276	ISSLS prize winner: positron emission tomography and magnetic resonance imaging for monitoring interbody fusion with equine bone protein extract, recombinant human bone morphogenetic protein-2, and autograft. 2008 , 33, 2683-90	16
1275	Measurement of equine laminar blood flow and vascular permeability by use of dynamic contrast-enhanced computed tomography. 2008 , 69, 371-7	10
1274	Simple quantification of myocardial perfusion by pixel-by-pixel graphical analysis using carbon-11 acetate: comparison of the K-complexes of carbon-11 acetate and nitrogen-13 ammonia. 2008 , 29, 679-85	8
1273	Computed tomography perfusion using first pass methods for lung nodule characterization. 2008 , 43, 349-58	43
1272	Improved discrimination of benign and malignant lesions on FDG PET/CT, using comparative activity ratios to brain, basal ganglia, or cerebellum. 2008 , 33, 681-7	23
1271	Correcting tumour SUV for enhanced bone marrow uptake: retrospective 18F-FDG PET/CT studies. 2008 , 29, 359-66	10
1270	A method for quantitative assessment of renal function using dynamic contrast-enhanced computed tomography: evaluation of drug-induced nephrotoxicity in rats. 2008 , 35, 5768-76	9
1269	A unique carrier for delivery of therapeutic compounds beyond the blood-brain barrier. 2008 , 3, e2469	69
1268	Hepatic uptake and metabolism of galactose can be quantified in vivo by 2-[18F]fluoro-2-deoxygalactose positron emission tomography. 2008 , 295, G27-G36	31
1267	Correlation of histological findings from a large ciliochoroidal melanoma with CT perfusion and 3T MRI dynamic enhancement studies. 2008 , 2, 275-81	3

1266 References. 234-330

1265 Renal parenchyma thickness: a rapid estimation of renal function on computed tomography. **2009**, 35, 3-8 12

1264 Imaging perfusion and bloodBrain barrier permeability using T1-weighted dynamic contrast-enhanced MR imaging. 113-128 1

1263 Kinetic modeling of brain FDG data with input function derived from images by independent component analysis. **2009**, 1

1262 Motion-compensated fully 4D PET reconstruction using PET data supersets. **2009**, 4

1261 Quantitative analysis of first-pass contrast-enhanced myocardial perfusion multidetector CT using a Patlak plot method and extraction fraction correction during adenosine stress. **2009**, 4

1260 Quantitative assessment of hypoxia kinetic models by a cross-study of dynamic 18F-FAZA and 15O-H2O in head and neck tumors. **2009**,

1259 Pegylated leptin antagonist is a potent orexigenic agent: preparation and mechanism of activity. **2009**, 150, 3083-91 86

1258 Regional brain uptake of ketone bodies and glucose in elderly humans: A 11C-acetoacetate and 18F-FDG PET study. **2009**,

1257 Simultaneous imaging of tumor oxygenation and microvascular permeability using Overhauser enhanced MRI. **2009**, 106, 17898-903 74

1256 PET studies of cerebral levodopa metabolism: a review of clinical findings and modeling approaches. **2009**, 15, 635-50 105

1255 Quantification of tryptophan transport and metabolism in lung tumors using PET. **2009**, 50, 356-63 34

1254 An automated method for delineating a reference region using masked volumewise principal-component analysis in 11C-PIB PET. **2009**, 37, 38-44 7

1253 Elevated striatal dopamine function linked to prodromal signs of schizophrenia. **2009**, 66, 13-20 557

1252 Permeability of the blood-brain barrier to a rhenacarborane. **2009**, 329, 608-14 24

1251 A curve-fitting approach to estimate the arterial plasma input function for the assessment of glucose metabolic rate and response to treatment. **2009**, 50, 1933-9 52

1250 Mapping the zonal organization of tumor perfusion and permeability in a rat glioma model by using dynamic contrast-enhanced synchrotron radiation CT. **2009**, 250, 692-702 28

1249 Renal perfusion and hemodynamics: accurate in vivo determination at CT with a 10-fold decrease in radiation dose and HYPR noise reduction. **2009**, 253, 98-105 34

1248	[18F]fluorodeoxyglucose positron emission tomography for lung antiinflammatory response evaluation. 2009 , 180, 533-9	44
1247	Quantification of cerebral glucose metabolic rate in mice using 18F-FDG and small-animal PET. 2009 , 50, 966-73	35
1246	Is the physical decay correction of the (18)F-FDG input function in dynamic PET imaging justified?. 2009 , 37, 111-3	5
1245	Comparison of 3 methods of automated internal carotid segmentation in human brain PET studies: application to the estimation of arterial input function. 2009 , 50, 461-7	26
1244	Perfusion CT: noninvasive surrogate marker for stratification of pancreatic cancer response to concurrent chemo- and radiation therapy. 2009 , 250, 110-7	123
1243	Derivation of a compartmental model for quantifying 64Cu-DOTA-RGD kinetics in tumor-bearing mice. 2009 , 50, 250-8	31
1242	Chemotherapy response monitoring of colorectal liver metastases by dynamic Gd-DTPA-enhanced MRI perfusion parameters and 18F-FDG PET metabolic rate. 2009 , 50, 1777-84	25
1241	Masked-Volume-Wise PCA and "reference Logan" illustrate similar regional differences in kinetic behavior in human brain PET study using [11C]-PIB. 2009 , 9, 2	4
1240	Lesion detection in dynamic FDG-PET using matched subspace detection. 2009 , 28, 230-40	14
1239	Abstracts Symposium on the Blood-Brain Barrier Copenhagen, June 2002, 1985. 2009 , 72, 79-127	
1238	Estimation of regional cerebral utilization of [11C]-L-3,4-dihydroxy-phenylalanine (DOPA) in the primate by positron emission tomography. 1992 , 85, 166-73	41
1237	Hypersensitivity of cortical muscarinic receptors in Parkinson's disease demonstrated by PET. 1995 , 91, 437-43	21
1236	Secondary parkinsonism due to focal substantia nigra lesions: a PET study with [18F]FDG and [18F]fluorodopa. 1996 , 93, 387-92	25
1235	Post-ischemic blood-brain barrier leakage in rats: one-week follow-up by MRI. 2009 , 1280, 158-65	61
1234	MRI methods for evaluating the effects of tyrosine kinase inhibitor administration used to enhance chemotherapy efficiency in a breast tumor xenograft model. 2009 , 29, 1071-9	13
1233	In vivo, in vitro and in silico methods for small molecule transfer across the BBB. 2009 , 98, 4429-68	109
1232	Nigrostriatal dysfunction in homozygous and heterozygous parkin gene carriers: an 18F-dopa PET progression study. 2009 , 24, 2260-6	36
1231	Quantitative analysis of first-pass contrast-enhanced myocardial perfusion MRI using a Patlak plot method and blood saturation correction. 2009 , 62, 373-83	49

1230	Model-based and model-free parametric analysis of breast dynamic-contrast-enhanced MRI. 2009 , 22, 40-53		44
1229	A combined microdialysis and FDG-PET study of glucose metabolism in head injury. 2009 , 151, 51-61; discussion 61		50
1228	FDG-PET parametric imaging by total variation minimization. 2009 , 33, 295-303		17
1227	Backflux of ammonia from brain to blood in human subjects with and without hepatic encephalopathy. 2009 , 24, 237-42		19
1226	Imaging correlates of differential expression of indoleamine 2,3-dioxygenase in human brain tumors. 2009 , 11, 460-6		65
1225	Positron emission tomographic measure of brain dopamine dependence to nicotine as a model of drugs of abuse. 2009 , 204, 149-53		8
1224	Automated versus manual post-processing of perfusion-CT data in patients with acute cerebral ischemia: influence on interobserver variability. 2009 , 51, 445-51		49
1223	Reproducibility of quantitative 18F-3'-deoxy-3'-fluorothymidine measurements using positron emission tomography. 2009 , 36, 389-95		67
1222	Non-invasive estimation of hepatic glucose uptake from [18F]FDG PET images using tissue-derived input functions. 2009 , 36, 2014-26		20
1221	Cardiovascular magnetic resonance in carotid atherosclerotic disease. 2009 , 11, 53		24
1220	Endothelial protein C receptor-assisted transport of activated protein C across the mouse blood-brain barrier. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2009 , 29, 25-33	7-3	54
1219	Increased apparent diffusion coefficients on MRI linked with matrix metalloproteinases and edema in white matter after bilateral carotid artery occlusion in rats. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2009 , 29, 308-16	7-3	51
1218	Estimating blood and brain concentrations and blood-to-brain influx by magnetic resonance imaging with step-down infusion of Gd-DTPA in focal transient cerebral ischemia and confirmation by quantitative autoradiography with Gd-[(14)C]DTPA. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2009 , 29, 1048-58	7-3	30
1217	Correction for the effect of rising plasma glucose levels on quantification of MR(glc) with FDG-PET. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2009 , 29, 1059-67	7-3	9
1216	Comparison of eight methods for the estimation of the image-derived input function in dynamic [(18)F]-FDG PET human brain studies. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2009 , 29, 1825-35	7-3	61
1215	Quantitative functional imaging and kinetic studies with high-Z contrast agents using synchrotron radiation computed tomography. 2009 , 36, 95-106		12
1214	A rat head holder for simultaneous scanning of two rats in small animal PET scanners: design, construction, feasibility testing and kinetic validation. 2009 , 176, 24-33		21
1213	Benefits and risks of transforming data from dynamic positron emission tomography, with an application to hepatic encephalopathy. 2009 , 256, 632-6		1

1212	Reduced regional myocardial perfusion reserve is associated with impaired contractile performance in idiopathic dilated cardiomyopathy. 2009 , 17, 470-4	13
1211	Assessment of regional changes in skeletal metabolism following 3 and 18 months of teriparatide treatment. 2010 , 25, 960-7	34
1210	Nonparametric Residue Analysis of Dynamic PET Data With Application to Cerebral FDG Studies in Normals. 2009 , 104, 556-571	20
1209	Reproducibility of the aortic input function (AIF) derived from dynamic contrast-enhanced magnetic resonance imaging (DCE-MRI) of the kidneys in a volunteer study. 2009 , 71, 576-81	37
1208	Transport of prion protein across the blood-brain barrier. 2009 , 218, 162-7	27
1207	Lipopolysaccharide alters the blood-brain barrier transport of amyloid beta protein: a mechanism for inflammation in the progression of Alzheimer's disease. 2009 , 23, 507-17	179
1206	Phenylketonuria: High plasma phenylalanine decreases cerebral protein synthesis. 2009 , 96, 177-82	60
1205	Altered myocardial substrate metabolism and decreased diastolic function in nonischemic human diabetic cardiomyopathy: studies with cardiac positron emission tomography and magnetic resonance imaging. 2009 , 54, 1524-32	201
1204	Kinetic analysis of 3'-deoxy-3'-(18)F-fluorothymidine ((18)F-FLT) in head and neck cancer patients before and early after initiation of chemoradiation therapy. 2009 , 50, 1028-35	73
1203	Colorectal Cancer. 2009 ,	1
1202	The Neuroimmunological Basis of Behavior and Mental Disorders. 2009 ,	8
1201	Pharmacokinetics and Modeling. 2009 , 205-214	2
1200	Reducing the noise effects in Logan graphic analysis for PET receptor measurements. 2009 ,	1
1199	Molecular tools for assessing human depression by positron emission tomography. 2009 , 19, 611-28	25
1198	A consistent and efficient graphical analysis method to improve the quantification of reversible tracer binding in radioligand receptor dynamic PET studies. 2009 , 44, 661-70	43
1197	Strategies for the generation of parametric images of [11C]PIB with plasma input functions considering discriminations and reproducibility. 2009 , 48, 329-38	21
1196	Monitoring response to therapeutic interventions in patients with cancer. 2009 , 39, 210-32	31
1195	Quantitative studies of bone using (99m)Tc-methylene diphosphonate skeletal plasma clearance. 2009 , 39, 369-79	15

1194	Age- and anatomy-related values of blood-brain barrier permeability measured by perfusion-CT in non-stroke patients. 2009 , 36, 219-27	19
1193	[Functional MR urography in children]. 2009 , 90, 11-9	27
1192	Relative recirculation: a fast, model-free surrogate for the measurement of blood-brain barrier permeability and the prediction of hemorrhagic transformation in acute ischemic stroke. 2009 , 44, 662-8	30
1191	Direct parametric reconstruction from dynamic projection data in emission tomography including prior estimation of the blood volume component. 2009 , 30, 490-3	9
1190	Lungs of patients with acute respiratory distress syndrome show diffuse inflammation in normally aerated regions: a [18F]-fluoro-2-deoxy-D-glucose PET/CT study. 2009 , 37, 2216-22	134
1189	Optimal duration of acquisition for dynamic perfusion CT assessment of blood-brain barrier permeability using the Patlak model. 2009 , 30, 1366-70	32
1188	Imagerie de perfusion tissulaire par IRM. 2009 , 4, 1-11	
1187	Pictures in clinical medicine. Recovery of cerebral blood perfusion from transient hypo-perfusion due to acute benzodiazepine poisoning coinciding with generalized convulsion as withdrawal syndrome. 2009 , 48, 863-4	
1186	Quantitative evaluation of noise reduction algorithms for very low dose renal CT perfusion imaging. 2009 ,	7
1185	The Immunocompromised Host: Chest. 2009 , 1324-1364	
1184	Magnetic resonance urography in pediatric urology. 2010 , 20, 323-9	23
1183	Reduced regional myocardial perfusion reserve is associated with impaired contractile performance in idiopathic dilated cardiomyopathy. 2010 , 1	
1182	Contrast-enhanced MR imaging in acute ischemic stroke: T2* measures of blood-brain barrier permeability and their relationship to T1 estimates and hemorrhagic transformation. 2010 , 31, 1015-22	29
1181	Paired stereoisomer model for quantifying receptor concentration in vivo. 2010 , 37, 1796-806	
1180	Optimized pharmacokinetic modeling for the detection of perfusion differences in skeletal muscle with DCE-MRI: effect of contrast agent size. 2010 , 37, 5746-55	19
1179	[Tumor permeability of nanocarriers observed by dynamic contrast-enhanced magnetic resonance imaging]. 2010 , 130, 1679-85	0
1178	Dynamic single photon emission computed tomography--basic principles and cardiac applications. 2010 , 55, R111-91	76
1177	Methodological considerations in quantification of oncological FDG PET studies. 2010 , 37, 1408-25	96

1176	Functional analysis in MR urography - made simple. 2010 , 40, 182-99	58
1175	MR urography in children. Part 2: how to use ImageJ MR urography processing software. 2010 , 40, 739-46	29
1174	Dynamic contrast enhanced (DCE) magnetic resonance imaging (MRI) of atherosclerotic plaque angiogenesis. 2010 , 13, 87-99	39
1173	Magnetic resonance imaging of brain angiogenesis after stroke. 2010 , 13, 101-11	70
1172	Quantitative and qualitative analysis and interpretation of CT perfusion imaging. 2010 , 17, 1091-100	21
1171	CT perfusion in solid-body tumours. Part I: Technical issues. 2010 , 115, 843-57	34
1170	Experimental verification of age-dependent cisplatin-induced nephrotoxicity in rats using dynamic contrast-enhanced computed tomography. 2010 , 28, 123-31	2
1169	Volume-normalized uptake rates with robust transportability from PET dual-time and Patlak analyses. 2010 , 12, 479-87	
1168	Comment on "Developing DCE-CT to quantify intra-tumor heterogeneity in breast tumors with differing angiogenic phenotype". 2010 , 29, 1088-9; author reply 1089-92	0
1167	Gender differences in alpha-[(11)C]MTrp brain trapping, an index of serotonin synthesis, in medication-free individuals with major depressive disorder: a positron emission tomography study. 2010 , 183, 157-66	33
1166	Effects of behavioral therapy or pharmacotherapy on brain glucose metabolism in subjects with obsessive-compulsive disorder as assessed by brain FDG PET. 2010 , 184, 105-16	30
1165	[Neuroimaging: technical aspects and practice]. 2010 , 29, 189-210	10
1164	Role of immature microvessels in assessing the relationship between CT perfusion characteristics and differentiation grade in lung cancer. 2010 , 41, 611-7	17
1163	Patlak plot analysis CT-GFR for the determination of renal function: comparison of normal dogs with autologous kidney transplant dogs. 2010 , 5, 133-9	8
1162	Assessment of tumor angiogenesis: dynamic contrast-enhanced MRI with paramagnetic nanoparticles compared with Gd-DTPA in a rabbit Vx-2 tumor model. 2010 , 5, 155-61	9
1161	Multimodality molecular imaging of the lung. 2010 , 32, 1409-20	16
1160	Comparison of myocardial perfusion estimates from dynamic contrast-enhanced magnetic resonance imaging with four quantitative analysis methods. 2010 , 64, 125-37	66
1159	The MRI-measured arterial input function resulting from a bolus injection of Gd-DTPA in a rat model of stroke slightly underestimates that of Gd-[14C]DTPA and marginally overestimates the blood-to-brain influx rate constant determined by Patlak plots. 2010 , 63, 1502-9	24

1158	Localized measurement of atherosclerotic plaque inflammatory burden with dynamic contrast-enhanced MRI. 2010 , 64, 567-73		17
1157	Tracer kinetic analysis of dynamic contrast-enhanced MRI and CT bladder cancer data: A preliminary comparison to assess the magnitude of water exchange effects. 2010 , 64, 595-603		33
1156	Nicotine and cotinine increases the brain penetration of saquinavir in rat. 2010 , 115, 1495-507		30
1155	Clinical application of Patlak plot CT-GFR in animals with upper urinary tract disease. 2010 , 51, 421-7		19
1154	Measuring drug occupancy in the absence of a reference region: the Lassen plot re-visited. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2010 , 30, 46-50	7-3	197
1153	Cyclooxygenase-1 and -2 differentially modulate lipopolysaccharide-induced blood-brain barrier disruption through matrix metalloproteinase activity. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2010 , 30, 370-80	7-3	48
1152	Blood-brain barrier permeability for ammonia in patients with different grades of liver fibrosis is not different from healthy controls. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2010 , 30, 1384-93	7-3	19
1151	Noninvasive methods of measuring bone blood perfusion. 2010 , 1192, 95-102		50
1150	Regional cerebral glucose metabolism during sevoflurane anaesthesia in healthy subjects studied with positron emission tomography. 2010 , 54, 603-9		25
1149	Positron emission tomography in schizophrenia: a new perspective. 2010 , 51, 511-20		41
1148	Experimental verification of protective effect of hydrogen-rich water against cisplatin-induced nephrotoxicity in rats using dynamic contrast-enhanced CT. 2010 , 83, 509-14		23
1147	When reversible ligands do not reverse, and other modelers' dilemmas. 2010 , 51, 1005-8		2
1146	A pharmacologically active monoclonal antibody against the human melanocortin-4 receptor: effectiveness after peripheral and central administration. 2010 , 333, 478-90		18
1145	Quantitative assessment of hypoxia kinetic models by a cross-study of dynamic ¹⁸ F-FAZA and ¹⁵ O-H ₂ O in patients with head and neck tumors. 2010 , 51, 1386-94		29
1144	Seasonal effects on human striatal presynaptic dopamine synthesis. 2010 , 30, 14691-4		58
1143	Signal extraction and separation in in vivo animal PET studies with masked volumewise principal-component analysis. 2010 , 38, 53-60		3
1142	Pittsburgh compound-B and Alzheimer's disease biomarkers in CSF, plasma and urine: An exploratory study. 2010 , 29, 204-12		24
1141	Abnormal frontostriatal interactions in people with prodromal signs of psychosis: a multimodal imaging study. 2010 , 67, 683-91		205

1140	Fatigue in Parkinson's disease is linked to striatal and limbic serotonergic dysfunction. 2010 , 133, 3434-43	224
1139	Motion compensation for fully 4D PET reconstruction using PET superset data. 2010 , 55, 4063-82	9
1138	Transport across the blood-brain barrier of pluronic leptin. 2010 , 333, 253-63	61
1137	Task-oriented and study-dependent optimization of 3D and fully 4D reconstruction parameters for [18F]FDG imaging. 2010 ,	
1136	Comparison between the values of the hepatic uptake rate obtained by 2 methods, using hepatobiliary scintigraphy in patients with nonalcoholic steatohepatitis. 2010 , 38, 37-41	1
1135	Pre-clinical myocardial metabolic alterations in chronic kidney disease. 2010 , 116, 160-7	12
1134	Increased blood-brain barrier permeability on perfusion CT might predict malignant middle cerebral artery infarction. 2010 , 41, 2539-44	59
1133	Characterization of tumor microvascular structure and permeability: comparison between magnetic resonance imaging and intravital confocal imaging. 2010 , 15, 036004	27
1132	. 2010 ,	
1131	Perfusion measurements by micro-CT using prior image constrained compressed sensing (PICCS): initial phantom results. 2010 , 55, 2333-50	41
1130	Assessment of lung inflammation with 18F-FDG PET during acute lung injury. 2010 , 195, 292-300	57
1129	Measuring Bone Metabolism with Fluoride PET: Methodological Considerations. 2010 , 5, 247-57	3
1128	Functional Imaging of the Kidney. 2010 , 845-869	
1127	Effects of hepatic triglyceride content on myocardial metabolism in type 2 diabetes. 2010 , 56, 225-33	97
1126	Quantitative helical dynamic contrast enhanced computed tomography assessment of the spatial variation in whole tumour blood volume with radiotherapy in lung cancer. 2010 , 69, 71-6	15
1125	Kinetic modelling using basis functions derived from two-tissue compartmental models with a plasma input function: general principle and application to [18F]fluorodeoxyglucose positron emission tomography. 2010 , 51, 164-72	33
1124	A voxel-based clustering approach for the automatic selection of testing regions in the simultaneous estimation of input functions in PET. 2010 , 52, S176	4
1123	Quantitative assessment of early experimental diabetes in rats using dynamic contrast-enhanced computed tomography. 2010 , 74, 280-6	5

1122	Partial volume effects in dynamic contrast magnetic resonance renal studies. 2010 , 75, 221-9	10
1121	The importance of AIF ROI selection in DCE-MRI renography: reproducibility and variability of renal perfusion and filtration. 2010 , 74, e154-60	42
1120	Minimal penetration of lipopolysaccharide across the murine blood-brain barrier. 2010 , 24, 102-9	210
1119	Analytical characterization and comparison of the blood-brain barrier permeability of eight opioid peptides. 2010 , 31, 1390-9	37
1118	Age-dependent decline of steady state dopamine storage capacity of human brain: an FDOPA PET study. 2010 , 31, 447-63	40
1117	Investigation of the pharmacokinetics of 3'-deoxy-3'-[18F]fluorothymidine uptake in the bone marrow before and early after initiation of chemoradiation therapy in head and neck cancer. 2010 , 37, 433-8	18
1116	In vivo assessment of brain monoamine systems in parkin gene carriers: a PET study. 2010 , 222, 120-4	22
1115	Development of the 2nd generation neurokinin-1 receptor antagonist LY686017 for social anxiety disorder. 2010 , 20, 80-7	41
1114	A new graphic plot analysis for determination of neuroreceptor binding in positron emission tomography studies. 2010 , 49, 578-86	8
1113	Multi-graphical analysis of dynamic PET. 2010 , 49, 2947-57	40
1112	Elevated [(18)F]FDOPA utilization in the periaqueductal gray and medial nucleus accumbens of patients with early Parkinson's disease. 2010 , 49, 2933-9	25
1111	The test-retest reliability of 18F-DOPA PET in assessing striatal and extrastriatal presynaptic dopaminergic function. 2010 , 50, 524-531	106
1110	Advances in Computational Biology. 2010 ,	2
1109	Drug Delivery to the Central Nervous System. 2010 ,	3
1108	Imaging the nigrostriatal system to monitor disease progression and treatment-induced complications. 2010 , 184, 177-92	16
1107	Technical aspects of amyloid imaging for Alzheimer's disease. 2011 , 3, 25	7
1106	Quantitative Analysis of First-Pass Contrast-Enhanced Myocardial Perfusion Multidetector CT Using a Patlak Plot Method and Extraction Fraction Correction During Adenosine Stress. 2011 , 58, 133-138	7
1105	Sokoloff and Patlak methods for CMRGlu quantification with aortic image-derived input function: A feasibility study. 2011 ,	

1104	Dynamic perfusion-CT assessment of early changes in blood brain barrier permeability of acute ischaemic stroke patients. 2011 , 38, 161-6	26
1103	Analysis of 2-[Fluorine-18]-Fluoro-2-deoxy-D-glucose uptake kinetics in PET studies of pulmonary inflammation. 2011 , 18, 418-23	19
1102	Measuring permeability in acute ischemic stroke. 2011 , 21, 315-25, x-xi	24
1101	Lung imaging in asthmatic patients: the picture is clearer. 2011 , 128, 467-78	79
1100	Quantitative myocardial CT perfusion: a pictorial review and the current state of technology development. 2011 , 5, 467-81	29
1099	Advances in biomathematical modeling for PET neuroreceptor imaging. 2011 , 8, e45-51	7
1098	Striatal dopamine synthesis capacity in twins discordant for schizophrenia. 2011 , 41, 2331-8	48
1097	Progression of monoaminergic dysfunction in Parkinson's disease: a longitudinal 18F-dopa PET study. 2011 , 56, 1463-8	105
1096	Vascular and metabolic response to bevacizumab-containing regimens in two patients with colorectal liver metastases measured by dynamic contrast-enhanced MRI and dynamic 18F-FDG-PET. 2011 , 10, E1-5	12
1095	Basic Sciences of Nuclear Medicine. 2011 ,	15
1094	Structural and Functional Neuroimaging Methods: Applications to Substance Abuse and Addiction. 2011 , 37-82	1
1093	Neurokinetics. 2011 ,	9
1092	Radionuclide studies of bone metabolism: do bone uptake and bone plasma clearance provide equivalent measurements of bone turnover?. 2011 , 49, 537-42	22
1091	Evaluation of the effects of thiopental, propofol, and etomidate on glomerular filtration rate measured by the use of dynamic computed tomography in dogs. 2011 , 72, 146-51	9
1090	Glucose metabolism and PIB binding in carriers of a His163Tyr presenilin 1 mutation. 2011 , 32, 1388-99	40
1089	Simplified quantification of FDG metabolism in tumors using the autoradiographic method is less dependent on the acquisition time than SUV. 2011 , 38, 835-41	8
1088	Functional renal imaging: new trends in radiology and nuclear medicine. 2011 , 41, 61-72	22
1087	Radiology imaging of renal structure and function by computed tomography, magnetic resonance imaging, and ultrasound. 2011 , 41, 45-60	19

1086	Assessment of tumor hypoxia and interstitial fluid pressure by gadomelitol-based dynamic contrast-enhanced magnetic resonance imaging. 2011 , 101, 217-22		9
1085	Time course of glucose metabolism in relation to cognitive performance and postmortem neuropathology in Met146Val PSEN1 mutation carriers. 2011 , 24, 495-506		24
1084	A systems approach for tumor pharmacokinetics. 2011 , 6, e24696		85
1083	Delay correction for the assessment of blood-brain barrier permeability using first-pass dynamic perfusion CT. 2011 , 32, E134-8		11
1082	Performance evaluation of kinetic parameter estimation methods in dynamic FDG-PET studies. 2011 , 32, 4-16		12
1081	Validation of in vivo magnetic resonance imaging blood-brain barrier permeability measurements by comparison with gold standard histology. 2011 , 42, 2054-60		24
1080	Validation of new image-derived arterial input functions at the aorta using 18F-fluoride positron emission tomography. 2011 , 32, 486-95		13
1079	A method of generating image-derived input function in a quantitative ^{18}F -FDG PET study based on the shape of the input function curve. 2011 , 32, 1121-7		7
1078	Quantitative Techniques in PET-CT Imaging. 2011 , 7, 216-233		14
1077	Reconstruction of linear kinetic parameters directly from projection PET data. 2011 , 317, 012002		
1076	Brain regional ^{11}C methyl-L-tryptophan trapping in medication-free patients with obsessive-compulsive disorder. 2011 , 68, 732-41		19
1075	Effects of surfactant depletion on regional pulmonary metabolic activity during mechanical ventilation. 2011 , 111, 1249-58		30
1074	The use of alternative forms of graphical analysis to balance bias and precision in PET images. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2011 , 31, 535-46	7-3	15
1073	Parametric mapping of ^{18}F fluoromisonidazole positron emission tomography using basis functions. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2011 , 31, 648-57	7-3	19
1072	Abnormal prefrontal activation directly related to pre-synaptic striatal dopamine dysfunction in people at clinical high risk for psychosis. 2011 , 16, 67-75		175
1071	Use of ^{18}F FDOPA-PET for in vivo evaluation of dopaminergic dysfunction in unilaterally 6-OHDA-lesioned rats. 2011 , 1, 25		20
1070	Chronic peripheral administration of somatostatin receptor subtype-4 agonist NNC 26-9100 enhances learning and memory in SAMP8 mice. 2011 , 654, 53-9		19
1069	Increased neurokinin-1 receptor availability in temporal lobe epilepsy: a positron emission tomography study using ^{11}C GR205171. 2011 , 97, 183-9		9

1068	Brain glucose transporter (Glut3) haploinsufficiency does not impair mouse brain glucose uptake. 2011 , 1384, 15-22	34
1067	Differential kinetics of $[^{11}\text{C}]$ methyl-L-tryptophan on PET in low-grade brain tumors. 2011 , 102, 409-15	33
1066	Feasibility of assessing $[(^{18}\text{F})\text{FDG}]$ lung metabolism with late dynamic PET imaging. 2011 , 13, 378-84	14
1065	Extraction of input function from rat $[^{18}\text{F}]$ FDG PET images. 2011 , 13, 1241-9	7
1064	Measuring serotonin synthesis: from conventional methods to PET tracers and their (pre)clinical implications. 2011 , 38, 576-91	32
1063	Multi-detector row CT as a "one-stop" examination in the preoperative evaluation of the morphology and function of living renal donors: preliminary study. 2011 , 36, 86-90	7
1062	CT-based myocardial perfusion imaging-practical considerations: acquisition, image analysis, interpretation, and challenges. 2011 , 4, 437-48	8
1061	Sensitivity of kinetic macro parameters to changes in dopamine synthesis, storage, and metabolism: a simulation study for $[^{18}\text{F}]$ FDOPA PET by a model with detailed dopamine pathway. 2011 , 65, 751-62	9
1060	Magnetic resonance imaging evaluation of renal structure and function related to disease: technical review of image acquisition, postprocessing, and mathematical modeling steps. 2011 , 33, 1270-83	26
1059	Pediatric magnetic resonance urography. 2011 , 33, 510-26	28
1058	Fundamentals of tracer kinetics for dynamic contrast-enhanced MRI. 2011 , 34, 1262-76	85
1057	Rate of 6- $[^{18}\text{F}]$ fluorodopa uptake decline in striatal subregions in Parkinson's disease. 2011 , 26, 614-20	18
1056	Extended graphical model for analysis of dynamic contrast-enhanced MRI. 2011 , 66, 868-78	16
1055	Modeling of Look-Locker estimates of the magnetic resonance imaging estimate of longitudinal relaxation rate in tissue after contrast administration. 2011 , 66, 1432-44	11
1054	On the scope and interpretation of the Tofts models for DCE-MRI. 2011 , 66, 735-45	220
1053	The concordance of MRI and quantitative autoradiography estimates of the transvascular transfer rate constant of albumin in a rat brain tumor model. 2011 , 66, 1422-31	8
1052	Quantification of myocardial blood flow using model based analysis of first-pass perfusion MRI: extraction fraction of Gd-DTPA varies with myocardial blood flow in human myocardium. 2011 , 66, 1391-9	30
1051	MRI and quantitative autoradiographic studies following bolus injections of unlabeled and (^{14}C) -labeled gadolinium-diethylenetriaminepentaacetic acid in a rat model of stroke yield similar distribution volumes and blood-to-brain influx rate constants. 2011 , 24, 547-58	14

1050	Convergence optimization of parametric MLEM reconstruction for estimation of Patlak plot parameters. 2011 , 35, 407-16	13
1049	Assessment of fetal brain uptake of paraquat in utero using in vivo PET/CT imaging. 2011 , 122, 551-6	15
1048	Carotid artery atherosclerosis: effect of intensive lipid therapy on the vasa vasorum--evaluation by using dynamic contrast-enhanced MR imaging. 2011 , 260, 224-31	65
1047	Effect of insulin and dexamethasone on fetal assimilation of maternal glucose. 2011 , 152, 255-62	12
1046	Differentiation of malignant and benign pulmonary nodules with quantitative first-pass 320-detector row perfusion CT versus FDG PET/CT. 2011 , 258, 599-609	99
1045	Dynamic Multi-Bed FDG PET imaging: Feasibility and optimization. 2011 ,	17
1044	A nonlocal averaging technique for kinetic parameter estimation from dynamic PET data. 2011 ,	1
1043	Estimation of physiological parameters in the subspace of arterial input function in dynamic contrast-enhanced magnetic resonance imaging. 2011 ,	0
1042	Blood-brain barrier permeability assessed by perfusion CT predicts symptomatic hemorrhagic transformation and malignant edema in acute ischemic stroke. 2011 , 32, 41-8	124
1041	Impaired skeletal muscle glucose uptake by [18F]fluorodeoxyglucose-positron emission tomography in patients with peripheral artery disease and intermittent claudication. 2011 , 31, 190-6	18
1040	Abnormal brain protein synthesis in language areas of children with pervasive developmental disorder: a L-[1-11C]-leucine PET study. 2011 , 26, 1347-54	10
1039	Dopamine synthesis capacity before onset of psychosis: a prospective [18F]-DOPA PET imaging study. 2011 , 168, 1311-7	256
1038	Is liver SUV stable over time in 18 F-FDG PET imaging?. 2011 , 39, 258-63	32
1037	Lung regional metabolic activity and gas volume changes induced by tidal ventilation in patients with acute lung injury. 2011 , 183, 1193-9	144
1036	Evaluation of glomerular filtration rate by use of dynamic computed tomography and Patlak analysis in clinically normal cats. 2011 , 72, 1276-82	7
1035	Whole-body distribution and brain tumor imaging with (11)C-4DST: a pilot study. 2011 , 52, 1322-8	33
1034	Effects of administration route, dietary condition, and blood glucose level on kinetics and uptake of 18F-FDG in mice. 2011 , 52, 800-7	84
1033	Absolute quantification of [(11)C]docetaxel kinetics in lung cancer patients using positron emission tomography. 2011 , 17, 4814-24	18

1032	Searching for alternatives to full kinetic analysis in 18F-FDG PET: an extension of the simplified kinetic analysis method. 2011 , 52, 634-41	6
1031	FDG-PET Quantification of Lung Inflammation with Image-Derived Blood Input Function in Mice. 2011 , 2011, 356730	12
1030	Right ventricular failure in idiopathic pulmonary arterial hypertension is associated with inefficient myocardial oxygen utilization. 2011 , 4, 700-6	61
1029	Monitoring response to antiangiogenic therapy in non-small cell lung cancer using imaging markers derived from PET and dynamic contrast-enhanced MRI. 2011 , 52, 48-55	87
1028	18F-FDG PET as a tool to predict the clinical outcome of infliximab treatment of rheumatoid arthritis: an explorative study. 2011 , 52, 77-80	80
1027	Hepatic galactose metabolism quantified in humans using 2-18F-fluoro-2-deoxy-D-galactose PET/CT. 2011 , 52, 1566-72	33
1026	The use of PET imaging in studying cognition, genetics and pharmacotherapeutic interventions in schizophrenia. 2011 , 11, 37-51	20
1025	Evaluation of a direct 4D reconstruction method using GLLS for estimating parametric maps of micro-parameters. 2011 ,	4
1024	The Blood-Brain and Other Neural Barriers. 2011 ,	10
1023	Cerebral glucose utilisation in hepatitis C virus infection-associated encephalopathy. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2011 , 31, 2199-208	73 34
1022	Patient-Specific Method of Generating Parametric Maps of Patlak K(i) without Blood Sampling or Metabolite Correction: A Feasibility Study. 2011 , 2011, 185083	9
1021	18F-FDG uptake rate is a biomarker of eosinophilic inflammation and airway response in asthma. 2011 , 52, 1713-20	48
1020	Positron emission tomography imaging and clinical progression in relation to molecular pathology in the first Pittsburgh Compound B positron emission tomography patient with Alzheimer's disease. 2011 , 134, 301-17	109
1019	A dose-response elevation in hepatic glucose uptake is paralleled by liver triglyceride synthesis and release. 2011 , 36, 9-18	2
1018	MR imaging of the abdomen and pelvis in infants, children, and adolescents. 2011 , 261, 12-29	65
1017	Determination of hepatic galactose elimination capacity using 2-[18F]fluoro-2-deoxy-D-galactose PET/CT: reproducibility of the method and metabolic heterogeneity in a normal pig liver model. 2011 , 46, 98-103	9
1016	Multivariate analysis of various factors affecting background liver and mediastinal standardized uptake values. 2012 , 27, 20-3	18
1015	Overview of Positron Emission Tomography (PET) and Single Photon Emission Computed Tomography (SPECT) Methodologies. 2012 , 255-270	

1014	Serotonin neuron loss and nonmotor symptoms continue in Parkinson's patients treated with dopamine grafts. 2012 , 4, 128ra41	92
1013	Accurate differentiation of recurrent gliomas from radiation injury by kinetic analysis of ^{11}C -methyl-L-tryptophan PET. 2012 , 53, 1058-64	47
1012	Kinetic parameter estimation using a closed-form expression via integration by parts. 2012 , 57, 5809-21	9
1011	Digital perfusion phantoms for visual perfusion validation. 2012 , 199, 627-34	3
1010	The catechol-O-methyltransferase Val(158)Met polymorphism modulates fronto-cortical dopamine turnover in early Parkinson's disease: a PET study. 2012 , 135, 2449-57	52
1009	Dopaminergic mechanisms of reduced basal ganglia responses to hedonic reward during interferon alfa administration. 2012 , 69, 1044-53	252
1008	Comparison of glomerular filtration rate determined by use of single-slice dynamic computed tomography and scintigraphy in cats. 2012 , 73, 463-9	8
1007	Cystic fibrosis: detecting changes in airway inflammation with FDG PET/CT. 2012 , 264, 868-75	38
1006	Enhanced whole-body PET parametric imaging using hybrid regression and thresholding driven by kinetic correlations. 2012 ,	4
1005	Bringing physiology into PET of the liver. 2012 , 53, 425-33	29
1004	Abnormal relationship between medial temporal lobe and subcortical dopamine function in people with an ultra high risk for psychosis. 2012 , 38, 1040-9	56
1003	On-line spatio-temporal independent component analysis for motion correction in renal DCE-MRI. 2012 ,	1
1002	Encapsulated cell biodelivery of nerve growth factor to the Basal forebrain in patients with Alzheimer's disease. 2012 , 33, 18-28	93
1001	Quantitative cardiac positron emission tomography: the time is coming!. 2012 , 2012, 948653	7
1000	^{18}F -FDG uptake to assess eosinophilic inflammation in asthma: would SUV at late imaging be relevant?. 2012 , 53, 1328; author reply 1328-9	2
999	Noninvasive image derived heart input function for CMRglc measurements in small animal slow infusion FDG PET studies. 2012 , 57, 8041-59	10
998	Radiofrequency ablation combined with transcatheter arterial embolisation in rabbit liver: investigation of the ablation zone according to the time interval between the two therapies. 2012 , 85, e987-94	20
997	Recent software developments and applications in functional imaging. 2012 , 13, 2166-81	1

996	Image-derived arterial input function in dynamic positron emission tomography-computed tomography: a method using both positron emission tomographic and computed tomographic images. 2012 , 36, 762-7	5
995	Dynamic PET-CT studies for characterizing nasopharyngeal carcinoma metabolism: comparison of analytical methods. 2012 , 33, 191-7	5
994	Appropriate parameters of the ordered-subset expectation maximization algorithm on measurement of myocardial blood flow and oxygen consumption with ¹¹ C-acetate PET. 2012 , 33, 130-8	1
993	Comparison of six quantitative methods for the measurement of bone turnover at the hip and lumbar spine using ¹⁸ F-fluoride PET-CT. 2012 , 33, 597-606	14
992	A method for generating image-derived input function in quantitative ¹⁸ F-FDG PET study based on the monotonicity of the input and output function curve. 2012 , 33, 362-70	8
991	Quantitative PET imaging of tryptophan accumulation in gliomas and remote cortex: correlation with tumor proliferative activity. 2012 , 37, 838-42	20
990	Computed tomography perfusion analysis of pancreatic carcinoma. 2012 , 36, 237-42	38
989	Pre-clinical assessment of anti-vascular drugs using quantitative dynamic contrast-enhanced MRI. 2012 , 4, 362	1
988	Dopamine synthesis capacity in patients with treatment-resistant schizophrenia. 2012 , 169, 1203-10	230
987	Precision of ¹⁸ F-fluoride PET skeletal kinetic studies in the assessment of bone metabolism. 2012 , 23, 2535-41	20
986	Quantitative assessment of heterogeneity in tumor metabolism using FDG-PET. 2012 , 82, e725-31	29
985	Copper-64-diacetyl-bis(N(4)-methylthiosemicarbazone) pharmacokinetics in FaDu xenograft tumors and correlation with microscopic markers of hypoxia. 2012 , 84, e393-9	26
984	Effect of dietary zinc deficiency on ischemic vulnerability of the brain. 2012 , 531, 10-3	8
983	Comparison between acetazolamide challenge and 10% carbon dioxide challenge perfusion CT in rat C6 glioma. 2012 , 19, 159-65	4
982	Assessment of brain glucose metabolism with input function determined from brain PET images by means of Bayesian ICA and MCMC methods. 2012 , 36, 620-6	3
981	Techniques to measure cardiac output: minimally invasive method versus thermodilution. 2012 , 16,	78
980	Effects of cardiac output levels on the measurement of transpulmonary thermodilution cardiac output in patients with acute lung injury. 2012 , 16,	78
979	Comparison of bioimpedance and oesophageal Doppler cardiac output monitoring during abdominal aortic surgery. 2012 , 16,	78

978	Cardiac output monitoring in cirrhotic patients: EV1000 versus pulmonary artery catheter - preliminary data. 2012 , 16,	78
977	Pulse contour cardiac output monitoring is less reliable in critically ill children. 2012 , 16,	78
976	Impact of arterial catheter location on the accuracy of cardiac output provided by an endotracheal bioimpedance device. 2012 , 16,	78
975	Accuracy of the PiCCO2-derived pulse contour cardiac index (CI _{pc}): development and validation of a calibration index in two independent collectives. 2012 , 16,	78
974	Cardiac output monitoring using the LiDCOplus™ monitor in abdominal aortic surgery: changes in calibration factor in aortic aneurysm disease versus aortic occlusive disease. 2012 , 16,	1
973	Haemodynamic changes during the peri-extubation period using bioimpedance flow monitoring. 2012 , 16,	78
972	Left ventricular stroke volume measurement by impedance cardiography correlates with echocardiography in neonates. 2012 , 16,	2
971	Validation of less-invasive hemodynamic monitoring with Pulsioflex in critically ill patients. 2012 , 16,	1
970	A preliminary study on the use of noninvasive hemodynamic monitoring with the Nexfin monitor in critically ill patients. 2012 , 16,	78
969	Computer-based monitoring of global cardiovascular dynamics during acute pulmonary embolism and septic shock in swine. 2012 , 16,	78
968	Homeodynamic complexity: multifractal analysis of physiological instability. 2012 , 16,	78
967	Accuracy of conventional urinary output monitoring in the ICU. 2012 , 16,	2
966	Changes in B-type natriuretic peptide and related hemodynamic parameters following a fluid challenge in patients with severe sepsis or septic shock. 2012 , 16,	78
965	The Brody effect to detect hypovolemia in clinical practice. 2012 , 16,	1
964	Stroke volume variation guided fluid therapy in septic shock with ARDS. 2012 , 16,	78
963	Assessment fluid responsiveness in septic shock patients: a comparison of automated pulse pressure variation and manually calculated pulse pressure variation. 2012 , 16,	78
962	Applicability of methods for fluid responsiveness prediction in the ICU. 2012 , 16,	78
961	Fluid responsiveness during weaning from mechanical ventilation. 2012 , 16,	78

960	Microcirculatory blood flow is related to clinical signs of impaired organ perfusion, and its dynamics to the macrohemodynamic concept of fluid responsiveness. 2012, 16,	1
959	Frank-Starling and Guyton together at bedside during a fluid challenge. 2012, 16,	78
958	Prediction of fluid responsiveness in intensive care (PREFERENCE study): fluid challenge versus passive leg raising in high-risk surgical patients. 2012, 16,	5
957	Tight control of fluid balance may reduce incidence of intra-abdominal hypertension in patients after major abdominal surgery and trauma: a pilot study. 2012, 16,	78
956	Negative fluid balance 48 hours after admission improves survival at 28 days in critically ill patients. 2012, 16,	78
955	Goal-directed fluid and hemodynamic therapy in major colon surgery with the pressure recording analytical method cardiac output monitor (MostCare [®] -PRAM [®]): prospective analysis of 58 patients. 2012, 16,	78
954	Implementation of an optimal fluid management protocol using the PiCCO system delays development of ARDS secondary to severe sepsis. 2012, 16,	1
953	Confrontation of the increase in ELWI rate regarding the septic polytraumatised patient administering furosemide: is it effective?. 2012, 16,	78
952	Indexation of extravascular lung water in unselected adult patients with and without mechanical ventilation: a prospective study in 50 patients with 843 transpulmonary thermodilutions. 2012, 16,	78
951	How to perform indexing of extravascular lung water data. 2012, 16,	78
950	Near-normal values of extravascular lung water in children. 2012, 16,	78
949	Transthoracic ultrasound assessment of B-lines for identifying the increment of extravascular lung water in shock patients requiring fluid resuscitation. 2012, 16,	78
948	Fluid therapy tactics in patients with polytrauma during interhospital transportation. 2012, 16,	78
947	A prospective, randomized, clinical trial comparing the hemodynamics, efficacy, and safety of 6% hydroxyethyl starch 130/0.4 compared to albumin in postoperative patients undergoing pancreaticoduodenectomy. 2012, 16,	78
946	Effect of balanced versus unbalanced HES solution on cytokine response in a rat model of peritonitis. 2012, 16,	78
945	Evaluation of effectiveness and safety of hydroxyethyl starch (HES 130 kDa/0.4) in burn resuscitation. 2012, 16,	1
944	Normal saline resuscitation worsens lactic acidosis in experimental sepsis. 2012, 16,	4
943	Albumin in early septic shock resuscitation: examination of plasma and urine inflammatory markers. 2012, 16,	78

942	Study of the correlation between central venous oxygen saturation and venous saturation from the antecubital vein in severe sepsis/septic shock patients. 2012, 16,	1
941	Central venous hyperoxia is related to changes in tissue perfusion and morbi-mortality of patients in shock. 2012, 16,	78
940	Curve analysis of tissue oxygen desaturation after a venous occlusion test does not identify the central venous hemoglobin oxygen saturation. 2012, 16,	78
939	Lactate in burn patients: biomarker of sepsis and mortality. 2012, 16,	1
938	Can we predict arterial lactate from venous lactate in the emergency department?. 2012, 16,	2
937	Cross-correlation analysis of blood and microdialysis-assessed tissue lactate monitoring: a study in critically ill septic patients. 2012, 16,	78
936	Admission lactate and outcome after high-risk surgery. 2012, 16,	78
935	Effects of induced relative hypoxia during the postoperative period of abdominal oncologic surgery, on hemoglobin and reticulocyte levels: a prospective, randomized controlled clinical trial. 2012, 16,	1
934	Pre-emptive hypothermia during resuscitated porcine hemorrhagic shock. 2012, 16,	78
933	Carbon monoxide therapy protects against hepatic microvascular injury in a mouse model of murine hemorrhagic shock and resuscitation. 2012, 16,	78
932	Customized modeling to predict the use of vasopressors in ICUs. 2012, 16,	78
931	Implementation of the fifth link of the Chain of Survival concept for out-of-hospital cardiac arrest. 2012, 16,	78
930	Examination of out-of-hospital cardiac arrest patients with the Utstein style in Saga prefecture, Japan. 2012, 16,	1
929	Effectiveness and limitations of learning cardiopulmonary resuscitation with an automated external defibrillator in the curriculum of First Aid courses among lay people. 2012, 16,	78
928	Survival after out-of-hospital cardiac arrest during nights and weekends. 2012, 16,	78
927	CPR initiated after telephone-assisted instruction produces a better outcome of bystander-witnessed out-of-hospital cardiac arrests than no bystander CPR but is less effective than CPR on the bystander's own initiative. 2012, 16,	78
926	Critical times in pediatric out-of-hospital cardiac arrest. 2012, 16,	1
925	Don't stop your heart in front of your family: family as a bystander is associated with poor outcome of bystander-witnessed, bystander-CPR-performed out-of-hospital cardiac arrest. 2012, 16,	78

924	Coronary perfusion pressure in a pig model of prolonged cardiac arrest treated by different modes of venoarterial extracorporeal membrane oxygenation and intraaortic balloon counterpulsation. 2012, 16,	3
923	Capnometry successfully predicts outcome and determination of the cessation of cardiopulmonary resuscitation efforts. 2012, 16,	1
922	Modified clinical decision rule for termination-of-resuscitation in cases of refractory out-of-hospital cardiac arrest. 2012, 16,	78
921	Survival benefit for patients receiving antibiotics following out-of-hospital cardiac arrest. 2012, 16,	78
920	Correlation between IL-6 and S-100B blood levels and outcome of post-cardiac arrest syndrome and influence of therapeutic hypothermia on these mediator blood levels. 2012, 16,	78
919	Early neurological outcome prediction model after bystander-witnessed out-of-hospital cardiac arrest: a nationwide population-based study. 2012, 16,	78
918	Helium ventilation is safe and feasible in ICU patients admitted after cardiac arrest. 2012, 16,	2
917	Therapeutic hypothermia in an out-of-hospital arrest population: are we selecting appropriately?. 2012, 16,	78
916	Therapeutic hypothermia for nonventricular fibrillation/ventricular tachycardia cardiac arrest. 2012, 16,	78
915	Comparison of cold crystalloid and colloid infusions for induction of therapeutic hypothermia. 2012, 16,	78
914	Cerebral oxygenation during induction of therapeutic hypothermia after cardiac arrest. 2012, 16,	78
913	Survey on the management of patients treated with therapeutic hypothermia post cardiac arrest in London hospitals. 2012, 16,	78
912	Simplified EEG/aEEG to monitor the injured brain after cardiac arrest. 2012, 16,	78
911	Usefulness of a Bispectral index oriented sedative method without neuromuscular blocker for therapeutic hypothermia after cardiac arrest. 2012, 16,	78
910	Predictive factors of neurologic outcome in therapeutic hypothermia after prehospital return of spontaneous circulation. 2012, 16,	78
909	Employment status 1 year after out-of-hospital cardiac arrest in comatose patients treated with therapeutic hypothermia. 2012, 16,	78
908	Changes in cerebrospinal fluid and serum cytokine levels in severe traumatic brain injury patients. 2012, 16,	78
907	Noninvasive cerebral oxygenation monitoring during rapid ventricular pacing in transcatheter aortic valve implant. 2012, 16,	78

906	Novel models to predict elevated intracranial pressure during intensive care and long-term neurological outcome after TBI. 2012 , 16,	78
905	Transcranial Doppler pulsatility index is a poor predictor of hydrocephalus in patients with aneurysmal subarachnoid haemorrhage. 2012 , 16,	78
904	Transcranial cerebral oximetry in newborn infants on mechanical ventilation as a method for prevention of hyperoxia and oxidative stress. 2012 , 16,	78
903	Cerebral oximetry and brain death in the ICU: data from seven cases. 2012 , 16,	2
902	Deoxyhaemoglobin as a biomarker of cerebral autoregulation. 2012 , 16,	3
901	Study of the acoustic stem evoked potentials in blood circulation disorder in the vertebral basilar basin. 2012 , 16,	78
900	Examination of the autonomic nervous system in the ICU: a pilot study. 2012 , 16,	78
899	Predictive value of glial fibrillary acidic protein for prognosis in patients with moderate and severe traumatic brain injury: a systematic review and meta-analysis. 2012 , 16,	3
898	Prevalence of pituitary disorders associated with traumatic brain injury: a systematic review. 2012 , 16,	2
897	Mannose binding lectin deficiency attenuates neurobehavioral deficits following experimental traumatic brain injury. 2012 , 16,	78
896	Azathioprine and aspirin in treatment of childhood primary arterial stroke: therapeutic benefits and side effects. 2012 , 16,	78
895	Changes of ribosomal protein S3 immunoreactivity and its new expression in microglia in the mice hippocampus after lipopolysaccharide treatment. 2012 , 16,	78
894	Neuronal damage using Fluoro-Jade B histofluorescence and gliosis in the striatum after various durations of transient cerebral ischemia in gerbils. 2012 , 16,	3
893	Molecular, histological and microcirculatory modeling of cerebral ischemia in pigs. 2012 , 16,	78
892	Delayed post-ischaemic administration of xenon reduces brain damage in a rat model of global ischaemia. 2012 , 16,	78
891	Seizures in the respiratory ICU: single-center study of patients with new-onset seizures. 2012 , 16,	1
890	Early treatment with intravenous immunoglobulins in patients with critical illness polyneuropathy: a randomized controlled, double-blinded study. 2012 , 16,	78
889	Intracranial pressure monitoring in acute liver failure: a retrospective cohort study. 2012 , 16,	2

888	Retrospective observation of 6-month survival following decompressive craniectomy in a London major trauma and stroke centre. 2012, 16,	1
887	Feasibility of a multicenter prospective cohort study on the evaluation of prognosis in severe traumatic brain injury. 2012, 16,	78
886	Predictive value of neuron-specific enolase following moderate and severe traumatic brain injury: a systematic review and meta-analysis. 2012, 16,	78
885	Blood-brain barrier permeability following traumatic brain injury. 2012, 16,	1
884	Can urinary 8-OHdG be a good indicator of vasospasm occurrence following subarachnoid hemorrhage?. 2012, 16,	8
883	Cortical capillary recruitment by rosuvastatin in experimental brain trauma is associated with increased NO production. 2012, 16,	78
882	Effects of simvastatin in prevention of vasospasm in nontraumatic subarachnoid hemorrhage: preliminary data. 2012, 16,	1
881	Evaluation of arterial and venous ophthalmic hemodynamics in preeclamptic pregnant women. 2012, 16,	78
880	Data classification of magnetic resonance tomography and computer tomography images of brain in parturients with neurological complications of eclampsia. 2012, 16,	78
879	Eleven years of critical obstetric pathology: epidemiologic study. 2012, 16,	78
878	Clinical outcomes in neonates following maternal magnesium sulfate therapy in preeclampsia/eclampsia. 2012, 16,	78
877	Sleep monitoring by actigraphy in short-stay ICU patients. 2012, 16,	1
876	Quality and quantity of sleep in multipatient versus single-room ICUs. 2012, 16,	78
875	Oral melatonin in high-risk critically ill patients: quality of sedative effect. 2012, 16,	1
874	Sedation depth and mortality in mechanically ventilated critically ill adults. 2012, 16,	1
873	Sedation in the ICU: nurses' perceptions of practices and influencing factors. 2012, 16,	78
872	Implementation of a national guideline for analgesia and sedation: how often can a RASS of 0 to -2 be achieved?. 2012, 16,	78
871	Comparison of the RAMSAY score and the Richmond Agitation Sedation Score for the measurement of sedation depth. 2012, 16,	12

870	Dexmedetomidine is associated with better outcomes in patients undergoing cardiac surgery. 2012 , 16,	78
869	Cerebral ischemia-reperfusion model in rabbits: relationship between dexmedetomidine and biochemical parameters in lowering intraparenchymal pressure. 2012 , 16,	78
868	Evaluation of sedation using pupilometry in ICUs: a pilot study. 2012 , 16,	78
867	Effect of critical illness on the pharmacokinetics and dose-response relationship of midazolam. 2012 , 16,	1
866	Effect of propofol and midazolam on microcirculation of septic shock patients. 2012 , 16,	78
865	Current use of pain scores in Dutch ICUs: a postal survey in the Netherlands. 2012 , 16,	78
864	Efficiency estimation of intrapleural and thoracic paravertebral block in combination with general anesthesia at thoracoscopic interventions. 2012 , 16,	78
863	Preoperative diclofenac reduces postcraniotomy headache: a randomized, placebo-controlled trial. 2012 , 16,	78
862	Long-term adverse neuropsychological functioning in children who survived meningococcal septic shock: is there a relationship with sedation and analgesia during paediatric ICU admission?. 2012 , 16,	78
861	Delirium could be an indicator of sepsis in patients under 65 years old with urinary tract infections. 2012 , 16,	78
860	Delirium screening in critically ill patients: a systematic review and meta-analysis. 2012 , 16,	3
859	Electroencephalography-based monitoring of delirium in the ICU: what are the opportunities?. 2012 , 16,	0
858	Performance of SAPS 3 in predicting delirium among critically ill patients. 2012 , 16,	78
857	Incidence of delirium and inadequacy of the clinical diagnosis in patients in intensive care. 2012 , 16,	78
856	Investigation into detection and treatment rates of hyperactive and hypoactive delirium in the ICU setting. 2012 , 16,	78
855	Memories and post-traumatic stress-related symptoms in older, post-cardiac surgery patients: substudy of an RCT. 2012 , 16,	78
854	Using tramadol to monitor hepatic drug metabolism in the critically ill. 2012 , 16,	78
853	Data mining techniques for predicting acute kidney injury after elective cardiac surgery. 2012 , 16,	3

852	Acute kidney injury in critically ill patients with A/H1N1 pneumonitis in 2010/11. 2012, 16,	78
851	A RIFLE score-based trigger for renal replacement therapy and survival after cardiac surgery. 2012, 16,	78
850	Effect of off-pump versus on-pump coronary artery bypass grafting in patients with chronic kidney disease. 2012, 16,	1
849	Effects of renal-dose dopamine on renal tubular functions following coronary artery bypass grafting surgery. 2012, 16,	78
848	Nurses' knowledge regarding the early identification of acute kidney injury. 2012, 16,	78
847	Neutrophil gelatinase-associated lipocalin predicts postoperative fluid overload, a potentially modifiable risk factor for mortality after cardiac surgery. 2012, 16,	1
846	Plasma and urine neutrophil gelatinase-associated lipocalin as markers of acute kidney injury in critically ill adults. 2012, 16,	78
845	Plasma and urine neutrophil gelatinase-associated lipocalin in septic and nonseptic ICU patients. 2012, 16,	78
844	Urinary neutrophil gelatinase-associated lipocalin as an early marker of acute kidney injury complicating circulatory shock. 2012, 16,	78
843	Additive value to clinical judgement of blood neutrophil gelatinase-associated lipocalin in diagnosis of acute kidney injury and prediction of mortality in patients hospitalized from the emergency department. 2012, 16,	2
842	Is cystatin C reliable in the anesthetized pig? An experimental study with special reference to septic shock. 2012, 16,	1
841	Are serum cystatin-C-based estimates better than those derived from serum creatinine in critically ill patients?. 2012, 16,	2
840	Assessment of glomerular filtration rate in trauma patients in early resuscitation phase. 2012, 16,	1
839	Validation of a continuous low-dose iohexol infusion to measure the glomerular filtration rate. 2012, 16,	78
838	Investigation into the effects of commencing haemodialysis in the critically ill. 2012, 16,	78
837	Is the AKIN score useful as an indicator of the optimum time for intervention with renal replacement therapy in critically ill patients?. 2012, 16,	78
836	Timing for initiation of continuous renal replacement therapy in patients with septic shock and acute kidney injury. 2012, 16,	78
835	Early application of CVVH In the complex treatment of patients with early severe acute pancreatitis. 2012, 16,	1

834	Timing of the initiation of continuous renal replacement therapy and clinical outcome in patients with severe sepsis and septic shock. 2012 , 16,	78
833	Amino acid concentrations in serum, urine and dialysate/ultrafiltrate solutions of continuous venovenous hemodiafiltration patients. 2012 , 16,	78
832	Evaluation of the potential adverse effects associated with calcium carbonate precipitate during continuous venovenous hemofiltration. 2012 , 16,	78
831	Regional citrate anticoagulation in CVVH: a new protocol combining citrate solution with a phosphate-containing replacement fluid. 2012 , 16,	78
830	Regional citrate anticoagulation with a low-concentration solution in predilution-postdilution CVVH. 2012 , 16,	78
829	Exposure to intermittent hemodialysis and renal recovery after acute kidney injury: a systematic review. 2012 , 16,	2
828	Sustained low-efficiency dialysis for renal replacement therapy in the ICU: a cost-benefit analysis of the years 2006 to 2010. 2012 , 16,	78
827	Whole-body direct 4D parametric PET imaging employing nested generalized Patlak expectation-maximization reconstruction. 2016 , 61, 5456-85	54
826	Optimizing 18F-FDG Uptake Time Before Imaging Improves the Accuracy of PET/CT in Liver Lesions. 2016 , 44, 70-2	5
825	Brain aerobic glycolysis and motor adaptation learning. 2016 , 113, E3782-91	45
824	Brain imaging of neurovascular dysfunction in Alzheimer's disease. 2016 , 131, 687-707	124
823	Blood-brain barrier transport kinetics of the neuromedin peptides NMU, NMN, NMB and NT. 2016 , 107, 460-470	13
822	Comparison of Tumor Uptake Heterogeneity Characterization Between Static and Parametric 18F-FDG PET Images in Non-Small Cell Lung Cancer. 2016 , 57, 1033-9	25
821	Positron Emission Tomography (PET) Use in Pharmacology. 2016 , 49-70	
820	Low-dose volume perfusion computed tomography (VPCT) for diagnosis of solitary pulmonary nodules. 2016 , 85, 1208-18	7
819	Dynamic Contrast-Enhanced MRI to Study Atherosclerotic Plaque Microvasculature. 2016 , 18, 33	11
818	Correlation of volumetric perfusion CT parameters with hypoxia inducible factor-1 alpha expression in a rabbit VX2 tumor model. 2016 , 57, 708-15	1
817	Relationship of metabolic and endocrine parameters to brain glucose metabolism in older adults: do cognitively-normal older adults have a particular metabolic phenotype?. 2016 , 17, 241-55	16

816	Evaluation of CT perfusion parameters for assessment of split renal function in healthy donors. 2016 , 47, 1681-1688	5
815	Positron Emission Tomography. 2016 , 99-117	
814	Preclinical PET imaging of EGFR levels: pairing a targeting with a non-targeting Sel-tagged Affibody-based tracer to estimate the specific uptake. 2016 , 6, 58	11
813	Tau Proteins Cross the Blood-Brain Barrier. 2017 , 55, 411-419	25
812	Nano-particle delivery of brain derived neurotrophic factor after focal cerebral ischemia reduces tissue injury and enhances behavioral recovery. 2016 , 150-151, 48-56	53
811	Composition and Function of the Interstitial Fluid. 2016 , 1-42	
810	Exenatide improves both hepatic and adipose tissue insulin resistance: A dynamic positron emission tomography study. 2016 , 64, 2028-2037	58
809	Evaluation of glioblastomas and lymphomas with whole-brain CT perfusion: Comparison between a delay-invariant singular-value decomposition algorithm and a Patlak plot. 2016 , 43, 266-72	7
808	Discovery of a novel glucose metabolism in cancer: The role of endoplasmic reticulum beyond glycolysis and pentose phosphate shunt. 2016 , 6, 25092	52
807	Mismatch of Low Perfusion and High Permeability Predicts Hemorrhagic Transformation Region in Acute Ischemic Stroke Patients Treated with Intra-arterial Thrombolysis. 2016 , 6, 27950	4
806	Heat shock protein-based therapy as a potential candidate for treating the sphingolipidoses. 2016 , 8, 355ra118	96
805	Divergent targets of glycolysis and oxidative phosphorylation result in additive effects of metformin and starvation in colon and breast cancer. 2016 , 6, 19569	34
804	Right ventricular metabolic adaptations to high-intensity interval and moderate-intensity continuous training in healthy middle-aged men. 2016 , 311, H667-75	18
803	Monitoring Tumor Hypoxia Using (18)F-FMISO PET and Pharmacokinetics Modeling after Photodynamic Therapy. 2016 , 6, 31551	24
802	A renal vascular compartment segmentation method based on dynamic contrast-enhanced images. 2016 , 24 Suppl 2, S631-9	2
801	Direct estimation of permeability maps for low-dose CT perfusion. 2016 ,	1
800	18F-FDG:18F-NaF PET/MR multi-parametric imaging with kinetics-based bone segmentation for enhanced dual-tracer PET quantification. 2016 ,	3
799	Quantitative Perfusion and Permeability Biomarkers in Brain Cancer from Tomographic CT and MR Images. 2016 , 8, 47-59	9

798	Optimal 2-[(18)F]fluoro-2-deoxy-D-galactose PET/CT protocol for detection of hepatocellular carcinoma. 2016 , 6, 56	9
797	Noninvasive bi-graphical analysis for the quantification of slowly reversible radioligand binding. 2016 , 61, 6770-6790	3
796	Regularized linear resolution of a one-compartment model to improve the reproducibility of perfusion parameters in CEUS. 2016 ,	
795	Cerebral metabolic rate of glucose quantification with the aortic image-derived input function and Patlak method: numerical and patient data evaluation. 2016 , 37, 849-59	2
794	Isoattenuating insulinomas at biphasic contrast-enhanced CT: frequency, clinicopathologic features and perfusion characteristics. 2016 , 26, 3697-705	15
793	Evolving Role of Molecular Imaging with (18)F-Sodium Fluoride PET as a Biomarker for Calcium Metabolism. 2016 , 14, 115-25	51
792	Assessment of myocardial metabolic flexibility and work efficiency in human type 2 diabetes using 16-[18F]fluoro-4-thiopalmitate, a novel PET fatty acid tracer. 2016 , 310, E452-60	38
791	Mathematical Models of Contrast Transport Kinetics for Cancer Diagnostic Imaging: A Review. 2016 , 9, 121-47	19
790	Ultrafast Bilateral DCE-MRI of the Breast with Conventional Fourier Sampling: Preliminary Evaluation of Semi-quantitative Analysis. 2016 , 23, 1137-44	54
789	Neurovascular unit impairment in early Alzheimer's disease measured with magnetic resonance imaging. 2016 , 45, 190-196	109
788	Dual-Energy Perfusion-CT in Recurrent Pancreatic Cancer - Preliminary Results. 2016 , 188, 559-65	9
787	Blood-Brain Barrier Leakage in Patients with Early Alzheimer Disease. 2016 , 281, 527-535	276
786	Serotonin synthesis rate and the tryptophan hydroxylase-2: G-703T polymorphism in social anxiety disorder. 2016 , 30, 1028-35	24
785	Image-derived arterial input function for quantitative fluorescence imaging of receptor-drug binding in vivo. 2016 , 9, 282-95	5
784	Blood-brain barrier transport kinetics of the cyclic depsipeptide mycotoxins beauvericin and enniatins. 2016 , 258, 175-184	13
783	Tracer kinetic modelling for DCE-MRI quantification of subtle blood-brain barrier permeability. 2016 , 125, 446-455	86
782	Theoretical Analysis of Penalized Maximum-Likelihood Patlak Parametric Image Reconstruction in Dynamic PET for Lesion Detection. 2016 , 35, 947-56	4
781	SOD1 nanozyme with reduced toxicity and MPS accumulation. 2016 , 231, 38-49	36

780	Underestimation of myocardial blood flow by dynamic perfusion CT: Explanations by two-compartment model analysis and limited temporal sampling of dynamic CT. 2016 , 10, 207-14		33
779	Model-based extraction of input and organ functions in dynamic scintigraphic imaging. 2016 , 4, 135-145		1
778	A simple method for determining split renal function from dynamic (99m)Tc-MAG3 scintigraphic data. 2016 , 43, 550-8		10
777	(18)F-FDG PET/CT quantification in head and neck squamous cell cancer: principles, technical issues and clinical applications. 2016 , 43, 1360-75		27
776	Whole-body dynamic imaging with continuous bed motion PET/CT. 2016 , 37, 428-31		10
775	Analysis of Multicontrast Carotid Plaque MR Imaging. 2016 , 26, 13-28		2
774	Overlapping expression of serotonin transporters and neurokinin-1 receptors in posttraumatic stress disorder: a multi-tracer PET study. 2016 , 21, 1400-7		16
773	Determination of the unmetabolised (18)F-FDG fraction by using an extension of simplified kinetic analysis method: clinical evaluation in paragangliomas. 2016 , 54, 103-11		9
772	Lung inhomogeneities, inflation and [18F]2-fluoro-2-deoxy-D-glucose uptake rate in acute respiratory distress syndrome. 2016 , 47, 233-42		34
771	Qualitative interpretation of PET scans using a Likert scale to assess neck node response to radiotherapy in head and neck cancer. 2016 , 43, 609-16		27
770	Resistance training improves skeletal muscle insulin sensitivity in elderly offspring of overweight and obese mothers. 2016 , 59, 77-86		22
769	Consensus statement for diagnosis of subcortical small vessel disease. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2016 , 36, 6-25	7-3	112
768	Quantification of Dynamic [18F]FDG Pet Studies in Acute Lung Injury. 2016 , 18, 143-52		12
767	Relation between stroke severity, patient characteristics and CT-perfusion derived blood-brain barrier permeability measurements in acute ischemic stroke. 2016 , 26, 415-421		14
766	The blood-brain barrier in systemic inflammation. 2017 , 60, 1-12		465
765	Estimation of an image derived input function with MR-defined carotid arteries in FDG-PET human studies using a novel partial volume correction method. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2017 , 37, 1398-1409	7-3	27
764	CT Permeability Imaging Predicts Clinical Outcomes in Acute Ischemic Stroke Patients Treated with Intra-arterial Thrombolytic Therapy. 2017 , 54, 2539-2546		3
763	Quantification of tumor perfusion using dynamic contrast-enhanced ultrasound: impact of mathematical modeling. 2017 , 62, 1113-1125		7

762	Association between volume and glucose metabolism of abdominal adipose tissue in healthy population. 2017 , 11, 133-143	12
761	Dietary fatty acid metabolism of brown adipose tissue in cold-acclimated men. 2017 , 8, 14146	84
760	Rolapitant Absolute Bioavailability and PET Imaging Studies in Healthy Adult Volunteers. 2017 , 102, 332-339	19
759	Measuring subtle leakage of the blood-brain barrier in cerebrovascular disease with DCE-MRI: Test-retest reproducibility and its influencing factors. 2017 , 46, 159-166	22
758	Inhibition of Intracellular Triglyceride Lipolysis Suppresses Cold-Induced Brown Adipose Tissue Metabolism and Increases Shivering in Humans. 2017 , 25, 438-447	107
757	A continuous-infusion dynamic MRI model at 3.0 Tesla for the serial quantitative evaluation of microvascular proliferation in an animal model of glioblastoma multiforme. 2017 , 78, 1824-1838	
756	Spatial distribution of resting-state BOLD regional homogeneity as a predictor of brain glucose uptake: A study in healthy aging. 2017 , 150, 14-22	27
755	Cryogel-supported stem cell factory for customized sustained release of bispecific antibodies for cancer immunotherapy. 2017 , 7, 42855	37
754	Blood-Brain Barrier Leakage in Early Alzheimer Disease. 2017 , 282, 923-925	4
753	A Variational Bayesian inference method for parametric imaging of PET data. 2017 , 150, 136-149	15
752	Dual time point method for the quantification of irreversible tracer kinetics: A reference tissue approach applied to [F]-FDOPA brain PET. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2017 , 37, 3124-3134 ³	73
751	Nonlinear PET parametric image reconstruction with MRI information using kernel method. 2017 ,	1
750	MRI of Vascularized Tissue-Engineered Organs. 2017 , 311-331	
749	Vessel wall and adventitial DCE-MRI parameters demonstrate similar correlations with carotid plaque microvasculature on histology. 2017 , 46, 1053-1059	9
748	A 3-Month Aerobic Training Program Improves Brain Energy Metabolism in 'Mild' Alzheimer's Disease: Preliminary Results from a Neuroimaging Study. 2017 , 56, 1459-1468	37
747	Acute Temporal Changes of MRI-Tracked Tumor Vascular Parameters after Combined Anti-angiogenic and Radiation Treatments in a Rat Glioma Model: Identifying Signatures of Synergism. 2017 , 187, 79-88	10
746	State of the art in vivo imaging techniques for laboratory animals. 2017 , 51, 465-478	34
745	Personalized Pathway-Activated Systems Imaging in Oncology. 2017 ,	1

744	C-L-methyl methionine dynamic PET/CT of skeletal muscle: response to protein supplementation compared to L-[ring C] phenylalanine infusion with serial muscle biopsy. 2017 , 31, 295-303	2
743	Quantification of Tumor Hypoxic Fractions Using Positron Emission Tomography with [F]Fluoromisonidazole ([F]FMISO) Kinetic Analysis and Invasive Oxygen Measurements. 2017 , 19, 893-902	13
742	Subtle blood-brain barrier leakage rate and spatial extent: Considerations for dynamic contrast-enhanced MRI. 2017 , 44, 4112-4125	51
741	A Basic ApoE-Based Peptide Mediator to Deliver Proteins across the Blood-Brain Barrier: Long-Term Efficacy, Toxicity, and Mechanism. 2017 , 25, 1531-1543	15
740	Serum amyloid A: an ozone-induced circulating factor with potentially important functions in the lung-brain axis. 2017 , 31, 3950-3965	20
739	A virtual clinical trial comparing static versus dynamic PET imaging in measuring response to breast cancer therapy. 2017 , 62, 3639-3655	10
738	Parametric Method Performance for Dynamic 3'-Deoxy-3'-F-Fluorothymidine PET/CT in Epidermal Growth Factor Receptor-Mutated Non-Small Cell Lung Carcinoma Patients Before and During Therapy. 2017 , 58, 920-925	3
737	Quantitative magnetic resonance imaging biomarkers in oncological clinical trials: Current techniques and standardization challenges. 2017 , 3, 8-20	7
736	Intranasal delivery of N-terminal modified leptin-pluronic conjugate for treatment of obesity. 2017 , 263, 172-184	21
735	Evaluation of [C] and [C]Sucrose as Blood-Brain Barrier Permeability Markers. 2017 , 106, 1659-1669	15
734	F-Fluoride and F-Fluorodeoxyglucose Positron Emission Tomography After Transient Ischemic Attack or Minor Ischemic Stroke: Case-Control Study. 2017 , 10,	62
733	Abscisic acid enhances glucose disposal and induces brown fat activity in adipocytes in vitro and in vivo. 2017 , 1862, 131-144	24
732	Correlation between CT perfusion parameters and Fuhrman grade in pT1b renal cell carcinoma. 2017 , 42, 1464-1471	7
731	Diagnostic and Therapeutic Nuclear Medicine for Neuroendocrine Tumors. 2017 ,	0
730	DCE-MRI blood-brain barrier assessment in acute ischemic stroke. 2017 , 88, 433-440	56
729	Radionuclide Imaging of Pheochromocytoma and Paraganglioma in the Era of Multi-omics. 2017 , 251-268	
728	Population Pharmacokinetic Approach Applied to Positron Emission Tomography: Computed Tomography for Tumor Tissue Identification in Patients with Glioma. 2017 , 56, 953-961	1
727	Multi-detector CT: Liver protocol and recent developments. 2017 , 97, 101-109	17

726	Ischemic Stroke Patients Demonstrate Increased Carotid Plaque Microvasculature Compared to (Ocular) Transient Ischemic Attack Patients. 2017 , 44, 297-303	6
725	Single cocaine exposure does not alter striatal pre-synaptic dopamine function in mice: an [¹⁸ F]-FDOPA PET study. 2017 , 143, 551-560	5
724	Pseudo-extravasation rate constant of dynamic susceptibility contrast-MRI determined from pharmacokinetic first principles. 2017 , 30, e3797	
723	Longitudinal Evaluation of Myocardial Fatty Acid and Glucose Metabolism in Fasted and Nonfasted Spontaneously Hypertensive Rats Using MicroPET/CT. 2017 , 16, 1536012117724558	3
722	Reproducibility and relative stability in magnetic resonance imaging indices of tumor vascular physiology over a period of 24h in a rat 9L gliosarcoma model. 2017 , 44, 131-139	4
721	Focal Low and Global High Permeability Predict the Possibility, Risk, and Location of Hemorrhagic Transformation following Intra-Arterial Thrombolysis Therapy in Acute Stroke. 2017 , 38, 1730-1736	10
720	Impact of Recirculation in Dynamic Contrast-Enhanced Ultrasound: A Simulation Study. 2017 , 38, 179-189	0
719	Non-invasive assessment of microvascular dysfunction in patients with microvascular angina. 2017 , 248, 433-439	17
718	In Vivo Quantification of ERβ Expression by Pharmacokinetic Modeling: Studies with F-FHNP PET. 2017 , 58, 1743-1748	5
717	Determination of an Optimal Pharmacokinetic Model of F-FET for Quantitative Applications in Rat Brain Tumors. 2017 , 58, 1278-1284	11
716	Brain amyloid PET interpretation approaches: from visual assessment in the clinic to quantitative pharmacokinetic modeling. 2017 , 5, 561-573	3
715	Quantitation-Nuclear Medicine. 23-27	
714	Magnetic Particle Imaging for Highly Sensitive, Quantitative, and Safe in Vivo Gut Bleed Detection in a Murine Model. 2017 , 11, 12067-12076	80
713	ESMRMB 2017, 34th Annual Scientific Meeting, Barcelona, ES, October 19-October 21: Electronic Posters / Paper Posters / Clinical Review Posters / Software Exhibits. 2017 , 30, 501-692	
712	Doxorubicin Effect on Myocardial Metabolism as a Prerequisite for Subsequent Development of Cardiac Toxicity: A Translational F-FDG PET/CT Observation. 2017 , 58, 1638-1645	42
711	Dynamic contrast-enhanced MR imaging of carotid vasa vasorum in relation to coronary and cerebrovascular events. 2017 , 263, 420-426	11
710	Macrophage exosomes as natural nanocarriers for protein delivery to inflamed brain. 2017 , 142, 1-12	252
709	The Implication of the Thalamus in Speech Disturbance in a Boy with Rolandic Epilepsy. 2017 , 06, 115-118	

708	Quantitative positron emission tomography in brain research. 2017 , 1670, 220-234	27
707	Prognostic Molecular and Imaging Biomarkers in Primary Glioblastoma. 2017 , 42, 341-347	19
706	Parametric Net Influx Rate Images of Ga-DOTATOC and Ga-DOTATATE: Quantitative Accuracy and Improved Image Contrast. 2017 , 58, 744-749	17
705	Compartmental Modeling in PET Kinetics. 2017 , 323-352	
704	Estimation of the binding potential BP without a reference region or blood samples for brain PET studies. 2017 , 146, 121-131	7
703	Quantitative Fluorescence Microscopy Measures Vascular Pore Size in Primary and Metastatic Brain Tumors. 2017 , 77, 238-246	40
702	Predictive value of [F]-fluoride PET for monitoring bone remodeling in patients with orthopedic conditions treated with a Taylor spatial frame. 2017 , 44, 441-448	1
701	Feasibility of triphasic CT with a modified two-point Patlak plot to determine spit kidney glomerular filtration rate in clinical practice. 2017 , 42, 226-235	3
700	Determination of Glomerular Filtration Rate with CT Measurement of Renal Clearance of Iodinated Contrast Material versus Tc-DTPA Dynamic Imaging "Gates" Method: A Validation Study in Asymmetrical Renal Disease. 2017 , 282, 552-560	21
699	Federated optimisation of kinetic analysis problems. 2017 , 35, 116-132	
698	Inverse relationship between brain glucose and ketone metabolism in adults during short-term moderate dietary ketosis: A dual tracer quantitative positron emission tomography study. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2017 , 37, 2485-2493	7.3 80
697	Comparison of linear and nonlinear implementation of the compartmental tissue uptake model for dynamic contrast-enhanced MRI. 2017 , 77, 2414-2423	9
696	Sodium fluoride PET imaging as a quantitative pharmacodynamic biomarker for bone homeostasis during anti-DKK1 therapy for multiple myeloma. 2017 , 7, e615	6
695	. 2017 ,	4
694	Carotid Artery Stenting and Blood-Brain Barrier Permeability in Subjects with Chronic Carotid Artery Stenosis. 2017 , 18,	8
693	Drug Delivery to the Brain: Pharmacokinetic Concepts. 2017 , 69-89	1
692	Kinetic Modelling of Infection Tracers [F]FDG, [Ga]Ga-Citrate, [C]Methionine, and [C]Donepezil in a Porcine Osteomyelitis Model. 2017 , 2017, 9256858	6
691	Standardized Input Function for 18F-FDG PET Studies in Mice: A Cautionary Study. 2017 , 12, e0168667	3

690	High-permeability region size on perfusion CT predicts hemorrhagic transformation after intravenous thrombolysis in stroke. 2017 , 12, e0188238	12
689	Impact of tissue transport on PET hypoxia quantification in pancreatic tumours. 2017 , 7, 101	4
688	Transmission of β -synuclein-containing erythrocyte-derived extracellular vesicles across the blood-brain barrier via adsorptive mediated transcytosis: another mechanism for initiation and progression of Parkinson's disease?. 2017 , 5, 71	118
687	Strategies to Improve Direct EM Patlak Reconstructions. 2017 ,	
686	Clinical Whole Body CBM Parametric PET with Flexible Scan Modes. 2017 ,	3
685	. 2017 ,	7
684	Direct 4D Patlak 18F-FDG PET/MR for the Multi-Parametric Assessment of active cardiac sarcoidosis. 2017 ,	1
683	Direct Patlak Reconstruction From Dynamic PET Data Using the Kernel Method With MRI Information Based on Structural Similarity. 2018 , 37, 955-965	47
682	Positron Emission Tomography (PET) Imaging. 2018 , 164-187	
681	Measurement of blood-brain barrier permeability using dynamic contrast-enhanced magnetic resonance imaging with reduced scan time. 2018 , 80, 1686-1696	4
680	Quantification of Functional Heterogeneities in Tumors by PET Imaging. 2018 , 395-410	
679	Vascular tight junction disruption and angiogenesis in spontaneously hypertensive rat with neuroinflammatory white matter injury. 2018 , 114, 95-110	36
678	Brain serotonin synthesis capacity in obsessive-compulsive disorder: effects of cognitive behavioral therapy and sertraline. 2018 , 8, 82	22
677	Cortico-Amygdala-Striatal Activation by Modafinil/Flecainide Combination. 2018 , 21, 687-696	14
676	Non-invasive vagus nerve stimulation reduces blood-brain barrier disruption in a rat model of ischemic stroke. 2018 , 11, 689-698	34
675	PET Imaging of the 5-HT _{2A} Receptor System: A Tool to Study the Receptor's In Vivo Brain Function. 2018 , 85-134	5
674	Dynamic PET image reconstruction integrating temporal regularization associated with respiratory motion correction for applications in oncology. 2018 , 63, 045012	8
673	PET/MRI: Reliability/Reproducibility of SUV Measurements. 2018 , 97-114	

672	Computed Tomography Perfusion Derived Blood-Brain Barrier Permeability Does Not Yet Improve Prediction of Hemorrhagic Transformation. 2018 , 45, 26-32		13
671	Incremental diagnostic information obtained via novel Dynamic Contrast Enhanced MRI framework applied on Multiple Sclerosis patients: A preliminary study. 2018 ,		1
670	Comparison of three-parameter kinetic model analysis to standard Patlak's analysis in F-FDG PET imaging of lung cancer patients. 2018 , 8, 24		9
669	Effects of intravenous thyrotropin-releasing hormone on F-fluorodeoxyglucose uptake in human brown adipose tissue: a randomized controlled trial. 2018 , 179, 31-38		8
668	Static and Functional MR Urography to Assess Congenital Anomalies of the Kidney and Urinary Tract in Infants and Children: Comparison With MAG3 Renal Scintigraphy and Sonography. 2018 , 211, 193-203		9
667	Toward a noninvasive estimate of interstitial fluid pressure by dynamic contrast-enhanced MRI in a rat model of cerebral tumor. 2018 , 80, 2040-2052		13
666	Evaluation of Lu[Lu]-CHX-A?-DTPA-6A10 Fab as a radioimmunotherapy agent targeting carbonic anhydrase XII. 2018 , 60, 55-62		15
665	Steady-state relationship between average glucose, HbA1c and RBC lifespan. 2018 , 447, 111-117		10
664	Diagnostic value of quantitative assessment of cardiac F-fluoro-2-deoxyglucose uptake in suspected cardiac sarcoidosis. 2018 , 32, 319-327		15
663	Positron emission tomography of sodium glucose cotransport activity in high grade astrocytomas. 2018 , 138, 557-569		19
662	Does Regional Lung Strain Correlate With Regional Inflammation in Acute Respiratory Distress Syndrome During Nonprotective Ventilation? An Experimental Porcine Study. 2018 , 46, e591-e599		26
661	Hybrid Magnetic Resonance Imaging and Positron Emission Tomography With Fluorodeoxyglucose to Diagnose Active Cardiac Sarcoidosis. 2018 , 11, 94-107		94
660	Large coverage black-bright blood interleaved imaging sequence (LaBBI) for 3D dynamic contrast-enhanced MRI of vessel wall. 2018 , 79, 1334-1344		2
659	Insulin differentially affects the distribution kinetics of amyloid beta 40 and 42 in plasma and brain. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2018 , 38, 904-918	7-3	26
658	[F]FDOPA positron emission tomography in manganese-exposed workers. 2018 , 64, 43-49		17
657	Determination of single-kidney glomerular filtration rate (GFR) with CT urography versus renal dynamic imaging Gates method. 2018 , 28, 1077-1084		11
656	In vivo C MRS in the mouse brain at 14.1 Tesla and metabolic flux quantification under infusion of [1,6-C]glucose. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2018 , 38, 1701-1714	7-3	12
655	Changes in [F]Fluorodeoxyglucose Activities in a Shockwave-Induced Traumatic Brain Injury Model Using Lithotripsy. 2018 , 35, 187-194		3

654	Textural features of dynamic contrast-enhanced MRI derived model-free and model-based parameter maps in glioma grading. 2018 , 47, 1099-1111	34
653	Whole-Body Imaging of Tissue-specific Insulin Sensitivity and Body Composition by Using an Integrated PET/MR System: A Feasibility Study. 2018 , 286, 271-278	19
652	Perfusion and Permeability Imaging for Head and Neck Cancer: Theory, Acquisition, Postprocessing, and Relevance to Clinical Imaging. 2018 , 26, 19-35	8
651	Effect of controlled cortical impact on the passage of pituitary adenylate cyclase activating polypeptide (PACAP) across the blood-brain barrier. 2018 , 99, 8-13	5
650	Use of patient outcome endpoints to identify the best functional CT imaging parameters in metastatic renal cell carcinoma patients. 2018 , 91, 20160795	8
649	Adaptive Weighted Nonlinear Least Squares Method for Fluorodeoxyglucose Positron Emission Tomography Quantification. 2018 , 38, 63-75	2
648	Oxygen metabolism in acute ischemic stroke. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2018 , 38, 1481-1499	7-3 26
647	Methods for quantification of cerebral glycolytic metabolism using 2-deoxy-2-[18 F]fluoroglucose in small animals. 2018 , 34, 254-272	
646	Permeability changes and effect of chemotherapy in brain adjacent to tumor in an experimental model of metastatic brain tumor from breast cancer. 2018 , 18, 1225	6
645	Unexpected decrease in in vivo binding of [H]QNB in the mouse cerebral cortex in the developing brain - A comparison with [C]NMPB. 2018 , 67, 15-20	2
644	A new methodology to derive 3D kinetic parametric FDG PET images based on a mathematical approach integrating an error model of measurement. 2018 , 8, 99	0
643	Improved quantitation and reproducibility in multi-PET/CT lung studies by combining CT information. 2018 , 5, 14	2
642	Inflammation and primary graft dysfunction after lung transplantation: CT-PET findings. 2018 , 84, 1169-1177	4
641	Effect of starvation on brain glucose metabolism and F-2-fluoro-2-deoxyglucose uptake: an experimental in-vivo and ex-vivo study. 2018 , 8, 44	9
640	The kinetics of F-FDG in lung cancer: compartmental models and voxel analysis. 2018 , 8, 88	3
639	. 2018 ,	48
638	Quantification of Contrast Kinetics in Clinical Imaging. 2018 ,	1
637	Stroke Recovery in Rats after 24-Hour-Delayed Intramuscular Neurotrophin-3 Infusion. 2019 , 85, 32-46	7

636	Ghrelin transport across the blood-brain barrier can occur independently of the growth hormone secretagogue receptor. 2018 , 18, 88-96	39
635	No evidence for direct effects of recombinant human erythropoietin on cerebral blood flow and metabolism in healthy humans. 2018 , 124, 1107-1116	2
634	Positronen-Emissions-Tomographie. 2018 , 349-364	
633	Simultaneous characterization of tumor cellularity and the Warburg effect with PET, MRI and hyperpolarized C-MRSI. 2018 , 8, 4765-4780	18
632	Direct Estimation of Pharmacokinetic Parameters from DCE-MRI Using Deep CNN with Forward Physical Model Loss. 2018 , 39-47	6
631	A new non-invasive graphical method for quantification of cerebral blood flow with[[Formula: see text]] IMP. 2018 , 32, 620-626	4
630	APPIAN: Automated Pipeline for PET Image Analysis. 2018 , 12, 64	7
629	Advances in PET Methodology. 2018 , 141, 3-30	3
628	Peptide-functionalized and high drug loaded novel nanoparticles as dual-targeting drug delivery system for modulated and controlled release of paclitaxel to brain glioma. 2018 , 553, 169-185	22
627	Functional monoamine oxidase B gene intron 13 polymorphism predicts putaminal dopamine turnover in de novo Parkinson's disease. 2018 , 33, 1496-1501	9
626	Contributions of the glycocalyx, endothelium, and extravascular compartment to the blood-brain barrier. 2018 , 115, E9429-E9438	88
625	In vivo imaging reveals increased eosinophil uptake in the lungs of obese asthmatic patients. 2018 , 142, 1659-1662.e8	17
624	Association between amygdala neurokinin-1 receptor availability and anxiety-related personality traits. 2018 , 8, 168	5
623	Tracer Kinetics in Radionanomedicine. 2018 , 293-310	
622	Likelihood estimation of drug occupancy for brain PET studies. 2018 , 178, 255-265	7
621	Inward Glucose Transfer Accounts for Insulin-Dependent Increase in Brain Glucose Metabolism Associated with Diet-Induced Obesity. 2018 , 26, 1322-1331	9
620	Hybrid Imaging: Instrumentation and Data Processing. 2018 , 6,	18
619	Insulin transport across the blood-brain barrier can occur independently of the insulin receptor. 2018 , 596, 4753-4765	53

618	Molecular Imaging of Sirtuin1 Expression-Activity in Rat Brain Using Positron-Emission Tomography-Magnetic-Resonance Imaging with [F]-2-Fluorobenzoylaminohexanoicanilide. 2018 , 61, 7116-7130	2
617	Blast exposure elicits blood-brain barrier disruption and repair mediated by tight junction integrity and nitric oxide dependent processes. 2018 , 8, 11344	33
616	Interindividual and regional relationship between cerebral blood flow and glucose metabolism in the resting brain. 2018 , 125, 1080-1089	7
615	Telmisartan prevents diet-induced obesity and preserves leptin transport across the blood-brain barrier in high-fat diet-fed mice. 2018 , 470, 1673-1689	14
614	Application of a Novel Murine Ear Vein Model to Evaluate the Effects of a Vascular Radioprotectant on Radiation-Induced Vascular Permeability and Leukocyte Adhesion. 2018 , 190, 12-21	5
613	Radiolabeling Strategies for Boron Clusters. 2018 , 232-267	
612	Variations of quantitative perfusion measurement on dynamic contrast enhanced CT for colorectal cancer: implication of standardized image protocol. 2018 , 63, 165009	4
611	First demonstration of in vivo mapping for regional brain monoacylglycerol lipase using PET with [C]SAR127303. 2018 , 176, 313-320	17
610	Assessing the kidney function parameters glomerular filtration rate and effective renal plasma flow with dynamic FDG-PET/MRI in healthy subjects. 2018 , 8, 37	14
609	Impact of Global Mean Normalization on Regional Glucose Metabolism in the Human Brain. 2018 , 2018, 6120925	6
608	Relative Patlak plot for dynamic PET parametric imaging without the need for early-time input function. 2018 , 63, 165004	5
607	Improved discrimination between benign and malignant LDCT screening-detected lung nodules with dynamic over static F-FDG PET as a function of injected dose. 2018 , 63, 175015	6
606	High Single Doses of Radiation May Induce Elevated Levels of Hypoxia in Early-Stage Non-Small Cell Lung Cancer Tumors. 2018 , 102, 174-183	22
605	Voxel level quantification of [11C]CURB, a radioligand for Fatty Acid Amide Hydrolase, using high resolution positron emission tomography. 2018 , 13, e0192410	2
604	The peroxisome proliferator-activated receptor agonist pioglitazone and 5-lipoxygenase inhibitor zileuton have no effect on lung inflammation in healthy volunteers by positron emission tomography in a single-blind placebo-controlled cohort study. 2018 , 13, e0191783	6
603	Test-Retest Stability of Cerebral 2-Deoxy-2-[F]Fluoro-D-Glucose ([F]FDG) Positron Emission Tomography (PET) in Male and Female Rats. 2019 , 21, 240-248	3
602	Quantitative Analysis of Heterogeneous [F]FDG Static (SUV) vs. Patlak (Ki) Whole-body PET Imaging Using Different Segmentation Methods: a Simulation Study. 2019 , 21, 317-327	11
601	QModeling: a Multiplatform, Easy-to-Use and Open-Source Toolbox for PET Kinetic Analysis. 2019 , 17, 103-114	2

600	A correlative study between diffusion and perfusion MR imaging parameters on peripheral arterial disease data. 2019 , 55, 26-35	3
599	How Long of a Dynamic 3'-Deoxy-3'-[F]fluorothymidine ([F]FLT) PET Acquisition Is Needed for Robust Kinetic Analysis in Breast Cancer?. 2019 , 21, 382-390	2
598	Biological Assessment of a F-Labeled Sulforhodamine 101 in a Mouse Model of Alzheimer's Disease as a Potential Astrocytosis Marker. 2019 , 13, 734	2
597	Imager-4D: New Software for Viewing Dynamic PET Scans and Extracting Radiomic Parameters from PET Data. 2019 , 32, 1071-1080	4
596	Essentials of Quantitative Imaging with PET. 2019 , 219-233	1
595	Impact of non-uniform attenuation correction in a dynamic [F]-FDOPA brain PET/MRI study. 2019 , 9, 77	5
594	Assessment of acute bone loading in humans using [F]NaF PET/MRI. 2019 , 46, 2452-2463	12
593	A modified two-compartment model for measurement of renal function using dynamic contrast-enhanced computed tomography. 2019 , 14, e0219605	7
592	Low-calorie sweeteners augment tissue-specific insulin sensitivity in a large animal model of obesity. 2019 , 46, 2380-2391	4
591	Pharmacokinetics of Drug Delivery Past the BloodBrain Barrier. 2019 , 57-72	1
590	Dynamic Contrast-Enhanced Magnetic Resonance Imaging in Brain Tumors. 2019 , 405-428	
589	Measurement of Glomerular Filtration Rate Using Multiphasic Computed Tomography in Patients With Unilateral Renal Tumors: A Feasibility Study. 2019 , 10, 1209	3
588	Quantitative imaging biomarkers in nuclear medicine: from SUV to image mining studies. Highlights from annals of nuclear medicine 2018. 2019 , 46, 2737-2745	13
587	Multicenter Validation Of Population-Based Input Function With Non-Linear Mixed Effect Modeling For Voxel-Wise Quantification Of [18F]Fdg Metabolic Rate. 2019 ,	1
586	[F]-Sodium Fluoride PET/MR Imaging for Bone-Cartilage Interactions in Hip Osteoarthritis: A Feasibility Study. 2019 , 37, 2671-2680	10
585	Quantification of F-DCFPyL Uptake: TBR Versus Patlak's Analysis. 2019 , 60, 1834	2
584	Quantification of PET Studies. 2019 , 26, 2045-2047	
583	Practical Methods for Estimating Metabolic Flux (Ki) to Assess Response to Therapy via Static PET Scans. 2019 , 60, 320-321	0

582	Data-driven voluntary body motion detection and non-rigid event-by-event correction for static and dynamic PET. 2019 , 64, 065002	20
581	In vivo positron emission tomographic blood pool imaging in an immunodeficient mouse model using 18F-fluorodeoxyglucose labeled human erythrocytes. 2019 , 14, e0211012	2
580	Convolutional Neural Networks for Direct Inference of Pharmacokinetic Parameters: Application to Stroke Dynamic Contrast-Enhanced MRI. 2018 , 9, 1147	12
579	Structural and Functional Imaging of Muscle, Heart, Endocrine Pancreas and Kidneys in Cardiometabolic Drug Development. 2019 , 161-189	
578	Human Positron Emission Tomography Neuroimaging. 2019 , 21, 551-581	24
577	Trial of magnetic resonance-guided putaminal gene therapy for advanced Parkinson's disease. 2019 , 34, 1073-1078	48
576	Zr-Immuno-PET: Toward a Noninvasive Clinical Tool to Measure Target Engagement of Therapeutic Antibodies In Vivo. 2019 , 60, 1825-1832	15
575	Immuno-PET to Optimize the Dose of Monoclonal Antibodies for Cancer Therapy: How Much Is Enough?. 2019 , 60, 899-901	1
574	Kinetic Modeling of Radiotracers. 2019 , 501-514	1
573	Magnetic Resonance Imaging Is More Sensitive Than PET for Detecting Treatment-Induced Cell Death-Dependent Changes in Glycolysis. 2019 , 79, 3557-3569	21
572	Effects of short-term sprint interval and moderate-intensity continuous training on liver fat content, lipoprotein profile, and substrate uptake: a randomized trial. 2019 , 126, 1756-1768	7
571	Porous medium 3D flow simulation of contrast media washout in cardiac MRI reflects myocardial injury. 2019 , 82, 775-785	
570	Reduced striatal dopamine synthesis capacity in patients with schizophrenia during remission of positive symptoms. 2019 , 142, 1813-1826	32
569	Quality-based pharmacokinetic model selection on DCE-MRI for characterizing orbital lesions. 2019 , 50, 1514-1525	8
568	Symptomatic Carotid Plaques Demonstrate Less Leaky Plaque Microvasculature Compared With the Contralateral Side: A Dynamic Contrast-Enhanced Magnetic Resonance Imaging Study. 2019 , 8, e011832	1
567	Volumetric X-ray Imaging. 2019 , 243-269	
566	Links Between Metabolic and Structural Changes in the Brain of Cognitively Normal Older Adults: A 4-Year Longitudinal Follow-Up. 2019 , 11, 15	15
565	Microvasculature and intraplaque hemorrhage in atherosclerotic carotid lesions: a cardiovascular magnetic resonance imaging study. 2019 , 21, 15	6

564	Blood-brain barrier impairment and hypoperfusion are linked in cerebral small vessel disease. 2019 , 92, e1669-e1677	71
563	Immuno-PET Imaging to Assess Target Engagement: Experience from Zr-Anti-HER3 mAb (GSK2849330) in Patients with Solid Tumors. 2019 , 60, 902-909	23
562	A randomised, placebo-controlled study of omipalisib (PI3K/mTOR) in idiopathic pulmonary fibrosis. 2019 , 53,	61
561	Detection of Active Caspase-3 in Mouse Models of Stroke and Alzheimer's Disease with a Novel Dual Positron Emission Tomography/Fluorescent Tracer [Ga]Ga-TC3-OGDOTA. 2019 , 2019, 6403274	12
560	The features of cerebral permeability and perfusion detected by dynamic contrast-enhanced magnetic resonance imaging with Patlak model in relapsing-remitting multiple sclerosis. 2019 , 15, 233-240	6
559	G6Pase location in the endoplasmic reticulum: Implications on compartmental analysis of FDG uptake in cancer cells. 2019 , 9, 2794	13
558	Noninvasive Estimation of Macro-parameters for Dynamic PET Images Using Deep learning. 2019 ,	
557	Correlation of DWI and DCE MRI Markers for the Study of Perfusion of the Lower Limb in Patients with Peripheral Arterial Disease. 2019 ,	
556	Modest Blood-Brain Barrier Permeability of the Cyclodextrin Kleptose: Modification by Efflux and Luminal Surface Binding. 2019 , 371, 121-129	5
555	. 2019 ,	0
554	Kinetic Modelling of [Ga]Ga-DOTA-Siglec-9 in Porcine Osteomyelitis and Soft Tissue Infections. 2019 , 24,	5
553	Imaging the Injured Lung: Mechanisms of Action and Clinical Use. 2019 , 131, 716-749	14
552	Intrahepatic fluorine-18-fluorodeoxyglucose kinetics measured by least squares nonlinear computer modelling and Gjedde-Patlak-Rutland graphical analysis. 2019 , 40, 675-683	4
551	Kinetic [18F]-Fluoride of the Knee in Normal Volunteers. 2019 , 44, 377-385	8
550	Imaging correlates of the blood-brain barrier disruption in HIV-associated neurocognitive disorder and therapeutic implications. 2019 , 33, 1843-1852	18
549	Perfusion, Diffusion, Or Brain Tumor Barrier Integrity: Which Represents The Glioma Features Best?. 2019 , 11, 9989-10000	7
548	Water-exchange MRI detects subtle blood-brain barrier breakdown in Alzheimer's disease rats. 2019 , 184, 349-358	30
547	Prognostic value of SUR in patients with trimodality treatment of locally advanced esophageal carcinoma. 2018 ,	19

546	Imaging Features of the Whole Uterus Volume CT Perfusion and Influence Factors of Blood Supply: A Primary Study in Patients with Cervical Squamous Carcinoma. 2019 , 26, e216-e223	1
545	Glucose metabolism in the brain in LMNB1-related autosomal dominant leukodystrophy. 2019 , 139, 135-142	4
544	Investigating the Correlation of Ktrans With Semi-Quantitative MRI Parameters Towards More Robust and Reproducible Perfusion Imaging Biomarkers in Three Cancer Types. 2019 , 23, 1855-1862	4
543	Comparative assessment of linear least-squares, nonlinear least-squares, and Patlak graphical method for regional and local quantitative tracer kinetic modeling in cerebral dynamic F-FDG PET. 2019 , 46, 1260-1271	3
542	Application of a Functional3-dimensional Perfusion Model in Laparoscopic Partial Nephrectomy With Precise Segmental Renal Artery Clamping. 2019 , 125, 98-103	6
541	Robust estimation of hemo-dynamic parameters in traditional DCE-MRI models. 2019 , 14, e0209891	4
540	Effects of ketamine/xylazine and isoflurane on rat brain glucose metabolism measured by F-fluorodeoxyglucose-positron emission tomography. 2019 , 49, 51-61	5
539	Imaging tryptophan uptake with positron emission tomography in glioblastoma patients treated with indoximod. 2019 , 141, 111-120	18
538	Blood-brain barrier permeability measured using dynamic contrast-enhanced magnetic resonance imaging: a validation study. 2019 , 597, 699-709	23
537	A nonhuman primate model of early Alzheimer's disease pathologic change: Implications for disease pathogenesis. 2019 , 15, 93-105	44
536	Metabolic Subtyping of Pheochromocytoma and Paraganglioma by F-FDG Pharmacokinetics Using Dynamic PET/CT Scanning. 2019 , 60, 745-751	8
535	Optimizing Texture Retrieving Model for Multimodal MR Image-Based Support Vector Machine for Classifying Glioma. 2019 , 49, 1263-1274	16
534	Obligatory role of endoplasmic reticulum in brain FDG uptake. 2019 , 46, 1184-1196	13
533	Evaluation of the effect of image noise on CT perfusion measurements using digital perfusion phantoms. 2019 , 29, 2089-2097	4
532	Evolving Role of MR Imaging and PET in Assessing Osteoporosis. 2019 , 14, 31-41	9
531	Dynamic whole-body PET imaging: principles, potentials and applications. 2019 , 46, 501-518	62
530	Quantitative PET Imaging in Drug Development: Estimation of Target Occupancy. 2019 , 81, 3508-3541	10
529	Substitution of venous for arterial blood sampling in the determination of regional rates of cerebral protein synthesis with L-[1-C]leucine PET: A validation study. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2019 , 39, 1849-1863	73 4

528	Simultaneous determination of dynamic cardiac metabolism and function using PET/MRI. 2019 , 26, 1946-1957	8
527	Glucagon-like peptide-1 receptor expression after myocardial infarction: Imaging study using Ga-NODAGA-exendin-4 positron emission tomography. 2020 , 27, 2386-2397	9
526	Inter-alpha inhibitor proteins attenuate lipopolysaccharide-induced blood-brain barrier disruption and downregulate circulating interleukin 6 in mice. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2020 , 40, 1090-1102	7-3 14
525	Parametric Imaging With PET and SPECT. 2020 , 4, 1-23	25
524	White matter hyperintensities mediate the association between blood-brain barrier leakage and information processing speed. 2020 , 85, 113-122	21
523	Probabilistic Graphical Models for Dynamic PET: A Novel Approach to Direct Parametric Map Estimation and Image Reconstruction. 2020 , 39, 152-160	2
522	Image-based biomedical data modeling and parametric imaging. 2020 , 461-521	
521	Molecular imaging in biology and pharmacology. 2020 , 523-560	
520	F-Fluorocholine PET uptake correlates with pathologic evidence of recurrent tumor after stereotactic radiosurgery for brain metastases. 2020 , 47, 1446-1457	9
519	Modeling of [F]FEOBV Pharmacokinetics in Rat Brain. 2020 , 22, 931-939	2
518	FDG uptake tracks the oxidative damage in diabetic skeletal muscle: An experimental study. 2020 , 31, 98-108	8
517	PET Parametric Imaging: Past, Present, and Future. 2020 , 4, 663-675	15
516	Regional Differences in Penetration of the Protein Stabilizer Trimethoprim (TMP) in the Rat Central Nervous System. 2020 , 13, 167	
515	Sex and the dopaminergic system: Insights from addiction studies. 2020 , 175, 141-165	1
514	MnDPDP: Contrast Agent for Imaging and Protection of Viable Tissue. 2020 , 2020, 3262835	1
513	Comparative test-retest variability of outcome parameters derived from brain [18F]FDG PET studies in non-human primates. 2020 , 15, e0240228	4
512	Selection of the optimal intensity normalization region for FDG-PET studies of normal aging and Alzheimer's disease. 2020 , 10, 9261	19
511	Increase in blood-brain barrier leakage in healthy, older adults. 2020 , 42, 1183-1193	40

510	A local difference in blood-brain barrier permeability in the caudate putamen and thalamus of a rat brain induced by focused ultrasound. 2020 , 10, 19286	2
509	[C]Methionine and [C]PBR28 as PET Imaging Tracers to Differentiate Metastatic Tumor Recurrence or Radiation Necrosis. 2020 , 19, 1536012120968669	5
508	Spatial heterogeneity of radiolabeled choline positron emission tomography in tumors of patients with non-small cell lung cancer: first-in-patient evaluation of [F]fluoromethyl-(1,2-H)-choline. 2020 , 10, 8677-8690	0
507	Comparison of iterative parametric and indirect deep learning-based reconstruction methods in highly undersampled DCE-MR Imaging of the breast. 2020 , 47, 4838-4861	1
506	Brain uptake pharmacokinetics of incretin receptor agonists showing promise as Alzheimer's and Parkinson's disease therapeutics. 2020 , 180, 114187	20
505	Consensus Recommendations on the Use of F-FDG PET/CT in Lung Disease. 2020 , 61, 1701-1707	4
504	4,4,16-Trifluoropalmitate: Design, Synthesis, Tritiation, Radiofluorination and Preclinical PET Imaging Studies on Myocardial Fatty Acid Oxidation. 2020 , 15, 2317-2331	
503	Basal and cold-induced fatty acid uptake of human brown adipose tissue is impaired in obesity. 2020 , 10, 14373	12
502	Mathematical modelling of nuclear medicine data. 2020 ,	2
501	Aberrant striatal dopamine links topographically with cortico-thalamic dysconnectivity in schizophrenia. 2020 , 143, 3495-3505	5
500	Penalized Parametric PET Image Estimation Using Local Linear Fitting. 2020 , 4, 750-758	0
499	Feasibility study of PET dynamic imaging of [F]DHMT for quantification of reactive oxygen species in the myocardium of large animals. 2020 , 1	2
498	Imaging Mechanisms of Disease Progression in Multiple Sclerosis: Beyond Brain Atrophy. 2020 , 30, 251-266	14
497	Integration of whole-body [F]FDG PET/MRI with non-targeted metabolomics can provide new insights on tissue-specific insulin resistance in type 2 diabetes. 2020 , 10, 8343	2
496	EANM practice guideline/SNMMI procedure standard for dopaminergic imaging in Parkinsonian syndromes 1.0. 2020 , 47, 1885-1912	57
495	FDG PET/CT of the non-malignant liver in an increasingly obese world population. 2020 , 40, 304-319	5
494	Nitric oxide synthase mediates cerebellar dysfunction in mice exposed to repetitive blast-induced mild traumatic brain injury. 2020 , 10, 9420	13
493	Reply to: Fitting of late dynamic [F]MK6240 PET scans for in vivo tau quantification. 2020 , 47, 2947-2949	

492	The neurochemical substrates of habitual and goal-directed control. 2020 , 10, 84	8
491	Noninvasive Estimation of Macro-Parameters by Deep Learning. 2020 , 4, 684-695	4
490	Dopamine promotes cognitive effort by biasing the benefits versus costs of cognitive work. 2020 , 367, 1362-1366	84
489	Development of an In Vivo Method to Estimate Effective Drug Doses and Quantify Fatty Acid Amide Hydrolase in Rodent Brain using Positron Emission Tomography Tracer [¹¹ C]DFMC. 2020 , 373, 353-360	2
488	Magia: Robust Automated Image Processing and Kinetic Modeling Toolbox for PET Neuroinformatics. 2020 , 14, 3	11
487	Fascicle- and Glucose-Specific Deterioration in White Matter Energy Supply in Alzheimer's Disease. 2020 , 76, 863-881	6
486	The impact of acute rosiglitazone on insulin pharmacokinetics at the blood-brain barrier. 2020 , 3, e00149	1
485	Transport of Extracellular Vesicles across the Blood-Brain Barrier: Brain Pharmacokinetics and Effects of Inflammation. 2020 , 21,	82
484	Effect of Dopamine D Receptor Antagonists on [¹⁸ F]-FEOBV Binding. 2020 , 17, 865-872	1
483	Effects of variable versus nonvariable controlled mechanical ventilation on pulmonary inflammation in experimental acute respiratory distress syndrome in pigs. 2020 ,	5
482	[¹⁸ F]Fluciclatide PET as a biomarker of response to combination therapy of pazopanib and paclitaxel in platinum-resistant/refractory ovarian cancer. 2020 , 47, 1239-1251	7
481	PET and SPECT imaging of the brain: a review on the current status of nuclear medicine in Japan. 2020 , 38, 343-357	6
480	Manganese-enhanced T mapping to quantify myocardial viability: validation with F-fluorodeoxyglucose positron emission tomography. 2020 , 10, 2018	4
479	Influx rate constant of F-FDG increases in metastatic lymph nodes of non-small cell lung cancer patients. 2020 , 47, 1198-1208	8
478	Insulin BBB pharmacokinetics in young apoE male and female transgenic mice. 2020 , 15, e0228455	4
477	Data-Driven Motion Detection and Event-by-Event Correction for Brain PET: Comparison with Vicra. 2020 , 61, 1397-1403	10
476	Validation of automated whole-body analysis of metabolic and morphological parameters from an integrated FDG-PET/MRI acquisition. 2020 , 10, 5331	2
475	Dose escalation PET imaging for safety and effective therapy dose optimization of a bispecific antibody. 2020 , 12, 1748322	12

474	Effects of Changes in Analytic Variables and Contrast Material on Measurement of Computed Tomography Glomerular Filtration Rates in Healthy Candidates. 2020 , 44, 217-222		
473	Prognostic value of pretreatment tumor-to-blood standardized uptake ratio (SUR) in rectal cancer. 2020 , 34, 432-440		2
472	The Elusive Link Between Cancer FDG Uptake and Glycolytic Flux Explains the Preserved Diagnostic Accuracy of PET/CT in Diabetes. 2020 , 13, 100752		4
471	Hypoxia and perfusion in breast cancer: simultaneous assessment using PET/MR imaging. 2021 , 31, 333-344		14
470	Short Dietary Intervention with Olive Oil Increases Brown Adipose Tissue Activity in Lean but not Overweight Subjects. 2021 , 106, 472-484		2
469	Radiopharmaceutical Delivery for Theranostics: Pharmacokinetics and Pharmacodynamics. 2021 , 31, 12-19		0
468	Feasibility of Longitudinal Brain PET with Real-Time Arterial Input Function in Rats. 2021 , 23, 350-360		
467	Distinct Uptake Kinetics of Alzheimer Disease Amyloid- 40 and 42 at the Blood-Brain Barrier Endothelium. 2021 , 376, 482-490		4
466	Comparison of blind deconvolution- and Patlak analysis-based methods for determining vascular permeability. 2021 , 133, 104102		1
465	Time-efficient measurement of subtle blood-brain barrier leakage using a T mapping MRI protocol at 7 T. 2021 , 85, 2761-2770		4
464	Estimation of renal function using kidney dynamic contrast material-enhanced CT perfusion: accuracy and feasibility. 2021 , 46, 2045-2051		1
463	Is Patlak y-intercept a relevant metrics?. 2021 , 48, 1287-1290		2
462	Depression and tryptophan metabolism in patients with primary brain tumors: Clinical and molecular imaging correlates. 2021 , 15, 974-985		1
461	Clinical feasibility and impact of fully automated multiparametric PET imaging using direct Patlak reconstruction: evaluation of 103 dynamic whole-body F-FDG PET/CT scans. 2021 , 48, 837-850		6
460	Dynamic Contrast Enhancement (DCE) MRI-Derived Renal Perfusion and Filtration: Basic Concepts. 2021 , 2216, 205-227		
459	Automatic hip abductor muscle fat fraction estimation and association with early OA cartilage degeneration biomarkers. 2021 , 39, 2376-2387		0
458	Understanding the brain uptake and permeability of small molecules through the BBB: A technical overview. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2021 , 41, 1797-1820	7:3	7
457	Simultaneous measurements of myocardial glucose metabolism and extracellular volumes with hybrid PET/MRI using concurrent injections of Gd-DTPA and [F]FDG. 2021 , 1		2

456	Pharmacokinetic Modeling. 2021 , 1625-1631		0
455	Blood-brain barrier permeability in Parkinson's disease patients with and without dyskinesia. 2021 , 268, 2246-2255		2
454	Combined Perfusion and Permeability Imaging Reveals Different Pathophysiologic Tissue Responses After Successful Thrombectomy. 2021 , 12, 799-807		4
453	Magnetic Resonance Imaging for Drug Development. 2021 , 1310, 187-209		
452	Saccades along spatial neural circuit discontinuities.		
451	Value of Patlak Ki images from F-FDG-PET/CT for evaluation of the relationships between disease activity and clinical events in cardiac sarcoidosis. 2021 , 11, 2729		2
450	Quantification of Hypoxia in Human Glioblastoma using PET with 18F-FMISO. 2021 , 55, 107-115		1
449	Comparison of [C]UCB-J and [F]FDG PET in Alzheimer's disease: A tracer kinetic modeling study. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2021 , 41, 2395-2409	7.3	10
448	Clinical perspectives for the use of total body PET/CT. 2021 , 48, 1712-1718		3
447	Noninvasive quantification of nonhuman primate dynamic F-FDG PET imaging. 2021 , 66, 064005		1
446	A ketogenic supplement improves white matter energy supply and processing speed in mild cognitive impairment.		0
445	Comparison of ordered-subset expectation maximization and filtered back projection reconstruction based on quantitative outcome from dynamic [18F]NaF PET images. 2021 , 42, 699-706		2
444	Prospective study of dynamic whole-body 68Ga-DOTATOC-PET/CT acquisition in patients with well-differentiated neuroendocrine tumors. 2021 , 11, 4727		1
443	Cerebral glucose metabolism in bipolar disorder: A voxel-based meta-analysis of positron emission tomography studies. 2021 , 11, e02117		1
442	Alzheimer's disease pathology is associated with earlier alterations to blood-brain barrier water permeability compared with healthy ageing in TgF344-AD rats. 2021 , 34, e4510		7
441	Imaging acute effects of bevacizumab on tumor vascular kinetics in a preclinical orthotopic model of U251 glioma. 2021 , 34, e4516		3
440	Quantitative F-fluorodeoxyglucose positron emission tomography/computed tomography to assess pulmonary inflammation in COPD. 2021 , 7,		0
439	Striatal dopaminergic alterations in individuals with copy number variants at the 22q11.2 genetic locus and their implications for psychosis risk: a [18F]-DOPA PET study. 2021 ,		2

438	Sources of systematic error in DCE-MRI estimation of low-level blood-brain barrier leakage. 2021 , 86, 1888-1903	6
437	Striatal dopamine synthesis capacity reflects smartphone social activity. 2021 , 24, 102497	6
436	Temporal recovery and delayed decline of cognitive functions in patients with hypoxic encephalopathy after cardiac arrest. 2021 , 9, 319-326	
435	TEP numérique: révolution en pratique clinique. 2021 , 45, 162-166	
434	A Review of Mathematics Determining Solute Uptake at the Blood-Brain Barrier in Normal and Pathological Conditions. 2021 , 13,	0
433	Can dynamic imaging, using F-FDG PET/CT and CT perfusion differentiate between benign and malignant pulmonary nodules?. 2021 , 55, 259-267	2
432	In mice and humans, the brain's blood vessels mature postnatally to acquire barrier and contractile properties.	1
431	An automatic framework for evaluating the vascular permeability of bone metastases from prostate cancer. 2021 , 66,	
430	Effects of backbone cyclization on the pharmacokinetics and drug efficiency of the orally active analgesic conotoxin cVc1.1. 2021 , 10, 100087	2
429	Is There a Relevant Imaging Time for Optimal Quantitative Zr-DFO-Daratumumab PET Imaging?. 2021 , 299, E285	2
428	Direct and indirect parameter imaging methods for dynamic PET. 2021 , 7,	1
427	MTT and Blood-Brain Barrier Disruption within Asymptomatic Vascular WM Lesions. 2021 , 42, 1396-1402	1
426	Effects of The Prone Position on Regional Neutrophilic Lung Inflammation According To 18F-FDG PET In An Experimental Ventilator-Induced Lung Injury Model. 2021 ,	0
425	The Use of Dynamic Contrast-Enhanced Magnetic Resonance Imaging for the Evaluation of Blood-Brain Barrier Disruption in Traumatic Brain Injury: What Is the Evidence?. 2021 , 11,	3
424	Estimation of the net influx rate K and the cerebral metabolic rate of glucose MR using a single static [¹⁸ F]FDG PET scan in rats. 2021 , 233, 117961	1
423	Early Imaging and Molecular Changes with Neoadjuvant Bevacizumab in Stage II/III Breast Cancer. 2021 , 13,	1
422	Value of Perfusion CT in the Prediction of Intracerebral Hemorrhage after Endovascular Treatment. 2021 , 2021, 9933015	0
421	Astrocyte activation imaging with ¹¹ C-acetate and amyloid PET in mild cognitive impairment due to Alzheimer pathology. 2021 , 42, 1261-1269	3

420	CALIPER: A software for blood-free parametric Patlak mapping using PET/MRI input function.	0
419	Generation of parametric K images for FDG PET using two 5-min scans. 2021 , 48, 5219-5231	2
418	Dissecting errors of the exogenously-driven and endogenously-driven saccadic tasks in the common marmosets.	0
417	Mathematical Models for FDG Kinetics in Cancer: A Review. 2021 , 11,	
416	Effects of Rapamycin on Insulin Brain Endothelial Cell Binding and Blood-Brain Barrier Transport. 2021 , 9,	1
415	Effects of apolipoprotein E isoform, sex, and diet on insulin BBB pharmacokinetics in mice. 2021 , 11, 18636	0
414	Source-to-Target Automatic Rotating Estimation (STARE) is a publicly-available, blood-free quantification approach for PET tracers with irreversible kinetics: Theoretical framework and validation for [¹⁸ F]FDG.	
413	Role of Brown and Beige Adipose Tissues in Seasonal Adaptation in the Raccoon Dog (<i>Canis lutreolus</i>). 2021 , 22,	0
412	Total-Body PET Kinetic Modeling and Potential Opportunities Using Deep Learning. 2021 , 16, 613-625	4
411	Rapid high-quality PET Patlak parametric image generation based on direct reconstruction and temporal nonlocal neural network. 2021 , 240, 118380	1
410	A Regularized Affine-Scaling Trust-Region Method for Parametric Imaging of Dynamic PET Data. 2021 , 14, 418-439	1
409	A historical perspective on the interactions of insulin at the blood-brain barrier. 2021 , 33, e12929	3
408	Blood-brain barrier dysfunction significantly correlates with serum matrix metalloproteinase-7 (MMP-7) following traumatic brain injury. 2021 , 31, 102741	1
407	Quantification of Radiotracer Uptake Into Tissue. 2021 , 1613-1624	
406	Physics-Informed Self-supervised Deep Learning Reconstruction for Accelerated First-Pass Perfusion Cardiac MRI. 2021 , 86-95	
405	Tracer Kinetic Modeling: Basics and Concepts. 2021 , 531-549	
404	Tracking the progress of inflammation with PET/MRI in a canine model of myocardial infarction. 2021 , 1	1
403	Convolutional neural network for accelerating the computation of the extended Tofts model in dynamic contrast-enhanced magnetic resonance imaging. 2021 , 53, 1898-1910	2

402	Assessment of Treatment Response by FDG-PET. 2006 , 387-412	2
401	Quantitative Assay Development for PET. 2004 , 125-216	10
400	Principles of Quantitation in Cardiac PET. 2007 , 46-70	1
399	Cytokines and the BloodBrain Barrier. 2009 , 3-17	12
398	History and Basic Concepts. 1993 , 1-145	2
397	In Vivo Methods for the Rate of Serotonin Synthesis and Axonal Transport Measurements in the Brain. 1991 , 37-77	2
396	BloodBrain Barrier Permeability to Peptides and Proteins. 1992 , 106-115	1
395	PET Pharmacokinetic Modelling. 2008 , 189-210	2
394	Positron Emission Tomography (PET) in Acute Ischemic Stroke: Pathophysiological and Clinical Implications. 1995 , 19-27	2
393	Quantitation of Blood-Brain Barrier Permeability. 1989 , 85-118	30
392	Utility and Limitations of [18F]2-Deoxy-2-Fluoro-D-Glucose for the Assessment of Flux through Metabolic Pathways in Heart Muscle: A Critical Appraisal. 1996 , 79-95	3
391	Exchange of peptides between the circulation and the nervous system: role of the blood-brain barrier. 1990 , 274, 59-69	17
390	Autoradiographic measurement of the rate of serotonin synthesis in the rat brain. 1991 , 294, 93-105	4
389	Blood-brain barrier permeability to excitatory amino acids. 1986 , 203, 191-8	7
388	Contribution of Positron Emission Tomography to Pharmacokinetic Studies. 1991 , 169-187	2
387	Principles of Single Photon Emission Computed Tomography and Positron Emission Tomography. 2001 , 19-29	1
386	New Pet Tracers for Cerebral Dopamine: Should 6-[18F]Fluoro-L-Dopa be Replaced?. 1995 , 237-247	1
385	Quantitative Approaches to Positron Emission Tomography. 2007 , 155-167	1

384	Positron Emission Tomography Measurement of Drug Kinetics. 2007 , 169-204	1
383	Computed Tomography Measurements of Perfusion in Cancer Therapy. 2007 , 85-102	1
382	CNS Delivery of Peptides Across the BBB Using the Dual-Artery In Situ Brain Perfusion Model. 2010 , 233-247	3
381	Measuring the integrity of the human blood-brain barrier using magnetic resonance imaging. 2011 , 686, 229-45	21
380	Multiparametric magnetic resonance imaging and repeated measurements of blood-brain barrier permeability to contrast agents. 2011 , 686, 193-212	17
379	Model-Based Reconstruction for Highly Accelerated First-Pass Perfusion Cardiac MRI. 2019 , 514-522	2
378	Peptide transport across the blood-brain barrier. 2003 , 61, 79-100	15
377	Molecular Imaging of Tryptophan Metabolism in Tumors. 2015 , 373-389	1
376	Exact Parameter Determination for Parkinson's Disease Diagnosis with PET Using an Algebraic Approach. 2007 , 110-124	3
375	Compartmental Modeling in Emission Tomography. 2012 , 1065-1081	1
374	PET Imaging of Muscarinic Receptors. 2014 , 445-464	2
373	Serotonin Synthesis Studied with Positron Emission Tomography (PET). 2014 , 687-709	1
372	Transfer of Nimodipine and Another Calcium Antagonist Across the Blood-Brain Barrier and Their Regional Distribution In Vivo. 1989 , 308-321	12
371	Model-Based Parameter Estimation in DCE-MRI Without an Arterial Input Function. 2014 , 246-251	1
370	Molecular Background of ¹⁸ F-2-deoxy-D-glucose (FDG) Uptake in the Ischemic Heart. 2003 , 421-441	1
369	Monoamine Oxidase: Radiotracer Development and Human Studies. 2003 , 457-476	1
368	Modelling Metabolite and Tracer Kinetics. 2003 , 121-169	5
367	The Potential Role of Positron Emission Tomography in Investigation of Microenvironment. 2000 , 161-191	1

366	Trace Metal Transport at the Blood-Brain Barrier. 1992 , 263-278	3
365	Blood-Brain Glucose Transfer. 1992 , 65-115	21
364	Peptides and the Blood-Brain Barrier. 1992 , 151-203	10
363	Contribution of Positron Emission Tomography to Pharmacokinetic Studies. 1994 , 455-480	2
362	Estimating blood-brain barrier opening in a rat model of hemorrhagic transformation with Patlak plots of Gd-DTPA contrast-enhanced MRI. 2003 , 86, 35-7	10
361	Relationship between cerebral blood flow and blood-brain barrier permeability of sodium and albumin in cerebral infarcts of rats. 1990 , 51, 216-9	3
360	The FDG model and its application in clinical PET studies. 1992 , 37, 39-52	4
359	Ischemic Stroke Studied by 15O-Labeled Compounds: Misery Perfusion and Luxury Perfusion. 1987 , 15-23	8
358	Positron Emission Tomography with 11-C-Methionine in Brain Tumors: Methionine Kinetics, Tumor Delineation, and Follow-Up Studies After Therapy. 1987 , 379-390	2
357	Dopamine Receptors in Pituitary Adenomas and Effect of Bromocriptine Treatment [Evaluation with PET and MRI. 1987 , 391-400	3
356	Modifying the Progression of Parkinson's Disease. 1995 , 179-188	1
355	Kinetic Modelling of Carbon-11 Labelled Amino-Acids. 1993 , 149-160	2
354	Carbon-11 Labeled Tyrosine as a Probe for Modelling the Protein Synthesis Rate. 1993 , 161-174	4
353	11C-methionine Uptake in Brain Tumors Measured by PET: Early Clinical Results. 1993 , 243-254	1
352	Investigation of the Dopamine System with Positron Emission Tomography: General Issues in Modelling. 1991 , 65-83	4
351	Modelisation: Application to the D2 Receptors. 1991 , 85-95	3
350	[18F]Fluorodopa Uptake in Brain. 1991 , 97-110	3
349	Applications of 3D PET. 1998 , 133-167	7

348	How to measure drug transport across the blood-brain barrier. 2005 , 2, 15-26		1
347	MRI of blood-brain barrier permeability in cerebral ischemia. 2012 , 3, 56-64		10
346	Measurement of Transport of Cytokines across the Blood-Brain Barrier. 1993 , 67-77		17
345	FIPS. 2001 , 35-38		2
344	Model Fitting with Spatial Constraint for Parametric Imaging in Dynamic PET Studies. 2001 , 159-163		1
343	[¹¹ C]Methyl-L-tryptophan in Anesthetized Rhesus Monkeys. 2001 , 229-235		1
342	Permeability of the BloodBrain Barrier to Neurotrophic Peptides. 2006 , 1435-1441		1
341	Perfusion Imaging for Brain Tumor Characterization and Assessment of Treatment Response. 2008 , 264-277		3
340	Implementation of 3D Acquisition, Reconstruction, and Analysis of Dynamic [¹⁸ F]Fluorodopa Studies. 1996 , 82-87		14
339	Quantitative Imaging of [¹¹ C]Benztropine in the Human Brain with Graphic Analysis and Spectral Analysis. 1996 , 317-320		2
338	Mapping of Change in Cerebral Glucose Utilization Using [¹⁸ F]FDG Double Injection and New Graphical Analysis. 1996 , 421-424		1
337	Tracer Kinetic Modeling via Basis Pursuit. 2002 , 115-121		2
336	Reinventing Molecular Imaging with Total-Body PET, Part I: Technical Revolution in Evolution. 2020 , 15, 427-438		8
335	MR molecular imaging of tumor vasculature and vascular targets. 2010 , 69, 1-30		22
334	Differentiating benign from malignant lung lesions using "quantitative" parameters of FDG PET images. 1996 , 21, 941-9		86
333	Strategies to Improve Neuroreceptor Parameter Estimation by Linear Regression Analysis. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2002 , 1271-1281	7-3	75
332	Positron Emission Tomography Compartmental Models: A Basis Pursuit Strategy for Kinetic Modeling. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2002 , 1425-1439	7-3	73
331	Effect of Dopamine Loss and the Metabolite 3-O-Methyl-[¹⁸ F]Fluoro-dopa on the Relation Between the ¹⁸ F-Fluorodopa Tissue Input Uptake Rate Constant K _{occ} and the [¹⁸ F]Fluorodopa Plasma Input Uptake Rate Constant K _i . <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2003 , 301-309	7-3	4

330	An investigation of multiple time/graphical analysis applied to projection data: theory and validation. 1997 , 21, 327-31	10
329	Image generation of serotonin synthesis rates using alpha-methyltryptophan and PET. 1998 , 22, 777-85	20
328	Using 18F-fluorodeoxyglucose positron emission tomography to monitor clinical outcomes in patients treated with neoadjuvant chemo-radiotherapy for locally advanced pancreatic cancer. 2010 , 33, 257-61	72
327	Phenomenon of music-induced opening of the blood-brain barrier in healthy mice.	4
326	Does dopamine synthesis capacity predict individual variation in curiosity?.	3
325	kinfitr: Reproducible PET Pharmacokinetic Modelling in R.	4
324	Dopamine Promotes Cognitive Effort by Biasing the Benefits Versus Costs of Cognitive Work.	0
323	Direct patlak reconstruction from dynamic PET using unsupervised deep learning. 2019 ,	7
322	Fundamental limitations of [18F]2-deoxy-2-fluoro-D-glucose for assessing myocardial glucose uptake. 1995 , 91, 2435-44	75
321	Kinetic analysis of technetium-99m-labeled nitroimidazole (BMS-181321) as a tracer of myocardial hypoxia. 1995 , 92, 1261-8	15
320	Impaired myocardial tissue perfusion early after successful thrombolysis. Impact on myocardial flow, metabolism, and function at late follow-up. 1995 , 92, 2072-8	113
319	Pathophysiology of chronic left ventricular dysfunction. New insights from the measurement of absolute myocardial blood flow and glucose utilization. 1996 , 93, 737-44	137
318	Glucose utilization in a patient with hepatoma and hypoglycemia. Assessment by a positron emission tomography. 1992 , 89, 1958-63	50
317	Compartmentation of hexokinase in rat heart. A critical factor for tracer kinetic analysis of myocardial glucose metabolism. 1992 , 90, 1972-7	57
316	Cardiac and skeletal muscle insulin resistance in patients with coronary heart disease. A study with positron emission tomography. 1996 , 98, 2094-9	116
315	Kinetic modeling of Ga-PSMA-11 and validation of simplified methods for quantification in primary prostate cancer patients. 2020 , 10, 12	5
314	Assessment of population-based input functions for Patlak imaging of whole body dynamic F-FDG PET. 2020 , 7, 67	11
313	[18F]fluorodeoxyglucose uptake in neonatal acute lung injury measured by positron emission tomography. 1997 , 41, 892-6	16

312	Measurement of cerebral oxygen consumption in the human neonate using near infrared spectroscopy: cerebral oxygen consumption increases with advancing gestational age. 1998 , 44, 283-90	82
311	Differentiation of pituitary adenoma and meningioma: visualization with positron emission tomography and [11C]-L-deprenyl. 1992 , 30, 855-61	30
310	CT derived Patlak images of the human kidney. 1999 , 72, 153-8	35
309	Spatiotemporal correlations between blood-brain barrier permeability and apparent diffusion coefficient in a rat model of ischemic stroke. 2009 , 4, e6597	32
308	Pemetrexed induced thymidylate synthase inhibition in non-small cell lung cancer patients: a pilot study with 3'-deoxy-3'-[¹⁸ F]fluorothymidine positron emission tomography. 2013 , 8, e63705	17
307	Automated movement correction for dynamic PET/CT images: evaluation with phantom and patient data. 2014 , 9, e103745	16
306	Assessment of renal function in patients with unilateral ureteral obstruction using whole-organ perfusion imaging with 320-detector row computed tomography. 2015 , 10, e0122454	7
305	Cell-Penetrating Peptides Selectively Cross the Blood-Brain Barrier In Vivo. 2015 , 10, e0139652	124
304	Quorum Sensing Peptides Selectively Penetrate the Blood-Brain Barrier. 2015 , 10, e0142071	25
303	Regional cerebral effects of ketone body infusion with 3-hydroxybutyrate in humans: Reduced glucose uptake, unchanged oxygen consumption and increased blood flow by positron emission tomography. A randomized, controlled trial. 2018 , 13, e0190556	32
302	Positron Emission Tomography (PET) in Differentiating Manganism from Idiopathic Parkinsonism. 1999 , 41, 91-94	4
301	High-resolution dynamic imaging and quantitative analysis of lung cancer xenografts in nude mice using clinical PET/CT. 2017 , 8, 52802-52812	4
300	Unidirectional Influx and Net Accumulation of PIB. 2008 , 2, 114-25	44
299	Scientific basis and validation. 2007 , 15-46	5
298	Scientific basis and validation. 2007 , 13-27	6
297	Magnetic Resonance Perfusion in Brain Tumors: Comparison of Different Evaluation Approaches in Dual-Echo and Multi-Echo Techniques. 2017 , 06, 174-192	2
296	Measurement of lumbar muscle glucose utilization rate can be as useful in estimating skeletal muscle insulin resistance as that of thigh muscle. 2013 , 06, 201-208	2
295	Deterministic Parsing Model of the Compound Biological Effectiveness (&i>CBE&i>) Factor for Intracellular &sup>10&/sup>Boron Distribution in Boron Neutron Capture Therapy. 2014 , 05, 1388-1398	6

294	Perfusion parameters as potential imaging biomarkers for the early prediction of radiotherapy response in a rat tumor model. 2016 , 22, 231-40	8
293	Comparison of different quantification methods for 18F-fluorodeoxyglucose-positron emission tomography studies in rat brains. 2019 , 74, e1273	4
292	Direct Reconstruction of Linear Parametric Images from Dynamic PET Using Nonlocal Deep Image Prior. 2021 , PP,	3
291	Madym: A C++ toolkit for quantitative DCE-MRI analysis. 2021 , 6, 3523	1
290	Slow TCA flux implies low ATP production in tumors.	2
289	Exposure to 16 h of normobaric hypoxia induces ionic edema in the healthy brain. 2021 , 12, 5987	2
288	Musculoskeletal tumors. 2000 , 309-323	1
287	Determination of 6-[18F]Fluoro-l-dopa Metabolites. 2001 , 179-186	
286	A Reliable Unbiased Parametric Imaging Algorithm for Noisy Clinical Brain PET Data. 2001 , 147-151	0
285	Statistical Mapping of the Brain Stem Using [18F]FDOPA PET Images. 2002 , 311-314	
284	Improved Lesion Localization in PET Using Cluster Analysis. 2002 , 163-170	
283	In Vivo FWIN Uptake Correlates with in Vitro Measurements of the Dopamine Reuptake Transporter following MPTP Lesioning. 2002 , 227-230	
282	Wavelet Methods for the Mathematical and Statistical Modeling of PET Images. 2002 , 101-106	
281	Use of MM Algorithm for Regularization of Parametric Images in Dynamic PET. 2002 , 107-114	1
280	Content-Based Retrieval for Medical Data. 2003 , 366-384	
279	Measurements of Biochemical Reactions In Vivo. 2003 , 3-29	
278	Emission Imaging. 2003 ,	
277	Principles of Positron Emission Tomography Imaging. 2004 , 3-30	

- 276 Transfer rate index as a new parameter of [201Tl]-SPECT in brain tumors. *Journal of Cerebral Blood Flow and Metabolism*, **2005**, 25, S331-S331 73
- 275 IMAGING OF PHARMACODYNAMIC END POINTS IN CLINICAL TRIALS. **2006**, 299-336
- 274 Einführung. **2006**, 1-10
- 273 Peptide/Polypeptide Transport in the Central Nervous System. **2007**, 405-422
- 272 Techniques for Parametric Imaging. **2008**, 137-IX 1
- 271 Functional and Physiological Imaging. **2008**, 147-158
- 270 Introduction. **2008**, 1-10
- 269 Molecular Imaging in Biology and Pharmacology. **2008**, 457-XLV
- 268 Quantitative Assessment of Colorectal Cancer Perfusion: Perfusion Computed Tomography and Dynamic Contrast Enhanced Magnetic Resonance Imaging. **2009**, 183-205
- 267 MAGNETIC RESONANCE IMAGING OF THE PEDIATRIC URINARY TRACT. **2010**, 162-171 2
- 266 Kinetic models for cancer imaging. **2010**, 680, 549-57 1
- 265 Principles of Myocardial Metabolism as They Relate to Imaging. **2010**, 14-26
- 264 Tracer Kinetic Modeling: Methodology and Applications. **2010**, 353-376
- 263 The Blood Brain Barrier and its Effect on Absorption and Distribution. 1
- 262 Imaging in Gastrointestinal Cancer. **2011**, 1-20
- 261 Urologie. **2011**, 505-631
- 260 Kinetic Modelling. **2011**, 387-403 1
- 259 Imaging in Neurology Research III: Focus on Neurotransmitter Imaging. **2011**, 515-541

258 PET: Theoretical Background and Practical Aspects. **2012**, 319-331

257 Vascular Permeability Within Brain Metastases. **2012**, 55-68

256 Tracer Imaging. **2012**, 215-247

255 Utility of PET in Pharmaceutical Development. **2012**, 1-16

254 Magnetic Resonance Imaging of Atherosclerosis. **2012**, 1-50

253 Heart and skeletal muscle insulin resistance but not myocardial blood flow reserve could be related to chronic use of thiazolidione in patients with type-2 diabetes. **2013**, 06, 144-151

252 Use of ¹¹C-4DST-PET for Imaging of Human Brain Tumors. **2014**, 41-48

2

251 Fully discrete, nonlocal models for image processing: Properties and applications. **2013**, 73-76

1

250 Neuroimaging of White Matter Injury: A Multimodal Approach to Vascular Disease. **2014**, 67-90

249 Principles of PET and Its Role in Understanding Drug Delivery to the Brain. **2014**, 213-232

248 Imaging in Drug Development. **2014**, 731-746

247 Hybrid Imaging: From Anatomy to Function. **2014**, 51-79

246 Carotid Plaque Imaging with SPECT/CT and PET/CT. **2014**, 505-523

245 MR Urography in Children. **2014**, 295-310

244 Lung Imaging. **2014**, 1056-1065

243 Tracer Kinetic Modelling. **2014**, 59-73

242 Quantification in Brain SPECT: Noninvasive Cerebral Blood Flow Measurements Using ^{99m}Tc-Labeled Tracers. **2014**, 75-91

1

241 Encyclopedia of Computational Neuroscience. **2014**, 1-14

- 240 Haemodynamics and Oxygenation of the Tumour Microcirculation. **2014**, 125-141 1
- 239 Regional Analysis of Steady-State Clearance of Fluor-Deoxyglucose into the Human Brain. **1985**, 403-409
- 238 Positron tomography in cerebral ischemia A review. **1985**, 59-66
- 237 Improved Measurement of Regional Glucose Metabolism by Individual Determination of the Lumped and Kinetic Constants in Stroke Patients. **1987**, 186-201
- 236 Respondent to Brain Tumors: Interpretation of Tracer Uptake in Brain Tumors. **1987**, 401-412
- 235 Examination of Organ Physiology by Positron Emission Tomography. **1987**, 461-476
- 234 Focal and Remote Dysmetabolism in Stroke. **1987**, 326-333
- 233 Klinische Anwendung der Positronen-Emissionstomographie. **1988**, 315-469
- 232 Stereotactic Positron Emission Tomography Imaging for Tumor Diagnosis. **1988**, 195-205
- 231 Modelle zur Quantifizierung von PET-Messungen. **1989**, 30-67
- 230 Parkinson's disease studied using PET. **1989**, 129-137
- 229 Imaging the Basal Ganglia. **1989**, 165-183
- 228 Positron-Emission Tomography in the Study of Hepatic Encephalopathy. **1989**, 201-213
- 227 Characterisation of Parkinson's disease using positron emission tomography. **1990**, 59-69
- 226 PET scanning and Parkinson's disease. **1990**, 87-97
- 225 Biological model for the in vivo measurement of rate of serotonin synthesis in the brain. **1990**, 29, 131-40 4
- 224 Methods for the study of the functions of the blood-brain barrier. **1990**, 13-30
- 223 Turnover of monoamine oxidase B (MAO-B) in pig brain by positron emission tomography using ¹¹C-L-deprenyl. **1990**, 32, 55-9 6

- 222 Therapy monitoring. **1992**, 41-63
- 221 Therapie kognitiver Defizite im Alter mit R₁an. Ergebnisse einer multizentrischen Phase-IV-Studie mit testpsychologischer Operationalisierung. **1992**, 155-165
- 220 Uptake of [11C]Methionine in Non-Brain Tumors. **1993**, 223-225
- 219 Approaches to Quantitative Analysis of Amino Acid Transport and Metabolism. **1993**, 183-196
- 218 Positron Emission Tomography, Enzymes and Drug Research and Development. **1993**, 179-200
- 217 Kinetic Modeling of Fluorotyrosine Uptake. **1993**, 133-147
- 216 Vasopressin modulates the blood-brain transfer of amino acids--studies with [11C]methionine in dogs. **1993**, 331, 95-100
- 215 COMT Inhibition: Pharmacology of Tolcapone and 6-[18F]-Fluoro-L-DOPA (FDOPA) PET Results. **1995**, 189-195
- 214 A Method for Determination of Regional Myocardial Blood Flow (RMBF) Considering Regional Spillover. **1995**, 109-115
- 213 Pharmacokinetics: Kinetic Modelling of MAO Inhibitors and D2 Antagonists. **1995**, 155-165
- 212 Parametric Positron Emission Tomography Imaging of Myocardial Perfusion and Metabolism. **1995**, 87-96 1
- 211 Positron Emission Tomography: Basic Principles and Potential Interest for Pharmacological Studies. **1995**, 25-35
- 210 PET Imaging of Cerebral Perfusion and Oxygen Metabolism in Acute Ischemic Stroke: Implications for Management and Therapy. **1995**, 147-154
- 209 A Graphical Method of Determining Tracer Influx Constants in the Presence of Labeled Metabolites. **1996**, 312-316
- 208 Transport of 3H L-Alanine Across the Blood-Brain Barrier of in Situ Perfused Guinea Pig Brain. **1996**, 35-39 1
- 207 Parametric Imaging by Mixture Analysis in 3D Validation for Dual-Tracer Glucose Studies. **1996**, 297-II 2
- 206 Fluorodopa Positron Emission Tomography with an Inhibitor of Catechol-O-methyltransferase. **1996**, 232-236 1
- 205 Comparison of Ratio and Slope/Intercept Plot-Based Images of [18F]Fluoro-L-DOPA Uptake in Human Brain. **1996**, 237-242

- 204 Combined FDOPA and 3-O-MFD PET Studies in Parkinson's Disease. **1996**, 219-223
- 203 Use of PET Radiopharmaceuticals to Probe Cardiac Receptors. **1996**, 331-351
- 202 The Effect of Spatial Correlation on the Quantification in Positron Emission Tomography. **1996**, 170-174 ○
- 201 Parameter Estimation of the Fluorodeoxyglucose Model with a Neural Network. **1996**, 277-281
- 200 Alzheimer's Disease With and Without Familial Aggregation: A Case for Phenotypical Similarity. **1996**, 1-15
- 199 Synthetic resampling methods for variance estimation in parametric images. **1997**, 271-284
- 198 Scintigraphic Procedures in the Detection of Pancreatic Tumors: The Role of FDG PET. **1997**, 401-408
- 197 Neuroreceptor Mapping In Vivo. **1997**, 1139-1144
- 196 Estimation of Differential Renal Function in Children With a Prenatal Diagnosis of Unilateral Pelvic Dilatation. **1997**, 1390-1393
- 195 Positron Emission Tomography in Oncology. **1998**, 185-198
- 194 Parametric Image Generation with Neural Networks. **1998**, 347-352
- 193 Parametric Image Reconstruction Using Spectral Analysis of (Rebinned) Three-Dimensional Projection Data 1 1Transcripts of the BRAINPET97 discussion of this chapter can be found in Section VIII.. **1998**, 45-50 1
- 192 Scintigraphic methods (PET, SPECT) to assess disturbances of the cerebral function before and after carotid endarterectomy (CEA). **1998**, 55-59
- 191 PET Scanning of Head and Neck Cancer. **1999**, 87-105
- 190 Principles and Instrumentation of Positron Emission Tomography. **1999**, 71-79
- 189 An Overview of PET Studies of the Cerebral Uptake of Amino Acids. **2015**, 339-355
- 188 Large Scale Simplex Optimisation to Accelerate Kinetic Analysis. **2015**, 35-42
- 187 Molecular Imaging of Serotonin Synthesis in the Brain. **2015**, 357-372

- 186 Post-Processing and Analysis of Dynamic Magnetic Resonance Images for Myocardial Perfusion Quantification. 103-139
- 185 Allergic Non-Asthmatic Adults Have Regional Pulmonary Responses to Segmental Allergen Challenge. **2015**, 10, e0143976 1
- 184 Urologische Tumoren. **2016**, 247-325
- 183 Quantitative Assessment of Protective Effects of Antioxidant Agents against Drug-Induced Nephrotoxicity Using Dynamic Contrast-Enhanced Computed Tomography. **2016**, 06, 53-71
- 182 Imaging of Muscarinic Receptors in the Central Nervous System. **2016**, 181-203
- 181 High-Resolution PET/CT Development. **2017**, 85-101
- 180 Kinetic Modeling. **2017**, 559-580
- 179 Dynamic PET imaging. **2017**, 321-335
- 178 Overview of Positron-Emission Tomography Tracers for Metabolic Imaging. **2018**, 47-80
- 177 Extravascular Contrast Agents. **2018**, 91-130
- 176 Imaging cellular pharmacokinetics of 18F-FDG and 6-NBDG uptake by inflammatory and stem cells. **2018**, 13, e0192662 1
- 175 Relative Patlak Plot for Dynamic PET Parametric Imaging Without the Need for Early-time Input Function.
- 174 Corticospinal neuroplasticity and sensorimotor recovery in rats treated by infusion of neurotrophin-3 into disabled forelimb muscles started 24 h after stroke.
- 173 Loud music and the specific sound stress open the blood-brain barrier: new fundamental, biomedical, and social aspects. 1
- 172 Hybrid Imaging and Radionuclide Therapy of Musculoskeletal Diseases. **2019**, 571-644
- 171 Vascular mesh and diffusive bells: 2D modeling of blood-brain barrier leakage. **2019**,
- 170 Computational approaches for parametric imaging of dynamic PET data. 1
- 169 CT Perfusion Techniques and Applications in Stroke and Cancer. **2020**, 347-365 0

168 CT Myocardial Perfusion Imaging. **2020**, 367-393

167 Cortico-thalamic dysconnectivity links with aberrant striatal dopamine in schizophreniaA simultaneous18F-DOPA-PET/resting-state fMRI study.

166 Blood-brain barrier transport kinetics of NOTA-modified proteins: the somatropin case. **2020**, 64, 105-114

165 Striatal dopamine synthesis capacity reflects smartphone social activity. 1

164 Extended perfusion protocol for MS lesion quantification. **2020**, 15, 520-530

163 Evaluation of [N]ammonia positron emission tomography as a potential method for quantifying glutamine synthetase activity in the human brain. **2020**, 10, 146 ○

162 Brain PET Quantification in Neuropsychiatric Research. **2021**, 17-44

161 Compartmental Modeling in Emission Tomography. **2020**, 1-20

160 Dynamic Susceptibility Contrast MRI: Basic Physics, Pulse Sequences, and Modeling. **2020**, 1, 345-367

159 Potential novel imaging targets of inflammation in cardiac sarcoidosis. **2021**, 1 ○

158 Pharmacokinetic Challenges against Brain Diseases with PET. 997-1007

157 Pharmacokinetic Challenges against Brain Diseases with PET. 145-155

156 Positron Emission Tomography: Significance for Preoperative N-Staging. **2005**, 31-37

155 [123I]-Altropane SPECT. **2005**, 37-44

154 Measurement of Tumor Proliferation with Positron Emission Tomography and Treatment Response. **2007**, 121-142

153 Marqueurs de souffrance rñale: Imagerie. **2007**, 67-83

152 Measuring Response to Chemotherapy in Locally Advanced Breast Cancer: Methodological Considerations. **2008**, 169-180

151 Transferring Whole Blood Time Activity Curve to Plasma in Rodents Using Blood-Cell-Two-Compartment Model. **2008**, 169-178

- 150 A novel PET tracer F-deoxy-thiamine: synthesis, metabolic kinetics, and evaluation on cerebral thiamine metabolism status. **2020**, 10, 126
- 149 Tracer Kinetic Modelling. **2021**, 37-52
- 148 Carotid Plaque Imaging with SPECT/CT and PET/CT. **2021**, 607-627
- 147 Quantification in Brain SPECT: Noninvasive Cerebral Blood Flow Measurements Using ^{99m}Tc-Labeled Tracers. **2021**, 53-72
- 146 Cerebral Glucose Metabolism. **2021**, 105-125 1
- 145 Dissociable effects of subliminal incentives on initiation and velocity control of goal-directed eye movements.
- 144 Statistical mapping analysis of serotonin synthesis images generated in healthy volunteers using positron-emission tomography and alpha-[¹¹C]methyl-L-tryptophan. **2000**, 25, 359-70 31
- 143 In vivo investigation of estrogen regulation of adrenal and renal angiotensin (AT1) receptor expression by PET. **2004**, 45, 94-100 25
- 142 Role of Kinetic Modeling in Biomedical Imaging. **2008**, 28, 57-63 3
- 141 Imaging astrocytosis with PET in Creutzfeldt-Jakob disease: case report with histopathological findings. **2012**, 5, 201-7 21
- 140 Current imaging strategies in rheumatoid arthritis. **2012**, 2, 174-220 27
- 139 (¹⁸F)-Deoxyglucose (FDG) kinetics evaluated by a non-compartment model based on a linear regression function using a computer based simulation: correlation with the parameters of the two-tissue compartment model. **2012**, 2, 448-57 5
- 138 Regional, kinetic [¹⁸F]FDG PET imaging of a unilateral Parkinsonian animal model. **2013**, 3, 129-41 9
- 137 A comparison of deconvolution and the Rutland-Patlak plot in parenchymal renal uptake rate. **2012**, 27, 176-80 1
- 136 Differentiation of glioblastomas from metastatic brain tumors by tryptophan uptake and kinetic analysis: a positron emission tomographic study with magnetic resonance imaging comparison. **2013**, 12, 327-37 19
- 135 Atherosclerotic plaque inflammation quantification using dynamic contrast-enhanced (DCE) MRI. **2013**, 3, 298-301 12
- 134 How to design PET experiments to study neurochemistry: application to alcoholism. **2014**, 87, 33-54 7
- 133 Magnetic Resonance Imaging of Stroke in the Rat. **2014**, 31, 116-132 4

132	Distribution of Intravascular and Extravascular Extracellular Volume Fractions by Total Area under Curve for Neovascularization Assessment by Dynamic Contrast-Enhanced Magnetic Resonance Imaging. 2014 , 4, 159-70	
131	An anesthetic method compatible with (18)F-FDG-PET studies in mice. 2015 , 5, 270-7	2
130	Quantitative measurement of microvascular permeability in human brain tumors achieved using dynamic contrast-enhanced MR imaging: correlation with histologic grade. 2000 , 21, 891-9	295
129	Ga-P15-041, A Novel Bone Imaging Agent for Diagnosis of Bone Metastases.. 2021 , 11, 766851	1
128	Short 2-[F]Fluoro-2-Deoxy-D-Glucose PET Dynamic Acquisition Protocol to Evaluate the Influx Rate Constant by Regional Patlak Graphical Analysis in Patients With Non-Small-Cell Lung Cancer. 2021 , 8, 725387	0
127	Comparison of [18F] NaF PET/CT dynamic analysis methods and a static analysis method including derivation of a semi-population input function for site-specific measurements of bone formation in a population with chronic kidney disease-mineral and bone disorder. 2021 , 11, 117	0
126	Computational modeling of PET tracer distribution in solid tumors integrating microvasculature. 2021 , 21, 67	3
125	Compartmental Modeling in Emission Tomography. 2021 , 1431-1450	
124	A ketogenic supplement improves white matter energy supply and processing speed in mild cognitive impairment. 2021 , 7, e12217	3
123	In Mice and Humans, Brain Vascular Barrier Homeostasis and Contractility Are Acquired Postnatally.	
122	First results on kinetic modelling and parametric imaging of dynamic F-FDG datasets from a long axial FOV PET scanner in oncological patients.. 2022 , 1	1
121	Dynamic Contrast-Enhanced Magnetic Resonance Imaging for the Prediction of Monoclonal Antibody Tumor Disposition.. 2022 , 23,	
120	Neuroimaging Prediction of Hemorrhagic Transformation for Acute Ischemic Stroke.. 2022 , 1-11	0
119	The ultra high sensitivity blood counter: a compact, MRI-compatible, radioactivity counter for pharmacokinetic studies in µL volumes.. 2022 ,	
118	Correlation of the quantitative methods for the measurement of bone uptake and plasma clearance of F-NaF using positron emission tomography. Systematic review and meta-analysis.. 2021 , 146, 110081	2
117	Blood-brain barrier leakage in Alzheimer's disease: From discovery to clinical relevance.. 2022 , 234, 108119	5
116	Dynamic whole-body FDG-PET imaging for oncology studies. 1	0
115	Critical Review of the simple theoretical models in Dynamic Imaging: Up-Slope Method and Graphical Analysis.. 2022 ,	

- 114 An iterative image-based inter-frame motion compensation method for dynamic brain PET imaging.. **2022**, ○
- 113 Age-Dependent Changes in the Plasma and Brain Pharmacokinetics of Amyloid- β Peptides and Insulin.. **2021**, ○
- 112 Perspectives d'utilisation clinique de la tomographie par émission de positons grand-champ (TEP-GC). **2022**, ○
- 111 PET parametric imaging based on MR frequency-domain texture information. **2022**, 1029, 166411 ○
- 110 A Semi-Physiological Three-Compartment Model Describes Brain Uptake Clearance and Efflux of Sucrose and Mannitol after IV Injection in Awake Mice.. **2022**, 39, 251 ○
- 109 Quantification and Classification of Contrast Enhanced Ultrasound Breast Cancer Data: A Preliminary Study.. **2022**, 12, ○
- 108 Parametric imaging used in nuclear medicine. **2022**, ○
- 107 Insulin blood-brain barrier transport and interactions are greater following exercise in mice.. **2022**, ○
- 106 Relationship between treatment types and blood-brain barrier disruption in patients with acute ischemic stroke: Two case reports.. **2022**, 10, 2351-2356 ○
- 105 Normal values for F-FDG uptake in organs and tissues measured by dynamic whole body multiparametric FDG PET in 126 patients.. **2022**, 12, 15 ○
- 104 Target occupancy study and whole-body dosimetry with a MAGL PET ligand [C]PF-06809247 in non-human primates.. **2022**, 12, 13 ○
- 103 Optimization of the Contrast Agent Injection Protocol for Carotid Artery Dynamic Contrast-Enhanced Magnetic Resonance Imaging.. **2022**, ○
- 102 Hepatic Positron Emission Tomography: Applications in Metabolism, Haemodynamics and Cancer.. **2022**, 12, ○
- 101 Total-body parametric imaging using the patlak model: Feasibility of reduced scan time.. **2022**, ○
- 100 Non-invasive quantification of cerebral glucose metabolism using Gjedde-Patlak plot and image-derived input function from the aorta.. **2022**, 253, 119079 ○
- 99 Efficient delay correction for total-body PET kinetic modeling using pulse timing methods.. **2021**, ○
- 98 An Attention Based Deep Learning Model for Direct Estimation of Pharmacokinetic Maps from DCE-MRI Images. **2021**, ○
- 97 The Bradykinin B2 Receptor Agonist (NG291) Causes Rapid Onset of Transient Blood-Brain Barrier Disruption Without Evidence of Early Brain Injury.. **2021**, 15, 791709 ○

96	Design, Synthesis, and Preliminary Evaluation of [Ga]Ga-NOTA-Insulin as a PET Probe in an Alzheimer's Disease Mouse Model.. 2022,	0
95	Digital data repository and automatic analysis framework for FDOPA PET neuroimaging.	0
94	A ketogenic intervention improves dorsal attention network functional and structural connectivity in mild cognitive impairment.. 2022, 115, 77-87	1
93	Table_1.DOCX. 2020,	
92	Table_1.docx. 2019,	
91	Image_1.TIF. 2019,	
90	Table_1.DOCX. 2019,	
89	Data_Sheet_1.docx. 2019,	
88	Measurement of effective renal plasma flow using model analysis of dynamic CT in the preoperative evaluation of the renal transplant donors.. 2020, 6, 73-80	
87	Improved Clinical Workflow for Whole-Body Patlak Parametric Imaging Using Two Short Dynamic Acquisitions.. 2022, 12, 822708	0
86	New Cluster Analysis Method for Quantitative Dynamic Contrast-Enhanced MRI Assessing Tumor Heterogeneity Induced by a Tumor-Microenvironmental Ameliorator (E7130) Treatment to a Breast Cancer Mouse Model.. 2022,	0
85	caliPER: A software for blood-free parametric Patlak mapping using PET/MRI input function.. 2022, 119261	0
84	Shedding Light on the Blood-Brain Barrier Transport with Two-Photon Microscopy In Vivo.. 2022,	0
83	Principles of PET and Its Role in Understanding Drug Delivery to the Brain. 2022, 329-352	
82	Cerebral Oxidative Stress in Early Alzheimer's Disease Evaluated by ⁶⁴ Cu-ATSM PET/MRI: A Preliminary Study. 2022, 11, 1022	1
81	Pupil size as a robust marker of attentional capture by nicotine-related stimuli in smokers.	
80	Increased blood-brain barrier permeability of the thalamus and the correlation with symptom severity and brain volume alterations in schizophrenia patients. 2022,	0
79	Unsupervised PET Logan Parametric Image Estimation Using Conditional Deep Image Prior. 2022, 102519	1

- 78 Unsupervised inter-frame motion correction for whole-body dynamic PET using convolutional long short-term memory in a convolutional neural network. **2022**, 102524 1
- 77 A spatiotemporal multi-scale computational model for FDG PET imaging at different stages of tumor growth and angiogenesis. **2022**, 12, 5
- 76 Kinetic Models for PET/SPECT Imaging. **2022**, 1753-1763
- 75 Application of Dynamic 18F-FDG PET/CT for Distinguishing Intrapulmonary Metastases from Synchronous Multiple Primary Lung Cancer. **2022**, 2022, 1-18
- 74 Evidence for absence of links between striatal dopamine synthesis capacity and working memory capacity, spontaneous eye-blink rate, and trait impulsivity.
- 73 Practical considerations for navigating the regulatory landscape of non-clinical studies for clinical translation of radiopharmaceuticals. **2022**, 7, 0
- 72 TG-Net: Combining transformer and GAN for nasopharyngeal carcinoma tumor segmentation based on total-body uEXPLORER PET/CT scanner. **2022**, 148, 105869 0
- 71 Utility of PET Scans in the Diagnosis and Management of Gastrointestinal Tumors. 0
- 70 Basis and current state of computed tomography perfusion imaging: a review.
- 69 Digitale Positronenemissionstomografie [Entwicklung, Detektortechnologie und Perspektiven. **2022**, 45, 217-226
- 68 Striatal dopamine dissociates methylphenidate effects on value-based versus surprise-based reversal learning. **2022**, 13, 0
- 67 Modeling BloodBrain Barrier Permeability to Solutes and Drugs In Vivo. **2022**, 14, 1696 0
- 66 Parametric Imaging of Biologic Activity of Atherosclerosis Using Dynamic Whole-Body Positron Emission Tomography. **2022**, 0
- 65 Accurate total-body K_i parametric imaging with shortened dynamic 18 F-FDG PET scan durations via effective data processing.
- 64 Optimal imaging time points considering accuracy and precision of Patlak linearization for 89Zr-immuno-PET: a simulation study. **2022**, 12, 0
- 63 Dapagliflozin improves myocardial flow reserve in patients with type 2 diabetes: the DAPAHEART Trial: a preliminary report. **2022**, 21, 0
- 62 Clinical validation of a population-based input function for 20-min dynamic whole-body 18F-FDG multiparametric PET imaging. **2022**, 9, 0
- 61 Short-time-window Patlak imaging using a population-based arterial input function and optimized Bayesian penalized likelihood reconstruction: a feasibility study. **2022**, 12, 0

60	Magnetic Resonance Imaging of the Urinary Tract. 2022 , 1-15	0
59	Emerging techniques in breast MRI. 2022 , 503-531	0
58	MCP-Net: Inter-frame Motion Correction with Patlak Regularization for Whole-body Dynamic PET. 2022 , 163-172	0
57	Perfusion magnetic resonance imaging for brain tumour characterisation and assessment of treatment response. 2022 , 395-414	0
56	Quantitative DCE-MRI of the Breast. 2022 , 425-458	0
55	BloodBrain Barrier and Brain Structural Changes in Lung Cancer Patients with Non-Brain Metastases.	0
54	Can Dynamic Whole-Body FDG PET Imaging Differentiate between Malignant and Inflammatory Lesions?. 2022 , 12, 1350	0
53	Assessment of MRI to estimate metastatic dissemination risk and prometastatic effects of chemotherapy. 2022 , 8,	0
52	Comparison between a dual-time-window protocol and other simplified protocols for dynamic total-body 18F-FDG PET imaging. 2022 , 9,	0
51	Four decades of mapping and quantifying neuroreceptors at work in vivo by positron emission tomography. 16,	0
50	Population-based input function (PBIF) applied to dynamic whole-body 68Ga-DOTATOC-PET/CT acquisition. 2,	0
49	Magnetic resonance urography: a practical approach to preparation, protocol and interpretation.	0
48	First-in-human evaluation of [18F]CETO: a novel tracer for adrenocortical tumours.	0
47	Single-shot multi-parametric mapping based on multiple overlapping-echo detachment (MOLED) imaging. 2022 , 263, 119645	1
46	Dynamic contrast enhanced MRI for characterization of blood-brain-barrier dysfunction after traumatic brain injury. 2022 , 36, 103236	0
45	Model-free dynamic contrast-enhanced MRI analysis: differentiation between active tumor and necrotic tissue in patients with glioblastoma.	0
44	Characteristics of Exosomes and the Vascular Landscape Regulate Exosome Sequestration by Peripheral Tissues and Brain. 2022 , 23, 12513	1
43	Manganese-Enhanced Magnetic Resonance Imaging of the Heart.	0

- 42 Evaluation of Intraperitoneal [18F]-FDOPA Administration for Micro-PET Imaging in Mice and Assessment of the Effect of Subchronic Ketamine Dosing on Dopamine Synthesis Capacity. **2022**, 2022, 1-12 ○
- 41 BloodBrain barrier and brain structural changes in lung cancer patients with non-brain metastases. 12, ○
- 40 Radiosynthesis of 20-[18F]fluoroarachidonic acid for PET-MR imaging: Biological evaluation in ApoE4-TR mice. **2022**, 186, 102510 ○
- 39 Manganese-Enhanced Magnetic Resonance Imaging in Takotsubo Syndrome. ○
- 38 Multimodal imaging distribution assessment of a liposomal antibiotic in an infectious disease model. **2022**, 352, 199-210 ○
- 37 Direct dynamic tomographic reconstruction without explicit blood input function. **2023**, 80, 104313 ○
- 36 Advances in molecular neuroimaging methodology. **2023**, 53-66 ○
- 35 VTDCE-Net: A time invariant deep neural network for direct estimation of pharmacokinetic parameters from undersampled DCE MRI data. ○
- 34 Dynamic FDG-PET imaging for differentiating metastatic from non-metastatic lymph nodes of lung cancer. 12, ○
- 33 Deconvolution of plasma pharmacokinetics from dynamic heart imaging data obtained by SPECT/CT imaging. ○
- 32 Emerging Role of 18F-NaF PET/Computed Tomographic Imaging in Osteoporosis. **2023**, 18, 1-20 ○
- 31 Inter-pass motion correction for whole-body dynamic PET and parametric imaging. **2022**, 1-1 ○
- 30 In vivo methods for imaging bloodBrain barrier function and dysfunction. 1
- 29 Amyloid Beta Peptides Inhibit Glucose Transport at the Blood-brain Barrier by Disrupting Insulin-Akt Pathway in Alzheimer's Disease. ○
- 28 Cognitive changes are associated with increased blood-brain barrier leakage in non-brain metastases lung cancer patients. ○
- 27 Value of whole-body dynamic 18F-FMISO PET/CT Patlak multi-parameter imaging for evaluating the early radiosensitizing effect of oleanolic acid on C6 rat gliomas. ○
- 26 Transient equilibrium determination of dopamine D2/D3 receptor densities and affinities in brain. 2, ○
- 25 The valuable role of dynamic 18F FDG PET/CT-derived kinetic parameter Ki in patients with nasopharyngeal carcinoma prior to radiotherapy: a prospective study. **2022**, 109440 ○

24	The new insight into the inflammatory response following focused ultrasound-mediated bloodBrain barrier disruption. 2022 , 19,	1
23	Dynamic Contrast Enhanced (DCE) MRI Estimation of Vascular Parameters using Knowledge-Based Adaptive Models.	0
22	GeneB expression underpinning the divergent predictive value of [18F]F-fluorodeoxyglucose and prostate-specific membrane antigen positron emission tomography in primary prostate cancer: a bioinformatic and experimental study. 2023 , 21,	1
21	Non-invasive kinetic modelling approaches for quantitative analysis of brain PET studies.	0
20	Generation of Whole-Body FDG Parametric Ki Images from Static PET Images Using Deep Learning. 2023 , 1-1	0
19	Non-invasive imaging of functional pancreatic islet beta-cell mass in people with type 1 diabetes mellitus.	0
18	Long-axial field-of-view PET/CT: perspectives and review of a revolutionary development in nuclear medicine based on clinical experience in over 7000 patients. 2023 , 23,	0
17	Dynamic Contrast-Enhanced MRI in Abdominal Aortic Aneurysms as a Potential Marker for Disease Progression.	0
16	Low-Level Laser Treatment Induces the Blood-Brain Barrier Opening and the Brain Drainage System Activation: Delivery of Liposomes into Mouse Glioblastoma. 2023 , 15, 567	0
15	Contributions of bloodBrain barrier imaging to neurovascular unit pathophysiology of AlzheimerB disease and related dementias. 15,	0
14	Stimulation of the beta-2-adrenergic receptor with salbutamol activates human brown adipose tissue. 2023 , 4, 100942	0
13	Validation of simplified uptake measures against dynamic Patlak Ki for quantification of lesional 89Zr-Immuno-PET antibody uptake.	0
12	Repeatability and reproducibility of cardiac manganese-enhanced magnetic resonance imaging. 2023 , 13,	0
11	First-in-human immunoPET imaging of COVID-19 convalescent patients using dynamic total-body PET and a CD8-targeted minibody.	0
10	Bildgebung, Kinetik, Quantifizierung. 2023 , 46, 13-19	0
9	PET AIF estimation when available ROI data is impacted by dispersive and/or background effects. 2023 , 68, 085014	0
8	Four-dimensional quantitative analysis using FDG-PET in clinical oncology.	0
7	Comparison of cardiac image-derived input functions for quantitative whole body [18F]FDG imaging with arterial blood sampling. 14,	0

- 6 Design of a generic method for single dual-tracer PET imaging acquisition in clinical routine. **2023**, 68, 085016
- 5 New frontiers in oncological imaging with Computed Tomography: from morphology to function. **2023**,
- 4 Pharmacokinetics and Modeling. **2023**, 291-302
- 3 An automatic analysis framework for FDOPA PET neuroimaging. 0271678X2311686
- 2 Carimas: An Extensive Medical Imaging Data Processing Tool for Research.
- 1 Convenient Application of a Compact-Type Magnetic Resonance Imager with Blood Pool Contrast Agent Gadolinium-Conjugated Dextran to Assess Vascular Abnormalities in Experimental Animals. **2023**, 46, 730-735