

CITATION REPORT

List of articles citing

Patterns of amino acids near signal-sequence cleavage sites

DOI: 10.1111/j.1432-1033.1983.tb07424.x
FEBS Journal, 1983, 133, 17-21.

Source: <https://exaly.com/paper-pdf/16142912/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
1989	Nucleotide sequence of a Sendai virus genome region covering the entire M gene and the 3' proximal 1013 nucleotides of the F gene. 1984 , 12, 7965-73		55
1988	Sequence of the pS2 mRNA induced by estrogen in the human breast cancer cell line MCF-7. 1984 , 12, 2861-78		281
1987	Human apolipoproteins AI, AII, CII and CIII. cDNA sequences and mRNA abundance. 1984 , 12, 3917-32		138
1986	Molecular cloning of cDNA for murine interleukin-3. 1984 , 307, 233-7		438
1985	Sequence and topology of a model intracellular membrane protein, E1 glycoprotein, from a coronavirus. 1984 , 308, 751-2		159
1984	Molecular cloning of cDNA encoding a murine haematopoietic growth regulator, granulocyte-macrophage colony stimulating factor. 1984 , 309, 763-7		399
1983	Primary structure and genomic organization of the histidine-rich protein of the malaria parasite <i>Plasmodium lophurae</i> . 1984 , 312, 616-20		84
1982	The amino acid sequence of GTP:AMP phosphotransferase from beef-heart mitochondria. Extensive homology with cytosolic adenylate kinase. <i>FEBS Journal</i> , 1984 , 143, 331-9		24
1981	The fimA gene encoding the type-1 fimbrial subunit of <i>Escherichia coli</i> . Nucleotide sequence and primary structure of the protein. <i>FEBS Journal</i> , 1984 , 143, 395-9		132
1980	Processing peptidase of <i>Neurospora</i> mitochondria. Two-step cleavage of imported ATPase subunit 9. <i>FEBS Journal</i> , 1984 , 144, 581-8		144
1979	Nucleotide sequence of cloned cDNAs coding for preprosecapin, a major product of queen-bee venom glands. <i>FEBS Journal</i> , 1984 , 145, 279-82		30
1978	Isolation and the 5'-end nucleotide sequence of <i>Bacillus licheniformis</i> alpha-amylase gene. <i>FEBS Journal</i> , 1984 , 145, 567-72		22
1977	Studies on the mechanism of action of channel-forming colicins using artificial membranes. 1984 , 79, 105-18		81
1976	Nucleotide sequence of the gene for pre-apocytochrome f in the spinach plastid chromosome. 1984 , 8, 551-7		122
1975	Location and nucleotide sequence of the gene for cytochrome f in wheat chloroplast DNA. 1984 , 194, 416-422		73
1974	Conformational alterations in the proximal portion of the yeast invertase signal peptide do not block secretion. 1984 , 197, 351-7		17
1973	Bacterial leader peptidase, a membrane protein without a leader peptide, uses the same export pathway as pre-secretory proteins. 1984 , 36, 1067-72		97

1972	Structure and topology of cytochrome f in pea chloroplast membranes. 1984 , 36, 555-62	205
1971	A C-terminal fragment of hemoglobin beta-chains in extracts of porcine upper intestine. 1984 , 170, 28-32	1
1970	Rat major acute-phase protein: biosynthesis and characterization of cDNA clone. 1984 , 233, 624-35	29
1969	Compilation of published signal sequences. 1984 , 12, 5145-64	729
1968	How signal sequences maintain cleavage specificity. 1984 , 173, 243-51	677
1967	The complete nucleotide sequence of the Pseudomonas gene coding for carboxypeptidase G2. 1984 , 31, 31-8	86
1966	Cloning and structure determination of cDNA for cutinase, an enzyme involved in fungal penetration of plants. 1984 , 81, 3939-43	87
1965	Nucleotide sequence of a growth-related mRNA encoding a member of the prolactin-growth hormone family. 1984 , 81, 4255-9	161
1964	Nucleotide sequence determination of guinea-pig casein B mRNA reveals homology with bovine and rat alpha s1 caseins and conservation of the non-coding regions of the mRNA. 1984 , 222, 561-70	28
1963	Biosynthesis and processing of legumin-like storage proteins in Lupinus angustifolius (lupin). 1985 , 232, 673-9	17
1962	Chapter 1 Application of the Signal Hypothesis to the Incorporation of Integral Membrane Proteins. 1985 , 1-63	26
1961	Chapter 4 Structural and Thermodynamic Aspects of the Transfer of Proteins into and across Membranes. 1985 , 151-179	80
1960	Human beta-hexosaminidase alpha chain: coding sequence and homology with the beta chain. 1985 , 82, 7830-4	155
1959	A developmentally regulated mRNA from 3T3 adipocytes encodes a novel serine protease homologue. 1985 , 82, 6480-4	128
1958	Binding of pea cytochrome f to the inner membrane of Escherichia coli requires the bacterial secA gene product. 1985 , 82, 7955-9	47
1957	Molecular cloning, cDNA sequencing, and chemical synthesis of cecropin B from Hyalophora cecropia. 1985 , 82, 2240-3	121
1956	Lethal mutations in the structural gene of an outer membrane protein (OmpA) of Escherichia coli K12. 1985 , 201, 76-81	38
1955	Nucleotide sequence of a cDNA clone of Brassica napus 12S storage protein shows homology with legumin from Pisum sativum. 1985 , 5, 191-201	94

1954	Molecular cloning and nucleotide sequence of cDNA for sporamin, the major soluble protein of sweet potato tuberous roots. 1985 , 5, 313-20	54
1953	Gamma-interferon transcriptionally regulates an early-response gene containing homology to platelet proteins. 1985 , 315, 672-6	837
1952	Diversity and structure of genes of the alpha family of mouse T-cell antigen receptor. 1985 , 316, 783-7	231
1951	Export and secretion of proteins by bacteria. 1985 , 32, 3-38	192
1950	Cytochrome b, the var 1 protein, and subunits I and III of cytochrome c oxidase are synthesized without transient presequences in <i>Saccharomyces cerevisiae</i> . <i>FEBS Journal</i> , 1985 , 150, 435-9	10
1949	Microcomputer programs for prediction and comparative evaluation of protein secondary structure from nucleotide sequence data: application to ribulose-1,5-bisphosphate carboxylase sequences. 1985 , 4, 319-26	7
1948	The <i>C. elegans</i> vitellogenin genes: short sequence repeats in the promoter regions and homology to the vertebrate genes. 1985 , 13, 5283-95	84
1947	Invertase signal and mature sequence substitutions that delay intercompartmental transport of active enzyme. 1985 , 100, 1664-75	168
1946	Nucleotide sequence of a B1 hordein gene and the identification of possible upstream regulatory elements in endosperm storage protein genes from barley, wheat and maize. 1985 , 13, 7327-39	248
1945	Deletions into an NH ₂ -terminal hydrophobic domain result in secretion of rotavirus VP7, a resident endoplasmic reticulum membrane glycoprotein. 1985 , 101, 2199-209	97
1944	Multiple mechanisms of protein insertion into and across membranes. 1985 , 230, 400-7	734
1943	Chapter 2 Structure and Function of the Signal Peptide. 1985 , 24, 65-104	68
1942	The gene for an exported antigen of the malaria parasite <i>Plasmodium falciparum</i> cloned and expressed in <i>Escherichia coli</i> . 1985 , 13, 369-79	66
1941	Sequence determination of the Sendai virus HN gene and its comparison to the influenza virus glycoproteins. 1985 , 41, 269-78	119
1940	Expression, Glycosylation, and Secretion of an <i>Aspergillus</i> Glucoamylase by <i>Saccharomyces cerevisiae</i> . 1985 , 228, 21-6	253
1939	Analysis of the inducible MEL1 gene of <i>Saccharomyces carlsbergensis</i> and its secreted product, alpha-galactosidase (melibiase). 1985 , 36, 333-40	67
1938	On the predictive recognition of signal peptide sequences. 1985 , 3, 271-86	178
1937	Signal sequences. The limits of variation. 1985 , 184, 99-105	2019

1936	Primary structure of tyrosinase from <i>Streptomyces glaucescens</i> . 1985 , 24, 6038-44	114
1935	Human fibronectin is synthesized as a pre-propolypeptide. 1986 , 207, 145-8	16
1934	The processing of peptide precursors. 'Proline-directed arginyl cleavage' and other monobasic processing mechanisms. 1986 , 200, 1-10	208
1933	Isolation and properties of the signal region from ovalbumin. 1986 , 203, 243-6	14
1932	The structure of rice storage protein glutelin precursor deduced from cDNA. 1986 , 206, 33-35	42
1931	cDNA sequence of human beta-preprotachykinin, the common precursor to substance P and neurokinin A. 1986 , 208, 67-72	82
1930	Fusion glycoprotein of human parainfluenza virus type 3: nucleotide sequence of the gene, direct identification of the cleavage-activation site, and comparison with other paramyxoviruses. 1986 , 152, 241-51	123
1929	Nucleotide sequence of the Bunyamwera virus M RNA segment: conservation of structural features in the Bunyavirus glycoprotein gene product. 1986 , 148, 1-14	60
1928	Cotranslational attachment of fatty acids to nascent peptides in gastric mucus glycoprotein. 1986 , 141, 387-93	25
1927	Isolation of the bovine and human genes for Millerian inhibiting substance and expression of the human gene in animal cells. 1986 , 45, 685-98	808
1926	Genetic engineering of extracellular enzyme systems of Bacilli. 1986 , 469, 1-17	17
1925	Molecular cloning of a human prion protein cDNA. 1986 , 5, 315-24	307
1924	The beta-glucanase gene from <i>Bacillus amyloliquefaciens</i> shows extensive homology with that of <i>Bacillus subtilis</i> . 1986 , 49, 177-87	81
1923	Proteolytic processing and compartmentalization of the primary translation products of mammalian apolipoprotein mRNAs. 1986 , 20, 37-71	15
1922	Amino acid sequence of the a subunit of human factor XIII. 1986 , 25, 6900-6	174
1921	Functional dissection of a eukaryotic transcriptional activator protein, GCN4 of yeast. 1986 , 46, 885-94	892
1920	Expression of a wheat alpha-amylase gene in <i>Escherichia coli</i> : recognition of the translational initiation site and the signal peptide. 1986 , 45, 11-8	12
1919	Alternative 5' exons and tissue-specific expression of the <i>Drosophila</i> EGF receptor homolog transcripts. 1986 , 46, 1091-101	96

1918	A tandemly repeated sequence determines the binding domain for an erythrocyte receptor binding protein of <i>P. falciparum</i> . 1986 , 44, 689-96	100
1917	The membrane-spanning segment of invariant chain (I gamma) contains a potentially cleavable signal sequence. 1986 , 46, 1103-12	140
1916	malM, a new gene of the maltose regulon in <i>Escherichia coli</i> K12. I. malM is the last gene of the malK-lamB operon and encodes a periplasmic protein. 1986 , 191, 303-11	29
1915	An internal signal sequence: the asialoglycoprotein receptor membrane anchor. 1986 , 44, 177-85	219
1914	Identification and sequence analysis of a silent gene (ushA0) in <i>Salmonella typhimurium</i> . 1986 , 192, 163-75	24
1913	Net N-C charge imbalance may be important for signal sequence function in bacteria. 1986 , 192, 287-90	147
1912	Processing of <i>Bacillus licheniformis</i> penicillinases lacking a lipoprotein modification site in <i>Escherichia coli</i> . 1986 , 165, 678-81	13
1911	Isolation and sequence analysis of the gene (cpdB) encoding periplasmic 2',3'-cyclic phosphodiesterase. 1986 , 165, 1002-10	53
1910	Lysogenic conversion of staphylococcal lipase is caused by insertion of the bacteriophage L54a genome into the lipase structural gene. 1986 , 166, 385-91	156
1909	Intra- and extracellular modifications of apolipoproteins. 1986 , 128, 690-712	12
1908	Transfer of secretory proteins through the membrane of the endoplasmic reticulum. 1986 , 102, 215-42	50
1907	Gene for an immunoglobulin-binding protein from a group G streptococcus. 1986 , 167, 870-80	228
1906	Molecular mechanisms of protein secretion: the role of the signal sequence. 1986 , 38, 109-80	184
1905	In vivo evidence for posttranslational translocation and signal cleavage of the killer preprotoxin of <i>Saccharomyces cerevisiae</i> . 1986 , 6, 4274-80	35
1904	Molecular cloning and complete sequence of prion protein cDNA from mouse brain infected with the scrapie agent. 1986 , 83, 6372-6	152
1903	Isolation and characterization of human glycophorin A cDNA clones by a synthetic oligonucleotide approach: nucleotide sequence and mRNA structure. 1986 , 83, 1665-9	120
1902	Ethylene-regulated gene expression: molecular cloning of the genes encoding an endochitinase from <i>Phaseolus vulgaris</i> . 1986 , 83, 6820-4	271
1901	Gene products specifying adhesion of uropathogenic <i>Escherichia coli</i> are minor components of pili. 1986 , 83, 1891-5	112

1900	Structural homologies among the hemopoietins. 1986 , 83, 2458-62	43
1899	Biosynthesis of the v-sis gene product: signal sequence cleavage, glycosylation, and proteolytic processing. 1986 , 6, 1343-8	22
1898	Complete cDNA sequence of human preceruloplasmin. 1986 , 83, 5086-90	119
1897	Cloning and sequence analysis of rat bone sialoprotein (osteopontin) cDNA reveals an Arg-Gly-Asp cell-binding sequence. 1986 , 83, 8819-23	911
1896	Cloning and expression of a cDNA coding for the anticoagulant hirudin from the bloodsucking leech, <i>Hirudo medicinalis</i> . 1986 , 83, 1084-8	177
1895	Isolation of a cDNA clone encoding the leader peptide of prion protein and expression of the homologous gene in various tissues. 1986 , 83, 6377-81	111
1894	Nucleotide and predicted amino acid sequences of cloned human and mouse preprocathepsin B cDNAs. 1986 , 83, 7721-5	226
1893	Thyrotropin-releasing hormone precursor: characterization in rat brain. 1986 , 231, 159-61	326
1892	Characterization of cDNA clones of the family of trypsin/Chymotrypsin-like inhibitors (CM-proteins) in barley (<i>Hordeum vulgare</i> L.). 1986 , 71, 842-6	21
1891	Developmental biochemistry of cottonseed embryogenesis and germination XVIII cDNA and amino acid sequences of members of the storage protein families. 1986 , 7, 475-89	62
1890	Location and nucleotide sequence of the pre-apocytochrome f gene on the <i>Oenothera hookeri</i> plastid chromosome (<i>Euoenothera</i> plastome I). 1986 , 10, 481-6	26
1889	Chloroplast ATP synthase of spinach contains nine nonidentical subunit species, six of which are encoded by plastid chromosomes in two operons in a phylogenetically conserved arrangement. 1986 , 203, 117-128	135
1888	The DNA replication inhibitor microcin B17 is a forty-three-amino-acid protein containing sixty percent glycine. 1986 , 1, 230-8	76
1887	Primary structure of a precursor to the aspartic proteinase from <i>Rhizomucor miehei</i> shows that the enzyme is synthesized as a zymogen. 1986 , 1, 363-9	32
1886	Cloning of cDNA for a stylar glycoprotein associated with expression of self-incompatibility in <i>Nicotiana glauca</i> . 1986 , 321, 38-44	432
1885	The cytoplasmic carboxy terminus of M13 procoat is required for the membrane insertion of its central domain. 1986 , 322, 335-9	96
1884	A gene encoding a novel glycine-rich structural protein of petunia. 1986 , 323, 178-181	174
1883	Sequence determinants of cytosolic N-terminal protein processing. <i>FEBS Journal</i> , 1986 , 154, 193-6	271

1882	High expression of <i>Bacillus licheniformis</i> alpha-amylase with a <i>Bacillus</i> secretion vector. <i>FEBS Journal</i> , 1986 , 155, 577-81		16
1881	Cloning and nucleotide sequence of a cDNA encoding the precursor of the barley toxin alpha-hordothionin. <i>FEBS Journal</i> , 1986 , 156, 131-5		60
1880	Biosynthesis of rat-liver pi-5.0 esterases in cell-free systems and in cultured hepatocytes. <i>FEBS Journal</i> , 1986 , 158, 187-94		9
1879	Nucleotide sequence of the structural gene for dihydroorotase of <i>Escherichia coli</i> K12. <i>FEBS Journal</i> , 1986 , 160, 77-82		24
1878	Molecular cloning of the cDNA for androgen-dependent sperm-coating glycoproteins secreted by the rat epididymis. <i>FEBS Journal</i> , 1986 , 161, 13-8		103
1877	A conformational preference parameter to predict helices in integral membrane proteins. 1986 , 869, 197-214		464
1876	Protein export in prokaryotes and eukaryotes: indications of a difference in the mechanism of exportation. <i>Journal of Molecular Evolution</i> , 1986 , 24, 130-42	3.1	38
1875	A 10 kD barley seed protein homologous with an alpha-amylase inhibitor from Indian finger millet. 1986 , 51, 493-500		59
1874	Construction of a yeast vector directing the synthesis and release of barley (1-beta, 1-4)-D-glucanase. 1986 , 51, 445-458		37
1873	Molecular cloning of pertussis toxin genes. 1986 , 14, 3251-61		51
1872	Expression of two proopiomelanocortin genes in the pituitary gland of <i>Xenopus laevis</i> : complete structures of the two preprohormones. 1986 , 14, 3791-8		79
1871	Osteonectin mRNA: distribution in normal and transformed cells. 1986 , 14, 4483-97		104
1870	Sequencing and identification of a cDNA clone for tomato polygalacturonase. 1986 , 14, 8595-603		173
1869	Pertussis toxin gene: nucleotide sequence and genetic organization. 1986 , 232, 1258-64		323
1868	Nucleotide sequence of a bovine clone encoding the angiogenic protein, basic fibroblast growth factor. 1986 , 233, 545-8		960
1867	Structural heterogeneity and functional domains of murine immunoglobulin G Fc receptors. 1986 , 234, 718-25		322
1866	A new method for predicting signal sequence cleavage sites. 1986 , 14, 4683-90		4427
1865	Pancreatic phospholipase A2: isolation of the human gene and cDNAs from porcine pancreas and human lung. 1986 , 5, 519-27		224

1864	Amyloid A gene family expression in different mouse tissues. 1986 , 164, 2006-17	155
1863	Isolation and sequence of a human gene encoding a potent inhibitor of leukocyte proteases. 1986 , 14, 7883-96	133
1862	Biogenesis of lipoproteins in bacteria. 1986 , 125, 127-57	186
1861	GENEUS, a computer system for DNA and protein sequence analysis containing an information retrieval system for the EMBL data library. 1986 , 14, 273-84	66
1860	DNA sequence of the herpes simplex virus type 1 gene encoding glycoprotein gH, and identification of homologues in the genomes of varicella-zoster virus and Epstein-Barr virus. 1986 , 14, 4281-92	80
1859	Regulation and structure of an Escherichia coli gene coding for an outer membrane protein involved in export of K88ab fimbrial subunits. 1986 , 14, 2443-57	59
1858	The amino acid sequences of the myelin-associated glycoproteins: homology to the immunoglobulin gene superfamily. 1987 , 104, 957-65	355
1857	The isolation and sequence of a novel gene from a human functional T cell line. 1987 , 165, 601-14	100
1856	Processing of rotavirus glycoprotein VP7: implications for the retention of the protein in the endoplasmic reticulum. 1987 , 105, 2897-903	60
1855	Isolation and characterization of cDNA clones for rat ribophorin I: complete coding sequence and in vitro synthesis and insertion of the encoded product into endoplasmic reticulum membranes. 1987 , 104, 855-63	45
1854	Bacteriophage M13 procoat protein inserts into the plasma membrane as a loop structure. 1987 , 238, 1413-5	63
1853	Leader peptidase of Escherichia coli: critical role of a small domain in membrane assembly. 1987 , 235, 783-7	75
1852	Genetically Engineered Secretion of Active Human Interferon and a Bacterial Endoglucanase from Aspergillus Nidulans. 1987 , 5, 713-719	44
1851	Yeast carboxypeptidase Y can be translocated and glycosylated without its amino-terminal signal sequence. 1987 , 104, 1183-91	72
1850	The ornithine transcarbamylase leader peptide directs mitochondrial import through both its midportion structure and net positive charge. 1987 , 105, 669-77	39
1849	Many random sequences functionally replace the secretion signal sequence of yeast invertase. 1987 , 235, 312-7	357
1848	Complete cDNA and derived amino acid sequence of human factor V. 1987 , 84, 4846-50	358
1847	Sequence homologies among the three yolk polypeptide (Yp) genes in Drosophila melanogaster. 1987 , 15, 67-85	45

1846	Molecular cloning of the chicken avidin cDNA. 1987 , 15, 3595-606	71
1845	Human monocyte Arg-Serpin cDNA. Sequence, chromosomal assignment, and homology to plasminogen activator-inhibitor. 1987 , 166, 77-94	66
1844	Cloning of a human liver microsomal UDP-glucuronosyltransferase cDNA. 1987 , 242, 581-8	107
1843	Human erythrocyte membrane sialoglycoprotein beta. The cDNA sequence suggests the absence of a cleaved N-terminal signal sequence. 1987 , 243, 277-80	51
1842	Sequence and expression of the cDNA for MEP (major excreted protein), a transformation-regulated secreted cathepsin. 1987 , 246, 731-5	78
1841	Inhibition of purified Escherichia coli leader peptidase by the leader (signal) peptide of bacteriophage M13 procoat. 1987 , 169, 3821-2	30
1840	Sequence determination and comparison of the exfoliative toxin A and toxin B genes from Staphylococcus aureus. 1987 , 169, 3904-9	114
1839	Export of unprocessed precursor maltose-binding protein to the periplasm of Escherichia coli cells. 1987 , 169, 2352-9	101
1838	Nucleotide sequence of a glucosyltransferase gene from Streptococcus sobrinus MFe28. 1987 , 169, 4271-8	199
1837	Ricin: cytotoxicity, biosynthesis and use in immunoconjugates. 1987 , 24, 1-28	11
1836	Cloning of a cDNA encoding the human cation-dependent mannose 6-phosphate-specific receptor. 1987 , 84, 5575-9	96
1835	The PapG protein is the alpha-D-galactopyranosyl-(1----4)-beta-D-galactopyranose-binding adhesin of uropathogenic Escherichia coli. 1987 , 84, 5898-902	262
1834	Molecular characterization of the murine cytotoxic T-cell membrane glycoprotein Ly-3 (CD8). 1987 , 84, 6874-8	28
1833	Molecular cloning of the cDNA encoding the Epstein-Barr virus/C3d receptor (complement receptor type 2) of human B lymphocytes. 1987 , 84, 9194-8	145
1832	Cloning and analysis of the promotor region of the human fibronectin gene. 1987 , 84, 1876-80	91
1831	Location of sequences within rotavirus SA11 glycoprotein VP7 which direct it to the endoplasmic reticulum. 1987 , 7, 2491-7	22
1830	Plasminogen activator inhibitor 2: regulation of gene transcription during phorbol ester-mediated differentiation of U-937 human histiocytic lymphoma cells. 1987 , 7, 4564-7	108
1829	Isolation and sequence of complementary DNA encoding human extracellular superoxide dismutase. 1987 , 84, 6340-4	228

1828	Cloning and sequence analysis of cDNA for the canine neurotensin/neuromedin N precursor. 1987 , 84, 3516-20	140
1827	Constitutive overexpression of a growth-regulated gene in transformed Chinese hamster and human cells. 1987 , 84, 7188-92	244
1826	Differential regulation of a hydroxyproline-rich glycoprotein gene family in wounded and infected plants. 1987 , 7, 4337-44	201
1825	Nucleotide sequence of the gene coding for human factor VII, a vitamin K-dependent protein participating in blood coagulation. 1987 , 84, 5158-62	259
1824	Cloning of the alpha chain of human platelet glycoprotein Ib: a transmembrane protein with homology to leucine-rich alpha 2-glycoprotein. 1987 , 84, 5615-9	351
1823	Molecular cloning of a prolactin-related mRNA expressed in bovine placenta. 1987 , 84, 5650-4	38
1822	Constitutive expression of a gene encoding a polypeptide homologous to biologically active human platelet protein in Rous sarcoma virus-transformed fibroblasts. 1987 , 84, 6715-9	128
1821	Sequences of the genes and polypeptide precursors for two bovine protease inhibitors. 1987 , 194, 11-22	59
1820	The molecular genetics of hemophilia B. 1987 , 1, 161-70	4
1819	Preproparathyroid hormone. A model for analyzing the secretory pathway. 1987 , 493, 43-9	3
1818	Analysis of nucleotide sequences of two ligninase cDNAs from a white-rot filamentous fungus, <i>Phanerochaete chrysosporium</i> . 1987 , 60, 93-102	131
1817	Distinct sequence determinants direct intracellular sorting and modification of a yeast vacuolar protease. 1987 , 48, 875-85	311
1816	Gene families encode the major encystment-specific proteins of <i>Physarum polycephalum</i> plasmodia. 1987 , 59, 265-77	53
1815	Molecular cloning and sequence analysis of the rinderpest virus mRNA encoding the hemagglutinin protein. 1987 , 160, 48-54	29
1814	Identification of an Epstein-Barr virus early gene encoding a second component of the restricted early antigen complex. 1987 , 160, 151-61	172
1813	Structural comparison of the cleavage-activation site of the fusion glycoprotein between virulent and avirulent strains of Newcastle disease virus. 1987 , 158, 242-7	191
1812	A lineage-specific gene encoding a major matrix protein of the sea urchin embryo spicule. II. Structure of the gene and derived sequence of the protein. 1987 , 120, 507-19	109
1811	Molecular cloning and sequencing of cDNA for rat cathepsin H. Homology in pro-peptide regions of cysteine proteinases. 1987 , 226, 33-7	46

1810	Membrane translocation and insertion of NH ₂ -terminally anchored gamma-glutamyl transpeptidase require a signal recognition particle. 1987 , 211, 133-6	8
1809	Cloning and expression of cDNA encoding human basic fibroblast growth factor. 1987 , 213, 189-94	129
1808	Molecular cloning and characterization of a full-length cDNA clone for human plasminogen. 1987 , 213, 254-60	176
1807	Computer-assisted predictions of signal peptidase processing sites. 1987 , 146, 870-7	70
1806	Purification and characterization of a novel metalloendopeptidase from <i>Streptococcus cremoris</i> H61. A metalloendopeptidase that recognizes the size of its substrate. <i>FEBS Journal</i> , 1987 , 163, 259-65	51
1805	Hantaan virus M RNA: coding strategy, nucleotide sequence, and gene order. 1987 , 157, 31-9	172
1804	The single base pair substitution responsible for the Syn phenotype of herpes simplex virus type 1, strain MP. 1987 , 157, 67-74	81
1803	Genetics and biochemistry of the assembly of proteins into the outer membrane of <i>E. coli</i> . 1987 , 49, 89-115	31
1802	In vitro synthesis, importation and processing of Mn-superoxide dismutase (SOD-3) into maize mitochondria. 1987 , 926, 16-25	27
1801	Members of a nicotinic acetylcholine receptor gene family are expressed in different regions of the mammalian central nervous system. 1987 , 48, 965-73	372
1800	The complete amino acid sequence of the human aldolase C isozyme derived from genomic clones. 1987 , 69, 137-45	64
1799	Transformation by Rous sarcoma virus induces a novel gene with homology to a mitogenic platelet protein. 1987 , 49, 321-8	200
1798	The nucleotide sequence of the gene encoding the F protein of canine distemper virus: a comparison of the deduced amino acid sequence with other paramyxoviruses. 1987 , 8, 373-86	63
1797	A small family of nodule specific genes from soybean. 1987 , 15, 1507-19	116
1796	The eighth component of human complement: evidence that it is an oligomeric serum protein assembled from products of three different genes. 1987 , 26, 5229-33	75
1795	Human tissue factor: cDNA sequence and chromosome localization of the gene. 1987 , 26, 5234-8	163
1794	Cloning of cDNAs coding for the heavy chain region and connecting region of human factor V, a blood coagulation factor with four types of internal repeats. 1987 , 26, 6508-14	90
1793	Developmental regulation of a novel repetitive protein of <i>Trypanosoma brucei</i> . 1987 , 7, 2838-44	139

1792	Sequence information required for protein translocation from the cytoplasm. 1987 , 169, 5339-42	57
1791	Suppression of a signal sequence mutation by an amino acid substitution in the mature portion of the maltose-binding protein. 1987 , 169, 1794-800	54
1790	Molecular cloning, nucleotide sequence, and expression of the gene encoding human eosinophil differentiation factor (interleukin 5). 1987 , 84, 6629-33	277
1789	Human thrombomodulin gene is intron depleted: nucleic acid sequences of the cDNA and gene predict protein structure and suggest sites of regulatory control. 1987 , 84, 6425-9	117
1788	Mutational alterations affecting the export competence of a truncated but fully functional maltose-binding protein signal peptide. 1987 , 169, 2345-51	32
1787	Sequence analysis of the <i>gtfB</i> gene from <i>Streptococcus mutans</i> . 1987 , 169, 4263-70	189
1786	Yeast cells may use AUC or AAG as initiation codon for protein synthesis. 1987 , 52, 83-90	5
1785	Three <i>fim</i> genes required for the regulation of length and mediation of adhesion of <i>Escherichia coli</i> type 1 fimbriae. 1987 , 208, 439-45	192
1784	A rice glutelin gene family β major type of glutelin mRNAs can be divided into two classes. 1987 , 208, 15-22	104
1783	The secretion and post translational modification of interferons from <i>Saccharomyces cerevisiae</i> . 1987 , 12, 561-7	11
1782	Avocado cellulase: nucleotide sequence of a putative full-length cDNA clone and evidence for a small gene family. 1987 , 9, 197-203	71
1781	Thionin genes specifically expressed in barley leaves. <i>Planta</i> , 1987 , 171, 241-6	4-7 72
1780	Developmental biochemistry of cottonseed embryogenesis and germination. XIX. Sequences and genomic organization of the β globulin (vicilin) genes of cottonseed. 1987 , 9, 533-46	21
1779	On the biology of prions. 1987 , 72, 299-314	39
1778	The murine homologue of the T lymphocyte CD2 antigen: molecular cloning, chromosome assignment and cell surface expression. 1987 , 17, 1015-20	67
1777	Structure and expression of the knob-associated histidine-rich protein of <i>Plasmodium falciparum</i> . 1987 , 26, 203-14	27
1776	Molecular cloning of a protective antigen of schistosomes. 1987 , 326, 149-53	219
1775	Integral membrane glycoprotein properties of the prohormone pro-transforming growth factor-alpha. 1987 , 326, 883-5	95

1774	Localization of a conserved epitope and an azurin-like domain in the H.8 protein of pathogenic <i>Neisseria</i> . 1987 , 1, 179-85	36
1773	Nucleotide sequence of barley chymotrypsin inhibitor-2 (CI-2) and its expression in normal and high-lysine barley. <i>FEBS Journal</i> , 1987 , 165, 99-106	50
1772	Signal sequence and DNA-mediated expression of human lysosomal alpha-galactosidase A. <i>FEBS Journal</i> , 1987 , 165, 275-80	31
1771	Subunit II of cytochrome c oxidase from <i>Paracoccus denitrificans</i> . DNA sequence, gene expression and the protein. <i>FEBS Journal</i> , 1987 , 167, 431-9	77
1770	A dimeric inhibitor of insect alpha-amylase from barley. Cloning of the cDNA and identification of the protein. <i>FEBS Journal</i> , 1988 , 172, 129-34	29
1769	Isolation, structure and expression of cDNA and genomic clones for murine eosinophil differentiation factor. Comparison with other eosinophilopoietic lymphokines and identity with interleukin-5. <i>FEBS Journal</i> , 1988 , 174, 345-52	77
1768	Nucleotide sequence and expression in <i>Escherichia coli</i> of the gene coding for sphingomyelinase of <i>Bacillus cereus</i> . <i>FEBS Journal</i> , 1988 , 175, 213-20	59
1767	Proline hydroxylation alters the electrophoretic mobility of pulmonary surfactant-associated protein A. 1988 , 9, 231-3	20
1766	Proteases involved in the processing of viral polyproteins. Brief review. 1988 , 98, 1-26	111
1765	Sequence and characterization of 6 Lea proteins and their genes from cotton. 1988 , 11, 277-91	395
1764	Synthesis and assembly of the cytochrome b-f complex in higher plants. 1988 , 17, 125-44	45
1763	Cloning and characterization of an albicidin resistance gene from <i>Klebsiella oxytoca</i> . 1988 , 2, 443-54	42
1762	Molecular and cellular biology of eosinophil differentiation factor (interleukin-5) and its effects on human and mouse B cells. 1988 , 102, 29-50	236
1761	Molecular biology of interleukin 4 and interleukin 5 genes and biology of their products that stimulate B cells, T cells and hemopoietic cells. 1988 , 102, 137-87	178
1760	Cloning of a maltogenic alpha-amylase from <i>Bacillus stearothermophilus</i> . 1988 , 56, 53-60	50
1759	Molecular biology of intracellular protein trafficking. 1988 , 74, 397-408	6
1758	Growth-controlling molluscan neurons produce the precursor of an insulin-related peptide. 1988 , 331, 535-8	256
1757	Structure and function of human perforin. 1988 , 335, 448-51	307

1756	Cotranslational fatty acylation of mucus glycoprotein. Addition of palmitic acid to peptidyl-tRNA occurs prior to peptide chain completion and its release. 1988 , 20, 1381-90	5
1755	Synthesis of cell wall components: Aspects of control. 1988 , 27, 1235-1253	98
1754	Transcending the impenetrable: how proteins come to terms with membranes. 1988 , 947, 307-33	392
1753	Proline residues in the maturation and degradation of peptide hormones and neuropeptides. 1988 , 234, 251-6	181
1752	Alterations in the cleavage site of the signal sequence for the secretion of human lysozyme by <i>Saccharomyces cerevisiae</i> . 1988 , 238, 329-32	11
1751	Localization of the pro-sequence within the total deduced primary structure of human beta-hexosaminidase B. 1988 , 231, 47-50	17
1750	Cloning and sequencing of the gene encoding the phosphatidylcholine-preferring phospholipase C of <i>Bacillus cereus</i> . 1988 , 65, 293-304	100
1749	Molecular cloning of the barley seed protein CMd: a variant member of the alpha-amylase/trypsin inhibitor family of cereals. 1988 , 950, 435-40	16
1748	Information transfer in biological systems: targeting of proteins to specific organelles or to the extracellular environment (secretion). 1988 , 91, 389-424	3
1747	Nucleotide sequence of the celC gene encoding endoglucanase C of <i>Clostridium thermocellum</i> . 1988 , 63, 23-30	81
1746	Cloning and characterization of a cDNA for rat tissue-type plasminogen activator. 1988 , 7, 671-7	48
1745	The primary structure of human gamma-glutamyl transpeptidase. 1988 , 73, 1-9	74
1744	Cloning, sequencing, and expression of cDNA for human beta-galactosidase. 1988 , 157, 238-44	114
1743	Messenger RNA expressed in mouse teratocarcinoma stem cells and down-regulated by a tumor-promoting phorbol ester codes for a novel transmembrane protein. 1988 , 157, 548-57	4
1742	Rat liver carboxylesterase: cDNA cloning, sequencing, and evidence for a multigene family. 1988 , 156, 866-73	81
1741	The in vitro translation product of the murine lambda 5 gene contains a functional signal peptide. 1988 , 25, 687-93	14
1740	Nucleotide sequence and structure of the sevenless gene of <i>Drosophila melanogaster</i> . 1988 , 2, 620-34	82
1739	ProOmpA is stabilized for membrane translocation by either purified <i>E. coli</i> trigger factor or canine signal recognition particle. 1988 , 54, 1003-11	211

1738	Nucleotide sequence of the M segment of Germiston virus: comparison of the M gene product of several bunyaviruses. 1988 , 11, 73-85	19
1737	Characterization of amalgam: a member of the immunoglobulin superfamily from <i>Drosophila</i> . 1988 , 55, 589-600	168
1736	Characterization of signal-sequence-coding regions selected from the <i>Bacillus subtilis</i> chromosome. 1988 , 70, 351-61	52
1735	Molecular cloning and expression of the human interferon-gamma receptor. 1988 , 55, 273-80	481
1734	Boundaries of telomere conversion in <i>Trypanosoma brucei</i> . 1988 , 69, 1-11	36
1733	Choptin, a cell surface glycoprotein required for <i>Drosophila</i> photoreceptor cell morphogenesis, contains a repeat motif found in yeast and human. 1988 , 52, 291-301	206
1732	Mutants of human tissue-type plasminogen activator (t-PA): Structural aspects and functional properties. 1988 , 2, 123-132	58
1731	Primary structure of a hormonally regulated beta-glucanase of <i>Nicotiana plumbaginifolia</i> . 1988 , 70, 13-23	72
1730	Molecular characterization of oat seed globulins. 1988 , 87, 698-704	66
1729	Structure and expression of a <i>Drosophila</i> male accessory gland gene whose product resembles a peptide pheromone precursor. 1988 , 2, 1063-73	122
1728	ATR1, a <i>Saccharomyces cerevisiae</i> gene encoding a transmembrane protein required for aminotriazole resistance. 1988 , 8, 664-73	117
1727	Transforming growth factor-beta 2: cDNA cloning and sequence analysis. 1988 , 7, 1-8	213
1726	Molecular cloning of a human monocyte-derived neutrophil chemotactic factor (MDNCF) and the induction of MDNCF mRNA by interleukin 1 and tumor necrosis factor. 1988 , 167, 1883-93	896
1725	In vitro synthesis and processing of tomato fruit polygalacturonase. 1988 , 86, 1057-63	66
1724	Comparison of the leader sequences of four group A streptococcal M protein genes. 1988 , 16, 4667-77	44
1723	A human mannose-binding protein is an acute-phase reactant that shares sequence homology with other vertebrate lectins. 1988 , 167, 1034-46	252
1722	Acidic precursor revealed in human eosinophil granule major basic protein cDNA. 1988 , 168, 1493-8	116
1721	The intracisternal A-particle gene family: structure and functional aspects. 1988 , 51, 183-276	281

1720	Molecular cloning of the major surface antigen of leishmania. 1988 , 167, 724-9	153
1719	Sequence of contactin, a 130-kD glycoprotein concentrated in areas of interneuronal contact, defines a new member of the immunoglobulin supergene family in the nervous system. 1988 , 107, 1561-73	245
1718	Primary structure of the mouse sperm receptor polypeptide determined by genomic cloning. 1988 , 85, 6409-13	98
1717	Putative genes of a variant-specific antigen gene transcription unit in <i>Trypanosoma brucei</i> . 1988 , 8, 2367-78	96
1716	Ethylene-regulated expression of a tomato fruit ripening gene encoding a proteinase inhibitor I with a glutamic residue at the reactive site. 1988 , 85, 8012-6	38
1715	The alpha and beta chains of human platelet glycoprotein Ib are both transmembrane proteins containing a leucine-rich amino acid sequence. 1988 , 85, 2135-9	237
1714	Molecular cloning of a human immunoglobulin G Fc receptor. 1988 , 85, 2240-4	106
1713	Evidence for the loop model of signal-sequence insertion into the endoplasmic reticulum. 1988 , 85, 7592-6	125
1712	Isolation and characterization of human defensin cDNA clones. 1988 , 85, 7327-31	126
1711	78-kilodalton glucose-regulated protein is induced in Rous sarcoma virus-transformed cells independently of glucose deprivation. 1988 , 8, 2675-80	52
1710	Nucleotide sequence and organization of copper resistance genes from <i>Pseudomonas syringae</i> pv. tomato. 1988 , 170, 2879-83	163
1709	Protein import into mitochondria. 1988 , 111, 107-41	18
1708	Post-translational processing of preprotachykinins. Isolation of protachykinin-(1-37)-peptide from human adrenal-medullary pheochromocytoma tissue. 1988 , 253, 203-7	15
1707	Isolation and nucleotide sequence of the chloroperoxidase gene from <i>Caldariomyces fumago</i> . 1988 , 170, 1007-11	25
1706	Sequence analysis of the <i>Streptococcus mutans</i> fructosyltransferase gene and flanking regions. 1988 , 170, 810-6	103
1705	Cloning, nucleotide sequence, and expression of the <i>Bacillus cereus</i> 5/B/6 beta-lactamase II structural gene. 1988 , 170, 2873-8	72
1704	Purification of the <i>Escherichia coli</i> type 1 pilin and minor pilus proteins and partial characterization of the adhesin protein. 1988 , 170, 3350-8	64
1703	Molecular cloning of cDNAs encoding lamp A, a human lysosomal membrane glycoprotein with apparent Mr approximately equal to 120,000. 1988 , 85, 3743-7	94

1702	Evidence for N- and C-terminal processing of a plant defense-related enzyme: Primary structure of tobacco prepro-beta-1,3-glucanase. 1988 , 85, 5541-5	181
1701	Characterization and cDNA cloning of the pheromone-binding protein from the tobacco hornworm, <i>Manduca sexta</i> : a tissue-specific developmentally regulated protein. 1988 , 85, 9851-5	115
1700	Variable region framework differences result in decreased or increased affinity of variant anti-digoxin antibodies. 1988 , 85, 3080-4	50
1699	The SPS100 gene of <i>Saccharomyces cerevisiae</i> is activated late in the sporulation process and contributes to spore wall maturation. 1988 , 8, 912-22	97
1698	Primary sequence domains required for the retention of rotavirus VP7 in the endoplasmic reticulum. 1988 , 107, 1697-706	38
1697	Lipid modification of <i>Escherichia coli</i> penicillin-binding protein 3. 1988 , 170, 5392-5	33
1696	Molecular cloning, characterization, and nucleotide sequence of an extracellular amylase gene from <i>Aeromonas hydrophila</i> . 1988 , 170, 1325-32	49
1695	Structure and antigenic properties of the tip-located P pilus proteins of uropathogenic <i>Escherichia coli</i> . 1988 , 170, 1887-94	66
1694	Selective gene expression during sporulation of <i>Physarum polycephalum</i> . 1988 , 170, 4784-90	23
1693	Identification of a novel nicotinic acetylcholine receptor structural subunit expressed in goldfish retina. 1989 , 108, 637-45	31
1692	Sequence and structural requirements of a mitochondrial protein import signal defined by saturation cassette mutagenesis. 1989 , 9, 1014-25	59
1691	Active transport of maltose in membrane vesicles obtained from <i>Escherichia coli</i> cells producing tethered maltose-binding protein. 1989 , 171, 503-10	44
1690	Posttranslational Processing of Gut Peptides. 1989 , 63-77	1
1689	Cloning, nucleotide sequence, and characterization of genes encoding the secretion function of the <i>Pasteurella haemolytica</i> leukotoxin determinant. 1989 , 171, 916-28	223
1688	Identification by sequence analysis of two-site posttranslational processing of the cysteine-rich outer membrane protein 2 of <i>Chlamydia trachomatis</i> serovar L2. 1989 , 171, 285-91	76
1687	Expression of rice lectin is governed by two temporally and spatially regulated mRNAs in developing embryos. 1989 , 1, 541-9	48
1686	A tripartite structure of the signals that determine protein insertion into the endoplasmic reticulum membrane. 1989 , 108, 1227-36	86
1685	Structural and functional studies of the early T lymphocyte activation 1 (Eta-1) gene. Definition of a novel T cell-dependent response associated with genetic resistance to bacterial infection. 1989 , 170, 145-61	274

1684	The mouse neuronal cell surface protein F3: a phosphatidylinositol-anchored member of the immunoglobulin superfamily related to chicken contactin. 1989 , 109, 775-88	246
1683	The human mannose-binding protein gene. Exon structure reveals its evolutionary relationship to a human pulmonary surfactant gene and localization to chromosome 10. 1989 , 170, 1175-89	249
1682	Intracellular targeting and structural conservation of a prohormone-processing endoprotease. 1989 , 246, 482-6	387
1681	Genomic cloning and heterologous expression of human differentiation-stimulating factor. 1989 , 8, 351-9	76
1680	Induction of pigmentation in mouse fibroblasts by expression of human tyrosinase cDNA. 1989 , 169, 2029-42	165
1679	Unity in function in the absence of consensus in sequence: role of leader peptides in export. 1989 , 243, 1156-9	220
1678	Characteristics of the storage proteins of cotton. 1989 , 66, 356-359	4
1677	Predicted structure of a major <i>Schistosoma mansoni</i> eggshell protein. 1989 , 32, 7-13	28
1676	Yellow fever virus proteins NS2A, NS2B, and NS4B: identification and partial N-terminal amino acid sequence analysis. 1989 , 169, 100-9	86
1675	Newcastle disease virus evolution. II. Lack of gene recombination in generating virulent and avirulent strains. 1989 , 169, 273-82	143
1674	Isolation and expression of an anther-specific gene from tomato. 1989 , 217, 240-5	237
1673	Molecular biology of factor X. 1989 , 2, 897-917	7
1672	Proteinase K from <i>Tritirachium album</i> Limber. Characterization of the chromosomal gene and expression of the cDNA in <i>Escherichia coli</i> . <i>FEBS Journal</i> , 1989 , 179, 185-94	61
1671	Functional analysis of the signal-sequence processing site of yeast acid phosphatase. <i>FEBS Journal</i> , 1989 , 182, 213-21	11
1670	Cloning of cDNA encoding the membrane-bound form of bovine beta 1,4-galactosyltransferase. <i>FEBS Journal</i> , 1989 , 183, 211-7	69
1669	Analysis of the cDNA for phospholipase A2 from honeybee venom glands. The deduced amino acid sequence reveals homology to the corresponding vertebrate enzymes. <i>FEBS Journal</i> , 1989 , 184, 249-54	126
1668	Isolation and characterisation of a cDNA clone for a chlorophyll synthesis enzyme from <i>Euglena gracilis</i> . The chloroplast enzyme hydroxymethylbilane synthase (porphobilinogen deaminase) is synthesised with a very long transit peptide in <i>Euglena</i> . <i>FEBS Journal</i> , 1989 , 184, 353-9	72
1667	Purification of active human plasminogen activator inhibitor 1 from <i>Escherichia coli</i> . Comparison with natural and recombinant forms purified from eucaryotic cells. <i>FEBS Journal</i> , 1989 , 186, 523-33	86

1666	Novel structures CTLA-2 alpha and CTLA-2 beta expressed in mouse activated T cells and mast cells and homologous to cysteine proteinase proregions. 1989 , 19, 631-5		70
1665	Isolation and characterization of a cDNA encoding a putative cytokine which is induced by stimulation via the CD2 structure on human T lymphocytes. 1989 , 19, 1045-51		13
1664	Novel gene exon homologous to pancreatic phospholipase A2: sequence and chromosomal mapping of both human genes. 1989 , 39, 327-37		39
1663	Biosynthesis of lysosomal endopeptidases. 1989 , 40, 31-41		115
1662	Complete amino acid sequence of Bombyx egg-specific protein deduced from cDNA clone. 1989 , 10, 131-139		14
1661	NH2-terminal amino acid sequence analysis of Qa-2 alloantigens. <i>Immunogenetics</i> , 1989 , 29, 206-9	3.2	7
1660	Cloning and sequence analysis of the gene encoding invertase from the yeast <i>Schwanniomyces occidentalis</i> . 1989 , 16, 145-52		36
1659	Protein and cDNA sequences of Bowman-Birk protease inhibitors from the cowpea (<i>Vigna unguiculata</i> Walp.). 1989 , 13, 701-10		58
1658	Isolation and nucleotide sequence of cDNA clones encoding potato chitinase genes. 1989 , 13, 249-50		20
1657	Sequence and expression of the mRNA encoding the chymotrypsin inhibitor in winged bean (<i>Psophocarpus tetragonolobus</i> (L.) DC.). 1989 , 12, 51-8		22
1656	Plastocyanin is encoded by a single-copy gene in the pea haploid genome. 1989 , 12, 655-66		50
1655	The bifunctional α -amylase/subtilisin inhibitor of barley: nucleotide sequence and patterns of seed-specific expression. 1989 , 12, 673-82		78
1654	Computer analysis suggests a role for signal sequences in processing polyproteins of enveloped RNA viruses and as a mechanism of viral fusion. 1989 , 2, 223-39		4
1653	A regulatory element within a gene of a ribosomal protein operon of <i>Escherichia coli</i> negatively controls expression by decreasing the translational efficiency. 1989 , 219, 381-9		11
1652	Molecular characterization of an ependymin precursor from goldfish brain. 1989 , 52, 310-2		27
1651	Complete nucleotide sequence of immunogenic protein MPB70 from <i>Mycobacterium bovis</i> BCG. 1989 , 58, 273-276		56
1650	A family of genes encoding a cell-killing function may be conserved in all gram-negative bacteria. 1989 , 3, 1463-72		56
1649	Molecular analysis of linear plasmid-encoded major surface proteins, OspA and OspB, of the Lyme disease spirochaete <i>Borrelia burgdorferi</i> . 1989 , 3, 479-86		283

1648	Isolation, molecular characterization and expression of the <i>ushB</i> gene of <i>Salmonella typhimurium</i> which encodes a membrane-bound UDP-sugar hydrolase. 1989 , 3, 177-86	9
1647	A membrane form of guanylate cyclase is an atrial natriuretic peptide receptor. 1989 , 338, 78-83	933
1646	A laminin-like adhesive protein concentrated in the synaptic cleft of the neuromuscular junction. 1989 , 338, 229-34	532
1645	Differential activation by atrial and brain natriuretic peptides of two different receptor guanylate cyclases. 1989 , 341, 68-72	551
1644	Molecular cloning and expression of human hepatocyte growth factor. 1989 , 342, 440-3	1930
1643	Structures of two genes coding for melanin-concentrating hormone of chum salmon. 1989 , 80, 65-73	33
1642	The nucleotide sequence of a microvitellogenin encoding gene from the tobacco hornworm, <i>Manduca sexta</i> . 1989 , 80, 259-68	29
1641	Sequence of human eosinophil-derived neurotoxin cDNA: identity of deduced amino acid sequence with human nonsecretory ribonucleases. 1989 , 83, 161-7	67
1640	Secretion and membrane assembly. 1989 , 14, 280-3	41
1639	Structure of the gene of tum- transplantation antigen P91A: the mutated exon encodes a peptide recognized with Ld by cytolytic T cells. 1989 , 58, 293-303	281
1638	<i>S. cerevisiae</i> encodes an essential protein homologous in sequence and function to mammalian BiP. 1989 , 57, 1223-36	376
1637	Characterization of lipid-modified immunogenic proteins of <i>Treponema pallidum</i> expressed in <i>Escherichia coli</i> . 1989 , 7, 175-88	38
1636	Nucleotide sequence of the <i>Vibrio alginolyticus</i> calcium-dependent, detergent-resistant alkaline serine exoprotease A. 1989 , 76, 281-8	41
1635	Developmentally regulated late mRNAs in the encystment of <i>Physarum polycephalum</i> plasmodia. 1989 , 1007, 264-9	5
1634	Characterization of cDNA clone coding for nodulin-45 from yellow lupin (<i>lupinus luteus</i>). 1989 , 65, 87-95	6
1633	Molecular characterization of DNA puff II/9A genes in <i>Sciara coprophila</i> . 1989 , 210, 531-40	29
1632	Structure of bovine adrenal dopamine beta-monoxygenase, as deduced from cDNA and protein sequencing: evidence that the membrane-bound form of the enzyme is anchored by an uncleaved signal peptide. 1989 , 28, 10054-61	55
1631	Important role of the proline residue in the signal sequence that directs the secretion of human lysozyme in <i>Saccharomyces cerevisiae</i> . 1989 , 28, 2728-32	41

1630	Isolation and sequencing of a cDNA clone encoding 96 kDa sialoglycoprotein in rat liver lysosomal membranes. 1989 , 164, 1113-20	27
1629	Cloning and sequencing of the cDNA for human monocyte chemotactic and activating factor (MCAF). 1989 , 159, 249-55	228
1628	A developmentally regulated gene product from <i>Dictyostelium discoideum</i> shows high homology to human alpha-L-fucosidase. 1989 , 246, 185-92	22
1627	A 10 kDa polypeptide associated with the oxygen-evolving complex of photosystem II has a putative C-terminal non-cleavable thylakoid transfer domain. 1989 , 242, 435-8	33
1626	Human monocyte chemoattractant protein-1 (MCP-1). Full-length cDNA cloning, expression in mitogen-stimulated blood mononuclear leukocytes, and sequence similarity to mouse competence gene JE. 1989 , 244, 487-93	478
1625	The testicular transcript of the angiotensin I-converting enzyme encodes for the ancestral, non-duplicated form of the enzyme. 1989 , 252, 99-104	134
1624	Signal peptidase can cleave inside a polytopic membrane protein. 1989 , 253, 93-8	14
1623	Nitrite reductase from <i>Pseudomonas aeruginosa</i> : sequence of the gene and the protein. 1989 , 254, 33-8	80
1622	The complete islet amyloid polypeptide precursor is encoded by two exons. 1989 , 247, 154-8	60
1621	The genes and transcripts of an antigen gene expression site from <i>T. brucei</i> . 1989 , 57, 835-45	252
1620	The nucleotide sequence of the first two genes of the CFA/I fimbrial operon of human enterotoxigenic <i>Escherichia coli</i> . 1989 , 6, 297-309	41
1619	Fasciclin III: a novel homophilic adhesion molecule in <i>Drosophila</i> . 1989 , 59, 313-23	195
1618	The major human rhinovirus receptor is ICAM-1. 1989 , 56, 839-47	965
1617	Fc-receptor and M-protein genes of group A streptococci are products of gene duplication. 1989 , 86, 4741-5	117
1616	Isolation of mouse CD44 cDNA: structural features are distinct from the primate cDNA. 1989 , 86, 8521-5	78
1615	Identification and characterization of PF4var1, a human gene variant of platelet factor 4. 1989 , 9, 1445-51	49
1614	Isolation and DNA sequence of a cDNA clone encoding a lymphocyte adhesion receptor for high endothelium. 1989 , 86, 4659-63	108
1613	Primary structure and developmental expression of a large cytoplasmic domain form of <i>Xenopus laevis</i> neural cell adhesion molecule (NCAM). 1989 , 17, 10321-35	34

1612	Mutations in the signal sequence of prepro-alpha-factor inhibit both translocation into the endoplasmic reticulum and processing by signal peptidase in yeast cells. 1989 , 9, 4977-85	14
1611	Rapid repression of quiescence-specific gene expression by epidermal growth factor, insulin, and pp60v-src. 1989 , 9, 1371-5	57
1610	Cassette mutagenic analysis of the yeast invertase signal peptide: effects on protein translocation. 1989 , 9, 3400-10	26
1609	Cloning and expression of cDNA for the luciferase from the marine ostracod <i>Vargula hilgendorfii</i> . 1989 , 86, 6567-71	108
1608	Molecular cloning of human testicular angiotensin-converting enzyme: the testis isozyme is identical to the C-terminal half of endothelial angiotensin-converting enzyme. 1989 , 86, 7741-5	274
1607	Cloning of murine interferon gamma receptor cDNA: expression in human cells mediates high-affinity binding but is not sufficient to confer sensitivity to murine interferon gamma. 1989 , 86, 9901-5	86
1606	Primary structure of cucumber (<i>Cucumis sativus</i>) ascorbate oxidase deduced from cDNA sequence: homology with blue copper proteins and tissue-specific expression. 1989 , 86, 1239-43	113
1605	cDNA sequences of two inducible T-cell genes. 1989 , 86, 1963-7	313
1604	Molecular characterization of a 23-kilodalton major antigen secreted by <i>Toxoplasma gondii</i> . 1989 , 86, 7537-41	161
1603	Isolation of a cDNA encoding a murine UDPgalactose:beta-D-galactosyl-1,4-N-acetyl-D-glucosaminide alpha-1,3-galactosyltransferase: expression cloning by gene transfer. 1989 , 86, 8227-31	209
1602	Specific recognition of the leader region of precursor proteins is required for the activation of translocation ATPase of <i>Escherichia coli</i> . 1989 , 86, 8630-4	114
1601	<i>Proteus mirabilis</i> urease: nucleotide sequence determination and comparison with jack bean urease. 1989 , 171, 6414-22	120
1600	Parathion hydrolase specified by the <i>Flavobacterium opd</i> gene: relationship between the gene and protein. 1989 , 171, 6740-6	192
1599	Identification and characterization of the genes encoding the type 3 and type 1 fimbrial adhesins of <i>Klebsiella pneumoniae</i> . 1989 , 171, 1262-70	107
1598	Structure and evolutionary origin of the gene encoding a human serum mannose-binding protein. 1989 , 262, 763-71	192
1597	Isolation and sequence analysis of a cDNA encoding rat liver alpha-L-fucosidase. 1989 , 264, 695-701	31
1596	Selectivity of the cleavage/attachment site of phosphatidylinositol-glycan-anchored membrane proteins determined by site-specific mutagenesis at Asp-484 of placental alkaline phosphatase. 1990 , 87, 157-61	110
1595	Epithelial glycoprotein is a member of a family of epithelial cell surface antigens homologous to nidogen, a matrix adhesion protein. 1990 , 87, 2755-9	99

1594	Processing of thyrotropin-releasing hormone prohormone (pro-TRH) generates a biologically active peptide, prepro-TRH-(160-169), which regulates TRH-induced thyrotropin secretion. 1990 , 87, 4439-43	49
1593	Characterization of a cDNA encoding a cysteine-rich cell surface protein located in the flagellar pocket of the protozoan <i>Trypanosoma brucei</i> . 1990 , 10, 4506-17	73
1592	The amphiregulin gene encodes a novel epidermal growth factor-related protein with tumor-inhibitory activity. 1990 , 10, 1969-81	343
1591	Genomic organization of mouse Fc gamma receptor genes. 1990 , 87, 2856-60	18
1590	Nucleotide sequence of cDNA coding for rat liver pI 6.1 esterase (ES-10), a carboxylesterase located in the lumen of the endoplasmic reticulum. 1990 , 269, 451-8	100
1589	The complete nucleotide sequence of the <i>Escherichia coli</i> gene <i>appA</i> reveals significant homology between pH 2.5 acid phosphatase and glucose-1-phosphatase. 1990 , 172, 5497-500	70
1588	The variable antigens Vmp7 and Vmp21 of the relapsing fever bacterium <i>Borrelia hermsii</i> are structurally analogous to the VSG proteins of the African trypanosome. 1990 , 4, 1715-26	64
1587	Isolation and characterization of the gene encoding a novel, thermostable serine proteinase from the mould <i>Tritirachium album</i> Limber. 1990 , 4, 1789-92	15
1586	Characterization of the type 1 fimbrial subunit gene (<i>fimA</i>) of <i>Serratia marcescens</i> . 1990 , 4, 2119-26	15
1585	Characterization of the <i>hlyB</i> gene and its role in the production of the El Tor haemolysin of <i>Vibrio cholerae</i> O1. 1990 , 4, 413-25	45
1584	Cysteine-rich outer membrane proteins of <i>Chlamydia trachomatis</i> display compensatory sequence changes between biovariants. 1990 , 4, 1543-50	39
1583	Complete nucleotide sequence of the <i>ser</i> gene from <i>Streptococcus mutans</i> OMZ 175. 1990 , 68, 223-227	33
1582	Change of a single amino acid in the leader peptide of a staphylococcal β -lactamase prevents the appearance of the enzyme in the medium. 1990 , 69, 249-254	3
1581	<i>Kluyveromyces</i> as a host for heterologous gene expression: expression and secretion of prochymosin. 1990 , 8, 135-9	114
1580	Mouse preproacrosin: cDNA sequence, primary structure and postmeiotic expression in spermatogenesis. 1990 , 42, 160-6	37
1579	Primary structure of human placental 5'-nucleotidase and identification of the glycolipid anchor in the mature form. <i>FEBS Journal</i> , 1990 , 191, 563-9	115
1578	Can the topological distribution of membrane spanning amino acid residues be responsible for the recognition of signal peptides by signal peptide peptidases?. 1990 , 10, 537-46	
1577	Molecular cloning and sequence analysis of the fusion glycoprotein gene of human parainfluenza virus type 2. 1990 , 179, 915-20	6

1576	Pea convicilin: structure and primary sequence of the protein and expression of a gene in the seeds of transgenic tobacco. <i>Planta</i> , 1990 , 180, 461-70	4-7	41
1575	The signal peptide. 1990 , 115, 195-201		856
1574	The plasmid-encoded killer system of <i>Kluyveromyces lactis</i> : a review. 1990 , 6, 1-29		184
1573	Signal peptide mutants of <i>Escherichia coli</i> . 1990 , 22, 233-69		92
1572	Signal peptidases and signal peptide hydrolases. 1990 , 22, 271-90		43
1571	The <i>sec</i> and <i>prl</i> genes of <i>Escherichia coli</i> . 1990 , 22, 291-310		172
1570	Export of the periplasmic maltose-binding protein of <i>Escherichia coli</i> . 1990 , 22, 401-39		30
1569	Lipoproteins in bacteria. 1990 , 22, 451-71		467
1568	Analysis of three distinct Ly6-A-related cDNA sequences isolated from rat kidney. <i>Immunogenetics</i> , 1990 , 31, 104-11	3.2	12
1567	The <i>fimD</i> gene required for cell surface localization of <i>Escherichia coli</i> type 1 fimbriae. 1990 , 220, 334-8		92
1566	The <i>virB</i> operon of <i>Agrobacterium tumefaciens</i> pTiC58 encodes 11 open reading frames. 1990 , 221, 256-66		109
1565	Structure and tissue-specific regulation of genes encoding barley (1----3, 1----4)-beta-glucan endohydrolases. 1990 , 224, 437-49		61
1564	Complete sequence of a cDNA of alpha subunit of soybean beta-conglycinin. 1990 , 15, 197-201		62
1563	Characterization of a pollen-specific gene family from <i>Brassica napus</i> which is activated during early microspore development. 1990 , 15, 605-22		88
1562	Nucleotide sequence of a <i>Hordeum vulgare</i> gene encoding a glycine-rich protein with homology to vertebrate cytokeratins. 1990 , 14, 1057-9		35
1561	Structure of a tobacco endochitinase gene: evidence that different chitinase genes can arise by transposition of sequences encoding a cysteine-rich domain. 1990 , 14, 357-68		230
1560	An open reading frame encoding a putative haem-binding polypeptide is cotranscribed with the pea chloroplast gene for apocytochrome f. 1990 , 15, 347-56		29
1559	Biosynthesis, cDNA and amino acid sequences of a precursor of conglutin delta, a sulphur-rich protein from <i>Lupinus angustifolius</i> . 1990 , 15, 879-93		31

1558	Expression of the wheat chloroplast gene for CF0 subunit IV of ATP synthase. 1990 , 18, 471-6	3
1557	Cloning and sequence analysis of a cDNA for cellulase (FI-CMCase) from <i>Aspergillus aculeatus</i> . 1990 , 18, 217-22	39
1556	Molecular cloning of human preproacrosin cDNA. 1990 , 84, 125-8	27
1555	A comparative analysis of single- and multiple-residue substitutions in the alkaline phosphatase signal peptide. 1990 , 29, 139-47	11
1554	Physical characterisation of the replication region of the <i>Streptococcus faecalis</i> plasmid pAM ϕ 1. 1990 , 87, 79-90	108
1553	SecY, a multispinning integral membrane protein, contains a potential leader peptidase cleavage site. 1990 , 172, 2888-93	14
1552	Cloning, sequencing, and expression of a xylanase gene from the anaerobic ruminal bacterium <i>Butyrivibrio fibrisolvens</i> . 1990 , 172, 4247-54	53
1551	A putative transmembrane protein with histidine-rich charge clusters encoded in the H-2K/tw5 region of mice. 1990 , 10, 138-45	20
1550	Nucleotide sequence and transcriptional analysis of the <i>Escherichia coli</i> agp gene encoding periplasmic acid glucose-1-phosphatase. 1990 , 172, 802-7	20
1549	Molecular cloning of cDNAs encoding bovine and human lactoperoxidase. 1990 , 9, 499-509	64
1548	<i>Escherichia coli</i> expression and processing of human interleukin-1 beta fused to signal peptides. 1990 , 9, 167-75	11
1547	Induction of cell fate in the <i>Drosophila</i> retina: the bride of sevenless protein is predicted to contain a large extracellular domain and seven transmembrane segments. 1990 , 4, 1835-47	131
1546	cDNA cloning of carrot extracellular beta-fructosidase and its expression in response to wounding and bacterial infection. 1990 , 2, 1107-19	281
1545	An antifreeze glycopeptide gene from the antarctic cod <i>Notothenia coriiceps neglecta</i> encodes a polyprotein of high peptide copy number. 1990 , 87, 9265-9	54
1544	The myelin-associated glycoproteins: membrane disposition, evidence of a novel disulfide linkage between immunoglobulin-like domains, and posttranslational palmitoylation. 1990 , 111, 2651-61	101
1543	Hormonal regulation, processing, and secretion of cysteine proteinases in barley aleurone layers. 1990 , 2, 769-83	153
1542	Cloning and sequence of two different cDNAs encoding 1-aminocyclopropane-1-carboxylate synthase in tomato. 1990 , 87, 4859-63	189
1541	Molecular dissection of the NH ₂ -terminal signal/anchor sequence of rat dipeptidyl peptidase IV. 1990 , 111, 323-8	43

1540	Molecular cloning of the large subunit of transforming growth factor type beta masking protein and expression of the mRNA in various rat tissues. 1990, 87, 8835-9	141
1539	Identification of an additional member of the protein-tyrosine-phosphatase family: evidence for alternative splicing in the tyrosine phosphatase domain. 1990, 87, 4444-8	136
1538	cDNA cloning of somatolactin, a pituitary protein related to growth hormone and prolactin. 1990, 87, 4330-4	173
1537	Protein sorting to mitochondria: evolutionary conservations of folding and assembly. 1990, 247, 930-8	494
1536	Mechanism of formation of human IgE-binding factors (soluble CD23): III. Evidence for a receptor (Fc epsilon RII)-associated proteolytic activity. 1990, 172, 693-700	91
1535	Conformational requirement of signal sequences functioning in yeast: circular dichroism and ¹ H nuclear magnetic resonance studies of synthetic peptides. 1990, 29, 8998-9006	36
1534	The ATPase activity of SecA is regulated by acidic phospholipids, SecY, and the leader and mature domains of precursor proteins. 1990, 60, 271-80	531
1533	Nucleotide sequence of the COR region: a cluster of six genes in the yeast <i>Saccharomyces cerevisiae</i> . 1990, 87, 157-66	17
1532	A developmentally regulated and cAMP-repressible gene of <i>Dictyostelium discoideum</i> : cloning and expression of the gene encoding cyclic nucleotide phosphodiesterase inhibitor. 1990, 91, 51-6	26
1531	Isolation and structure of the pectin lyase D-encoding gene from <i>Aspergillus niger</i> . 1990, 89, 101-8	74
1530	Bacteriophages M13 and Pf3 tell us how proteins insert into the membrane. 1990, 104, 38-43	26
1529	Guanylyl cyclase is a heat-stable enterotoxin receptor. 1990, 63, 941-8	535
1528	Cloning and DNA sequence analysis of a polygalacturonase cDNA from <i>Aspergillus niger</i> RH5344. 1990, 1087, 104-6	27
1527	Differentiation inhibiting activity is produced in matrix-associated and diffusible forms that are generated by alternate promoter usage. 1990, 62, 1105-14	254
1526	Engineering <i>Escherichia coli</i> to secrete heterologous gene products. 1990, 185, 166-87	49
1525	The ENOD12 gene product is involved in the infection process during the pea-Rhizobium interaction. 1990, 60, 281-94	272
1524	Multiple endo-beta-1,4-glucanase-encoding genes from <i>Bacillus lautus</i> PL236 and characterization of the celB gene. 1990, 93, 55-60	17
1523	The <i>Drosophila</i> IMP-E2 gene encodes an apically secreted protein expressed during imaginal disc morphogenesis. 1990, 140, 337-51	16

1522	Structure, cell-specific expression, and mating-induced regulation of a <i>Drosophila melanogaster</i> male accessory gland gene. 1990 , 139, 134-48	60
1521	The structural gene for cytochrome c551 from <i>Pseudomonas aeruginosa</i> . The nucleotide sequence shows a location downstream of the nitrite reductase gene. 1990 , 259, 230-2	26
1520	The reaction specificities of the pea and a cyanobacterial thylakoid processing peptidase are similar but not identical. 1990 , 272, 141-4	16
1519	Antithrombin Dublin (-3 Val----Glu): an N-terminal variant which has an aberrant signal peptidase cleavage site. 1990 , 273, 87-90	29
1518	Sequencing and characterization of the 185 kDa cell surface antigen of <i>Streptococcus mutans</i> . 1990 , 35 Suppl, 33S-38S	24
1517	Cloning and expression of a rat brain GABA transporter. 1990 , 249, 1303-6	766
1516	A macrophage LPS-inducible early gene encodes the murine homologue of IP-10. 1990 , 168, 1261-7	97
1515	Isolation and functional expression of the human atrial natriuretic peptide clearance receptor cDNA. 1990 , 171, 796-803	96
1514	Molecular cloning and characterization of WP34, a phosphorylated human lymphocyte differentiation and activation antigen. 1990 , 20, 2417-23	33
1513	Nucleotide sequence of the tick-borne, orthomyxo-like Dhori/Indian/1313/61 virus envelope gene. 1990 , 175, 10-8	14
1512	Bovine lactoferrin mRNA: sequence, analysis, and expression in the mammary gland. 1991 , 180, 75-84	96
1511	Nucleotide sequence of leukocidin S-component gene (lukS) from methicillin resistant <i>Staphylococcus aureus</i> . 1991 , 181, 138-44	34
1510	Modification in framework region I results in a decreased affinity of chimeric anti-TAG72 antibody. 1991 , 28, 141-8	11
1509	Sequence analysis of a glycoprotein D gene homolog within the unique short segment of the EHV-1 genome. 1991 , 180, 175-84	41
1508	Cell-specific expression of the carrot EP2 lipid transfer protein gene. 1991 , 3, 907-21	464
1507	The AGA1 product is involved in cell surface attachment of the <i>Saccharomyces cerevisiae</i> cell adhesion glycoprotein a-agglutinin. 1991 , 11, 4196-206	151
1506	A heparin-binding growth factor secreted by macrophage-like cells that is related to EGF. 1991 , 251, 936-9	1033
1505	Isolation, sequence and expression in <i>Escherichia coli</i> , <i>Bacillus subtilis</i> and <i>Lactococcus lactis</i> of the DNase (streptodornase)-encoding gene from <i>Streptococcus equisimilis</i> H46A. 1991 , 106, 115-9	19

1504	Characterization and functional expression of a cDNA encoding egasyn (esterase-22): the endoplasmic reticulum-targeting protein of beta-glucuronidase. 1991 , 11, 956-67	53
1503	Lignin peroxidase from the basidiomycete <i>Phanerochaete chrysosporium</i> is synthesized as a preproenzyme. 1991 , 107, 119-26	46
1502	cDNA cloning and chromosomal assignment of the endothelin 2 gene: vasoactive intestinal contractor peptide is rat endothelin 2. 1991 , 10, 236-42	99
1501	Selection of secretory protein-encoding genes by fusion with PHO5 in <i>Saccharomyces cerevisiae</i> . 1991 , 107, 111-8	8
1500	Cloning, sequence and chromosomal location of a MEL gene from <i>Saccharomyces carlsbergensis</i> NCYC396. 1991 , 101, 97-104	22
1499	The amino terminus of the putative <i>Drosophila</i> choline acetyltransferase precursor is cleaved to yield the 67 kDa enzyme. 1991 , 9, 245-52	17
1498	Nucleotide sequence of the cellulase gene celF of <i>Clostridium thermocellum</i> . 1991 , 142, 927-36	45
1497	Nucleotide sequence of the exo-1,3-beta-glucanase-encoding gene, EXG1, of the yeast <i>Saccharomyces cerevisiae</i> . 1991 , 97, 173-82	74
1496	Primary structure and tissue distribution of anglerfish carboxypeptidase H. 1991 , 78, 171-8	20
1495	T-cadherin, a novel cadherin cell adhesion molecule in the nervous system lacks the conserved cytoplasmic region. 1991 , 7, 391-402	279
1494	Molecular characterization and expression of glycoprotein gene of Hantavirus R22 strain isolated from <i>Rattus norvegicus</i> in China. 1991 , 21, 35-52	6
1493	Characterization and evolutionary aspects of a transcript encoding a neuropeptide precursor of <i>Lymnaea</i> neurons, VD1 and RPD2. 1991 , 11, 47-54	19
1492	Characterization of the mouse cDNA and gene coding for a hepatocyte growth factor-like protein: expression during development. 1991 , 30, 9781-91	67
1491	Characterization of the DNF15S2 locus on human chromosome 3: identification of a gene coding for four kringle domains with homology to hepatocyte growth factor. 1991 , 30, 9768-80	160
1490	Purification and amino-terminal sequence of the bovine cardiac sodium-calcium exchanger: evidence for the presence of a signal sequence. 1991 , 290, 369-75	78
1489	A zein signal sequence functions as a signal-anchor when fused to maize alcohol dehydrogenase. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 1991 , 1068, 179-88	3.8 9
1488	Inter-molecular degradation of signal peptidase I in vitro. 1991 , 181, 650-6	21
1487	Isolation and expression of a guanylate cyclase-coupled heat stable enterotoxin receptor cDNA from a human colonic cell line. 1991 , 179, 1455-63	82

1486	Characterization of cDNA clones encoding guinea pig neutrophil cationic peptides. 1991 , 280, 287-91	19
1485	Comparison of the amino acid and nucleotide sequences between human and two guinea pig major basic proteins. 1991 , 282, 56-60	10
1484	Characterization and expression of a gene encoding a 30.6-kDa <i>Strongylocentrotus purpuratus</i> spicule matrix protein. 1991 , 147, 334-42	83
1483	Cloning and nucleotide sequence of a cDNA encoding ammodytoxin A, the most toxic phospholipase A2 from the venom of long-nosed viper (<i>Vipera ammodytes</i>). 1991 , 29, 269-73	33
1482	Goose-type lysozyme gene of the chicken: sequence, genomic organization and expression reveals major differences to chicken-type lysozyme gene. 1991 , 1090, 273-6	54
1481	A novel endopeptidase from <i>Xenopus</i> that recognizes alpha-helical secondary structure. 1991 , 66, 541-54	78
1480	A receptor tyrosine kinase specific to hematopoietic stem and progenitor cell-enriched populations. 1991 , 65, 1143-52	478
1479	Characterization of a murine cDNA encoding a member of the carboxylesterase multigene family. 1991 , 9, 344-54	63
1478	Characterization of cDNA clones encoding rabbit and human serum paraoxonase: the mature protein retains its signal sequence. 1991 , 30, 10141-9	216
1477	Molecular and functional studies of the cardiac sodium-calcium exchanger. 1991 , 639, 189-201	6
1476	Molecular and functional characterization of a carbon starvation gene of <i>Escherichia coli</i> . 1991 , 218, 129-40	115
1475	Nucleotide sequence analysis of the endoglucanase-encoding gene, celCCD, of <i>Clostridium cellulolyticum</i> . 1991 , 104, 33-8	28
1474	Organization and nucleotide sequences of the human tyrosinase gene and a truncated tyrosinase-related segment. 1991 , 9, 435-45	153
1473	Secretion of active bovine somatotropin in <i>Escherichia coli</i> . 1991 , 9, 869-72	9
1472	Cloning, nucleotide sequence, and enzymatic characterization of an alpha-amylase from the ruminal bacterium <i>Butyrivibrio fibrisolvens</i> H17c. 1991 , 173, 4203-11	24
1471	Factor XSanto Domingo. Evidence that the severe clinical phenotype arises from a mutation blocking secretion. 1991 , 88, 1685-9	26
1470	Cloning, nucleotide sequence, and expression of the <i>Pasteurella haemolytica</i> A1 glycoprotease gene. 1991 , 173, 5597-603	87
1469	Mini-collagens in hydra nematocytes. 1991 , 115, 1159-69	111

1468	Molecular characterization of an <i>Enterobacter cloacae</i> outer membrane protein (OmpX). 1991 , 173, 156-60	62
1467	Identification and characterization of dppA, an <i>Escherichia coli</i> gene encoding a periplasmic dipeptide transport protein. 1991 , 173, 234-44	92
1466	A similar gene is shared by both the variant surface glycoprotein and procyclin gene transcription units of <i>Trypanosoma brucei</i> . 1991 , 11, 1473-9	40
1465	An extraovarian protein accumulated in mosquito oocytes is a carboxypeptidase activated in embryos. 1991 , 88, 10821-4	90
1464	From one gene to two proteins: the biogenesis of cytochromes b and c1 in <i>Bradyrhizobium japonicum</i> . 1991 , 88, 5001-5	49
1463	Protein Sorting in the Secretory System of Plant Cells. 1991 , 1-45	13
1462	Functional expression cloning and characterization of the hepatocyte Na ⁺ /bile acid cotransport system. 1991 , 88, 10629-33	412
1461	Membrane insertion of uracil permease, a polytopic yeast plasma membrane protein. 1991 , 11, 1114-24	95
1460	A family of genes related to a new expression site-associated gene in <i>Trypanosoma equiperdum</i> . 1991 , 11, 2180-8	25
1459	Effect of signal sequence alterations on export of levansucrase in <i>Bacillus subtilis</i> . 1991 , 173, 276-82	41
1458	Lactococcin A, a new bacteriocin from <i>Lactococcus lactis</i> subsp. <i>cremoris</i> : isolation and characterization of the protein and its gene. 1991 , 173, 3879-87	301
1457	Nucleotide sequence and functions of mrk determinants necessary for expression of type 3 fimbriae in <i>Klebsiella pneumoniae</i> . 1991 , 173, 916-20	93
1456	Immunochemical characterization of two isoforms of rat liver ecto-ATPase that show an immunological and structural identity with a glycoprotein cell-adhesion molecule with Mr 105,000. 1991 , 278 (Pt 1), 155-61	77
1455	Characterization and organization of the genes encoding the A-, B- and C-chains of human complement subcomponent C1q. The complete derived amino acid sequence of human C1q. 1991 , 274 (Pt 2), 481-90	184
1454	<i>Streptomyces</i> : a host for heterologous gene expression. 1991 , 2, 674-81	31
1453	Greater conservation of somatolactin, a presumed pituitary hormone of the growth hormone/prolactin family, than of growth hormone in teleost fish. 1991 , 83, 366-74	54
1452	Protein transport and compartmentation in yeast. 1991 , 36, 3-34	2
1451	Sequence and expression of a metabotropic glutamate receptor. 1991 , 349, 760-5	1127

1450	Expression cloning of a cocaine- and antidepressant-sensitive human noradrenaline transporter. 1991 , 350, 350-4	813
1449	Molecular cloning and characterization of the rat NMDA receptor. 1991 , 354, 31-7	1625
1448	Cloning and expression of a functional serotonin transporter from rat brain. 1991 , 354, 66-70	700
1447	The IgA-binding beta antigen of the c protein complex of Group B streptococci: sequence determination of its gene and detection of two binding regions. 1991 , 5, 843-9	94
1446	Peptide transport and chemotaxis in <i>Escherichia coli</i> and <i>Salmonella typhimurium</i> : characterization of the dipeptide permease (Dpp) and the dipeptide-binding protein. 1991 , 5, 1035-47	130
1445	Topographic analysis of the toxic Gef protein from <i>Escherichia coli</i> . 1991 , 5, 1627-37	20
1444	Cloning, sequencing and mutational analysis of the cytochrome c552 gene (cycB) from <i>Bradyrhizobium japonicum</i> strain 110. 1991 , 83, 145-152	13
1443	Molecular cloning and sequence analysis of bovine lactotransferrin. <i>FEBS Journal</i> , 1991 , 196, 177-84	178
1442	Characterization of a cDNA clone encoding molluscan insulin-related peptide II of <i>Lymnaea stagnalis</i> . <i>FEBS Journal</i> , 1991 , 199, 699-703	43
1441	Isolation and structural characterization of an insulin-related molecule, a predominant neuropeptide from <i>Locusta migratoria</i> . <i>FEBS Journal</i> , 1991 , 201, 495-9	56
1440	Secretion of mutant leucine-specific binding proteins with internal deletions in <i>Escherichia coli</i> . 1991 , 46, 321-30	1
1439	Molecular basis of IgG Fc receptor III defect in a patient with systemic lupus erythematosus. 1991 , 21, 659-63	24
1438	Molecular cloning of the cDNA coding for properdin, a positive regulator of the alternative pathway of human complement. 1991 , 21, 771-6	53
1437	Expert system for predicting protein localization sites in gram-negative bacteria. 1991 , 11, 95-110	578
1436	Determination of the sequence of the yeast YCL313 gene localized on chromosome III. Homology with the protein disulfide isomerase (PDI gene product) of other organisms. 1991 , 7, 185-93	53
1435	Cytochrome c oxidase in <i>Paracoccus denitrificans</i> . Protein, chemical, structural, and evolutionary aspects. 1991 , 23, 269-89	24
1434	A 2.6 kb intron separates the signal peptide coding sequence of an anther-specific protein from the rest of the gene in sunflower. 1991 , 229, 238-44	15
1433	Characterization of the pea ENOD12B gene and expression analyses of the two ENOD12 genes in nodule, stem and flower tissue. 1991 , 228, 160-6	37

1432	Regulation of metalloproteinase inhibitor gene expression in tomato. 1991 , 228, 281-6	27
1431	Identification of a new gene in an operon for cellulose biosynthesis in <i>Acetobacter xylinum</i> . 1991 , 16, 947-54	49
1430	A gene showing sequence similarity to pectin esterase is specifically expressed in developing pollen of <i>Brassica napus</i> . Sequences in its 5' flanking region are conserved in other pollen-specific promoters. 1991 , 16, 501-13	101
1429	A gene coding for a basic pathogenesis-related (PR-like) protein from <i>Zea mays</i> . Molecular cloning and induction by a fungus (<i>Fusarium moniliforme</i>) in germinating maize seeds. 1991 , 16, 527-36	59
1428	Nucleotide sequence of a rice genomic clone that encodes a class I endochitinase. 1991 , 16, 479-80	48
1427	Isolation of a complementary DNA encoding the bean PR4 chitinase: an acidic enzyme with an amino-terminus cysteine-rich domain. 1991 , 17, 243-53	62
1426	Cloning and sequencing of the cDNA encoding the major albumin of <i>Theobroma cacao</i> : Identification of the protein as a member of the Kunitz protease inhibitor family. <i>Planta</i> , 1991 , 183, 528-37	33
1425	Acrosin, the peculiar sperm-specific serine protease. 1991 , 87, 635-41	69
1424	Cloning and nucleotide sequence of the genomic ribonuclease T2 gene (<i>rntB</i>) from <i>Aspergillus oryzae</i> . 1991 , 19, 367-73	12
1423	Cloning and sequence analysis of desmosomal glycoproteins 2 and 3 (desmocollins): cadherin-like desmosomal adhesion molecules with heterogeneous cytoplasmic domains. 1991 , 113, 381-91	171
1422	Novel expression pattern of a new member of the MIP-1 family of cytokine-like genes. 1991 , 2, 403-12	66
1421	Sequence analysis and comparison of avocado fruit and bean abscission cellulases. 1991 , 95, 928-33	65
1420	Cloning of a serotonin transporter affected by antidepressants. 1991 , 254, 579-80	521
1419	A bradykinin-like neuropeptide precursor gene is expressed in neuron L5 of <i>Aplysia californica</i> . 1991 , 10, 249-58	32
1418	Nucleotide sequence and spatial expression pattern of a drought- and abscisic Acid-induced gene of tomato. 1991 , 97, 900-6	107
1417	Isolation and characterization of a tomato Acid phosphatase complementary DNA associated with nematode resistance. 1991 , 97, 1462-9	9
1416	Bovine and feline gastrin cDNA sequences and the amino acid and nucleotide sequence homologies among mammalian species. 1991 , 1, 181-7	5
1415	A receptor tyrosine kinase cDNA isolated from a population of enriched primitive hematopoietic cells and exhibiting close genetic linkage to <i>c-kit</i> . 1991 , 88, 9026-30	433

1414	Transcription of a quail gene expressed in embryonic retinal cells is shut off sharply at hatching. 1991, 88, 4503-7	58
1413	A melanocyte-specific gene, Pmel 17, maps near the silver coat color locus on mouse chromosome 10 and is in a syntenic region on human chromosome 12. 1991, 88, 9228-32	147
1412	Molecular cloning of PC3, a putatively secreted protein whose mRNA is induced by nerve growth factor and depolarization. 1991, 88, 3353-7	175
1411	Prohibitin, an evolutionarily conserved intracellular protein that blocks DNA synthesis in normal fibroblasts and HeLa cells. 1991, 11, 1372-81	228
1410	On the catalytic mechanism of prokaryotic leader peptidase 1. 1992, 282 (Pt 2), 539-43	69
1409	The <i>Drosophila</i> spitz gene encodes a putative EGF-like growth factor involved in dorsal-ventral axis formation and neurogenesis. 1992, 6, 1503-17	233
1408	Specific expression of an extensin-like gene in the style of <i>Nicotiana glauca</i> . 1992, 4, 1053-62	67
1407	<i>Rhizobium meliloti</i> elicits transient expression of the early nodulin gene ENOD12 in the differentiating root epidermis of transgenic alfalfa. 1992, 4, 1199-211	180
1406	A maize embryo-specific gene encodes a proline-rich and hydrophobic protein. 1992, 4, 413-23	93
1405	Molecular analysis of an auxin binding protein gene located on chromosome 4 of <i>Arabidopsis</i> . 1992, 4, 193-201	75
1404	The beta subunit of tomato fruit polygalacturonase isoenzyme 1: isolation, characterization, and identification of unique structural features. 1992, 4, 1147-56	73
1403	Precursor structure, expression, and tissue distribution of human guanylin. 1992, 89, 9089-93	127
1402	In vitro processing of tomato proteinase inhibitor I by barley microsomal membranes: a system for analysis of cotranslational processing of plant endomembrane proteins. 1992, 99, 378-82	7
1401	Structural properties and evolutionary relationships of PspA, a surface protein of <i>Streptococcus pneumoniae</i> , as revealed by sequence analysis. 1992, 174, 601-9	180
1400	The gene for a novel protein, a member of the protein disulphide isomerase/Form I phosphoinositide-specific phospholipase C family, is amplified in hydroxyurea-resistant cells. 1992, 281 (Pt 3), 645-50	42
1399	Secretion of mammalian ribonucleases from <i>Escherichia coli</i> using the signal sequence of murine spleen ribonuclease. 1992, 283 (Pt 1), 137-44	22
1398	Genetic evidence for an androgen-regulated epididymal secretory glutathione peroxidase whose transcript does not contain a selenocysteine codon. 1992, 285 (Pt 3), 863-70	93
1397	Characterization of the human properdin gene. 1992, 287 (Pt 1), 291-7	41

1396	Molecular cloning of chicken aggrecan. Structural analyses. 1992 , 288 (Pt 3), 903-10	42
1395	Chapter 9 Membrane protein insertion into the endoplasmic reticulum: signals, machinery and mechanisms. 1992 , 22, 105-118	3
1394	Expression cloning of a Na(+)-independent neutral amino acid transporter from rat kidney. 1992 , 89, 1-5	265
1393	cDNA cloning and functional activity of a glucocorticoid-regulated inflammatory cyclooxygenase. 1992 , 89, 4888-92	712
1392	Large, identical, tandem repeating units in the C protein alpha antigen gene, bca, of group B streptococci. 1992 , 89, 10060-4	127
1391	Proviral rearrangements and overexpression of a new cellular gene (nov) in myeloblastosis-associated virus type 1-induced nephroblastomas. 1992 , 12, 10-21	263
1390	Structure-function relationship among T-cell receptors specific for lysozyme peptides bound to Ab or Abm-12 molecules. 1992 , 89, 2940-4	15
1389	Cloning and sequence analysis of the muramidase-2 gene from <i>Enterococcus hirae</i> . 1992 , 174, 1619-25	65
1388	Identification of a gene, rgg, which regulates expression of glucosyltransferase and influences the Spp phenotype of <i>Streptococcus gordonii</i> Challis. 1992 , 174, 3577-86	82
1387	Cloning of a cDNA encoding the ovine interleukin-2 receptor 55-kDa protein, CD25. 1992 , 113, 283-4	6
1386	Characterization of a cDNA clone encoding molluscan insulin-related peptide V of <i>Lymnaea stagnalis</i> . 1992 , 14, 7-12	29
1385	The mouse pink-eyed dilution gene: association with human Prader-Willi and Angelman syndromes. 1992 , 257, 1121-4	206
1384	Ferric reductase of <i>Saccharomyces cerevisiae</i> : molecular characterization, role in iron uptake, and transcriptional control by iron. 1992 , 89, 3869-73	305
1383	Isolation of a cDNA clone encoding the RNase-superfamily-related gene highly expressed in chicken bone marrow cells. 1992 , 185, 231-9	17
1382	A spontaneous variant of an antidigoxin hybridoma antibody with increased affinity arises from a heavy chain signal peptide mutation. 1992 , 29, 525-9	14
1381	Addition of a dipeptide spacer significantly improves secretion of ovine trophoblast interferon in yeast. 1992 , 118, 47-53	19
1380	Characterization of genes expressed in mesophyll protoplasts of <i>Nicotiana glauca</i> before the re-initiation of the DNA replicational activity. 1992 , 38, 121-32	30
1379	Functional expression and CNS distribution of a beta-alanine-sensitive neuronal GABA transporter. 1992 , 9, 337-48	207

1378	A family of metabotropic glutamate receptors. 1992 , 8, 169-79	945
1377	Cloning and expression in <i>Escherichia coli</i> of the gene encoding an extracellular deoxyribonuclease (DNase) from <i>Aeromonas hydrophila</i> . 1992 , 122, 175-80	37
1376	Proaleurain vacuolar targeting is mediated by short contiguous peptide interactions. 1992 , 4, 307-18	186
1375	Molecular cloning of a retina-specific membrane guanylyl cyclase. 1992 , 9, 727-37	214
1374	Regulation and secretion of an extracellular esterase from <i>Streptomyces scabies</i> . 1992 , 115, 27-31	11
1373	Binding of recombinant variants of human tissue-type plasminogen activator (t-PA) to human umbilical vein endothelial cells. 1992 , 67, 589-99	11
1372	Translocation of proteins across and integration of membrane proteins into the rough endoplasmic reticulum. 1992 , 674, 27-37	2
1371	Abiotic stresses induce a thaumatin-like protein in maize; cDNA isolation and sequence analysis. 1992 , 85, 61-69	33
1370	Cloning and DNA sequence of the <i>Mycobacterium fortuitum</i> var <i>fortuitum</i> plasmid pAL5000. 1992 , 27, 130-40	27
1369	A novel tyrosine kinase, <i>hyk</i> , expressed in murine embryonic stem cells. 1992 , 189, 1747-53	6
1368	Molecular cloning and nucleotide sequence of leukocidin F-component gene (<i>lukF</i>) from methicillin resistant <i>Staphylococcus aureus</i> . 1992 , 184, 640-6	32
1367	The unique N-terminal sequence of testis angiotensin-converting enzyme is heavily O-glycosylated and unessential for activity or stability. 1992 , 183, 199-205	52
1366	A signal peptide with a proline next to the cleavage site inhibits leader peptidase when present in a sec-independent protein. 1992 , 299, 243-6	51
1365	Nucleotide sequence of a cDNA clone encoding a major allergenic protein in rice seeds. Homology of the deduced amino acid sequence with members of alpha-amylase/trypsin inhibitor family. 1992 , 302, 213-6	70
1364	Molecular cloning and nucleotide sequence analysis of a cDNA encoding the main beta-neurotoxin from the venom of the South American scorpion <i>Tityus serrulatus</i> . 1992 , 302, 220-2	53
1363	The gene structure of tetranectin, a plasminogen binding protein. 1992 , 309, 15-9	30
1362	The primitive metazoan <i>Hydra</i> expresses antistasin, a serine protease inhibitor of vertebrate blood coagulation: cDNA cloning, cellular localisation and developmental regulation. 1992 , 309, 288-92	24
1361	Molluscan putative prohormone convertases: structural diversity in the central nervous system of <i>Lymnaea stagnalis</i> . 1992 , 312, 213-8	34

1360	Conformation and length of the signal sequence affect processing of secretory protein. 1992 , 311, 226-30	
1359	Sequence divergence among members of a trypanosome variant surface glycoprotein gene family. 1992 , 225, 973-83	8
1358	A heterologous membrane protein domain fused to the C-terminal ATP-binding domain of HlyB can export <i>Escherichia coli</i> hemolysin. 1992 , 174, 6771-9	28
1357	Cloning and expression of a member of the <i>Aspergillus niger</i> gene family encoding alpha-galactosidase. 1992 , 233, 404-10	56
1356	Apical secretion and association of the <i>Drosophila</i> yellow gene product with developing larval cuticle structures during embryogenesis. 1992 , 235, 397-405	35
1355	Complementation of <i>Saccharomyces cerevisiae</i> acid phosphatase mutation by a genomic sequence from the yeast <i>Yarrowia lipolytica</i> identifies a new phosphatase. 1992 , 22, 345-55	24
1354	Cloning and characterization of a pathogen-induced chitinase in <i>Brassica napus</i> . 1992 , 20, 277-87	60
1353	Isolation and sequence analysis of the genomic DNA fragment encoding an aspartic proteinase inhibitor homologue from potato (<i>Solanum tuberosum</i> L.). 1992 , 20, 311-3	19
1352	Predicted sequence and structure of a vegetative lectin in <i>Pisum sativum</i> . 1992 , 18, 857-63	8
1351	A probable lipid transfer protein gene is induced by NaCl in stems of tomato plants. 1992 , 18, 749-57	193
1350	The isolation and characterisation of the tapetum-specific <i>Arabidopsis thaliana</i> A9 gene. 1992 , 19, 611-22	143
1349	Cytochrome f: Structure, function and biosynthesis. 1992 , 34, 359-74	85
1348	Genetic polymorphism of the gene encoding the outer surface protein A (OspA) of <i>Borrelia burgdorferi</i> . 1992 , 181, 57-70	43
1347	Cloning and sequencing of a cDNA encoding the major storage proteins of <i>Theobroma cacao</i> : Identification of the proteins as members of the vicilin class of storage proteins. <i>Planta</i> , 1992 , 186, 567-76	37
1346	Nucleotide and deduced amino acid sequence of bovine adrenal medulla chromogranin B (secretogranin I). 1992 , 12, 185-92	5
1345	Cloning and expression of a rat brain L-glutamate transporter. 1992 , 360, 464-7	1118
1344	The chicken vasotocin gene. 1992 , 4, 505-13	34
1343	Identification, genetic analysis and DNA sequence of a 7.8-kb virulence region of the <i>Salmonella typhimurium</i> virulence plasmid. 1992 , 6, 1395-411	74

1342	IRE1 encodes a putative protein kinase containing a membrane-spanning domain and is required for inositol phototrophy in <i>Saccharomyces cerevisiae</i> . 1992 , 6, 1441-6	170
1341	Protein-specific features of the general secretion pathway in yeast: the secretion of acid phosphatase. 1992 , 6, 573-9	12
1340	Surface epitope localization and gene structure of a <i>Babesia bovis</i> 44-kilodalton variable merozoite surface antigen. 1992 , 55, 75-83	44
1339	Isolation and characterization of a cysteine proteinase gene of <i>Plasmodium falciparum</i> . 1992 , 51, 143-52	94
1338	The isolation, characterization and cloning of a globin-like, host-protective antigen from the excretory-secretory products of <i>Trichostrongylus colubriformis</i> . 1992 , 50, 27-36	48
1337	The two splice variants of collagen XII share a common 5' end. 1992 , 1171, 97-8	23
1336	In vitro characterization of the HSV-1 UL53 gene product. 1992 , 186, 579-87	43
1335	Identification and transcriptional mapping of genes encoded at the IR/Us junction of equine herpesvirus type 1. 1992 , 191, 649-60	20
1334	Open reading frames encoding a protein kinase, homolog of glycoprotein gX of pseudorabies virus, and a novel glycoprotein map within the unique short segment of equine herpesvirus type 1. 1992 , 188, 545-57	50
1333	Analysis of the amino terminal presequence of the feline immunodeficiency virus glycoprotein: effect of deletions on the intracellular transport of gp95. 1992 , 190, 569-78	14
1332	Proteolysis in protein import and export: signal peptide processing in eu- and prokaryotes. 1992 , 48, 118-29	40
1331	Structure of yeast pGKL 128-kDa killer-toxin secretion signal sequence. Processing of the 128-kDa killer-toxin-secretion-signal-alpha-amylase fusion protein. <i>FEBS Journal</i> , 1992 , 203, 415-23	12
1330	The axonally secreted cell adhesion molecule, axonin-1. Primary structure, immunoglobulin-like and fibronectin-type-III-like domains and glycosyl-phosphatidylinositol anchorage. <i>FEBS Journal</i> , 1992 , 204, 453-63	106
1329	The nucleotide and deduced amino acid structures of sheep and pig fetuin. Common structural features of the mammalian fetuin family. <i>FEBS Journal</i> , 1992 , 205, 321-31	51
1328	Leucine aminopeptidase from <i>Arabidopsis thaliana</i> . Molecular evidence for a phylogenetically conserved enzyme of protein turnover in higher plants. <i>FEBS Journal</i> , 1992 , 205, 425-31	59
1327	Characterization and molecular cloning of neurotoxic phospholipases A2 from Taiwan viper (<i>Vipera russelli formosensis</i>). <i>FEBS Journal</i> , 1992 , 209, 635-41	60
1326	Amino acid and DNA sequences of an extracellular basic protease of <i>Dichelobacter nodosus</i> show that it is a member of the subtilisin family of proteases. <i>FEBS Journal</i> , 1992 , 210, 13-21	28
1325	A novel calcium-binding protein from <i>Euglena gracilis</i> . Characterisation of a cDNA encoding a 74-kDa acidic-repeat protein targeted across the endoplasmic reticulum. <i>FEBS Journal</i> , 1992 , 210, 721-7	9

1324	Isolation and characterization of male flower cDNAs from maize. 1993 , 3, 41-9		15
1323	Zebrafish Mhc class II alpha chain-encoding genes: polymorphism, expression, and function. <i>Immunogenetics</i> , 1993 , 38, 408-20	3.2	80
1322	Development of artificial neural filters for pattern recognition in protein sequences. <i>Journal of Molecular Evolution</i> , 1993 , 36, 586-95	3.1	48
1321	Isolation and characterization of novel nodulin cDNAs representing genes expressed at early stages of soybean nodule development. 1993 , 238, 106-19		417
1320	Sequence variation, differential expression and chromosomal location of rice chitinase genes. 1993 , 241, 1-10		43
1319	Molecular analysis of the major cellulase (CelV) of <i>Erwinia carotovora</i> : evidence for an evolutionary "mix-and-match" of enzyme domains. 1993 , 241, 341-50		32
1318	Molecular cloning and characterization of a legumin-like storage protein cDNA of Douglas fir seeds. 1993 , 21, 709-15		38
1317	Nucleotide sequence and style-specific expression of a novel proline-rich protein gene from <i>Nicotiana glauca</i> . 1993 , 21, 391-5		43
1316	Two members of the ERabp gene family are expressed differentially in reproductive organs but to similar levels in the coleoptile of maize. 1993 , 23, 57-66		22
1315	Characterization of the soybean early nodulin cDNA clone GmENOD55. 1993 , 22, 1167-71		23
1314	Cloning and expression of <i>Hormoconis resinae</i> glucoamylase P cDNA in <i>Saccharomyces cerevisiae</i> . 1993 , 24, 38-44		16
1313	Isolation and structure of an acetolactate synthase gene from <i>Schizosaccharomyces pombe</i> and complementation of the <i>ilv2</i> mutation in <i>Saccharomyces cerevisiae</i> . 1993 , 24, 544-7		5
1312	The isolation of a cDNA encoding a neuropeptide prohormone from the light yellow cells of <i>Lymnaea stagnalis</i> . 1993 , 13, 263-70		11
1311	Cloning and gene defects in microsomal triglyceride transfer protein associated with abetalipoproteinaemia. 1993 , 365, 65-9		423
1310	Effect of different positively charged amino acids, C-terminally of the signal peptidase cleavage site, on the translocation kinetics of a precursor protein in <i>Escherichia coli</i> K-12. 1993 , 109, 173-8		6
1309	Membrane location of the Ti plasmid VirB proteins involved in the biosynthesis of a pilin-like conjugative structure on <i>Agrobacterium tumefaciens</i> . 1993 , 111, 287-94		99
1308	Secretion of the <i>Hormoconis resinae</i> glucoamylase P enzyme from <i>Trichoderma reesei</i> directed by the natural and the <i>cbh1</i> gene secretion signal. 1993 , 112, 281-6		14
1307	Genetics of bacteriocins produced by lactic acid bacteria. 1993 , 12, 39-85		1381

1306	Molecular cloning of silkworm (<i>Bombyx mori</i>) antichymotrypsin. A new member of the serpin superfamily of proteins from insects. <i>FEBS Journal</i> , 1993 , 214, 181-7	25
1305	cDNA cloning of the sodium-influx-stimulating peptide in the mollusc, <i>Lymnaea stagnalis</i> . <i>FEBS Journal</i> , 1993 , 215, 397-400	9
1304	Proteins of the Golgi apparatus. Purification to homogeneity, N-terminal sequence, and unusually large Stokes radius of the membrane-bound form of UDP-galactose:N-acetylglucosamine beta 1-4galactosyltransferase from rat liver. <i>FEBS Journal</i> , 1993 , 216, 405-17	14
1303	Molecular cloning and primary structure of Man9-mannosidase from human kidney. <i>FEBS Journal</i> , 1993 , 217, 535-40	54
1302	Characterization of the mRNA encoding a proline-rich 37-kilodalton glycoprotein from the excretory-secretory products of <i>Trichostrongylus colubriformis</i> . 1993 , 58, 325-32	4
1301	Sequence heterogeneity and polymorphic gene arrangements of the <i>Leishmania guyanensis</i> gp63 genes. 1993 , 62, 173-85	37
1300	Structure and expression of a post-transcriptionally regulated malaria gene encoding a surface protein from the sexual stages of <i>Plasmodium berghei</i> . 1993 , 59, 263-75	149
1299	Molecular cloning and characterization of cDNA encoding mouse hepatocyte growth factor. 1993 , 1216, 299-303	32
1298	Guinea-pig neutrophil cationic peptides are encoded by at least three kinds of mRNA transcripts. 1993 , 106, 387-90	1
1297	A major mRNA of the human epididymal principal cells, HE5, encodes the leucocyte differentiation CDw52 antigen peptide backbone. 1993 , 34, 8-15	80
1296	Molecular cloning of a putative homolog of proline/arginine-rich antibacterial peptides from porcine bone marrow. 1993 , 336, 284-8	38
1295	Biosynthesis and initial processing of the cardiac sarcolemmal Na(+)-Ca2+ exchanger. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 1993 , 1151, 35-42	3.8 67
1294	Bovine mammary lactoferrin: implications from messenger ribonucleic acid (mRNA) sequence and regulation contrary to other milk proteins. 1993 , 76, 3812-31	93
1293	Type V collagen: molecular structure and fibrillar organization of the chicken alpha 1(V) NH2-terminal domain, a putative regulator of corneal fibrillogenesis. 1993 , 121, 1181-9	236
1292	Characterisation of potato (<i>Solanum tuberosum</i> L.) extensins: a novel extensin-like cDNA from dormant tubers. 1993 , 134, 229-33	25
1291	Genetic organization and sequence of the promoter-distal region of the tcp gene cluster of <i>Vibrio cholerae</i> . 1993 , 126, 51-60	77
1290	Pigmentation Genes: the Tyrosinase Gene Family and the pmel 17 Gene Family. 1993 , 100, S134-S140	68
1289	Recombinant bovine heart mitochondrial F1-ATPase inhibitor protein: overproduction in <i>Escherichia coli</i> , purification, and structural studies. 1993 , 32, 10140-9	28

1288	Expression cloning of a rat glutamate transporter. 1993 , 16, 149-53	98
1287	Cloning, sequence and expression of the gene (aprV5) encoding extracellular serine acidic protease V5 from <i>Dichelobacter nodosus</i> . 1993 , 137, 259-64	12
1286	Cloning and sequence of an alkaline serine protease-encoding gene from the marine bacterium <i>Alteromonas</i> sp. strain O-7. 1993 , 136, 247-51	18
1285	Structure and expression of hedgehog, a <i>Drosophila</i> segment-polarity gene required for cell-cell communication. 1993 , 124, 183-9	84
1284	Cloning and sequence analysis of the gene encoding a thermostable chitinase from <i>Streptomyces thermoviolaceus</i> OPC-520. 1993 , 134, 113-7	37
1283	The <i>drosophila</i> dorsoventral patterning gene <i>gurken</i> produces a dorsally localized RNA and encodes a TGF β -like protein. 1993 , 75, 165-174	494
1282	Pectin, pectinase and protopectinase: production, properties, and applications. 1993 , 39, 213-94	215
1281	Glycosylation-dependent activity of baculovirus-expressed human liver carboxylesterases: cDNA cloning and characterization of two highly similar enzyme forms. 1993 , 32, 11606-17	95
1280	Identification and characterization of MPG1, a gene involved in pathogenicity from the rice blast fungus <i>Magnaporthe grisea</i> . 1993 , 5, 1575-90	701
1279	Antidepressant- and cocaine-sensitive human serotonin transporter: molecular cloning, expression, and chromosomal localization. 1993 , 90, 2542-6	716
1278	DNA sequence of the glucosyltransferase gene of serotype d <i>Streptococcus sobrinus</i> . 1993 , 4, 19-27	12
1277	An antiviral soluble form of the LDL receptor induced by interferon. 1993 , 262, 250-3	58
1276	Pigmentation genes: the tyrosinase gene family and the <i>pmel</i> 17 gene family. 1993 , 100, 134S-140S	43
1275	Molecular cloning and characterization of cDNAs associated with tracheary element differentiation in cultured <i>Zinnia</i> cells. 1993 , 103, 815-21	65
1274	A gene that encodes a proline-rich nodulin with limited homology to PsENOD12 is expressed in the invasion zone of <i>Rhizobium meliloti</i> -induced alfalfa root nodules. 1993 , 103, 21-30	51
1273	Biosynthesis of glycosylphosphatidylinositol (GPI)-anchored membrane proteins in intact cells: specific amino acid requirements adjacent to the site of cleavage and GPI attachment. 1993 , 120, 657-64	116
1272	Structural requirement of C-terminal region of chicken lysozyme signal peptide. 1993 , 4, 113-120	1
1271	Cloning, sequence, and expression of a chitinase gene from a marine bacterium, <i>Alteromonas</i> sp. strain O-7. 1993 , 175, 176-81	103

1270	Molecular cloning and characterization of the hblA gene encoding the B component of hemolysin BL from <i>Bacillus cereus</i> . 1993 , 175, 6760-6	109
1269	Hyaluronate synthase: cloning and sequencing of the gene from <i>Streptococcus</i> sp. 1993 , 289 (Pt 1), 179-84	42
1268	Molecular characterization of a fructanase produced by <i>Bacteroides fragilis</i> BF-1. 1993 , 175, 3058-66	27
1267	Dror, a potential neurotrophic receptor gene, encodes a <i>Drosophila</i> homolog of the vertebrate Ror family of Trk-related receptor tyrosine kinases. 1993 , 90, 7109-13	99
1266	Resolution of the HLA-DRB6 puzzle: a case of grafting a de novo-generated exon on an existing gene. 1993 , 90, 10720-4	40
1265	Tie-1 and tie-2 define another class of putative receptor tyrosine kinase genes expressed in early embryonic vascular system. 1993 , 90, 9355-8	382
1264	Localization of small heat shock proteins to the higher plant endomembrane system. 1993 , 13, 238-47	88
1263	Cloning and characterization of cDNA encoding glyoxal oxidase, a H ₂ O ₂ -producing enzyme from the lignin-degrading basidiomycete <i>Phanerochaete chrysosporium</i> . 1993 , 90, 7411-3	66
1262	apl-1, a <i>Caenorhabditis elegans</i> gene encoding a protein related to the human beta-amyloid protein precursor. 1993 , 90, 12045-9	177
1261	.	5
1260	Structural requirements of <i>Bacillus subtilis</i> alpha-amylase signal peptide for efficient processing: in vivo pulse-chase experiments with mutant signal peptides. 1993 , 175, 4203-12	9
1259	Nucleotide sequence of the celG gene of <i>Clostridium thermocellum</i> and characterization of its product, endoglucanase CelG. 1993 , 175, 3353-60	38
1258	SSG1, a gene encoding a sporulation-specific 1,3-beta-glucanase in <i>Saccharomyces cerevisiae</i> . 1993 , 175, 3823-37	41
1257	Molecular cloning, sequencing, and mapping of the gene encoding protease I and characterization of proteinase and proteinase-defective <i>Escherichia coli</i> mutants. 1993 , 175, 1032-7	22
1256	Identification and characterization of a gene cluster mediating enteroaggregative <i>Escherichia coli</i> aggregative adherence fimbria I biogenesis. 1994 , 176, 4949-57	93
1255	New outer membrane-associated protease of <i>Escherichia coli</i> K-12. 1994 , 176, 359-67	70
1254	Cloning and DNA sequencing of the dextranase inhibitor gene (dei) from <i>Streptococcus sobrinus</i> . 1994 , 176, 7213-22	23
1253	Selection of functional signal peptide cleavage sites from a library of random sequences. 1994 , 176, 563-8	16

1252	Characterization of a pollen-expressed receptor-like kinase gene of <i>Petunia inflata</i> and the activity of its encoded kinase. 1994 , 6, 709-21	153
1251	Cloning and characterization of human tissue inhibitor of metalloproteinases-3. 1994 , 13, 711-8	37
1250	Delivery of a secretable adenosine deaminase through microcapsules--a novel approach to somatic gene therapy. 1994 , 5, 1445-55	39
1249	2 Corticotropin-Releasing Factors Acting on the Fish Pituitary: Experimental and Molecular Analysis. 1994 , 67-100	14
1248	Bacteriocins of lactic acid bacteria. 1994 , 211-251	46
1247	Apple beta-galactosidase. Activity against cell wall polysaccharides and characterization of a related cDNA clone. 1994 , 106, 521-8	115
1246	Peach (<i>Prunus persica</i>) endopolygalacturonase cDNA isolation and mRNA analysis in melting and nonmelting peach cultivars. 1994 , 105, 225-31	88
1245	Membrane insertion of gap junction connexins: polytopic channel forming membrane proteins. 1994 , 127, 343-55	91
1244	Novel vascular cell-specific genes whose expression is regulated temporally and spatially during vascular system development. 1994 , 6, 967-81	130
1243	Molecular cloning and characterization of a brassinosteroid-regulated gene from elongating soybean (<i>Glycine max</i> L.) epicotyls. 1994 , 104, 161-70	193
1242	cDNA cloning of carrot (<i>Daucus carota</i>) soluble acid beta-fructofuranosidases and comparison with the cell wall isoenzyme. 1994 , 104, 1351-7	81
1241	STK-1, the human homolog of Flk-2/Flt-3, is selectively expressed in CD34+ human bone marrow cells and is involved in the proliferation of early progenitor/stem cells. 1994 , 91, 459-63	350
1240	Cloning and expression of the gene for the melanoma-associated ME20 antigen. 1994 , 13, 87-95	23
1239	Nucleotide and deduced amino acid sequences of genes encoding the structural and nonstructural NS1 proteins of a dengue-2 virus isolated in China. 1994 , 8, 71-4	3
1238	Isolation and in situ localization of a cDNA encoding a Kex2-like prohormone convertase in the nematode <i>Caenorhabditis elegans</i> . 1994 , 14, 9-25	35
1237	Isolation and characterization of a 1,4-beta-endoxylanase gene of <i>A. awamori</i> . 1994 , 26, 228-32	55
1236	Cloning and characterization of a chitinase (chit42) cDNA from the mycoparasitic fungus <i>Trichoderma harzianum</i> . 1994 , 27, 83-9	122
1235	The sequence and expression pattern of the <i>Calliphora erythrocephala</i> yolk protein A and B genes. <i>Journal of Molecular Evolution</i> , 1994 , 38, 336-51	3.1 23

1234	A putative catabolite-repressed cell wall protein from the mycoparasitic fungus <i>Trichoderma harzianum</i> . 1994 , 242, 461-6	25
1233	Molecular characterization of a novel tobacco pathogenesis-related (PR) protein: a new plant chitinase/lysozyme. 1994 , 245, 246-54	36
1232	Primary structure and expression of mRNAs encoding basic chitinase and 1,3-beta-glucanase in potato. 1994 , 24, 353-67	81
1231	A hydroxyproline-containing class IV chitinase of sugar beet is glycosylated with xylose. 1994 , 25, 241-57	44
1230	Characterization of MEL genes in the genus <i>Zygosaccharomyces</i> . 1994 , 10, 733-45	14
1229	Isolation, sequencing and mutational analysis of a gene cluster involved in nitrite reduction in <i>Paracoccus denitrificans</i> . 1994 , 66, 111-27	68
1228	The proteins encoded by two tapetum-specific transcripts, Satap35 and Satap44, from <i>Sinapis alba</i> L. are localized in the exine cell wall layer of developing microspores. <i>Planta</i> , 1994 , 192, 221-231	4-7 42
1227	Genetic control of the human V beta 13.2 T cell repertoire: importance of allelic variation outside the coding regions of the TCRBV13S2 gene. 1994 , 24, 2863-7	17
1226	Protein translocation in <i>Escherichia coli</i> . 1994 , 1197, 311-43	20
1225	Cloning of a protease gene family of <i>Fasciola hepatica</i> by the polymerase chain reaction. 1994 , 64, 11-23	71
1224	Sequencing and gene expression of hypodermins A, B, C in larval stages of <i>Hypoderma lineatum</i> . 1994 , 66, 233-40	31
1223	Protein translocation in <i>Escherichia coli</i> . 1994 , 1197, 311-343	9
1222	Cloning and sequence analysis of the β subunit of the human translocon-associated protein. 1994 , 1217, 97-100	7
1221	Cloning and sequence analysis of a hamster liver cDNA encoding a novel putative carboxylesterase. 1994 , 1207, 138-42	15
1220	Molecular cloning and nucleotide sequence of the gene encoding chitinase II from <i>Aeromonas</i> sp. no. 10S-24. 1994 , 78, 205-211	28
1219	Characterization of mouse Pmel 17 gene and silver locus. 1994 , 7, 394-7	9
1218	Stimulation of megakaryocytopoiesis and thrombopoiesis by the c-Mpl ligand. 1994 , 369, 533-8	1165
1217	Cloning and sequencing of the <i>Dermatophagoides pteronyssinus</i> group III allergen, Der p III. 1994 , 24, 220-8	59

1216	The functional units of a peptostreptococcal protein L. 1994 , 12, 911-20	22
1215	cDNA cloning and deduced amino acid sequence of two ferritins: soma ferritin and yolk ferritin, from the snail <i>Lymnaea stagnalis</i> L. <i>FEBS Journal</i> , 1994 , 222, 353-66	63
1214	Gene expression in the dog epididymis: a model for human epididymal function. 1994 , 17, 314-23	33
1213	Three novel SMR1-related cDNAs characterized in the submaxillary gland of mice show extensive evolutionary divergence in the protein coding region. 1994 , 142, 175-82	17
1212	Characterization of Der p V allergen, cDNA analysis, and IgE-mediated reactivity to the recombinant protein. 1994 , 94, 989-96	93
1211	<i>Pseudomonas aeruginosa</i> nitrite reductase (or cytochrome oxidase): an overview. 1994 , 76, 641-54	53
1210	The rational design of amino acid sequences by artificial neural networks and simulated molecular evolution: de novo design of an idealized leader peptidase cleavage site. 1994 , 66, 335-44	105
1209	Transinhibition of herpes simplex virus replication by an inducible cell-resident gene encoding a dysfunctional VP19c capsid protein. 1994 , 33, 67-87	9
1208	Isolation of a cDNA clone encoding a novel membrane protein expressed in lymphocytes. 1994 , 355, 30-4	6
1207	Complete amino acid sequence of porcine adrenomedullin and cloning of cDNA encoding its precursor. 1994 , 338, 306-10	94
1206	Structural characterization of a <i>Lymnaea</i> putative endoprotease related to human furin. 1994 , 343, 27-31	15
1205	Expression of the tyrosinase-encoding gene in a colorless melanophore mutant of the medaka fish, <i>Oryzias latipes</i> . 1994 , 150, 319-24	50
1204	Expression and developmental regulation of Ehk-1, a neuronal Elk-like receptor tyrosine kinase in brain. 1994 , 63, 163-78	31
1203	Cloning of a <i>Drosophila melanogaster</i> homologue of the mouse type-I bone morphogenetic proteins-2/-4 receptor: a potential decapentaplegic receptor. 1994 , 148, 203-9	15
1202	Gene sequence, purification and characterization of N-acetyl-beta-glucosaminidase from a marine bacterium, <i>Alteromonas</i> sp. strain O-7. 1994 , 146, 111-5	41
1201	Nucleotide sequence of the gene for peptostreptococcal protein L. 1994 , 4, 259-65	5
1200	Cleavable signal peptides are rarely found in bacterial cytoplasmic membrane proteins (review). 1994 , 11, 3-8	23
1199	Pig intestinal membrane-bound receptor (guanylyl cyclase) for heat-stable enterotoxin: cDNA cloning, functional expression, and characterization. 1994 , 38, 535-41	34

1198	Spasmolytic polypeptide: a trefoil peptide secreted by rat gastric mucous cells. 1994 , 106, 336-45	101
1197	Molecular cloning, chromosomal mapping, and sequence analysis of copper resistance genes from <i>Xanthomonas campestris</i> pv. <i>juglandis</i> : homology with small blue copper proteins and multicopper oxidase. 1994 , 176, 173-88	111
1196	Purification and characterization of <i>Streptococcus sobrinus</i> dextranase produced in recombinant <i>Escherichia coli</i> and sequence analysis of the dextranase gene. 1994 , 176, 3839-50	44
1195	Molecular characterization of the extracellular poly(3-hydroxyoctanoic acid) [P(3HO)] depolymerase gene of <i>Pseudomonas fluorescens</i> GK13 and of its gene product. 1994 , 176, 7065-73	64
1194	Bacterial leader peptidase 1. 1994 , 244, 285-301	30
1193	Structural organization of the <i>Helicoverpa zea</i> gene encoding the precursor protein for pheromone biosynthesis-activating neuropeptide and other neuropeptides. 1994 , 91, 6506-10	120
1192	Two distinctly regulated genes are required for ferric reduction, the first step of iron uptake in <i>Saccharomyces cerevisiae</i> . 1994 , 14, 3065-73	208
1191	Cloning, expression, and localization of a chloride-facilitated, cocaine-sensitive serotonin transporter from <i>Drosophila melanogaster</i> . 1994 , 91, 5158-62	127
1190	A defective signal peptide in the maize high-lysine mutant floury 2. 1995 , 92, 6828-31	107
1189	Shared functions in vivo of a glycosyl-phosphatidylinositol-linked aspartyl protease, Mkc7, and the proprotein processing protease Kex2 in yeast. 1995 , 92, 10752-6	93
1188	A signal peptide secretion-dependent bacteriocin from <i>Carnobacterium divergens</i> . 1995 , 177, 3143-9	120
1187	Molecular cloning and expression of cDNA encoding the rat UDP-N-acetylglucosamine:alpha-6-D-mannoside beta-1,2-N-acetylglucosaminyltransferase II. 1995 , 270, 15211-21	47
1186	An endomembrane-localized small heat-shock protein from <i>Arabidopsis thaliana</i> . 1995 , 107, 287-8	43
1185	A <i>Drosophila</i> seminal fluid protein, Acp26Aa, stimulates egg laying in females for 1 day after mating. 1995 , 92, 10114-8	260
1184	cDNA sequence and expression pattern of the putative pheromone carrier aphrodisin. 1995 , 92, 2091-5	33
1183	Isolation, cloning and deduced amino acid sequence of a novel glycoprotein from the haemolymph of the hawkmoth <i>Manduca sexta</i> . 1995 , 4, 7-13	8
1182	Precore and core mutations in HBV from individuals in India with chronic infection. 1995 , 45, 321-5	24
1181	Mouse androgen-dependent epididymal glycoprotein CRISP-1 (DE/AEG): isolation, biochemical characterization, and expression in recombinant form. 1995 , 42, 157-72	77

1180	Isolation and characterization of mosquito ferritin and cloning of a cDNA that encodes one subunit. 1995 , 29, 293-307		72
1179	Molecular cloning and sequence determination of the peplomer protein gene of feline infectious peritonitis virus type I. 1995 , 140, 469-80		52
1178	The complete nucleotide sequence of the Popp (1967) strain of Marburg virus: a comparison with the Musoke (1980) strain. 1995 , 140, 1589-600		52
1177	Coding strategy of the S and M genomic segments of a hantavirus representing a new subtype of the Puumala serotype. 1995 , 140, 2011-26		37
1176	Molecular evolutionary analysis of theywvz/7B globin gene cluster of the insect <i>Chironomus thummi</i> . <i>Journal of Molecular Evolution</i> , 1995 , 41, 313-328	3.1	14
1175	A proline-rich chitinase from <i>Beta vulgaris</i> . 1995 , 27, 211-6		25
1174	Post-transcriptional regulation of a salt-inducible alfalfa gene encoding a putative chimeric proline-rich cell wall protein. 1995 , 27, 411-8		69
1173	Characterisation of two tomato fruit-expressed cDNAs encoding xyloglucan endo-transglycosylase. 1995 , 28, 391-403		77
1172	Cloning of a tomato polygalacturonase expressed in abscission. 1995 , 28, 647-56		92
1171	Purification, immunological characterization and cDNA cloning of a 47 kDa glycoprotein secreted by carrot suspension cells. 1995 , 27, 901-10		10
1170	A novel wound-inducible extensin gene is expressed early in newly isolated protoplasts of <i>Nicotiana sylvestris</i> . 1995 , 29, 279-92		28
1169	Development of simple fitness landscapes for peptides by artificial neural filter systems. <i>Biological Cybernetics</i> , 1995 , 73, 245-54	2.8	19
1168	The characterisation of tapetum-specific cDNAs isolated from a <i>Lilium henryi</i> L. meiocyte subtractive cDNA library. <i>Planta</i> , 1995 , 196, 523-9	4.7	19
1167	Primary structure and expression pattern of the 33-kDa chitinase gene from the mycoparasitic fungus <i>Trichoderma harzianum</i> . 1995 , 28, 478-83		88
1166	Sequence analysis of the <i>Aspergillus nidulans</i> pectate lyase <i>pelA</i> gene and evidence for binding of promoter regions to CREA, a regulator of carbon catabolite repression. 1995 , 27, 142-9		29
1165	Molecular characterization and heterologous expression of an endo-beta-1,6-glucanase gene from the mycoparasitic fungus <i>Trichoderma harzianum</i> . 1995 , 247, 639-45		54
1164	Structure and regulation of the <i>Erwinia carotovora</i> subspecies <i>carotovora</i> SCC3193 cellulase gene <i>celV1</i> and the role of cellulase in phytopathogenicity. 1995 , 247, 17-26		33
1163	Bacteriocin release proteins: mode of action, structure, and biotechnological application. 1995 , 17, 381-99		49

1162	Penem inhibitors of bacterial signal peptidase. 1995 , 5, 443-448	47
1161	Cloning of the xynNB gene encoding xylanase B from <i>Aspergillus niger</i> and its expression in <i>Aspergillus kawachii</i> . 1995 , 79, 422-428	28
1160	Characterization of a <i>Schistosoma mansoni</i> cDNA encoding a B-like cyclophilin and its expression in <i>Escherichia coli</i> . 1995 , 75, 99-111	18
1159	Characterization of a bovine mammary gland PP3 cDNA reveals homology with mouse and rat adhesion molecule GlyCAM-1. 1995 , 1260, 116-8	28
1158	cDNA cloning for a putative cysteine proteinase from developing seeds of soybean. 1995 , 1261, 435-8	10
1157	Cloning of cDNA for rat eosinophil major basic protein. 1995 , 1264, 261-4	6
1156	A new human guanylate cyclase-activating peptide (GCAP-II, uroguanylin): precursor cDNA and colonic expression. 1995 , 1253, 146-9	31
1155	A cDNA encoding a PR-1-like protein in the model legume <i>Medicago truncatula</i> . 1995 , 107, 273-4	14
1154	Nucleotide sequence of a cDNA clone from broccoli with high identity with the PSST subunit of NADH:ubiquinone oxidoreductase. 1995 , 108, 859-60	4
1153	The putative amino-terminal signal peptide of the cloned rat brain Na(+)-Ca ²⁺ exchanger gene (RBE-1) is not mandatory for functional expression. 1995 , 270, 19120-7	26
1152	The cloning, expression and sequence analysis of a second <i>Porphyromonas gingivalis</i> gene that codes for a protein involved in hemagglutination. 1995 , 10, 311-8	63
1151	Expression of a functionally active human renal sodium-calcium exchanger lacking a signal sequence. 1995 , 270, 19345-50	20
1150	Protein transport via amino-terminal targeting sequences: common themes in diverse systems. 1995 , 12, 295-307	28
1149	The mouse proteinase-activated receptor-2 cDNA and gene. Molecular cloning and functional expression. 1995 , 270, 5950-55	147
1148	Signal sequence processing in rough microsomes. 1995 , 270, 19873-8	73
1147	Correct processing of the kiwifruit protease actinidin in transgenic tobacco requires the presence of the C-terminal propeptide. 1995 , 108, 261-8	36
1146	A receptor guanylyl cyclase expressed specifically in olfactory sensory neurons. 1995 , 92, 3571-5	242
1145	Cloning and expression of an evolutionary conserved single-domain angiotensin converting enzyme from <i>Drosophila melanogaster</i> . 1995 , 270, 13613-9	115

1144	Biochemical and molecular characterization of a barley seed beta-glucosidase. 1995 , 270, 15789-97	147
1143	Mouse silver mutation is caused by a single base insertion in the putative cytoplasmic domain of Pmel 17. 1995 , 23, 154-8	60
1142	The tonoplast-associated citrate binding protein (CBP) of <i>Hevea brasiliensis</i> . Photoaffinity labeling, purification, and cloning of the corresponding gene. 1995 , 270, 30525-31	10
1141	Two membrane forms of guanylyl cyclase found in the eye. 1995 , 92, 602-6	221
1140	A sperm membrane protein that binds in a species-specific manner to the egg extracellular matrix is homologous to von Willebrand factor. 1995 , 270, 26025-8	120
1139	The FET3 gene product required for high affinity iron transport in yeast is a cell surface ferroxidase. 1995 , 270, 1098-101	186
1138	Genomic cloning, characterization, and functional analysis of the major surface adhesin WI-1 on <i>Blastomyces dermatitidis</i> yeasts. 1995 , 270, 30725-32	48
1137	Recognition of the structure around the site of cleavage by the carboxyl-terminal processing protease for D1 precursor protein of the photosystem II reaction center. 1995 , 270, 10711-6	25
1136	Prediction of omega site in nascent precursor of glycosylphosphatidylinositol protein. 1995 , 250, 571-82	72
1135	Induction of apoplastic invertase of <i>Chenopodium rubrum</i> by D-glucose and a glucose analog and tissue-specific expression suggest a role in sink-source regulation. 1995 , 108, 285-94	193
1134	Transient induction of a peroxidase gene in <i>Medicago truncatula</i> precedes infection by <i>Rhizobium meliloti</i> . 1995 , 7, 43-55	214
1133	Anchoring of an immunogenic <i>Plasmodium falciparum</i> circumsporozoite protein on the surface of <i>Dictyostelium discoideum</i> . 1995 , 270, 12941-7	28
1132	An amino-terminal extension is required for the secretion of chick agrin and its binding to extracellular matrix. 1995 , 131, 1547-60	115
1131	Isolation and molecular cloning of a novel bone phosphoprotein related in sequence to the cystatin family of thiol protease inhibitors. 1995 , 270, 431-6	40
1130	Molecular cloning, DNA sequence analysis, and biochemical characterization of a novel 65-kDa FK506-binding protein (FKBP65). 1995 , 270, 29336-41	51
1129	Cloning of AL-1, a ligand for an Eph-related tyrosine kinase receptor involved in axon bundle formation. 1995 , 14, 973-81	249
1128	Cloning and characterization of the bovine plasminogen activators uPA and tPA. 1995 , 5, 605-617	9
1127	Lactococcins: Mode of action, immunity and secretion. 1995 , 5, 815-832	5

1126	Cloning and sequencing of beta-mannanase gene from <i>Bacillus subtilis</i> NM-39. 1995 , 1243, 552-4	18
1125	Cloning of cDNA and genomic DNA encoding fibroblast growth factor receptor-4 of <i>Xenopus laevis</i> . 1995 , 152, 215-9	14
1124	Cloning of a cDNA encoding murine tetranectin. 1995 , 152, 243-5	21
1123	Cloning and sequence analysis of GmII, a <i>Drosophila melanogaster</i> homologue of the cDNA encoding murine Golgi alpha-mannosidase II. 1995 , 154, 183-6	38
1122	Sequence of the <i>Rhodococcus equi</i> gene encoding the virulence-associated 15-17-kDa antigens. 1995 , 155, 135-6	74
1121	Cloning and sequencing of the gene coding for dextranase from <i>Streptococcus salivarius</i> . 1995 , 156, 93-6	32
1120	PCR-mediated cloning and sequencing of the DmOST50 gene, a WBP1/AvOST50/OST48 homologue, from <i>Drosophila melanogaster</i> . 1995 , 158, 209-12	6
1119	A signal sequence detection system using secreted protease activity as an indicator. 1995 , 163, 193-6	10
1118	Production of the 19-kDa antigen of <i>Mycobacterium tuberculosis</i> in <i>Escherichia coli</i> and its purification. 1995 , 164, 129-32	5
1117	A single amino-acid change between the antigenically different extracellular serine proteases V2 and B2 from <i>Dichelobacter nodosus</i> . 1995 , 167, 279-83	29
1116	An unusual mosaic protein with a protease domain, encoded by the nudel gene, is involved in defining embryonic dorsoventral polarity in <i>Drosophila</i> . 1995 , 82, 785-94	100
1115	Multiple isoforms of <i>Pisum</i> trypsin inhibitors result from modification of two primary gene products. 1995 , 360, 15-20	45
1114	Nucleotide sequence encoding the di-haem cytochrome c551 peroxidase from <i>Pseudomonas aeruginosa</i> . 1995 , 365, 152-4	16
1113	Molecular cloning and characterization of cDNA for insect biogenic peptide, growth-blocking peptide. 1995 , 376, 185-9	33
1112	Molecular cloning of mouse epiregulin, a novel epidermal growth factor-related protein, expressed in the early stage of development. 1995 , 377, 403-7	53
1111	Peptide design in machina: development of artificial mitochondrial protein precursor cleavage sites by simulated molecular evolution. 1995 , 68, 434-47	29
1110	Efficient expression and secretion of <i>Aspergillus niger</i> RH5344 polygalacturonase in <i>Saccharomyces cerevisiae</i> . 1995 , 44, 147-56	54
1109	Identification of <i>Porphyromonas gingivalis</i> prefimbrilin possessing a long leader peptide: possible involvement of trypsin-like protease in fimbrilin maturation. 1995 , 19, 351-64	32

1108	A <i>Xenopus</i> c-kit-related receptor tyrosine kinase expressed in migrating stem cells of the lateral line system. 1995 , 50, 217-28	30
1107	Hepatic expression of sex hormone-binding globulin associated with the postnatal surge of serum androgen-binding activity in the Djungarian hamster. 1995 , 55, 147-58	6
1106	Cloning and characterization of hydrophobins-encoding cDNAs from the ectomycorrhizal basidiomycete <i>Pisolithus tinctorius</i> . 1996 , 168, 93-7	83
1105	Comparison of the promoter proximal regions of the toxin-co-regulated tcp gene cluster in classical and El Tor strains of <i>Vibrio cholerae</i> O1. 1996 , 170, 9-16	30
1104	<i>Manduca sexta</i> hemolymph ferritin: cDNA sequence and mRNA expression. 1996 , 172, 255-9	44
1103	Isolation and characterization of a novel secretory protein, stromal cell-derived factor-2 (SDF-2) using the signal sequence trap method. 1996 , 176, 211-4	49
1102	Characterization of polydnavirus-encoded mRNA in parasitized armyworm larvae. 1996 , 26, 529-36	29
1101	A complement factor B-like cDNA clone from the zebrafish (<i>Brachydanio rerio</i>). 1996 , 33, 511-20	57
1100	Seed storage proteins of Cupressaceae are homologous to legumins from angiosperms: Molecular characterization of cDNAs from incense cedar (<i>Calocedrus decurrens</i> [Torr.] Florin). 1996 , 116, 85-96	8
1099	Legumin encoding sequences from the redwood family (Taxodiaceae) reveal precursors lacking the conserved Asn-Gly processing site. 1996 , 383, 46-50	11
1098	<i>Limulus</i> kexin: a new type of Kex2-like endoprotease specifically expressed in hemocytes of the horseshoe crab. 1996 , 386, 201-4	6
1097	Molecular cloning and bacterial expression of a cDNA encoding furostanol glycoside 26-O-beta-glucosidase of <i>Costus speciosus</i> . 1996 , 389, 273-7	28
1096	Uroguanylin gene expression in the alimentary tract and extra-gastrointestinal tissues. 1996 , 398, 170-4	44
1095	The <i>Drosophila</i> beaten path gene encodes a novel secreted protein that regulates defasciculation at motor axon choice points. 1996 , 87, 1049-58	113
1094	Starch synthesis, and tuber storage protein genes are differently expressed in <i>Solanum tuberosum</i> and in <i>Solanum brevidens</i> . 1996 , 383, 159-64	19
1093	Cloning and sequencing of a gene coding for a novel dextransucrase from <i>Leuconostoc mesenteroides</i> NRRL B-1299 synthesizing only alpha (1-6) and alpha (1-3) linkages. 1996 , 182, 23-32	66
1092	Characterization of a new peptide from <i>Tityus serrulatus</i> scorpion venom which is a ligand of the apamin-binding site. 1996 , 390, 81-4	47
1091	Expression and characterization of molluscan insulin-related peptide VII from the mollusc <i>Lymnaea stagnalis</i> . 1996 , 70, 589-96	68

1090	Cloning, sequencing and overexpression in <i>Escherichia coli</i> of a xylanase gene, <i>xynA</i> from the thermophilic bacterium Rt8B.4 genus <i>Caldicellulosiruptor</i> . 1996 , 45, 86-93	21
1089	Cloning, characterization, and epitope expression of the major diagnostic antigen of <i>Paracoccidioides brasiliensis</i> . 1996 , 271, 4553-60	115
1088	Conserved Structure and Adjacent Location of the Thrombin Receptor and Protease-Activated Receptor 2 Genes Define a Protease-Activated Receptor Gene Cluster. <i>Molecular Medicine</i> , 1996 , 2, 349-357	18
1087	Cell wall sorting of lipoproteins in <i>Staphylococcus aureus</i> . 1996 , 178, 441-6	53
1086	Cloning and expression of DiT33 from <i>Dirofilaria immitis</i> : a specific and early marker of heartworm infection. 1996 , 112 (Pt 3), 331-8	25
1085	A new type of cohesin domain that specifically binds the dockerin domain of the <i>Clostridium thermocellum</i> cellulosome-integrating protein CipA. 1996 , 178, 3077-84	118
1084	Membrane insertion of the F-pilin subunit is Sec independent but requires leader peptidase B and the proton motive force. 1996 , 178, 3742-7	26
1083	Role of the propilin leader peptide in the maturation of F pilin. 1996 , 178, 3748-54	16
1082	Analysis of the prtP gene encoding porphypain, a cysteine proteinase of <i>Porphyromonas gingivalis</i> . 1996 , 178, 2734-41	72
1081	Molecular cloning and primary sequence analysis of a gene encoding a putative chitinase gene in <i>Brassica oleracea</i> var. <i>capitata</i> . 1996 , 6, 65-73	3
1080	Cloning and sequencing of rat liver carboxylesterase ES-4 (microsomal palmitoyl-CoA hydrolase). 1996 , 313 (Pt 3), 821-6	25
1079	Cloning and functional expression of glycosyltransferases from parasitic protozoans by heterologous complementation in yeast: the dolichol phosphate mannose synthase from <i>Trypanosoma brucei brucei</i> . 1996 , 316 (Pt 3), 853-8	46
1078	Complementary deoxyribonucleic acid sequence encoding bovine ubiquitin cross-reactive protein : A comparison with ubiquitin and a 15-kDa ubiquitin homolog. 1996 , 5, 191-7	10
1077	Immunoreactive core peptides of hepatitis C virus produced in <i>Escherichia coli</i> and in vitro DNA amplification-restricted transcription-translation system. 1996 , 59, 91-8	5
1076	Gene cloning and cellular localization of a membrane-bound acid phosphatase of <i>Leishmania mexicana</i> . 1996 , 82, 153-65	42
1075	Cloning of a cluster of chitinase genes from <i>Aeromonas</i> sp. No. 10S-24. 1996 , 1305, 44-8	34
1074	Characterization of the mouse Tcra-V22 gene subfamily. <i>Immunogenetics</i> , 1996 , 44, 432-40	3.2 4
1073	Characterization of the gene encoding quinohaemoprotein ethanol dehydrogenase of <i>Comamonas testosteroni</i> . <i>FEBS Journal</i> , 1996 , 235, 690-8	23

1072	Identification and characterization of a rice cysteine endopeptidase that digests glutelin. <i>FEBS Journal</i> , 1996 , 239, 310-6	32
1071	Temporins, antimicrobial peptides from the European red frog <i>Rana temporaria</i> . <i>FEBS Journal</i> , 1996 , 242, 788-92	255
1070	Purification and characterization of two manganese peroxidase isozymes from the white-rot basidiomycete <i>Dichomitus squalens</i> . 1996 , 1297, 139-48	44
1069	Cloning and nucleotide sequencing of the aminopeptidase gene from <i>Aeromonas caviae</i> T-64. 1996 , 82, 544-548	17
1068	Sequence analysis of a 4017 kb segment from the left arm of yeast chromosome X reveals 14 known genes and 13 new open reading frames including homologues of genes clustered on the right arm of chromosome XI. 1996 , 12, 787-797	3
1067	Cloning of the <i>Penicillium minioluteum</i> gene encoding dextranase and its expression in <i>Pichia pastoris</i> . 1996 , 12, 1187-1200	29
1066	Defining a similarity threshold for a functional protein sequence pattern: the signal peptide cleavage site. 1996 , 24, 165-77	61
1065	<i>Enterococcus faecalis</i> cytolysin and lactocin S of <i>Lactobacillus sake</i> . 1996 , 69, 129-38	25
1064	<i>Nitrobacter winogradskyi</i> cytochrome c oxidase genes are organized in a repeated gene cluster. 1996 , 69, 305-15	9
1063	Molecular characterization of cDNAs encoding low-molecular-weight heat shock proteins of soybean. 1996 , 30, 159-69	35
1062	Identification and expression of water stress- and abscisic acid-regulated genes in a drought-tolerant sunflower genotype. 1996 , 31, 819-29	116
1061	The pea early nodulin gene PsENOD7 maps in the region of linkage group I containing sym2 and leghaemoglobin. 1996 , 31, 149-56	15
1060	Characterization of a strawberry gene for auxin-binding protein, and its expression in insect cells. 1996 , 31, 267-77	32
1059	A wound-inducible gene from <i>Salix viminalis</i> coding for a trypsin inhibitor. 1996 , 31, 465-78	21
1058	Identification of three cDNA clones expressed in the leaf extension zone and with altered patterns of expression in the slender mutant of barley: a tonoplast intrinsic protein, a putative structural protein and protochlorophyllide oxidoreductase. 1996 , 31, 529-37	28
1057	New antifungal proteins from sugar beet (<i>Beta vulgaris</i> L.) showing homology to non-specific lipid transfer proteins. 1996 , 31, 539-52	41
1056	Characterization of chitinases able to rescue somatic embryos of the temperature-sensitive carrot variant ts 11. 1996 , 31, 631-45	59
1055	Unique and conserved features of Tula hantavirus M gene encoding envelope glycoproteins G1 and G2. 1996 , 12, 257-63	8

1054	Isolation and sequence of a novel human chondrocyte protein related to mammalian members of the chitinase protein family. 1996 , 271, 19415-20	154
1053	Polyembryony in Citrus. Accumulation of seed storage proteins in seeds and in embryos cultured in vitro. 1996 , 110, 599-609	49
1052	MPG1 Encodes a Fungal Hydrophobin Involved in Surface Interactions during Infection-Related Development of Magnaporthe grisea. 1996 , 8, 985-999	276
1051	Novel plant Ca(2+)-binding protein expressed in response to abscisic acid and osmotic stress. 1996 , 271, 343-8	79
1050	Identification of chitinase as the immunodominant filarial antigen recognized by sera of vaccinated rodents. 1996 , 271, 1441-7	43
1049	Tissue-specific and developmental regulation of cotton gene FbL2A. Demonstration of promoter activity in transgenic plants. 1996 , 112, 1331-41	52
1048	A new low density lipoprotein receptor homologue with 8 ligand binding repeats in brain of chicken and mouse. 1996 , 271, 11732-6	82
1047	Molecular characterization of a novel human hybrid-type receptor that binds the alpha2-macroglobulin receptor-associated protein. 1996 , 271, 31379-83	194
1046	Granule lattice protein 1 (Grl1p), an acidic, calcium-binding protein in Tetrahymena thermophila dense-core secretory granules, influences granule size, shape, content organization, and release but not protein sorting or condensation. 1996 , 135, 1775-87	54
1045	cDNA cloning of an abundant human lacrimal gland mRNA encoding a novel tear protein. 1996 , 15, 377-86	17
1044	Elements of neural adhesion molecules and a yeast vacuolar protein sorting receptor are present in a novel mammalian low density lipoprotein receptor family member. 1996 , 271, 24761-8	150
1043	The Arabidopsis ERECTA gene encodes a putative receptor protein kinase with extracellular leucine-rich repeats. 1996 , 8, 735-46	606
1042	Abietadiene synthase from grand fir (Abies grandis). cDNA isolation, characterization, and bacterial expression of a bifunctional diterpene cyclase involved in resin acid biosynthesis. 1996 , 271, 23262-8	196
1041	cDNA cloning and characterization of the human interleukin 13 receptor alpha chain. 1996 , 271, 29265-70	228
1040	Sequencing analysis of cDNA clones encoding the American cockroach Cr-PI allergens. Homology with insect hemolymph proteins. 1996 , 271, 17937-43	60
1039	Agonist Recognition by Proteinase-activated Receptor 2 and Thrombin Receptor. 1996 , 271, 13943-13947	81
1038	Chapter 8 Eukaryotic signal sequences. 1997 , 7, 171-183	
1037	Cloning of a human epididymis-specific mRNA, HE6, encoding a novel member of the seven transmembrane-domain receptor superfamily. 1997 , 16, 379-89	70

1036	Isolation of a cDNA encoding a Kex2-like endoprotease with homology to furin from the nematode <i>Caenorhabditis elegans</i> . 1997 , 16, 663-9	17
1035	The cloning of a <i>Caenorhabditis elegans</i> guanylyl cyclase and the construction of a ligand-sensitive mammalian/nematode chimeric receptor. 1997 , 272, 16035-9	25
1034	Cloning, in vitro expression, and functional characterization of a novel human CC chemokine of the monocyte chemotactic protein (MCP) family (MCP-4) that binds and signals through the CC chemokine receptor 2B. 1997 , 272, 16404-13	76
1033	The human reelin gene: isolation, sequencing, and mapping on chromosome 7. 1997 , 7, 157-64	106
1032	alpha-Mannosidosis: functional cloning of the lysosomal alpha-mannosidase cDNA and identification of a mutation in two affected siblings. 1997 , 6, 717-26	68
1031	cDNA cloning, tissue distribution, and subcellular localization of horseshoe crab big defensin. 1997 , 378, 289-92	15
1030	A defective signal peptide tethers the floury-2 zein to the endoplasmic reticulum membrane. 1997 , 114, 345-52	69
1029	cDNA clones encoding 1,3-beta-glucanase and a fimbrin-like cytoskeletal protein are induced by Al toxicity in wheat roots. 1997 , 114, 1453-60	73
1028	Primary structure and differential gene expression of three membrane forms of guanylyl cyclase found in the eye of the teleost <i>Oryzias latipes</i> . 1997 , 272, 23407-17	49
1027	Receptor-associated protein in an oviparous species is correlated with the expression of a receptor variant. 1997 , 272, 30221-7	14
1026	Molecular cloning of a novel human CC chemokine liver and activation-regulated chemokine (LARC) expressed in liver. Chemotactic activity for lymphocytes and gene localization on chromosome 2. 1997 , 272, 5846-53	280
1025	Three different polygalacturonases are expressed in tomato leaf and flower abscission, each with a different temporal expression pattern. 1997 , 113, 1303-8	125
1024	The phytase subfamily of histidine acid phosphatases: isolation of genes for two novel phytases from the fungi <i>Aspergillus terreus</i> and <i>Myceliophthora thermophila</i> . 1997 , 143 (Pt 1), 245-252	200
1023	Differential glycosylation of tractin and LeechCAM, two novel Ig superfamily members, regulates neurite extension and fascicle formation. 1997 , 138, 143-57	41
1022	An <i>Aspergillus awamori</i> acetyltransferase: purification of the enzyme, and cloning and sequencing of the gene. 1997 , 326 (Pt 2), 485-90	33
1021	Mouse extracellular superoxide dismutase: primary structure, tissue-specific gene expression, chromosomal localization, and lung in situ hybridization. 1997 , 17, 393-403	127
1020	A novel <i>Drosophila</i> receptor tyrosine kinase expressed specifically in the nervous system. Unique structural features and implication in developmental signaling. 1997 , 272, 11916-23	72
1019	The ParB protein encoded by the RP4 par region is a Ca(2+)-dependent nuclease linearizing circular DNA substrates. 1997 , 143 (Pt 12), 3889-3898	12

1018	Identification of a molluscan homologue of the neuroendocrine polypeptide 7B2. 1997 , 272, 4116-20	15
1017	A neural network method for identification of prokaryotic and eukaryotic signal peptides and prediction of their cleavage sites. 1997 , 8, 581-99	552
1016	Characterization of a secretory type Theileria parva glutaredoxin homologue identified by novel screening procedure. 1997 , 272, 3042-8	23
1015	Cloning and sequencing of the hyaluronate lyase gene from Propionibacterium acnes. 1997 , 43, 315-21	32
1014	Secretion of a type II integral membrane protein induced by mutation of the transmembrane segment. 1997 , 322 (Pt 1), 335-42	7
1013	Selective binding of N-acetylglucosamine to the chicken hepatic lectin. 1997 , 324 (Pt 2), 673-80	25
1012	Distribution of mRNA for human epiregulin, a differentially expressed member of the epidermal growth factor family. 1997 , 326 (Pt 1), 69-75	110
1011	Intracellular coupling of bikunin and the heavy chain of rat pre-alpha-inhibitor in COS-1 cells. 1997 , 328 (Pt 1), 185-91	13
1010	Molecular cloning and characterization of the genes encoding the L1 and L2 components of hemolysin BL from Bacillus cereus. 1997 , 179, 2551-6	136
1009	Lipoprotein from the osmoregulated ABC transport system OpuA of Bacillus subtilis: purification of the glycine betaine binding protein and characterization of a functional lipidless mutant. 1997 , 179, 6213-20	51
1008	A novel member of the subtilisin-like protease family from Streptomyces albogriseolus. 1997 , 179, 430-8	28
1007	5-HT transporter. 1997 , 27, 327-361	3
1006	Neurotrypsin, a novel multidomain serine protease expressed in the nervous system. 1997 , 9, 207-19	96
1005	Molecular identification of a novel candidate sorting receptor purified from human brain by receptor-associated protein affinity chromatography. 1997 , 272, 3599-605	322
1004	Overview of protein expression by mammalian cells. 2001 , Chapter 5, Unit5.9	7
1003	Human neuroserpin (PI12): cDNA cloning and chromosomal localization to 3q26. 1997 , 40, 55-62	61
1002	The novel heat-stable enterotoxin subtype gene (ystB) of Yersinia enterocolitica: nucleotide sequence and distribution of the yst genes. 1997 , 23, 189-200	45
1001	Amino-terminal charge affects the periplasmic accumulation of recombinant heregulin/EGF hybrids exported using the Escherichia coli alkaline phosphatase signal sequence. 1997 , 10, 331-9	8

1000	Tokens of love: functions and regulation of <i>Drosophila</i> male accessory gland products. 1997 , 27, 179-92	436
999	New genes for male accessory gland proteins in <i>Drosophila melanogaster</i> . 1997 , 27, 825-34	101
998	Molecular characterization of a 17-kDa outer-membrane protein from <i>Klebsiella pneumoniae</i> . 1997 , 148, 133-43	18
997	Displaying human interleukin-2 on the surface of bacteriophage. 1997 , 3, 185-93	18
996	Cloning and expression of a cysteine-rich venom protein from <i>Trimeresurus mucrosquamatus</i> (Taiwan habu). 1997 , 35, 879-88	17
995	Microsomal triglyceride transfer protein. 1997 , 1345, 136-50	242
994	Isolation and properties of <i>Drosophila melanogaster</i> ferritin--molecular cloning of a cDNA that encodes one subunit, and localization of the gene on the third chromosome. <i>FEBS Journal</i> , 1997 , 247, 470-5	58
993	Characterization of a new antifungal chitin-binding peptide from sugar beet leaves. 1997 , 113, 83-91	98
992	Modified MER15 expression alters cell expansion in transgenic <i>Arabidopsis</i> plants. 1997 , 125, 201-210	19
991	Cloning and characterization of the gene (<i>empV</i>) encoding extracellular metalloprotease from <i>Vibrio vulnificus</i> . 1997 , 189, 163-8	30
990	cDNA cloning of the translocon associated protein beta-subunit in the chick cerebellum. 1997 , 201, 1-4	4
989	Cloning and sequence analysis of the gene (<i>eprA1</i>) encoding an extracellular protease from <i>Aeromonas hydrophila</i> . 1997 , 199, 225-9	19
988	The mouse <i>Vcs2</i> gene is a composite structure which evolved by gene fusion and encodes five distinct salivary mRNA species. 1997 , 201, 75-85	4
987	Characterization of a thiol-dependent endopeptidase from <i>Lactobacillus helveticus</i> CNRZ32. 1997 , 179, 2529-33	26
986	Molecular cloning and characterization of an L-epinephrine transporter from sympathetic ganglia of the bullfrog, <i>Rana catesbiana</i> . 1997 , 17, 2691-702	28
985	Expression of neuroserpin, an inhibitor of tissue plasminogen activator, in the developing and adult nervous system of the mouse. 1997 , 17, 8984-96	151
984	Mosquito transferrin, an acute-phase protein that is up-regulated upon infection. 1997 , 94, 12337-42	159
983	The MUR1 gene of <i>Arabidopsis thaliana</i> encodes an isoform of GDP-D-mannose-4,6-dehydratase, catalyzing the first step in the de novo synthesis of GDP-L-fucose. 1997 , 94, 2085-90	208

982	Characterization of a large transferrin-binding protein from <i>Actinobacillus pleuropneumoniae</i> serotype 7. 1997 , 44, 73-86	9
981	IgA nephropathy-specific expression of the IgA Fc receptors (CD89) on blood phagocytic cells. 1997 , 110, 226-32	21
980	The whole nucleotide sequence and chromosomal localization of the gene for human metabotropic glutamate receptor subtype 6. 1997 , 9, 1226-35	30
979	Cloning, DNA sequencing, and expression of the α -1,4-mannanase gene from a marine bacterium, <i>Vibrio</i> sp. strain MA-138. 1997 , 83, 201-205	27
978	Cloning of an unusual natriuretic peptide from the South American coral snake <i>Micrurus corallinus</i> . <i>FEBS Journal</i> , 1997 , 250, 144-9	33
977	Proteinase A, a storage-globulin-degrading endopeptidase of vetch (<i>Vicia sativa</i> L.) seeds, is not involved in early steps of storage-protein mobilization. <i>FEBS Journal</i> , 1997 , 248, 304-12	39
976	Purification, characterisation and cDNA cloning of an antimicrobial peptide from <i>Macadamia integrifolia</i> . <i>FEBS Journal</i> , 1997 , 244, 743-9	58
975	Two ways of legumin-precursor processing in conifers. Characterization and evolutionary relationships of <i>Metasequoia</i> cDNAs representing two divergent legumin gene subfamilies. <i>FEBS Journal</i> , 1997 , 246, 763-71	6
974	Cloning and sequencing of the gene encoding the high potential iron-sulfur protein (HiPIP) from the purple sulfur bacterium <i>Chromatium vinosum</i> . 1997 , 1352, 18-22	9
973	Cloning of the phytases from <i>Emericella nidulans</i> and the thermophilic fungus <i>Talaromyces thermophilus</i> . 1997 , 1353, 217-23	44
972	Complete amino-acid sequence of the beta-subunit of VTX from venom of the stonefish (<i>Synanceia verrucosa</i>) as identified from cDNA cloning experiments. 1997 , 1337, 1-5	16
971	Sequence analysis of the cDNA encoding the precursor of equinatoxin V, a newly discovered hemolysin from the sea anemone <i>Actinia equina</i> . 1997 , 1341, 105-7	30
970	Invertebrate retroviruses: ZAM a new candidate in <i>D.melanogaster</i> . <i>EMBO Journal</i> , 1997 , 16, 7521-31	13 39
969	A glycine to alanine substitution in the paramyxovirus SV5 fusion peptide increases the initial rate of fusion. 1997 , 238, 283-90	11
968	Cloning and characterisation of a gene encoding an antiviral protein from <i>Clerodendrum aculeatum</i> L. 1997 , 33, 745-51	26
967	Characterization of a tobacco extensin gene and regulation of its gene family in healthy plants and under various stress conditions. 1997 , 33, 279-89	22
966	Cloning and characterization of a pollen-specific cDNA encoding a glutamic-acid-rich protein (GARP) from potato <i>Solanum berthaultii</i> . 1997 , 33, 291-300	23
965	Primary structure and expression of acidic (class II) chitinase in potato. 1997 , 35, 749-61	49

964	cDNA sequence, genomic organization and differential expression of three Arabidopsis genes for germin/oxalate oxidase-like proteins. 1997 , 35, 459-69		47
963	Expression of a novel-type small proline-rich protein gene of alfalfa is induced by 2,4-dichlorophenoxyacetic acid in dedifferentiated callus cells. 1997 , 34, 593-602		19
962	Cloning and characterization of elongation specific endo-1,4-beta-glucanase (cel1) from Arabidopsis thaliana. 1997 , 34, 837-42		48
961	The chemistry and enzymology of the type I signal peptidases. 1997 , 6, 1129-38		207
960	Endochitinase and beta-1,3-glucanase genes are developmentally regulated during somatic embryogenesis in Picea glauca. <i>Planta</i> , 1997 , 201, 189-94	4-7	56
959	Comparing the predicted and observed properties of proteins encoded in the genome of Escherichia coli K-12. 1997 , 18, 1259-313		305
958	MtENOD16 and 20 are members of a family of phycocyanin-related early nodulins. 1998 , 36, 775-83		49
957	Root-specific expression of a Zea mays gene encoding a novel glycine-rich protein, zmGRP3. 1998 , 36, 799-802		21
956	The mammalian carboxylesterases: from molecules to functions. 1998 , 38, 257-88		614
955	Identification of autoantigen epitopes in MHC class II transgenic mice. 1998 , 164, 129-38		21
954	Cloning and sequencing of a gene coding for an extracellular dextransucrase (DSRB) from Leuconostoc mesenteroides NRRL B-1299 synthesizing only a alpha (1-6) glucan. 1998 , 159, 307-15		40
953	Evidence against the double-arginine motif as the only determinant for protein translocation by a novel Sec-independent pathway in Escherichia coli. 1998 , 164, 329-36		30
952	Artificial neural networks for computer-based molecular design. 1998 , 70, 175-222		160
951	A2rel: a constitutively expressed Leishmania gene linked to an amastigote-stage-specific gene. 1998 , 93, 23-9		14
950	The cloning and sequencing of a cDNA coding for chick tyrosinase-related protein-1. 1998 , 1395, 7-12		12
949	Specific expression of an expansin gene during elongation of cotton fibres. 1998 , 1398, 342-6		61
948	Antimicrobial peptides from amphibian skin: what do they tell us?. 1998 , 47, 435-50		332
947	Molecular cloning and characterization of an endoxylanase gene of Bacillus sp. in Escherichia coli. 1998 , 22, 599-605		25

946	On becoming a parasite: evaluating the role of wall oxidases in parasitic plant development. 1998 , 5, 103-17	54
945	Control of expression of a gene encoding an extensin by phytochrome and a blue light receptor in spores of <i>Adiantum capillus-veneris</i> L. 1998 , 15, 813-9	11
944	Molecular cloning and characterization of human and murine DNase II. 1998 , 215, 281-9	52
943	Cloning and characterization of an actin-resistant DNase I-like endonuclease secreted by macrophages. 1998 , 215, 291-301	50
942	Expression of a green tissue-specific 11 kDa proline-rich protein gene in bean in response to heavy metals. 1998 , 133, 47-56	17
941	Convergent evolution in seed storage proteins: The hypervariable region of a <i>Sagittaria</i> legumin shows structural similarity to wheat HMW glutenins. 1998 , 152, 38-43	3
940	Endo-III-1,4-glucanase activity is involved in the abscission of pepper flowers. 1998 , 152, 70-77	14
939	Cloning, characterization and expression of beta-N-acetylglucosaminidase gene from <i>Streptomyces thermoviolaceus</i> OPC-520(1). 1998 , 1425, 437-40	10
938	Cloning and sequencing of three C-type lectins from body surface mucus of the land slug, <i>Incilaria fruhstorferi</i> . 1998 , 119, 479-84	20
937	A cuticular protein from the moulting stages of an insect. 1998 , 28, 659-69	22
936	Cloning, cDNA sequence analysis and patch clamp studies of a toxin from the venom of the armed spider (<i>Phoneutria nigriventer</i>). 1998 , 36, 1971-80	38
935	Phosphatidylethanolamine mediates insertion of the catalytic domain of leader peptidase in membranes. 1998 , 431, 75-9	47
934	Hepatitis B virus precore mutants in serum and liver of Southern African Blacks with hepatocellular carcinoma. 1998 , 28, 132-41	64
933	Cloning and characterization of the cDNA for human airway trypsin-like protease. 1998 , 273, 11895-901	82
932	Processing of <i>Escherichia coli</i> alkaline phosphatase: role of the primary structure of the signal peptide cleavage region. 1998 , 277, 859-70	60
931	Molecular and functional characterization of a recombinant protein of <i>Trichuris trichiura</i> . 1998 , 265, 1559-65	11
930	The Plant Invertases: Physiology, Biochemistry and Molecular Biology. 1998 , 28, 71-117	113
929	Pollen tube localization implies a role in pollen-pistil interactions for the tomato receptor-like protein kinases LePRK1 and LePRK2. 1998 , 10, 319-30	139

928	Cloning, expression, and characterization of the squid Na ⁺ -Ca ²⁺ exchanger (NCX-SQ1). 1998 , 111, 857-73	49
927	Expression and conservation of apolipoprotein AIV in an avian species. 1998 , 273, 10543-9	15
926	Expression of the Elm1 gene, a novel gene of the CCN (connective tissue growth factor, Cyr61/Cef10, and neuroblastoma overexpressed gene) family, suppresses In vivo tumor growth and metastasis of K-1735 murine melanoma cells. 1998 , 187, 289-96	130
925	Polygalacturonase gene expression in ripe melon fruit supports a role for polygalacturonase in ripening-associated pectin disassembly. 1998 , 117, 363-73	126
924	Molecular cloning and functional expression of a water-soluble chlorophyll protein, a putative carrier of chlorophyll molecules in cauliflower. 1998 , 273, 30568-75	62
923	Structure, synthesis, and molecular cloning of dermaseptins B, a family of skin peptide antibiotics. 1998 , 273, 14690-7	81
922	Cloning and functional expression of the human GlcNAc-1-P transferase, the enzyme for the committed step of the dolichol cycle, by heterologous complementation in <i>Saccharomyces cerevisiae</i> . 1998 , 8, 77-85	33
921	Unexpected homology between inducible cell wall protein QID74 of filamentous fungi and BR3 salivary protein of the insect <i>Chironomus</i> . 1998 , 95, 6212-6	17
920	Gene structure and properties of TIGR, an olfactomedin-related glycoprotein cloned from glucocorticoid-induced trabecular meshwork cells. 1998 , 273, 6341-50	258
919	Cloning, characterization, and targeted disruption of <i>cpcat1</i> , coding for an in planta secreted catalase of <i>Claviceps purpurea</i> . 1998 , 11, 772-83	53
918	Enterocins L50A and L50B, two novel bacteriocins from <i>Enterococcus faecium</i> L50, are related to staphylococcal hemolysins. 1998 , 180, 1988-94	220
917	T cell epitopes of insulin defined in HLA-DR4 transgenic mice are derived from preproinsulin and proinsulin. 1998 , 95, 3833-8	105
916	Parathyroid Hormone and Parathyroid Hormone Related Peptide in Calcium Homeostasis, Bone Metabolism, and Bone Development: The Proteins, Their Genes, and Receptors. 1998 , 51-94	13
915	Biophysical characterization of fungal phytases (myo-inositol hexakisphosphate phosphohydrolases): molecular size, glycosylation pattern, and engineering of proteolytic resistance. 1999 , 65, 359-66	152
914	Molecular analysis of the gene encoding a novel transglycosylative enzyme from <i>Alteromonas</i> sp. strain O-7 and its physiological role in the chitinolytic system. 1999 , 181, 5461-6	21
913	Machine learning approaches for the prediction of signal peptides and other protein sorting signals. 1999 , 12, 3-9	461
912	Canine preprorelaxin: nucleic acid sequence and localization within the canine placenta. 1999 , 60, 551-7	37
911	Characterization of two divergent endo-beta-1,4-glucanase cDNA clones highly expressed in the nonclimacteric strawberry fruit. 1999 , 119, 1415-22	71

910	Intracellular proteolytic processing of the heavy chain of rat pre-alpha-inhibitor. The COOH-terminal propeptide is required for coupling to bikunin. 1999 , 274, 6741-6	16
909	The catalytic mechanism of endoplasmic reticulum signal peptidase appears to be distinct from most eubacterial signal peptidases. 1999 , 274, 11519-25	47
908	Cloning and characterization of TPE4A, a thiol-protease gene induced during ovary senescence and seed germination in pea. 1999 , 119, 1341-8	51
907	Structure and expression of the human small cytokine B subfamily member 11 (SCYB11/formerly SCYB9B, alias I-TAC) gene cloned from IFN-gamma-treated human monocytes (THP-1). 1999 , 19, 505-13	14
906	A newly identified horseshoe crab lectin with specificity for blood group A antigen recognizes specific O-antigens of bacterial lipopolysaccharides. 1999 , 274, 3272-8	50
905	Signal peptides having standard and nonstandard cleavage sites can be processed by Imp1p of the mitochondrial inner membrane protease. 1999 , 274, 37750-4	27
904	The retinal rod Na(+)/Ca(2+),K(+) exchanger contains a noncleaved signal sequence required for translocation of the N terminus. 1999 , 274, 38177-82	6
903	Multiple involvement of clusterin in chicken ovarian follicle development. Binding to two oocyte-specific members of the low density lipoprotein receptor gene family. 1999 , 274, 4036-44	55
902	The oligosaccharyltransferase complex from <i>Saccharomyces cerevisiae</i> . Isolation of the OST6 gene, its synthetic interaction with OST3, and analysis of the native complex. 1999 , 274, 17249-56	96
901	Various forms of mouse lactoferrins: purification and characterization. 1999 , 726, 45-52	2
900	Amylase and 16S rRNA genes from a hyperthermophilic archaeobacterium. 1999 , 86, 93-107	18
899	Retroviral vector-mediated expression of hirudin by human vascular endothelial cells: implications for the design of retroviral vectors expressing biologically active proteins. 1999 , 6, 385-92	9
898	The major product of porcine transmissible gastroenteritis coronavirus gene 3b is an integral membrane glycoprotein of 31 kDa. 1999 , 256, 152-61	11
897	Introduction of the reconstructed yeast ferric reductase gene, <i>refre1</i> , into tobacco. 1999 , 215, 211-220	12
896	Cloning and characterization of six embryogenesis-associated cDNAs from somatic embryos of <i>Picea glauca</i> and their comparative expression during zygotic embryogenesis. 1999 , 39, 859-64	21
895	A distinct member of the basic (class I) chitinase gene family in potato is specifically expressed in epidermal cells. 1999 , 39, 1137-51	19
894	A cluster of five cell wall-associated receptor kinase genes, <i>Wak1-5</i> , are expressed in specific organs of <i>Arabidopsis</i> . 1999 , 39, 1189-96	184
893	A novel E-type endo-beta-1,4-glucanase with a putative cellulose-binding domain is highly expressed in ripening strawberry fruits. 1999 , 40, 323-32	96

892	Characterization of cDNAs expressed in the early stages of microspore embryogenesis in barley (<i>Hordeum vulgare</i>) L. 1999 , 41, 455-63	67
891	Molecular characterization of diapause hormone in <i>Helicoverpa armigera</i> . 1999 , 44, 521-524	
890	Ancylostoma secreted protein 1 (ASP-1) homologues in human hookworms. 1999 , 98, 143-9	51
889	<i>Theileria parva</i> 104 kDa microneme--rhoptry protein is membrane-anchored by a non-cleaved amino-terminal signal sequence for entry into the endoplasmic reticulum. 1999 , 100, 19-26	9
888	<i>Plasmodium vivax</i> merozoite surface protein-3 contains coiled-coil motifs in an alanine-rich central domain. 1999 , 101, 131-47	83
887	Expression and localization of serum resistance associated protein in <i>Trypanosoma brucei</i> rhodesiense. 1999 , 104, 271-83	36
886	Biochemical analysis of mouse FKBP60, a novel member of the FKPB family. 1999 , 1446, 295-307	26
885	Sequence characterization of two new members of a multi-gene family in <i>Serpulina hyodysenteriae</i> (B204) with homology to a 39 kDa surface exposed protein: vspC and D. 1999 , 68, 273-83	14
884	Protein translocation into and across the bacterial plasma membrane and the plant thylakoid membrane. 1999 , 24, 17-22	112
883	Asparaginyl endopeptidase (VmPE-1) and autocatalytic processing synergistically activate the vacuolar cysteine proteinase (SH-EP). <i>FEBS Journal</i> , 1999 , 264, 223-32	28
882	Cloning and characterization of 1,3-beta-glucanase-encoding genes from non-conventional yeasts. 1999 , 15, 91-109	20
881	Secreted ferritin subunits are of two kinds in insects molecular cloning of cDNAs encoding two major subunits of secreted ferritin from <i>Calpodes ethlius</i> . 1999 , 29, 999-1013	51
880	Selection of cDNAs encoding putative type II membrane proteins on the cell surface from a human full-length cDNA bank. 1999 , 228, 161-7	18
879	Cloning and expression analysis of the sheep ceruloplasmin cDNA. 1999 , 236, 251-7	15
878	Equinatoxins, pore-forming proteins from the sea anemone <i>Actinia equina</i> , belong to a multigene family. 1999 , 37, 1391-401	68
877	TM7XN1, a novel human EGF-TM7-like cDNA, detected with mRNA differential display using human melanoma cell lines with different metastatic potential. 1999 , 446, 292-8	65
876	A novel inhibitor protein for <i>Bombyx</i> cysteine proteinase is homologous to propeptide regions of cysteine proteinases. 1999 , 448, 257-60	23
875	A novel substrate for analyzing Alzheimer's disease gamma-secretase. 1999 , 453, 288-92	41

874	The dermaseptin precursors: a protein family with a common preproregion and a variable C-terminal antimicrobial domain. 1999 , 456, 352-6	78
873	Sequencing, expression and biochemical characterization of the <i>Porphyromonas gingivalis</i> pepO gene encoding a protein homologous to human endothelin-converting enzyme. 1999 , 460, 139-44	31
872	Les sarafotoxines de venins de serpent. 1999 , 10, 183-194	2
871	Cloning, sequence analysis, and chromosomal localization of the novel human integrin alpha11 subunit (ITGA11). 1999 , 60, 179-87	27
870	Human carbonic anhydrase XIV (CA14): cDNA cloning, mRNA expression, and mapping to chromosome 1. 1999 , 61, 74-81	106
869	Molecular Phylogenetic Analysis of Diverse Forms of Echinoderm Guanylyl Cyclases. 1999 , 16, 515-527	6
868	Applications - Protein Sequence Analysis. 2000 , 1, 129-142	
867	A simple and rapid method for purifying staphylococcal exfoliative toxin A. 2000 , 44, 1067-70	2
866	Disruption of the <i>Paenibacillus polymyxa</i> levansucrase gene impairs its ability to aggregate soil in the wheat rhizosphere. 2000 , 2, 333-42	107
865	Phylloxin, a novel peptide antibiotic of the dermaseptin family of antimicrobial/opioid peptide precursors. <i>FEBS Journal</i> , 2000 , 267, 370-8	38
864	Isolation of dermatoxin from frog skin, an antibacterial peptide encoded by a novel member of the dermaseptin genes family. <i>FEBS Journal</i> , 2000 , 267, 4583-92	43
863	Sequencing and characterization of a novel serine metalloprotease from <i>Burkholderia pseudomallei</i> . 2000 , 192, 67-72	35
862	The structure and mechanism of bacterial type I signal peptidases. A novel antibiotic target. 2000 , 87, 27-49	137
861	Identification of a novel platelet-derived growth factor-like gene, fallotein, in the human reproductive tract. 2000 , 1492, 196-202	18
860	A common motif in propeptides of Cnidarian toxins and nematocyst collagens and its putative role. 2000 , 1476, 372-6	46
859	Isolation and characterization of the normal canine beta-galactosidase gene and its mutation in a dog model of GM1-gangliosidosis. 2000 , 23, 593-606	25
858	The oligosaccharyltransferase complex from pig liver: cDNA cloning, expression and functional characterisation. 2000 , 17, 767-79	13
857	Cloning, Sequencing, and Characterization of the Xylanase-Encoding Gene, svxA, from <i>Streptomyces viridosporus</i> T7A and its Expression in <i>Escherichia coli</i> . 2000 , 14, 6-10	

856	Cloning of a chitinase gene from <i>Ewingella americana</i> , a pathogen of the cultivated mushroom, <i>Agaricus bisporus</i> . 2000 , 23, 685-688	4
855	CgDN3: an essential pathogenicity gene of <i>Colletotrichum gloeosporioides</i> necessary to avert a hypersensitive-like response in the host <i>Stylosanthes guianensis</i> . 2000 , 13, 929-41	70
854	Isolation, structure, synthesis, and activity of a new member of the calcitonin gene-related peptide family from frog skin and molecular cloning of its precursor. 2000 , 275, 5934-40	19
853	Two <i>Plasmodium falciparum</i> genes express merozoite proteins that are related to <i>Plasmodium vivax</i> and <i>Plasmodium yoelii</i> adhesive proteins involved in host cell selection and invasion. 2000 , 97, 9648-53	138
852	CHRK1, a chitinase-related receptor-like kinase in tobacco. 2000 , 123, 905-15	64
851	Characterization of a novel alanine-rich protein located in surface microdomains in <i>Trypanosoma brucei</i> . 2000 , 275, 4072-80	54
850	Cloning, sequencing and expression of the gene encoding the extracellular metalloprotease of <i>Aeromonas caviae</i> . 2000 , 44, 341-7	9
849	The serine-aspartate repeat (Sdr) protein family in <i>Staphylococcus epidermidis</i> . 2000 , 146 (Pt 7), 1535-1546	127
848	A truncated soluble <i>Bacillus</i> signal peptidase produced in <i>Escherichia coli</i> is subject to self-cleavage at its active site. 2000 , 182, 5765-70	15
847	The topogenic contribution of uncharged amino acids on signal sequence orientation in the endoplasmic reticulum. 2000 , 275, 14916-22	30
846	The role of the membrane-spanning domain of type I signal peptidases in substrate cleavage site selection. 2000 , 275, 38813-22	49
845	Iota-carrageenases constitute a novel family of glycoside hydrolases, unrelated to that of kappa-carrageenases. 2000 , 275, 35499-505	97
844	Genetic characterization of <i>Escherichia coli</i> type 1 pilus adhesin mutants and identification of a novel binding phenotype. 2000 , 182, 4012-21	8
843	Two differentially regulated class II chitinases from parsley. 2000 , 381, 667-78	8
842	A gender-specific mRNA encoding a cytotoxic ribonuclease contains a 3' UTR of unusual length and structure. 2000 , 28, 2375-82	16
841	Secretion of an acid phosphatase (SapM) by <i>Mycobacterium tuberculosis</i> that is similar to eukaryotic acid phosphatases. 2000 , 182, 6850-3	85
840	Efficiency of erythropoietin's signal peptide for HIV(MN)-1 gp 120 expression. 2000 , 273, 557-9	8
839	Predicting subcellular localization of proteins based on their N-terminal amino acid sequence. 2000 , 300, 1005-16	3635

838	Examination of the signal peptide region of human biotinidase using a baculovirus expression system. 2000 , 69, 56-63	7
837	Expression of an anti-CD3 single-chain immunotoxin with a truncated diphtheria toxin in a mutant CHO cell line. 2000 , 19, 304-11	29
836	A comparison of the pectate lyase genes, pel-1 and pel-2, of <i>Colletotrichum gloeosporioides</i> f.sp. <i>malvae</i> and the relationship between their expression in culture and during necrotrophic infection. 2000 , 243, 139-50	41
835	Characterization of MZm3-3, a <i>Zea mays</i> tapetum-specific transcript. 2000 , 157, 65-75	35
834	Pepper gene encoding a basic class II chitinase is inducible by pathogen and ethephon. 2000 , 159, 39-49	37
833	Identification of new nodulin cDNAs from yellow lupine by differential display. 2000 , 151, 75-83	6
832	Molecular cloning and characterization of OsLRK1 encoding a putative receptor-like protein kinase from <i>Oryza sativa</i> . 2000 , 152, 17-26	29
831	beta 3: an additional auxiliary subunit of the voltage-sensitive sodium channel that modulates channel gating with distinct kinetics. 2000 , 97, 2308-13	259
830	Expression of a lipid transfer protein gene family during cotton fibre development. 2000 , 1483, 275-84	30
829	Cloning and functional expression of a <i>Boophilus microplus</i> cathepsin L-like enzyme. 2000 , 30, 1017-26	66
828	Isolation and sequencing of a cDNA encoding for a ribonuclease from the insect <i>Ceratitis capitata</i> . 2000 , 30, 153-61	2
827	Cloning and expression of the platelet-specific collagen receptor glycoprotein VI. 2000 , 98, 301-9	38
826	Fibroblast growth factor 2: its structure and property, paracrine function, tumor angiogenesis, and prostate-related mitogenic and oncogenic functions. 2000 , 55, 800-6	88
825	Construction of an equalized cDNA library from <i>Colletotrichum lagenarium</i> and its application to the isolation of differentially expressed genes. 2000 , 46, 150-8	11
824	Identification and characterization of the omaA gene encoding the major outer membrane protein of <i>Azospirillum brasilense</i> . 2000 , 11, 225-37	16
823	Characterization of a highly thermostable alkaline phosphatase from the euryarchaeon <i>Pyrococcus abyssi</i> . 2001 , 67, 4504-11	68
822	Cloning and functional expression of the mucrosobin protein, a beta-fibrinogenase of <i>Trimeresurus mucrosquamatus</i> (Taiwan Habu). 2001 , 23, 483-90	25
821	Cloning and postharvest expression of serine proteinase transcripts in the cultivated mushroom <i>Agaricus bisporus</i> . 2001 , 32, 135-44	20

820	Calsyntenin-1, a proteolytically processed postsynaptic membrane protein with a cytoplasmic calcium-binding domain. 2001 , 17, 151-66	83
819	Biochemical characterization of a neuroserpin variant associated with hereditary dementia. 2001 , 158, 227-33	28
818	Identification of putative exported/secreted proteins in prokaryotic proteomes. 2001 , 269, 195-204	39
817	The novel endymin related gene UCC1 is highly expressed in colorectal tumor cells. 2001 , 165, 71-9	43
816	Improving the display of proteins on filamentous phage. 2001 , 152, 187-91	38
815	β-Galactosidases with a lectin-like domain are expressed in strawberry. 2001 , 52, 1635-1645	90
814	Water-soluble chlorophyll protein in Brassicaceae plants is a stress-induced chlorophyll-binding protein. 2001 , 42, 906-11	88
813	Medicago truncatula ENOD11: a novel RPRP-encoding early nodulin gene expressed during mycorrhization in arbuscule-containing cells. 2001 , 14, 737-48	232
812	Identification of four small molecular mass proteins in the silk of Bombyx mori. 2001 , 10, 437-45	72
811	Insect silk contains both a Kunitz-type and a unique Kazal-type proteinase inhibitor. <i>FEBS Journal</i> , 2001 , 268, 2064-73	91
810	Carboxyl group of residue Asp647 as possible proton donor in catalytic reaction of alpha-glucosidase from Schizosaccharomyces pombe. <i>FEBS Journal</i> , 2001 , 268, 2270-80	58
809	Specifically targeting the CD22 receptor of human B-cell lymphomas with RNA damaging agents. 2001 , 39, 79-86	16
808	Cloning and expression of a ferritin subunit for Galleria mellonella. 2001 , 47, 8-17	26
807	The Hantaan virus glycoprotein precursor is cleaved at the conserved pentapeptide WAASA. 2001 , 289, 224-9	88
806	Molecular identification and expression of the peroxidase responsible for the oxidative burst in French bean (Phaseolus vulgaris L.) and related members of the gene family. 2001 , 47, 607-20	72
805	A proteinase inhibitor II of Solanum americanum is expressed in phloem. 2001 , 47, 727-38	43
804	Signal peptide cleavage of a type I membrane protein, HCMV US11, is dependent on its membrane anchor. <i>EMBO Journal</i> , 2001 , 20, 1573-82	13 52
803	Lantibiotics: structure, biosynthesis and mode of action. 2001 , 25, 285-308	412

802	Plasmodium vivax merozoite surface proteins-3beta and-3gamma share structural similarities with P. vivax merozoite surface protein-3alpha and define a new gene family. 2001 , 115, 41-53	54
801	cDNA sequence of human carbonic anhydrase-related protein, CA-RP X: mRNA expressions of CA-RP X and XI in human brain. 2001 , 1518, 311-6	31
800	Kinetic constants of signal peptidase I using cytochrome b5 as a precursor substrate. 2001 , 1550, 1-5	9
799	Prediction of organellar targeting signals. 2001 , 1541, 114-9	155
798	Use of mass spectrometry-derived data to annotate nucleotide and protein sequence databases. 2001 , 26, 54-61	103
797	Drosophila melanogaster transferrin. Cloning, deduced protein sequence, expression during the life cycle, gene localization and up-regulation on bacterial infection. <i>FEBS Journal</i> , 1999 , 260, 414-20	104
796	Physiological and molecular biological characterization of intracellular carbonic anhydrase from the marine diatom Phaeodactylum tricornutum. 2001 , 126, 1459-70	81
795	Asymmetric subcellular mRNA distribution correlates with carbonic anhydrase activity in Acetabularia acetabulum. 2001 , 125, 900-11	22
794	Nucleotide sequence and molecular characterization of a dextranase gene from Streptococcus downei. 2001 , 45, 341-8	19
793	Cotyledon cells of Vigna mungo seedlings use at least two distinct autophagic machineries for degradation of starch granules and cellular components. 2001 , 154, 973-82	78
792	Peptide display libraries: design and construction. 2001 , 21, 469-88	10
791	Enzymes and Mechanisms for Violaxanthin-zeaxanthin Conversion. 2001 , 433-452	15
790	Signal peptidase and oligosaccharyltransferase interact in a sequential and dependent manner within the endoplasmic reticulum. 2001 , 276, 2411-6	40
789	alpha 1(Xx) collagen, a new member of the collagen subfamily, fibril-associated collagens with interrupted triple helices. 2001 , 276, 23120-6	63
788	Isolation of a putative receptor for KDEL-tailed cysteine proteinase (SH-EP) from cotyledons of Vigna mungo seedlings. 2001 , 42, 1062-70	9
787	Identification of a new plasmid-encoded sec-dependent bacteriocin produced by Listeria innocua 743. 2001 , 67, 4041-7	47
786	Alternative splicing in the ligand binding domain of mouse ApoE receptor-2 produces receptor variants binding reelin but not alpha 2-macroglobulin. 2001 , 276, 22160-9	59
785	Biochemical characterization of signal peptidase I from gram-positive Streptococcus pneumoniae. 2001 , 183, 621-7	20

784	Catalytic and molecular properties of the quinohemoprotein tetrahydrofurfuryl alcohol dehydrogenase from <i>Ralstonia eutropha</i> strain Bo. 2001 , 183, 1954-60	13
783	Srchi24, a chitinase homolog lacking an essential glutamic acid residue for hydrolytic activity, is induced during nodule development on <i>Sesbania rostrata</i> . 2001 , 127, 78-89	18
782	Identification of a membrane-associated cysteine protease with possible dual roles in the endoplasmic reticulum and protein storage vacuole. 2001 , 276, 742-51	16
781	Expression of Sperm-Activating Peptide IV Receptor-Associated Membrane Guanylyl Cyclase in the Testis of the Sea Urchin <i>Diadema setosum</i> . 2001 , 18, 687-693	
780	Molecular characterization of murine pancreatic phospholipase A(2). 2001 , 20, 149-57	5
779	US2, a human cytomegalovirus-encoded type I membrane protein, contains a non-cleavable amino-terminal signal peptide. 2002 , 277, 11306-13	32
778	Discovery of substrate for type I signal peptidase SpsB from <i>Staphylococcus aureus</i> . 2002 , 277, 5796-803	4
777	Identification and characterization of <i>pvuA</i> , a gene encoding the ferric vibrioferrin receptor protein in <i>Vibrio parahaemolyticus</i> . 2002 , 184, 936-46	40
776	Signal sequence mutations as tools for the characterization of LamB folding intermediates. 2002 , 184, 6918-28	7
775	An endogenous <i>Drosophila</i> receptor for glycans bearing alpha 1,3-linked core fucose residues. 2002 , 277, 22566-72	8
774	Identification and characterization of the gene cluster involved in chitin degradation in a marine bacterium, <i>Alteromonas</i> sp. strain O-7. 2002 , 68, 263-70	40
773	Analysis of the human hephaestin gene and protein: comparative modelling of the N-terminus ecto-domain based upon ceruloplasmin. 2002 , 15, 205-14	46
772	Molecular analysis of the gene encoding a novel chitin-binding protease from <i>Alteromonas</i> sp. strain O-7 and its role in the chitinolytic system. 2002 , 184, 1865-72	23
771	A metalloprotease (MprIII) involved in the chitinolytic system of a marine bacterium, <i>Alteromonas</i> sp. strain O-7. 2002 , 68, 5563-70	11
770	An intron-containing glycoside hydrolase family 9 cellulase gene encodes the dominant 90 kDa component of the cellulosome of the anaerobic fungus <i>Piromyces</i> sp. strain E2. 2002 , 365, 193-204	23
769	Patterns of pectin methylesterase transcripts in developing stem nodules of <i>Sesbania rostrata</i> . 2002 , 15, 164-8	22
768	Bacterial Type I Signal Peptidases. 2002 , 27-55	3
767	Structure and Function of the Endoplasmic Reticulum Signal Peptidase Complex. 2002 , 57-75	2

766	Physical requirements for in vitro processing of the <i>Streptomyces lividans</i> signal peptidases. 2002 , 96, 79-91	9
765	Signal peptidases. 2002 , 102, 4549-80	392
764	Targeting Sequences. 2002 , 35-46	1
763	Isolation, characterization, and antimicrobial properties of bovine oligosaccharide-binding protein. A microbicidal granule protein of eosinophils and neutrophils. 2002 , 277, 19658-64	98
762	Identification of BmKAPi, a novel type of scorpion venom peptide with peculiar disulfide bridge pattern from <i>Buthus martensii</i> Karsch. 2002 , 40, 1719-22	27
761	Molecular cloning, expression and immunological properties of LiD1, a protein from the dermonecrotic family of <i>Loxosceles intermedia</i> spider venom. 2002 , 40, 1691-9	63
760	Molecular cloning and sequence analysis of a water-soluble chlorophyll protein cDNA from Japanese radish. 2002 , 159, 325-327	5
759	Requirements for signal peptide peptidase-catalyzed intramembrane proteolysis. 2002 , 10, 735-44	201
758	Differential expression of tandemly duplicated <i>Enod8</i> genes in <i>Medicago</i> . 2002 , 163, 333-343	13
757	Phage display as a novel screening method to identify extracellular proteins. 2002 , 51, 43-55	15
756	Characterization of <i>omp200</i> , a porin gene complex from <i>Bacteroides fragilis</i> : <i>omp121</i> and <i>omp71</i> , gene sequence, deduced amino acid sequences and predictions of porin structure. 2002 , 283, 95-105	14
755	Microglia-Müller glia cell interactions control neurotrophic factor production during light-induced retinal degeneration. 2002 , 22, 9228-36	318
754	Cloning and expression of 32 kDa ferritin from <i>Galleria mellonella</i> . 2002 , 51, 80-90	21
753	Primary structure and tissue-specific expression of the pathogenesis-related protein PR-1b in potato dagger. 2002 , 3, 329-45	48
752	In vitro and in vivo self-cleavage of <i>Streptococcus pneumoniae</i> signal peptidase I. <i>FEBS Journal</i> , 2002 , 269, 3969-77	6
751	Expression of <i>cgmpg2</i> , an Endopolygalacturonase Gene of <i>Colletotrichum gloeosporioides</i> f. sp. <i>malvae</i> , in Culture and during Infection of <i>Malva pusilla</i> . 2002 , 150, 213-219	7
750	The gifts that keep on giving: physiological functions and evolutionary dynamics of male seminal proteins in <i>Drosophila</i> . 2002 , 88, 85-93	365
749	Characterization of a tissue-specific and developmentally regulated beta-1,3-glucanase gene in pea (<i>Pisum sativum</i>). 2002 , 49, 171-86	35

748	The western red cedar (<i>Thuja plicata</i>) 8-8' DIRIGENT family displays diverse expression patterns and conserved monolignol coupling specificity. 2002 , 49, 199-214		61
747	Fungus- and wound-induced accumulation of mRNA containing a class II chitinase of the pathogenesis-related protein 4 (PR-4) family of maize. 2003 , 52, 745-59		75
746	Molecular characterization of a fruit-preferential thaumatin-like gene from apple (<i>Malus domestica</i> cv. Fuji). 2003 , 46, 52-58		6
745	The unusual <i>Arabidopsis</i> extensin gene atExt1 is expressed throughout plant development and is induced by a variety of biotic and abiotic stresses. <i>Planta</i> , 2003 , 217, 356-66	4-7	63
744	Identification, cDNA cloning and possible roles of seed-specific rice asparaginyl endopeptidase, REP-2. <i>Planta</i> , 2003 , 217, 676-85	4-7	24
743	Expression of functional hypodermin A, a serine protease from <i>Hypoderma lineatum</i> (Diptera, Oestridae), in Schneider 2 cells. 2003 , 104, 33-9		11
742	Identification of a second member of the ponticulin gene family and its differential expression pattern. 2003 , 1628, 79-87		3
741	A lignin-specific peroxidase in tobacco whose antisense suppression leads to vascular tissue modification. 2003 , 64, 163-76		132
740	A polyglycine stretch is necessary for proper targeting of the protein translocation channel precursor to the outer envelope membrane of chloroplasts. 2003 , 34, 661-9		82
739	Molecular cloning, sequencing and characterization of omp48, the gene encoding for an antigenic outer membrane protein from <i>Aeromonas veronii</i> . 2003 , 94, 908-18		23
738	Oligodendrocyte myelin glycoprotein growth inhibition function requires its conserved leucine-rich repeat domain, not its glycosylphosphatidyl-inositol anchor. 2003 , 85, 889-97		28
737	IL-28, IL-29 and their class II cytokine receptor IL-28R. 2003 , 4, 63-8		1194
736	Cloning and partial characterization of a beta-1,3-glucanase gene from strawberry. 2003 , 14, 406-12		12
735	The murine latent transforming growth factor-beta binding protein (Ltbp-1) is alternatively spliced, and maps to a region syntenic to human chromosome 2p21-22. 2003 , 308, 43-52		14
734	Preparation of recombinant rat eosinophil-associated ribonuclease-1 and -2 and analysis of their biological activities. 2003 , 1638, 164-72		9
733	Optimization of signal peptide SP310 for heterologous protein production in <i>Lactococcus lactis</i> . 2003 , 149, 2193-2201		49
732	Genetics of Proteolysis in <i>Lactococcus lactis</i> . 2003 , 189-223		6
731	The YSIRK-G/S motif of staphylococcal protein A and its role in efficiency of signal peptide processing. 2003 , 185, 2910-9		86

730	Molecular analysis of the gene encoding a novel cold-adapted chitinase (ChiB) from a marine bacterium, <i>Alteromonas</i> sp. strain O-7. 2003 , 185, 1153-60	34
729	Characterization of chitinase genes from an alkaliphilic actinomycete, <i>Nocardopsis prasina</i> OPC-131. 2003 , 69, 894-900	62
728	Factors governing nonoverlapping substrate specificity by mitochondrial inner membrane peptidase. 2003 , 278, 4943-8	7
727	An iron-regulated gene required for utilization of aerobactin as an exogenous siderophore in <i>Vibrio parahaemolyticus</i> . 2003 , 149, 1217-1225	26
726	Molecular analysis of Phr peptide processing in <i>Bacillus subtilis</i> . 2003 , 185, 4861-71	51
725	Long-lived signal peptide of lymphocytic choriomeningitis virus glycoprotein pGP-C. 2003 , 278, 41914-20	63
724	Genetic complementation in yeast reveals functional similarities between the catalytic subunits of mammalian signal peptidase complex. 2003 , 278, 50932-9	15
723	The Golgi protein RCAS1 controls cell surface expression of tumor-associated O-linked glycan antigens. 2003 , 278, 22998-3007	44
722	Molecular characterization and expression analysis of the dextransucrase DsrD of <i>Leuconostoc mesenteroides</i> Lcc4 in homologous and heterologous <i>Lactococcus lactis</i> cultures. 2003 , 149, 973-982	38
721	Novel mechanism of bacteriocin secretion and immunity carried out by lactococcal multidrug resistance proteins. 2003 , 278, 34291-8	66
720	beta-Glucosidase in cellulosome of the anaerobic fungus <i>Piromyces</i> sp. strain E2 is a family 3 glycoside hydrolase. 2003 , 370, 963-70	32
719	Identification of extracytoplasmic proteins in <i>Bradyrhizobium japonicum</i> using phage display. 2003 , 16, 727-37	11
718	Parathyroid Hormone and Calcium Homeostasis. 2003 , 135-172	
717	Excitatory amino acid receptors of the electrosensory system: the NR1/NR2B N-methyl-D-aspartate receptor. 2003 , 89, 822-32	20
716	Molecular cloning, functional expression, and mutagenesis of cDNA encoding class I chitinase from rye (<i>Secale cereale</i>) seeds. 2004 , 68, 324-32	18
715	Molecular characterization of dextransase from <i>Streptococcus rattus</i> . 2004 , 48, 155-62	27
714	Intercellular distribution of glutathione synthesis in maize leaves and its response to short-term chilling. 2004 , 134, 1662-71	100
713	Identification, expression, and purification of a pyrethroid-hydrolyzing carboxylesterase from mouse liver microsomes. 2004 , 279, 29863-9	50

712	Molecular and functional characterization of type I signal peptidase from <i>Legionella pneumophila</i> . 2004 , 150, 1475-1483	22
711	Plastid-targeting peptides from the chlorarachniophyte <i>Bigeloviella natans</i> . 2004 , 51, 529-35	33
710	Unexpected intracellular localization of the AMD-associated cystatin C variant. 2004 , 5, 884-95	37
709	Activity and sequence characterization of two cysteine proteases in the digestive tract of the reduviid bug <i>Triatoma infestans</i> . 2004 , 13, 569-79	36
708	Dominant-negative soluble PDGF-beta receptor inhibits hepatic stellate cell activation and attenuates liver fibrosis. <i>Laboratory Investigation</i> , 2004 , 84, 766-77	5.9 122
707	Characterization of cCel3, a member of the pepper endo-beta-1,4-glucanase multigene family. 1998 , 128, 121-6	6
706	Molecular cloning of a putative membrane form guanylyl cyclase from the crayfish <i>Procambarus clarkii</i> . 2004 , 301, 512-20	18
705	Molecular characterization of a keratinolytic enzyme from an alkaliphilic <i>Nocardiosis</i> sp. TOA-1. 2004 , 34, 482-489	64
704	Directed evolution of yeast ferric reductase to produce plants with tolerance to iron deficiency in alkaline soils. 2004 , 50, 1159-1165	23
703	Analysis of type I signal peptidase affinity and specificity for preprotein substrates. 2004 , 314, 459-67	15
702	Inhibitory effect of soluble PDGF-beta receptor in culture-activated hepatic stellate cells. 2004 , 317, 451-62	32
701	Characterisation of the gene encoding the Merlot ripening-induced protein 1 (mrip1): evidence that this putative protein is a distinct member of the plant proline-rich protein family. 2004 , 167, 1075-1089	9
700	Immune activation of apolipoprotein III and its distribution in hemocyte from <i>Hyphantria cunea</i> . 2004 , 34, 1011-23	53
699	A combined transmembrane topology and signal peptide prediction method. 2004 , 338, 1027-36	1669
698	An endochitinase A from <i>Vibrio carchariae</i> : cloning, expression, mass and sequence analyses, and chitin hydrolysis. 2004 , 424, 171-80	48
697	Identification of arginine residues important for the activity of <i>Escherichia coli</i> signal peptidase I. 2004 , 385, 381-8	3
696	The endo-beta-agarases AgaA and AgaB from the marine bacterium <i>Zobellia galactanivorans</i> : two paralogue enzymes with different molecular organizations and catalytic behaviours. 2005 , 385, 703-13	108
695	In vitro and in silico analysis of signal peptides from the human blood fluke, <i>Schistosoma mansoni</i> . 2005 , 45, 201-11	13

694	Molecular Cloning and Characterization of a β -Galactosidase Gene Expressed Preferentially in Cotton Fibers. 2005 , 47, 223-232	10
693	cDNA cloning and regulation of two sex-hormone-repressed hamster tear lipocalins having homology with odorant/pheromone-binding proteins. 2005 , 1729, 154-65	13
692	Primary structure of the major allergen of yellow mustard (<i>Sinapis alba</i> L.) seed, Sin a I. <i>FEBS Journal</i> , 2005 , 177, 159-166	5
691	Sequencing and characterization of a cDNA encoding a ferritin subunit of Colorado potato beetle, <i>Leptinotarsa decemlineata</i> . 2005 , 60, 140-50	9
690	The major <i>Aeromonas veronii</i> outer membrane protein: gene cloning and sequence analysis. 2005 , 51, 372-8	5
689	A novel strategy for the identification of toxinlike structures in spider venom. 2005 , 59, 131-40	85
688	The anti-HIV cyanovirin-N domain is evolutionarily conserved and occurs as a protein module in eukaryotes. 2005 , 60, 670-8	40
687	Isolation and characterization of type I signal peptidase of different malaria parasites. 2005 , 2005, 301-9	14
686	Identification of a SAR8.2 gene in the susceptible host response of <i>Nicotiana benthamiana</i> to <i>Colletotrichum orbiculare</i> . 2005 , 32, 259-266	2
685	Identification of endoglin in rat hepatic stellate cells: new insights into transforming growth factor beta receptor signaling. 2005 , 280, 3078-87	45
684	Dissemination of lipid A deacylases (pagL) among gram-negative bacteria: identification of active-site histidine and serine residues. 2005 , 280, 8248-59	53
683	Nucleic acid sequence analysis of basal core promoter/precore/core region of hepatitis B virus isolated from chronic carriers of the virus from Kolkata, eastern India: low frequency of mutation in the precore region. 2005 , 48, 389-99	36
682	Gene cloning and molecular characterization of an extracellular poly(L-lactic acid) depolymerase from <i>Amycolatopsis</i> sp. strain K104-1. 2005 , 187, 7333-40	20
681	Sec-dependent protein translocation across biological membranes: evolutionary conservation of an essential protein transport pathway (review). 2005 , 22, 17-28	26
680	Expression and function of a cysteine proteinase cDNA from sweet potato (<i>Ipomoea batatas</i> [L.] Lam [Mainong 57]) storage roots. 2005 , 169, 423-431	12
679	Isolation and expression of protein disulfide isomerase cDNA from sweet potato (<i>Ipomoea batatas</i> [L.] Lam [Mainong 57]) storage roots. 2005 , 169, 776-784	20
678	Type I signal peptidase: an overview. 2005 , 441, 107-11	109
677	Prediction of signal peptides using bio-basis function neural networks and decision trees. 2006 , 5, 13-9	8

676	The amino-terminal residue of glycoprotein B is critical for neutralization of bovine herpesvirus 1. 2006 , 115, 105-11	5
675	Structure, Function, and Regulation of Carboxylesterases. 2006 , 219-231	1
674	Molecular Characterization of the Linusitin-like Gene Family from Flax. 2006 , 167, 231-238	1
673	Bradykinin-related peptides from <i>Phyllomedusa hypochondrialis azurea</i> : Mass spectrometric structural characterisation and cloning of precursor cDNAs. 2006 , 20, 3780-8	20
672	Molecular evolution of the avian growth hormone gene and comparison with its mammalian counterpart. 2006 , 19, 844-54	11
671	Characterization of a recombinantly expressed proteinase K-like enzyme from a psychrotrophic <i>Serratia</i> sp. 2006 , 273, 47-60	18
670	Structural analysis of fibroin heavy chain signal peptide of silkworm <i>Bombyx mori</i> . 2006 , 38, 507-13	15
669	A general model of G protein-coupled receptor sequences and its application to detect remote homologs. 2006 , 15, 509-21	139
668	The human FK506-binding proteins: characterization of human FKBP19. 2006 , 17, 322-31	43
667	Structure, function and regulation of carboxylesterases. 2006 , 162, 195-211	367
666	Peptidomics of a single identified neuron reveals diversity of multiple neuropeptides with convergent actions on cellular excitability. 2006 , 26, 518-29	34
665	Altered -3 substrate specificity of <i>Escherichia coli</i> signal peptidase 1 mutants as revealed by screening a combinatorial peptide library. 2007 , 282, 417-25	18
664	Gene expression profiles for cell wall-modifying proteins associated with soybean cyst nematode infection, petiole abscission, root tips, flowers, apical buds, and leaves. 2007 , 58, 3395-406	52
663	Type IV procollagen missense mutations associated with defects of the eye, vascular stability, the brain, kidney function and embryonic or postnatal viability in the mouse, <i>Mus musculus</i> : an extension of the Col4a1 allelic series and the identification of the first two Col4a2 mutant alleles. 2007 , 175, 725-36	87
662	Biosynthesis of the dystonia-associated AAA+ ATPase torsinA at the endoplasmic reticulum. 2007 , 401, 607-12	43
661	A combined mass spectrometric and cDNA sequencing approach to the isolation and characterization of novel antimicrobial peptides from the skin secretions of <i>Phyllomedusa hypochondrialis azurea</i> . 2007 , 28, 1331-43	32
660	Trafficking of osteonectin by retinal pigment epithelial cells: evidence for basolateral secretion. 2007 , 39, 85-92	6
659	Molecular characterization of subgenotype A1 (subgroup Aa) of hepatitis B virus. 2007 , 37, S27-32	59

658	Identification of an alternative signal peptide cleavage site of mouse monoclonal antibodies by mass spectrometry. 2007 , 111, 66-8	18
657	Amino acid and nucleotide sequence, adjacent genes, and heterologous expression of hiracin JM79, a sec-dependent bacteriocin produced by <i>Enterococcus hirae</i> DCH5, isolated from Mallard ducks (<i>Anas platyrhynchos</i>). 2007 , 270, 227-36	42
656	Biochemistry and molecular biology of exocellular fungal beta-(1,3)- and beta-(1,6)-glucanases. 2007 , 31, 168-92	90
655	Cloning, site-directed mutagenesis and expression of cathepsin L-like cysteine protease from <i>Uronema marinum</i> (Ciliophora: Scuticociliatida). 2007 , 156, 191-8	13
654	Genomic structure and transcriptional regulation of the rat, mouse, and human carboxylesterase genes. 2007 , 39, 1-15	77
653	The twin-arginine translocation system and its capability for protein secretion in biotechnological protein production. 2007 , 76, 35-45	40
652	Protein targeting into complex diatom plastids: functional characterisation of a specific targeting motif. 2007 , 64, 519-30	158
651	A cathepsin L-like cysteine proteinase gene from the protozoan parasite, <i>Cryptobia salmositica</i> . 2007 , 100, 881-6	9
650	Characterization of the cleavage of signal peptide at the C-terminus of hepatitis C virus core protein by signal peptide peptidase. 2007 , 14, 31-41	20
649	Characterization of wild-type and mutant vaccinia virus M2L proteins' abilities to localize to the endoplasmic reticulum and to inhibit NF-kappaB activation during infection. 2008 , 373, 248-62	17
648	Flanking signal and mature peptide residues influence signal peptide cleavage. 2008 , 9 Suppl 12, S15	42
647	Characterization and Evolutionary Relationships of Magnolia Legumin-Encoding cDNAs Representing two Divergent Gene Subfamilies. <i>FEBS Journal</i> , 2008 , 229, 645-650	
646	Apolipoprotein M associates to lipoproteins through its retained signal peptide. 2008 , 582, 826-8	38
645	N-terminal processing of proteins exported by malaria parasites. 2008 , 160, 107-15	142
644	Prediction of lipoprotein signal peptides in Gram-positive bacteria with a Hidden Markov Model. 2008 , 7, 5082-93	101
643	Antimicrobial, dehydroascorbate reductase, and monodehydroascorbate reductase activities of defensin from sweet potato [<i>Ipomoea batatas</i> (L.) Lam. 'Tainong 57'] storage roots. 2008 , 56, 2989-95	27
642	Secretory expression of interferon-alpha 2b in recombinant <i>Pichia pastoris</i> using three different secretion signals. 2008 , 60, 103-9	40
641	Mammalian carboxylesterase 5: comparative biochemistry and genomics. 2008 , 3, 195-204	23

640	Purification and preliminary crystallographic studies of penicillin G acylase from <i>Providencia rettgeri</i> . 1995 , 4, 433-41	15
639	A valine to phenylalanine mutation in the precore region of hepatitis B virus causes intracellular retention and impaired secretion of HBe-antigen. 2008 , 38, 580-92	29
638	Genetic Regulation of Parathyroid Gland Development. 2008 , 1415-1429	1
637	The effects of mutations in the carboxyl-terminal region on the catalytic activity of <i>Escherichia coli</i> signal peptidase I. 2008 , 143, 237-42	
636	The signal peptide of the mouse mammary tumor virus Rem protein is released from the endoplasmic reticulum membrane and accumulates in nucleoli. 2008 , 283, 9966-76	41
635	Adaptive mutations in the signal peptide of the type 1 fimbrial adhesin of uropathogenic <i>Escherichia coli</i> . 2008 , 105, 10937-42	25
634	Structure and catalytic properties of carboxylesterase isozymes involved in metabolic activation of prodrugs. 2008 , 13, 412-31	263
633	Ferrous iron-binding protein Omb of <i>Salmonella enterica</i> serovar <i>Choleraesuis</i> promotes resistance to hydrophobic antibiotics and contributes to its virulence. 2009 , 155, 2365-2374	8
632	Conditional random fields for the prediction of signal peptide cleavage sites. 2009 ,	
631	Cloning of feather-degrading minor extracellular protease from <i>Bacillus cereus</i> DCUW: dissection of the structural domains. 2009 , 155, 2049-2057	13
630	Intact signal peptide of CD18, the beta-subunit of beta2-integrins, renders ruminants susceptible to <i>Mannheimia haemolytica</i> leukotoxin. 2009 , 106, 15448-53	28
629	Characteristics of <i>Bacteroides fragilis</i> lacking the major outer membrane protein, OmpA. 2009 , 155, 2694-2706	11
628	Architecture, function and prediction of long signal peptides. 2009 , 10, 569-78	28
627	Transmembrane protein topology prediction using support vector machines. 2009 , 10, 159	300
626	Prediction of disease-related mutations affecting protein localization. 2009 , 10, 122	40
625	Circular dichroism studies on synthetic peptides corresponding to the cleavage site region of precursor proteins. 1987 , 29, 497-503	2
624	Study of tensioactive properties of casein signal peptides and their interactions with phospholipids. 1994 , 43, 537-45	2
623	Computational prediction of the functional effects of amino acid substitutions in signal peptides using a model-based approach. 2009 , 30, 99-106	19

622	Important roles for epithelial cell peptides in hydra development. 2009 , 31, 610-9	18
621	Further characterization of the PW peptide family that inhibits neuron differentiation in Hydra. 2009 , 219, 119-29	14
620	Complete nucleotide sequence of four RNA segments of fig mosaic virus. 2009 , 154, 1719-27	62
619	Design, generation, and testing of mammalian expression modules that tag membrane proteins. 2009 , 18, 1261-71	10
618	Baboon carboxylesterases 1 and 2: sequences, structures and phylogenetic relationships with human and other primate carboxylesterases. 2009 , 38, 27-38	12
617	Substrate based peptide aldehyde inhibits bacterial type I signal peptidase. 2009 , 19, 2880-3	20
616	LumenP--a neural network predictor for protein localization in the thylakoid lumen. 2003 , 12, 2360-6	29
615	Profiling the substrate specificity of viral protease VP4 by a FRET-based peptide library approach. 2009 , 48, 5753-9	12
614	Bovine Carboxylesterases: Evidence for Two CES1 and Five Families of CES Genes on Chromosome 18. 2009 , 4, 11-20	4
613	Horse carboxylesterases: evidence for six CES1 and four families of CES genes on chromosome 3. 2009 , 4, 54-65	4
612	A new class of mammalian carboxylesterase CES6. 2009 , 4, 209-17	13
611	Signal peptide prediction based on analysis of experimentally verified cleavage sites. 2004 , 13, 2819-24	91
610	Extensive sequence turnover of the signal peptides of members of the GDF/BMP family: exploring their evolutionary landscape. 2009 , 4, 22	5
609	Sequence-based feature prediction and annotation of proteins. 2009 , 10, 206	48
608	Cloning, functional expression, and characterization of an edema-producing Asp-49 phospholipase A2 from <i>Trimeresurus mucrosquamatus</i> . 2009 , 28, 271-280	1
607	Amino Acids, Oligopeptides, Polypeptides, and Proteins. 2009 , 51-100	
606	Recommended nomenclature for five mammalian carboxylesterase gene families: human, mouse, and rat genes and proteins. 2010 , 21, 427-41	123
605	Molecular cloning, expression, and characterization of cathepsin L from mud loach (<i>Misgurnus mizolepis</i>). 2010 , 162, 1858-71	12

604	Mammalian carboxylesterase 3: comparative genomics and proteomics. 2010 , 138, 695-708	19
603	CoBaltDB: Complete bacterial and archaeal orfeomes subcellular localization database and associated resources. 2010 , 10, 88	19
602	The <i>Drosophila</i> Crumbs signal peptide is unusually long and is a substrate for signal peptide peptidase. 2010 , 89, 449-61	14
601	Analysis of mutations causing biotinidase deficiency. 2010 , 31, 983-91	35
600	Quantitative Y2H screening: cloning and signal peptide engineering of a fungal secretory LacA gene and its application to yeast two-hybrid system as a quantitative reporter. 2010 , 146, 151-9	10
599	Analysis of monoclonal antibody product heterogeneity resulting from alternate cleavage sites of signal peptide. 2010 , 399, 190-5	46
598	Single amino acid repeats in signal peptides. 2010 , 277, 3147-57	10
597	Carboxylesterases: structure, function and polymorphism in mammals. 2010 , 35, 218-228	21
596	Bioinformatics analysis of <i>Schwanniomyces occidentalis</i> alpha amylase secretion signal sequences. 2010 ,	
595	Identification, characterization, and expression analyses of class II and IV chitinase genes from Douglas-fir seedlings infected by <i>Phellinus sulphurascens</i> . 2010 , 100, 356-66	13
594	Application of porcine lipase secreted by <i>Pichia pastoris</i> to improve fat digestion and growth performance of postweaning piglets. 2010 , 58, 3322-9	14
593	Protein location prediction using atomic composition and global features of the amino acid sequence. 2010 , 391, 1670-4	15
592	Linalool dehydratase-isomerase, a bifunctional enzyme in the anaerobic degradation of monoterpenes. 2010 , 285, 30436-42	52
591	Bioinformatics predictions of localization and targeting. 2010 , 619, 285-305	6
590	New insights into the types and function of proteases in plastids. 2010 , 280, 185-218	60
589	Molecular cloning and characterization of cDNAs encoding biosynthetic precursors for the antimicrobial peptides japonicin-1Ja, japonicin-2Ja, and temporin-1Ja in the Japanese brown frog, <i>Rana japonica</i> . 2011 , 28, 339-47	6
588	Long signal peptides of RGMa and DCBLD2 are dissectible into subdomains according to the NtraC model. 2011 , 7, 942-51	4
587	Bacterial type I signal peptidases as antibiotic targets. 2011 , 6, 1279-96	18

586	Protein translocation across the ER membrane. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2011 , 1808, 912-24	3.8	173
585	Biological activity of CXCL8 forms generated by alternative cleavage of the signal peptide or by aminopeptidase-mediated truncation. 2011 , 6, e23913		20
584	Vertebrate endothelial lipase: comparative studies of an ancient gene and protein in vertebrate evolution. 2011 , 139, 291-304		10
583	Improved expression of secretory and trimeric proteins in mammalian cells via the introduction of a new trimer motif and a mutant of the tPA signal sequence. 2011 , 91, 731-40		29
582	Fast subcellular localization by cascaded fusion of signal-based and homology-based methods. 2011 , 9 Suppl 1, S8		
581	Carboxylesterases: Overview, Structure, Function, and Polymorphism. 2011 , 43-56		
580	Asymmetric Synthesis of New β -Lactam Lipopeptides as Bacterial Signal Peptidase I Inhibitors. 2011 , 2011, 3437-3449		6
579	Upstream start codon in segment 4 of North American H2 avian influenza A viruses. 2011 , 11, 489-95		3
578	Development and evaluation of data-driven designed tags (DDTs) for controlling protein solubility. 2011 , 28, 225-31		7
577	Evolutionary sequence divergence predicts protein sub-cellular localization signals. 2011 ,		
576	The signal peptide sequence impacts the immune response elicited by a DNA epitope vaccine. 2011 , 18, 1776-80		5
575	Post-liberation cleavage of signal peptides is catalyzed by the site-2 protease (S2P) in bacteria. 2011 , 108, 13740-5		52
574	Comparative Structures and Evolution of Vertebrate Carboxyl Ester Lipase (CEL) Genes and Proteins with a Major Role in Reverse Cholesterol Transport. 2011 , 2011, 781643		25
573	Unexpected diversity of signal peptides in prokaryotes. 2012 , 3,		26
572	Molecular cloning, characterization and analysis of the intracellular localization of a water-soluble Chl-binding protein from Brussels sprouts (<i>Brassica oleracea</i> var. <i>gemmifera</i>). 2012 , 53, 879-91		39
571	Molecular cloning, functional expression, and characterization of isolectin genes of hemolytic lectin CEL-III from the marine invertebrate <i>Cucumaria echinata</i> . 2012 , 76, 276-82		2
570	Congenital disorder of glycosylation type Ij (CDG-Ij, DPAGT1-CDG): extending the clinical and molecular spectrum of a rare disease. 2012 , 105, 634-41		36
569	Diversity and distribution of hantaviruses in South America. 2012 , 86, 13756-66		57

568	Secretory signal peptide modification for optimized antibody-fragment expression-secretion in <i>Leishmania tarentolae</i> . 2012 , 11, 97		39
567	Periplasmic delivery of biologically active human interleukin-10 in <i>Escherichia coli</i> via a sec-dependent signal peptide. 2012 , 22, 1-9		7
566	Parathyroid Disorders. 2012 , 557-588		
565	Signal peptidase I: cleaving the way to mature proteins. 2012 , 21, 13-25		97
564	Structural studies of a signal peptide in complex with signal peptidase I cytoplasmic domain: the stabilizing effect of membrane-mimetics on the acquired fold. 2012 , 80, 807-17		6
563	Membrane proteases in the bacterial protein secretion and quality control pathway. 2012 , 76, 311-30		99
562	Cathepsin L of <i>Triatoma brasiliensis</i> (Reduviidae, Triatominae): sequence characterization, expression pattern and zymography. 2012 , 58, 178-87		11
561	Expression and efficient secretion of a functional chitinase from <i>Chromobacterium violaceum</i> in <i>Escherichia coli</i> . <i>BMC Biotechnology</i> , 2013 , 13, 46	3-5	27
560	NMR solution structure and SRP54M predicted interaction of the N-terminal sequence (1-30) of the ovine Doppel protein. 2013 , 49, 32-40		17
559	Predicting membrane protein types by incorporating protein topology, domains, signal peptides, and physicochemical properties into the general form of Chou's pseudo amino acid composition. 2013 , 318, 1-12		113
558	Protein translocation across the rough endoplasmic reticulum. 2013 , 5,		46
557	Electrostatically defying cation-cation clusters: can likes attract in a low-polarity environment?. 2013 , 117, 9252-8		29
556	Molecular cloning, expression, and hormonal regulation of the chicken microsomal triglyceride transfer protein. 2013 , 523, 1-9		13
555	Immunofluorescence and fluorescent-protein tagging show high correlation for protein localization in mammalian cells. 2013 , 10, 315-23		175
554	Role of the N-terminal signal peptide in the membrane insertion of <i>Aquifex aeolicus</i> F1F0 ATP synthase c-subunit. 2013 , 280, 3425-35		4
553	Engineering signal peptides for enhanced protein secretion from <i>Lactococcus lactis</i> . 2013 , 79, 347-56		50
552	Polymorphism in human cytomegalovirus UL40 impacts on recognition of human leukocyte antigen-E (HLA-E) by natural killer cells. 2013 , 288, 8679-8690		70
551	Mapping of the SecA signal peptide binding site and dimeric interface by using the substituted cysteine accessibility method. 2013 , 195, 4709-15		9

550	Signal Peptidase I. 2013 , 3493-3497	2
549	Calcium-containing phosphopeptides pave the secretory pathway for efficient protein traffic and secretion in fungi. 2014 , 13, 117	7
548	The putative signal peptide of glucagon-like peptide-1 receptor is not required for receptor synthesis but promotes receptor expression. 2014 , 34, e00152	5
547	Fluorescence spectroscopy of soluble E. coli SPase I Δ -75 reveals conformational changes in response to ligand binding. 2014 , 82, 596-606	6
546	A retained secretory signal peptide mediates high density lipoprotein (HDL) assembly and function of haptoglobin-related protein. 2014 , 289, 24811-20	15
545	Plus β change - evolutionary sequence divergence predicts protein subcellular localization signals. 2014 , 15, 46	10
544	Structure and mechanism of Escherichia coli type I signal peptidase. 2014 , 1843, 1497-508	54
543	Sec-secretion and sortase-mediated anchoring of proteins in Gram-positive bacteria. 2014 , 1843, 1687-97	85
542	Inefficient SRP interaction with a nascent chain triggers a mRNA quality control pathway. 2014 , 156, 146-57	49
541	The intrinsic disorder status of the human hepatitis C virus proteome. 2014 , 10, 1345-63	52
540	Characterization of N- and C-termini of HER2 protein by mass spectrometry-based sequencing: Observation of two types of N-terminal sequence. 2014 , 373, 81-87	2
539	Protein transport into the human ER and related diseases, Sec61-channelopathies. 2014 , 92, 499-509	18
538	Establishment of a signal peptide with cross-species compatibility for functional antibody expression in both Escherichia coli and Chinese hamster ovary cells. 2014 , 447, 655-9	8
537	What Genomics Has Taught Us about Gram-Positive Protein Secretion and Targeting. 2014 , 301-326	2
536	Mo-CBP3, an antifungal chitin-binding protein from Moringa oleifera seeds, is a member of the 2S albumin family. 2015 , 10, e0119871	38
535	Predicting Subcellular Localization of Proteins by Bioinformatic Algorithms. 2017 , 404, 129-158	7
534	Transcriptional regulation of secretory capacity by bZip transcription factors. 2015 , 10, 28-51	21
533	Computational survey of sequence specificity for protein terminal tags covering nine organisms and its application to protein identification. 2015 , 14, 756-67	1

532	In Silico Evaluation of Different Signal Peptides for the Secretory Production of Human Growth Hormone in <i>E. coli</i> . 2015 , 21, 261-268	25
531	Sequence variation of Epstein-Barr virus (EBV) BCRF1 in lymphomas in non-endemic areas of nasopharyngeal carcinoma. 2015 , 160, 441-5	4
530	The Molecular Biology of Peste des Petits Ruminants Virus. 2015 , 11-38	3
529	Nonsecreted cytoplasmic alpha-fetoprotein: a newly discovered role in intracellular signaling and regulation. An update and commentary. 2015 , 36, 9857-64	15
528	Structure and dynamics of the fibronectin-III domains of <i>Aplysia californica</i> cell adhesion molecules. 2015 , 17, 9634-43	2
527	Peptidomics for Studying Limited Proteolysis. 2015 , 14, 4921-31	6
526	Dual Organellar Targeting of Aminoacyl-tRNA Synthetases in Diatoms and Cryptophytes. 2015 , 7, 1728-42	26
525	Competitive Inhibition of the Endoplasmic Reticulum Signal Peptidase by Non-cleavable Mutant Preprotein Cargos. 2015 , 290, 28131-28140	16
524	Protein transport into the human endoplasmic reticulum. 2015 , 427, 1159-75	55
523	Insights into the Evolution of a Snake Venom Multi-Gene Family from the Genomic Organization of <i>Echis ocellatus</i> SVMP Genes. <i>Toxins</i> , 2016 , 8, 4-9	14
522	Characterization of a Non-Canonical Signal Peptidase Cleavage Site in a Replication Protein from Tomato Ringspot Virus. 2016 , 11, e0162223	2
521	Pathogenesis-Related Protein 1b1 (PR1b1) Is a Major Tomato Fruit Protein Responsive to Chilling Temperature and Upregulated in High Polyamine Transgenic Genotypes. 2016 , 7, 901	32
520	Biochemical and molecular characterization of new keratinolytic protease from <i>Actinomadura viridilutea</i> DZ50. 2016 , 92, 299-315	30
519	Engineering Translation in Mammalian Cell Factories to Increase Protein Yield: The Unexpected Use of Long Non-Coding SINEUP RNAs. 2016 , 14, 404-410	24
518	Two main domains with different roles discovered in a new tomato beta-galactosidase. 2016 , 42, 522-531	0
517	IDENTIFICATION OF THE FGL-AMIDE ALLATOSTATIN GENE OF THE PRIMITIVE TERMITES <i>Mastotermes darwiniensis</i> AND THE WOODROACH <i>Cryptocercus darwini</i> . 2016 , 91, 88-108	
516	A novel expression system for lytic polysaccharide monoxygenases. 2017 , 448, 212-219	17
515	Predicting Secretory Proteins with SignalP. 2017 , 1611, 59-73	475

514	N-terminal or signal peptide sequence engineering prevents truncation of human monoclonal antibody light chains. 2017 , 114, 1970-1977	13
513	The complex co-translational processing of glycoprotein GP5 of type 1 porcine reproductive and respiratory syndrome virus. 2017 , 240, 112-120	4
512	The Sec System: Protein Export in. 2017 , 7,	47
511	Protein Sorting Prediction. 2017 , 1615, 23-57	5
510	50 years of The FEBS Journal: looking back as well as ahead. 2017 , 284, 4162-4171	
509	Cystic Fibrosis, Cystic Fibrosis Transmembrane Conductance Regulator and Drugs: Insights from Cellular Trafficking. 2018 , 245, 385-425	8
508	Membrane protein serendipity. 2018 , 293, 3470-3476	1
507	Synonymous Mutations at the Beginning of the Influenza A Virus Hemagglutinin Gene Impact Experimental Fitness. 2018 , 430, 1098-1115	9
506	A Novel Modeling in Mathematical Biology for Classification of Signal Peptides. 2018 , 8, 1039	58
505	Both positional and chemical variables control proteolytic cleavage of a presenilin ortholog. 2018 , 293, 4653-4663	10
504	Differences in signal peptide processing between GP3 glycoproteins of Arteriviridae. 2018 , 517, 69-76	4
503	Identification and characterization of N-glycosylation site on a <i>Mucor circinelloides</i> aspartic protease expressed in <i>Pichia pastoris</i> : effect on secretion, activity and thermo-stability. 2018 , 8, 157	9
502	Multigene Family of Pore-Forming Toxins from Sea Anemone. 2018 , 16,	15
501	Heterologous expression in reveals a topogenic signal anchor in a apicoplast protein. 2018 , 8, 1746-1762	2
500	Profiling of signal sequence characteristics and requirement of different translocation components. 2018 , 1865, 1640-1648	5
499	Pathogenic Signal Sequence Mutations in Progranulin Disrupt SRP Interactions Required for mRNA Stability. 2018 , 23, 2844-2851	19
498	Adipogenic function of mouse tetranectin and identification of its functional domain. 2019 , 519, 645-651	2
497	Transcriptomic Analysis of the Spider Venom Gland Reveals Venom Diversity and Species Consanguinity. <i>Toxins</i> , 2019 , 11,	4-9 3

496	Predicting eukaryotic protein secretion without signals. 2019 , 1867, 140174	10
495	A Brief History of Protein Sorting Prediction. 2019 , 38, 200-216	55
494	Silencing of Aberrant Secretory Protein Expression by Disease-Associated Mutations. 2019 , 431, 2567-2580	4
493	Bacterial Signal Peptidases. 2019 , 92, 187-219	9
492	Efficient function of signal peptidase 1 of Escherichia coli is partly determined by residues in the mature N-terminus of exported proteins. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2019 , 1861, 1018-1022	3.8
491	A GYPB variant encoding an altered leader peptide leads to a weak S phenotype. 2019 , 59, 2461-2462	
490	Cations brought together by hydrogen bonds: the protonated pyridine-boronic acid dimer explained. 2019 , 21, 5796-5802	25
489	SigUNet: signal peptide recognition based on semantic segmentation. 2019 , 20, 677	6
488	Insights into Streptococcus agalactiae PI-2b pilus biosynthesis and role in adherence to host cells. 2019 , 21, 99-103	4
487	The enigmatic ATP supply of the endoplasmic reticulum. 2019 , 94, 610-628	24
486	Genetic regulation of parathyroid gland development. 2020 , 1355-1377	
485	Thermotogales origin scenario of eukaryogenesis. 2020 , 492, 110192	1
484	Measles Virus Hemagglutinin Protein Establishes a Specific Interaction With the Extreme N-Terminal Region of Human Signaling Lymphocytic Activation Molecule to Enhance Infection. 2020 , 11, 1830	2
483	Translational Control of Secretory Proteins in Health and Disease. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3 9
482	Cleaning the molecular machinery of cells via proteostasis, proteolysis and endocytosis selectively, effectively, and precisely: intracellular self-defense and cellular perturbations. 2021 , 17, 11-28	1
481	A slowly cleaved viral signal peptide acts as a protein-integral immune evasion domain. 2021 , 12, 2061	3
480	SRPassing Co-translational Targeting: The Role of the Signal Recognition Particle in Protein Targeting and mRNA Protection. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3 3
479	Intramolecular quality control: HIV-1 envelope gp160 signal-peptide cleavage as a functional folding checkpoint. 2021 , 36, 109646	1

478	Relocation of dehydroquinase dehydratase to the periplasmic space improves dehydroshikimate production with <i>Gluconobacter oxydans</i> strain NBRC3244. 2021 , 105, 5883-5894	1
477	Activation of the PDGF α Receptor by a Persistent Artificial Signal Peptide. 2021 , 433, 167223	
476	Proteolytic Processing of Signal Peptides. 1986 , 33-59	12
475	Sequence Analysis of the Major Surface Glycoprotein of <i>Leishmania Major</i> . 1989 , 611-617	1
474	Molecular Cloning and Nucleotide Sequencing of Newcastle Disease Virus. 1988 , 79-97	14
473	The molecular basis of ethylene biosynthesis, mode of action, and effects in higher plants. 1991 , 17, 279-326	5
472	Signals for protein targeting into and across membranes. 1994 , 22, 1-19	32
471	Components and mechanisms involved in transport of proteins into the endoplasmic reticulum. 1993 , 21, 17-40	8
470	Signals for Protein Import into Organelles. 1991 , 583-593	3
469	Cleavage-site motifs in protein targeting sequences. 1992 , 14, 1-11	19
468	Structure, Function, and Intracellular Processing of the Glycoproteins of Paramyxoviridae. 1991 , 347-382	63
467	The Molecular Biology of Iron and Zinc Uptake in <i>Saccharomyces cerevisiae</i> . 1998 , 342-371	1
466	Theoretical and Computer Analysis of Protein Primary Sequences: Structure Comparison and Prediction. 1988 , 21-65	4
465	Vectors for Use in <i>Clostridium acetobutylicum</i> . 1993 , 120-140	3
464	Biosynthesis of rat preprosomatostatin. 1985 , 188, 31-47	6
463	Cloning and sequencing the nucleocapsid and E1 genes of coronavirus. 1984 , 173, 155-62	8
462	P-cell stimulating factor: biochemistry, biology, and role in oncogenesis. 1985 , 10, 121-46	3
461	Molecular Genetics of Human Erythrocyte Sialoglycoproteins Glycophorins A, B, C, and D. 1990 , 299-335	16

460	Computational prediction of subcellular localization. 2007 , 390, 429-66	35
459	In vitro and in vivo approaches to studying the bacterial signal peptide processing. 2010 , 619, 21-37	5
458	Prediction of transmembrane topology and signal peptide given a protein's amino acid sequence. 2010 , 673, 53-62	6
457	Cleavage-Sites in Protein Targeting Signals. 1991 , 231-238	1
456	Galanin and galanin receptors. 1999 , 26, 257-91	84
455	Interleukin-4. 1990 , 577-607	1
454	What's Eating Eu? The Role of Eukaryote/Eukaryote Endosymbioses in Plastid Origins. 1997 , 24-39	3
453	Retrovirus envelope glycoproteins. 1990 , 157, 187-253	205
452	Posttranslational modification of vaccinia virus proteins. 1990 , 163, 185-206	21
451	Bunyaviridae genome structure and gene expression. 1991 , 169, 91-141	102
450	Transport of membrane proteins to the cell surface. 1991 , 170, 107-39	13
449	Clotting and immune defense in Limulidae. 1996 , 15, 154-89	51
448	Biosynthesis of regulatory peptides [Evolutionary aspects]. 1989 , 344-369	11
447	Synthesis and assembly of the cytochrome b-f complex in higher plants. 1988 , 497-516	2
446	Protein transport and targeting within the endomembrane system of plants. 1991 , 199-237	2
445	Globulin Storage Proteins in Crucifers and Non-Legume Dicotyledonous Families. 1999 , 427-451	5
444	Molecular Biology of Plant Cell Wall Hydroxyproline-Rich Glycoproteins. 1990 , 247-281	29
443	SYNTHESIS, PURIFICATION AND INTERACTIONS OF CASEIN SIGNAL PEPTIDES. 1993 , 239-248	1

442	Structure and evolution of the streptococcal genes encoding protein G. 1990 , 133-148	9
441	Biogenesis of Mammalian Mitochondria. 1987 , 15, 221-272	23
440	Membrane Insertion and Transport of Viral Glycoproteins: A Mutational Analysis. 1988 , 109-158	5
439	Synthesis and Export of Lipoproteins in Bacteria. 1988 , 587-606	5
438	Secretion of Proteins by Bacilli. 1985 , 151-183	22
437	Nonnisin Bacteriocins in Lactococci: Biochemistry, Genetics, and Mode of Action. 1993 , 121-150	23
436	REGULATION OF CHITINASE GENE EXPRESSION BY ETHYLENE. 1985 , 247-258	1
435	Introduction. 1997 , 2-17	4
434	Parathyroid Disorders. 2003 , 485-508	3
433	Minimum substrate sequence for signal peptidase I of Escherichia coli. 1990 , 265, 20069-20072	45
432	Molecular Cloning of the Type 5, Iron-containing, Tartrate-resistant Acid Phosphatase from Human Placenta. 1989 , 264, 557-563	74
431	Human liver arylacetamide deacetylase. Molecular cloning of a novel esterase involved in the metabolic activation of arylamine carcinogens with high sequence similarity to hormone-sensitive lipase.. 1994 , 269, 21650-21656	59
430	Genomic organization of HLA-DMA and HLA-DMB. Comparison of the gene organization of all six class II families in the human major histocompatibility complex.. 1994 , 269, 18834-18838	35
429	Precursors of vertebrate peptide antibiotics dermaseptin b and adenoregulin have extensive sequence identities with precursors of opioid peptides dermorphin, dermenkephalin, and deltorphins.. 1994 , 269, 17847-17852	52
428	Cloning of the NCX2 isoform of the plasma membrane Na(+)-Ca2+ exchanger. 1994 , 269, 17434-17439	279
427	The thylakoid-targeting domain of the chloroplast Rieske iron-sulfur protein is located in the N-terminal hydrophobic region of the mature protein. 1994 , 269, 17458-17463	16
426	Antimicrobial peptides from skin secretions of Rana esculenta. Molecular cloning of cDNAs encoding esculentin and brevinins and isolation of new active peptides.. 1994 , 269, 11956-11961	182
425	Signal peptide cleavage regions. Functional limits on length and topological implications.. 1994 , 269, 16305-16310	31

424	Nucleotide sequence analysis of three cDNAs coding for Poa p IX isoallergens of Kentucky bluegrass pollen.. 1991 , 266, 1204-1210	80
423	Intragenic reversion mutations that improve export of maltose-binding protein in Escherichia coli malE signal sequence mutants.. 1986 , 261, 3389-3395	42
422	Evolutionary shift in the site of cleavage of prelysozyme.. 1986 , 261, 2309-2313	24
421	Signal recognition particle mediates the insertion of a transmembrane protein which has a cytoplasmic NH2 terminus.. 1986 , 261, 1286-1292	37
420	Signal sequence mutants of beta-lactamase.. 1985 , 260, 16192-16199	32
419	In vitro biosynthesis of human renin and identification of plasma inactive renin as an activation intermediate.. 1985 , 260, 16400-16405	40
418	The primary sequence of Ricinus communis agglutinin. Comparison with ricin.. 1985 , 260, 15682-15686	110
417	Conserved residues of the leader peptide are essential for cleavage by leader peptidase.. 1985 , 260, 15914-15918	68
416	The leader region of pre-maltose binding protein binds amphiphiles. A model for self-assembly in protein export.. 1985 , 260, 15919-15924	24
415	Secretion of thermostable DNA polymerase using a novel baculovirus vector.. 1994 , 269, 13522-13528	21
414	Beta-turn formation in the processing region is important for efficient maturation of Escherichia coli maltose-binding protein by signal peptidase I in vivo.. 1994 , 269, 13609-13613	15
413	Isolation and characterization of cDNA clones for chloroplast translational initiation factor-3 from Euglena gracilis. 1994 , 269, 9436-9444	21
412	A novel protein, CSG2p, is required for Ca ²⁺ regulation in Saccharomyces cerevisiae.. 1994 , 269, 7279-7284	83
411	Nodulin-24 follows a novel pathway for integration into the peribacteroid membrane in soybean root nodules.. 1994 , 269, 6598-6602	28
410	Yeast metallothionein. Sequence and metal-binding properties.. 1985 , 260, 14464-14470	204
409	Sequence of gene and cDNA encoding murine major histocompatibility complex class II gene A beta 2.. 1985 , 260, 14111-14119	38
408	Characterization of genomic and complementary DNA sequence of human C-reactive protein, and comparison with the complementary DNA sequence of serum amyloid P component.. 1985 , 260, 13384-13388	119
407	The relationship between rat major acute phase protein and the kininogens.. 1985 , 260, 12065-12071	44

406	Nucleotide sequence of mouse prolactin and growth hormone mRNAs and expression of these mRNAs during pregnancy.. 1985 , 260, 9574-9579	73
405	Primary structure of sarcotoxin I, an antibacterial protein induced in the hemolymph of <i>Sarcophaga peregrina</i> (flesh fly) larvae.. 1985 , 260, 7174-7177	113
404	Human serum amyloid P component. cDNA isolation, complete sequence of pre-serum amyloid P component, and localization of the gene to chromosome 1.. 1985 , 260, 7752-7756	65
403	Functional expression cloning of the canalicular sulfate transport system of rat hepatocytes.. 1994 , 269, 3017-3021	153
402	Molecular cloning of a possible cysteine proteinase predominantly expressed in osteoclasts.. 1994 , 269, 1106-1109	264
401	Molecular characterization of a new metabotropic glutamate receptor mGluR7 coupled to inhibitory cyclic AMP signal transduction.. 1994 , 269, 1231-1236	353
400	Expression cloning and characterization of the hamster ileal sodium-dependent bile acid transporter.. 1994 , 269, 1340-1347	242
399	Horseshoe crab (1,3)-beta-D-glucan-sensitive coagulation factor G. A serine protease zymogen heterodimer with similarities to beta-glucan-binding proteins.. 1994 , 269, 1370-1374	76
398	Regulation of interleukin-8 expression in porcine alveolar macrophages by bacterial lipopolysaccharide.. 1994 , 269, 77-85	63
397	Structure of a precursor to human pancreatic polypeptide.. 1984 , 259, 14702-14705	34
396	Purification to apparent homogeneity of a factor stimulating the growth of multiple lineages of hemopoietic cells.. 1984 , 259, 7488-7494	66
395	Primary structure of the <i>Streptomyces</i> enzyme endo-beta-N-acetylglucosaminidase H.. 1984 , 259, 7577-7583	142
394	Molecular cloning of the 18-kDa growth-associated protein of developing brain.. 1990 , 265, 16721-16724	192
393	Two soluble forms of bovine carboxypeptidase H have different NH2-terminal sequences.. 1990 , 265, 17101-17105	48
392	The 48-kDa subunit of the mammalian oligosaccharyltransferase complex is homologous to the essential yeast protein WBP1.. 1992 , 267, 23658-23663	61
391	Deletion of the pro-alpha 1(I) N-propeptide affects secretion of type I collagen in Chinese hamster lung cells but not in Mov-13 mouse cells.. 1992 , 267, 24126-24133	9
390	Cloning of cDNAs encoding human lysosomal membrane glycoproteins, h-lamp-1 and h-lamp-2. Comparison of their deduced amino acid sequences.. 1988 , 263, 18920-18928	135
389	Molecular cloning of the cDNA which encodes beta-N-acetylhexosaminidase A from <i>Dictyostelium discoideum</i> . Complete amino acid sequence and homology with the human enzyme.. 1988 , 263, 16823-16829	41

388	Deletion of the amino-terminal domain of asialoglycoprotein receptor H1 allows cleavage of the internal signal sequence.. 1988 , 263, 16886-16891	39
387	Membrane orientation of rat gp110 as studied by in vitro translation.. 1988 , 263, 16892-16898	14
386	Primary structure of apolipoprotein-III from the migratory locust, <i>Locusta migratoria</i> . Potential amphipathic structures and molecular evolution of an insect apolipoprotein.. 1988 , 263, 10568-10573	63
385	<i>Escherichia coli</i> TonB protein is exported from the cytoplasm without proteolytic cleavage of its amino terminus.. 1988 , 263, 11000-11007	97
384	Enhancement of membrane insertion and function in a type IIIb membrane protein following introduction of a cleavable signal peptide.. 1992 , 267, 21995-21998	204
383	Cloning and expression of the cDNA sequence encoding the lysosomal glycosidase di-N-acetylchitobiase.. 1992 , 267, 19607-19616	24
382	Single amino acid substitutions can convert the uncleaved signal-anchor of sucrase-isomaltase to a cleaved signal sequence.. 1992 , 267, 16928-16933	20
381	Cloning and expression of guanylin. Its existence in various mammalian tissues.. 1992 , 267, 16019-16021	93
380	Sequence, structure, and expression of a wasp venom protein with a negatively charged signal peptide and a novel repeating internal structure.. 1992 , 267, 14871-14878	22
379	Molecular characterization of a novel metabotropic glutamate receptor mGluR5 coupled to inositol phosphate/Ca ²⁺ signal transduction.. 1992 , 267, 13361-13368	649
378	Characterization of the adenovirus E3 protein that down-regulates the epidermal growth factor receptor. Evidence for intermolecular disulfide bonding and plasma membrane localization.. 1992 , 267, 13480-13487	38
377	Protein targeting across the three membranes of the <i>Euglena</i> chloroplast envelope.. 1992 , 267, 12885-12891	23
376	A 13-amino acid n-terminal domain of a basic proline-rich protein is necessary for storage in secretory granules and facilitates exit from the endoplasmic reticulum.. 1992 , 267, 13093-13100	28
375	Isolation of the leucine aminopeptidase gene from <i>Aeromonas proteolytica</i> . Evidence for an enzyme precursor.. 1992 , 267, 8390-8395	34
374	A sequence in beta-hexosaminidase from <i>Dictyostelium discoideum</i> required for sorting of proteins to a compartment involved in developmentally induced secretion.. 1992 , 267, 5942-5948	5
373	Molecular characterization of the MalT-dependent periplasmic alpha-amylase of <i>Escherichia coli</i> encoded by malS.. 1992 , 267, 5148-5154	34
372	Peptide YY. Structure of the precursor and expression in exocrine pancreas.. 1987 , 262, 12984-12988	52
371	Proclotting enzyme from horseshoe crab hemocytes. cDNA cloning, disulfide locations, and subcellular localization.. 1990 , 265, 22426-22433	131

370	Isolation and molecular cloning of transferrin from the tobacco hornworm, <i>Manduca sexta</i> . Sequence similarity to the vertebrate transferrins.. 1990 , 265, 21684-21691	101
369	Residues flanking the COOH-terminal C-region of a model eukaryotic signal peptide influence the site of its cleavage by signal peptidase and the extent of coupling of its co-translational translocation and proteolytic processing in vitro.. 1990 , 265, 21797-21803	20
368	Type I procollagen COOH-terminal proteinase enhancer protein: identification, primary structure, and chromosomal localization of the cognate human gene (PCOLCE). 1994 , 269, 26280-26285	81
367	Cloning and characterization of the human neutrophil-activating peptide (ENA-78) gene.. 1994 , 269, 25277-25283	23
366	Primary structure of a protease isoinhibitor from bovine spleen. A possible intermediate in the processing of the primary gene product.. 1987 , 262, 13916-13919	14
365	Isolation and sequencing of a cDNA clone for a prolactin-inducible protein (PIP). Regulation of PIP gene expression in the human breast cancer cell line, T-47D.. 1987 , 262, 15236-15241	80
364	Synthesis of precursor maltose-binding protein with proline in the +1 position of the cleavage site interferes with the activity of <i>Escherichia coli</i> signal peptidase I in vivo.. 1992 , 267, 1231-1238	61
363	Biochemical and molecular characterization of three barley seed proteins with antifungal properties. 1991 , 266, 1564-1573	428
362	Transformation of the signal peptide/membrane anchor domain of a type II transmembrane protein into a cleavable signal peptide.. 1993 , 268, 2699-2704	16
361	Cloning of a novel surface antigen from the insect stages of <i>Trypanosoma brucei</i> by expression in COS cells.. 1993 , 268, 1894-1900	21
360	Protein, cDNA, and genomic DNA sequences of the towel gourd trypsin inhibitor. A squash family inhibitor.. 1993 , 268, 810-814	24
359	Characterization and molecular cloning of a proenzyme form of a ribosome-inactivating protein from maize. Novel mechanism of proenzyme activation by proteolytic removal of a 2.8-kilodalton internal peptide segment.. 1991 , 266, 23422-23427	76
358	Type II collagen mRNA containing an alternatively spliced exon predominates in the chick limb prior to chondrogenesis.. 1991 , 266, 23446-23452	62
357	xP1 and xP4. P-domain peptides expressed in <i>Xenopus laevis</i> stomach mucosa.. 1991 , 266, 21306-21309	36
356	<i>Clostridium botulinum</i> C3 ADP-ribosyltransferase gene. Cloning, sequencing, and expression of a functional protein in <i>Escherichia coli</i> .. 1991 , 266, 19312-19319	75
355	The gene and deduced protein sequences of the zymogen of <i>Aspergillus niger</i> acid proteinase A.. 1991 , 266, 19484-19489	51
354	Human bullous pemphigoid antigen (BPAG1). Amino acid sequences deduced from cloned cDNAs predict biologically important peptide segments and protein domains.. 1991 , 266, 17784-17790	153
353	Primary structure and functional expression of the human receptor for <i>Escherichia coli</i> heat-stable enterotoxin.. 1991 , 266, 17912-17918	103

352	Primary structure and comparative sequence analysis of an insect apolipoprotein. Apolipoprotein-III from <i>Manduca sexta</i> .. 1987 , 262, 11794-11800	97
351	Biosynthesis of human insulin-like growth factor I (IGF-I). The primary translation product of IGF-I mRNA contains an unusual 48-amino acid signal peptide.. 1987 , 262, 11807-11812	43
350	Human complement factor I: analysis of cDNA-derived primary structure and assignment of its gene to chromosome 4.. 1987 , 262, 10065-10071	85
349	Lactotransferrin is the major estrogen inducible protein of mouse uterine secretions.. 1987 , 262, 10134-10139	152
348	A functional interaction between the signal peptide and the translation apparatus is detected by the use of a single point mutation which blocks translocation across mammalian endoplasmic reticulum.. 1987 , 262, 10189-10194	14
347	cDNA cloning and expression in <i>Escherichia coli</i> of a plasminogen activator inhibitor from human placenta.. 1987 , 262, 3718-3725	156
346	N, N'-Diacetylchitinase of <i>Vibrio harveyi</i> . 1989 , 264, 14778-14783	30
345	Rubella virus cDNA. Sequence and expression of E1 envelope protein.. 1986 , 261, 16616-16621	26
344	Deletion of the propeptide from human preproapolipoprotein A-II redirects cotranslational processing by signal peptidase.. 1986 , 261, 14752-14759	40
343	The role of the polar, carboxyl-terminal domain of <i>Escherichia coli</i> leader peptidase in its translocation across the plasma membrane.. 1986 , 261, 13844-13849	48
342	The secY protein can act post-translationally to promote bacterial protein export.. 1986 , 261, 12907-12910	29
341	Pig intestinal microvillar maltase-glucoamylase. Structure and membrane insertion.. 1986 , 261, 12306-12309	24
340	Isolation of a novel prolactin-like cDNA clone from developing rat placenta.. 1986 , 261, 10879-10884	61
339	The glycosylated seed storage proteins of <i>Glycine max</i> and <i>Phaseolus vulgaris</i> . Structural homologies of genes and proteins.. 1986 , 261, 9228-9238	120
338	Structure of the human neutrophil elastase gene.. 1988 , 263, 14739-14747	89
337	cDNA cloning and deduced amino acid sequence of microvitellogenin, a female specific hemolymph and egg protein from the tobacco hornworm, <i>Manduca sexta</i> .. 1988 , 263, 8851-8855	22
336	A new repetitive protein from <i>Xenopus laevis</i> skin highly homologous to pancreatic spasmolytic polypeptide.. 1988 , 263, 7686-7690	63
335	Family relationships of murine major histocompatibility complex class I genes. Sequence of the T2Aa pseudogene, a member of gene family 3.. 1988 , 263, 7055-7059	2

334	Cloning and characterization of a cDNA coding for the lipoprotein-associated coagulation inhibitor shows that it consists of three tandem Kunitz-type inhibitory domains.. 1988 , 263, 6001-6004	226
333	Prepro-alpha-factor has a cleavable signal sequence.. 1988 , 263, 6209-6214	68
332	Proteolytic processing of pro-alpha and pro-beta precursors from human beta-hexosaminidase. Generation of the mature alpha and beta a beta b subunits.. 1988 , 263, 4612-4618	55
331	The rat gene encoding neurotensin and neuromedin N. Structure, tissue-specific expression, and evolution of exon sequences.. 1988 , 263, 4963-4968	174
330	Proteolytic processing of the alpha-chain of the lysosomal enzyme, beta-hexosaminidase, in normal human fibroblasts.. 1988 , 263, 4288-4292	39
329	Isolation and characterization of the complementary DNA for sheep seminal vesicle prostaglandin endoperoxide synthase (cyclooxygenase).. 1988 , 263, 3550-3553	310
328	The human cation-independent mannose 6-phosphate receptor. Cloning and sequence of the full-length cDNA and expression of functional receptor in COS cells.. 1988 , 263, 2553-2562	172
327	Synthetic Substrate for Eukaryotic Signal Peptidase. 1989 , 264, 15813-15817	18
326	Cloning and Expression of a cDNA Coding for a Rat Liver Plasma Membrane Ecto-ATPase. 1989 , 264, 14408-14414	176
325	Surface array protein of Campylobacter fetus. Cloning and gene structure.. 1990 , 265, 14529-14535	58
324	Both a short hydrophobic domain and a carboxyl-terminal hydrophilic region are important for signal function in the Escherichia coli leader peptidase. 1989 , 264, 11833-11838	21
323	The Membrane Form of Guanylate Cyclase. 1989 , 264, 6545-6549	76
322	Cloning of a cDNA Encoding Porcine Brain Natriuretic Peptide. 1989 , 264, 6689-6692	36
321	Cloning and Recombinant Expression of Phospholipase A2 Present in Rheumatoid Arthritic Synovial Fluid. 1989 , 264, 5335-5338	413
320	Rat Preprocarboxypeptidase H. 1989 , 264, 5988-5995	45
319	Characterization of a cDNA Encoding a Manganese Peroxidase, from the Lignin-degrading Basidiomycete Phanerochaete Chrysosporium. 1989 , 264, 5036-5040	140
318	Wound-induced proteinase inhibitors from tomato leaves. I. The cDNA-deduced primary structure of pre-inhibitor I and its post-translational processing.. 1985 , 260, 6555-6560	86
317	Wound-induced proteinase inhibitors from tomato leaves. II. The cDNA-deduced primary structure of pre-inhibitor II.. 1985 , 260, 6561-6564	91

316	Identification of pre-osteonectin produced by cell-free translation of fetal porcine calvarial mRNA.. 1985 , 260, 6993-6998	14
315	Signal recognition particle-dependent insertion of coronavirus E1, an intracellular membrane glycoprotein. 1985 , 260, 4648-52	42
314	Modification and processing of Bacillus licheniformis prepenicillinase in Escherichia coli. Fate of mutant penicillinase lacking lipoprotein modification site.. 1984 , 259, 10448-10454	29
313	Synthesis, intracellular processing, and signal peptide of human apolipoprotein E.. 1984 , 259, 5495-5499	137
312	A proline residue near the amino terminus of the mature domain of secretory proteins lowers the level of the proton motive force required for translocation. 1991 , 266, 9977-9982	22
311	Proteolytic Processing of the α -Subunit of the Lysosomal Enzyme, α -Hexosaminidase, in Normal Human Fibroblasts. 1989 , 264, 3380-3384	37
310	Primary Structure of Rat Liver Dipeptidyl Peptidase IV Deduced from Its cDNA and Identification of the NH ₂ -Terminal Signal Sequence as the Membrane-anchoring Domain. 1989 , 264, 3596-3601	132
309	Charged residues render pro-OmpA potential dependent for initiation of membrane translocation. 1993 , 268, 9442-9447	34
308	A Dictyostelium discoideum cellulase is a member of a spore germination-specific gene family. 1991 , 266, 15432-15437	25
307	Gene organization of the human high affinity receptor for IgG, Fc gamma RI (CD64). Characterization and evidence for a second gene. 1991 , 266, 13449-13455	45
306	Transport of proteins into chloroplasts. The thylakoidal processing peptidase is a signal-type peptidase with stringent substrate requirements at the -3 and -1 positions. 1991 , 266, 12152-12156	55
305	The cDNA sequence of mouse LAMP-2. Evidence for two classes of lysosomal membrane glycoproteins.. 1990 , 265, 5008-5013	42
304	Glycosylation and membrane insertion of newly synthesized rat dopamine beta-hydroxylase in a cell-free system without signal cleavage.. 1992 , 267, 21808-21815	13
303	Cloning, expression, and chromosomal localization of the mouse meprin beta subunit.. 1993 , 268, 21035-2104368	
302	Horseshoe crab coagulation factor B. A unique serine protease zymogen activated by cleavage of an Ile-Ile bond.. 1993 , 268, 21384-21388	50
301	Amino acid sequence of Sp23, a structural protein of the spermatophore of the mealworm beetle, Tenebrio molitor.. 1992 , 267, 18852-18857	10
300	Expression of human preproapo AI and pre(delta pro)apoAI in a murine pituitary cell line (AtT-20). A comparison of their intracellular compartmentalization and lipid affiliation.. 1988 , 263, 15568-15577	17
299	Molecular cloning and expression of murine guanylate cyclase/atrial natriuretic factor receptor cDNA.. 1990 , 265, 12342-12348	102

298	Purification and characterization of natural human interferon omega 1. Two alternative cleavage sites for the signal peptidase.. 1990 , 265, 9290-9295	37
297	Expression of new members of the prolactin growth hormone gene family in bovine placenta. Isolation and characterization of two prolactin-like cDNA clones.. 1990 , 265, 8915-8920	24
296	Truncations of a secretory protein define minimum lengths required for binding to signal recognition particle and translocation across the endoplasmic reticulum membrane.. 1990 , 265, 7478-7484	23
295	The primary structure of glycoprotein III from bovine adrenal medullary chromaffin granules. Sequence similarity with human serum protein-40,40 and rat Sertoli cell glycoprotein.. 1990 , 265, 6617-6623	65
294	Molecular cloning and amino acid sequence of peptide-N4-(N-acetyl-beta-D-glucosaminyl)asparagine amidase from flavobacterium meningosepticum.. 1990 , 265, 6961-6966	42
293	The sequence and transcript heterogeneity of the yeast gene ALG1, an essential mannosyltransferase involved in N-glycosylation.. 1990 , 265, 7042-7049	50
292	Complete nucleotide sequence of the streptococcal C5a peptidase gene of <i>Streptococcus pyogenes</i> .. 1990 , 265, 3161-3167	101
291	Maturation of <i>Escherichia coli</i> maltose-binding protein by signal peptidase I in vivo. Sequence requirements for efficient processing and demonstration of an alternate cleavage site.. 1990 , 265, 3417-3423	81
290	Deficiency of the murine fifth complement component (C5). A 2-base pair gene deletion in a 5'-exon.. 1990 , 265, 2435-2440	142
289	Characterization of a proline-rich cell wall protein gene family of soybean. A comparative analysis.. 1990 , 265, 2470-2475	48
288	The chicken urokinase-type plasminogen activator gene.. 1990 , 265, 1339-1344	18
287	Identification of a novel human glycophorin, glycophorin E, by isolation of genomic clones and complementary DNA clones utilizing polymerase chain reaction.. 1990 , 265, 1102-1110	60
286	Cloning and Characterization of Human Pancreatic Lipase cDNA. 1989 , 264, 20042-20048	91
285	Effect of heavy chain signal peptide mutations and NH2-terminal chain length on binding of anti-digoxin antibodies.. 1993 , 268, 23000-23007	12
284	4S-limonene synthase from the oil glands of spearmint (<i>Mentha spicata</i>). cDNA isolation, characterization, and bacterial expression of the catalytically active monoterpene cyclase.. 1993 , 268, 23016-23024	188
283	xP2, a new member of the P-domain peptide family of potential growth factors, is synthesized in <i>Xenopus laevis</i> skin.. 1992 , 267, 14451-14455	32
282	Phosphatidylinositol glycan (PI-G) anchored membrane proteins. Amino acid requirements adjacent to the site of cleavage and PI-G attachment in the COOH-terminal signal peptide.. 1992 , 267, 12168-12173	143
281	Cloning and sequence analysis of cDNA for a neuronal cell membrane antigen, HPC-1.. 1992 , 267, 10613-10619	213

- 280 Cloning and developmental expression of the alpha 3 chain of chicken type IX collagen.. **1992**, 267, 10070-10076
- 279 The alpha subunit of meprin A. Molecular cloning and sequencing, differential expression in inbred mouse strains, and evidence for divergent evolution of the alpha and beta subunits.. **1992**, 267, 9185-9193 68
- 278 Cloning and characterization of cDNA encoding canine alpha-L-iduronidase. mRNA deficiency in mucopolysaccharidosis I dog.. **1992**, 267, 6570-6575 39
- 277 A novel 40-kDa membrane-associated EF-hand calcium-binding protein in *Plasmodium falciparum*.. **1992**, 267, 3976-3982 45
- 276 Identification of a novel class of elastase isozyme, human pancreatic elastase III, by cDNA and genomic gene cloning.. **1988**, 263, 1231-1239 37
- 275 Characterization of the internal signal-anchor domain of *Escherichia coli* leader peptidase.. **1988**, 263, 404-408 16
- 274 Mannose-binding proteins isolated from rat liver contain carbohydrate-recognition domains linked to collagenous tails. Complete primary structures and homology with pulmonary surfactant apoprotein.. **1986**, 261, 6878-6887 340
- 273 A de novo designed signal peptide cleavage cassette functions in vivo. **1991**, 266, 3408-3410 21
- 272 Dog serum amyloid A protein. Identification of multiple isoforms defined by cDNA and protein analyses. **1991**, 266, 3505-3510 25
- 271 The 1-aminocyclopropane-1-carboxylate synthase of *Cucurbita*. Purification, properties, expression in *Escherichia coli*, and primary structure determination by DNA sequence analysis. **1991**, 266, 3752-3759 46
- 270 Genomic organization of the mouse granzyme A gene. Two mRNAs encode the same mature granzyme A with different leader peptides.. **1992**, 267, 25488-25493 12
- 269 A serine and a lysine residue implicated in the catalytic mechanism of the *Escherichia coli* leader peptidase.. **1993**, 268, 27349-27354 108
- 268 Human cartilage gp-39, a major secretory product of articular chondrocytes and synovial cells, is a mammalian member of a chitinase protein family.. **1993**, 268, 25803-25810 413
- 267 Molecular cloning and developmental expression of the cyclic nucleotide phosphodiesterase gene of *Dictyostelium discoideum*.. **1986**, 261, 16811-16817 110
- 266 Atrial natriuretic peptide clearance receptor. Complete sequence and functional expression of cDNA clones.. **1988**, 263, 9395-9401 356
- 265 A family of bacteria-regulated, cecropin D-like peptides from *Manduca sexta*.. **1988**, 263, 19424-19429 73
- 264 Importance of the propeptide sequence of human preproparathyroid hormone for signal sequence function.. **1988**, 263, 19771-19777 39
- 263 An islet amyloid peptide is derived from an 89-amino acid precursor by proteolytic processing.. **1988**, 263, 17243-17246 189

262	Cloning and sequencing of the yeast gene for dolichol phosphate mannose synthase, an essential protein.. 1988 , 263, 17499-17507	151
261	Substrate specificity of eukaryotic signal peptidase. Site-saturation mutagenesis at position -1 regulates cleavage between multiple sites in human pre (delta pro) apolipoprotein A-II.. 1988 , 263, 2070-2078	62
260	The complete primary structure for a novel laminin chain, the laminin B1k chain. 1994 , 269, 11073-11080	98
259	Human fibroblast collagenase. Complete primary structure and homology to an oncogene transformation-induced rat protein.. 1986 , 261, 6600-6605	439
258	Molecular characterization of the murine interferon β receptor cDNA. 1989 , 264, 17939-17946	61
257	cDNA cloning and chromosomal assignment of the gene encoding endothelin 3. 1989 , 264, 18156-18161	107
256	Eukaryotic signal peptide structure/function relationships. 1989 , 264, 3979-3987	38
255	Secretion of the Streptomyces tyrosinase is mediated through its trans-activator protein, MelC1.. 1992 , 267, 20108-20113	43
254	Molecular cloning of the cDNA for two major androgen-dependent secretory proteins of 18.5 kilodaltons synthesized by the rat epididymis.. 1986 , 261, 4956-4961	74
253	Novel secretory proline-rich proteoglycans from rat parotid. Cloning and characterization by expression in AtT-20 cells.. 1993 , 268, 20490-20496	12
252	Characterization and NH ₂ -terminal amino acid sequence of natural human interleukin for DA cells: leukemia inhibitory factor. 1989 , 264, 21509-21515	39
251	Thyrotropin-releasing hormone (TRH) precursor processing. 1989 , 264, 21529-21535	27
250	Isolation and characterization of a full-length cDNA encoding the 55-kDa rabbit zona pellucida protein.. 1991 , 266, 7214-7219	45
249	Evolution of oogenesis: the receptor for vitellogenin from the rainbow trout. 1998 , 39, 1929-1937	69
248	The gifts that keep on giving: physiological functions and evolutionary dynamics of male seminal proteins in Drosophila.	3
247	Constitutive and allergen-induced expression of eotaxin mRNA in the guinea pig lung. 1995 , 181, 1211-6	176
246	Polymorphism and divergence in the Mst26A male accessory gland gene region in Drosophila. 1992 , 132, 755-70	133
245	Mated Drosophila melanogaster females require a seminal fluid protein, Acp36DE, to store sperm efficiently. 1999 , 153, 845-57	214

244	Development of a genetically marked recombinant rinderpest vaccine expressing green fluorescent protein. 2000 , 81, 709-18	37
243	Detection and significance of a G1862T variant of hepatitis B virus in Chinese patients with fulminant hepatitis. 2002 , 83, 2291-2298	40
242	Synthesis of lactococcin 972, a bacteriocin produced by <i>Lactococcus lactis</i> IPLA 972, depends on the expression of a plasmid-encoded bicistronic operon. 1999 , 145 (Pt 11), 3155-3161	54
241	A multicopper oxidase gene from <i>Candida albicans</i> : cloning, characterization and disruption. 1999 , 145 (Pt 9), 2415-2422	86
240	Expression of wild-type or G1862T mutant HBe antigen of subgenotype A1 of hepatitis B virus and the unfolded protein response in Huh7 cells. 2017 , 98, 1422-1433	6
239	A novel N-terminal region of the membrane α -hexosyltransferase: its role in secretion of soluble protein by <i>Pichia pastoris</i> . 2016 , 162, 23-34	3
238	Peptide binding to a bacterial signal peptidase visualized by peptide tethering and carrier-driven crystallization. 2016 , 3, 10-9	10
237	Molecular characterization of a xyloglucan-specific endo-(14)-beta-d-glucanase (xyloglucan endo-transglycosylase) from nasturtium seeds. 1993 , 3, 701-711	73
236	Isolation and characterization of male flower cDNAs from maize. 1993 , 3, 41-49	18
235	Primary structure of the major allergen of yellow mustard (<i>Sinapis alba</i> L.) seed, Sin a I. <i>FEBS Journal</i> , 1988 , 177, 159-66	133
234	Characterization and evolutionary relationships of <i>Magnolia</i> legumin-encoding cDNAs representing two divergent gene subfamilies. <i>FEBS Journal</i> , 1995 , 229, 645-50	13
233	<i>Aspergillus fumigatus</i> Secreted Proteases. 87-106	15
232	Protein Secretion. 713-726	23
231	Nucleotide sequence of the cell wall proteinase gene of <i>Streptococcus cremoris</i> Wg2. 1988 , 54, 231-8	165
230	Two <i>Bacillus</i> beta-mannanases having different COOH termini are produced in <i>Escherichia coli</i> carrying pMAH5. 1989 , 55, 3178-83	27
229	Purification and Characterization of an Aminopeptidase from <i>Lactococcus lactis</i> subsp. <i>cremoris</i> Wg2. 1990 , 56, 526-32	99
228	Purification and characterization of an endopeptidase from <i>Lactococcus lactis</i> subsp. <i>cremoris</i> Wg2. 1991 , 57, 3593-9	63
227	Molecular analysis of the lactacin F operon. 1993 , 59, 3906-15	71

226	Purification, gene cloning, amino acid sequence analysis, and expression of an extracellular lipase from an <i>Aeromonas hydrophila</i> human isolate. 1993 , 59, 2411-7	52
225	Cloning and DNA sequence of the gene coding for <i>Bacillus stearotherophilus</i> T-6 xylanase. 1994 , 60, 1889-96	46
224	Molecular cloning of the gene which encodes beta-N-acetylglucosaminidase from a marine bacterium, <i>Alteromonas</i> sp. strain O-7. 1995 , 61, 804-6	19
223	Cloning and expression in <i>Saccharomyces cerevisiae</i> of a <i>Trichoderma reesei</i> beta-mannanase gene containing a cellulose binding domain. 1995 , 61, 1090-7	122
222	Heterologous expression of the lactacin F peptides by <i>Carnobacterium piscicola</i> LV17. 1995 , 61, 1371-7	32
221	Isolation and expression in <i>Escherichia coli</i> of hepB and hepC, genes coding for the glycosaminoglycan-degrading enzymes heparinase II and heparinase III, respectively, from <i>Flavobacterium heparinum</i> . 1996 , 62, 2723-34	71
220	Cloning and sequence analysis of a novel hemolysin gene (vllY) from <i>Vibrio vulnificus</i> . 1997 , 63, 3851-7	22
219	Biochemical and genetic characterization of enterocin P, a novel sec-dependent bacteriocin from <i>Enterococcus faecium</i> P13 with a broad antimicrobial spectrum. 1997 , 63, 4321-30	314
218	Purification and characterization of a cephalosporin esterase from <i>Rhodospiridium toruloides</i> . 1997 , 63, 4807-11	16
217	Cloning and sequence analysis of genes encoding xylanases and acetyl xylan esterase from <i>Streptomyces thermoviolaceus</i> OPC-520. 1997 , 63, 661-4	39
216	Gene cloning, purification, and characterization of a heat-stable phytase from the fungus <i>Aspergillus fumigatus</i> . 1997 , 63, 1696-700	163
215	A novel beta-N-acetylglucosaminidase from <i>Streptomyces thermoviolaceus</i> OPC-520: gene cloning, expression, and assignment to family 3 of the glycosyl hydrolases. 1998 , 64, 2920-4	31
214	Nucleotide sequence of the leukotoxin genes of <i>Pasteurella haemolytica</i> A1. 1987 , 55, 1987-96	194
213	Nucleotide sequence analysis of a type 1 fimbrial gene of <i>Streptococcus sanguis</i> FW213. 1989 , 57, 3527-33	69
212	Transcriptional mapping and nucleotide sequence of the <i>Listeria monocytogenes</i> hlyA region reveal structural features that may be involved in regulation. 1989 , 57, 3695-701	90
211	Cloning and expression of the gene for the cross-reactive alpha antigen of <i>Mycobacterium kansasii</i> . 1990 , 58, 550-6	60
210	Sequence analysis of the gene for the glucan-binding protein of <i>Streptococcus mutans</i> Ingbritt. 1990 , 58, 667-73	131
209	Analysis of the <i>Streptococcus downei</i> gtfS gene, which specifies a glucosyltransferase that synthesizes soluble glucans. 1990 , 58, 2452-8	89

208	Nucleotide sequence of yst, the <i>Yersinia enterocolitica</i> gene encoding the heat-stable enterotoxin, and prevalence of the gene among pathogenic and nonpathogenic yersiniae. 1990 , 58, 2983-8	103
207	Nucleotide sequence analysis of the <i>Legionella micdadei</i> mip gene, encoding a 30-kilodalton analog of the <i>Legionella pneumophila</i> Mip protein. 1991 , 59, 3836-40	41
206	Nucleotide sequence of a gene coding for a saliva-binding protein (SsaB) from <i>Streptococcus sanguis</i> 12 and possible role of the protein in coaggregation with actinomyces. 1991 , 59, 1093-9	76
205	Molecular characterization of the <i>Enterococcus faecalis</i> cytolysin activator. 1991 , 59, 1239-46	52
204	A 40-kilodalton cell wall protein-coding sequence upstream of the sr gene of <i>Streptococcus mutans</i> OMZ175 (serotype F). 1991 , 59, 1620-6	9
203	Heterogeneity of outer membrane proteins in <i>Borrelia burgdorferi</i> : comparison of osp operons of three isolates of different geographic origins. 1992 , 60, 1845-53	107
202	Cloning and DNA sequence analysis of a <i>Serpulina</i> (<i>Treponema</i>) <i>hyodysenteriae</i> gene encoding a periplasmic flagellar sheath protein. 1992 , 60, 2920-5	29
201	Cloning and sequence analysis of the structural pilin gene of Brazilian purpuric fever-associated <i>Haemophilus influenzae</i> biogroup aegyptius. 1993 , 61, 1559-62	14
200	Nucleotide sequence analysis of the gtFt gene from <i>Streptococcus sobrinus</i> OMZ176. 1993 , 61, 2096-103	25
199	Cloning and nucleotide sequence analysis of psaA, the <i>Streptococcus pneumoniae</i> gene encoding a 37-kilodalton protein homologous to previously reported <i>Streptococcus</i> sp. adhesins. 1994 , 62, 319-24	118
198	A novel type of glutathione S-transferase in <i>Onchocerca volvulus</i> . 1994 , 62, 4762-7	48
197	Identification of hifD and hifE in the pilus gene cluster of <i>Haemophilus influenzae</i> type b strain Eagan. 1994 , 62, 4922-8	31
196	Identification of a gene essential for piliation in <i>Haemophilus influenzae</i> type b with homology to the pilus assembly platform genes of gram-negative bacteria. 1994 , 62, 468-75	31
195	A family of surface-exposed proteins of 20 kilodaltons in the genus <i>Borrelia</i> . 1994 , 62, 2792-9	76
194	A neuraminidase from <i>Streptococcus pneumoniae</i> has the features of a surface protein. 1994 , 62, 3688-95	109
193	Isolation of extracytoplasmic proteins from <i>Serpulina hyodysenteriae</i> B204 and molecular cloning of the flaB1 gene encoding a 38-kilodalton flagellar protein. 1995 , 63, 142-8	25
192	Molecular and biochemical characterization of a protective 40-kilodalton antigen from <i>Corynebacterium pseudotuberculosis</i> . 1995 , 63, 206-11	21
191	<i>Streptococcus salivarius</i> ATCC 25975 possesses at least two genes coding for primer-independent glucosyltransferases. 1995 , 63, 609-21	23

190	Characterization of the <i>Treponema denticola</i> prtP gene encoding a prolyl-phenylalanine-specific protease (dentilisin). 1996 , 64, 5178-86	88
189	Cloning, sequencing, expression, and protective capacity of the oma87 gene encoding the <i>Pasteurella multocida</i> 87-kilodalton outer membrane antigen. 1996 , 64, 3161-7	54
188	Identification and characterization of a K88- and CS31A-like operon of a rabbit enteropathogenic <i>Escherichia coli</i> strain which encodes fimbriae involved in the colonization of rabbit intestine. 1997 , 65, 5222-30	38
187	Immunologic and genetic analyses of VmpA of a neurotropic strain of <i>Borrelia turicatae</i> . 1997 , 65, 3352-60	64
186	Analysis of the genes encoding the antigen 85 complex and MPT51 from <i>Mycobacterium avium</i> . 1997 , 65, 3680-5	22
185	Infection-derived <i>Enterococcus faecalis</i> strains are enriched in esp, a gene encoding a novel surface protein. 1999 , 67, 193-200	314
184	Immunological characterization of a protective antigen of <i>Erysipelothrix rhusiopathiae</i> : identification of the region responsible for protective immunity. 1999 , 67, 1646-51	38
183	K88ab gene of <i>Escherichia coli</i> encodes a fimbria-like protein distinct from the K88ab fimbrial adhesin. 1984 , 159, 482-7	58
182	Genetic characterization and partial sequence determination of a <i>Treponema pallidum</i> operon expressing two immunogenic membrane proteins in <i>Escherichia coli</i> . 1985 , 162, 1227-37	55
181	<i>Escherichia coli</i> hemolysin is released extracellularly without cleavage of a signal peptide. 1985 , 163, 88-93	182
180	Nucleotide sequence of an <i>Escherichia coli</i> chromosomal hemolysin. 1985 , 163, 94-105	488
179	Cloning and sequencing of the metallothioprotein beta-lactamase II gene of <i>Bacillus cereus</i> 569/H in <i>Escherichia coli</i> . 1985 , 164, 223-9	89
178	Duplication of pilus gene complexes of <i>Haemophilus influenzae</i> biogroup aegyptius. 1996 , 178, 6564-70	26
177	Identification of a linked set of genes in <i>Serpulina hyodysenteriae</i> (B204) predicted to encode closely related 39-kilodalton extracytoplasmic proteins. 1998 , 180, 444-8	19
176	A surface-exposed region of a novel outer membrane protein (P66) of <i>Borrelia</i> spp. is variable in size and sequence. 1998 , 180, 1618-23	36
175	Isolation, cloning, and expression of an acid phosphatase containing phosphotyrosyl phosphatase activity from <i>Prevotella intermedia</i> . 1999 , 181, 7107-14	23
174	A membrane-associated, carbohydrate-modified form of the v-abl protein that cannot be phosphorylated in vivo or in vitro. 1984 , 51, 620-7	21
173	Subcellular localization of lethal lysis proteins of bacteriophages lambda and phiX174. 1985 , 53, 1008-11	47

172	Orientation and patching of the latent infection membrane protein encoded by Epstein-Barr virus. 1986 , 58, 233-7	181
171	Strain-specific transcription and translation of the BamHI Z area of Epstein-Barr Virus. 1986 , 60, 902-9	20
170	Nucleotide sequence of a complete mouse intracisternal A-particle genome: relationship to known aspects of particle assembly and function. 1987 , 61, 3020-9	136
169	Vaccinia virus recombinants expressing the SA11 rotavirus VP7 glycoprotein gene induce serotype-specific neutralizing antibodies. 1987 , 61, 1054-60	53
168	Expression of the Epstein-Barr virus gp350/220 gene in rodent and primate cells. 1987 , 61, 1796-807	51
167	Expression of herpes simplex virus type 1 glycoprotein D deletion mutants in mammalian cells. 1988 , 62, 1932-40	90
166	Further characterization of the soluble form of the G glycoprotein of respiratory syncytial virus. 1988 , 62, 2228-33	72
165	Identification and sequence analysis of a gene encoding gp67, an abundant envelope glycoprotein of the baculovirus <i>Autographa californica</i> nuclear polyhedrosis virus. 1989 , 63, 1393-9	140
164	The quaternary structure, antigenicity, and aggregational behavior of the secretory core protein of human hepatitis B virus are determined by its signal sequence. 1991 , 65, 6817-25	39
163	Identification and characterization of an extracellular envelope glycoprotein affecting vaccinia virus egress. 1992 , 66, 1610-21	120
162	Marburg virus gene 4 encodes the virion membrane protein, a type I transmembrane glycoprotein. 1993 , 67, 1203-10	67
161	trans processing of vaccinia virus core proteins. 1993 , 67, 4252-63	19
160	Two hepatitis C virus glycoprotein E2 products with different C termini. 1994 , 68, 6215-22	119
159	Analysis of N-terminal processing of hepatitis C virus nonstructural protein 2. 1994 , 68, 2731-4	60
158	A newly recognized virus associated with a fatal case of hantavirus pulmonary syndrome in Louisiana. 1995 , 69, 1980-3	112
157	Human herpesvirus 6 open reading frame U83 encodes a functional chemokine. 1999 , 73, 5926-33	80
156	Characterization of a cDNA encoding a cysteine-rich cell surface protein located in the flagellar pocket of the protozoan <i>Trypanosoma brucei</i> . 1990 , 10, 4506-4517	29
155	Membrane insertion of uracil permease, a polytopic yeast plasma membrane protein. 1991 , 11, 1114-1124	50

154	Prohibitin, an evolutionarily conserved intracellular protein that blocks DNA synthesis in normal fibroblasts and HeLa cells. 1991 , 11, 1372-1381	85
153	The AGA1 product is involved in cell surface attachment of the <i>Saccharomyces cerevisiae</i> cell adhesion glycoprotein a-agglutinin. 1991 , 11, 4196-4206	62
152	Proviral rearrangements and overexpression of a new cellular gene (nov) in myeloblastosis-associated virus type 1-induced nephroblastomas. 1992 , 12, 10-21	119
151	Two distinctly regulated genes are required for ferric reduction, the first step of iron uptake in <i>Saccharomyces cerevisiae</i> . 1994 , 14, 3065-3073	64
150	Developmental regulation of a novel repetitive protein of <i>Trypanosoma brucei</i> . 1987 , 7, 2838-2844	67
149	ATR1, a <i>Saccharomyces cerevisiae</i> gene encoding a transmembrane protein required for aminotriazole resistance. 1988 , 8, 664-673	55
148	The SPS100 gene of <i>Saccharomyces cerevisiae</i> is activated late in the sporulation process and contributes to spore wall maturation. 1988 , 8, 912-922	73
147	Putative genes of a variant-specific antigen gene transcription unit in <i>Trypanosoma brucei</i> . 1988 , 8, 2367-2378	44
146	78-kilodalton glucose-regulated protein is induced in Rous sarcoma virus-transformed cells independently of glucose deprivation. 1988 , 8, 2675-2680	22
145	Sequence and structural requirements of a mitochondrial protein import signal defined by saturation cassette mutagenesis. 1989 , 9, 1014-1025	25
144	Rapid repression of quiescence-specific gene expression by epidermal growth factor, insulin, and pp60v-src. 1989 , 9, 1371-1375	23
143	Protein secretion in <i>Bacillus</i> species. 1993 , 57, 109-37	299
142	A novel mosaic protein containing LDL receptor elements is highly conserved in humans and chickens. 1997 , 17, 996-1002	47
141	Possible involvement of inefficient cleavage of preprovasopressin by signal peptidase as a cause for familial central diabetes insipidus. 1993 , 91, 2565-71	69
140	Rat kidney thromboxane receptor: molecular cloning, signal transduction, and intrarenal expression localization. 1995 , 96, 657-64	66
139	Two FGF-receptor homologues of <i>Drosophila</i> : one is expressed in mesodermal primordium in early embryos. 1993 , 117, 751-761	170
138	IMP-L2: an essential secreted immunoglobulin family member implicated in neural and ectodermal development in <i>Drosophila</i> . 1993 , 119, 1237-1250	48
137	Ks1, an epithelial cell-specific gene, responds to early signals of head formation in <i>Hydra</i> . 1994 , 120, 2511-2517	45

136	Identification and characterization of hydra metalloproteinase 2 (HMP2): a meprin-like astacin metalloproteinase that functions in foot morphogenesis. 2000 , 127, 129-141	64
135	A novel neuropeptide, Hym-355, positively regulates neuron differentiation in Hydra. 2000 , 127, 997-1005	75
134	Enhancement of foot formation in Hydra by a novel epitheliopeptide, Hym-323. 2001 , 128, 437-446	30
133	Exploring the context of diacidic motif DE as a signal for unconventional protein secretion in eukaryotic proteins. 2018 , 3, 148	3
132	Computational comparative study of tuberculosis proteomes using a model learned from signal peptide structures. 2012 , 7, e35018	8
131	Signal peptide cleavage from GP5 of PRRSV: a minor fraction of molecules retains the decoy epitope, a presumed molecular cause for viral persistence. 2013 , 8, e65548	39
130	Carboxylesterases: Structure, Function and Polymorphism. 2009 , 17, 335-347	13
129	Structure and topology around the cleavage site regulate post-translational cleavage of the HIV-1 gp160 signal peptide. 2017 , 6,	26
128	Molekulare Grundlagen des Diabetes insipidus centralis und renalis. 2001 , 279-313	
127	Organization of the data. 2001 , 8-12	
126	Genetic Engineering of Animal Cells. 2001 , 662-744	
125	Pre-Protein, Pre-Pro-Protein.	
124	Molecular Basis of PTH Underexpression. 2002 , 1105-1116	
123	Genetics of Proteolysis in <i>Lactococcus lactis</i> . 2003 , 189-223	1
122	Translation and Posttranslational Processing of Gastrointestinal Peptides. 2006 , 31-62	
121	Genetic Engineering of Animal Cells. 662-744	
120	The Signal Sequence of Sporulation-Specific Glucoamylase Directs the Secretion of Bacterial Endo-1,4- α -D-Glucanase in Yeast. 2012 , 22, 142-147	
119	False Positive Reduction in Automatic Segmentation System. 2014 , 103-108	

- 118 Physical Properties of Genetically Defined Synthetic Signal Sequences Suggest Initial Steps in Protein Export. **1973**, 173-191
- 117 Structure and Expression of the Human Parathyroid Hormone Gene. **1986**, 641-663
- 116 The Protein Translocation Machinery of the Endoplasmic Reticulum: The Signal Hypothesis Ten Years Later. **1986**, 1-13
- 115 cDNA Encoding Precursors of the Bee-Venom Peptides Melittin and Secapin. **1987**, 405-412
- 114 Literaturverzeichnis. **1988**, 155-186
- 113 Molecular Biology of Interleukin 3: A Multilineage Hemopoietic Growth Regulator. **1988**, 91-126
- 112 Sequence Determinants of Protein Sorting Into and Across Membranes. **1988**, 307-322 1
- 111 Molecular Structure and Biological Activities of P Cell-Stimulating Factor (Interleukin 3). **1988**, 1-37
- 110 Posttranslational Modification during Protein Secretion. **1988**, 159-208 1
- 109 The Molecular Biology of β -Hexosaminidase: Localization of the Proteolytic Processing and Carbohydrate Containing Sites. **1988**, 225-236
- 108 Signals for membrane-associated transport in eukaryotic cells. **1989**, 15, 307-65 2
- 107 Protein Targeting - Pages 241-267. **1989**, 241-267
- 106 Is Bacillus an Alternative Expression System?. **1990**, 1-14 1
- 105 A putative transmembrane protein with histidine-rich charge clusters encoded in the H-2K/tw5 region of mice. **1990**, 10, 138-145 10
- 104 Organization of Genes Encoding Hydrogenase Activity in the Photosynthetic Bacterium Rhodobacter Capsulatus. **1990**, 115-122
- 103 The Membrane-Bound Hydrogenase of the Photosynthetic Bacterium Rhodobacter Capsulatus. **1990**, 329-336
- 102 Type II immunoglobulin receptor and its gene. **1990**, 83-99 2
- 101 Protein Translocation Across Biological Membranes. **1990**, 15-34

100 SECRETION AND MEMBRANE ASSEMBLY. **1990**, 227-233

- 99 The amphiregulin gene encodes a novel epidermal growth factor-related protein with tumor-inhibitory activity. **1990**, 10, 1969-1981 105
- 98 Interleukin-4. **1991**, 577-607
- 97 Protein transport and targeting within the endomembrane system of plants. **1991**, 199-237 1
- 96 The Acid Phosphatase of *Saccharomyces Cerevisiae*: A Model to Study Wall Protein Expression. **1991**, 257-268
- 95 LSP1 is a New Lymphocyte-Specific Ca²⁺-Binding Protein which Co-Caps with Surface Immunoglobulin. **1991**, 301-320
- 94 A similar gene is shared by both the variant surface glycoprotein and procyclin gene transcription units of *Trypanosoma brucei*. **1991**, 11, 1473-1479 11
- 93 A family of genes related to a new expression site-associated gene in *Trypanosoma equiperdum*. **1991**, 11, 2180-2188 10
- 92 A *Brassica napus* gene family which shows sequence similarity to ascorbate oxidase is expressed in developing pollen. Molecular characterization and analysis of promoter activity in transgenic tobacco plants. **1992**, 2, 331-342
- 91 Zielgerichtetes Design von Aminosäuresequenzen mit Künstlichen Neuronalen Netzen. **1993**, 326-337
- 90 Localization of small heat shock proteins to the higher plant endomembrane system. **1993**, 13, 238-247 27
- 89 Transcriptional elements in *Pasteurella haemolytica* leukotoxin expression. **1994**, 447-462
- 88 Structure of the Fetuins. **1995**, 11-42
- 87 Genetic Transformation in *Agrostis palustris* Huds. (Creeping Bentgrass). **1996**, 153-163
- 86 Analysis of Multiple Classes of Soybean Heat Shock Genes and Proteins. **1996**, 3-20
- 85 Exploring the context of diacidic motif D-E as a signal for unconventional protein secretion in eukaryotic proteins.
- 84 Intramolecular quality control: HIV-1 Envelope gp160 signal-peptide cleavage as a functional folding checkpoint.
- 83 A cDNA analysis disclosed the discordance of genotype-phenotype correlation in a patient with attenuated MPS II and a 76-base deletion in the gene for iduronate-2-sulfatase. **2020**, 25, 100692 1

82	Razor: annotation of signal peptides from toxins.		1
81	USPNet: unbiased organism-agnostic signal peptide predictor with deep protein language model.		0
80	Genes, Transcripts and Proteins of CD137 Receptor and Ligand. 2006 , 1-14		
79	In vivo evidence for posttranslational translocation and signal cleavage of the killer preprotoxin of <i>Saccharomyces cerevisiae</i> . 1986 , 6, 4274-4280		18
78	Biosynthesis of the v-sis gene product: signal sequence cleavage, glycosylation, and proteolytic processing. 1986 , 6, 1343-1348		14
77	Differential regulation of a hydroxyproline-rich glycoprotein gene family in wounded and infected plants. 1987 , 7, 4337-4344		85
76	Plasminogen activator inhibitor 2: regulation of gene transcription during phorbol ester-mediated differentiation of U-937 human histiocytic lymphoma cells. 1987 , 7, 4564-4567		25
75	Location of sequences within rotavirus SA11 glycoprotein VP7 which direct it to the endoplasmic reticulum. 1987 , 7, 2491-2497		11
74	Mutations in the signal sequence of prepro-alpha-factor inhibit both translocation into the endoplasmic reticulum and processing by signal peptidase in yeast cells. 1989 , 9, 4977-4985		5
73	Identification and characterization of PF4var1, a human gene variant of platelet factor 4. 1989 , 9, 1445-1451		13
72	Cassette mutagenic analysis of the yeast invertase signal peptide: effects on protein translocation. 1989 , 9, 3400-3410		10
71	Algal-CAMs: isoforms of a cell adhesion molecule in embryos of the alga <i>Volvox</i> with homology to <i>Drosophila</i> fasciclin I. <i>EMBO Journal</i> , 1994 , 13, 4212-22	13	44
70	Gypsy transposition correlates with the production of a retroviral envelope-like protein under the tissue-specific control of the <i>Drosophila</i> flamenco gene. <i>EMBO Journal</i> , 1994 , 13, 4401-11	13	110
69	Chicken oocyte growth is mediated by an eight ligand binding repeat member of the LDL receptor family. <i>EMBO Journal</i> , 1994 , 13, 5165-75	13	41
68	Molecular cloning of the chicken myelomonocytic growth factor (cMGF) reveals relationship to interleukin 6 and granulocyte colony stimulating factor. <i>EMBO Journal</i> , 1989 , 8, 175-81	13	30
67	Developmental expression of the protein product of Vg1, a localized maternal mRNA in the frog <i>Xenopus laevis</i> . <i>EMBO Journal</i> , 1989 , 8, 1057-65	13	17
66	Human atrial natriuretic peptide receptor defines a new paradigm for second messenger signal transduction. <i>EMBO Journal</i> , 1989 , 8, 1377-84	13	93
65	A protein induced by NGF in PC12 cells is stored in secretory vesicles and released through the regulated pathway. <i>EMBO Journal</i> , 1989 , 8, 2217-23	13	31

64	cDNA clones of the auxin-binding protein from corn coleoptiles (<i>Zea mays</i> L.): isolation and characterization by immunological methods. <i>EMBO Journal</i> , 1989 , 8, 2463-7	13	34
63	Targeting of proteins to the thylakoid lumen by the bipartite transit peptide of the 33 kd oxygen-evolving protein. <i>EMBO Journal</i> , 1989 , 8, 3187-94	13	36
62	The reaction specificities of the thylakoidal processing peptidase and <i>Escherichia coli</i> leader peptidase are identical. <i>EMBO Journal</i> , 1989 , 8, 3917-21	13	34
61	Neuroserpin, an axonally secreted serine protease inhibitor. <i>EMBO Journal</i> , 1996 , 15, 2944-53	13	59
60	Characterization of a new melanocyte-specific gene (QNR-71) expressed in v-myc-transformed quail neuroretina. <i>EMBO Journal</i> , 1996 , 15, 3338-50	13	13
59	Phase variation of gonococcal pili by frameshift mutation in pilC, a novel gene for pilus assembly. <i>EMBO Journal</i> , 1991 , 10, 477-88	13	110
58	Two conserved domains in the NGF propeptide are necessary and sufficient for the biosynthesis of correctly processed and biologically active NGF. <i>EMBO Journal</i> , 1991 , 10, 2395-400	13	39
57	Conservation of neural nicotinic acetylcholine receptors from <i>Drosophila</i> to vertebrate central nervous systems. <i>EMBO Journal</i> , 1988 , 7, 611-8	13	31
56	Functional analysis of alternatively spliced tyrosinase gene transcripts. <i>EMBO Journal</i> , 1988 , 7, 2723-30	13	71
55	The amino-terminal structures that determine topological orientation of cytochrome P-450 in microsomal membrane. <i>EMBO Journal</i> , 1990 , 9, 2391-7	13	14
54	Expression of the human papillomavirus type 18 E7 gene by a cassette-vector system for the transcription and translation of open reading frames in eukaryotic cells. <i>EMBO Journal</i> , 1987 , 6, 133-8	13	13
53	A novel leader peptide which allows efficient secretion of a fragment of human interleukin 1 beta in <i>Saccharomyces cerevisiae</i> . <i>EMBO Journal</i> , 1987 , 6, 229-34	13	45
52	Recombinant forms of M13 procoat with an OmpA leader sequence or a large carboxy-terminal extension retain their independence of secY function. <i>EMBO Journal</i> , 1987 , 6, 501-5	13	14
51	Signal peptide amino acid sequences in <i>Escherichia coli</i> contain information related to final protein localization. A multivariate data analysis. <i>EMBO Journal</i> , 1987 , 6, 823-31	13	30
50	Isolation and nucleotide sequence of mouse NCAM cDNA that codes for a Mr 79,000 polypeptide without a membrane-spanning region. <i>EMBO Journal</i> , 1987 , 6, 907-14	13	57
49	Import of honeybee prepromelittin into the endoplasmic reticulum: structural basis for independence of SRP and docking protein. <i>EMBO Journal</i> , 1987 , 6, 2099-107	13	37
48	Organization of the fibronectin gene provides evidence for exon shuffling during evolution. <i>EMBO Journal</i> , 1987 , 6, 2565-72	13	24
47	Synaptophysin: molecular organization and mRNA expression as determined from cloned cDNA. <i>EMBO Journal</i> , 1987 , 6, 3261-8	13	53

46	Molecular cloning and expression of cDNA encoding a murine myeloid leukaemia inhibitory factor (LIF). <i>EMBO Journal</i> , 1987 , 6, 3995-4002	13	125
45	MRC OX-2 antigen: a lymphoid/neuronal membrane glycoprotein with a structure like a single immunoglobulin light chain. <i>EMBO Journal</i> , 1985 , 4, 113-8	13	42
44	Structure and expression of the mRNA for murine granulocyte-macrophage colony stimulating factor. <i>EMBO Journal</i> , 1985 , 4, 645-53	13	59
43	The wheat chloroplast gene for CF(0) subunit I of ATP synthase contains a large intron. <i>EMBO Journal</i> , 1985 , 4, 1381-8	13	38
42	An extracellular matrix protein in plants: characterization of a genomic clone for carrot extensin. <i>EMBO Journal</i> , 1985 , 4, 2145-51	13	113
41	Purification, chain separation and sequence of the MRC OX-8 antigen, a marker of rat cytotoxic T lymphocytes. <i>EMBO Journal</i> , 1985 , 4, 2539-45	13	35
40	Structure and regulated expression of genes encoding fructose biphosphate aldolase in <i>Trypanosoma brucei</i> . <i>EMBO Journal</i> , 1985 , 4, 2997-3003	13	47
39	Dtrk, a <i>Drosophila</i> gene related to the trk family of neurotrophin receptors, encodes a novel class of neural cell adhesion molecule. <i>EMBO Journal</i> , 1992 , 11, 391-404	13	32
38	Analysis of the BiP gene and identification of an ER retention signal in <i>Schizosaccharomyces pombe</i> . <i>EMBO Journal</i> , 1992 , 11, 1583-91	13	32
37	Both alpha and beta chains of HLA-DC class II histocompatibility antigens display extensive polymorphism in their amino-terminal domains. <i>EMBO Journal</i> , 1984 , 3, 447-52	13	65
36	Biosynthesis of thyrotropin releasing hormone in the skin of <i>Xenopus laevis</i> : partial sequence of the precursor deduced from cloned cDNA. <i>EMBO Journal</i> , 1984 , 3, 617-21	13	23
35	A cDNA encoding a small common precursor for human pancreatic polypeptide and pancreatic icosapeptide. <i>EMBO Journal</i> , 1984 , 3, 909-12	13	9
34	Glucoamylases G1 and G2 from <i>Aspergillus niger</i> are synthesized from two different but closely related mRNAs. <i>EMBO Journal</i> , 1984 , 3, 1097-102	13	44
33	Insect immunity. Isolation and sequence of two cDNA clones corresponding to acidic and basic attacins from <i>Hyalophora cecropia</i> . <i>EMBO Journal</i> , 1984 , 3, 2071-5	13	14
32	Analysis of the distribution of charged residues in the N-terminal region of signal sequences: implications for protein export in prokaryotic and eukaryotic cells. <i>EMBO Journal</i> , 1984 , 3, 2315-8	13	74
31	Subunit IV of yeast cytochrome c oxidase: cloning and nucleotide sequencing of the gene and partial amino acid sequencing of the mature protein. <i>EMBO Journal</i> , 1984 , 3, 2831-7	13	50
30	Transit peptides of nuclear-encoded chloroplast proteins share a common amino acid framework. <i>EMBO Journal</i> , 1986 , 5, 9-13	13	105
29	Requirements for substrate recognition by bacterial leader peptidase. <i>EMBO Journal</i> , 1986 , 5, 427-31	13	20

28	Primary structure of the T3 gamma subunit of the T3/T cell antigen receptor complex deduced from cDNA sequences: evolution of the T3 gamma and delta subunits. <i>EMBO Journal</i> , 1986 , 5, 1799-808	13	61
27	Full-length von Willebrand factor (vWF) cDNA encodes a highly repetitive protein considerably larger than the mature vWF subunit. <i>EMBO Journal</i> , 1986 , 5, 1839-47	13	61
26	T cell receptor genes in an alloreactive CTL clone: implications for rearrangement and germline diversity of variable gene segments. <i>EMBO Journal</i> , 1986 , 5, 2149-55	13	41
25	Endothelial plasminogen activator inhibitor (PAI): a new member of the Serpin gene family. <i>EMBO Journal</i> , 1986 , 5, 2539-44	13	67
24	On the molecular mechanism of gypsy-induced mutations at the yellow locus of <i>Drosophila melanogaster</i> . <i>EMBO Journal</i> , 1986 , 5, 2657-62	13	125
23	Isolation of a murine Ly-6 cDNA reveals a new multigene family. <i>EMBO Journal</i> , 1986 , 5, 3227-34	13	53
22	Both hydrophobic domains of M13 procoat are required to initiate membrane insertion. <i>EMBO Journal</i> , 1986 , 5, 3681-5	13	12
21	Conserved structure and adjacent location of the thrombin receptor and protease-activated receptor 2 genes define a protease-activated receptor gene cluster. <i>Molecular Medicine</i> , 1996 , 2, 349-57	6.2	3
20	TGFBR1 and cancer susceptibility. <i>Transactions of the American Clinical and Climatological Association</i> , 2014 , 125, 300-12	0.9	15
19	Interactions between leucines within the signal peptides of megalin and stanniocalcin-1 are crucial for regulation of mitochondrial metabolism.. <i>Laboratory Investigation</i> , 2022 ,	5.9	1
18	Molecular evolutionary analysis of the YWVZ/7B globin gene cluster of the insect <i>Chironomus thummi</i> . <i>Journal of Molecular Evolution</i> , 1995 , 41, 313-28	3.1	3
17	The proteins encoded by two tapetum-specific transcripts, Sa tap35 and Sa tap44, from <i>Sinapis alba</i> L. are localized in the exine cell wall layer of developing microspores. <i>Planta</i> , 1994 , 192, 221-31	4.7	15
16	Molecular Diversity of Peptide Toxins in the Venom of Spider as Revealed by cDNA Library and Transcriptome Sequencing Analysis.. <i>Toxins</i> , 2022 , 14,	4.9	0
15	Processing of D1 Protein: A Mysterious Process Carried Out in Thylakoid Lumen.. <i>International Journal of Molecular Sciences</i> , 2022 , 23,	6.3	0
14	Method for quantification of porcine type I interferon activity using luminescence, by direct and indirect means.. <i>BMC Biotechnology</i> , 2022 , 22, 13	3.5	0
13	In silico high throughput mutagenesis and screening of signal peptides to mitigate N-terminal heterogeneity of recombinant monoclonal antibodies.. <i>MAbs</i> , 2022 , 14, 2044977	6.6	0
12	Data_Sheet_1.ZIP. 2020 ,		
11	Characterization of the mouse Tcra-V22 gene subfamily. <i>Immunogenetics</i> , 1996 , 44, 432-440	3.2	

10	Development of simple fitness landscapes for peptides by artificial neural filter systems. <i>Biological Cybernetics</i> , 1995 , 73, 245-254	2.8	
9	Variants in the pancreatic CUB and zona pellucida-like domains 1 (CUZD1) gene in early-onset chronic pancreatitis - A possible new susceptibility gene.. <i>Pancreatology</i> , 2022 ,	3.8	0
8	The parathyroid glands and parathyroid hormone: Insights from PTH gene mutations. <i>Vitamins and Hormones</i> , 2022 ,	2.5	
7	The role of signal sequence proximal residues in the mature region of bacterial secreted proteins in <i>E. coli</i> . <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2022 , 1864, 184000	3.8	0
6	Bacterial Signal Peptides- Navigating the Journey of Proteins. 13,		1
5	Mechanism of Protein Translocation by the Sec61 Translocon Complex. a041250		1
4	The biogenesis of β -lactamase enzymes. 2022 , 168,		1
3	Cleavage of the pseudoprotease iRhom2 by the signal peptidase complex reveals an ER-to-nucleus signalling pathway.		0
2	Bioinformatic analysis of the S protein of human respiratory coronavirus. 2023 , 107704		0
1	ProteomicsML: An Online Platform for Community-Curated Data sets and Tutorials for Machine Learning in Proteomics. 2023 , 22, 632-636		1