

CITATION REPORT

List of articles citing

A technique for radiolabeling DNA restriction endonuclease fragments to high specific activity

DOI: 10.1016/0003-2697(83)90418-9
Analytical Biochemistry, 1983, 132, 6-13.

Source: <https://exaly.com/paper-pdf/16240541/citation-report.pdf>

Version: 2024-04-26

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
2033	Determining alleles of the C2 gene by Southern Blotting. 2003 , 210, 259-68		
2032	Mutation affecting the 12th amino acid of the c-Ha-ras oncogene product occurs infrequently in human cancer. 1983 , 220, 1175-7		148
2031	Somatic deletion and duplication of genes on chromosome 11 in WilmsLtumours. 1984 , 309, 176-8		385
2030	Physical map of the bacteriophage L (Salmonella typhimurium). 1984 , 25, 117-120		2
2029	Chromosomal localization of the human apoprotein CI gene and of a polymorphic apoprotein All gene. 1984 , 125, 299-306		57
2028	Structure and expression of a gene encoding human calcitonin and calcitonin gene related peptide. 1984 , 123, 648-55		91
2027	The human calcitonin gene is located on the short arm of chromosome 11. 1984 , 120, 493-9		40
2026	The human LDL receptor: a cysteine-rich protein with multiple Alu sequences in its mRNA. 1984 , 39, 27-38		1347
2025	Gene for human insulin receptor: localization to site on chromosome 19 involved in pre-B-cell leukemia. 1985 , 228, 728-31		151
2024	Human apolipoprotein B: identification of cDNA clones and characterization of mRNA. 1985 , 13, 6937-53		49
2023	Nucleotide sequence and structure of the human apolipoprotein E gene. 1985 , 82, 3445-9		247
2022	Interleukin 2 (IL-2) augments transcription of the IL-2 receptor gene. 1985 , 82, 4230-4		236
2021	Interleukin 2 receptor gene expression in normal human T lymphocytes. 1985 , 82, 6281-5		148
2020	Regulation of c-myc mRNA levels in normal human lymphocytes by modulators of cell proliferation. 1985 , 82, 4221-4		130
2019	Murine plasma cell membrane antigen PC-1: molecular cloning of cDNA and analysis of expression. 1985 , 82, 8619-23		24
2018	Mutation in LDL receptor: Alu-Alu recombination deletes exons encoding transmembrane and cytoplasmic domains. 1985 , 227, 140-6		419
2017	Transcription of novel open reading frames of AIDS retrovirus during infection of lymphocytes. 1985 , 229, 1388-90		60

2016	Structure of human ferritin light subunit messenger RNA: comparison with heavy subunit message and functional implications. 1985 , 82, 3139-43	40
2015	Sterols accelerate degradation of hamster 3-hydroxy-3-methylglutaryl coenzyme A reductase encoded by a constitutively expressed cDNA. 1985 , 5, 634-41	127
2014	Transient expression of human adenosine deaminase cDNAs: identification of a nonfunctional clone resulting from a single amino acid substitution. 1985 , 5, 762-7	34
2013	Characterization of a continuous T-cell line susceptible to the cytopathic effects of the acquired immunodeficiency syndrome (AIDS)-associated retrovirus. 1985 , 82, 4539-43	281
2012	The Ca ²⁺ -binding protein parvalbumin: molecular cloning and developmental regulation of mRNA abundance. 1985 , 82, 1414-8	53
2011	Cloning and expression of cDNA for rat heme oxygenase. 1985 , 82, 7865-9	408
2010	Autogenous regulation of the positive regulatory qa-1F gene in <i>Neurospora crassa</i> . 1985 , 5, 3593-9	23
2009	Recombinant interleukin 2 regulates levels of c-myc mRNA in a cloned murine T lymphocyte. 1985 , 5, 3361-8	74
2008	The isolation, characterisation, and chromosomal assignment of the gene for human 3-hydroxy-3-methylglutaryl coenzyme A reductase, (HMG-CoA reductase). 1985 , 71, 254-8	16
2007	The gene encoding the Ia-associated invariant chain is located on chromosome 18 in the mouse. <i>Immunogenetics</i> , 1985 , 21, 83-90	3.2 27
2006	Restriction map and clone bank of tomato plastid DNA. 1985 , 10, 147-152	29
2005	Localisation of genes for chloroplast components in tomato plastid DNA. 1985 , 10, 153-161	15
2004	Ontogeny of the T-cell antigen receptor within the thymus. 1985 , 313, 592-5	232
2003	Expression of T-cell antigen receptor genes during fetal development in the thymus. 1985 , 315, 232-3	278
2002	Cultured human endothelial cells express platelet-derived growth factor B chain: cDNA cloning and structural analysis. 1985 , 316, 748-50	272
2001	A mouse homoeo box gene is expressed during embryogenesis and in adult kidney. 1985 , 317, 745-8	119
2000	Topology of signal recognition particle receptor in endoplasmic reticulum membrane. 1985 , 318, 334-8	142
1999	Loss of genes on the short arm of chromosome 11 in bladder cancer. 1985 , 318, 377-80	312

1998	Simian virus 40-mediated cis induction of the Xenopus beta-globin DNase I hypersensitive site. 1985 , 318, 680-3		46
1997	A new approach to gene mapping by in situ hybridization on isolated chromosomes. 1985 , 11, 493-8		5
1996	Improved hybridization assays employing tailed oligonucleotide probes: a direct comparison with 5'end-labeled oligonucleotide probes and nick-translated plasmid probes. <i>Analytical Biochemistry</i> , 1985 , 151, 211-24	3.1	152
1995	The lymphoproliferating cells of MRL-lpr/lpr mice are a polyclonal population that bear the T lymphocyte receptor for antigen. 1985 , 15, 760-4		70
1994	Molecular cloning and characterization of the yeast RAD10 gene and expression of RAD10 protein in <i>E. coli</i> . 1985 , 4, 1575-1582		29
1993	Genes encoding the T-cell receptor alpha and beta subunits are transcribed in an ordered manner during intrathymic ontogeny. 1985 , 82, 5510-4		74
1992	Methylation patterns in the gene for the alpha subunit of chorionic gonadotropin are inherited with variable fidelity in clonal lineages of human fibroblasts. 1985 , 13, 7055-65		24
1991	Analysis of T-cell receptor gene rearrangement and expression in human natural killer clones. 1985 , 228, 1540-3		135
1990	Spontaneous alteration of idiotype in a monoclonal B-cell lymphoma. Escape from detection by anti-idiotypic. 1985 , 312, 1653-8		70
1989	Human apolipoprotein B: structure of carboxyl-terminal domains, sites of gene expression, and chromosomal localization. 1985 , 230, 37-43		271
1988	Evolutionary and structural relationships among the group-specific component, albumin and alpha-fetoprotein. 1985 , 13, 8007-17		34
1987	Tissue specific transcription of the human epsilon-globin gene following transfection into the embryonic erythroid cell line K562. 1985 , 13, 6125-36		15
1986	A primer vector system that allows temperature dependent gene amplification and expression in mammalian cells: regulation of the influenza virus NS1 gene expression. 1985 , 13, 7959-77		19
1985	Interspersed repetitive and tandemly repetitive sequences are differentially represented in extrachromosomal covalently closed circular DNA of human diploid fibroblasts. 1985 , 13, 5563-84		44
1984	Human von Willebrand factor (vWF): isolation of complementary DNA (cDNA) clones and chromosomal localization. 1985 , 228, 1401-6		352
1983	Localization of the gene encoding the human interleukin-2 receptor on chromosome 10. 1985 , 228, 1547-9		70
1982	Regional location of T cell receptor gene Ti alpha on human chromosome 14. 1985 , 162, 387-92		5
1981	Genomic heterogeneity of AIDS retroviral isolates from North America and Zaire. 1985 , 230, 949-51		219

1980	Ribulose 1,5-Bisphosphate Carboxylase Synthesis during Heat Shock. 1985 , 78, 155-62	78
1979	Regulation of gene amplification and expression in cells that constitutively express a temperature sensitive SV40 T-antigen. 1985 , 13, 7913-27	8
1978	Clonal rearrangements of T-cell receptor genes in mycosis fungoides and dermatopathic lymphadenopathy. 1985 , 313, 539-44	310
1977	Hypomethylation of DNA from benign and malignant human colon neoplasms. 1985 , 228, 187-90	724
1976	Presence of Heat Shock mRNAs in Field Crown Soybeans. 1985 , 79, 672-8	75
1975	Oriented synthesis and cloning of influenza virus nucleoprotein cDNA that leads to its expression in mammalian cells. 1985 , 4, 69-82	24
1974	Membrane-bound domain of HMG CoA reductase is required for sterol-enhanced degradation of the enzyme. 1985 , 41, 249-58	340
1973	A non-radioactive DNA probe to identify Shigella and enteroinvasive Escherichia coli in stools of children with diarrhoea. 1985 , 2, 1095-7	61
1972	The LDL receptor gene: a mosaic of exons shared with different proteins. 1985 , 228, 815-22	774
1971	Myotonic dystrophy and gene mapping on human chromosome 19. 1985 , 3, 311-47	3
1970	Establishment of cell lines persistently infected with foot-and-mouth disease virus. 1985 , 145, 24-35	110
1969	Cloning the chromosomal breakpoint of t(14;18) human lymphomas: clustering around JH on chromosome 14 and near a transcriptional unit on 18. 1985 , 41, 899-906	1010
1968	Human alphoid family of tandemly repeated DNA. Sequence of cloned tetrameric fragments and analysis of familial divergence. 1985 , 186, 31-41	28
1967	Comparative study of the L1 family in the genus Mus. Possible role of retroposition and conversion events in its concerted evolution. 1985 , 184, 547-64	29
1966	A rapid method of gene detection using DNA bound to Sephacryl. 1985 , 36, 201-10	43
1965	Detection of B-cell lymphoma in peripheral blood by DNA hybridisation. 1985 , 2, 1092-5	42
1964	Genes for insulin I and II, parathyroid hormone, and calcitonin are on rat chromosome 1. 1985 , 131, 1175-80	11
1963	Localization of the human prealbumin gene to chromosome 18. 1985 , 129, 753-8	102

1962	Histone H5 and H1 cross-reacting material is restricted to erythroid cells in chicken. 1985 , 186, 180-6	10
1961	A simple and efficient enzymatic method for covalent attachment of DNA to cellulose. Application for hybridization-restriction analysis and for in vitro synthesis of DNA probes. 1986 , 14, 9171-91	12
1960	The association of acute phase protein genes with the nuclear matrix of rat liver during experimental inflammation. 1986 , 137, 633-9	8
1959	A cloned chromogranin A (CgA) cDNA detects a 2.3Kb mRNA in diverse neuroendocrine tissues. 1986 , 137, 418-23	19
1958	Clinical applications of gene probes in human genetic disease, malignancy, and infectious disease. 1986 , 157, 1-32	31
1957	Translational regulation of ornithine decarboxylase by polyamines. 1986 , 205, 175-8	82
1956	Expression cloning of a cDNA encoding the type II regulatory subunit of the cAMP-dependent protein kinase. 1986 , 209, 219-22	22
1955	Characterization of DNA sequences associated with residual nuclei of <i>Saccharomyces cerevisiae</i> . 1986 , 165, 29-40	15
1954	High efficiency gene transfer in rainbow trout (<i>Salmo gairdneri</i> Rich.) by microinjection into egg cytoplasm. 1986 , 51, 143-150	125
1953	Enhancement of <i>cmyc</i> mRNA concentration in dog thyrocytes initiating DNA synthesis in response to thyrotropin, forskolin, epidermal growth factor and phorbol myristate ester. 1986 , 141, 1066-76	29
1952	mRNA from human colon tumor and mucosa related to the <i>pol</i> gene of an endogenous A-type retrovirus. 1986 , 139, 1071-7	8
1951	Isolation of human liver arginase cDNA and demonstration of nonhomology between the two human arginase genes. 1986 , 141, 53-9	64
1950	Inhibin A-subunit gene expression in the ovaries of immature female rats is stimulated by pregnant mare serum gonadotrophin. 1986 , 138, 1191-5	62
1949	Human lung tumor sensitivity to difluoromethylornithine as related to ornithine decarboxylase messenger RNA levels. 1986 , 134, 572-9	16
1948	Clustering of extensive somatic mutations in the variable region of an immunoglobulin heavy chain gene from a human B cell lymphoma. 1986 , 44, 97-106	229
1947	The human transferrin gene: 5Lregion contains conserved sequences which match the control elements regulated by heavy metals, glucocorticoids and acute phase reaction. 1986 , 49, 167-75	52
1946	The cDNA sequence for the protein-tyrosine kinase substrate p36 (calpactin I heavy chain) reveals a multidomain protein with internal repeats. 1986 , 46, 201-12	289
1945	Half-life of synovial cell collagenase mRNA is modulated by phorbol myristate acetate but not by all-trans-retinoic acid or dexamethasone. 1986 , 25, 6378-84	137

1944	Expression of growth-regulated genes in tsJT60 cells, a temperature-sensitive mutant of the cell cycle. 1986 , 25, 7041-6	26
1943	Nucleotide sequence and nuclease hypersensitivity of the Chinese hamster dihydrofolate reductase gene promoter region. 1986 , 25, 6228-36	45
1942	Noncytotoxic mechanisms of action of tumor necrosis factor-alpha on human tumor cells: enhancement of HLA gene expression synergistic with interferon-gamma. 1986 , 172, 291-300	27
1941	Isolation of two early B lymphocyte progenitors from mouse marrow: a committed pre-pre-B cell and a clonogenic Thy-1-lo hematopoietic stem cell. 1986 , 44, 653-62	261
1940	Identification of cDNA clones for the human microtubule-associated protein tau and chromosomal localization of the genes for tau and microtubule-associated protein 2. 1986 , 387, 271-80	359
1939	Cloning and structural analysis of cDNAs for bcl-2 and a hybrid bcl-2/immunoglobulin transcript resulting from the t(14;18) translocation. 1986 , 47, 19-28	1071
1938	A single gene from yeast for both nuclear and cytoplasmic polyadenylate-binding proteins: domain structure and expression. 1986 , 45, 827-35	377
1937	A second site for Epstein-Barr virus shedding: the uterine cervix. 1986 , 2, 1122-4	164
1936	Human chromosome 21-encoded cDNA clones. 1986 , 49, 361-9	45
1935	Normal yeast tRNA(CAGGln) can suppress amber codons and is encoded by an essential gene. 1986 , 192, 725-35	81
1934	A cDNA for a human microtubule associated protein 2 epitope in the Alzheimer neurofibrillary tangle. 1986 , 387, 193-6	36
1933	A cosmid vector for systematic chromosome walking. 1986 , 49, 9-22	66
1932	Detection of lectin-related sequences in the genome of Sesbania rostrata. 1986 , 46, 111-116	4
1931	Mouse x human heterohybridomas as fusion partners with human B cell tumors. 1986 , 89, 61-72	161
1930	Events blocked in prereplicative phase in senescent human diploid cells, TIG-1, following serum stimulation. 1986 , 37, 103-17	10
1929	Human IL-3 (multi-CSF): identification by expression cloning of a novel hematopoietic growth factor related to murine IL-3. 1986 , 47, 3-10	645
1928	Expression of atrial natriuretic factor gene in heart ventricular tissue. 1986 , 7, 1147-52	108
1927	Functional analysis of the yeast plasmid partition locus STB. 1986 , 5, 3391-3399	59

1926	Time course of the changes of TH mRNA in rat brain and adrenal medulla after a single injection of reserpine.. 1986 , 5, 287-291	177
1925	Expression of a mutant vasopressin gene: differential polyadenylation and read-through of the mRNA 3' end in a frame-shift mutant.. 1986 , 5, 971-977	60
1924	Sequential expression of murine homeo box genes during F9 EC cell differentiation.. 1986 , 5, 2209-2215	77
1923	VH gene family utilization in colonies derived from B and pre-B cells detected by the RNA colony blot assay.. 1986 , 5, 3475-3481	88
1922	Periodic transcription as a means of regulating gene expression during the cell cycle: contrasting modes of expression of DNA ligase genes in budding and fission yeast.. 1986 , 5, 1705-1709	65
1921	Developmental and transformation-sensitive expression of the Sparc gene on mouse chromosome 11.. 1986 , 5, 1831-1837	120
1920	Construction of cell lines that regulate by temperature the amplification and expression of influenza virus non-structural protein genes.. 1986 , 5, 2387-2392	15
1919	A human villin cDNA clone to investigate the differentiation of intestinal and kidney cells in vivo and in culture.. 1986 , 5, 3119-3124	63
1918	Primary structure of the T3 gamma subunit of the T3/T cell antigen receptor complex deduced from cDNA sequences: evolution of the T3 gamma and delta subunits.. 1986 , 5, 1799-1808	109
1917	Molecular cloning and analysis of genes for production of K5, K7, K12, and K92 capsular polysaccharides in Escherichia coli. 1986 , 168, 1228-33	104
1916	Identification of a specific membrane-particle-associated DNA sequence in Bacillus subtilis. 1986 , 166, 38-43	9
1915	Genetic and cytogenetic localisation of the homeo box containing genes on mouse chromosome 6 and human chromosome 7.. 1986 , 5, 2899-2905	84
1914	Isolation and characterization of expressible cDNA clones encoding the M1 and M2 subunits of mouse ribonucleotide reductase. 1986 , 6, 3433-42	150
1913	Complementation of an Escherichia coli pyrF mutant with DNA from Desulfovibrio vulgaris. 1986 , 165, 644-6	10
1912	IS1-dependent generation of high-copy-number replicons from bacteriophage P1 Ap Cm as a mechanism of gene amplification. 1986 , 166, 609-17	6
1911	Cloning and nucleotide sequence of the Bacillus megaterium gene coding for small, acid-soluble spore protein B. 1986 , 168, 1023-5	11
1910	Characterization of three genomic loci encoding Rhizobium sp. strain ORS571 N2 fixation genes. 1986 , 165, 72-81	42
1909	A protein specific to mitochondria from S-type male-sterile cytoplasm of maize is encoded by an episomal DNA. 1986 , 5, 2775-2780	18

1908	suc1 is an essential gene involved in both the cell cycle and growth in fission yeast. 1986 , 5, 3373-3379		126
1907	Overproduction and assay of <i>Pseudomonas aeruginosa</i> phosphomannose isomerase. 1986 , 167, 611-5		31
1906	First trimester prenatal diagnosis of congenital rubella: a laboratory investigation. 1986 , 292, 930-3		43
1905	Cloning and expression of the human apolipoprotein E gene. 1986 , 128, 811-23		2
1904	Tissue distribution of rat glutathione transferase subunit 7, a hepatoma marker. <i>Biochemical Journal</i> , 1986 , 240, 885-9	3.8	62
1903	Comparison of human stromelysin and collagenase by cloning and sequence analysis. <i>Biochemical Journal</i> , 1986 , 240, 913-6	3.8	408
1902	Linkage studies in Duchenne and Becker muscular dystrophies. 1986 , 23, 538-47		16
1901	Gene-sized macronuclear DNA molecules are clustered in micronuclear chromosomes of the ciliate <i>Oxytricha nova</i> . 1986 , 6, 3606-13		27
1900	4.5S RNA is encoded by hundreds of tandemly linked genes, has a short half-life, and is hydrogen bonded in vivo to poly(A)-terminated RNAs in the cytoplasm of cultured mouse cells. 1986 , 6, 1508-19		32
1899	Regional mapping of human chromosome 19: organization of genes for plasma lipid transport (APOC1, -C2, and -E and LDLR) and the genes C3, PEPD, and GPI. 1986 , 83, 3929-33		90
1898	Spatial pattern of catalase (Cat2) gene activation in scutella during postgerminative development in maize. 1986 , 83, 5549-53		13
1897	The human c-ros gene (ROS) is located at chromosome region 6q16---6q22. 1986 , 83, 6568-72		53
1896	Selective inhibition of interleukin 2 gene function following thymocyte antigen/major histocompatibility complex receptor crosslinking: possible thymic selection mechanism. 1986 , 83, 7008-12		4
1895	T-cell antigen-receptor genes in autoimmune mice. 1986 , 83, 7865-9		22
1894	Molecular studies of murine mutant BALB/c-H-2dm2 define a deletion of several class I genes including the entire H-2Ld gene. 1986 , 83, 9606-10		52
1893	Expression of cell cycle-dependent genes in young and senescent WI-38 fibroblasts. 1986 , 83, 3316-20		224
1892	Inhibitory and stimulatory G proteins of adenylate cyclase: cDNA and amino acid sequences of the alpha chains. 1986 , 83, 6687-91		147
1891	Expression of T3 in association with a molecule distinct from the T-cell antigen receptor heterodimer. 1986 , 83, 6998-7002		149

1890	Immunoglobulin and T-cell receptor beta-chain gene rearrangement analysis of Hodgkin's disease: implications for lineage determination and differential diagnosis. 1986 , 83, 7942-6	124
1889	Structure, evolution, and polymorphisms of the human apolipoprotein A4 gene (APOA4). 1986 , 83, 8457-61	70
1888	cDNA and amino acid sequences of the cell adhesion protein receptor recognizing vitronectin reveal a transmembrane domain and homologies with other adhesion protein receptors. 1986 , 83, 8614-8	200
1887	Identification of an activated c-Ki-ras oncogene in rat liver tumors induced by aflatoxin B1. 1986 , 83, 9418-22	83
1886	Amplification units containing human N-myc and c-myc genes. 1986 , 83, 1031-5	72
1885	Structural and functional analysis of chicken U4 small nuclear RNA genes. 1986 , 6, 3910-9	41
1884	Dissociated expression of c-myc and a fos-related competence gene during cardiac myogenesis. 1986 , 6, 4140-3	46
1883	Sequences involved in temperature and ecdysterone-induced transcription are located in separate regions of a <i>Drosophila melanogaster</i> heat shock gene. 1986 , 6, 663-73	47
1882	Characterization of a family of gamma-ray-induced CHO mutants demonstrates that the <i>ldlA</i> locus is diploid and encodes the low-density lipoprotein receptor. 1986 , 6, 3268-77	34
1881	Expression of different-sized placental alkaline phosphatase mRNAs in placenta and choriocarcinoma cells. 1986 , 83, 3781-5	33
1880	Isolation of human <i>mdr</i> DNA sequences amplified in multidrug-resistant KB carcinoma cells. 1986 , 83, 4538-42	574
1879	Isolation and characterization of a cDNA encoding a human liver/bone/kidney-type alkaline phosphatase. 1986 , 83, 7182-6	331
1878	Charomids: cosmid vectors for efficient cloning and mapping of large or small restriction fragments. 1986 , 83, 8664-8	123
1877	Mouse apolipoprotein A-IV gene: nucleotide sequence and induction by a high-lipid diet. 1986 , 6, 3807-14	47
1876	Rat cellular retinol-binding protein II: use of a cloned cDNA to define its primary structure, tissue-specific expression, and developmental regulation. 1986 , 83, 5779-83	138
1875	Changes in gene expression associated with induced differentiation of erythroleukemia: protooncogenes, globin genes, and cell division. 1986 , 83, 6849-53	154
1874	Two-component regulatory systems responsive to environmental stimuli share strongly conserved domains with the nitrogen assimilation regulatory genes <i>ntrB</i> and <i>ntrC</i> . 1986 , 83, 7850-4	396
1873	Mouse thymidylate synthase messenger RNA lacks a 3' untranslated region. 1986 , 83, 8482-6	21

1872	Molecular cloning of the human T-lymphocyte surface CD2 (T11) antigen. 1986 , 83, 8718-22	127
1871	Structure of transcripts from the homeotic Antennapedia gene of <i>Drosophila melanogaster</i> : two promoters control the major protein-coding region. 1986 , 6, 4676-89	117
1870	DNA linkage analysis of X chromosome-linked chronic granulomatous disease. 1986 , 83, 3398-401	87
1869	Isolation of molecular probes associated with the chromosome 15 instability in the Prader-Willi syndrome. 1986 , 83, 4408-12	141
1868	Assignment of the human and mouse prion protein genes to homologous chromosomes. 1986 , 83, 7358-62	183
1867	Nitrate reductase from squash: cDNA cloning and nitrate regulation. 1986 , 83, 8073-6	142
1866	Two distinct T-cell receptor alpha-chain transcripts in a rabbit T-cell line: implications for allelic exclusion in T cells. 1986 , 83, 2190-4	29
1865	Molecular cloning of the murine adenosine deaminase gene from a genetically enriched source: identification and characterization of the promoter region. 1986 , 6, 4458-66	56
1864	The chronic myelocytic cell line K562 contains a breakpoint in bcr and produces a chimeric bcr/c-abl transcript. 1986 , 6, 607-16	173
1863	Phorbol ester induces c-sis gene transcription in stem cell line K-562. 1986 , 6, 1847-50	104
1862	Cloning, characterization, expression, and chromosomal localization of a human ferritin heavy-chain gene. 1986 , 83, 7226-30	78
1861	Tissue-specific expression and developmental regulation of the rat apolipoprotein B gene. 1986 , 83, 8102-6	131
1860	A yeast excision-repair gene is inducible by DNA damaging agents. 1986 , 83, 1842-6	108
1859	Multidrug resistance of DNA-mediated transformants is linked to transfer of the human <i>mdr1</i> gene. 1986 , 6, 4039-45	154
1858	Transcriptional and posttranscriptional control of c-myc gene expression in WEHI 231 cells. 1986 , 6, 4112-6	82
1857	Transcriptional control of the mouse prealbumin (transthyretin) gene: both promoter sequences and a distinct enhancer are cell specific. 1986 , 6, 4697-708	155
1856	Mitogens and protein synthesis inhibitors induce ornithine decarboxylase gene transcription through separate mechanisms in the BC3H1 muscle cell line. 1986 , 6, 2792-9	58
1855	Assignment of the rhodopsin gene to human chromosome three, region 3q21-3q24 by in situ hybridization studies. 1986 , 5, 797-8	31

1854	Characterization of rabbit genes for synovial cell collagenase. 1986 , 29, 1301-15	7
1853	Construction, analysis, and application to 46,XY gonadal dysgenesis of a recombinant phage DNA library from flow-sorted human Y chromosomes. 1986 , 7, 418-24	17
1852	Mapping by chromosome sorting of several gene probes, including c-myc, to the derivative chromosomes of a 3;8 translocation associated with familial renal cancer. 1986 , 7, 589-94	21
1851	Differential expression of histone sequences in <i>Drosophila</i> following heat shock. 1986 , 7, 133-48	3
1850	An investigation of T cell receptor gene rearrangement and expression in organ cultures of normal embryonic thymus and Thy-1+ cells of nude mice. 1986 , 16, 875-8	20
1849	Detection of rearranged T cell receptor beta-chain gene and induction of cytolytic function in interleukin 2-responsive day 14-15 murine fetal thymocytes. 1986 , 16, 1087-92	10
1848	Isolation and characterization of a cDNA coding for a novel human 17.3K myelin basic protein (MBP) variant. 1986 , 16, 227-38	52
1847	Transformation of <i>Medicago</i> by <i>Agrobacterium</i> mediated gene transfer. 1986 , 5, 97-100	131
1846	Four restriction fragment length polymorphisms revealed by probes from a single cosmid map to human chromosome 12q. 1986 , 72, 86-94	22
1845	The isolation of genomic recombinants for the human apolipoprotein B gene and the mapping of three common DNA polymorphisms of the gene--a useful marker for human chromosome 2. 1986 , 73, 313-9	43
1844	A highly polymorphic locus on chromosome 16q revealed by a probe from a chromosome-specific cosmid library. 1986 , 74, 425-31	40
1843	Choroideremia: further evidence for assignment of the locus to Xq13-Xq21. 1986 , 74, 449-52	32
1842	A 45,X male with a Yp/18 translocation. 1986 , 74, 126-32	37
1841	Assignment of a human beta-crystallin gene to 17cen-q23. 1986 , 74, 133-6	24
1840	Assignment of the gene for dyskeratosis congenita to Xq28. 1986 , 72, 348-51	104
1839	The human tyrosine aminotransferase gene mapped to the long arm of chromosome 16 (region 16q22----q24) by somatic cell hybrid analysis and in situ hybridization. 1986 , 72, 221-4	41
1838	Assessment of small polymorphisms in defined human collagen gene segments. 1986 , 72, 245-7	
1837	Length polymorphism in the pro alpha 2(I) collagen gene: an alternative explanation in a case of Marfan syndrome. 1986 , 73, 91-2	22

1836	Independent integration and seed-transmission of the TR-DNA of the octopine Ti plasmid pTi Ach5 in <i>Nicotiana plumbaginifolia</i> . 1986 , 6, 101-9		8
1835	Recombination hot spots within the I region of the mouse H-2 complex map to the E beta and E alpha genes. <i>Immunogenetics</i> , 1986 , 24, 352-60	3.2	47
1834	An HLA-C-specific DNA probe. <i>Immunogenetics</i> , 1986 , 23, 115-20	3.2	38
1833	Induction of yeast DNA ligase genes in exponential and stationary phase cultures in response to DNA damaging agents. 1986 , 11, 107-12		39
1832	Genetic analysis of partitioning functions encoded by the 2 nd circle of <i>Saccharomyces cerevisiae</i> . 1986 , 203, 154-162		41
1831	Molecular genotyping of human T-cell antigen receptor variable gene segments. <i>Immunogenetics</i> , 1986 , 24, 259-66	3.2	23
1830	Stable transformation of maize after gene transfer by electroporation. 1986 , 319, 791-3		605
1829	Transfer of specificity by murine alpha and beta T-cell receptor genes. 1986 , 320, 232-8		526
1828	Cloning of cDNA for a stylar glycoprotein associated with expression of self-incompatibility in <i>Nicotiana glauca</i> . 1986 , 321, 38-44		432
1827	Cloning the gene for an inherited human disorder--chronic granulomatous disease--on the basis of its chromosomal location. 1986 , 322, 32-8		723
1826	Long-range restriction site mapping of mammalian genomic DNA. 1986 , 322, 477-81		195
1825	Mapping of the class II region of the human major histocompatibility complex by pulsed-field gel electrophoresis. 1986 , 323, 453-5		179
1824	A human DNA segment with properties of the gene that predisposes to retinoblastoma and osteosarcoma. 1986 , 323, 643-6		2465
1823	Isolation and expression of a complementary DNA that confers multidrug resistance. 1986 , 323, 728-31		753
1822	A single micromanipulated stem cell gives rise to multiple T-cell receptor gene rearrangements in the thymus in vitro. 1986 , 324, 63-4		51
1821	Long-range restriction map around the Duchenne muscular dystrophy gene. 1986 , 324, 582-5		116
1820	High frequency of unequal recombination in pseudoautosomal region shown by proviral insertion in transgenic mouse. 1986 , 324, 682-5		68
1819	The effect of interferon on human papillomaviruses associated with cervical intraepithelial neoplasia. 1986 , 93, 1136-44		29

1818	Homology between exon-containing portions of rabbit genomic clones for synovial cell collagenase and human foreskin and synovial cell mRNAs. 1986 , 6, 239-48	9
1817	The mouse myoglobin gene. Characterisation and sequence comparison with other mammalian myoglobin genes. 1986 , 159, 469-74	32
1816	Molecular cloning of the cDNA for androgen-dependent sperm-coating glycoproteins secreted by the rat epididymis. 1986 , 161, 13-8	103
1815	Additional <i>c-abl/bcr</i> rearrangements in a CML patient exhibiting two <i>ph1</i> chromosomes during blast crisis. 1986 , 10, 221-5	27
1814	Transcriptional induction of cellular gene expression during lytic infection with herpes simplex virus. 1986 , 6, 945-51	26
1813	Expression of human argininosuccinate synthetase after retroviral-mediated gene transfer. 1986 , 12, 493-500	10
1812	Genetic counterselective procedure to isolate interspecific cell hybrids containing single human chromosomes: construction of cell hybrids and recombinant DNA libraries specific for human chromosomes 3 and 4. 1986 , 12, 163-74	60
1811	Assignment of human 3-hydroxy-3-methylglutaryl coenzyme A reductase gene to q13----q23 region of chromosome 5. 1986 , 12, 89-94	87
1810	Site specificity of DNA methylation and expression of herpes simplex thymidine kinase gene. 1986 , 12, 385-93	5
1809	Human apolipoprotein B: chromosomal mapping and DNA polymorphisms of hepatic and intestinal species. 1986 , 12, 245-54	23
1808	Transforming growth factor beta gene maps to human chromosome 19 long arm and to mouse chromosome 7. 1986 , 12, 281-8	170
1807	Mapping thyrotropin beta subunit gene in man and mouse. 1986 , 12, 307-11	13
1806	Detection of amplified sequences in mammalian DNA by in-gel renaturation and SINE hybridization. 1986 , 12, 611-23	5
1805	Complete nucleotide and derived amino acid sequence of cDNA encoding the mitochondrial uncoupling protein of rat brown adipose tissue: lack of a mitochondrial targeting presequence. 1986 , 14, 4025-35	82
1804	Different mutations in Ashkenazi Jewish and non-Jewish French Canadians with Tay-Sachs disease. 1986 , 232, 1646-8	98
1803	Cloning and expression of cDNA encoding mouse tyrosinase. 1986 , 14, 2413-27	242
1802	A method for biotinylating oligonucleotide probes for use in molecular hybridizations. 1986 , 5, 333-7	54
1801	Diltiazem inhibits transferrin receptor expression and causes G1 arrest in normal and neoplastic T cells. 1986 , 6, 4244-50	17

1800	Isolation and nucleotide sequence of a cDNA clone encoding rat mitochondrial malate dehydrogenase. 1986 , 14, 6053-66	67
1799	Infectious mutants of cassava latent virus generated in vivo from intact recombinant DNA clones containing single copies of the genome. 1986 , 14, 5981-98	88
1798	Induction of B2 RNA polymerase III transcription by heat shock: enrichment for heat shock induced sequences in rodent cells by hybridization subtraction. 1986 , 14, 5793-811	128
1797	Moderately repeated DNA sequences specific for the short arm of the human Y chromosome are present in XX males and reduced in copy number in an XY female. 1986 , 14, 1325-40	71
1796	Regional assignment of Y-linked DNA probes by deletion mapping and their homology with X-chromosome and autosomal sequences. 1986 , 14, 5353-73	66
1795	Molecular cloning and characterization of small polydisperse circular DNA from mouse 3T6 cells. 1986 , 14, 7823-38	36
1794	Multiple mRNAs for human alcohol dehydrogenase (ADH): developmental and tissue specific differences. 1986 , 14, 3911-26	38
1793	Adipsin, the adipocyte serine protease: gene structure and control of expression by tumor necrosis factor. 1986 , 14, 8879-92	95
1792	Molecular analysis of both translocation products of a Philadelphia-positive CML patient. 1986 , 14, 7071-82	66
1791	Coding sequence and growth regulation of the human vimentin gene. 1986 , 6, 3614-20	202
1790	Trans-activator gene of HTLV-II induces IL-2 receptor and IL-2 cellular gene expression. 1986 , 232, 877-80	132
1789	Isolation and sequence of L3T4 complementary DNA clones: expression in T cells and brain. 1986 , 234, 610-4	83
1788	Clonal T-cell populations in lymphomatoid papulosis. Evidence of a lymphoproliferative origin for a clinically benign disease. 1986 , 315, 475-9	309
1787	Apolipoprotein A-I gene polymorphism associated with premature coronary artery disease and familial hypoalphalipoproteinemia. 1986 , 314, 671-7	201
1786	Absence of Y-chromosome introgression across the hybrid zone between <i>Mus musculus domesticus</i> and <i>Mus musculus musculus</i> . 1986 , 48, 191-7	112
1785	Differentiation of leukemia cells to polymorphonuclear leukocytes in patients with acute nonlymphocytic leukemia. 1986 , 315, 15-24	239
1784	Regulation of myogenic differentiation by type beta transforming growth factor. 1986 , 103, 1799-805	365
1783	Retroviral activation of interleukin 2 gene in a gibbon ape T cell lymphoma line. 1986 , 164, 1723-34	11

1782	The screening of Duchenne muscular dystrophy patients for submicroscopic deletions. 1986 , 23, 516-20	17
1781	Activation of the met oncogene in the human MNNG-HOS cell line involves a chromosomal rearrangement. 1986 , 7, 2051-7	24
1780	Idiotypic variant cell populations in patients with B cell lymphoma. 1986 , 164, 1566-80	47
1779	Both subunits of rat liver ferritin are regulated at a translational level by iron induction. 1986 , 14, 915-27	166
1778	Molecular cloning of cDNA for rat liver gap junction protein. 1986 , 103, 123-34	645
1777	Permanent cell lines established from ts-COS cells that regulate by temperature the amplification and expression of cloned genes. 1987 , 15, 6117-29	6
1776	Mouse ovarian granulosa cells produce urokinase-type plasminogen activator, whereas the corresponding rat cells produce tissue-type plasminogen activator. 1987 , 105, 977-81	69
1775	The isolation and sequence of a novel gene from a human functional T cell line. 1987 , 165, 601-14	100
1774	Transient rearrangements of the T cell antigen receptor alpha locus in early thymocytes. 1987 , 166, 761-75	47
1773	Regulation by follicle-stimulating hormone of the synthesis of aromatase cytochrome P-450 in human granulosa cells. 1987 , 1, 465-71	121
1772	Deletion of a DNA sequence in eight of nine families with X-linked ichthyosis (steroid sulphatase deficiency). 1987 , 15, 3977-85	72
1771	Identification of a cDNA clone that contains the complete coding sequence for a 140-kD rat NCAM polypeptide. 1987 , 105, 2335-45	110
1770	Direct detection of haemoglobin E with MnlI. 1987 , 24, 110-1	16
1769	Genomic heterogeneity of equine betaherpesviruses. 1987 , 68 (Pt 5), 1441-7	54
1768	Linkage of TNF genes to the HLA-B locus. 1987 , 15, 8957-62	38
1767	Human CSF-1: molecular cloning and expression of 4-kb cDNA encoding the human urinary protein. 1987 , 235, 1504-8	341
1766	Genetic reconstitution of functional acetylcholine receptor channels in mouse fibroblasts. 1987 , 238, 1688-94	96
1765	A portable signal causing faithful DNA methylation de novo in <i>Neurospora crassa</i> . 1987 , 238, 48-53	90

1764	Unusual proopiomelanocortin ribonucleic acids in extrapituitary tissues: intronless transcripts in testes and long poly(A) tails in hypothalamus. 1987 , 1, 749-57	89
1763	Molecular cloning of rat insulin-like growth factor I complementary deoxyribonucleic acids: differential messenger ribonucleic acid processing and regulation by growth hormone in extrahepatic tissues. 1987 , 1, 243-8	221
1762	Cloning and nucleotide sequence analysis of complementary deoxyribonucleic acid for bovine preproinsulin. 1987 , 1, 327-31	7
1761	Vasoactive intestinal peptide regulates cholesterol side-chain cleavage cytochrome P-450 (P-450 _{scc}) gene expression in granulosa cells from immature rat ovaries. 1987 , 1, 500-4	25
1760	Expression of an exogenous growth hormone gene by transplantable human epidermal cells. 1987 , 237, 1476-9	247
1759	Initiation signals for the conversion of single stranded to double stranded DNA forms in the streptococcal plasmid pLS1. 1987 , 15, 5561-80	100
1758	Beta amyloid gene duplication in Alzheimer's disease and karyotypically normal Down syndrome. 1987 , 235, 1390-2	184
1757	Signal for DNA methylation associated with tandem duplication in <i>Neurospora crassa</i> . 1987 , 7, 1032-8	54
1756	Uromodulin (Tamm-Horsfall glycoprotein): a renal ligand for lymphokines. 1987 , 237, 1479-84	260
1755	Construction of two plasmids, each containing three different human globin gene fragments. 1987 , 11, 13-22	
1754	Spec3: embryonic expression of a sea urchin gene whose product is involved in ectodermal ciliogenesis. 1987 , 1, 1280-92	30
1753	Cloning, characterization, and sequencing of the genes encoding the large and small subunits of the periplasmic [NiFe]hydrogenase of <i>Desulfovibrio gigas</i> . 1987 , 6, 539-51	70
1752	Nucleic acid probes in clinical microbiology. 1987 , 25, 71-103	16
1751	Amplification of the IMP dehydrogenase gene in Chinese hamster cells resistant to mycophenolic acid. 1987 , 7, 3328-31	19
1750	Structural evidence for the authenticity of the human retinoblastoma gene. 1987 , 236, 1657-61	697
1749	Transfer of the Metallothionein-Human Growth Hormone Fusion Gene into Channel Catfish. 1987 , 116, 87-91	93
1748	Gene dosage of the amyloid beta precursor protein in Alzheimer's disease. 1987 , 238, 669-71	154
1747	Bridging markers defining the map position of X linked hypophosphataemic rickets. 1987 , 24, 756-60	51

1746	The T cell antigen receptor complex expressed on normal peripheral blood CD4-, CD8- T lymphocytes. A CD3-associated disulfide-linked gamma chain heterodimer. 1987 , 165, 1076-94	156
1745	Human osteosarcoma cells resistant to detachment by an Arg-Gly-Asp-containing peptide overproduce the fibronectin receptor. 1987 , 105, 1175-82	87
1744	Gene reactivation: a tool for the isolation of mammalian DNA methylation mutants. 1987 , 1, 899-912	22
1743	Introns increase gene expression in cultured maize cells. 1987 , 1, 1183-200	557
1742	Rearrangement and expression of T cell receptor genes in cloned murine natural suppressor cell lines. 1987 , 166, 1168-73	9
1741	A mouse homeobox containing gene on chromosome 11: sequence and tissue-specific expression. 1987 , 15, 6773-86	60
1740	Further evidence for importance of the subunit combination of silk fibroin in its efficient secretion from the posterior silk gland cells. 1987 , 105, 175-80	75
1739	Characterization of human DNA sequences synthesized at the onset of S-phase. 1987 , 15, 10211-32	41
1738	Human dihydropteridine reductase: characterisation of a cDNA clone and its use in analysis of patients with dihydropteridine reductase deficiency. 1987 , 15, 1921-32	44
1737	The human kappa deleting element and the mouse recombining segment share DNA sequence homology. 1987 , 15, 2699-705	49
1736	Restriction endonucleases for pulsed field mapping of bacterial genomes. 1987 , 15, 5985-6005	274
1735	Sequence and S1 nuclease mapping of the 5Lregion of the dihydrofolate reductase-thymidylate synthase gene of Leishmania major. 1987 , 15, 3369-83	32
1734	Characterization of a human LmidisatelliteLsequence. 1987 , 15, 2537-47	58
1733	Induction of thymomas by N-methyl-N-nitrosourea in AKR mice: interaction between the chemical carcinogen and endogenous murine leukaemia viruses. 1987 , 8, 163-72	30
1732	Mapping the testis determinants by an analysis of Y-specific sequences in males with apparent XX and XO karyotypes and females with XY karyotypes. 1987 , 15, 7325-42	77
1731	Integration of a vector containing rodent repetitive elements in the rat genome. 1987 , 15, 7849-63	14
1730	Linkage of the murine steroid sulfatase locus, Sts, to sex reversed, Sxr: a genetic and molecular analysis. 1987 , 15, 9227-38	18
1729	The length but not the sequence of the polyoma virus late leader exon is important for both late RNA splicing and stability. 1987 , 15, 2593-610	23

1728	<i>Drosophila melanogaster</i> homologs of the raf oncogene. 1987 , 7, 2134-40	68
1727	Neuronal pp60c-src contains a six-amino acid insertion relative to its non-neuronal counterpart. 1987 , 237, 411-5	308
1726	Molecular analysis of elements inserted into mouse gamma-actin processed pseudogenes. 1987 , 15, 3291-304	30
1725	Identification of 28 DNA fragments that detect RFLPs in 13 distinct physical regions of the short arm of chromosome 5. 1987 , 15, 4617-27	39
1724	The yeast DNA polymerase I transcript is regulated in both the mitotic cell cycle and in meiosis and is also induced after DNA damage. 1987 , 15, 5017-30	130
1723	Avall RFLP at the human apolipoprotein CII (APO CII) gene locus. 1987 , 15, 6769	11
1722	Nucleic acid splicing events occur frequently during macronuclear development in the protozoan <i>Oxytricha nova</i> and involve the elimination of unique DNA. 1987 , 1, 323-36	62
1721	Inhibin gene expression in the human corpus luteum. 1987 , 115, R21-3	82
1720	Mapping of the mouse atrial natriuretic factor gene. Evidence for tight linkage to the Fv-1 locus. 1987 , 9, 518-21	12
1719	Characterization of cDNA sequences corresponding to three distinct HMG-1 mRNA species in line CHO Chinese hamster cells and cell cycle expression of the HMG-1 gene. 1987 , 15, 5051-68	47
1718	The nucleotide sequence of a cDNA clone encoding the wheat Em protein. 1987 , 15, 3607-18	107
1717	Altered C1 inhibitor genes in type I hereditary angioedema. 1987 , 317, 1-6	113
1716	Autocrine stimulation of interleukin 1 beta in acute myelogenous leukemia cells. 1987 , 166, 1597-602	60
1715	Sequence analysis and expression of an X-linked, lymphocyte-regulated gene family (XLR). 1987 , 166, 1702-15	36
1714	Characterization of Lyt-2-, L3T4- class I-specific cytolytic clones in C3H-gld/gld mice. Implications for functions of accessory molecules and programmed development. 1987 , 166, 1026-40	14
1713	The mouse eye lens obsolescence (Elo) mutant: studies on crystallin gene expression and linkage analysis between the mutant locus and the gamma-crystallin genes. 1987 , 1, 637-44	23
1712	Cloning and sequence analysis of cDNA encoding p38, a major synaptic vesicle protein. 1987 , 105, 2447-56	124
1711	Deletion and duplication of DNA sequences is associated with the embryonic lethal phenotype of the t9 complementation group of the mouse t complex. 1987 , 1, 376-85	50

1710	Connexin43: a protein from rat heart homologous to a gap junction protein from liver. 1987 , 105, 2621-9	987
1709	Identification and isolation of the gene encoding the small subunit of ribonucleotide reductase from <i>Saccharomyces cerevisiae</i> : DNA damage-inducible gene required for mitotic viability. 1987 , 7, 2783-93	221
1708	Three differentially expressed Na,K-ATPase alpha subunit isoforms: structural and functional implications. 1987 , 105, 1855-65	220
1707	Amino acid sequence of the human fibronectin receptor. 1987 , 105, 1183-90	538
1706	Immunoglobulin lambda light chain genes in rheumatoid arthritis. 1987 , 46, 587-9	15
1705	Changes in the expression of alpha-fodrin during embryonic development of <i>Xenopus laevis</i> . 1987 , 105, 843-53	47
1704	Identification of gene products expressed in the developing chick visual system: characterization of a middle-molecular-weight neurofilament cDNA. 1987 , 1, 699-708	41
1703	Practical value of genotypic analysis for diagnosing lymphoproliferative disorders. 1987 , 40, 147-50	21
1702	Studies of the parathyroid hormone gene in normal subjects, and in subjects with primary hyperparathyroidism and familial benign hypercalcaemia. 1987 , 115, 183-6	7
1701	Developmental regulation of somatostatin gene expression in the brain is region specific. 1987 , 1, 181-7	47
1700	Chronic bone marrow failure due to persistent B19 parvovirus infection. 1987 , 317, 287-94	400
1699	Loss of alleles of loci on the short arm of chromosome 3 in renal cell carcinoma. 1987 , 327, 721-4	538
1698	Duchenne and Becker muscular dystrophy mutations: analysis using 2.6 kb of muscle cDNA from the 5' end of the gene. 1987 , 15, 9761-9	20
1697	Long range genome structure around the human alpha-globin complex analysed by PFGE. 1987 , 15, 6197-207	27
1696	Development of a fungal transformation system based on selection of sequences with promoter activity. 1987 , 7, 3297-305	225
1695	Molecular cloning and nucleotide sequence analysis of complementary deoxyribonucleic acid for the beta-subunit of rat follicle stimulating hormone. 1987 , 1, 717-23	76
1694	Levels of messenger ribonucleic acid encoding cholesterol side-chain cleavage cytochrome P-450, 17 alpha-hydroxylase cytochrome P-450, adrenodoxin, and low density lipoprotein receptor in bovine follicles and corpora lutea throughout the ovarian cycle. 1987 , 1, 274-9	66
1693	Cloning of bovine P1 protamine cDNA and the evolution of vertebrate P1 protamines. 1987 , 6, 47-57	33

1692	Selective loss of uncoupling protein mRNA in brown adipose tissue on deacclimation of cold-acclimated mice. 1987 , 65, 955-9	21
1691	Molecular cloning of cDNA for CENP-B, the major human centromere autoantigen. 1987 , 104, 817-29	386
1690	Human retinoblastoma susceptibility gene: cloning, identification, and sequence. 1987 , 235, 1394-9	1328
1689	Primary structure of the P450 lanosterol demethylase gene from <i>Saccharomyces cerevisiae</i> . 1987 , 6, 529-37	185
1688	Germline organization of the murine T cell receptor beta-chain genes. 1987 , 238, 545-8	56
1687	Use of species-specific DNA probes for detection and identification of trypanosome infection in tsetse flies. 1987 , 95 (Pt 1), 1-16	76
1686	McArdle's & Hers' diseases: Glycogen phosphorylase transcriptional expression in human tissues. 1987 , 4, 293-308	2
1685	McArdle's & Hers' diseases: Glycogen Phosphorylase Transcriptional Expression In Human tissues. 1987 , 4, 293-308	13
1684	In situ detection of beta-galactosidase in lenses of transgenic mice with a gamma-crystallin/lacZ gene. 1987 , 235, 456-8	135
1683	Bacterial expression vectors for calmodulin. 1987 , 139, 303-17	18
1682	A new T-cell receptor gene located within the alpha locus and expressed early in T-cell differentiation. 1987 , 327, 677-82	432
1681	Hepatitis B virus deoxyribonucleic acid in liver of chronic carriers. Correlation with serum markers and changes associated with loss of hepatitis B e antigen after antiviral therapy. 1987 , 93, 1236-41	52
1680	Tissue-specific gene expression results from a purine- and pyrimidine-free diet and 6-mercaptopurine in the rat small intestine and colon. 1987 , 93, 1014-20	45
1679	Differential control of proto-oncogene c-myc and c-fos expression in lymphocytes and fibroblasts. <i>Biochemical Journal</i> , 1987 , 245, 605-8	3.8 14
1678	Isolation and characterization of light-regulated phycobilisome linker polypeptide genes and their transcription as a polycistronic mRNA. 1987 , 169, 2675-84	91
1677	<i>Bradyrhizobium japonicum</i> mutants defective in nitrogen fixation and molybdenum metabolism. 1987 , 169, 2548-54	12
1676	Use of in-gel DNA renaturation for detection and cloning of amplified genes. 1987 , 151, 332-71	10
1675	Organization and regulation of an operon that encodes a sporulation-essential sigma factor in <i>Bacillus subtilis</i> . 1987 , 169, 3329-39	163

1674	Gene algD coding for GDPmannose dehydrogenase is transcriptionally activated in mucoid <i>Pseudomonas aeruginosa</i> . 1987 , 169, 351-8	179
1673	In situ hybridization of metaphase and prometaphase chromosomes. 1987 , 151, 279-92	5
1672	A locus encoding host range is linked to the common nodulation genes of <i>Bradyrhizobium japonicum</i> . 1987 , 169, 2631-8	103
1671	Isolation of full-length genes: walking the chromosome. 1987 , 152, 598-603	7
1670	Functional analysis and growth factor regulation of the human vimentin promoter. 1987 , 7, 3908-15	100
1669	Human interleukin 2 receptor (Tac antigen). 1987 , 150, 682-700	1
1668	Strategies for mapping and cloning macroregions of mammalian genomes. 1987 , 151, 461-89	81
1667	Mutant isolation and molecular cloning of mre genes, which determine cell shape, sensitivity to mecillinam, and amount of penicillin-binding proteins in <i>Escherichia coli</i> . 1987 , 169, 4935-40	212
1666	Rat cellular retinol-binding protein: cDNA sequence and rapid retinol-dependent accumulation of mRNA. 1987 , 84, 3209-13	44
1665	Linkage of the Wiskott-Aldrich syndrome with polymorphic DNA sequences from the human X chromosome. 1987 , 84, 3430-3	60
1664	Human alpha 2-HS-glycoprotein: the A and B chains with a connecting sequence are encoded by a single mRNA transcript. 1987 , 84, 4403-7	87
1663	Identification of HLA-DP polymorphism with DP alpha and DP beta probes and monoclonal antibodies: correlation with primed lymphocyte typing. 1987 , 84, 4596-600	50
1662	Plant defense genes are regulated by ethylene. 1987 , 84, 5202-6	304
1661	Cloning of a cDNA encoding the human cation-dependent mannose 6-phosphate-specific receptor. 1987 , 84, 5575-9	96
1660	T-cell receptor genes in autoimmune mice: T-cell subsets have unexpected T-cell receptor gene programs. 1987 , 84, 5883-7	18
1659	Cell transformation and tumor induction by Abelson murine leukemia virus in the absence of helper virus. 1987 , 84, 5932-6	30
1658	Accurate modification of a chromosomal plasmid by homologous recombination in human cells. 1987 , 84, 6820-4	56
1657	Isolation and characterization of a cDNA clone for the Cat2 gene in maize and its homology with other catalases. 1987 , 84, 6830-4	59

1656	Identification of methotrexate transport deficiency in mammalian cells using fluoresceinated methotrexate and flow cytometry. 1987 , 84, 7154-8	60
1655	Structure of the mouse gene encoding CD4 and an unusual transcript in brain. 1987 , 84, 7644-8	43
1654	Molecular cloning and sequence analysis of the Plasmodium falciparum dihydrofolate reductase-thymidylate synthase gene. 1987 , 84, 8360-4	212
1653	Stage- and tissue-specific expression of the neu oncogene in rat development. 1987 , 84, 8498-501	138
1652	Deletions of a DNA sequence in retinoblastomas and mesenchymal tumors: organization of the sequence and its encoded protein. 1987 , 84, 9059-63	353
1651	V kappa and J kappa gene segments of A/J Ars-A antibodies: somatic recombination generates the essential arginine at the junction of the variable and joining regions. 1987 , 84, 1085-9	95
1650	Peroxisomal beta-oxidation enzyme proteins in adrenoleukodystrophy: distinction between X-linked adrenoleukodystrophy and neonatal adrenoleukodystrophy. 1987 , 84, 1425-8	37
1649	Cloning and characterization of a female genital complex cDNA from the liver fluke Fasciola hepatica. 1987 , 84, 2340-4	15
1648	Handicapped retroviral vectors efficiently transduce foreign genes into hematopoietic stem cells. 1987 , 84, 2406-10	58
1647	Isolation and characterization of cDNA clones encoding the human carcinoembryonic antigen reveal a highly conserved repeating structure. 1987 , 84, 2960-4	104
1646	Tissue-specific and insulin-dependent expression of a pancreatic amylase gene in transgenic mice. 1987 , 7, 326-34	74
1645	Independent 5' and 3' end determination of multiple dihydrofolate reductase transcripts. 1987 , 7, 3732-9	19
1644	Decreased expression of the amplified mdr1 gene in revertants of multidrug-resistant human myelogenous leukemia K562 occurs without loss of amplified DNA. 1987 , 7, 4549-52	44
1643	Murine retroviruses control class I major histocompatibility antigen gene expression via a trans effect at the transcriptional level. 1987 , 7, 2406-15	33
1642	Molecular cloning and sequence of a cholesterol-repressible enzyme related to prenyltransferase in the isoprene biosynthetic pathway. 1987 , 7, 3138-46	118
1641	Isolation and characterization of full-length functional cDNA clones for human carcinoembryonic antigen. 1987 , 7, 3221-30	164
1640	Differential methylation of the ornithine carbamoyl transferase gene on active and inactive mouse X chromosomes. 1987 , 7, 3916-22	20
1639	Isolation of microcell hybrid clones containing retroviral vector insertions into specific human chromosomes. 1987 , 7, 2814-20	83

1638	Random cloning of genes from mouse chromosome 17. 1987 , 84, 3325-8	37
1637	Rearrangement and expression of rabbit immunoglobulin kappa light chain gene in transgenic mice. 1987 , 84, 4229-33	54
1636	Transfection of normal human and Chinese hamster DNA corrects diepoxybutane-induced chromosomal hypersensitivity of Fanconi anemia fibroblasts. 1987 , 84, 5853-7	9
1635	Mutations in the human adenosine deaminase gene that affect protein structure and RNA splicing. 1987 , 84, 5947-51	42
1634	Integration host factor is required for the DNA inversion that controls phase variation in <i>Escherichia coli</i> . 1987 , 84, 6506-10	127
1633	Brain cDNA clone for human cholinesterase. 1987 , 84, 6682-6	90
1632	DNA inversion within the apolipoproteins AI/CIII/AIV-encoding gene cluster of certain patients with premature atherosclerosis. 1987 , 84, 7198-202	128
1631	Organization of the T-cell antigen-receptor beta-chain locus in mice. 1987 , 84, 7639-43	15
1630	Genetic recombination within the human T-cell receptor alpha-chain gene complex. 1987 , 84, 9089-93	32
1629	Close linkage of the mouse and human CD3 gamma- and delta-chain genes suggests that their transcription is controlled by common regulatory elements. 1987 , 84, 9131-4	47
1628	Nucleotide and amino acid sequences of human intestinal alkaline phosphatase: close homology to placental alkaline phosphatase. 1987 , 84, 1234-8	113
1627	Tandem linkage and unusual RNA splicing of the T-cell receptor beta-chain variable-region genes. 1987 , 84, 1992-6	93
1626	Complementation of the UV-sensitive phenotype of a xeroderma pigmentosum human cell line by transfection with a cDNA clone library. 1987 , 84, 8801-4	24
1625	Occurrence in <i>Saccharomyces cerevisiae</i> of a gene homologous to the cDNA coding for the alpha subunit of mammalian G proteins. 1987 , 84, 2140-4	166
1624	Cloning of cDNA for maize superoxide dismutase 2 (SOD2). 1987 , 84, 179-83	90
1623	Repressor of P elements in <i>Drosophila melanogaster</i> : Cytotype determination by a defective P element carrying only open reading frames 0 through 2. 1987 , 84, 7605-8	55
1622	Molecular karyotype of <i>Plasmodium falciparum</i> : conserved linkage groups and expendable histidine-rich protein genes. 1987 , 84, 7672-6	91
1621	Plasminogen activator inhibitor type 1 gene is located at region q21.3-q22 of chromosome 7 and genetically linked with cystic fibrosis. 1987 , 84, 8548-52	105

1620	Identification of a gene that regulates expression of M protein, the major virulence determinant of group A streptococci. 1987 , 84, 8677-81	171
1619	Alteration of the tumorigenic and metastatic properties of neoplastic cells is associated with the process of calcium phosphate-mediated DNA transfection. 1987 , 84, 1263-7	95
1618	Molecular cloning and expression of T11 cDNAs reveal a receptor-like structure on human T lymphocytes. 1987 , 84, 2941-5	78
1617	Molecular cloning of a gene belonging to the carcinoembryonic antigen gene family and discussion of a domain model. 1987 , 84, 2965-9	72
1616	Isolation and sequencing of cDNA clones encoding alpha and beta subunits of <i>Drosophila melanogaster</i> casein kinase II. 1987 , 7, 3409-17	165
1615	The nontranscribed chicken calmodulin pseudogene cross-hybridizes with mRNA from the slow-muscle troponin C gene. 1987 , 7, 1549-53	37
1614	Two DNA restriction fragment length polymorphisms associated with Ag(t/z) and Ag(g/c) antigenic sites of human apolipoprotein B. 1987 , 7, 301-5	58
1613	Organization of the neural cell adhesion molecule (N-CAM) gene: alternative exon usage as the basis for different membrane-associated domains. 1987 , 84, 294-8	168
1612	cDNA for the human beta 2-adrenergic receptor: a protein with multiple membrane-spanning domains and encoded by a gene whose chromosomal location is shared with that of the receptor for platelet-derived growth factor. 1987 , 84, 46-50	598
1611	Multiple genes encode the human Na ⁺ ,K ⁺ -ATPase catalytic subunit. 1987 , 84, 4039-43	120
1610	Nucleotide sequence of medium-chain acyl-CoA dehydrogenase mRNA and its expression in enzyme-deficient human tissue. 1987 , 84, 4068-72	114
1609	Direct gene transfer into human cultured cells facilitated by laser micropuncture of the cell membrane. 1987 , 84, 4180-4	126
1608	Pst I restriction fragment length polymorphism of the human placental alkaline phosphatase gene in normal placentae and tumors. 1987 , 84, 4529-32	11
1607	Sequence and evolution of HLA-DR7- and -DRw53-associated beta-chain genes. 1987 , 84, 4929-33	53
1606	Astrocyte gene expression in Creutzfeldt-Jakob disease. 1987 , 84, 5937-41	65
1605	Influence of altered transcription on the translational control of human ferritin expression. 1987 , 84, 6335-9	58
1604	Tumor necrosis factor inhibits MYC expression in HL-60 cells at the level of mRNA transcription. 1987 , 84, 469-73	69
1603	Constitutive overexpression of a growth-regulated gene in transformed Chinese hamster and human cells. 1987 , 84, 7188-92	244

1602	Molecular analysis of X chromosome dosage compensation in <i>Caenorhabditis elegans</i> . 1987 , 84, 7600-4	10
1601	Identification of a cDNA coding for a fifth form of myelin basic protein in mouse. 1987 , 84, 886-90	118
1600	Amino acid sequence of the mRNA cap-binding protein from human tissues. 1987 , 84, 945-9	120
1599	Tunicamycin-resistant <i>Leishmania mexicana amazonensis</i> : expression of virulence associated with an increased activity of N-acetylglucosaminyltransferase and amplification of its presumptive gene. 1987 , 84, 1253-7	61
1598	Continuing rearrangement of immunoglobulin and T-cell receptor genes in a Ha-ras-transformed lymphoid progenitor cell line. 1987 , 84, 1799-803	38
1597	Adult B-cell repertoire is biased toward two heavy-chain variable-region genes that rearrange frequently in fetal pre-B cells. 1987 , 84, 2454-8	94
1596	Human complement C3b/C4b receptor (CR1) mRNA polymorphism that correlates with the CR1 allelic molecular weight polymorphism. 1987 , 84, 2459-63	46
1595	Translational control of photo-induced expression of the Cat2 catalase gene during leaf development in maize. 1987 , 84, 2785-9	74
1594	The progesterone receptor gene maps to human chromosome band 11q13, the site of the mammary oncogene int-2. 1987 , 84, 2877-81	43
1593	cis-acting regulatory elements within gag genes of avian retroviruses. 1987 , 7, 388-97	78
1592	Identification of a new common provirus integration site in gross passage A murine leukemia virus-induced mouse thymoma DNA. 1987 , 7, 512-22	40
1591	Identification of upstream activator sequences that regulate induction of the beta-galactosidase gene in <i>Kluyveromyces lactis</i> . 1987 , 7, 4369-76	40
1590	Two divergently transcribed genes of <i>Dictyostelium discoideum</i> are cyclic AMP-inducible and coregulated during development. 1987 , 7, 4482-9	45
1589	Human retroviral sequences on the Y chromosome. 1987 , 7, 1559-62	30
1588	Identification and characterization of cDNA clones encoding two homologous proteins that are part of the asialoglycoprotein receptor. 1987 , 7, 1841-7	38
1587	Rearrangement of rat immunoglobulin E heavy-chain and c-myc genes in the B-cell immunocytoma IR162. 1987 , 7, 2614-9	12
1586	rRNA genes of <i>Naegleria gruberi</i> are carried exclusively on a 14-kilobase-pair plasmid. 1987 , 7, 3027-31	71
1585	Alternative splicing of chicken fibronectin in embryos and in normal and transformed cells. 1987 , 7, 4297-307	158

1584	Isolation of the amplified dihydrofolate reductase domain from methotrexate-resistant Chinese hamster ovary cells. 1987 , 7, 569-77	116
1583	GAL4 of <i>Saccharomyces cerevisiae</i> activates the lactose-galactose regulon of <i>Kluyveromyces lactis</i> and creates a new phenotype: glucose repression of the regulon. 1987 , 7, 780-6	60
1582	The ovarian, ecdysterone, and heat-shock-responsive promoters of the <i>Drosophila melanogaster</i> hsp27 gene react very differently to perturbations of DNA sequence. 1987 , 7, 973-81	45
1581	Replication-defective chimeric helper proviruses and factors affecting generation of competent virus: expression of Moloney murine leukemia virus structural genes via the metallothionein promoter. 1987 , 7, 1797-806	60
1580	Relatively stable population of c-myc RNA that lacks long poly(A). 1987 , 7, 2052-8	47
1579	The oncogenic forms of N-ras or H-ras prevent skeletal myoblast differentiation. 1987 , 7, 2104-11	196
1578	Increased frequency of N-region insertion in a murine pre-B-cell line infected with a terminal deoxynucleotidyl transferase retroviral expression vector. 1987 , 7, 3237-43	204
1577	Isolation and characterization of a cDNA clone encoding wheat germ agglutinin. 1987 , 84, 6745-9	95
1576	Cloning of the cDNA for the human beta 1-adrenergic receptor. 1987 , 84, 7920-4	528
1575	cDNA cloning for a bile canalculus domain-specific membrane glycoprotein of rat hepatocytes. 1987 , 84, 7962-6	62
1574	Selective inhibition of interleukin 2 gene function following thymocyte antigen/major histocompatibility complex receptor crosslinking: possible thymic selection mechanism. 1987 , 84, 8598-602	27
1573	An activated c-Ha-ras allele blocks the induction of muscle-specific genes whose expression is contingent on mitogen withdrawal. 1987 , 84, 8956-60	62
1572	Cloning of the chromosome translocation breakpoint junction of the t(14;19) in chronic lymphocytic leukemia. 1987 , 84, 9257-60	106
1571	Cloning and characterization of cDNAs encoding the complete sequence of decay-accelerating factor of human complement. 1987 , 84, 2007-11	217
1570	Thy-1+ dendritic epidermal cells belong to the T-cell lineage. 1987 , 84, 2430-4	97
1569	Isolation and initial characterization of multiple species of T-lymphocyte subset cDNA clones. 1987 , 84, 2896-900	61
1568	The testis-specific phosphoglycerate kinase gene pgk-2 is a recruited retroposon. 1987 , 7, 3107-12	166
1567	T-DNA organization in tumor cultures and transgenic plants of the monocotyledon <i>Asparagus officinalis</i> . 1987 , 84, 5345-9	107

1566	Isolation of anonymous DNA sequences from within a submicroscopic X chromosomal deletion in a patient with choroideremia, deafness, and mental retardation. 1987 , 84, 6521-5	77
1565	Localization of neuropeptide Y mRNA in neurons of human cerebral cortex by means of in situ hybridization with a complementary RNA probe. 1987 , 84, 7315-8	48
1564	Conservation of ferritin heavy subunit gene structure: implications for the regulation of ferritin gene expression. 1987 , 84, 7438-42	103
1563	The regulated expression of erythropoietin by two human hepatoma cell lines. 1987 , 84, 7972-6	322
1562	A short 5'flanking DNA region is sufficient for developmentally correct expression of moth chorion genes in <i>Drosophila</i> . 1987 , 84, 7987-91	52
1561	Predominant role of amino-terminal sequences in dictating efficiency of class II major histocompatibility complex alpha beta dimer expression. 1987 , 84, 8065-9	52
1560	Human heavy-chain variable region gene family nonrandomly rearranged in familial chronic lymphocytic leukemia. 1987 , 84, 8563-7	96
1559	Defective HLA class II expression in a regulatory mutant is partially complemented by activated ras oncogenes. 1987 , 84, 8603-7	28
1558	The breakpoint of an inversion of chromosome 14 in a T-cell leukemia: sequences downstream of the immunoglobulin heavy chain locus are implicated in tumorigenesis. 1987 , 84, 9069-73	61
1557	Deletion mapping of a locus on human chromosome 22 involved in the oncogenesis of meningioma. 1987 , 84, 9275-9	190
1556	Cloning and tissue-specific expression of mouse macrophage colony-stimulating factor mRNA. 1987 , 84, 1157-61	87
1555	Molecular cloning and sequencing of a cDNA for olfactory marker protein. 1987 , 84, 1704-8	80
1554	The congenital goiter mutation is linked to the thyroglobulin gene in the mouse. 1987 , 84, 1986-90	43
1553	RAD4 gene of <i>Saccharomyces cerevisiae</i> : molecular cloning and partial characterization of a gene that is inactivated in <i>Escherichia coli</i> . 1987 , 7, 1180-92	38
1552	Use of the <i>Escherichia coli</i> gene for asparagine synthetase as a selective marker in a shuttle vector capable of dominant transfection and amplification in animal cells. 1987 , 7, 1623-8	33
1551	Autonomous expression of c-myc in BC3H1 cells partially inhibits but does not prevent myogenic differentiation. 1987 , 7, 1973-7	88
1550	Conservation of promoter sequence but not complex intron splicing pattern in human and hamster genes for 3-hydroxy-3-methylglutaryl coenzyme A reductase. 1987 , 7, 1881-93	50
1549	Sharp boundaries demarcate the chromatin structure of a yeast heat-shock gene. 1987 , 193, 71-80	66

1548	Cloned extrachromosomal circular DNA copies of the human transposable element THE-1 are related predominantly to a single type of family member. 1987 , 196, 233-43	26
1547	Sensitivity and specificity of enzyme immunofiltration and DNA hybridization for the detection of HCMV-infected cells. 1987 , 15, 109-20	12
1546	The structure of a human neurofilament gene (NF-L): a unique exon-intron organization in the intermediate filament gene family. 1987 , 909, 10-20	98
1545	Trypanosome species-specific DNA probes to detect infection in tsetse flies. 1987 , 3, 371-4	20
1544	Organization and regulation of the conjugation genes of Inc11 plasmid collb-P9. 1987 , 18, 223-36	41
1543	Transposition of breakpoint cluster region (3Lbcr) in CML cells with variant Philadelphia translocations. 1987 , 26, 105-15	22
1542	Breakpoint cluster region rearrangements in chronic myelogenous leukemia with a masked Philadelphia chromosome. 1987 , 25, 15-20	9
1541	Human-fms gene is retained in acute lymphoblastic leukemia cells with del(5)(q32). 1987 , 25, 341-50	12
1540	In vitro differentiation of a null-acute leukemia: T-lymphoid surface antigen expression associated with rearrangement in T-cell receptor beta chain variable genes. 1987 , 28, 327-34	1
1539	Calmodulin, Tubulin, and Actin RNAs in Isolated Rat Testis Cells. 1987 , 513, 312-314	
1538	High sensitivity and specificity assay for detection of leukemia/lymphoma cells in human bone marrow. 1987 , 511, 473-82	3
1537	Sequences that confer beta-tubulin autoregulation through modulated mRNA stability reside within exon 1 of a beta-tubulin mRNA. 1987 , 50, 671-9	119
1536	Human acidic ribosomal phosphoproteins P0, P1, and P2: analysis of cDNA clones, in vitro synthesis, and assembly. 1987 , 7, 4065-74	269
1535	A sequence in M13 phage detects hypervariable minisatellites in human and animal DNA. 1987 , 235, 683-4	522
1534	Dystrophin: the protein product of the Duchenne muscular dystrophy locus. 1987 , 51, 919-28	3732
1533	Oncogene amplifications, rearrangements, and restriction fragment length polymorphisms in human leukaemia. 1987 , 23, 623-9	10
1532	Structure of the human and murine R-ras genes, novel genes closely related to ras proto-oncogenes. 1987 , 48, 137-46	217
1531	Characterization and cloning of fasciclin III: a glycoprotein expressed on a subset of neurons and axon pathways in Drosophila. 1987 , 48, 975-88	510

1530	Molecular cloning and sequence analysis of cDNA encoding lipoprotein lipase of guinea pig. 1987 , 58, 1-12	112
1529	HLA-DR-DQ haplotypes defined by restriction fragment analysis. Correlation to serology. 1987 , 20, 95-113	121
1528	SGHTL-34, a thyrotrophin-responsive immortalised human thyroid cell line generated by transfection. 1987 , 52, 279-84	30
1527	The neuronal growth-associated protein GAP-43 (B-50, F1): neuronal specificity, developmental regulation and regional distribution of the human and rat mRNAs. 1987 , 2, 177-183	156
1526	Enzymes for modifying and labeling DNA and RNA. 1987 , 152, 94-110	80
1525	The gnu mutation of Drosophila causes inappropriate DNA synthesis in unfertilized and fertilized eggs. 1987 , 1, 924-30	81
1524	The human placental alkaline phosphatase gene and related sequences map to chromosome 2 band q37. 1987 , 51, 145-52	72
1523	Tissue distribution and developmental expression of the messenger RNA encoding angiogenin. 1987 , 237, 280-2	103
1522	Physical characterization of the genome of a cattle isolate of capripoxvirus. 1987 , 160, 473-6	8
1521	Characterization of baculovirus p10 synthesis using monoclonal antibodies. 1987 , 160, 9-19	60
1520	Participation of two human cytomegalovirus immediate early gene regions in transcriptional activation of adenovirus promoters. 1987 , 161, 276-85	94
1519	Late coding region sequences required for competition by SV40 defectives. 1987 , 161, 293-304	8
1518	Analysis of the genomic L RNA segment from lymphocytic choriomeningitis virus. 1987 , 161, 448-56	59
1517	Primary structure of the glycoprotein E2 of coronavirus MHV-A59 and identification of the trypsin cleavage site. 1987 , 161, 479-87	158
1516	Pathogen-derived resistance to viral infection using a negative regulatory molecule. 1987 , 161, 561-9	15
1515	E1B functions of type C adenoviruses play a role in the complementation of blocked adenovirus type 12 DNA replication and late gene transcription in hamster cells. 1987 , 161, 109-20	20
1514	Transcription of visna virus during its lytic cycle: evidence for a sequential early and late gene expression. 1987 , 161, 218-27	41
1513	Characteristics of a novel lentivirus derived from South African sheep with pulmonary adenocarcinoma (jaagsiekte). 1987 , 158, 158-67	19

1512	Multiple reiteration of a 40-bp nucleotide sequence in the inverted terminal repeat of the genome of a canine adenovirus. 1987 , 159, 76-83	18
1511	Generation of competent virus in the REV helper cell line C3. 1987 , 159, 446-9	19
1510	Antibodies to a fusion protein identify a cDNA clone encoding msp130, a primary mesenchyme-specific cell surface protein of the sea urchin embryo. 1987 , 121, 29-40	103
1509	Differential regulation of gamma-crystallin genes during mouse lens development. 1987 , 119, 260-7	49
1508	Relationships between extracellular pH, intracellular pH, and gene expression in Dictyostelium discoideum. 1987 , 122, 354-62	24
1507	Inhibition of myogenic differentiation by fibroblast growth factor or type beta transforming growth factor does not require persistent c-myc expression. 1987 , 123, 500-7	40
1506	Translation of mouse testis poly(A) ⁺ mRNAs for testis-specific protein, protamine 1, and the precursor for protamine 2. 1987 , 123, 125-35	28
1505	Transcription of three actin genes and a repeated sequence in isolated nuclei of sea urchin embryos. 1987 , 124, 215-27	24
1504	Improved methods for the detection of unique sequences in Southern blots of mammalian DNA by non-radioactive biotinylated DNA hybridization probes. 1987 , 169, 267-80	23
1503	Patterns of gene expression during plasmacytoid differentiation of chronic lymphocytic leukaemia cells. 1987 , 215, 127-31	5
1502	An AG→GG transition at a splice site in the myelin proteolipid protein gene in jimpy mice results in the removal of an exon. 1987 , 223, 417-21	86
1501	Recombinant human B cell stimulatory factor 2 (BSF-2/IFN-beta 2) regulates beta-fibrinogen and albumin mRNA levels in Fao-9 cells. 1987 , 221, 18-22	255
1500	Evolution of an inducible penicillin-target protein in methicillin-resistant Staphylococcus aureus by gene fusion. 1987 , 221, 167-71	243
1499	Tight control of the amount of yeast plasma membrane ATPase during changes in growth conditions and gene dosage. 1987 , 224, 193-7	62
1498	Cloning of human muscle phosphofructokinase cDNA. 1987 , 223, 113-6	64
1497	Molecular cloning of the myelin specific enzyme 2L3L-cyclic-nucleotide 3L-phosphohydrolase. 1987 , 218, 261-5	24
1496	Expression of pancreatic secretory trypsin inhibitor gene in neoplastic tissues. 1987 , 225, 113-9	24
1495	The CDC8 transcript is cell cycle regulated in yeast and is expressed coordinately with CDC9 and CDC21 at a point preceding histone transcription. 1987 , 171, 223-31	92

1494	Similarities and differences in the regulation of N-myc and c-myc genes in murine embryonal carcinoma cells. 1987 , 172, 304-17	22
1493	Regulation of mRNA levels for five urea cycle enzymes in rat liver by diet, cyclic AMP, and glucocorticoids. 1987 , 256, 343-53	117
1492	Isolation and sequence analysis of a cDNA clone encoding a type-1 protein phosphatase catalytic subunit: homology with protein phosphatase 2A. 1987 , 223, 340-6	118
1491	Cloning, sequencing, and expression of the gene coding for the human platelet alpha 2-adrenergic receptor. 1987 , 238, 650-6	742
1490	Use of a conserved consensus oligomer in the identification of cytochrome P-450 mRNAs. 1987 , 149, 326-33	6
1489	The gene for human chromogranin A (CgA) is located on chromosome 14. 1987 , 142, 141-6	41
1488	Thyroid hormone stimulates rat pro-natriodilatin mRNA levels in primary cardiocyte cultures. 1987 , 146, 1336-41	29
1487	A hemodynamic load in vivo induces cardiac expression of the cellular oncogene, c-myc. 1987 , 147, 627-36	78
1486	The isolation and characterisation of a cDNA clone for human lecithin:cholesterol acyl transferase and its use to analyse the genes in patients with LCAT deficiency and fish eye disease. 1987 , 148, 161-9	34
1485	Simultaneous measurement of atrial natriuretic polypeptide (ANP) messenger RNA and ANP in rat heart--evidence for a preferentially increased synthesis and secretion of ANP in left atrium of spontaneously hypertensive rats (SHR). 1987 , 148, 239-45	34
1484	Tissue distribution of mRNAs encoding the alpha isoforms and beta subunit of rat Na ⁺ ,K ⁺ -ATPase. 1987 , 145, 52-8	168
1483	Fat feeding stimulates only one of the two mRNAs encoding rat intestinal membranous and secreted alkaline phosphatase. 1987 , 145, 363-8	17
1482	Methylation of the alpha-fetoprotein gene in isogenic rat hepatoma and liver cell lines. 1987 , 143, 447-53	7
1481	Human creatine kinase: isolation and sequence analysis of cDNA clones for the B subunit, development of subunit specific probes and determination of gene copy number. 1987 , 144, 1116-27	53
1480	Loss of brown adipose tissue uncoupling protein mRNA on deacclimation of cold-exposed rats. 1987 , 142, 696-701	28
1479	Reversion of hydroxyurea resistance, decline in ribonucleotide reductase activity, and loss of M2 gene amplification. 1987 , 145, 1276-82	5
1478	The in vivo replication origin of the yeast 2 microns plasmid. 1987 , 51, 473-81	429
1477	A novel form of tissue-specific RNA processing produces apolipoprotein-B48 in intestine. 1987 , 50, 831-40	911

1476	mRNAs coding for proteins of the cGMP cascade in the degenerative retina of the rd mouse. 1987 , 45, 467-80	20
1475	Genetic heterogeneity of steroid sulfatase deficiency revealed with cDNA for human steroid sulfatase. 1987 , 144, 1010-7	66
1474	Isolation of the alkane inducible cytochrome P450 (P450alk) gene from the yeast <i>Candida tropicalis</i> . 1987 , 144, 251-7	45
1473	Cloning and heterologous expression of an insecticidal delta-endotoxin gene from <i>Bacillus thuringiensis</i> var. <i>aizawai</i> IC1 toxic to both lepidoptera and diptera. 1987 , 52, 285-90	37
1472	Vaccinia virus produces late mRNAs by discontinuous synthesis. 1987 , 50, 153-62	120
1471	Reconstitution of MHC class I specificity by transfer of the T cell receptor and <i>Lyt-2</i> genes. 1987 , 50, 545-54	213
1470	An inducible mammalian amber suppressor: propagation of a poliovirus mutant. 1987 , 50, 379-89	85
1469	Developmentally induced, muscle-specific trans factors control the differential splicing of alternative and constitutive troponin T exons. 1987 , 49, 793-803	122
1468	Genetic organization of insertion element IS2 based on a revised nucleotide sequence. 1987 , 59, 291-6	36
1467	Developmental expression and androgenic regulation of the mRNA for major secretory proteins of the rat epididymis. 1987 , 53, 59-66	35
1466	In situ hybridization. 1987 , 1, 195-205	28
1465	Revertants of v-fos-transformed fibroblasts have mutations in cellular genes essential for transformation by other oncogenes. 1987 , 51, 357-69	79
1464	Serotyping and genotyping of encapsulated <i>Escherichia coli</i> K1 sepsis isolates with a monoclonal IgG anti K1 antibody and K1 gene probes. 1987 , 2, 319-26	19
1463	Differential transcription of the repetitive R-element in various mouse cell types. 1987 , 53, 105-11	7
1462	Analysis of DNA surrounding the breakpoints of chromosomal translocations involving the beta T cell receptor gene in human lymphoblastic neoplasms. 1987 , 50, 107-17	110
1461	The vitamin D-binding protein gene contains conserved nucleotide sequences that respond to heavy metal, adipocyte and mitotic signals. 1987 , 54, 285-90	5
1460	Further mapping of markers around the centromere of human chromosome 19. 1987 , 1, 320-8	29
1459	Assignment of the human gene for cholesteryl ester transfer protein to chromosome 16q12-16q21. 1987 , 1, 232-5	33

1458	Cytogenetic methodologies for gene mapping and comparative analyses in mammalian cell culture systems. 1987 , 4, 75-85	42
1457	High-efficiency preparation of DNA from limiting quantities of eukaryotic cells for hybridization analysis. 1987 , 53, 121-6	21
1456	Invertase gene (SUC2) of <i>Saccharomyces cerevisiae</i> as a dominant marker for transformation of <i>Pichia pastoris</i> . 1987 , 59, 115-25	31
1455	Expression of a myelin basic protein gene in transgenic shiverer mice: correction of the dysmyelinating phenotype. 1987 , 48, 703-12	363
1454	The molecular basis of alloreactivity in antigen-specific, major histocompatibility complex-restricted T cell clones. 1987 , 51, 59-69	80
1453	The <i>Drosophila</i> Abelson proto-oncogene homolog: identification of mutant alleles that have pleiotropic effects late in development. 1987 , 51, 821-8	95
1452	Sexing the human pre-embryo by DNA-DNA in-situ hybridisation. 1987 , 1, 1345-7	41
1451	Physical mapping studies on the human X chromosome in the region Xq27-Xqter. 1987 , 1, 297-306	63
1450	Construction of long-range restriction maps in human DNA using pulsed field gel electrophoresis. 1987 , 4, 119-31	33
1449	Sequencing of cDNA inserts encoding aromatase cytochrome P-450 (P-450AROM). 1987 , 52, 267-72	42
1448	Selectable genes for transformation of the fungal plant pathogen <i>Glomerella cingulata</i> f. sp. phaseoli (<i>Colletotrichum lindemuthianum</i>). 1987 , 54, 73-81	79
1447	Comparison and optimization of in situ hybridization procedures yielding rapid, sensitive mRNA detections. 1987 , 4, 89-104	41
1446	Synthesis of potyviral RNA and proteins in tobacco mesophyll protoplasts inoculated by electroporation. 1987 , 51, 295-303	22
1445	A complex genetic locus, polyhomeotic, is required for segmental specification and epidermal development in <i>D. melanogaster</i> . 1987 , 51, 829-39	121
1444	Tumors secreting human TNF/cachectin induce cachexia in mice. 1987 , 50, 555-63	576
1443	Molecular analysis of the Duchenne muscular dystrophy region using pulsed field gel electrophoresis. 1987 , 48, 351-7	169
1442	The myelin-associated glycoprotein gene: mapping to human chromosome 19 and mouse chromosome 7 and expression in quivering mice. 1987 , 1, 107-12	65
1441	A somatic cell hybrid panel for localizing DNA segments near the Huntington's disease gene. 1987 , 1, 29-34	69

1440	Distinct prion proteins in short and long scrapie incubation period mice. 1987 , 51, 651-62	440
1439	<i>S. cerevisiae</i> U1 RNA is large and has limited primary sequence homology to metazoan U1 snRNA. 1987 , 50, 593-602	136
1438	Characterization of a human multilineage-colony-stimulating factor cDNA clone identified by a conserved noncoding sequence in mouse interleukin-3. 1987 , 55, 115-24	62
1437	Primary structure and transcriptional regulation of GAP-43, a protein associated with nerve growth. 1987 , 49, 785-91	343
1436	Functional and biochemical subtypes of the haplotype HLA-DR3 in patients with celiac disease or idiopathic membranous nephropathy. 1987 , 20, 175-87	19
1435	A large inverted duplication allows homologous recombination between chromosomes heterozygous for the proximal t complex inversion. 1987 , 48, 813-25	233
1434	Structure and sequence of the <i>Drosophila melanogaster</i> calmodulin gene. 1987 , 196, 471-85	99
1433	Unique fusion of bcr and c-abl genes in Philadelphia chromosome positive acute lymphoblastic leukemia. 1987 , 51, 33-40	350
1432	Differences in DNA methylation during oogenesis and spermatogenesis and their persistence during early embryogenesis in the mouse. 1987 , 1, 1039-46	226
1431	Severely impaired adipsin expression in genetic and acquired obesity. 1987 , 237, 405-8	240
1430	Genetic ablation: targeted expression of a toxin gene causes microphthalmia in transgenic mice. 1987 , 238, 1563-5	218
1429	Clinical applications of DNA probes in the diagnosis of genetic diseases. 1987 , 25, 255-74	9
1428	Molecular cloning and sequence of the cDNA for a 94-amino-acid seminal plasma protein secreted by the human prostate. 1987 , 6, 23-9	70
1427	DNA hybridization of cervical tissues. 1987 , 25, 1-18	2
1426	Nucleotide sequence and organization of the human S-protein gene: repeating peptide motifs in the "pexin" family and a model for their evolution. 1987 , 26, 6735-42	75
1425	Resolution of DNA molecules greater than 5 megabases by contour-clamped homogeneous electric fields. 1987 , 15, 7865-76	289
1424	Sequence comparisons of complementary DNAs encoding aequorin isotypes. 1987 , 26, 1326-32	70
1423	Repeating structure of chick tropoelastin revealed by complementary DNA cloning. 1987 , 26, 1497-503	109

1422	Biochemical characterization of a gamma interferon-inducible cytokine (IP-10). 1987 , 166, 1084-97	524
1421	Genomic characterization of a gamma-interferon-inducible gene (IP-10) and identification of an interferon-inducible hypersensitive site. 1987 , 7, 3723-31	140
1420	The expression and regulation of Sex combs reduced protein in Drosophila embryos. 1987 , 1, 716-30	106
1419	Rhizobium meliloti ntrA (rpoN) gene is required for diverse metabolic functions. 1987 , 169, 2424-31	220
1418	Developmental regulation of a novel repetitive protein of Trypanosoma brucei. 1987 , 7, 2838-44	139
1417	Molecular characterization of the HLA-linked steroid 21-hydroxylase B gene from an individual with congenital adrenal hyperplasia.. 1987 , 6, 1653-1661	106
1416	The ras-related ypt protein is an ubiquitous eukaryotic protein: isolation and sequence analysis of mouse cDNA clones highly homologous to the yeast YPT1 gene.. 1987 , 6, 4049-4053	102
1415	Antagonistic controls regulate copy number of the yeast 2 mu plasmid.. 1987 , 6, 4205-4212	85
1414	Identification of a new insertion element, similar to gram-negative IS26, on the lactose plasmid of Streptococcus lactis ML3. 1987 , 169, 5481-8	106
1413	Rhizobium meliloti insertion element ISRM2 and its use for identification of the fixX gene. 1987 , 169, 1403-9	60
1412	Genetic studies of a secondary RNA polymerase sigma factor in Bacillus subtilis. 1987 , 169, 3464-9	111
1411	Mutant isolation and gene transfer as tools in study of transport proteins. 1987 , 252, C457-67	7
1410	The primary structure of human secretogranin I (chromogranin B): comparison with chromogranin A reveals homologous terminal domains and a large intervening variable region.. 1987 , 6, 1203-1211	167
1409	The human homologue of the mouse t-complex gene, TCP1, is located on chromosome 6 but is not near the HLA region.. 1987 , 6, 1967-1974	54
1408	Xfin: an embryonic gene encoding a multifingered protein in Xenopus.. 1987 , 6, 3065-3070	95
1407	Synaptophysin: molecular organization and mRNA expression as determined from cloned cDNA.. 1987 , 6, 3261-3268	133
1406	Deletions of fetal and adult muscle cDNA in Duchenne and Becker muscular dystrophy patients.. 1987 , 6, 3277-3283	25
1405	Molecular characterization of the testis specific c-abl mRNA in mouse.. 1987 , 6, 4041-4048	75

1404	Two highly polymorphic minisatellites from the pseudoautosomal region of the human sex chromosomes.. 1987 , 6, 963-969	36
1403	Cloning and characterization of <i>Saccharomyces cerevisiae</i> genes that confer L-methionine sulfoximine and tabtoxin resistance. 1987 , 169, 2440-8	16
1402	Localization of the mcf.2 transforming sequence to the X chromosome.. 1987 , 6, 1301-1307	17
1401	Topological mapping of complement component C9 by recombinant DNA techniques suggests a novel mechanism for its insertion into target membranes.. 1987 , 6, 1951-1957	83
1400	Stable introduction of exogenous DNA into <i>Trypanosoma brucei</i> .. 1987 , 6, 2457-2461	29
1399	Physical linkage of three CD3 genes on human chromosome 11.. 1987 , 6, 2953-2957	55
1398	A complex gene superfamily encodes actin in petunia.. 1987 , 6, 3223-3231	40
1397	A new lamin in <i>Xenopus</i> somatic tissues displays strong homology to human lamin A.. 1987 , 6, 3809-3818	74
1396	Human ribophorins I and II: the primary structure and membrane topology of two highly conserved rough endoplasmic reticulum-specific glycoproteins.. 1987 , 6, 75-82	69
1395	Spliceosome assembly in yeast. 1987 , 1, 1014-27	341
1394	Molecular cloning of Mu d(bla lacZ) transcriptional and translational fusions. 1987 , 169, 2026-30	24
1393	Expression of H-ras correlates with metastatic potential: evidence for direct regulation of the metastatic phenotype in 10T1/2 and NIH 3T3 cells. 1987 , 7, 830-7	144
1392	The yeast homologue of U3 snRNA.. 1987 , 6, 2145-2155	89
1391	Developmental switch in chromatin structure associated with alternate promoter usage in the <i>Drosophila melanogaster</i> alcohol dehydrogenase gene.. 1987 , 6, 3097-3101	18
1390	Differential expression of nicotinic acetylcholine receptor genes in innervated and denervated chicken muscle.. 1987 , 6, 3917-3921	34
1389	Close genetic and physical linkage between the murine haemopoietic growth factor genes GM-CSF and Multi-CSF (IL3).. 1987 , 6, 617-623	71
1388	Regulated expression of the Ren-2 gene in transgenic mice derived from parental strains carrying only the Ren-1 gene.. 1987 , 6, 983-987	59
1387	Altered mitochondrial gene expression in the nonchromosomal stripe 2 mutant of maize. 1987 , 6, 1535-1539	14

1386	In situ hybridization: alkaline phosphatase visualization of biotinylated probes in cryostat and paraffin sections. 1987 , 19, 488-96		56
1385	Cotransposition of a highly repetitive DNA element with flanking sequences in the genome of the midge <i>Chironomus thummi</i> . 1987 , 26, 311-9		11
1384	The physical map of <i>Mus musculus</i> chromosome 11 reveals evolutionary relationships with different syntenic groups of genes in <i>Homo sapiens</i> . 1987 , 25, 134-40		29
1383	Molecular biological methods in the diagnosis of viral disease. 1987 , 43, 1189-92		3
1382	Intermolecular recE4-independent recombination in <i>Bacillus subtilis</i> : formation of plasmid pKBT1. 1987 , 210, 518-22		2
1381	Selection of a <i>Nicotiana plumbaginifolia</i> universal hybridizer and its use in intergeneric somatic hybrid formation. 1987 , 208, 474-480		32
1380	Movement of <i>Drosophila melanogaster</i> transposable elements other than P elements in a P-M hybrid dysgenic cross. 1987 , 208, 506-510		20
1379	A rice glutelin gene family β major type of glutelin mRNAs can be divided into two classes. 1987 , 208, 15-22		104
1378	Isolation and characterization of mutants of <i>Kluyveromyces lactis</i> defective in lactose transport. 1987 , 208, 145-51		37
1377	Transposon-induced symbiotic mutants of <i>Bradyrhizobium japonicum</i> : isolation of two gene regions essential for nodulation. 1987 , 207, 15-23		35
1376	Size variation in group A streptococcal M protein is generated by homologous recombination between intragenic repeats. 1987 , 207, 196-203		135
1375	Cloning and DNA sequence determination of the L11 ribosomal protein operon of <i>Serratia marcescens</i> and <i>Proteus vulgaris</i> : translational feedback regulation of the <i>Escherichia coli</i> L11 operon by heterologous L1 proteins. 1987 , 210, 52-9		32
1374	A new polymorphic marker of the T-cell antigen receptor alpha chain genes in man. <i>Immunogenetics</i> , 1987 , 25, 141-4	3.2	35
1373	Methylation of the HLA-DR alpha gene is positively correlated with expression. <i>Immunogenetics</i> , 1987 , 26, 92-8	3.2	26
1372	Chromosomal locations of the gene coding for the CD3 (T3) gamma subunit of the human and mouse CD3/T-cell antigen receptor complexes. <i>Immunogenetics</i> , 1987 , 26, 258-66	3.2	28
1371	The SPE wild mouse strain has a single Ig V lambda gene related to V lambda 1 and V lambda 2 of BALB/c. <i>Immunogenetics</i> , 1987 , 26, 291-5	3.2	2
1370	Identification of a lys2 mutant of <i>Candida maltosa</i> by means of transformation. 1987 , 11, 385-91		21
1369	Expression of two nuclear genes encoding chloroplast proteins during early development of cucumber seedlings. 1987 , 170, 99-110		36

1368	DNA sequence of HLA-A11: remarkable homology with HLA-A3 allows identification of residues involved in epitopes recognized by antibodies and T cells. <i>Immunogenetics</i> , 1987 , 25, 241-50	3-2	47
1367	Sequence analysis of cDNAs for the human and bovine ATP synthase beta subunit: mitochondrial DNA genes sustain seventeen times more mutations. 1987 , 12, 81-90		199
1366	Replacement of the promoter of the yeast plasma membrane ATPase gene by a galactose-dependent promoter and its physiological consequences. 1987 , 12, 105-10		115
1365	Cryptic DNA plasmids of the heterothallic yeast <i>Saccharomycopsis crataegensis</i> . 1987 , 12, 297-304		14
1364	Construction of a chromosome 16-enriched phage library and characterization of several DNA segments from 16p. 1987 , 77, 95-103		32
1363	A Y/5 translocation in a 45,X male with cri du chat syndrome. 1987 , 77, 145-50		18
1362	Confirmation of assignment of the human alpha 1-crystallin gene (CRYA1) to chromosome 21 with regional localization to q22.3. 1987 , 76, 375-80		46
1361	Maternal origin of a de novo balanced t(21q21q) identified by ets-2 polymorphism. 1987 , 76, 396-8		60
1360	Down syndrome with duplication of a region of chromosome 21 containing the CuZn superoxide dismutase gene without detectable karyotypic abnormality. 1987 , 75, 251-7		58
1359	DNA deletions in mild and severe Becker muscular dystrophy. 1987 , 75, 281-5		44
1358	Molecular gene mapping of human aldolase A (ALDOA) gene to chromosome 16. 1987 , 76, 20-6		20
1357	The 35 kd pulmonary surfactant-associated protein is encoded on chromosome 10. 1987 , 76, 58-62		73
1356	De novo t(2;13)(p24.3;q14.2) and retinoblastoma. Mapping of two 13q14 probes by in situ hybridization. 1987 , 76, 102-5		18
1355	Submicroscopic duplication of chromosome 21 and trisomy 21 phenotype (Down syndrome). 1987 , 76, 225-9		33
1354	Rapid RFLP screening procedure identifies new polymorphisms at albumin and alcohol dehydrogenase loci. 1987 , 76, 274-7		17
1353	Human elongation factor 1 alpha: a polymorphic and conserved multigene family with multiple chromosomal localizations. 1987 , 75, 339-44		23
1352	An interstitial duplication of the X chromosome in a male allows physical fine mapping of probes from the Xq13-q22 region. 1987 , 77, 23-7		80
1351	The gene coding for the human T-lymphocyte CD2 antigen is located on chromosome 1p. 1987 , 76, 191-5		24

1350	Nucleotide sequences and unusual electrophoretic behavior of the W chromosome-specific repeating DNA units of the domestic fowl, <i>Gallus gallus domesticus</i> . 1987 , 96, 18-25		101
1349	Inherited and de novo deletion of the tyrosine aminotransferase gene locus at 16q22.1----q22.3 in a patient with tyrosinemia type II. 1987 , 77, 352-8		66
1348	Familial deletion of Xp21.2 with glycerol kinase deficiency and congenital adrenal hypoplasia. 1987 , 77, 379-83		16
1347	Plant gene expression in effective and ineffective root nodules of alfalfa (<i>Medicago sativa</i>). 1987 , 9, 469-78		80
1346	Interspecies homology of nodulation genes in <i>Rhizobium</i> . 1987 , 8, 61-75		31
1345	T-cell lymphomas in adults: a clinicopathological study of eighteen cases. 1987 , 152, 63-76		29
1344	Prevalence of HPV DNA and viral copy numbers in cervical scrapes from women with normal and abnormal cervixes. 1987 , 153, 127-35		50
1343	Regional localization and characterization of a DNA segment on the long arm of chromosome 21. 1987 , 75, 129-35		8
1342	Assignment of the myelin basic protein gene to human chromosome 18q22-qter. 1987 , 75, 147-50		25
1341	Assignment of the prealbumin (PALB) gene (familial amyloidotic polyneuropathy) to human chromosome region 18q11.2-q12.1. 1987 , 75, 151-4		40
1340	Cloning and characterisation of a delta virus cDNA sequence derived from a human source. 1987 , 22, 323-31		14
1339	Evidence for the expression of four myelin basic protein variants in the developing human spinal cord through cDNA cloning. 1987 , 17, 321-8		68
1338	Structure and expression of the mouse myelin proteolipid protein gene. 1987 , 18, 383-94		128
1337	Expression of myelin proteins in the developing human spinal cord: cloning and sequencing of human proteolipid protein cDNA. 1987 , 18, 395-401		62
1336	Normalization of multiple RNA samples using an in vitro-synthesized external standard cRNA. <i>Analytical Biochemistry</i> , 1987 , 165, 309-19	3.1	37
1335	Rapid purification of DNA from agarose gels by centrifugation through a disposable plastic column. <i>Analytical Biochemistry</i> , 1987 , 160, 115-8	3.1	27
1334	Direct hybridization to DNA from small numbers of flow-sorted nucleated newborn cells. 1987 , 8, 197-202		6
1333	Expression of multiple growth factors in a human lung cancer cell line. 1987 , 39, 502-7		55

1332	Conversion of the lymphoma line "BJAB" by Epstein-Barr virus into phenotypically altered sublines is accompanied by increased c-myc mRNA levels. 1987 , 40, 202-6	24
1331	Tumorigenicity of T24 urinary bladder carcinoma cell sublines. 1987 , 40, 240-5	20
1330	Phenotype versus immunoglobulin and T-cell receptor genotype of Hodgkin-derived cell lines: activation of immature lymphoid cells in Hodgkin's disease. 1987 , 40, 262-9	60
1329	Down-regulation of the EBV-encoded membrane protein (LMP) in Burkitt lymphomas. 1987 , 40, 358-64	29
1328	Transplacental induction of a specific mutation in fetal Ha-ras and its critical role in post-natal carcinogenesis. 1987 , 40, 818-22	28
1327	Autostimulatory mechanisms in myeloid leukemogenesis. 1987 , 34, 39-46	14
1326	PDGF induces c-myc mRNA expression in MG-63 human osteosarcoma cells but does not stimulate cell replication. 1987 , 132, 65-72	18
1325	Phorbol myristate acetate inhibits growth in S49 cells: isolation of resistant variants. 1987 , 132, 463-72	4
1324	Regulation of the glucose-regulated protein genes by beta-mercaptoethanol requires de novo protein synthesis and correlates with inhibition of protein glycosylation. 1987 , 133, 553-9	79
1323	Interferon-gamma induces expression of the interleukin 2 receptor gene in human monocytes. 1987 , 17, 153-6	47
1322	The murine homologue of the T lymphocyte CD2 antigen: molecular cloning, chromosome assignment and cell surface expression. 1987 , 17, 1015-20	67
1321	Immunoglobulin heavy chain gene diversification in the long-term bone marrow culture of normal mice and mice with severe combined immunodeficiency. 1987 , 17, 1051-7	28
1320	Human CD3+4-8-WT31- T lymphocyte populations expressing the putative T cell receptor gamma-gene product. A limiting dilution and clonal analysis. 1987 , 17, 1229-34	34
1319	Human complement factor H: expression of an additional truncated gene product of 43 kDa in human liver. 1987 , 17, 1485-9	104
1318	Unusual forms of T cell gamma mRNA in a human T cell leukemia cell line: implications for gamma gene expression. 1987 , 17, 1729-36	34
1317	Human T cells from autoimmune and normal individuals can produce tumor necrosis factor. 1987 , 17, 1807-14	85
1316	CD3+4-8-WT31-(T cell receptor gamma+) cells and other unusual phenotypes are frequently detected among spontaneously interleukin 2-responsive T lymphocytes present in the joint fluid in juvenile rheumatoid arthritis. A clonal analysis. 1987 , 17, 1815-9	74
1315	A new method for sex determination of the donor of forensic samples using a recombinant DNA probe. 1987 , 8, 35-38	28

1314	Cloning of a complementary DNA for rabbit proactivator. A metalloproteinase that activates synovial cell collagenase, shares homology with stromelysin and transin, and is coordinately regulated with collagenase. 1987 , 30, 1254-64	74
1313	Linkage of adrenoleukodystrophy to a polymorphic DNA probe. 1987 , 21, 349-52	84
1312	Application of a bcr-specific probe in the classification of human leukaemia. 1987 , 113, 267-72	6
1311	Trypanosoma cruzi exhibits inter- and intra-strain heterogeneity in molecular karyotype and chromosomal gene location. 1987 , 22, 115-23	81
1310	Biochemical changes associated with alpha-difluoromethylornithine uptake and resistance in Trypanosoma brucei. 1987 , 25, 227-38	61
1309	A cloned DNA probe identifies the sex of Schistosoma mansoni cercariae. 1987 , 26, 17-20	26
1308	Pyrimethamine resistant Plasmodium falciparum: overproduction of dihydrofolate reductase by a gene duplication. 1987 , 26, 121-34	56
1307	Differing patterns of proto-oncogene expression in immature and mature myeloid cells. 1987 , 11, 923-34	12
1306	Activation of human alpha 1-antitrypsin genes in rat hepatoma x human fibroblast hybrid cell lines is correlated with demethylation. 1987 , 13, 635-44	8
1305	Regional localization of the murine Duchenne muscular dystrophy gene on the mouse X chromosome. 1987 , 13, 671-8	38
1304	Regional localization of the gene coding for sphingolipid activator protein SAP-1 on human chromosome 10. 1987 , 13, 685-8	12
1303	Chromosomal assignments of genes for tissue plasminogen activator and urokinase in mouse. 1987 , 13, 581-6	18
1302	Localization of UDP glucuronosyltransferase gene(s) on mouse chromosome 5. 1987 , 13, 179-82	12
1301	Analysis of human chromosome 11 by somatic cell genetics: reexamination of derivatives of human-hamster cell line J1. 1987 , 13, 293-304	12
1300	Human interstitial retinol-binding protein (IRBP): cloning, partial sequence, and chromosomal localization. 1987 , 13, 315-23	36
1299	Gene for M1 subunit of ribonucleotide reductase is amplified in hydroxyurea-resistant hamster cells. 1987 , 13, 221-33	14
1298	Molecular analysis and chromosomal mapping of amplified genes isolated from a transformed mouse 3T3 cell line. 1987 , 13, 235-44	258
1297	Histochemical staining of clonal mammalian cell lines expressing E. coli beta galactosidase indicates heterogeneous expression of the bacterial gene. 1987 , 13, 253-65	211

1296	A-raf oncogene localizes on mouse X chromosome to region some 10-17 centimorgans proximal to hypoxanthine phosphoribosyltransferase gene. 1987 , 13, 267-72	12
1295	Human gastrin-releasing peptide gene is located on chromosome 18. 1987 , 13, 87-91	21
1294	Low degree of relatedness between <i>Campylobacter pyloridis</i> and enteropathogenic <i>Campylobacter</i> species as revealed by DNA-DNA blot hybridization and immunoblot studies. 1987 , 42, 129-133	10
1293	The use of a probe and of an assay for functional complementarity to detect <i>Din+</i> invertases. 1987 , 48, 165-170	
1292	Expression of mRNA homologous to interleukin 1 in human epidermal cells. 1987 , 88, 375-9	46
1291	Genotypic analysis of cutaneous T-cell lymphomas. 1987 , 88, 762-5	63
1290	Expression of genes in cloned murine cell lines that can be maintained in both interleukin 2- and interleukin 3-dependent growth states. 1987 , 65 (Pt 1), 57-69	10
1289	Detection of human papillomavirus DNA in biopsies of human oral tissue. 1987 , 56, 245-50	174
1288	Tissue-specific expression of three distinct types of rabbit protein kinase C. 1987 , 325, 161-6	442
1287	Expression of a polypeptide containing a dipeptide repeat is confined to the insect stage of <i>Trypanosoma brucei</i> . 1987 , 325, 272-4	191
1286	Gene transfer and molecular cloning of the rat nerve growth factor receptor. 1987 , 325, 593-7	881
1285	Pleiotropic loss of activation pathways in a T-cell receptor alpha-chain deletion variant of a cytolytic T-cell clone. 1987 , 325, 628-31	88
1284	Close linkage of <i>c-Harvey-ras-1</i> and the insulin gene to affective disorder is ruled out in three North American pedigrees. 1987 , 325, 806-8	214
1283	A family of unusually spliced biologically active transcripts encoded by a <i>Drosophila</i> clock gene. 1987 , 326, 42-7	220
1282	Developmentally controlled expression of a gene associated with self-incompatibility in <i>Nicotiana glauca</i> . 1987 , 326, 99-102	134
1281	Rearrangement of a chicken immunoglobulin gene occurs in the lymphoid lineage of transgenic mice. 1987 , 326, 409-11	64
1280	Labelling nucleic acids for hybridization. 1987 , 326, 723-4	10
1279	An intronless gene encoding a potential member of the family of receptors coupled to guanine nucleotide regulatory proteins. 1987 , 329, 75-9	489

1278	Predictable acquisition of a new MHC recognition specificity following expression of a transfected T-cell receptor beta-chain gene. 1987 , 329, 256-9	47
1277	Insulin-like growth factor II receptor as a multifunctional binding protein. 1987 , 329, 301-7	791
1276	Isolation of NILE glycoprotein-related cDNA probes. 1987 , 49, 756-63	14
1275	Developmental expression of the myelin proteolipid protein and basic protein mRNAs in normal and dysmyelinating mutant mice. 1987 , 49, 1146-54	107
1274	Genotypic analysis of large cell lymphomas which express the Ki-1 antigen. 1987 , 11, 733-40	103
1273	The plasmid profile of <i>Edwardsiella ictaluri</i> *. 1987 , 10, 461-469	18
1272	The parD- mutant of <i>Escherichia coli</i> also carries a gyrAam mutation. The complete sequence of gyrA. 1987 , 1, 259-73	69
1271	Rapid Detection of Potato Spindle Tuber Viroid (PSTV) by Dot Blot Hybridization. 1987 , 118, 171-180	13
1270	The mouse Hox2.3 homeobox-containing gene: regulation in differentiating pluripotent stem cells and expression pattern in embryos. 1987 , 35, 21-30	27
1269	Identification and sequencing of cDNA clones for the rodent negative acute-phase protein alpha 1-inhibitor 3. 1987 , 164, 375-81	22
1268	Isolation of a cDNA and characterization of the 5Lflanking region of the gene encoding the type I regulatory subunit of the cAMP-dependent protein kinase. 1987 , 167, 27-33	42
1267	Multiple mRNA species code for the catalytic subunit of the cAMP-dependent protein kinase from LLC-PK1 cells. Evidence for two forms of the catalytic subunit. 1987 , 167, 221-6	31
1266	Cultured Ito cells of rat liver express the alpha 2-macroglobulin gene. 1987 , 168, 641-6	35
1265	Sheep wool (glycine + tyrosine)-rich keratin genes. A family of low sequence homology. 1987 , 166, 79-85	51
1264	Cloning and sequencing of a rat CuZn superoxide dismutase cDNA. Correlation between CuZn superoxide dismutase mRNA level and enzyme activity in rat and mouse tissues. 1987 , 166, 181-7	51
1263	Human 27-kDa calbindin complementary DNA sequence. Evolutionary and functional implications. 1987 , 170, 207-15	67
1262	Haematological classification of the chronic myeloid leukaemias. 1987 , 1, 887-906	45
1261	Carrier detection in 50 haemophilia A kindred by means of three intragenic and two extragenic restriction fragment length polymorphisms. 1988 , 70, 77-84	15

1260	Use of a hypervariable minisatellite DNA probe (33.15) for evaluating engraftment two or more years after bone marrow transplantation for aplastic anaemia. 1988 , 70, 91-7	22
1259	Use of minisatellite DNA probes for recognition and characterization of relapse after allogeneic bone marrow transplantation. 1988 , 68, 195-201	37
1258	HLA class II DNA genotypes in GravesLdisease: clues to inheritance of the HLA-linked component of susceptibility. 1988 , 29, 539-47	8
1257	Phenotypic and molecular characterization of inducible human neuroblastoma cell lines. 1988 , 39, 216-27	16
1256	Prolonged expression of differentiated phenotype by chondrocytes cultured at low density on a composite substrate of collagen and agarose that restricts cell spreading. 1988 , 38, 140-7	59
1255	The human von Willebrand factor gene. Structure of the 5Lregion. 1988 , 171, 51-7	28
1254	Human heme oxygenase cDNA and induction of its mRNA by hemin. 1988 , 171, 457-61	266
1253	The structure of brain-specific rat aldolase C mRNA and the evolution of aldolase isozyme genes. 1988 , 171, 471-8	49
1252	Comparison of the in vivo and in vitro activity of the delta-endotoxin of Bacillus thuringiensis var. morrisoni (HD-12) and two of its constituent proteins after cloning and expression in Escherichia coli. 1988 , 172, 731-8	8
1251	Existence of malfunctioning pro alpha2(I) collagen genes in a patient with a pro alpha 2(I)-chain-defective variant of Ehlers-Danlos syndrome. 1988 , 174, 231-7	53
1250	Excess antisense RNA from infectious recombinant SV40 fails to inhibit expression of a transfected, interferon-inducible gene. 1988 , 175, 65-73	19
1249	Cell-free-synthesized interleukin-6 (BSF-2/IFN-beta 2) exhibits hepatocyte-stimulating activity. 1988 , 175, 181-6	21
1248	Opposite regulation of the mRNAs for parvalbumin and p19/6.8 in myotonic mouse muscle. 1988 , 176, 153-8	17
1247	Thyroid-specific and cAMP-dependent hypersensitive regions in thyroglobulin gene chromatin. 1988 , 178, 387-93	9
1246	Characterization of class II alpha genes and DLA-D region allelic associations in the dog. 1988 , 32, 224-34	31
1245	HLA class II genes polymorphism in DR4 giant cell arteritis patients. 1988 , 32, 254-8	7
1244	In situ hybridization analysis of the expression of the type II collagen gene in the developing chicken limb bud. 1988 , 8, 277-94	73
1243	Types I and IV procollagen gene expression in cultured rat hepatocytes. 1988 , 8, 349-59	15

1242	Absence of Kirsten-ras oncogene activation in B-cell chronic lymphocytic leukemia. 1988 , 12, 25-31		8
1241	Fine mapping of glycerol kinase deficiency and congenital adrenal hypoplasia within Xp21 on the short arm of the human X chromosome. 1988 , 29, 557-64		21
1240	Fragile X syndrome: linkage analysis in black and white populations. 1988 , 30, 531-42		3
1239	Cytogenetic and physical mapping in the region of the X chromosome surrounding the fragile site. 1988 , 30, 601-11		7
1238	Spontaneous mutation in the male gamete as a cause of hemophilia A: clarification of a case using DNA probes. 1988 , 28, 167-9		2
1237	Ki-1 lymphomas in children. 1988 , 61, 1213-21		75
1236	Maintenance of foreign gene expression and independent chromosome fragments in adult transgenic rainbow trout and their offspring. 1988 , 248, 335-44		17
1235	cDNA coding for the tail region of the high molecular weight rabbit neurofilament protein NF-H. 1988 , 20, 129-36		9
1234	Activated Ki-ras genes in bladder epithelial cell lines transformed by treatment of primary mouse bladder explant cultures with 7,12-dimethylbenz[a]anthracene. 1988 , 1, 82-8		18
1233	Malignant progression of papilloma-derived keratinocytes: differential effects of the ras, neu, and p53 oncogenes. 1988 , 1, 171-9		18
1232	Arthritis in patients with psoriasis is associated with an immunoglobulin gene polymorphism. 1988 , 31, 276-8		17
1231	Molecular heterogeneity of complement component C4-null and 21-hydroxylase genes in systemic lupus erythematosus. 1988 , 31, 736-44		46
1230	Analytical strategies for the use of DNA probes. <i>Analytical Biochemistry</i> , 1988 , 169, 1-25	3.1	187
1229	A quantitative method for analyzing specific DNA sequences directly from whole cells. <i>Analytical Biochemistry</i> , 1988 , 174, 209-14	3.1	26
1228	Murine CD2 gene expression during fetal thymus ontogeny. 1988 , 18, 187-9		37
1227	cDNA cloning of murine interleukin-HP1: homology with human interleukin 6. 1988 , 18, 193-7		248
1226	The human T cell receptor alpha-delta locus: a physical map of the variable, joining and constant region genes. 1988 , 18, 641-4		51
1225	Induction of rat acute-phase proteins by interleukin 6 in vivo. 1988 , 18, 717-21		354

1224	Action of recombinant human interleukin 6, interleukin 1 beta and tumor necrosis factor alpha on the mRNA induction of acute-phase proteins. 1988 , 18, 739-46	230
1223	Structure and rearrangement of the T cell receptor J alpha locus in T cells and leukemic T cell lines. 1988 , 18, 1033-8	9
1222	Stimulation-dependent lymphokine mRNA levels in human mononuclear cells. 1988 , 18, 1441-6	30
1221	Prostaglandin E2 and the increase of intracellular cAMP inhibit the expression of interleukin 2 receptors in human T cells. 1988 , 18, 1791-6	127
1220	A VH gene is located within 95 Kb of the human immunoglobulin heavy chain constant region genes. 1988 , 18, 1843-5	53
1219	Comparative study of VH gene family usage by newborn xid and non-xid mice, newborn NZB and adult NZB mice, and by splenic and peritoneal cavity B cell compartments. 1988 , 18, 1979-83	14
1218	A novel human V delta gene expressed predominantly in the Ti gamma A fraction of gamma/delta+ peripheral lymphocytes. 1988 , 18, 2021-7	108
1217	Mutation analysis of the N-ras proto-oncogene in active and remission phase of human acute leukemias. 1988 , 41, 59-64	41
1216	Loss of alleles on chromosome 18 and on the short arm of chromosome 17 in polyploid colorectal carcinomas. 1988 , 41, 404-8	91
1215	Differential expression of platelet-derived growth factor and transforming growth factor genes in small- and non-small-cell human lung carcinoma lines. 1988 , 41, 636-41	67
1214	Alterations in c-myc expression in relation to maturational status of human colon carcinoma cells. 1988 , 42, 64-70	42
1213	Expression of the 2L3L-cyclic nucleotide 3L-phosphohydrolase gene and immunoreactive protein in oligodendrocytes as revealed by in situ hybridization and immunofluorescence. 1988 , 1, 184-90	21
1212	Stimulation of nerve growth factor mRNA content in C6 glioma cells by a beta-adrenergic receptor and by cyclic AMP. 1988 , 1, 282-5	53
1211	Cytochrome P-450 gene expression in the functional units of the fetal liver. 1988 , 8, 318-26	17
1210	Phenobarbital induction of cytochrome P-450 b,e genes is dependent on protein synthesis. 1988 , 8, 327-31	19
1209	Different mechanisms decrease hepatic collagen and albumin production in fasted rats. 1988 , 8, 1040-5	11
1208	Mechanism of induction of class I major histocompatibility antigen expression by murine leukemia virus. 1988 , 36, 297-309	14
1207	Gene expression and tumor cell escape from host effector mechanisms in murine large cell lymphoma. 1988 , 36, 393-403	18

1206	Cyclin mRNA and protein expression in recombinant interleukin 2-stimulated cloned murine T lymphocytes. 1988 , 38, 189-98		33
1205	Interleukin-1 regulation of hematopoietic growth factor production by human stromal fibroblasts. 1988 , 134, 292-6		98
1204	Regulation of gene expression of myeloperoxidase during myeloid differentiation. 1988 , 136, 215-25		81
1203	Cultured primate aortic smooth muscle cells express both the PDGF-A and PDGF-B genes but do not secrete mitogenic activity or dimeric platelet-derived growth factor protein. 1988 , 136, 479-85		20
1202	Enhanced constitutive expression of the 27-kDa heat shock proteins in heat-resistant variants from Chinese hamster cells. 1988 , 137, 157-66		108
1201	DNA polymorphism haplotypes of the human apolipoprotein APOA1-APOC3-APOA4 gene cluster. 1988 , 80, 265-73		65
1200	Genetic mapping of four DNA markers (DXS16, DXS43, DXS85, and DXS143) from the p22 region of the human X chromosome. 1988 , 80, 296-8		8
1199	X-Y crossing over in the chimpanzee. 1988 , 80, 301-3		15
1198	Asinine herpesvirus genomes: comparison with those of the equine herpesviruses. 1988 , 101, 183-90		47
1197	Biotinylated nucleic acid hybridization probes for potato virus detection. 1988 , 103, 231-41		8
1196	Assignment of the myeloperoxidase gene MPO to human chromosome 17 using somatic cell hybrids and flow-sorted chromosomes. 1988 , 33, 315-24		6
1195	A repetitive DNA sequence in the salmonid fishes similar to a retroviral long terminal repeat. 1988 , 27, 1-7		23
1194	Characterization of a protamine gene from the chum salmon (<i>Oncorhynchus keta</i>). 1988 , 27, 8-16		25
1193	Comparative biochemistry of chalcone isomerases. 1988 , 27, 2801-2808		53
1192	Characterization and in vitro expression of the cytochrome b-559 genes of barley. I. Localization and sequence of the genes. 1988 , 53, 43-55		15
1191	Strategies for in situ hybridization. 1988 , 18, 171-6		1
1190	DNA rearrangement causes multiple changes in gene expression at the amylase locus in <i>Drosophila melanogaster</i> . <i>Biochemical Genetics</i> , 1988 , 26, 757-68	2.4	11
1189	Effects of deletions in mouse chromosome 7 on expression of genes encoding the urea-cycle enzymes and phosphoenolpyruvate carboxykinase (GTP) in liver, kidney, and intestine. <i>Biochemical Genetics</i> , 1988 , 26, 769-81	2.4	24

1188	Expression sites and developmental regulation of genes encoding (1->3,1->4)-D-glucanases in germinated barley. 1988 , 173, 500-8	78
1187	A simple fixation and embedding method for use in hybridization histochemistry on plant tissues. 1988 , 20, 575-86	39
1186	The application of molecular biology to the prenatal diagnosis of renal disease. 1988 , 2, 343-50	
1185	Patterns of exon deletions in Duchenne and Becker muscular dystrophy. 1988 , 80, 152-6	39
1184	Molecular analysis of single copy and repetitive genes on chromosome 2 in intergeneric tomato somatic hybrid plants. 1988 , 11, 139-45	10
1183	Agroinfection and nucleotide sequence of cloned wheat dwarf virus DNA. 1988 , 11, 35-43	52
1182	Constitutive and light-induced DNaseI hypersensitive sites in the rbcS genes of pea (<i>Pisum sativum</i>). 1988 , 11, 561-73	14
1181	<i>Drosophila</i> P-element transcripts are incorrectly processed in tobacco. 1988 , 11, 601-7	10
1180	Determination of copy number and linkage relationships among five actin gene subfamilies in <i>Petunia hybrida</i> . 1988 , 11, 663-72	17
1179	Identification of two groups of leghemoglobin genes in alfalfa (<i>Medicago sativa</i>) and a study of their expression during root nodule development. 1988 , 11, 761-72	22
1178	Localization and nucleotide sequence of the gene for the 8 kDa subunit of photosystem I in pea and wheat chloroplast DNA. 1988 , 11, 311-9	65
1177	Nucleotide sequence of psbC, the gene encoding the CP-43 chlorophyll a-binding protein of Photosystem II, in the cyanobacterium <i>Synechocystis</i> 6803. 1988 , 10, 293-301	48
1176	Characterisation of a full-length cDNA clone for pea ferredoxin-NADP(+) reductase. 1988 , 10, 511-20	90
1175	Right-border sequences enable the left border of an <i>Agrobacterium tumefaciens</i> nopaline Ti-plasmid to produce single-stranded DNA. 1988 , 11, 389-99	7
1174	Transposon mutagenesis of nuclear photosynthetic genes in <i>Zea mays</i> . 1988 , 18, 33-59	12
1173	Genes encoding ferredoxins from <i>Anabaena</i> sp. PCC 7937 and <i>Synechococcus</i> sp. PCC 7942: structure and regulation. 1988 , 18, 179-204	39
1172	DNA cloning and amino acid sequence determination of a major constituent protein of mammalian nucleoli. Correspondence of the nucleoplasm-in-related protein NO38 to mammalian protein B23. 1988 , 96, 417-26	82
1171	Detection of legumin gene DNA sequences in pea by in situ hybridization. 1988 , 96, 454-458	39

1170	The chloroplast genomes of conifers lack one of the rRNA-encoding inverted repeats. 1988 , 212, 6-10	38
1169	A cytological and molecular analysis of Adh gene expression in <i>Drosophila melanogaster</i> polytene chromosomes. 1988 , 97, 171-7	2
1168	The chloroplast genome of the green alga <i>Chlamydomonas moewusii</i> : localization of protein-coding genes and transcriptionally active regions. 1988 , 214, 412-9	39
1167	The sugar beet mitochondrial genome: A complex organisation generated by homologous recombination. 1988 , 214, 514-522	37
1166	Packaging of transducing DNA by bacteriophage P1. 1988 , 214, 523-32	14
1165	A cloned I-factor is fully functional in <i>Drosophila melanogaster</i> . 1988 , 214, 533-40	51
1164	Expression of glyphosate resistance in carrot somatic hybrid cells through the transfer of an amplified 5-enolpyruvylshikimic acid-3-phosphate synthase gene. 1988 , 211, 357-363	31
1163	In situ localization of two haemoglobin gene clusters in the chromosomes of 13 species of <i>Chironomus</i> . 1988 , 96, 353-359	50
1162	Structural diversity of the patatin gene family in potato cv. Desiree. 1988 , 212, 325-36	59
1161	Suppressible P-element alleles of the vestigial locus in <i>Drosophila melanogaster</i> . 1988 , 212, 370-374	17
1160	5S rRNA genes in <i>Pisum</i> : sequence, long range and chromosomal organization. 1988 , 214, 333-42	64
1159	Regulation of Mu element copy number in maize lines with an active or inactive Mutator transposable element system. 1988 , 211, 27-34	88
1158	Use of recombination techniques to examine the structure of the csg locus of <i>Myxococcus xanthus</i> . 1988 , 211, 63-71	81
1157	Detection of a single-copy gene on plant chromosomes by in situ hybridization. 1988 , 211, 143-147	27
1156	A molecular and cytogenetic survey of major repeated DNA sequences in tomato (<i>Lycopersicon esculentum</i>). 1988 , 213, 262-268	99
1155	Transposition of the maize transposable element Ac in <i>Solanum tuberosum</i> . 1988 , 213, 285-290	86
1154	Characterization of a polyubiquitin gene from <i>Arabidopsis thaliana</i> . 1988 , 213, 435-43	97
1153	Two genes encoding gas vacuole proteins in <i>Halobacterium halobium</i> . 1988 , 213, 459-64	41

1152	Distribution of root mRNA species in other vegetative organs of pea (<i>Pisum sativum</i> L.). 1988 , 214, 153-157		18
1151	Introduction of genes for leucine biosynthesis from <i>Clostridium pasteurianum</i> into <i>C. acetobutylicum</i> by cointegrate conjugal transfer. 1988 , 214, 177-9		33
1150	Mapping of Igk-V genes using backcrossed laboratory and wild mice. <i>Immunogenetics</i> , 1988 , 28, 233-9	3.2	7
1149	Cloning and analysis of HLA class I cDNA encoding a new HLA-C specificity Cx52. <i>Immunogenetics</i> , 1988 , 28, 265-70	3.2	25
1148	A cloned H-2 class I gene from a tw32-derived recombinant t haplotype identified as functional H-2Kq gene. <i>Immunogenetics</i> , 1988 , 28, 283-5	3.2	4
1147	Limited polymorphism of both classes of MHC genes in four different species of the Balkan mole rat. <i>Immunogenetics</i> , 1988 , 28, 91-8	3.2	20
1146	Linked genetic markers of the rabbit kappa light chain are not linked to the Tcr beta chain genes. <i>Immunogenetics</i> , 1988 , 28, 99-107	3.2	2
1145	Restriction fragment length polymorphism of the major histocompatibility complex of the dog. <i>Immunogenetics</i> , 1988 , 28, 117-24	3.2	33
1144	Analysis of T cell receptor beta chains in rat thymus, and rat C alpha and C beta sequences. <i>Immunogenetics</i> , 1988 , 27, 174-9	3.2	40
1143	Isolation of a cDNA clone from the B-G subregion of the chicken histocompatibility (B) complex. <i>Immunogenetics</i> , 1988 , 27, 102-9	3.2	49
1142	Chromosomal localization of the major histocompatibility complex of the horse (ELA) by in situ hybridization. <i>Immunogenetics</i> , 1988 , 28, 362-4	3.2	29
1141	Genotyping chickens for the B-G subregion of the major histocompatibility complex using restriction fragment length polymorphisms. <i>Immunogenetics</i> , 1988 , 28, 374-9	3.2	67
1140	MHC class II sequences of an HLA-DR2 narcoleptic. <i>Immunogenetics</i> , 1988 , 27, 449-55	3.2	71
1139	A downstream activator sequence regulates the expression of the yeast transposon. 1988 , 13, 357-62		5
1138	Transformation of the phytopathogenic fungus <i>Septoria nodorum</i> to hygromycin B resistance. 1988 , 13, 383-389		66
1137	Properties of the circular plasmid-like DNA, B4, from mitochondria of cytoplasmic male-sterile rice. 1988 , 13, 441-3		23
1136	Isolation of DNA sequences on human chromosome 21 by application of a recombination-based assay to DNA from flow-sorted chromosomes. 1988 , 79, 196-202		23
1135	Class II genes of miniature swine. I. Class II gene characterization by RFLP and by isolation from a genomic library. <i>Immunogenetics</i> , 1988 , 28, 22-9	3.2	33

1134	Localization of the HLA class II-associated invariant chain gene to human chromosome band 5q32. <i>Immunogenetics</i> , 1988 , 28, 53-6	3.2	18
1133	Production of somatic hybrids by electrofusion in <i>Solanum</i> . 1988 , 76, 260-6		95
1132	Dominant expression of a gene amplification-related herbicide resistance in medicago cell hybrids. 1988 , 7, 158-61		36
1131	Celery transformation by <i>Agrobacterium tumefaciens</i> : cytological and genetic analysis of transgenic plants. 1988 , 7, 100-3		34
1130	Similar molecular deletions on chromosome 15q11.2 are encountered in both the Prader-Willi and Angelman syndromes. 1988 , 80, 322-8		98
1129	Molecular mapping of rice chromosomes. 1988 , 76, 815-29		874
1128	Restriction fragment length polymorphism (RFLP) analysis of bovine nuclear protein genes. 1988 , 75, 402-409		3
1127	Localization of the villin gene on human chromosome 2q35-q36 and on mouse chromosome 1. 1988 , 78, 130-3		43
1126	Regional localization of polymorphic DNA loci on the proximal long arm of the X chromosome using deletions associated with choroideremia. 1988 , 78, 156-60		50
1125	The use of DNA probes to establish parental origin in Down syndrome. 1988 , 78, 175-8		21
1124	The ras-related ral gene maps to chromosome 7p15-22. 1988 , 79, 132-6		13
1123	Human esterase D gene: complete cDNA sequence, genomic structure, and application in the genetic diagnosis of human retinoblastoma. 1988 , 79, 137-41		26
1122	The apolipoprotein(a) gene resides on human chromosome 6q26-27, in close proximity to the homologous gene for plasminogen. 1988 , 79, 352-6		90
1121	DNA polymorphisms within the porphobilinogen deaminase gene in two Swedish families with acute intermittent porphyria. 1988 , 79, 379-81		31
1120	Molecular evidence for true isochromosome 21q. 1988 , 81, 1-3		16
1119	A physical map of the apolipoprotein gene cluster on human chromosome 19. 1988 , 78, 244-7		57
1118	Cystic fibrosis: screening for a DNA deletion by field inversion gel electrophoresis. 1988 , 79, 64-7		3
1117	Mutations for the autosomal recessive and autosomal dominant forms of polycystic kidney disease are not allelic. 1988 , 79, 73-5		13

1116	Cystic fibrosis typing with DNA probes: experience of a screening laboratory. 1988 , 79, 76-9		8
1115	Molecular characterization of ataxia telangiectasia T cell clones. II. The clonal inv(14) in ataxia telangiectasia differs from the inv(14) in T cell lymphoma. 1988 , 78, 316-9		11
1114	Phenylketonuria: distribution of DNA diagnostic patterns in German families. 1988 , 78, 353-5		41
1113	X-linked cleft palate: the gene is localized between polymorphic DNA markers DXYS12 and DXS17. 1988 , 78, 356-8		16
1112	Resolution of <i>Acanthamoeba castellanii</i> chromosomes by pulsed field gel electrophoresis and construction of the initial linkage map. 1988 , 97, 219-23		13
1111	TaqI polymorphism in the LDL receptor gene and a TaqI 1.5-kb band associated with familial hypercholesterolemia. 1988 , 80, 1-5		17
1110	Nephrogenic diabetes insipidus: close linkage with markers from the distal long arm of the human X chromosome. 1988 , 80, 31-8		39
1109	Techniques for the simultaneous demonstrations of neuropeptide y gene expression and peptide storage in single neurons of the human brain. 1988 , 90, 123-7		11
1108	Regulatory region of the <i>Aspergillus nidulans</i> argB gene. 1988 , 14, 425-9		16
1107	Differential expression of <i>Ustilago maydis</i> DNA sequences during induction of nitrate reductase enzyme activity. 1988 , 14, 457-60		2
1106	Nucleotide sequences of cDNAs encoding the entire precursor polypeptides for subunits II and III of the photosystem I reaction center from spinach. 1988 , 14, 511-8		81
1105	Nucleotide sequences of cDNAs encoding four complete nuclear-encoded plastid ribosomal proteins. 1988 , 14, 519-28		43
1104	DNA rearrangement causes multiple changes in gene expression at the amylase locus in <i>Drosophila melanogaster</i> . <i>Biochemical Genetics</i> , 1988 , 26, 757-768	2.4	16
1103	Characterization of the genome of a vaccine strain of canine adenovirus type 1. 1988 , 2, 69-81		7
1102	Chromatin structure of hormone-responsive Moloney murine leukemia virus proviruses that contain sequences from mouse mammary tumor virus. 1988 , 2, 83-98		4
1101	Expression of a reporter gene resembles that of its neighbour: an insertion in the hairy gene of <i>Drosophila</i> . 1988 , 197, 507-512		11
1100	Cell-type-specific expression of a wheat-germ agglutinin gene in embryos and young seedlings of <i>Triticum aestivum</i> . 1988 , 176, 406-14		18
1099	Lectin-gene expression in pea (<i>Pisum sativum</i> L.) roots. 1988 , 173, 367-72		15

1098	Localization of the genes for tumor necrosis factor and lymphotoxin between the HLA class I and III regions by field inversion gel electrophoresis. <i>Immunogenetics</i> , 1988 , 27, 66-9	3.2	39
1097	Physical mapping of the plastid genome from the chlorophyll c-containing alga, <i>Cryptomonas</i> □ 1988 , 14, 591-598		47
1096	DNA rearrangements associated with the H3 surface antigen gene of <i>Tetrahymena thermophila</i> that occur during macronuclear development. 1988 , 14, 617-26		7
1095	Analysis of peripheral maternal blood samples for the presence of placenta-derived cells using Y-specific probes and McAb H315. 1988 , 8, 591-607		49
1094	A novel method for nucleic acid sequence determination. 1988 , 135, 303-7		250
1093	Identification and sequencing of the <i>Escherichia coli</i> <i>cet</i> gene which codes for an inner membrane protein, mutation of which causes tolerance to colicin E2. 1988 , 2, 109-19		16
1092	Mega base map of the epidermal growth factor (EGF) receptor gene flanking regions and structure of the amplification units in EGF receptor-hyperproducing squamous carcinoma cells. 1988 , 79, 1174-83		13
1091	Vincristine-resistant human cancer KB cell line and increased expression of multidrug-resistance gene. 1988 , 79, 1238-46		68
1090	Heterotransplantation of argyrophil small cell carcinoma of the uterine cervix integrating HPV16 DNA into nude mice. 1988 , 79, 1255-8		11
1089	Production of Transgenic Soybean Plants Using <i>Agrobacterium</i> -Mediated DNA Transfer. 1988 , 6, 915-922		238
1088	Detection of chromosomal 7 loss in myelodysplasia using an extremely polymorphic DNA probe. 1988 , 57, 131-4		12
1087	Ha-ras restriction fragment length polymorphisms in colorectal cancer. 1988 , 57, 135-8		28
1086	Isolation and preliminary characterisation of cDNA clones representing mRNAs associated with tumour progression and metastasis in colorectal cancer. 1988 , 57, 36-42		27
1085	Somatic rearrangement of the tropomyosin-receptor-kinase (<i>trk</i>) oncogene is rare in gastrointestinal cancer. 1988 , 57, 403-4		
1084	Organization of the <i>Euplotes crassus</i> micronuclear genome. 1988 , 35, 590-601		48
1083	Common physical map of four <i>Brucella</i> bacteriophage genomes. 1988 , 56, 177-181		7
1082	Inhibitory effect of gamma interferon on cultured human keratinocyte thrombospondin production, distribution, and biologic activities. 1988 , 91, 213-8		29
1081	Sphingosine inhibits phorbol ester-induced inflammation, ornithine decarboxylase activity, and activation of protein kinase C in mouse skin. 1988 , 91, 486-91		84

1080	Alteration of the synthesis of lipoxygenase in the early stages of soybean cotyledon culture. 1988 , 72, 127-132	8
1079	Conserved organization of the human and murine T-cell receptor beta-gene families. 1988 , 331, 543-6	361
1078	The adult T-cell receptor delta-chain is diverse and distinct from that of fetal thymocytes. 1988 , 331, 627-31	312
1077	Deletions of muscle mitochondrial DNA in patients with mitochondrial myopathies. 1988 , 331, 717-9	1577
1076	A novel potent vasoconstrictor peptide produced by vascular endothelial cells. 1988 , 332, 411-5	9556
1075	A new retinoic acid receptor identified from a hepatocellular carcinoma. 1988 , 333, 669-72	569
1074	Chronic ethanol causes heterologous desensitization of receptors by reducing alpha s messenger RNA. 1988 , 333, 848-50	202
1073	Thyroid hormone receptor alpha isoforms generated by alternative splicing differentially activate myosin HC gene transcription. 1988 , 334, 539-42	406
1072	Deletion of the human T-cell receptor delta-gene by a site-specific recombination. 1988 , 335, 170-4	158
1071	Structure and function of human perforin. 1988 , 335, 448-51	307
1070	The product of the Drosophila gene vasa is very similar to eukaryotic initiation factor-4A. 1988 , 335, 611-7	531
1069	Restoration of excitation-contraction coupling and slow calcium current in dysgenic muscle by dihydropyridine receptor complementary DNA. 1988 , 336, 134-9	717
1068	Selective localization of messenger RNA for cytoskeletal protein MAP2 in dendrites. 1988 , 336, 674-7	487
1067	Expression and localization of myelin basic protein in oligodendrocytes and transfected fibroblasts. 1988 , 51, 1737-45	53
1066	Differentiation of human neuroblastoma cells: marked potentiation of prostaglandin E-stimulated accumulation of cyclic AMP by retinoic acid. 1988 , 51, 1892-9	51
1065	Microtubule-associated cyclic AMP-dependent protein kinase in Drosophila melanogaster. 1988 , 51, 1014-22	10
1064	Preparation of both DNA and RNA for hybridization analysis from limiting quantities of lymphoid cells. 1988 , 18, 219-23	11
1063	Molecular and serological diversity of anti-DNA autoantibodies from NZB and (NZB X NZW) F1 mice. 1988 , 19, 341-9	5

1062	Production of growth factors related to fibroblast growth factor and platelet-derived growth factor by human embryonal carcinoma cells. 1988 , 24, 1209-16	8
1061	Regional assignment of human tissue factor gene (F3) to chromosome 1p21-p22. 1988 , 14, 407-10	14
1060	Assignment of human gene encoding testis-specific lactate dehydrogenase C to chromosome 11, region p14.3-p15.5. 1988 , 14, 515-8	8
1059	Deletion and hypermethylation of thymidine kinase gene in V79 Chinese hamster cells resistant to bromodeoxyuridine. 1988 , 14, 567-81	15
1058	Genetic analysis of tumorigenesis: XXXII. Localization of constitutionally amplified KRAS sequences to Chinese hamster chromosomes X and Y by in situ hybridization. 1988 , 14, 639-44	
1057	Expression of gene coding for a melanosomal matrix protein transcriptionally regulated in the transdifferentiation of chick embryo pigmented epithelial cells. 1988 , 24, 67-74	38
1056	Incidence of lineage promiscuity in acute myeloblastic leukemia: diagnostic implications of immunoglobulin and T-cell receptor gene rearrangement analysis and immunological phenotyping. 1988 , 12, 887-95	32
1055	Use of the X-chromosome linked hypoxanthine phosphoribosyl transferase gene as a marker of cell monoclonality in hemopoietic malignancies. 1988 , 12, 321-6	5
1054	Postmortem stability of DNA. 1988 , 39, 59-70	148
1053	Detection of base mutations in genomic DNA using denaturing gradient gel electrophoresis (DGGE) followed by transfer and hybridization with gene-specific probes. 1988 , 202, 77-83	29
1052	Characterization of two early promoters of cyanophage N-1. 1988 , 167, 150-5	10
1051	p39, a major baculovirus structural protein: Immunocytochemical characterization and genetic location. 1988 , 167, 407-413	50
1050	Sequence and symmetry requirements within the internal palindromic sequences of the adeno-associated virus terminal repeat. 1988 , 166, 316-27	70
1049	Sequence of mouse hepatitis virus A59 mRNA 2: indications for RNA recombination between coronaviruses and influenza C virus. 1988 , 166, 415-22	197
1048	Regulation of host RNA levels during baculovirus infection. 1988 , 166, 515-23	114
1047	Sequence of a bovine herpesvirus type-1 glycoprotein gene that is homologous to the herpes simplex gene for the glycoprotein gB. 1988 , 166, 542-9	66
1046	Identification of HPV 16 early genes retained in cervical carcinomas. 1988 , 166, 624-7	62
1045	Cloning and transcriptional analysis of a variant surface glycoprotein gene expression site in <i>Trypanosoma brucei</i> . 1988 , 28, 197-206	19

1044	Specific serodiagnosis of visceral leishmaniasis using a <i>Leishmania donovani</i> antigen identified by expression cloning. 1988 , 30, 259-70	22
1043	Amino acid sequence of the serine-repeat antigen (SERA) of <i>Plasmodium falciparum</i> determined from cloned cDNA. 1988 , 30, 279-88	100
1042	Molecular clones of alpha-tubulin genes of <i>Plasmodium yoelii</i> reveal an unusual feature of the carboxy terminus. 1988 , 30, 165-74	11
1041	Characterization of antigen-expressing <i>Plasmodium falciparum</i> cDNA clones that are reactive with parasite inhibitory antibodies. 1988 , 30, 9-18	36
1040	Mitochondrial DNA of the human malarial parasite <i>Plasmodium falciparum</i> . 1988 , 31, 11-7	64
1039	<i>Theileria parva</i> : genomic DNA studies reveal intra-specific sequence diversity. 1988 , 28, 77-83	54
1038	Glycosylation and processing of high levels of active human glucocerebrosidase in invertebrate cells using a baculovirus expression vector. 1988 , 7, 99-106	47
1037	Antigenic variation of a cysteine-rich protein in <i>Giardia lamblia</i> . 1988 , 167, 109-18	127
1036	Non-radioactive HighSens detection of nucleic acids. A novel highly sensitive DNA labeling and detection system based on digoxigenin: anti-digoxigenin enzyme-linked immuno-sorbent assay (ELISA) [1]. 1988 , 330, 305-306	4
1035	Zur Anwendung nichtradioaktiver Marker bei der In-situ-Hybridisierung. 1988 , 330, 306-307	
1034	Non-radioactive HighSens DNA labeling and detection system (Digoxigenin: anti-digoxigenin based ELISA principle). 1988 , 330, 377-378	3
1033	Identification and characterization of DNA sequences with ars-activity from the small eukaryote <i>Nanochlorum eucaryotum</i> . 1988 , 330, 378-379	
1032	The suppressive effects of recombinant human tumor necrosis factor-alpha on normal and malignant myelopoiesis: synergism with interferon-gamma. 1988 , 6, 241-61	28
1031	Vitellogenin gene expression in male rainbow trout (<i>Salmo gairdneri</i>). 1988 , 71, 359-71	100
1030	A novel human macrophage-activating factor: distinction from interferon-gamma (IFN-gamma) and granulocyte-macrophage colony-stimulating factor (GM-CSF). 1988 , 113, 361-75	3
1029	Immature CD4- CD8+ murine thymocytes. 1988 , 113, 462-79	84
1028	Regulation of HLA-DR, DP, and DQ expression in activated T cells. 1988 , 117, 22-34	31
1027	A major 50-kDa human B-cell growth factor-II induces both Tac antigen expression and proliferation by several types of lymphocytes. 1988 , 111, 273-86	5

- 1026 Accessory cell function of human melanoma cells in mitogen-induced T cell proliferation. **1988**, 116, 149-62 3
- 1025 Increased metallothionein gene expression in 5-aza-2L-deoxycytidine-induced resistance to cadmium cytotoxicity. **1988**, 66, 189-204 23
- 1024 Deoxyribonuclease I sensitivity of the T-DNA ipt gene is associated with gene expression. **1988**, 27, 5748-54 22
- 1023 Relationships between the gene and protein structure in human complement component C9. **1988**, 27, 6529-34 41
- 1022 Cellular induction of chronic allotype suppression of IgG2a in Ighb/b homozygous mice and its abrogation by in vivo treatment with anti-CD8 monoclonal antibody. **1988**, 168, 891-904 16
- 1021 cDNA cloning of the Octopus dofleini hemocyanin: sequence of the carboxyl-terminal domain. **1988**, 27, 7276-82 30
- 1020 Amastigotes of Trypanosoma cruzi sustain an infective cycle in mammalian cells. **1988**, 168, 649-59 118
- 1019 An HLA-D region restriction fragment associated with refractory Behçet's disease. **1988**, 105, 528-33 13
- 1018 Familial mitochondrial encephalomyopathy (MERRF): genetic, pathophysiological, and biochemical characterization of a mitochondrial DNA disease. **1988**, 55, 601-10 467
- 1017 Isolation and characterization of the gene encoding the alpha-subunit of the rat pituitary glycoprotein hormones. **1988**, 70, 67-74 36
- 1016 Isolation and characterization of cloned cDNAs that code for human ribosomal protein S6. **1988**, 65, 31-9 18
- 1015 Two thyroid hormone regulated genes, the beta-subunits of nerve growth factor (NGFB) and thyroid stimulating hormone (TSHB), are located less than 310 kb apart in both human and mouse genomes. **1988**, 3, 161-7 24
- 1014 Chromosomal distribution of the RTVL-H family of human endogenous retrovirus-like sequences. **1988**, 2, 280-7 27
- 1013 A Drosophila melanogaster gene encodes a protein homologous to the mouse t complex polypeptide 1. **1988**, 68, 267-74 44
- 1012 Aspergillus nidulans contains a single actin gene which has unique intron locations and encodes a gamma-actin. **1988**, 70, 283-93 211
- 1011 Developmental changes of the content of acetyl-CoA carboxylase mRNA in chicken liver. **1988**, 266, 313-8 35
- 1010 Transcriptional regulation of myeloperoxidase gene expression in myeloid leukemia HL-60 cells during differentiation into granulocytes and macrophages. **1988**, 262, 599-604 35
- 1009 Relationships between reversion of hydroxyurea resistance in hamster cells and the co-amplification of ribonucleotide reductase M2 component, ornithine decarboxylase and P5-8 genes. **1988**, 154, 975-81 5

1008	Chromosome 5 allele loss at the glucocorticoid receptor locus in human colorectal carcinomas. 1988 , 150, 591-8	35
1007	Modulation of c-myc by transforming growth factor-beta in human colon carcinoma cells. 1988 , 150, 711-6	52
1006	Expression of heme oxygenase gene in rat and human liver. 1988 , 150, 717-22	31
1005	Isolation and partial characterization of the gene for cytochrome P-450 3a (P-450ALC) and a second closely related gene. 1988 , 150, 10-7	14
1004	n-Butyrate increases c-erb A oncogene expression in human colon fibroblasts. 1988 , 150, 259-62	4
1003	Co-localization of LH beta and FSH beta mRNAs in the porcine anterior pituitary by in situ hybridization with biotinylated probes. 1988 , 154, 80-4	21
1002	Identification of a cDNA clone for the beta-subunit of the pyruvate dehydrogenase component of human pyruvate dehydrogenase complex. 1988 , 150, 904-8	28
1001	The Giardia lamblia trophozoite contains sets of closely related chromosomes. 1988 , 16, 4555-67	90
1000	Klinefelter's syndrome: an analysis of the origin of the additional sex chromosome using molecular probes. 1988 , 52, 93-109	133
999	Temporal and spatial analysis of cartilage proteoglycan core protein gene expression during limb development by in situ hybridization. 1988 , 126, 337-45	75
998	The role of cell interactions in the differentiation of teratocarcinoma-derived parietal and visceral endoderm. 1988 , 129, 124-39	45
997	Molecular consequences of awdb3, a cell-autonomous lethal mutation of Drosophila induced by hybrid dysgenesis. 1988 , 129, 169-78	107
996	Anti-sense inhibition of tissue plasminogen activator production in differentiated F9 teratocarcinoma cells. 1988 , 129, 408-16	10
995	Genes expressed during imaginal disc morphogenesis: IMP-E1, a gene associated with epithelial cell rearrangement. 1988 , 129, 428-38	29
994	Genes with specific functions in the ovarian follicles of Calliphora erythrocephala (Diptera). 1988 , 129, 449-63	7
993	Induction of microsomal epoxide hydrolase by nitrosamines in rat liver. Effect on messenger ribonucleic acids. 1988 , 37, 297-302	12
992	Cell cycle phase-specific cDNA libraries reflecting phase-specific gene expression of Ehrlich ascites cells growing in vivo. 1988 , 174, 199-214	15
991	Decline in c-myc mRNA expression but not the induction of c-fos mRNA expression is associated with differentiation of SH-SY5Y human neuroblastoma cells. 1988 , 179, 10-7	31

990	Expression of c-src and c-abl in embryonal carcinoma cells and adult mouse tissues. 1988 , 179, 214-21	16
989	Opsin, G-protein and 48-kDa protein in normal and rd mouse retinas: developmental expression of mRNAs and proteins and light/dark cycling of mRNAs. 1988 , 47, 369-90	142
988	The isolation of a gene encoding interphotoreceptor retinoid-binding protein. 1988 , 47, 825-38	18
987	Plasmodium falciparum: molecular analysis of a putative protective antigen, the thermostable 96-kDa protein. 1988 , 65, 69-83	30
986	Chromosomal localization of the gene coding for the beta-subunit of Na ⁺ ,K ⁺ -ATPase in the American mink (<i>Mustela vison</i>). 1988 , 236, 240-2	5
985	Nucleotide sequence of a cDNA for the dihydrolipoamide acetyltransferase component of human pyruvate dehydrogenase complex. 1988 , 240, 45-8	79
984	Two isoforms of protein phosphatase 1 may be produced from the same gene. 1988 , 232, 17-23	95
983	Isolation and analysis of the mouse opsin gene. 1988 , 238, 253-6	79
982	Murine mRNA for the beta-subunit of integrin is increased in BALB/c-3T3 cells entering the G1 phase from the G0 state. 1988 , 238, 315-9	38
981	The primary structure of the 70 kDa subunit of bovine soluble guanylate cyclase. 1988 , 239, 29-34	121
980	The high-molecular-mass kininogen deficient rat expresses all kininogen mRNA species, but does not export the high-molecular-mass kininogen synthesized. 1988 , 239, 59-64	18
979	Characterization of an intronless human calmodulin-like pseudogene. 1988 , 239, 121-8	44
978	A physiological delay in human fetal hemoglobin switching is associated with specific globin DNA hypomethylation. 1988 , 228, 139-43	8
977	Cloning and characterization of the human gene for the alpha-subunit of Gi2, a GTP-binding signal transduction protein. 1988 , 232, 333-40	51
976	Tissue plasminogen activator mRNA in murine tissues. 1988 , 229, 100-6	40
975	Increased calmodulin synthesis in the pre-replicative phase of rat liver regeneration. 1988 , 231, 445-50	19
974	Islet amyloid polypeptide: identification and chromosomal localization of the human gene. 1988 , 239, 227-32	98
973	Identification of a novel protein phosphatase catalytic subunit by cDNA cloning. 1988 , 242, 106-10	49

972	The synthesis of human alpha-2-HS glycoprotein is down-regulated by cytokines in hepatoma HepG2 cells. 1988 , 241, 191-4	83
971	Characterisation of the D1 protein in a photosystem II mutant (LF-1) of <i>Scenedesmus obliquus</i> blocked on the oxidising side Evidence supporting non-processing of D1 as the cause of the lesion. 1988 , 235, 109-116	28
970	A third human CALC (pseudo)gene on chromosome 11. 1988 , 233, 57-63	18
969	Expression and rescue of a nonselected marker from an integrated AAV vector. 1988 , 166, 154-65	26
968	Site-directed mutagenesis of the polyomavirus genome: replication-defective large T mutants with increased immortalization potential. 1988 , 162, 144-50	10
967	Interferon treatment inhibits onset of herpes simplex virus immediate-early transcription. 1988 , 164, 201-10	88
966	Collagen chain mRNAs in isolated heart cells from young and adult rats. 1988 , 20, 267-76	198
965	cDNA cloning and sequencing of a new gene intensely expressed in early differentiation stages of embryonal carcinoma cells and in mid-gestation period of mouse embryogenesis. 1988 , 151, 1312-8	438
964	Large-cell hematolymphoid neoplasms of uncertain lineage. 1988 , 19, 967-73	50
963	Absence of B-cell or T-cell clonal expansion in nodular, lymphocyte predominant Hodgkin's disease. 1988 , 19, 591-4	25
962	Primary B-cell lymphoma of salivary glands and its relationship to myoepithelial sialadenitis. 1988 , 19, 766-76	328
961	A case of synovial sarcoma with abnormal expression of the human retinoblastoma susceptibility gene. 1988 , 19, 487-9	27
960	Immunoglobulin and T-cell receptor genes in thymomas: genotypic evidence supporting the nonneoplastic nature of the lymphocytic component. 1988 , 19, 323-8	16
959	slit: an EGF-homologous locus of <i>D. melanogaster</i> involved in the development of the embryonic central nervous system. 1988 , 55, 1047-59	234
958	Molecular analysis of the cDNA for human SPARC/osteonectin/BM-40: sequence, expression, and localization of the gene to chromosome 5q31-q33. 1988 , 2, 37-47	138
957	Association of cytomegalovirus infection with autoimmune type 1 diabetes. 1988 , 2, 1-4	216
956	Cloning and sequencing of the gene encoding the phosphatidylcholine-preferring phospholipase C of <i>Bacillus cereus</i> . 1988 , 65, 293-304	100
955	Genetic variation in the apolipoprotein AI-CIII-AIV gene cluster and coronary heart disease. 1988 , 73, 125-33	64

954	A sensitive dot blot procedure for detecting mRNA in lymphoid cells grown in liquid culture. 1988 , 107, 165-77	4
953	Non-autogenous control of ribosomal protein synthesis from the trmD operon in Escherichia coli. 1988 , 203, 141-52	32
952	Erythromycin-induced stabilization of ermA messenger RNA in Staphylococcus aureus and Bacillus subtilis. 1988 , 203, 905-15	60
951	Molecular characterization of the A/J J558 family of heavy chain variable region gene segments. 1988 , 202, 383-95	37
950	Gene transfer in tilapia (Oreochromis niloticus). 1988 , 68, 209-219	74
949	Phagocyte-mediated carcinogenesis: DNA from phagocyte-transformed C3H 10T1/2 cells can transform NIH/3T3 cells. 1988 , 551, 103-9; discussion 110	13
948	Vaccination trials in rhesus monkeys with a minor, invariant, Plasmodium knowlesi 66 kD merozoite antigen. 1988 , 10, 535-52	151
947	The distribution and divergence of DNA sequences related to the Tn21 and Tn501 mer operons. 1988 , 20, 127-36	32
946	A single amino acid difference between Rep proteins of P1 and P7 affects plasmid copy number. 1988 , 19, 121-33	12
945	Hybridoma fusion cell lines contain an aberrant kappa transcript. 1988 , 25, 991-5	111
944	Antigen induced rheumatoid factors: characteristics of monoclonal rheumatoid factors produced after protein and carbohydrate immunization. 1988 , 25, 285-94	9
943	Mutagenicity of acrylonitrile and its metabolite 2-cyanoethylene oxide in human lymphoblasts in vitro. 1988 , 206, 297-305	31
942	Expression of myelin basic protein mRNA and polypeptides in mouse oligodendrocytes in culture: differential regulation by genetic and epigenetic factors. 1988 , 467, 183-91	12
941	Developmental expression of proenkephalin mRNA in rat striatum and in striatal cultures. 1988 , 468, 311-4	45
940	Chromosomal localization of amplified c-myc in a human colon adenocarcinoma cell line with a biotinylated probe. 1988 , 33, 245-9	4
939	myb oncogene in human hematopoietic neoplasia with 6q- anomaly. 1988 , 33, 83-92	13
938	Molecular and clinical investigations in Philadelphia chromosome-negative chronic myelogenous leukemia. 1988 , 33, 119-26	9
937	Breakpoint zone of bcr in chronic myelogenous leukemia does not correlate with disease phase or prognosis. 1988 , 36, 117-22	19

936	Hu-ets-1 gene in congenital leukemia with t(11;19)(q23;p13). 1988 , 30, 233-8	11
935	Analysis of DNA from cells fixed in Carnoy's solution for cytogenetic study. 1988 , 34, 159-63	10
934	The use of ELISA and nonradioactive DNA hybridization assays for the detection of human cytomegalovirus. 1988 , 19, 289-98	7
933	Isolation and characterization of a cDNA for mitochondrial manganese superoxide dismutase (SOD-3) of maize and its relation to other manganese superoxide dismutases. 1988 , 951, 61-70	57
932	Characterization of catalase transcripts and their differential expression in maize. 1988 , 951, 104-16	93
931	Expression of transfected human CuZn superoxide dismutase gene in mouse L cells and NS20Y neuroblastoma cells induces enhancement of glutathione peroxidase activity. 1988 , 949, 58-64	64
930	Sequence homologies in the mouse protamine 1 and 2 genes. 1988 , 950, 45-53	96
929	Characterization of a cDNA for human glutathione-insulin transhydrogenase (protein-disulfide isomerase/oxidoreductase). 1988 , 949, 169-80	11
928	Presence of transcription signals in two putative DNA replication origins of human cells. 1988 , 951, 430-42	22
927	Transcriptional deviation of the rat insulin-like growth factor II gene initiated at three alternative leader-exons between neonatal tissues and ascites hepatomas. 1988 , 950, 411-9	31
926	Expression of lupin nodulin genes during root nodule development. 1988 , 55, 145-149	22
925	Detection of glia-derived nexin in the olfactory system of the rat. 1988 , 1, 387-94	106
924	Effects of FSH and IGF-I on immature rat Sertoli cells: inhibin alpha- and beta-subunit mRNA levels and inhibin secretion. 1988 , 55, 101-5	83
923	Pax 1, a member of a paired box homologous murine gene family, is expressed in segmented structures during development. 1988 , 53, 617-25	282
922	A long-range restriction map encompassing the cystic fibrosis locus and its closely linked genetic markers. 1988 , 2, 337-45	38
921	Structure and evolution of somatostatin genes. 1988 , 2, 209-16	37
920	Efficient transformation of mammalian cells with constructs containing a puromycin-resistance marker. 1988 , 62, 121-6	138
919	Transfection of primary human skin fibroblasts by electroporation. 1988 , 68, 167-72	15

918	Isolation of a putative phospholipase C gene of <i>Drosophila</i> , norpA, and its role in phototransduction. 1988 , 54, 723-33	593
917	Cloning and sequencing of cDNA for the rat plasminogen activator inhibitor-1. 1988 , 73, 459-68	125
916	Glycosylation site binding protein, a component of oligosaccharyl transferase, is highly similar to three other 57 kd luminal proteins of the ER. 1988 , 54, 1053-60	164
915	Cloning and DNA sequence analysis of the cDNA for the precursor of porcine follicle stimulating hormone (FSH) beta subunit. 1988 , 55, 107-12	44
914	The hemopexin gene maps to the same location as the beta-globin gene cluster on human chromosome 11. 1988 , 3, 48-52	11
913	Injection of mitochondria into human cells leads to a rapid replacement of the endogenous mitochondrial DNA. 1988 , 52, 811-9	225
912	Early events in murine erythroleukemia cells induced to differentiate. Accumulation and gene expression of the transformation-associated cellular protein p53. 1988 , 200, 55-64	38
911	Co-transformation of Non-selectable Higher Plant Genes into <i>Aspergillus nidulans</i> : Transfer of a <i>Vicia faba</i> Legumin B Gene. 1988 , 183, 243-250	2
910	Cloning and expression of the pneumococcal neuraminidase gene in <i>Escherichia coli</i> . 1988 , 71, 299-305	31
909	Protein kinase C is required for responses to T cell receptor ligands but not to interleukin-2 in T cells. 1988 , 55, 101-12	177
908	Transformation of human cells by a polyomavirus containing complementing JCV and RFV genomes. 1988 , 11, 109-25	7
907	Transient increases and individual variations in preprocholecystokinin gene expression in rat telencephalic regions during postnatal development: a quantitative comparison between preprocholecystokinin mRNA and preproenkephalin mRNA. 1988 , 464, 87-96	27
906	Calcitonin gene-related peptide messenger RNA is expressed in sensory neurones of the dorsal root ganglia and also in spinal motoneurones in man and rat. 1988 , 91, 283-8	109
905	[84] Isolation of genes encoding components of photosynthetic apparatus. 1988 , 167, 755-765	26
904	Effects of epidermal growth factor and insulin-like growth factor I on the levels of mRNA encoding aromatase cytochrome P-450 of human ovarian granulosa cells. 1988 , 59, 93-9	127
903	Screening of Israeli Holstein-Friesian cattle for restriction fragment length polymorphisms using homologous and heterologous deoxyribonucleic acid probes. 1988 , 71, 3378-89	7
902	Further studies of gene deletions that cause Duchenne and Becker muscular dystrophies. 1988 , 2, 109-14	158
901	Genetic linkage map of human chromosome 21. 1988 , 3, 129-36	121

900	Multiple products of the Drosophila Shaker gene may contribute to potassium channel diversity. 1988 , 1, 421-30	290
899	cDNA cloning and primary structure determination of the peroxisomal trifunctional enzyme hydratase-dehydrogenase-epimerase from the yeast <i>Candida tropicalis</i> pK233. 1988 , 69, 171-80	66
898	Neurofilament gene expression following beta,betaLiminodipropionitrile (IDPN) intoxication. 1988 , 464, 293-301	20
897	Spec2 genes of <i>Strongylocentrotus purpuratus</i> . Structure and differential expression in embryonic aboral ectoderm cells. 1988 , 202, 417-31	65
896	A promoter of the rat insulin-like growth factor II gene consists of minimal control elements. 1988 , 199, 61-81	84
895	Development of large DNA methods for plants: molecular cloning of large segments of <i>Arabidopsis</i> and carrot DNA into yeast. 1988 , 16, 11091-105	89
894	Rescue of Daudi cell HLA expression by transfection of the mouse beta 2-microglobulin gene. 1988 , 167, 288-99	81
893	The effect of hypophysectomy on inhibin production by adult rat ovaries: changes in ovarian inhibin gene expression and serum inhibin. 1988 , 2, 223-32	6
892	Sequence and expression of NUC1, the gene encoding the mitochondrial nuclease in <i>Saccharomyces cerevisiae</i> . 1988 , 16, 3297-312	87
891	Attenuated cold-induced increase in mRNA for uncoupling protein in brown adipose tissue of obese (<i>ob/ob</i>) mice. 1988 , 66, 193-8	15
890	Asialoglycoprotein receptor genes are linked on chromosome 11 in the mouse. 1988 , 7, 721-8	15
889	Expression of a P-glycoprotein gene is inducible in a multidrug-resistant human leukemia cell line. 1988 , 155, 754-60	41
888	A supersensitive dot-hybridization method: rapid and quantitative detection of host-derived DNA in recombinant products at the one picogram level. 1988 , 152, 9-14	9
887	Transforming growth factor alpha (TGF alpha) induction of C-FOS and C-MYC expression in C3H 10T1/2 cells. 1988 , 152, 216-22	22
886	Rapid and transient induction of c-fos, c-myc and c-Ha-ras in rat liver following glycine administration. 1988 , 152, 252-6	5
885	Bovine liver cDNA clones encoding a precursor of the alpha-subunit of the mitochondrial ATP synthase complex. 1988 , 152, 264-9	21
884	Evidence of gene amplification in tunicamycin-resistant Chinese hamster ovary cells. 1988 , 156, 1063-9	10
883	Molecular cloning of the nosiheptide resistance gene from <i>Streptomyces actuosus</i> ATCC 25421. 1988 , 156, 517-23	12

882	Cloning and characterization of a cDNA encoding bovine endonexin (chromobindin 4). 1988 , 156, 660-7	33
881	Cloning and sequencing of a cDNA for human mitochondrial ubiquinone-binding protein of complex III. 1988 , 156, 987-94	29
880	Organization of the gene encoding the insulin-like growth factor binding protein IBP-1. 1988 , 157, 898-907	44
879	Alkylation of individual genes in rat liver by the carcinogen N-nitrosodimethylamine. 1988 , 155, 14-7	16
878	Molecular cloning and characterization of novel prostate antigen cDNAs. 1988 , 155, 181-8	83
877	Increase in the relative abundance of preproenkephalin A messenger RNA in the ventricles of cardiomyopathic hamsters. 1988 , 155, 449-54	30
876	Cloning, structure and expression of a cDNA encoding the human androgen receptor. 1988 , 153, 241-8	296
875	Mitochondrial DNA in anucleate human blood cells. 1988 , 155, 1360-5	79
874	A study of autism using X chromosome DNA probes. 1988 , 24, 473-9	5
873	The in vitro translation product of the murine lambda 5 gene contains a functional signal peptide. 1988 , 25, 687-93	14
872	In situ detection of interleukin-1 mRNA in human monocytes. 1988 , 25, 439-45	9
871	Functioning haemoglobin genes in non-nodulating plants. 1988 , 331, 178-80	189
870	Expression of functional human interleukin-2 receptors in murine interleukin-3-dependent cells. 1988 , 66 (Pt 4), 319-30	
869	Localization of the human prostatic secretory protein PSP94 and its mRNA in the epithelial cells of the prostate. 1988 , 9, 253-60	24
868	Genetic characterization and use of a restriction fragment length variant in the hypotrichous ciliate <i>Euplotes crassus</i> . 1988 , 35, 459-65	18
867	Time of replication of yeast centromeres and telomeres. 1988 , 54, 505-13	269
866	The brown protein of <i>Drosophila melanogaster</i> is similar to the white protein and to components of active transport complexes. 1988 , 8, 5206-15	206
865	Analysis of alpha-fetoprotein gene expression in hepatocellular carcinoma and liver cirrhosis by in situ hybridization. 1988 , 62, 1105-12	40

864	Synthesis and secretion of insulin-like growth factor II by a leiomyosarcoma with associated hypoglycemia. 1988 , 319, 1434-40	282
863	Isolation and characterization of an autonomously replicating sequence from <i>Ustilago maydis</i> . 1988 , 8, 3703-9	260
862	Molecular polymorphism of various HLA-D subregions and rheumatoid arthritis. 1988 , 139, 41-53	2
861	Detection of enterotoxigenic <i>Escherichia coli</i> in piggeries in Victoria by DNA hybridisation using K88, K99, LT, ST1 and ST2 probes. 1988 , 16, 273-81	22
860	HLA-DP typing by analysis of DNA restriction fragment length polymorphisms in the HLA-DP beta subregion. 1988 , 21, 239-48	26
859	Molecular characterization of a spontaneously generated new allele at a VNTR locus: no exchange of flanking DNA sequence. 1988 , 3, 347-51	142
858	Expression in yeast of a <i>Bacillus</i> alpha-amylase gene by the ADH1 promoter. 1988 , 7, 33-47	9
857	Expression and properties of prochymosin derivatives containing extensions of various length in the pro-part. 1988 , 67, 131-6	5
856	Mitotic recombination in the rDNA of <i>S. cerevisiae</i> is suppressed by the combined action of DNA topoisomerases I and II. 1988 , 55, 413-25	279
855	Regional assignment of the gene for human liver/bone/kidney alkaline phosphatase to chromosome 1p36.1-p34. 1988 , 2, 139-43	91
854	cDNA cloning and sequence analysis of a chicken gene expressed during the gonadal development and homologous to mammalian cytochrome P-450c17. 1988 , 66, 77-85	66
853	Multiple forms of beta-amyloid peptide precursor RNAs in a single cell type. 1988 , 9, 333-8	21
852	A high-efficiency vector for expression of foreign genes in myeloma cells. 1988 , 64, 43-51	15
851	Hyaluronidase enhances cell fusion and synthesis of viral DNA during infection with caprine arthritis encephalitis virus. 1988 , 5, 399-406	1
850	Sodium channel expression and assembly during development of retinal ganglion cells. 1988 , 1, 727-37	51
849	Detection of cytomegalovirus by dot-blot DNA hybridization using probes labelled with ³² P by nick translation or random hexanucleotide priming. 1988 , 2, 181-8	5
848	Extremely conserved histone H4 N terminus is dispensable for growth but essential for repressing the silent mating loci in yeast. 1988 , 55, 27-39	413
847	Selective messenger RNA reduction in Alzheimer's disease. 1988 , 427, 255-61	68

846	Statistical positioning of nucleosomes by specific protein-binding to an upstream activating sequence in yeast. 1988 , 204, 109-27	255
845	Isolation of cDNA clones coding for mitochondrial 16S ribosomal RNA from the crustacean <i>Artemia</i> . 1988 , 68, 239-48	24
844	Regional localization of mouse <i>Abl</i> and <i>Mos</i> proto-oncogenes by in situ hybridization. 1988 , 3, 82-6	24
843	<i>Agrobacterium</i> Transformation of Eggplant. 1988 , 133, 52-55	56
842	Isolation of a phytoalexin-detoxification gene from the plant pathogenic fungus <i>Nectria haematococca</i> by detecting its expression in <i>Aspergillus nidulans</i> . 1988 , 68, 335-44	75
841	Cloning and expression of the rat prolactin receptor, a member of the growth hormone/prolactin receptor gene family. 1988 , 53, 69-77	501
840	The <i>C. elegans</i> cell lineage and differentiation gene <i>unc-86</i> encodes a protein with a homeodomain and extended similarity to transcription factors. 1988 , 55, 757-69	310
839	Human hypoxanthine-guanine phosphoribosyltransferase: a single nucleotide substitution in cDNA clones isolated from a patient with Lesch-Nyhan syndrome (HPRTMidland). 1988 , 68, 85-91	28
838	<i>Drosophila</i> substrate adhesion molecule: sequence of laminin B1 chain reveals domains of homology with mouse. 1988 , 53, 463-73	148
837	Multilocus molecular mapping of the mouse X chromosome. 1988 , 3, 187-94	64
836	Aluminum neurotoxicity: altered expression of cytoskeletal genes. 1988 , 427, 115-21	79
835	Genomic organization of tRNA and aminoacyl-tRNA synthetase genes for two amino acids in <i>Saccharomyces cerevisiae</i> . 1988 , 3, 201-6	3
834	DNA gyrase on the bacterial chromosome. Oxolinic acid-induced DNA cleavage in the <i>dnaA-gyrB</i> region. 1988 , 201, 229-33	37
833	Plastocyanin of <i>Arabidopsis thaliana</i> ; isolation and characterization of the gene and chloroplast import of the precursor protein. 1988 , 65, 59-69	54
832	Sites of topoisomerase I action on <i>X. laevis</i> ribosomal chromatin: transcriptionally active rDNA has an approximately 200 bp repeating structure. 1988 , 52, 585-97	72
831	Differential splicing of MAG transcripts during CNS and PNS development. 1988 , 464, 143-55	61
830	Four new DNA markers are assigned to the WAGR region of 11p13: isolation and regional assignment of 112 chromosome 11 anonymous DNA segments. 1988 , 3, 264-71	24
829	Yeast gene SRP1 (serine-rich protein). Intragenic repeat structure and identification of a family of SRP1-related DNA sequences. 1988 , 202, 455-70	38

828	Genomic analysis identifies class II mismatches in serologically DR-compatible human renal allografts. 1988 , 23, 191-206	4
827	Long range physical map of the Wilms tumor-aniridia region on human chromosome 11. 1988 , 55, 827-36	95
826	Subunit Va of human and bovine cytochrome c oxidase is highly conserved. 1988 , 69, 245-56	44
825	Differential expression of alpha-CGRP and beta-CGRP by primary sensory neurons and enteric autonomic neurons of the rat. 1988 , 25, 195-205	270
824	Cloning of human GAP-43: growth association and ischemic resurgence. 1988 , 1, 133-9	127
823	Sequence analysis and in vitro expression of a cDNA clone of genome segment 5 from bluetongue virus, serotype 1 from South Africa. 1988 , 11, 227-40	26
822	Development of DNA probes for <i>Candida albicans</i> . 1988 , 10, 171-9	17
821	Prenatal testing for Duchenne and Becker muscular dystrophy. 1988 , 1, 262-6	22
820	Nuclear oncogene amplification or rearrangement is not involved in human colorectal malignancies. 1988 , 24, 1321-8	14
819	Molecular cloning of a cDNA for the developmentally regulated brain protein, drebrin. 1988 , 464, 71-4	43
818	PERSISTENT VIRUS INFECTION AND TYPE 1 DIABETES. 1988 , 332, 450-451	
817	Regional localization of the human genes for aldehyde dehydrogenase-1 and aldehyde dehydrogenase-2. 1988 , 2, 267-9	42
816	Quality of life on angina therapy: a randomised controlled trial of transdermal glyceryl trinitrate against placebo. 1988 , 2, 4-8	71
815	Nucleotide sequences of the L24/L5 intergenic region of <i>Proteus vulgaris</i> , <i>Serratia marcescens</i> and <i>Salmonella typhimurium</i> . 1988 , 204, 326-329	
814	Polypeptide variation in an N-CAM extracellular immunoglobulin-like fold is developmentally regulated through alternative splicing. 1988 , 1, 1007-17	109
813	Boundaries of telomere conversion in <i>Trypanosoma brucei</i> . 1988 , 69, 1-11	36
812	Retroviral DNA integration: structure of an integration intermediate. 1988 , 54, 497-504	354
811	Regional localization of the autosomal dominant polycystic kidney disease locus. 1988 , 3, 150-5	72

810	Kallikrein gene expression in estrogen-induced pituitary tumors. 1988 , 60, 225-32	24
809	Tissue-specific regulation of guinea pig lipoprotein lipase; effects of nutritional state and of tumor necrosis factor on mRNA levels in adipose tissue, heart and liver. 1988 , 64, 97-106	91
808	A deduced gene product from the <i>Drosophila</i> neurogenic locus, enhancer of split, shows homology to mammalian G-protein beta subunit. 1988 , 55, 785-95	195
807	Isolation and molecular characterization of a highly polymorphic centromeric tandem repeat in the family Falconidae. 1988 , 2, 14-24	251
806	Molecular genetics of the single-minded locus: a gene involved in the development of the <i>Drosophila</i> nervous system. 1988 , 52, 133-41	231
805	Human GAP-43: its deduced amino acid sequence and chromosomal localization in mouse and human. 1988 , 1, 127-32	109
804	Epitope recognition by a DP alpha chain-specific monoclonal antibody (DP11.1) is influenced by the interaction between the DP alpha chain and its polymorphic DP beta chain partner. 1988 , 23, 37-44	11
803	Proto-oncogenes and embryonic development. 1988 , 70, 895-8	3
802	Expression of L- and M-type pyruvate kinase in human tissues. 1988 , 2, 86-9	34
801	Cloning and functional expression in bacteria of a novel glucose transporter present in liver, intestine, kidney, and beta-pancreatic islet cells. 1988 , 55, 281-90	744
800	Characterization of a high-molecular-weight phosphoprotein synthesized by the human malarial parasite <i>Plasmodium falciparum</i> . 1988 , 64, 65-75	21
799	Chronic exposure to opiate agonists increases proenkephalin biosynthesis in NG108 cells. 1988 , 427, 141-6	20
798	Expression of cDNA encoding the human "protective protein" associated with lysosomal beta-galactosidase and neuraminidase: homology to yeast proteases. 1988 , 54, 755-64	217
797	Seven polymorphic loci mapping to human chromosomal region 11q22-qter. 1988 , 2, 66-75	25
796	Reactivation of the methylation-inactivated late E2A promoter of adenovirus type 2 by E1A (13 S) functions. 1988 , 202, 255-70	69
795	The nucleotide sequence and in situ localization of a gene for a dimeric haemoglobin from the midge <i>Chironomus thummi piger</i> . 1988 , 64, 297-304	22
794	The human "interferon-beta 2/hepatocyte stimulating factor/interleukin-6" gene: DNA polymorphism studies and localization to chromosome 7p21. 1988 , 3, 8-16	143
793	SPA1: a gene important for chromosome segregation and other mitotic functions in <i>S. cerevisiae</i> . 1988 , 54, 743-54	62

792	Construction and quality of cDNA libraries prepared from cytoplasmic RNA not enriched in poly(A)+RNA. 1988 , 71, 157-64	16
791	Structure of the gene encoding the beta-subunit of chicken prolyl 4-hydroxylase. 1988 , 71, 451-60	11
790	Structures of two kinds of mRNA encoding the chum salmon melanin-concentrating hormone. 1988 , 71, 433-8	49
789	Functional expression of a sequence-specific endonuclease encoded by the retrotransposon R2Bm. 1988 , 55, 235-46	148
788	Induction of transforming growth factor-alpha in activated human alveolar macrophages. 1988 , 53, 285-93	315
787	Atrial natriuretic factor (ANF) gene expression in the Brattleboro rat. 1988 , 9, 817-24	6
786	A chromosomal integration system for stabilization of heterologous genes in Salmonella based vaccine strains. 1988 , 5, 407-18	94
785	The structure of the human thyrotropin beta-subunit gene. 1988 , 73, 489-97	33
784	Human M2-type pyruvate kinase: cDNA cloning, chromosomal assignment and expression in hepatoma. 1988 , 73, 509-16	55
783	Cloning and expression of the phospho-beta-galactosidase genes on the lactose plasmid and the chromosome of Lactobacillus casei C257 in Escherichia coli. 1988 , 70, 523-9	13
782	Structural analysis of mouse S-antigen. 1988 , 73, 11-20	36
781	Cloning and expression of human nebulin cDNAs and assignment of the gene to chromosome 2q31-q32. 1988 , 2, 249-56	32
780	Detection of toxigenic Escherichia coli using biotin-labelled DNA probes following enzymatic amplification of the heat labile toxin gene. 1988 , 2, 47-57	31
779	The dominant-white spotting (W) locus of the mouse encodes the c-kit proto-oncogene. 1988 , 55, 185-92	1117
778	A single rat genomic DNA fragment encodes both the oxytocin and vasopressin genes separated by 11 kilobases and oriented in opposite transcriptional directions. 1988 , 70, 649-54	49
777	TAP transcription and phosphatidylinositol linkage mutants are defective in activation through the T cell receptor. 1988 , 52, 665-74	106
776	Clones from an 840-kb fragment containing the 5Lregion of the DMD locus enriched by pulsed field gel electrophoresis. 1988 , 3, 177-86	14
775	Genetic mapping and analysis of somatostatin expression in Snell dwarf mice. 1988 , 464, 283-92	38

774	Stable expression of immunoglobulin gene V(D)J recombinase activity by gene transfer into 3T3 fibroblasts. 1988 , 53, 107-15	153
773	Expression of human papillomavirus type 6b E2 gene product with DNA-binding activity in insect (<i>Bombyx mori</i>) cells using a baculovirus expression vector. 1988 , 65, 187-93	6
772	A 10-megabase physical map of human Xp21, including the Duchenne muscular dystrophy gene. 1988 , 2, 189-202	114
771	Remodeling of the involucrin gene during primate evolution. 1988 , 54, 491-6	64
770	Effects of oestrogen on the expression of a 4.4 kb mRNA in the ZR-75-1 human breast cancer cell line. 1988 , 59, 205-12	68
769	Induction of the defense-related glucanohydrolases, α 1,3-glucanase and chitinase, by tobacco mosaic virus infection of tobacco leaves. 1988 , 54, 171-176	94
768	T cell hybridomas define the class II MHC-restricted response to vesicular stomatitis virus infection. 1988 , 5, 319-32	13
767	Altered growth regulation and enhanced tumorigenicity of NIH 3T3 fibroblasts transfected with protein kinase C-I cDNA. 1988 , 52, 447-58	274
766	Primary structure of the cytochrome P450 lanosterol 14 alpha-demethylase gene from <i>Candida tropicalis</i> . 1988 , 7, 617-26	44
765	Constitutive attachment of murine erythroleukemia cell histone-depleted DNA loops to nuclear scaffolding is found in the beta-major but not the alpha 1-globin gene. 1988 , 7, 601-7	14
764	Société Belge De Biochimie Belgische Vereniging Voor Biochemie. 1988 , 96, B129-B199	
763	New Developments in Biosciences: Their Implications for Laboratory Animal Science. 1988 ,	1
762	A constitutive member of the rat cytochrome P450IIB subfamily: full-length coding sequence of the P450IIB3 cDNA. 1988 , 7, 253-60	34
761	A physical map of the human regulator of complement activation gene cluster linking the complement genes CR1, CR2, DAF, and C4BP. 1988 , 167, 664-9	131
760	Transformation of <i>Drosophila melanogaster</i> with a suppressor tRNA gene (Sup3e tRNA(SerUGA)) from <i>Schizosaccharomyces pombe</i> . 1988 , 30, 211-7	3
759	Human aromatase: cDNA cloning, Southern blot analysis, and assignment of the gene to chromosome 15. 1988 , 7, 27-38	202
758	Maternally inherited transposon excision in <i>Drosophila simulans</i> . 1988 , 240, 215-7	22
757	Sequence of cDNAs for mammalian H2A.Z, an evolutionarily diverged but highly conserved basal histone H2A isoprotein species. 1988 , 16, 1113-24	64

756	Molecular characterization of the C3HFB/HeN H-2K _m 2 mutation. Implications for the molecular basis of alloreactivity. 1988 , 168, 1781-800	33
755	Expression of the homeo box-containing gene En-2 delineates a specific region of the developing mouse brain. 1988 , 2, 361-71	179
754	The kappa-deleting element. Germline and rearranged, duplicated and dispersed forms. 1988 , 167, 488-501	60
753	Sexual transmission of human papillomaviruses in heterosexual and male homosexual couples, studied by DNA hybridisation. 1988 , 64, 34-8	9
752	Structural analysis of the 5Lflanking sequence of the mouse epidermal growth factor gene. 1988 , 1, 5-11	22
751	DNA-Level Polymorphism as a Tool in Fisheries Science. 1988 , 45, 1075-1087	65
750	Discontinuous transcription in <i>Leptomonas seymouri</i> : presence of intact and interrupted mini-exon gene families. 1988 , 16, 7437-56	38
749	The human thyrotropin beta-subunit gene differs in 5Lstructure from murine TSH-beta genes. 1988 , 7, 691-9	28
748	Interleukin 1 enhances growth factor-dependent proliferation of the clonogenic cells in acute myeloblastic leukemia and of normal human primitive hemopoietic precursors. 1988 , 168, 463-74	63
747	Molecular cloning and chromosomal localization of human membrane cofactor protein (MCP). Evidence for inclusion in the multigene family of complement-regulatory proteins. 1988 , 168, 181-94	204
746	Immunoglobulin VH genes are transcribed by T cells in association with a new 5Lexon. 1988 , 167, 2011-6	23
745	Restriction-fragment-length polymorphism in insulin-receptor gene and insulin resistance in NIDDM. 1988 , 37, 1071-5	46
744	Expression of the three unlinked isocoding actin genes of <i>Physarum polycephalum</i> . 1988 , 7, 317-28	31
743	cDNA cloning of human hnRNP protein A1 reveals the existence of multiple mRNA isoforms. 1988 , 16, 3751-70	116
742	Nucleotide sequence and evolutionary relationships of cucumber mosaic virus (CMV) strains: CMV RNA 2. 1988 , 69 (Pt 8), 1777-87	38
741	Immunoglobulin gene rearrangement and antigenic profile confirm B cell origin of primary cerebral lymphoma and indicate a mature phenotype. 1988 , 41, 128-32	26
740	Regulation of renin gene expression in hypertensive rats. 1988 , 12, 405-10	48
739	Construction of a NotI linking library and isolation of new markers close to the Huntington's disease gene. 1988 , 16, 9185-98	70

738	Molecular cloning and genetic analysis of a chloramphenicol acetyltransferase determinant from <i>Clostridium difficile</i> . 1988 , 32, 1213-7	31
737	Segmented arrangement of <i>Borrelia duttonii</i> DNA and location of variant surface antigen genes. 1988 , 134, 1785-93	12
736	The proboscipedia locus of the Antennapedia complex: a molecular and genetic analysis. 1988 , 2, 901-20	109
735	Lens-specific expression of recombinant ricin induces developmental defects in the eyes of transgenic mice. 1988 , 2, 1168-78	81
734	Changes in Accumulation and Synthesis of Transcripts Encoding Phycobilisome Components during Acclimation of <i>Fremyella diplosiphon</i> to Different Light Qualities. 1988 , 88, 1077-83	64
733	A transcriptional barrier to expression of cloned toxin genes of the linear plasmid k1 of <i>Kluyveromyces lactis</i> : evidence that native k1 has novel promoters. 1988 , 16, 7333-50	59
732	Diagnosis of alpha 1-antitrypsin deficiency by enzymatic amplification of human genomic DNA and direct sequencing of polymerase chain reaction products. 1988 , 16, 8233-43	92
731	A growth factor-repressible gene associated with protein kinase C-mediated inhibition of adipocyte differentiation. 1988 , 107, 279-86	71
730	p53 in chronic myelogenous leukemia. Study of mechanisms of differential expression. 1988 , 167, 873-86	74
729	Organization of the genes encoding complement receptors type 1 and 2, decay-accelerating factor, and C4-binding protein in the RCA locus on human chromosome 1. 1988 , 167, 1271-80	130
728	Levels of mRNAs which code for small, acid-soluble spore proteins and their LacZ gene fusions in sporulating cells of <i>Bacillus subtilis</i> . 1988 , 16, 6567-83	25
727	Antiviral activity of tumour necrosis factor. Synergism with interferons and induction of oligo-2,5L-adenylate synthetase. 1988 , 69 (Pt 12), 3113-20	64
726	Molecular cloning and restriction enzyme mapping of an African swine fever virus isolate from Malawi. 1988 , 69 (Pt 7), 1683-94	37
725	Genetic diversity of African swine fever virus isolates from soft ticks (<i>Ornithodoros moubata</i>) inhabiting warthog burrows in Zambia. 1988 , 69 (Pt 12), 2981-93	52
724	Modulation of hnRNP A1 protein gene expression by epidermal growth factor in Rat-1 cells. 1988 , 16, 11663-73	21
723	Sequence and developmental expression of mRNA coding for a gap junction protein in <i>Xenopus</i> . 1988 , 107, 1065-73	93
722	Mapping genomic organization by field inversion and two-dimensional gel electrophoresis: application to the murine T-cell receptor gamma gene family. 1988 , 16, 3863-75	28
721	Effect of herpes simplex virus type 2 infection on mitochondrial gene expression. 1988 , 69 (Pt 6), 1405-10	12

720	IS150: distribution, nucleotide sequence and phylogenetic relationships of a new <i>E. coli</i> insertion element. 1988 , 16, 6789-802	63
719	Molecular Cloning of Single-stranded RNAs of Potato Leafroll Virus and Beet Western Yellows Virus. 1988 , 69, 2397-2402	6
718	CD3+ CD8+ T cell lymphocytosis masking B cell leukaemia. 1988 , 41, 746-52	5
717	The use of restriction fragment length polymorphisms in prenatal diagnosis of dihydropteridine reductase deficiency. 1988 , 25, 25-8	14
716	Norrie disease resulting from a gene deletion: clinical features and DNA studies. 1988 , 25, 73-8	59
715	Changes in insulin receptor expression in HL60 cells induced to differentiate towards neutrophils or monocytes. 1988 , 1, 197-201	7
714	Organization of replication of ribosomal DNA in <i>Saccharomyces cerevisiae</i> . 1988 , 8, 4927-35	345
713	Identification of a rat <i>c-erbA</i> alpha-related protein which binds deoxyribonucleic acid but does not bind thyroid hormone. 1988 , 2, 893-901	242
712	Expression of messenger ribonucleic acids encoding a parathyroid hormone-like peptide in normal human and animal tissues with abnormal expression in human parathyroid adenomas. 1988 , 2, 1230-6	182
711	Cloning of a complementary deoxyribonucleic acid coding for human thyroxine-binding globulin (TBG): existence of two TBG messenger ribonucleic acid species possessing different 3' untranslated regions. 1988 , 2, 181-5	38
710	Cloning and sequencing of the 52K cathepsin D complementary deoxyribonucleic acid of MCF7 breast cancer cells and mapping on chromosome 11. 1988 , 2, 186-92	86
709	Estrogen induces accumulation of the mitochondrial ribonucleic acid for subunit II of cytochrome oxidase in pituitary tumor cells. 1988 , 2, 332-7	70
708	Selective failure of androgens to regulate follicle stimulating hormone beta messenger ribonucleic acid levels in the male rat. 1988 , 2, 492-8	45
707	Detection and regulation of rat thyroid MHC class II (RT1.D) transcripts. 1988 , 2, 507-11	10
706	Modulation by sex steroids and [D-Trp6, Des-Gly-NH2(10)]luteinizing hormone (LH)-releasing hormone ethylamide of alpha-subunit and LH beta messenger ribonucleic acid levels in the rat anterior pituitary gland. 1988 , 2, 775-84	25
705	Two-dimensional gel electrophoretic method for mapping DNA replicons. 1988 , 8, 1408-13	125
704	Construction of three plasmids, each containing two or three different human globin gene fragments. 1988 , 12, 755-61	
703	Amplification of the epidermal growth factor receptor gene in biopsy specimens from human intracranial tumours. 1988 , 2, 217-25	30

702	Absence of linkage of chromosome 21q21 markers to familial Alzheimer's disease. 1988 , 241, 1507-10	226
701	Alpha-thalassemia screening reveals quadruple zeta-globin genes in a Laotian family. 1988 , 12, 539-50	8
700	A chemoattractant receptor controls development in <i>Dictyostelium discoideum</i> . 1988 , 241, 1467-72	470
699	DNAs of the two mating-type alleles of <i>Neurospora crassa</i> are highly dissimilar. 1988 , 241, 570-3	190
698	A defective HSV-1 vector expresses <i>Escherichia coli</i> beta-galactosidase in cultured peripheral neurons. 1988 , 241, 1667-1669	469
697	Gene encoding the beta subunit of S100 protein is on chromosome 21: implications for Down syndrome. 1988 , 239, 1311-3	211
696	Extensive junctional diversity of rearranged human T cell receptor delta genes. 1988 , 240, 1541-4	88
695	A previously undetected MHC gene with an unusual periodic structure. 1988 , 240, 201-4	116
694	Legless, a novel mutation found in PHT1-1 transgenic mice. 1988 , 241, 837-9	70
693	Cone cell-specific genes expressed in retinoblastoma. 1988 , 240, 76-8	75
692	Concerted nonsyntenic allelic loss in human colorectal carcinoma. 1988 , 241, 961-5	134
691	Cloning and expression of AP-2, a cell-type-specific transcription factor that activates inducible enhancer elements. 1988 , 2, 1557-69	503
690	Monoclonality and abnormal parathyroid hormone genes in parathyroid adenomas. 1988 , 318, 658-62	229
689	Structure of the rat insulin-like growth factor II transcriptional unit: heterogeneous transcripts are generated from two promoters by use of multiple polyadenylation sites and differential ribonucleic acid splicing. 1988 , 2, 1115-26	37
688	Mosaicism for an intragenic deletion in a boy with mild ornithine transcarbamylase deficiency. 1988 , 319, 999-1003	56
687	A Moloney MLV-rat somatotropin fusion gene produces biologically active somatotropin in a transgenic pig. 1988 , 2, 277-83	45
686	Regulation of two c-erbA messenger ribonucleic acids in rat GH3 cells by thyroid hormone. 1988 , 2, 479-84	58
685	Examination of <i>Mycoplasma gallisepticum</i> strains using restriction endonuclease DNA analysis and DNA-DNA hybridisation. 1988 , 17, 559-70	33

684	Genetics and polymorphism of the mouse prion gene complex: control of scrapie incubation time. 1988 , 8, 5528-40	148
683	Two anonymous DNA segments distinguish the Wilms tumor and aniridia loci. 1988 , 241, 840-2	54
682	Plant small nuclear RNAs. V. U4 RNA is present in broad bean plants in the form of sequence variants and is base-paired with U6 RNA. 1988 , 16, 5407-26	27
681	Molecular analysis of a <i>Neurospora crassa</i> gene expressed during conidiation. 1988 , 8, 2411-8	75
680	An early hierarchic role of U1 small nuclear ribonucleoprotein in spliceosome assembly. 1988 , 242, 1028-35	263
679	Matrix attachment regions are positioned near replication initiation sites, genes, and an interamplicon junction in the amplified dihydrofolate reductase domain of Chinese hamster ovary cells. 1988 , 8, 5398-409	180
678	Isolation of human cDNA clones of myb-related genes, A-myb and B-myb. 1988 , 16, 11075-89	218
677	Cellular-oncogene expression in Friend erythroleukemia cells: relationship to differentiation, commitment and TPA effects. 1988 , 9, 817-21	5
676	Control of IGF-II mRNA levels by glucocorticoids in the neonatal rat. 1988 , 1, R5-8	27
675	Close association of a DNA replication origin and an ARS element on chromosome III of the yeast, <i>Saccharomyces cerevisiae</i> . 1988 , 16, 6373-84	176
674	Molecular cloning of complementary deoxyribonucleic acid for an androgen-regulated epididymal protein: sequence homology with metalloproteins. 1988 , 2, 999-1004	66
673	Structure and expression of the gene coding for the alpha-subunit of DNA-dependent RNA polymerase from the chloroplast genome of <i>Zea mays</i> . 1988 , 16, 5741-54	62
672	Developmentally regulated telomere addition in <i>Tetrahymena thermophila</i> . 1988 , 16, 5569-85	26
671	Analysis of gene expression using episomal mouse dihydrofolate reductase minigenes. 1988 , 16, 7025-42	14
670	Expression of chromosome 21 specific sequences in normal and Down's syndrome tissues. 1988 , 16, 2885-96	22
669	Sequence and properties of the message encoding <i>Tetrahymena</i> hv1, a highly evolutionarily conserved histone H2A variant that is associated with active genes. 1988 , 16, 179-98	62
668	Chloroplast fructose-1,6-bisphosphatase: the product of a mosaic gene. 1988 , 16, 7931-42	104
667	A new member of the ras gene superfamily identified in a rat liver cell line. 1988 , 16, 9979-93	48

666	A long range restriction map of the pseudoautosomal region by partial digest PFGE analysis from the telomere. 1988 , 16, 5361-77	57
665	The HuT series of Icarcinogen-transformed human fibroblast cell lines are derived from the human fibrosarcoma cell line 8387. 1988 , 9, 2073-9	17
664	cDNA cloning and gene characterization of the mitochondrial large subunit (LSU) rRNA from the liver fluke <i>Fasciola hepatica</i> . Evidence of heterogeneity in the fluke mitochondrial genome. 1988 , 16, 7001-12	17
663	Single cell origin of bigenotypic and biphenotypic B cell proliferations in human follicular lymphomas. 1988 , 167, 582-97	93
662	Exonuclease digestion of chromosomes for in situ hybridization. 1988 , 16, 10381	6
661	Genome linking with yeast artificial chromosomes. 1988 , 335, 184-6	407
660	Structure, expression, and heterogeneity of the rice seed prolamines. 1988 , 88, 649-55	70
659	DNA and RNA analysis of cytochrome P-450 21-hydroxylase: transcriptional activity in congenital adrenal hyperplasia. 1988 , 1, 157-64	6
658	Delimitation of essential genes of cassava latent virus DNA 2. 1988 , 16, 4811-29	91
657	CpG islands and HTF islands in the HLA class I region: investigation of the methylation status of class I genes leads to precise physical mapping of the HLA-B and -C genes. 1988 , 16, 6767-78	29
656	Isolation and characterization of a cDNA clone encoding the 19 kDa protein of signal recognition particle (SRP): expression and binding to 7SL RNA. 1988 , 16, 9431-42	75
655	The analysis of EBV proteins which are antigenic in vivo. 1988 , 16, 2859-72	2
654	Positive selection of human cells lacking several transformation parameters from an SV40-transformed culture by means of parvovirus H-1. 1988 , 9, 1395-400	4
653	Morphological transformation of immortalized hamster dermal fibroblasts following treatment with simple alkylating carcinogens. 1988 , 9, 1701-9	7
652	Mys retrotransposons in <i>Peromyscus leucopus</i> and transgenic <i>Mus musculus</i> . 1988 , 16, 3359-73	9
651	A novel human cytochrome P450 gene (P450IIB): chromosomal localization and evidence for alternative splicing. 1988 , 16, 5783-95	54
650	Distinct subfamilies of primate L1Gg retroposons, with some elements carrying tandem repeats in the 5Lregion. 1988 , 16, 6147-56	10
649	Close physical linkage of the murine Ren-1 and Ren-2 loci. 1988 , 16, 2111-26	37

648	Sequence and analysis of promoter region of human insulin-receptor gene. 1988 , 37, 1241-6	49
647	Mutational hot spots in Ig V region genes of human follicular lymphomas. 1988 , 168, 475-89	81
646	Comparison of nonerythroid alpha-spectrin genes reveals strict homology among diverse species. 1988 , 8, 1-9	80
645	Selective recovery of foreign gene transcripts as virus-like particles in TMV-infected transgenic tobaccos. 1988 , 16, 3127-40	29
644	Evolution and mutagenesis of the mammalian excision repair gene ERCC-1. 1988 , 16, 5305-22	62
643	A second chain of human CD8 is expressed on peripheral blood lymphocytes. 1988 , 168, 1993-2005	55
642	Growth of head and neck squamous cell carcinoma in nude mice: potentiation of laryngeal carcinoma by 17 beta-estradiol. 1988 , 80, 688-91	25
641	Overexpression of metallothionein confers resistance to anticancer drugs. 1988 , 241, 1813-5	522
640	Deletions of mitochondrial DNA in Kearns-Sayre syndrome. 1988 , 38, 1339-1339	589
639	Rhizobium fix genes mediate at least two communication steps in symbiotic nodule development. 1988 , 106, 597-607	60
638	The murine MHC class I genes, H-2Dq and H-2Lq, are strikingly homologous to each other, H-2Ld, and two genes reported to encode tumor-specific antigens. 1988 , 168, 1719-39	65
637	Mechanisms underlying generation of gradients in gene expression within the intestine: an analysis using transgenic mice containing fatty acid binding protein-human growth hormone fusion genes. 1988 , 2, 1318-32	144
636	Chromosomal Location of Genes Encoding Barley (1-->3, 1-->4)-beta-Glucan 4-Glucanohydrolases. 1988 , 87, 300-2	24
635	Restriction enzyme analysis of the mitochondrial genome in mitochondrial myopathy. 1988 , 25, 600-5	9
634	Ribosomal protein synthesis is not regulated at the translational level in <i>Saccharomyces cerevisiae</i> : balanced accumulation of ribosomal proteins L16 and rp59 is mediated by turnover of excess protein. 1988 , 2, 664-76	91
633	Effects of sex steroids on regulation of the levels of C1 peptide of rat prostatic steroid-binding protein mRNA evaluated by in-situ hybridization. 1988 , 1, 213-23	37
632	Differentiation of cardiac myocytes after mitogen withdrawal exhibits three sequential states of the ventricular growth response. 1988 , 107, 1911-8	68
631	Interaction and sequence diversity among T15 VH genes in CBA/J mice. 1988 , 168, 1339-49	21

630	Rearrangement of exogenous immunoglobulin VH and DJH gene segments after retroviral transduction into immature lymphoid cell lines. 1988 , 167, 372-88	15
629	Identification of an alternative polyadenylation site in the human C3b/C4b receptor (complement receptor type 1) transcriptional unit and prediction of a secreted form of complement receptor type 1. 1988 , 168, 1255-70	75
628	Dexamethasone-dependent inhibition of differentiation of C2 myoblasts bearing steroid-inducible N-ras oncogenes. 1988 , 106, 2127-37	64
627	Genetic hypervariability of telomere-related sequences is associated with meiosis in <i>Plasmodium falciparum</i> . 1988 , 16, 6973-85	37
626	The evolutionary conservation of DNA polymerase alpha. 1988 , 16, 7961-73	29
625	Partial gene duplication in Duchenne and Becker muscular dystrophies. 1988 , 25, 369-76	67
624	Diurnal and Circadian Rhythms in the Accumulation and Synthesis of mRNA for the Light-Harvesting Chlorophyll a/b-Binding Protein in Tobacco. 1988 , 88, 1104-9	93
623	Genomic organization and biosynthesis of secreted and cytoplasmic forms of gelsolin. 1988 , 106, 375-84	152
622	DNA methylation: a secondary event in globin gene switching?. 1988 , 2, 698-706	54
621	Inactivation of the retinoblastoma susceptibility gene in human breast cancers. 1988 , 241, 218-21	517
620	Reactivation of rat insulin-like growth factor II gene during hepatocarcinogenesis. 1988 , 9, 1779-83	39
619	ROX1 encodes a heme-induced repression factor regulating ANB1 and CYC7 of <i>Saccharomyces cerevisiae</i> . 1988 , 8, 4651-8	116
618	Tumor necrosis factor suppresses transcription of the thrombomodulin gene in endothelial cells. 1988 , 8, 5588-92	337
617	Molecular analysis of GCN3, a translational activator of GCN4: evidence for posttranslational control of GCN3 regulatory function. 1988 , 8, 4808-20	85
616	Human T-cell-receptor delta chain: genomic organization, diversity, and expression in populations of cells. 1988 , 85, 9714-8	113
615	Phenol emulsion-enhanced DNA-driven subtractive cDNA cloning: isolation of low-abundance monkey cortex-specific mRNAs. 1988 , 85, 1696-700	96
614	Expression of human adenosine deaminase in murine hematopoietic cells. 1988 , 8, 5116-25	90
613	Structural characterization of the human platelet-derived growth factor A-chain cDNA and gene: alternative exon usage predicts two different precursor proteins. 1988 , 8, 571-7	126

612	Role of the promoter in the regulation of the thymidine kinase gene. 1988 , 8, 1551-7	60
611	Cytokinin gene fused with a strong promoter enhances shoot organogenesis and zeatin levels in transformed plant cells. 1988 , 85, 5131-5	156
610	Detection of DNA "fingerprints" of cultivated rice by hybridization with a human minisatellite DNA probe. 1988 , 85, 6831-5	169
609	cDNA cloning of human liver monoamine oxidase A and B: molecular basis of differences in enzymatic properties. 1988 , 85, 4934-8	604
608	Cloning the human lysozyme cDNA: inverted Alu repeat in the mRNA and in situ hybridization for macrophages and Paneth cells. 1988 , 85, 6227-31	79
607	Pst I restriction fragment length polymorphism of human placental alkaline phosphatase gene: Mendelian segregation and localization of mutation site in the gene. 1988 , 85, 7680-4	10
606	Analysis of a T-cell tumor-specific breakpoint cluster at human chromosome 14q32. 1988 , 85, 9171-5	51
605	Two putative active centers in human angiotensin I-converting enzyme revealed by molecular cloning. 1988 , 85, 9386-90	652
604	Detection of two growth hormone receptor mRNAs and primary translation products in the mouse. 1988 , 85, 9576-9	51
603	Heterogeneity of genomic fusion of BCR and ABL in Philadelphia chromosome-positive acute lymphoblastic leukemia. 1988 , 85, 2795-9	44
602	Retrovirus-mediated transduction of adult hepatocytes. 1988 , 85, 3014-8	131
601	The accumulation of three yeast ribosomal proteins under conditions of excess mRNA is determined primarily by fast protein decay. 1988 , 8, 169-75	98
600	Isolation, sequencing, and disruption of the CKA1 gene encoding the alpha subunit of yeast casein kinase II. 1988 , 8, 4981-90	131
599	Novel B-cell precursors blocked at the stage of DJH recombination. 1988 , 8, 5216-23	14
598	The dihydrofolate reductase amplicons in different methotrexate-resistant Chinese hamster cell lines share at least a 273-kilobase core sequence, but the amplicons in some cell lines are much larger and are remarkably uniform in structure. 1988 , 8, 5268-79	32
597	Dictyostelium discoideum myosin: isolation and characterization of cDNAs encoding the essential light chain. 1988 , 8, 794-801	41
596	Functional analysis of the long terminal repeats of intracisternal A-particle genes: sequences within the U3 region determine both the efficiency and direction of promoter activity. 1988 , 8, 1093-102	63
595	Functional organization of the retrotransposon Ty from Saccharomyces cerevisiae: Ty protease is required for transposition. 1988 , 8, 1421-31	96

594	Adenovirus E1a ras cooperation activity is separate from its positive and negative transcription regulatory functions. 1988 , 8, 2177-83	60
593	Identification and sequence analysis of a new member of the mouse HSP70 gene family and characterization of its unique cellular and developmental pattern of expression in the male germ line. 1988 , 8, 2925-32	165
592	Determinants that contribute to cytoplasmic stability of human c-fos and beta-globin mRNAs are located at several sites in each mRNA. 1988 , 8, 3244-50	185
591	Transcriptional unit of the murine Thy-1 gene: different distribution of transcription initiation sites in brain. 1988 , 8, 3847-56	32
590	Structural similarity of bovine lung prostaglandin F synthase to lens epsilon-crystallin of the European common frog. 1988 , 85, 11-5	160
589	Primary structure and unique expression of the 22-kilodalton light chain of human neutrophil cytochrome b. 1988 , 85, 3319-23	272
588	The gene encoding multidrug resistance is induced and expressed at high levels during pregnancy in the secretory epithelium of the uterus. 1988 , 85, 4350-4	244
587	Correction of the genetic defect in hepatocytes from the Watanabe heritable hyperlipidemic rabbit. 1988 , 85, 4421-5	140
586	VAMP-1: a synaptic vesicle-associated integral membrane protein. 1988 , 85, 4538-42	468
585	An intermediate in transposition of the conjugative transposon Tn916. 1988 , 85, 4809-13	124
584	Homozygous deletion of the alpha- and beta 1-interferon genes in human leukemia and derived cell lines. 1988 , 85, 5259-63	328
583	Isolation of cDNAs of scrapie-modulated RNAs by subtractive hybridization of a cDNA library. 1988 , 85, 5738-42	245
582	Conservation of gene repertoire but not gene order in pepper and tomato. 1988 , 85, 6419-23	257
581	Two transcripts encode rat cytochrome b5 reductase. 1988 , 85, 7246-50	40
580	Cloning and nucleotide sequence of the gene for dihydrolipoamide acetyltransferase from <i>Saccharomyces cerevisiae</i> . 1988 , 85, 7546-50	69
579	Chromosomal location of three spectrin genes: relationship to the inherited hemolytic anemias of mouse and man. 1988 , 85, 8121-5	45
578	Genomic organization of the human T-cell antigen-receptor alpha/delta locus. 1988 , 85, 8166-70	100
577	Physical linkage of a human immunoglobulin heavy chain variable region gene segment to diversity and joining region elements. 1988 , 85, 8196-200	90

576	cDNA sequence of rat liver fructose-1,6-bisphosphatase and evidence for down-regulation of its mRNA by insulin. 1988 , 85, 8430-4	75
575	High level of accumulation of a mRNA coding for a precursor-like protein in the submaxillary gland of male rats. 1988 , 85, 8553-7	44
574	cDNA encoding the glycosyl-phosphatidylinositol-specific phospholipase C of <i>Trypanosoma brucei</i> . 1988 , 85, 8914-8	57
573	Alpha 1(IV) and alpha 2(IV) collagen genes are regulated by a bidirectional promoter and a shared enhancer. 1988 , 85, 9679-82	131
572	Restricted production of interleukin 4 by activated human T cells. 1988 , 85, 9743-7	123
571	Normal polymorphic variations and transcription of the decay accelerating factor gene in paroxysmal nocturnal hemoglobinuria cells. 1988 , 85, 880-4	62
570	Molecular cloning of a human immunoglobulin G Fc receptor. 1988 , 85, 2240-4	106
569	Isolation and sequencing of a cDNA coding for the human DF3 breast carcinoma-associated antigen. 1988 , 85, 2320-3	266
568	Simultaneous demonstrations of neuropeptide Y gene expression and peptide storage in single neurons of the human brain. 1988 , 85, 3213-5	28
567	Sequences of 12 monoclonal anti-dinitrophenyl spin-label antibodies for NMR studies. 1988 , 85, 3661-5	39
566	Activation of ras oncogene in aflatoxin-induced rat liver carcinogenesis. 1988 , 85, 3673-7	57
565	Cloning and sequencing of the cDNA encoding a core protein of the paired helical filament of Alzheimer disease: identification as the microtubule-associated protein tau. 1988 , 85, 4051-5	850
564	Characterization of frequent deletions causing steroid 21-hydroxylase deficiency. 1988 , 85, 4436-40	182
563	A milk protein gene promoter directs the expression of human tissue plasminogen activator cDNA to the mammary gland in transgenic mice. 1988 , 85, 5874-8	146
562	Sequences contained within the promoter of the human thymidine kinase gene can direct cell-cycle regulation of heterologous fusion genes. 1988 , 85, 5894-8	34
561	Safe and efficient generation of recombinant retroviruses with amphotropic and ecotropic host ranges. 1988 , 85, 6460-4	828
560	Patterns of mRNA expression during early cell growth differ in kidney epithelial cells destined to undergo compensatory hypertrophy versus regenerative hyperplasia. 1988 , 85, 6768-72	75
559	Ly-1 B-cell clones similar to human chronic lymphocytic leukemias routinely develop in older normal mice and young autoimmune (New Zealand Black-related) animals. 1988 , 85, 7312-6	154

558	Characterization of the cDNA encoding a protein binding to the major histocompatibility complex class II Y box. 1988 , 85, 7322-6	372
557	Heterogeneous expression of protein and mRNA in pyruvate dehydrogenase deficiency. 1988 , 85, 7336-40	42
556	Identification of a cDNA encoding a parathyroid hormone-like peptide from a human tumor associated with humoral hypercalcemia of malignancy. 1988 , 85, 597-601	348
555	Chromosomal localization of genes encoding guanine nucleotide-binding protein subunits in mouse and human. 1988 , 85, 7642-6	189
554	DNA damage-inducible transcripts in mammalian cells. 1988 , 85, 8800-4	547
553	Human papillomavirus type 16 cooperates with activated ras and fos oncogenes in the hormone-dependent transformation of primary mouse cells. 1988 , 85, 8820-4	85
552	Pituitary-specific expression and glucocorticoid regulation of a proopiomelanocortin fusion gene in transgenic mice. 1988 , 85, 8890-4	91
551	Multiple protein 4.1 isoforms produced by alternative splicing in human erythroid cells. 1988 , 85, 9062-5	113
550	Localization of human ERBA2 to the 3p22----3p24.1 region of chromosome 3 and variable deletion in small cell lung cancer. 1988 , 85, 9258-62	60
549	Transgenic mice containing intestinal fatty acid-binding protein-human growth hormone fusion genes exhibit correct regional and cell-specific expression of the reporter gene in their small intestine. 1988 , 85, 9611-5	155
548	Identification, cloning, and characterization of an immune activation gene. 1988 , 85, 9704-8	70
547	Involvement of DNA topoisomerase I in transcription of human ribosomal RNA genes. 1988 , 85, 1060-4	256
546	Nerve growth factor induces the genes for two proteins related to a family of calcium-binding proteins in PC12 cells. 1988 , 85, 1277-81	131
545	N-ethyl-N-nitrosourea-induced null mutation at the mouse Car-2 locus: an animal model for human carbonic anhydrase II deficiency syndrome. 1988 , 85, 1962-6	133
544	Isolation and characterization of the human Gs alpha gene. 1988 , 85, 2081-5	353
543	cDNA cloning of the immunoglobulin heavy chain binding protein. 1988 , 85, 2250-4	67
542	Chromosomal organization of the cytochrome P450-2C gene family in the mouse: a locus associated with constitutive aryl hydrocarbon hydroxylase. 1988 , 85, 2662-6	39
541	Agrobacterium tumefaciens virE operon encodes a single-stranded DNA-binding protein. 1988 , 85, 2909-13	104

540	Isolation and sequence of a cDNA clone encoding the 31-kDa subunit of bovine kidney vacuolar H ⁺ -ATPase. 1988 , 85, 3004-8	97
539	Tandemly repeated exons encode 81-base repeats in multiple, developmentally regulated <i>Schistosoma mansoni</i> transcripts. 1988 , 8, 4745-55	29
538	Positional and developmental regulation of glutamine synthetase expression in mouse liver. 1988 , 8, 4966-71	71
537	Platelet-derived growth factor does not induce c-fos in NIH 3T3 cells expressing the EJ-ras oncogene. 1988 , 8, 5052-5	32
536	Different cis-acting DNA elements control expression of the human apolipoprotein AI gene in different cell types. 1988 , 8, 605-14	121
535	Decreased expression of the stress protein HSP70 is an early event in murine erythroleukemic cell differentiation. 1988 , 8, 2219-23	35
534	Molecular cloning of a cDNA coding biliary glycoprotein I: primary structure of a glycoprotein immunologically crossreactive with carcinoembryonic antigen. 1988 , 85, 6959-63	123
533	Primary structure and developmental expression pattern of Hox 3.1, a member of the murine Hox 3 homeobox gene cluster. 1988 , 7, 1329-36	32
532	Molecular organization of the vestigial region in <i>Drosophila melanogaster</i> . 1988 , 7, 1355-63	16
531	The tramtrack gene encodes a <i>Drosophila</i> finger protein that interacts with the ftz transcriptional regulatory region and shows a novel embryonic expression pattern. 1990 , 9, 207-16	89
530	The <i>Aspergillus nidulans</i> npeA locus consists of three contiguous genes required for penicillin biosynthesis. 1990 , 9, 279-87	53
529	Post-transcriptional events are responsible for low expression of myelin basic protein in myelin deficient mice: role of natural antisense RNA. 1990 , 9, 401-6	14
528	hSP, the domain-duplicated homolog of pS2 protein, is co-expressed with pS2 in stomach but not in breast carcinoma. 1990 , 9, 407-14	64
527	The tal gene undergoes chromosome translocation in T cell leukemia and potentially encodes a helix-loop-helix protein. 1990 , 9, 415-24	109
526	The hepatitis B virus X-gene product trans-activates both RNA polymerase II and III promoters. 1990 , 9, 497-504	59
525	Intermediates of recombination during mating type switching in <i>Saccharomyces cerevisiae</i> . 1990 , 9, 663-73	221
524	Cloning and sequence analysis of beta-4 cDNA: an integrin subunit that contains a unique 118 kd cytoplasmic domain. 1990 , 9, 765-70	82
523	The regulation of proenkephalin expression in a distinct population of glial cells. 1990 , 9, 791-6	24

522	Accumulation of proto-oncogene c-erb-A related transcripts during <i>Xenopus</i> development: association with early acquisition of response to thyroid hormone and estrogen. 1990, 9, 879-85	9
521	The amplified H circle of methotrexate-resistant leishmania tarentolae contains a novel P-glycoprotein gene. 1990, 9, 1027-33	70
520	Malignant transformation of immortalized transgenic hepatocytes after transfection with hepatitis B virus DNA. 1990, 9, 1137-45	58
519	Repetitive sequence involvement in the duplication and divergence of mouse lysozyme genes. 1990, 9, 1283-8	27
518	Expression of potyviral polyproteins in transgenic plants reveals three proteolytic activities required for complete processing. 1990, 9, 1347-53	41
517	Cyclic hair-loss and regrowth in transgenic mice overexpressing an intermediate filament gene. 1990, 9, 1485-93	16
516	Transposition of human immunoglobulin V kappa genes within the same chromosome and the mechanism of their amplification. 1990, 9, 1535-42	7
515	Mutation of either G box or I box sequences profoundly affects expression from the Arabidopsis rbcS-1A promoter. 1990, 9, 1717-26	170
514	Molecular bases of dominant negative and loss of function mutations at the murine c-kit/white spotting locus: W37, Wv, W41 and W. 1990, 9, 1805-13	180
513	A murine even-skipped homologue, Evx 1, is expressed during early embryogenesis and neurogenesis in a biphasic manner. 1990, 9, 1839-52	37
512	The human muscle nicotinic acetylcholine receptor alpha-subunit exist as two isoforms: a novel exon. 1990, 9, 2101-6	26
511	Genomic organization of the mouse T cell receptor V alpha family. 1990, 9, 2141-50	25
510	An essential <i>Saccharomyces cerevisiae</i> single-stranded DNA binding protein is homologous to the large subunit of human RP-A. 1990, 9, 2321-9	80
509	The promoter for a variant surface glycoprotein gene expression site in <i>Trypanosoma brucei</i> . 1990, 9, 2791-801	92
508	Rescue of the albino phenotype by introduction of a functional tyrosinase gene into mice. 1990, 9, 2819-26	48
507	Molecular cloning, primary structure and expression of the human X linked A1S9 gene cDNA which complements the ts A1S9 mouse L cell defect in DNA replication. 1990, 9, 2923-9	18
506	The immune response in <i>Drosophila</i> : pattern of cecropin expression and biological activity. 1990, 9, 2969-76	64
505	Early expression of a collagenase-like hatching enzyme gene in the sea urchin embryo. 1990, 9, 3003-12	34

504	Co-evolution from yeast to mouse: cDNA cloning of the two NF-Y (CP-1/CBF) subunits. 1990 , 9, 3119-27	91
503	Site-specific recombination of the tal-1 gene is a common occurrence in human T cell leukemia. 1990 , 9, 3343-51	79
502	Intrachromosomal recombination in plants. 1990 , 9, 3437-45	37
501	Complementation of fission yeast <i>cdc2ts</i> and <i>cdc25ts</i> mutants identifies two cell cycle genes from <i>Drosophila</i> : a <i>cdc2</i> homologue and <i>string</i> . 1990 , 9, 3565-71	51
500	A subset of hY RNAs is associated with erythrocyte Ro ribonucleoproteins. 1990 , 9, 3683-9	32
499	Dissection of thymocyte signaling pathways by in vivo expression of pertussis toxin ADP-ribosyltransferase. 1990 , 9, 3821-9	75
498	Increased eIF-2 alpha expression in mitogen-activated primary T lymphocytes. 1990 , 9, 3831-7	15
497	Negative autoregulation of c-myc gene expression is inactivated in transformed cells. 1990 , 9, 3913-22	36
496	Regulation of the segmentation gene <i>fushi tarazu</i> has been functionally conserved in <i>Drosophila</i> . 1990 , 9, 3957-66	24
495	Differential control of yolk protein gene expression in fat bodies and gonads by the sex-determining gene <i>tra-2</i> of <i>Drosophila</i> . 1990 , 9, 3975-80	6
494	The AT richness and <i>gid</i> transcription determine the left border of the replication origin of the <i>E. coli</i> chromosome. 1990 , 9, 4065-72	37
493	Gene structure of nuclear lamin LIII of <i>Xenopus laevis</i> ; a model for the evolution of IF proteins from a lamin-like ancestor. 1990 , 9, 4073-81	25
492	<i>Saccharomyces cerevisiae</i> protein phosphatase 2A performs an essential cellular function and is encoded by two genes. 1990 , 9, 4339-46	83
491	The CHL 1 (CTF 1) gene product of <i>Saccharomyces cerevisiae</i> is important for chromosome transmission and normal cell cycle progression in G2/M. 1990 , 9, 4347-58	83
490	In vitro DNA methylation inhibits gene expression in transgenic tobacco. 1990 , 9, 4409-15	34
489	Molecular cloning and expression of glycogen synthase kinase-3/factor A. 1990 , 9, 2431-8	444
488	Role of trans-activating proteins in the generation of active chromatin at the PHO5 promoter in <i>S. cerevisiae</i> . 1990 , 9, 2523-8	85
487	Human ribophorins I and II: the primary structure and membrane topology of two highly conserved rough endoplasmic reticulum-specific glycoproteins. 1987 , 6, 75-82	34

486	Close genetic and physical linkage between the murine haemopoietic growth factor genes GM-CSF and Multi-CSF (IL3). 1987 , 6, 617-23	26
485	Two highly polymorphic minisatellites from the pseudoautosomal region of the human sex chromosomes. 1987 , 6, 963-9	23
484	Regulated expression of the Ren-2 gene in transgenic mice derived from parental strains carrying only the Ren-1 gene. 1987 , 6, 983-7	12
483	Altered mitochondrial gene expression in the nonchromosomal stripe 2 mutant of maize. 1987 , 6, 1535-9	10
482	Molecular characterization of the HLA-linked steroid 21-hydroxylase B gene from an individual with congenital adrenal hyperplasia. 1987 , 6, 1653-61	50
481	cDNA sequences of <i>Torpedo marmorata</i> acetylcholinesterase: primary structure of the precursor of a catalytic subunit; existence of multiple 5' untranslated regions. 1987 , 6, 1865-73	29
480	Topological mapping of complement component C9 by recombinant DNA techniques suggests a novel mechanism for its insertion into target membranes. 1987 , 6, 1951-7	21
479	The human homologue of the mouse t-complex gene, TCP1, is located on chromosome 6 but is not near the HLA region. 1987 , 6, 1967-74	22
478	The yeast homologue of U3 snRNA. 1987 , 6, 2145-55	97
477	Stable introduction of exogenous DNA into <i>Trypanosoma brucei</i> . 1987 , 6, 2457-61	5
476	Physical linkage of three CD3 genes on human chromosome 11. 1987 , 6, 2953-7	23
475	Xfin: an embryonic gene encoding a multifingered protein in <i>Xenopus</i> . 1987 , 6, 3065-70	52
474	Developmental switch in chromatin structure associated with alternate promoter usage in the <i>Drosophila melanogaster</i> alcohol dehydrogenase gene. 1987 , 6, 3097-101	9
473	A complex gene superfamily encodes actin in <i>petunia</i> . 1987 , 6, 3223-31	27
472	Synaptophysin: molecular organization and mRNA expression as determined from cloned cDNA. 1987 , 6, 3261-8	53
471	Deletions of fetal and adult muscle cDNA in Duchenne and Becker muscular dystrophy patients. 1987 , 6, 3277-83	18
470	Large scale physical mapping in the q27 region of the human X chromosome: the coagulation factor IX gene and the mcf.2 transforming sequence are separated by at most 270 kilobase pairs and are surrounded by several IHTF islands. 1987 , 6, 3285-9	11
469	The yeast MYO1 gene encoding a myosin-like protein required for cell division. 1987 , 6, 3499-505	75

468	Localization of sequences in wheat endosperm protein genes which confer tissue-specific expression in tobacco. 1987 , 6, 3559-64	87
467	A new lamin in <i>Xenopus</i> somatic tissues displays strong homology to human lamin A. 1987 , 6, 3809-18	30
466	Differential expression of nicotinic acetylcholine receptor genes in innervated and denervated chicken muscle. 1987 , 6, 3917-21	20
465	Molecular characterization of the testis specific c-abl mRNA in mouse. 1987 , 6, 4041-8	31
464	The ras-related ypt protein is an ubiquitous eukaryotic protein: isolation and sequence analysis of mouse cDNA clones highly homologous to the yeast YPT1 gene. 1987 , 6, 4049-53	46
463	A <i>Xenopus laevis</i> gene encodes both homeobox-containing and homeobox-less transcripts. 1987 , 6, 4083-94	20
462	Antagonistic controls regulate copy number of the yeast 2 mu plasmid. 1987 , 6, 4205-12	56
461	The primary structure of human secretogranin I (chromogranin B): comparison with chromogranin A reveals homologous terminal domains and a large intervening variable region. 1987 , 6, 1203-11	51
460	Localization of the mcf.2 transforming sequence to the X chromosome. 1987 , 6, 1301-7	9
459	Molecular cloning and characterization of the yeast RAD10 gene and expression of RAD10 protein in <i>E. coli</i> . 1985 , 4, 1575-82	24
458	Transcriptional regulation of the c-jun gene by retinoic acid and E1A during differentiation of F9 cells. 1992 , 11, 167-75	29
457	Retroviral integration into minichromosomes in vitro. 1992 , 11, 291-303	82
456	CpG methylated minichromosomes become inaccessible for V(D)J recombination after undergoing replication. 1992 , 11, 315-25	56
455	Expression of a constitutive form of calcium/calmodulin dependent protein kinase II leads to arrest of the cell cycle in G2. 1992 , 11, 507-17	29
454	Thyroid expression of an A2 adenosine receptor transgene induces thyroid hyperplasia and hyperthyroidism. 1992 , 11, 537-42	30
453	Dysregulation of gene expression in mouse trisomy 16, an animal model of Down syndrome. 1992 , 11, 619-27	18
452	In vivo topoisomerase II cleavage of the <i>Drosophila</i> histone and satellite III repeats: DNA sequence and structural characteristics. 1992 , 11, 705-16	73
451	Human telomeres are attached to the nuclear matrix. 1992 , 11, 717-24	123

450	Cloning of the complete biosynthetic gene cluster for an aminonucleoside antibiotic, puromycin, and its regulated expression in heterologous hosts. 1992 , 11, 785-92	17
449	High blood pressure in transgenic mice carrying the rat angiotensinogen gene. 1992 , 11, 821-7	45
448	Modulation of homeobox gene expression alters the phenotype of human hematopoietic cell lines. 1992 , 11, 983-9	12
447	A nuclear matrix attachment region organizes the Epstein-Barr viral plasmid in Raji cells into a single DNA domain. 1992 , 11, 1165-76	31
446	Heterodimerization between light-regulated and ubiquitously expressed Arabidopsis GBF bZIP proteins. 1992 , 11, 1261-73	105
445	Analysis of the BiP gene and identification of an ER retention signal in <i>Schizosaccharomyces pombe</i> . 1992 , 11, 1583-91	32
444	Towards a molecular understanding of titin. 1992 , 11, 1711-6	123
443	A novel bacterial virulence gene in <i>Listeria monocytogenes</i> required for host cell microfilament interaction with homology to the proline-rich region of vinculin. 1992 , 11, 1981-90	152
442	Retinoic acid-mediated repression of human papillomavirus 18 transcription and different ligand regulation of the retinoic acid receptor beta gene in non-tumorigenic and tumorigenic HeLa hybrid cells. 1992 , 11, 2283-91	25
441	Light regulatory sequences are located within the 5'portion of the Fed-1 message sequence. 1992 , 11, 2311-7	46
440	Regulation of CFTR expression and function during differentiation of intestinal epithelial cells. 1992 , 11, 2487-94	23
439	Brain 4: a novel mammalian POU domain transcription factor exhibiting restricted brain-specific expression. 1992 , 11, 2551-61	41
438	A desiccation-related Elip-like gene from the resurrection plant <i>Craterostigma plantagineum</i> is regulated by light and ABA. 1992 , 11, 2771-8	43
437	A family of human cdc2-related protein kinases. 1992 , 11, 2909-17	255
436	Selection for high-level chloroquine resistance results in deamplification of the pfmdr1 gene and increased sensitivity to mefloquine in <i>Plasmodium falciparum</i> . 1992 , 11, 3067-75	51
435	Co-ordinate expression of the two threonyl-tRNA synthetase genes in <i>Bacillus subtilis</i> : control by transcriptional antitermination involving a conserved regulatory sequence. 1992 , 11, 3117-27	42
434	A novel and conserved salt-induced protein is an important determinant of salt tolerance in yeast. 1992 , 11, 3157-64	62
433	Histone H3 N-terminal mutations allow hyperactivation of the yeast GAL1 gene in vivo. 1992 , 11, 3297-306	83

432	Oncogenic v-Abl tyrosine kinase can inhibit or stimulate growth, depending on the cell context. 1992 , 11, 3941-51	20
431	mRNAs containing extensive secondary structure in their 5' non-coding region translate efficiently in cells overexpressing initiation factor eIF-4E. 1992 , 11, 4153-8	165
430	Rapid activation of a novel plant defense gene is strictly dependent on the Arabidopsis RPM1 disease resistance locus. 1992 , 11, 4677-84	64
429	Inhibition of T-cell receptor beta-chain gene rearrangement by overexpression of the non-receptor protein tyrosine kinase p56lck. 1992 , 11, 4877-86	59
428	What limits affinity maturation of antibodies in <i>Xenopus</i> --the rate of somatic mutation or the ability to select mutants?. 1992 , 11, 4337-47	31
427	A novel downstream regulatory element of the mouse H-2Kb class I major histocompatibility gene. 1992 , 11, 4591-600	2
426	Charcot-Marie-Tooth (CMT) 1a duplication at 17p11.2 in Italian families. 1992 , 29, 492-3	20
425	Time course of the changes of TH mRNA in rat brain and adrenal medulla after a single injection of reserpine. 1986 , 5, 287-91	34
424	Expression of a mutant vasopressin gene: differential polyadenylation and read-through of the mRNA 3' end in a frame-shift mutant. 1986 , 5, 971-7	11
423	Periodic transcription as a means of regulating gene expression during the cell cycle: contrasting modes of expression of DNA ligase genes in budding and fission yeast. 1986 , 5, 1705-9	59
422	Primary structure of the T3 gamma subunit of the T3/T cell antigen receptor complex deduced from cDNA sequences: evolution of the T3 gamma and delta subunits. 1986 , 5, 1799-808	61
421	Developmental and transformation-sensitive expression of the Sparc gene on mouse chromosome 11. 1986 , 5, 1831-7	60
420	Sequential expression of murine homeo box genes during F9 EC cell differentiation. 1986 , 5, 2209-15	35
419	Construction of cell lines that regulate by temperature the amplification and expression of influenza virus non-structural protein genes. 1986 , 5, 2387-92	7
418	A protein specific to mitochondria from S-type male-sterile cytoplasm of maize is encoded by an episomal DNA. 1986 , 5, 2775-80	7
417	Genetic and cytogenetic localisation of the homeo box containing genes on mouse chromosome 6 and human chromosome 7. 1986 , 5, 2899-905	35
416	A human villin cDNA clone to investigate the differentiation of intestinal and kidney cells in vivo and in culture. 1986 , 5, 3119-24	30
415	suc1 is an essential gene involved in both the cell cycle and growth in fission yeast. 1986 , 5, 3373-9	60

414	Functional analysis of the yeast plasmid partition locus STB. 1986 , 5, 3391-9			39
413	VH gene family utilization in colonies derived from B and pre-B cells detected by the RNA colony blot assay. 1986 , 5, 3475-81			32
412	Cloning and characterization of the gene coding for NADPH-sulfite reductase hemoprotein from <i>Actinobacillus pleuropneumoniae</i> and use of the protein product as a vaccine. 2001 , 65, 206-12			2
411	Segregation distortion in <i>Drosophila melanogaster</i> : genomic organization of Responder sequences. 1996 , 144, 1365-71			4
410	p21WAF1 expression by an activator of protein kinase C is regulated mainly at the post-transcriptional level in cells lacking p53: important role of RNA stabilization. <i>Biochemical Journal</i> , 1999 , 337 (Pt 3), 607-16	3.8		18
409	Regulation of UDP-N-acetylglucosamine:dolichyl-phosphate N-acetylglucosamine-1-phosphate transferase by retinoic acid in P19 cells. <i>Biochemical Journal</i> , 1999 , 338 (Pt 2), 561-8	3.8		2
408	Inhibition of atrial natriuretic peptide (ANP) C receptor expression by antisense oligodeoxynucleotides in A10 vascular smooth-muscle cells is associated with attenuation of ANP-C-receptor-mediated inhibition of adenyl cyclase. <i>Biochemical Journal</i> , 2000 , 346 Pt 2, 313-20	3.8		3
407	Differential effects of oncostatin M and leukaemia inhibitory factor expression in astrocytoma cells. <i>Biochemical Journal</i> , 2001 , 355, 307-14	3.8		2
406	Linkage analysis of Norrie disease with X-chromosomal ornithine aminotransferase. 1992 , 90, 405-79			1
405	Linkage analysis of Norrie disease with an X-chromosomal ornithine aminotransferase locus. 1993 , 91, 299-307; discussion 307-8			3
404	Evidence for light/redox-regulated splicing of psbA pre-RNAs in <i>Chlamydomonas</i> chloroplasts. 1997 , 3, 37-48			53
403	Presentation of endogenous acetylcholine receptor antigen to a specific CD4+ T-cell line by a transfected B-cell line. 1995 , 86, 116-21			3
402	Cytokine (IL-8, IL-6, TNF-alpha) and soluble TNF receptor-I release from human peripheral blood mononuclear cells after respiratory syncytial virus infection. 1995 , 85, 364-72			39
401	Prevalence of the 1.8 kb complement factor H mRNA in human lung. 1990 , 70, 150-4			2
400	Studies of immunological function in mice with defective androgen action. Distinction between alterations in immune function due to hormonal insensitivity and alterations due to other genetic factors. 1991 , 73, 52-7			26
399	Sensitivity to tumour necrosis factor-mediated cytolysis is unrelated to manganous superoxide dismutase messenger RNA levels among transformed mouse fibroblasts. 1991 , 73, 309-15			7
398	Re-organization of the immunoglobulin kappa gene on both alleles is not an obligatory prerequisite for Ig lambda gene expression in human cells. 1991 , 74, 709-13			2
397	Differential role for ADP-ribosylation in gene expression during the activation of T lymphocytes by various stimuli. 1989 , 67, 258-62			8

- 396 Construction of a rat T-cell hybridoma cDNA expression library and isolation of a cDNA clone for the rat T-cell differentiation marker RT6.2. **1989**, 67, 344-50 9
- 395 Strain specificity of bovine *Theileria parva*-specific cytotoxic T cells is determined by the phenotype of the restricting class I MHC. **1990**, 69, 38-44 43
- 394 Antidepressants upregulate messenger RNA levels of the neuroprotective enzyme superoxide dismutase (SOD1). **2000**, 25, 43-7 32
- 393 Interleukin-8, interleukin-6, and soluble tumour necrosis factor receptor type I release from a human pulmonary epithelial cell line (A549) exposed to respiratory syncytial virus. **1994**, 82, 126-33 131
- 392 Proinflammatory cytokines and endotoxin stimulate ICAM-1 gene expression and secretion by normal human hepatocytes. **1994**, 82, 571-6 40
- 391 Regulation of synthesis of complement protein C4 in human fibroblasts: cell- and gene-specific effects of cytokines and lipopolysaccharide. **1994**, 82, 509-15 23
- 390 Platelet-activating factor and endotoxin induce tumour necrosis factor gene expression in rat intestine and liver. **1994**, 83, 65-9 37
- 389 Unaltered immunoglobulin expression in hybridoma cells modified by targeting of the heavy chain locus with an integration vector. **1995**, 84, 159-63 5
- 388 Abnormal TNF production in prediabetic BB rats is linked to defective CD45R expression. **1992**, 77, 1-6 8
- 387 Expression and generation of interleukin-8, IL-6 and granulocyte-macrophage colony-stimulating factor by bronchial epithelial cells and enhancement by IL-1 beta and tumour necrosis factor-alpha. **1992**, 77, 330-7 243
- 386 Transcriptional regulation by retinoic acid of interleukin-2 alpha receptors in human B cells. **1994**, 81, 273-9 10
- 385 Abnormal TNF-alpha production in diabetes-prone BB rats: enhanced TNF-alpha expression and defective PGE2 feedback inhibition. **1994**, 81, 407-13 15
- 384 1,25-Dihydroxyvitamin D3 transcriptionally regulates tumour necrosis factor mRNA during HL-60 cell differentiation. **1988**, 63, 43-6 19
- 383 The effects of anti-CD3 antibodies on the development of T-cell receptor alpha beta + lymphocytes in embryonic thymus organ cultures. **1988**, 63, 639-42 24
- 382 Expression of interleukin-1 alpha, interleukin-1 beta and interleukin-6 in chronic B lymphocytic leukaemia (B-CLL) cells from patients at different stages of disease progression. **1991**, 84, 422-8 23
- 381 HLA class II mRNA accumulation by activated human T cells following growth in conditioned medium. **1989**, 76, 440-5 11
- 380 Thyroglobulin antibodies in Graves disease are associated with T-cell receptor beta chain and major histocompatibility complex loci. **1989**, 77, 21-4 21
- 379 Regulation of interleukin 2 and interleukin 2 receptor gene expression in human T cells: I. Effect of Ca²⁺-ionophore on phorbol myristate acetate co-stimulated cells. **1987**, 69, 433-40 13

378	Molecular analysis of the 18q- syndrome--and correlation with phenotype. 1993 , 52, 895-906	72
377	De novo truncation of chromosome 16p and healing with (TTAGGG) _n in the alpha-thalassemia/mental retardation syndrome (ATR-16). 1993 , 52, 668-76	62
376	Localization of juvenile, but not late-infantile, neuronal ceroid lipofuscinosis on chromosome 16. 1993 , 52, 89-95	19
375	Uniparental disomy for chromosome 16 in humans. 1993 , 52, 8-16	146
374	The mapping of the human 52-kD Ro/SSA autoantigen gene to human chromosome 11, and its polymorphisms. 1993 , 52, 183-91	52
373	Constitutional 1p36 deletion in a child with neuroblastoma. 1993 , 52, 176-82	83
372	A novel zinc finger gene on human chromosome 1qter that is alternatively spliced in human tissues and cell lines. 1993 , 52, 192-203	5
371	Molecular basis for the polymorphic forms of human serum paraoxonase/arylesterase: glutamine or arginine at position 191, for the respective A or B allozymes. 1993 , 52, 598-608	311
370	Occurrence of a 2-bp (AT) deletion allele and a nonsense (G-to-T) mutant allele at the E2 (DBT) locus of six patients with maple syrup urine disease: multiple-exon skipping as a secondary effect of the mutations. 1993 , 52, 414-24	40
369	Physical mapping of four serpin genes: alpha 1-antitrypsin, alpha 1-antichymotrypsin, corticosteroid-binding globulin, and protein C inhibitor, within a 280-kb region on chromosome 14q32.1. 1993 , 52, 343-53	62
368	Linkage analysis in familial Angelman syndrome. 1993 , 53, 105-12	36
367	Autosomal dominant Marfan-like connective-tissue disorder with aortic dilation and skeletal anomalies not linked to the fibrillin genes. 1993 , 53, 46-54	81
366	High-resolution mapping of the gamma-aminobutyric acid receptor subunit beta 3 and alpha 5 gene cluster on chromosome 15q11-q13, and localization of breakpoints in two Angelman syndrome patients. 1993 , 52, 1216-29	43
365	Human triosephosphate isomerase deficiency resulting from mutation of Phe-240. 1993 , 52, 1260-9	43
364	Molecular studies of trisomy 18. 1993 , 52, 1139-44	31
363	Haplotypes of the human immunoglobulin lambda IGLV7S1 and IGLV1S1 genes defined by restriction-site polymorphism and insertion/deletion of a 6-kb DNA fragment. 1993 , 53, 518-25	4
362	Association of transforming growth-factor alpha gene polymorphisms with nonsyndromic cleft palate only (CPO). 1993 , 53, 836-43	53
361	Linkage analysis of idiopathic generalized epilepsy (IGE) and marker loci on chromosome 6p in families of patients with juvenile myoclonic epilepsy: no evidence for an epilepsy locus in the HLA region. 1993 , 53, 652-62	65

360	Genetic heterogeneity in benign familial neonatal convulsions: identification of a new locus on chromosome 8q. 1993 , 53, 670-5	125
359	Detection of DNA sequence polymorphisms in human genomic DNA by using denaturing gradient gel blots. 1992 , 50, 331-46	25
358	Fine mapping of the McLeod locus (XK) to a 150-380-kb region in Xp21. 1992 , 50, 317-30	21
357	Isolation and characterization of new highly polymorphic DNA markers from the Huntington disease region. 1992 , 50, 382-93	10
356	Detection and characterization of point mutations in the choroideremia candidate gene by PCR-SSCP analysis and direct DNA sequencing. 1992 , 50, 1195-202	51
355	Mutation in the alpha 5(IV) collagen chain in juvenile-onset Alport syndrome without hearing loss or ocular lesions: detection by denaturing gradient gel electrophoresis of a PCR product. 1992 , 50, 1291-300	38
354	Evidence for genetic heterogeneity of malignant hyperthermia susceptibility. 1992 , 50, 1151-61	52
353	Waardenburg syndrome (WS) type I is caused by defects at multiple loci, one of which is near ALPP on chromosome 2: first report of the WS consortium. 1992 , 50, 902-13	118
352	Multipoint linkage analysis in Menkes disease. 1992 , 50, 1012-7	21
351	Common sequence motifs at the rearrangement sites of a constitutional X/autosome translocation and associated deletion. 1992 , 50, 725-41	30
350	The human loci DNF15S2 and D3S94 have a high degree of sequence similarity to acyl-peptide hydrolase and are located at 3p21.3. 1992 , 50, 826-33	5
349	Characterization of a deletion at Xq27-q28 associated with unbalanced inactivation of the nonmutant X chromosome. 1992 , 51, 316-22	33
348	The mapping of chromosome 4q markers in relation to facioscapulohumeral muscular dystrophy (FSHD). 1992 , 51, 404-10	33
347	Localization of DNA sequences to a region within Xp11.21 between incontinentia pigmenti (IP1) X-chromosomal translocation breakpoints. 1991 , 48, 53-64	30
346	Waardenburg syndrome (WS): the analysis of a single family with a WS1 mutation showing linkage to RFLP markers on human chromosome 2q. 1991 , 48, 43-52	31
345	Analysis of the VNTR locus D1S80 by the PCR followed by high-resolution PAGE. 1991 , 48, 137-44	638
344	Identification of a highly polymorphic microsatellite VNTR within the argininosuccinate synthetase locus: exclusion of the dystonia gene on 9q32-34 as the cause of dopa-responsive dystonia in a large kindred. 1991 , 48, 121-8	33
343	Chromosome 15 uniparental disomy is not frequent in Angelman syndrome. 1991 , 48, 16-21	58

342	Molecular analysis of mutations in a patient with purine nucleoside phosphorylase deficiency. 1992 , 51, 763-72	29
341	X-linked alpha-thalassemia/mental retardation (ATR-X) syndrome: localization to Xq12-q21.31 by X inactivation and linkage analysis. 1992 , 51, 1136-49	85
340	Localization of the photoreceptor gene ROM1 to human chromosome 11 and mouse chromosome 19: sublocalization to human 11q13 between PGA and PYGM. 1992 , 51, 1028-35	30
339	Replacement of arginine 773 by cysteine or histidine in the human androgen receptor causes complete androgen insensitivity with different receptor phenotypes. 1992 , 51, 143-55	39
338	Methylation of HpaII and HhaI sites near the polymorphic CAG repeat in the human androgen-receptor gene correlates with X chromosome inactivation. 1992 , 51, 1229-39	1204
337	Phenylketonuria in U.S. blacks: molecular analysis of the phenylalanine hydroxylase gene. 1991 , 48, 791-8	18
336	A t(4;22) in a meningioma points to the localization of a putative tumor-suppressor gene. 1991 , 48, 783-90	40
335	Analysis of the relationship of von Willebrand disease (vWD) and hereditary hemorrhagic telangiectasia and identification of a potential type IIA vWD mutation (Ile865 to Thr). 1991 , 48, 757-63	29
334	Human CYP1A1 gene: cosegregation of the enzyme inducibility phenotype and an RFLP. 1991 , 48, 720-5	118
333	Assignment of Emery-Dreifuss muscular dystrophy to the distal region of Xq28: the results of a collaborative study. 1991 , 48, 468-80	25
332	Linkage disequilibrium and modification of risk for Huntington disease. 1991 , 48, 595-603	18
331	Cloning and expression of the cDNA encoding human fumarylacetoacetate hydrolase, the enzyme deficient in hereditary tyrosinemia: assignment of the gene to chromosome 15. 1991 , 48, 525-35	94
330	Association of Treacher Collins syndrome and translocation 6p21.31/16p13.11: exclusion of the locus from these candidate regions. 1991 , 48, 274-80	19
329	Saturating the region of the polycystic kidney disease gene with NotI linking clones. 1991 , 48, 325-34	17
328	Molecular genetic basis of maple syrup urine disease in a family with two defective alleles for branched chain acyltransferase and localization of the gene to human chromosome 1. 1991 , 48, 342-50	22
327	High-resolution linkage mapping for susceptibility genes in human polygenic disease: insulin-dependent diabetes mellitus and chromosome 11q. 1991 , 48, 243-57	44
326	Progress in the search for genetic linkage with Tourette syndrome: an exclusion map covering more than 50% of the autosomal genome. 1991 , 48, 281-94	65
325	X-linked sideroblastic anemia and ataxia: linkage to phosphoglycerate kinase at Xq13. 1991 , 48, 335-41	36

324	Improved molecular diagnostics for ornithine transcarbamylase deficiency. 1991 , 48, 212-22	52
323	A detailed multipoint map of human chromosome 4 provides evidence for linkage heterogeneity and position-specific recombination rates. 1991 , 48, 911-25	57
322	Deletion of the entire cytochrome P450 CYP2D6 gene as a cause of impaired drug metabolism in poor metabolizers of the debrisoquine/sparteine polymorphism. 1991 , 48, 943-50	189
321	Structure of the chromosomal gene and cDNAs coding for lactase-phlorizin hydrolase in humans with adult-type hypolactasia or persistence of lactase. 1991 , 48, 889-902	79
320	Possible linkage of the estrogen receptor gene to breast cancer in a family with late-onset disease. 1991 , 48, 1065-8	77
319	Identification of RNA splicing errors resulting in human ornithine transcarbamylase deficiency. 1991 , 48, 1105-14	53
318	Sequence and localization of a partial cDNA encoding the human alpha 3 chain of type IV collagen. 1991 , 49, 545-54	80
317	Identification of a missense mutation in one allele of a patient with Pompe disease, and use of endonuclease digestion of PCR-amplified RNA to demonstrate lack of mRNA expression from the second allele. 1991 , 49, 635-45	43
316	Isolation of large numbers of chromosome 3-specific cosmids containing clusters of rare restriction-endonuclease sites. 1991 , 49, 581-9	5
315	Trisomy 21: association between reduced recombination and nondisjunction. 1991 , 49, 608-20	111
314	Low oculocerebrorenal syndrome in a female with a balanced X;20 translocation: mapping of the X chromosome breakpoint. 1991 , 49, 804-10	29
313	The gene for Treacher Collins syndrome maps to the long arm of chromosome 5. 1991 , 49, 17-22	57
312	Detection of linkage disequilibrium between the myotonic dystrophy locus and a new polymorphic DNA marker. 1991 , 49, 68-75	70
311	Recombinational biases in the rearranged C1-inhibitor genes of hereditary angioedema patients. 1991 , 49, 1055-62	43
310	Genomic structure of the human prion protein gene. 1991 , 49, 320-9	87
309	Hunter disease (mucopolysaccharidosis type II) associated with unbalanced inactivation of the X chromosomes in a karyotypically normal girl. 1991 , 49, 289-97	41
308	Localization of the gene encoding the GABAA receptor beta 3 subunit to the Angelman/Prader-Willi region of human chromosome 15. 1991 , 49, 330-7	143
307	Linkage analysis of families with hereditary retinoblastoma: nonpenetrance of mutation, revealed by combined use of markers within and flanking the RB1 gene. 1989 , 45, 252-60	35

306	Prenatal diagnosis and carrier detection of a cryptic translocation by using DNA markers from the short arm of chromosome 5. 1989 , 45, 296-303	34
305	Unequal synthesis and differential degradation of propionyl CoA carboxylase subunits in cells from normal and propionic acidemia patients. 1989 , 45, 33-40	24
304	Distal deletion of chromosome 1p in ductal carcinoma of the breast. 1989 , 45, 73-82	92
303	A high proportion of ADA point mutations associated with a specific alanine-to-valine substitution. 1989 , 45, 354-61	20
302	Localization of the genes for histatins to human chromosome 4q13 and tissue distribution of the mRNAs. 1989 , 45, 381-7	37
301	Isodisomy of chromosome 7 in a patient with cystic fibrosis: could uniparental disomy be common in humans?. 1989 , 45, 373-80	162
300	Association of genetic variation of the transforming growth factor-alpha gene with cleft lip and palate. 1989 , 45, 348-53	208
299	The gene for the human mast cell high-affinity IgE receptor alpha chain: chromosomal localization to 1q21-q23 and RFLP analysis. 1989 , 45, 761-5	11
298	An Xp22 microdeletion associated with ocular albinism and ichthyosis: approximation of breakpoints and estimation of deletion size by using cloned DNA probes and flow cytometry. 1989 , 45, 706-20	31
297	Assignment of the gene coding for the alpha-subunit of prolyl 4-hydroxylase to human chromosome region 10q21.3-23.1. 1989 , 45, 829-34	12
296	Homologous recombination between the LTRs of a human retrovirus-like element causes a 5-kb deletion in two siblings. 1989 , 45, 848-54	54
295	A contiguous, 3-Mb physical map of Xq28 extending from the colorblindness locus to DXS15. 1989 , 45, 873-82	27
294	Absence of a single repeat from the coding region of the human involucrin gene leading to RFLP. 1989 , 45, 910-6	23
293	Physical localization of two DNA markers closely linked to the cystic fibrosis locus by pulsed-field gel electrophoresis. 1989 , 45, 932-41	14
292	Molecular and phenotypic analysis of patients with deletions within the deletion-rich region of the Duchenne muscular dystrophy (DMD) gene. 1989 , 45, 507-20	144
291	Choroideremia and deafness with stapes fixation: a contiguous gene deletion syndrome in Xq21. 1989 , 45, 530-40	52
290	Partial gene duplication involving exon-Alu interchange results in lipoprotein lipase deficiency. 1990 , 46, 112-9	69
289	Human Xq24-Xq28: approaches to mapping with yeast artificial chromosomes. 1990 , 46, 95-106	71

288	Exclusion of the retinoblastoma gene and chromosome 13q as the site of a primary lesion for human breast cancer. 1990 , 46, 12-7	7
287	Adult and infantile glycogenesis type II in one family, explained by allelic diversity. 1990 , 46, 45-52	25
286	Molecular analysis of hemophilia A mutations in the Finnish population. 1990 , 46, 53-62	46
285	Identification of a locus which shows no genetic recombination with the autosomal dominant polycystic kidney disease gene on chromosome 16. 1990 , 46, 925-33	55
284	Allelic associations of multiple RFLPs of the gene encoding complement protein C2. 1990 , 46, 956-62	13
283	Strong linkage disequilibrium between the XY274 polymorphism and the pseudoautosomal boundary. 1990 , 46, 950-5	18
282	Amerindian mitochondrial DNAs have rare Asian mutations at high frequencies, suggesting they derived from four primary maternal lineages. 1990 , 46, 613-23	222
281	Transcription and translation of deleted mitochondrial genomes in Kearns-Sayre syndrome: implications for pathogenesis. 1990 , 46, 418-27	112
280	Linkage of an autosomal dominant clefting syndrome (Van der Woude) to loci on chromosome 1q. 1990 , 46, 486-91	64
279	A long-range restriction map of the human chromosome 19q13 region: close physical linkage between CKMM and the ERCC1 and ERCC2 genes. 1990 , 46, 492-501	33
278	The red-green visual pigment gene region in adrenoleukodystrophy. 1990 , 46, 459-69	20
277	A new mitochondrial disease associated with mitochondrial DNA heteroplasmy. 1990 , 46, 428-33	715
276	Determination of Y chromosome aneuploidy in human sperm nuclei by nonradioactive in situ hybridization. 1990 , 46, 553-8	60
275	Slot blot method for the quantification of DNA sequences and mapping of chromosome rearrangements: application to chromosome 21. 1990 , 46, 518-26	15
274	Human carboxypeptidase A identifies a BglII RFLP and maps to 7q31-qter. 1990 , 46, 795-800	7
273	Skewed X inactivation in a female MZ twin results in Duchenne muscular dystrophy. 1990 , 46, 672-81	113
272	Genetic mapping of autosomal dominant Charcot-Marie-Tooth disease in a large French-Acadian kindred: identification of new linked markers on chromosome 17. 1990 , 46, 801-9	53
271	The human arylsulfatase-C isoenzymes: two distinct genes that escape from X inactivation. 1990 , 46, 729-37	17

270	The parental origin of the extra X chromosome in 47,XXX females. 1990 , 46, 754-61	53
269	Duplicational mutation at the Duchenne muscular dystrophy locus: its frequency, distribution, origin, and phenotype/genotype correlation. 1990 , 46, 682-95	175
268	Deletion mapping of Aland Island eye disease to Xp21 between DXS67 (B24) and Duchenne muscular dystrophy. 1990 , 47, 795-801	14
267	Microdissection of the fragile X region. 1990 , 47, 181-6	30
266	Genetic mapping of X-linked albinism-deafness syndrome (ADFN) to Xq26.3-q27.l. 1990 , 47, 20-7	32
265	Angelman syndrome: three molecular classes identified with chromosome 15q11q13-specific DNA markers. 1990 , 47, 149-54	98
264	Cloning and chromosomal localization of the human cytoskeletal alpha-actinin gene reveals linkage to the beta-spectrin gene. 1990 , 47, 62-72	69
263	Nance-Horan syndrome: localization within the region Xp21.1-Xp22.3 by linkage analysis. 1990 , 47, 13-9	29
262	Linkage relationship of X-linked juvenile retinoschisis with Xp22.1-p22.3 probes. 1990 , 47, 616-21	27
261	Deletions in patients with classical choroideremia vary in size from 45 kb to several megabases. 1990 , 47, 622-8	47
260	Genetics and biology of human ovarian teratomas. II. Molecular analysis of origin of nondisjunction and gene-centromere mapping of chromosome I markers. 1990 , 47, 644-55	45
259	The human ryanodine receptor gene: its mapping to 19q13.1, placement in a chromosome 19 linkage group, and exclusion as the gene causing myotonic dystrophy. 1990 , 46, 1082-9	53
258	Assignment of the locus for Waardenburg syndrome type I to human chromosome 2q37 and possible homology to the Splotch mouse. 1990 , 46, 1017-23	95
257	A new polymorphic probe which defines the region of chromosome 19 containing the myotonic dystrophy locus. 1990 , 46, 1073-81	39
256	Molecular cloning of alpha 5(IV) collagen and assignment of the gene to the region of the X chromosome containing the Alport syndrome locus. 1990 , 46, 1024-33	83
255	Clinical features and molecular analysis of the alpha thalassemia/mental retardation syndromes. I. Cases due to deletions involving chromosome band 16p13.3. 1990 , 46, 1112-26	101
254	Allan-Herndon syndrome. II. Linkage to DNA markers in Xq21. 1990 , 47, 454-8	67
253	Linkage to D3S47 (C17) in one large autosomal dominant retinitis pigmentosa family and exclusion in another: confirmation of genetic heterogeneity. 1990 , 47, 536-41	25

252	A locus for familial hypertrophic cardiomyopathy is closely linked to the cardiac myosin heavy chain genes, CRI-L436, and CRI-L329 on chromosome 14 at q11-q12. 1990 , 47, 389-94	50
251	Identification of the base-pair substitution responsible for a human acid alpha glucosidase allele with lower "affinity" for glycogen (GAA 2) and transient gene expression in deficient cells. 1990 , 47, 440-5	31
250	Exclusion of a schizophrenia susceptibility gene from the chromosome 5q11-q13 region: new data and a reanalysis of previous reports. 1990 , 47, 524-35	77
249	Localization of the human angiogenin gene to chromosome band 14q11, proximal to the T cell receptor alpha/delta locus. 1990 , 47, 973-81	23
248	Nucleus-driven multiple large-scale deletions of the human mitochondrial genome: a new autosomal dominant disease. 1990 , 47, 904-14	110
247	The gene for human liver arginase (ARG1) is assigned to chromosome band 6q23. 1986 , 39, 186-93	51
246	A cell hybrid and recombinant DNA library that facilitate identification of polymorphic loci in the vicinity of the Huntington disease gene. 1986 , 39, 397-403	43
245	Molecular analysis of an unbalanced deletion of the short arm of chromosome 5 that produces no phenotype. 1986 , 39, 1-10	17
244	A fine structure physical map of the short arm of chromosome 5. 1986 , 39, 562-72	22
243	The human myelin-basic-protein gene: chromosomal localization and RFLP analysis. 1987 , 40, 365-73	31
242	Multipoint linkage analysis of loci in the proximal long arm of the human X chromosome: application to mapping the choroideremia locus. 1987 , 40, 303-11	19
241	Congenital adrenal hypoplasia, myopathy, and glycerol kinase deficiency: molecular genetic evidence for deletions. 1987 , 40, 212-27	76
240	Linkage of cystic fibrosis locus and polymorphic DNA markers in 14 families. 1986 , 39, 707-12	5
239	DNA polymorphisms in and around the Apo-A1-CIII genes and genetic hyperlipidemias. 1987 , 40, 421-30	89
238	A 45,X male with Y-specific DNA translocated onto chromosome 15. 1987 , 40, 477-88	38
237	Mapping the Wilson disease locus to a cluster of linked polymorphic markers on chromosome 13. 1987 , 41, 27-35	46
236	Localization of the human thyroxine-binding globulin gene to the long arm of the X chromosome (Xq21-22). 1987 , 41, 428-35	34
235	Genetic mechanisms of tumor-specific loss of 11p DNA sequences in Wilms tumor. 1987 , 41, 202-17	70

234	A genetic linkage map of human chromosome 21: analysis of recombination as a function of sex and age. 1992 , 50, 551-8	51
233	Prenatal diagnosis of mitochondrial DNA8993 T→G disease. 1992 , 50, 629-33	75
232	The gene encoding human vimentin is located on the short arm of chromosome 10. 1987 , 41, 616-26	28
231	Linkage relationships between X-linked retinitis pigmentosa and nine short-arm markers: exclusion of the disease locus from Xp21 and localization to between DXS7 and DXS14. 1987 , 41, 635-44	36
230	Human placental and intestinal alkaline phosphatase genes map to 2q34-q37. 1987 , 41, 1025-34	36
229	The pronatriodilatin gene is located on the distal short arm of human chromosome 1 and on mouse chromosome 4. 1985 , 37, 1117-28	82
228	Physical mapping around the Alzheimer disease locus on the proximal long arm of chromosome 21. 1990 , 46, 316-22	34
227	Infantile hypophosphatasia: localization within chromosome region 1p36.1-34 and prenatal diagnosis using linked DNA markers. 1990 , 46, 286-92	78
226	Three genes for enzymes of the pyruvate dehydrogenase complex map to human chromosomes 3, 7, and X. 1990 , 46, 340-9	16
225	Molecular analysis of the Smith-Magenis syndrome: a possible contiguous-gene syndrome associated with del(17)(p11.2). 1991 , 49, 1207-18	233
224	Presymptomatic detection or exclusion of prion protein gene defects in families with inherited prion diseases. 1991 , 49, 1351-4	16
223	Molecular cloning of the human UMP synthase gene and characterization of point mutations in two hereditary orotic aciduria families. 1997 , 60, 525-39	42
222	Tightly linked flanking markers for the Lowe oculocerebrorenal syndrome, with application to carrier assessment. 1988 , 42, 748-55	44
221	Linkage of the Wilson disease gene to chromosome 13 in North-American pedigrees. 1988 , 42, 825-9	21
220	Extensive DNA polymorphism at the factor XIIIa (F13A) locus and linkage to HLA. 1988 , 42, 877-83	29
219	Isolation and analysis of DNA markers specific to human chromosome 15. 1988 , 42, 854-66	9
218	Steady-state levels of uroporphyrinogen decarboxylase mRNA in lymphoblastoid cell lines from patients with familial porphyria cutanea tarda and their relatives. 1988 , 42, 847-53	6
217	Localization of gelsolin proximal to ABL on chromosome 9. 1988 , 42, 565-72	56

216	Cytogenetic and molecular analysis of sex-chromosome monosomy. 1988 , 42, 534-41	103
215	Regional assignment of six polymorphic DNA sequences on chromosome 21 by in situ hybridization to normal and rearranged chromosomes. 1988 , 42, 542-9	9
214	Trisomy 21 (Down syndrome): studying nondisjunction and meiotic recombination by using cytogenetic and molecular polymorphisms that span chromosome 21. 1988 , 42, 227-36	30
213	Isolation of DNA markers in the direction of the Huntington disease gene from the G8 locus. 1988 , 42, 335-44	74
212	Chromosomal localization of the human proenkephalin and prodynorphin genes. 1988 , 42, 327-34	20
211	Anonymous DNA probes to human chromosome 16 derived from a flow-purified library. 1988 , 42, 373-9	14
210	The genes coding for human pro alpha 1(IV) collagen and pro alpha 2(IV) collagen are both located at the end of the long arm of chromosome 13. 1988 , 42, 309-14	29
209	Analysis of UMP synthase gene and mRNA structure in hereditary orotic aciduria fibroblasts. 1988 , 43, 86-94	9
208	Characterization of six partial deletions in the low-density-lipoprotein (LDL) receptor gene causing familial hypercholesterolemia (FH). 1988 , 43, 60-8	55
207	Assignment of the functional gene for human adrenodoxin to chromosome 11q13----qter and of adrenodoxin pseudogenes to chromosome 20cen----q13.1. 1988 , 43, 52-9	24
206	X-linked hypohidrotic ectodermal dysplasia: localization within the region Xq11-21.1 by linkage analysis and implications for carrier detection and prenatal diagnosis. 1988 , 43, 75-85	37
205	Human cytochrome P-450 PB-1: a multigene family involved in mephenytoin and steroid oxidations that maps to chromosome 10. 1988 , 42, 26-37	53
204	A polymorphic DNA marker that represents a conserved expressed sequence in the region of the Huntington disease gene. 1988 , 42, 125-31	21
203	A DNA test for Indiana/Swiss hereditary amyloidosis (FAP II). 1988 , 43, 182-7	28
202	Human creatine kinase genes on chromosomes 15 and 19, and proximity of the gene for the muscle form to the genes for apolipoprotein C2 and excision repair. 1988 , 43, 144-51	71
201	Chromosome breakage and recombination at fragile sites. 1988 , 43, 265-73	124
200	New polymorphisms at the DXS98 locus and confirmation of its location proximal to FRAXA by in situ hybridization. 1989 , 44, 248-54	13
199	Human population genetic studies of five hypervariable DNA loci. 1989 , 44, 182-90	130

198	Evidence from family studies that the gene causing Huntington disease is telomeric to D4S95 and D4S90. 1989 , 44, 422-5	41
197	Inheritance of ornithine aminotransferase gene, mRNA, and enzyme defect in a family with gyrate atrophy of the choroid and retina. 1989 , 44, 353-7	12
196	Linkage analysis of the apolipoprotein C2 gene and myotonic dystrophy on human chromosome 19 reveals linkage disequilibrium in a French-Canadian population. 1989 , 44, 140-7	21
195	Physical mapping of the von Recklinghausen neurofibromatosis region on chromosome 17. 1989 , 44, 58-67	46
194	A genetic linkage map of 27 loci from PND to FY on the short arm of human chromosome I. 1988 , 43, 462-70	44
193	Localization of the gene for X-linked recessive type of retinitis pigmentosa (XLRP) to Xp21 by linkage analysis. 1988 , 43, 484-94	43
192	Application of DNA-DNA hybridization of dual labeled probes to the detection of trisomy 21, monosomy 21, and sex determination. 1988 , 43, 502-10	7
191	Molecular analysis of male-viable deletions and duplications allows ordering of 52 DNA probes on proximal Xq. 1988 , 43, 452-61	47
190	The gene encoding the hydrophobic surfactant protein SP-C is located on 8p and identifies an EcoRI RFLP. 1988 , 43, 436-41	22
189	Linkage studies in a large fragile X family. 1988 , 43, 684-8	17
188	Normal human genomic restriction-fragment patterns and polymorphisms revealed by hybridization with the entire dystrophin cDNA. 1988 , 43, 612-9	40
187	Identification and regional localization of DNA markers on chromosome 7 for the cloning of the cystic fibrosis gene. 1988 , 43, 645-63	47
186	Eight closely linked loci place the Wilson disease locus within 13q14-q21. 1988 , 43, 664-74	60
185	Restriction analysis of the structural alpha-L-fucosidase gene and its linkage to fucosidosis. 1988 , 43, 749-55	16
184	Linkage disequilibrium study of RFLPs detected at the human muscle nicotinic acetylcholine receptor subunit genes. 1989 , 44, 522-33	17
183	Re: Savtchenko et al. (1988): "Embryonic Expression of the Human 40-kD Keratin: Evidence from a Processed Pseudogene Sequence". 1989 , 44, 590-1	
182	Genetic homogeneity at the Friedreich ataxia locus on chromosome 9. 1989 , 44, 518-21	57
181	Oncogenes and human breast cancer. 1989 , 44, 577-84	33

180	HLA-DR typing "at the DNA level": RFLPs and subtypes detected with a DR beta cDNA probe. 1988 , 43, 954-63	29
179	Analysis of liver/bone/kidney alkaline phosphatase mRNA, DNA, and enzymatic activity in cultured skin fibroblasts from 14 unrelated patients with severe hypophosphatasia. 1989 , 44, 686-94	26
178	Isolation of additional polymorphic clones from the cystic fibrosis region, using chromosome jumping from D7S8. 1989 , 44, 695-703	17
177	Genetic linkage of Beckwith-Wiedemann syndrome to 11p15. 1989 , 44, 720-3	239
176	An intronic region within the human factor VIII gene is duplicated within Xq28 and is homologous to the polymorphic locus DXS115 (767). 1989 , 44, 679-85	13
175	Gene and gene-product variation in the apolipoprotein A-I/C-III/A-IV cluster in the Dogrib Indians of the Northwest Territories. 1989 , 44, 835-43	8
174	Glycogenesis type II: protein and DNA analysis in five South African families from various ethnic origins. 1989 , 44, 787-93	22
173	Evidence for mutation by unequal sister chromatid exchange in the Duchenne muscular dystrophy gene. 1989 , 44, 855-63	32
172	Chromosomal localization of the gene for the human trifunctional enzyme, methylenetetrahydrofolate dehydrogenase-methenyltetrahydrofolate cyclohydrolase-formyltetrahydrofolate synthetase. 1989 , 44, 781-6	11
171	Instability of the CCG repeat and expression of the FMR1 protein in a male fragile X patient with a lung tumor. 1995 , 57, 609-18	41
170	A familial "balanced" 3;9 translocation with cryptic 8q insertion leading to deletion and duplication of 9p23 loci in siblings. 1995 , 56, 302-9	25
169	The human homologue of the <i>Drosophila melanogaster</i> flightless-I gene (<i>Flil</i>) maps within the Smith-Magenis microdeletion critical region in 17p11.2. 1995 , 56, 175-82	59
168	Physical mapping of the holoprosencephaly critical region in 18p11.3. 1995 , 57, 1080-5	74
167	Evolution of haplotypes at the DRD2 locus. 1995 , 57, 1445-56	76
166	Epstein-Barr virus latent membrane protein-1 oncogene deletion in post-transplantation lymphoproliferative disorders. 1997 , 151, 805-12	28
165	HMGI(Y) activation by chromosome 6p21 rearrangements in multilineage mesenchymal cells from pulmonary hamartoma. 1997 , 150, 901-10	47
164	Post-infarction left ventricular remodeling induces changes in creatine kinase mRNA and protein subunit levels in porcine myocardium. 1997 , 151, 257-64	13
163	Transformation of rabbit vascular smooth muscle cells by human cytomegalovirus morphological transforming region I. 1997 , 151, 1387-95	9

162	Expression of interleukin-8 correlates with vascularity in human gastric carcinomas. 1998 , 152, 93-100	169
161	Correlation of metastasis-related gene expression with metastatic potential in human prostate carcinoma cells implanted in nude mice using an in situ messenger RNA hybridization technique. 1997 , 150, 1571-82	88
160	Widespread neuronal expression of the presenilin-1 early-onset Alzheimer's disease gene in the murine brain. 1996 , 148, 1797-806	46
159	Expression of very low density lipoprotein receptor in the vascular wall. Analysis of human tissues by in situ hybridization and immunohistochemistry. 1996 , 148, 1985-97	55
158	Regulation of carcinoembryonic antigen expression in human colon carcinoma cells by the organ microenvironment. 1996 , 149, 1157-66	19
157	Expression of very low density lipoprotein receptor mRNA in rabbit atherosclerotic lesions. 1996 , 149, 1831-8	29
156	Expression of prolactin and prolactin receptor in human breast carcinoma. Evidence for an autocrine/paracrine loop. 1995 , 146, 695-705	167
155	In situ mRNA hybridization technique for analysis of metastasis-related genes in human colon carcinoma cells. 1995 , 147, 1238-47	44
154	Post-transplantation lymphoproliferative disorders arising in solid organ transplant recipients are usually of recipient origin. 1995 , 147, 1862-70	40
153	Conditional transformation of mouse liver epithelial cells. An in vitro model for analysis of genetic events in hepatocarcinogenesis. 1995 , 147, 1811-22	24
152	Vascular permeability factor expression influences tumor angiogenesis in human melanoma lines xenografted to nude mice. 1995 , 146, 197-209	65
151	Early and persistent up-regulated expression of renal cortical osteopontin in experimental hydronephrosis. 1995 , 146, 1455-66	63
150	Aberrant GAP-43 gene expression in Alzheimer's disease. 1995 , 147, 934-46	44
149	Intercellular adhesion molecule-1 (ICAM-1) expression is upregulated in autoimmune murine lupus nephritis. 1990 , 136, 441-50	145
148	Transformation of rabbit vascular smooth muscle cells by transfection with the early region of SV40 DNA. 1990 , 136, 297-306	18
147	Origin of basement membrane type IV collagen in xenografted human epithelial tumor cell lines. 1990 , 136, 1165-72	11
146	Early proto-oncogene expression in rat aortic smooth muscle cells following endothelial removal. 1990 , 137, 761-5	83
145	Western thymomas lack Epstein-Barr virus by Southern blotting analysis and by polymerase chain reaction. 1990 , 136, 1429-36	26

144	Tumor necrosis factor alpha and lymphotoxin production in Hodgkin's disease. 1990 , 137, 341-51	33
143	Myogenic regulatory protein (MyoD1) expression in childhood solid tumors: diagnostic utility in rhabdomyosarcoma. 1990 , 137, 1283-91	98
142	The relationship between viral RNA, myelin-specific mRNAs, and demyelination in central nervous system disease during Theiler's virus infection. 1990 , 137, 1467-79	28
141	In situ demonstration of Epstein-Barr viral genomes in viral-associated B cell lymphoproliferations. 1989 , 134, 651-9	102
140	Enhanced MHC class II expression in renal proximal tubules precedes loss of renal function in MRL/lpr mice with lupus nephritis. 1989 , 134, 45-51	77
139	Relationship between interphasic nucleolar organizer regions and growth rate in two neuroblastoma cell lines. 1989 , 134, 925-32	72
138	Primary B cell gastric lymphoma. A genotypic analysis. 1989 , 135, 557-64	49
137	Role of periductal and ductular epithelial cells of the adult rat pancreas in pancreatic hepatocyte lineage. A change in the differentiation commitment. 1989 , 134, 1069-86	104
136	Widespread expression of amyloid beta-protein precursor gene in rat brain. 1989 , 134, 1253-61	59
135	Immunophenotypic and genotypic characterization of diffuse mixed non-Hodgkin's lymphomas. 1989 , 135, 615-21	14
134	The bcl-2 gene in primary B cell lymphoma of mucosa-associated lymphoid tissue (MALT). 1989 , 135, 7-11	61
133	Molecular genetic analysis of lymphoid tumors arising after organ transplantation. 1989 , 135, 977-87	128
132	Clonal rearrangement for immunoglobulin and T-cell receptor genes in systemic Castleman's disease. Association with Epstein-Barr virus. 1988 , 131, 84-91	67
131	Rearrangement of immunoglobulin and T-cell receptor genes in Hodgkin's disease. 1988 , 131, 331-8	38
130	Detection and localization of renin messenger RNA in human pathologic tissues using in situ hybridization. 1988 , 131, 320-30	21
129	Absence of clonal beta and gamma T-cell receptor gene rearrangements in a subset of peripheral T-cell lymphomas. 1988 , 130, 436-42	104
128	Studies on immunoglobulin gene rearrangement in formalin-fixed, paraffin-embedded pathology specimens. 1988 , 130, 588-94	13
127	Molecular basis for the aberrant expression of T cell antigens in postthymic T cell malignancies. 1988 , 132, 192-8	18

126	Transforming growth factor-beta production in anti-glomerular basement membrane disease in the rabbit. 1991 , 138, 223-34	91
125	Increased steady-state levels of mRNA coding for extracellular matrix components in kidneys of NZB/W F1 mice. 1991 , 139, 437-50	18
124	Alternative splicing of human VCAM-1 in activated vascular endothelium. 1991 , 138, 815-20	89
123	Oncogene amplification in breast cancer. 1991 , 138, 835-45	19
122	Interleukin-1 beta and tumor necrosis factor-alpha induce gene expression and production of leukocyte chemotactic factors, colony-stimulating factors, and interleukin-6 in human mesangial cells. 1991 , 138, 991-1003	107
121	Coexpression of galanin and adrenocorticotrophic hormone in human pituitary and pituitary adenomas. 1991 , 138, 897-909	34
120	Rearrangement of the T-cell receptor delta chain gene in T-cell lymphomas with a mature phenotype. 1991 , 139, 161-8	19
119	Selective amplification of periportal transitional cells precedes formation of hepatocellular carcinoma in SV40 large tag transgenic mice. 1991 , 139, 231-41	27
118	Hybridohistochemical demonstration of alternative splicing of the CALC-I gene. 1991 , 138, 273-7	3
117	Characterization of human vascular smooth muscle cells transformed by the early genetic region of SV40 virus. 1991 , 139, 629-40	12
116	The effects of estrogen on prolactin gene methylation in normal and neoplastic rat pituitary tissues. 1992 , 140, 207-14	12
115	Glycoprotein hormone alpha-subunit-producing pituitary adenomas in rats treated for one year with calcitonin. 1992 , 140, 75-84	12
114	bcl-1 rearrangement. Frequency and clinical significance among B-cell chronic lymphocytic leukemias and non-Hodgkin's lymphomas. 1991 , 138, 591-9	28
113	Minimally oxidized low-density lipoprotein induces tissue factor expression in cultured human endothelial cells. 1991 , 138, 601-7	173
112	Expression of B-cell antigens by Hodgkin's and Reed-Sternberg cells. 1991 , 139, 701-7	94
111	Serum response heterogeneity among nonsmall cell lung cancer cell lines. 1991 , 139, 939-47	3
110	Perforin mRNA expression in the inflamed tissues of NZB/W F1 lupus mice decreases with methylprednisolone treatment. 1991 , 139, 731-6	4
109	Hyperthermia stimulates plasminogen activator inhibitor type 1 expression in human umbilical vein endothelial cells in vitro. 1991 , 139, 911-9	32

108	Effect of norepinephrine on myocardial collagen gene expression and response of cardiac fibroblasts after norepinephrine treatment. 1991 , 139, 1131-42	64
107	Homology of the amyloid beta protein precursor in monkey and human supports a primate model for beta amyloidosis in Alzheimer's disease. 1991 , 138, 1423-35	149
106	Expression of the 11p13 Wilms tumor gene, WT1, correlates with histologic category of Wilms tumor. 1992 , 140, 1031-7	23
105	The bcl-2 gene translocation is undetectable in Hodgkin's disease by Southern blot hybridization and polymerase chain reaction. 1992 , 141, 193-201	22
104	Detection of Epstein-Barr virus genome in Ki-1 (CD30)-positive, large-cell anaplastic lymphomas using the polymerase chain reaction. 1992 , 141, 457-65	22
103	Expression of macrophage inflammatory protein-2 and KC mRNA in pulmonary inflammation. 1992 , 141, 981-8	121
102	Characterization of hu-PBL-SCID mice with high human immunoglobulin serum levels and graft-versus-host disease. 1992 , 141, 1097-113	36
101	Dexamethasone prevents autoimmune nephritis and reduces renal expression of Ia but not costimulatory signals. 1992 , 141, 743-51	23
100	Serum amyloid A gene transcription in synovial cells during retroviral arthritis. 1992 , 141, 525-9	8
99	Distribution of albumin and alpha-fetoprotein mRNAs in normal, hyperplastic, and preneoplastic rat liver. 1992 , 141, 623-32	47
98	Transforming growth factor-beta and transforming growth factor beta-receptor expression in human meningioma cells. 1992 , 141, 633-42	34
97	Media conditioned by smooth muscle cells cultured in a variety of hypoxic environments stimulates in vitro angiogenesis. A relationship to transforming growth factor-beta 1. 1992 , 141, 1507-16	36
96	Identification of monoclonal B-cell populations by rapid cycle polymerase chain reaction. A practical screening method for the detection of immunoglobulin gene rearrangements. 1992 , 141, 1291-7	34
95	Cellular localization of type 1 plasminogen activator inhibitor messenger RNA and protein in murine renal tissue. 1993 , 142, 59-70	82
94	Characterization of clonality of Epstein-Barr virus-induced human B lymphoproliferative disease in mice with severe combined immunodeficiency. 1993 , 142, 139-47	11
93	Murine tissue factor gene expression in vivo. Tissue and cell specificity and regulation by lipopolysaccharide. 1993 , 143, 76-84	87
92	Association of Epstein-Barr virus with gastric carcinoma with lymphoid stroma. 1993 , 143, 1063-71	99
91	Pulsed-field gel electrophoresis analysis of retinoic acid receptor-alpha and promyelocytic leukemia rearrangements. Detection of the t(15;17) translocation in the diagnosis of acute promyelocytic leukemia. 1993 , 143, 1301-11	6

90	p53 gene mutations and MDM2 amplification are uncommon in primary carcinomas of the uterine cervix. 1993 , 143, 1398-405	44
89	Angiogenic macrophages produce the angiogenic inhibitor thrombospondin 1. 1993 , 143, 678-84	66
88	Type 1 plasminogen activator inhibitor gene expression following partial hepatectomy. 1993 , 143, 753-62	27
87	Organ site-dependent expression of basic fibroblast growth factor in human renal cell carcinoma cells. 1994 , 145, 365-74	89
86	Analysis of alterations of oncogenes and tumor suppressor genes in chronic lymphocytic leukemia. 1994 , 144, 1312-9	46
85	Frequent immunoglobulin and T-cell receptor gene rearrangements in "histiocytic" neoplasms. 1985 , 121, 369-73	81
84	Clonal T-cell populations in angioimmunoblastic lymphadenopathy and angioimmunoblastic lymphadenopathy-like lymphoma. 1986 , 122, 392-7	118
83	Clonal T-cell populations in pityriasis lichenoides et varioliformis acuta (Mucha-Habermann disease). 1987 , 126, 417-21	113
82	Epstein-Barr viral DNA in tissues of Hodgkin's disease. 1987 , 129, 86-91	358
81	Mental status of females with an FMR1 gene full mutation. 1996 , 58, 1025-32	139
80	Pre-Caucasoid and Caucasoid genetic features of the Indian population, revealed by mtDNA polymorphisms. 1996 , 59, 927-34	46
79	Evidence that specific mtDNA point mutations may not accumulate in skeletal muscle during normal human aging. 1996 , 59, 591-602	68
78	Succinyl CoA: 3-oxoacid CoA transferase (SCOT): human cDNA cloning, human chromosomal mapping to 5p13, and mutation detection in a SCOT-deficient patient. 1996 , 59, 519-28	46
77	Beta-globin haplotype analysis suggests that a major source of Malagasy ancestry is derived from Bantu-speaking Negroids. 1996 , 58, 1303-8	23
76	Mutation in and lack of expression of tyrosinase-related protein-1 (TRP-1) in melanocytes from an individual with brown oculocutaneous albinism: a new subtype of albinism classified as "OCA3". 1996 , 58, 1145-56	125
75	Clinical, cytogenetic, and molecular characterization of seven patients with deletions of chromosome 22q13.3. 1994 , 54, 464-72	75
74	Uniparental disomy occurs infrequently in Wilms tumor patients. 1994 , 54, 282-9	10
73	Concordance between parental origin of chromosome 13q loss and chromosome 6p duplication in sporadic retinoblastoma. 1994 , 54, 274-81	7

72	Platelet-mediated transformation of mtDNA-less human cells: analysis of phenotypic variability among clones from normal individuals--and complementation behavior of the tRNALys mutation causing myoclonic epilepsy and ragged red fibers. 1994 , 54, 966-74	92
71	Interstitial deletions are not the main mechanism leading to 18q deletions. 1994 , 54, 1085-91	12
70	Locus heterogeneity for Waardenburg syndrome is predictive of clinical subtypes. 1994 , 55, 728-37	47
69	Molecular analysis and test of linkage between the FMR-1 gene and infantile autism in multiplex families. 1994 , 55, 951-9	40
68	Segregation of FRAXE in a large family: clinical, psychometric, cytogenetic, and molecular data. 1994 , 55, 923-31	54
67	A YAC contig encompassing the Treacher Collins syndrome critical region at 5q31.3-32. 1994 , 55, 372-8	20
66	Clinical diversity and chromosomal localization of X-linked cone dystrophy (COD1). 1994 , 55, 1173-81	20
65	Germ-line mutations in the von Hippel-Lindau tumor-suppressor gene are similar to somatic von Hippel-Lindau aberrations in sporadic renal cell carcinoma. 1994 , 55, 1092-102	159
64	Tissue distribution and regulation of plasminogen activator inhibitor-1 in obese mice. 1996 , 2, 568-82	31
63	A novel protease homolog differentially expressed in breast and ovarian cancer. 1996 , 2, 624-36	44
62	A defective HSV-1 vector expresses Escherichia coli beta-galactosidase in cultured peripheral neurons. 1988 , 241, 1667-9	76
61	Induction of ornithine decarboxylase activity by growth and differentiation factors in FRTL-5 cells. 1989 , 62, 435-44	3
60	Molecular characterization of a mammalian smooth muscle myosin light chain kinase. 1991 , 266, 23936-44	111
59	Secondary structure at a hot spot for DNA methylation in DNA from human breast cancers. 2008 , 5, 241-51	10
58	Receptor editing in self-reactive bone marrow B cells. The Journal of Experimental Medicine. 1993. 177: 1009-1020. 2011 , 186, 1313-24	2
57	Domain characterization of rabbit skeletal muscle myosin light chain kinase. 1990 , 265, 1724-30	37
56	Mutations in the bile acid biosynthetic enzyme sterol 27-hydroxylase underlie cerebrotendinous xanthomatosis. 1991 , 266, 7779-83	280
55	Developmental expression, cellular localization, and testosterone regulation of alpha 1-antitrypsin in Mus caroli kidney. 1987 , 262, 12641-6	9

54	Interferon regulatory factor-1 (IRF-1) activates the synthetic IRF-1-responsive sequence (GAAAGT) ₄ in <i>Saccharomyces cerevisiae</i> . 1992 , 2, 329-37	5
53	The role of the promoter in the expression of the PCNA gene. 1992 , 2, 285-96	4
52	Bovine and rodent tamm-horsfall protein (THP) genes: cloning, structural analysis, and promoter identification. 1994 , 4, 63-75	12
51	Molecular cloning of a novel member of the nuclear receptor superfamily related to the orphan receptor, TR2. 1994 , 4, 77-84	12
50	Structure and expression of a polyubiquitin gene from the crustacean <i>Artemia</i> . 1994 , 4, 19-28	5
49	Isolation of the human peroxisome proliferator activated receptor gamma cDNA: expression in hematopoietic cells and chromosomal mapping. 1995 , 4, 281-99	251
48	Functional conservation of yeast mtTFB despite extensive sequence divergence. 1996 , 6, 219-30	17
47	Molecular characterization of the murine Hif-1 alpha locus. 1997 , 6, 287-99	30
46	Molecular characterization and chromosomal localization of a third alpha-class hypoxia inducible factor subunit, HIF3alpha. 1998 , 7, 205-13	345
45	Calcium-induced stabilization of AU-rich short-lived mRNAs is a common default response. 1999 , 7, 357-65	8
44	Localization of Jacobsen Syndrome Breakpoints on a 40-Mb Physical Map of Distal Chromosome 11q. 1999 , 9, 44-52	44
43	Separation of Micronuclear DNA of <i>Stylonychia lemnae</i> by Pulsed-Field Electrophoresis and Identification of a DNA Molecule with a High Copy Number. 1999 , 9, 654-661	1
42	A Sequence-Ready BAC Contig of the GABAA Receptor Gene Cluster <i>Gabra1-Gabra2-Gabrb1</i> on Mouse Chromosome 5. 1999 , 9, 732-738	5
41	High-Resolution Landmark Framework for the Sequence-Ready Mapping of Xq23q26.1. 1999 , 9, 751-762	1
40	NADPH: protochlorophyllide oxidoreductases in white pine (<i>Pinus strobus</i>) and loblolly pine (<i>P. taeda</i>). Evidence for light and developmental regulation of expression and conservation in gene organization and protein structure between angiosperms and gymnosperms. 1992 , 236, 86-95	23
39	Analysis of the HO-cleaved MAT DNA intermediate generated during the mating type switch in the yeast <i>Saccharomyces cerevisiae</i> . 1989 , 220, 33-42	19
38	Coaction of blue light and light absorbed by phytochrome in control of glutamine synthetase gene expression in Scots pine (<i>Pinus sylvestris</i> L.) seedlings. 1994 , 192, 189-94	8
37	Expression of the <i>cbbL</i> , <i>cbbS</i> and <i>cbbM</i> genes and distinct organization of the <i>cbb</i> Calvin cycle structural genes of <i>Rhodobacter capsulatus</i> . <i>Archives of Microbiology</i> , 1995 , 164, 396-405	3 39

36	Differential effects of oncostatin M and leukaemia inhibitory factor expression in astrocytoma cells. <i>Biochemical Journal</i> , 2001 , 355, 307	3.8	2
35	Image_1.pdf. 2019 ,		
34	Image_2.pdf. 2019 ,		
33	Table_1.pdf. 2019 ,		
32	Table_2.pdf. 2019 ,		
31	Table_3.pdf. 2019 ,		
30	Table_4.pdf. 2019 ,		
29	Is partial deletion of the complement C4 genes associated with sudden infant death?. <i>European Journal of Pediatrics</i> , 1994 , 153, 287-290	4.1	
28	Diagnosis of neurofibromatosis type 1 using RFLPs tightly linked to gene. <i>Child's Nervous System</i> , 1993 , 9, 147-9	1.7	1
27	The HLA-D associations of type 1 (insulin-dependent) diabetes in Punjabi Asians in the United Kingdom. <i>Diabetologia</i> , 1987 , 30, 618-21	10.3	18
26	The human C-reactive protein gene (CRP) and serum amyloid P component gene (APCS) are located on the proximal long arm of chromosome 1. <i>Immunogenetics</i> , 1986 , 24, 171-6	3.2	43
25	Evolution of a telomere associated satellite DNA sequence in the genome of <i>Drosophila tristis</i> and related species. <i>Genetica</i> , 1990 , 83, 9-16	1.5	19
24	Development of DNA probes for the ovine <i>Eimeria</i> species <i>E. crandallis</i> and <i>E. ovinoidalis</i> . <i>Parasitology Research</i> , 1995 , 81, 222-9	2.4	2
23	A defective HSV-1 vector expresses <i>Escherichia coli</i> beta-galactosidase in cultured peripheral neurons. 1988 , 241, 1667-1669		75
22	Analysis of an esterase linked to a locus involved in the regulation of the melanoma oncogene and isolation of polymorphic marker sequences in <i>Xiphophorus</i> . <i>Biochemical Genetics</i> , 1991 , 29, 509-524	2.4	1
21	Molecular cloning of the mouse gene coding for carbonic anhydrase IV. <i>Biochemical Genetics</i> , 1996 , 34, 31-43	2.4	0
20	Transcriptional Regulatory Role of NELL2 in Preproenkephalin Gene Expression. 2022 , 45, 537-549		0
19	DNA Methyltransferases: From Evolution to Clinical Applications. 2022 , 23, 8994		2

18	An overview of Potyviruses infecting daffodil and their disease management. 2022 ,	0
17	Mycobacterium leprae hsp18 promoter-EGFP transcriptional fusion construct: Environmental stress and strain-specific expression. 2023 , 851, 147034	0
16	Prediction of DNA methylation site status based on fusion deep learning algorithm. 2022 ,	0
15	Nucleic acid probe technology. 2023 , 495-548	0
14	Potential by Thyroid Hormone of Human IFN- γ -Induced HLA-DR Expression. 1998 , 161, 843-849	3
13	Transcription of a Minimal Promoter from the NF-IL6 Gene Is Regulated by CREB/ATF and SP1 Proteins in U937 Promonocytic Cells. 1998 , 161, 2267-2275	6
12	Molecular Cloning and Immunologic Reactivity of a Novel Low Molecular Mass Antigen of Mycobacterium tuberculosis. 1998 , 161, 2356-2364	14
11	In Vivo and In Vitro Activities of the gp130-Stimulating Designer Cytokine Hyper-IL-6. 1998 , 161, 3575-3581	18
10	The Fas/Fas Ligand System Is Involved in the Pathogenesis of Autoimmune Myocarditis in Rats. 1998 , 161, 4695-4701	12
9	Two Families of GTPases Dominate the Complex Cellular Response to IFN- γ 1998 , 161, 6715-6723	35
8	Engagement of Natural Cytotoxicity Programs Regulates AP-1 Expression in the NKL Human NK Cell Line. 1999 , 162, 4062-4068	4
7	Differential Involvement of the Transcription Factor Blimp-1 in T Cell-Independent and -Dependent B Cell Differentiation to Plasma Cells. 1999 , 163, 611-617	17
6	Characterization of RNA Binding Proteins Associated with CD40 Ligand (CD154) mRNA Turnover in Human T Lymphocytes. 1999 , 163, 4199-4206	4
5	Journal Impact Factors Do Not Equitably Reflect Academic Staff Performance in Different Medical Subspecialties. 2004 , 52, 531-536	1
4	Adjusted Thr: Lys Ratio Improved the Performance and Efficiency of Japanese Quail. 2023 , 25,	0
3	Chromosomal location of the gene encoding the murine acute-phase protein serum amyloid P-component (SAP). 1989 , 27, 229-237	0
2	Preventing Persistence of HPV Infection with Natural Molecules. 2023 , 12, 416	0
1	DETECTION OF CLONALLY EXPANDED SALIVARY GLAND LYMPHOCYTES IN SJOĞRENIS SYNDROME. 1989 , 32, 859-869	4

