

# CITATION REPORT

List of articles citing

## Identification of two distinct regulatory regions adjacent to the human beta-interferon gene

DOI: 10.1016/0092-8674(83)90544-5  
Cell, 1983, 34, 865-79.

**Source:** <https://exaly.com/paper-pdf/16323045/citation-report.pdf>

**Version:** 2024-04-29

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
1107	Relative reverse transcription-polymerase chain reaction. <b>2000</b> , 137, 51-8		
1106	The cDNA sequences of the sea urchin U7 small nuclear RNA suggest specific contacts between histone mRNA precursor and U7 RNA during RNA processing.. <i>EMBO Journal</i> , <b>1984</b> , 3, 2801-2807	13	104
1105	A human IFN-beta 1 gene deleted of promoter sequences upstream from the TATA box is controlled post-transcriptionally by dsRNA. <b>1984</b> , 12, 6979-93		36
1104	Differential expression of human interferon genes. <b>1984</b> , 12, 3727-46		180
1103	Nucleotide sequence requirements for transient expression of human metallothionein-IIA-thymidine kinase fusion genes. <b>1984</b> , 3, 319-26		12
1102	The Structure and Bacterial Expression of Three Distinct Bovine Interferon- $\beta$ Genes. <b>1984</b> , 2, 458-464		33
1101	DNA-mediated transformation in Dictyostelium discoideum: regulated expression of an actin gene fusion. <b>1984</b> , 4, 2890-8		274
1100	RNA probes prepared in vitro. <b>1984</b> , 309, 191-191		1
1099	Characterization of the human factor VIII gene. <b>1984</b> , 312, 326-30		834
1098	Characterization of a steroid hormone receptor gene and mRNA in wild-type and mutant cells. <b>1984</b> , 312, 779-81		266
1097	Induction and regulation of the 26-kDa protein in the absence of synthesis of beta-interferon mRNA in human cells. <b>1984</b> , 143, 15-21		28
1096	Eukaryotic cloning vectors based on bovine papilloma viruses. <b>1984</b> , 1, 23-26		2
1095	Constitutive expression of the human fibroblast interferon gene is elicited in cultured mouse L cells by the long terminal repeat of Moloney sarcoma virus. <b>1984</b> , 20, 189-194		
1094	DNA sequences required for regulated expression of beta-globin genes in murine erythroleukemia cells. <i>Cell</i> , <b>1984</b> , 38, 265-73	56.2	245
1093	Diagnosis of familial amyloidotic polyneuropathy by recombinant DNA techniques. <b>1984</b> , 125, 636-42		107
1092	The expression of human interferon alpha genes. <b>1984</b> , 307, 217-26		14
1091	Human alpha- and beta-globin gene transcription in mouse erythroleukaemia cells. <b>1984</b> , 307, 261-70		

1090	Differences in human alpha- and beta-globin gene expression in mouse erythroleukemia cells: the role of intragenic sequences. <i>Cell</i> , <b>1984</b> , 38, 251-63	56.2	313
1089	Efficient in vitro synthesis of biologically active RNA and RNA hybridization probes from plasmids containing a bacteriophage SP6 promoter. <b>1984</b> , 12, 7035-56		6525
1088	Efficient constitutive production of human fibroblast interferon by hamster cells transformed with the IFN-beta 1 gene fused to an SV40 early promoter. <b>1984</b> , 3, 297-308		54
1087	G gamma beta+ hereditary persistence of fetal hemoglobin: cosmid cloning and identification of a specific mutation 5Pto the G gamma gene. <b>1984</b> , 81, 4894-8		128
1086	Upstream activation sites of the CYC1 gene of <i>Saccharomyces cerevisiae</i> are active when inverted but not when placed downstream of the "TATA box". <b>1984</b> , 81, 7860-4		205
1085	Cloning, characterization, and DNA sequence of a human cDNA encoding neuropeptide tyrosine. <b>1984</b> , 81, 4577-81		242
1084	Genomic sequencing. <b>1984</b> , 81, 1991-5		7059
1083	Inhibition of protein synthesis stimulates the transcription of human beta-interferon genes in Chinese hamster ovary cells. <b>1984</b> , 81, 3964-8		112
1082	Determination of tissue-type plasminogen-activator mRNA in human and non-human cell lines by dot-blot hybridization. <b>1985</b> , 231, 309-13		20
1081	Isolation of recombinant cDNAs encoding chicken erythroid delta-aminolevulinate synthase. <b>1985</b> , 82, 3702-6		65
1080	A third viral nuclear protein in lymphoblasts immortalized by Epstein-Barr virus. <b>1985</b> , 82, 5944-8		74
1079	Developmental expression of nuclear genes that encode mitochondrial proteins: insect cytochromes c. <b>1985</b> , 82, 1964-8		20
1078	Deletions near the albino locus on chromosome 7 of the mouse affect the level of tyrosine aminotransferase mRNA. <b>1985</b> , 82, 2866-9		54
1077	Linker scanning mutagenesis of the 5Pflanking region of the mouse beta-major-globin gene: sequence requirements for transcription in erythroid and nonerythroid cells. <b>1985</b> , 5, 1498-511		137
1076	Duplications of a mutated simian virus 40 enhancer restore its activity. <b>1985</b> , 313, 711-4		149
1075	Distribution of factor VIII mRNA and antigen in human liver and other tissues. <b>1985</b> , 317, 726-9		252
1074	A mouse homoeo box gene is expressed during embryogenesis and in adult kidney. <b>1985</b> , 317, 745-8		119
1073	Induction of a 26-kDa-protein mRNA in human cells treated with an interleukin-1-related, leukocyte-derived factor. <b>1985</b> , 152, 253-7		152

1072	High level expression of introduced chimaeric genes in regenerated transformed plants. <i>EMBO Journal</i> , <b>1985</b> , 4, 2411-2418	13	297
1071	Two functions encoded by adenovirus early region 1A are responsible for the activation and repression of the DNA-binding protein gene.. <i>EMBO Journal</i> , <b>1985</b> , 4, 707-713	13	40
1070	Variant (6;15) translocations in murine plasmacytomas involve a chromosome 15 locus at least 72 kb from the c-myc oncogene.. <i>EMBO Journal</i> , <b>1985</b> , 4, 675-681	13	122
1069	SV40 T antigen and the exocytotic pathway.. <i>EMBO Journal</i> , <b>1985</b> , 4, 1479-1489	13	53
1068	Structure of two forms of the interferon-induced (2?-5?) oligo A synthetase of human cells based on cDNAs and gene sequences.. <i>EMBO Journal</i> , <b>1985</b> , 4, 2249-2256	13	152
1067	Developmental regulation of a gastrula-specific gene injected into fertilized <i>Xenopus</i> eggs.. <i>EMBO Journal</i> , <b>1985</b> , 4, 3463-3471	13	125
1066	Lines of BPV-transformed murine cells that constitutively express influenza virus hemagglutinin.. <i>EMBO Journal</i> , <b>1985</b> , 4, 91-103	13	66
1065	Gene expression in mice after high efficiency retroviral-mediated gene transfer. <b>1985</b> , 230, 1395-8		246
1064	U1 small nuclear RNA genes are subject to dosage compensation in mouse cells. <b>1985</b> , 229, 272-5		37
1063	Replacement variant histone genes contain intervening sequences. <b>1985</b> , 5, 1307-17		117
1062	Structure and transcription of the <i>Drosophila mulleri</i> alcohol dehydrogenase genes. <b>1985</b> , 13, 6899-917		80
1061	The effect of capping and polyadenylation on the stability, movement and translation of synthetic messenger RNAs in <i>Xenopus</i> oocytes. <b>1985</b> , 13, 7375-94		217
1060	Detection of single base substitutions by ribonuclease cleavage at mismatches in RNA:DNA duplexes. <b>1985</b> , 230, 1242-6		509
1059	Changes of chromatin conformation around mouse interferon-beta gene associated with induction of interferon synthesis. <b>1985</b> , 13, 5157-72		15
1058	Control of cytochrome P1-450 gene expression by dioxin. <b>1985</b> , 227, 1499-502		271
1057	Differential regulation of interferon synthesis in lymphoblastoid cells. <b>1985</b> , 5, 493-510		14
1056	A novel transcription property of SP6 and T7 RNA polymerases: dependence on template structure. <b>1985</b> , 13, 6223-36		248
1055	Activation of muscle-specific actin genes in <i>Xenopus</i> development by an induction between animal and vegetal cells of a blastula. <i>Cell</i> , <b>1985</b> , 41, 913-22	56.2	220

1054	Structural relationship of human interferon alpha genes and pseudogenes. <b>1985</b> , 185, 227-60		177
1053	A positive transcription factor controls the differential expression of two 5S RNA genes. <i>Cell</i> , <b>1985</b> , 42, 759-67	56.2	91
1052	Transcripts and the putative RNA pregenome of duck hepatitis B virus: implications for reverse transcription. <i>Cell</i> , <b>1985</b> , 40, 717-24	56.2	140
1051	Expression of amplified human beta interferon genes using heavy metal induction in Chinese hamster ovary cells. <b>1985</b> , 37, 139-44		15
1050	A novel ras-related gene family. <i>Cell</i> , <b>1985</b> , 41, 31-40	56.2	408
1049	Differential expression of interferon genes in a substrain of Namalwa cells. <b>1985</b> , 5, 229-38		17
1048	Transient accumulation of c-fos RNA following serum stimulation requires a conserved 5' element and c-fos 3' sequences. <i>Cell</i> , <b>1985</b> , 42, 889-902	56.2	838
1047	Animal viruses of economic importance: genetic variation, persistence, and prospects for their control. <b>1985</b> , 30, 115-226		4
1046	Multiple mechanisms regulate the expression of murine immune response genes. <i>Cell</i> , <b>1985</b> , 42, 623-8	56.2	50
1045	The isolation and sequence of the gene encoding T8: a molecule defining functional classes of T lymphocytes. <i>Cell</i> , <b>1985</b> , 40, 237-46	56.2	321
1044	Stable reduction of thymidine kinase activity in cells expressing high levels of anti-sense RNA. <i>Cell</i> , <b>1985</b> , 42, 129-38	56.2	330
1043	A eukaryotic transcriptional activator bearing the DNA specificity of a prokaryotic repressor. <i>Cell</i> , <b>1985</b> , 43, 729-36	56.2	609
1042	Human beta-interferon gene expression is regulated by an inducible enhancer element. <i>Cell</i> , <b>1985</b> , 41, 509-20	56.2	294
1041	Identification and cloning of localized maternal RNAs from <i>Xenopus</i> eggs. <i>Cell</i> , <b>1985</b> , 42, 769-77	56.2	443
1040	The isolation and nucleotide sequence of a cDNA encoding the T cell surface protein T4: a new member of the immunoglobulin gene family. <i>Cell</i> , <b>1985</b> , 42, 93-104	56.2	662
1039	An RNA polymerase II transcription factor binds to an upstream element in the adenovirus major late promoter. <i>Cell</i> , <b>1985</b> , 43, 439-48	56.2	788
1038	A 46-nucleotide promoter segment from an IFN-alpha gene renders an unrelated promoter inducible by virus. <i>Cell</i> , <b>1985</b> , 41, 497-507	56.2	183
1037	Platelet-derived growth factor and double-stranded ribonucleic acids stimulate expression of the same genes in 3T3 cells. <i>Cell</i> , <b>1985</b> , 43, 793-800	56.2	271

1036	Delimitation and properties of DNA sequences required for the regulated expression of human interferon-beta gene. <i>Cell</i> , <b>1985</b> , 41, 489-96	56.2	220
1035	Gene-specific expression of the actin multigene family of <i>Dictyostelium discoideum</i> . <b>1985</b> , 186, 337-55		49
1034	Developmental regulation of alpha-fetoprotein genes in transgenic mice. <b>1985</b> , 5, 1639-48		153
1033	Clinical applications of gene probes in human genetic disease, malignancy, and infectious disease. <b>1986</b> , 157, 1-32		31
1032	Herpes simplex virus expressing Epstein-Barr virus nuclear antigen 1. <b>1986</b> , 148, 337-48		18
1031	Sequence and expression of a novel murine interferon alpha gene--homology with enhancer elements in the regulatory region of the gene. <b>1986</b> , 138, 826-34		19
1030	Self-splicing of group II introns in vitro: mapping of the branch point and mutational inhibition of lariat formation. <i>Cell</i> , <b>1986</b> , 46, 557-65	56.2	197
1029	Identification of a protein-binding site that mediates transcriptional response of the c-fos gene to serum factors. <i>Cell</i> , <b>1986</b> , 46, 567-74	56.2	878
1028	The mechanism of RNA recombination in poliovirus. <i>Cell</i> , <b>1986</b> , 47, 433-43	56.2	444
1027	Detection of factors that interact with the human beta-interferon regulatory region in vivo by DNAase I footprinting. <i>Cell</i> , <b>1986</b> , 45, 611-8	56.2	197
1026	The human beta-interferon gene enhancer is under negative control. <i>Cell</i> , <b>1986</b> , 45, 601-10	56.2	414
1025	Rapid reprogramming of globin gene expression in transient heterokaryons. <i>Cell</i> , <b>1986</b> , 46, 591-602	56.2	214
1024	Isolation, structure, and expression of even-skipped: a second pair-rule gene of <i>Drosophila</i> containing a homeo box. <i>Cell</i> , <b>1986</b> , 47, 721-34	56.2	370
1023	Glucocorticoid responsiveness of the transcriptional enhancer of Moloney murine sarcoma virus. <i>Cell</i> , <b>1986</b> , 46, 283-90	56.2	243
1022	Expression of a synthetic human interferon-alpha 1 gene with modified nucleotide sequence in mammalian cells. <b>1986</b> , 46, 89-95		9
1021	Transcription of the human beta-globin gene is stimulated by an SV40 enhancer to which it is physically linked but topologically uncoupled. <i>Cell</i> , <b>1986</b> , 45, 575-80	56.2	37
1020	Role of conserved sequence elements 9L and 2 in self-splicing of the <i>Tetrahymena</i> ribosomal RNA precursor. <i>Cell</i> , <b>1986</b> , 45, 167-76	56.2	77
1019	The use of psoralen-modified DNA to probe the mechanism of enhancer action. <i>Cell</i> , <b>1986</b> , 45, 567-74	56.2	60

1018	A compensatory base change in U1 snRNA suppresses a 5Psplice site mutation. <i>Cell</i> , <b>1986</b> , 46, 827-35	56.2	724
1017	Physical state, expression and regulation of two glucocorticoid-controlled genes on bovine papilloma virus vectors. <b>1986</b> , 187, 557-68		14
1016	Hormonal and developmental control of gene expression in wheat. <b>1986</b> , 314, 441-451		10
1015	The hormone regulatory element of mouse mammary tumour virus mediates progesterone induction.. <i>EMBO Journal</i> , <b>1986</b> , 5, 2237-2240	13	251
1014	Upstream sequences required for tissue-specific activation of the cardiac actin gene in <i>Xenopus laevis</i> embryos.. <i>EMBO Journal</i> , <b>1986</b> , 5, 3185-3193	13	100
1013	RNA dot and blot hybridization: selected procedures for endocrine and neuroendocrine studies. <b>1986</b> , 124, 269-78		5
1012	The interferon genes. <b>1986</b> , 33, 251-300		241
1011	Multiple hormone-inducible enhancers as mediators of differential transcription. <b>1986</b> , 6, 4526-38		35
1010	T-cell receptor variable region gene usage in T-cell populations. <b>1986</b> , 83, 3987-91		48
1009	Down-regulation of glucocorticoid receptor mRNA by glucocorticoid hormones and recognition by the receptor of a specific binding sequence within a receptor cDNA clone. <b>1986</b> , 83, 5899-903		206
1008	Stable repression of ribosomal protein L1 synthesis in <i>Xenopus</i> oocytes by microinjection of antisense RNA. <b>1986</b> , 83, 8639-43		56
1007	Regulation of a transfected human class II major histocompatibility complex gene in human fibroblasts. <b>1986</b> , 83, 9139-43		155
1006	Efficient expression of the <i>Saccharomyces cerevisiae</i> PGK gene depends on an upstream activation sequence but does not require TATA sequences. <b>1986</b> , 6, 4335-43		150
1005	Differential expression of mouse beta/goat beta c, mouse beta/goat beta F, and mouse beta/goat epsilon II hybrid globin genes in murine erythroleukemia cells. <b>1986</b> , 6, 3873-83		
1004	Mouse apolipoprotein A-IV gene: nucleotide sequence and induction by a high-lipid diet. <b>1986</b> , 6, 3807-14		47
1003	Activation of the human beta-interferon gene requires an interferon-inducible factor. <b>1986</b> , 6, 801-10		246
1002	Adenovirus E1A coding sequences that enable ras and pmt oncogenes to transform cultured primary cells. <b>1986</b> , 6, 887-99		174
1001	Nucleotide sequences required for the regulation of a rat alpha 2u-globulin gene by glucocorticoids. <b>1986</b> , 6, 2334-46		64

1000	Multiple transcripts from the Antennapedia gene of <i>Drosophila melanogaster</i> . <b>1986</b> , 6, 4667-75	81
999	Regulation of rat insulin 1 gene expression: evidence for negative regulation in nonpancreatic cells. <b>1986</b> , 83, 3180-4	189
998	Expression of human HSP70 during the synthetic phase of the cell cycle. <b>1986</b> , 83, 9517-21	293
997	Molecular cloning and DNA sequence of the <i>Arabidopsis thaliana</i> alcohol dehydrogenase gene. <b>1986</b> , 83, 1408-12	230
996	Lymphoid and other tissue-specific phenotypes of polyomavirus enhancer recombinants: positive and negative combinational effects on enhancer specificity and activity. <b>1986</b> , 6, 2068-79	39
995	Control of transcription initiation in vitro requires binding of a transcription factor to the distal promoter of the ovalbumin gene. <b>1986</b> , 6, 2784-91	101
994	Cloning of the ARO3 gene of <i>Saccharomyces cerevisiae</i> and its regulation. <b>1986</b> , 205, 353-7	34
993	Human N-myc is closely related in organization and nucleotide sequence to c-myc. <b>1986</b> , 319, 73-7	239
992	Transfer of specificity by murine alpha and beta T-cell receptor genes. <b>1986</b> , 320, 232-8	526
991	Regulated expression of cloned human fetal A gamma-globin genes introduced into murine erythroleukemia cells. <b>1986</b> , 159, 475-8	16
990	Sendai virus induces high levels of tumor necrosis factor mRNA in human peripheral blood leukocytes. <b>1986</b> , 14, 8997-9015	35
989	A mouse homeo box gene is expressed in spermatocytes and embryos. <b>1986</b> , 233, 663-7	129
988	The role of parvovirus B19 in aplastic crisis and erythema infectiosum (fifth disease). <b>1986</b> , 154, 383-93	195
987	Sequences in the pea rbcS-3A gene have homology to constitutive mammalian enhancers but function as negative regulatory elements. <b>1987</b> , 1, 247-55	147
986	A 275 basepair fragment at the 5' end of the interleukin 2 gene enhances expression from a heterologous promoter in response to signals from the T cell antigen receptor. <b>1987</b> , 165, 395-407	166
985	Northern and Southern blots. <b>1987</b> , 152, 572-81	73
984	Lysozyme gene activity in chicken macrophages is controlled by positive and negative regulatory elements. <b>1987</b> , 15, 4163-78	89
983	Partial overlapping of binding sequences for steroid hormone receptors and DNaseI hypersensitive sites in the rabbit uteroglobin gene region. <b>1987</b> , 15, 4535-52	92



982	Identification by cell fusion of gene sequences that interact with positive trans-acting factors. <b>1987</b> , 237, 283-6	70
981	A promoter with an internal regulatory domain is part of the origin of replication in BPV-1. <b>1987</b> , 236, 1666-71	75
980	B.C., D.C., and A.C. of an interferon gene. <b>1987</b> , 7, 481-5	
979	Stage-specific selection of alternative transcriptional initiation sites from the 5C actin gene of <i>Drosophila melanogaster</i> . <b>1987</b> , 1, 1161-71	48
978	Regulatory elements that modulate expression of human c-myc. <b>1987</b> , 1, 659-71	108
977	Widespread transcription of a Qa region gene in adult mice. <b>1987</b> , 166, 95-108	15
976	Optimizing gene expression in BPV-transformed cells: effects of cell type on enhancer/promoter interaction. <b>1987</b> , 15, 7137-53	6
975	In vitro RNA synthesis with SP6 RNA polymerase. <b>1987</b> , 155, 397-415	622
974	Transcriptional repression of a hormone-responsive promoter. <b>1987</b> , 15, 6973-89	65
973	Determinants of rat albumin promoter tissue specificity analyzed by an improved transient expression system. <b>1987</b> , 7, 2425-34	187
972	Mouse cell lines that use heat shock promoters to regulate the expression of tissue plasminogen activator. <b>1987</b> , 6, 343-52	10
971	Mutation of the c-fos gene dyad symmetry element inhibits serum inducibility of transcription in vivo and the nuclear regulatory factor binding in vitro. <b>1987</b> , 7, 1217-25	257
970	The bovine papillomavirus genome and its uses as a eukaryotic vector. <b>1987</b> , 248, 1-11	23
969	Hormonal and development control of gene expression in wheat. <b>1987</b> , 15, 9-11	2
968	Expression of cytochrome P-450 genes in rat hepatoma cells. <b>1987</b> , 15, 625-626	7
967	Structure and expression of the chicken ferritin H-subunit gene. <b>1987</b> , 7, 1751-8	82
966	Molecular biology in <i>Dictyostelium</i> : tools and applications. <b>1987</b> , 28, 67-100	199
965	Splice site selection in the proteolipid protein (PLP) gene transcript and primary structure of the DM-20 protein of central nervous system myelin. <b>1987</b> , 84, 5665-9	270

- 964 Rapid cytoplasmic turnover of c-myc mRNA: requirement of the 3' untranslated sequences. **1987**, 7, 4513-21 314
- 963 *Aplysia californica* neurons express microinjected neuropeptide genes. **1987**, 7, 2762-71 12
- 962 c-fos sequence necessary for basal expression and induction by epidermal growth factor, 12-O-tetradecanoyl phorbol-13-acetate and the calcium ionophore. **1987**, 7, 3490-502 316
- 961 Transient expression of the beta interferon promoter in human cells. **1987**, 7, 3830-5 13
- 960 Type XII collagen: distinct extracellular matrix component discovered by cDNA cloning. **1987**, 84, 6040-4 123
- 959 Stable and heritable inhibition of the expression of nopaline synthase in tobacco expressing antisense RNA. **1987**, 84, 8439-43 91
- 958 cDNA cloning and sequence of MAL, a hydrophobic protein associated with human T-cell differentiation. **1987**, 84, 1997-2001 130
- 957 Region-specific expression of mouse homeobox genes in the embryonic mesoderm and central nervous system. **1987**, 84, 6790-4 96
- 956 Glucocorticoids enhance stability of human growth hormone mRNA. **1987**, 7, 1496-507 249
- 955 Dopamine regulates expression of the glandular-type kallikrein gene at the transcriptional level in the pituitary. **1987**, 84, 5545-9 42
- 954 Alternative processing of RNA transcribed from NMYC. **1987**, 7, 4266-72 33
- 953 Molecular genetics of androgen-dependent and -independent expression of mouse sex-limited protein. **1987**, 7, 1716-24 29
- 952 A DNA sequence of 15 base pairs is sufficient to mediate both glucocorticoid and progesterone induction of gene expression. **1987**, 84, 7871-5 313
- 951 Immortalization by c-myc, H-ras, and Ela oncogenes induces differential cellular gene expression and growth factor responses. **1987**, 7, 3899-907 71
- 950 Expression of transfected vimentin genes in differentiating murine erythroleukemia cells reveals divergent cis-acting regulation of avian and mammalian vimentin sequences. **1987**, 7, 3955-70 26
- 949 Cell-specific expression of the human gastrin gene: evidence for a control element located downstream of the TATA box. **1987**, 7, 4329-36 49
- 948 Regulation of c-myc and c-fos mRNA levels by polyomavirus: distinct roles for the capsid protein VP1 and the viral early proteins. **1987**, 84, 1210-4 73
- 947 Modulation of sodium-channel mRNA levels in rat skeletal muscle. **1987**, 84, 8721-5 41

946	Interferons and their actions. <b>1987</b> , 56, 727-77		1658
945	Corticosteroid receptors in brain: relationship of receptors to effects in stress and aging. <b>1987</b> , 512, 394-401	33	
944	Biochemical Aspects of Interferon Action. <b>1987</b> , 163-189		5
943	Expression of myosin heavy chain gene in the sea urchin: coregulation with muscle actin transcription in early development. <b>1987</b> , 123, 115-24		9
942	Camptothecin-induced in vivo topoisomerase I cleavages in the transcriptionally active tyrosine aminotransferase gene. <i>Cell</i> , <b>1987</b> , 50, 1109-17	56.2	136
941	A cDNA encoding the precursor of the rat neuropeptide, neurokinin B. <b>1987</b> , 388, 243-9		99
940	Cooperativity of glucocorticoid response elements located far upstream of the tyrosine aminotransferase gene. <i>Cell</i> , <b>1987</b> , 49, 29-38	56.2	717
939	Endothelial cell tumors develop in transgenic mice carrying polyoma virus middle T oncogene. <i>Cell</i> , <b>1987</b> , 51, 529-37	56.2	130
938	Interferon-beta gene regulation: tandemly repeated sequences of a synthetic 6 bp oligomer function as a virus-inducible enhancer. <i>Cell</i> , <b>1987</b> , 49, 357-67	56.2	226
937	Developmental pattern of mouse skeletal myosin heavy chain gene transcripts in vivo and in vitro. <i>Cell</i> , <b>1987</b> , 49, 121-9	56.2	120
936	RNA design by in vitro RNA recombination and synthesis. <b>1987</b> , 65, 677-92		20
935	Activity of two different silencer elements of the chicken lysozyme gene can be compensated by enhancer elements.. <i>EMBO Journal</i> , <b>1987</b> , 6, 2297-2303	13	148
934	Superinduction of the human interferon-beta promoter.. <i>EMBO Journal</i> , <b>1987</b> , 6, 599-604	13	20
933	Interaction of the TGGCA-binding protein with upstream sequences is required for efficient transcription of mouse mammary tumor virus.. <i>EMBO Journal</i> , <b>1987</b> , 6, 1355-1360	13	114
932	Localization of sequences in wheat endosperm protein genes which confer tissue-specific expression in tobacco. <i>EMBO Journal</i> , <b>1987</b> , 6, 3559-3564	13	159
931	The upstream regulatory region of the human papilloma virus-16 contains an E2 protein-independent enhancer which is specific for cervical carcinoma cells and regulated by glucocorticoid hormones.. <i>EMBO Journal</i> , <b>1987</b> , 6, 3735-3743	13	181
930	Processing of the T-DNA of <i>Agrobacterium tumefaciens</i> generates border nicks and linear, single-stranded T-DNA. <b>1987</b> , 169, 1046-55		154
929	Transcript analysis of the plasmid R100 traJ and finP genes. <b>1987</b> , 209, 533-44		32

928	Transcript levels of two adjacent chloroplast genes during mustard ( <i>Sinapis alba</i> L.) seedling development are under differential temporal and light control. <b>1987</b> , 9, 355-63	37
927	Phorbol 12-myristate 13-acetate induces surface expression of T3 on human immature T cell lines with and without concomitant expression of the T cell antigen receptor complex. <b>1987</b> , 17, 1079-87	20
926	Modulation of c-fos gene transcription by negative and positive cellular factors. <b>1987</b> , 326, 507-10	117
925	Oestrogen and glucocorticoid responsive elements are closely related but distinct. <b>1987</b> , 329, 734-6	342
924	6-Hydroxy-D-nicotine oxidase of <i>Arthrobacter oxidans</i> . Gene structure of the flavoenzyme and its relationship to 6-hydroxy-L-nicotine oxidase. <b>1987</b> , 167, 315-20	39
923	Cooperative interaction of multiple DNA elements in the human interferon-beta promoter. <b>1987</b> , 166, 103-9	33
922	Establishment of mouse cell lines which constitutively secrete large quantities of interleukin 2, 3, 4 or 5, using modified cDNA expression vectors. <b>1988</b> , 18, 97-104	1024
921	Photoregulation of psbA transcript levels in mustard cotyledons. <b>1988</b> , 17, 57-73	10
920	Novel control elements in the alpha-1 tubulin gene promoter from <i>Chlamydomonas reinhardtii</i> . <b>1988</b> , 214, 204-12	15
919	GAL4 activates transcription in <i>Drosophila</i> . <b>1988</b> , 332, 853-6	419
918	Trans-spliced leader RNA exists as small nuclear ribonucleoprotein particles in <i>Caenorhabditis elegans</i> . <b>1988</b> , 335, 556-9	97
917	cis-acting sequences responsible for anterior localization of bicoid mRNA in <i>Drosophila</i> embryos. <b>1988</b> , 336, 595-8	320
916	Modulation of interferon gene transcription by positive and negative cellular factors. <b>1988</b> , 154, 1338-44	
915	Post-translational control of ribosomal protein L1 accumulation in <i>Xenopus</i> oocytes. <b>1988</b> , 126, 141-9	34
914	Anti-sense inhibition of tissue plasminogen activator production in differentiated F9 teratocarcinoma cells. <b>1988</b> , 129, 408-16	10
913	The tissue dependent expression of hamster P-glycoprotein genes. <b>1988</b> , 229, 329-32	39
912	Effect of beet necrotic yellow vein virus RNA composition on transmission by <i>Polymyxa betae</i> . <b>1988</b> , 162, 232-5	56
911	Regulation of hepatitis B virus S gene promoter in transfected cell lines. <b>1988</b> , 162, 362-8	27

910	An enhancer element in the short unique region of human cytomegalovirus regulates the production of a group of abundant immediate early transcripts. <b>1988</b> , 162, 406-16		107
909	GAL4 activates gene expression in mammalian cells. <i>Cell</i> , <b>1988</b> , 52, 161-7	56.2	337
908	Enhancers: mechanisms of action and cell specificity. <b>1988</b> , 4, 127-53		138
907	Chromatin domain surrounding the human interferon-beta gene as defined by scaffold-attached regions. <b>1988</b> , 27, 4706-11		166
906	Drosophila Adh: a promoter element expands the tissue specificity of an enhancer. <i>Cell</i> , <b>1988</b> , 53, 451-61	56.2	89
905	Cloning and characterization of a cDNA for rat tissue-type plasminogen activator. <b>1988</b> , 7, 671-7		48
904	The human gene for von Willebrand factor. Identification of repetitive Alu sequences 5Pto the transcription initiation site. <b>1988</b> , 153, 1159-66		21
903	Synthesis and secretion of insulin-like growth factor II by a leiomyosarcoma with associated hypoglycemia. <b>1988</b> , 319, 1434-40		282
902	GM-CSF and oncogene mRNA stabilities are independently regulated in trans in a mouse monocytic tumor. <i>Cell</i> , <b>1988</b> , 55, 1115-22	56.2	216
901	RNA synthesis: strategies for the use of bacteriophage RNA polymerases. <b>1988</b> , 72, 75-89		72
900	Spatial regulation of homeobox gene fusions in the embryonic central nervous system of transgenic mice. <b>1988</b> , 1, 679-91		101
899	Differential gene activation by glucocorticoids and progestins through the hormone regulatory element of mouse mammary tumor virus. <i>Cell</i> , <b>1988</b> , 53, 371-82	56.2	197
898	Cloning and characterization of the CYC8 gene mediating glucose repression in yeast. <b>1988</b> , 73, 97-111		86
897	A third striated muscle actin gene is expressed during early development in the amphibian <i>Xenopus laevis</i> . <b>1988</b> , 202, 67-76		36
896	Hepatocyte-specific promoter element HP1 of the <i>Xenopus</i> albumin gene interacts with transcriptional factors of mammalian hepatocytes. <b>1988</b> , 202, 307-20		100
895	Synergism of closely adjacent estrogen-responsive elements increases their regulatory potential. <b>1988</b> , 201, 537-44		105
894	Identification of a translation inhibitory element (TIE) in the 3Puntranslated region of the human interferon-beta mRNA. <b>1988</b> , 72, 191-200		59
893	The neuronal mineralocorticoid receptor as a mediator of glucocorticoid response. <b>1988</b> , 1, 887-900		501

892	Regulated expression of a gene encoding a nuclear factor, IRF-1, that specifically binds to IFN-beta gene regulatory elements. <i>Cell</i> , <b>1988</b> , 54, 903-13	56.2	895
891	Two catalytic subunits of cAMP-dependent protein kinase generated by alternative RNA splicing are expressed in <i>Aplysia</i> neurons. <b>1988</b> , 1, 853-64		48
890	Dynamic changes in inhibin messenger RNAs in rat ovarian follicles during the reproductive cycle. <b>1988</b> , 239, 1296-9		217
889	A 13 bp palindrome is a functional estrogen responsive element and interacts specifically with estrogen receptor. <b>1988</b> , 16, 647-63		374
888	The ubiquitous octamer-binding protein Oct-1 contains a POU domain with a homeo box subdomain. <b>1988</b> , 2, 1582-99		594
887	Human fibroblast but not lymphoid cells have unusually long polyadenylated interferon-beta 1 mRNAs. <b>1988</b> , 8, 179-92		1
886	Antigen receptor genes in autoimmune B and T cells. <b>1988</b> , 74, 45-63		
885	Difference in the production of human interferon-alpha and -beta in mouse cells. <b>1988</b> , 69 ( Pt 10), 2527-33		1
884	Constitutive and metal-inducible protein:DNA interactions at the mouse metallothionein I promoter examined by in vivo and in vitro footprinting. <b>1988</b> , 2, 412-27		163
883	Biologically Active Transcripts of Beet Necrotic Yellow Vein Virus RNA-3 and RNA-4. <b>1988</b> , 69, 2347-2357		41
882	Focal expression of insulin-like growth factor I in rat kidney collecting duct. <b>1988</b> , 107, 811-9		87
881	A steroid response element can function in the absence of a distal promoter. <b>1988</b> , 2, 1286-93		24
880	2-Aminopurine selectively inhibits the induction of beta-interferon, c-fos, and c-myc gene expression. <b>1988</b> , 240, 210-3		234
879	Stimulation of pituitary luteinizing hormone secretion by gonadotropin-releasing hormone is not coupled to beta-luteinizing hormone gene transcription. <b>1988</b> , 2, 1033-42		54
878	Differential and cell type specific expression of murine alpha-interferon genes is regulated on the transcriptional level. <b>1988</b> , 16, 6067-83		42
877	Transcriptional stimulation by CaPO4-DNA precipitates. <b>1988</b> , 16, 1371-8		47
876	An embryonic DNA-binding protein specific for a region of the human IFN beta 1 promoter. <b>1988</b> , 16, 10575-92		10
875	Characterization of response elements for androgens, glucocorticoids and progestins in mouse mammary tumour virus. <b>1988</b> , 16, 5263-76		316

874	Alternative splicing of tropomyosin pre-mRNAs in vitro and in vivo. <b>1988</b> , 2, 1627-38	105
873	Minute virus of mice non-structural protein NS-1 is necessary and sufficient for trans-activation of the viral P39 promoter. <b>1988</b> , 69 ( Pt 10), 2563-73	95
872	Activation of the U2 snRNA promoter by the octamer motif defines a new class of RNA polymerase II enhancer elements. <b>1988</b> , 2, 1764-78	155
871	The role of the mammalian branchpoint sequence in pre-mRNA splicing. <b>1988</b> , 2, 1268-76	190
870	Location and characterization of two widely separated glucocorticoid response elements in the phosphoenolpyruvate carboxykinase gene. <b>1988</b> , 8, 96-104	113
869	Expression of T-cell receptor alpha-chain genes in transgenic mice. <b>1988</b> , 8, 5459-69	56
868	Amplification and expression of heterologous ornithine decarboxylase in Chinese hamster cells. <b>1988</b> , 8, 764-9	16
867	Functional analysis of the sea urchin U7 small nuclear RNA. <b>1988</b> , 8, 1076-84	41
866	Two functional estrogen response elements are located upstream of the major chicken vitellogenin gene. <b>1988</b> , 8, 1123-31	95
865	Role for DNA replication in beta-globin gene activation. <b>1988</b> , 8, 1301-8	35
864	Molecular localization and developmental expression of the otu locus of <i>Drosophila melanogaster</i> . <b>1988</b> , 8, 1481-8	20
863	A complex androgen-responsive enhancer resides 2 kilobases upstream of the mouse Slp gene. <b>1988</b> , 8, 2350-60	48
862	Presence of transcription regulatory elements within an intron of the virus-inducible murine TIMP gene. <b>1988</b> , 8, 3227-34	44
861	Hepatitis B virus suppresses expression of human beta-interferon. <b>1988</b> , 85, 252-6	58
860	Differential expression of insulin-like growth factor genes in rat central nervous system. <b>1988</b> , 85, 265-9	389
859	Localization and conditional redundancy of regulatory elements in rbcS-3A, a pea gene encoding the small subunit of ribulose-bisphosphate carboxylase. <b>1988</b> , 85, 4662-6	154
858	Two transcripts encode rat cytochrome b5 reductase. <b>1988</b> , 85, 7246-50	40
857	c-fos promoter trans-activation by the tax1 protein of human T-cell leukemia virus type I. <b>1988</b> , 85, 8526-30	319

856	Overlapping positive and negative regulatory domains of the human beta-interferon gene. <b>1988</b> , 85, 1447-51	231
855	A 29-nucleotide DNA segment containing an evolutionarily conserved motif is required in cis for cell-type-restricted repression of the chicken alpha-smooth muscle actin gene core promoter. <b>1988</b> , 8, 241-50	86
854	Identification of an inducible factor that binds to a positive regulatory element of the human beta-interferon gene. <b>1988</b> , 85, 3309-13	101
853	In vivo "photofootprint" changes at sequences between the yeast GAL1 upstream activating sequence and "TATA" element require activated GAL4 protein but not a functional TATA element. <b>1988</b> , 85, 5399-403	28
852	Expression of the human beta-globin gene following retroviral-mediated transfer into multipotential hematopoietic progenitors of mice. <b>1988</b> , 85, 6062-6	97
851	Requirement for the simian virus 40 small tumor antigen in tumorigenesis in transgenic mice. <b>1988</b> , 8, 3382-90	94
850	Chapter 14 Tissue-Specific Expression of Genes Encoding the Rat Voltage-Gated Sodium Channel. <b>1988</b> , 277-288	8
849	Selective expression of an erythroid-specific isoform of protein 4.1. <b>1988</b> , 85, 3713-7	93
848	Erythropoietin changes the globin program of an interleukin 3-dependent multipotential cell line. <b>1988</b> , 85, 9091-5	14
847	Tissue-specific variation in C4 and Slp gene regulation. <b>1988</b> , 16, 6857-70	28
846	Selective induction of brain type II Na <sup>+</sup> channels by nerve growth factor. <b>1988</b> , 85, 924-8	121
845	Mouse brain CD4 transcripts encode only the COOH-terminal half of the protein. <b>1988</b> , 8, 2224-8	18
844	Cloning of cDNA for DARPP-32, a dopamine- and cyclic AMP-regulated neuronal phosphoprotein. <b>1988</b> , 8, 508-17	42
843	Differential expression of vasopressin alleles in the Brattleboro heterozygote. <b>1988</b> , 8, 3797-811	23
842	Synergistic action of the glucocorticoid receptor with transcription factors.. <i>EMBO Journal</i> , <b>1988</b> , 7, 3389-3395	262
841	Evidence for a nuclear factor(s), IRF-1, mediating induction and silencing properties to human IFN-beta gene regulatory elements.. <i>EMBO Journal</i> , <b>1988</b> , 7, 3397-3405	13 244
840	The period gene of Drosophila carries species-specific behavioral instructions.. <i>EMBO Journal</i> , <b>1988</b> , 7, 3939-3947	13 77
839	Antisense oligonucleotide-directed cleavage of mRNA in Xenopus oocytes and eggs.. <i>EMBO Journal</i> , <b>1988</b> , 7, 427-434	13 96



838	Elements required for transcription initiation of the human U2 snRNA gene coincide with elements required for snRNA 3' end formation.. <i>EMBO Journal</i> , <b>1988</b> , 7, 3125-3134	13	63
837	Multiple RNAs expressed from the int-2 gene in mouse embryonal carcinoma cell lines encode a protein with homology to fibroblast growth factors.. <i>EMBO Journal</i> , <b>1988</b> , 7, 1013-1022	13	88
836	Mouse CD1 is distinct from and co-exists with TL in the same thymus.. <i>EMBO Journal</i> , <b>1988</b> , 7, 3081-3086	13	116
835	Cloning and analysis of the dec-1 female-sterile locus, a gene required for proper assembly of the Drosophila eggshell. <b>1988</b> , 2, 341-9		22
834	Association of the virD2 protein with the 5' end of T strands in Agrobacterium tumefaciens. <b>1988</b> , 170, 3367-74		155
833	Differential expression of type-specific c-abl mRNAs in mouse tissues and cell lines. <b>1988</b> , 8, 4547-51		48
832	Identification and intracellular localization of the unc-22 gene product of Caenorhabditis elegans. <b>1988</b> , 2, 93-105		122
831	Pre-mRNA splicing mutants of Schizosaccharomyces pombe.. <i>EMBO Journal</i> , <b>1989</b> , 8, 551-559	13	37
830	Double-stranded RNA activates binding of NF-kappa B to an inducible element in the human beta-interferon promoter.. <i>EMBO Journal</i> , <b>1989</b> , 8, 1129-1138	13	220
829	Vascular expression of a bean cell wall glycine-rich protein-glucuronidase gene fusion in transgenic tobacco. <i>EMBO Journal</i> , <b>1989</b> , 8, 1309-1314	13	47
828	The CARG promoter sequence is necessary for muscle-specific transcription of the cardiac actin gene in Xenopus embryos.. <i>EMBO Journal</i> , <b>1989</b> , 8, 1153-1161	13	96
827	Two different virus-inducible elements are required for human beta-interferon gene regulation.. <i>EMBO Journal</i> , <b>1989</b> , 8, 101-110	13	115
826	Expression of a functional monocotyledonous phytochrome in transgenic tobacco. <i>EMBO Journal</i> , <b>1989</b> , 8, 1005-1012	13	78
825	Characterization of a single copy gene encoding ferredoxin I from pea. <b>1989</b> , 1, 681-90		63
824	A 6-fold difference in the half-life of immunoglobulin mu heavy chain mRNA in cell lines representing two stages of B cell differentiation. <b>1989</b> , 17, 10439-54		14
823	Identification of a new sigma-factor involved in compartmentalized gene expression during sporulation of Bacillus subtilis. <b>1989</b> , 3, 141-9		165
822	The role of specific enhancer-promoter interactions in the Drosophila Adh promoter switch. <b>1989</b> , 3, 2191-20		60
821	Germline transmission of exogenous genes in the chicken. <b>1989</b> , 243, 533-5		165

820	Regulation of interferon-beta gene: structure and function of cis-elements and trans-acting factors. <b>1989</b> , 9, 633-40	19
819	Activators of protein kinase C enhance accumulation of interferon-beta mRNA in murine cell lines. <b>1989</b> , 9, 543-50	5
818	Multiple sequence elements in the c-fos promoter mediate induction by cAMP. <b>1989</b> , 3, 198-211	201
817	Isolation and functional characterization of the murine interferon-beta 1 promoter. <b>1989</b> , 9, 125-33	26
816	Isolation and characterization of a functional murine interferon alpha gene which is not expressed in fibroblasts upon virus induction. <b>1989</b> , 70 ( Pt 6), 1381-9	13
815	Primary structure and regulation of vegetative specific genes of Dictyostelium discoideum. <b>1989</b> , 17, 9679-92	43
814	Structure and expression of a chicken insulin-like growth factor I precursor. <b>1989</b> , 3, 1907-13	89
813	Involvement of a cis-element that binds an H2TF-1/NF kappa B like factor(s) in the virus-induced interferon-beta gene expression. <b>1989</b> , 17, 3335-46	121
812	Expression of transcripts encoding a parathyroid hormone-related peptide in abnormal human parathyroid tissues. <b>1989</b> , 69, 1240-8	26
811	Multiple cis-acting DNA regulatory elements mediate hepatic angiotensinogen gene expression. <b>1989</b> , 3, 1022-34	54
810	Glucocorticoid regulation of parathyroid hormone-related peptide gene transcription in a human neuroendocrine cell line. <b>1989</b> , 3, 2034-40	51
809	Heterogeneity in mRNA of human papillomavirus type-6 subtypes in respiratory tract lesions. <b>1989</b> , 168, 1-12	26
808	Herpes simplex virus alpha protein ICP27 can inhibit or augment viral gene transactivation. <b>1989</b> , 170, 496-504	87
807	Cell type specific expression and regulation of murine interferon alpha and beta genes. <b>1989</b> , 173, 539-50	37
806	Simultaneous purification of DNA and RNA from small numbers of eukaryotic cells. <b>1989</b> , 180, 303-6	55
805	Molecular organization of RNP complexes containing P11 antigen in heat-shocked and non-heat-shocked Drosophila cells. <b>1989</b> , 181, 135-42	9
804	T cell receptor expression on immature thymocytes with in vivo and in vitro precursor potential. <b>1989</b> , 19, 1957-60	35
803	Trans-regulatory genes affect Slpa and Slpo expression and act in a tissue-specific manner. <b>1989</b> , 29, 340-5	7

802	Structure and expression of a split chloroplast gene from mustard ( <i>Sinapis alba</i> ): ribosomal protein gene rps16 reveals unusual transcriptional features and complex RNA maturation. <b>1989</b> , 15, 63-70	59
801	Cellular localization of induced human interferon-beta mRNA by non-radioactive in situ hybridization. <b>1989</b> , 91, 315-9	9
800	Sense and antisense transcripts of traM, a conjugal transfer gene of the antibiotic resistance plasmid R100. <b>1989</b> , 3, 561-70	19
799	Induction of endogenous IFN-alpha and IFN-beta genes by a regulatory transcription factor, IRF-1. <b>1989</b> , 337, 270-2	353
798	Role of transcriptional interference in the <i>Drosophila melanogaster</i> Adh promoter switch. <b>1989</b> , 337, 279-82	137
797	Glucocorticoid- and progesterone-specific effects are determined by differential expression of the respective hormone receptors. <b>1989</b> , 339, 629-32	101
796	Recombinant selection by microinjection: a simple cDNA cloning procedure for production of exclusively sense RNA transcripts. <b>1989</b> , 83, 147-52	5
795	Expression of antisense RNA fails to inhibit influenza virus replication. <b>1989</b> , 14, 141-59	15
794	Structure, chromosome mapping and regulation of the mouse zinc-finger gene Krox-24; evidence for a common regulatory pathway for immediate-early serum-response genes. <b>1989</b> , 80, 325-36	62
793	Expression of a hybrid immunoglobulin-T cell receptor protein in transgenic mice. <i>Cell</i> , <b>1989</b> , 58, 911-21	56.2 101
792	A 7 bp mutation converts a human RNA polymerase II snRNA promoter into an RNA polymerase III promoter. <i>Cell</i> , <b>1989</b> , 58, 55-67	56.2 226
791	Efficient expression of genetically engineered hepatitis B virus surface antigen P31 proteins in yeast. <b>1989</b> , 78, 297-308	17
790	Activation of double-stranded RNA-dependent kinase (dsl) by the TAR region of HIV-1 mRNA: a novel translational control mechanism. <i>Cell</i> , <b>1989</b> , 56, 303-12	56.2 198
789	Comparison of enzyme-linked immunosorbent assay (ELISA) with dot hybridization using <sup>32</sup> P- or 2-acetylaminofluorene (AAF)-labelled cDNA probes for the detection and characterization of beet necrotic yellow vein virus. <b>1989</b> , 3, 159-66	3
788	Cyclic AMP stimulates somatostatin gene transcription by phosphorylation of CREB at serine 133. <i>Cell</i> , <b>1989</b> , 59, 675-80	56.2 2260
787	Expression of cloned <i>Saccharomyces diastaticus</i> glucoamylase under natural and inducible promoters. <b>1989</b> , 1008, 168-76	16
786	Requirements for efficient in vitro transcription and translation: a study using yeast invertase as a probe. <b>1989</b> , 1009, 19-26	3
785	Plus-strand priming by Moloney murine leukemia virus. The sequence features important for cleavage by RNase H. <b>1989</b> , 208, 445-56	80

784	Clonal rat parathyroid cell line expresses a parathyroid hormone-related peptide but not parathyroid hormone itself. <b>1989</b> , 162, 108-15		39
783	Role of Ca <sup>2+</sup> in the regulation of hormone receptor exposure during lymphocyte activation. <b>1989</b> , 983, 153-60		9
782	Xenopus oocyte poly(A) RNAs that hybridize to a cloned interspersed repeat sequence are not translatable. <b>1989</b> , 134, 267-70		14
781	Ecdysteroid regulation of glucose dehydrogenase and alcohol dehydrogenase gene expression in <i>Drosophila melanogaster</i> . <b>1989</b> , 135, 66-73		33
780	Expression of NGF and NGF receptor mRNAs in the developing brain: evidence for local delivery and action of NGF. <b>1989</b> , 104, 191-9		141
779	The "initiator" as a transcription control element. <i>Cell</i> , <b>1989</b> , 57, 103-13	56.2	1496
778	Analysis of the cellular parameters of the immune responses contributing to resistance and susceptibility of mice to infection with the intracellular parasite, <i>Leishmania major</i> . <b>1989</b> , 112, 95-113		59
777	Expression of lymphokine genes in splenic lymphocytes of autoimmune mice. <b>1989</b> , 26, 649-56		27
776	Synthesis of long, capped transcripts in vitro by SP6 and T7 RNA polymerases. <b>1989</b> , 180, 42-50		133
775	Gene regulation by tyrosine kinases: src protein activates various promoters, including c-fos. <b>1989</b> , 9, 2493-9		78
774	The involvement of NF-kappa B in beta-interferon gene regulation reveals its role as widely inducible mediator of signal transduction. <i>Cell</i> , <b>1989</b> , 57, 287-94	56.2	484
773	DNA sequences that mediate attenuation of transcription from the mouse protooncogene myc. <b>1989</b> , 86, 505-9		97
772	Coordinate viral induction of tumor necrosis factor alpha and interferon beta in human B cells and monocytes. <b>1989</b> , 86, 1490-4		98
771	Selective enhancement of bovine papillomavirus type 1 DNA replication in <i>Xenopus laevis</i> eggs by the E6 gene product. <b>1989</b> , 9, 406-14		6
770	Cloning of the gene coding for human class 1 heparin-binding growth factor and its expression in fetal tissues. <b>1989</b> , 9, 2387-95		55
769	Germ line c-myc is not down-regulated by loss or exclusion of activating factors in myc-induced macrophage tumors. <b>1989</b> , 9, 3482-90		20
768	Novel regulation of transcription initiation of the peptide IX gene of adenovirus 2. <b>1989</b> , 9, 4265-71		6
767	Structural characterization of the alpha-glycerol-3-phosphate dehydrogenase-encoding gene of <i>Drosophila melanogaster</i> . <b>1989</b> , 86, 5020-4		48

766	The octamer motif is a B-lymphocyte-specific regulatory element of the HLA-DR alpha gene promoter. <b>1989</b> , 86, 6739-43	41
765	3-Hydroxy-3-methylglutaryl-coenzyme A reductase from <i>Arabidopsis thaliana</i> is structurally distinct from the yeast and animal enzymes. <b>1989</b> , 86, 2779-83	99
764	Characterization of a Single Copy Gene Encoding Ferredoxin I from Pea. <b>1989</b> , 1, 681	6
763	Molecular analysis of the SNF4 gene of <i>Saccharomyces cerevisiae</i> : evidence for physical association of the SNF4 protein with the SNF1 protein kinase. <b>1989</b> , 9, 5045-54	184
762	Nuclear factor EF-1A binds to the adenovirus E1A core enhancer element and to other transcriptional control regions. <b>1989</b> , 9, 5143-53	43
761	Negative transcriptional regulatory element that functions in embryonal carcinoma cells. <b>1989</b> , 9, 4032-7	11
760	Structure, chromosome location, and expression of the mouse zinc finger gene Krox-20: multiple gene products and coregulation with the proto-oncogene c-fos. <b>1989</b> , 9, 787-97	160
759	Continued withdrawal from the cell cycle and regulation of cellular genes in mouse erythroleukemia cells blocked in differentiation by the c-myc oncogene. <b>1989</b> , 9, 1714-20	27
758	Identification of a transcriptional silencer in the 5Pflanking region of the human epsilon-globin gene. <b>1989</b> , 86, 5306-9	140
757	Coordinate expression of insulin-like growth factor II and its receptor during muscle differentiation. <b>1989</b> , 86, 1543-7	151
756	Serum-inducible expression of transfected human c-myc genes. <b>1989</b> , 9, 4962-9	9
755	Identification of cis-acting sequences responsible for phorbol ester induction of human serum amyloid A gene expression via a nuclear factor kappaB-like transcription factor. <b>1989</b> , 9, 1908-16	140
754	Pancreatic beta-cell-type-specific expression of the rat insulin II gene is controlled by positive and negative cellular transcriptional elements. <b>1989</b> , 9, 3253-9	129
753	Expression of delta-aminolevulinate synthase in avian cells: separate genes encode erythroid-specific and nonspecific isozymes. <b>1989</b> , 86, 792-6	161
752	Multiple enhancer-like sequences in the HLA-B7 gene. <b>1989</b> , 86, 5247-51	34
751	Insulin gene enhancer activity is inhibited by adenovirus 5 E1a gene products. <b>1989</b> , 9, 4531-4	32
750	Control of beta-interferon expression in murine embryonal carcinoma F9 cells. <b>1989</b> , 9, 3553-6	16
749	Promoter specificity of sigma G-containing RNA polymerase from sporulating cells of <i>Bacillus subtilis</i> : identification of a group of forespore-specific promoters. <b>1989</b> , 171, 2708-18	69

748	Selective Regulation of Gene Expression in the Exocrine Pancreas. <b>1989</b> , 499-513		2
747	cDNA clones of the auxin-binding protein from corn coleoptiles ( <i>Zea mays</i> L.): isolation and characterization by immunological methods.. <i>EMBO Journal</i> , <b>1989</b> , 8, 2463-2467	13	74
746	Hormonal induction of transfected genes depends on DNA topology. <b>1990</b> , 10, 625-33		47
745	The immunoglobulin heavy-chain enhancer functions as the promoter for I mu sterile transcription. <b>1990</b> , 10, 2619-24		66
744	Involvement of a NF-kappa B-like transcription factor in the activation of the interleukin-6 gene by inflammatory lymphokines. <b>1990</b> , 10, 561-8		353
743	Priming affects the activity of a specific region of the promoter of the human beta interferon gene. <b>1990</b> , 10, 854-8		16
742	Three novel brain tropomyosin isoforms are expressed from the rat alpha-tropomyosin gene through the use of alternative promoters and alternative RNA processing. <b>1990</b> , 10, 1729-42		107
741	Parathyroid hormone-related peptide gene is expressed in the mammalian central nervous system. <b>1990</b> , 87, 108-12		100
740	Tissue-specific expression from a compound TATA-dependent and TATA-independent promoter. <b>1990</b> , 10, 5646-54		25
739	Overexpression of the multidrug resistance gene <i>mdr3</i> in spontaneous and chemically induced mouse hepatocellular carcinomas. <b>1990</b> , 10, 5728-35		76
738	Positive and negative elements regulate human interleukin 3 expression. <b>1990</b> , 87, 5046-50		72
737	Vasopressin Expression in Cultured Neurons is Stimulated by Cyclic AMP. <b>1990</b> , 2, 859-65		32
736	C-erbB2 mRNA expression in human breast tumours: comparison with c-erbB2 DNA amplification and correlation with prognosis. <b>1990</b> , 61, 39-45		64
735	Progesterone receptor stimulates transcription of mouse mammary tumour virus in a cell-free system. <b>1990</b> , 344, 360-2		69
734	Developmentally regulated expression of embigin, a member of the immunoglobulin superfamily found in embryonal carcinoma cells. <b>1990</b> , 45, 76-83		21
733	Transcription of endogenous and injected cytoskeletal actin genes during early embryonic development in <i>Xenopus laevis</i> . <b>1990</b> , 44, 111-21		12
732	Regulation of gene expression by transfected subunits of cAMP-dependent protein kinase. <b>1990</b> , 188, 253-9		11
731	Expression of the human carbonic anhydrase I gene is activated late in fetal erythroid development and regulated by stage-specific trans-acting factors. <b>1990</b> , 76, 135-42		21

730	Cloned GABA receptors are maintained in a stable cell line: allosteric and channel properties. <b>1990</b> , 189, 77-88		54
729	Negative regulation of transcriptional initiation in eukaryotes. <b>1990</b> , 1032, 53-77		29
728	The chloroplast psbK operon from mustard ( <i>Sinapis alba</i> L.): multiple transcripts during seedling development and evidence for divergent overlapping transcription. <b>1990</b> , 18, 377-83		30
727	Expression of CD1 in the mouse thymus. <b>1990</b> , 20, 1831-6		41
726	Cytokine expression in B-cell non-Hodgkin lymphomas. <b>1990</b> , 8, 355-61		6
725	Expression of the <i>mdr3</i> gene in prolymphocytic leukemia: association with cyclosporin-A-induced increase in drug accumulation. <b>1990</b> , 45, 626-31		54
724	Abnormal expression and structural modification of the insulin-like growth-factor-II gene in human colorectal tumors. <b>1990</b> , 46, 405-10		66
723	Riboprobe assay for HDV RNA: a sensitive method for the detection of the HDV genome in clinical serum samples. <b>1990</b> , 30, 20-4		24
722	Negative autoregulation of <i>c-myc</i> transcription.. <i>EMBO Journal</i> , <b>1990</b> , 9, 1113-1121	13	168
721	Promoter elements and erythroid cell nuclear factors that regulate alpha-globin gene transcription in vitro. <b>1990</b> , 10, 5958-66		75
720	A mutation in a single gene of <i>Schizosaccharomyces pombe</i> affects the expression of several snRNAs and causes defects in RNA processing.. <i>EMBO Journal</i> , <b>1990</b> , 9, 525-534	13	11
719	Alternatively spliced transcripts of the sex-determining gene <i>tra-2</i> of <i>Drosophila</i> encode functional proteins of different size.. <i>EMBO Journal</i> , <b>1990</b> , 9, 3619-3629	13	51
718	The zebrafish homeobox gene <i>hox-2.2</i> : transcription unit, potential regulatory regions and in situ localization of transcripts.. <i>EMBO Journal</i> , <b>1990</b> , 9, 515-524	13	29
717	The promoter for a variant surface glycoprotein gene expression site in <i>Trypanosoma brucei</i> .. <i>EMBO Journal</i> , <b>1990</b> , 9, 2791-2801	13	149
716	Distinct patterns of expression of two VAMP genes within the rat brain. <b>1990</b> , 10, 1380-7		138
715	Activity and interleukin 1 responsiveness of SV40 enhancer motifs in a rodent immature T cell line.. <i>EMBO Journal</i> , <b>1990</b> , 9, 929-937	13	21
714	The product of the <i>c-ets-1</i> proto-oncogene and the related Ets2 protein act as transcriptional activators of the long terminal repeat of human T cell leukemia virus HTLV-1.. <i>EMBO Journal</i> , <b>1990</b> , 9, 3137-3144	13	132
713	A feedback control element near the transcription start site of the maize <i>Shrunken</i> gene determines promoter activity.. <i>EMBO Journal</i> , <b>1990</b> , 9, 3447-3452	13	63

712	Postinduction turnoff of beta-interferon gene expression. <b>1990</b> , 10, 1329-37	109
711	Identification of a pancreatic beta-cell insulin gene transcription factor that binds to and appears to activate cell-type-specific expression: its possible relationship to other cellular factors that bind to a common insulin gene sequence. <b>1990</b> , 10, 1564-72	104
710	Pro-opiomelanocortin gene expression in silent corticotroph-cell adenoma and Cushing's disease. <b>1990</b> , 72, 262-7	34
709	Immunology of HIV infection, I: Biology of the interferons. <b>1990</b> , 6, 1149-56	19
708	The E2 trans-activator can act as a repressor by interfering with a cellular transcription factor. <b>1990</b> , 4, 123-36	58
707	A cell cycle analysis of growth-related genes expressed during T lymphocyte maturation. <b>1990</b> , 111, 2693-701	29
706	A DNA-binding protein containing two widely separated zinc finger motifs that recognize the same DNA sequence. <b>1990</b> , 4, 29-42	229
705	Identification of two distinct intron elements involved in alternative splicing of beta-tropomyosin pre-mRNA. <b>1990</b> , 4, 98-110	98
704	Negative and positive regulation by transcription factor cAMP response element-binding protein is modulated by phosphorylation. <b>1990</b> , 87, 4320-4	202
703	In vitro synthesis of biologically active transcripts of tomato black ring virus satellite RNA. <b>1990</b> , 71 ( Pt 4), 907-15	12
702	Human papillomavirus type 8 contains cis-active positive and negative transcriptional control sequences. <b>1990</b> , 71 ( Pt 10), 2457-62	8
701	Heterogeneity of mRNA and protein products arising from the protein 4.1 gene in erythroid and nonerythroid tissues. <b>1990</b> , 110, 617-24	108
700	The <i>Caenorhabditis elegans</i> gene <i>lin-10</i> is broadly expressed while required specifically for the determination of vulval cell fates. <b>1990</b> , 4, 357-71	61
699	Effects of oligo sequence and chemistry on the efficiency of oligodeoxyribonucleotide-mediated mRNA cleavage. <b>1990</b> , 18, 3537-43	25
698	A novel human insulin-like growth factor I messenger RNA is expressed in normal and tumor cells. <b>1990</b> , 4, 1914-20	51
697	A major positive regulatory region located far upstream of the human alpha-globin gene locus. <b>1990</b> , 4, 1588-601	293
696	Transforming growth factor beta 1 suppression of c-myc gene transcription: role in inhibition of keratinocyte proliferation. <b>1990</b> , 87, 3758-62	351
695	Molecular cloning of mevalonate kinase and regulation of its mRNA levels in rat liver. <b>1990</b> , 87, 2872-6	62



694	Postinduction repression of the beta-interferon gene is mediated through two positive regulatory domains. <b>1990</b> , 87, 7799-803		51
693	A 46 base pair enhancer sequence within the locus activating region is required for induced expression of the gamma-globin gene during erythroid differentiation. <b>1990</b> , 18, 2721-31		67
692	Organization of the gene for platelet glycoprotein IIb. <b>1990</b> , 29, 1232-44		175
691	Neuron-specific expression of the rat brain type II sodium channel gene is directed by upstream regulatory elements. <b>1990</b> , 4, 223-31		217
690	Rapid induction of c-fos transcription reveals quantitative linkage of RNA polymerase II and DNA topoisomerase I enzyme activities. <i>Cell</i> , <b>1990</b> , 60, 141-9	56.2	131
689	A cell type-preferred silencer element that controls the neural-specific expression of the SCG10 gene. <b>1990</b> , 4, 583-94		184
688	P-transposable vectors expressing a constitutive and thermoinducible hsp82-neo fusion gene for <i>Drosophila</i> germline transformation and tissue-culture transfection. <b>1990</b> , 89, 179-86		17
687	Characterization of a bipartite activator domain in transcription factor CREB. <i>Cell</i> , <b>1990</b> , 60, 611-7	56.2	211
686	Structural and functional analysis of the murine adenosine deaminase gene. <b>1990</b> , 7, 476-85		23
685	Differential splicing generates a nervous system-specific form of <i>Drosophila</i> neuroglian. <b>1990</b> , 4, 697-709		149
684	Detection of dengue viral RNA in mosquito vectors by mixed phase and solution hybridization. <b>1990</b> , 4, 307-20		10
683	Recent progress in interferon research: molecular mechanisms of regulation, action, and virus circumvention. <b>1990</b> , 15, 1-25		65
682	Rats with physically disconnected hypothalamo-pituitary tracts no longer contain vasopressin-oxytocin gene transcripts in the posterior pituitary lobe. <b>1990</b> , 263, 332-6		45
681	Comparison of cathepsin L synthesized by normal and transformed cells at the gene, message, protein, and oligosaccharide levels. <b>1990</b> , 283, 447-57		38
680	Evolution of insulin-like growth factor I (IGF-I): structure and expression of an IGF-I precursor from <i>Xenopus laevis</i> . <b>1990</b> , 4, 217-26		55
679	Poly(A) tail length of oxytocin- and lysine vasopressin-encoding mRNAs increases during development in the porcine hypothalamus. <b>1990</b> , 4, 151-8		3
678	Structure and expression of a rat agrin. <b>1991</b> , 6, 811-23		275
677	Functional glucocorticoid inducible enhancer activity in the 5Pflanking sequences of the rat growth hormone gene. <b>1991</b> , 38, 1-15		19

676	Neither the endogenous nor a functional steroid hormone receptor binding site transactivate the ribosomal RNA gene promoter in vitro. <b>1991</b> , 39, 409-18		7
675	Gene Transfer and Expression Protocols. <b>1991</b> ,		6
674	Antisense RNA inhibition of hematopoietic growth factor production. <b>1991</b> , 5, 171-81		2
673	Estradiol induces class I alcohol dehydrogenase activity and mRNA in kidney of female rats. <b>1991</b> , 288, 406-13		34
672	Phosphorylation of nuclear protein is an early event in TGF beta 1 action. <b>1991</b> , 175, 816-22		17
671	Organization of the mouse acid beta-galactosidase gene. <b>1991</b> , 178, 158-64		11
670	Segregation of Na(+)-channel gene expression during neuronal-glia branching of a rat PNS-derived stem cell line, RT4-AC. <b>1991</b> , 147, 415-24		21
669	Developmental expression of genes involved in conidiation and amino acid biosynthesis in <i>Neurospora crassa</i> . <b>1991</b> , 148, 117-28		97
668	Developmental regulation of fetal to adult globin gene switching in human fetal erythroid x mouse erythroleukemia cell hybrids. <b>1991</b> , 148, 129-37		26
667	P-glycoprotein drug efflux pump involved in the mechanisms of intrinsic drug resistance in various colon cancer cell lines. Evidence for a saturation of active daunorubicin transport. <b>1991</b> , 41, 349-59		66
666	Sex-specific splicing and polyadenylation of dsx pre-mRNA requires a sequence that binds specifically to tra-2 protein in vitro. <i>Cell</i> , <b>1991</b> , 65, 579-86	56.2	239
665	A naturally occurring truncated form of FosB that inhibits Fos/Jun transcriptional activity. <i>Cell</i> , <b>1991</b> , 64, 751-9	56.2	393
664	Detection and localization of single-base sequence differences in foot-and-mouth disease virus genomes by the RNase mismatch cleavage method. <b>1991</b> , 33, 267-82		10
663	Programmed Androgen Insensitivity of the Liver during Prepuberty and Senescence1. <b>1991</b> , 19, 119-126		
662	Regulation of vasopressin expression in cultured diencephalic neurons by glucocorticoids. <b>1991</b> , 53, 528-35		23
661	Axonal transport of neuropeptide encoding mRNAs within the hypothalamo-hypophyseal tract of rats.. <i>EMBO Journal</i> , <b>1991</b> , 10, 2419-2424	13	125
660	Expression of genes encoding the transcription factor SRF during early development of <i>Xenopus laevis</i> : identification of a CArG box-binding activity as SRF.. <i>EMBO Journal</i> , <b>1991</b> , 10, 933-940	13	62
659	Retrovirus-induced interference with collagen I gene expression in Mov13 fibroblasts is maintained in the absence of DNA methylation. <b>1991</b> , 11, 47-54		19

658	Characterization of a candidate bcl-1 gene. <b>1991</b> , 11, 4846-53	313
657	Regulation of a double-stranded RNA modification activity in human cells. <b>1991</b> , 11, 3719-25	12
656	The gene encoding the transcription factor SCIP has features of an expressed retroposon. <b>1991</b> , 11, 4642-50	60
655	A GC-rich element confers epidermal growth factor responsiveness to transcription from the gastrin promoter. <b>1991</b> , 11, 2686-96	75
654	Identification and characterization of a novel repressor of beta-interferon gene expression. <b>1991</b> , 5, 868-79	277
653	Structure and function of a human insulin-like growth factor-I gene promoter. <b>1991</b> , 5, 1964-72	88
652	Steroid influences on a mammalian neuromuscular system. <b>1991</b> , 3, 459-468	16
651	Analysis of the HSV-1 strain 17 DNA polymerase gene reveals the expression of four different classes of pol transcripts. <b>1991</b> , 183, 505-18	11
650	Efficient production of functional mRNA mediated by RNA polymerase I in <i>Trypanosoma brucei</i> . <b>1991</b> , 353, 772-5	90
649	Early multidrug resistance, defined by changes in intracellular doxorubicin distribution, independent of P-glycoprotein. <b>1991</b> , 64, 857-61	85
648	Detection of BMV and BWV isolates using monoclonal antibodies and radioactive RNA probes, and relationships among luteoviruses. <b>1991</b> , 118, 127-138	24
647	Transforming growth factor type beta 1 (TGF-beta 1) down-regulates interleukin-2 production and up-regulates interleukin-2 receptor expression in a thymoma cell line. <b>1991</b> , 147, 460-9	21
646	Structure, expression, and regulation of members of the developmentally controlled V and H gene classes from <i>Dictyostelium</i> . <b>1991</b> , 12, 88-97	18
645	The potassium channel MBK1 (Kv1.1) is expressed in the mouse retina. <b>1991</b> , 11, 611-22	11
644	Complementary in vivo and in vitro analyses of the interactions between the cis-acting elements of the rat rDNA promoter. <b>1991</b> , 104, 127-35	8
643	Structure and expression of the triose phosphate isomerase (Tpi) gene of <i>Drosophila melanogaster</i> . <b>1991</b> , 230, 225-9	24
642	<i>Xenopus laevis</i> c-myc I and II genes: molecular structure and developmental expression. <b>1991</b> , 19, 3081-8	26
641	The Carbonic Anhydrases. <b>1991</b> ,	68

640	Cloning and sequencing of rat plectin indicates a 466-kD polypeptide chain with a three-domain structure based on a central alpha-helical coiled coil. <b>1991</b> , 114, 83-99	170
639	Murine erythroleukemia cell line GM979 contains factors that can activate silent chromosomal human gamma-globin genes. <b>1991</b> , 88, 2530-4	12
638	LyF-1, a transcriptional regulator that interacts with a novel class of promoters for lymphocyte-specific genes. <b>1991</b> , 11, 5229-43	196
637	Androgen receptor messenger ribonucleic acid (mRNA) in the rat liver: changes in mRNA levels during maturation, aging, and calorie restriction. <b>1991</b> , 128, 349-56	65
636	Alternative splicing in the neural cell adhesion molecule pre-mRNA: regulation of exon 18 skipping depends on the 5Psplice site. <b>1991</b> , 5, 1416-29	61
635	Expression of insulin-like growth factor-I during chicken development. <b>1991</b> , 128, 1323-8	72
634	The RNase Protection Assay. <b>1991</b> , 7, 283-96	2
633	Phytochrome Control of the tms2 Gene in Transgenic Arabidopsis: A Strategy for Selecting Mutants in the Signal Transduction Pathway. <b>1991</b> , 3, 573	1
632	Tobacco nuclear gene for the 31 kd chloroplast ribonucleoprotein: genomic organization, sequence analysis and expression. <b>1991</b> , 19, 2987-91	31
631	Endothelin as an autocrine factor in the regulation of parathyroid cells. <b>1991</b> , 88, 4235-9	52
630	The secretin gene: evolutionary history, alternative splicing, and developmental regulation. <b>1991</b> , 88, 5335-9	52
629	Regulation of doublesex pre-mRNA processing occurs by 3Psplice site activation. <b>1991</b> , 5, 2071-85	146
628	Alternative splicing of beta-tropomyosin pre-mRNA: cis-acting elements and cellular factors that block the use of a skeletal muscle exon in nonmuscle cells. <b>1991</b> , 5, 2096-107	95
627	Rat vasopressin and oxytocin genes are linked by a long interspersed repeated DNA element (LINE): sequence and transcriptional analysis of LINE. <b>1991</b> , 10, 81-91	51
626	Antigenic variation in Trypanosoma brucei: a telomeric expression site for variant-specific surface glycoprotein genes with novel features. <b>1991</b> , 19, 1359-68	55
625	Phytochrome control of the tms2 gene in transgenic Arabidopsis: a strategy for selecting mutants in the signal transduction pathway. <b>1991</b> , 3, 573-82	71
624	Activated alveolar macrophages express the insulin-like growth factor-I receptor. <b>1991</b> , 4, 432-9	22
623	Alternative 3Psplice Acceptor Sites Modulate Enzymic Activity in Derivative Alleles of the Maize bronze1-mutable 13 Allele. <b>1992</b> , 4, 1453	

622	Viral Expression Vectors. <b>1992,</b>	2
621	Identification of novel factors that bind to the PRD I region of the human beta-interferon promoter. <b>1992, 20, 1531-8</b>	61
620	Positive control of pre-mRNA splicing in vitro. <b>1992, 256, 237-40</b>	187
619	TGF-beta 1 is an autocrine-negative growth regulator of human colon carcinoma FET cells in vivo as revealed by transfection of an antisense expression vector. <b>1992, 116, 187-96</b>	167
618	Two distinct pathways of interferon induction as revealed by 2-aminopurine. <b>1992, 20, 2749-54</b>	9
617	5Puntranslated sequences modulate rapid mRNA degradation mediated by 3PAU-rich element in v-/c-fos recombinants. <b>1992, 20, 5753-62</b>	38
616	Isolation and characterization of RAT1: an essential gene of Saccharomyces cerevisiae required for the efficient nucleocytoplasmic trafficking of mRNA. <b>1992, 6, 1173-89</b>	320
615	A method for sequence-specific deletion mutagenesis. <b>1992, 20, 1039-44</b>	11
614	Alternative 3Psplice acceptor sites modulate enzymic activity in derivative alleles of the maize bronze1-mutable 13 allele. <b>1992, 4, 1453-62</b>	9
613	A conserved regulatory unit implicated in tissue-specific gene expression in Drosophila and man. <b>1992, 6, 454-65</b>	72
612	Genetic transfer of non-P-glycoprotein-mediated multidrug resistance (MDR) in somatic cell fusion: dissection of a compound MDR phenotype. <b>1992, 89, 3498-502</b>	34
611	Somatic gene therapy for diabetes with an immunological safety system for complete removal of transplanted cells. <b>1992, 41, 956-61</b>	26
610	A Drosophila CREB/ATF transcriptional activator binds to both fat body- and liver-specific regulatory elements. <b>1992, 6, 466-80</b>	107
609	Agroinfection as an alternative to insects for infecting plants with beet western yellows luteovirus. <b>1992, 89, 9136-40</b>	88
608	Inactivation of the human beta-globin gene by targeted insertion into the beta-globin locus control region. <b>1992, 6, 928-38</b>	109
607	Functional analysis of the rat insulin-like growth factor I gene and identification of an IGF-I gene promoter. <b>1992, 11, 301-13</b>	113
606	Two mRNAs are transcribed from the human gene for choline acetyltransferase. <b>1992, 11, 593-603</b>	15
605	Homeotic gene Antennapedia mRNA contains 5Pnoncoding sequences that confer translational initiation by internal ribosome binding. <b>1992, 6, 1643-53</b>	180

604	Tandem repeat polymers of a critical region of the human interferon-beta promoter exhibit a marked constitutive activity and enhanced responsiveness to transcriptional regulators in transfected HeLa cells. <b>1992</b> , 12, 377-87	
603	Light-independent developmental regulation of cab gene expression in Arabidopsis thaliana seedlings. <b>1992</b> , 89, 7791-5	123
602	Developmental and light regulation of eas, the structural gene for the rodlet protein of Neurospora. <b>1992</b> , 6, 2373-81	130
601	A herpesvirus regulatory protein appears to act post-transcriptionally by affecting mRNA processing. <b>1992</b> , 6, 848-63	175
600	A ribosomal RNA gene promoter at the telomere of a mini-chromosome in Trypanosoma brucei. <b>1992</b> , 20, 2725-34	43
599	Cytokine gene regulation: regulatory cis-elements and DNA binding factors involved in the interferon system. <b>1992</b> , 52, 263-81	80
598	A novel 7-nucleotide motif located in 3' untranslated sequences of the immediate-early gene set mediates platelet-derived growth factor induction of the JE gene. <b>1992</b> , 12, 5288-300	80
597	Identification of a negative regulatory element that inhibits c-mos transcription in somatic cells. <b>1992</b> , 12, 2029-36	14
596	An ATF/CREB binding site is required for virus induction of the human interferon beta gene [corrected]. <b>1992</b> , 89, 2150-4	107
595	During negative regulation of the human papillomavirus-16 E6 promoter, the viral E2 protein can displace Sp1 from a proximal promoter element. <b>1992</b> , 20, 251-6	106
594	In vivo transcriptional analysis of the TATA-less promoter of the Drosophila melanogaster vermilion gene. <b>1992</b> , 12, 4571-7	44
593	A single beta-globin locus control region element (5' hypersensitive site 2) is sufficient for developmental regulation of human globin genes in transgenic mice. <b>1992</b> , 12, 2057-66	56
592	Drosophila transcriptional repressor protein that binds specifically to negative control elements in fat body enhancers. <b>1992</b> , 12, 4093-103	44
591	Inducible processing of interferon regulatory factor-2. <b>1992</b> , 12, 3325-36	74
590	Targeted cleavage of mRNA by human RNase P. <b>1992</b> , 89, 8006-10	133
589	Cyclic AMP response element-binding protein and the catalytic subunit of protein kinase A are present in F9 embryonal carcinoma cells but are unable to activate the somatostatin promoter. <b>1992</b> , 12, 1096-106	67
588	Raf-1 protein kinase is an integral component of the oncogenic signal cascade shared by epidermal growth factor and platelet-derived growth factor. <b>1992</b> , 12, 5078-86	37
587	Tissue RNA as source of ion channels and receptors. <b>1992</b> , 207, 297-309	9

586	Characterization and developmental expression of Xenopus C/EBP gene. <b>1992</b> , 38, 69-81	23
585	Expression of the B cell-associated tyrosine kinase gene Lyn in primary neuroblastoma tumours and its modulation during the differentiation of neuroblastoma cell lines. <b>1992</b> , 186, 1403-9	3
584	A novel neuroendocrine gene product: selective VGF8a gene expression and immuno-localisation of the VGF protein in endocrine and neuronal populations. <b>1992</b> , 13, 139-43	47
583	Molecular cloning and single-channel properties of the cyclic nucleotide-gated channel from catfish olfactory neurons. <b>1992</b> , 8, 45-58	302
582	Mouse T-lymphocyte activation by Urtica dioica agglutinin. II.--Original pattern of cell activation and cytokine production induced by UDA. <b>1992</b> , 143, 701-9	14
581	Expression in murine and human neuroblastoma cell lines of VGF, a tissue specific protein. <b>1992</b> , 10, 527-34	15
580	Insulin-mediated inhibition of the induction of tyrosine aminotransferase by dexamethasone. <b>1992</b> , 298, 522-6	5
579	Estradiol regulates class I alcohol dehydrogenase gene expression in renal medulla of male rats by a post-transcriptional mechanism. <b>1992</b> , 297, 277-84	18
578	Amyloid precursor protein mRNA encoding the Kunitz protease inhibitor domain is increased by kainic acid-induced seizures in rat hippocampus. <b>1992</b> , 118, 332-9	27
577	Expression of the ras-related rab3a gene in insulinoma-derived cell lines. <b>1992</b> , 312, 183-6	8
576	The P-glycoprotein gene family of Caenorhabditis elegans. Cloning and characterization of genomic and complementary DNA sequences. <b>1992</b> , 228, 701-11	76
575	Laminin A chain: expression during Drosophila development and genomic sequence.. <i>EMBO Journal</i> , <b>1992</b> , 11, 4519-4527	13 92
574	Muscle-specific expression of SRF-related genes in the early embryo of Xenopus laevis.. <i>EMBO Journal</i> , <b>1992</b> , 11, 4981-4991	13 71
573	Alternative splicing of micro-exons creates multiple forms of the insect cell adhesion molecule fasciclin I. <b>1992</b> , 12, 895-905	30
572	Structure and expression of the phosphoglycerate kinase (Pkg) gene of Drosophila melanogaster. <b>1992</b> , 235, 213-20	12
571	Parvoviruses are inefficient in inducing interferon-beta, tumor necrosis factor-alpha, or interleukin-6 in mammalian cells. <b>1992</b> , 181, 153-64	18
570	Intrinsic resistance to anticancer agents in the murine pancreatic adenocarcinoma PANC02. <b>1992</b> , 29, 485-9	22
569	Interferon-alpha but not -beta genes require de novo protein synthesis for efficient expression in human monocytes. <b>1992</b> , 35, 177-85	6

568	Differential effects of cyclosporin A on diverse B cell activation phenomena triggered by crosslinking of membrane IgM. <b>1992</b> , 140, 478-94	2
567	The translation initiation site of recombinant <i>Trypanosoma brucei</i> ornithine decarboxylase varies with different promoters. <b>1992</b> , 55, 95-104	3
566	Developmental expression of hexokinase 1 in the rat. <b>1992</b> , 1129, 309-17	26
565	Synthesis of full-length transcripts of beet western yellows virus RNA: messenger properties and biological activity in protoplasts. <b>1992</b> , 186, 192-200	84
564	cis-active sequences near the 5Ptermini of beet necrotic yellow vein virus RNAs 3 and 4. <b>1992</b> , 190, 55-67	24
563	Expression of the chloramphenicol acetyltransferase gene in <i>Aedes albopictus</i> (C6/36) cells using a non-infectious Sindbis virus expression vector. <b>1992</b> , 1, 49-52	12
562	Altered DNA/protein complexes specific for the beta-interferon regulatory region observed in murine embryonal carcinoma F9 cells. <b>1992</b> , 49, 366-77	
561	Cholera toxin potentiates TPA-induced mitogenesis and c-fos expression in BALB/c-3T3-derived proadipocytes. <b>1992</b> , 50, 210-8	5
560	A cryptopromoter is activated in the proliferating cell nuclear antigen gene of growth arrested cells. <b>1992</b> , 152, 177-84	11
559	Expression of interleukin-6 in porcine, ovine, and bovine preimplantation conceptuses. <b>1992</b> , 32, 324-30	56
558	Altered cytokine genes expression by conA-activated spleen cells from mice infected by lymphocytic choriomeningitis virus. <b>1993</b> , 35, 247-53	11
557	Synthesis and properties of glutathione reductase in stressed peas. <b>1993</b> , 192, 137	6
556	Similar tissue-specific expression of the Adh genes from different <i>Drosophila</i> species is mediated by distinct arrangements of cis-acting sequences. <b>1993</b> , 240, 58-64	7
555	Post-transcriptional regulation of IME1 determines initiation of meiosis in <i>Saccharomyces cerevisiae</i> . <b>1993</b> , 237, 375-84	36
554	Structure and expression of the tobacco nuclear gene encoding the 33 kDa chloroplast ribonucleoprotein. <b>1993</b> , 239, 304-9	7
553	The genes of the glutamine synthetase adenylylation cascade are not regulated by nitrogen in <i>Escherichia coli</i> . <b>1993</b> , 9, 443-57	74
552	A possible role for the 3Puntranslated region in developmental regulation in <i>Trypanosoma brucei</i> . <b>1993</b> , 61, 87-95	96
551	Identification of promoter region of guinea pig liver transglutaminase gene. <b>1993</b> , 1172, 319-22	11



550	Identification of a functional initiator sequence in the human MDR1 promoter. <b>1993</b> , 1172, 138-46		30
549	Constitutive interferon expression from retroviral vector. <b>1993</b> , 22, 215-21		
548	Related Elsevier virology titles contents alert. <b>1993</b> , 22, i-ii		
547	Homozygous disruption of the murine <i>mdr2</i> P-glycoprotein gene leads to a complete absence of phospholipid from bile and to liver disease. <i>Cell</i> , <b>1993</b> , 75, 451-62	56.2	1298
546	The family of genes encoding odorant receptors in the channel catfish. <i>Cell</i> , <b>1993</b> , 72, 657-66	56.2	311
545	Ribonuclease protection assay. <b>2001</b> , Chapter 4, Unit4.7		15
544	Regulation of serum insulin-like growth factor-I (IGF-I), hepatic growth hormone binding and IGF-I gene expression in the rat during pregnancy and lactation. <b>1993</b> , 139, 89-95		8
543	Identification of a novel cyclosporin-sensitive element in the human tumor necrosis factor alpha gene promoter. <b>1993</b> , 178, 1365-79		189
542	Structure of the human 3-methyladenine DNA glycosylase gene and localization close to the 16p telomere. <b>1993</b> , 90, 3437-41		56
541	Polymerase chain reaction-based mRNA quantification using an internal standard: analysis of oncogene expression. <b>1993</b> , 218, 446-73		49
540	Identification, quantification, and localization of mRNA for three distinct alpha 1 adrenergic receptor subtypes in human prostate. <b>1993</b> , 150, 546-51		282
539	Platelet derived growth factor (PDGF), androgens and inflammation: possible etiologic factors in the development of prostatic hyperplasia. <b>1993</b> , 149, 1586-92		45
538	The cytoplasmic domain of C-CAM is required for C-CAM-mediated adhesion function: studies of a C-CAM transcript containing an unspliced intron. <b>1993</b> , 295 ( Pt 2), 427-35		39
537	The minimal self-sufficient element in a murine G+C-rich promoter is a large element with imperfect dyad symmetry. <b>1993</b> , 90, 11865-9		29
536	Differential expression of four members of the POU family of proteins in activated and phorbol 12-myristate 13-acetate-treated Jurkat T cells. <b>1993</b> , 90, 10260-4		22
535	Day/night and circadian rhythm control of <i>con</i> gene expression in <i>Neurospora</i> . <b>1993</b> , 90, 8249-53		78
534	Serum factors can modulate the developmental clock of gamma- to beta-globin gene switching in somatic cell hybrids. <b>1993</b> , 13, 4844-51		8
533	Analysis of the human alpha-globin gene cluster in transgenic mice. <b>1993</b> , 90, 11262-6		60

532	Action of spontaneously produced beta interferon in differentiation of embryonal carcinoma cells through an autoinduction mechanism. <b>1993</b> , 13, 2846-57		28
531	The expression of two P-glycoprotein (pgp) genes in transgenic <i>Caenorhabditis elegans</i> is confined to intestinal cells.. <i>EMBO Journal</i> , <b>1993</b> , 12, 1615-1620	13	43
530	Analysis of genes negatively regulated by phytochrome action in <i>Lemna gibba</i> and identification of a promoter region required for phytochrome responsiveness. <b>1993</b> , 101, 915-24		21
529	A genetic polymorphism within the third poly(A) signal of the DHFR gene alters the polyadenylation pattern of DHFR transcripts in CHL cells. <b>1994</b> , 22, 2694-702		9
528	U17XS8, a small nucleolar RNA with a 12 nt complementarity to 18S rRNA and coded by a sequence repeated in the six introns of <i>Xenopus laevis</i> ribosomal protein S8 gene. <b>1994</b> , 22, 732-41		50
527	A novel cysteine-rich sequence-specific DNA-binding protein interacts with the conserved X-box motif of the human major histocompatibility complex class II genes via a repeated Cys-His domain and functions as a transcriptional repressor. <b>1994</b> , 180, 1763-74		73
526	NF-kappa B-independent activation of beta-interferon expression in mouse F9 embryonal carcinoma cells. <b>1994</b> , 22, 4489-96		5
525	Hepatitis delta virus replication in vitro is not affected by interferon-alpha or -gamma despite intact cellular responses to interferon and dsRNA. <b>1994</b> , 75 ( Pt 6), 1371-8		17
524	The PARP and rRNA promoters of <i>Trypanosoma brucei</i> are composed of dissimilar sequence elements that are functionally interchangeable. <b>1994</b> , 14, 5804-11		60
523	Redundant cis-acting elements control expression of the <i>Drosophila affinis</i> <i>Adh</i> gene in the larval fat body. <b>1994</b> , 22, 1257-64		12
522	Matrix assisted laser desorption/ionization mass spectrometry of enzymatically synthesized RNA up to 150 kDa. <b>1994</b> , 22, 3866-70		89
521	Molecular characterization of <i>Xenopus laevis</i> DP proteins. <b>1994</b> , 5, 1081-92		23
520	Molecular cloning of a cDNA encoding for the GLP-1 receptor expressed in rat lung. <b>1994</b> , 102, 341-7		34
519	Molecular cloning and functional analysis of the promoter of rat skeletal muscle voltage-sensitive sodium channel subtype 2 (rSkM2): evidence for muscle-specific nuclear protein binding to the core promoter. <b>1994</b> , 13, 9-23		23
518	Small RNA expression from the oncogenic region of a highly oncogenic strain of herpesvirus saimiri. <b>1994</b> , 8, 25-34		13
517	Structure and expression characteristics of the chloroplast DNA region containing the split gene for tRNA(Gly) (UCC) from mustard ( <i>Sinapis alba</i> L.). <b>1994</b> , 26, 557-63		21
516	Identification of a distinctive P-glycoprotein-mediated resistance phenotype in human ovarian carcinoma cells after their in vitro exposure to fractionated X-irradiation. <b>1994</b> , 73, 2990-9		17
515	traJ sense RNA initiates at two different promoters in R100-1 and forms two stable hybrids with antisense finP RNA. <b>1994</b> , 13, 313-26		7

514	The role of specific protein-RNA and protein-protein interactions in positive and negative control of pre-mRNA splicing by Transformer 2. <i>Cell</i> , <b>1994</b> , 76, 735-46	56.2	172
513	Synergistic induction of neurotensin gene transcription in PC12 cells parallels changes in AP-1 activity. <b>1994</b> , 27, 232-42		18
512	Interplay between thyroid hormone and estrogen in modulating expression of their receptor and vitellogenin genes during <i>Xenopus</i> metamorphosis. <b>1994</b> , 45, 49-57		38
511	Regulation of trophoblast interferon gene expression. <b>1994</b> , 100, 93-5		12
510	Expression of the neural form of nitric oxide synthase by CA1 hippocampal neurons and other central nervous system neurons. <b>1994</b> , 63, 679-89		89
509	Is insulin-like growth factor I involved in brown adipose tissue enlargement?. <b>1994</b> , 55, 141-8		17
508	Mouse homeobox gene <i>Dbx</i> : sequence, gene structure and expression pattern during mid-gestation. <b>1994</b> , 47, 187-95		23
507	Transient global ischemia induces dynamic changes in the expression of bFGF and the FGF receptor. <b>1994</b> , 22, 76-88		83
506	The type I interferon system is locally activated in psoriatic lesions. <b>1994</b> , 14, 229-34		40
505	Loss of circadian behavioral rhythms and per RNA oscillations in the <i>Drosophila</i> mutant <i>timeless</i> . <b>1994</b> , 263, 1603-6		494
504	Positive regulators of the lineage-specific transcription factor GATA-1 in differentiating erythroid cells. <b>1994</b> , 14, 3108-14		26
503	Detection of the human glucagon-like peptide 1(7-36) amide receptor on insulinoma-derived cell membranes. <b>1994</b> , 55, 29-33		38
502	Evidence for a role of the <i>Drosophila melanogaster</i> suppressor of <i>sable</i> gene in the pre-mRNA splicing pathway. <b>1994</b> , 14, 859-67		16
501	Established epigenetic modifications determine the expression of developmentally regulated globin genes in somatic cell hybrids. <b>1995</b> , 15, 3969-78		20
500	[15] PCR and generation of antisense RNA probes for use in RNase protection assays. <b>1995</b> , 26, 227-242		2
499	[3] Analysis of ontogeny of processing enzyme gene expression and regulation. <b>1995</b> , 45-64		15
498	[11] Investigations on virus-host interactions: An abortive system. <b>1995</b> , 7, 167-192		4
497	Constitutive repression and nuclear factor I-dependent hormone activation of the mouse mammary tumor virus promoter in <i>Saccharomyces cerevisiae</i> . <b>1995</b> , 15, 6987-98		40

496	Generation of a high-titer retroviral vector capable of expressing high levels of the human beta-globin gene. <b>1995</b> , 92, 6728-32		181
495	Transcriptional inhibition of the parvovirus minute virus of mice by constitutive expression of an antisense RNA targeted against the NS-1 transactivator protein. <b>1995</b> , 206, 57-68		24
494	Tubular hypertrophy due to work load induced by furosemide is associated with increases of IGF-1 and IGFBP-1. <b>1995</b> , 47, 818-28		26
493	The drug resistance-related protein LRP is the human major vault protein. <b>1995</b> , 1, 578-82		514
492	Altered MRP is associated with multidrug resistance and reduced drug accumulation in human SW-1573 cells. <b>1995</b> , 72, 298-306		20
491	Elevation of endothelin biosynthesis in human endothelial cells with mycoplasma infection. <b>1995</b> , 31, 880-5		2
490	Distribution of beta 3-adrenoceptor mRNA in human tissues. <b>1995</b> , 289, 223-8		141
489	Characterization of the promoter region of the human MDR3 P-glycoprotein gene. <b>1995</b> , 1261, 44-56		20
488	The molecular biology of the flavin-containing monooxygenases of man. <b>1995</b> , 96, 17-32		125
487	A new platelet-derived growth factor-regulated genomic element which binds a serine/threonine phosphoprotein mediates induction of the slow immediate-early gene MCP-1. <b>1995</b> , 15, 315-25		33
486	Hormone induces binding of receptors and transcription factors to a rearranged nucleosome on the MMTV promoter in vivo.. <i>EMBO Journal</i> , <b>1995</b> , 14, 1737-1751	13	228
485	Expression and function of P-glycoprotein in a mouse kidney cell line. <b>1995</b> , 269, C323-33		108
484	Cloning and characterization of the promoter region of the human keratinocyte growth factor gene. <b>1995</b> , 270, 11230-7		33
483	A novel cyclic AMP response element-binding protein-1 (CREB-1) splice product may down-regulate CREB-1 activity. <b>1995</b> , 14, 191-8		10
482	High throughput RNase protection assay. <b>1995</b> , 23, 3359-60		18
481	EFFECTS OF C-MYC ANTISENSE TRANSCRIPTS ON DIFFERENTIATION OF K562 CELLS. <b>1995</b> , 6, 419		
480	Molecular genetic approaches to the study of human craniofacial dysmorphologies. <b>1995</b> , 158, 215-77		6
479	Transcription in vitro using bacteriophage RNA polymerases. <b>1995</b> , 37, 1-12		1

478	The <i>Xenopus</i> intron-encoded U17 snoRNA is produced by exonucleolytic processing of its precursor in oocytes. <b>1995</b> , 23, 4670-6		31
477	Regulation of human RPS14 transcription by intronic antisense RNAs and ribosomal protein S14. <b>1995</b> , 9, 304-16		52
476	Isolation and sequence analysis of the chicken GABAA receptor alpha 1-subunit gene promoter. <b>1995</b> , 153, 243-7		10
475	The effects of differential polyadenylation on expression of the dihydrofolate reductase-encoding gene in Chinese hamster lung cells. <b>1995</b> , 163, 185-91		3
474	Serial analysis of gene expression. <b>1995</b> , 270, 484-7		3670
473	Down-regulation of transforming growth factor beta receptor type I, II, and III during liver regeneration. <b>1995</b> , 169, 126-31; discussion 131-2		53
472	Neuron-specific regulation of major histocompatibility complex class I, interferon-beta, and anti-viral state genes. <b>1995</b> , 58, 145-55		26
471	Characterization of an interleukin 4 (IL-4) responsive region in the immunoglobulin heavy chain germline epsilon promoter: regulation by NF-IL-4, a C/EBP family member and NF-kappa B/p50. <b>1995</b> , 181, 181-92		177
470	Growth-State-Dependent Radiation-Induced Expression of the Proto-oncogene c-fos in NIH 3T3 Cells. <b>1996</b> , 145, 299		3
469	How to probe clinical tumour samples for P-glycoprotein and multidrug resistance-associated protein. <b>1996</b> , 32A, 1024-33		49
468	Relative transcriptional inducibility of the human interferon-alpha subtypes conferred by the virus-responsive enhancer sequence. <b>1996</b> , 16, 99-107		13
467	Peripheral neuropathy in mice transgenic for a human MDR3 P-glycoprotein mini-gene. <b>1996</b> , 16, 6386-93		13
466	Combinatorial interplay of promoter elements constitutes the minimal determinants for light and developmental control of gene expression in Arabidopsis.. <i>EMBO Journal</i> , <b>1996</b> , 15, 3732-3743	13	107
465	Moderate increase in histone acetylation activates the mouse mammary tumor virus promoter and remodels its nucleosome structure. <b>1996</b> , 93, 10741-6		86
464	Molecular cloning of a novel protein containing the association domain of calmodulin-dependent protein kinase II. <b>1996</b> , 120, 773-9		10
463	Distinct gene expression patterns in skeletal and cardiac muscle are dependent on common regulatory sequences in the MLC1/3 locus. <b>1996</b> , 16, 4524-34		61
462	Insulin-like growth factor-II is an autocrine survival factor for differentiating myoblasts. <b>1996</b> , 271, 11330-8		156
461	Human prostate tumor growth in athymic mice: inhibition by androgens and stimulation by finasteride. <b>1996</b> , 93, 11802-7		154

460	cDNA cloning and tissue-specific expression of the phosphatidylcholine transfer protein gene. <b>1996</b> , 316 ( Pt 1), 49-55	22
459	Enzymatic labeling of nucleic acids. <b>1996</b> , 5, 223-32	18
458	Homeobox genes and male reproductive development. <b>1996</b> , 13, 182-92	35
457	A regulatory domain within the virus-response element of the interferon alpha 1 gene acts as a transcriptional repressor sequence and determinant of cell-specific gene expression. <b>1996</b> , 236, 895-903	10
456	Low molecular weight rat fibroblast tropomyosin 5 (TM-5): cDNA cloning, actin-binding, localization, and coiled-coil interactions. <b>1996</b> , 33, 223-40	36
455	Overexpression of insulin-like growth factor-II induces accelerated myoblast differentiation. <b>1996</b> , 169, 23-32	71
454	Genome analysis with gene expression microarrays. <b>1996</b> , 18, 427-31	212
453	Isolation of two differentially expressed wheat ACC synthase cDNAs and the characterization of one of their genes with root-predominant expression. <b>1996</b> , 31, 1009-20	21
452	Full genetic rescue of adenosine deaminase-deficient mice through introduction of the human gene. <b>1996</b> , 5, 1523-32	7
451	Multiple transcription factors are required for activation of human interleukin 9 gene in T cells. <b>1996</b> , 271, 15815-22	26
450	Platelet-derived growth factor induction of the immediate-early gene MCP-1 is mediated by NF-kappaB and a 90-kDa phosphoprotein coactivator. <b>1996</b> , 271, 17417-24	69
449	Characterization of the rat A2a adenosine receptor gene. <b>1996</b> , 15, 329-37	38
448	RNA. <b>1996</b> , 165-189	2
447	Dose-dependent amplification by L-ascorbic acid of NaHCO <sub>3</sub> promotion of rat urinary bladder carcinogenesis. <b>1997</b> , 25, 284-90	12
446	Preputial sebocyte 5alpha-reductase isoform specificity. <b>1997</b> , 138, 4416-20	6
445	Transcriptional regulation of the human alpha1a-adrenergic receptor gene. Characterization Of the 5Regulatory and promoter region. <b>1997</b> , 272, 28237-46	26
444	Progestins prevent apoptosis in a rat endometrial cell line and increase the ratio of bcl-XL to bcl-XS. <b>1997</b> , 272, 11791-8	50
443	Telethonin, a novel sarcomeric protein of heart and skeletal muscle. <b>1997</b> , 415, 163-8	149

442	The comparative effects of haloperidol, (-)-sulpiride, and SCH23390 on c-fos and c-jun mRNA expressions, and AP-1 DNA binding activity. <b>1997</b> , 7, 181-7	9
441	Quantification of Nucleic Acids. <b>1997</b> , 17, 1-19	11
440	Sensitive nonradioactive dot blot/ribonuclease protection assay for quantitative determination of mRNA. <b>1997</b> , 22, 500-5	17
439	Use of internal controls to increase quantitative capabilities of the ribonuclease protection assay. <b>1997</b> , 23, 280-5	14
438	A Retinoid-Resistant Acute Promyelocytic Leukemia Subclone Expresses a Dominant Negative PML-RAR $\alpha$ Mutation. <b>1997</b> , 89, 4282-4289	144
437	Globin Gene Switching in Transgenic Mice Carrying HS2-Globin Gene Constructs. <b>1997</b> , 89, 713-723	16
436	Cardiopulmonary bypass and circulatory arrest increase endothelin-1 production and receptor expression in the lung. <b>1997</b> , 113, 777-83	24
435	Light stimulation of conidiation in <i>Neurospora crassa</i> : Studies with the wild-type strain and mutants wc-1, wc-2 and acon-2. <b>1997</b> , 37, 203-211	37
434	Increased LRP mRNA expression is associated with the MDR phenotype in intrinsically resistant human cancer cell lines. <b>1997</b> , 72, 1021-6	54
433	Molecular and functional adaptation of the GABA(A) receptor complex during pregnancy and after delivery in the rat brain. <b>1998</b> , 10, 2905-12	71
432	MMSP tumor cells expressing the EWS/ATF1 oncogene do not support cAMP-inducible transcription. <b>1998</b> , 16, 1325-31	16
431	Transformation-dependent susceptibility of rat hepatic stellate cells to apoptosis induced by soluble Fas ligand. <b>1998</b> , 28, 492-502	100
430	Hepatocyte-specific expression of the human MDR3 P-glycoprotein gene restores the biliary phosphatidylcholine excretion absent in Mdr2 (-/-) mice. <b>1998</b> , 28, 530-6	118
429	Bb1-3, a transgenic hybrid cell line with erythroid and megakaryocytic differentiation potential that expresses high levels of human gamma-globin and human beta-globin. <b>1998</b> , 102, 976-85	3
428	Transcriptional repression of type I IFN genes. <b>1998</b> , 80, 689-701	10
427	MAP kinase phosphatase-1 mRNA is expressed in embryonic sympathetic neurons and is upregulated after NGF stimulation. <b>1998</b> , 56, 256-67	9
426	Distribution of Fos- and Jun-related proteins and activator protein-1 composite factors in mouse brain induced by neuroleptics. <b>1998</b> , 84, 1187-96	16
425	Characterization of the 5Pflanking promoter region of the rat somatostatin receptor subtype 3 gene. <b>1998</b> , 440, 33-7	12

424	alpha 1-ADRENERGIC RECEPTOR SUBTYPES IN HUMAN DETRUSOR. <b>1998</b> , 160, 937-943	218
423	Arsenic trioxide as an inducer of apoptosis and loss of PML/RAR alpha protein in acute promyelocytic leukemia cells. <b>1998</b> , 90, 124-33	317
422	Photoregulation of cot-1, a kinase-encoding gene involved in hyphal growth in <i>Neurospora crassa</i> . <b>1998</b> , 23, 300-10	34
421	Transcription in vitro using bacteriophage RNA polymerases. <b>1998</b> , 86, 209-19	1
420	Synergistic enhancement of PRB-mediated RU486 and R5020 agonist activities through cyclic adenosine 3',5'-monophosphate represents a delayed primary response. <b>1998</b> , 12, 278-89	13
419	Role of fibroblast growth factors and their receptors in mouse primordial germ cell growth. <b>1998</b> , 59, 1224-9	47
418	Antisense RNA: function and fate of duplex RNA in cells of higher eukaryotes. <b>1998</b> , 62, 1415-34	228
417	Unusually Severe Heterozygous $\beta$ -Thalassemia: Evidence for an Interacting Gene Affecting Globin Translation. <b>1998</b> , 92, 3428-3435	20
416	Regional activation of the immediate-early response gene c-fos in infarcted rat hearts. <b>1998</b> , 79, 163-72	10
415	Nitric oxide-induced reduction of lung cell and whole lung thioredoxin expression is regulated by NF-kappaB. <b>1999</b> , 277, L787-93	9
414	Ribonuclease protection analysis of gene expression in <i>Xenopus</i> . <b>1999</b> , 127, 29-40	2
413	Insulin receptor substrate 1-induced inhibition of endoplasmic reticulum Ca <sup>2+</sup> uptake in beta-cells. Autocrine regulation of intracellular ca <sup>2+</sup> homeostasis and insulin secretion. <b>1999</b> , 274, 18067-74	54
412	alpha exon-replacement mice synthesize a spliced HPRT-C(alpha) transcript which may explain their ability to switch to IgA. Inhibition of switching to IgG in these mice. <b>1999</b> , 11, 37-46	35
411	Transcriptional regulation of the Bmp2 gene. Retinoic acid induction in F9 embryonal carcinoma cells and <i>Saccharomyces cerevisiae</i> . <b>1999</b> , 274, 1394-400	39
410	An in vitro system for expression analysis of mutations of the beta-globin gene: validation and application to two mutations in the 5'UTR. <b>1999</b> , 106, 938-47	15
409	Haemopoietic progenitor cell lines generated by the myeloproliferative leukaemia virus: a model system to analyse murine and human lineage-affiliated genes. <b>1999</b> , 107, 33-48	1
408	Trophic Factors in Neuron-Schwann Cell Interactions. <b>1999</b> , 883, 427-438	8
407	Medullary thyroid carcinomas in transgenic mice expressing a Polyoma carboxyl-terminal truncated middle-T and wild type small-T antigens. <b>1999</b> , 18, 2387-95	4



406	A quantitative analysis of the reduction in oxygen levels required to induce up-regulation of vascular endothelial growth factor (VEGF) mRNA in cervical cancer cell lines. <b>1999</b> , 80, 1518-24	43
405	Comparison of the effects of dopamine D1 and D2 receptor antagonists on nerve growth factor mRNA expression. <b>1999</b> , 369, 133-43	12
404	Physiological modulation of GABA(A) receptor plasticity by progesterone metabolites. <b>1999</b> , 375, 225-35	112
403	mRNA quantification by real time TaqMan polymerase chain reaction: validation and comparison with RNase protection. <b>1999</b> , 269, 198-201	158
402	Molecular Methods in Developmental Biology. <b>1999</b> ,	6
401	Increased abundance of GABAA receptor subunit mRNAs in the brain of Long-Evans Cinnamon rats, an animal model of Wilson's disease. <b>1999</b> , 63, 268-75	2
400	Changes in the gene expression of GABAA receptor subunit mRNAs in the septum of rats subjected to pentylentetrazol-induced kindling. <b>1999</b> , 70, 1-8	24
399	CHARACTERIZATION OF $\beta$ ADRENOCEPTOR SUBTYPES IN THE CORPUS CAVERNOSUM OF PATIENTS UNDERGOING SEX CHANGE SURGERY. <b>1999</b> , 162, 1793-1799	28
398	An olfactory receptor gene is located in the extended human beta-globin gene cluster and is expressed in erythroid cells. <b>1999</b> , 61, 15-23	65
397	Specific binding of high-mobility-group I (HMGI) protein and histone H1 to the upstream AT-rich region of the murine beta interferon promoter: HMGI protein acts as a potential antirepressor of the promoter. <b>1999</b> , 19, 2803-16	46
396	A new method for the simultaneous analysis of growth and death of immunophenotypically defined cells in culture. <b>2000</b> , 39, 56-66	17
395	The mCK-5 multiprobe RNase protection assay kit can yield erroneous results for the murine chemokines IP-10 and MCP-1. <b>2000</b> , 286, 193-7	11
394	A highly active immobilized ribonuclease. <b>2000</b> , 286, 312-4	16
393	Relating multidrug resistance phenotypes to the kinetic properties of their drug-efflux pumps. <b>2000</b> , 267, 5355-68	5
392	Evaluating limited specificity of drug pumps reduced relative resistance in human MDR phenotypes. <b>2000</b> , 267, 5369-77	4
391	DNA Chip technologies. <b>2000</b> , 5, 159-163	2
390	Quantification of mRNA levels using ribonuclease protection assay. <b>2001</b> , 169, 65-79	1
389	Gene expression analyzed by ribonuclease protection assay. <b>2000</b> , 137, 45-50	

388	Influenza virus infection of desialylated cells. <b>2000</b> , 10, 649-58	100
387	Structure and expression of the human p68 RNA helicase gene. <b>2000</b> , 28, 932-9	28
386	Parathyroid hormone-related protein induces spontaneous osteoclast formation via a paracrine cascade. <b>2000</b> , 97, 7296-300	56
385	Pivagabine-induced increases in the abundance of CRF mRNA in the cerebral cortex and hypothalamus of rats. <b>2000</b> , 84, 52-7	1
384	Developmental Biology Protocols. <b>2000</b> ,	1
383	Sulfur shuffle: modulating enzymatic activity by thiol-disulfide interchange. <b>2000</b> , 11, 408-13	15
382	Evaluation of influenza A virus receptors. <b>2001</b> , 1219, 487-502	
381	Apoptosis by influenza viruses correlates with efficiency of viral mRNA synthesis. <b>2001</b> , 77, 3-17	47
380	Increase in expression of the GABA(A) receptor alpha(4) subunit gene induced by withdrawal of, but not by long-term treatment with, benzodiazepine full or partial agonists. <b>2001</b> , 92, 138-48	45
379	A homologue of the Drosophila doublesex gene is transcribed into sex-specific mRNA isoforms in the silkworm, Bombyx mori. <b>2001</b> , 128, 145-58	112
378	Genomics Protocols. <b>2001</b> ,	
377	Differentiation between transcripts of genes belonging to small families during fruit ripening and abscission. <b>2002</b> , 179, 223-33	
376	Sensitive ribonuclease protection assay employing glycogen as a carrier and a single inactivation/precipitation step. <b>2001</b> , 30, 1198-200, 1202, 1204	18
375	Nicotine infusion alters leptin and uncoupling protein 1 mRNA expression in adipose tissues of rats. <b>2001</b> , 280, E867-76	34
374	MDR1 expression in poor-risk acute myeloid leukemia with partial or complete monosomy 7. <b>2001</b> , 15, 398-405	12
373	Progesterone stimulates the expression of aminopeptidase A/angiotensinase in human choriocarcinoma cells. <b>2001</b> , 22, 831-6	10
372	Poliovirus 3A protein limits interleukin-6 (IL-6), IL-8, and beta interferon secretion during viral infection. <b>2001</b> , 75, 8158-65	140
371	Promoter choice influences alternative splicing and determines the balance of isoforms expressed from the mouse bcl-X gene. <b>2001</b> , 276, 21062-9	59

370	BSF binds specifically to the bicoid mRNA 3' untranslated region and contributes to stabilization of bicoid mRNA. <b>2001</b> , 21, 3462-71	62
369	Expression monitoring using cDNA microarrays. A general protocol. <b>2001</b> , 175, 323-40	6
368	Inhibition of histone deacetylation induces constitutive derepression of the beta interferon promoter and confers antiviral activity. <b>2001</b> , 75, 3444-52	51
367	RNA purification and quantification methods. <b>2001</b> , 57, 241-53	
366	Detection and quantitation of mRNAs using ribonuclease protection assays. <b>2001</b> , 160, 495-505	8
365	Transcription start-site mapping. <b>2001</b> , 54, 105-24	7
364	p16(Ink4a) in melanocyte senescence and differentiation. <b>2002</b> , 94, 446-54	140
363	Changes in GABA(A) receptor gene expression induced by withdrawal of, but not by long-term exposure to, ganaxolone in cultured rat cerebellar granule cells. <b>2002</b> , 303, 1014-20	21
362	Methods for Analysing mRNA Expression. 163-407	
361	Inhibition of beta interferon transcription by noncytopathogenic bovine viral diarrhea virus is through an interferon regulatory factor 3-dependent mechanism. <b>2002</b> , 76, 8979-88	108
360	Changes in GABA(A) receptor gene expression induced by withdrawal of, but not by long-term exposure to, zaleplon or zolpidem. <b>2002</b> , 42, 191-8	43
359	Quantitative nuclear run-off transcription assay. <b>2002</b> , 33, 1016-7	7
358	Development of a chemiluminescence-based ribonuclease protection assay. <b>2002</b> , 33, 1354-8	10
357	Glutamate-cysteine ligase modifier subunit: mouse Gclm gene structure and regulation by agents that cause oxidative stress. <b>2002</b> , 63, 1739-54	91
356	Molecular analysis of the Drosophila miniature-dusky ( m-dy) gene complex: m-dy mRNAs encode transmembrane proteins with similarity to C. elegans cuticulin. <b>2002</b> , 267, 564-76	16
355	Neural specificity of elav expression: defining a Drosophila promoter for directing expression to the nervous system. <b>1994</b> , 63, 41-51	120
354	Biochemical and cellular properties of three immortalized Schwann cell lines expressing different levels of the myelin-associated glycoprotein. <b>1994</b> , 63, 1646-57	48
353	The melanocyte inducing factor MITF is stably expressed in cell lines from human clear cell sarcoma. <b>2003</b> , 89, 1072-8	26

352	The N-terminal of the estrogen receptor (ERalpha) mediates transcriptional cross-talk with the retinoic acid receptor in human breast cancer cells. <b>2003</b> , 86, 1-14	33
351	Transcription factor YY1 binds to the murine beta interferon promoter and regulates its transcriptional capacity with a dual activator/repressor role. <b>2003</b> , 77, 2903-14	62
350	Steroid hormones induce bcl-X gene expression through direct activation of distal promoter P4. <b>2004</b> , 279, 9831-9	52
349	High-throughput analysis of mRNA expression: microarrays are not the whole story. <b>2004</b> , 14, 377-403	4
348	Expression of SMRTbeta promotes ligand-induced activation of mutated and wild-type retinoid receptors. <b>2004</b> , 104, 4226-35	9
347	Distinct patterns of expression and regulation of GABA receptors containing the delta subunit in cerebellar granule and hippocampal neurons. <b>2005</b> , 94, 659-71	30
346	Some major landmarks in the path from nuclein to human genome (1). <b>2006</b> , 16, 137-59	6
345	Changes in expression of the delta subunit of the GABA (A) receptor and in receptor function induced by progesterone exposure and withdrawal. <b>2006</b> , 99, 321-32	22
344	Glucocorticoids repress bcl-X expression in lymphoid cells by recruiting STAT5B to the P4 promoter. <b>2006</b> , 281, 33959-70	17
343	The NPro product of bovine viral diarrhea virus inhibits DNA binding by interferon regulatory factor 3 and targets it for proteasomal degradation. <b>2006</b> , 80, 11723-32	197
342	Function and anatomy of plant siRNA pools derived from hairpin transgenes. <b>2007</b> , 3, 13	6
341	Interferons at age 50: past, current and future impact on biomedicine. <b>2007</b> , 6, 975-90	810
340	Fluctuations in brain concentrations of neurosteroids are not associated to changes in gephyrin levels. <b>2007</b> , 1169, 1-8	13
339	Enzymes used in molecular biology: a useful guide. <b>2008</b> , 2, 25-45	65
338	Synthesis and regulation of accessory/proinflammatory cytokines by intestinal epithelial cells. <b>1995</b> , 100, 298-305	55
337	Enzymes, 8. Enzymes in Genetic Engineering. <b>2008</b> ,	
336	A large deletion in the human alpha-globin cluster caused by a replication error is associated with an unexpectedly mild phenotype. <b>2008</b> , 17, 3084-93	24
335	Twenty-five years of quantitative PCR for gene expression analysis. <b>2008</b> , 44, 619-26	790

334	Selective transcription in response to an inflammatory stimulus. <i>Cell</i> , <b>2010</b> , 140, 833-44	56.2	231
333	Electrophoresis of RNA. <b>2010</b> , 179-219		1
332	Quantification of Specific mRNAs by Nuclease Protection. <b>2010</b> , 321-339		
331	RNase mapping and quantitation of RNA isoforms. <b>2012</b> , 883, 121-9		8
330	RNA Abundance Analysis. <b>2012</b> ,		2
329	Defining components of the Ecatenin destruction complex and exploring its regulation and mechanisms of action during development. <b>2012</b> , 7, e31284		13
328	The RNase protection assay. <b>2013</b> , 2013,		16
327	A Novel Complex: A Quantum Dot Conjugated to an Active T7RNA Polymerase. <b>2013</b> , 2013, 1-9		4
326	Genetic screen of a mutant poxvirus library identifies an ankyrin repeat protein involved in blocking induction of avian type I interferon. <b>2013</b> , 87, 5041-52		16
325	High-density nucleosome occupancy map of human chromosome 9p21-22 reveals chromatin organization of the type I interferon gene cluster. <b>2014</b> , 34, 676-85		11
324	Peculiar monomeric interferon gammas, IFN $\beta$ 1 and IFN $\beta$ 2, in ginbuna crucian carp. <b>2014</b> , 281, 1046-56		33
323	Electrophoresis of RNA. <b>2017</b> , 383-426		
322	Quantification of Specific mRNAs by Nuclease Protection. <b>2017</b> , 545-567		
321	Conserved noncoding transcription and core promoter regulatory code in early development. <b>2017</b> , 6,		6
320	Very Low Abundance Single-Cell Transcript Quantification with 5-Plex ddPCR Assays. <b>2018</b> , 1768, 423-444		
319	Polymerase Chain Reaction. <b>2019</b> , 2019,		8
318	Synthesis of Single-Stranded RNA Probes by In Vitro Transcription. <b>2020</b> , 2020, 100628		4
317	Candidate silencer elements for the human and mouse genomes. <b>2020</b> , 11, 1061		35

316	Interferon regulatory factor 1 (IRF1) and anti-pathogen innate immune responses. <b>2021</b> , 17, e1009220	32
315	Mapping RNA. <b>2021</b> , 2021,	3
314	Enzymes.	1
313	Methods for Detecting Genetically Engineered Microorganisms in the Environment. <b>1988</b> , 45-79	31
312	Expression of specific isoforms of protein 4.1 in erythroid and non-erythroid tissues. <b>1988</b> , 241, 81-95	9
311	Papillomavirus Cloning Vectors. <b>1987</b> , 293-319	3
310	The Structure and Regulation of the Human Carbonic Anhydrase I Gene. <b>1991</b> , 197-207	1
309	Analysis of mRNA abundance and stability by ribonuclease protection assay. <b>2012</b> , 809, 491-503	1
308	Transforming and Regulatory Functions of Bovine Papillomavirus Type 1. <b>1987</b> , 409-442	2
307	Interferons. <b>1990</b> , 3-38	16
306	Epstein-Barr virus based expression vectors. <b>1992</b> , 158, 67-95	23
305	Double-stranded RNAs as gene activators. <b>1994</b> , 14, 15-27	7
304	Photoregulation of psbA transcript levels in mustard cotyledons. <b>1988</b> , 423-439	2
303	Electrophoresis of RNA. <b>1993</b> , 125-157	1
302	Quantitation of Specific Messenger RNAs by the S1 Nuclease Assay. <b>1993</b> , 220-234	1
301	Protein Coding Genes of Higher Eukaryotes: Promoter Elements and trans-Acting Factors. <b>1986</b> , 79-99	9
300	Control of insulin gene expression in pancreatic beta-cells and in an insulin-producing cell line, RIN-5F cells. I. Effects of glucose and cyclic AMP on the transcription of insulin mRNA.. <b>1985</b> , 260, 13585-13589 <sup>129</sup>	
299	Molecular cloning of human intestinal mucin (MUC2) cDNA. Identification of the amino terminus and overall sequence similarity to prepro-von Willebrand factor.. <b>1994</b> , 269, 2440-2446	271

298	Identification of sequences involved in the transcriptional control of a <i>Drosophila</i> heat-shock gene.. <b>1984</b> , 259, 14812-14817	20
297	Characterization of the molecularly cloned murine alpha-globin transcription factor CP2.. <b>1993</b> , 268, 18008-18017	44
296	A highly conserved insulin-like growth factor-binding protein (IGFBP-5) is expressed during myoblast differentiation.. <b>1993</b> , 268, 22305-22312	102
295	Stable expression of HB24, a diverged human homeobox gene, in T lymphocytes induces genes involved in T cell activation and growth.. <b>1992</b> , 267, 8222-8229	9
294	Aberrant splicing caused by the insertion of the B2 sequence into an intron of the complement C4 gene is the basis for low C4 production in H-2k mice.. <b>1992</b> , 267, 7814-7820	20
293	rab15, a novel low molecular weight GTP-binding protein specifically expressed in rat brain.. <b>1992</b> , 267, 5768-5775	58
292	The beta-interferon promoter responds to priming through multiple independent regulatory elements.. <b>1994</b> , 269, 30609-30615	75
291	Peptide YY. Structure of the precursor and expression in exocrine pancreas.. <b>1987</b> , 262, 12984-12988	52
290	A truncated form of the IRF-2 transcription factor has the properties of a postinduction repressor of interferon-beta gene expression.. <b>1994</b> , 269, 27059-27065	18
289	Identification of a nuclear DNA binding protein associated with the interferon-beta upstream regulatory region.. <b>1987</b> , 262, 8298-8302	5
288	Mosaic evolution of the insulin-like growth factors. Organization, sequence, and expression of the rat insulin-like growth factor I gene.. <b>1987</b> , 262, 7894-7900	196
287	Two regions downstream of AATAAA in the human antithrombin III gene are important for cleavage-polyadenylation.. <b>1987</b> , 262, 9004-9010	6
286	A family of ras-like GTP-binding proteins expressed in electromotor neurons. <b>1991</b> , 266, 2675-2680	52
285	Pituitary-specific repression of placental members of the human growth hormone gene family. A possible mechanism for locus regulation.. <b>1993</b> , 268, 8473-8479	41
284	Characterization of the promoter-regulatory region and structural organization of E1 alpha gene (BCKDHA) of human branched-chain alpha-keto acid dehydrogenase complex.. <b>1993</b> , 268, 8309-8316	11
283	Cell-CAM105 isoforms with different adhesion functions are coexpressed in adult rat tissues and during liver development.. <b>1993</b> , 268, 6139-6146	43
282	Cloning and analysis of two new isoforms of multifunctional Ca <sup>2+</sup> /calmodulin-dependent protein kinase. Expression in multiple human tissues.. <b>1993</b> , 268, 5471-5479	72
281	A human homeobox gene, HB24, inhibits development of CD4 <sup>+</sup> T cells and impairs thymic involution in transgenic mice.. <b>1993</b> , 268, 3646-3653	12

280	Molecular basis of thyroid hormone regulation of myelin basic protein gene expression in rodent brain.. <b>1991</b> , 266, 23226-23232	152
279	Two Vesicle-associated Membrane Protein Genes Are Differentially Expressed in the Rat Central Nervous System. <b>1989</b> , 264, 11061-11064	237
278	Upstream Regulatory Elements of Murine $\beta$ -Interferon Gene Confer Inducibility and Cell Type-restricted Expression. <b>1989</b> , 264, 11149-11157	26
277	Recognition of 5P and 3P splice site sequences in pre-mRNA studied with a filter binding technique.. <b>1987</b> , 262, 11667-11674	15
276	The receptor for 2,3,7,8-tetrachlorodibenzo-p-dioxin in the mouse hepatoma cell line Hepa 1c1c7. A comparison with the glucocorticoid receptor and the mouse and rat hepatic dioxin receptors.. <b>1987</b> , 262, 3477-3481	58
275	Interferons as gene activators. Cloning of the 5P terminus and the control segment of an interferon activated gene.. <b>1986</b> , 261, 11849-11858	52
274	Characterization of the phosphoenolpyruvate carboxykinase (GTP) promoter-regulatory region. II. Identification of cAMP and glucocorticoid regulatory domains.. <b>1986</b> , 261, 9721-9726	286
273	Processing of a multimeric tRNA precursor from <i>Bacillus subtilis</i> by the RNA component of RNase P.. <b>1988</b> , 263, 14390-14396	7
272	Transcriptional analysis of <i>Bacillus subtilis</i> rRNA-tRNA operons. I. The tRNA gene cluster of <i>rrnB</i> has an internal promoter.. <b>1988</b> , 263, 14480-14484	11
271	Retroviral-mediated transfer and expression of human beta-globin genes in cultured murine and human erythroid cells.. <b>1988</b> , 263, 6142-6145	8
270	The two nonallelic rat insulin mRNAs and pre-mRNAs are regulated coordinately in vivo.. <b>1988</b> , 263, 3845-3849	22
269	Persistent estrogen induction of hepatic <i>Xenopus laevis</i> serum retinol binding protein mRNA.. <b>1988</b> , 263, 3261-3265	17
268	Transcriptional Regulation of the Parathyroid Hormone-related Peptide Gene by Glucocorticoids and Vitamin D in a Human C-cell Line. <b>1989</b> , 264, 15743-15746	75
267	Transcript Analyses of the <i>uvrX</i> -40-41 Region of Bacteriophage T4. <b>1989</b> , 264, 14432-14439	27
266	Identification of CRG-2. An interferon-inducible mRNA predicted to encode a murine monokine.. <b>1990</b> , 265, 15049-15057	119
265	Regulation of Expression of the Alternative mRNAs of the Rat $\beta$ Thyroid Hormone Receptor Gene. <b>1989</b> , 264, 8900-8904	54
264	Cartilage-specific 5' end of chick $\alpha$ (I) collagen mRNAs. <b>1989</b> , 264, 8402-8409	28
263	Transcription of <i>osmB</i> , a gene encoding an <i>Escherichia coli</i> lipoprotein, is regulated by dual signals. Osmotic stress and stationary phase.. <b>1990</b> , 265, 10574-10581	60



262	A retinoic acid-responsive gene, MK, found in the teratocarcinoma system. Heterogeneity of the transcript and the nature of the translation product.. <b>1990</b> , 265, 10765-10770	127
261	Structure of the chicken insulin-like growth factor I gene reveals conserved promoter elements. <b>1991</b> , 266, 9724-9731	60
260	Four fibroblast tropomyosin isoforms are expressed from the rat alpha-tropomyosin gene via alternative RNA splicing and the use of two promoters. <b>1991</b> , 266, 8408-8415	50
259	Human acid sphingomyelinase. Isolation, nucleotide sequence and expression of the full-length and alternatively spliced cDNAs. <b>1991</b> , 266, 8531-8539	162
258	A Simple and Precise Aberrant Translocation of the Rat c-myc Gene into the $\gamma$ -Heavy Chain Switch Region of the IgE-producing Immunocytoma, IR162. <b>1989</b> , 264, 1846-1853	4
257	Cloning, expression, and chromosomal localization of beta-adrenergic receptor kinase 2. A new member of the receptor kinase family. <b>1991</b> , 266, 14939-14946	164
256	Structure of the angiotensin I-converting enzyme gene. Two alternate promoters correspond to evolutionary steps of a duplicated gene. <b>1991</b> , 266, 15377-15383	275
255	Isolation and characterization of cDNA clones for an inhibitor protein of cAMP-dependent protein kinase. <b>1991</b> , 266, 11158-11162	53
254	Chromatin changes accompany the developmental activation of insulin-like growth factor I gene transcription.. <b>1992</b> , 267, 21505-21511	35
253	Physical characterization of the purified CCAAT transcription factor, alpha-CP1.. <b>1990</b> , 265, 13362-13369	43
252	Transport and secretion of truncated T cell receptor beta-chain occurs in the absence of association with CD3.. <b>1990</b> , 265, 9296-9301	18
251	Two silencers regulate the tissue-specific expression of the collagen II gene.. <b>1990</b> , 265, 6669-6674	86
250	Functional characterization of the 5' regulatory region of human factor IX gene.. <b>1990</b> , 265, 7062-7068	42
249	Regulation of parathyroid hormone-related peptide gene expression by cycloheximide.. <b>1990</b> , 265, 5398-5402	38
248	The pattern of dihydrofolate reductase expression through the cell cycle in rodent and human cultured cells. <b>1989</b> , 264, 20583-20590	28
247	Splicing of two alternative exon pairs in beta-tropomyosin pre-mRNA is independently controlled during myogenesis.. <b>1992</b> , 267, 12004-12010	15
246	Alternative splicing of fructose 1,6-bisphosphate aldolase transcripts in <i>Drosophila melanogaster</i> predicts three isozymes.. <b>1992</b> , 267, 3959-3967	19
245	Platelet-derived growth factor receptors expressed by cDNA transfection couple to a diverse group of cellular responses associated with cell proliferation.. <b>1988</b> , 263, 1482-1487	51

244	Enhanced activation of the human histone H2B promoter by an Oct-1 variant generated by alternative splicing.. <b>1993</b> , 268, 25026-25032	27
243	A gibberellin responsive wheat gene has homology to yeast carboxypeptidase Y.. <b>1987</b> , 262, 13726-13735	50
242	Structural organization, DNA sequence, and expression of the calmodulin gene.. <b>1988</b> , 263, 19370-19383	68
241	Maturation of the major ubiquitin gene transcript in <i>Caenorhabditis elegans</i> involves the acquisition of a trans-spliced leader.. <b>1988</b> , 263, 10415-10419	20
240	Virus Infection and Interferon can Activate Gene Expression Through a Single Synthetic Element, but Endogenous Genes Show Distinct Regulation. <b>1989</b> , 264, 16658-16666	27
239	A gene encoding rat cholecystokinin. Isolation, nucleotide sequence, and promoter activity.. <b>1985</b> , 260, 1280-1286	90
238	Region-specific methylation of the parathyroid hormone-related peptide gene determines its expression in human renal carcinoma cell lines.. <b>1993</b> , 268, 20639-20645	20
237	Molecular structure and transformation of the glucose dehydrogenase gene in <i>Drosophila melanogaster</i> . <b>1988</b> , 120, 475-84	11
236	Characterization of the structure and evolution of the Adh region of <i>Drosophila hydei</i> . <b>1991</b> , 127, 355-66	16
235	Delineation of cis-acting sequences required for expression of <i>Drosophila mojavensis</i> Adh-1. <b>1992</b> , 131, 143-53	4
234	Multiple cis-acting sequences contribute to evolved regulatory variation for <i>Drosophila</i> Adh genes. <b>1992</b> , 131, 333-43	20
233	Alpha1-adrenergic receptor subtypes in human detrusor. <b>1998</b> , 160, 937-43	59
232	CHARACTERIZATION OF $\alpha$ -ADRENOCEPTOR SUBTYPES IN THE CORPUS CAVERNOSUM OF PATIENTS UNDERGOING SEX CHANGE SURGERY. <b>1999</b> , 1793	4
231	An atlas of silencer elements for the human and mouse genomes.	1
230	Differential activation of hybrid genes containing herpes simplex virus immediate-early or delayed-early promoters after superinfection of stable DNA-transfected cell lines. <b>1985</b> , 56, 867-78	25
229	Isolation of a recombinant murine leukemia virus utilizing a new primer tRNA. <b>1986</b> , 57, 37-45	114
228	Constitutive and retinoic acid-inducible expression of cytomegalovirus immediate-early genes in human teratocarcinoma cells. <b>1986</b> , 58, 434-40	70
227	Mechanism of in vitro synthesis of covalently linked dimeric RNA molecules by the poliovirus replicase. <b>1986</b> , 58, 459-67	27

226	Primer-dependent synthesis of covalently linked dimeric RNA molecules by poliovirus replicase. <b>1987</b> , 61, 2997-3003	33
225	Transcriptional trans-activating function of hepatitis B virus. <b>1987</b> , 61, 3448-53	234
224	Novel induction by herpes simplex virus of hybrid interferon gene transcripts driven by the strong cytomegalovirus IE94 promoter. <b>1987</b> , 61, 819-28	9
223	Analysis of nonpermissivity in mouse cells overexpressing simian virus 40 T antigen. <b>1987</b> , 61, 851-7	12
222	Development of retrovirus vectors useful for expressing genes in cultured murine embryonal cells and hematopoietic cells in vivo. <b>1988</b> , 62, 3795-801	78
221	Gene-specific transactivation by herpes simplex virus type 1 alpha protein ICP27. <b>1988</b> , 62, 3814-23	136
220	Fine mapping of the immediate-early gene of the Indiana-Funkhauser strain of pseudorabies virus. <b>1988</b> , 62, 4763-6	19
219	Characterization of the cell type-specific determinant in the genome of minute virus of mice. <b>1988</b> , 62, 552-7	51
218	A DNA element responsible for the different tissue specificities of Friend and Moloney retroviral enhancers. <b>1988</b> , 62, 614-8	44
217	Regulation of interferon gene expression: mechanism of action of the If-1 locus. <b>1988</b> , 62, 1125-31	9
216	The two transcription units of the autonomous parvovirus minute virus of mice are transcribed in a temporal order. <b>1988</b> , 62, 1448-51	57
215	Evidence that developmentally regulated control of gene expression by a parvoviral allotropic determinant is particle mediated. <b>1988</b> , 62, 1713-22	65
214	Integration of the BALB/c ecotropic provirus into the colony-stimulating factor-1 growth factor locus in a myc retrovirus-induced murine monocyte tumor. <b>1988</b> , 62, 3151-5	25
213	Simian virus 40 revertant enhancers exhibit restricted host ranges for enhancer function. <b>1988</b> , 62, 3364-70	11
212	Mutagenesis of the in-frame opal termination codon preceding nsP4 of Sindbis virus: studies of translational readthrough and its effect on virus replication. <b>1989</b> , 63, 1326-37	93
211	Detection of pseudorabies virus transcripts in trigeminal ganglia of latently infected swine. <b>1989</b> , 63, 2908-13	63
210	Transcription of the human beta interferon gene is inhibited by hepatitis B virus. <b>1989</b> , 63, 3065-71	29
209	Conditional poliovirus mutants made by random deletion mutagenesis of infectious cDNA. <b>1990</b> , 64, 185-94	21

208	Structural requirements for trans activation of human immunodeficiency virus type 1 long terminal repeat-directed gene expression by tat: importance of base pairing, loop sequence, and bulges in the tat-responsive sequence. <b>1990</b> , 64, 1402-6	124
207	The BamHI J fragment (0.706 to 0.737 map units) of pseudorabies virus is transcriptionally active during viral replication. <b>1990</b> , 64, 977-83	14
206	Susceptibility of human cells to killing by the parvoviruses H-1 and minute virus of mice correlates with viral transcription. <b>1990</b> , 64, 2537-44	42
205	Tandemly repeated hexamer sequences within the beta interferon promoter can function as an inducible regulatory element in activation by the adenovirus E1B 19-kilodalton protein. <b>1990</b> , 64, 3063-8	15
204	Expression of collagenlike sequences by a tumor virus, herpesvirus saimiri. <b>1990</b> , 64, 3509-15	43
203	Expression of a human immunodeficiency virus type 1 long terminal repeat/simian virus 40 early region fusion gene in transgenic mice. <b>1991</b> , 65, 754-62	12
202	A unique mitigator sequence determines the species specificity of the major late promoter in adenovirus type 12 DNA. <b>1993</b> , 67, 682-93	25
201	Baculovirus gene ME53, which contains a putative zinc finger motif, is one of the major early-transcribed genes. <b>1993</b> , 67, 753-8	37
200	Herpes simplex virus inhibits host cell splicing, and regulatory protein ICP27 is required for this effect. <b>1994</b> , 68, 7790-9	213
199	Constitutive production of alpha and beta interferons in mutant human cell lines. <b>1994</b> , 68, 4057-62	8
198	The herpes simplex virus regulatory protein ICP27 contributes to the decrease in cellular mRNA levels during infection. <b>1994</b> , 68, 4797-810	156
197	Coronavirus transcription early in infection. <b>1998</b> , 72, 8517-24	16
196	Sendai virus and simian virus 5 block activation of interferon-responsive genes: importance for virus pathogenesis. <b>1999</b> , 73, 3125-33	131
195	Promoter elements and erythroid cell nuclear factors that regulate alpha-globin gene transcription in vitro. <b>1990</b> , 10, 5958-5966	35
194	Involvement of a NF-kappa B-like transcription factor in the activation of the interleukin-6 gene by inflammatory lymphokines. <b>1990</b> , 10, 561-568	105
193	Postinduction turnoff of beta-interferon gene expression. <b>1990</b> , 10, 1329-1337	63
192	Identification of a pancreatic beta-cell insulin gene transcription factor that binds to and appears to activate cell-type-specific expression: its possible relationship to other cellular factors that bind to a common insulin gene sequence. <b>1990</b> , 10, 1564-1572	53
191	Three novel brain tropomyosin isoforms are expressed from the rat alpha-tropomyosin gene through the use of alternative promoters and alternative RNA processing. <b>1990</b> , 10, 1729-1742	38

190	The immunoglobulin heavy-chain enhancer functions as the promoter for I mu sterile transcription. <b>1990</b> , 10, 2619-2624	38
189	Retrovirus-induced interference with collagen I gene expression in Mov13 fibroblasts is maintained in the absence of DNA methylation. <b>1991</b> , 11, 47-54	13
188	LyF-1, a transcriptional regulator that interacts with a novel class of promoters for lymphocyte-specific genes. <b>1991</b> , 11, 5229-5243	93
187	A GC-rich element confers epidermal growth factor responsiveness to transcription from the gastrin promoter. <b>1991</b> , 11, 2686-2696	24
186	In vivo transcriptional analysis of the TATA-less promoter of the Drosophila melanogaster vermilion gene. <b>1992</b> , 12, 4571-4577	19
185	Raf-1 protein kinase is an integral component of the oncogenic signal cascade shared by epidermal growth factor and platelet-derived growth factor. <b>1992</b> , 12, 5078-5086	13
184	A novel 7-nucleotide motif located in 3Puntranslated sequences of the immediate-early gene set mediates platelet-derived growth factor induction of the JE gene. <b>1992</b> , 12, 5288-5300	25
183	Cyclic AMP response element-binding protein and the catalytic subunit of protein kinase A are present in F9 embryonal carcinoma cells but are unable to activate the somatostatin promoter. <b>1992</b> , 12, 1096-1106	29
182	Inducible processing of interferon regulatory factor-2. <b>1992</b> , 12, 3325-3336	30
181	Evidence for a role of the Drosophila melanogaster suppressor of sable gene in the pre-mRNA splicing pathway. <b>1994</b> , 14, 859-867	11
180	Positive regulators of the lineage-specific transcription factor GATA-1 in differentiating erythroid cells. <b>1994</b> , 14, 3108-3114	6
179	The PARP and rRNA promoters of Trypanosoma brucei are composed of dissimilar sequence elements that are functionally interchangeable. <b>1994</b> , 14, 5804-5811	25
178	DNA-mediated transformation in Dictyostelium discoideum: regulated expression of an actin gene fusion. <b>1984</b> , 4, 2890-2898	116
177	Developmental regulation of alpha-fetoprotein genes in transgenic mice. <b>1985</b> , 5, 1639-1648	71
176	Efficient expression of the Saccharomyces cerevisiae PGK gene depends on an upstream activation sequence but does not require TATA sequences. <b>1986</b> , 6, 4335-4343	87
175	Activation of the human beta-interferon gene requires an interferon-inducible factor. <b>1986</b> , 6, 801-810	130
174	Adenovirus E1A coding sequences that enable ras and pmt oncogenes to transform cultured primary cells. <b>1986</b> , 6, 887-899	106
173	Lymphoid and other tissue-specific phenotypes of polyomavirus enhancer recombinants: positive and negative combinational effects on enhancer specificity and activity. <b>1986</b> , 6, 2068-2079	25

- 172 Nucleotide sequences required for the regulation of a rat alpha 2u-globulin gene by glucocorticoids. **1986**, 6, 2334-2346 19
- 171 Control of transcription initiation in vitro requires binding of a transcription factor to the distal promoter of the ovalbumin gene. **1986**, 6, 2784-2791 51
- 170 Rapid cytoplasmic turnover of c-myc mRNA: requirement of the 3' untranslated sequences. **1987**, 7, 4513-4521 167
- 169 Mutation of the c-fos gene dyad symmetry element inhibits serum inducibility of transcription in vivo and the nuclear regulatory factor binding in vitro. **1987**, 7, 1217-1225 134
- 168 Glucocorticoids enhance stability of human growth hormone mRNA. **1987**, 7, 1496-1507 73
- 167 Determinants of rat albumin promoter tissue specificity analyzed by an improved transient expression system. **1987**, 7, 2425-2434 89
- 166 Functional analysis of the sea urchin U7 small nuclear RNA. **1988**, 8, 1076-1084 23
- 165 Requirement for the simian virus 40 small tumor antigen in tumorigenesis in transgenic mice. **1988**, 8, 3382-3390 42
- 164 Insulin gene enhancer activity is inhibited by adenovirus 5 E1a gene products. **1989**, 9, 4531-4534 18
- 163 Molecular analysis of the SNF4 gene of *Saccharomyces cerevisiae*: evidence for physical association of the SNF4 protein with the SNF1 protein kinase. **1989**, 9, 5045-5054 99
- 162 Nuclear factor EF-1A binds to the adenovirus E1A core enhancer element and to other transcriptional control regions. **1989**, 9, 5143-5153 26
- 161 Structure, chromosome location, and expression of the mouse zinc finger gene Krox-20: multiple gene products and coregulation with the proto-oncogene c-fos. **1989**, 9, 787-797 64
- 160 Identification of cis-acting sequences responsible for phorbol ester induction of human serum amyloid A gene expression via a nuclear factor kappaB-like transcription factor. **1989**, 9, 1908-1916 60
- 159 Pancreatic beta-cell-type-specific expression of the rat insulin II gene is controlled by positive and negative cellular transcriptional elements. **1989**, 9, 3253-3259 67
- 158 Anti-minK antisense decreases the amplitude of the rapidly activating cardiac delayed rectifier K<sup>+</sup> current. **1995**, 77, 1246-53 62
- 157 Alveolar macrophages release an insulin-like growth factor I-type molecule. **1988**, 82, 1685-93 192
- 156 Expression of diverse Na<sup>+</sup> channel messenger RNAs in rat myocardium. Evidence for a cardiac-specific Na<sup>+</sup> channel. **1989**, 84, 331-6 44
- 155 Regulation of insulin-like growth factor I gene expression in the human macrophage-like cell line U937. **1990**, 85, 448-55 53

154	Novel Fc gamma receptor I family gene products in human mononuclear cells. <b>1992</b> , 90, 2102-9	37
153	Molecular composition of Ro small ribonucleoprotein complexes in human cells. Intracellular localization of the 60- and 52-kD proteins. <b>1994</b> , 93, 1637-44	53
152	Anti-tumor necrosis factor modulates anti-CD3-triggered T cell cytokine gene expression in vivo. <b>1994</b> , 93, 2189-96	67
151	The effect of cyclic-AMP on the regulation of c-myc expression in T lymphoma cells. <b>1995</b> , 95, 1490-6	22
150	Arsenic trioxide inhibits nuclear receptor function via SEK1/JNK-mediated RXRalpha phosphorylation. <b>2005</b> , 115, 2924-33	35
149	Unusually Severe Heterozygous $\beta$ -Thalassemia: Evidence for an Interacting Gene Affecting Globin Translation. <b>1998</b> , 92, 3428-3435	1
148	A critical period for the role of thyroid hormone in development of renal alpha-adrenergic receptors. <b>1997</b> , 42, 93-102	7
147	An amphibian cytoskeletal-type actin gene is expressed exclusively in muscle tissue. <b>1987</b> , 101, 393-402	30
146	Isolation and expression of a new mouse homeobox gene. <b>1988</b> , 102, 397-407	62
145	Vimentin expression in oocytes, eggs and early embryos of <i>Xenopus laevis</i> . <b>1988</b> , 103, 279-287	31
144	Developmental expression of tissue inhibitor of metalloproteinase (TIMP) RNA. <b>1989</b> , 105, 575-583	70
143	Temporal and tissue-specific expression of the proto-oncogene c-fos during development in <i>Xenopus laevis</i> . <b>1989</b> , 107, 835-846	25
142	Expression of a <i>Drosophila</i> mRNA is under circadian clock control during pupation. <b>1989</b> , 107, 869-880	41
141	Transforming growth factor-alpha (TGF-alpha) and insulin gene expression in human fetal pancreas. <b>1992</b> , 114, 833-840	38
140	Sequence and embryonic expression of the murine Hox-3.5 gene. <b>1992</b> , 116, 497-506	39
139	Induction of cardiac muscle differentiation in isolated animal pole explants of <i>Xenopus laevis</i> embryos. <b>1993</b> , 118, 865-875	84
138	Defective lens fiber differentiation and pancreatic tumorigenesis caused by ectopic expression of the cellular retinoic acid-binding protein I. <b>1993</b> , 119, 363-375	47
137	An activated Notch suppresses neurogenesis and myogenesis but not gliogenesis in mammalian cells. <b>1994</b> , 120, 2421-2430	246

- 136 The gene *virilizer* is required for female-specific splicing controlled by *Sxl*, the master gene for sexual development in *Drosophila*. **1995**, 121, 4017-4026 59
- 135 Two CDC25 homologues are differentially expressed during mouse development. **1995**, 121, 2047-2056 39
- 134 Continuous growth of vimentin filaments in mouse fibroblasts. **1992**, 103, 689-698 22
- 133 Molecular Methods for Evaluation of K<sup>+</sup>Channel Expression and Distribution in the Heart. **2001**, 103-118
- 132 Quantification of Specific mRNAs by Nuclease Protection. **2005**, 361-386
- 131 Electrophoresis of RNA. **2005**, 190-237
- 130 Molecular Biology Primer for Neurosurgeons. **2011**, 63-77
- 129 Expression of cloned genes in animal cells. **1984**, 179-218
- 128 Transcription by RNA Polymerase II. **1984**, 65-97 2
- 127 Synthesis of Hybridization Probes and RNA Substrates with SP6 RNA Polymerase. **1985**, 165-184
- 126 Gentransfer in eukaryotische Zellen. **1985**, 159-176
- 125 Diagnosis of Familial Amyloidotic Polyneuropathy by Recombinant DNA Techniques. **1986**, 401-405
- 124 Cloning and Expressing Genes for Clinically Useful Proteins. **1986**, 19-40
- 123 Primate Sequences. **1987**, 1-464
- 122 A 29-nucleotide DNA segment containing an evolutionarily conserved motif is required in cis for cell-type-restricted repression of the chicken alpha-smooth muscle actin gene core promoter. **1988**, 8, 241-250 36
- 121 Location and characterization of two widely separated glucocorticoid response elements in the phosphoenolpyruvate carboxykinase gene. **1988**, 8, 96-104 34
- 120 RNA Dot and Blot Hybridization: Selected Procedures for Endocrine and Neuroendocrine Studies. **1989**, 47-56
- 119 Structure and Regulation of Light-Inducible Genes: Genes Involved in Photosynthesis. **1989**, 133-153



118	Priming affects the activity of a specific region of the promoter of the human beta interferon gene. <b>1990</b> , 10, 854-858	3
117	Hormonal induction of transfected genes depends on DNA topology. <b>1990</b> , 10, 625-633	7
116	Overexpression of the multidrug resistance gene mdr3 in spontaneous and chemically induced mouse hepatocellular carcinomas. <b>1990</b> , 10, 5728-5735	12
115	Tissue-specific expression from a compound TATA-dependent and TATA-independent promoter. <b>1990</b> , 10, 5646-5654	10
114	Methodology for the Study of Metabolism: Cellular and Molecular Techniques. <b>1991</b> , 15-47	
113	Complementary in vivo and in vitro analyses of the interactions between the cis-acting elements of the rat rDNA promoter. <b>1991</b> , 127-135	
112	Regulation of a double-stranded RNA modification activity in human cells. <b>1991</b> , 11, 3719-3725	6
111	The gene encoding the transcription factor SCIP has features of an expressed retroposon. <b>1991</b> , 11, 4642-4650	24
110	Characterization of a candidate bcl-1 gene. <b>1991</b> , 11, 4846-4853	90
109	Identification of a negative regulatory element that inhibits c-mos transcription in somatic cells. <b>1992</b> , 12, 2029-2036	4
108	A single beta-globin locus control region element (5' hypersensitive site 2) is sufficient for developmental regulation of human globin genes in transgenic mice. <b>1992</b> , 12, 2057-2066	30
107	Drosophila transcriptional repressor protein that binds specifically to negative control elements in fat body enhancers. <b>1992</b> , 12, 4093-4103	22
106	Rearrangement of upstream regulatory elements leads to ectopic expression of the Drosophila mulleri Adh-2 gene. <b>1992</b> , 132, 1071-9	
105	Action of spontaneously produced beta interferon in differentiation of embryonal carcinoma cells through an autoinduction mechanism. <b>1993</b> , 13, 2846-2857	5
104	Serum factors can modulate the developmental clock of gamma- to beta-globin gene switching in somatic cell hybrids. <b>1993</b> , 13, 4844-4851	2
103	Chemiluminescent hybridization assay for hepatitis delta virus RNA in serum. <b>1994</b> , 32, 1112-4	1
102	Polymerase Chain Reaction-Based mRNA Quantification Using An Internal Standard: Analysis of Oncogene Expression. <b>1995</b> , 741-768	
101	RNAase protection and primer extension. <b>1996</b> , 425-438	1

- 100 Methodology for the Study of Metabolism: Cellular and Molecular Techniques. **1998**, 41-78
- 99 Regulation of the type I interferon genes and interferon-inducible genes. 1. Organization of the promoter regulatory sequences. **1998**, 14, 223-230 1
- 98 FlyClockbase: Importance of Biological Model Curation for Analyzing Variability in the Circadian Clock of *Drosophila melanogaster* by Integrating Time Series from 25 Years of Research.
- 97 Enzymes as Molecular Tools. **2017**, 99-128
- 96 Conserved noncoding transcription and core promoter regulatory code in early *Drosophila* development.
- 95 Gene Mapping by RNA-sequencing: A Direct Way to Characterize Genes and Gene Expression through Targeted Queries of Large Public Databases. **2019**, 9,
- 94 Molecular Biology Applications in Cardiovascular Medicine. **2005**, 11-43
- 93 Sex Determination of Bloodstains by the Use of a Ribonucleic Acid (RNA) Probe. **1989**, 34, 12743J
- 92 Replacement variant histone genes contain intervening sequences. **1985**, 5, 1307-1317 67
- 91 Linker scanning mutagenesis of the 5Pflanking region of the mouse beta-major-globin gene: sequence requirements for transcription in erythroid and nonerythroid cells. **1985**, 5, 1498-1511 77
- 90 Mouse apolipoprotein A-IV gene: nucleotide sequence and induction by a high-lipid diet. **1986**, 6, 3807-3814 16
- 89 Differential expression of mouse beta/goat beta c, mouse beta/goat beta F, and mouse beta/goat epsilon II hybrid globin genes in murine erythroleukemia cells. **1986**, 6, 3873-3883
- 88 Multiple hormone-inducible enhancers as mediators of differential transcription. **1986**, 6, 4526-4538 21
- 87 Multiple transcripts from the Antennapedia gene of *Drosophila melanogaster*. **1986**, 6, 4667-4675 37
- 86 c-fos sequence necessary for basal expression and induction by epidermal growth factor, 12-O-tetradecanoyl phorbol-13-acetate and the calcium ionophore. **1987**, 7, 3490-3502 155
- 85 Immortalization by c-myc, H-ras, and Ela oncogenes induces differential cellular gene expression and growth factor responses. **1987**, 7, 3899-3907 27
- 84 Expression of transfected vimentin genes in differentiating murine erythroleukemia cells reveals divergent cis-acting regulation of avian and mammalian vimentin sequences. **1987**, 7, 3955-3970 10
- 83 Alternative processing of RNA transcribed from NMYC. **1987**, 7, 4266-4272 23

82	Cell-specific expression of the human gastrin gene: evidence for a control element located downstream of the TATA box. <b>1987</b> , 7, 4329-4336	24
81	Molecular genetics of androgen-dependent and -independent expression of mouse sex-limited protein. <b>1987</b> , 7, 1716-1724	18
80	Structure and expression of the chicken ferritin H-subunit gene. <b>1987</b> , 7, 1751-1758	26
79	Aplysia californica neurons express microinjected neuropeptide genes. <b>1987</b> , 7, 2762-2771	3
78	Differential expression of type-specific c-abl mRNAs in mouse tissues and cell lines. <b>1988</b> , 8, 4547-4551	13
77	Expression of T-cell receptor alpha-chain genes in transgenic mice. <b>1988</b> , 8, 5459-5469	17
76	Amplification and expression of heterologous ornithine decarboxylase in Chinese hamster cells. <b>1988</b> , 8, 764-769	3
75	Two functional estrogen response elements are located upstream of the major chicken vitellogenin gene. <b>1988</b> , 8, 1123-1131	33
74	Role for DNA replication in beta-globin gene activation. <b>1988</b> , 8, 1301-1308	24
73	Molecular localization and developmental expression of the otu locus of Drosophila melanogaster. <b>1988</b> , 8, 1481-1488	9
72	Mouse brain CD4 transcripts encode only the COOH-terminal half of the protein. <b>1988</b> , 8, 2224-2228	7
71	A complex androgen-responsive enhancer resides 2 kilobases upstream of the mouse Slp gene. <b>1988</b> , 8, 2350-2360	20
70	Presence of transcription regulatory elements within an intron of the virus-inducible murine TIMP gene. <b>1988</b> , 8, 3227-3234	17
69	Novel regulation of transcription initiation of the peptide IX gene of adenovirus 2. <b>1989</b> , 9, 4265-4271	5
68	Serum-inducible expression of transfected human c-myc genes. <b>1989</b> , 9, 4962-4969	6
67	Selective enhancement of bovine papillomavirus type 1 DNA replication in Xenopus laevis eggs by the E6 gene product. <b>1989</b> , 9, 406-414	3
66	Continued withdrawal from the cell cycle and regulation of cellular genes in mouse erythroleukemia cells blocked in differentiation by the c-myc oncogene. <b>1989</b> , 9, 1714-1720	8
65	Cloning of the gene coding for human class 1 heparin-binding growth factor and its expression in fetal tissues. <b>1989</b> , 9, 2387-2395	16

64	Gene regulation by tyrosine kinases: src protein activates various promoters, including c-fos. <b>1989</b> , 9, 2493-2499		35
63	Germ line c-myc is not down-regulated by loss or exclusion of activating factors in myc-induced macrophage tumors. <b>1989</b> , 9, 3482-3490		11
62	Control of beta-interferon expression in murine embryonal carcinoma F9 cells. <b>1989</b> , 9, 3553-3556		9
61	Negative transcriptional regulatory element that functions in embryonal carcinoma cells. <b>1989</b> , 9, 4032-4037		8
60	Hormone induces binding of receptors and transcription factors to a rearranged nucleosome on the MMTV promoter in vivo. <i>EMBO Journal</i> , <b>1995</b> , 14, 1737-51	13	96
59	Two different virus-inducible elements are required for human beta-interferon gene regulation. <i>EMBO Journal</i> , <b>1989</b> , 8, 101-10	13	79
58	Pre-mRNA splicing mutants of <i>Schizosaccharomyces pombe</i> . <i>EMBO Journal</i> , <b>1989</b> , 8, 551-9	13	30
57	Expression of a functional monocotyledonous phytochrome in transgenic tobacco. <i>EMBO Journal</i> , <b>1989</b> , 8, 1005-12	13	46
56	Double-stranded RNA activates binding of NF-kappa B to an inducible element in the human beta-interferon promoter. <i>EMBO Journal</i> , <b>1989</b> , 8, 1129-38	13	134
55	The CARG promoter sequence is necessary for muscle-specific transcription of the cardiac actin gene in <i>Xenopus</i> embryos. <i>EMBO Journal</i> , <b>1989</b> , 8, 1153-61	13	61
54	Vascular expression of a bean cell wall glycine-rich protein-beta-glucuronidase gene fusion in transgenic tobacco. <i>EMBO Journal</i> , <b>1989</b> , 8, 1309-14	13	35
53	cDNA clones of the auxin-binding protein from corn coleoptiles ( <i>Zea mays</i> L.): isolation and characterization by immunological methods. <i>EMBO Journal</i> , <b>1989</b> , 8, 2463-7	13	34
52	The expression of two P-glycoprotein (pgp) genes in transgenic <i>Caenorhabditis elegans</i> is confined to intestinal cells. <i>EMBO Journal</i> , <b>1993</b> , 12, 1615-20	13	16
51	Combinatorial interplay of promoter elements constitutes the minimal determinants for light and developmental control of gene expression in <i>Arabidopsis</i> . <i>EMBO Journal</i> , <b>1996</b> , 15, 3732-43	13	70
50	Expression of genes encoding the transcription factor SRF during early development of <i>Xenopus laevis</i> : identification of a CARG box-binding activity as SRF. <i>EMBO Journal</i> , <b>1991</b> , 10, 933-40	13	34
49	Axonal transport of neuropeptide encoding mRNAs within the hypothalamo-hypophyseal tract of rats. <i>EMBO Journal</i> , <b>1991</b> , 10, 2419-24	13	51
48	Antisense oligonucleotide-directed cleavage of mRNA in <i>Xenopus</i> oocytes and eggs. <i>EMBO Journal</i> , <b>1988</b> , 7, 427-34	13	32
47	Multiple RNAs expressed from the int-2 gene in mouse embryonal carcinoma cell lines encode a protein with homology to fibroblast growth factors. <i>EMBO Journal</i> , <b>1988</b> , 7, 1013-22	13	40

46	Two distinct genetic loci regulating class II gene expression are defective in human mutant and patient cell lines. <i>EMBO Journal</i> , <b>1988</b> , 7, 1965-72	13	29
45	Mouse CD1 is distinct from and co-exists with TL in the same thymus. <i>EMBO Journal</i> , <b>1988</b> , 7, 3081-6	13	42
44	Elements required for transcription initiation of the human U2 snRNA gene coincide with elements required for snRNA 3' end formation. <i>EMBO Journal</i> , <b>1988</b> , 7, 3125-34	13	75
43	Synergistic action of the glucocorticoid receptor with transcription factors. <i>EMBO Journal</i> , <b>1988</b> , 7, 3389-95	13	127
42	Evidence for a nuclear factor(s), IRF-1, mediating induction and silencing properties to human IFN-beta gene regulatory elements. <i>EMBO Journal</i> , <b>1988</b> , 7, 3397-405	13	122
41	The period gene of <i>Drosophila</i> carries species-specific behavioral instructions. <i>EMBO Journal</i> , <b>1988</b> , 7, 3939-47	13	29
40	Antisense RNA inhibits splicing of pre-mRNA in vitro. <i>EMBO Journal</i> , <b>1988</b> , 7, 2523-32	13	30
39	DNA sequences outside the receptor-binding sites differently modulate the responsiveness of the mouse mammary tumour virus promoter to various steroid hormones. <i>EMBO Journal</i> , <b>1988</b> , 7, 1403-10	13	58
38	The zebrafish homeobox gene <i>hox-2.2</i> : transcription unit, potential regulatory regions and in situ localization of transcripts. <i>EMBO Journal</i> , <b>1990</b> , 9, 515-24	13	7
37	A mutation in a single gene of <i>Schizosaccharomyces pombe</i> affects the expression of several snRNAs and causes defects in RNA processing. <i>EMBO Journal</i> , <b>1990</b> , 9, 525-34	13	11
36	Activity and interleukin 1 responsiveness of SV40 enhancer motifs in a rodent immature T cell line. <i>EMBO Journal</i> , <b>1990</b> , 9, 929-37	13	8
35	Negative autoregulation of <i>c-myc</i> transcription. <i>EMBO Journal</i> , <b>1990</b> , 9, 1113-21	13	92
34	The promoter for a variant surface glycoprotein gene expression site in <i>Trypanosoma brucei</i> . <i>EMBO Journal</i> , <b>1990</b> , 9, 2791-801	13	92
33	The product of the <i>c-ets-1</i> proto-oncogene and the related <i>Ets2</i> protein act as transcriptional activators of the long terminal repeat of human T cell leukemia virus HTLV-1. <i>EMBO Journal</i> , <b>1990</b> , 9, 3137-44	13	73
32	A feedback control element near the transcription start site of the maize <i>Shrunken</i> gene determines promoter activity. <i>EMBO Journal</i> , <b>1990</b> , 9, 3447-52	13	44
31	Alternatively spliced transcripts of the sex-determining gene <i>tra-2</i> of <i>Drosophila</i> encode functional proteins of different size. <i>EMBO Journal</i> , <b>1990</b> , 9, 3619-29	13	40
30	Superinduction of the human interferon-beta promoter. <i>EMBO Journal</i> , <b>1987</b> , 6, 599-604	13	15
29	Glucocorticoid induction of the rat tryptophan oxygenase gene is mediated by two widely separated glucocorticoid-responsive elements. <i>EMBO Journal</i> , <b>1987</b> , 6, 625-30	13	68

28	Activity of two different silencer elements of the chicken lysozyme gene can be compensated by enhancer elements. <i>EMBO Journal</i> , <b>1987</b> , 6, 2297-303	13	77
27	Localization of sequences in wheat endosperm protein genes which confer tissue-specific expression in tobacco. <i>EMBO Journal</i> , <b>1987</b> , 6, 3559-64	13	87
26	The upstream regulatory region of the human papilloma virus-16 contains an E2 protein-independent enhancer which is specific for cervical carcinoma cells and regulated by glucocorticoid hormones. <i>EMBO Journal</i> , <b>1987</b> , 6, 3735-43	13	82
25	Interaction of the TGGCA-binding protein with upstream sequences is required for efficient transcription of mouse mammary tumor virus. <i>EMBO Journal</i> , <b>1987</b> , 6, 1355-60	13	66
24	Lines of BPV-transformed murine cells that constitutively express influenza virus hemagglutinin. <i>EMBO Journal</i> , <b>1985</b> , 4, 91-103	13	41
23	Variant (6;15) translocations in murine plasmacytomas involve a chromosome 15 locus at least 72 kb from the c-myc oncogene. <i>EMBO Journal</i> , <b>1985</b> , 4, 675-81	13	94
22	Two functions encoded by adenovirus early region 1A are responsible for the activation and repression of the DNA-binding protein gene. <i>EMBO Journal</i> , <b>1985</b> , 4, 707-13	13	36
21	SV40 T antigen and the exocytotic pathway. <i>EMBO Journal</i> , <b>1985</b> , 4, 1479-89	13	29
20	Structure of two forms of the interferon-induced (2P5 $\beta$ ) oligo A synthetase of human cells based on cDNAs and gene sequences. <i>EMBO Journal</i> , <b>1985</b> , 4, 2249-56	13	53
19	High level expression of introduced chimaeric genes in regenerated transformed plants. <i>EMBO Journal</i> , <b>1985</b> , 4, 2411-8	13	224
18	Developmental regulation of a gastrula-specific gene injected into fertilized <i>Xenopus</i> eggs. <i>EMBO Journal</i> , <b>1985</b> , 4, 3463-71	13	48
17	Muscle-specific expression of SRF-related genes in the early embryo of <i>Xenopus laevis</i> . <i>EMBO Journal</i> , <b>1992</b> , 11, 4981-91	13	33
16	Laminin A chain: expression during <i>Drosophila</i> development and genomic sequence. <i>EMBO Journal</i> , <b>1992</b> , 11, 4519-27	13	37
15	Analysis of the human alpha globin upstream regulatory element (HS-40) in transgenic mice. <i>EMBO Journal</i> , <b>1992</b> , 11, 4565-72	13	21
14	The cDNA sequences of the sea urchin U7 small nuclear RNA suggest specific contacts between histone mRNA precursor and U7 RNA during RNA processing. <i>EMBO Journal</i> , <b>1984</b> , 3, 2801-7	13	89
13	Unrearranged immunoglobulin lambda variable region is transcribed in kappa-producing myelomas. <i>EMBO Journal</i> , <b>1984</b> , 3, 3031-5	13	6
12	Regulatory elements involved in <i>Drosophila</i> Adh gene expression are conserved in divergent species and separate elements mediate expression in different tissues. <i>EMBO Journal</i> , <b>1986</b> , 5, 1275-89	13	38
11	Genetic complementation in the <i>Xenopus</i> oocyte: co-expression of sea urchin histone and U7 RNAs restores 3Pprocessing of H3 pre-mRNA in the oocyte. <i>EMBO Journal</i> , <b>1986</b> , 5, 1675-82	13	59

10	The hormone regulatory element of mouse mammary tumour virus mediates progesterone induction. <i>EMBO Journal</i> , <b>1986</b> , 5, 2237-40	13	134
9	Upstream sequences required for tissue-specific activation of the cardiac actin gene in <i>Xenopus laevis</i> embryos. <i>EMBO Journal</i> , <b>1986</b> , 5, 3185-93	13	58
8	Analyses of linked beta-globin genes suggest that nondeletion forms of hereditary persistence of fetal hemoglobin are bona fide switching mutants. <i>American Journal of Human Genetics</i> , <b>1988</b> , 42, 476-81 <sup>11</sup>		6
7	Cytokine expression in T-cell lymphomas and Hodgkin's disease. Its possible implication in autocrine or paracrine production as a potential basis for neoplastic growth. <i>American Journal of Pathology</i> , <b>1991</b> , 139, 1173-80	5.8	71
6	Multidrug resistance gene (P-glycoprotein) expression in the human fetus. <i>American Journal of Pathology</i> , <b>1992</b> , 141, 1063-72	5.8	89
5	Principles of nucleic acid hybridization and comparison with monoclonal antibody technology for the diagnosis of infectious diseases. <i>Yale Journal of Biology and Medicine</i> , <b>1985</b> , 58, 425-42	2.4	18
4	Transcription In Vitro Using Bacteriophage RNA Polymerases. 875-883		
3	Transient Expression of the Beta Interferon Promoter in Human Cells. <b>1987</b> , 7, 3830-3835		7
2	Quantification of specific mRNAs by nuclease protection. <b>2023</b> , 549-570		0
1	Electrophoresis of RNA. <b>2023</b> , 409-451		0