

The promoter-specific transcription factor Sp1 binds to early promoter

Cell

35, 79-87

DOI: [10.1016/0092-8674\(83\)90210-6](https://doi.org/10.1016/0092-8674(83)90210-6)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Is actin a transcription initiation factor for RNA polymerase B?. EMBO Journal, 1984, 3, 2363-2371.	3.5	222
2	Modular structure of the beta-globin and the TK promoters.. EMBO Journal, 1984, 3, 2453-2459.	3.5	29
3	A molecular study of a family with Greek hereditary persistence of fetal hemoglobin and beta-thalassemia.. EMBO Journal, 1984, 3, 2641-2645.	3.5	97
4	Assembly of transfected DNA into chromatin: structural changes in the origin-promoter-enhancer region upon replication.. EMBO Journal, 1984, 3, 1243-1253.	3.5	161
5	Effect of the 21-bp repeat upstream element on in vitro transcription from the early and late SV40 promoters.. EMBO Journal, 1984, 3, 2373-2382.	3.5	81
6	Stimulation of in vitro transcription from the SV40 early promoter by the enhancer involves a specific trans-acting factor.. EMBO Journal, 1984, 3, 3129-3133.	3.5	192
7	Stimulation of in vitro transcription by the upstream element of the adenovirus-2 major late promoter involves a specific factor. Nucleic Acids Research, 1984, 12, 8779-8799.	6.5	133
8	S1-hypersensitive sites in eukaryotic promoter regions. Nucleic Acids Research, 1984, 12, 8043-8058.	6.5	175
9	Use of lacZ fusions to delimit regulatory elements of the inducible divergent GAL1-GAL10 promoter in Saccharomyces cerevisiae.. Molecular and Cellular Biology, 1984, 4, 1985-1998.	1.1	360
10	The Molecular Genetics of Human Hemoglobin. Progress in Molecular Biology and Translational Science, 1984, 31, 315-465.	1.9	385
11	Transcription from SV40-like monkey DNA sequences. Nucleic Acids Research, 1984, 12, 4769-4788.	6.5	56
12	Control of neuronal gene expression. Science, 1984, 225, 1308-1315.	6.0	129
13	Expression of class I histocompatibility antigens on human T-B lymphoblast hybrids. Somatic Cell and Molecular Genetics, 1984, 10, 217-224.	0.7	15
14	The use of cloned gene probes to study differentiation in teratocarcinomas. Cell Differentiation, 1984, 15, 257-267.	1.3	10
15	Induction of altered chromatin structures by simian virus 40 enhancer and promoter elements. Nature, 1984, 307, 708-714.	13.7	245
16	Gene regulation: Latterday lessons of lambda and lac. Nature, 1984, 308, 687-688.	13.7	2
17	Gene regulation: A step closer to the principles of eukaryotic transcriptional control. Nature, 1984, 311, 301-301.	13.7	6
18	Multiple specific contacts between a mammalian transcription factor and its cognate promoters. Nature, 1984, 312, 409-413.	13.7	570

#	ARTICLE	IF	CITATIONS
19	SV40-alpha-globulin hybrid minichromosomes. Differences in DNase I hypersensitivity of promoter and enhancer sequences. <i>FEBS Journal</i> , 1984, 144, 545-553.	0.2	6
20	Eukaryotic transcription complexes. <i>Molecular and Cellular Biochemistry</i> , 1984, 62, 97-108.	1.4	9
21	The distal transcription signals of the herpesvirus tk gene share a common hexanucleotide control sequence. <i>Cell</i> , 1984, 37, 253-262.	13.5	329
22	HMG CoA reductase: A negatively regulated gene with unusual promoter and 5' untranslated regions. <i>Cell</i> , 1984, 38, 275-285.	13.5	564
23	A trans-acting regulatory product necessary for expression of the <i>Drosophila melanogaster</i> 68C glue gene cluster. <i>Cell</i> , 1984, 39, 149-156.	13.5	95
24	Essential contact residues within SV40 large T antigen binding sites I and II identified by alkylation-interference. <i>Cell</i> , 1984, 36, 155-162.	13.5	164
25	A <i>drosophila</i> RNA polymerase II transcription factor binds to the regulatory site of an hsp 70 gene. <i>Cell</i> , 1984, 37, 273-283.	13.5	585
26	Positive Control of Transcription Initiation in Bacteria. <i>Annual Review of Genetics</i> , 1984, 18, 173-230.	3.2	388
27	Transcriptionally active chromatin. <i>Biochimica Et Biophysica Acta Gene Regulatory Mechanisms</i> , 1984, 782, 343-393.	2.4	350
28	A transcription enhancer acts in vitro over distances of hundreds of base-pairs on both circular and linear templates but not on chromatin-reconstituted DNA. <i>Journal of Molecular Biology</i> , 1984, 180, 577-600.	2.0	102
29	The SPT3 gene is required for normal transcription of Ty elements in <i>S. cerevisiae</i> . <i>Cell</i> , 1984, 39, 675-682.	13.5	240
30	Chromatin structure and protein binding in the putative regulatory region of the c-myc gene in burkitt lymphoma. <i>Cell</i> , 1984, 37, 381-391.	13.5	479
31	Simian virus 40 guanine-cytosine-rich sequences function as independent transcriptional control elements in vitro.. <i>Molecular and Cellular Biology</i> , 1984, 4, 2911-2920.	1.1	54
32	Common control of the heat shock gene and early adenovirus genes: evidence for a cellular E1A-like activity.. <i>Molecular and Cellular Biology</i> , 1984, 4, 867-874.	1.1	381
33	Isolation of an active transcription initiation complex from HeLa cell-free extract.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1984, 81, 5916-5920.	3.3	39
34	Isolation of human DNA sequences that bind to nuclear factor I, a host protein involved in adenovirus DNA replication.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1984, 81, 4013-4017.	3.3	54
35	A 12-base-pair DNA motif that is repeated several times in metallothionein gene promoters confers metal regulation to a heterologous gene.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1984, 81, 7318-7322.	3.3	417
36	Regulation of polyomavirus transcription by large tumor antigen.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1984, 81, 6919-6923.	3.3	74

#	ARTICLE	IF	CITATIONS
37	DNA replication and chromatin structure of simian virus 40 insertion mutants.. Molecular and Cellular Biology, 1984, 4, 1499-1507.	1.1	75
38	SV40 Promoters and Their Regulation. Progress in Molecular Biology and Translational Science, 1985, 32, 217-236.	1.9	19
39	Monomers through trimers of large tumor antigen bind in region I and monomers through tetramers bind in region II of simian virus 40 origin of replication DNA as stable structures in solution.. Proceedings of the National Academy of Sciences of the United States of America, 1985, 82, 3626-3630.	3.3	61
40	Transcription factor Sp1 recognizes promoter sequences from the monkey genome that are simian virus 40 promoter.. Proceedings of the National Academy of Sciences of the United States of America, 1985, 82, 4915-4919.	3.3	83
41	DNase I footprinting shows three protected regions in the promoter of the rRNA genes of <i>Xenopus laevis</i> .. Molecular and Cellular Biology, 1985, 5, 313-319.	1.1	18
42	Novel method for identifying sequence-specific DNA-binding proteins.. Molecular and Cellular Biology, 1985, 5, 2307-2315.	1.1	42
43	Cell cycle control of the human HSP70 gene: implications for the role of a cellular E1A-like function.. Molecular and Cellular Biology, 1985, 5, 628-633.	1.1	134
44	DNase I-hypersensitive sites in the galactose gene cluster of <i>Saccharomyces cerevisiae</i> .. Molecular and Cellular Biology, 1985, 5, 1522-1524.	1.1	23
45	Transcription of three c-myc exons is enhanced in chicken bursal lymphoma cell lines.. Proceedings of the National Academy of Sciences of the United States of America, 1985, 82, 53-57.	3.3	66
46	Hormonal response region in the mouse mammary tumor virus long terminal repeat can be dissociated from the proviral promoter and has enhancer properties.. Proceedings of the National Academy of Sciences of the United States of America, 1985, 82, 1020-1024.	3.3	177
47	Isolation of stable preinitiation, initiation, and elongation complexes from RNA polymerase II-directed transcription.. Proceedings of the National Academy of Sciences of the United States of America, 1985, 82, 2632-2636.	3.3	22
48	Purification and characterization of a transcription factor that confers promoter specificity to human RNA polymerase I.. Molecular and Cellular Biology, 1985, 5, 1358-1369.	1.1	192
49	trans Activation of the simian virus 40 late transcription unit by T-antigen.. Molecular and Cellular Biology, 1985, 5, 1391-1399.	1.1	162
50	Role of specific simian virus 40 sequences in the nuclease-sensitive structure in viral chromatin.. Molecular and Cellular Biology, 1985, 5, 52-58.	1.1	48
51	Delineation of transcriptional control signals within the Moloney murine sarcoma virus long terminal repeat.. Molecular and Cellular Biology, 1985, 5, 1948-1958.	1.1	102
52	Replication and supercoiling of simian virus 40 DNA in cell extracts from human cells.. Molecular and Cellular Biology, 1985, 5, 2051-2060.	1.1	450
53	Specific protein binding to far upstream activating sequences in polymerase II promoters.. Proceedings of the National Academy of Sciences of the United States of America, 1985, 82, 43-47.	3.3	262
54	An enhancer-like element in the adenovirus E2 promoter contains sequences essential for uninduced and E1A-induced transcription.. Proceedings of the National Academy of Sciences of the United States of America, 1985, 82, 381-385.	3.3	158

#	ARTICLE	IF	CITATIONS
55	A method for mapping intranuclear protein-DNA interactions and its application to a nuclease hypersensitive site.. Proceedings of the National Academy of Sciences of the United States of America, 1985, 82, 2296-2300.	3.3	92
56	Analysis of an activatable promoter: sequences in the simian virus 40 late promoter required for T-antigen-mediated trans activation.. Molecular and Cellular Biology, 1985, 5, 1859-1869.	1.1	167
57	A synthetic HIS4 regulatory element confers general amino acid control on the cytochrome c gene (CYC1) of yeast.. Proceedings of the National Academy of Sciences of the United States of America, 1985, 82, 498-502.	3.3	157
58	Interaction between two transcriptional control sequences required for tumor-antigen-mediated simian virus 40 late gene expression.. Proceedings of the National Academy of Sciences of the United States of America, 1985, 82, 7299-7303.	3.3	77
59	T-antigen is the only detectable protein on the nucleosome-free origin region of isolated simian virus 40 minichromosomes. Chromosoma, 1985, 92, 391-400.	1.0	20
60	Control of eukaryotic messenger RNA synthesis by sequence-specific DNA-binding proteins. Nature, 1985, 316, 774-778.	13.7	1,353
61	Sp1 binds to promoter sequences and activates herpes simplex virus "immediate-early" gene transcription in vitro. Nature, 1985, 317, 179-182.	13.7	327
62	Identification of multiple metal regulatory elements in mouse metallothionein-I promoter by assaying synthetic sequences. Nature, 1985, 317, 828-831.	13.7	365
63	All six GC-motifs of the SV40 early upstream element contribute to promoter activity in vivo and in vitro.. EMBO Journal, 1985, 4, 3839-3849.	3.5	101
64	T antigen and template requirements for SV40 DNA replication in vitro.. EMBO Journal, 1985, 4, 2933-2939.	3.5	159
65	A general upstream binding factor for genes of the yeast translational apparatus.. EMBO Journal, 1985, 4, 3539-3547.	3.5	206
66	Specific interaction between a transcription factor and the upstream element of the adenovirus-2 major late promoter.. EMBO Journal, 1985, 4, 3563-3570.	3.5	185
67	Architecture and anatomy of the chromosomal locus in human chromosome 21 encoding the Cu/Zn superoxide dismutase.. EMBO Journal, 1985, 4, 77-84.	3.5	229
68	The SV40 enhancer influences viral late transcription in vitro and in vivo but not on replicating templates.. EMBO Journal, 1985, 4, 3247-3252.	3.5	20
69	Regulation of polypeptide-hormone biosynthesis at the level of the genome. American Journal of Physiology - Cell Physiology, 1985, 249, C191-C199.	2.1	15
70	Cell type-specific transcriptional enhancement in vitro requires the presence of trans-acting factors.. EMBO Journal, 1985, 4, 3005-3013.	3.5	118
71	Adenosine deaminase: characterization and expression of a gene with a remarkable promoter.. EMBO Journal, 1985, 4, 437-443.	3.5	306
72	Building a metal-responsive promoter with synthetic regulatory elements.. Molecular and Cellular Biology, 1985, 5, 1480-1489.	1.1	226

#	ARTICLE	IF	CITATIONS
73	Eukaryotic RNA Polymerase. <i>Critical Reviews in Biochemistry</i> , 1985, 18, 31-90.	7.5	459
74	Multiple sequence-specific DNA binding activities are eluted from chicken nuclei at low ionic strengths. <i>Nucleic Acids Research</i> , 1985, 13, 4047-4065.	6.5	27
75	Bidirectional SV40 transcription mediated by tandem Sp1 binding interactions. <i>Science</i> , 1985, 230, 511-517.	6.0	417
76	A modular system for the assay of transcription regulatory signals: the sequence TAATGARAT is required for herpes simplex virus immediate early gene activation. <i>Nucleic Acids Research</i> , 1985, 13, 7847-7863.	6.5	130
77	Human N-ras: cDNA cloning and gene structure. <i>Nucleic Acids Research</i> , 1985, 13, 5255-5268.	6.5	119
78	Mechanisms that Regulate Immunoglobulin Gene Expression. <i>Annual Review of Immunology</i> , 1985, 3, 159-195.	9.5	106
79	Interaction of a gene-specific transcription factor with the adenovirus major late promoter upstream of the TATA box region. <i>Cell</i> , 1985, 43, 165-175.	13.5	1,342
80	The Coming of Age of the Immunoglobulin J Chain. <i>Annual Review of Immunology</i> , 1985, 3, 425-453.	9.5	203
81	Identification by Exonuclease Footprinting of a Distal Promoter-Binding Protein from HeLa Cell Extracts. <i>DNA and Cell Biology</i> , 1985, 4, 233-240.	5.1	12
82	High-affinity binding site for a specific nuclear protein in the human IgM gene. <i>Nature</i> , 1985, 314, 289-292.	13.7	98
83	The molecular biology of Lesch-Nyhan syndrome. <i>Trends in Neurosciences</i> , 1985, 8, 148-150.	4.2	5
84	Interaction of specific nuclear factors with the nuclease-hypersensitive region of the chicken adult β -globin gene: Nature of the binding domain. <i>Cell</i> , 1985, 41, 21-30.	13.5	275
85	Simian virus 40 early promoter mutations that affect promoter function and autoregulation by large T antigen. <i>Journal of Molecular Biology</i> , 1985, 182, 229-239.	2.0	17
86	Adenovirus E1a proteins repress transcription from the SV40 early promoter. <i>Cell</i> , 1985, 40, 705-716.	13.5	453
87	An RNA polymerase II transcription factor binds to an upstream element in the adenovirus major late promoter. <i>Cell</i> , 1985, 43, 439-448.	13.5	837
88	5' end of hmg CoA reductase gene contains sequences responsible for cholesterol-mediated inhibition of transcription. <i>Cell</i> , 1985, 42, 203-212.	13.5	191
89	Seventeen base pairs of region I encode a novel tripartite binding signal for SV40 T antigen. <i>Cell</i> , 1985, 42, 539-548.	13.5	91
90	Characterization of drosophila transcription factors that activate the tandem promoters of the alcohol dehydrogenase gene. <i>Cell</i> , 1985, 41, 965-977.	13.5	259

#	ARTICLE	IF	CITATIONS
91	Two distinct transcription factors bind to the HSV thymidine kinase promoter in vitro. <i>Cell</i> , 1985, 42, 559-572.	13.5	894
92	Genomic organization and nucleotide sequence of two distinct histone gene clusters from <i>Xenopus laevis</i> . <i>Journal of Molecular Biology</i> , 1985, 185, 479-499.	2.0	111
93	Comparison of the 5' regions of human and mouse carbonic anhydrase II genes and identification of possible regulatory elements. <i>Biochimica Et Biophysica Acta Gene Regulatory Mechanisms</i> , 1985, 826, 195-201.	2.4	25
94	Efficiency of in vitro transcription of <i>Dictyostelium discoideum</i> actin gene is affected by the nucleotide sequence of the transcription initiation region. <i>Biochemistry</i> , 1985, 24, 1040-1047.	1.2	4
95	Identification of a cellular transcription factor involved in E1A trans-activation. <i>Cell</i> , 1986, 45, 219-228.	13.5	606
96	Adenovirus Promoters and E1A Transactivation. <i>Annual Review of Genetics</i> , 1986, 20, 45-77.	3.2	554
97	An underlying repeat in some transcriptional control sequences corresponding to half a double helical turn of DNA. <i>Cell</i> , 1986, 46, 123-132.	13.5	237
98	Purification and biochemical characterization of the promoter-specific transcription factor, Sp1. <i>Science</i> , 1986, 234, 47-52.	6.0	1,559
99	Sequence-specific interactions of nuclear factors with the insulin gene enhancer. <i>Cell</i> , 1986, 45, 35-44.	13.5	336
100	Control of Cellular and Viral Transcription During Adenovirus Infectio. <i>Critical Reviews in Biochemistry</i> , 1986, 19, 307-322.	7.5	31
101	Transcription Activation by Viral and Cellular Oncogenes. <i>Advances in Cancer Research</i> , 1986, 47, 283-296.	1.9	8
102	Chicken U2 and U1 RNA genes are found in very different genomic environments but have similar promoter structures. <i>Biochemistry</i> , 1986, 25, 2041-2047.	1.2	30
103	Human rRNA transcription is modulated by the coordinate binding of two factors to an upstream control element. <i>Cell</i> , 1986, 45, 847-857.	13.5	233
104	Transcriptional selectivity of viral genes in mammalian cells. <i>Cell</i> , 1986, 46, 795-805.	13.5	806
105	Transcription signals and factors of the silk genes. <i>Advances in Biophysics</i> , 1986, 21, 205-215.	0.6	11
106	Transcription factor(s) of Ehrlich ascites tumor cells having affinity to the "TATA" box and a further upstream region of the adenovirus 2 major late gene. <i>Biochimica Et Biophysica Acta Gene Regulatory Mechanisms</i> , 1986, 868, 243-248.	2.4	5
107	Some guidelines for identification of recognition sequences: Regulatory sequences frequently contain (T)GTG/CAC(A), TGA/TCA and (T)CTC/GAG(A). <i>Biochimica Et Biophysica Acta Gene Regulatory Mechanisms</i> , 1986, 866, 93-108.	2.4	18
108	Feather Keratin: Composition, Structure and Biogenesis. , 1986, , 666-694.		88

#	ARTICLE	IF	CITATIONS
109	Promoter-specific activation of RNA polymerase II transcription by Sp1. Trends in Biochemical Sciences, 1986, 11, 20-23.	3.7	1,181
110	The British form of hereditary persistence of fetal hemoglobin results from a single base mutation adjacent to an S1 hypersensitive site 5' to the A gamma globin gene. Blood, 1986, 68, 1389-1393.	0.6	75
111	Purification of a factor specific for the upstream element of the adenovirus-2 major late promoter.. EMBO Journal, 1986, 5, 2577-2584.	3.5	120
112	The first exon of the c-myc proto-oncogene contains a novel positive control element.. EMBO Journal, 1986, 5, 3553-3562.	3.5	89
113	Formation of the transcription initiation complex on mammalian rDNA.. Molecular and Cellular Biology, 1986, 6, 3418-3427.	1.1	46
114	Regulation of Adenovirus Mrna Formation. Advances in Virus Research, 1986, 31, 169-228.	0.9	71
115	Two distinct promoter elements in the human rRNA gene identified by linker scanning mutagenesis.. Molecular and Cellular Biology, 1986, 6, 227-235.	1.1	139
116	Minimal transcriptional enhancer of simian virus 40 is a 74-base-pair sequence that has interacting domains.. Molecular and Cellular Biology, 1986, 6, 3667-3676.	1.1	22
117	Functional organization of the simian virus 40 origin of DNA replication.. Molecular and Cellular Biology, 1986, 6, 1117-1128.	1.1	216
118	Human argininosuccinate synthetase minigenes are subject to arginine-mediated repression but not to trans induction.. Molecular and Cellular Biology, 1986, 6, 1244-1252.	1.1	25
119	Interaction of distinct nuclear proteins with sequences controlling the expression of polyomavirus early genes.. Molecular and Cellular Biology, 1986, 6, 1401-1411.	1.1	65
120	Features of the chicken c-myc gene that influence the structure of c-myc RNA in normal cells and bursal lymphomas.. Molecular and Cellular Biology, 1986, 6, 2800-2806.	1.1	28
121	Point mutation associated with hereditary persistence of fetal hemoglobin decreases RNA polymerase III transcription upstream of the affected gamma-globin gene.. Molecular and Cellular Biology, 1986, 6, 3278-3282.	1.1	18
122	Immunoglobulin J chain gene from the mouse.. Proceedings of the National Academy of Sciences of the United States of America, 1986, 83, 456-460.	3.3	54
123	The chicken delta 1-crystallin gene promoter: binding of transcription factor(s) to the upstream G+C-rich region is necessary for promoter function in vitro.. Proceedings of the National Academy of Sciences of the United States of America, 1986, 83, 3131-3135.	3.3	20
124	Identification of a factor in HeLa cells specific for an upstream transcriptional control sequence of an E1A-inducible adenovirus promoter and its relative abundance in infected and uninfected cells.. Proceedings of the National Academy of Sciences of the United States of America, 1986, 83, 5914-5918.	3.3	136
125	Trans-acting elements modulate expression of the human c-myc gene in Burkitt lymphoma cells.. Proceedings of the National Academy of Sciences of the United States of America, 1986, 83, 7918-7922.	3.3	90
126	Tissue-specific transcription enhancement of the fibroin gene characterized by cell-free systems.. Proceedings of the National Academy of Sciences of the United States of America, 1986, 83, 9522-9526.	3.3	66

#	ARTICLE	IF	CITATIONS
127	Sequences involved in initiation of simian virus 40 late transcription in the absence of T antigen.. Molecular and Cellular Biology, 1986, 6, 1875-1885.	1.1	30
128	Genetic analysis of the human thymidine kinase gene promoter.. Molecular and Cellular Biology, 1986, 6, 2903-2909.	1.1	45
129	A single polypeptide possesses the binding and transcription activities of the adenovirus major late transcription factor.. Molecular and Cellular Biology, 1986, 6, 4723-4733.	1.1	482
130	A calcium ionophore-inducible cellular promoter is highly active and has enhancerlike properties.. Molecular and Cellular Biology, 1986, 6, 1235-1243.	1.1	59
131	Purification of a cellular, double-stranded DNA-binding protein required for initiation of adenovirus DNA replication by using a rapid filter-binding assay.. Molecular and Cellular Biology, 1986, 6, 1363-1373.	1.1	52
132	Herpes simplex virus immediate early infected-cell polypeptide 4 binds to DNA and promotes transcription.. Proceedings of the National Academy of Sciences of the United States of America, 1986, 83, 4016-4020.	3.3	103
133	Affinity purification of sequence-specific DNA binding proteins.. Proceedings of the National Academy of Sciences of the United States of America, 1986, 83, 5889-5893.	3.3	1,263
134	Delimitation and characterization of cis-acting DNA sequences required for the regulated expression and transcriptional control of the chicken skeletal alpha-actin gene.. Molecular and Cellular Biology, 1986, 6, 2462-2475.	1.1	175
135	In vivo competition of delta-crystallin gene expression by DNA fragments containing a GC box.. Molecular and Cellular Biology, 1986, 6, 4130-4132.	1.1	22
136	Multiple transcription start sites, DNase I-hypersensitive sites, and an opposite-strand exon in the 5' region of the CHO dhfr gene.. Molecular and Cellular Biology, 1986, 6, 425-440.	1.1	177
137	Three tightly linked genes encoding human type I keratins: conservation of sequence in the 5'-untranslated leader and 5'-upstream regions of coexpressed keratin genes.. Molecular and Cellular Biology, 1986, 6, 539-548.	1.1	86
138	Nonmuscle and muscle tropomyosin isoforms are expressed from a single gene by alternative RNA splicing and polyadenylation.. Molecular and Cellular Biology, 1986, 6, 3582-3595.	1.1	199
139	Control of transcription initiation in vitro requires binding of a transcription factor to the distal promoter of the ovalbumin gene.. Molecular and Cellular Biology, 1986, 6, 2784-2791.	1.1	109
140	Requirement of stereospecific alignments for initiation from the simian virus 40 early promoter. Nature, 1986, 319, 121-126.	13.7	381
141	Transcription factor Sp1 recognizes a DNA sequence in the mouse dihydrofolate reductase promoter. Nature, 1986, 319, 246-248.	13.7	282
142	Different micrococcal nuclease cleavage patterns characterize transcriptionally active and inactive sea-urchin histone genes. FEBS Journal, 1986, 156, 367-374.	0.2	15
143	Sequence-specific DNA-binding proteins which interact with (G + C)-rich sequences flanking the chicken c-myc gene. FEBS Journal, 1986, 159, 181-188.	0.2	23
144	Structure and regulation of the sheep metallothionein-la gene. FEBS Journal, 1986, 160, 579-585.	0.2	35

#	ARTICLE	IF	CITATIONS
145	The molecular characterization of geminiviruses. <i>Plant Molecular Biology Reporter</i> , 1986, 4, 177-192.	1.0	78
146	Isolation and characterization of the human catalase gene. <i>Nucleic Acids Research</i> , 1986, 14, 5321-5335.	6.5	217
147	Multiple protein-binding sites in the 5'-flanking region regulate c-fos expression.. <i>Molecular and Cellular Biology</i> , 1986, 6, 4305-4316.	1.1	562
148	E1A transcription induction: enhanced binding of a factor to upstream promoter sequences. <i>Science</i> , 1986, 231, 719-722.	6.0	124
149	The organization of the human HPRT gene. <i>Nucleic Acids Research</i> , 1986, 14, 3103-3118.	6.5	125
150	Homologies of nucleotide sequences in the 5'-end regions of two developmental] of <i>Sarcophaga pertgrina</i> . <i>Nucleic Acids Research</i> , 1986, 14, 2685-2698.	6.5	20
151	Multiple DNA-protein interactions governing high-precision DNA transactions. <i>Science</i> , 1986, 233, 1050-1056.	6.0	331
152	In vitro transcription of a human hsp 70 heat shock gene by extracts prepared from heat-shocked and non-heat-shocked human cells. <i>Nucleic Acids Research</i> , 1986, 14, 8933-8948.	6.5	21
153	Characterisation of chicken erythroid nuclear proteins which bind to the nuclease hypersensitive regions upstream of the β^A - and β^H -globin genes. <i>Nucleic Acids Research</i> , 1986, 14, 7675-7693.	6.5	58
154	Amino acid sequence of the testosterone-regulated mouse kidney RP2 protein deduced from its complementary DNA sequence. <i>Nucleic Acids Research</i> , 1986, 14, 5159-5170.	6.5	7
155	Identification of two factors required for transcription of the ovalbumin gene.. <i>Molecular and Cellular Biology</i> , 1986, 6, 4259-4267.	1.1	178
156	In vivo competition between a metallothionein regulatory element and the SV40 enhancer. <i>Science</i> , 1986, 232, 76-80.	6.0	100
157	Binding of the Sp1 transcription factor by the human Harvey ras1 proto-oncogene promoter. <i>Science</i> , 1986, 232, 1410-1413.	6.0	162
158	Analysis of DNA sequences which regulate the transcription of herpes simplex virus immediate early gene 3: DNA sequences required for enhancer-like activity and response to trans-activation by a virion polypeptide. <i>Nucleic Acids Research</i> , 1986, 14, 929-943.	6.5	118
159	Evolution of the casein multigene family: conserved sequences in the 5' flanking and exon regions. <i>Nucleic Acids Research</i> , 1986, 14, 1883-1902.	6.5	110
160	Fine structure of the human hypoxanthine phosphoribosyltransferase gene.. <i>Molecular and Cellular Biology</i> , 1986, 6, 393-403.	1.1	212
161	Protein factor(s) binding independently to two different regions of the adenovirus 2 major late promoter. <i>Nucleic Acids Research</i> , 1986, 14, 3729-3744.	6.5	35
162	Cell proliferation and expression of the transferrin receptor gene: promoter sequence homologies and protein interactions.. <i>Journal of Cell Biology</i> , 1986, 103, 1781-1788.	2.3	70

#	ARTICLE	IF	CITATIONS
163	Mutagenesis of conserved 5' elements and transcription of a chicken H1 histone gene. <i>Nucleic Acids Research</i> , 1986, 14, 635-644.	6.5	23
164	Compilation and analysis of eukaryotic POL II promoter sequences. <i>Nucleic Acids Research</i> , 1986, 14, 10009-10026.	6.5	359
165	Functional, developmentally expressed genes for mouse U1a and U1b snRNAs contain both conserved and non-conserved transcription signals. <i>Nucleic Acids Research</i> , 1986, 14, 9811-9825.	6.5	24
166	A 100-kD HeLa cell octamer binding protein (OBP100) interacts differently with two separate octamer-related sequences within the SV40 enhancer.. <i>Genes and Development</i> , 1987, 1, 1147-1160.	2.7	271
167	Tissue-specific expression of the human α 1-antitrypsin gene is controlled by multiple cis-regulatory elements. <i>Nucleic Acids Research</i> , 1987, 15, 8399-8415.	6.5	65
168	Distinct factors with Sp1 and NF-A specificities bind to adjacent functional elements of the human U2 snRNA gene enhancer.. <i>Genes and Development</i> , 1987, 1, 808-817.	2.7	121
169	The Nucleotide Sequence and Genome Organization of Bovine Papillomavirus Type 4. <i>Journal of General Virology</i> , 1987, 68, 2117-2128.	1.3	34
170	Sequences of the 5' portion of the human c-sis gene: characterization of the transcriptional promoter and regulation of expression of the protein product by 5' untranslated mRNA sequences. <i>Nucleic Acids Research</i> , 1987, 15, 6017-6036.	6.5	84
171	A promoter with an internal regulatory domain is part of the origin of replication in BPV-1. <i>Science</i> , 1987, 236, 1666-1671.	6.0	98
172	Identification of the principal promoter sequence of the c-H-ras transforming oncogene: deletion analysis of the 5'-flanking region by focus formation assay.. <i>Molecular and Cellular Biology</i> , 1987, 7, 2933-2940.	1.1	50
173	Interaction of a liver-specific nuclear factor with the fibrinogen and alpha 1-antitrypsin promoters. <i>Science</i> , 1987, 238, 688-692.	6.0	496
174	Dietary Regulation of Gene Expression: Enzymes Involved in Carbohydrate and Lipid Metabolism. <i>Annual Review of Nutrition</i> , 1987, 7, 157-185.	4.3	183
175	Highly recurring sequence elements identified in eukaryotic DNAs by computer analysis are often homologous to regulatory sequences or protein binding sites. <i>Nucleic Acids Research</i> , 1987, 15, 1835-1851.	6.5	19
176	Sequence and S1 nuclease mapping of the 5' region of the dihydrofolate reductase-thymidylate synthase gene of <i>Leishmania major</i> . <i>Nucleic Acids Research</i> , 1987, 15, 3369-3383.	6.5	34
177	A germline transformation analysis reveals flexibility in the organization of heat shock consensus elements. <i>Nucleic Acids Research</i> , 1987, 15, 2971-2988.	6.5	160
178	Identification and cell type specificity of the tyrosine hydroxylase gene promoter. <i>Nucleic Acids Research</i> , 1987, 15, 2363-2384.	6.5	72
179	Cell- and promoter-specific activation of transcription by DNA replication.. <i>Genes and Development</i> , 1987, 1, 1065-1074.	2.7	31
180	Heat-Shock Proteins And Development. <i>Advances in Genetics</i> , 1987, 24, 1-29.	0.8	90

#	ARTICLE	IF	CITATIONS
181	Purification and characterization of chicken ovalbumin gene upstream promoter transcription factor from homologous oviduct cells.. <i>Molecular and Cellular Biology</i> , 1987, 7, 4151-4158.	1.1	48
182	Phosphorylation of S-II, a eukaryotic transcription factor, by casein kinase II.. <i>Chemical and Pharmaceutical Bulletin</i> , 1987, 35, 4181-4187.	0.6	13
183	Specific stimulation of simian virus 40 late transcription in vitro by a cellular factor binding the simian virus 40 21-base-pair repeat promoter element.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1987, 84, 6025-6029.	3.3	85
184	Cell-cycle-specific interaction of nuclear DNA-binding proteins with a CCAAT sequence from the human thymidine kinase gene.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1987, 84, 8350-8354.	3.3	83
185	Structure of the rat platelet factor 4 gene: a marker for megakaryocyte differentiation.. <i>Molecular and Cellular Biology</i> , 1987, 7, 898-904.	1.1	102
186	Multiple basal elements of a human hsp70 promoter function differently in human and rodent cell lines.. <i>Molecular and Cellular Biology</i> , 1987, 7, 3646-3655.	1.1	133
187	Transcription of the ADH2 gene in <i>Saccharomyces cerevisiae</i> is limited by positive factors that bind competitively to its intact promoter region on multicopy plasmids.. <i>Molecular and Cellular Biology</i> , 1987, 7, 1233-1241.	1.1	49
188	Comparative anatomy of the human APRT gene and enzyme: nucleotide sequence divergence and conservation of a nonrandom CpG dinucleotide arrangement.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1987, 84, 3349-3353.	3.3	98
189	Multiple tissue-specific sites of transcriptional initiation of the mouse anion antiport gene in erythroid and renal cells.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1987, 84, 7149-7153.	3.3	64
190	The gene-specific initiation factor USF (upstream stimulatory factor) bound at the adenovirus type 2 major late promoter: mass and three-dimensional structure.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1987, 84, 4826-4830.	3.3	20
191	Transcription of adenovirus 2 major late and peptide IX genes under conditions of in vitro nucleosome assembly.. <i>Molecular and Cellular Biology</i> , 1987, 7, 1401-1408.	1.1	100
192	A nuclease-hypersensitive region forms de novo after chromosome replication.. <i>Molecular and Cellular Biology</i> , 1987, 7, 3822-3825.	1.1	22
193	Metal-responsive elements act as positive modulators of human metallothionein-IIA enhancer activity.. <i>Molecular and Cellular Biology</i> , 1987, 7, 606-613.	1.1	153
194	Murine DNA polymerase beta gene: mapping of transcription initiation sites and the nucleotide sequence of the putative promoter region.. <i>Molecular and Cellular Biology</i> , 1987, 7, 2012-2018.	1.1	54
195	Regulation of in vitro and in vivo transcription of early-region IV of adenovirus type 5 by multiple cis-acting elements.. <i>Molecular and Cellular Biology</i> , 1987, 7, 2578-2587.	1.1	43
196	Identification of promoter elements required for in vitro transcription of hamster 3-hydroxy-3-methylglutaryl coenzyme A reductase gene.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1987, 84, 3614-3618.	3.3	82
197	Ubiquitous upstream repression sequences control activation of the inducible arginase gene in yeast.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1987, 84, 3997-4001.	3.3	110
198	Constitutive and anaerobically induced DNase-I-hypersensitive sites in the 5' region of the maize Adh1 gene.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1987, 84, 799-803.	3.3	51

#	ARTICLE	IF	CITATIONS
199	The first intron in the human c-abl gene is at least 200 kilobases long and is a target for translocations in chronic myelogenous leukemia.. <i>Molecular and Cellular Biology</i> , 1987, 7, 3231-3236.	1.1	176
200	Conservation of promoter sequence but not complex intron splicing pattern in human and hamster genes for 3-hydroxy-3-methylglutaryl coenzyme A reductase.. <i>Molecular and Cellular Biology</i> , 1987, 7, 1881-1893.	1.1	50
201	The structure of a human neurofilament gene (NF-L): A unique exon-intron organization in the intermediate filament gene family. <i>Biochimica Et Biophysica Acta Gene Regulatory Mechanisms</i> , 1987, 909, 10-20.	2.4	112
202	Biological and Molecular Aspects of Simian Virus 40 (SV-40) and Polyomavirus Replication. , 1987, , 457-481.		0
203	Structural organization of the mouse mitochondrial aspartate aminotransferase gene. <i>Journal of Molecular Biology</i> , 1987, 198, 21-31.	2.0	53
204	Cholera toxin transcriptional activator ToxR is a transmembrane DNA binding protein. <i>Cell</i> , 1987, 48, 271-279.	13.5	606
205	DNA sequences required for trans-activation of an immediate-early frog virus 3 gene. <i>Virology</i> , 1987, 161, 1-7.	1.1	17
206	Purified transcription factor AP-1 interacts with TPA-inducible enhancer elements. <i>Cell</i> , 1987, 49, 741-752.	13.5	2,161
207	In vitro identification of a B19 parvovirus promoter. <i>Virology</i> , 1987, 157, 534-538.	1.1	110
208	Isolation of cDNA encoding transcription factor Sp1 and functional analysis of the DNA binding domain. <i>Cell</i> , 1987, 51, 1079-1090.	13.5	1,960
209	A genomic clone containing the promoter for the gene encoding the human lysosomal enzyme, β -galactosidase A. <i>Gene</i> , 1987, 58, 177-188.	1.0	22
210	Factors involved in control of tissue-specific expression of albumin gene. <i>Cell</i> , 1987, 50, 627-638.	13.5	385
211	Positive and negative regulation of transcription in vitro: Enhancer-binding protein AP-2 is inhibited by SV40 T antigen. <i>Cell</i> , 1987, 50, 847-861.	13.5	1,055
212	Transcription of <i>Neurospora crassa</i> 5 S rRNA genes requires a TATA box and three internal elements. <i>Journal of Molecular Biology</i> , 1987, 196, 801-811.	2.0	70
213	[41] Electrophoretic assay for DNA-binding proteins. <i>Methods in Enzymology</i> , 1987, 151, 551-565.	0.4	34
214	Alternative Promoters in Developmental Gene Expression. <i>Annual Review of Genetics</i> , 1987, 21, 237-257.	3.2	196
215	Sequence-specific interactions of a pea nuclear factor with light-responsive elements upstream of the <i>rbcS-3A</i> gene.. <i>EMBO Journal</i> , 1987, 6, 2543-2549.	3.5	369
216	Differential promoter utilization by the bovine papillomavirus in transformed cells and productively infected wart tissues.. <i>EMBO Journal</i> , 1987, 6, 1027-1035.	3.5	176

#	ARTICLE	IF	CITATIONS
217	Promoter interaction of the E1A-inducible factor E2F and its potential role in the formation of a multi-component complex.. EMBO Journal, 1987, 6, 2061-2068.	3.5	128
218	A cellular transcription factor E4F1 interacts with an E1a-inducible enhancer and mediates constitutive enhancer function in vitro.. EMBO Journal, 1987, 6, 1345-1353.	3.5	186
219	Interaction of the TGGCA-binding protein with upstream sequences is required for efficient transcription of mouse mammary tumor virus.. EMBO Journal, 1987, 6, 1355-1360.	3.5	159
220	Xenopus cytoskeletal actin and human c-fos gene promoters share a conserved protein-binding site.. EMBO Journal, 1987, 6, 667-673.	3.5	171
221	Alu-family repeat binding protein from HeLa cells which interacts with regulatory region of SV40 virus genome. Molecular Biology Reports, 1987, 12, 111-116.	1.0	19
222	Partial purification of plant transcription factors. I. Initiation. Plant Molecular Biology, 1987, 9, 147-158.	2.0	16
223	Theoretical molecular biology: Prospectives and perspectives. Journal of Theoretical Biology, 1987, 125, 219-235.	0.8	33
224	Activation of transcription by two factors that bind promoter and enhancer sequences of the human metallothionein gene and SV40. Nature, 1987, 325, 368-372.	13.7	802
225	A TATA box implicated in E1A transcriptional activation of a simple adenovirus 2 promoter. Nature, 1987, 326, 512-515.	13.7	283
226	Identical mRNA for preproglucagon in pancreas and gut. FEBS Journal, 1987, 164, 553-558.	0.2	107
227	CpG deficiency, dinucleotide distributions and nucleosome positioning. FEBS Journal, 1987, 165, 107-115.	0.2	22
228	Cloning and sequencing of a rat CuZn superoxide dismutase cDNA. Correlation between CuZn superoxide dismutase mRNA level and enzyme activity in rat and mouse tissues. FEBS Journal, 1987, 166, 181-187.	0.2	54
229	Thyroid-specific and cAMP-dependent hypersensitive regions in thyroglobulin gene chromatin. FEBS Journal, 1988, 178, 387-393.	0.2	15
230	Putative elements in the vicinity of viral transcription initiation sites. International Journal of Biochemistry & Cell Biology, 1988, 20, 721-730.	0.8	2
231	Novel control elements in the alpha-1 tubulin gene promoter from Chlamydomonas reinhardtii. Molecular Genetics and Genomics, 1988, 214, 204-212.	2.4	19
232	Homology of the HSV-2 α -sequence? to cellular sequences. Virus Genes, 1988, 1, 175-189.	0.7	3
233	Enhancer binding factors AP-4 and AP-1 act in concert to activate SV40 late transcription in vitro. Nature, 1988, 332, 557-561.	13.7	329
234	Transcriptional activation by the pseudorabies virus immediate early protein requires the TATA box element in the adenovirus 2 E1B promoter. Virology, 1988, 167, 318-322.	1.1	34

#	ARTICLE	IF	CITATIONS
235	Human H1 histone gene promoter CCAAT-box binding protein HiNF-B is a mosaic factor. <i>Biochemistry</i> , 1988, 27, 6534-6541.	1.2	49
236	Expression of \hat{G}^3 and \hat{A}^3 Globin Genes in Human Adults. <i>Hemoglobin</i> , 1988, 12, 707-716.	0.4	16
237	Functional anatomy of the simian virus 40 late promoter. <i>Virology</i> , 1988, 163, 481-493.	1.1	23
238	The enhancer elements and GGGCGG boxes of sv40 provide similar functions in bidirectionally promoting transcription. <i>Virology</i> , 1988, 163, 579-590.	1.1	28
239	Analysis of mechanisms controlling the interactions of SV40 large T antigen with the SV40 ORI region. <i>Virology</i> , 1988, 165, 527-538.	1.1	18
240	Structural organization of the mouse cytosolic malate dehydrogenase gene: Comparison with that of the mouse mitochondrial malate dehydrogenase gene. <i>Journal of Molecular Biology</i> , 1988, 202, 355-364.	2.0	39
241	Analysis of Sp1 in vivo reveals multiple transcriptional domains, including a novel glutamine-rich activation motif. <i>Cell</i> , 1988, 55, 887-898.	13.5	1,753
242	Partial purification and characterization of a cellular protein that binds to the SV40 core origin of DNA replication. <i>Biochimica Et Biophysica Acta Gene Regulatory Mechanisms</i> , 1988, 951, 396-402.	2.4	7
243	O-glycosylation of eukaryotic transcription factors: Implications for mechanisms of transcriptional regulation. <i>Cell</i> , 1988, 55, 125-133.	13.5	899
244	Transcripts of the <i>Drosophila</i> blastoderm-specific locus, terminus, are concentrated posteriorly and encode a potential DNA-binding finger. <i>Developmental Biology</i> , 1988, 125, 85-95.	0.9	37
245	Organization of the hTMnm gene. <i>Journal of Molecular Biology</i> , 1988, 201, 507-515.	2.0	67
246	Structural organization of the mouse aspartate aminotransferase isoenzyme genes. <i>Journal of Molecular Biology</i> , 1988, 200, 13-22.	2.0	39
247	GAL4 derivatives function alone and synergistically with mammalian activators in vitro. <i>Cell</i> , 1988, 54, 659-664.	13.5	308
248	The major heat-shock protein hsp 68 is not induced by stress in mouse erythroleukemia cell lines. <i>Biochemistry and Cell Biology</i> , 1988, 66, 691-701.	0.9	22
249	Abundant 5 kb RNA of Human Cytomegalovirus without a Major Translational Reading Frame. <i>Journal of General Virology</i> , 1988, 69, 2251-2266.	1.3	33
250	Constraints on spacing between transcription factor binding sites in a simple adenovirus promoter.. <i>Genes and Development</i> , 1988, 2, 403-411.	2.7	70
251	Mouse DNA polymerase \hat{A} gene promoter: fine mapping and involvement of Sp1-like mouse transcription factor in its function. <i>Nucleic Acids Research</i> , 1988, 16, 8773-8787.	6.5	55
252	Initiation of Viral DNA Replication. <i>Advances in Virus Research</i> , 1988, 34, 1-42.	0.9	59

#	ARTICLE	IF	CITATIONS
253	In vitro analysis of the Antennapedia P2 promoter: identification of a new Drosophila transcription factor.. Genes and Development, 1988, 2, 1615-1626.	2.7	106
254	The GLI-Kruppel family of human genes.. Molecular and Cellular Biology, 1988, 8, 3104-3113.	1.1	294
255	Distinct regions of Sp1 modulate DNA binding and transcriptional activation. Science, 1988, 242, 1566-1570.	6.0	382
256	The regulation of SV40 early gene expression in embryonal carcinoma stem cells-faithful transcriptional regulation in vitro. Nucleic Acids Research, 1988, 16, 11417-11430.	6.5	17
257	Compilation of transcription regulating proteins. Nucleic Acids Research, 1988, 16, 1879-1902.	6.5	311
258	Identification of DNA sequences required for mouse APRT gene expression. Nucleic Acids Research, 1988, 16, 8509-8524.	6.5	31
259	Detection of a nuclear protein that interacts with a metal regulatory element of the mouse metallothionein 1 gene. Nucleic Acids Research, 1988, 16, 10547-10560.	6.5	55
260	An archaeobacterial RNA polymerase binding site and transcription initiation of the hisA gene in Methanococcus vannielii. Nucleic Acids Research, 1988, 16, 135-150.	6.5	56
261	Heavy metal ions in transcription factors from HeLa cells: Sp1, but not octamer transcription factor requires zinc for DNA binding and for activator function. Nucleic Acids Research, 1988, 16, 5771-5781.	6.5	60
262	Multiple elements are required for expression of an intermediate filament gene. Nucleic Acids Research, 1988, 16, 8057-8076.	6.5	33
263	Precise nucleosome positioning in the promoter of the chicken β -globin gene. Nucleic Acids Research, 1988, 16, 501-517.	6.5	21
264	A constitutive promoter directs expression of the nerve growth factor receptor gene.. Molecular and Cellular Biology, 1988, 8, 3160-3167.	1.1	294
265	Multiple nuclear factors interact with promoter sequences of the urokinase-type plasminogen activator gene. Nucleic Acids Research, 1988, 16, 7527-7544.	6.5	24
266	OBP100 binds remarkably degenerate octamer motifs through specific interactions with flanking sequences.. Genes and Development, 1988, 2, 1400-1413.	2.7	201
267	EivF, a factor required for transcription of the adenovirus EIV promoter, binds to an element involved in Ela-dependent activation and cAMP induction.. Genes and Development, 1988, 2, 975-990.	2.7	73
268	Evidence of DNA: protein interactions that mediate HSV-1 immediate early gene activation by VP16.. Genes and Development, 1988, 2, 730-742.	2.7	317
269	Modulation of epidermal growth factor receptor proto-oncogene transcription by a promoter site sensitive to S1 nuclease.. Molecular and Cellular Biology, 1988, 8, 4174-4184.	1.1	148
270	Regulation of interleukin 2 receptor alpha subunit (Tac or CD25 antigen) gene expression: binding of inducible nuclear proteins to discrete promoter sequences correlates with transcriptional activation.. Proceedings of the National Academy of Sciences of the United States of America, 1988, 85, 4468-4472.	3.3	79

#	ARTICLE	IF	CITATIONS
271	A discrete region centered 22 base pairs upstream of the initiation site modulates transcription of <i>Drosophila</i> tRNAAsn genes.. <i>Molecular and Cellular Biology</i> , 1988, 8, 4441-4449.	1.1	9
272	Two regulatory domains flank the mouse H19 gene.. <i>Molecular and Cellular Biology</i> , 1988, 8, 4707-4715.	1.1	107
273	Identification of two transcription factors that bind to specific elements in the promoter of the adenovirus early-region 4.. <i>Molecular and Cellular Biology</i> , 1988, 8, 1290-1300.	1.1	71
274	Simian virus 40 major late promoter: a novel tripartite structure that includes intragenic sequences.. <i>Molecular and Cellular Biology</i> , 1988, 8, 2021-2033.	1.1	128
275	A transcription factor active on the epidermal growth factor receptor gene.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1988, 85, 5016-5020.	3.3	89
276	Identification and characterization of multiple erythroid cell proteins that interact with the promoter of the murine alpha-globin gene.. <i>Molecular and Cellular Biology</i> , 1988, 8, 3215-3226.	1.1	59
277	Cytosine methylation does not affect binding of transcription factor Sp1.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1988, 85, 2066-2070.	3.3	208
278	Seminoma-derived Nagao isozyme is encoded by a germ-cell alkaline phosphatase gene.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1988, 85, 3024-3028.	3.3	140
279	Effects of single-base substitutions within the <i>Acanthamoeba castellanii</i> rRNA promoter on transcription and on binding of transcription initiation factor and RNA polymerase I.. <i>Molecular and Cellular Biology</i> , 1988, 8, 747-753.	1.1	32
280	Structure of the murine <i>lck</i> gene and its rearrangement in a murine lymphoma cell line.. <i>Molecular and Cellular Biology</i> , 1988, 8, 3058-3064.	1.1	99
281	Negative regulation of the human polyomavirus BK enhancer involves cell-specific interaction with a nuclear repressor.. <i>Molecular and Cellular Biology</i> , 1988, 8, 3448-3457.	1.1	43
282	Replication from a proximal simian virus 40 origin is severely inhibited by multiple reiterations of the 72-base-pair repeat enhancer sequence.. <i>Molecular and Cellular Biology</i> , 1988, 8, 1509-1517.	1.1	17
283	Transferrin: Evolution and Genetic Regulation of Expression. <i>Advances in Genetics</i> , 1988, 25, 1-38.	0.8	61
284	ATP stimulates the binding of simian virus 40 (SV40) large tumor antigen to the SV40 origin of replication.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1988, 85, 64-68.	3.3	176
285	Isolation and structural characterization of the human 4F2 heavy-chain gene, an inducible gene involved in T-lymphocyte activation.. <i>Molecular and Cellular Biology</i> , 1988, 8, 3809-3819.	1.1	73
286	Regulation of Cholesterol Synthesis: Mechanism for Control of HMG CoA Reductase. , 1988, 44, 35-51.		9
287	A gene encoding a protein with zinc fingers is activated during G0/G1 transition in cultured cells.. <i>EMBO Journal</i> , 1988, 7, 29-35.	3.5	399
288	A zinc-responsive factor interacts with a metal-regulated enhancer element (MRE) of the mouse metallothionein-I gene.. <i>EMBO Journal</i> , 1988, 7, 3763-3770.	3.5	264

#	ARTICLE	IF	CITATIONS
289	A spliced Epstein-Barr virus gene expressed in immortalized lymphocytes is created by circularization of the linear viral genome.. EMBO Journal, 1988, 7, 769-774.	3.5	184
290	Mitochondrial RNA polymerase of <i>Saccharomyces cerevisiae</i> : composition and mechanism of promoter recognition.. EMBO Journal, 1988, 7, 3255-3262.	3.5	78
291	The first intron of the 4F2 heavy-chain gene contains a transcriptional enhancer element that binds multiple nuclear proteins.. Molecular and Cellular Biology, 1989, 9, 2588-2597.	1.1	71
292	Analysis of the 5' Flanking Regions of Rat Inhibin α - and β -Subunit Genes Suggests Two Different Regulatory Mechanisms. Molecular Endocrinology, 1989, 3, 1914-1925.	3.7	94
293	Purification and analysis of RNA polymerase II transcription factors by using wheat germ agglutinin affinity chromatography.. Proceedings of the National Academy of Sciences of the United States of America, 1989, 86, 1781-1785.	3.3	184
294	In vitro DNA cytosine methylation of cis-regulatory elements modulates c-Ha-ras promoter activity in vivo. Nucleic Acids Research, 1989, 17, 5135-5148.	6.5	21
295	Structure of a mouse erythroid 5-aminolevulinic synthase gene and mapping of erythroid-specific DNase I hypersensitive sites. Nucleic Acids Research, 1989, 17, 7013-7028.	6.5	53
296	Detection of specific protein binding to the SV40 early promoter in vivo. Nucleic Acids Research, 1989, 17, 7945-7963.	6.5	7
297	Identification of a myocyte nuclear factor that binds to the muscle-specific enhancer of the mouse muscle creatine kinase gene.. Molecular and Cellular Biology, 1989, 9, 2627-2640.	1.1	374
298	Multiple Cis-Acting DNA Regulatory Elements Mediate Hepatic Angiotensinogen Gene Expression. Molecular Endocrinology, 1989, 3, 1022-1034.	3.7	61
299	Activin B: Precursor Sequences, Genomic Structure and <i>in Vitro</i> Activities. Molecular Endocrinology, 1989, 3, 1352-1358.	3.7	135
300	Regulation of Epidermal Growth Factor Receptor Gene Expression. Molecular Endocrinology, 1989, 3, 400-408.	3.7	66
301	The minimal transforming fragment of HSV-2 mtrIII can function as a complex promoter element. Virology, 1989, 169, 346-353.	1.1	25
302	Nucleotide sequence of E1 region of canine adenovirus type 2. Virology, 1989, 172, 460-467.	1.1	12
303	Genome organization of mouse adenovirus type 1 early region 1: A novel transcription map. Virology, 1989, 170, 523-536.	1.1	40
304	abl genes. Biochimica Et Biophysica Acta: Reviews on Cancer, 1989, 989, 209-224.	3.3	9
305	Two sequence-specific binding proteins from the promoter region of the c-Ha-ras-1 oncogene. Biochemical Genetics, 1989, 27, 395-402.	0.8	0
306	Factors involved in preferential transcription of the fibroin gene. FEBS Journal, 1989, 179, 1-9.	0.2	10

#	ARTICLE	IF	CITATIONS
307	Primary structures of rat and bovine liver mitochondrial aldehyde dehydrogenases deduced from cDNA sequences. <i>FEBS Journal</i> , 1989, 180, 67-74.	0.2	92
308	The 4F2 heavy chain gene: a molecular model of inducible gene expression in human T cells. <i>Journal of Autoimmunity</i> , 1989, 2, 67-79.	3.0	4
309	The proline-rich transcriptional activator of CTF/NF-I is distinct from the replication and DNA binding domain. <i>Cell</i> , 1989, 58, 741-753.	13.5	863
310	Structure of the 5' flanking region of the gene encoding human glycophorin A and analysis of its multiple transcripts. <i>Gene</i> , 1989, 85, 471-477.	1.0	18
311	Molecular cloning and characterization of a human DNA binding factor that represses transcription. <i>Cell</i> , 1989, 59, 815-825.	13.5	290
312	Structure of the 5' flanking region of the gene encoding human parathyroid-hormone-related protein (PTHrP). <i>Gene</i> , 1989, 77, 95-105.	1.0	124
313	Synergistic activation by the glutamine-rich domains of human transcription factor Sp1. <i>Cell</i> , 1989, 59, 827-836.	13.5	560
314	Initiation of transcription by RNA polymerase II. <i>Biochimica Et Biophysica Acta Gene Regulatory Mechanisms</i> , 1989, 1009, 1-10.	2.4	62
315	Inhibition of DNA binding proteins by oligonucleotide-directed triple helix formation. <i>Science</i> , 1989, 245, 725-730.	6.0	451
316	Identification of a novel 80 kDa antigen associated with cell proliferation. <i>Cancer Letters</i> , 1989, 47, 199-204.	3.2	0
317	The "initiator" as a transcription control element. <i>Cell</i> , 1989, 57, 103-113.	13.5	1,617
318	Measurement of the binding of transcription factor Sp1 to a single GC box recognition sequence. <i>Nucleic Acids Research</i> , 1989, 17, 2639-2653.	6.5	244
319	The NGFI-B gene, a transcriptionally inducible member of the steroid receptor gene superfamily: genomic structure and expression in rat brain after seizure induction.. <i>Molecular and Cellular Biology</i> , 1989, 9, 4213-4219.	1.1	171
320	The mouse thymidylate synthase promoter: essential elements are in close proximity to the transcriptional initiation sites.. <i>Molecular and Cellular Biology</i> , 1989, 9, 4079-4082.	1.1	28
321	Adjacent upstream activation sequence elements synergistically regulate transcription of ADH2 in <i>Saccharomyces cerevisiae</i> .. <i>Molecular and Cellular Biology</i> , 1989, 9, 34-42.	1.1	70
322	Identification and characterization of a chicken alpha-globin enhancer.. <i>Molecular and Cellular Biology</i> , 1989, 9, 893-901.	1.1	63
323	Isolation and functional analysis of chicken 90-kDa heat shock protein gene promoter. <i>Nucleic Acids Research</i> , 1989, 17, 5259-5272.	6.5	15
324	Structural organization of upstream exons and distribution of transcription start sites in the chicken c-myc gene.. <i>Molecular and Cellular Biology</i> , 1989, 9, 837-843.	1.1	14

#	ARTICLE	IF	CITATIONS
325	Promoter upstream elements of the chicken cardiac myosin light-chain 2-A gene interact with trans-acting regulatory factors for muscle-specific transcription.. <i>Molecular and Cellular Biology</i> , 1989, 9, 2513-2525.	1.1	92
326	Structure of the NGFI-A gene and detection of upstream sequences responsible for its transcriptional induction by nerve growth factor.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1989, 86, 377-381.	3.3	151
327	Identification of cellular proteins that bind to the human immunodeficiency virus type 1 trans-activation-responsive TAR element RNA.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1989, 86, 7828-7832.	3.3	146
328	Cooperative activation of a eukaryotic transcription factor: interaction between Cu(I) and yeast ACE1 protein.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1989, 86, 5267-5271.	3.3	85
329	Identification of HeLa cell nuclear factors that bind to and activate the early promoter of human polyomavirus BK in vitro.. <i>Molecular and Cellular Biology</i> , 1989, 9, 3821-3828.	1.1	36
330	Mechanisms of Viral-Mediated Trans-Activation of Transcription. <i>Advances in Virus Research</i> , 1989, 37, 35-83.	0.9	68
333	A combination of closely associated positive and negative cis-acting promoter elements regulates transcription of the skeletal alpha-actin gene.. <i>Molecular and Cellular Biology</i> , 1990, 10, 528-538.	1.1	126
334	The upstream sequence -537 to -278 is necessary for transcription of the human nucleolar antigen p120 gene.. <i>Molecular and Cellular Biology</i> , 1990, 10, 3253-3255.	1.1	8
335	Isolation and characterization of the human homologue of rig and its pseudogenes: the functional gene has features characteristic of housekeeping genes.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1990, 87, 3594-3598.	3.3	36
336	A naturally occurring gamma globin gene mutation enhances SP1 binding activity.. <i>Molecular and Cellular Biology</i> , 1990, 10, 95-102.	1.1	52
337	N-myc mRNA forms an RNA-RNA duplex with endogenous antisense transcripts.. <i>Molecular and Cellular Biology</i> , 1990, 10, 4180-4191.	1.1	187
338	Basal, Cell-Specific and Hormonal Regulation of Gene Transcription: an Overview of the 1980s. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 1990, 79, 141-152.	0.7	0
339	Three novel brain tropomyosin isoforms are expressed from the rat alpha-tropomyosin gene through the use of alternative promoters and alternative RNA processing.. <i>Molecular and Cellular Biology</i> , 1990, 10, 1729-1742.	1.1	110
340	Cell type-specific protein-DNA interactions in the human zeta-globin upstream promoter region: displacement of Sp1 by the erythroid cell-specific factor NF-E1.. <i>Molecular and Cellular Biology</i> , 1990, 10, 282-294.	1.1	52
341	Molecular organization of the human Raf-1 promoter region.. <i>Molecular and Cellular Biology</i> , 1990, 10, 3325-3333.	1.1	27
342	M-CAT binding factor, a novel trans-acting factor governing muscle-specific transcription.. <i>Molecular and Cellular Biology</i> , 1990, 10, 4271-4283.	1.1	211
343	An S1 nuclease-sensitive homopurine/homopyrimidine domain in the c-Ki-ras promoter interacts with a nuclear factor.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1990, 87, 2705-2709.	3.3	114
344	Multiple positive and negative cis-acting elements mediate induced arginase (CAR1) gene expression in <i>Saccharomyces cerevisiae</i> .. <i>Molecular and Cellular Biology</i> , 1990, 10, 5087-5097.	1.1	57

#	ARTICLE	IF	CITATIONS
345	Differential trans activation associated with the muscle regulatory factors MyoD1, myogenin, and MRF4.. Molecular and Cellular Biology, 1990, 10, 3934-3944.	1.1	168
346	Cloning of the complete gene for carcinoembryonic antigen: analysis of its promoter indicates a region conveying cell type-specific expression.. Molecular and Cellular Biology, 1990, 10, 2738-2748.	1.1	162
347	A poxvirus bidirectional promoter element with early/late and late functions. Virology, 1990, 179, 151-158.	1.1	32
348	Cis-acting sequences and trans-acting factors required for constitutive expression of a microinjected HSP70 gene after the midblastula transition of <i>Xenopus laevis</i> embryogenesis. Genesis, 1990, 11, 97-109.	3.1	21
349	Promoter elements and erythroid cell nuclear factors that regulate alpha-globin gene transcription in vitro.. Molecular and Cellular Biology, 1990, 10, 5958-5966.	1.1	79
350	A single DNA-binding transcription factor is sufficient for activation from a distant enhancer and/or from a promoter position.. EMBO Journal, 1990, 9, 481-487.	3.5	82
351	HMG-CoA Reductase. , 1990, , 9-84.		0
352	Sequence analysis and DNA-protein interactions within the 5' flanking region of the Ca ²⁺ /calmodulin-dependent protein kinase II alpha-subunit gene.. Proceedings of the National Academy of Sciences of the United States of America, 1990, 87, 278-282.	3.3	23
353	The regulation of lung elastin synthesis. American Journal of Physiology - Lung Cellular and Molecular Physiology, 1990, 259, L13-L23.	1.3	22
354	Structural analysis of the mouse mdr1a (P-glycoprotein) promoter reveals the basis for differential transcript heterogeneity in multidrug-resistant J774.2 cells.. Molecular and Cellular Biology, 1990, 10, 3596-3606.	1.1	124
355	DNA Sequences Involved in the Transcriptional Activation of a Human Placental Lactogen Gene. Molecular Endocrinology, 1990, 4, 1815-1826.	3.7	36
356	Functional heterogeneity of a large family of human LTR-like promoters and enhancers. Nucleic Acids Research, 1990, 18, 1261-1270.	6.5	61
357	Cooperative interactions between transcription factors Sp1 and OTF-1.. Proceedings of the National Academy of Sciences of the United States of America, 1990, 87, 4732-4736.	3.3	116
358	Induction by HMBA and DMSO of genes introduced into mouse erythroleukemia and other cell lines by transient transfection.. Genes and Development, 1990, 4, 1252-1266.	2.7	27
359	SV40 stimulates expression of the transacting factor Sp1 at the mRNA level.. Genes and Development, 1990, 4, 659-666.	2.7	133
360	Structural analysis of the Hox-3.1 transcription unit and the Hox-3.2--Hox-3.1 intergenic region.. Proceedings of the National Academy of Sciences of the United States of America, 1990, 87, 6428-6432.	3.3	42
361	Transcription of the testis-specific mouse protamine 2 gene in a homologous in vitro transcription system.. Proceedings of the National Academy of Sciences of the United States of America, 1990, 87, 891-895.	3.3	83
362	Nuclease mapping and DNA sequence analysis of transcripts from the dihydrofolate reductase-thymidylate synthase (R) region of <i>Leishmania major</i> . Nucleic Acids Research, 1990, 18, 6399-6408.	6.5	42

#	ARTICLE	IF	CITATIONS
363	Transcriptional activation by Sp1 as directed through TATA or initiator: specific requirement for mammalian transcription factor IID.. Proceedings of the National Academy of Sciences of the United States of America, 1990, 87, 4509-4513.	3.3	517
364	Differential regulation of human immunodeficiency viruses (HIVs): a specific regulatory element in HIV-2 responds to stimulation of the T-cell antigen receptor.. Proceedings of the National Academy of Sciences of the United States of America, 1990, 87, 9098-9102.	3.3	81
365	Protein binding elements in the human \hat{I}^2 -polymerase promoter. Nucleic Acids Research, 1990, 18, 919-928.	6.5	29
366	Activation of ara operons by a truncated AraC protein does not require inducer.. Proceedings of the National Academy of Sciences of the United States of America, 1990, 87, 3708-3712.	3.3	52
367	Structure and expression of murine germ-line immunoglobulin epsilon heavy chain transcripts induced by interleukin 4.. Proceedings of the National Academy of Sciences of the United States of America, 1990, 87, 1581-1585.	3.3	70
368	A heteromeric transcription factor required for mammalian RNA polymerase II. Nucleic Acids Research, 1990, 18, 4843-4849.	6.5	28
369	Autoinduction of transforming growth factor beta 1 is mediated by the AP-1 complex.. Molecular and Cellular Biology, 1990, 10, 1492-1497.	1.1	639
370	Metal-dependent binding of a nuclear factor to the rat metallothionein-I promoter. Nucleic Acids Research, 1990, 18, 6049-6055.	6.5	55
371	Role of TATA-element in transcription from glucocorticoid receptor-responsive model promoters. Nucleic Acids Research, 1990, 18, 5113-5118.	6.5	24
372	Sequence Signals in Eukaryotic Up-stream Region. Critical Reviews in Biochemistry and Molecular Biology, 1990, 25, 185-224.	2.3	47
373	The structure of the human liver-type phosphofructokinase gene. Genomics, 1990, 7, 47-56.	1.3	37
374	Genomic structure and comparison of mouse tissue-specific alkaline phosphatase genes. Genomics, 1990, 8, 541-554.	1.3	67
375	Isolation and characterization of an expressed hypervariable gene coding for a breast-cancer-associated antigen. Gene, 1990, 93, 313-318.	1.0	31
376	Localization of the gene for the trans-acting transcription factor Sp1 to the distal end of mouse chromosome 15. Genomics, 1990, 8, 571-574.	1.3	28
377	Limited bidirectional activity of two housekeeping gene promoters: human HPRT and PGK. Gene, 1990, 88, 207-213.	1.0	60
378	Transcriptional Control of Expression of the TGF- β s. Annals of the New York Academy of Sciences, 1990, 593, 43-50.	1.8	43
379	Mammalian Aspartate Aminotransferase Isozymes.. Annals of the New York Academy of Sciences, 1990, 585, 32-47.	1.8	18
380	Immediate early protein of pseudorabies virus is a general transactivator but stimulates only suboptimally utilized promoters. Journal of Molecular Biology, 1990, 215, 301-311.	2.0	12

#	ARTICLE	IF	CITATIONS
381	Cytokines: Coordinators of Immune and Inflammatory Responses. Annual Review of Biochemistry, 1990, 59, 783-836.	5.0	1,279
382	GC box binding induces phosphorylation of Sp1 by a DNA-dependent protein kinase. Cell, 1990, 63, 155-165.	13.5	683
383	Analysis of the human liver/bone/kidney alkaline phosphatase promoter in vivo and in vitro. Nucleic Acids Research, 1990, 18, 957-961.	6.5	52
384	Expression of the rat protamine 2 gene is suppressed at the level of transcription and translation. Experimental Cell Research, 1990, 188, 147-152.	1.2	37
385	The biology of transferrin. Clinica Chimica Acta, 1990, 190, 1-46.	0.5	343
386	Characterization of a putative promoter region of the human poly(ADP-ribose) polymerase gene: Structural similarity to that of the DNA polymerase β gene. Biochemical and Biophysical Research Communications, 1990, 167, 701-710.	1.0	43
387	Zinc finger proteins: what we know and what we would like to know. Mechanisms of Development, 1991, 35, 155-169.	1.7	126
388	Analysis of the promoter region of the housekeeping gene DmRP140 by sequence comparison of <i>Drosophila melanogaster</i> and <i>Drosophila virilis</i> . Gene, 1991, 100, 155-162.	1.0	29
389	Genomic organization and chromosomal localization of the human CTP synthetase gene (CTPS). Genomics, 1991, 11, 1088-1096.	1.3	13
390	Structure and sequence of the human homeobox gene HOX7. Genomics, 1991, 11, 670-678.	1.3	66
391	Characterization of the human argininosuccinate lyase gene and analysis of exon skipping. Genomics, 1991, 10, 126-132.	1.3	30
392	Genomic organization of the human erythropoietin receptor gene. Genomics, 1991, 11, 974-980.	1.3	23
393	Structural organization of the murine gene encoding NAD-dependent methylenetetrahydrofolate dehydrogenase-methenyltetrahydrofolate cyclohydrolase. Gene, 1991, 97, 283-288.	1.0	6
394	Developmental expression of Sp1 in the mouse. Molecular and Cellular Biology, 1991, 11, 2189-2199.	1.1	541
395	A pancreatic exocrine cell factor and AP4 bind overlapping sites in the amylase 2A enhancer. Biochemistry, 1991, 30, 8102-8108.	1.2	20
396	Developmentally and regionally regulated alterations of octamer- and GC-box-binding activities during the postnatal development of mouse cerebellum. Developmental Brain Research, 1991, 61, 161-168.	2.1	6
397	Direct interaction between Sp1 and the BPV enhancer E2 protein mediates synergistic activation of transcription. Cell, 1991, 65, 493-505.	13.5	350
398	Wild-type but not mutant p53 immunopurified proteins bind to sequences adjacent to the SV40 origin of replication. Cell, 1991, 65, 1083-1091.	13.5	404

#	ARTICLE	IF	CITATIONS
399	The Regulation of Histone Synthesis in the Cell Cycle. <i>Annual Review of Biochemistry</i> , 1991, 60, 827-861.	5.0	530
400	Regulatory elements mediating transcription of the human Ha-ras gene. <i>Journal of Molecular Biology</i> , 1991, 220, 599-611.	2.0	23
401	Characterisation of the murine Hox-3.3 gene and its promoter. <i>Mechanisms of Development</i> , 1991, 35, 129-142.	1.7	24
402	The octamer-binding protein Oct-2 represses HSV immediate-early genes in cell lines derived from latently infectable sensory neurons. <i>Neuron</i> , 1991, 7, 381-390.	3.8	129
403	Analysis of the 5' flanking region of the human β -glucuronidase gene. <i>Genomics</i> , 1991, 10, 1009-1018.	1.3	36
404	Initial characterization of the four promoters of the human insulin-like growth factor II gene. <i>Molecular and Cellular Endocrinology</i> , 1991, 81, 81-94.	1.6	122
405	The Membrane Receptor for Nerve Growth Factor. <i>Current Topics in Microbiology and Immunology</i> , 1991, 165, 39-53.	0.7	7
406	Anatomy of the parp gene promoter of <i>Trypanosoma brucei</i> . <i>EMBO Journal</i> , 1991, 10, 3379-3386.	3.5	109
407	Transcriptional role of a conserved GATA-1 site in the human epsilon-globin gene promoter.. <i>Molecular and Cellular Biology</i> , 1991, 11, 2558-2566.	1.1	64
408	Cloning and characterization of a human c-myc promoter-binding protein.. <i>Molecular and Cellular Biology</i> , 1991, 11, 2154-2161.	1.1	115
409	Multiple basal promoter elements determine the level of human c-fos transcription.. <i>Molecular and Cellular Biology</i> , 1991, 11, 1270-1280.	1.1	54
410	Loss of the amino-terminal helix-loop-helix domain of the vav proto-oncogene activates its transforming potential.. <i>Molecular and Cellular Biology</i> , 1991, 11, 1912-1920.	1.1	165
411	The gene encoding the transcription factor SCIP has features of an expressed retroposon.. <i>Molecular and Cellular Biology</i> , 1991, 11, 4642-4650.	1.1	63
412	Inhibition of Marek's Disease Virus DNA Transfection by a Sequence Containing an Alphaherpesvirus Origin of Replication and Flanking Transcriptional Regulatory Elements. <i>Avian Diseases</i> , 1991, 35, 70.	0.4	5
413	Organization of the gene for human erythrocyte membrane protein 4.2: structural similarities with the gene for the a subunit of factor XIII.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1991, 88, 4840-4844.	3.3	68
414	Synergistic activation of a human promoter in vivo by transcription factor Sp1.. <i>Molecular and Cellular Biology</i> , 1991, 11, 1935-1943.	1.1	114
415	A GC-rich element confers epidermal growth factor responsiveness to transcription from the gastrin promoter.. <i>Molecular and Cellular Biology</i> , 1991, 11, 2686-2696.	1.1	80
416	In vitro analysis of the tissue plasminogen activator promoter reveals a GC box-binding activity present in murine brain but undetectable in kidney and liver.. <i>Molecular and Cellular Biology</i> , 1991, 11, 3139-3147.	1.1	32

#	ARTICLE	IF	CITATIONS
417	Chicken beta B1-crystallin gene expression: presence of conserved functional polyomavirus enhancer-like and octamer binding-like promoter elements found in non-lens genes.. Molecular and Cellular Biology, 1991, 11, 1488-1499.	1.1	62
418	Transcription factors nuclear factor I and Sp1 interact with the murine collagen alpha 1 (I) promoter.. Molecular and Cellular Biology, 1991, 11, 4065-4073.	1.1	130
419	The herpes simplex virus virion protein Vmw65 transcriptionally activates the gene encoding the U4 snRNA but not that encoding the U2 snRNA during lytic infection. Biochemical Journal, 1991, 275, 369-372.	1.7	0
420	The overlapping octamer/TAATGARAT motif is a high-affinity binding site for the cellular transcription factors Oct-1 and Oct-2. Biochemical Journal, 1991, 277, 541-545.	1.7	14
421	Sequence requirements for activation of replication by the SV40 transcriptional promoter or enhancer elements. Virology, 1991, 180, 41-48.	1.1	13
422	Heterogeneity of the genes encoding the major surface glycoprotein of Leishmania donovani. Molecular and Biochemical Parasitology, 1991, 48, 173-184.	0.5	60
423	Cloning and sequence analysis of the Schistosoma mansoni membrane glycoprotein antigen gene GP22. Molecular and Biochemical Parasitology, 1991, 49, 83-98.	0.5	14
424	Identification of a novel transcription factor, ACF, in cultured avian fibroblast cells that interacts with a Marek's disease virus late gene promoter. Virology, 1991, 185, 80-89.	1.1	2
425	Analysis of the HSV-1 strain 17 DNA polymerase gene reveals the expression of four different classes of pol transcripts. Virology, 1991, 183, 505-518.	1.1	14
426	Generation of monoclonal antibodies to the zinc finger domain of the eukaryotic transcription factor Sp1. Molecular and Cellular Biochemistry, 1991, 101, 73-81.	1.4	2
427	Genomic structure and expression of human guanosine monophosphate reductase. Human Genetics, 1991, 88, 219-24.	1.8	5
428	A role for the interferon response DNA sequence in directing transcription of the T18 d Tla gene. Immunogenetics, 1991, 34, 293-298.	1.2	1
429	Complex interaction of yeast nuclear proteins with the enhancer/promoter region of SV40. Current Genetics, 1991, 20, 359-363.	0.8	3
430	T-antigen binding to site I facilitates initiation of SV40 DNA replication but does not affect bidirectionality. Nucleic Acids Research, 1991, 19, 7081-7088.	6.5	16
431	Testis-specific expression of the human MYCL2 gene. Nucleic Acids Research, 1991, 19, 3129-3137.	6.5	28
432	Promoter function and structure of the growth factor-inducible immediate early gene cyr61. Nucleic Acids Research, 1991, 19, 3261-3267.	6.5	91
433	Different activation domains of Sp1 govern formation of multimers and mediate transcriptional synergism.. Genes and Development, 1991, 5, 1646-1656.	2.7	433
434	Analysis of the promoter region of the gene encoding NAD-dependent methylenetetrahydrofolate dehydrogenase methenyltetrahydrofolate cyclohydrolase. Nucleic Acids Research, 1991, 19, 4341-4345.	6.5	3

#	ARTICLE	IF	CITATIONS
435	CpG island in the region of an autosomal dominant polycystic kidney disease locus defines the 5' end of a gene encoding a putative proton channel.. Proceedings of the National Academy of Sciences of the United States of America, 1991, 88, 4289-4293.	3.3	48
436	Multiple protein - DNA interactions in the TATAA-less mouse thymidylate synthase promoter. Nucleic Acids Research, 1991, 19, 2267-2274.	6.5	78
437	Sequence and functional characterization of the human purine nucleoside phosphorylase promoter. Nucleic Acids Research, 1991, 19, 5015-5020.	6.5	15
438	Sp1 is essential and its position is important for p120 gene transcription: a 35 bp juxtaposed positive regulatory element enhances transcription 2.5 fold. Nucleic Acids Research, 1991, 19, 6559-6563.	6.5	11
439	Structure and sequence analysis of the human activin β 2 subunit gene. DNA Sequence, 1991, 2, 103-110.	0.7	25
440	BINDING OF TRANSCRIPTION FACTOR SP1 TO EXON-1 OF C-MYC IS ALTERED IN BURKITT'S-LYMPHOMA. International Journal of Oncology, 1992, 1, 175-80.	1.4	1
441	FUNCTIONAL IMPLICATIONS OF THE GROWTH-SUPPRESSOR ONCOPROTEIN P53. International Journal of Oncology, 1992, 1, 37.	1.4	6
442	Genes for <i>Xenopus laevis</i> U3 small nuclear RNA. Nucleic Acids Research, 1992, 20, 5435-5442.	6.5	25
443	Periodic binding of individual core histones to DNA: inadvertent purification of the core histone H2B as a putative enhancer-binding factor. Nucleic Acids Research, 1992, 20, 6673-6680.	6.5	17
444	Mapping functional regions of the segment-specific transcription factor Krox-20. Nucleic Acids Research, 1992, 20, 2485-2492.	6.5	43
445	Identification of an enhancer involved in the melanoma-specific expression of the tumor antigen melanotransferrin gene. Nucleic Acids Research, 1992, 20, 2853-2859.	6.5	9
446	Gene structures of pepsinogens A and C. Scandinavian Journal of Clinical and Laboratory Investigation, 1992, 52, 97-110.	0.6	12
447	Binding of a nuclear protein to the rat growth hormone silencer element. Nucleic Acids Research, 1992, 20, 401-408.	6.5	39
448	Mammalian p53 can function as a transcription factor in yeast. Nucleic Acids Research, 1992, 20, 1539-1545.	6.5	194
449	The IR3 gene of equine herpesvirus type 1: a unique gene regulated by sequences within the intron of the immediate-early gene. DNA Sequence, 1992, 3, 143-152.	0.7	30
450	TFIID can be rate limiting in vivo for TATA-containing, but not TATA-lacking, RNA polymerase II promoters.. Genes and Development, 1992, 6, 304-315.	2.7	154
451	Upstream regions of the c-jun promoter regulate phorbol ester-induced transcription in U937 leukemic cells. Nucleic Acids Research, 1992, 20, 897-902.	6.5	33
452	Analysis of proteins binding to the proximal promoter region of the human cytomegalovirus IE-1/2 enhancer/promoter reveals both consensus and aberrant recognition sequences for transcription factors Sp1 and CREB. Nucleic Acids Research, 1992, 20, 3287-3295.	6.5	58

#	ARTICLE	IF	CITATIONS
453	Two mammalian helix-loop-helix factors structurally related to Drosophila hairy and Enhancer of split.. <i>Genes and Development</i> , 1992, 6, 2620-2634.	2.7	609
454	Multiple in vivo footprints are specific to the active allele of the X-linked human hypoxanthine phosphoribosyltransferase gene 5' region: implications for X chromosome inactivation.. <i>Molecular and Cellular Biology</i> , 1992, 12, 5345-5354.	1.1	36
455	Meiotic induction of the yeast HOP1 gene is controlled by positive and negative regulatory sites.. <i>Molecular and Cellular Biology</i> , 1992, 12, 3706-3714.	1.1	94
456	The restricted promoter activity of the liver transcription factor hepatocyte nuclear factor 3 beta involves a cell-specific factor and positive autoactivation.. <i>Molecular and Cellular Biology</i> , 1992, 12, 552-562.	1.1	104
457	In vitro transfection of fresh thymocytes and T cells shows subset-specific expression of viral promoters.. <i>Molecular and Cellular Biology</i> , 1992, 12, 1515-1527.	1.1	14
458	RAR gamma 2 expression is regulated through a retinoic acid response element embedded in Sp1 sites.. <i>Molecular and Cellular Biology</i> , 1992, 12, 2976-2985.	1.1	119
459	The core promoter region of the tumor necrosis factor alpha gene confers phorbol ester responsiveness to upstream transcriptional activators.. <i>Molecular and Cellular Biology</i> , 1992, 12, 1352-1356.	1.1	47
460	Protein-DNA interactions associated with the onset of testis-specific expression of the mammalian Pgf-2 gene.. <i>Molecular and Cellular Biology</i> , 1992, 12, 1422-1431.	1.1	65
461	Characterization of the 5' flanking region of the human D1A dopamine receptor gene.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1992, 89, 3045-3049.	3.3	90
462	An antisense promoter of the murine c-myc gene is localized within intron 2.. <i>Molecular and Cellular Biology</i> , 1992, 12, 1324-1329.	1.1	39
463	In vitro initiation of transcription by RNA polymerase II on in vivo-assembled chromatin templates.. <i>Molecular and Cellular Biology</i> , 1992, 12, 1639-1651.	1.1	7
464	Transcription of the mouse secretory protease inhibitor p12 gene is activated by the developmentally regulated positive transcription factor Sp1.. <i>Molecular and Cellular Biology</i> , 1992, 12, 3796-3806.	1.1	53
465	Sequence of a novel chicken genomic DNA fragment that hybridizes to the murine Hox-3.1 homeobox. <i>Gene</i> , 1992, 121, 397-398.	1.0	1
466	Human p150,95 $\hat{\pm}$ -Subunit: Genomic Organization and Analysis of the 5' Flanking Region. <i>DNA and Cell Biology</i> , 1992, 11, 123-138.	0.9	9
467	Protein binding sites within the human thymidine kinase promoter. <i>Gene</i> , 1992, 111, 249-254.	1.0	13
468	Expression of the human ADH2 gene: an unusual Sp1-binding site in the promoter of a gene expressed at high levels in liver. <i>Gene</i> , 1992, 121, 313-320.	1.0	25
469	Promoter for the human ferritin heavy chain-encoding gene (FERH): structural and functional characterization. <i>Gene</i> , 1992, 111, 255-260.	1.0	36
470	Elements required for activation of the major promoter of the human insulin-like growth factor II gene. <i>Molecular and Cellular Endocrinology</i> , 1992, 88, 175-185.	1.6	23

#	ARTICLE	IF	CITATIONS
471	Characterization of the murine Icam-1 gene. <i>Genomics</i> , 1992, 14, 1076-1080.	1.3	36
472	The level of a transcription factor Sp1 is correlated with the expression of EGF receptor in human gastric carcinomas. <i>Biochemical and Biophysical Research Communications</i> , 1992, 189, 1342-1348.	1.0	57
473	The human IGF-I gene contains two cell type-specifically regulated promoters. <i>Biochemical and Biophysical Research Communications</i> , 1992, 187, 1219-1226.	1.0	51
474	Retinoic acid stimulates transcriptional activity from the alkaline phosphatase promoter in the immortalized rat calvarial cell line, RCT-1.. <i>Molecular Endocrinology</i> , 1992, 6, 636-646.	3.7	27
475	<i>Trypanosoma cruzi</i> 5S rRNA genes: molecular cloning, structure and chromosomal organization. <i>FEMS Microbiology Letters</i> , 1992, 92, 63-67.	0.7	18
476	Analysis of the DNA binding proteins interacting with specific upstream sequences of the <i>S. purpuratus</i> Cyl actin gene. <i>Molecular Reproduction and Development</i> , 1992, 33, 392-406.	1.0	5
477	Cross-species comparison of the sequence of the leukaemia inhibitory factor gene and its protein. <i>FEBS Journal</i> , 1992, 204, 21-30.	0.2	49
478	Genomic organization and DNA sequences of human 17 β -hydroxysteroid dehydrogenase genes and flanking regions. Localization of multiple Alu sequences and putative cis-acting elements. <i>FEBS Journal</i> , 1992, 209, 459-466.	0.2	39
479	Identification of protein-binding DNA sequences in an auxin-regulated gene of soybean. <i>Plant Molecular Biology</i> , 1993, 21, 1147-1162.	2.0	60
480	CCACC-binding or simian-virus-40-protein-1-binding proteins cooperate with human GATA-1 to direct erythroid-specific transcription and to mediate 5' hypersensitive site 2 sensitivity of a TATA-less promoter. <i>FEBS Journal</i> , 1993, 212, 763-770.	0.2	16
481	The US-1 element from the gene encoding rat poly (ADP-ribose) polymerase binds the transcription factor Sp1. <i>FEBS Journal</i> , 1993, 215, 73-80.	0.2	21
482	Differential effects of DNA-binding proteins on bidirectional transcription from the common promoter region of human collagen type IV genes COL4A1 and COL4A2. <i>Biochimica Et Biophysica Acta Gene Regulatory Mechanisms</i> , 1993, 1174, 1-10.	2.4	38
483	Multiple DNA-protein interactions at the CpG island of the human pseudoautosomal gene MIC2. <i>Somatic Cell and Molecular Genetics</i> , 1993, 19, 51-63.	0.7	5
484	The SV40 enhancer: Transcriptional regulation through a hierarchy of combinatorial interactions. <i>Seminars in Virology</i> , 1993, 4, 3-13.	4.1	14
485	Characterization of the P4 promoter region of the human insulin-like growth factor II gene. <i>FEBS Letters</i> , 1993, 332, 153-158.	1.3	12
486	Structure and organization of the gene encoding a mouse mitochondrial stress-70 protein. <i>FEBS Letters</i> , 1993, 336, 27-33.	1.3	27
487	Genomic organization and promoter function of the murine tumor necrosis factor receptor $\hat{1}$ gene. <i>Molecular Immunology</i> , 1993, 30, 165-175.	1.0	36
488	The human cathepsin D-encoding gene is transcribed from an estrogen-regulated and a constitutive start point. <i>Gene</i> , 1993, 134, 277-282.	1.0	29

#	ARTICLE	IF	CITATIONS
489	Isolation and characterization of the genes encoding mouse and human type-5 acid phosphatase. <i>Gene</i> , 1993, 130, 201-207.	1.0	46
490	Murine $\alpha 1(VI)$ Collagen Chain. Complete Amino Acid Sequence and Identification of the Gene Promoter Region. <i>Matrix Biology</i> , 1993, 13, 223-233.	1.8	17
491	Induction of the murine class-II antigen-associated invariant chain by TNF- α is controlled by an NF- κ B-like element. <i>Gene</i> , 1993, 126, 179-185.	1.0	9
492	The DNA-dependent protein kinase: Requirement for DNA ends and association with Ku antigen. <i>Cell</i> , 1993, 72, 131-142.	13.5	1,136
493	Characterization of a Mouse $\beta 1$ -Adrenergic Receptor Genomic Clone. <i>DNA and Cell Biology</i> , 1993, 12, 537-547.	0.9	20
494	LYAR, a novel nucleolar protein with zinc finger DNA-binding motifs, is involved in cell growth regulation.. <i>Genes and Development</i> , 1993, 7, 735-748.	2.7	62
495	Identification of a DNA structural motif that includes the binding sites for Sp1, p53 and GA-binding protein. <i>Nucleic Acids Research</i> , 1993, 21, 1439-1447.	6.5	12
496	A <i>Drosophila</i> homologue of human Sp1 is a head-specific segmentation gene. <i>Nature</i> , 1993, 366, 690-694.	13.7	156
497	Analysis of a Herpes Simplex Virus 2 Fragment from the Open Reading Frame of the Large Subunit of Ribonucleotide Reductase with Transcriptional Regulatory Activity. <i>DNA and Cell Biology</i> , 1993, 12, 127-137.	0.9	20
498	Identification of the promoter region of human interleukin 1 type I receptor gene: multiple initiation sites, high G+C content, and constitutive expression.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1993, 90, 2295-2299.	3.3	63
499	Nuclear Protein- α Binding Analysis of a GC-Rich Insulin-Receptor Promoter Regulatory Region. <i>Diabetes</i> , 1993, 42, 66-73.	0.3	12
500	Localization of the transcription factor SP1 gene to human chromosome 12q12-13.2. <i>Cytogenetic and Genome Research</i> , 1993, 64, 210-212.	0.6	10
501	Multiple protein-binding domains and functional cis-elements in the 5'-flanking region of the human pyruvate dehydrogenase α -subunit gene. <i>Biochemistry</i> , 1993, 32, 4263-4269.	1.2	15
502	A negative regulatory element in the bcl-2 5'-untranslated region inhibits expression from an upstream promoter.. <i>Molecular and Cellular Biology</i> , 1993, 13, 3686-3697.	1.1	176
503	Genomic organization of the melanoma-associated glycoprotein MUC18: implications for the evolution of the immunoglobulin domains.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1993, 90, 8514-8518.	3.3	131
504	Muscle-specific expression of the acetylcholine receptor α -subunit gene requires both positive and negative interactions between myogenic factors, Sp1 and GBF factors.. <i>EMBO Journal</i> , 1993, 12, 443-449.	3.5	54
505	Transcriptional Regulators of Expression of K16, the Disease-Associated Keratin. <i>DNA and Cell Biology</i> , 1993, 12, 911-923.	0.9	35
506	Tissue-Specific Differences in the Expression of the Human ADH2 Alcohol Dehydrogenase Gene and in Binding of Factors to cis-Acting Elements in Its Promoter. <i>DNA and Cell Biology</i> , 1994, 13, 235-247.	0.9	17

#	ARTICLE	IF	CITATIONS
507	The second intron of the K-ras gene contains regulatory elements associated with mouse lung tumor susceptibility.. Proceedings of the National Academy of Sciences of the United States of America, 1994, 91, 1589-1593.	3.3	86
508	Calcineurin potentiates activation of the granulocyte-macrophage colony-stimulating factor gene in T cells: involvement of the conserved lymphokine element O.. Molecular Biology of the Cell, 1994, 5, 119-128.	0.9	38
509	Different domains regulate the human erythropoietin receptor gene transcription. Nucleic Acids Research, 1994, 22, 338-346.	6.5	23
510	Proximal Enhancer of the Human Insulin Receptor Gene Binds the Transcription Factor Sp1. Diabetes, 1994, 43, 884-889.	0.3	9
511	DNA methylation represses the murine alpha 1(I) collagen promoter by an indirect mechanism.. Molecular and Cellular Biology, 1994, 14, 5950-5960.	1.1	43
512	Transcriptional Regulation by the Helix Bundle Peptide Hormones: Growth Hormone, Prolactin, and Hematopoietic Cytokines. Endocrine Reviews, 1994, 15, 627-649.	8.9	199
513	A cellular repressor regulates transcription initiation from the minute virus of mice P38 promoter. Nucleic Acids Research, 1994, 22, 828-834.	6.5	5
514	An RNA Polymerase II In Vitro Transcription System. , 1994, 31, 289-298.		7
515	bHLH proteins encoded by the Enhancer of split complex of Drosophila negatively interfere with transcriptional activation mediated by proneural genes. Molecular Genetics and Genomics, 1994, 244, 465-473.	2.4	114
516	Transcriptional activation by hypersensitive site three of the human $\hat{1}^2$ -globin locus control region in murine erythroleukemia cells. Biochimica Et Biophysica Acta Gene Regulatory Mechanisms, 1994, 1219, 351-360.	2.4	14
517	Isolation of promoter for cytosolic phospholipase A2 (cPLA2). Biochimica Et Biophysica Acta Gene Regulatory Mechanisms, 1994, 1217, 345-347.	2.4	48
518	The DNA-Binding Efficiency of Sp1 is Affected by Redox Changes. FEBS Journal, 1994, 225, 483-489.	0.2	143
519	The 30-kDa rat liver transcription factor nuclear factor 1 binds the rat growth-hormone proximal silencer. FEBS Journal, 1994, 219, 799-806.	0.2	31
520	Multiple Regulatory Elements Control the Basal Promoter Activity of the Human $\hat{1}\pm 4$ Integrin Gene. DNA and Cell Biology, 1994, 13, 1071-1085.	0.9	22
521	The E1 sequence of bovine adenovirus type 3 and complementation of human adenovirus type 5 E1A function in bovine cells. Virus Research, 1994, 31, 163-186.	1.1	31
523	Structures of the human and mouse growth inhibitory factor-encoding genes. Gene, 1994, 144, 283-287.	1.0	18
524	Elements in the long terminal repeat of HIV-1 that interact with nuclear extracts from Jurkat cells persistently infected with vaccinia virus. Virus Research, 1994, 34, 127-138.	1.1	8
525	Binding of Sp1 to the 21-bp repeat region of SV40 DNA: effect of intrinsic and drug-induced DNA bending between GC boxes. Gene, 1994, 149, 165-172.	1.0	13

#	ARTICLE	IF	CITATIONS
526	Cooperative Bending of the 21-Base-Pair Repeats of the SV40 Viral Early Promoter by Human Sp1. <i>Biochemistry</i> , 1994, 33, 9578-9587.	1.2	37
527	Molecular Cloning and Characterization of the Rat Cytochrome c Oxidase Subunit Vb Gene. <i>Journal of Biochemistry</i> , 1994, 115, 194-201.	0.9	10
528	Analysis of the rat lactate dehydrogenase A subunit gene promoter/regulatory region. <i>Biochemical Journal</i> , 1994, 304, 391-398.	1.7	42
529	The Origins of the Small DNA Tumor Viruses. <i>Advances in Cancer Research</i> , 1994, 65, 141-168.	1.9	15
530	Elf-1 binds to a critical element in a second CD4 enhancer.. <i>Molecular and Cellular Biology</i> , 1994, 14, 6452-6463.	1.1	90
531	PU.1 and GATA: components of a mast cell-specific interleukin 4 intronic enhancer.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1994, 91, 7737-7741.	3.3	120
532	Differential Regulation of Gene Expression <i>in Vivo</i> by Triple Helix-Forming Oligonucleotides as Detected by a Reporter Enzyme. <i>Antisense Research and Development</i> , 1994, 4, 1-8.	3.3	31
533	Sequence-independent induction of Sp1 transcription factor activity by phosphorothioate oligodeoxynucleotides.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1994, 91, 5957-5961.	3.3	142
534	Inhibition of human immunodeficiency virus type 1 transcription and replication by DNA sequence-selective plant lignans.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1995, 92, 11239-11243.	3.3	89
535	A multimerizing transcription factor of sea urchin embryos capable of looping DNA.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1995, 92, 2989-2993.	3.3	55
536	Differential Roles of Two Tandem E2F Sites in Repression of the Human p107 Promoter by Retinoblastoma and p107 Proteins. <i>Molecular and Cellular Biology</i> , 1995, 15, 3552-3562.	1.1	121
537	DNA-Binding Specificity of the Cut Repeats from the Human Cut-Like Protein. <i>Molecular and Cellular Biology</i> , 1995, 15, 129-140.	1.1	113
538	Transcriptional Activation by the Parvoviral Nonstructural Protein NS-1 Is Mediated via a Direct Interaction with Sp1. <i>Molecular and Cellular Biology</i> , 1995, 15, 524-533.	1.1	80
539	Chapter 6 The promoter of the human monoamine oxidase A gene. <i>Progress in Brain Research</i> , 1995, 106, 57-66.	0.9	14
540	Characterization of the Human alpha1(VI) Collagen Promoter and its Comparison with Human alpha2(VI) Promoters. <i>FEBS Journal</i> , 1995, 234, 542-549.	0.2	9
541	A CCACC Motif Mediates Negative Transcriptional Regulation of the Human Erythropoietin Receptor. <i>FEBS Journal</i> , 1995, 233, 793-799.	0.2	10
542	Structural and functional analysis of the promoter of the murine V β 3.1 T cell receptor gene. <i>European Journal of Immunology</i> , 1995, 25, 3070-3078.	1.6	5
543	Fnr activates transcription from the P6 promoter of the pfl operon <i>in vitro</i> . <i>Molecular Microbiology</i> , 1995, 18, 331-342.	1.2	13

#	ARTICLE	IF	CITATIONS
544	Purification of ArcA and analysis of its specific interaction with the pfl promoter-regulatory region. <i>Molecular Microbiology</i> , 1995, 16, 597-607.	1.2	58
545	Regulation of multidrug resistance through the cAMP and EGF signalling pathways. <i>Cellular Signalling</i> , 1995, 7, 431-443.	1.7	67
546	Multiple protein complexes, including AP2 and Sp1, interact with a specific site within the rat preprotachykinin-A promoter. <i>Biochimica Et Biophysica Acta Gene Regulatory Mechanisms</i> , 1995, 1263, 25-34.	2.4	13
547	Elements in the 5' flanking sequences of the mouse low-affinity NGF receptor gene direct appropriate CNS, but not PNS, expression in transgenic mice. <i>Journal of Neuroscience</i> , 1995, 15, 3342-3356.	1.7	20
548	Characterization of Diverse Functional Elements in the Upstream Sp1 Domain of the Rat Luteinizing Hormone Receptor Gene Promoter. <i>Journal of Biological Chemistry</i> , 1995, 270, 7487-7494.	1.6	32
549	A Regulatory Element in the Human Interleukin 2 Gene Promoter Is a Binding Site for the Zinc Finger Proteins Sp1 and EGR-1. <i>Journal of Biological Chemistry</i> , 1995, 270, 22500-22506.	1.6	136
550	Molecular Cloning and Functional Analysis of the Promoter of the Human Squalene Synthase Gene. <i>Journal of Biological Chemistry</i> , 1995, 270, 21958-21965.	1.6	99
551	Structure and Expression of a Smooth Muscle Cell-specific Gene, SM22 α . <i>Journal of Biological Chemistry</i> , 1995, 270, 13460-13469.	1.6	240
552	An E Box Element Is Required for the Expression of the ad4bp Gene, a Mammalian Homologue of ftz-f1 Gene, Which Is Essential for Adrenal and Gonadal Development. <i>Journal of Biological Chemistry</i> , 1995, 270, 7453-7461.	1.6	114
553	Interplay of Sp1 and Egr-1 in the Proximal Platelet-derived Growth Factor A-Chain Promoter in Cultured Vascular Endothelial Cells. <i>Journal of Biological Chemistry</i> , 1995, 270, 27679-27686.	1.6	260
554	Transcriptional Analysis of Acetylcholine Receptor $\alpha 3$ Gene Promoter Motifs That Bind Sp1 and AP2. <i>Journal of Biological Chemistry</i> , 1995, 270, 8514-8520.	1.6	66
555	Functional Analysis of the Proximal 5'-Flanking Region of the N-Methyl-D-aspartate Receptor Subunit Gene, NMDAR1. <i>Journal of Biological Chemistry</i> , 1995, 270, 7737-7744.	1.6	75
556	cAMP Activation of CAAT Enhancer-binding Protein- β Gene Expression and Promoter I of Acetyl-CoA Carboxylase. <i>Journal of Biological Chemistry</i> , 1995, 270, 21487-21494.	1.6	53
557	Transcriptional Regulation of the Intercellular Adhesion Molecule-1 Gene by Inflammatory Cytokines in Human Endothelial Cells. <i>Journal of Biological Chemistry</i> , 1995, 270, 933-943.	1.6	492
558	Regulation of insulin-like growth factor I receptor gene expression by Sp1: physical and functional interactions of Sp1 at GC boxes and at a CT element.. <i>Molecular Endocrinology</i> , 1995, 9, 1147-1156.	3.7	67
559	Difference in transcriptional activity of two homologous CYP21A genes.. <i>Molecular Endocrinology</i> , 1995, 9, 1330-1336.	3.7	65
560	DNA binding and regulatory effects of transcription factors SP1 and USF at the rat amyloid precursor protein gene promoter. <i>Nucleic Acids Research</i> , 1995, 23, 2229-2235.	6.5	56
561	HMGI(Y) and Sp1 in addition to NF- κ B regulate transcription of the MGSA/GRO α gene. <i>Nucleic Acids Research</i> , 1995, 23, 4210-4219.	6.5	90

#	ARTICLE	IF	CITATIONS
562	Promoter Elements of the Mouse Acetylcholinesterase Gene. <i>Journal of Biological Chemistry</i> , 1995, 270, 1866-1872.	1.6	67
563	Cooperation by Sterol Regulatory Element-binding Protein and Sp1 in Sterol Regulation of Low Density Lipoprotein Receptor Gene. <i>Journal of Biological Chemistry</i> , 1995, 270, 1161-1169.	1.6	274
564	Stimulation of Human Insulin Receptor Gene Expression by Retinoblastoma Gene Product. <i>Journal of Biological Chemistry</i> , 1995, 270, 20525-20529.	1.6	18
565	Sterol Regulation of Fatty Acid Synthase Promoter. <i>Journal of Biological Chemistry</i> , 1995, 270, 25578-25583.	1.6	309
566	HIV Tat represses transcription through Spl-Like elements in the basal promoter. <i>Immunity</i> , 1995, 3, 127-138.	6.6	47
567	Transcriptional activation of the neuronal peripherin-encoding gene depends on a G + C-rich element that binds Sp1 in vitro and in vivo. <i>Gene</i> , 1995, 159, 159-165.	1.0	9
568	Genomic organization and complete cDNA sequence of the human phosphoinositide-specific phospholipase C β 3 gene (PLCB3). <i>Genomics</i> , 1995, 26, 467-472.	1.3	20
569	Mutations in the proteolytic enzyme calpain 3 cause limb-girdle muscular dystrophy type 2A. <i>Cell</i> , 1995, 81, 27-40.	13.5	922
570	The human cystatin C gene promoter: Functional analysis and identification of heterogeneous mRNA. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 1995, 55, 597-607.	0.6	47
571	Analysis of the Paramyosin/Miniparamyosin Gene. <i>Journal of Biological Chemistry</i> , 1995, 270, 4375-4382.	1.6	39
572	Characterisation of potential regulatory elements within the rat preprotachykinin-A promoter. <i>Neuroscience Letters</i> , 1995, 184, 125-128.	1.0	35
573	Regulation of the P25 gene transcription in the silk gland of <i>Bombyx</i> . <i>Biology of the Cell</i> , 1995, 84, 43-52.	0.7	26
574	Differential expression of growth hormone receptor messenger RNA from a second promoter. <i>Molecular and Cellular Endocrinology</i> , 1995, 108, 23-33.	1.6	45
575	Multiple Nuclear Regulatory Proteins Bind a Single <i>cis</i> -Acting Promoter Element to Control Basal Transcription of the Human β 4 Integrin Gene in Corneal Epithelial Cells. <i>DNA and Cell Biology</i> , 1996, 15, 779-792.	0.9	13
576	Identification of a biologically significant DNA-binding peptide motif by use of a random phage display library. <i>Gene</i> , 1996, 171, 1-8.	1.0	31
577	Hepatocyte nuclear factor 4 (HNF4) binding sites in the salmon HNF1 promoter. <i>Gene</i> , 1996, 175, 35-41.	1.0	6
578	The same sequence mediates activation of the human urokinase promoter by cAMP in mouse Sertoli cells and by SV40 large T antigen in COS cells. <i>Molecular and Cellular Endocrinology</i> , 1996, 117, 167-173.	1.6	8
579	Phylogenetic Footprinting of the Human Cytochrome c Oxidase Subunit Vb Promoter. <i>Archives of Biochemistry and Biophysics</i> , 1996, 333, 152-162.	1.4	28

#	ARTICLE	IF	CITATIONS
581	Raf protein serine/threonine kinases. , 0 , 203-236.		8
582	Optimization of Competitor Poly(dI-dC)â€¢Poly(dI-dC) Levels is Advised in DNA-Protein Interaction Studies Involving Enriched Nuclear Proteins. <i>BioTechniques</i> , 1996, 20, 439-444.	0.8	23
583	The Human Cut Homeodomain Protein Can Repress Gene Expression by Two Distinct Mechanisms: Active Repression and Competition for Binding Site Occupancy. <i>Molecular and Cellular Biology</i> , 1996, 16, 5346-5357.	1.1	115
584	The Myeloid-Cell-Specific c- <i>fes</i> Promoter Is Regulated by Sp1, PU.1, and a Novel Transcription Factor. <i>Molecular and Cellular Biology</i> , 1996, 16, 1676-1686.	1.1	78
585	Identification of elements in thePDA1 promoter ofNectria haematococca necessary for a high level of transcription in vitro. <i>Molecular Genetics and Genomics</i> , 1996, 250, 29-38.	2.4	7
586	Descriptive and functional characterization of variation in theFundulus heteroclitus Ldh-B proximal promoter. , 1996, 275, 355-364.		30
587	Specific targeting of proteinâ€“DNA complexes by dna-reactive drugs (+)-CC-1065 and pluramycins. , 1996, 9, 75-87.		3
588	Sp1-mediated Transcriptional Activation of the Human Pi Class Glutathione S-Transferase Promoter. <i>Journal of Biological Chemistry</i> , 1996, 271, 1054-1060.	1.6	53
589	Purification of the pets Factor. <i>Journal of Biological Chemistry</i> , 1996, 271, 19599-19605.	1.6	17
590	Two Tandem Binding Sites for Sterol Regulatory Element Binding Proteins Are Required for Sterol Regulation of Fatty-acid Synthase Promoter. <i>Journal of Biological Chemistry</i> , 1996, 271, 32689-32694.	1.6	293
591	Novel Role for Sp1 in Phorbol Ester Enhancement of Human Platelet Thromboxane Receptor Gene Expression. <i>Journal of Biological Chemistry</i> , 1996, 271, 19696-19704.	1.6	70
592	Sp1 Family Proteins Recognize the U5 Repressive Element of the Long Terminal Repeat of Human T Cell Leukemia Virus Type I through Binding to the CACCC Core Motif. <i>Journal of Biological Chemistry</i> , 1996, 271, 12944-12950.	1.6	32
593	Cloning and Characterization of a Functional Promoter of the Rat pp120 Gene, Encoding a Substrate of the Insulin Receptor Tyrosine Kinase. <i>Journal of Biological Chemistry</i> , 1996, 271, 8809-8817.	1.6	32
594	Transcription Activation by GC-Boxes: Evaluation of Kinetic and Equilibrium Contributions. <i>Nucleic Acids Research</i> , 1996, 24, 2723-2729.	6.5	7
595	Dephosphorylation of Sp1 by Protein Phosphatase 1 Is Involved in the Glucose-mediated Activation of the Acetyl-CoA Carboxylase Gene. <i>Journal of Biological Chemistry</i> , 1996, 271, 14692-14697.	1.6	155
596	Identification and Characterization of the Cell Type-specific and Developmentally Regulated Î±7 Integrin Gene Promoter. <i>Journal of Biological Chemistry</i> , 1996, 271, 22915-22922.	1.6	91
597	An Alu Element in the Myeloperoxidase Promoter Contains a Composite SP1-Thyroid Hormone-Retinoic Acid Response Element. <i>Journal of Biological Chemistry</i> , 1996, 271, 14412-14420.	1.6	360
598	Identification of a Novel Retinoic Acid Response Element in the Promoter Region of the Retinol-binding Protein Gene. <i>Journal of Biological Chemistry</i> , 1996, 271, 25524-25532.	1.6	39

#	ARTICLE	IF	CITATIONS
599	Functional Characterization of Mouse Syndecan-1 Promoter. <i>Journal of Biological Chemistry</i> , 1996, 271, 12532-12541.	1.6	38
600	The N-terminal Region of E2F-1 Is Required for Transcriptional Activation of a New Class of Target Promoter. <i>Journal of Biological Chemistry</i> , 1996, 271, 12261-12268.	1.6	33
601	The Human Histidine Decarboxylase Promoter Is Regulated by Gastrin and Phorbol 12-Myristate 13-Acetate through a Downstream -Acting Element. <i>Journal of Biological Chemistry</i> , 1996, 271, 14188-14197.	1.6	43
602	Transcriptional Regulation of the Human Cholecystokinin Gene: Composite Action of Upstream Stimulatory Factor, Sp1, and Members of the CREB/ATF-AP-1 Family of Transcription Factors. <i>DNA and Cell Biology</i> , 1996, 15, 53-63.	0.9	51
603	A Gene for a Novel Zinc-finger Protein Expressed in Differentiated Epithelial Cells and Transiently in Certain Mesenchymal Cells. <i>Journal of Biological Chemistry</i> , 1996, 271, 31384-31390.	1.6	279
604	Sp1 Mediates Glucose Activation of the Acetyl-CoA Carboxylase Promoter. <i>Journal of Biological Chemistry</i> , 1996, 271, 1385-1392.	1.6	94
605	Constitutive Expression of the Gene for the Cell-specific p48 DNA-binding Subunit of Pancreas Transcription Factor 1 in Cultured Cells Is under Control of Binding Sites for Transcription Factors Sp1 and Δ Cbf. <i>Journal of Biological Chemistry</i> , 1996, 271, 21993-22002.	1.6	12
606	Human Proteinase-3 Expression Is Regulated by PU.1 in Conjunction with a Cytidine-rich Element. <i>Journal of Biological Chemistry</i> , 1996, 271, 32392-32402.	1.6	55
607	YY1 and Spl Transcription Factors Bind the Human Transferrin Gene in an Age-Related Manner. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 1996, 51A, B66-B75.	1.7	52
608	The Human Gene for the Regulatory Subunit R α of Cyclic Adenosine 3',5'-Monophosphate-Dependent Protein Kinase: Two Distinct Promoters Provide Differential Regulation of Alternately Spliced Messenger Ribonucleic Acids. <i>Endocrinology</i> , 1997, 138, 169-181.	1.4	45
609	The Genomic Analysis of Human <i>DAN</i> Gene. <i>DNA and Cell Biology</i> , 1997, 16, 1031-1039.	0.9	14
610	Modulation of Transcription Factor Sp1 by cAMP-dependent Protein Kinase. <i>Journal of Biological Chemistry</i> , 1997, 272, 21137-21141.	1.6	191
611	Cooperative Binding of NF-Y and Sp1 at the DNase I-hypersensitive Site, Fatty Acid Synthase Insulin-responsive Element 1, Located at \approx 500 in the Rat Fatty Acid Synthase Promoter. <i>Journal of Biological Chemistry</i> , 1997, 272, 21616-21624.	1.6	66
612	Sp3 encodes multiple proteins that differ in their capacity to stimulate or repress transcription. <i>Nucleic Acids Research</i> , 1997, 25, 3110-3117.	6.5	235
613	Characterization of the Promoter Region of the Rat Testis-Specific Histone H1t Gene. <i>Biology of Reproduction</i> , 1997, 56, 73-82.	1.2	20
614	MyoD Functions as a Transcriptional Repressor in Proliferating Myoblasts. <i>Journal of Biological Chemistry</i> , 1997, 272, 3145-3148.	1.6	12
615	Epidermal Growth Factor Induces CD44 Gene Expression through a Novel Regulatory Element in Mouse Fibroblasts. <i>Journal of Biological Chemistry</i> , 1997, 272, 14139-14146.	1.6	38
616	The Human POLD1 Gene. <i>Journal of Biological Chemistry</i> , 1997, 272, 4869-4882.	1.6	59

#	ARTICLE	IF	CITATIONS
617	Functional Analysis of the Promoter for the Human CYP1B1 Gene. <i>Journal of Biological Chemistry</i> , 1997, 272, 26702-26707.	1.6	50
618	Sp1 Is a Critical Regulator of the Wilms' tumor-1 Gene. <i>Journal of Biological Chemistry</i> , 1997, 272, 2901-2913.	1.6	83
619	Transcriptional Repression Mediated by the PR Domain Zinc Finger Gene RIZ. <i>Journal of Biological Chemistry</i> , 1997, 272, 26360-26366.	1.6	44
620	Structural Organization of the Human Vitamin D Receptor Chromosomal Gene and Its Promoter. <i>Molecular Endocrinology</i> , 1997, 11, 1165-1179.	3.7	339
621	The Rat Growth Hormone and Human Cellular Retinol Binding Protein 1 Genes Share Homologous NF1-Like Binding Sites That Exert Either Positive or Negative Influences on Gene Expression <i>In Vitro</i> . <i>DNA and Cell Biology</i> , 1997, 16, 951-967.	0.9	16
622	A Conserved Tissue-Specific Structure at a Human T-Cell Receptor β -Chain Core Promoter. <i>Molecular and Cellular Biology</i> , 1997, 17, 4220-4229.	1.1	60
623	Promoter Selective Transcriptional Synergy Mediated by Sterol Regulatory Element Binding Protein and Sp1: a Critical Role for the Btd Domain of Sp1. <i>Molecular and Cellular Biology</i> , 1997, 17, 5193-5200.	1.1	80
624	Transcriptional activation of human 12-lipoxygenase gene promoter is mediated through Sp1 consensus sites in A431 cells. <i>Biochemical Journal</i> , 1997, 324, 133-140.	1.7	48
625	Interaction of Sp1 and NF-Y in the diet-induced regulation of the rat fatty acid synthase (FAS) gene. <i>Biochemical Society Transactions</i> , 1997, 25, 72S-72S.	1.6	11
626	The α 1 Integrin: Structure, Function, and Regulation of a Platelet Surface Collagen Receptor. <i>Advances in Molecular and Cell Biology</i> , 1997, , 109-128.	0.1	0
627	Transcriptional Regulation of Angiotensinogen Gene Expression. <i>Vitamins and Hormones</i> , 1997, 57, 217-247.	0.7	26
628	A Sensitive and Rapid Method for Mapping Protein Bound to DNA by Atomic Force Microscopy. <i>Bioscience, Biotechnology and Biochemistry</i> , 1997, 61, 1751-1753.	0.6	3
629	A nuclear factor other than Sp1 binds the GC-rich promoter of the gene encoding rat poly(ADP-ribose) polymerase <i>in vitro</i> . <i>Biochemistry and Cell Biology</i> , 1997, 75, 427-434.	0.9	27
630	Structures of Zinc Finger Domains from Transcription Factor Sp1. <i>Journal of Biological Chemistry</i> , 1997, 272, 7801-7809.	1.6	115
631	Genomic Structure and Promoter Region of the Murine Janus-Family Tyrosine Kinase, Jak3. <i>DNA and Cell Biology</i> , 1997, 16, 85-94.	0.9	13
632	Expression of Transcription Factors in Keratoconus, a Cornea-Thinning Disease. <i>Biochemical and Biophysical Research Communications</i> , 1997, 235, 253-258.	1.0	30
633	Characterization of the Mouse Dihydroliipoamide Dehydrogenase (Dld) Gene: Genomic Structure, Promoter Sequence, and Chromosomal Localization. <i>Genomics</i> , 1997, 41, 320-326.	1.3	14
634	Genomic Organization of Two Novel Genes on Human Xq28: Compact Head to Head Arrangement of β and TRAP1 Is Conserved in Rat and Mouse. <i>Genomics</i> , 1997, 44, 8-14.	1.3	33

#	ARTICLE	IF	CITATIONS
635	In vitro activation of the mouse mid-sized neurofilament gene by an NF-1-like transcription factor. <i>Molecular Brain Research</i> , 1997, 48, 305-314.	2.5	5
636	Induction of Sp1 activity by prolactin and interleukin-2 in Nb2 T-cells: differential association of Sp1-DNA complexes with Stats. <i>Molecular and Cellular Endocrinology</i> , 1997, 129, 7-16.	1.6	18
637	Characterization of the 5'-flanking region of the gene for the cAMP-inducible protein kinase A subunit, RII β , in Sertoli cells. <i>Molecular and Cellular Endocrinology</i> , 1997, 129, 101-114.	1.6	15
638	The human PD-1 gene: complete cDNA, genomic organization, and developmentally regulated expression in B cell progenitors. <i>Gene</i> , 1997, 197, 177-187.	1.0	99
639	C/EBP β and C/EBP δ play similar roles in the transcription of the human Cu/Zn SOD gene. <i>Gene</i> , 1997, 203, 11-15.	1.0	20
640	Silencer elements controlling the B29 (IgA) promoter are neither promoter- nor cell-type-specific. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1997, 94, 12314-12319.	3.3	17
641	A Minimal Regulatory Region Maintains Constitutive Expression of the <i>max</i> Gene. <i>Molecular and Cellular Biology</i> , 1997, 17, 1037-1048.	1.1	12
642	Functional interference between retinoic acid or steroid hormone receptors and the oncoprotein Fli-1. <i>Oncogene</i> , 1997, 15, 3067-3082.	2.6	32
643	Transcriptional Regulation of the Rat Poly(ADP-ribose) Polymerase Gene by Sp1. <i>FEBS Journal</i> , 1997, 250, 342-353.	0.2	24
644	Molecular cloning, upstream sequence and promoter studies of the human gene for the regulatory subunit RII β of cAMP-dependent protein kinase. <i>Biochimica Et Biophysica Acta Gene Regulatory Mechanisms</i> , 1997, 1350, 98-108.	2.4	17
645	A unique cathepsin-like protease isolated from CV-1 cells is involved in rapid degradation of retinoblastoma susceptibility gene product, RB, and transcription factor SP1. <i>Biochimica Et Biophysica Acta Gene Regulatory Mechanisms</i> , 1997, 1351, 274-286.	2.4	32
646	KARP-1: a novel leucine zipper protein expressed from the Ku86 autoantigen locus is implicated in the control of DNA-dependent protein kinase activity. <i>EMBO Journal</i> , 1997, 16, 3172-3184.	3.5	43
647	The Epstein-Barr Virus (EBV) DNA Polymerase Accessory Protein, BMRF1, Activates the Essential Downstream Component of the EBV oriLyf. <i>Virology</i> , 1997, 230, 22-34.	1.1	44
648	The Rep68 Protein of Adeno-Associated Virus Type 2 Increases RNA Levels from the Human Cytomegalovirus Major Immediate Early Promoter. <i>Virology</i> , 1997, 236, 167-176.	1.1	16
649	Mechanisms of transcriptional regulation of cellular genes by SV40 large T- and small T-antigens. <i>Virus Genes</i> , 1997, 15, 135-154.	0.7	56
650	Interferon regulatory factors: growth control and histone gene regulation - it's not just interferon anymore. <i>Journal of Molecular Medicine</i> , 1997, 75, 348-359.	1.7	45
651	The human hexokinase II gene promoter: functional characterization and detection of variants among patients with NIDDM. <i>Diabetologia</i> , 1997, 40, 1461-1469.	2.9	16
652	Transcriptional activation by FNR and CRP: reciprocity of binding-site recognition. <i>Molecular Microbiology</i> , 1997, 23, 835-845.	1.2	30

#	ARTICLE	IF	CITATIONS
653	The transcriptional activator Sp1, a novel autoantigen. <i>Arthritis and Rheumatism</i> , 1997, 40, 1085-1095.	6.7	7
654	Structural analysis and characterization of tissue and hormonal responsive expression of the avian bone sialoprotein (BSP) gene. , 1997, 64, 77-93.		28
655	Molecular cloning and characterization of the Amylose-Extender gene encoding starch branching enzyme IIB in maize. <i>Plant Molecular Biology</i> , 1998, 38, 945-956.	2.0	56
656	Characterization of two Sp1 binding sites of the human sex determining SRY promoter. <i>Biochimica Et Biophysica Acta Gene Regulatory Mechanisms</i> , 1998, 1397, 247-252.	2.4	26
657	Promoter activity of sequence located upstream of the pseudorabies virus early protein 0 gene. <i>Veterinary Microbiology</i> , 1998, 61, 7-19.	0.8	7
658	Elastogenesis in the developing chick lung is transcriptionally regulated. , 1998, 213, 170-181.		14
659	Collaborative interactions between MEF-2 and Sp1 in muscle-specific gene regulation. <i>Journal of Cellular Biochemistry</i> , 1998, 70, 366-375.	1.2	42
660	Characterization of a bovine herpesvirus 4(BHV-4) 1.1-kb RNA and its transactivation by BHV-4 immediate-early 2 gene product. <i>Archives of Virology</i> , 1998, 143, 2391-2412.	0.9	6
661	Early growth response factor 1: a pleiotropic mediator of inducible gene expression. <i>Journal of Molecular Medicine</i> , 1998, 76, 613-616.	1.7	97
662	Structure and hair follicle-specific expression of genes encoding the rat high sulfur protein B2 family. <i>Gene</i> , 1998, 208, 123-129.	1.0	13
663	Alternative splicing generates isoforms of human neuron-derived orphan receptor-1 (NOR-1) mRNA. <i>Gene</i> , 1998, 211, 79-85.	1.0	30
664	Structure of the mouse gene for the serine protease inhibitor neuroserpin (PI12). <i>Gene</i> , 1998, 214, 25-33.	1.0	12
665	Characterization of an element positively regulating the transcription of MSSP gene-2 which encodes C-MYC binding proteins. <i>Gene</i> , 1998, 214, 113-120.	1.0	1
666	Regulation of C1 Inhibitor Synthesis. <i>Immunobiology</i> , 1998, 199, 377-388.	0.8	72
667	The human glucocorticoid receptor promoter upstream sequences contain binding sites for the ubiquitous transcription factor, Yin Yang 1. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 1998, 67, 369-381.	1.2	60
668	A retinoblastoma susceptibility gene product, RB, targeting protease is regulated through the cell cycle. <i>FEBS Letters</i> , 1998, 421, 89-93.	1.3	19
669	Analysis of the TPA Regulatory Element in the Genomic Poly(ADP-ribose) Synthetase Gene in Human Leukemia U937 Cells. <i>Biochemistry</i> , 1998, 37, 14181-14188.	1.2	2
670	Sp1 activation of a TATA-less promoter requires a species-specific interaction involving transcription factor IID. <i>Nucleic Acids Research</i> , 1998, 26, 839-846.	6.5	55

#	ARTICLE	IF	CITATIONS
671	Cloning and Characterization of the Human β 4-Integrin Gene Promoter and Enhancers. <i>Journal of Biological Chemistry</i> , 1998, 273, 33848-33855.	1.6	41
672	Multiple Promoter Elements Interact to Control the Transcription of the Potassium Channel Gene, KCNJ2. <i>Journal of Biological Chemistry</i> , 1998, 273, 22807-22818.	1.6	28
673	Molecular Cloning and Characterization of a Transcription Regulator with Homology to GC-binding Factor. <i>Journal of Biological Chemistry</i> , 1998, 273, 21594-21602.	1.6	50
674	Sp1 Binds to the Rat Luteinizing Hormone β 2 (LH β 2) Gene Promoter and Mediates Gonadotropin-releasing Hormone-stimulated Expression of the LH β 2 Subunit Gene. <i>Journal of Biological Chemistry</i> , 1998, 273, 12943-12951.	1.6	48
675	Sp1 and Sp3 Regulate Transcriptional Activity of the Facilitative Glucose Transporter Isoform-3 Gene in Mammalian Neuroblasts and Trophoblasts. <i>Journal of Biological Chemistry</i> , 1998, 273, 27474-27483.	1.6	58
676	An Sp1-binding Silencer Element Is a Critical Negative Regulator of the Megakaryocyte-specific β IIb Gene. <i>Journal of Biological Chemistry</i> , 1998, 273, 5716-5726.	1.6	43
677	Human ZFM1 Protein Is a Transcriptional Repressor That Interacts with the Transcription Activation Domain of Stage-specific Activator Protein. <i>Journal of Biological Chemistry</i> , 1998, 273, 6868-6877.	1.6	24
678	Oncostatin M Stimulates c-Fos to Bind a Transcriptionally Responsive AP-1 Element within the Tissue Inhibitor of Metalloproteinase-1 Promoter. <i>Journal of Biological Chemistry</i> , 1998, 273, 5211-5218.	1.6	68
679	Sp3 regulates Fas expression in lung epithelial cells. <i>Biochemical Journal</i> , 1998, 333, 209-213.	1.7	18
680	Gene organization and alternative splicing of human prohormone convertase PC8. <i>Biochemical Journal</i> , 1998, 336, 353-359.	1.7	5
681	Improving Sensitivity of the Electrophoretic Mobility Shift Assay by Restricting Tissue Phosphatase Activities. <i>BioTechniques</i> , 1998, 24, 964-970.	0.8	6
682	Multiple Transcriptional Elements in the Avian Type X Collagen Gene. <i>Journal of Biological Chemistry</i> , 1998, 273, 6542-6549.	1.6	22
683	Perinatal regulation of the ClC-2 chloride channel in lung is mediated by Sp1 and Sp3. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , 1999, 276, L614-L624.	1.3	20
684	Functional Characterization of the Promoter of the X-linked Ectodermal Dysplasia Gene. <i>Journal of Biological Chemistry</i> , 1999, 274, 26477-26484.	1.6	8
685	A tale of three fingers: the family of mammalian Sp/XKLF transcription factors. <i>Nucleic Acids Research</i> , 1999, 27, 2991-3000.	6.5	571
686	Insulin-induced Early Growth Response Gene (Egr-1) Mediates a Short Term Repression of Rat Malic Enzyme Gene Transcription. <i>Journal of Biological Chemistry</i> , 1999, 274, 17997-18004.	1.6	34
687	Cloning and Characterization of the 5' Flanking Region of the Human Growth Hormone-releasing Hormone Receptor Gene. <i>Journal of Biological Chemistry</i> , 1999, 274, 12108-12114.	1.6	45
688	Activation of Sp1 and Its Functional Co-operation with Serum Amyloid A-activating Sequence Binding Factor in Synoviocyte Cells Trigger Synergistic Action of Interleukin-1 and Interleukin-6 in Serum Amyloid A Gene Expression. <i>Journal of Biological Chemistry</i> , 1999, 274, 4300-4308.	1.6	68

#	ARTICLE	IF	CITATIONS
689	Rhinovirus Infection Induces Expression of Its Own Receptor Intercellular Adhesion Molecule 1 (ICAM-1) via Increased NF- κ B-mediated Transcription. <i>Journal of Biological Chemistry</i> , 1999, 274, 9707-9720.	1.6	322
690	Heterogeneous nuclear RNA-ribonucleoprotein F binds to DNA via an oligo(dG)-motif and is associated with RNA polymerase II. <i>Genes To Cells</i> , 1999, 4, 707-719.	0.5	18
691	Regulation of the Melanoma Cell Adhesion Molecule Gene in Melanoma: Modulation of mRNA Synthesis by Cyclic Adenosine Monophosphate, Phorbol Ester, and Stem Cell Factor/c-Kit Signaling. <i>Journal of Investigative Dermatology</i> , 1999, 113, 711-719.	0.3	11
692	Functional Analyses of Natural Variation in Sp1 Binding Sites of a TATA-Less Promoter. <i>Journal of Molecular Evolution</i> , 1999, 49, 736-749.	0.8	32
693	Multiple cloning sites from mammalian expression vectors interfere with gene promoter studies in vitro. <i>FEBS Journal</i> , 1999, 261, 585-590.	0.2	5
694	Unequal nuclear Sp1/GC box DNA binding activity distinguishes proliferating from differentiated senescent or apoptotic cells. , 1999, 83, 359-364.		9
695	Purification of transcription cofactor complex CRSP. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1999, 96, 7137-7142.	3.3	45
696	Effect of CpG methylation on expression of the mouse imprinted gene Mest. <i>Gene</i> , 1999, 226, 199-209.	1.0	18
697	The Sp-family of transcription factors. <i>Gene</i> , 1999, 238, 291-300.	1.0	1,027
698	Influence of different cellular transcription factors on the regulation of Varicella-zoster virus glycoproteins E (gE) and I (gI) UTRs activity. <i>Virus Research</i> , 1999, 62, 77-88.	1.1	21
699	Characterization of a promoter for the human glial cell line-derived neurotrophic factor gene. <i>Molecular Brain Research</i> , 1999, 69, 209-222.	2.5	45
700	The Promoter of Human Tissue Factor Pathway Inhibitor Gene. <i>Thrombosis Research</i> , 1999, 95, 255-262.	0.8	13
701	Transcription Factor AP-2 mRNA and DNA Binding Activity Are Constitutively Expressed in SV40-Immortalized but Not Normal Human Lung Fibroblasts. <i>Archives of Biochemistry and Biophysics</i> , 1999, 364, 241-246.	1.4	16
702	Evolutionary analysis of TATA-less proximal promoter function. <i>Molecular Biology and Evolution</i> , 1999, 16, 194-207.	3.5	59
703	Characterization of the mouse dynamin I gene promoter and identification of sequences that direct expression in neuronal cells. <i>Biochemical Journal</i> , 2000, 351, 661.	1.7	5
704	Characterization of the mouse dynamin I gene promoter and identification of sequences that direct expression in neuronal cells. <i>Biochemical Journal</i> , 2000, 351, 661-668.	1.7	9
705	The restricted expression pattern of the Hodgkin's lymphoma-associated cytokine receptor CD30 is regulated by a minimal promoter. <i>Journal of Pathology</i> , 2000, 192, 182-193.	2.1	13
706	Regulation of interaction of the acetyltransferase region of p300 and the DNA-binding domain of Sp1 on and through DNA binding. <i>Genes To Cells</i> , 2000, 5, 29-41.	0.5	147

#	ARTICLE	IF	CITATIONS
707	Cloning and functional characterization of the 5' regulatory region of the human mitochondrial glycerol-3-phosphate dehydrogenase gene. <i>FEBS Journal</i> , 2000, 267, 7209-7217.	0.2	3
708	Kinetic analysis of Sp1-mediated transcriptional activation of the human DNA polymerase β promoter. <i>Oncogene</i> , 2000, 19, 4729-4735.	2.6	12
709	Regulation of CD34 transcription by Sp1 requires sites upstream and downstream of the transcription start site. <i>Experimental Hematology</i> , 2000, 28, 974-984.	0.2	6
710	Mechanism of action in thalidomide teratogenesis. <i>Biochemical Pharmacology</i> , 2000, 59, 1489-1499.	2.0	226
711	Enhancement of the Basal-Level Activity of HIV-1 Long Terminal Repeat by HIV-1 Nucleocapsid Protein. <i>Virology</i> , 2000, 268, 251-263.	1.1	11
712	Structure of the infected cell protein 0 gene of canine herpesvirus. <i>Archives of Virology</i> , 2000, 145, 1715-1723.	0.9	4
713	Inhibitory Effects of Heavy Metals on Transcription Factor Sp1. <i>Industrial Health</i> , 2000, 38, 224-227.	0.4	14
714	Activator Protein-1 Mediates Induced but not Basal Epidermal Growth Factor Receptor Gene Expression. <i>Molecular Medicine</i> , 2000, 6, 17-27.	1.9	72
715	A Prominent Role for Sp1 During Lipopolysaccharide-Mediated Induction of the IL-10 Promoter in Macrophages. <i>Journal of Immunology</i> , 2000, 164, 1940-1951.	0.4	248
716	Cloning and Characterization of a Novel Human Class I Histone Deacetylase That Functions as a Transcription Repressor. <i>Journal of Biological Chemistry</i> , 2000, 275, 15254-15264.	1.6	244
717	Structure and Expression of the Mouse Gene Encoding the Orphan Nuclear Receptor TEC. <i>DNA and Cell Biology</i> , 2000, 19, 121-130.	0.9	28
718	Regulation of the mammalian alcohol dehydrogenase genes. <i>Progress in Molecular Biology and Translational Science</i> , 2000, 64, 295-341.	1.9	117
719	Orchestrated response: a symphony of transcription factors for gene control. <i>Genes and Development</i> , 2000, 14, 2551-2569.	2.7	647
720	Expression of the β 5 Integrin Subunit Gene Promoter Is Positively Regulated by the Extracellular Matrix Component Fibronectin through the Transcription Factor Sp1 in Corneal Epithelial Cells in Vitro. <i>Journal of Biological Chemistry</i> , 2000, 275, 39182-39192.	1.6	51
721	Transcriptional regulation of the LH β gene by gonadotropin-releasing hormone and the protein kinase C system. <i>Vitamins and Hormones</i> , 2000, 60, 195-227.	0.7	6
722	IL-10 Gene Expression Is Controlled by the Transcription Factors Sp1 and Sp3. <i>Journal of Immunology</i> , 2000, 165, 286-291.	0.4	231
723	Heterogeneous Sp1 mRNAs in Human HepG2 Cells Include a Product of Homotypic trans-Splicing. <i>Journal of Biological Chemistry</i> , 2000, 275, 38067-38072.	1.6	57
724	Identification of a CpG Island in the Human LRP-2 Gene and Analysis of Its Methylation Status in Parathyroid Adenomas. <i>Biological Chemistry</i> , 2000, 381, 433-438.	1.2	6

#	ARTICLE	IF	CITATIONS
725	Protein Phosphatase 2A and Phosphatidylinositol 3-Kinase Regulate the Activity of Sp1-responsive Promoters. <i>Journal of Biological Chemistry</i> , 2000, 275, 9385-9389.	1.6	62
726	Identification of Three Alternative First Exons and an Intronic Promoter of Human PDE5A Gene. <i>Biochemical and Biophysical Research Communications</i> , 2000, 268, 596-602.	1.0	25
727	Transcriptional Repression of p21(Waf1/Cip1/Sdi1) Gene by c-jun through Sp1 Site. <i>Biochemical and Biophysical Research Communications</i> , 2000, 270, 303-310.	1.0	58
728	Cloning and Characterization of the 5' Flanking Region of the Human Prolactin-Releasing Peptide Receptor Gene. <i>Biochemical and Biophysical Research Communications</i> , 2000, 276, 411-416.	1.0	9
729	TNF- α -Dependent Activation of NF- κ B in Human Osteoblastic HOS-TE85 Cells Is Repressed in Vector-Averaged Gravity Using Clinostat Rotation. <i>Biochemical and Biophysical Research Communications</i> , 2000, 279, 258-264.	1.0	29
730	Identification of KLF13 and KLF14 (SP6), Novel Members of the SP/XKLF Transcription Factor Family. <i>Genomics</i> , 2000, 70, 93-101.	1.3	67
731	Human COX6A1 gene: promoter analysis, cDNA isolation and expression in the monkey brain. <i>Gene</i> , 2000, 247, 63-75.	1.0	25
732	Transcriptional regulation of S100A1 and expression during mouse heart development. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2000, 1498, 207-219.	1.9	41
733	Identification of a Cellular Repressor of Transcription of the Adenoviral Late IVa2 Gene That Is Unaltered in Activity in Infected Cells. <i>Virology</i> , 2000, 277, 397-410.	1.1	14
734	Fetal Alz-50 Clone 1 (FAC1) Protein Interacts with the Myc-Associated Zinc Finger Protein (ZF87/MAZ) and Alters Its Transcriptional Activity. <i>Biochemistry</i> , 2000, 39, 3206-3215.	1.2	34
735	Kinetic Analysis of Sp1-Mediated Transcriptional Activation of a TATA-Containing Promoter. <i>Biochemistry</i> , 2000, 39, 818-823.	1.2	6
736	p53 Regulates Caveolin Gene Transcription, Cell Cholesterol, and Growth by a Novel Mechanism. <i>Biochemistry</i> , 2000, 39, 1966-1972.	1.2	100
737	Sp1 Binding Sites and An Estrogen Response Element Half-Site Are Involved in Regulation of the Human Progesterone Receptor A Promoter. <i>Molecular Endocrinology</i> , 2000, 14, 972-985.	3.7	161
738	TPA-Activated Transcription of the Human MnSOD Gene: Role of Transcription Factors SP-1 and Egr-1. <i>DNA and Cell Biology</i> , 2001, 20, 473-481.	0.9	42
739	Transcriptional Regulation of Human 3'-Phosphoadenosine 5'-Phosphosulfate Synthase 1. <i>Biochemical and Biophysical Research Communications</i> , 2001, 284, 763-770.	1.0	11
740	Cell Density Regulated Expression of Transcription Factor Sp1 in Corneal Stromal Cultures. <i>Experimental Eye Research</i> , 2001, 73, 17-24.	1.2	9
741	Sp1 and Sp3 physically interact and co-operate with GABP for the activation of the utrophin promoter. <i>Journal of Molecular Biology</i> , 2001, 306, 985-996.	2.0	67
742	Electrophoretic Mobility Shift Assays for the Analysis of DNA-Protein Interactions. , 2001, 148, 013-030.		27

#	ARTICLE	IF	CITATIONS
743	Leukocyte-specific expression of the pp52 (LSP1) promoter is controlled by the cis -acting pp52 silencer and anti-silencer elements. <i>Gene</i> , 2001, 268, 9-16.	1.0	5
744	Promoter characterization of the human and mouse epilysin (MMP-28) genes. <i>Gene</i> , 2001, 275, 185-194.	1.0	42
745	Lead Exposure in Pheochromocytoma (PC12) Cells Alters Neural Differentiation and Sp1 DNA-Binding. <i>NeuroToxicology</i> , 2001, 22, 49-62.	1.4	57
746	Characterization of a Putative Insulin-Responsive Element and Its Binding Protein(s) in Rat Angiotensinogen Gene Promoter: Regulation by Glucose and Insulin*. <i>Endocrinology</i> , 2001, 142, 2577-2585.	1.4	35
747	Characterization of the Rat Gad67 Gene Promoter Reveals Elements Important for Basal Transcription and Glucose Responsiveness. <i>DNA Sequence</i> , 2001, 11, 485-499.	0.7	12
748	Blocking Sp1 Transcription Factor Broadly Inhibits Extracellular Matrix Gene Expression In Vitro and In Vivo: Implications for the Treatment of Tissue Fibrosis. <i>Journal of Investigative Dermatology</i> , 2001, 116, 755-763.	0.3	119
749	Molecular characterization of the loss of p75NTR expression in human prostate tumor cells. <i>Molecular Carcinogenesis</i> , 2001, 31, 46-55.	1.3	42
750	Sequence-selective DNA binding drugs mithramycin A and chromomycin A3 are potent inhibitors of neuronal apoptosis induced by oxidative stress and DNA damage in cortical neurons. <i>Annals of Neurology</i> , 2001, 49, 345-354.	2.8	121
751	Running-buffer composition influences DNA-protein and protein-protein complexes detected by electrophoretic mobility-shift assay (EMSA). <i>Biotechnology and Applied Biochemistry</i> , 2001, 33, 209.	1.4	17
752	Cloning and Characterization of the 5'-Flanking Region of the Human Transcription Factor Sp1 Gene. <i>Journal of Biological Chemistry</i> , 2001, 276, 22126-22132.	1.6	78
753	Novel Sp Family-like Transcription Factors Are Present in Adult Insect Cells and Are Involved in Transcription from the Polyhedrin Gene Initiator Promoter. <i>Journal of Biological Chemistry</i> , 2001, 276, 23440-23449.	1.6	18
754	Silencer Activity of NFATc2 in the Interleukin-12 Receptor β 2 Proximal Promoter in Human T Helper Cells. <i>Journal of Biological Chemistry</i> , 2001, 276, 34509-34516.	1.6	27
755	Two Consecutive Zinc Fingers in Sp1 and in MAZ Are Essential for Interactions with cis-Elements. <i>Journal of Biological Chemistry</i> , 2001, 276, 30429-30434.	1.6	40
756	A Common Single Nucleotide Polymorphism in the CD14 Promoter Decreases the Affinity of Sp Protein Binding and Enhances Transcriptional Activity. <i>Journal of Immunology</i> , 2001, 167, 5838-5844.	0.4	314
757	The Number of a U3 Repeat Box Acting as an Enhancer in Long Terminal Repeats of Polytropic Replication-Competent Porcine Endogenous Retroviruses Dynamically Fluctuates during Serial Virus Passages in Human Cells. <i>Journal of Virology</i> , 2001, 75, 6933-6940.	1.5	60
758	pRB induces Sp1 activity by relieving inhibition mediated by MDM2. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2001, 98, 2211-2216.	3.3	48
759	Nuclear Factor 1 Interferes with Sp1 Binding through a Composite Element on the Rat Poly(ADP-ribose) Polymerase Promoter to Modulate Its Activity in Vitro. <i>Journal of Biological Chemistry</i> , 2001, 276, 20766-20773.	1.6	34
760	SP3 Represses the SP1-mediated Transactivation of the Human COL2A1 Gene in Primary and De-differentiated Chondrocytes. <i>Journal of Biological Chemistry</i> , 2001, 276, 36881-36895.	1.6	81

#	ARTICLE	IF	CITATIONS
761	Identification of a Phorbol Ester-responsive Element in the Interferon- β Receptor 1 Chain Gene. <i>Journal of Biological Chemistry</i> , 2001, 276, 37237-37241.	1.6	18
762	Independent Repression of a GC-rich Housekeeping Gene by Sp1 and MAZ Involves the Same cis-Elements. <i>Journal of Biological Chemistry</i> , 2001, 276, 19897-19904.	1.6	56
763	Acceleration of Thrombomodulin Gene Transcription by Retinoic Acid. <i>Journal of Biological Chemistry</i> , 2001, 276, 2440-2450.	1.6	31
764	Negative Regulatory Role of Sp1 in Metal Responsive Element-mediated Transcriptional Activation. <i>Journal of Biological Chemistry</i> , 2001, 276, 16534-16539.	1.6	60
765	An Array of Positioned Nucleosomes Potentiates Thyroid Hormone Receptor Action in Vivo. <i>Journal of Biological Chemistry</i> , 2001, 276, 19753-19761.	1.6	18
766	Genomic structure and transcriptional regulation of human Gal β 1,3GalNAc β 2,3-sialyltransferase (hST3Gal I) gene. <i>Glycobiology</i> , 2001, 11, 241-247.	1.3	28
767	Lysophosphatidylcholine Induces Early Growth Response Factor-1 Expression and Activates the Core Promoter of PDGF-A Chain in Vascular Endothelial Cells. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2001, 21, 771-776.	1.1	27
768	A Role for Sp1 in the Transcriptional Regulation of Hepatic Triacylglycerol Hydrolase in the Mouse. <i>Journal of Biological Chemistry</i> , 2001, 276, 25621-25630.	1.6	16
769	Sodium Butyrate Induces Transcription from the G β i2 Gene Promoter through Multiple Sp1 Sites in the Promoter and by Activating the MEK-ERK Signal Transduction Pathway. <i>Journal of Biological Chemistry</i> , 2001, 276, 25742-25752.	1.6	86
770	Transcriptional Suppression of Type 1 Angiotensin II Receptor Gene Expression by Peroxisome Proliferator-Activated Receptor- β in Vascular Smooth Muscle Cells*. <i>Endocrinology</i> , 2001, 142, 3125-3134.	1.4	178
771	Sterol Regulatory Element Binding Protein-1a Regulation of the Steroidogenic Acute Regulatory Protein Gene*. <i>Endocrinology</i> , 2001, 142, 1525-1533.	1.4	68
772	Phosphorylation of Transcription Factor Sp1 during Herpes Simplex Virus Type 1 Infection. <i>Journal of Virology</i> , 2002, 76, 6473-6479.	1.5	37
773	Transcription Suppression of Thromboxane Receptor Gene by Peroxisome Proliferator-activated Receptor- β via an Interaction with Sp1 in Vascular Smooth Muscle Cells. <i>Journal of Biological Chemistry</i> , 2002, 277, 9676-9683.	1.6	84
774	The Role of Sp1 and AP-2 in Basal and Protein Kinase A-induced Expression of Mitochondrial Serine:Pyruvate Aminotransferase in Hepatocytes. <i>Journal of Biological Chemistry</i> , 2002, 277, 39082-39092.	1.6	13
775	Functional Analysis of the Human Complement Receptor 2 (CR2/CD21) Promoter: Characterization of Basal Transcriptional Mechanisms. <i>Journal of Immunology</i> , 2002, 168, 6279-6285.	0.4	27
776	Vesnarinone, a differentiation inducing drug, directly activates p21waf1 gene promoter via Sp1 sites in a human salivary gland cancer cell line. <i>British Journal of Cancer</i> , 2002, 87, 1042-1046.	2.9	17
777	Enhanced Expression of the Human Vacuolar H ⁺ -ATPase c subunit Gene (ATP6L) in Response to Anticancer Agents. <i>Journal of Biological Chemistry</i> , 2002, 277, 36534-36543.	1.6	76
778	Regulation of Osteocalcin Gene Expression by a Novel Ku Antigen Transcription Factor Complex. <i>Journal of Biological Chemistry</i> , 2002, 277, 37280-37291.	1.6	75

#	ARTICLE	IF	CITATIONS
779	NEURODEGENERATION: A Glutamine-Rich Trail Leads to Transcription Factors. <i>Science</i> , 2002, 296, 2149-2150.	6.0	85
780	Sp1 and AP2 regulate but do not constitute TATA-less human TAFII55 core promoter activity. <i>Nucleic Acids Research</i> , 2002, 30, 4145-4157.	6.5	29
781	Evolution of Sp Transcription Factors. <i>Molecular Biology and Evolution</i> , 2002, 19, 216-222.	3.5	39
782	MDM2 induces NF- κ B/p65 expression transcriptionally through Sp1-binding sites: a novel, p53-independent role of MDM2 in doxorubicin resistance in acute lymphoblastic leukemia. <i>Blood</i> , 2002, 99, 3367-3375.	0.6	106
783	Transcriptional regulation of the human manganese superoxide dismutase gene: the role of specificity protein 1 (Sp1) and activating protein-2 (AP-2). <i>Biochemical Journal</i> , 2002, 362, 401.	1.7	84
784	Transcriptional regulation of human 3 α -phosphoadenosine 5 α -phosphosulphate synthase 2. <i>Biochemical Journal</i> , 2002, 363, 263.	1.7	5
785	Transcriptional regulation of the human manganese superoxide dismutase gene: the role of specificity protein 1 (Sp1) and activating protein-2 (AP-2). <i>Biochemical Journal</i> , 2002, 362, 401-412.	1.7	107
786	Transcriptional regulation of human 3 α -phosphoadenosine 5 α -phosphosulphate synthase 2. <i>Biochemical Journal</i> , 2002, 363, 263-271.	1.7	10
787	Identification and Characterization of a Novel Hypertonicity-Responsive Element in the Human Aquaporin-1 Gene. <i>Biochemical and Biophysical Research Communications</i> , 2002, 292, 771-775.	1.0	45
788	A feel for the template: zinc finger protein transcription factors and chromatin. <i>Biochemistry and Cell Biology</i> , 2002, 80, 321-333.	0.9	31
789	XSPR-1 and XSPR-2, novel Sp1 related zinc finger containing genes, are dynamically expressed during <i>Xenopus</i> embryogenesis. <i>Mechanisms of Development</i> , 2002, 115, 117-122.	1.7	19
790	Sp/Krüppel-like transcription factors are essential for the expression of mitochondrial glycerol phosphate dehydrogenase promoter B. <i>Gene</i> , 2002, 296, 221-234.	1.0	17
791	Generation of a synthetic mammalian promoter library by modification of sequences spacing transcription factor binding sites. <i>Gene</i> , 2002, 297, 21-32.	1.0	81
792	Regulation of the activity of Sp1-related transcription factors. <i>Molecular and Cellular Endocrinology</i> , 2002, 195, 27-38.	1.6	416
793	Human Krüppel-like factor5/KLF5: Synergy with NF- κ B/Rel factors and expression in human skin and hair follicles. <i>European Journal of Cell Biology</i> , 2002, 81, 323-334.	1.6	43
794	Cloning of the gene and complete cDNA encoding a type 2 deiodinase from. <i>General and Comparative Endocrinology</i> , 2002, 128, 162-167.	0.8	23
795	Promoter II of the bovine acetyl-coenzyme A carboxylase- β -encoding gene is widely expressed and strongly active in different cells. <i>Biochimica Et Biophysica Acta Gene Regulatory Mechanisms</i> , 2002, 1576, 324-329.	2.4	17
796	A New Look at the Promoter of the Human Monoamine Oxidase A Gene: Mapping Transcription Initiation Sites and Capacity to Drive Luciferase Expression. <i>Journal of Neurochemistry</i> , 1994, 63, 843-856.	2.1	36

#	ARTICLE	IF	CITATIONS
797	Characterization of the Human Protease Nexin-1 Promoter and Its Regulation by Sp1 Through a G/C-Rich Activation Domain. <i>Journal of Neurochemistry</i> , 2002, 67, 498-507.	2.1	6
798	Regulation of β -2-Adrenergic Receptor mRNA in Rat Astroglial Cultures: Role of Cyclic AMP and Protein Kinase C. <i>Journal of Neurochemistry</i> , 2002, 68, 47-57.	2.1	11
800	Transcriptional involvement in neurotoxicity. <i>Toxicology and Applied Pharmacology</i> , 2003, 190, 177-188.	1.3	22
801	Cellular factors and IE62 activation of VZV promoters. <i>Journal of Medical Virology</i> , 2003, 70, S90-S94.	2.5	35
802	Sp1 and Sp3 are involved in up-regulation of human deoxyribonuclease II transcription during differentiation of HL-60 cells. <i>FEBS Journal</i> , 2003, 270, 1855-1862.	0.2	12
803	Insulin Induction of Apolipoprotein AI, Role of Sp1. <i>Biochemistry</i> , 2003, 42, 2680-2690.	1.2	58
804	Gene structure and promoter analysis of the rat BTEB2 gene. <i>Gene</i> , 2003, 304, 163-170.	1.0	7
805	Sp1- and Kr μ ppel-like transcription factors. <i>Genome Biology</i> , 2003, 4, 206.	13.9	820
806	Mouse Testin: Complementary DNA Cloning, Genomic Organization, and Characterization of Its Proximal Promoter Region1. <i>Biology of Reproduction</i> , 2003, 68, 1376-1386.	1.2	10
807	Sp1 Transactivation of the TCL1 Oncogene. <i>Journal of Biological Chemistry</i> , 2003, 278, 948-955.	1.6	23
808	Regulation of the Integrin Subunit β 5 Gene Promoter by the Transcription Factors Sp1/Sp3 Is Influenced by the Cell Density in Rabbit Corneal Epithelial Cells. , 2003, 44, 3742.		39
809	Identification and Characterization of a Consensus DNA Binding Element for the Zinc Finger Transcription Factor TIEG/EGR β . <i>DNA and Cell Biology</i> , 2003, 22, 187-199.	0.9	15
810	Functional Interaction of the DNA-binding Transcription Factor Sp1 through Its DNA-binding Domain with the Histone Chaperone TAF-I. <i>Journal of Biological Chemistry</i> , 2003, 278, 28758-28764.	1.6	42
811	Tyrphostin AG 555 Inhibits Bovine Papillomavirus Transcription by Changing the Ratio between E2 Transactivator/Repressor Function. <i>Journal of Biological Chemistry</i> , 2003, 278, 37306-37313.	1.6	2
812	Influence of Sp1/Sp3 Expression on Corneal Epithelial Cells Proliferation and Differentiation Properties in Reconstructed Tissues. , 2003, 44, 1447.		48
813	Functional Cooperation of Simian Virus 40 Promoter Factor 1 and CCAAT/Enhancer-Binding Protein β 2 and β 1 in Lipopolysaccharide-Induced Gene Activation of IL-10 in Mouse Macrophages. <i>Journal of Immunology</i> , 2003, 171, 821-828.	0.4	103
814	Positive and Negative Regulation of the Cardiovascular Transcription Factor KLF5 by p300 and the Oncogenic Regulator SET through Interaction and Acetylation on the DNA-Binding Domain. <i>Molecular and Cellular Biology</i> , 2003, 23, 8528-8541.	1.1	113
815	Transcriptional regulation by zinc-finger proteins Sp1 and MAZ involves interactions with the same cis-elements (Review). <i>International Journal of Molecular Medicine</i> , 2003, 11, 547.	1.8	13

#	ARTICLE	IF	CITATIONS
816	Methods for Studying Transcription Factors. , 2004, , 23-53.		0
817	Capillary Electrophoresis Study on DNA-Protein Complex Formation in the Polymorphic 5 Upstream Region of the Dopamine D4 Receptor (DRD4) Gene. <i>Current Medicinal Chemistry</i> , 2004, 11, 1023-1029.	1.2	25
818	Nuclear Receptor-Mediated Transactivation Through Interaction with Sp Proteins. <i>Progress in Molecular Biology and Translational Science</i> , 2004, 77, 1-36.	1.9	128
819	Isolation of nIz2 and Characterization of Essential Domains in Nlz Family Proteins. <i>Journal of Biological Chemistry</i> , 2004, 279, 11917-11925.	1.6	33
820	Interplay between HIV-1 Vpr and Sp1 Modulates p21WAF1 Gene Expression in Human Astrocytes. <i>Journal of Biological Chemistry</i> , 2004, 279, 46046-46056.	1.6	50
821	Induction of the MMP-14 Gene in Macrophages of the Atherosclerotic Plaque. <i>Circulation Research</i> , 2004, 95, 1082-1090.	2.0	46
822	The high-affinity Sp1 binding site in the HTLV-1 promoter contributes to Tax-independent basal expression. <i>Nucleic Acids Research</i> , 2004, 32, 2829-2837.	6.5	9
823	How I became one of the fathers of a superfamily. <i>Nature Medicine</i> , 2004, 10, 1027-1031.	15.2	29
824	Human Parvovirus B19 nonstructural protein transactivates the p21/WAF1 through Sp1. <i>Virology</i> , 2004, 329, 493-504.	1.1	34
825	Sp3 repression of polymorphic human NRH:quinone oxidoreductase 2 gene promoter. <i>Free Radical Biology and Medicine</i> , 2004, 37, 1231-1243.	1.3	36
826	A conserved initiator element on the mammalian poly(ADP-ribose) polymerase-1 promoters, in combination with flanking core elements, is necessary to obtain high transcriptional activity. <i>Biochimica Et Biophysica Acta Gene Regulatory Mechanisms</i> , 2004, 1679, 37-46.	2.4	12
827	Regulation of the Estrogen Receptor $\hat{\pm}$ Minimal Promoter by Sp1, USF-1 and ER $\hat{\pm}$. <i>Breast Cancer Research and Treatment</i> , 2004, 85, 111-120.	1.1	38
828	Gene regulation by Sp1 and Sp3. <i>Biochemistry and Cell Biology</i> , 2004, 82, 460-471.	0.9	366
829	Triacylglycerol hydrolase: role in intracellular lipid metabolism. <i>Cellular and Molecular Life Sciences</i> , 2004, 61, 1633-51.	2.4	103
830	Regulation of human IL-18 gene expression: interaction of PU.1 with GC-box binding protein is involved in human IL-18 expression in myeloid cells. <i>European Journal of Immunology</i> , 2004, 34, 817-826.	1.6	18
831	Vascular smooth muscle cell-specific regulation of cyclin-dependent kinase inhibitor p21WAF1/Cip1 transcription by Sp1 is mediated via distinct cis-acting positive and negative regulatory elements in the proximal p21WAF1/Cip1 promoter. <i>Journal of Cellular Biochemistry</i> , 2004, 93, 904-916.	1.2	15
832	Determining the Ability of Xenobiotic Metals to Bind a Specific Protein Domain by Electrophoresis. , 2004, Chapter 12, Unit12.11.		0
833	Intracellular trafficking of nucleic acids. <i>Expert Opinion on Drug Delivery</i> , 2004, 1, 127-140.	2.4	42

#	ARTICLE	IF	CITATIONS
834	IXL, a new subunit of the mammalian Mediator complex, functions as a transcriptional suppressor. <i>Biochemical and Biophysical Research Communications</i> , 2004, 325, 1330-1338.	1.0	12
835	Differential regulation of the human progesterone receptor gene through an estrogen response element half site and Sp1 sites. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2004, 88, 113-122.	1.2	130
836	Regulation of RNA Polymerase II Transcription by Sequence-Specific DNA Binding Factors. <i>Cell</i> , 2004, 116, 247-257.	13.5	330
837	Arsenic suppresses gene expression in promyelocytic leukemia cells partly through Sp1 oxidation. <i>Blood</i> , 2005, 106, 304-310.	0.6	74
838	Regulation of the poly(ADP-ribose) polymerase-1 gene expression by the transcription factors Sp1 and Sp3 is under the influence of cell density in primary cultured cells. <i>Biochemical Journal</i> , 2005, 389, 423-433.	1.7	22
839	The family feud: turning off Sp1 by Sp1-like KLF proteins. <i>Biochemical Journal</i> , 2005, 392, 1-11.	1.7	188
840	Effects of linking 15-zinc finger domains on DNA binding specificity and multiple DNA binding modes. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2005, 15, 2197-2201.	1.0	10
841	Sp1-like transcription factors are regulators of embryonic development in vertebrates. <i>Development Growth and Differentiation</i> , 2005, 47, 201-211.	0.6	114
842	Characterization of the 5' flanking region of the human transcription factor Sp3 gene. <i>Biochimica Et Biophysica Acta Gene Regulatory Mechanisms</i> , 2005, 1730, 126-136.	2.4	15
843	Transcriptional Regulation at the Chromatin Level in the Cardiovasculature Through Protein-protein Interactions and Chemical Modifications. <i>Trends in Cardiovascular Medicine</i> , 2005, 15, 125-129.	2.3	7
844	CHARACTERIZATION OF TWO PROTEIN-BINDING SITES IN THE SECOND INTRON OF THE MOUSE K-ras GENE. <i>Experimental Lung Research</i> , 2005, 31, 179-192.	0.5	0
845	Mechanism of transcriptional regulation of LRP16 gene expression by 17 β -estradiol in MCF-7 human breast cancer cells. <i>Journal of Molecular Endocrinology</i> , 2005, 34, 77-89.	1.1	32
846	Vascular Implications of the Kruppel-Like Family of Transcription Factors. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2005, 25, 1135-1141.	1.1	111
847	A Placenta-Specific Enhancer of the Human Syncytin Gene1. <i>Biology of Reproduction</i> , 2005, 73, 500-509.	1.2	51
848	Structure of the glucocorticoid receptor (NR3C1) gene 5' untranslated region: identification, and tissue distribution of multiple new human exon 1. <i>Journal of Molecular Endocrinology</i> , 2005, 35, 283-292.	1.1	233
849	Exonuclease III protection assay with FRET probe for detecting DNA-binding proteins. <i>Nucleic Acids Research</i> , 2005, 33, e23-e23.	6.5	91
850	An Sp1 Response Element in the Kaposi's Sarcoma-Associated Herpesvirus Open Reading Frame 50 Promoter Mediates Lytic Cycle Induction by Butyrate. <i>Journal of Virology</i> , 2005, 79, 1397-1408.	1.5	63
851	The Repressor Element Silencing Transcription Factor (REST)-mediated Transcriptional Repression Requires the Inhibition of Sp1. <i>Journal of Biological Chemistry</i> , 2005, 280, 401-407.	1.6	33

#	ARTICLE	IF	CITATIONS
852	DNA Topoisomerase II Poison TAS-103 Transactivates GC-Box-dependent Transcription via Acetylation of Sp1. <i>Journal of Biological Chemistry</i> , 2005, 280, 1179-1185.	1.6	18
853	Heterogenous Nuclear Ribonucleoprotein F Modulates Angiotensinogen Gene Expression in Rat Kidney Proximal Tubular Cells. <i>Journal of the American Society of Nephrology: JASN</i> , 2005, 16, 616-628.	3.0	25
854	Transcriptional Induction of Matrix Metalloproteinase-9 in the Chondrocyte and Synoviocyte Cells Is Regulated via a Novel Mechanism: Evidence for Functional Cooperation between Serum Amyloid A-Activating Factor-1 and AP-1. <i>Journal of Immunology</i> , 2005, 175, 4039-4048.	0.4	45
855	Hsp90 α Recruited by Sp1 Is Important for Transcription of 12(S)-Lipoxygenase in A431 Cells. <i>Journal of Biological Chemistry</i> , 2005, 280, 36283-36292.	1.6	24
856	Characterization of Promoter Elements of the Human HYAL-2 Gene. <i>Journal of Biological Chemistry</i> , 2005, 280, 26904-26912.	1.6	22
857	Sp1 and Sp3 activate transcription of the human dopamine transporter gene. <i>Journal of Neurochemistry</i> , 2005, 93, 474-482.	2.1	55
858	Getting specific. <i>Nature Reviews Molecular Cell Biology</i> , 2005, 6, S12-S12.	16.1	1
859	Zinc, oxidant-triggered cell signaling, and human health. <i>Molecular Aspects of Medicine</i> , 2005, 26, 245-255.	2.7	101
860	Sp transcription factor family and its role in cancer. <i>European Journal of Cancer</i> , 2005, 41, 2438-2448.	1.3	447
861	Mammalian SP/KLF transcription factors: Bring in the family. <i>Genomics</i> , 2005, 85, 551-556.	1.3	328
862	As ₂ O ₃ -induced c-Src/EGFR/ERK signaling is via Sp1 binding sites to stimulate p21WAF1/CIP1 expression in human epidermoid carcinoma A431 cells. <i>Cellular Signalling</i> , 2006, 18, 244-255.	1.7	44
863	Genomic structure, alternative maturation and tissue expression of the human BBOX1 gene. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2006, 1761, 1469-1481.	1.2	39
864	Mechanical compressive loading stimulates the activity of proximal region of human COL2A1 gene promoter in transfected chondrocytes. <i>Biochemical and Biophysical Research Communications</i> , 2006, 344, 1192-1199.	1.0	23
865	Role of p38 in stress activation of Sp1. <i>Gene</i> , 2006, 379, 51-61.	1.0	54
866	2-Deoxyglucose: An anticancer and antiviral therapeutic, but not any more a low glucose mimetic. <i>Life Sciences</i> , 2006, 78, 1392-1399.	2.0	109
867	Loss of Sp1 function via inhibitory phosphorylation in antifolate-resistant human leukemia cells with down-regulation of the reduced folate carrier. <i>Blood</i> , 2006, 107, 708-715.	0.6	14
868	Sp1/3 and NF-1 mediate basal transcription of the human P2X1 gene in megakaryoblastic MEG-01 cells. , 2006, 7, 10.		7
869	Association study of 5'-UTR polymorphisms of the human dopamine transporter gene with manic depression. <i>Bipolar Disorders</i> , 2006, 8, 490-495.	1.1	10

#	ARTICLE	IF	CITATIONS
870	Assay of DNA-binding proteins with a dsDNA-coupled plate. <i>Clinical Biochemistry</i> , 2006, 39, 167-175.	0.8	6
871	Super Paramagnetic Clustering of DNA Sequences. <i>Journal of Biological Physics</i> , 2006, 32, 11-25.	0.7	2
872	The Feeder layer-mediated extended lifetime of cultured human skin keratinocytes is associated with altered levels of the transcription factors Sp1 and Sp3. <i>Journal of Cellular Physiology</i> , 2006, 206, 831-842.	2.0	36
873	Peroxisome Proliferator-Activated Receptor- β Transcriptionally Up-Regulates Hormone-Sensitive Lipase via the Involvement of Specificity Protein-1. <i>Endocrinology</i> , 2006, 147, 875-884.	1.4	83
874	Intracellular Trafficking of Plasmids for Gene Therapy: Mechanisms of Cytoplasmic Movement and Nuclear Import. <i>Current Gene Therapy</i> , 2006, 6, 671-681.	0.9	101
875	Evidence that the mouse insulin receptor substrate-1 belongs to the gene family on which the promoter is activated by estrogen receptor β through its interaction with Sp1. <i>Journal of Molecular Endocrinology</i> , 2006, 36, 91-105.	1.1	25
876	Sp1 Deacetylation Induced by Phorbol Ester Recruits p300 To Activate 12(S)-Lipoxygenase Gene Transcription. <i>Molecular and Cellular Biology</i> , 2006, 26, 1770-1785.	1.1	115
877	Expression of the Gene Encoding Poly(ADP-ribose) Polymerase-1 Is Modulated by Fibronectin during Corneal Wound Healing. , 2006, 47, 4199.		12
878	Transcriptional Regulation of ULBP1, a Human Ligand of the NKG2D Receptor. <i>Journal of Biological Chemistry</i> , 2006, 281, 30419-30430.	1.6	54
879	Human immunodeficiency virus type 1 Tat prevents dephosphorylation of Sp1 by TCF-4 in astrocytes. <i>Journal of General Virology</i> , 2006, 87, 1613-1623.	1.3	29
880	A Nuclear Factor in B Cells and Beyond. <i>Journal of Immunology</i> , 2006, 177, 7483-7484.	0.4	7
881	A Novel Functional Interaction between the Sp1-like Protein KLF13 and SREBP-Sp1 Activation Complex Underlies Regulation of Low Density Lipoprotein Receptor Promoter Function. <i>Journal of Biological Chemistry</i> , 2006, 281, 3040-3047.	1.6	27
882	Heterogeneous Nuclear Ribonucleoprotein K Modulates Angiotensinogen Gene Expression in Kidney Cells. <i>Journal of Biological Chemistry</i> , 2006, 281, 25344-25355.	1.6	22
883	The Role of a Single-stranded Nucleotide Loop in Transcriptional Regulation of the Human sod2 Gene. <i>Journal of Biological Chemistry</i> , 2007, 282, 15981-15994.	1.6	31
884	Hydroxyurea and Interleukin-6 Synergistically Reactivate HIV-1 Replication in a Latently Infected Promonocytic Cell Line via SP1/SP3 Transcription Factors. <i>Journal of Biological Chemistry</i> , 2007, 282, 3594-3604.	1.6	24
885	Cellular and Viral Factors Regulate the Varicella-Zoster Virus gE Promoter during Viral Replication. <i>Journal of Virology</i> , 2007, 81, 10258-10267.	1.5	22
886	Sp1 and Sp3 mediate NHE2 gene transcription in the intestinal epithelial cells. <i>American Journal of Physiology - Renal Physiology</i> , 2007, 293, G146-G153.	1.6	12
887	Multiple Transcription Factor Elements Collaborate with Estrogen Receptor β to Activate an Inducible Estrogen Response Element in the NKG2E Gene. <i>Endocrinology</i> , 2007, 148, 3449-3458.	1.4	20

#	ARTICLE	IF	CITATIONS
888	Laminin Reduces Expression of the Human $\alpha 6$ Integrin Subunit Gene by Altering the Level of the Transcription Factors Sp1 and Sp3. , 2007, 48, 3490.		32
889	Enhanced Phosphorylation of Transcription Factor Sp1 in Response to Herpes Simplex Virus Type 1 Infection Is Dependent on the Ataxia Telangiectasia-Mutated Protein. Journal of Virology, 2007, 81, 9653-9664.	1.5	28
890	The Oncogenic microRNA-27a Targets Genes That Regulate Specificity Protein Transcription Factors and the G2-M Checkpoint in MDA-MB-231 Breast Cancer Cells. Cancer Research, 2007, 67, 11001-11011.	0.4	437
891	Phosphorylation of Sp1 in Response to DNA Damage by Ataxia Telangiectasia-Mutated Kinase. Molecular Cancer Research, 2007, 5, 1319-1330.	1.5	81
892	Crosstalk of CREB and Fos/Jun on a single cis-element: transcriptional repression of the steroidogenic acute regulatory protein gene. Journal of Molecular Endocrinology, 2007, 39, 261-277.	1.1	78
893	Hepatocellular expression of glutamine synthetase: An indicator of morphogen actions as master regulators of zonation in adult liver. Progress in Histochemistry and Cytochemistry, 2007, 41, 201-266.	5.1	101
894	Expression of PACT is regulated by Sp1 transcription factor. Gene, 2007, 388, 74-82.	1.0	13
895	Structure of the human 5-HT7 receptor gene and characterization of its promoter region. Gene, 2007, 391, 252-263.	1.0	7
896	Integration site-specific transcriptional reporter gene analysis using Flp recombinase targeted cell lines. BioTechniques, 2007, 42, 217-224.	0.8	18
897	Cardiovascular proteomic analysis. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2007, 855, 28-34.	1.2	7
898	DNA topoisomerase inhibitor, etoposide, enhances GC-box-dependent promoter activity via Sp1 phosphorylation. Cancer Science, 2007, 98, 858-863.	1.7	8
899	Targeting of Sp1 transcription factor: a novel therapeutic approach for Keloids, an in vitro analysis. Experimental Dermatology, 2007, 16, 1023-1031.	1.4	7
900	Up-regulated expression of Sp1 protein coincident with a viral protein in human and mouse differentiating keratinocytes may act as a cell differentiation marker. Differentiation, 2008, 76, 1068-1080.	1.0	10
901	Concordant over-expression of transcription factor Sp1 and vascular endothelial growth factor in extramammary Paget's disease. International Journal of Dermatology, 2008, 47, 562-566.	0.5	15
902	AML1 α ETO interacts with Sp1 and antagonizes Sp1 transactivity through RUNT domain. FEBS Letters, 2008, 582, 2167-2172.	1.3	10
903	Non-classical genomic estrogen receptor (ER)/specificity protein and ER/activating protein-1 signaling pathways. Journal of Molecular Endocrinology, 2008, 41, 263-275.	1.1	278
904	Sumoylation of Specificity Protein 1 Augments Its Degradation by Changing the Localization and Increasing the Specificity Protein 1 Proteolytic Process. Journal of Molecular Biology, 2008, 380, 869-885.	2.0	78
905	Regulation of the E2F-associated phosphoprotein promoter by GC-box binding proteins. International Journal of Biochemistry and Cell Biology, 2008, 40, 2845-2853.	1.2	8

#	ARTICLE	IF	CITATIONS
906	Gossypol suppresses NF- κ B activity and NF- κ B-related gene expression in human leukemia U937 cells. <i>Cancer Letters</i> , 2008, 264, 192-200.	3.2	54
907	Transcriptional regulation of the human soluble epoxide hydrolase gene EPHX2. <i>Biochimica Et Biophysica Acta - Gene Regulatory Mechanisms</i> , 2008, 1779, 17-27.	0.9	35
908	Coordinate regulation of bovine prion protein gene promoter activity by two Sp1 binding site polymorphisms. <i>Biochemical and Biophysical Research Communications</i> , 2008, 372, 530-535.	1.0	17
909	Sp1-mediated transcription regulation of TAF- β gene encoding a histone chaperone. <i>Biochemical and Biophysical Research Communications</i> , 2008, 376, 665-670.	1.0	13
910	Identification of phosphorylation sites on transcription factor Sp1 in response to DNA damage and its accumulation at damaged sites. <i>Cellular Signalling</i> , 2008, 20, 1795-1803.	1.7	54
911	The relationship of potential G-quadruplex sequences in cis-upstream regions of the human genome to SP1-binding elements. <i>Nucleic Acids Research</i> , 2008, 36, 2700-2704.	6.5	66
912	Identification and characterization of the human Gb3/CD77 synthase gene promoter. <i>Glycobiology</i> , 2008, 18, 1028-1035.	1.3	20
913	Transcriptional Control of Spliced and Unspliced Human T-Cell Leukemia Virus Type 1 bZIP Factor () Tj ETQq1 1 0.784314 rgBT /Overlock 1.5 115		
914	Cellular Transcription Factors Sp1 and Sp3 Suppress Varicella-Zoster Virus Origin-Dependent DNA Replication. <i>Journal of Virology</i> , 2008, 82, 11723-11733.	1.5	14
915	Transcriptional Regulation of the Human α 6 Integrin Gene by the Transcription Factor NFI during Corneal Wound Healing. , 2008, 49, 3758.		15
916	Hyperglycemia suppresses hepatic scavenger receptor class B type I expression. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2008, 294, E78-E87.	1.8	39
917	Expression Patterns of SP1 and SP3 During Mouse Spermatogenesis: SP1 Down-Regulation Correlates with Two Successive Promoter Changes and Translationally Compromised Transcripts1. <i>Biology of Reproduction</i> , 2008, 79, 289-300.	1.2	24
918	Tumor Necrosis Factor- α Enhances Neutrophil Adhesiveness: Induction of Vascular Cell Adhesion Molecule-1 via Activation of Akt and CaM Kinase II and Modifications of Histone Acetyltransferase and Histone Deacetylase 4 in Human Tracheal Smooth Muscle Cells. <i>Molecular Pharmacology</i> , 2008, 73, 1454-1464.	1.0	38
919	Phosphorylation by c-Jun NH ₂ -terminal Kinase 1 Regulates the Stability of Transcription Factor Sp1 during Mitosis. <i>Molecular Biology of the Cell</i> , 2008, 19, 1139-1151.	0.9	102
920	Post-Translational Control of Sp-Family Transcription Factors. <i>Current Genomics</i> , 2008, 9, 301-311.	0.7	31
921	A position effect on TRPS1 is associated with Ambras syndrome in humans and the Koala phenotype in mice. <i>Human Molecular Genetics</i> , 2008, 17, 3539-3551.	1.4	63
922	Estrogen Induces Estrogen-related Receptor β Gene Expression and Chromatin Structural Changes in Estrogen Receptor (ER)-positive and ER-negative Breast Cancer Cells. <i>Journal of Biological Chemistry</i> , 2008, 283, 6752-6763.	1.6	24
923	METHODS FOR STUDYING TRANSCRIPTION FACTORS. , 2008, , 29-67.		0

#	ARTICLE	IF	CITATIONS
924	Transcriptional Regulation of PP2A-Î± Is Mediated by Multiple Factors Including AP-2Î±, CREB, ETS-1, and SP-1. PLoS ONE, 2009, 4, e7019.	1.1	22
925	Identification of a novel herpes simplex virus type 1 transcript and protein (AL3) expressed during latency. Journal of General Virology, 2009, 90, 2342-2352.	1.3	14
926	O-Linked <i>N</i> -Acetylglucosaminylation of Sp1 Inhibits the Human Immunodeficiency Virus Type 1 Promoter. Journal of Virology, 2009, 83, 3704-3718.	1.5	37
927	Regulation of the ORF61 Promoter and ORF61 Functions in Varicella-Zoster Virus Replication and Pathogenesis. Journal of Virology, 2009, 83, 7560-7572.	1.5	34
928	Transcription Factors as Therapeutic Targets in CNS Disorders. Recent Patents on CNS Drug Discovery, 2009, 4, 190-199.	0.9	10
929	Hydrogen Peroxide Decreases Endothelial Nitric Oxide Synthase Promoter Activity through the Inhibition of Sp1 Activity. DNA and Cell Biology, 2009, 28, 119-129.	0.9	23
930	Sp1 <i>trans</i> -activates the murine H ⁺ -K ⁺ -ATPase Î± ₂ -subunit gene. American Journal of Physiology - Renal Physiology, 2009, 297, F63-F70.	1.3	10
931	Small DNA tumour viruses and their contributions to our understanding of transcription control. Virology, 2009, 384, 369-374.	1.1	12
932	Small DNA tumor viruses: Large contributors to biomedical sciences. Virology, 2009, 384, 256-259.	1.1	72
933	Regulation of superoxide dismutase genes: Implications in disease. Free Radical Biology and Medicine, 2009, 47, 344-356.	1.3	678
934	Mechanistic insights into the link between a polymorphism of the 3'UTR of the <i>SLC7A1</i> gene and hypertension. Human Mutation, 2009, 30, 328-333.	1.1	61
935	New putative control elements in the promoter of the gene for the CXCL13 chemokine, a target of the alternative NF-Î±B pathway. Molecular Biology, 2009, 43, 604-611.	0.4	4
936	Overexpression of human histone methylase MLL ₁ upon exposure to a food contaminant mycotoxin, deoxynivalenol. FEBS Journal, 2009, 276, 3299-3307.	2.2	27
937	Transcriptional regulation of mammalian selenoprotein expression. Biochimica Et Biophysica Acta - General Subjects, 2009, 1790, 1429-1440.	1.1	61
938	Role of zinc finger structure in nuclear localization of transcription factor Sp1. Biochemical and Biophysical Research Communications, 2009, 380, 28-32.	1.0	30
939	Genomic organization of regions that regulate chicken glycine decarboxylase gene transcription: Physiological and pathological implications. Gene, 2009, 432, 7-18.	1.0	2
940	Heat Shock Protein 90 Is Important for Sp1 Stability during Mitosis. Journal of Molecular Biology, 2009, 387, 1106-1119.	2.0	33
941	Tolfenamic acid inhibits esophageal cancer through repression of specificity proteins and c-Met. Carcinogenesis, 2009, 30, 1193-1201.	1.3	77

#	ARTICLE	IF	CITATIONS
942	Pituitary Adenylate Cyclase-Activating Polypeptide and Its Receptors: 20 Years after the Discovery. <i>Pharmacological Reviews</i> , 2009, 61, 283-357.	7.1	948
943	Functional analysis of rat liver citrate carrier promoter: differential responsiveness to polyunsaturated fatty acids. <i>Biochemical Journal</i> , 2009, 417, 561-571.	1.7	25
944	Structure of the Prion Protein and Its Gene: An Analysis Using Bioinformatics and Computer Simulation. <i>Current Protein and Peptide Science</i> , 2010, 11, 166-179.	0.7	15
945	Sequence characterization and promoter identification of porcine APC10 gene. <i>Molecular Biology Reports</i> , 2010, 37, 3841-3849.	1.0	0
946	A clustered set of three Sp-family genes is ancestral in the Metazoa: evidence from sequence analysis, protein domain structure, developmental expression patterns and chromosomal location. <i>BMC Evolutionary Biology</i> , 2010, 10, 88.	3.2	49
947	Sp1 upregulates the four and half lim 2 (FHL2) expression in gastrointestinal cancers through transcription regulation. <i>Molecular Carcinogenesis</i> , 2010, 49, 826-836.	1.3	24
948	Transcription factor Sp1 regulates expression of cancer-associated molecule CD147 in human lung cancer. <i>Cancer Science</i> , 2010, 101, 1463-1470.	1.7	95
949	Distinct p53, p53:LANA, and LANA Complexes in Kaposi's Sarcoma-Associated Herpesvirus Lymphomas. <i>Journal of Virology</i> , 2010, 84, 3898-3908.	1.5	62
950	Estrogen-dependent Transcription of the NEL-like 2 (NELL2) Gene and Its Role in Protection from Cell Death. <i>Journal of Biological Chemistry</i> , 2010, 285, 25074-25084.	1.6	30
951	MicroRNA-27a Indirectly Regulates Estrogen Receptor β Expression and Hormone Responsiveness in MCF-7 Breast Cancer Cells. <i>Endocrinology</i> , 2010, 151, 2462-2473.	1.4	88
952	Selective Transcription in Response to an Inflammatory Stimulus. <i>Cell</i> , 2010, 140, 833-844.	13.5	271
953	Pharmacologic Doses of Ascorbic Acid Repress Specificity Protein (Sp) Transcription Factors and Sp-Regulated Genes in Colon Cancer Cells. <i>Nutrition and Cancer</i> , 2011, 63, 1133-1142.	0.9	51
954	Specificity protein 1 is pivotal in the skin's antiviral response. <i>Journal of Allergy and Clinical Immunology</i> , 2011, 127, 430-438.e2.	1.5	21
955	Developmental functions for the <i>Caenorhabditis elegans</i> Sp protein SPTF-3. <i>Mechanisms of Development</i> , 2011, 128, 428-441.	1.7	6
956	Suppression of β 5 gene expression is closely related to the tumorigenic properties of uveal melanoma cell lines. <i>Pigment Cell and Melanoma Research</i> , 2011, 24, 643-655.	1.5	19
957	Regulation of the high basal expression of the manganese superoxide dismutase gene in aggressive breast cancer cells. <i>Free Radical Biology and Medicine</i> , 2011, 50, 1771-1779.	1.3	30
958	XPF-Dependent DNA Breaks and RNA Polymerase II Arrest Induced by Antitumor DNA Interstrand Crosslinking-Mimetic Alkaloids. <i>Chemistry and Biology</i> , 2011, 18, 988-999.	6.2	46
959	A critical role of Sp1 transcription factor in regulating the human Ki-67 gene expression. <i>Tumor Biology</i> , 2011, 32, 273-283.	0.8	24

#	ARTICLE	IF	CITATIONS
960	The identification of transcription factors expressed in the notochord of <i>Ciona intestinalis</i> adds new potential players to the brachyury gene regulatory network. <i>Developmental Dynamics</i> , 2011, 240, 1793-1805.	0.8	40
961	Cooperative Transcriptional Activation by Klf4, Meis2, and Pbx1. <i>Molecular and Cellular Biology</i> , 2011, 31, 3723-3733.	1.1	38
962	Cellular and viral chromatin proteins are positive factors in the regulation of adenovirus gene expression. <i>Nucleic Acids Research</i> , 2011, 39, 889-901.	6.5	70
963	The Role of Manganese Superoxide Dismutase in Skin Cancer. <i>Enzyme Research</i> , 2011, 2011, 1-7.	1.8	24
964	miR-365, a Novel Negative Regulator of Interleukin-6 Gene Expression, Is Cooperatively Regulated by Sp1 and NF- κ B. <i>Journal of Biological Chemistry</i> , 2011, 286, 21401-21412.	1.6	108
965	Role of the transcription factor Sp1 in regulating the expression of the murine cathepsin E gene. <i>Journal of Biochemistry</i> , 2012, 151, 263-272.	0.9	6
966	Confirming the Functional Importance of a Protein-DNA Interaction. <i>Cold Spring Harbor Protocols</i> , 2012, 2012, pdb.top070060.	0.2	11
967	Experimental Strategies for the Identification of DNA-Binding Proteins. <i>Cold Spring Harbor Protocols</i> , 2012, 2012, pdb.top067470-pdb.top067470.	0.2	26
968	An expansive human regulatory lexicon encoded in transcription factor footprints. <i>Nature</i> , 2012, 489, 83-90.	13.7	715
969	Circuitry and Dynamics of Human Transcription Factor Regulatory Networks. <i>Cell</i> , 2012, 150, 1274-1286.	13.5	451
970	Modulation of IFN- γ Receptor 1 Expression by AP-2 Influences IFN- γ Sensitivity of Cancer Cells. <i>American Journal of Pathology</i> , 2012, 180, 661-671.	1.9	26
971	Rescue of the Transcription Factors Sp1 and NFI in Human Skin Keratinocytes through a Feeder-Layer-Dependent Suppression of the Proteasome Activity. <i>Journal of Molecular Biology</i> , 2012, 418, 281-299.	2.0	12
972	Functional role of post-translational modifications of Sp1 in tumorigenesis. <i>Journal of Biomedical Science</i> , 2012, 19, 94.	2.6	86
973	Human Papillomavirus Type 16/18 Oncoproteins: Potential Therapeutic Targets in Non-smoking Associated Lung Cancer. <i>Asian Pacific Journal of Cancer Prevention</i> , 2012, 13, 5363-5369.	0.5	14
974	Transcription and Epigenetic Regulation. , 2012, , 3-42.		0
975	Function Annotation of Hepatic Retinoid X Receptor β Based on Genome-Wide DNA Binding and Transcriptome Profiling. <i>PLoS ONE</i> , 2012, 7, e50013.	1.1	10
976	DNA-protein interactions: methods for detection and analysis. <i>Molecular and Cellular Biochemistry</i> , 2012, 365, 279-299.	1.4	131
977	Transcription initiation by human RNA polymerase II visualized at single-molecule resolution. <i>Genes and Development</i> , 2012, 26, 1691-1702.	2.7	75

#	ARTICLE	IF	CITATIONS
978	Neuronal differentiation alters the ratio of Sp transcription factors recruited to the <i>CYP46A1</i> promoter. <i>Journal of Neurochemistry</i> , 2012, 120, 220-229.	2.1	17
979	Manganese superoxide dismutase regulation and cancer. <i>Free Radical Biology and Medicine</i> , 2012, 52, 2209-2222.	1.3	169
980	Inorganic arsenic in drinking water accelerates N-butyl-N-(4-hydroxybutyl)nitrosamine-induced bladder tissue damage in mice. <i>Toxicology and Applied Pharmacology</i> , 2012, 259, 27-37.	1.3	8
981	Sp1 is upregulated in human glioma, promotes MMPâ€mediated cell invasion and predicts poor clinical outcome. <i>International Journal of Cancer</i> , 2012, 130, 593-601.	2.3	135
982	Modulation of gene transcription noise by competing transcription factors. <i>Journal of Mathematical Biology</i> , 2012, 64, 469-494.	0.8	18
983	Effect of miR-335 upregulation on the apoptosis and invasion of lung cancer cell A549 and H1299. <i>Tumor Biology</i> , 2013, 34, 3101-3109.	0.8	51
984	Cytochrome P450 Protocols. <i>Methods in Molecular Biology</i> , 2013, , .	0.4	14
985	Characterization of the 5â€flanking region of the mouse asparagine-linked glycosylation 12 homolog gene. <i>Cellular and Molecular Biology Letters</i> , 2013, 18, 315-27.	2.7	1
986	Strategy for Naturelike Designer Transcription Factors with Reduced Toxicity. <i>IEEE/ACM Transactions on Computational Biology and Bioinformatics</i> , 2013, 10, 1340-1343.	1.9	1
987	Nuclear Factor Î²2 p52 Protein Has a Role in Antiviral Immunity through Î² Kinase Îµ-dependent Induction of Sp1 Protein and Interleukin 15. <i>Journal of Biological Chemistry</i> , 2013, 288, 25066-25075.	1.6	12
988	Regulation of the varicella-zoster virus ORF3 promoter by cellular and viral factors. <i>Virology</i> , 2013, 440, 171-181.	1.1	7
989	An unbiased in vivo screen reveals multiple transcription factors that control HPV E6-regulated hTERT in keratinocytes. <i>Virology</i> , 2013, 446, 17-24.	1.1	22
990	Transcription regulatory codes of eukaryotic genomes. <i>Russian Journal of Genetics</i> , 2013, 49, 29-45.	0.2	9
991	Detection of Regulatory Polymorphisms: High-Throughput Capillary DNase I Footprinting. <i>Methods in Molecular Biology</i> , 2013, 987, 269-282.	0.4	2
992	MiR-429 up-regulation induces apoptosis and suppresses invasion by targeting Bcl-2 and SP-1 in esophageal carcinoma. <i>Cellular Oncology (Dordrecht)</i> , 2013, 36, 385-394.	2.1	74
993	Epigenetic regulation of CD133/PROM1 expression in glioma stem cells by Sp1/myc and promoter methylation. <i>Oncogene</i> , 2013, 32, 3119-3129.	2.6	65
994	Toward Heme: 5-Aminolevulinate Synthase and Initiation of Porphyrin Synthesis. <i>Handbook of Porphyrin Science</i> , 2013, , 1-78.	0.3	7
995	Repression of Myoblast Proliferation and Fibroblast Growth Factor Receptor 1 Promoter Activity by KLF10 Protein. <i>Journal of Biological Chemistry</i> , 2013, 288, 13876-13884.	1.6	34

#	ARTICLE	IF	CITATIONS
996	Acetylated Sp1 inhibits PTEN expression through binding to PTEN core promoter and recruitment of HDAC1 and promotes cancer cell migration and invasion. <i>Carcinogenesis</i> , 2013, 34, 58-67.	1.3	52
997	Arf Induction by Tgf β 2 Is Influenced by Sp1 and C/ebp β 2 in Opposing Directions. <i>PLoS ONE</i> , 2013, 8, e70371.	1.1	9
998	Recrudescence Mechanisms and Gene Expression Profile of the Reproductive Tracts from Chickens during the Molting Period. <i>PLoS ONE</i> , 2013, 8, e76784.	1.1	38
999	The nonlinear dynamics and fluctuations of mRNA levels in cross-talking pathway activated transcription. <i>Journal of Theoretical Biology</i> , 2014, 363, 223-234.	0.8	19
1000	Serum Starvation-Induced Voltage-Gated Potassium Channel Kv7.5 Expression and Its Regulation by Sp1 in Canine Osteosarcoma Cells. <i>International Journal of Molecular Sciences</i> , 2014, 15, 977-993.	1.8	7
1001	Epigenetic Regulation of Uterine Biology by Transcription Factor KLF11 via Posttranslational Histone Deacetylation of Cytochrome p450 Metabolic Enzymes. <i>Endocrinology</i> , 2014, 155, 4507-4520.	1.4	29
1002	Oncogenic STRAP functions as a novel negative regulator of E-cadherin and p21 ^{Cip1} by modulating the transcription factor Sp1. <i>Cell Cycle</i> , 2014, 13, 3909-3920.	1.3	21
1003	The Role of microRNAs in the Regulation of Apoptosis in Lung Cancer and Its Application in Cancer Treatment. <i>BioMed Research International</i> , 2014, 2014, 1-19.	0.9	53
1004	Hydrogen peroxide sensing, signaling and regulation of transcription factors. <i>Redox Biology</i> , 2014, 2, 535-562.	3.9	688
1005	Looping Back to Leap Forward: Transcription Enters a New Era. <i>Cell</i> , 2014, 157, 13-25.	13.5	423
1006	KLF11 Epigenetically Regulates Glycodelin-A, a Marker of Endometrial Biology Via Histone-Modifying Chromatin Mechanisms. <i>Reproductive Sciences</i> , 2014, 21, 319-328.	1.1	11
1007	Transcriptional repression of hypoxia-inducible factor-1 (HIF-1) by the protein arginine methyltransferase PRMT1. <i>Molecular Biology of the Cell</i> , 2014, 25, 925-935.	0.9	31
1008	MicroRNA-124 inhibits cellular proliferation and invasion by targeting Ets-1 in breast cancer. <i>Tumor Biology</i> , 2014, 35, 10897-10904.	0.8	42
1009	MicroRNA-377 inhibited proliferation and invasion of human glioblastoma cells by directly targeting specificity protein 1. <i>Neuro-Oncology</i> , 2014, 16, 1510-1522.	0.6	59
1010	A common GSAP promoter variant contributes to Alzheimer's disease liability. <i>Neurobiology of Aging</i> , 2014, 35, 2656.e1-2656.e7.	1.5	15
1011	Differential contributions of ApoE4 and female sex to BACE1 activity and expression mediate A β 2 deposition and learning and memory in mouse models of Alzheimer's disease. <i>Frontiers in Aging Neuroscience</i> , 2015, 7, 207.	1.7	17
1012	A Perspective on the Role of microRNA-128 Regulation in Mental and Behavioral Disorders. <i>Frontiers in Cellular Neuroscience</i> , 2015, 9, 465.	1.8	26
1013	Enhancers, enhancers – from their discovery to today's universe of transcription enhancers. <i>Biological Chemistry</i> , 2015, 396, 311-327.	1.2	82

#	ARTICLE	IF	CITATIONS
1014	Inactivation of BLU is associated with methylation of Sp1-binding site of BLU promoter in gastric cancer. <i>International Journal of Oncology</i> , 2015, 47, 621-631.	1.4	7
1015	DNA methylation of the GC box in the promoter region mediates isolation rearing-induced suppression of <i>srd5a1</i> transcription in the prefrontal cortex. <i>Neuroscience Letters</i> , 2015, 606, 135-139.	1.0	16
1016	Sp1 and the "hallmarks of cancer". <i>FEBS Journal</i> , 2015, 282, 224-258.	2.2	405
1017	Bayesian GWAS and network analysis revealed new candidate genes for number of teats in pigs. <i>Journal of Applied Genetics</i> , 2015, 56, 123-132.	1.0	35
1018	Deciphering fact from artifact when using reporter assays to investigate the roles of host factors on L1 retrotransposition. <i>Mobile DNA</i> , 2016, 7, 23.	1.3	2
1019	A systematic, large-scale comparison of transcription factor binding site models. <i>BMC Genomics</i> , 2016, 17, 388.	1.2	15
1020	Repression of p63 and induction of EMT by mutant Ras in mammary epithelial cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, E6107-E6116.	3.3	51
1021	Tumor-suppressing effects of microRNA-429 in human renal cell carcinoma via the downregulation of Sp1. <i>Oncology Letters</i> , 2016, 12, 2906-2911.	0.8	28
1022	Î±-Solanine Modulates the Radiosensitivity of Esophageal Cancer Cells by Inducing MicroRNA 138 Expression. <i>Cellular Physiology and Biochemistry</i> , 2016, 39, 996-1010.	1.1	21
1023	Lurbinectedin Specifically Triggers the Degradation of Phosphorylated RNA Polymerase II and the Formation of DNA Breaks in Cancer Cells. <i>Molecular Cancer Therapeutics</i> , 2016, 15, 2399-2412.	1.9	111
1024	miRNA-411 acts as a potential tumor suppressor miRNA via the downregulation of specificity protein 1 in breast cancer. <i>Molecular Medicine Reports</i> , 2016, 14, 2975-2982.	1.1	33
1025	Natural Products as Mechanism-based Anticancer Agents: Sp Transcription Factors as Targets. <i>Phytotherapy Research</i> , 2016, 30, 1723-1732.	2.8	75
1026	P5013 Evaluation of gene interactions affecting carcass yield and marbling in beef cattle. <i>Journal of Animal Science</i> , 2016, 94, 121-122.	0.2	0
1027	A/T gap tolerance in the core sequence and flanking sequence requirements of non-canonical p53 response elements. <i>Journal of Biochemistry</i> , 2016, 159, 563-572.	0.9	3
1028	Regulation of LRRK2 promoter activity and gene expression by Sp1. <i>Molecular Brain</i> , 2016, 9, 33.	1.3	19
1029	Genomic footprinting. <i>Nature Methods</i> , 2016, 13, 213-221.	9.0	97
1030	Sp5 and Sp8 recruit Î²-catenin and Tcf1-Lef1 to select enhancers to activate Wnt target gene transcription. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, 3545-3550.	3.3	64
1031	MicroRNA-429 inhibits gastric cancer migration and invasion through the downregulation of specificity protein 1. <i>Oncology Letters</i> , 2017, 13, 3845-3849.	0.8	13

#	ARTICLE	IF	CITATIONS
1032	<i>Pf</i> AP2Tel, harbouring a non-canonical DNA-binding AP2 domain, binds to <i>Plasmodium falciparum</i> telomeres. Cellular Microbiology, 2017, 19, e12742.	1.1	30
1033	miR-125a-5p upregulation suppresses the proliferation and induces the cell apoptosis of lung adenocarcinoma by targeting NEDD9. Oncology Reports, 2017, 38, 1790-1796.	1.2	18
1034	A dynamic interplay of enhancer elements regulates <i>Klf4</i> expression in naïve pluripotency. Genes and Development, 2017, 31, 1795-1808.	2.7	49
1035	Copper-finger protein of Sp1: the molecular basis of copper sensing. Metallomics, 2017, 9, 1169-1175.	1.0	28
1036	Discovery of Novel Human Gene Regulatory Modules from Gene Co-expression and Promoter Motif Analysis. Scientific Reports, 2017, 7, 5557.	1.6	19
1037	Transcription factor Sp1 is necessary and functional in regulating expression of oncogene ZNF703. Genes and Genomics, 2017, 39, 1107-1115.	0.5	0
1038	Cytoplasmic transport and nuclear import of plasmid DNA. Bioscience Reports, 2017, 37, .	1.1	122
1039	NF-Y and SP transcription factors " New insights in a long-standing liaison. Biochimica Et Biophysica Acta - Gene Regulatory Mechanisms, 2017, 1860, 590-597.	0.9	38
1040	The Involvement of VDR Promoter Methylation, CDX-2 VDR Polymorphism and Vitamin D Levels in Male Infertility. Acta Endocrinologica, 2017, 13, 294-301.	0.1	9
1041	Entangled signal pathways can both control expression stability and induce stochastic focusing. FEBS Letters, 2018, 592, 1135-1149.	1.3	3
1042	Sphingomyelinase, Acidic. , 2018, , 5112-5119.		0
1043	SLC32. , 2018, , 5010-5012.		0
1044	Survivin. , 2018, , 5238-5245.		0
1045	SNTG1. , 2018, , 5061-5061.		0
1046	Syk(S) SYK. , 2018, , 5264-5264.		0
1047	Mechanism of prostaglandin E2-induced transcriptional up-regulation of Oncostatin-M by CREB and Sp1. Biochemical Journal, 2018, 475, 477-494.	1.7	5
1048	OCT3 promoter haplotype is associated with metformin pharmacokinetics in Koreans. Scientific Reports, 2018, 8, 16965.	1.6	13
1049	Specific protein 1, c-Abl, and ERK1/2 form a regulatory loop. Journal of Cell Science, 2019, 132, .	1.2	11

#	ARTICLE	IF	CITATIONS
1050	Gga-miR-130b-3p inhibits MSB1 cell proliferation, migration, invasion, and its downregulation in MD tumor is attributed to hypermethylation. <i>Oncotarget</i> , 2018, 9, 24187-24198.	0.8	10
1051	Identification and characterization of G-quadruplex formation within the EPO promoter of pseudorabies virus. <i>Scientific Reports</i> , 2018, 8, 14029.	1.6	18
1052	MicroRNA-493 inhibits the proliferation and invasion of osteosarcoma cells through directly targeting specificity protein 1. <i>Oncology Letters</i> , 2018, 15, 8149-8156.	0.8	10
1053	Role and hallmarks of Sp1 in promoting ovarian cancer. <i>Journal of Oncological Science</i> , 2018, 4, 102-105.	0.1	8
1054	Transcription and Epigenetic Regulation. , 2018, , 3-30.		0
1055	KLF10 as a Tumor Suppressor Gene and Its TGF- β 2 Signaling. <i>Cancers</i> , 2018, 10, 161.	1.7	58
1056	Decreased expression level and DNA-binding activity of specificity protein 1 via cyclooxygenase-2 inhibition antagonizes radiation resistance, cell migration and invasion in radiation-resistant lung cancer cells. <i>Oncology Letters</i> , 2018, 16, 3029-3037.	0.8	10
1057	A noncanonical PPAR β /RXR α -binding sequence regulates leptin expression in response to changes in adipose tissue mass. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, E6039-E6047.	3.3	27
1058	High-level Sp1 is Associated with Proliferation, Invasion, and Poor Prognosis in Astrocytoma. <i>Pathology and Oncology Research</i> , 2019, 25, 1003-1013.	0.9	14
1059	Sp1 promotes cell migration and invasion in oral squamous cell carcinoma by upregulating Annexin A2 transcription. <i>Molecular and Cellular Probes</i> , 2019, 46, 101417.	0.9	12
1060	Eukaryotic Transcription Turns 50. <i>Cell</i> , 2019, 179, 808-812.	13.5	35
1061	Organization and regulation of gene transcription. <i>Nature</i> , 2019, 573, 45-54.	13.7	431
1062	Expression and prognostic significance of MAGE-A11 and transcription factors (SP1,TFCP2 and ZEB1) in ESCC tissues. <i>Pathology Research and Practice</i> , 2019, 215, 152446.	1.0	13
1063	DNA Tumor Viruses and Their Contributions to Molecular Biology. <i>Journal of Virology</i> , 2019, 93, .	1.5	18
1064	Specific protein 1(SP1) regulates the epithelial-mesenchymal transition via lysyl oxidase-like 2(LOXL2) in pancreatic ductal adenocarcinoma. <i>Scientific Reports</i> , 2019, 9, 5933.	1.6	21
1065	Small size, big impact: how studies of small DNA tumour viruses revolutionized biology. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2019, 374, 20180300.	1.8	9
1066	Contribution of DNA Replication to the FAM111A-Mediated Simian Virus 40 Host Range Phenotype. <i>Journal of Virology</i> , 2019, 93, .	1.5	19
1067	MiR-326/Sp1/KLF3: A novel regulatory axis in lung cancer progression. <i>Cell Proliferation</i> , 2019, 52, e12551.	2.4	41

#	ARTICLE	IF	CITATIONS
1068	Over-expression of long noncoding RNA HOTAIRM1 promotes cell proliferation and invasion in human glioblastoma by up-regulating SP1 via sponging miR-137. <i>NeuroReport</i> , 2020, 31, 109-117.	0.6	11
1069	Nuclear Factor Kappa B Signaling Complexes in Acute Inflammation. <i>Antioxidants and Redox Signaling</i> , 2020, 33, 145-165.	2.5	47
1070	Regulation of Polyomavirus Transcription by Viral and Cellular Factors. <i>Viruses</i> , 2020, 12, 1072.	1.5	13
1071	Differential SP1 interactions in SV40 chromatin from virions and minichromosomes. <i>Virology</i> , 2020, 548, 124-131.	1.1	1
1072	Human Papillomavirus Infection in Head and Neck Squamous Cell Carcinomas: Transcriptional Triggers and Changed Disease Patterns. <i>Frontiers in Cellular and Infection Microbiology</i> , 2020, 10, 537650.	1.8	22
1073	Association between SIRT6, Methylation and Human Longevity in a Chinese Population. <i>Public Health Genomics</i> , 2020, 23, 190-199.	0.6	3
1074	Global reference mapping of human transcription factor footprints. <i>Nature</i> , 2020, 583, 729-736.	13.7	228
1075	Cross-species analysis of enhancer logic using deep learning. <i>Genome Research</i> , 2020, 30, 1815-1834.	2.4	65
1076	Recombinant Adeno-Associated Viral Vectors (rAAV)-Vector Elements in Ocular Gene Therapy Clinical Trials and Transgene Expression and Bioactivity Assays. <i>International Journal of Molecular Sciences</i> , 2020, 21, 4197.	1.8	54
1077	MiR-181b suppress glioblastoma multiforme growth through inhibition of SP1-mediated glucose metabolism. <i>Cancer Cell International</i> , 2020, 20, 69.	1.8	20
1078	The Specificity protein 1 (Sp1) transcription factor. , 2020, , 271-285.		1
1079	Comparing a new method for mapping nucleosomes in simian virus 40 chromatin to standard procedures. <i>Epigenetics</i> , 2021, 16, 587-596.	1.3	2
1080	circRNA_0005529 facilitates growth and metastasis of gastric cancer via regulating miR-527/Sp1 axis. <i>BMC Molecular and Cell Biology</i> , 2021, 22, 6.	1.0	20
1081	The glucocorticoid receptor recruits the COMPASS complex to regulate inflammatory transcription at macrophage enhancers. <i>Cell Reports</i> , 2021, 34, 108742.	2.9	27
1082	Sequence and haplotypes of ankyrin 1 gene (ANK1) and their association with carcass and meat quality traits in yak. <i>Mammalian Genome</i> , 2021, 32, 104-114.	1.0	3
1083	Viruses in the Nucleus. <i>Cold Spring Harbor Perspectives in Biology</i> , 2021, 13, a039446.	2.3	10
1084	Delivery Systems for Nucleic Acids and Proteins: Barriers, Cell Capture Pathways and Nanocarriers. <i>Pharmaceutics</i> , 2021, 13, 428.	2.0	55
1085	Biology of Polyomavirus miRNA. <i>Frontiers in Microbiology</i> , 2021, 12, 662892.	1.5	8

#	ARTICLE	IF	CITATIONS
1086	The Long Road to Understanding RNAPII Transcription Initiation and Related Syndromes. Annual Review of Biochemistry, 2021, 90, 193-219.	5.0	6
1087	The MLL3/4 H3K4 methyltransferase complex in establishing an active enhancer landscape. Biochemical Society Transactions, 2021, 49, 1041-1054.	1.6	29
1088	RNA-seq analysis reveals significant transcriptome changes in huntingtin-null human neuroblastoma cells. BMC Medical Genomics, 2021, 14, 176.	0.7	8
1092	The effect of human GRIN1 gene 5' functional region on gene expression regulation in vitro. Gene, 2022, 808, 145973.	1.0	2
1093	Osteoblast biology: developmental origin and interactive nature of osteoblasts. , 2021, , 111-134.		1
1095	The Molecular Biology of JC Virus, Causative Agent of Progressive Multifocal Leukoencephalopathy. , 1992, , 25-158.		72
1096	Expression of an "Activator" RNA Hybridizable to the SV40 Promoter Correlates with the Transformed Phenotype of Mouse and Human Cells. , 1984, , 289-296.		1
1097	Investigation of Immunoglobulin Light and Heavy Chain Genes Responsible for the Synthesis of Antibodies in Hybridoma PTF.02. , 1988, , 251-257.		2
1098	Transcription of Frog Virus 3. , 1990, , 173-186.		5
1099	Transcription of SV40 and Polyoma Virus and Its Regulation. , 1986, , 27-98.		18
1100	The Biology and Molecular Biology of JC Virus. , 1986, , 327-377.		84
1101	PACAP: Discovery, Gene, Receptors. Growth Hormone, 2003, , 1-24.	0.2	1
1102	Lactoferrin Gene Promoter in Human and Mouse. Advances in Experimental Medicine and Biology, 1994, 357, 183-196.	0.8	20
1104	DNase I Hypersensitive Sites: A Structural Feature of Chromatin Associated with Gene Expression. , 1985, , 77-101.		12
1105	Molecular Biology and Developmental Regulation of the Enzymes Involved in the Biosynthesis and Metabolism of Neurosteroids. , 1999, , 27-49.		4
1106	Electrophoretic Mobility Shift Assays for the Analysis of DNA-Protein Interactions. Methods in Molecular Biology, 2009, 543, 15-35.	0.4	37
1107	The Study of Protein-DNA Interactions by Deoxyribonuclease I Footprinting. , 1991, , 19-34.		2
1108	Cell-Type Specificity of Transcription: The Immunoglobulin Heavy Chain Enhancer as a Model System. Nucleic Acids and Molecular Biology, 1987, , 221-240.	0.2	4

#	ARTICLE	IF	CITATIONS
1109	Structure, Expression and Function of Mouse Laminin. , 1987, , 31-43.		3
1110	Nerve Growth Factor. Handbook of Experimental Pharmacology, 1990, , 135-165.	0.9	6
1111	Zinc Fingers and Metallothionein in Gene Expression. Handbook of Experimental Pharmacology, 1995, , 333-347.	0.9	3
1113	Growth Factor Receptors. , 2004, , 378-382.		1
1114	The 4F2 Heavy Chain Gene: a Molecular Model of Inducible Gene Expression in Human T Cells. , 1989, , 67-79.		1
1115	Regulation of the Synthesis of Tyrosine Aminotransferase and Phosphoenolpyruvate Carboxykinase by Glucocorticoid Hormones. , 1985, , 89-138.		19
1116	Protein Coding Genes of Higher Eukaryotes: Promoter Elements and trans-Acting Factors. , 1986, , 79-99.		10
1117	Regulation of eukaryotic RNA polymerase II transcription by sequence-specific DNA-binding proteins. Molecular Aspects of Cellular Regulation, 1991, 6, 25-56.	1.4	5
1118	Characterization of the Promoter Region of the Human Transforming Growth Factor- β 1 Gene. Journal of Biological Chemistry, 1989, 264, 402-408.	1.6	365
1119	Functional characterization of the promoter for the gene encoding human eosinophil peroxidase.. Journal of Biological Chemistry, 1994, 269, 19410-19419.	1.6	39
1120	Roles of CCAAT/enhancer-binding protein and its binding site on repression and derepression of acetyl-CoA carboxylase gene.. Journal of Biological Chemistry, 1994, 269, 10475-10484.	1.6	88
1121	A novel transcriptional suppressor located within a downstream intron of the BCR gene.. Journal of Biological Chemistry, 1994, 269, 10820-10829.	1.6	19
1122	Cytoplasmic 3-hydroxy-3-methylglutaryl coenzyme A synthase from the hamster. II. Isolation of the gene and characterization of the 5' flanking region.. Journal of Biological Chemistry, 1986, 261, 3717-3724.	1.6	49
1123	Purification and characterization of a specific RNA polymerase II transcription factor.. Journal of Biological Chemistry, 1986, 261, 2003-2013.	1.6	79
1124	Chromatin structure of the human dihydrofolate reductase gene promoter. Multiple protein-binding sites.. Journal of Biological Chemistry, 1986, 261, 1445-1452.	1.6	31
1125	Structure of the human gene encoding the beta-adrenergic receptor kinase.. Journal of Biological Chemistry, 1994, 269, 14924-14930.	1.6	37
1126	Biochemical characterization of the developmental stage- and tissue-specific erythroid transcription factor, NF-E4. Journal of Biological Chemistry, 1994, 269, 10079-10087.	1.6	11
1127	OXBOX and REBOX, overlapping promoter elements of the mitochondrial FOF1-ATP synthase beta subunit gene. OXBOX/REBOX in the ATPsyn beta promoter.. Journal of Biological Chemistry, 1994, 269, 9330-9334.	1.6	49

#	ARTICLE	IF	CITATIONS
1128	A transcription factor required for promoter recognition by human mitochondrial RNA polymerase. Accurate initiation at the heavy- and light-strand promoters dissected and reconstituted in vitro.. Journal of Biological Chemistry, 1985, 260, 11330-11338.	1.6	184
1129	Separation and partial characterization of three functional steps in transcription initiation by human RNA polymerase II.. Journal of Biological Chemistry, 1985, 260, 8163-8172.	1.6	300
1130	Transcriptional protein binding domains governing basal expression of the rat luteinizing hormone receptor gene.. Journal of Biological Chemistry, 1994, 269, 15868-15875.	1.6	37
1131	Conserved cut repeats in the human cut homeodomain protein function as DNA binding domains.. Journal of Biological Chemistry, 1994, 269, 2062-2067.	1.6	78
1132	Activation of gastrin transcription in pancreatic insulinoma cells by a CACC promoter element and a 70-kDa sequence-specific DNA-binding protein.. Journal of Biological Chemistry, 1994, 269, 2234-2240.	1.6	16
1133	The human alpha 2 integrin gene promoter. Identification of positive and negative regulatory elements important for cell-type and developmentally restricted gene expression.. Journal of Biological Chemistry, 1994, 269, 463-469.	1.6	101
1134	Structure and chromosomal location of the human gene encoding cartilage matrix protein.. Journal of Biological Chemistry, 1990, 265, 19624-19631.	1.6	56
1135	Multiple forms of the human gene-specific transcription factor USF. II. DNA binding properties and transcriptional activity of the purified HeLa USF.. Journal of Biological Chemistry, 1988, 263, 11994-12001.	1.6	151
1136	Factors involved in specific transcription by mammalian RNA polymerase II. RNA polymerase II-associating protein 30 is an essential component of transcription factor IIF.. Journal of Biological Chemistry, 1988, 263, 10812-10816.	1.6	92
1137	High level desmin expression depends on a muscle-specific enhancer.. Journal of Biological Chemistry, 1991, 266, 6562-6570.	1.6	70
1138	cis-acting elements that confer lung epithelial cell expression of the CC10 gene.. Journal of Biological Chemistry, 1992, 267, 14703-14712.	1.6	136
1139	Tissue- and development-specific expression of the human phenylalanine hydroxylase/chloramphenicol acetyltransferase fusion gene in transgenic mice.. Journal of Biological Chemistry, 1992, 267, 15105-15110.	1.6	28
1140	The human gene for renin-binding protein.. Journal of Biological Chemistry, 1992, 267, 13007-13013.	1.6	31
1141	Human alpha 2(VI) collagen gene. Heterogeneity at the 5'-untranslated region generated by an alternate exon.. Journal of Biological Chemistry, 1992, 267, 6188-6196.	1.6	40
1142	Specificity factor of yeast mitochondrial RNA polymerase. Purification and interaction with core RNA polymerase.. Journal of Biological Chemistry, 1987, 262, 12785-12791.	1.6	107
1143	Purine triphosphate beta-gamma bond hydrolysis requirements for RNA polymerase II transcription initiation and elongation.. Journal of Biological Chemistry, 1987, 262, 17510-17515.	1.6	21
1144	Cell- and sequence-specific binding of nuclear proteins to 5' flanking DNA of the rat growth hormone gene.. Journal of Biological Chemistry, 1987, 262, 6313-6317.	1.6	87
1145	The segment inversion site of herpes simplex virus type 1 adopts a novel DNA structure.. Journal of Biological Chemistry, 1987, 262, 6407-6416.	1.6	74

#	ARTICLE	IF	CITATIONS
1146	Identification of a DNA-binding site for the transcription factor GC2 in the promoter region of the p12 gene and repression of its positive activity by upstream negative regulatory elements.. Journal of Biological Chemistry, 1990, 265, 22035-22043.	1.6	26
1147	Similar mechanisms for transcription initiation mediated through a TATA box or an initiator element.. Journal of Biological Chemistry, 1992, 267, 2823-2830.	1.6	94
1148	Expression and chromosomal localization of the gene for the human transcriptional repressor GCF.. Journal of Biological Chemistry, 1992, 267, 1689-1694.	1.6	24
1149	The chicken vimentin gene. Nucleotide sequence, regulatory elements, and comparison to the hamster gene.. Journal of Biological Chemistry, 1987, 262, 8112-8120.	1.6	59
1150	Purification and characterization of chicken ovalbumin upstream promoter transcription factor from HeLa cells.. Journal of Biological Chemistry, 1987, 262, 16080-16086.	1.6	85
1151	Delineation of the intronless nature of the genes for the human and hamster beta 2-adrenergic receptor and their putative promoter regions.. Journal of Biological Chemistry, 1987, 262, 7321-7327.	1.6	229
1152	Roles of TATA and initiator elements in determining the start site location and direction of RNA polymerase II transcription.. Journal of Biological Chemistry, 1992, 267, 1391-1402.	1.6	196
1153	Heat sensitivity and Sp1 activation of complex formation at the Syrian hamster carbamoyl-phosphate synthase (glutamine-hydrolyzing)/aspartate carbamoyltransferase/dihydroorotase promoter in vitro.. Journal of Biological Chemistry, 1992, 267, 385-391.	1.6	8
1154	Structure and Expression of the Murine Slow/Cardiac Troponin C Gene. Journal of Biological Chemistry, 1989, 264, 13217-13225.	1.6	98
1155	Contributory effects of de novo transcription and premature transcript termination in the regulation of human epidermal growth factor receptor proto-oncogene RNA synthesis. Journal of Biological Chemistry, 1991, 266, 1746-1753.	1.6	54
1156	Sequence-specific transcriptional antirepression of the Drosophila KrÄ¼ppel gene by the GAGA factor.. Journal of Biological Chemistry, 1991, 266, 574-582.	1.6	104
1157	Induction of Sp1-p53 DNA-binding heterocomplexes during granulocyte/macrophage colony-stimulating factor-dependent proliferation in human erythroleukemia cell line TF-1.. Journal of Biological Chemistry, 1993, 268, 7923-7928.	1.6	133
1158	The Sp1 transcription factor binds the CD11b promoter specifically in myeloid cells in vivo and is essential for myeloid-specific promoter activity.. Journal of Biological Chemistry, 1993, 268, 8230-8239.	1.6	198
1159	Identification of a transcriptional initiator element in the cytochrome c oxidase subunit Vb promoter which binds to transcription factors NF-E1 (YY-1, delta) and Sp1.. Journal of Biological Chemistry, 1993, 268, 4188-4196.	1.6	83
1160	Cell cycle regulation of a human cyclin-like gene encoding uracil-DNA glycosylase.. Journal of Biological Chemistry, 1993, 268, 1310-1319.	1.6	45
1161	Stimulation of endothelin-1 gene expression by insulin in endothelial cells.. Journal of Biological Chemistry, 1991, 266, 23251-23256.	1.6	200
1162	A MyoD1-independent muscle-specific enhancer controls the expression of the beta-myosin heavy chain gene in skeletal and cardiac muscle cells.. Journal of Biological Chemistry, 1991, 266, 22678-22688.	1.6	174
1163	Characterization of estrogen-responsive mouse lactoferrin promoter.. Journal of Biological Chemistry, 1991, 266, 21880-21885.	1.6	55

#	ARTICLE	IF	CITATIONS
1164	Interferon-alpha treatment of Daudi cells down-regulates the octamer binding transcription/DNA replication factors Oct-1 and Oct-2.. Journal of Biological Chemistry, 1991, 266, 20888-20892.	1.6	12
1165	Regulated expression of p18, a major phosphoprotein of leukemic cells.. Journal of Biological Chemistry, 1991, 266, 21004-21010.	1.6	31
1166	The structure and regulation of expression of the murine fast skeletal troponin C gene. Identification of a developmentally regulated, muscle-specific transcriptional enhancer.. Journal of Biological Chemistry, 1990, 265, 15970-15976.	1.6	62
1167	The $\hat{1}^2$ actin promoter. Journal of Biological Chemistry, 1989, 264, 9539-9546.	1.6	76
1168	Epidermal growth factor receptor gene promoter. Deletion analysis and identification of nuclear protein binding sites.. Journal of Biological Chemistry, 1988, 263, 5693-5699.	1.6	112
1169	The structure of the rat glutathione S-transferase P gene and related pseudogenes.. Journal of Biological Chemistry, 1987, 262, 3858-3863.	1.6	124
1170	Factors involved in specific transcription by mammalian RNA polymerase II. Purification and functional analysis of initiation factors IIB and IIE.. Journal of Biological Chemistry, 1987, 262, 3310-3321.	1.6	263
1171	Chicken Protamine Genes Are Intronless. Journal of Biological Chemistry, 1989, 264, 12472-12481.	1.6	61
1172	Structure of the gene for mouse thymidylate synthase. Locations of introns and multiple transcriptional start sites.. Journal of Biological Chemistry, 1986, 261, 16000-16005.	1.6	72
1173	Organization, nucleotide sequence, and transcription of the chicken HSP70 gene.. Journal of Biological Chemistry, 1986, 261, 12692-12699.	1.6	103
1174	The laminin B2 chain promoter contains unique repeat sequences and is active in transient transfection.. Journal of Biological Chemistry, 1988, 263, 8384-8389.	1.6	35
1175	Isolation and characterization of the mouse ornithine decarboxylase gene.. Journal of Biological Chemistry, 1988, 263, 7604-7609.	1.6	85
1176	Epidermal growth factor (EGF) receptor gene transcription. Requirement for Sp1 and an EGF receptor-specific factor.. Journal of Biological Chemistry, 1988, 263, 6329-6336.	1.6	129
1177	The human histone H2A.Z gene. Sequence and regulation.. Journal of Biological Chemistry, 1990, 265, 15211-15218.	1.6	52
1178	Cloning, sequence analysis, and permanent expression of a human $\hat{1}\pm 2$ -adrenergic receptor in Chinese hamster ovary cells. Journal of Biological Chemistry, 1989, 264, 11754-11761.	1.6	136
1179	T3 receptor suppression of Sp1-dependent transcription from the epidermal growth factor receptor promoter via overlapping DNA-binding sites. Journal of Biological Chemistry, 1993, 268, 16065-16073.	1.6	66
1180	Factors involved in specific transcription by mammalian RNA polymerase II. Journal of Biological Chemistry, 1989, 264, 7704-7714.	1.6	66
1181	Tandemly Reiterated Negative Enhancer-like Elements Regulate Transcription of a Human Gene for the Large Subunit of Calcium-dependent Protease. Journal of Biological Chemistry, 1989, 264, 6404-6411.	1.6	55

#	ARTICLE	IF	CITATIONS
1182	Functional analysis of the endothelin-1 gene promoter. Evidence for an endothelial cell-specific cis-acting sequence.. Journal of Biological Chemistry, 1990, 265, 10446-10450.	1.6	147
1183	Structure of the promoter of the rat type II procollagen gene.. Journal of Biological Chemistry, 1985, 260, 4441-4447.	1.6	65
1184	Generation of monoclonal antibodies to RNA polymerase II for the identification of transcriptional factors.. Journal of Biological Chemistry, 1984, 259, 11587-11593.	1.6	14
1185	Structural Organization of the Human Mitochondrial Cytochrome c1 Gene. Journal of Biological Chemistry, 1989, 264, 1368-1374.	1.6	58
1186	The glutathione S-transferase D genes. A divergently organized, intronless gene family in Drosophila melanogaster. Journal of Biological Chemistry, 1993, 268, 9737-9746.	1.6	93
1187	Structural organization of nuclear gene for subunit Vb of mouse mitochondrial cytochrome c oxidase. Journal of Biological Chemistry, 1991, 266, 15450-15456.	1.6	27
1188	Molecular characterization of transcription factors that bind to the cAMP responsive region of the substance P precursor gene. cDNA cloning of a novel C/EBP-related factor. Journal of Biological Chemistry, 1991, 266, 15525-15531.	1.6	86
1189	Genomic organization and expression of the human alpha 1B-adrenergic receptor.. Journal of Biological Chemistry, 1992, 267, 21936-21945.	1.6	145
1190	A nuclear factor that recognizes the metal-responsive elements of human metallothionein IIA gene.. Journal of Biological Chemistry, 1992, 267, 18659-18664.	1.6	34
1191	Sp1 DNA binding efficiency is highly reduced in nuclear extracts from aged rat tissues.. Journal of Biological Chemistry, 1992, 267, 17944-17948.	1.6	125
1192	Human placental lactogen transcriptional enhancer. Tissue specificity and binding with specific proteins.. Journal of Biological Chemistry, 1990, 265, 12940-12948.	1.6	65
1193	The carboxyl-terminal repeat domain of RNA polymerase II is not required for transcription factor Sp1 to function in vitro.. Journal of Biological Chemistry, 1990, 265, 8351-8353.	1.6	41
1194	Alternative promoter and 5' exon generate a novel Gs alpha mRNA.. Journal of Biological Chemistry, 1990, 265, 8458-8462.	1.6	109
1195	Structural organization of the genes for murine and human leukemia inhibitory factor. Evolutionary conservation of coding and non-coding regions.. Journal of Biological Chemistry, 1990, 265, 8833-8841.	1.6	95
1196	Structural organization of the rat cytochrome c oxidase subunit IV gene.. Journal of Biological Chemistry, 1990, 265, 7687-7692.	1.6	31
1197	The transition of RNA polymerase II from initiation to elongation is associated with phosphorylation of the carboxyl-terminal domain of subunit Ila. Journal of Biological Chemistry, 1989, 264, 19621-19629.	1.6	215
1198	Isolation and characterization of a gene encoding rat nucleoside diphosphate kinase.. Journal of Biological Chemistry, 1992, 267, 14366-14372.	1.6	26
1199	Regulatory sequences and protein-binding sites involved in the expression of the rat plasminogen activator inhibitor-1 gene.. Journal of Biological Chemistry, 1992, 267, 12202-12210.	1.6	31

#	ARTICLE	IF	CITATIONS
1200	Characterization of the human gene encoding ADP-ribosylation factor 1, a guanine nucleotide-binding activator of cholera toxin.. Journal of Biological Chemistry, 1992, 267, 9028-9034.	1.6	43
1201	Protein-DNA interactions at a dioxin-responsive enhancer. Mutational analysis of the DNA-binding site for the liganded Ah receptor.. Journal of Biological Chemistry, 1992, 267, 6815-6819.	1.6	106
1202	Primary structure of human pepsinogen C gene.. Journal of Biological Chemistry, 1988, 263, 1382-1385.	1.6	67
1203	Independent regulation of adipose tissue-specificity and obesity response of the adiponin promoter in transgenic mice.. Journal of Biological Chemistry, 1994, 269, 28558-28562.	1.6	14
1204	High mobility group proteins 1 and 2 stimulate transcription in vitro by RNA polymerases II and III.. Journal of Biological Chemistry, 1986, 261, 6986-6992.	1.6	124
1205	A cluster of four Sp1 binding sites required for efficient expression of the human insulin receptor gene. Journal of Biological Chemistry, 1991, 266, 3944-3948.	1.6	73
1206	Regulatory elements that mediate expression of the gene for the angiotensin II type 1a receptor for the rat.. Journal of Biological Chemistry, 1993, 268, 26996-27003.	1.6	47
1207	Functional elements of the human U1 RNA promoter. Identification of five separate regions required for efficient transcription and template competition.. Journal of Biological Chemistry, 1987, 262, 1795-1803.	1.6	92
1208	Sp1 is a critical factor for the monocytic specific expression of human CD14. Journal of Biological Chemistry, 1994, 269, 11425-11434.	1.6	176
1209	A single gene codes for the β subunits of smooth and skeletal muscle tropomyosin in the chicken. Journal of Biological Chemistry, 1989, 264, 2935-2944.	1.6	63
1210	Nuclear factor ETF specifically stimulates transcription from promoters without a TATA box. Journal of Biological Chemistry, 1989, 264, 15508-15514.	1.6	144
1211	Identification of a serum- and phorbol ester-responsive element in the murine tissue inhibitor of metalloproteinase gene.. Journal of Biological Chemistry, 1991, 266, 7199-7206.	1.6	86
1212	Interleukin 4 induces transcription of the 15-lipoxygenase I gene in human endothelial cells. Journal of Lipid Research, 2001, 42, 783-791.	2.0	58
1213	Transcription factors Sp1 and AP-2 mediate induction of acid sphingomyelinase during monocytic differentiation. Journal of Lipid Research, 1999, 40, 870-880.	2.0	53
1214	Sterol regulation of acetyl coenzyme A carboxylase promoter requires two interdependent binding sites for sterol regulatory element binding proteins. Journal of Lipid Research, 1997, 38, 1630-1638.	2.0	105
1215	The α 2 β 1 Integrin: A Collagen Receptor on Platelets and other Cells. Thrombosis and Haemostasis, 1995, 74, 813-821.	1.8	150
1216	Structural and Functional Differences in the Promoter and 5' Flanking Region of <i>Ldh-B</i> Within and Between Populations of the Teleost <i>Fundulus heteroclitus</i> . Genetics, 1997, 145, 759-769.	1.2	77
1217	Transactivation activity of the human cytomegalovirus IE2 protein occurs at steps subsequent to TATA box-binding protein recruitment. Microbiology (United Kingdom), 2000, 81, 37-46.	0.7	12

#	ARTICLE	IF	CITATIONS
1220	Cofactor Requirements for Transcriptional Activation by Sp1. Cold Spring Harbor Symposia on Quantitative Biology, 1998, 63, 189-200.	2.0	41
1221	Role of General and Gene-specific Cofactors in the Regulation of Eukaryotic Transcription. Cold Spring Harbor Symposia on Quantitative Biology, 1998, 63, 201-218.	2.0	159
1222	Sequence analysis of rsk, a portion of the 95-kilobase plasmid of Salmonella typhimurium associated with resistance to the bactericidal activity of serum. Infection and Immunity, 1989, 57, 850-857.	1.0	57
1223	Evidence of coordinate regulation of virulence in Salmonella typhimurium involving the rsk element of the 95-kilobase plasmid. Infection and Immunity, 1989, 57, 2566-2568.	1.0	22
1224	Essential and nonessential sequences in malPp, a positively controlled promoter in Escherichia coli. Journal of Bacteriology, 1985, 161, 1201-1208.	1.0	52
1225	Human polyomavirus JC virus genome. Journal of Virology, 1984, 51, 458-469.	1.5	688
1226	Guanine nucleotide contacts within viral DNA sequences bound by polyomavirus large T antigen. Journal of Virology, 1986, 57, 505-514.	1.5	61
1227	Activity of simian virus 40 late promoter elements in the absence of large T antigen: evidence for repression of late gene expression. Journal of Virology, 1986, 60, 400-404.	1.5	39
1228	Regulation of transcription in vitro from herpes simplex virus genes. Journal of Virology, 1986, 60, 950-959.	1.5	27
1229	Construction and characterization of hybrid polyomavirus genomes. Journal of Virology, 1986, 60, 960-971.	1.5	63
1230	Characterization of the simian virus 40 late promoter: relative importance of sequences within the 72-base-pair repeats differs before and after viral DNA replication. Journal of Virology, 1987, 61, 167-176.	1.5	31
1231	Effects of position and orientation of the 72-base-pair-repeat transcriptional enhancer on replication from the simian virus 40 core origin. Journal of Virology, 1987, 61, 2973-2980.	1.5	48
1232	The herpes simplex virus type 1 alpha protein ICP27 can act as a trans-repressor or a trans-activator in combination with ICP4 and ICP0. Journal of Virology, 1988, 62, 4510-4522.	1.5	256
1233	Unusual DNA structure in the regulatory region of the human papovavirus JC virus. Journal of Virology, 1988, 62, 922-931.	1.5	24
1234	Structure and regulation of the immediate-early frog virus 3 gene that encodes ICR489. Journal of Virology, 1988, 62, 1271-1277.	1.5	38
1235	Localization and footprinting of an enhancer within the avian sarcoma virus gag gene. Journal of Virology, 1988, 62, 1617-1624.	1.5	44
1236	A sequence-specific single-strand-binding protein for the late-coding strand of the simian virus 40 control region. Journal of Virology, 1988, 62, 2380-2385.	1.5	26
1237	Binding of cellular proteins to the regulatory region of BK virus DNA. Journal of Virology, 1988, 62, 3388-3398.	1.5	100

#	ARTICLE	IF	CITATIONS
1238	A GC-box motif upstream of the B19 parvovirus unique promoter is important for in vitro transcription. <i>Journal of Virology</i> , 1989, 63, 4814-4823.	1.5	31
1239	Characterization of a minimal simian virus 40 late promoter: enhancer elements in the 72-base-pair repeat not required. <i>Journal of Virology</i> , 1989, 63, 1420-1427.	1.5	17
1240	An element of the BK virus enhancer required for DNA replication. <i>Journal of Virology</i> , 1989, 63, 1514-1524.	1.5	23
1241	ICP4-binding sites in the promoter and coding regions of the herpes simplex virus gD gene contribute to activation of in vitro transcription by ICP4. <i>Journal of Virology</i> , 1989, 63, 2510-2520.	1.5	65
1242	Role of SP1-binding domains in in vivo transcriptional regulation of the human immunodeficiency virus type 1 long terminal repeat. <i>Journal of Virology</i> , 1989, 63, 2585-2591.	1.5	202
1243	Programmed factor binding to simian virus 40 GC-box replication and transcription control sequences. <i>Journal of Virology</i> , 1990, 64, 347-353.	1.5	8
1244	An inducible promoter mediates abundant expression from the immediate-early 2 gene region of human cytomegalovirus at late times after infection. <i>Journal of Virology</i> , 1991, 65, 6301-6306.	1.5	62
1245	Unusual Sp1-GC box interaction in a parvovirus promoter. <i>Journal of Virology</i> , 1991, 65, 6661-6670.	1.5	29
1246	Characterization of the cis elements involved in basal and E2-transactivated expression of the bovine papillomavirus P2443 promoter. <i>Journal of Virology</i> , 1991, 65, 743-753.	1.5	55
1247	Functional similarities between human immunodeficiency virus type 1 and simian virus 40 kappa B proto-enhancers. <i>Journal of Virology</i> , 1991, 65, 2200-2210.	1.5	12
1248	Contribution of NF-kappa B and Sp1 binding motifs to the replicative capacity of human immunodeficiency virus type 1: distinct patterns of viral growth are determined by T-cell types. <i>Journal of Virology</i> , 1991, 65, 4350-4358.	1.5	225
1249	Transcriptional activation of several heterologous promoters by the E6 protein of human papillomavirus type 16. <i>Journal of Virology</i> , 1992, 66, 325-333.	1.5	77
1250	Two synthetic Sp1-binding sites functionally substitute for the 21-base-pair repeat region to activate simian virus 40 growth in CV-1 cells. <i>Journal of Virology</i> , 1992, 66, 6379-6390.	1.5	18
1251	The Epstein-Barr virus immediate-early promoter BRLF1 can be activated by the cellular Sp1 transcription factor. <i>Journal of Virology</i> , 1992, 66, 7282-7292.	1.5	68
1252	ICP22 homolog of equine herpesvirus 1: expression from early and late promoters. <i>Journal of Virology</i> , 1992, 66, 664-673.	1.5	51
1253	Regulation of the Epstein-Barr virus DNA polymerase gene. <i>Journal of Virology</i> , 1992, 66, 2837-2845.	1.5	43
1254	A cis-acting DNA signal for encapsidation of simian virus 40. <i>Journal of Virology</i> , 1992, 66, 5320-5328.	1.5	46
1255	Activation of the human immunodeficiency virus type 2 enhancer is dependent on purine box and kappa B regulatory elements. <i>Journal of Virology</i> , 1992, 66, 5479-5484.	1.5	70

#	ARTICLE	IF	CITATIONS
1256	In vitro and in vivo binding of human immunodeficiency virus type 1 Tat protein and Sp1 transcription factor. <i>Journal of Virology</i> , 1993, 67, 6224-6233.	1.5	231
1257	Identification and characterization of novel promoters in the genome of human papillomavirus type 18. <i>Journal of Virology</i> , 1993, 67, 4296-4306.	1.5	28
1258	Interaction of the v-Rel oncoprotein with cellular transcription factor Sp1. <i>Journal of Virology</i> , 1994, 68, 7131-7138.	1.5	47
1259	Varicella-zoster virus open reading frame 4 encodes a transcriptional activator that is functionally distinct from that of herpes simplex virus homology ICP27. <i>Journal of Virology</i> , 1994, 68, 2468-2477.	1.5	77
1260	A transcriptional regulatory element is associated with a nuclease-hypersensitive site in the pol gene of human immunodeficiency virus type 1. <i>Journal of Virology</i> , 1994, 68, 2632-2648.	1.5	78
1261	The Epstein-Barr virus 3.5-kilobase latent membrane protein 1 mRNA initiates from a TATA-Less promoter within the first terminal repeat. <i>Journal of Virology</i> , 1995, 69, 4577-4581.	1.5	58
1262	The peri-kappa B site mediates human immunodeficiency virus type 2 enhancer activation in monocytes but not in T cells. <i>Journal of Virology</i> , 1995, 69, 4854-4862.	1.5	25
1263	The promoter activity of long terminal repeats of the HERV-H family of human retrovirus-like elements is critically dependent on Sp1 family proteins interacting with a GC/GT box located immediately 3' to the TATA box. <i>Journal of Virology</i> , 1996, 70, 188-198.	1.5	83
1264	Identification of cis-acting sequences in the promoter of the herpes simplex virus type 1 latency-associated transcripts required for activation by nerve growth factor and sodium butyrate in PC12 cells. <i>Journal of Virology</i> , 1996, 70, 7433-7444.	1.5	25
1265	An enhancer of recombination in polyomavirus DNA. <i>Journal of Virology</i> , 1996, 70, 4748-4760.	1.5	10
1266	Induction of the transcription factor Sp1 during human cytomegalovirus infection mediates upregulation of the p65 and p105/p50 NF-kappaB promoters. <i>Journal of Virology</i> , 1997, 71, 4638-4648.	1.5	144
1267	The human cytomegalovirus UL55 (gB) and UL75 (gH) glycoprotein ligands initiate the rapid activation of Sp1 and NF-kappaB during infection. <i>Journal of Virology</i> , 1997, 71, 5051-5059.	1.5	198
1268	Temporal Usage of Multiple Promoters during the Life Cycle of Human Papillomavirus Type 31b. <i>Journal of Virology</i> , 1998, 72, 2715-2722.	1.5	99
1269	Cellular Transcription Factors Enhance Herpes Simplex Virus Type 1 oriS-Dependent DNA Replication. <i>Journal of Virology</i> , 1998, 72, 3635-3645.	1.5	29
1270	Naturally Occurring Human Immunodeficiency Virus Type 1 Long Terminal Repeats Have a Frequently Observed Duplication That Binds RBF-2 and Represses Transcription. <i>Journal of Virology</i> , 1998, 72, 6465-6474.	1.5	38
1271	Conformational Changes in Simian Virus 40 Rearranged Regulatory Regions: Effects of the 21-Base-Pair Promoters and Their Location. <i>Journal of Virology</i> , 1999, 73, 10254-10263.	1.5	5
1272	Multiple Positive and Negative cis-Acting Elements Mediate Induced Arginase (CAR1) Gene Expression in <i>Saccharomyces cerevisiae</i> . <i>Molecular and Cellular Biology</i> , 1990, 10, 5087-5097.	1.1	40
1273	Promoter Elements and Erythroid Cell Nuclear Factors That Regulate $\hat{\pm}$ -Globin Gene Transcription In Vitro. <i>Molecular and Cellular Biology</i> , 1990, 10, 5958-5966.	1.1	37

#	ARTICLE	IF	CITATIONS
1274	A Combination of Closely Associated Positive and Negative <i>cis</i> -Acting Promoter Elements Regulates Transcription of the Skeletal β -Actin Gene. <i>Molecular and Cellular Biology</i> , 1990, 10, 528-538.	1.1	60
1275	Autoinduction of Transforming Growth Factor β 1 Is Mediated by the AP-1 Complex. <i>Molecular and Cellular Biology</i> , 1990, 10, 1492-1497.	1.1	207
1276	Three Novel Brain Tropomyosin Isoforms Are Expressed from the Rat β -Tropomyosin Gene through the Use of Alternative Promoters and Alternative RNA Processing. <i>Molecular and Cellular Biology</i> , 1990, 10, 1729-1742.	1.1	39
1277	Differential <i>trans</i> Activation Associated with the Muscle Regulatory Factors MyoD1, Myogenin, and MRF4. <i>Molecular and Cellular Biology</i> , 1990, 10, 3934-3944.	1.1	80
1278	N <i>myc</i> mRNA Forms an RNA-RNA Duplex with Endogenous Antisense Transcripts. <i>Molecular and Cellular Biology</i> , 1990, 10, 4180-4191.	1.1	98
1279	M-CAT Binding Factor, a Novel <i>trans</i> -Acting Factor Governing Muscle-Specific Transcription. <i>Molecular and Cellular Biology</i> , 1990, 10, 4271-4283.	1.1	97
1280	Chicken β 1-Crystallin Gene Expression: Presence of Conserved Functional Polyomavirus Enhancer-Like and Octamer Binding-Like Promoter Elements Found in Non-Lens Genes. <i>Molecular and Cellular Biology</i> , 1991, 11, 1488-1499.	1.1	20
1281	Loss of the Amino-Terminal Helix-Loop-Helix Domain of the <i>vav</i> Proto-Oncogene Activates Its Transforming Potential. <i>Molecular and Cellular Biology</i> , 1991, 11, 1912-1920.	1.1	78
1282	Synergistic Activation of a Human Promoter In Vivo by Transcription Factor Sp1. <i>Molecular and Cellular Biology</i> , 1991, 11, 1935-1943.	1.1	63
1283	Cloning and Characterization of a Human c- <i>myc</i> Promoter-Binding Protein. <i>Molecular and Cellular Biology</i> , 1991, 11, 2154-2161.	1.1	53
1284	Developmental Expression of Sp1 in the Mouse. <i>Molecular and Cellular Biology</i> , 1991, 11, 2189-2199.	1.1	230
1285	Transcriptional role of a conserved GATA-1 site in the human epsilon-globin gene promoter. <i>Molecular and Cellular Biology</i> , 1991, 11, 2558-2566.	1.1	23
1286	A GC-Rich Element Confers Epidermal Growth Factor Responsiveness to Transcription from the Gastrin Promoter. <i>Molecular and Cellular Biology</i> , 1991, 11, 2686-2696.	1.1	30
1287	Transcription Factors Nuclear Factor I and Sp1 Interact with the Murine Collagen β 1(I) Promoter. <i>Molecular and Cellular Biology</i> , 1991, 11, 4065-4073.	1.1	32
1288	Multiple In Vivo Footprints Are Specific to the Active Allele of the X-Linked Human Hypoxanthine Phosphoribosyltransferase Gene ϵ Region: Implications for X Chromosome Inactivation. <i>Molecular and Cellular Biology</i> , 1992, 12, 5345-5354.	1.1	18
1289	The Restricted Promoter Activity of the Liver Transcription Factor Hepatocyte Nuclear Factor β 3 Involves a Cell-Specific Factor and Positive Autoactivation. <i>Molecular and Cellular Biology</i> , 1992, 12, 552-562.	1.1	49
1290	An Antisense Promoter of the Murine <i>c-myc</i> Gene Is Localized within Intron 2. <i>Molecular and Cellular Biology</i> , 1992, 12, 1324-1329.	1.1	18
1291	Protein-DNA Interactions Associated with the Onset of Testis-Specific Expression of the Mammalian <i>Pgk-2</i> Gene. <i>Molecular and Cellular Biology</i> , 1992, 12, 1422-1431.	1.1	11

#	ARTICLE	IF	CITATIONS
1292	RAR72 Expression Is Regulated through a Retinoic Acid Response Element Embedded in Sp1 Sites. <i>Molecular and Cellular Biology</i> , 1992, 12, 2976-2985.	1.1	37
1293	Meiotic Induction of the Yeast <i>HOP1</i> Gene Is Controlled by Positive and Negative Regulatory Sites. <i>Molecular and Cellular Biology</i> , 1992, 12, 3706-3714.	1.1	69
1294	A Negative Regulatory Element in the <i>bcl-2</i> 5'-Untranslated Region Inhibits Expression from an Upstream Promoter. <i>Molecular and Cellular Biology</i> , 1993, 13, 3686-3697.	1.1	86
1295	Elf-1 Binds to a Critical Element in a Second CD4 Enhancer. <i>Molecular and Cellular Biology</i> , 1994, 14, 6452-6463.	1.1	46
1296	DNA Methylation Represses the Murine $\alpha 1(I)$ Collagen Promoter by an Indirect Mechanism. <i>Molecular and Cellular Biology</i> , 1994, 14, 5950-5960.	1.1	16
1297	Use of <i>lacZ</i> Fusions to Delimit Regulatory Elements of the Inducible Divergent <i>GAL1-GAL10</i> Promoter in <i>Saccharomyces cerevisiae</i> . <i>Molecular and Cellular Biology</i> , 1984, 4, 1985-1998.	1.1	212
1298	Common Control of the Heat Shock Gene and Early Adenovirus Genes: Evidence for a Cellular E1A-like Activity. <i>Molecular and Cellular Biology</i> , 1984, 4, 867-874.	1.1	243
1299	Cell Cycle Control of the Human HSP70 Gene: Implications for the Role of a Cellular E1A-Like Function. <i>Molecular and Cellular Biology</i> , 1985, 5, 628-633.	1.1	73
1300	Purification and Characterization of a Transcription Factor That Confers Promoter Specificity to Human RNA Polymerase I. <i>Molecular and Cellular Biology</i> , 1985, 5, 1358-1369.	1.1	115
1301	Building a Metal-Responsive Promoter with Synthetic Regulatory Elements. <i>Molecular and Cellular Biology</i> , 1985, 5, 1480-1489.	1.1	86
1302	Analysis of an Activatable Promoter: Sequences in the Simian Virus 40 Late Promoter Required for T-Antigen-Mediated <i>trans</i> Activation. <i>Molecular and Cellular Biology</i> , 1985, 5, 1859-1869.	1.1	132
1303	Delineation of Transcriptional Control Signals Within the Moloney Murine Sarcoma Virus Long Terminal Repeat. <i>Molecular and Cellular Biology</i> , 1985, 5, 1948-1958.	1.1	66
1304	Replication and Supercoiling of Simian Virus 40 DNA in Cell Extracts from Human Cells. <i>Molecular and Cellular Biology</i> , 1985, 5, 2051-2060.	1.1	254
1305	Two Distinct Promoter Elements in the Human rRNA Gene Identified by Linker Scanning Mutagenesis. <i>Molecular and Cellular Biology</i> , 1986, 6, 227-235.	1.1	87
1306	Formation of the Transcription Initiation Complex on Mammalian rDNA. <i>Molecular and Cellular Biology</i> , 1986, 6, 3418-3427.	1.1	38
1307	Nonmuscle and Muscle Tropomyosin Isoforms Are Expressed from a Single Gene by Alternative RNA Splicing and Polyadenylation. <i>Molecular and Cellular Biology</i> , 1986, 6, 3582-3595.	1.1	112
1308	Identification of two factors required for transcription of the ovalbumin gene. <i>Molecular and Cellular Biology</i> , 1986, 6, 4259-4267.	1.1	81
1309	Multiple protein-binding sites in the 5'-flanking region regulate <i>c-fos</i> expression. <i>Molecular and Cellular Biology</i> , 1986, 6, 4305-4316.	1.1	316

#	ARTICLE	IF	CITATIONS
1310	A single polypeptide possesses the binding and transcription activities of the adenovirus major late transcription factor. <i>Molecular and Cellular Biology</i> , 1986, 6, 4723-4733.	1.1	265
1311	Fine structure of the human hypoxanthine phosphoribosyltransferase gene. <i>Molecular and Cellular Biology</i> , 1986, 6, 393-403.	1.1	70
1312	Multiple transcription start sites, DNase I-hypersensitive sites, and an opposite-strand exon in the 5' region of the CHO dhfr gene. <i>Molecular and Cellular Biology</i> , 1986, 6, 425-440.	1.1	103
1313	Functional organization of the simian virus 40 origin of DNA replication. <i>Molecular and Cellular Biology</i> , 1986, 6, 1117-1128.	1.1	150
1314	Control of Transcription Initiation In Vitro Requires Binding of a Transcription Factor to the Distal Promoter of the Ovalbumin Gene. <i>Molecular and Cellular Biology</i> , 1986, 6, 2784-2791.	1.1	54
1315	Multiple Basal Elements of a Human hsp70 Promoter Function Differently in Human and Rodent Cell Lines. <i>Molecular and Cellular Biology</i> , 1987, 7, 3646-3655.	1.1	75
1316	Purification and Characterization of Chicken Ovalbumin Gene Upstream Promoter Transcription Factor from Homologous Oviduct Cells. <i>Molecular and Cellular Biology</i> , 1987, 7, 4151-4158.	1.1	25
1317	Metal-Responsive Elements act as Positive Modulators of Human Metallothionein-II _A Enhancer Activity. <i>Molecular and Cellular Biology</i> , 1987, 7, 606-613.	1.1	56
1318	Transcription of the <i>ADH2</i> Gene in <i>Saccharomyces cerevisiae</i> Is Limited by Positive Factors That Bind Competitively to Its Intact Promoter Region on Multicopy Plasmids. <i>Molecular and Cellular Biology</i> , 1987, 7, 1233-1241.	1.1	35
1319	Transcription of Adenovirus 2 Major Late and Peptide IX Genes under Conditions of In Vitro Nucleosome Assembly. <i>Molecular and Cellular Biology</i> , 1987, 7, 1401-1408.	1.1	59
1320	Two Regulatory Domains Flank the Mouse H19 Gene. <i>Molecular and Cellular Biology</i> , 1988, 8, 4707-4715.	1.1	49
1321	Simian Virus 40 Major Late Promoter: a Novel Tripartite Structure That Includes Intragenic Sequences. <i>Molecular and Cellular Biology</i> , 1988, 8, 2021-2033.	1.1	84
1322	Structure of the Murine <i>lck</i> Gene and Its Rearrangement in a Murine Lymphoma Cell Line. <i>Molecular and Cellular Biology</i> , 1988, 8, 3058-3064.	1.1	62
1323	The <i>GLI</i> -Kruppel Family of Human Genes. <i>Molecular and Cellular Biology</i> , 1988, 8, 3104-3113.	1.1	128
1324	A Constitutive Promoter Directs Expression of the Nerve Growth Factor Receptor Gene. <i>Molecular and Cellular Biology</i> , 1988, 8, 3160-3167.	1.1	96
1325	Adjacent upstream activation sequence elements synergistically regulate transcription of <i>ADH2</i> in <i>Saccharomyces cerevisiae</i> . <i>Molecular and Cellular Biology</i> , 1989, 9, 34-42.	1.1	48
1326	The NGFI-B Gene, a Transcriptionally Inducible Member of the Steroid Receptor Gene Superfamily: Genomic Structure and Expression in Rat Brain after Seizure Induction. <i>Molecular and Cellular Biology</i> , 1989, 9, 4213-4219.	1.1	44
1327	Identification and Characterization of a Chicken $\hat{\pm}$ -Globin Enhancer. <i>Molecular and Cellular Biology</i> , 1989, 9, 893-901.	1.1	34

#	ARTICLE	IF	CITATIONS
1328	Promoter Upstream Elements of the Chicken Cardiac Myosin LightChain 2-A Gene Interact with <i>trans-Ading</i> Regulatory Factors for Muscle-Specific Transcription. <i>Molecular and Cellular Biology</i> , 1989, 9, 2513-2525.	1.1	60
1329	The first intron of the 4F2 heavy-chain gene contains a transcriptional enhancer element that binds multiple nuclear proteins. <i>Molecular and Cellular Biology</i> , 1989, 9, 2588-2597.	1.1	46
1330	Identification of a myocyte nuclear factor that binds to the muscle-specific enhancer of the mouse muscle creatine kinase gene. <i>Molecular and Cellular Biology</i> , 1989, 9, 2627-2640.	1.1	208
1331	Platelet-Derived Growth Factor Enhances Sp1 Binding to the LDL Receptor Gene. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1995, 15, 1248-1254.	1.1	6
1332	FGF-1-Induced Platelet-Derived Growth Factor-A Chain Gene Expression in Endothelial Cells Involves Transcriptional Activation by Early Growth Response Factor-1. <i>Circulation Research</i> , 1997, 81, 282-288.	2.0	47
1333	Mithramycin blocks protein binding and function of the SV40 early promoter.. <i>Journal of Clinical Investigation</i> , 1989, 83, 2003-2007.	3.9	124
1334	Mithramycin inhibits SP1 binding and selectively inhibits transcriptional activity of the dihydrofolate reductase gene in vitro and in vivo.. <i>Journal of Clinical Investigation</i> , 1991, 88, 1613-1621.	3.9	301
1335	The mouse Hox-1.4 gene: primary structure, evidence for promoter activity and expression during development. <i>Development (Cambridge)</i> , 1989, 107, 343-359.	1.2	94
1336	The <i>SM 22</i> promoter directs tissue-specific expression in arterial but not in venous or visceral smooth muscle cells in transgenic mice. <i>Development (Cambridge)</i> , 1996, 122, 2415-2425.	1.2	140
1337	Molecular characterization of the TrkA/NGF receptor minimal enhancer reveals regulation by multiple <i>cis</i> elements to drive embryonic neuron expression. <i>Development (Cambridge)</i> , 2000, 127, 3777-3788.	1.2	44
1338	Cloning and Characterization of the Human Trefoil Factor 3 Gene Promoter. <i>PLoS ONE</i> , 2014, 9, e95562.	1.1	8
1339	p53 elevation in human cells halt SV40 infection by inhibiting T-ag expression. <i>Oncotarget</i> , 2016, 7, 52643-52660.	0.8	11
1340	KrÄppel-like factors in cancer progression: three fingers on the steering wheel. <i>Oncotarget</i> , 2014, 5, 29-48.	0.8	58
1341	A Human Metal Responsive Element-Binding Protein Interacts With a Homologous Element of the Mouse Metallothionein-I Gene.. <i>Industrial Health</i> , 1993, 31, 133-142.	0.4	7
1342	Understanding the Role of the Transcription Factor Sp1 in Ovarian Cancer: from Theory to Practice. <i>International Journal of Molecular Sciences</i> , 2020, 21, 1153.	1.8	63
1344	3D Structure Modeling of Human Telomere Repeat Binding Factor 2 and DNA-Protein Docking Studies. <i>British Biotechnology Journal</i> , 2014, 4, 81-95.	0.4	2
1346	Zinc Finger Transcription Factors Mediate Perturbations of Brain Gene Expression Elicited by Heavy Metals. , 2004, , 55-76.		0
1347	Zinc Finger Transcription Factors Mediate Perturbations of Brain Gene Expression Elicited by Heavy Metals. , 2004, , 43-63.		2

#	ARTICLE	IF	CITATIONS
1348	Transcriptional and Epigenetic Regulation. , 2006, , 1-30.		0
1349	Transcriptional Networks in Mammalian Gene Regulation. , 2006, , 85-92.		0
1350	Proteomic Analyses of Post-Translational Modifications. , 2013, , 59-80.		0
1351	Promoter Elements of Genes Coding for Proteins and Modulation of Transcription by Estrogens and Progesterone. , 1984, 40, 1-42.		60
1352	Role of Specific Simian Virus 40 Sequences in the Nuclease-Sensitive Structure in Viral Chromatin. Molecular and Cellular Biology, 1985, 5, 52-58.	1.1	30
1353	Promoter Elements of Eukaryotic Protein-Coding Genes. , 1985, , 103-119.		2
1354	Control of transcription and mRNA processing. , 1986, , 341-382.		0
1355	Effects of the adenovirus 2 late promoter on simian virus 40 transcription and replication. Journal of Virology, 1986, 57, 129-137.	1.5	9
1356	RNA biosynthesis. , 1986, , 266-286.		0
1358	Viral Sequences. , 1987, , 1-521.		0
1359	The SV40 Early Promoter. , 1987, , 53-83.		1
1360	Eukaryotic Transcriptional Specificity Conferred by DNA-Binding Proteins. , 1987, , 87-98.		0
1362	Functions of Chromatin and the Expression of Genes. , 1987, , 599-684.		1
1363	An Analysis of 5â€² Regulatory Sequences of the Hamster APRT Gene. Advances in Experimental Medicine and Biology, 1989, 253A, 467-473.	0.8	0
1364	Chromatin Structure and Gene Expression. , 1989, , 355-370.		0
1365	Transcriptional Regulation of Frog Virus 3. , 1989, , 39-50.		0
1366	The Nerve Growth Factor Receptor: Biochemical and Structural Analysis. , 1989, 45, 441-466.		1
1367	Cell Type-Specific Protein-DNA Interactions in the Human β -Globin Upstream Promoter Region: Displacement of Sp1 by the Erythroid Cell-Specific Factor NF-E1. Molecular and Cellular Biology, 1990, 10, 282-294.	1.1	21

#	ARTICLE	IF	CITATIONS
1368	Neural Intermediate Filament (Neurofilament) Genes. , 1990, , 345-352.		0
1369	A Naturally Occurring Gamma Globin Gene Mutation Enhances SP1 Binding Activity. Molecular and Cellular Biology, 1990, 10, 95-102.	1.1	16
1370	Distinctive Features of Nerve Growth Factor: Structure, and Function. , 1990, , 65-81.		0
1371	Cloning of the Complete Gene for Carcinoembryonic Antigen: Analysis of Its Promoter Indicates a Region Conveying Cell Type-Specific Expression. Molecular and Cellular Biology, 1990, 10, 2738-2748.	1.1	50
1372	The Upstream Sequence $\hat{\sim}$ 537 to $\hat{\sim}$ 278 Is Necessary for Transcription of the Human Nucleolar Antigen p120 Gene. Molecular and Cellular Biology, 1990, 10, 3253-3255.	1.1	1
1373	Molecular Organization of the Human Raf-1 Promoter Region. Molecular and Cellular Biology, 1990, 10, 3325-3333.	1.1	14
1374	Structural Analysis of the Mouse mdr1a (P-Glycoprotein) Promoter Reveals the Basis for Differential Transcript Heterogeneity in Multidrug-Resistant J774.2 Cells. Molecular and Cellular Biology, 1990, 10, 3596-3606.	1.1	34
1375	An overview of transcription. Molecular Aspects of Cellular Regulation, 1991, 6, 3-24.	1.4	0
1376	Multiple Basal Promoter Elements Determine the Level of Human c- <i>fos</i> Transcription. Molecular and Cellular Biology, 1991, 11, 1270-1280.	1.1	28
1377	In Vitro Analysis of the Tissue Plasminogen Activator Promoter Reveals a GC Box-Binding Activity Present in Murine Brain but Undetectable in Kidney and Liver. Molecular and Cellular Biology, 1991, 11, 3139-3147.	1.1	9
1378	The Gene Encoding the Transcription Factor SCIP Has Features of an Expressed Retroposon. Molecular and Cellular Biology, 1991, 11, 4642-4650.	1.1	26
1379	The Core Promoter Region of the Tumor Necrosis Factor $\hat{\pm}$ Gene Confers Phorbol Ester Responsiveness to Upstream Transcriptional Activators. Molecular and Cellular Biology, 1992, 12, 1352-1356.	1.1	18
1380	In Vitro Initiation of Transcription by RNA Polymerase II on In Vivo-Assembled Chromatin Templates. Molecular and Cellular Biology, 1992, 12, 1639-1651.	1.1	3
1381	In Vitro Transfection of Fresh Thymocytes and T Cells Shows Subset-Specific Expression of Viral Promoters. Molecular and Cellular Biology, 1992, 12, 1515-1527.	1.1	6
1382	Transcription of the Mouse Secretory Protease Inhibitor p12 Gene Is Activated by the Developmentally Regulated Positive Transcription Factor Sp1. Molecular and Cellular Biology, 1992, 12, 3796-3806.	1.1	12
1383	Genetic Elements Regulating Human Placental Lactogen Expression. , 1993, , 273-285.		0
1384	SV40 In Vitro DNA Replication. , 1996, , 149-166.		0
1385	Regulation of Neutrophil Proteinases. , 1999, , 95-112.		0

#	ARTICLE	IF	CITATIONS
1386	Sp1. , 2016, , 1-6.		1
1387	Impact of the -216G/T Polymorphism on the Sp1 and Epidermal Growth Factor Receptor Interaction in Non-Small Cell Lung Carcinoma. Journal of Cancer Therapy, 2016, 07, 494-499.	0.1	0
1389	Sp1. , 2018, , 5100-5106.		0
1394	Over-representation of potential SP4 target genes within schizophrenia-risk genes. Molecular Psychiatry, 2022, 27, 849-854.	4.1	9
1395	Human transcriptional gene regulatory network compiled from 14 data resources. Biochimie, 2022, 193, 115-125.	1.3	4
1396	Nuclear Import of DNA. , 2005, , 187-205.		0
1397	Transcription: The Never Ending Story. , 2006, , 3-18.		0
1398	Simian Virus 40 Guanine-Cytosine-Rich Sequences Function as Independent Transcriptional Control Elements In Vitro. Molecular and Cellular Biology, 1984, 4, 2911-2920.	1.1	45
1399	DNA Replication and Chromatin Structure of Simian Virus 40 Insertion Mutants. Molecular and Cellular Biology, 1984, 4, 1499-1507.	1.1	58
1400	DNase I Footprinting Shows Three Protected Regions in the Promoter of the rRNA Genes of <i>Xenopus laevis</i> . Molecular and Cellular Biology, 1985, 5, 313-319.	1.1	11
1401	Activation of the Simian Virus 40 Late Transcription Unit by T-Antigen. Molecular and Cellular Biology, 1985, 5, 1391-1399.	1.1	134
1402	DNase I-Hypersensitive Sites in the Galactose Gene Cluster of <i>Saccharomyces cerevisiae</i> . Molecular and Cellular Biology, 1985, 5, 1522-1524.	1.1	15
1403	Novel method for identifying sequence-specific DNA-binding proteins. Molecular and Cellular Biology, 1985, 5, 2307-2315.	1.1	19
1404	Minimal Transcriptional Enhancer of Simian Virus 40 is a 74-Base-Pair Sequence That Has Interacting Domains. Molecular and Cellular Biology, 1986, 6, 3667-3676.	1.1	12
1405	In vivo competition of delta-crystallin gene expression by DNA fragments containing a GC box. Molecular and Cellular Biology, 1986, 6, 4130-4132.	1.1	13
1406	Three tightly linked genes encoding human type I keratins: conservation of sequence in the 5'-untranslated leader and 5'-upstream regions of coexpressed keratin genes. Molecular and Cellular Biology, 1986, 6, 539-548.	1.1	32
1407	A calcium ionophore-inducible cellular promoter is highly active and has enhancerlike properties. Molecular and Cellular Biology, 1986, 6, 1235-1243.	1.1	31
1408	Human argininosuccinate synthetase minigenes are subject to arginine-mediated repression but not to trans induction. Molecular and Cellular Biology, 1986, 6, 1244-1252.	1.1	10

#	ARTICLE	IF	CITATIONS
1409	Purification of a cellular, double-stranded DNA-binding protein required for initiation of adenovirus DNA replication by using a rapid filter-binding assay. <i>Molecular and Cellular Biology</i> , 1986, 6, 1363-1373.	1.1	30
1410	Interaction of distinct nuclear proteins with sequences controlling the expression of polyomavirus early genes. <i>Molecular and Cellular Biology</i> , 1986, 6, 1401-1411.	1.1	48
1411	Sequences involved in initiation of simian virus 40 late transcription in the absence of T antigen. <i>Molecular and Cellular Biology</i> , 1986, 6, 1875-1885.	1.1	19
1412	Delimitation and Characterization of <i>cis</i> -Acting DNA Sequences Required for the Regulated Expression and Transcriptional Control of the Chicken Skeletal β -Actin Gene. <i>Molecular and Cellular Biology</i> , 1986, 6, 2462-2475.	1.1	104
1413	Features of the Chicken <i>c-myc</i> Gene That Influence the Structure of <i>c-myc</i> RNA in Normal Cells and Bursal Lymphomas. <i>Molecular and Cellular Biology</i> , 1986, 6, 2800-2806.	1.1	20
1414	Genetic Analysis of the Human Thymidine Kinase Gene Promoter. <i>Molecular and Cellular Biology</i> , 1986, 6, 2903-2909.	1.1	27
1415	Point Mutation Associated with Hereditary Persistence of Fetal Hemoglobin Decreases RNA Polymerase III Transcription Upstream of the Affected β -Globin Gene. <i>Molecular and Cellular Biology</i> , 1986, 6, 3278-3282.	1.1	11
1416	A Nuclease-Hypersensitive Region Forms De Novo after Chromosome Replication. <i>Molecular and Cellular Biology</i> , 1987, 7, 3822-3825.	1.1	8
1417	Structure of the Rat Platelet Factor 4 Gene: A Marker for Megakaryocyte Differentiation. <i>Molecular and Cellular Biology</i> , 1987, 7, 898-904.	1.1	24
1418	Conservation of Promoter Sequence but not Complex Intron Splicing Pattern in Human and Hamster Genes for 3-Hydroxy-3-Methylglutaryl Coenzyme A Reductase. <i>Molecular and Cellular Biology</i> , 1987, 7, 1881-1893.	1.1	27
1419	Murine DNA Polymerase β Gene: Mapping of Transcription Initiation Sites and the Nucleotide Sequence of the Putative Promoter Region. <i>Molecular and Cellular Biology</i> , 1987, 7, 2012-2018.	1.1	25
1420	Regulation of in vitro and in vivo transcription of early-region IV of adenovirus type 5 by multiple cis-acting elements. <i>Molecular and Cellular Biology</i> , 1987, 7, 2578-2587.	1.1	27
1421	Identification of the principal promoter sequence of the c-H-ras transforming oncogene: deletion analysis of the 5'-flanking region by focus formation assay. <i>Molecular and Cellular Biology</i> , 1987, 7, 2933-2940.	1.1	20
1422	The First Intron in the Human <i>c-abl</i> Gene Is at Least 200 Kilobases Long and Is a Target for Translocations in Chronic Myelogenous Leukemia. <i>Molecular and Cellular Biology</i> , 1987, 7, 3231-3236.	1.1	48
1423	Modulation of Epidermal Growth Factor Receptor Proto-Oncogene Transcription by a Promoter Site Sensitive to S1 Nuclease. <i>Molecular and Cellular Biology</i> , 1988, 8, 4174-4184.	1.1	54
1424	A Discrete Region Centered 22 Base Pairs Upstream of the Initiation Site Modulates Transcription of <i>Drosophila</i> tRNA ^{Asn} Genes. <i>Molecular and Cellular Biology</i> , 1988, 8, 4441-4449.	1.1	5
1425	Effects of single-base substitutions within the <i>Acanthamoeba castellanii</i> rRNA promoter on transcription and on binding of transcription initiation factor and RNA polymerase I. <i>Molecular and Cellular Biology</i> , 1988, 8, 747-753.	1.1	15
1426	Identification of two transcription factors that bind to specific elements in the promoter of the adenovirus early-region 4. <i>Molecular and Cellular Biology</i> , 1988, 8, 1290-1300.	1.1	56

#	ARTICLE	IF	CITATIONS
1427	Replication from a proximal simian virus 40 origin is severely inhibited by multiple reiterations of the 72-base-pair repeat enhancer sequence. <i>Molecular and Cellular Biology</i> , 1988, 8, 1509-1517.	1.1	13
1428	Identification and Characterization of Multiple Erythroid Cell Proteins That Interact with the Promoter of the Murine β -Globin Gene. <i>Molecular and Cellular Biology</i> , 1988, 8, 3215-3226.	1.1	45
1429	Negative Regulation of the Human Polyomavirus BK Enhancer Involves Cell-Specific Interaction with a Nuclear Repressor. <i>Molecular and Cellular Biology</i> , 1988, 8, 3448-3457.	1.1	24
1430	Isolation and Structural Characterization of the Human 4F2 Heavy-Chain Gene, an Inducible Gene Involved in T-Lymphocyte Activation. <i>Molecular and Cellular Biology</i> , 1988, 8, 3809-3819.	1.1	41
1431	Structural Organization of Upstream Exons and Distribution of Transcription Start Sites in the Chicken <i>c-myc</i> Gene. <i>Molecular and Cellular Biology</i> , 1989, 9, 837-843.	1.1	10
1432	Identification of HeLa Cell Nuclear Factors That Bind to and Activate the Early Promoter of Human Polyomavirus BK In Vitro. <i>Molecular and Cellular Biology</i> , 1989, 9, 3821-3828.	1.1	22
1433	The Mouse Thymidylate Synthase Promoter: Essential Elements Are in Close Proximity to the Transcriptional Initiation Sites. <i>Molecular and Cellular Biology</i> , 1989, 9, 4079-4082.	1.1	16
1486	Muscle-specific expression of the acetylcholine receptor alpha-subunit gene requires both positive and negative interactions between myogenic factors, Sp1 and GBF factors. <i>EMBO Journal</i> , 1993, 12, 443-9.	3.5	21
1487	Anatomy of the <i>parp</i> gene promoter of <i>Trypanosoma brucei</i> . <i>EMBO Journal</i> , 1991, 10, 3379-86.	3.5	46
1488	A gene encoding a protein with zinc fingers is activated during G0/G1 transition in cultured cells. <i>EMBO Journal</i> , 1988, 7, 29-35.	3.5	164
1489	A spliced Epstein-Barr virus gene expressed in immortalized lymphocytes is created by circularization of the linear viral genome. <i>EMBO Journal</i> , 1988, 7, 769-74.	3.5	134
1490	Mitochondrial RNA polymerase of <i>Saccharomyces cerevisiae</i> : composition and mechanism of promoter recognition. <i>EMBO Journal</i> , 1988, 7, 3255-62.	3.5	37
1491	A zinc-responsive factor interacts with a metal-regulated enhancer element (MRE) of the mouse metallothionein-I gene. <i>EMBO Journal</i> , 1988, 7, 3763-70.	3.5	106
1492	A single DNA-binding transcription factor is sufficient for activation from a distant enhancer and/or from a promoter position. <i>EMBO Journal</i> , 1990, 9, 481-7.	3.5	37
1493	Xenopus cytoskeletal actin and human <i>c-fos</i> gene promoters share a conserved protein-binding site. <i>EMBO Journal</i> , 1987, 6, 667-73.	3.5	98
1494	Differential promoter utilization by the bovine papillomavirus in transformed cells and productively infected wart tissues. <i>EMBO Journal</i> , 1987, 6, 1027-35.	3.5	151
1495	Promoter interaction of the E1A-inducible factor E2F and its potential role in the formation of a multi-component complex. <i>EMBO Journal</i> , 1987, 6, 2061-8.	3.5	87
1496	Sequence-specific interactions of a pea nuclear factor with light-responsive elements upstream of the <i>rbcS-3A</i> gene. <i>EMBO Journal</i> , 1987, 6, 2543-9.	3.5	203

#	ARTICLE	IF	CITATIONS
1497	A cellular transcription factor E4F1 interacts with an E1a-inducible enhancer and mediates constitutive enhancer function in vitro. EMBO Journal, 1987, 6, 1345-53.	3.5	134
1498	Interaction of the TGGCA-binding protein with upstream sequences is required for efficient transcription of mouse mammary tumor virus. EMBO Journal, 1987, 6, 1355-60.	3.5	77
1499	Architecture and anatomy of the chromosomal locus in human chromosome 21 encoding the Cu/Zn superoxide dismutase. EMBO Journal, 1985, 4, 77-84.	3.5	68
1500	Adenosine deaminase: characterization and expression of a gene with a remarkable promoter. EMBO Journal, 1985, 4, 437-43.	3.5	157
1501	T antigen and template requirements for SV40 DNA replication in vitro. EMBO Journal, 1985, 4, 2933-9.	3.5	155
1502	Cell type-specific transcriptional enhancement in vitro requires the presence of trans-acting factors. EMBO Journal, 1985, 4, 3005-13.	3.5	81
1503	The SV40 enhancer influences viral late transcription in vitro and in vivo but not on replicating templates. EMBO Journal, 1985, 4, 3247-52.	3.5	14
1504	A general upstream binding factor for genes of the yeast translational apparatus. EMBO Journal, 1985, 4, 3539-47.	3.5	132
1505	Specific interaction between a transcription factor and the upstream element of the adenovirus-2 major late promoter. EMBO Journal, 1985, 4, 3563-70.	3.5	105
1506	All six GC-motifs of the SV40 early upstream element contribute to promoter activity in vivo and in vitro. EMBO Journal, 1985, 4, 3839-49.	3.5	59
1507	Assembly of transfected DNA into chromatin: structural changes in the origin-promoter-enhancer region upon replication. EMBO Journal, 1984, 3, 1243-53.	3.5	101
1508	Is actin a transcription initiation factor for RNA polymerase B?. EMBO Journal, 1984, 3, 2363-71.	3.5	90
1509	Effect of the 21-bp repeat upstream element on in vitro transcription from the early and late SV40 promoters. EMBO Journal, 1984, 3, 2373-82.	3.5	60
1510	Modular structure of the beta-globin and the TK promoters. EMBO Journal, 1984, 3, 2453-9.	3.5	17
1511	A molecular study of a family with Greek hereditary persistence of fetal hemoglobin and beta-thalassemia. EMBO Journal, 1984, 3, 2641-5.	3.5	41
1512	Stimulation of in vitro transcription from the SV40 early promoter by the enhancer involves a specific trans-acting factor. EMBO Journal, 1984, 3, 3129-33.	3.5	138
1513	Purification of a factor specific for the upstream element of the adenovirus-2 major late promoter. EMBO Journal, 1986, 5, 2577-84.	3.5	66
1514	The first exon of the c-myc proto-oncogene contains a novel positive control element. EMBO Journal, 1986, 5, 3553-62.	3.5	53

#	ARTICLE	IF	CITATIONS
1516	Characterization of the mouse dynamin I gene promoter and identification of sequences that direct expression in neuronal cells. <i>Biochemical Journal</i> , 2000, 351 Pt 3, 661-8.	1.7	1
1519	The Role of the Ubiquitously Expressed Transcription Factor Sp1 in Tissue-specific Transcriptional Regulation and in Disease. <i>Yale Journal of Biology and Medicine</i> , 2016, 89, 513-525.	0.2	77
1520	Every enhancer works with every promoter for all the combinations tested: could new regulatory pathways evolve by enhancer shuffling?. <i>Gene Expression</i> , 1991, 1, 71-81.	0.5	35
1521	The SV40 early transcriptional regulatory element is unable to direct gene expression in pituitary GH-3 cells. <i>Gene Expression</i> , 1992, 2, 175-89.	0.5	3
1522	The IL-22 gene rs2227478 polymorphism significantly decreases the risk of colorectal cancer in a Han Chinese population. <i>Pathology Research and Practice</i> , 2021, 228, 153690.	1.0	2
1523	Molecular architecture of enhancer-promoter interaction. <i>Current Opinion in Cell Biology</i> , 2022, 74, 62-70.	2.6	17
1524	Deubiquitinase ZRANB1 drives hepatocellular carcinoma progression through SP1-LOXL2 axis. <i>American Journal of Cancer Research</i> , 2021, 11, 4807-4825.	1.4	0
1525	KLF15 cisomes reveal a hepatocyte pathway governing plasma corticosteroid transport and systemic inflammation. <i>Science Advances</i> , 2022, 8, eabj2917.	4.7	5
1526	Insilico Search for Potential DNA Binding Domain of Human Zinc Finger Protein Sp1. <i>International Journal of Scientific Research in Science and Technology</i> , 2021, , 217-225.	0.1	0
1528	Tuning levels of low-complexity domain interactions to modulate endogenous oncogenic transcription. <i>Molecular Cell</i> , 2022, 82, 2084-2097.e5.	4.5	89
1529	A Novel SNP in the Promoter Region of IGF1 Associated With Yunshang Black Goat Kidding Number via Promoting Transcription Activity by SP1. <i>Frontiers in Cell and Developmental Biology</i> , 2022, 10, .	1.8	5
1530	Engineering of the CMV promoter for controlled expression of recombinant genes in HEK293 cells. <i>Biotechnology Journal</i> , 2022, 17, e2200062.	1.8	6
1533	Programmed development in the mouse embryo. <i>Development (Cambridge)</i> , 1984, 83, 197-231.	1.2	17
1534	Transcriptional enhancers at 40: evolution of a viral DNA element to nuclear architectural structures. <i>Trends in Genetics</i> , 2022, 38, 1019-1047.	2.9	11
1535	Down-Regulation of Overexpressed Sp1 Protein in Human Fibrosarcoma Cell Lines Inhibits Tumor Formation. <i>Cancer Research</i> , 2005, 65, 1007-1017.	0.4	107
1537	Transcription Factor Sp1 in the Expression of Genes Encoding Components of Mapk, JAK/STAT, and PI3K/Akt Signaling Pathways. <i>Molecular Biology</i> , 2022, 56, 756-769.	0.4	6
1538	MicroRNA-377: A therapeutic and diagnostic tumor marker. <i>International Journal of Biological Macromolecules</i> , 2023, 226, 1226-1235.	3.6	7
1539	Loss of the Ash2l subunit of histone H3K4 methyltransferase complexes reduces chromatin accessibility at promoters. <i>Scientific Reports</i> , 2022, 12, .	1.6	5

#	ARTICLE	IF	CITATIONS
1540	Transcription of a Minimal Promoter from the NF-IL6 Gene Is Regulated by CREB/ATF and SP1 Proteins in U937 Promonocytic Cells. <i>Journal of Immunology</i> , 1998, 161, 2267-2275.	0.4	32
1541	The role and application of transcriptional repressors in cancer treatment. <i>Archives of Pharmacal Research</i> , 2023, 46, 1-17.	2.7	2
1542	Two sequence-specific binding proteins from the promoter region of thec-Ha-ras-I oncogene. <i>Biochemical Genetics</i> , 1989, 27, 395-402.	0.8	0
1543	Transcriptional activation of CSTB gene expression by transcription factor Sp3. <i>Biochemical and Biophysical Research Communications</i> , 2023, 649, 71-78.	1.0	0
1545	Circular RNAs as the pivotal regulators of epithelial-mesenchymal transition in gastrointestinal tumor cells. <i>Pathology Research and Practice</i> , 2023, 245, 154472.	1.0	2
1548	Prediction and Analysis of Transcription Factor Binding Sites: Practical Examples and Case Studies Using R Programming. <i>Methods in Molecular Biology</i> , 2024, , 199-225.	0.4	0
1549	Deep Learning for Predicting Gene Regulatory Networks: A Step-by-Step Protocol in R. <i>Methods in Molecular Biology</i> , 2024, , 265-294.	0.4	0