

CITATION REPORT

List of articles citing

Construction of a retrovirus packaging mutant and its use to produce helper-free defective retrovirus

DOI: 10.1016/0092-8674(83)90344-6
Cell, 1983, 33, 153-9.

Source: <https://exaly.com/paper-pdf/16348396/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
1763	Prospects for Gene Therapy of Sickle Cell Disease and Thalassemia. 791-814		
1762	Choice and manipulation of retroviral vectors. 1991 , 7, 181-206		16
1761	Retrovirus transfer of a bacterial gene into mouse haematopoietic progenitor cells. 1983 , 305, 556-8		199
1760	Analysis of gene expression using simian virus 40 vectors. 1983 , 135, 1-15		59
1759	Construction of a helper cell line for avian reticuloendotheliosis virus cloning vectors. 1983 , 3, 2241-9		215
1758	Retrovirus transduction: generation of infectious retroviruses expressing dominant and selectable genes is associated with in vivo recombination and deletion events. 1983 , 3, 2180-90		62
1757	Introduction of new genetic material into pluripotent haematopoietic stem cells of the mouse. 1984 , 310, 476-80		453
1756	The molecular genetics of human hemoglobin. 1984 , 31, 315-462		318
1755	Prospects for human gene therapy. <i>Science</i> , 1984 , 226, 401-9	33.3	474
1754	Monoclonal antibodies recognizing structural components of murine retroviruses including an FMR antigen on protein p12. 1984 , 65 (Pt 9), 1507-17		1
1753	Functional expression of a cloned I-A beta k gene in B-lymphoma cells. <i>Science</i> , 1984 , 223, 825-8	33.3	20
1752	Expression of a retrovirus encoding human HPRT in mice. <i>Science</i> , 1984 , 225, 630-2	33.3	167
1751	Infectious and selectable retrovirus containing an inducible rat growth hormone minigene. <i>Science</i> , 1984 , 225, 993-8	33.3	105
1750	Joining of V kappa to J kappa gene segments in a retroviral vector introduced into lymphoid cells. 1984 , 308, 425-8		108
1749	Application of recombinant DNA technologies to studies on chicken growth hormone. 1984 , 232, 465-73		94
1748	Gene therapy. 1984 , 59, 3-10		6
1747	The nucleotide sequence of the Akv murine leukemia virus genome. 1984 , 134, 196-207		60

1746	Transformation mediated by the SV40 T antigens: separation of the overlapping SV40 early genes with a retroviral vector. <i>Cell</i> , 1984 , 38, 483-91	56.2	116
1745	Gene transfer into the germ line of mice and into embryonal carcinoma stem cells. 1984 , 307, 313-7		1
1744	Construction and applications of a highly transmissible murine retrovirus shuttle vector. <i>Cell</i> , 1984 , 37, 1053-62	56.2	995
1743	Introduction of a selectable gene into different animal tissue by a retrovirus recombinant vector. 1984 , 81, 7151-5		74
1742	Proviral deletions and oncogene base-substitutions in insertionally mutagenized c-myc alleles may contribute to the progression of avian bursal tumors. 1984 , 81, 843-7		105
1741	High-efficiency gene transfer into mammalian cells: generation of helper-free recombinant retrovirus with broad mammalian host range. 1984 , 81, 6349-53		365
1740	Eukaryotic chromosome transfer: linkage of the murine major histocompatibility complex to an inserted dominant selectable marker. 1984 , 81, 4879-83		21
1739	Isolation of large T antigen-producing mouse cell lines capable of supporting replication of polyomavirus-plasmid recombinants. 1984 , 4, 2406-12		49
1738	Secretion of human parathyroid hormone from rat pituitary cells infected with a recombinant retrovirus encoding preproparathyroid hormone. 1984 , 81, 5340-4		76
1737	Amphotropic retrovirus vector system for human cell gene transfer. 1984 , 4, 1730-7		105
1736	Construction of a retrovirus capable of transducing and expressing genes in multipotential embryonic cells. 1984 , 81, 7137-40		61
1735	Frequent heritable shutdown of murine retrovirus gene expression in murine cell lines. 1984 , 4, 908-14		9
1734	H-2Ld antigen encoded by a recombinant retrovirus genome is expressed on the surface of infected cells. 1985 , 5, 1379-84		4
1733	GENETIC ENGINEERING TO IMPROVE RESISTANCE TO VIRAL DISEASES OF POULTRY: A MODEL FOR APPLICATION TO LIVESTOCK IMPROVEMENT. 1985 , 65, 553-562		7
1732	Insertion of a bacterial gene into the mouse germ line using an infectious retrovirus vector. 1985 , 82, 8587-91		44
1731	Malignant transformation of erythroid cells in vivo by introduction of a nonreplicating retrovirus vector. <i>Science</i> , 1985 , 228, 1549-52	33.3	88
1730	Induction of the early stages of Friend erythroleukemia with helper-free Friend spleen focus-forming virus. 1985 , 82, 6913-7		28
1729	Expression of human adenosine deaminase using a transmissible murine retrovirus vector system. 1985 , 82, 703-7		34

1728	Biologically active mutants with deletions in the v-mos oncogene assayed with retroviral vectors. 1985 , 5, 3131-8		33
1727	Generation of helper-free amphotropic retroviruses that transduce a dominant-acting, methotrexate-resistant dihydrofolate reductase gene. 1985 , 5, 431-7		318
1726	Efficient insertion of genes into the mouse germ line via retroviral vectors. 1985 , 82, 6148-52		114
1725	Transfer of genes into hematopoietic cells using recombinant DNA viruses. 1985 , 82, 158-62		49
1724	Insertion of the bacterial gpt gene into the germ line of mice by retroviral infection. 1985 , 82, 6927-31		89
1723	Characterization of a retrovirus shuttle vector capable of either proviral integration or extrachromosomal replication in mouse cells. 1985 , 5, 305-12		13
1722	Adeno-associated virus vector for high-frequency integration, expression, and rescue of genes in mammalian cells. 1985 , 5, 3251-60		142
1721	Analysis of gene expression during hematopoiesis: present and future applications. 1985 , 4, 67-102		2
1720	Expression of a foreign gene in myeloid and lymphoid cells derived from multipotent haematopoietic precursors. 1985 , 318, 149-54		509
1719	Specific growth response of ras-transformed embryo fibroblasts to tumour promoters. 1985 , 318, 472-5		192
1718	Genetic complexity and expression of human class II histocompatibility antigens. 1985 , 85, 45-86		231
1717	HPRT and the Lesch-Nyhan syndrome. 1985 , 2, 4-8		9
1716	Transfer of genes into embryonal carcinoma cells by retrovirus infection: efficient expression from an internal promoter. <i>EMBO Journal</i> , 1985 , 4, 663-666	13	57
1715	Retroviral characteristics of the long terminal repeat of murine E.Tn sequences. <i>EMBO Journal</i> , 1985 , 4, 2911-2915	13	19
1714	Gene expression in mice after high efficiency retroviral-mediated gene transfer. <i>Science</i> , 1985 , 230, 1395-8	33	246
1713	Retroviral vector-mediated gene transfer into human hematopoietic progenitor cells. <i>Science</i> , 1985 , 230, 1057-61	33-3	77
1712	Bacterial beta-galactosidase as a marker of Rous sarcoma virus gene expression and replication. 1985 , 5, 281-90		217
1711	DNA-mediated genetic transformation of mouse embryos and bone marrow—a review. 1985 , 33, 121-36		89

1710	The Human Gene for Adenosine Deaminase. 1985 , 451, 332-335		2
1709	Murine leukemia virus maturation: protease region required for conversion from "immature" to "mature" core form and for virus infectivity. 1985 , 145, 280-92		229
1708	The gag and pol genes of bovine leukemia virus: nucleotide sequence and analysis. 1985 , 142, 357-77		123
1707	Cell surface receptors for murine leukemia viruses: two assays and their implications. 1985 , 140, 183-7		15
1706	Perspectives for gene therapy: inserting new genetic information into mammalian cells by physical techniques and viral vectors. 1985 , 29, 69-92		18
1705	Introduction of sequences encoding functional human adenosine deaminase into mouse cells using a retroviral shuttle system. 1985 , 34, 163-8		22
1704	Expression of a hemopoietic growth factor cDNA in a factor-dependent cell line results in autonomous growth and tumorigenicity. <i>Cell</i> , 1985 , 43, 531-42	56.2	263
1703	Extended life span and tumorigenicity of nonestablished mouse connective tissue cells transformed by the fos oncogene of FBR-MuSV. <i>Cell</i> , 1985 , 41, 629-37	56.2	71
1702	Rous sarcoma virus encodes a transcriptional activator. <i>Cell</i> , 1985 , 40, 537-46	56.2	70
1701	Introduction of a selectable gene into primitive stem cells capable of long-term reconstitution of the hemopoietic system of W/W ^v mice. <i>Cell</i> , 1985 , 42, 71-9	56.2	550
1700	Using recombinant DNA techniques to study protein targeting in the eucaryotic cell. 1985 , 1, 403-45		157
1699	Molecular genetics and potential gene therapy. 1986 , 40, 151-6		6
1698	Mouse mammary tumor virus mediated transfer and expression of neomycin resistance to infected cultured cells. 1986 , 155, 236-48		29
1697	Induction of the autonomous stage of transformation in erythroid cells infected with SFFV: helper virus is not required. 1986 , 152, 272-6		33
1696	The T4 gene encodes the AIDS virus receptor and is expressed in the immune system and the brain. <i>Cell</i> , 1986 , 47, 333-48	56.2	1829
1695	A retrovirus vector expressing the putative mammary oncogene int-1 causes partial transformation of a mammary epithelial cell line. <i>Cell</i> , 1986 , 46, 1001-9	56.2	181
1694	Development of an amphotropic, high-titer retrovirus vector expressing the dihydrofolate reductase gene and conferring methotrexate resistance. 1986 , 48, 71-80		1
1693	Mammalian expression-and-transmission vector derived from Akv murine leukemia virus. 1986 , 41, 59-65		7

1692	Circularization of retroviral genomic RNA and the control of RNA translation, packaging and reverse transcription. 1986 , 68, 941-9		15
1691	Developmental potential and dynamic behavior of hematopoietic stem cells. <i>Cell</i> , 1986 , 45, 917-27	56.2	738
1690	Redesign of retrovirus packaging cell lines to avoid recombination leading to helper virus production. 1986 , 6, 2895-902		1284
1689	Chromosomal position or virus mutation permits retrovirus expression in embryonal carcinoma cells. <i>Cell</i> , 1986 , 47, 391-9	56.2	216
1688	Control of Rous sarcoma virus RNA translation and packaging by the 5' and 3' untranslated sequences. 1986 , 189, 421-34		36
1687	Mutations in the cytoplasmic domain of EGF receptor affect EGF binding and receptor internalization.. <i>EMBO Journal</i> , 1986 , 5, 2179-2190	13	104
1686	Use of a recombinant retrovirus to study post-implantation cell lineage in mouse embryos.. <i>EMBO Journal</i> , 1986 , 5, 3133-3142	13	834
1685	Embryo-derived stem cells: a tool for elucidating the developmental genetics of the mouse. 1986 , 20, 357-71		41
1684	Recombinant retroviruses that transduce individual polyoma tumor antigens: effects on growth and differentiation. 1986 , 83, 4307-11		90
1683	Potential of growth factor activity by exogenous c-myc expression. 1986 , 83, 8167-71		87
1682	Efficient recovery and sequencing of mutant genes from mammalian chromosomal DNA. 1986 , 83, 3356-60		42
1681	Differentiation of myeloid cells is accompanied by increased levels of pp60c-src protein and kinase activity. 1986 , 83, 5131-5		92
1680	Retrovirus shuttle vector for study of kinase activities of pp60c-src synthesized in vitro and overproduced in vivo. 1986 , 6, 2033-40		45
1679	Retroviral-mediated gene transfer of human phenylalanine hydroxylase into NIH 3T3 and hepatoma cells. 1986 , 83, 409-13		49
1678	Transgenesis by means of blastocyst-derived embryonic stem cell lines. 1986 , 83, 9065-9		373
1677	Self-inactivating retroviral vectors designed for transfer of whole genes into mammalian cells. 1986 , 83, 3194-8		467
1676	Retrovirus-mediated transfer of human adenosine deaminase gene sequences into cells in culture and into murine hematopoietic cells in vivo. 1986 , 83, 2566-70		161
1675	Eucaryotic chromosome transfer: production of a murine-specific cosmid library from a neor-linked fragment of murine chromosome 17. 1986 , 6, 441-51		19

1674	Retroviral transfer of genes into canine hemopoietic progenitor cells in culture: a model for human gene therapy. 1986 , 83, 4552-5	72
1673	Introduction of genes into preimplantation mouse embryos by use of a defective recombinant retrovirus. 1986 , 83, 366-8	35
1672	Recombinant retroviruses encoding simian virus 40 large T antigen and polyomavirus large and middle T antigens. 1986 , 6, 1204-17	164
1671	Retrovirus vectors and their uses in molecular biology. 1986 , 5, 252-7	19
1670	Retrovirus-mediated transfer and expression of drug resistance genes in human haematopoietic progenitor cells. 1986 , 320, 275-7	184
1669	Expression of human adenosine deaminase in murine haematopoietic progenitor cells following retroviral transfer. 1986 , 322, 385-7	65
1668	Germ-line transmission of genes introduced into cultured pluripotential cells by retroviral vector. 1986 , 323, 445-8	667
1667	An activated Harvey ras oncogene produces benign tumours on mouse epidermal tissue. 1986 , 323, 822-4	207
1666	The v-fms oncogene induces factor independence and tumorigenicity in CSF-1 dependent macrophage cell line. 1986 , 324, 377-80	105
1665	Genetic manipulation of hematopoietic stem cells with retrovirus vectors. 1986 , 2, 165-170	25
1664	Oncogene activation and surface markers in mouse lymphomas induced by radiation and nitrosomethylurea. 1986 , 10, 851-8	16
1663	Expression of human argininosuccinate synthetase after retroviral-mediated gene transfer. 1986 , 12, 493-500	10
1662	Factors involved in production of helper virus-free retrovirus vectors. 1986 , 12, 175-83	153
1661	Stability of retrovirally transduced markers in a rat cell line. 1986 , 12, 575-83	8
1660	Molecular basis of alpha 1-antitrypsin deficiency and its potential therapy by gene transfer. 1986 , 9 Suppl 1, 85-91	13
1659	Construction of a retroviral cDNA version of the int-1 mammary oncogene and its expression in vitro. 1986 , 14, 693-702	24
1658	Regulation of protein synthesis in virus-infected animal cells. 1986 , 31, 229-92	149
1657	Functional expression of the polymeric immunoglobulin receptor from cloned cDNA in fibroblasts. 1986 , 102, 911-9	37

1656	Gene Transfer by Avian Retroviruses. 1986 , 65, 1437-1444		21
1655	The myeloproliferative sarcoma virus retains transforming functions after introduction of a dominant selectable marker gene. 1986 , 67 (Pt 7), 1361-71		20
1654	Developmental Biology and Human Concerns. 1987 , 27, 697-714		3
1653	Tissue-specific expression of functionally rearranged lambda 1 Ig gene through a retrovirus vector. <i>Science</i> , 1987 , 236, 954-7	33.3	28
1652	Two pairs of recombination signals are sufficient to cause immunoglobulin V-(D)-J joining. <i>Science</i> , 1987 , 238, 1134-8	33.3	196
1651	Expression of an exogenous growth hormone gene by transplantable human epidermal cells. <i>Science</i> , 1987 , 237, 1476-9	33.3	247
1650	Transformation by oncogenes encoding protein kinases induces the metastatic phenotype. <i>Science</i> , 1987 , 238, 202-5	33.3	123
1649	Molecular genetic insights into neurologic diseases. 1987 , 10, 535-94		7
1648	Retroviral transfer and expression of the interleukin-3 gene in hemopoietic cells. 1987 , 1, 358-65		60
1647	A universal retroviral vector for efficient constitutive expression of exogenous genes. 1987 , 15, 7194		48
1646	Quantitative immunocytochemical assay for infectious avian retroviruses. 1987 , 68 (Pt 9), 2481-5		42
1645	Clonal gene therapy: transplanted mouse fibroblast clones express human alpha 1-antitrypsin gene in vivo. <i>Science</i> , 1987 , 237, 762-4	33.3	118
1644	Applications of recombinant DNA technology to studies of metabolic regulation. 1987 , 247, 1-13		27
1643	Transforming genes and target cells of murine spleen focus-forming viruses. 1987 , 48, 193-355		40
1642	Definition of regions in human c-myc that are involved in transformation and nuclear localization. 1987 , 7, 1697-709		481
1641	Developmental stage specificity of the lymphoid V(D)J recombination activity. 1987 , 1, 751-61		173
1640	High-efficiency gene transfer into cells. 1987 , 149, 10-25		9
1639	Gene isolation by retroviral tagging. 1987 , 152, 469-81		13

1638	Insertional mutagenesis to isolate genes. 1987 , 151, 489-502	6
1637	Expression of the <i>Saccharomyces cerevisiae</i> glycoprotein invertase in mouse fibroblasts: glycosylation, secretion, and enzymatic activity. 1987 , 84, 3570-4	28
1636	Functional analysis of a retroviral host-range mutant: altered long terminal repeat sequences allow expression in embryonal carcinoma cells. 1987 , 84, 5232-6	91
1635	Cell transformation and tumor induction by Abelson murine leukemia virus in the absence of helper virus. 1987 , 84, 5932-6	30
1634	Lipofection: a highly efficient, lipid-mediated DNA-transfection procedure. 1987 , 84, 7413-7	4253
1633	Enhancer sequences of a retroviral vector determine expression of a gene in multipotent hematopoietic progenitors and committed erythroid cells. 1987 , 84, 8662-6	20
1632	A promoterless retroviral vector indicates that there are sequences in U3 required for 3' RNA processing. 1987 , 84, 1197-201	92
1631	Expression of human class II major histocompatibility complex antigens using retrovirus vectors. 1987 , 84, 2150-4	233
1630	Handicapped retroviral vectors efficiently transduce foreign genes into hematopoietic stem cells. 1987 , 84, 2406-10	58
1629	Expression of HLA-DR antigen in human class II mutant B-cell lines by double infection with retrovirus vectors. 1987 , 7, 3923-8	31
1628	Identification of protein products encoded by the proto-oncogene int-1. 1987 , 7, 3971-7	83
1627	Individual mouse VL30 elements transferred to rat cells by viral pseudotypes retain their responsiveness to activators of protein kinase C. 1987 , 7, 2296-8	19
1626	Abelson virus transformation of an interleukin 2-dependent antigen-specific T-cell line. 1987 , 7, 2631-5	36
1625	Increased radiation-induced transformation in C3H/10T1/2 cells after transfer of an exogenous c-myc gene. 1987 , 84, 4131-4	16
1624	Nature and specificity of lymphokine independence induced by a selectable retroviral vector expressing v-src. 1987 , 7, 3394-401	37
1623	In vitro transformation of immature hematopoietic cells by the P210 BCR/ABL oncogene product of the Philadelphia chromosome. 1987 , 84, 6558-62	330
1622	Autocrine stimulation after transfer of the granulocyte/macrophage colony-stimulating factor gene and autonomous growth are distinct but interdependent steps in the oncogenic pathway. 1987 , 84, 8458-62	132
1621	Modulation of gene expression in multiple hematopoietic cell lineages following retroviral vector gene transfer. 1987 , 84, 789-93	69

1620	Suppression of endo B cytokeratin by its antisense RNA inhibits the normal coexpression of endo A cytokeratin. 1987 , 84, 1040-4	30
1619	High-affinity interleukin 2 binding by an oncogenic hybrid interleukin 2-epidermal growth factor receptor molecule. 1987 , 84, 2125-9	17
1618	Retroviral-mediated transfer of genomic globin genes leads to regulated production of RNA and protein. 1987 , 84, 2411-5	72
1617	Rous sarcoma virus is integrated but not expressed in chicken early embryonic cells. 1987 , 84, 2781-4	14
1616	Construction of a defective retrovirus containing the human hypoxanthine phosphoribosyltransferase cDNA and its expression in cultured cells and mouse bone marrow. 1987 , 7, 854-63	32
1615	Regulated expression of a complete human beta-globin gene encoded by a transmissible retrovirus vector. 1987 , 7, 887-97	141
1614	The v-fms oncogene induces factor-independent growth and transformation of the interleukin-3-dependent myeloid cell line FDC-P1. 1987 , 7, 1673-80	81
1613	Retrovirus-mediated gene transfer of human adenosine deaminase: expression of functional enzyme in murine hematopoietic stem cells in vivo. 1987 , 7, 3459-65	75
1612	Nonmitogenic morphoregulatory action of pp60v-src on multicellular epithelial structures. 1987 , 7, 1326-37	110
1611	Increased frequency of N-region insertion in a murine pre-B-cell line infected with a terminal deoxynucleotidyl transferase retroviral expression vector. 1987 , 7, 3237-43	204
1610	Efficient and stable expression of recombinant fibronectin polypeptides. 1987 , 84, 754-8	53
1609	Lineage analysis in the vertebrate nervous system by retrovirus-mediated gene transfer. 1987 , 84, 156-60	754
1608	Production of glycosylated physiologically "normal" human alpha 1-antitrypsin by mouse fibroblasts modified by insertion of a human alpha 1-antitrypsin cDNA using a retroviral vector. 1987 , 84, 1050-4	63
1607	High efficiency gene transfer and expression in normal murine B lymphocytes. 1987 , 101, 279-85	5
1606	Preparathyroid hormone. A model for analyzing the secretory pathway. 1987 , 493, 43-9	3
1605	The role of growth factors in normal and neoplastic haemopoiesis. 1987 , 511, 1-9	1
1604	Retrovirus-mediated gene transfer into hematopoietic stem cells. 1987 , 507, 242-51	8
1603	Somatic gene therapy for human disease: background and prospects. Part I. 1987 , 110, 1-8	31

1602	Grafting genetically modified cells to the brain: possibilities for the future. 1987 , 23, 795-807		195
1601	Current perspectives in the biology of mouse mammary tumour virus. 1987 , 8, 81-102		59
1600	Biological effects of a murine retrovirus carrying an activated N-ras gene of human origin. 1987 , 158, 69-78		18
1599	Altered structure and expression of c-myc in feline T-cell tumours. 1987 , 158, 194-205		35
1598	Generation of competent virus in the REV helper cell line C3. 1987 , 159, 446-9		19
1597	Characterization of erythropoietin receptor of murine erythroid cells. 1987 , 168, 43-8		55
1596	Identification of regulatory elements of cloned genes with functional assays. 1987 , 152, 704-20		396
1595	Stable transfer of a mouse dihydrofolate reductase gene into a deficient cell line using human adenovirus vector. 1987 , 147, 964-73		13
1594	Cell transformation by pp60c-src mutated in the carboxy-terminal regulatory domain. <i>Cell</i> , 1987 , 49, 83-91	56.2	411
1593	Tyrosine phosphorylation regulates the biochemical and biological properties of pp60c-src. <i>Cell</i> , 1987 , 49, 75-82	56.2	536
1592	Multilineage hematopoietic disorders induced by transplantation of bone marrow cells expressing the v-fms oncogene. <i>Cell</i> , 1987 , 51, 663-73	56.2	68
1591	SV40 small t antigen enhances the transformation activity of limiting concentrations of SV40 large T antigen. <i>Cell</i> , 1987 , 48, 321-30	56.2	135
1590	Retroviral mediated transfer and expression of human alpha 1-antitrypsin in cultured cells. 1987 , 61, 113-8		16
1589	The CML-specific P210 bcr/abl protein, unlike v-abl, does not transform NIH/3T3 fibroblasts. <i>Science</i> , 1987 , 237, 532-5	33.3	162
1588	Human beta-globin gene expression after gene transfer using retroviral vectors. 1987 , 6, 573-82		21
1587	Use of eukaryotic expression technology in the functional analysis of cloned genes. 1987 , 152, 684-704		746
1586	Integration and expression of genes introduced into mouse embryos. 1987 , 509-550		6
1585	Expression of retroviral vectors in transgenic mice obtained by embryo infection.. <i>EMBO Journal</i> , 1987 , 6, 383-388	13	92

1584	An insertional mutant of epidermal growth factor receptor allows dissection of diverse receptor functions.. <i>EMBO Journal</i> , 1987 , 6, 2669-2676	13	59
1583	The in vitro behavior of hemopoietic cells transformed by polyoma middle T antigen parallels that of primary human myeloid leukemic cells.. <i>EMBO Journal</i> , 1987 , 6, 3703-3709	13	21
1582	Clonal fluctuation within the haematopoietic system of mice reconstituted with retrovirus-infected stem cells.. <i>EMBO Journal</i> , 1987 , 6, 3955-3960	13	102
1581	Immunoglobulin heavy chain switch region recombination within a retroviral vector in murine pre-B cells.. <i>EMBO Journal</i> , 1987 , 6, 577-584	13	43
1580	Molecular basis of phenylketonuria and recombinant DNA strategies for its therapy. 1987 , 38, 207-13		2
1579	The bovine leukemia virus p34 is a transactivator protein.. <i>EMBO Journal</i> , 1987 , 6, 3385-3389	13	64
1578	Retroviral expression of the human IL-2 gene in a murine T cell line results in cell growth autonomy and tumorigenicity.. <i>EMBO Journal</i> , 1987 , 6, 2705-2709	13	71
1577	Structure and expression of HLA-DQ alpha and -DX alpha genes: interallelic alternate splicing of the HLA-DQ alpha gene and functional splicing of the HLA-DQ alpha gene using a retroviral vector. 1987 , 26, 63-73		83
1576	Transgenic chickens: insertion of retroviral genes into the chicken germ line. 1987 , 157, 236-40		157
1575	Transfection of a DNA/protein complex into nuclei of mammalian cells using polyoma capsids and electroporation. 1987 , 7, 107-12		5
1574	Mutants of murine leukemia viruses and retroviral replication. 1987 , 907, 93-123		16
1573	Gene transfer into the nervous system. 1987 , 1, 339-71		22
1572	Selection for phenylalanine hydroxylase activity in cells transformed with recombinant retroviruses. 1987 , 13, 145-54		19
1571	Insertion of dominant selectable markers into the human genome. 1987 , 13, 441-6		4
1570	A potential animal model for Lesch-Nyhan syndrome through introduction of HPRT mutations into mice. 1987 , 326, 295-8		453
1569	TGF alpha stimulates growth of skin papillomas by autocrine and paracrine mechanisms but does not cause neoplastic progression. 1988 , 1, 7-12		53
1568	Specific viral oncogenes cause differential effects on cell-to-cell communication, relevant to the suppression of the transformed phenotype by normal cells. 1988 , 1, 67-75		53
1567	In vitro and in vivo regulation of liver epithelial cells carrying a metallothionein-rasT24 fusion gene. 1988 , 1, 89-95		15

1566	Neoplastic transformation of a human bronchial epithelial cell line by a recombinant retrovirus encoding viral Harvey ras. 1988 , 1, 151-60	58
1565	Malignant progression of papilloma-derived keratinocytes: differential effects of the ras, neu, and p53 oncogenes. 1988 , 1, 171-9	18
1564	Neoplastic transformation and lineage switching of rat liver epithelial cells by retrovirus-associated oncogenes. 1988 , 1, 189-95	40
1563	Highly efficient action of autocrine mouse interferon-gamma expressed via a retroviral vector. 1988 , 18, 1627-30	21
1562	Transfer of functional EGF receptors to an IL3-dependent cell line. 1988 , 137, 293-8	44
1561	Retrovirus mediated gene transfer into hemopoietic cells. 1988 , 57, 1-5	2
1560	Stromal cell-dependent growth of leukemic cells from murine erythroblastic leukemia. 1988 , 79, 931-7	20
1559	Establishment of megakaryoblastic cell lines by coinfection of Abelson murine leukemia virus and recombinant SV40-retrovirus. 1988 , 79, 726-33	7
1558	Production of Recombinant Human Erythropoietin in Mammalian Cells: Host Cell Dependency of the Biological Activity of the Cloned Glycoprotein. 1988 , 6, 67-71	70
1557	Internalization of the human immunodeficiency virus does not require the cytoplasmic domain of CD4. 1988 , 334, 162-5	169
1556	Bcl-2 gene promotes haemopoietic cell survival and cooperates with c-myc to immortalize pre-B cells. 1988 , 335, 440-2	2685
1555	Local administration of cells containing an inserted IL-2 gene and producing IL-2 inhibits growth of human tumours in nu/nu mice. 1988 , 19, 279-82	83
1554	Oncogenes in transgenic mice. 1988 , 948, 129-49	7
1553	Functional dissociation of transforming genes of human papillomavirus type 16. 1988 , 166, 594-7	86
1552	Changes in in vitro growth behaviour of the mammary epithelial cell line NMuMG caused by the v-fos oncogene. 1988 , 42, 923-9	3
1551	Retroviral-mediated gene transfer. Applications in neurobiology. 1988 , 2, 155-82	3
1550	A quantitative bioassay for HIV-1 based on trans-activation. <i>Science</i> , 1988 , 239, 184-7	33:3 174
1549	Protection of uninfected human bone marrow cells in long-term culture from G418 toxicity after retroviral-mediated transfer of the NEO _r gene. 1988 , 179, 168-80	9

1548	Antibody-mediated binding of a murine ecotropic Moloney retroviral vector to human cells allows internalization but not the establishment of the proviral state. 1988 , 163, 251-4		44
1547	Introduction and expression of the interleukin 2 receptor (Tac) gene in hematopoietic stem cells with retrovirus vectors. 1988 , 1, 59-66		1
1546	Expression of functional human interleukin-2 receptors in murine interleukin-3-dependent cells. 1988 , 66 (Pt 4), 319-30		
1545	Retrovirus vectors and their applications in neurobiology. 1988 , 1, 345-53		136
1544	Avian sarcoma viruses. 1988 , 9, 159-203		24
1543	Overproduction of protein kinase C causes disordered growth control in rat fibroblasts. <i>Cell</i> , 1988 , 52, 343-54	56.2	470
1542	Hemopoietic lineage switch: v-raf oncogene converts Emu-myc transgenic B cells into macrophages. <i>Cell</i> , 1988 , 53, 857-67	56.2	175
1541	Gene overlap results in a viral protein having an RNA binding domain and a major coat protein domain. <i>Cell</i> , 1988 , 55, 663-71	56.2	97
1540	Construction and characterization of a retroviral vector demonstrating efficient expression of cloned cDNA sequences. 1988 , 7, 219-25		163
1539	Retrovirus-mediated expression of preprosomatostatin: posttranslational processing, intracellular storage, and secretion in GH3 pituitary cells. 1988 , 107, 2087-95		49
1538	Suppression of the neoplastic phenotype by replacement of the RB gene in human cancer cells. <i>Science</i> , 1988 , 242, 1563-6	33.3	825
1537	Kirsten murine sarcoma virus abolishes interferon gamma-induced class II but not class I major histocompatibility antigen expression in a murine fibroblast line. 1988 , 167, 706-11		19
1536	The Use of Transgenic Animal Techniques for Livestock Improvement. 1988 , 221-246		4
1535	A defective HSV-1 vector expresses Escherichia coli beta-galactosidase in cultured peripheral neurons. <i>Science</i> , 1988 , 241, 1667-1669	33.3	469
1534	Unusual immunoglobulin gene rearrangement leads to replacement of recombinational signal sequences. <i>Science</i> , 1988 , 242, 261-3	33.3	61
1533	Grafting genetically modified cells to the damaged brain: restorative effects of NGF expression. <i>Science</i> , 1988 , 242, 1575-8	33.3	578
1532	Expression of the oncogenes mil and ras abolishes the in vivo differentiation of mammary epithelial cells. 1988 , 9, 1849-56		19
1531	Use of retroviral vectors for mapping of splice sites in cottontail rabbit papillomavirus. 1988 , 69 (Pt 12), 3093-100		4

1530	Cytogenetic profile of mouse skin tumors induced by the viral Harvey-ras gene. 1988 , 9, 1503-5	15
1529	Update on gene transfer in chicks. 1988 , 44, 224-226	1
1528	A vector for inducible production of retrovirus. 1988 , 16, 9345	1
1527	Rearrangement of exogenous immunoglobulin VH and DJH gene segments after retroviral transduction into immature lymphoid cell lines. 1988 , 167, 372-88	15
1526	Overcoming interference to retroviral superinfection results in amplified expression and transmission of cloned genes. 1988 , 85, 5404-8	87
1525	Expression of human adenosine deaminase in murine hematopoietic cells. 1988 , 8, 5116-25	90
1524	Retrovirus-mediated transduction of adult hepatocytes. 1988 , 85, 3014-8	131
1523	Stably transmitted triple-promoter retroviral vectors and their use in transformation of primary mammalian cells. 1988 , 8, 1803-8	38
1522	Retroviral transduction of oncogenic sequences involves viral DNA instead of RNA. 1988 , 85, 3733-7	21
1521	Two dominant-acting selectable markers for gene transfer studies in mammalian cells. 1988 , 85, 8047-51	166
1520	An alternative approach to somatic cell gene therapy. 1988 , 85, 3150-4	170
1519	Safe and efficient generation of recombinant retroviruses with amphotropic and ecotropic host ranges. 1988 , 85, 6460-4	828
1518	Design of vectors for efficient expression of human purine nucleoside phosphorylase in skin fibroblasts from enzyme-deficient humans. 1988 , 85, 6851-5	47
1517	In vitro-derived leukemic erythroid cell lines induced by a raf- and myc-containing retrovirus differentiate in response to erythropoietin. 1988 , 85, 8506-10	78
1516	Retroviral transfer of a murine cDNA for multidrug resistance confers pleiotropic drug resistance to cells without prior drug selection. 1988 , 85, 1595-9	97
1515	An indicator gene to demonstrate intracellular transposition of defective retroviruses. 1988 , 85, 2219-23	78
1514	Fluorescence-activated cell analysis and sorting of viable mammalian cells based on beta-D-galactosidase activity after transduction of Escherichia coli lacZ. 1988 , 85, 2603-7	437
1513	Elevated expression of pp60c-src alters a selective morphogenetic property of epithelial cells in vitro without a mitogenic effect. 1988 , 8, 632-46	55

1512	Immortalization of mouse neural precursor cells by the c-myc oncogene. 1988 , 85, 3255-9	127
1511	Increased tyrosine kinase activity associated with the protein encoded by the activated neu oncogene. 1988 , 85, 5394-8	213
1510	Genetic determinants of neoplastic transformation by the retroviral oncogene v-erbB. 1988 , 85, 7597-601	41
1509	The carboxy terminus of pp60c-src is a regulatory domain and is involved in complex formation with the middle-T antigen of polyomavirus. 1988 , 8, 1736-47	57
1508	Genetic tagging of tumor cells with retrovirus vectors: clonal analysis of tumor growth and metastasis in vivo. 1988 , 8, 3143-9	39
1507	v-myc alters the response of a cloned mouse mammary epithelial cell line to lactogenic hormones. 1988 , 2, 133-42	27
1506	Chapter 11 Establishing a Stable Expression System for Studies of Acetylcholine Receptors. 1988 , 33, 219-247	4
1505	Implantation of genetically engineered cells to the brain. 1988 , 78, 651-8	4
1504	Retroviral-mediated gene transfer and expression of human phenylalanine hydroxylase in primary mouse hepatocytes. 1988 , 85, 8146-50	65
1503	Neoplastic transformation induced by an activated lymphocyte-specific protein tyrosine kinase (pp56lck). 1988 , 8, 540-50	252
1502	Separation of simian virus 40 large-T-antigen-transforming and origin-binding functions from the ability to block differentiation. 1988 , 8, 1380-4	84
1501	A retroviral expression vector containing murine immunoglobulin heavy chain promoter/enhancer. 1988 , 16, 10939	17
1500	A retrovirus carrying an MDR1 cDNA confers multidrug resistance and polarized expression of P-glycoprotein in MDCK cells. 1988 , 85, 4486-90	414
1499	MTrasT24, a metallothionein-ras fusion gene, modulates expression in cultured rat liver cells of two genes associated with in vivo liver cancer. 1988 , 85, 344-8	51
1498	Point mutants of Moloney murine leukemia virus that fail to package viral RNA: evidence for specific RNA recognition by a "zinc finger-like" protein sequence. 1988 , 85, 8420-4	301
1497	Transformation of an interleukin 3-dependent hematopoietic cell line by the chronic myelogenous leukemia-specific P210bcr/abl protein. 1988 , 85, 9312-6	484
1496	Adeno-associated virus: a vector system for efficient introduction and integration of DNA into a variety of mammalian cell types. 1988 , 8, 3988-96	140
1495	A retrovirus expressing the 12S adenoviral E1A gene product can immortalize epithelial cells from a broad range of rat tissues. 1988 , 8, 1036-44	62

1494	Expression of the human beta-globin gene after retroviral transfer into murine erythroleukemia cells and human BFU-E cells. 1988 , 8, 1725-35		60
1493	Gene Transfer and the Prospects for Somatic Gene Therapy. 1988 , 2, 277-287		1
1492	Ras-mediated cell cycle arrest is altered by nuclear oncogenes to induce Schwann cell transformation.. <i>EMBO Journal</i> , 1988 , 7, 1635-1645	13	156
1491	Expression of functional human EGF receptor on murine bone marrow cells.. <i>EMBO Journal</i> , 1988 , 7, 2749-2756	13	35
1490	Peptide antibodies to the human c-fyn gene product demonstrate pp59c-fyn is capable of complex formation with the middle-T antigen of polyomavirus.. <i>EMBO Journal</i> , 1988 , 7, 3845-3855	13	85
1489	Oncogenic activation of the neu-encoded receptor protein by point mutation and deletion.. <i>EMBO Journal</i> , 1988 , 7, 2043-2052	13	234
1488	Lineage Analysis in the Vertebrate Nervous System by Retrovirus-Mediated Gene Transfer. 1989 , 1, 367-392		8
1487	Infection of hematopoietic and stromal cells in human continuous bone marrow cultures by a retroviral vector containing the neomycin resistance gene. 1989 , 82, 136-43		4
1486	Molecular genetics of muscle disease--Duchenne and other dystrophies. Future prospects. 1989 , 45, 819-24		
1485	Molecular biology and nutrition research. 1989 , 119, 957-64		2
1484	Lineage Analysis and Immortalization of Neural Cells via Retrovirus Vectors. 1990 , 177-220		8
1483	Murine myeloid cell lines derived by in vitro infection with recombinant c-myb retroviruses express myb from rearranged vector proviruses.. <i>EMBO Journal</i> , 1989 , 8, 1767-1775	13	40
1482	Site-specific mutagenesis identifies amino acid residues critical in prohormone processing.. <i>EMBO Journal</i> , 1989 , 8, 2911-2916	13	40
1481	A lethal myeloproliferative syndrome in mice transplanted with bone marrow cells infected with a retrovirus expressing granulocyte-macrophage colony stimulating factor.. <i>EMBO Journal</i> , 1989 , 8, 441-448	13	122
1480	Activation of c-myb by carboxy-terminal truncation: relationship to transformation of murine haemopoietic cells in vitro.. <i>EMBO Journal</i> , 1989 , 8, 1777-1783	13	70
1479	Transgenic animals. 1989 , 115, 171-229		64
1478	The propeptide of preprosomatostatin mediates intracellular transport and secretion of alpha-globin from mammalian cells. 1989 , 108, 1647-55		130
1477	Transformation of murine melanocytes by basic fibroblast growth factor cDNA and oncogenes and selective suppression of the transformed phenotype in a reconstituted cutaneous environment. 1989 , 109, 3115-28		135

1476	NBP, a protein that specifically binds an enhancer of immunoglobulin gene rearrangement: purification and characterization. 1989 , 3, 1801-13		16
1475	Bovine leukaemia virus packaging cell line for retrovirus-mediated gene transfer. 1989 , 70 (Pt 8), 1987-93		9
1474	Fibroblasts transfected with Torpedo acetylcholine receptor beta-, gamma-, and delta-subunit cDNAs express functional receptors when infected with a retroviral alpha recombinant. 1989 , 108, 2277-90		69
1473	Progress toward human gene therapy. <i>Science</i> , 1989 , 244, 1275-81	33-3	452
1472	Sindbis virus: an efficient, broad host range vector for gene expression in animal cells. <i>Science</i> , 1989 , 243, 1188-91	33-3	357
1471	Relationship between c-src tyrosine kinase activity and the control of glucose transporter gene expression. 1989 , 3, 1845-51		6
1470	High-level recombinant gene expression in rabbit endothelial cells transduced by retroviral vectors. <i>Science</i> , 1989 , 243, 220-2	33-3	120
1469	Retrovirus-mediated expression of preprosomatostatin in rat pituitary GH3 cells: targeting of somatostatin to the regulated secretory pathway. 1989 , 3, 1652-8		3
1468	A retrovirus vector which transduces a functional estrogen receptor gene at high efficiency. 1989 , 3, 1157-64		2
1467	COOH-terminal-modified interleukin-3 is retained intracellularly and stimulates autocrine growth. <i>Science</i> , 1989 , 245, 1493-6	33-3	101
1466	Immunodeficiency and clonal growth of target cells induced by helper-free defective retrovirus. <i>Science</i> , 1989 , 246, 1614-7	33-3	93
1465	Interleukin-2 receptor beta chain gene: generation of three receptor forms by cloned human alpha and beta chain cDNA's. <i>Science</i> , 1989 , 244, 551-6	33-3	664
1464	Expression and analysis of the polymeric immunoglobulin receptor in Madin-Darby canine kidney cells using retroviral vectors. 1989 , 32, 329-37		72
1463	Perspectives on UV light mutagenesis: investigation of the CHO aprt gene carried on a retroviral shuttle vector. 1989 , 15, 401-9		28
1462	Expression of human argininosuccinate synthetase in murine hematopoietic cells in vivo. 1989 , 15, 289-96		4
1461	Infection of bovine cells of embryonic origin by amphotropic retroviral vectors. 1989 , 15, 137-41		3
1460	Retroviral shuttle vectors as a tool for the study of mutational specificity (base substitution/deletion/mutational hotspot). 1989 , 220, 143-9		10
1459	Shuttle vector system for the analysis of mutational events in mammalian chromosomal DNA. 1989 , 210, 237-47		7

1458	Characterization of cDNAs of spliced HPV-11 E2 mRNA and other HPV mRNAs recovered via retrovirus-mediated gene transfer. 1989 , 172, 468-77		39
1457	The primary structure of major viral RNA in a rat cell line transfected with type 47 human papillomavirus DNA and the transforming activity of its cDNA and E6 gene. 1989 , 173, 551-65		25
1456	Factors affecting long-term stability of Moloney murine leukemia virus-based vectors. 1989 , 171, 331-41		130
1455	Gene transfer into hemopoietic stem cells using retroviral vectors. 1989 , 7, 264-80		15
1454	Prospects for gene therapy now and in the future. 1989 , 12 Suppl 1, 191-201		5
1453	Surface expression of the T cell receptor complex requires charged residues within the alpha chain transmembrane region. 1989 , 19, 335-9		41
1452	Species specificity of interleukin 2 binding to individual receptor components. 1989 , 19, 1517-20		20
1451	Phenotypic effects of overexpression of PKC beta 1 in rat liver epithelial cells. 1989 , 41, 179-88		16
1450	Role of the c-myc and the N-myc proto-oncogenes in the immortalization of neural precursors. 1989 , 24, 9-20		43
1449	Differentiation of PC12 cells with v-src: comparison with nerve growth factor. 1989 , 24, 49-58		51
1448	RNA viruses as gene expression vectors. 1989 , 3, 85-91		22
1447	Targeting and processing of pro-opiomelanocortin in neuronal cell lines. 1989 , 52, 1050-7		36
1446	A variant Schmidt-Ruppin strain of Rous sarcoma virus with increased affinity for mammalian cells. 1989 , 80, 1179-85		4
1445	A putative murine ecotropic retrovirus receptor gene encodes a multiple membrane-spanning protein and confers susceptibility to virus infection. <i>Cell</i> , 1989 , 57, 659-66	56.2	629
1444	An N-terminal transformation-governing sequence of SV40 large T antigen contributes to the binding of both p110Rb and a second cellular protein, p120. <i>Cell</i> , 1989 , 58, 257-67	56.2	237
1443	Graduated resistance to G418 leads to differential selection of cultured mammalian cells expressing the neo gene. 1989 , 85, 421-6		23
1442	Prospects for the control of AIDS patients by introducing defective-HIV harbouring leukocytes. 1989 , 30, 223-8		3
1441	A role of Ia-associated invariant chains in antigen processing and presentation. <i>Cell</i> , 1989 , 56, 683-9	56.2	164

1440	Grafting genetically modified cells into the rat brain: characteristics of E. coli beta-galactosidase as a reporter gene. 1989 , 5, 271-8		100
1439	Protamine sulfate as an effective alternative to polybrene in retroviral-mediated gene-transfer: implications for human gene therapy. 1989 , 23, 187-94		127
1438	Comparative analysis of retroviral vector expression in mouse embryonal carcinoma cells. 1989 , 22, 120-31		26
1437	Development of a Retrovirus Packaging System to Study Fv-1 Restriction. 1989 , 567, 278-279		
1436	Gene transfer. A potential approach to gene therapy for sickle cell disease. 1989 , 565, 37-43		7
1435	Gene therapy for genetic diseases. 1989 , 7, 179-92		33
1434	Efficient retroviral transfer of a mouse c-myc construct into HL60. 1989 , 163, 321-7		3
1433	Construction and characterization of a packaging cell line for MMTV-based conditional retroviral vectors. 1989 , 159, 1191-8		20
1432	Turnover and compartmentation of gp70/p15 E in psi 2 cells. 1989 , 161, 596-603		3
1431	Multi-copy introduction and high-level expression of interleukin-3 genes by retroviral vector superinfection. 1989 , 158, 576-83		
1430	Analysing cell lineage with a recombinant retrovirus. 1989 , 12, 21-8		162
1429	Interferon-mediated inhibition of retroviral infection: use of a defective retrovirus carrying a drug-resistance gene. 1989 , 13, 295-302		5
1428	Assembly and release of HIV-1 precursor Pr55gag virus-like particles from recombinant baculovirus-infected insect cells. <i>Cell</i> , 1989 , 59, 103-12	56.2	652
1427	Multistage carcinogenesis induced by ras and myc oncogenes in a reconstituted organ. <i>Cell</i> , 1989 , 56, 917-30	56.2	332
1426	Immortalization of neural cells via retrovirus-mediated oncogene transduction. 1989 , 12, 47-65		138
1425	Expression vectors for human adenosine deaminase gene therapy. 1989 , 31, 832-9		5
1424	Recombinant gene expression in vivo within endothelial cells of the arterial wall. <i>Science</i> , 1989 , 244, 1343-4	335	387
1423	Retrovirus-mediated gene transfer to purified hemopoietic stem cells with long-term lympho-myelopoietic repopulating ability. 1989 , 86, 8798-802		79

1422	Mock retroviral infection alters the developmental potential of murine bone marrow stem cells. 1989 , 9, 4541-4	11
1421	Germ line c-myc is not down-regulated by loss or exclusion of activating factors in myc-induced macrophage tumors. 1989 , 9, 3482-90	20
1420	pp60c-src variants containing lesions that affect phosphorylation at tyrosines 416 and 527. 1989 , 9, 3647-56	28
1419	A majority of mice show long-term expression of a human beta-globin gene after retrovirus transfer into hematopoietic stem cells. 1989 , 9, 1426-34	139
1418	Early pre-B-cell transformation induced by the v-fms oncogene in long-term mouse bone marrow cultures. 1989 , 9, 3973-81	25
1417	Rapidly and slowly replicating human immunodeficiency virus type 1 isolates can be distinguished according to target-cell tropism in T-cell and monocyte cell lines. 1989 , 86, 7200-3	53
1416	Long-term expression of human adenosine deaminase in mice transplanted with retrovirus-infected hematopoietic stem cells. 1989 , 86, 8892-6	103
1415	The ras and myc oncogenes cooperate in tumor induction in many tissues when introduced into midgestation mouse embryos by retroviral vectors. 1989 , 86, 2224-8	39
1414	Retroviral transduction of the human c-Ha-ras-1 oncogene into midgestation mouse embryos promotes rapid epithelial hyperplasia. 1989 , 9, 6-14	22
1413	Oncogene cooperation in lymphocyte transformation: malignant conversion of E mu-myc transgenic pre-B cells in vitro is enhanced by v-H-ras or v-raf but not v-abl. 1989 , 9, 67-73	53
1412	Posttranscriptional regulation of cellular gene expression by the c-myc oncogene. 1989 , 9, 124-34	110
1411	Retroviral transfer of a human tyrosine hydroxylase cDNA in various cell lines: regulated release of dopamine in mouse anterior pituitary AtT-20 cells. 1989 , 86, 7233-7	87
1410	Grafting fibroblasts genetically modified to produce L-dopa in a rat model of Parkinson disease. 1989 , 86, 9011-4	302
1409	Positive genetic selection for gene disruption in mammalian cells by homologous recombination. 1989 , 86, 227-31	108
1408	Growth- and tumor-promoting effects of deregulated BCL2 in human B-lymphoblastoid cells. 1989 , 86, 4589-93	116
1407	Fatal syndrome in mice engrafted with cells producing high levels of the leukemia inhibitory factor. 1989 , 86, 5948-52	231
1406	Replication of human immunodeficiency virus 1 and Moloney murine leukemia virus is inhibited by different heteroatom-containing analogs of myristic acid. 1989 , 86, 8655-9	85
1405	Retrovirus-mediated transfer and expression of the interleukin-3 gene in mouse hematopoietic cells result in a myeloproliferative disorder. 1989 , 9, 798-808	77

1404	The BCR-ABL oncogene transforms Rat-1 cells and cooperates with v-myc. 1989 , 9, 1263-70	171
1403	Cell lines established by a temperature-sensitive simian virus 40 large-T-antigen gene are growth restricted at the nonpermissive temperature. 1989 , 9, 1672-81	324
1402	Transformation of NIH 3T3 fibroblasts by an activated form of p59hck. 1989 , 9, 2724-7	43
1401	Analysis of mammalian cell genetic regulation in situ by using retrovirus-derived "portable exons" carrying the Escherichia coli lacZ gene. 1989 , 86, 5517-21	64
1400	A versatile and potentially general approach to the targeting of specific cell types by retroviruses: application to the infection of human cells by means of major histocompatibility complex class I and class II antigens by mouse ecotropic murine leukemia virus-derived viruses. 1989 , 86, 9079-83	117
1399	The two subunits of the human asialoglycoprotein receptor have different fates when expressed alone in fibroblasts. 1989 , 86, 1158-62	98
1398	Construction and properties of replication-competent murine retroviral vectors encoding methotrexate resistance. 1989 , 9, 100-8	48
1397	Mechanism of autocrine stimulation in hematopoietic cells producing interleukin-3 after retrovirus-mediated gene transfer. 1989 , 9, 204-13	57
1396	Transduction of human colony-stimulating factor-1 (CSF-1) receptor into interleukin-3-dependent mouse myeloid cells induces both CSF-1-dependent and factor-independent growth. 1989 , 9, 4069-73	27
1395	Gene transfer into primates and prospects for gene therapy in humans. 1989 , 36, 311-22	16
1394	Functional analysis and nucleotide sequence of the promoter region of the murine hck gene. 1990 , 10, 4603-11	18
1393	Overexpression of protein kinase C in HT29 colon cancer cells causes growth inhibition and tumor suppression. 1990 , 10, 4650-7	170
1392	Induction of transcription from the long terminal repeat of Moloney murine sarcoma provirus by UV-irradiation, x-irradiation, and phorbol ester. 1990 , 87, 36-40	49
1391	Two oncogenes, v-fos and v-ras, cooperate to convert normal keratinocytes to squamous cell carcinoma. 1990 , 87, 643-7	79
1390	Activation of erythropoietin receptors by Friend viral gp55 and by erythropoietin and down-modulation by the murine Fv-2r resistance gene. 1990 , 87, 9985-9	86
1389	Localization of sequences required in cis for yeast Ty1 element transposition near the long terminal repeats: analysis of mini-Ty1 elements. 1990 , 10, 2695-702	66
1388	Evidence that retroviral transduction is mediated by DNA not by RNA. 1990 , 87, 3604-8	18
1387	Domains of human c-myc protein required for autosuppression and cooperation with ras oncogenes are overlapping. 1990 , 10, 4961-6	92

1386	Macrophage lineage switching of murine early pre-B lymphoid cells expressing transduced fms genes. 1990 , 10, 2703-14	104
1385	Long-term expression of a T-cell receptor beta-chain gene in mice reconstituted with retrovirus-infected hematopoietic stem cells. 1990 , 87, 9803-7	21
1384	Retroviral-mediated gene transfer. 1990 , 38, 91-135	61
1383	Characterization of a specific form of protein kinase C overproduced by a C3H 10T1/2 cell line. 1990 , 266, 173-8	13
1382	Recombinant neutral endopeptidase-24.11 expressed in mouse neuroblastoma cells is associated with neurite membranes. 1990 , 267, 447-52	13
1381	Construction and packaging of pseudotype retrovirus containing human N-ras cDNA antisense sequence and its biological effects on human hepatoma cells. 1990 , 1, 131-139	
1380	Site-specific gene expression in vivo by direct gene transfer into the arterial wall. <i>Science</i> , 1990 , 249, 1285-8	33-3 534
1379	Retrovirus mediated transfer and expression of GM-CSF in haematopoietic cells. 1990 , 62, 388-94	8
1378	Grafting genetically modified cells to the brain: conceptual and technical issues. 1990 , 82, 1-10	30
1377	Genetically altered and defined cell lines for transplantation in animal models of Parkinson's disease. 1990 , 82, 11-21	16
1376	Exogeneous expression of L-dopa and dopamine in various cell lines following transfer of rat and human tyrosine hydroxylase cDNA: grafting in an animal model of Parkinson's disease. 1990 , 82, 23-32	21
1375	Gene therapy in the CNS: intracerebral grafting of genetically modified cells. 1990 , 86, 205-17	26
1374	A novel monoclonal antibody against squamous cell carcinoma. 1990 , 81, 176-82	8
1373	Infection with murine retrovirus confers resistance to the neurotoxin 1-methyl-4-phenylpyridinium ion in PC 12 cells. 1990 , 55, 854-63	1
1372	Retroviral expression of transforming growth factor-alpha does not transform fibroblasts or keratinocytes. 1990 , 95, 382-7	16
1371	Polymerase gene products of hepatitis B viruses are required for genomic RNA packaging as well as for reverse transcription. 1990 , 344, 552-5	283
1370	Gene therapy: current status and future directions. 1990 , 75, 148-55	26
1369	Autonomous growth of lymphoid cells following IL-2 expression from retrovirus vectors containing HIV-1 trans-acting elements. 1990 , 16, 1-14	6

1368	Monochromosomal mouse microcell hybrids containing inserted selectable neo genes. 1990 , 16, 425-35		4
1367	Production of human immunodeficiency virus (HIV)-like particles from cells infected with recombinant vaccinia viruses carrying the gag gene of HIV. 1990 , 175, 139-48		117
1366	Retrovirus vector-targeted inducible expression of human beta-interferon gene to B-cells. 1990 , 178, 419-28		11
1365	Clinical application of somatic gene therapy in inborn errors of metabolism. 1990 , 13, 597-616		22
1364	The use of a retroviral vector to identify foetal striatal neurones transplanted into the adult striatum. 1990 , 79, 427-30		27
1363	Functional expression of dihydropyridine-insensitive calcium channels during PC12 cell differentiation by nerve growth factor (NGF), oncogenic ras, or src tyrosine kinase. 1990 , 10, 237-55		22
1362	Micromanipulation of embryos and germ cells: an approach to gene therapy?. 1990 , 35, 206-14		15
1361	Evidence that the level of the p55 component of the interleukin (IL) 2 receptor can control IL 2 responsiveness in a murine IL 3-dependent cell. 1990 , 20, 573-8		11
1360	Retroviral interleukin 5 gene transfer into interleukin 5-dependent growing cell lines results in autocrine growth and tumorigenicity. 1990 , 20, 2699-705		11
1359	Gene delivery to glioma cells in rat brain by grafting of a retrovirus packaging cell line. 1990 , 27, 427-39		269
1358	The v-ras oncogene inhibits the expression of differentiation markers and facilitates expression of cytokeratins 8 and 18 in mouse keratinocytes. 1990 , 3, 363-73		56
1357	Gene therapy. 1990 , 1, 196-208		
1356	Negative autoregulation of c-myc transcription.. <i>EMBO Journal</i> , 1990 , 9, 1113-1121	13	168
1355	The proto-oncogene int-1 encodes a secreted protein associated with the extracellular matrix.. <i>EMBO Journal</i> , 1990 , 9, 1569-1575	13	214
1354	bcr-abl, the hallmark of chronic myeloid leukaemia in man, induces multiple haemopoietic neoplasms in mice.. <i>EMBO Journal</i> , 1990 , 9, 1069-1078	13	248
1353	Retroviruses as genetic tools to isolate transcriptionally active chromosomal regions. 1990 , 88, 141-8		1
1352	The malignant conversion step of mouse skin carcinogenesis. 1990 , 88, 193-5		3
1351	Autocrine differentiation of PC12 cells mediated by retroviral vectors. 1990 , 12, 34-45		24

1350	Gene transfer into humans: a first step. 1990 , 323, 601-3	8
1349	Expression of v-fms and c-fms in the Hemopoietic Cell Line FDC-P1. 1990 , 2, 301-311	
1348	Efficient gene transfer in live mice using a unique retroviral packaging line. 1990 , 9, 717-23	15
1347	Retroviral vectors expressing soluble CD4: a potential gene therapy for AIDS. 1990 , 6, 183-91	41
1346	Applications of the polymerase chain reaction in retroviral-mediated gene transfer and the analysis of gene-marked human TIL cells. 1990 , 1, 135-49	76
1345	Exon trapping: a genetic screen to identify candidate transcribed sequences in cloned mammalian genomic DNA. 1990 , 87, 8995-9	167
1344	The use of syngeneic cells producing human somatotrophic hormone (hSTH) for immunization of mice and development of hybridomas. 1990 , 9, 401-6	1
1343	Infection of cultured central nervous system neurons with a defective herpes simplex virus 1 vector results in stable expression of Escherichia coli beta-galactosidase. 1990 , 87, 1149-53	193
1342	Inhibition of human immunodeficiency virus replication in cell culture by endogenously synthesized antisense RNA. 1990 , 71 (Pt 9), 1965-74	78
1341	Retroviral RNA packaging: sequence requirements and implications. 1990 , 157, 125-52	127
1340	Expression of recombinant myelin-associated glycoprotein in primary Schwann cells promotes the initial investment of axons by myelinating Schwann cells. 1990 , 111, 1171-82	72
1339	An analytical study of the dimerization of in vitro generated RNA of Moloney murine leukemia virus MoMuLV. 1990 , 18, 7287-92	63
1338	Simian virus 40 small tumor antigen and an amino-terminal domain of large tumor antigen share a common transforming function. 1990 , 87, 7448-52	42
1337	Gene transfer by retrovirus-derived shuttle vectors in the generation of murine bispecific monoclonal antibodies. 1990 , 87, 2941-5	19
1336	Efficient replication, integration, and packaging of retroviral vectors with modified long terminal repeats containing the packaging signal. 1990 , 18, 4223-6	15
1335	Increased drug resistance following retroviral gene transfer of a chimeric P-enolpyruvate carboxykinase (GTP)-bacterial O6-alkylguanine-DNA alkyltransferase gene into NRK cells. 1990 , 11, 737-43	6
1334	Expression from cloned DNA of biologically active glycoprotein C of herpes simplex virus type 1 in mammalian cells. 1990 , 71 (Pt 3), 689-99	12
1333	Endocytosis via coated pits mediated by glycoprotein receptor in which the cytoplasmic tail is replaced by unrelated sequences. 1990 , 1, 471-86	16

1332	The chicken c-erbA alpha-product induces expression of thyroid hormone-responsive genes in 3,5,3'-triiodothyronine receptor-deficient rat hepatoma cells. 1990 , 4, 312-20	20
1331	Clonal and systemic analysis of long-term hematopoiesis in the mouse. 1990 , 4, 220-32	411
1330	An efficient deletion mutant packaging system for defective herpes simplex virus vectors: potential applications to human gene therapy and neuronal physiology. 1990 , 87, 8950-4	238
1329	Expression of human alpha-globin and mouse/human hybrid beta-globin genes in murine hemopoietic stem cells transduced by recombinant retroviruses. 1990 , 87, 4349-53	19
1328	Low-affinity placenta-derived receptors for human granulocyte-macrophage colony-stimulating factor can deliver a proliferative signal to murine hemopoietic cells. 1990 , 87, 4670-4	60
1327	Restoration of normal lysosomal function in mucopolysaccharidosis type VII cells by retroviral vector-mediated gene transfer. 1990 , 87, 2877-81	59
1326	Abrogation of the requirement for feeder cell interaction and T cell receptor stimulation of lymphocytes infected with retroviral vectors. 1990 , 172, 447-56	
1325	Amphotropic murine leukemia retrovirus is not an acute pathogen for primates. 1990 , 1, 15-30	141
1324	Homeobox gene expression plus autocrine growth factor production elicits myeloid leukemia. 1990 , 87, 8398-402	136
1323	Expression of v-fms and c-fms in the Hemopoietic Cell Line FDC-P1. 1990 , 2, 301-311	10
1322	Nucleotide sequence of mouse virus-like (VL30) retrotransposon BVL-1. 1990 , 18, 673	25
1321	Embryonic stem cell virus, a recombinant murine retrovirus with expression in embryonic stem cells. 1990 , 87, 9202-6	179
1320	Expression of a human complementary DNA for the multidrug resistance gene in murine hematopoietic precursor cells with the use of retroviral gene transfer. 1990 , 82, 1260-3	66
1319	Advanced mammalian gene transfer: high titre retroviral vectors with multiple drug selection markers and a complementary helper-free packaging cell line. 1990 , 18, 3587-96	1904
1318	Blood contact activation during cardiopulmonary bypass. 1990 , 12, 213-214	
1317	Research Initiatives in Vascular Surgery*. 1990 , 12, 194-217	1
1316	Two subfamilies of murine retrotransposon ETn sequences. 1990 , 86, 269-74	29
1315	Construction and hormone regulation of a novel retroviral vector. 1990 , 88, 289-92	5

1314	Monochromosomal rodent-human hybrids from microcell fusion of human lymphoblastoid cells containing an inserted dominant selectable marker. 1990 , 6, 358-66		63
1313	Gene transfer to endothelium. 1990 , 12, 211-213		
1312	MoMuLV-derived self-inactivating retroviral vectors possessing multiple cloning sites and expressing the resistance to either G418 or hygromycin B. 1990 , 72, 885-7		8
1311	Viruses as vectors. 1990 , 23, 55-71		12
1310	The vascular endothelial cell as a vehicle for gene therapy. 1990 , 11, 793-798		17
1309	Cloning of adenovirus type 12 E1 genes into a retroviral vector and their differential splicing in mouse cells. 1990 , 91, 167-72		1
1308	Gene transfer into murine hematopoietic stem cells and bone marrow stromal cells. 1990 , 612, 398-406		7
1307	Retroviral gene transfer using safe and efficient packaging cell lines. 1990 , 612, 407-14		40
1306	Retroviral vectors for the beta-globin gene that demonstrate improved titer and expression. 1990 , 612, 427-41		9
1305	Cis elements and trans-acting factors involved in the RNA dimerization of the human immunodeficiency virus HIV-1. 1990 , 216, 689-99		321
1304	Cellular and developmental properties of fetal hematopoietic stem cells. <i>Cell</i> , 1990 , 61, 953-63	56.2	249
1303	Retrovirus-mediated transgenic keratin expression in cultured fibroblasts: specific domain functions in keratin stabilization and filament formation. <i>Cell</i> , 1990 , 62, 681-96	56.2	157
1302	Portable encapsidation signal of the L-A double-stranded RNA virus of <i>S. cerevisiae</i> . <i>Cell</i> , 1990 , 62, 819-28	56.2	113
1301	Nuclear localization of c-Fos, but not v-Fos proteins, is controlled by extracellular signals. <i>Cell</i> , 1990 , 63, 341-51	56.2	172
1300	Intracerebral grafting of genetically modified cells acting as biological pumps. 1990 , 11, 437-9		12
1299	Introduction of genes into the mouse germ line. 1990 , 366, 45-56		
1298	Retrovirus packaging cells. 1990 , 1, 5-14		346
1297	Analysis of a nontumorigenic embryonal carcinoma cell line. 1990 , 189, 183-8		8

1296	HSV-1 vector mediated neuronal gene delivery. Strategies for molecular neuroscience and neurology. 1990 , 40, 2189-99		72
1295	Xenotropic and amphotropic pseudotyped recombinant retrovirus to transfer genes into cells from various species. 1990 , 169, 8-14		9
1294	Lack of tumorigenicity of interleukin 4 autocrine growing cells seems related to the anti-tumor function of interleukin 4. <i>Molecular Immunology</i> , 1990 , 27, 1331-7	4-3	50
1293	The rat interleukin-5 gene: characterization and expression by retroviral gene transfer and polymerase chain reaction. 1991 , 3, 72-81		25
1292	Reverse transcription and packaging of hepatitis B virus (HBV)-RNA generates in vivo defective serum HBV particles. 1991 , 13 Suppl 4, S42-8		2
1291	Scientific and ethical considerations in human gene therapy. 1991 , 5, 697-713		1
1290	Survival period of tumor-bearing mice is prolonged after the interferon-gamma-producing gene transfer. 1991 , 60, 41-9		10
1289	Investigation of a possible role of the amino-terminal pro-region of proopiomelanocortin in its processing and targeting to secretory granules. 1991 , 82, 237-50		25
1288	Murine retroviral vectors expressing the tax1 gene of human T-cell leukemia virus type 1. 1991 , 106, 255-9		10
1287	Gene-search viruses and FACS-Gal permit the detection, isolation, and characterization of mammalian cells with in situ fusions between cellular genes and <i>Escherichia coli lacZ</i> . 1991 , 2, 261-271		4
1286	Construction and characterization of expression systems for the env gene of ts1, a mutant of Moloney murine leukemia virus-TB. 1991 , 19, 83-92		10
1285	Gene Transfer and Expression Protocols. 1991 ,		6
1284	Granulocyte colony-stimulating factor gene transfer suppresses tumorigenicity of a murine adenocarcinoma in vivo. 1991 , 173, 889-97		269
1283	Structural characterization of a 39-residue synthetic peptide containing the two zinc binding domains from the HIV-1 p7 nucleocapsid protein by CD and NMR spectroscopy. 1991 , 292, 25-30		71
1282	Enhanced growth characteristics of hybridoma cells infected with myc- and ras-containing retroviruses. 1991 , 195, 263-8		4
1281	Survival and differentiation within the adult mouse striatum of grafted rat pheochromocytoma cells (PC12) genetically modified to express recombinant beta-NGF. 1991 , 112, 174-82		18
1280	The use of genetically altered astrocytes to provide nerve growth factor to adrenal chromaffin cells grafted into the striatum. 1991 , 561, 192-202		74
1279	Influence of the helper virus on expression of beta-galactosidase from a defective HSV-1 vector, pHSVlac. 1991 , 31, 229-38		8

1278	A new method of gene transfer into hematopoietic progenitors using liquid culture with interleukin-3 and interleukin-6. 1991 , 141, 177-86	2
1277	Efficient gene transfer and expression in primary B lymphocytes. 1991 , 141, 53-62	10
1276	Establishment of Schwann cell lines by oncogene transfer. 1991 , 2, 6-12	1
1275	Schwann cells infected with a recombinant retrovirus expressing myelin-associated glycoprotein antisense RNA do not form myelin. 1991 , 7, 565-75	97
1274	Expression of porcine pro-opiomelanocortin in mouse neuroblastoma (Neuro2A) cells: targeting of the foreign neuropeptide to dense-core vesicles. 1991 , 79, 109-18	19
1273	Characterization of murine thymic stromal-cell lines immortalized by temperature-sensitive simian virus 40 large T or adenovirus 5 E1a. 1991 , 1, 279-93	7
1272	Effect of ras-gene transformation on the inhibition of NIH3T3 cell growth by pertussis toxin. 1991 , 5, 1101-8	2
1271	Alterations in epidermal biochemistry as a consequence of stage-specific genetic changes in skin carcinogenesis. 1991 , 93, 3-10	13
1270	Tumour suppression associated with expression of human insulin-like growth factor II. 1991 , 63, 687-92	20
1269	Genetic definition of ras effector elements. 1991 , 11, 6158-65	20
1268	A stem cell-specific silencer in the primer-binding site of a retrovirus. 1991 , 11, 1214-21	84
1267	Interleukin-7 retroviruses transform pre-B cells by an autocrine mechanism not evident in Abelson murine. 1991 , 11, 1590-7	14
1266	Immunoregulatory activity of the T-cell receptor alpha chain demonstrated by retroviral gene transfer. 1991 , 88, 8475-9	18
1265	Viral RNA annealing activities of the nucleocapsid protein of Moloney murine leukemia virus are zinc independent. 1991 , 19, 3533-41	84
1264	Induction of plasmacytomas secreting antigen-specific monoclonal antibodies with a retrovirus expressing v-abl and c-myc. 1991 , 88, 8735-9	17
1263	A ras effector domain mutant which is temperature sensitive for cellular transformation: interactions with GTPase-activating protein and NF-1. 1991 , 11, 3132-8	32
1262	The amino-terminal 14 amino acids of v-src can functionally replace the extracellular and transmembrane domains of v-erbB. 1991 , 11, 4760-70	17
1261	Retroviral-mediated gene therapy for the treatment of hepatocellular carcinoma: an innovative approach for cancer therapy. 1991 , 88, 8039-43	266

1260	Expression of human factor IX in rat capillary endothelial cells: toward somatic gene therapy for hemophilia B. 1991 , 88, 8101-5	113
1259	Retroviral RNA packaging. 1991 , 19, 963-6	11
1258	A system, using neural cell lines, to characterize HSV-1 vectors containing genes which affect neuronal physiology, or neuronal promoters. 1991 , 36, 91-103	13
1257	Progression of rat embryo fibroblast cells immortalized with transforming genes of human papillomavirus type 16. 1991 , 180, 191-8	16
1256	Characterization of recombinant helper retroviruses from Moloney-based vectors in ecotropic and amphotropic packaging cell lines. 1991 , 180, 849-52	42
1255	The amino-terminal 147 amino acids of SV40 large T antigen transform secondary rat embryo fibroblasts. 1991 , 181, 412-5	35
1254	Isolation of cellular revertants from a rat cell line transformed by the E6 and E7 genes of human papillomavirus type 16. 1991 , 182, 357-60	2
1253	RNA secondary structure analysis of the packaging signal for Moloney murine leukemia virus. 1991 , 183, 611-9	60
1252	Retroviral vector-mediated in vivo expression of low-density-lipoprotein receptors in the Watanabe heritable hyperlipidemic rabbit. 1991 , 17, 287-301	15
1251	Isolation and characterization of irradiation fusion hybrids from mouse chromosome 1 for mapping Rmc-1, a gene encoding a cellular receptor for MCF class murine retroviruses. 1991 , 17, 169-83	19
1250	Gene transfer into rat airway epithelial cells using retroviral vectors. 1991 , 17, 185-90	6
1249	Long-term expression of gene introduction into normal human T-lymphocytes by retroviral-mediated gene transfer. 1991 , 45, 353-8	5
1248	Decreased tumorigenicity of a transplantable rat sarcoma following transfer and expression of an IL-2 cDNA. 1991 , 47, 244-51	85
1247	Altered regulation of TGF-beta 1 and TGF-alpha in primary keratinocytes and papillomas expressing v-Ha-ras. 1991 , 4, 210-9	75
1246	Cytochrome P4501A2 constitutively expressed from transduced DNA mediates metabolic activation and DNA-adduct formation of aromatic amine carcinogens in NIH 3T3 cells. 1991 , 4, 407-14	19
1245	Simple system for isolation of cellular and viral mutants for transformation by retrovirus. 1991 , 35, 246-9	4
1244	Characterization and comparison of avian and murine helper cell lines for production of replication-defective retroviruses for avian transformation. 1991 , 70, 970-81	11
1243	Expression of functional human Epstein-Barr virus/C3d receptor ([CR2] CD21) on insulinoma cell line. Induction of tumor rejection but not diabetes in syngeneic rats. 1991 , 40, 809-14	1

1242	Trial of Antisense RNA Inhibition of HIV Replication and Gene Expression. 1991 , 2, 133-142	6
1241	Principles of genetic manipulation of livestock. 1991 , 1-16	3
1240	Genetic manipulation of mammals and its application in reproductive biology. 1991 , 92, 245-79	39
1239	Analysis of early events in acetylcholine receptor assembly. 1991 , 113, 1371-84	46
1238	Inhibition of Moloney murine leukemia virus-induced leukemia in transgenic mice expressing antisense RNA complementary to the retroviral packaging sequences. 1991 , 88, 4313-7	32
1237	Extracellular synaptic factors induce clustering of acetylcholine receptors stably expressed in fibroblasts. 1991 , 115, 165-77	11
1236	Inducibility of class II major histocompatibility complex antigens by interferon gamma is associated with reduced tumorigenicity in C3H mouse fibroblasts transformed by v-Ki-ras. 1991 , 173, 193-6	15
1235	Dominant positive and negative selection using a hygromycin phosphotransferase-thymidine kinase fusion gene. 1991 , 11, 3374-8	160
1234	The retroviral life cycle and the molecular construction of retrovirus vectors. 1992 , 8, 1-15	1
1233	IL-6 production by retrovirus packaging cells and cultured bone marrow cells. 1991 , 2, 301-6	11
1232	Safety issues related to retroviral-mediated gene transfer in humans. 1991 , 2, 5-14	184
1231	Retrotransposon gene engineering. 1991 , 9, 748-51	4
1230	Retroviral vectors related to the myeloproliferative sarcoma virus allow efficient expression in hematopoietic stem and precursor cell lines, but retroviral infection is reduced in more primitive cells. 1991 , 2, 61-70	35
1229	Multidrug resistance after retroviral transfer of the human MDR1 gene correlates with P-glycoprotein density in the plasma membrane and is not affected by cytotoxic selection. 1991 , 88, 7386-90	60
1228	Tumor suppression after tumor cell-targeted tumor necrosis factor alpha gene transfer. 1991 , 173, 1047-52	262
1227	Efficient immortalization of luminal epithelial cells from human mammary gland by introduction of simian virus 40 large tumor antigen with a recombinant retrovirus. 1991 , 88, 3520-4	138
1226	Formation of noninfectious HIV-1 virus particles lacking a full-length envelope protein. 1991 , 7, 287-94	9
1225	Positive selectable markers for use with mammalian cells in culture. 1991 , 2, 195-201	16

1224	Analysis of Fv-1 restriction in two murine embryonal carcinoma cell lines and a series of differentiated derivatives. 1991 , 72 (Pt 3), 609-16		1
1223	Treatment of established renal cancer by tumor cells engineered to secrete interleukin-4. <i>Science</i> , 1991 , 254, 713-6	33-3	661
1222	Elevated transforming growth factor-beta 1 and beta 3 mRNA levels are associated with ras + myc-induced carcinomas in reconstituted mouse prostate: evidence for a paracrine role during progression. 1991 , 5, 503-13		56
1221	Widespread dispersion of neuronal clones across functional regions of the cerebral cortex. <i>Science</i> , 1992 , 255, 434-40	33-3	539
1220	Antiviral properties of a dominant negative mutant of the herpes simplex virus type 1 regulatory protein ICP0. 1992 , 73 (Pt 11), 2955-61		19
1219	pp60src tyrosine kinase modulates P19 embryonal carcinoma cell fate by inhibiting neuronal but not epithelial differentiation. 1992 , 116, 1019-33		31
1218	Ectopic lymphokine gene expression in human peripheral blood lymphocytes in vivo. 1992 , 89, 1026-30		3
1217	Patent Evaluation: Methods for the Improved Production of Recombinant Retroviruses. 1992 , 2, 1195-1196		
1216	Isoform-specific subcellular targeting of glucose transporters in mouse fibroblasts. 1992 , 116, 785-97		89
1215	Interleukin 3 protects murine bone marrow cells from apoptosis induced by DNA damaging agents. 1992 , 176, 1043-51		210
1214	Overview: Proteins and Peptides that have Activity Against the Human Immunodeficiency Virus (HIV). 1992 , 2, 1613-1639		0
1213	Transfer and expression of the human multiple drug resistance gene into live mice. 1992 , 89, 9676-80		176
1212	Expression of phosphoenolpyruvate carboxykinase (PEPCK) chimeras in renal epithelial cells. Retention of appropriate physiological responsiveness using enhancerless retroviral vectors. 1992 , 284 (Pt 3), 725-32		3
1211	Expression of the Evi-1 zinc finger gene in 32Dc13 myeloid cells blocks granulocytic differentiation in response to granulocyte colony-stimulating factor. 1992 , 12, 183-9		120
1210	Hematologic disease induced in BALB/c mice by a bcr-abl retrovirus is influenced by the infection conditions. 1992 , 12, 1755-63		51
1209	Nonmyristoylated Abl proteins transform a factor-dependent hematopoietic cell line. 1992 , 12, 1864-71		53
1208	Approach to a retrovirus vaccine: immunization of mice against Friend virus disease with a replication-defective Friend murine leukemia virus. 1992 , 89, 12202-6		8
1207	Heat shock protein hsp70 protects cells from thermal stress even after deletion of its ATP-binding domain. 1992 , 89, 2036-40		182

1206	A colony-stimulating factor 1 (CSF-1) receptor/platelet-derived growth factor-beta receptor gene fusion confers CSF-1 independence and tumorigenicity on a c-myc-immortalized monocyte cell line. 1992 , 12, 386-93		1
1205	Evidence for a Ras-dependent extracellular signal-regulated protein kinase (ERK) cascade. 1992 , 89, 6924-8		189
1204	A 36-base-pair core sequence of locus control region enhances retrovirally transferred human beta-globin gene expression. 1992 , 89, 3107-10		69
1203	A recombinant retrovirus encoding alkaline phosphatase confirms clonal boundary assignment in lineage analysis of murine retina. 1992 , 89, 693-7		235
1202	Role of the PU.1 transcription factor in controlling differentiation of Friend erythroleukemia cells. 1992 , 12, 2967-75		83
1201	Helper virus induced T cell lymphoma in nonhuman primates after retroviral mediated gene transfer. 1992 , 176, 1125-35		502
1200	Experimental and clinical applications of molecular cell biology in nutrition and metabolism. 1992 , 16, 477-86		3
1199	Ras modulates commitment and maturation of 10T1/2 fibroblasts to adipocytes. 1992 , 70, 1249-57		12
1198	Measurement of hygromycin B phosphotransferase activity in crude mammalian cell extracts by a simple dot-blot assay. 1992 , 112, 257-60		9
1197	Authentic and artifactual detection of the E. coli lacZ gene product in the rat brain by histochemical methods. 1992 , 16, 311-5		31
1196	Multiple transduction as a means of preserving ganciclovir chemosensitivity in sarcoma cells carrying retrovirally transduced herpes thymidine kinase genes. 1992 , 64, 257-63		26
1195	The hepatocyte-specific phenotype of murine liver cells correlates with high expression of connexin32 and connexin26 but very low expression of connexin43. 1992 , 201, 43-54		86
1194	Effect of dimerization on the conformation of the encapsidation Psi domain of Moloney murine leukemia virus RNA. 1992 , 223, 205-20		98
1193	Juxtaglomerular cells cultured on a reconstituted basement membrane. 1992 , 262, C563-8		9
1192	Expression of the E.coli 3-methyladenine DNA glycosylase I gene in mammalian cells reduces the toxic and mutagenic effects of methylating agents.. <i>EMBO Journal</i> , 1992 , 11, 4439-4444	13	32
1191	Establishment of an osteogenic cell line derived from adult mouse bone marrow stroma by use of a recombinant retrovirus. 1992 , 50, 362-71		22
1190	Accelerated Differentiation in Response to Retinoic Acid After Retrovirally Mediated Gene Transfer of GAP-43 into Mouse Neuroblastoma Cells. 1992 , 4, 910-916		34
1189	Effects of choline and quiescence on Drosophila choline acetyltransferase expression and acetylcholine production by transduced rat fibroblasts. 1992 , 58, 2019-29		25

1188	Retrovirus-mediated gene transfer targeted to malignant glioma cells in murine brain. 1992 , 83, 1244-7	18
1187	A brief history of gene therapy. 1992 , 2, 93-8	162
1186	Photodynamic inactivation of retroviruses by phthalocyanines: the effects of sulphonation, metal ligand and fluoride. 1992 , 13, 145-52	44
1185	Gene therapy for human inherited disorders: techniques and status. 1992 , 13, 33-54	18
1184	Retroviral vectors for persistent expression in vivo. 1992 , 3, 540-7	30
1183	The PTC oncogene is able to dedifferentiate a rat thyroid epithelial cell line in culture. 1992 , 3, 257-267	1
1182	Hematopoietic stem cell gene replacement therapy. 1992 , 1114, 193-207	1
1181	Assay for expression of methotrexate-resistant dihydrofolate reductase activity in the presence of drug-sensitive enzyme. 1992 , 28, 167-73	2
1180	Recombinant DNA approaches for the development of metabolic systems used in in vitro toxicology. 1992 , 277, 251-75	40
1179	Retroviral pseudotypes produced by rescue of a Moloney murine leukemia virus vector by C-type, but not D-type, retroviruses. 1992 , 186, 792-4	48
1178	An amino-terminal fragment of SV40 T antigen transforms REF52 cells. 1992 , 191, 439-42	16
1177	Regulation of the efficiency and thermodependence of murine sarcoma virus MuSVts110 RNA splicing by sequences in both exons. 1992 , 191, 638-48	3
1176	Studies on compartmentation and turnover of murine retrovirus envelope proteins. 1992 , 188, 477-85	11
1175	RNA packaging signal of human immunodeficiency virus type 1. 1992 , 188, 590-9	119
1174	Retroviral envelope protein fusions to secreted and membrane markers. 1992 , 188, 869-74	5
1173	Identification of a generalised packaging sequence for D-type retroviruses and generation of a D-type retroviral vector. 1992 , 189, 786-91	26
1172	Rat cellular mutants for expression of mRNA from the long terminal repeat of murine retrovirus. 1992 , 189, 141-9	1
1171	Inhibition of replication of HIV-1 by retroviral vectors expressing tat-antisense and anti-tat ribozyme RNA. 1992 , 190, 176-83	112

1170	Human gene therapy: present and future. 1992 , 21, 83-93	12
1169	Safety aspects of gene therapy. 1992 , 80, 421-6	42
1168	Fixation of mammalian cells for flow cytometric evaluation of DNA content and nuclear immunofluorescence. 1992 , 13, 48-59	79
1167	Streptavidin-based quantitative staining of intracellular antigens for flow cytometric analysis. 1992 , 13, 711-21	15
1166	Investigation of the mutagenic specificity of X-rays using a retroviral shuttle vector in CHO cells. 1992 , 20, 271-6	11
1165	Regulation of natural antibody binding and susceptibility to natural killer cells through Zn(++)-inducible ras oncogene expression. 1992 , 50, 423-30	9
1164	Gene therapy of malignant brain tumors: a rat glioma line bearing the herpes simplex virus type 1-thymidine kinase gene and wild type retrovirus kills other tumor cells. 1992 , 33, 493-503	148
1163	Flow cytometric titration of retroviral expression vectors: comparison of methods for analysis of immunofluorescence histograms derived from cells expressing low antigen levels. 1993 , 14, 23-31	35
1162	Lines of glial precursor cells immortalised with a temperature-sensitive oncogene give rise to astrocytes and oligodendrocytes following transplantation into demyelinated lesions in the central nervous system. 1993 , 9, 25-40	63
1161	Genetic predisposition and mesenchymal-epithelial interactions in ras+myc-induced carcinogenesis in reconstituted mouse prostate. 1993 , 7, 165-79	49
1160	Selective expression of foreign genes in glioma cells: use of the mouse myelin basic protein gene promoter to direct toxic gene expression. 1993 , 36, 472-9	52
1159	Expression of p210 bcr/abl increases hematopoietic progenitor cell radiosensitivity. 1993 , 26, 831-6	19
1158	Prospects for virus-based gene therapy for cystic fibrosis. 1993 , 25, 37-42	33
1157	Stable expression of antibiotic resistance genes using a promoter fragment of the U1 snRNA gene. 1993 , 17, 101-14	2
1156	In vivo production and release of acetylcholine from primary fibroblasts genetically modified to express choline acetyltransferase. 1993 , 61, 1323-32	47
1155	Bone marrow transplant for the haemoglobinopathies: past, present and future. 1993 , 6, 299-325	12
1154	Gene transfer in situ and in cells for intracerebral transplantation. 1993 , 5, 453-459	2
1153	Advances in recombinant retroviruses for gene delivery. 1993 , 12, 143-158	22

1152	Granulocyte colony-stimulating factor treatment of mice modulates differently the sensitivity of blood and bone marrow hematopoietic progenitors to retroviral vector infection. 1993 , 11 Suppl 1, 46-50	
1151	Genomic rearrangements of retroviral vectors carrying two genes in F9 EC cells. 1993 , 7, 53-65	2
1150	Evaluation of human carcinoembryonic-antigen (CEA)-transduced and non-transduced murine tumors as potential targets for anti-CEA therapies. 1993 , 36, 65-75	19
1149	Circumvention of chemotherapy-induced myelosuppression by transfer of the mdr1 gene. 1993 , 6, 291-302	19
1148	Human genetic therapy. 1993 , 14, 451-546	6
1147	Inhibition of the Moloney murine leukemia virus cycle at a post reverse transcriptional step by the netropsin-intercalating hybrid molecule netropsin-oxazolopyridocarbazole. 1993 , 45, 93-9	12
1146	Establishment and neurite outgrowth properties of neonatal and adult rat olfactory bulb glial cell lines. 1993 , 619, 199-213	82
1145	Constitutive interferon expression from retroviral vector. 1993 , 22, 215-21	
1144	Production of transgenic mice. 1993 , 225, 747-71	76
1143	Increased viral titer through concentration of viral harvests from retroviral packaging lines. 1993 , 4, 609-15	77
1142	Targeting of retroviral vectors for gene therapy. 1993 , 4, 129-41	123
1141	Development of methods for somatic cell gene therapy directed against viral diseases, using retroviral vectors carrying the murine or human interferon-beta coding sequence: establishment of the antiviral state in human cells. 1993 , 4, 567-77	12
1140	Use of retroviral vectors for gene transfer and expression. 1993 , 217, 581-99	324
1139	Herpesviruses: expression of genes in postmitotic brain cells. 1993 , 3, 81-5	30
1138	Retrovirus-mediated gene transfer of transthyretin and transthyretin-methionine 30: a potential tool for the study of amyloidogenesis. 1993 , 3, 275-82	1
1137	Deletion of the beta-turn/alpha-helix motif at the exon 2/3 boundary of human c-Myc leads to the loss of its immortalizing function. 1993 , 131, 269-74	3
1136	Fate and behavior of genetically labeled cerebellar cells after transplantation into mouse cerebellum. 1993 , 17, 257-63	4
1135	Gene therapy for the treatment of hepatoma by retroviral-mediated gene transfer of the herpes simplex virus thymidine kinase. 1993 , 1, 253-259	19

1134	Expression of the non-structural proteins of parvovirus MVMP from recombinant retroviruses: predominant role of the parvoviral NS-1 product in host cell disturbance. 1993 , 144, 465-70		1
1133	Retroviral-mediated gene transfer of the porcine choline acetyltransferase: a model to study the synthesis and secretion of acetylcholine in mammalian cells. 1993 , 22, 511-6		3
1132	Expression of human immunodeficiency virus type 1 Nef antigen on the surface of acutely and persistently infected human T cells. 1993 , 11, 1240-6		28
1131	Spontaneous dimerization of retroviral MoMuLV RNA. 1993 , 75, 681-6		12
1130	The acute promyelocytic leukemia-specific PML-RAR alpha fusion protein inhibits differentiation and promotes survival of myeloid precursor cells. <i>Cell</i> , 1993 , 74, 423-31	56.2	518
1129	Allocation of mouse cerebellar granule cells derived from embryonic ventricular progenitors--a study using a recombinant retrovirus. 1993 , 74, 245-52		5
1128	Gene transfer into bovine cells and embryos using replication-defective retroviral vectors encapsidated with xenotropic murine leukemia virus envelopes. 1993 , 4, 53-69		3
1127	Anti-oncogenic and oncogenic potentials of interferon regulatory factors-1 and -2. <i>Science</i> , 1993 , 259, 971-4	33.3	415
1126	Distinct classes of factor-independent mutants can be isolated after retroviral mutagenesis of a human myeloid stem cell line. 1993 , 8, 197-209		70
1125	Stable expression of the wild-type p53 gene in human lung cancer cells after retrovirus-mediated gene transfer. 1993 , 4, 617-24		107
1124	Retroviral mediated expression of human cytochrome P450 2A6 in C3H/10T1/2 cells confers transformability by 4-(methylnitrosamino)-1-(3-pyridyl)-1-butanone (NNK). 1993 , 14, 1421-7		31
1123	Genomic position influences spontaneous mutagenesis of an integrated retroviral vector containing the hprt cDNA as target for mutagenesis. 1993 , 2, 173-82		24
1122	Retroviral vectors displaying functional antibody fragments. 1993 , 21, 1081-5		192
1121	Identification of disease genes and somatic gene therapy: an overview and prospects for the aged. 1993 , 48, B80-5		5
1120	A correlation between dexamethasone inducibility and basal expression levels of retroviral vector proviruses. 1993 , 21, 4777-82		13
1119	Interleukin 2 activates extracellular signal-regulated protein kinase 2. 1993 , 178, 1429-34		39
1118	Conformational analysis of the 5' leader and the gag initiation site of Mo-MuLV RNA and allosteric transitions induced by dimerization. 1993 , 21, 4677-84		51
1117	Construction of an ecotropic retroviral vector expressing human insulin-like growth factor-I. 1993 , 11, 49-57		

1116	Gene transfer of herpes simplex virus type I thymidine kinase gene as a drug sensitivity gene into human lung cancer cell lines using retroviral vectors. 1993 , 8, 655-61		37
1115	Tethering ribozymes to a retroviral packaging signal for destruction of viral RNA. <i>Science</i> , 1993 , 262, 1566-9	33.3	208
1114	Application of LacZ gene fusions to postimplantation development. 1993 , 225, 451-69		71
1113	Toxicity studies of retroviral-mediated gene transfer for the treatment of brain tumors. 1993 , 79, 400-7		88
1112	Expression of human erythropoietin in cultured tobacco cells. 1993 , 57, 1249-52		17
1111	The development and testing of retroviral vectors expressing trans-dominant mutants of HIV-1 proteins to confer anti-HIV-1 resistance. 1993 , 4, 625-34		44
1110	Retroviral vector-mediated transduction of K-ras antisense RNA into human lung cancer cells inhibits expression of the malignant phenotype. 1993 , 4, 451-60		107
1109	An experimental model of retrovirus gene therapy for malignant brain tumors. 1993 , 79, 104-10		116
1108	Expression of tumor necrosis factor by different tumor cell lines results either in tumor suppression or augmented metastasis. 1993 , 178, 355-60		68
1107	Hck tyrosine kinase activity modulates tumor necrosis factor production by murine macrophages. 1993 , 178, 1017-22		108
1106	Complementary tumor induction in neural grafts exposed to N-ethyl-N-nitrosourea and an activated myc gene. 1993 , 14, 1715-8		8
1105	Targeting of the "insulin-responsive" glucose transporter (GLUT4) to the regulated secretory pathway in PC12 cells. 1993 , 122, 579-88		55
1104	p21X mRNA is expressed as a singly spliced pX transcript from defective provirus genomes having a partial deletion of the pol-env region in human T-cell leukemia virus type 1-infected cells. 1993 , 21, 3799-807		14
1103	Progress Toward Human Gene Therapy. 1993 , 270, 2338		35
1102	Retrovirus-mediated insertion of expressed and non-expressed genes at identical chromosomal locations. 1993 , 21, 2399-407		43
1101	Use of multidrug resistance gene in mammalian expression vectors. 1993 , 217, 34-47		5
1100	Insertional mutagenesis by retroviruses and promoter traps in embryonic stem cells. 1993 , 225, 681-701		47
1099	Lineage analysis using retrovirus vectors. 1993 , 225, 933-60		48

1098	Molecular approaches to cancer therapy. 1993 , 61, 57-85		7
1097	High titers of retrovirus (vesicular stomatitis virus) pseudotypes, at last. 1993 , 90, 8759-60		24
1096	Platelet-derived growth factor receptor can mediate tumorigenic transformation by the bovine papillomavirus E5 protein. 1993 , 13, 4137-45		70
1095	The cytoplasmic raf oncogene induces a neuronal phenotype in PC12 cells: a potential role for cellular raf kinases in neuronal growth factor signal transduction. 1993 , 90, 5016-20		162
1094	Expression of transduced tropomyosin 1 cDNA suppresses neoplastic growth of cells transformed by the ras oncogene. 1993 , 90, 7039-43		160
1093	Accelerated tumor development in interferon-treated B6.C-Hyal-1 a mice. 1993 , 90, 5708-12		2
1092	Effector domain mutations dissociate p21ras effector function and GTPase-activating protein interaction. 1993 , 13, 7311-20		25
1091	Overview: Retroviral Vectors for Gene Therapy and Transgenics. 1993 , 3, 223-235		5
1090	The truncation that generated the v-cbl oncogene reveals an ability for nuclear transport, DNA binding and acute transformation.. <i>EMBO Journal</i> , 1993 , 12, 2017-2026	13	92
1089	In vitro dimerization of HIV-2 leader RNA in the absence of PuGGAPuA motifs. 1993 , 7, 181-7		45
1088	Synthetic retrotransposon vectors for gene therapy. 1993 , 7, 971-7		14
1087	A retrovirus carrying the K-fgf oncogene induces diffuse meningeal tumors and soft-tissue fibrosarcomas. 1993 , 13, 1998-2010		14
1086	The Ets-related transcription factor PU.1 immortalizes erythroblasts. 1993 , 13, 5670-8		86
1085	Addition of constitutive c-myc expression to Abelson murine leukemia virus changes the phenotype of the cells transformed by the virus from pre-B-cell lymphomas to plasmacytomas. 1993 , 13, 2578-85		12
1084	Regulation of dopamine production by genetically modified primary fibroblasts. 1993 , 13, 5203-11		78
1083	Conditional immortalization of mouse myelomonocytic, megakaryocytic and mast cell progenitors by the Hox-2.4 homeobox gene.. <i>EMBO Journal</i> , 1993 , 12, 3835-3846	13	83
1082	Somatic Gene Therapy into Hematopoietic Cells. 1993 , 20, 155-168		6
1081	Targeted disruption of the c-fos gene demonstrates c-fos-dependent and -independent pathways for gene expression stimulated by growth factors or oncogenes.. <i>EMBO Journal</i> , 1994 , 13, 3094-3103	13	124

1080	A double hairpin structure is necessary for the efficient encapsidation of spleen necrosis virus retroviral RNA.. <i>EMBO Journal</i> , 1994 , 13, 713-726	13	63
1079	Transformation by myc prevents fusion but not biochemical differentiation of C2C12 myoblasts: mechanisms of phenotypic correction in mixed culture with normal cells. 1994 , 125, 1137-45		46
1078	A Multidisciplinary Approach to Myelin Diseases II. 1994 ,		
1077	bcl-2 gene enables rescue from in vitro myelosuppression (bone marrow cell death) induced by chemotherapy. 1994 , 70, 421-6		18
1076	Overexpression of ha-ras oncogene transforms rodent fibroblasts with low-frequency but not human-diploid fibroblasts. 1994 , 4, 43-7		
1075	Bcl-2 gene prevents induction of apoptosis in l1210 murine leukemia-cells by sn-38, a metabolite of the camptothecin derivative cpt-11. 1994 , 4, 649-54		2
1074	Bcl-2 gene prevents apoptosis in murine acth-secreting adenoma cells induced by bromocriptine. 1994 , 4, 187-91		
1073	Evolutionary conservation of function among mammalian, avian, and viral homologs of the Bcl-2 oncoprotein. 1994 , 13, 679-92		42
1072	Cell movement elicited by epidermal growth factor receptor requires kinase and autophosphorylation but is separable from mitogenesis. 1994 , 124, 547-55		197
1071	Vinculin-deficient PC12 cell lines extend unstable lamellipodia and filopodia and have a reduced rate of neurite outgrowth. 1994 , 127, 1071-84		80
1070	A simple and efficient procedure for generating stable expression libraries by cDNA cloning in a retroviral vector. 1994 , 14, 880-7		78
1069	Suppression of mitogenic activity by stable expression of the regulatory domain of PKC beta. 1994 , 15, 2919-25		13
1068	Approaches to gene transfer in keratinocytes. 1994 , 103, 70S-75S		16
1067	Gene transfer into experimental brain tumors mediated by adenovirus, herpes simplex virus, and retrovirus vectors. 1994 , 5, 183-91		144
1066	Expression of the neomycin-resistance (neo) gene induces alterations in gene expression and metabolism. 1994 , 5, 449-56		105
1065	p53Val135 temperature sensitive mutant suppresses growth of human breast cancer cells. 1994 , 30, 167-77		6
1064	In vitro and in vivo characterisation of glial cells immortalised with a temperature sensitive SV40 T antigen-containing retrovirus. 1994 , 37, 182-96		26
1063	Astrogliosis in culture: III. Effect of recombinant retrovirus expressing antisense glial fibrillary acidic protein RNA. 1994 , 38, 376-85		48

1062	Immortalization of immature and mature mouse astrocytes with SV40 T antigen. 1994 , 39, 47-56		40
1061	Interleukin-3 and Bcl-2 cooperatively inhibit etoposide-induced apoptosis in a murine pre-B cell line. 1994 , 24, 537-41		18
1060	Two-dimensional gel mapping of small GTPases reveals transformation-specific changes during oncogenesis. 1994 , 15, 469-73		9
1059	Gene transfer into hematopoietic progenitor and stem cells: progress and problems. 1994 , 12, 563-76		73
1058	N-nitrosodiethylamine and 4-(methylnitrosamino)-1-(3-pyridyl)-1-butanone induced morphological transformation of C3H/10T1/2CL8 cells expressing human cytochrome P450 2A6. 1994 , 324, 93-102		9
1057	Retrovirus-mediated gene transfer in cancer therapy. 1994 , 63, 323-47		26
1056	Correlation between tumorigenicity and expression levels or splicing patterns of transcripts of the human papillomavirus type 16 E6 gene. 1994 , 85, 357-63		5
1055	Glucokinase expression in rat hepatoma cells induces glucose uptake and is rate limiting in glucose utilization. 1994 , 222, 533-9		41
1054	Expression, cytoskeletal utilization and dimer formation of tropomyosin derived from retroviral-mediated cDNA transfer. Metabolism of tropomyosin from transduced cDNA. 1994 , 224, 1-10		10
1053	Induction of plasmacytomas that secrete monoclonal anti-peptide antibodies by retroviral transformation. 1994 , 168, 123-30		5
1052	Cellular commitment to oncogene-induced transformation or apoptosis is dependent on the transcription factor IRF-1. <i>Cell</i> , 1994 , 77, 829-39	56.2	460
1051	Expression of the integrin alpha 4 beta 1 on melanoma cells can inhibit the invasive stage of metastasis formation. <i>Cell</i> , 1994 , 77, 335-47	56.2	197
1050	Generation of high-titer pseudotyped retroviral vectors with very broad host range. 1994 , 43 Pt A, 99-112		365
1049	Retroviral vectors containing chimeric promoter/enhancer elements exhibit cell-type-specific gene expression. 1994 , 5, 667-77		35
1048	Insertion of the human cytomegalovirus enhancer into a myeloproliferative sarcoma virus long terminal repeat creates a high-expression retroviral vector. 1994 , 144, 237-41		5
1047	Overexpression of protein kinase C beta I in a murine keratinocyte cell line produces effects on cellular growth, morphology and differentiation. 1994 , 83, 249-59		11
1046	Retinal ganglion cell survival is promoted by genetically modified astrocytes designed to secrete brain-derived neurotrophic factor (BDNF). 1994 , 647, 30-6		59
1045	Tissue-specific targeting of retroviral vectors through ligand-receptor interactions. <i>Science</i> , 1994 , 266, 1373-6	33.3	391

1044	Characterization of a replication-competent retrovirus resulting from recombination of packaging and vector sequences. 1994 , 5, 567-75		119
1043	Human CYP2A6 activation of 4-(methylnitrosamino)-1-(3-pyridyl)-1-butanone (NNK): mutational specificity in the gpt gene of AS52 cells. 1994 , 15, 2859-66		44
1042	ADENO-ASSOCIATED VIRUS-BASED VECTORS FOR HUMAN GENE THERAPY. 1994 , 232-271		3
1041	Therapeutic implications of delivery and expression of foreign genes in hepatocytes. 1994 , 28, 169-92		3
1040	Approaches to Gene Transfer in Keratinocytes. 1994 , 103, S70-S75		19
1039	Comparison of DNA methylation patterns among mouse cell lines by restriction landmark genomic scanning. 1994 , 14, 7421-7		43
1038	Murine pluripotent hematopoietic progenitors constitutively expressing a normal erythropoietin receptor proliferate in response to erythropoietin without preferential erythroid cell differentiation. 1994 , 14, 4834-42		40
1037	Inhibition of HIV-1 multiplication in a human CD4+ lymphocytic cell line expressing antisense and sense RNA molecules containing HIV-1 packaging signal and Rev response element(s). 1994 , 4, 19-26		29
1036	Suppression of heat-induced hsp70 expression by the 70-kDa subunit of the human Ku autoantigen. 1995 , 92, 4512-6		54
1035	Lineage analysis using retrovirus vectors. 1995 , 254, 387-419		38
1034	Gene transfer as cancer therapy. 1995 , 58, 417-54		109
1033	[18] Polymerase chain reaction-based techniques for utilizing retroviruses as cell lineage markers. 1995 , 7, 280-295		2
1032	Retroviral-mediated gene transfer of the peripheral myelin protein PMP22 in Schwann cells: modulation of cell growth.. <i>EMBO Journal</i> , 1995 , 14, 1122-1128	13	131
1031	Generation of targeted retroviral vectors by using single-chain variable fragment: an approach to in vivo gene delivery. 1995 , 92, 7570-4		184
1030	Effects of retroviral vector design on expression of human adenosine deaminase in murine bone marrow transplant recipients engrafted with genetically modified cells. 1995 , 92, 6733-7		308
1029	Resistance to human immunodeficiency virus type 1 infection conferred by transduction of human peripheral blood lymphocytes with ribozyme, antisense, or polymeric trans-activation response element constructs. 1995 , 92, 7272-6		66
1028	Allocation of epiblast cells to germ layer derivatives during mouse gastrulation as studied with a retroviral vector. 1995 , 17, 29-37		9
1027	Bystander effect caused by suicide gene expression indicates the feasibility of gene therapy for hepatocellular carcinoma. 1995 , 22, 1838-1846		69

1026	Stable overexpression of human HSF-1 in murine cells suggests activation rather than expression of HSF-1 to be the key regulatory step in the heat shock gene expression. 1995 , 59, 266-80	15	
1025	Influence of tyrosine residues Y705 and Y807 on the transforming potency of the v-fms oncogene product of feline sarcoma virus. 1995 , 140, 179-86	5	
1024	Growth inhibition of human glioma cells modulated by retrovirus gene transfection with antisense IL-8. 1995 , 25, 59-65	26	
1023	Highly efficient establishment of immortalized cells from adult human liver. 1995 , 17, 83-89	13	
1022	MDR gene transfer into live mice. 1995 , 73, 189-95	2	
1021	Retroviral transfer of HSV1-TK gene into human lung cancer cell line. 1995 , 73, 107-12	8	
1020	Amplified and tissue-directed expression of retroviral vectors using ping-pong techniques. 1995 , 73, 113-20	10	
1019	A defective HIV-1 vector for gene transfer to human lymphocytes. 1995 , 73, 279-88	9	
1018	Ribosomal frameshifting in yeast viruses. 1995 , 11, 1115-27	61	
1017	Tissue-specific targeting of retroviral vectors via ligand-receptor interactions. 1995 , 17, 227-234	3	
1016	Bacterial cytosine deaminase suicide gene transduction renders hepatocellular carcinoma sensitive to the prodrug 5-fluorocytosine. 1995 , 4, 72-79	12	
1015	Gene therapy for hepatocellular carcinoma: augmentation of thymidine kinase gene/ganciclovir system using chemical modulators of nuclear proteins. 1995 , 4, 223-231	1	
1014	A new retroviral vector for detecting mutations and chromosomal instability in mammalian cells. 1995 , 334, 375-83	9	
1013	Prospects for using retroviral vectors for human gene therapy. 1995 , 1, 14-18		
1012	Point mutations within a dimer interface homology domain of c-Mpl induce constitutive receptor activity and tumorigenicity.. <i>EMBO Journal</i> , 1995 , 14, 5569-5578	13	125
1011	Activating point mutations in the common beta subunit of the human GM-CSF, IL-3 and IL-5 receptors suggest the involvement of beta subunit dimerization and cell type-specific molecules in signalling.. <i>EMBO Journal</i> , 1995 , 14, 4276-4287	13	71
1010	Use of Retroviral Vectors for Gene Transfer and Expression. 1995 , 513-530		
1009	Cellular Gene Therapy. 1995 , 9, 91-114	6	

1008	Gene delivery to the nervous system using retroviral vectors. 1995 , 149-180		3
1007	RevM10-mediated inhibition of HIV-1 replication in chronically infected T cells. 1995 , 6, 625-34		41
1006	Retrovirus-mediated transduction of an engineered intron-containing purine nucleoside phosphorylase gene. 1995 , 6, 611-23		19
1005	In-vivo and in-vitro analysis of retroviral vectors carrying the N-ras oncogene. 1995 , 7, 443-51		1
1004	Induction of homologous recombination in mammalian chromosomes by using the I-SceI system of <i>Saccharomyces cerevisiae</i> . 1995 , 15, 1968-73		390
1003	Advances in cancer gene therapy. 1995 , 32, 289-341		20
1002	RACH2, a novel human gene that complements a fission yeast cell cycle checkpoint mutation. 1995 , 6, 1411-21		17
1001	Involvement of SH2-containing phosphotyrosine phosphatase Syp in erythropoietin receptor signal transduction pathways. 1995 , 270, 5631-5		127
1000	A short autocomplementary sequence in the 5' leader region is responsible for dimerization of MoMuLV genomic RNA. 1995 , 34, 9785-94		65
999	A NIH/3T3 cell line stably expressing human cytochrome P450-3A4 used in combination with a lacZ' shuttle vector to study mutagenicity. 1995 , 293, 47-53		16
998	Selective loss of H-2Ds antigen on a murine B lymphoma due to a post-transcriptional block in expression. <i>Molecular Immunology</i> , 1995 , 32, 1011-20	4-3	1
997	Gene therapy of hepatoma: bystander effects and non-apoptotic cell death induced by thymidine kinase and ganciclovir. 1995 , 96, 105-10		47
996	The thymidine kinase/ganciclovir-mediated "suicide" effect is variable in different tumor cells. 1995 , 6, 1525-30		69
995	Human immunodeficiency virus type 2 (HIV-2): packaging signal and associated negative regulatory element. 1995 , 6, 177-84		33
994	Autologous bone marrow transplantation. 1995 , 32, 67-119		
993	Gene therapy vectors as drug delivery systems. 1995 , 28, 181-9		24
992	T lymphocyte-directed gene therapy for ADA- SCID: initial trial results after 4 years. <i>Science</i> , 1995 , 270, 475-80	33-3	1121
991	Bystander effect caused by suicide gene expression indicates the feasibility of gene therapy for hepatocellular carcinoma*1. 1995 , 22, 1838-1846		

990	Therapeutic potential of retroviral vectors. 1996 , 17, 7-14	10
989	Overview of the retrovirus transduction system. 2001 , Chapter 9, Unit9.9	13
988	Gene therapy. 1996 , 33, 961-1041	9
987	Scaffold/matrix-attached regions act upon transcription in a context-dependent manner. 1996 , 35, 11160-9	93
986	Cloning and Characterization of Rat Ku70: Involvement of Ku Autoantigen in the Heat-Shock Response. 1996 , 146, 603	10
985	A model of PSI dimerization: destabilization of the C278-G303 stem-loop by the nucleocapsid protein (NCp10) of MoMuLV. 1996 , 35, 8705-14	29
984	Anatomy of highly expressing chromosomal sites targeted by retroviral vectors. 1996 , 35, 2239-52	57
983	Simplified plasmid rescue of host sequences adjacent to integrated proviruses. 1996 , 168, 199-203	2
982	Construction of adenoviral and retroviral vectors coexpressing the genes encoding the hepatitis B surface antigen and B7-1 protein. 1996 , 175, 121-5	14
981	Controlled overexpression of selected domains of the P85 subunit of phosphatidylinositol 3-kinase reverts v-Ha-Ras transformation. 1996 , 1312, 207-14	6
980	Human superoxide dismutase cDNA transfection and its in vitro effect on cold preservation. 1996 , 218, 653-7	15
979	Episomal vectors rapidly and stably produce high-titer recombinant retrovirus. 1996 , 7, 1405-13	660
978	Gene transfer on its long path to therapeutic application. 1996 , 74, 167-9	
977	Development of retroviral vectors as safe, targeted gene delivery systems. 1996 , 74, 171-82	29
976	Dimerization of retroviral genomic RNAs: structural and functional implications. 1996 , 78, 639-53	123
975	THE USE OF GENE THERAPY FOR IMMUNODEFICIENCY DISEASE. 1996 , 16, 683-726	1
974	Morphogenesis and Maturation of Retroviruses. 1996 ,	9
973	Generation of high-titer, helper-free retroviruses by transient transfection. 1997 , 7, 41-57	20

972	Ras is involved in gap junction closure in proliferating fibroblasts or preadipocytes but not in differentiated adipocytes. 1996 , 15, 443-51		22
971	Retrovirus-mediated gene transfer into salivary glands in vivo. 1996 , 7, 613-8		37
970	Comparative analysis of five highly conserved target sites within the HIV-1 RNA for their susceptibility to hammerhead ribozyme-mediated cleavage in vitro and in vivo. 1996 , 6, 229-35		20
969	Restoration of normal conduction properties in demyelinated spinal cord axons in the adult rat by transplantation of exogenous Schwann cells. 1996 , 16, 3199-208		219
968	Transcriptional Silencing of Retroviral Vectors. 1996 , 3, 365-378		
967	DNA Polymerases. 1996 , 345-489		4
966	Costimulatory protein B7-1 enhances the cytotoxic T cell response and antibody response to hepatitis B surface antigen. 1996 , 93, 7274-8		20
965	Bcl-2 mutants with restricted subcellular location reveal spatially distinct pathways for apoptosis in different cell types.. <i>EMBO Journal</i> , 1996 , 15, 4130-4141	13	252
964	Requirement for c-Src catalytic activity and the SH3 domain in platelet-derived growth factor BB and epidermal growth factor mitogenic signaling. 1996 , 271, 16798-806		107
963	Production of infectious recombinant Moloney murine leukemia virus particles in BHK cells using Semliki Forest virus-derived RNA expression vectors. 1996 , 93, 11658-63		48
962	Production of retroviral vectors. 2001 , Chapter 12, Unit 12.5		1
961	Ras induces anchorage-independent growth by subverting multiple adhesion-regulated cell cycle events. 1996 , 16, 3370-80		85
960	Modulation of thermal induction of hsp70 expression by Ku autoantigen or its individual subunits. 1996 , 16, 3799-806		44
959	A stable human-derived packaging cell line for production of high titer retrovirus/vesicular stomatitis virus G pseudotypes. 1996 , 93, 11400-6		815
958	Manipulating DNA: from Cloning to Knockouts. 1996 , 2, 27-57		1
957	Autonomous parvovirus and densovirus gene vectors. 1996 , 47, 303-51		22
956	Transcriptional Silencing of Retroviral Vectors. 1996 , 3, 365-378		37
955	Retroviral vectors. From laboratory tools to molecular medicine. 1996 , 5, 139-58		49

954	Development of intestinal cell culture models for drug transport and metabolism studies. 1996 , 22, 3-52	51
953	Rapid generation and flow cytometric analysis of stable GFP-expressing cells. 1996 , 25, 211-20	41
952	Isolation of vascular smooth muscle cell cultures with altered responsiveness to the antiproliferative effect of heparin. 1996 , 167, 185-95	11
951	ras effector loop mutations that dissociate p120GAP and neurofibromin interactions. 1996 , 15, 64-9	3
950	Human somatic cell gene therapy. 1996 , 18, 999-1007	35
949	Complementation cell lines for viral vectors to be used in gene therapy. 1995 , 19, 43-54	1
948	Interacting residues in the extracellular region of the common beta subunit of the human granulocyte-macrophage colony-stimulating factor, interleukin (IL)-3, and IL-5 receptors involved in constitutive activation. 1996 , 271, 29707-14	39
947	Recombinant DNA technology: a 20-year occupational health retrospective. 1996 , 11, 149-65	5
946	Virus mutants. 1996 , 231-249	0
945	Transplantation of retroviral producer cells for in vivo gene transfer into mouse skeletal muscle. 1996 , 7, 595-602	22
944	The epidermal growth factor receptor couples transforming growth factor-alpha, heparin-binding epidermal growth factor-like factor, and amphiregulin to Neu, ErbB-3, and ErbB-4. 1996 , 271, 20047-52	127
943	Gene Therapy Protocols. 1996 ,	1
942	Human lung carcinoma cells engineered to release IL2, IL7, GM-CSF and TNF alpha. 1996 , 8, 765-72	1
941	Regulation of p185 expression in B104-1 cells transfected with antisense neu retrovirus vectors. 1996 , 9, 1259	
940	Gene therapy approaches for inherited and acquired lung diseases. 1996 , 14, 1-18	81
939	On the use of double FLP recognition targets (FRTs) in the LTR of retroviruses for the construction of high producer cell lines. 1996 , 24, 1616-24	35
938	Methods for the construction of retroviral vectors and the generation of high-titer producers. 1997 , 7, 59-78	13
937	Targeted killing of migrating glioma cells by injection of HTK-modified glioma cells. 1997 , 8, 381-91	25

936	Retrovirus-mediated gene transfer into rat salivary gland cells in vitro and in vivo. 1997 , 45, 1533-45	12
935	Autophosphorylation of activation loop tyrosines regulates signaling by the TRK nerve growth factor receptor. 1997 , 272, 10957-67	108
934	Co-packaging of non-vector RNAs generates replication-defective retroviral vector particles: a novel approach for blocking retrovirus replication. 1997 , 25, 3199-203	5
933	1.3 Vectors for Gene Transfer and Expression in Animal Cells.	
932	Cell Biology and Pathology of Myelin. 1997 ,	3
931	Overexpression of the human c-erbB (EGF receptor) protooncogene fails to alter the lifespan or promote tumourigenic growth of normal and SV40-transformed human fibroblasts. 1997 , 11, 1071-80	1
930	Regression of experimental brain tumors with 6-thioxanthine and Escherichia coli gpt gene therapy. 1997 , 8, 2043-55	21
929	Development and characterization of cationic liposomes conjugated with HVJ (Sendai virus): reciprocal effect of cationic lipid for in vitro and in vivo gene transfer. 1997 , 8, 2133-41	131
928	Modification of CD43 and other lymphocyte O-glycoproteins by core 2 N-acetylglucosaminyltransferase. 1997 , 7, 129-36	33
927	Transgenic Technology and Laboratory Animal Science. 1997 , 38, 32-41	7
926	Mammalian Cell Biotechnology in Protein Production. 1997 ,	14
925	Ras-independent transformation by v-Src. 1997 , 94, 3028-33	47
924	A novel transcript encoding an N-terminally truncated AML1/PEBP2 alphaB protein interferes with transactivation and blocks granulocytic differentiation of 32Dcl3 myeloid cells. 1997 , 17, 4133-45	69
923	The Myc negative autoregulation mechanism requires Myc-Max association and involves the c-myc P2 minimal promoter. 1997 , 17, 100-14	95
922	Amphotropic murine leukemia viruses induce spongiform encephalomyelopathy. 1997 , 94, 5837-42	28
921	Gene therapy of Duchenne muscular dystrophy. 1997 , 35, 117-53	6
920	Lineage analysis using retroviral vectors. 1998 , 36, 51-74	31
919	Genetic therapy. Past, present, and future. 1997 , 44, 153-78	13

918	Helper virus-free herpes simplex virus-1 plasmid vectors for gene therapy of Parkinson's disease and other neurological disorders. 1997 , 144, 98-102	18
917	Considerations for the clinical development of cytokine gene-transduced tumor cell vaccines. 1997 , 12, 143-53	36
916	Proviral insertions induce the expression of bone-specific isoforms of PEBP2alphaA (CBFA1): evidence for a new myc collaborating oncogene. 1997 , 94, 8646-51	198
915	Ectopic Expression of the Erythropoietin Receptor in a Murine Interleukin-6-Dependent Plasmacytoma Cell Line (TEPC-2027) Confers Proliferative Responsiveness to Erythropoietin. 1997 , 89, 435-445	5
914	Expression of Activated Mutants of the Human Interleukin-3/Interleukin-5/Granulocyte-Macrophage Colony-Stimulating Factor Receptor Common β Subunit in Primary Hematopoietic Cells Induces Factor-Independent Proliferation and Differentiation. 1997 , 90, 1471-1481	27
913	Involvement of Transcription Factor Encoded by the Mouse mi Locus (MITF) in Expression of p75 Receptor of Nerve Growth Factor in Cultured Mast Cells of Mice. 1997 , 90, 2601-2608	38
912	Abnormal Expression of Mouse Mast Cell Protease 5 Gene in Cultured Mast Cells Derived From Mutant mi/mi Mice. 1997 , 90, 3057-3066	76
911	An ex vivo keratinocyte model for gene therapy of hemophilia B. 1997 , 109, 139-45	37
910	Retroviral transduction of murine epidermal stem cells demonstrates clonal units of epidermal structure. 1997 , 109, 377-83	105
909	Inhibition of HIV-1 replication by retroviral vectors expressing monomeric and multimeric hammerhead ribozymes. 1997 , 4, 861-7	21
908	The PDGF receptor phosphorylates Tyr 138 in the c-Src SH3 domain in vivo reducing peptide ligand binding. 1997 , 14, 17-34	45
907	Therapy of malignant brain tumors by intratumoral implantation of retroviral vector-producing cells. 1997 , 3, 1354-61	591
906	pp60c-src is required for the induction of a quiescent mesangial cell phenotype. 1997 , 51, 110-8	6
905	Hyperosmolality suppresses but TGF beta 1 increases MMP9 in human peritoneal mesothelial cells. 1997 , 51, 337-47	59
904	Retrovirus vectors displaying the IgG-binding domain of protein A. 1997 , 62, 123-7	14
903	Identification of sites that act together to direct dimerization of human foamy virus RNA in vitro. 1997 , 229, 251-8	27
902	R7, a spontaneous mutant of Moloney murine sarcoma virus 124 with three direct repeats and an in-frame truncated gag-mos gene, induces brain lesions. 1997 , 236, 213-8	3
901	Effects of an internal transcription unit and its orientation on retrovirus titre and expression. 1997 , 24, 31-8	1

900	Gene therapy for Parkinson's disease. 1997 , 15, 241-56	35
899	Influence of elevated expression of rat wild-type PMP22 and its mutant PMP22Trembler on cell growth of NIH3T3 fibroblasts. 1997 , 287, 459-70	51
898	Stable expression of CD1a molecule in human epithelial cell lines shows temperature-dependent expression and affects cell morphology and growth. 1997 , 289, 352-9	2
897	Excision of an integrated provirus by the action of FLP recombinase. 1997 , 33, 825-30	5
896	Induction of murine CD5 expression by v-H-ras. 1997 , 90, 30-7	5
895	Partial isolation from intact cells of a cell surface-exposed lysophosphatidylinositol-phospholipase C. 1997 , 65, 550-64	6
894	Retroviral gene therapy in hematopoietic diseases. 1997 , 12, 187-93	3
893	Differential effects of p53 mutants on the growth of human bronchial epithelial cells. 1997 , 19, 191-203	5
892	Release of replication-deficient retroviruses from a packaging cell line: interaction with glioma tumor spheroids in vitro. 1997 , 71, 874-80	11
891	Multipotential and lineage restricted precursors coexist in the mammalian perinatal subventricular zone. 1997 , 48, 83-94	150
890	Differential behavior of the Mo + PyF101 enhancer variant of Moloney murine leukemia virus in rats and mice. 1998 , 242, 60-7	2
889	Mutational analysis of stem-loops in the RNA packaging signal of the Moloney murine leukemia virus. 1998 , 244, 133-45	41
888	Retroviral gene transfer to the liver in vivo during tri-iodothyronine induced hyperplasia. 1998 , 5, 552-5	28
887	V-myc in a simple, single gene retroviral vector causes rapid induction of leukemia and concomitant apoptosis following bone marrow transplantation. 1998 , 12, 542-53	8
886	The desmoplastic small round cell tumor t(11;22) translocation produces EWS/WT1 isoforms with differing oncogenic properties. 1998 , 16, 1973-9	60
885	p21(WAF1/Cip1) retards the growth of human squamous cell carcinomas in vivo. 1998 , 34, 211-8	28
884	Cell cycle analysis of retroviral vector gene expression during early infection. 1998 , 31, 235-241	4
883	Interaction between endothelial cells and the secreted cytokine drives the fate of an IL4- or an IL5-transduced tumour. 1998 , 186, 390-7	11

882	In vivo overexpression of Core2 N-acetylglucosaminyltransferase prevents repopulation of the bone marrow with colony forming cells but fails to affect normal T cell development. 1998 , 176, 350-8	1
881	Dispensability of p53 degradation for tumorigenicity and decreased serum requirement of human papillomavirus type 16 E6. 1998 , 21, 215-222	14
880	Preparation of brain-derived neurotrophic factor- and neurotrophin-3-secreting Schwann cells by infection with a retroviral vector. 1998 , 10, 143-60	25
879	Molecular phylogeny of Fv1. 1998 , 9, 1049-55	38
878	Expression vectors and delivery systems. 1998 , 9, 447-50	48
877	Normal human melanocytes that express a bFGF transgene still require exogenous bFGF for growth in vitro. 1998 , 110, 793-9	12
876	Role of the transmembrane sequence of spleen focus-forming virus gp55 in erythroleukemogenesis. 1998 , 252, 46-53	13
875	Retargeting of retroviral integration sites for the predictable expression of transgenes and the analysis of cis-acting sequences. 1998 , 37, 11907-14	24
874	Dimerization of MoMuLV genomic RNA: redefinition of the role of the palindromic stem-loop H1 (278-303) and new roles for stem-loops H2 (310-352) and H3 (355-374). 1998 , 37, 6077-85	49
873	Cre-loxP-mediated DNA flip-flop in mammalian cells leading to alternate expression of retrovirally transduced genes. 1998 , 248, 806-11	6
872	S- and G2-phase cell cycle arrests and apoptosis induced by ganciclovir in murine melanoma cells transduced with herpes simplex virus thymidine kinase. 1998 , 241, 66-75	74
871	Lineage analysis using retroviral vectors. 1998 , 14, 393-406	43
870	Co-packaging of sense and antisense RNAs: a novel strategy for blocking HIV-1 replication. 1998 , 26, 3270-8	12
869	Insertion of Two Independent Enhancers in the Long Terminal Repeat of a Self-Inactivating Vector Results in High-Titer Retroviral Vectors with Tissue-Specific Expression. 1998 , 9, 2459-2468	1
868	Preclinical characterization of an anti-tat ribozyme for therapeutic application. 1998 , 9, 1283-91	41
867	A retroviral vector that directs simultaneous expression of alpha and beta T cell receptor genes. 1998 , 9, 2299-304	11
866	Retroviral-mediated expression of an MHC class I-restricted T cell receptor in the CD8 T cell compartment of bone marrow-reconstituted mice. 1998 , 9, 2285-97	6
865	Improvement of retroviral packaging cell lines by introducing the polyomavirus early region. 1998 , 9, 161-72	52

864	Insertion of two independent enhancers in the long terminal repeat of a self-inactivating vector results in high-titer retroviral vectors with tissue-specific expression. 1998 , 9, 2459-68	9
863	Gene therapy for liver disease. 1998 , 16, 23-37	7
862	Gene therapy for inherited neurological disorders: towards therapeutic intervention in the Lesch-Nyhan syndrome. 1998 , 117, 485-501	7
861	Chapter 23 Retroviral vectors. 1998 , 381-391	
860	Effective inhibition of influenza virus production in cultured cells by external guide sequences and ribonuclease P. 1998 , 95, 7327-32	91
859	Gene Therapy and Pancreatic Cancer. 1998 , 7, 217-249	9
858	Supramolecular organization of immature and mature murine leukemia virus revealed by electron cryo-microscopy: implications for retroviral assembly mechanisms. 1998 , 95, 7299-304	156
857	DNA Cross-Linker-Induced G2/M Arrest in Group C Fanconi Anemia Lymphoblasts Reflects Normal Checkpoint Function. 1998 , 91, 275-287	59
856	Negative regulation of granulocytic differentiation in the myeloid precursor cell line 32Dcl3 by ear-2, a mammalian homolog of Drosophila seven-up, and a chimeric leukemogenic gene, AML1/ETO. 1998 , 95, 1812-7	79
855	The Design, Production, and Validation of an Anti-HIV Type 1 Ribozyme. 1998 , 51-64	
854	Functional testing of a bicistronic retroviral vector for intracellular peptide production. 1999 , 26, 1032-4, 1036	6
853	Transplants of fibroblasts genetically modified to express BDNF promote regeneration of adult rat rubrospinal axons and recovery of forelimb function. 1999 , 19, 4370-87	437
852	An intact TAR element and cytoplasmic localization are necessary for efficient packaging of human immunodeficiency virus type 1 genomic RNA. 1999 , 73, 4127-35	67
851	Deficient Transcription of Mouse Mast Cell Protease 4 Gene in Mutant Mice of mi/mi Genotype. 1999 , 93, 1942-1950	46
850	Intranuclear localization of human papillomavirus 16 E7 during transformation and preferential binding of E7 to the Rb family member p130. 1999 , 96, 6999-7004	49
849	Design, characterization and testing of tRNA ^{3Lys} -based hammerhead ribozymes. 1999 , 27, 1698-708	8
848	A cell type-specific constitutive point mutant of the common beta-subunit of the human granulocyte-macrophage colony-stimulating factor (GM-CSF), interleukin (IL)-3, and IL-5 receptors requires the GM-CSF receptor alpha-subunit for activation. 1999 , 274, 8669-77	18
847	Retroviral gene therapy in ApoE-deficient mice: ApoE expression in the artery wall reduces early foam cell lesion formation. 1999 , 99, 2571-6	99

846	The role of the membrane-spanning domain sequence in glycoprotein-mediated membrane fusion. 1999 , 10, 2803-15	50
845	RET: a poly A-trap retrovirus vector for reversible disruption and expression monitoring of genes in living cells. 1999 , 27, e35	61
844	A marker study of therapeutically transduced CD4+ peripheral blood lymphocytes in HIV discordant identical twins. 1999 , 10, 1401-21	20
843	Regulated expression of HIV-1 Rev function in mammalian cell lines. 1999 , 45, 480-490	6
842	Stable alphavirus packaging cell lines for Sindbis virus and Semliki Forest virus-derived vectors. 1999 , 96, 4598-603	130
841	High expression of human 15-lipoxygenase induces NF-kappaB-mediated expression of vascular cell adhesion molecule 1, intercellular adhesion molecule 1, and T-cell adhesion on human endothelial cells. 1999 , 1, 83-96	19
840	Genetic regulatory elements introduced into neural stem and progenitor cell populations. 1999 , 9, 547-67	8
839	Antitumor effects of interleukin-2 gene-modified fibroblasts in an orthotopic colon cancer model. 1999 , 90, 1000-6	8
838	Cell specific transformation by c-fms activating loop mutations is attributable to constitutive receptor degradation. 1999 , 18, 3076-84	26
837	Suppression of anchorage-independent growth of human cancer cell lines by the drs gene. 1999 , 18, 4777-87	28
836	Isoforms of c-KIT differ in activation of signalling pathways and transformation of NIH3T3 fibroblasts. 1999 , 18, 5573-81	81
835	Myeloproliferative disorder and leukaemia in mice induced by different classes of constitutive mutants of the human IL-3/IL-5/GM-CSF receptor common beta subunit. 1999 , 18, 7190-9	16
834	HGF/SF and its receptor c-MET play a minor role in the dissemination of human B-lymphoma cells in SCID mice. 1999 , 81, 43-53	8
833	Suppression of TGF-beta1 in human gliomas by retroviral gene transfection enhances susceptibility to LAK cells. 1999 , 43, 27-34	19
832	To fuse or not to fuse: the effects of electrostatic interactions, hydrophobic forces, and structural amphiphilicity on protein-mediated membrane destabilization. 1999 , 38, 257-277	35
831	Large-scale manufacturing of safe and efficient retrovirus packaging lines for use in immunotherapy protocols. 1999 , 1, 195-209	27
830	Chromosomal and extrachromosomal instability of the cyclin D2 gene is induced by Myc overexpression. 1999 , 1, 241-52	37
829	Targeting retroviral vectors to CD34-expressing cells: binding to CD34 does not catalyze virus-cell fusion. 1999 , 10, 545-57	59

828	Expression of major histocompatibility complex antigens in squamous cell carcinomas of the head and neck: effects of interferon gene transfer. 1999 , 120, 665-71	6
827	Intraspinal delivery of neurotrophin-3 using neural stem cells genetically modified by recombinant retrovirus. 1999 , 158, 9-26	101
826	An additional dimer linkage structure in Moloney murine leukemia virus RNA. 1999 , 291, 603-13	39
825	Microphthalmia-associated transcription factor interacts with PU.1 and c-Fos: determination of their subcellular localization. 1999 , 254, 384-7	31
824	Transgene expression in zebrafish: A comparison of retroviral-vector and DNA-injection approaches. 1999 , 213, 207-16	82
823	Retroviral expression of green fluorescent protein. 1999 , 302, 329-41	2
822	Chapter 3.2.1 Gene transfer and therapy in the CNS. 1999 , 13, 379-395	
821	c-Myc regulates cyclin D-Cdk4 and -Cdk6 activity but affects cell cycle progression at multiple independent points. 1999 , 19, 4672-83	261
820	Lineage analysis with retroviral vectors. 2000 , 327, 118-45	20
819	Involvement of mi-transcription factor in expression of alpha-melanocyte-stimulating hormone receptor in cultured mast cells of mice. 2000 , 164, 855-60	53
818	Efficient generation of stable pheochromocytoma (PC12) cell lines using a recombinant retrovirus (LNC). 2001 , 169, 135-47	2
817	Progress with retroviral gene vectors. 2000 , 10, 185-202	59
816	Lentiviral vectors: excellent tools for experimental gene transfer and promising candidates for gene therapy. 2000 , 2, 308-16	285
815	Suicide genes: past, present and future perspectives. 2000 , 21, 48-54	59
814	Interleukin-2 gene-transduced human leukemic cells induce major histocompatibility complex-restricted and -unrestricted anti-leukemic effectors in mixed lymphocyte-tumor cultures. 2000 , 7, 167-76	6
813	Establishment and characterization of equine autonomic ganglion cell lines to enable direct testing of candidate toxins involved in equine dysautonomia (grass sickness). 2000 , 16, 63-74	3
812	Crosslink analysis of N-terminal, C-terminal, and N/B determining regions of the Moloney murine leukemia virus capsid protein. 2000 , 269, 190-200	11
811	Retroviral and lentiviral gene therapy for autoimmune disease. 2000 , 2, 167-88	1

810	Construction of cells expressing neurotrophins. 2001 , 169, 115-33	1
809	Improved recombinant retroviral titers utilizing trichostatin A. 2000 , 29, 884-90	8
808	The electrogenic sodium bicarbonate cotransporter: developmental expression in rat brain and possible role in acid vulnerability. 2000 , 20, 1001-8	71
807	Negative regulation of phagocytosis in murine macrophages by the Src kinase family member, Fgr. 2000 , 191, 515-28	72
806	A retroviral RNA kissing complex containing only two G.C base pairs. 2000 , 97, 9396-401	100
805	Characterization of an internal ribosomal entry segment in the 5' leader of murine leukemia virus env RNA. 2000 , 74, 846-50	34
804	Antiviral activity of an intracellularly expressed single-chain antibody fragment directed against the murine leukemia virus capsid protein. 2000 , 11, 389-401	8
803	Retrovirus-mediated, stable scavenger-receptor gene transfer leads to functional endocytotic receptor expression, foam cell formation, and increased susceptibility to apoptosis in rabbit aortic smooth muscle cells. 2000 , 20, 52-60	14
802	Preparation of recombinant retroviruses. 2001 , 47, 171-90	1
801	Retroviral infection of T-cell precursors in thymic organ culture. 2000 , 136, 79-86	
800	Gene Targeting to Hepatomas (AFP). 2000 , 35, 345-59	
799	Gene Therapy of Cancer. 2000 ,	1
798	Retroviral vectors. 2000 , 55, 545-63	18
797	Mutations of the kissing-loop dimerization sequence influence the site specificity of murine leukemia virus recombination in vivo. 2000 , 74, 600-10	30
796	Developmental Biology Protocols: Volume II. 2000 ,	1
795	Neural Transplantation Methods. 2000 ,	8
794	Transcriptional properties of genomic transgene integration sites marked by electroporation or retroviral infection. 2000 , 39, 7041-9	27
793	Gene therapy: promises and problems. 2001 , 2, 177-211	237

792	Reconstruction of SEA-B7.1 double signals on human hepatocellular carcinoma cells and analysis of its immunological effect. 2001 , 288, 454-61	5
791	Identification of a high affinity nucleocapsid protein binding element within the Moloney murine leukemia virus Psi-RNA packaging signal: implications for genome recognition. 2001 , 314, 217-32	58
790	Independent influence of strain difference and mi transcription factor on the expression of mouse mast cell chymases. <i>American Journal of Pathology</i> , 2001 , 158, 281-92	5.8 23
789	Simian retrovirus vectors for gene transfer in nonhuman primate cells. 2001 , 75, 155-68	3
788	Structural Role of RNA in Retrovirus Particles. 2001 , 77, 114-117	
787	Enzyme-targeted, nucleoside-based radiopharmaceuticals for scintigraphic monitoring of gene transfer and expression. 2001 , 7, 1893-906	21
786	Quantitation of retroviral-mediated transfer using luciferase in living and lysed cells. 2001 , 31, 676, 678-81	2
785	Transplants of cells genetically modified to express neurotrophin-3 rescue axotomized Clarke's nucleus neurons after spinal cord hemisection in adult rats. 2001 , 65, 549-64	85
784	pp60(c-src) modulates microvascular endothelial phenotype and in vitro angiogenesis. 2001 , 70, 201-13	18
783	An inducible packaging cell system for safe, efficient lentiviral vector production in the absence of HIV-1 accessory proteins. 2001 , 282, 77-86	64
782	Safety considerations in vector development. 2001 , 26, 147-58	29
781	The cultural mouse. 2001 , 7, 1081-3	36
780	Forty years with homologous recombination. 2001 , 7, 1083-6	48
779	Generating mice with targeted mutations. 2001 , 7, 1086-90	87
778	Eradication of murine brain tumors by direct inoculation of concentrated high titer-recombinant retrovirus harboring the herpes simplex virus thymidine kinase gene. 2001 , 8, 215-22	22
777	Development of a suspension packaging cell line for production of high titre, serum-resistant murine leukemia virus vectors. 2001 , 8, 737-45	31
776	Conserved transmembrane tyrosine residues of the TCR beta chain are required for TCR expression and function in primary T cells and hybridomas. 2001 , 13, 211-22	5
775	Fv-4: identification of the defect in Env and the mechanism of resistance to ecotropic murine leukemia virus. 2001 , 75, 11244-8	53

774	RNA is a structural element in retrovirus particles. 2001 , 98, 5246-51	247
773	Retrovirus molecular conjugates. A novel, high transduction efficiency, potentially safety-improved, gene transfer system. 2001 , 276, 24601-7	11
772	Efficient c-kit receptor-targeted gene transfer to primary human CD34-selected hematopoietic stem cells. 2001 , 75, 10393-400	10
771	Generation of mouse dendritic cell lines. 2001 , 64, 219-30	
770	Dendritic Cell Protocols. 2001 ,	4
769	Viral approaches to cancer gene therapy. 2002 , 12, 369-378	5
768	cis-Acting elements important for retroviral RNA packaging specificity. 2002 , 76, 4950-60	23
767	Escherichia coli DNA contamination in AmpliTaq Gold polymerase interferes with TaqMan analysis of lacZ. 2002 , 5, 220-2	8
766	Reversible binding of recombinant human immunodeficiency virus type 1 gag protein to nucleic acids in virus-like particle assembly in vitro. 2002 , 76, 11757-62	17
765	NF-kappaB1 can inhibit v-Abl-induced lymphoid transformation by functioning as a negative regulator of cyclin D1 expression. 2002 , 22, 5563-74	19
764	Retrovirus vectors. 2000 , 465, 23-35	1
763	pa317 Retrovirus Packaging Cells. 2002 , 6, 572-575	3
762	Novel therapeutic approaches in sickle cell disease. 2002 , 2002, 10-34	8
761	Generation of retroviral packaging and producer cell lines for large-scale vector production with improved safety and titer. 2003 , 76, 309-30	1
760	pa317 Retrovirus Packaging Cells. 2002 , 6, 572-575	5
759	Expression and functional analysis of G protein alpha subunits in S49 lymphoma cells. 2002 , 344, 261-77	6
758	Development of simian retroviral vectors for gene delivery. 2003 , 76, 353-65	
757	Astrocyte delivery of glial cell line-derived neurotrophic factor in a mouse model of Parkinson's disease. 2002 , 174, 230-42	82

756	Production of trans-lentiviral vector with predictable safety. 2003 , 76, 449-65	19
755	Virus-based gene delivery systems. 2002 , 41, 901-11	58
754	Animal Models in Biomedical Research. 2002 , 1185-1225	5
753	Viral Vectors for Gene Therapy. 2002 ,	1
752	Specific packaging of spliced retroviral vector transcripts lacking the Psi-region. 2002 , 293, 239-46	20
751	Modulation of homo- and heterodimerization of Harvey sarcoma virus RNA by GACG tetraloops and point mutations in palindromic sequences. 2002 , 323, 613-28	11
750	Adoptive cellular gene therapy of autoimmune disease. 2002 , 1, 213-9	22
749	The Advent of Lentiviral Vectors: Prospects for Cancer Therapy. 2002 , 109-124	1
748	ErbB2 and ErbB3 do not quantitatively modulate ligand-induced ErbB4 tyrosine phosphorylation. 2002 , 14, 793-8	16
747	Generation of stable retrovirus packaging cell lines after transduction with herpes simplex virus hybrid amplicon vectors. 2002 , 4, 229-39	18
746	Effect of calcitriol in combination with corticosterone, interleukin-1beta, and transforming growth factor-beta1 on nerve growth factor secretion in an astroglial cell line. 1997 , 69, 102-9	20
745	Down-regulation of MHC class I by bovine papillomavirus E5 oncoproteins. 2002 , 21, 248-59	90
744	Engineering analysis of ex vivo retroviral transduction system. 2002 , 30, 731-42	5
743	Clinical trials with retrovirus mediated gene therapy--what have we learned?. 2003 , 65, 227-36	67
742	Atelocollagen for protein and gene delivery. 2003 , 55, 1651-77	155
741	Treatment of autoimmune disease by adoptive cellular gene therapy. 2003 , 998, 512-9	47
740	Sequences within both the 5' untranslated region and the gag gene are important for efficient encapsidation of Mason-Pfizer monkey virus RNA. 2003 , 309, 166-78	18
739	Highly efficient gene transduction into the brain using high-titer retroviral vectors. 2003 , 25, 152-61	10

738	A new retroelement constituted by a natural alternatively spliced RNA of murine replication-competent retroviruses. <i>EMBO Journal</i> , 2003 , 22, 4866-75	13	20
737	Gene therapy with viral vectors. 2003 , 43, 413-39		211
736	A constitutively active ErbB4 mutant inhibits drug-resistant colony formation by the DU-145 and PC-3 human prostate tumor cell lines. 2003 , 192, 67-74		39
735	Lentivirus Gene Engineering Protocols. 2003 ,		7
734	Gene Delivery to Mammalian Cells. 2003 ,		
733	Gene therapy for malignant brain tumors. 2003 , 3, 685-701		2
732	Choice and use of appropriate packaging cell types. 2003 , 229, 29-42		3
731	Virus-based vectors for gene expression in mammalian cells: Retrovirus. 2003 , 38, 231-250		3
730	Viral therapy for glioblastoma. 2003 , 9, 167-79		31
729	Retroviral vectors for gene delivery to neural precursor cells. 2003 , 55, 123-47		4
728	Recombinant retrovirus vectors for treatment of malignant brain tumors. 2003 , 55, 185-203		4
727	Gene transfer by retroviral vectors: an overview. 2004 , 246, 463-90		5
726	Biosafety of onco-retroviral vectors. 2003 , 3, 501-15		26
725	Retroviruses in Human Gene Therapy. 2003 ,		1
724	The history and principles of retroviral vectors. 2003 , 8, d818-35		10
723	Multiple amino acid residues within the rabbit prion protein inhibit formation of its abnormal isoform. 2003 , 77, 2003-9		106
722	Encapsidation and transduction of cellular genes by retroviruses. 2003 , 8, d135-42		16
721	Can the use of HIV-1 derived gene transfer vectors for clinical application be justified?. 2004 , 4, 65-77		5

720	Strategies for retargeted gene delivery using vectors derived from lentiviruses. 2004 , 4, 427-43	47
719	RNA sequences in the Moloney murine leukemia virus genome bound by the Gag precursor protein in the yeast three-hybrid system. 2004 , 78, 7677-84	18
718	HLS5, a novel RBCC (ring finger, B box, coiled-coil) family member isolated from a hemopoietic lineage switch, is a candidate tumor suppressor. 2004 , 279, 8181-9	24
717	Complementarity-directed RNA dimer-linkage promotes retroviral recombination in vivo. 2004 , 32, 102-14	12
716	Susceptibility of common fibroblast cell lines to transmissible spongiform encephalopathy agents. 2004 , 189, 431-9	108
715	Glycosylation deficiency at either one of the two glycan attachment sites of cellular prion protein preserves susceptibility to bovine spongiform encephalopathy and scrapie infections. 2004 , 279, 53306-16	56
714	Inhibition of breast and ovarian tumor growth through multiple signaling pathways by using retrovirus-mediated small interfering RNA against Her-2/neu gene expression. 2004 , 279, 4339-45	90
713	Pancreatic Cancer. 2004 ,	
712	Change of tropism of SL3-2 murine leukemia virus, using random mutational libraries. 2004 , 78, 9343-51	20
711	Trigger factor in complex with the ribosome forms a molecular cradle for nascent proteins. 2004 , 431, 590-6	292
710	Structural basis for packaging the dimeric genome of Moloney murine leukaemia virus. 2004 , 431, 586-90	169
709	Efficient replication of full-length murine leukemia viruses modified at the dimer initiation site regions. 2004 , 318, 360-70	12
708	Toolbox for retrovectorologists. 2004 , 6 Suppl 1, S67-82	45
707	CCAAT/enhancer-binding protein-beta has a role in osteoblast proliferation and differentiation. 2004 , 295, 128-37	27
706	Development of a cytokine-modified allogeneic whole cell pancreatic cancer vaccine. 2005 , 103, 299-327	5
705	Retroviruses in Human Gene Therapy. 2005 ,	
704	V(D)J recombination of chromosomally integrated, wild-type deletional and inversional substrates occur at similar frequencies with no preference for orientation. 2005 , 97, 69-80	1
703	Distinct role for c-kit receptor tyrosine kinase and SgIGSF adhesion molecule in attachment of mast cells to fibroblasts. 2005 , 85, 426-35	29

702	HIV-1 Gag-RNA interaction occurs at a perinuclear/centrosomal site; analysis by confocal microscopy and FRET. 2005 , 6, 741-55	94
701	Hematopoietic stem cells expanded by fibroblast growth factor-1 are excellent targets for retrovirus-mediated gene delivery. 2005 , 33, 1459-69	9
700	Gene therapy in the cornea. 2005 , 24, 537-59	78
699	Spleen necrosis virus-based vector delivery of anti-HIV-1 genes potently protects human hematopoietic cells from HIV-1 infection. 2005 , 332, 258-71	6
698	Enhanced insulin secretion from engineered 3T3-L1 preadipocytes by induction of cellular differentiation. 2005 , 268, 1-8	5
697	Gene Therapy for Malignant Gliomas. 2005 , 93-100	
696	Beyond oncolytic virotherapy: replication-competent retrovirus vectors for selective and stable transduction of tumors. 2005 , 5, 655-67	42
695	Characterization of hortulanus endogenous murine leukemia virus, an endogenous provirus that encodes an infectious murine leukemia virus of a novel subgroup. 2005 , 79, 8316-29	9
694	Retroviral vector production in the National Gene Vector Laboratory at Indiana University. 2005 , 12 Suppl 1, S28-35	17
693	Nonrandom packaging of host RNAs in moloney murine leukemia virus. 2005 , 79, 13528-37	59
692	Gene therapy: twenty-first century medicine. 2005 , 74, 711-38	475
691	Composition and sequence-dependent binding of RNA to the nucleocapsid protein of Moloney murine leukemia virus. 2005 , 44, 3735-44	33
690	How retroviruses select their genomes. 2005 , 3, 643-55	257
689	Retrovirus vectors: toward the plentivirus?. 2006 , 13, 1050-63	72
688	Inhibition of infectious human immunodeficiency virus type 1 virions via lentiviral vector encoded short antisense RNAs. 2006 , 16, 287-95	15
687	Transmembrane Signaling Protocols. 2006 ,	
686	Genetic reconstitution of bone marrow for the study of signal transduction ex vivo. 2006 , 332, 331-42	3
685	Genotoxicity of retroviral integration in hematopoietic cells. 2006 , 13, 1031-49	239

684	Prion infection influences murine endogenous retrovirus expression in neuronal cells. 2006 , 343, 825-31	12
683	Hemoglobin Disorders: Gene Therapy. 2006 ,	
682	Growth factor-like effects mediated by muscarinic receptors in PC12M1 cells. 1992 , 59, 2158-66	39
681	Rat-1 fibroblasts engineered with GAD65 and GAD67 cDNAs in retroviral vectors produce and release GABA. 1993 , 61, 768-71	18
680	Retrovirus RNA trafficking: from chromatin to invasive genomes. 2006 , 7, 1440-50	47
679	QCM-D studies of attachment and differential spreading of pre-osteoblastic cells on Ta and Cr surfaces. 2006 , 27, 1346-54	90
678	Transgene expression and RNA interference in embryonic stem cells. 2006 , 420, 49-64	23
677	Ex vivo modification of cells to induce a muscle-based expression. 2006 , 6, 625-32	13
676	Co-localization of gammaretroviral RNAs at their transcription site favours co-packaging. 2006 , 87, 2279-2289	19
675	Direct gene therapy for repair of the spinal cord. 2006 , 23, 508-20	36
674	Transgene Tiere. 2006 ,	
673	Scrapie infection of prion protein-deficient cell line upon ectopic expression of mutant prion proteins. 2007 , 282, 18702-10	31
672	Selective and nonselective packaging of cellular RNAs in retrovirus particles. 2007 , 81, 6623-31	134
671	Translational considerations for CNS gene therapy. 2007 , 7, 305-18	13
670	Mutation in the glycosylated gag protein of murine leukemia virus results in reduced in vivo infectivity and a novel defect in viral budding or release. 2007 , 81, 3685-92	31
669	A roadmap to safe, efficient, and stable lentivirus-mediated gene therapy with hematopoietic cell transplantation. 2007 , 13, 1407-16	28
668	C/EBPbeta serine 64, a phosphoacceptor site, has a critical role in LPS-induced IL-6 and MCP-1 transcription. 2007 , 37, 119-27	10
667	Differential roles of C/EBP beta regulatory domains in specifying MCP-1 and IL-6 transcription. <i>Molecular Immunology</i> , 2007 , 44, 1384-92	4.3 22

666	A HIV-2-based self-inactivating vector for enhanced gene transduction. 2007 , 127, 745-57	11
665	Gene Therapy for Cancer. 2007 ,	3
664	Animal Cell Biotechnology. 2007 ,	11
663	The antibody sc-33040-R fails to specifically recognize phosphorylation of ErbB4 on tyrosine1056. 2007 , 25, 329-33	3
662	Lentiviral and Retroviral Vector Systems. 2007 , 39-71	3
661	Gene Transfer Studies Using Mouse Models. 2007 , 267-279	
660	Library selection and directed evolution approaches to engineering targeted viral vectors. 2007 , 98, 515-24	24
659	Transformation of a mammary epithelial cell line by the v-raf and v-mos oncogenes. 1991 , 48, 128-35	3
658	Lentiviral vectors for cancer immunotherapy: transforming infectious particles into therapeutics. 2007 , 14, 847-62	91
657	Retroviral gene transfer of tissue-type plasminogen activator targets thrombolysis in vitro and in vivo. 2007 , 14, 1537-42	6
656	Generation of a high-titer packaging cell line for the production of retroviral vectors in suspension and serum-free media. 2007 , 14, 1705-11	32
655	The stability of endogenous tyrosine hydroxylase protein in PC-12 cells differs from that expressed in mouse fibroblasts by gene transfer. 1994 , 62, 863-72	20
654	Retroviral vectors for gene transfer. 2008 , 2008, pdb.top29	1
653	Gene array analysis reveals a common Runx transcriptional programme controlling cell adhesion and survival. 2008 , 27, 5856-66	51
652	Overexpression of mitochondrial Hsp70/Hsp75 protects astrocytes against ischemic injury in vitro. 2008 , 28, 1009-16	96
651	Analysis of cis-regulatory elements in the 5' untranslated region of murine leukemia virus controlling protein expression. 2009 , 53, 140-8	1
650	Acute cellular uptake of abnormal prion protein is cell type and scrapie-strain independent. 2008 , 379, 284-93	39
649	Molecular mechanisms of FGF-2 inhibitory activity in the osteogenic context of mouse adipose-derived stem cells (mASCs). 2008 , 42, 1040-52	51

648	Quantification and characterization of autotransduction in retroviral vector producer cells. 2008 , 19, 97-102	2
647	Osteoporosis. 2008 , 455, v-vi	5
646	Immunopharmacology. 2008 ,	5
645	The application of viral vectors to enhance regeneration after peripheral nerve repair. 2008 , 30, 1039-46	14
644	Development of gene therapy for blood disorders. 2008 , 111, 4431-44	57
643	Safety of Retroviral Vectors: Regulatory and Technical Considerations. 277-288	2
642	. 2008 ,	
641	Inhibition of prion amplification by expression of dominant inhibitory mutants--a systematic insertion mutagenesis study. 2009 , 9, 40-7	6
640	Genetic manipulation of endothelial cells by viral vectors. 2009 , 102, 1135-43	13
639	Advancements in gene transfer-based therapy for hemophilia A. 2009 , 2, 673-683	13
638	Cells expressing anchorless prion protein are resistant to scrapie infection. 2009 , 83, 4469-75	46
637	Definition of the expression of the human carcinoembryonic antigen and non-specific cross-reacting antigen in human breast and lung carcinomas. 1993 , 53, 892-7	34
636	Characterization of an alternative packaging system derived from the cat RD114 retrovirus for gene delivery. 2009 , 11, 664-9	3
635	Chitotriosidase and gene therapy for fungal infections. 2009 , 66, 1116-25	31
634	C/EBPzeta (CHOP/Gadd153) is a negative regulator of LPS-induced IL-6 expression in B cells. <i>Molecular Immunology</i> , 2009 , 47, 390-7	4-3 9
633	Expression of human papilloma virus type 16 E5 protein in amelanotic melanoma cells regulates endo-cellular pH and restores tyrosinase activity. 2009 , 28, 4	10
632	Musings on genome medicine: gene therapy. 2009 , 1, 38	1
631	NEW APPROACHES TO THE TREATMENT OF HEMOGLOBINOPATHIES AND THALASSEMIA. 687-688	

630	Enhancement of phagocytotic activity by prion protein in PrP-deficient macrophage cells. 2010 , 26, 527-32	11
629	Lentiviral vectors in gene therapy: their current status and future potential. 2010 , 58, 107-19	185
628	Recombinant hexahistidine arginine decarboxylase (hisADC) induced endogenous agmatine synthesis during stress. 2010 , 345, 53-60	10
627	LDLR-Gene therapy for familial hypercholesterolaemia: problems, progress, and perspectives. 2010 , 3, 36	32
626	Tetracysteine-tagged prion protein allows discrimination between the native and converted forms. 2010 , 277, 2038-50	17
625	Definition of a high-affinity Gag recognition structure mediating packaging of a retroviral RNA genome. 2010 , 107, 19248-53	56
624	Retroviral RNA dimerization and packaging: the what, how, when, where, and why. 2010 , 6, e1001007	69
623	UNC93B1 mediates host resistance to infection with <i>Toxoplasma gondii</i> . 2010 , 6, e1001071	54
622	Selective gene silencing by viral delivery of short hairpin RNA. 2010 , 7, 248	73
621	An RNA structural switch regulates diploid genome packaging by Moloney murine leukemia virus. 2010 , 396, 141-52	43
620	Structure of a conserved retroviral RNA packaging element by NMR spectroscopy and cryo-electron tomography. 2010 , 404, 751-72	53
619	Chimeric antigen receptor (CAR)-engineered lymphocytes for cancer therapy. 2011 , 11, 855-73	111
618	Retroviral Vectors in Gene Therapy: Mechanism of Integration, Successes in Gene Therapy Trials, Emerging Problems and Potential Solutions. 2011 ,	
617	Gene Regulatable Lentiviral Vector System. 2011 ,	1
616	Structural dynamics of retroviral genome and the packaging. 2011 , 2, 264	11
615	Ligand stimulation of ErbB4 and a constitutively-active ErbB4 mutant result in different biological responses in human pancreatic tumor cell lines. 2011 , 317, 392-404	24
614	The cellular protein La functions in enhancement of virus release through lipid rafts facilitated by murine leukemia virus glycosylated Gag. 2011 , 2, e00341-10	8
613	Globular domain of the prion protein needs to be unlocked by domain swapping to support prion protein conversion. 2011 , 286, 12149-56	78

612	Effect of hydrophobic mutations in the H2-H3 subdomain of prion protein on stability and conversion in vitro and in vivo. 2011 , 6, e24238	7
611	ErbB2 Is Necessary for ErbB4 Ligands to Stimulate Oncogenic Activities in Models of Human Breast Cancer. 2011 , 2, 792-804	28
610	Retroviral vectors: post entry events and genomic alterations. 2011 , 3, 429-55	28
609	The inside out of lentiviral vectors. 2011 , 3, 132-59	50
608	Retroviral and lentiviral vectors for the induction of immunological tolerance. 2012 , 2012,	16
607	DNA damage signals through differentially modified E2F1 molecules to induce apoptosis. 2012 , 32, 900-12	44
606	Mus spicilegus endogenous retrovirus HEMV uses murine sodium-dependent myo-inositol transporter 1 as a receptor. 2012 , 86, 6341-4	2
605	Selective activation of intracellular signalling pathways in dendritic cells for cancer immunotherapy. 2012 , 12, 29-39	17
604	Nucleic Acids as Therapeutics. 2012 , 19-45	7
603	Lentiviral Vectors and Gene Therapy. 2012 ,	3
602	Prostate-specific membrane antigen can promote in vivo osseous metastasis of prostate cancer cells in mice. 2012 , 45, 737-45	5
601	Moloney murine leukemia virus genomic RNA packaged in the absence of a full complement of wild type nucleocapsid protein. 2012 , 430, 100-9	3
600	Antigen Targeting to Dendritic Cells for Cancer Immunotherapy. 2013 , 147-171	
599	Advances in HIV-1 Assembly and Release. 2013 ,	2
598	Ligand-targeted particulate nanomedicines undergoing clinical evaluation: current status. 2013 , 65, 1284-98	303
597	Lentiviral vectors for cancer immunotherapy and clinical applications. 2013 , 5, 815-37	31
596	Formation of a metastable intramolecular RNA kissing complex by nanomanipulation. 2013 , 9, 3246	6
595	Identification of a high affinity nucleocapsid protein binding element from the bovine leukemia virus genome. 2013 , 171, 278-86	3

594	Combined action of nucleic acid-sensing Toll-like receptors and TLR11/TLR12 heterodimers imparts resistance to <i>Toxoplasma gondii</i> in mice. 2013 , 13, 42-53	132
593	Bioinspired peptides as versatile nucleic acid delivery platforms. 2013 , 167, 323-32	21
592	Retrovirus-based mRNA transfer for transient cell manipulation. 2013 , 969, 139-61	8
591	Development of a cytokine-modified allogeneic whole cell pancreatic cancer vaccine. 2013 , 980, 175-203	9
590	Multifunctional Polymeric Nanosystems for RNA Interference Therapy. 2013 , 1-32	
589	Lentiviral Gene Therapy Vectors: Challenges and Future Directions. 2013 ,	5
588	Antisense gene silencing: therapy for neurodegenerative disorders?. 2013 , 4, 457-84	10
587	How Primary Immunodeficiencies Have Made Gene Therapy a Reality. 2014 , 327-339	
586	Retroviruses in Human Gene Therapy. 2014 ,	1
585	References. 2014 , 167-204	
584	Retroviral vector production. 2014 , 80, Unit 12.5.	2
583	Alpharetroviral vectors: from a cancer-causing agent to a useful tool for human gene therapy. 2014 , 6, 4811-38	17
582	Retroviral vectors: from cancer viruses to therapeutic tools. 2014 , 25, 989-94	8
581	Retroviruses for Cancer Therapy. 2014 , 21-38	
580	Lentivector Vaccines. 2014 , 345-361	
579	Retrovirus-Mediated Gene Transfer. 2014 , 167-194	17
578	Development of gene transfer technology. 2014 , 25, 995-1002	3
577	Determinants of Moloney murine leukemia virus Gag-Pol and genomic RNA proportions. 2014 , 88, 7267-75	3

576	Gene therapy: progress and predictions. 2015 , 282, 20143003	88
575	Severe combined immunodeficiencies and related disorders. 2015 , 1, 15061	108
574	Gene therapy using retrovirus vectors: vector development and biosafety at clinical trials. 2015 , 65, 27-36	14
573	New Structure Sheds Light on Selective HIV-1 Genomic RNA Packaging. 2015 , 7, 4826-35	4
572	Viral Vectors for Gene Therapy: Translational and Clinical Outlook. 2015 , 17, 63-89	279
571	Insights into the nuclear export of murine leukemia virus intron-containing RNA. 2015 , 12, 942-9	6
570	Molecular Therapies of Cancer. 2015 ,	8
569	Gene therapy for primary immunodeficiencies. 2015 , 88, 507-15	33
568	Retroviral Vectors in Gene Therapy. 2016 ,	1
567	Cross- and Co-Packaging of Retroviral RNAs and Their Consequences. 2016 , 8,	19
566	Host RNA Packaging by Retroviruses: A Newly Synthesized Story. 2016 , 7, e02025-15	22
565	From Adoptive Immunity to CAR Therapy: An Evolutionary Perspective. 2016 , 560-568	1
564	Immunopharmacology. 2016 ,	3
563	Analysis of the human immunodeficiency virus-1 RNA packageome. 2016 , 22, 1228-38	36
562	Gene therapy: Myth or reality?. 2016 , 339, 314-8	5
561	A Broad Overview and Review of CRISPR-Cas Technology and Stem Cells. 2016 , 2, 9-20	25
560	On the conformational stability of the smallest RNA kissing complexes maintained through two G/C base pairs. 2017 , 483, 39-44	3
559	Cancer Gene Therapy. 2017 , 1-7	

558	Latent murine leukemia virus infection characterized by the release of non-infectious virions. 2017 , 506, 19-27	1
557	Protective effect of gedunin on TLR-mediated inflammation by modulation of inflammasome activation and cytokine production: Evidence of a multitarget compound. 2017 , 115, 65-77	26
556	Lentiviral Transduction of Rat Schwann Cells and Dorsal Root Ganglia Neurons for In Vitro Myelination Studies. 2018 , 1739, 177-193	1
555	Progress in Science, Progress in Society. 2018 ,	
554	Gene therapy comes of age. <i>Science</i> , 2018 , 359,	33-3 598
553	New Perspectives in Genetic Therapies. 2018 , 71-78	
552	Lentiviral Vectors and Adeno-Associated Virus Vectors: Useful Tools for Gene Transfer in Pain Research. 2018 , 301, 825-836	14
551	Influence of gag and RRE Sequences on HIV-1 RNA Packaging Signal Structure and Function. 2018 , 430, 2066-2079	12
550	Identification of conserved, primary sequence motifs that direct retrovirus RNA fate. 2018 , 46, 7366-7378	8
549	Multiple, Switchable Protein:RNA Interactions Regulate Human Immunodeficiency Virus Type 1 Assembly. 2018 , 5, 165-183	33
548	Gene Therapy: Use of Viruses as Vectors. 2018 ,	2
547	Generation of High-Titer Self-Inactivated Retroviral Vector Producer Cells. 2019 , 14, 90-99	4
546	Adenovirus vectors in hematopoietic stem cell genome editing. 2019 , 593, 3623-3648	16
545	Truncated oncoproteins of retroviruses and hepatitis B virus: A lesson in contrasts. 2019 , 73, 342-357	2
544	Lentiviral Vectors as Tools for the Study and Treatment of Glioblastoma. 2019 , 11,	5
543	Gene expression, proteome and calcium signaling alterations in immortalized hippocampal astrocytes from an Alzheimer's disease mouse model. 2019 , 10, 24	15
542	A Joint Odyssey into Cancer Genetics. 2019 , 3, 1-19	2
541	Retroviral Gag protein-RNA interactions: Implications for specific genomic RNA packaging and virion assembly. 2019 , 86, 129-139	18

540	scFv Cloning, Vectors, and CAR-T Production in Laboratory for Preclinical Applications. 2020 , 25-49	
539	NMR Studies of Retroviral Genome Packaging. 2020 , 12,	1
538	Lentiviral Vector Pseudotypes: Precious Tools to Improve Gene Modification of Hematopoietic Cells for Research and Gene Therapy. 2020 , 12,	21
537	Cathepsin B Protease Facilitates Chikungunya Virus Envelope Protein-Mediated Infection via Endocytosis or Macropinocytosis. 2020 , 12,	3
536	Viral approaches to study the mammalian brain: Lineage tracing, circuit dissection and therapeutic applications. 2020 , 335, 108629	3
535	T Cell Engineering and the Rise of CAR-T Cell Therapies. 2020 , 69-90	
534	CAR T cells: continuation in a revolution of immunotherapy. 2020 , 21, e168-e178	86
533	Genetic Disease and Therapy. 2021 , 16, 145-166	3
532	Emerging Targets and Cellular Therapy for Relapsed Refractory Multiple Myeloma: A Systematic Review. 2021 , 21, 741-751	2
531	Engineering Gene Therapy: Advances and Barriers. 2021 , 4, 2100040	2
530	Application of CRISPR-Cas9 Editing for Virus Engineering and the Development of Recombinant Viral Vaccines. 2021 , 4, 477-490	1
529	Non-viral Vectors and Drug Delivery: In Vitro Assessment. 2021 , 239-254	
528	Biomaterials for Therapeutic Gene Delivery. 191-211	1
527	Retroviral Vectors for Gene Therapy. 2007 , 53-67	1
526	Transfection of Molecularly Cloned HIV Genomes. 1990 , 147-175	7
525	Insertional Mutagenesis in Hematopoietic Cells: Lessons Learned from Adverse Events in Clinical Gene Therapy Trials. 2011 , 131-165	1
524	Bone marrow transplantation for immunodeficiency and genetic diseases. 1990 , 50, 167-84	2
523	The Role of Oncogenes in the Pathogenesis of Malignant Melanoma. 1987 , 3-39	5

522	Sequence Analysis of the Bovine Leukemia Virus Genome. 1987 , 115-144	26
521	Invasive drug delivery. 2002 , 513, 431-51	9
520	Employment of fibroblasts for gene transfer: applications for grafting into the central nervous system. 1991 , 13, 205-20	5
519	Retroviral Vectors. 1999 , 57-88	1
518	Strategies for Human Germ Line Gene Therapy. 1991 , 221-229	2
517	Expression of Cloned Immunoglobulin Genes. 1985 , 117-134	2
516	Gene Transfer with Retrovirus Vectors. 1985 , 235-261	10
515	HPRT Gene Transfer as a Model for Gene Therapy. 1985 , 263-282	2
514	Insertion of hypoxanthine phosphoribosyltransferase cDNA into human bone marrow cells by a retrovirus. 1986 , 195 Pt A, 171-5	3
513	Bovine Embryo: Development, Cloning, Sexing and Transfer of Genes. 1986 , 375-392	1
512	Developments Leading to Human Gene Therapy. 1986 , 411-441	6
511	Microcell Fusion and Mammalian Gene Transfer. 1986 , 79-93	9
510	Retrovirus Vectors for Gene Transfer: Efficient Integration into and Expression of Exogenous DNA in Vertebrate Cell Genomes. 1986 , 149-187	28
509	High Level Production of Proteins in Mammalian Cells. 1987 , 155-198	6
508	Retroviral transfer of genes into canine hematopoietic progenitor cells. 1988 , 241, 9-18	3
507	Construction of a safe and efficient retrovirus packaging cell line. 1988 , 241, 35-40	12
506	Structural and functional studies of protein kinase C. 1988 , 234, 127-40	14
505	HSV-1 Amplicon. 1998 , 63-82	7

504	Engineered Cells and Ex Vivo Gene Transfer. 2000 , 89-102	3
503	Gene delivery by retroviruses. 2008 , 455, 157-62	6
502	The development of gene therapy: from monogenic recessive disorders to complex diseases such as cancer. 2009 , 542, 5-54	27
501	Ligand-targeted Particulate Nanomedicines Undergoing Clinical Evaluation: Current Status. 2016 , 163-200	11
500	Foamy virus vectors. 2003 , 277, 131-59	33
499	Opportunities for the use of lentiviral vectors in human gene therapy. 2002 , 261, 245-54	45
498	Gene Therapy: Promises, Problems and Prospects. 2000 , 147-157	9
497	Contribution of the Retroviral Leader to Gene Transfer and Expression in Packaging Cells and Myeloid Stem and Progenitor Cells. 1996 , 219-228	1
496	Accidental Formation of Replication-Competent Viruses from Gene Transfer by Retroviral Vectors. 1996 , 105-115	1
495	The genetics of murine leukemia viruses. 1984 , 112, 45-71	16
494	Homology among oncogenes. 1986 , 123, 73-98	19
493	Establishing a System for the Stable Expression of Torpedo Acetylcholine Receptors. 1986 , 431-435	3
492	Molecular Basis for the Pathogenicity of the Friend Spleen Focus-Forming Virus. 1988 , 123-133	1
491	Analysis of the leukemogenic properties of the bcr-v-abl and GM-CSF genes using a new retroviral vector. 1989 , 149, 99-107	1
490	Retroviral vectors. 1992 , 158, 1-24	148
489	Virus-host interactions and the pathogenesis of murine and human oncogenic retroviruses. 1991 , 171, 95-171	58
488	Gene transfer into hematopoietic stem cells: prospects for human gene therapy. 1992 , 177, 217-35	12
487	Molecular Alterations in Nerve Cells: Direct Manipulation and Physiological Mediation. 1993 , 169-191	8

486	RNA packaging. 1996 , 214, 177-218	295
485	Oncogene transfer into the brain. 1994 , 135, 55-66	6
484	Viral Vectors for HIV Gene Therapy. 1998 , 59-75	1
483	Retroviral RNA packaging: a review. 1994 , 9, 513-22	81
482	Adeno-associated Viral Vectors. 1995 , 53-76	2
481	Retroviral Vectors in Human Gene Therapy. 1995 , 77-107	2
480	Bis-Pyrrolicarboxamides Linked to Intercalating Chromophore Oxazopyridocarbazole (OPC): Properties Related to the Selective Binding to DNA at Rich Sequences. 1990 , 247-260	1
479	Chitosan-Based Systems for Gene Delivery. 2019 , 229-267	5
478	Retrovirus-Mediated Gene Transfer. 2002 , 173-193	4
477	Retrovirus-Mediated Gene Transfer. 1994 , 147-176	1
476	Manipulation of Antineoplastic Drug Sensitivity and Resistance by DNA Transfection. 1988 , 347-370	3
475	RECOMBINANT GENE TRANSFER IN ANIMALS: THE POTENTIAL FOR IMPROVING GROWTH IN LIVESTOCK. 1986 , 293-313	1
474	Retroviral vectors. 1988 , 10, 493-513	4
473	Progress in Gene Delivery Research and Development. 1999 , 25-38	1
472	Genetics and Biology of Retroviral Vectors. 1995 , 75-88	1
471	Genetic Modification of Cells with Retrovirus Vectors for Grafting into the Central Nervous System. 1995 , 211-237	6
470	An alternatively spliced miniexon alters the subcellular fate of the human asialoglycoprotein receptor H2 subunit. Endoplasmic reticulum retention and degradation or cell surface expression.. 1991 , 266, 1237-1244	39
469	Control of cationic amino acid transport and retroviral receptor functions in a membrane protein family.. 1994 , 269, 15445-15450	59

468	Hepatic gene transfer in animals using retroviruses containing the promoter from the gene for phosphoenolpyruvate carboxykinase.. 1990 , 265, 17285-17293	76
467	Effects of ecotropic murine retroviruses on the dual-function cell surface receptor/basic amino acid transporter.. 1992 , 267, 23617-23624	38
466	Expression of the human epidermal growth factor receptor in a murine T-cell hybridoma. A transmembrane protein tyrosine kinase can synergize with the T-cell antigen receptor.. 1992 , 267, 4924-4929	3
465	Cell surface site for mitogenic interaction of erythropoietin receptors with the membrane glycoprotein encoded by Friend erythroleukemia virus.. 1993 , 268, 5741-5747	44
464	Retroviral-mediated transfer and expression of human beta-globin genes in cultured murine and human erythroid cells.. 1988 , 263, 6142-6145	8
463	Vanadate inhibits expression of the gene for phosphoenolpyruvate carboxykinase (GTP) in rat hepatoma cells.. 1990 , 265, 13677-13682	44
462	Serum α -Antitrypsin Deficiency Associated with the Common S-type (Glu264 -iVal) Mutation Results from Intracellular Degradation of α - Antitrypsin Prior to Secretion. 1989 , 264, 10477-10486	53
461	The Double-stranded RNA Genome of Yeast Virus L-A Encodes Its Own Putative RNA Polymerase by Fusing Two Open Reading Frames. 1989 , 264, 6716-6723	173
460	Hormonal control of interacting promoters introduced into cells by retroviruses. 1991 , 266, 8416-8425	13
459	Insulin-stimulated Translocation of the HepG2/Erythrocyte-type Glucose Transporter Expressed in 3T3-L1 Adipocytes. 1989 , 264, 2180-2184	72
458	Overexpression of protein kinase C alpha-subtype in Swiss/3T3 fibroblasts causes loss of both high and low affinity receptor numbers for epidermal growth factor.. 1990 , 265, 13290-13296	58
457	Primary structure of the mannose receptor contains multiple motifs resembling carbohydrate-recognition domains.. 1990 , 265, 12156-12162	272
456	Expression of functional factor VIII in primary human skin fibroblasts after retrovirus-mediated gene transfer.. 1990 , 265, 7318-7323	47
455	Stop-transfer activity of hydrophobic sequences depends on the translation system. 1989 , 264, 19117-19124	19
454	Expression of human pancreatic polypeptide in heterologous cell lines.. 1991 , 266, 17409-17415	8
453	Importance of the propeptide sequence of human preproparathyroid hormone for signal sequence function.. 1988 , 263, 19771-19777	39
452	Hormonal regulation of chimeric genes containing the phosphoenolpyruvate carboxykinase promoter regulatory region in hepatoma cells infected by murine retroviruses.. 1988 , 263, 17798-17808	24
451	Transduction of cytochrome P3-450 by retroviruses: constitutive expression of enzymatically active microsomal hemoprotein in animal cells. 1989 , 264, 2991-2996	28

450	Fluorescent methotrexate labeling and flow cytometric analysis of cells containing low levels of dihydrofolate reductase.. 1986 , 261, 6285-6292	23
449	Determination of the lower threshold of apolipoprotein E resulting in remnant lipoprotein clearance. 1999 , 40, 1529-1538	49
448	Post-transcriptional regulation of retroviral vector-transduced low density lipoprotein receptor activity.. 1990 , 31, 2167-2178	21
447	Somatic Gene Therapy. 1991 , 5, 423-432	4
446	Bone Marrow Transplantation for Genetic Diseases. 1990 , 4, 589-602	12
445	Genetic immunotherapy for cancer. 1997 , 12, 193-205	7
444	Human gene therapy. 1991 , 301, 353-63	43
443	Forced recombination of psi-modified murine leukaemia virus-based vectors with murine leukaemia-like and VL30 murine endogenous retroviruses. 1999 , 80 (Pt 11), 2957-2967	4
442	Human Gene Therapy. <i>Science</i> , 1992 , 256, 808-813	33-3 47
441	cis-Acting RNA packaging locus in the 115-nucleotide direct repeat of Rous sarcoma virus. 1983 , 48, 667-75	106
440	Characterization of a Rous sarcoma virus mutant defective in packaging its own genomic RNA: biological properties of mutant TK15 and mutant-induced transformants. 1984 , 51, 147-53	41
439	Characterization of a Rous sarcoma virus mutant defective in packaging its own genomic RNA: biochemical properties of mutant TK15 and mutant-induced transformants. 1984 , 51, 154-62	60
438	Molecular genetic characterization of the RD-114 gene family of endogenous feline retroviral sequences. 1984 , 52, 164-71	50
437	Reverse transcription of 7S L RNA by an avian retrovirus. 1985 , 54, 278-84	32
436	Varying the position of a retrovirus packaging sequence results in the encapsidation of both unspliced and spliced RNAs. 1985 , 54, 401-7	147
435	Unusual features of the leader sequence of Rous sarcoma virus packaging mutant TK15. 1985 , 55, 881-5	28
434	Individual adenovirus type 5 early region 1A gene products elicit distinct alterations of cellular morphology and gene expression. 1985 , 56, 404-13	60
433	Roles of helper and defective retroviral genomes in murine erythroleukemia: studies of spleen focus-forming virus in the absence of helper. 1985 , 56, 660-4	25

432	Isolation of a recombinant murine leukemia virus utilizing a new primer tRNA. 1986 , 57, 37-45	114
431	Construction of recombinant murine retroviruses that express the human T-cell leukemia virus type II and human T-cell lymphotropic virus type III trans activator genes. 1986 , 57, 379-84	97
430	A conserved cis-acting sequence in the 5' leader of avian sarcoma virus RNA is required for packaging. 1986 , 59, 163-7	115
429	The amino-terminal domain of the v-fms oncogene product includes a functional signal peptide that directs synthesis of a transforming glycoprotein in the absence of feline leukemia virus gag sequences. 1986 , 59, 224-33	37
428	A mouse c-myc retrovirus transforms established fibroblast lines in vitro and induces monocyte-macrophage tumors in vivo. 1986 , 59, 276-83	56
427	A novel retroviruslike family in mouse DNA. 1986 , 59, 301-7	20
426	Structure and transforming function of transduced mutant alleles of the chicken c-myc gene. 1986 , 59, 341-53	19
425	Isolation and characterization of NIH 3T3 cells expressing polyomavirus small T antigen. 1986 , 60, 105-13	26
424	Mammalian cell transformation by a murine retrovirus vector containing the avian erythroblastosis virus erbB gene. 1986 , 60, 19-28	16
423	A recombinant murine retrovirus for simian virus 40 large T cDNA transforms mouse fibroblasts to anchorage-independent growth. 1986 , 60, 290-3	86
422	Pseudotyped retroviral vectors reveal restrictions to reticuloendotheliosis virus replication in rat cells. 1986 , 60, 662-8	21
421	Transduction of host cellular sequences by a retroviral shuttle vector. 1986 , 60, 750-3	28
420	Increase of retroviral infection in vitro by the binding of antiretroviral antibodies. 1986 , 60, 1141-4	19
419	Retroviral vector gene expression in F9 embryonal carcinoma cells. 1987 , 61, 3248-53	12
418	A temperature-sensitive mutant of the myeloproliferative sarcoma virus, altered by a point mutation in the mos oncogene, has been modified as a selectable retroviral vector. 1987 , 61, 889-97	7
417	Significance of DNase I-hypersensitive sites in the long terminal repeats of a Moloney murine leukemia virus vector. 1987 , 61, 1368-74	12
416	Evidence that the packaging signal of Moloney murine leukemia virus extends into the gag region. 1987 , 61, 1639-46	361
415	Effect of internal viral sequences on the utility of retroviral vectors. 1987 , 61, 1647-50	287

4 ¹⁴	Sequences responsible for erythroid and lymphoid leukemia in the long terminal repeats of Friend-mink cell focus-forming and Moloney murine leukemia viruses. 1987 , 61, 1861-6	69
4 ¹³	Rescue of type I collagen-deficient phenotype by retroviral-vector-mediated transfer of human pro alpha 1(I) collagen gene into Mov-13 cells. 1987 , 61, 2549-54	23
4 ¹²	Lack of competition results in efficient packaging of heterologous murine retroviral RNAs and reticuloendotheliosis virus encapsidation-minus RNAs by the reticuloendotheliosis virus helper cell line. 1987 , 61, 2675-83	66
4 ¹¹	Two distinct sequence elements mediate retroviral gene expression in embryonal carcinoma cells. 1987 , 61, 2742-6	66
4 ¹⁰	The membrane glycoprotein of Friend spleen focus-forming virus: evidence that the cell surface component is required for pathogenesis and that it binds to a receptor. 1987 , 61, 2782-92	84
4 ⁰⁹	Identification of a signal in a murine retrovirus that is sufficient for packaging of nonretroviral RNA into virions. 1988 , 62, 3802-6	152
4 ⁰⁸	Analysis of mutant Moloney murine leukemia viruses containing linker insertion mutations in the 3' region of pol. 1988 , 62, 3958-64	31
4 ⁰⁷	A tagged helper-free Friend virus causes clonal erythroblast immortality by specific proviral integration in the cellular genome. 1988 , 62, 4129-35	20
4 ⁰⁶	Design of retrovirus vectors for transfer and expression of the human beta-globin gene. 1988 , 62, 4337-45	81
4 ⁰⁵	Recombinant retroviruses encoding cell surface antigens as selectable markers. 1988 , 62, 4756-9	13
4 ⁰⁴	Loss of pathogenicity of spleen focus-forming virus after pseudotyping with Akv. 1988 , 62, 511-8	5
4 ⁰³	Development of avian sarcoma and leukosis virus-based vector-packaging cell lines. 1988 , 62, 1008-15	71
4 ⁰²	A safe packaging line for gene transfer: separating viral genes on two different plasmids. 1988 , 62, 1120-4	871
4 ⁰¹	In vitro synthesis of infectious retroviral RNA. 1988 , 62, 1827-31	2
4 ⁰⁰	Activation of thermosensitive RNA splicing and production of a heat-labile P85gag-mos kinase by the introduction of a specific deletion in murine sarcoma virus-124 DNA. 1988 , 62, 1907-16	6
399	Use of recombinant retroviruses to study the regulation of integrated adenovirus early promoters. 1988 , 62, 2143-9	6
398	Comparison of expression in hemopoietic cells by retroviral vectors carrying two genes. 1988 , 62, 2464-73	92
397	Integration of the BALB/c ecotropic provirus into the colony-stimulating factor-1 growth factor locus in a myc retrovirus-induced murine monocyte tumor. 1988 , 62, 3151-5	25

396	Recombinant retroviruses that transduce middle T antigen cDNAs derived from polyomavirus mutants: separation of focus formation and soft-agar growth in transformation assays and correlations with kinase activities in vitro. 1988 , 62, 3407-14	28
395	Construction and analysis of deletion mutations in the U5 region of Moloney murine leukemia virus: effects on RNA packaging and reverse transcription. 1989 , 63, 319-27	74
394	Identification of a doubly spliced viral transcript joining the separated domains for putative protease and reverse transcriptase of hepatitis B virus. 1989 , 63, 4165-71	74
393	A system for studying the selective encapsidation of hepadnavirus RNA. 1989 , 63, 4257-63	32
392	A common site for immortalizing proviral integrations in Friend erythroleukemia: molecular cloning and characterization. 1989 , 63, 4958-61	51
391	Different relative expression from two murine leukemia virus long terminal repeats in unintegrated transfected DNA and in integrated retroviral vector proviruses. 1989 , 63, 5201-7	32
390	Evidence for specificity in the encapsidation of Sindbis virus RNAs. 1989 , 63, 5310-8	139
389	Generation of a helper cell line for packaging avian leukosis virus-based vectors. 1989 , 63, 513-22	26
388	Inhibition of human T-cell leukemia virus type I replication in primary human T cells that express antisense RNA. 1989 , 63, 677-82	37
387	Characterization of Moloney murine leukemia virus mutants with single-amino-acid substitutions in the Cys-His box of the nucleocapsid protein. 1989 , 63, 1558-68	230
386	Formation of infectious hybrid virions with gibbon ape leukemia virus and human T-cell leukemia virus retroviral envelope glycoproteins and the gag and pol proteins of Moloney murine leukemia virus. 1989 , 63, 2374-8	67
385	Development and characterization of an Fv-1-sensitive retrovirus-packaging system: single-hit titration kinetics observed in restrictive cells. 1989 , 63, 2592-7	13
384	The palindromic LTR-LTR junction of Moloney murine leukemia virus is not an efficient substrate for proviral integration. 1989 , 63, 2629-37	62
383	Retrovirus vectors containing an internal attachment site: evidence that circles are not intermediates to murine retrovirus integration. 1989 , 63, 2844-6	30
382	Identification of cellular promoters by using a retrovirus promoter trap. 1989 , 63, 3227-33	59
381	Identification of a sequence required for efficient packaging of human immunodeficiency virus type 1 RNA into virions. 1989 , 63, 4085-7	320
380	Failure of human immunodeficiency virus entry and infection in CD4-positive human brain and skin cells. 1990 , 64, 215-21	161
379	Human cells infected with retrovirus vectors acquire an endogenous murine provirus. 1990 , 64, 424-7	40

378	A mutant of human immunodeficiency virus with reduced RNA packaging and abnormal particle morphology. 1990 , 64, 5230-4	156
377	Activation of cryptic splice sites in murine sarcoma virus-124 mutants. 1990 , 64, 5260-9	8
376	Transport and assembly of gag proteins into Moloney murine leukemia virus. 1990 , 64, 5306-16	78
375	Characterization of the gag/fusion protein encoded by the defective Duplan retrovirus inducing murine acquired immunodeficiency syndrome. 1990 , 64, 5764-72	44
374	Transduction of cellular neo mRNA by retrovirus-mediated recombination. 1990 , 64, 5783-96	21
373	Role of gag sequence in the biochemical properties and transforming activity of the avian sarcoma virus UR2-encoded gag-ros fusion protein. 1990 , 64, 5997-6009	15
372	cis elements and trans-acting factors involved in dimer formation of murine leukemia virus RNA. 1990 , 64, 774-83	159
371	A new avian leukosis virus-based packaging cell line that uses two separate transcomplementing helper genomes. 1990 , 64, 1070-8	53
370	Regulation of RNA splicing in gag-deficient mutants of Moloney murine sarcoma virus MuSVts110. 1990 , 64, 1421-8	11
369	Mutations of RNA and protein sequences involved in human immunodeficiency virus type 1 packaging result in production of noninfectious virus. 1990 , 64, 1920-6	471
368	Assembly of gag-beta-galactosidase proteins into retrovirus particles. 1990 , 64, 2265-79	86
367	Rapid titration of retroviral vectors encoding intracellular antigens by flow cytometry. 1990 , 64, 3135-8	29
366	Ping-pong amplification of a retroviral vector achieves high-level gene expression: human growth hormone production. 1990 , 64, 3500-8	71
365	Development of a retroviral vector for inducible expression of transforming growth factor beta 1. 1990 , 64, 3527-31	9
364	Pseudotyping with human T-cell leukemia virus type I broadens the human immunodeficiency virus host range. 1991 , 65, 162-9	225
363	Determinants of retrovirus gene expression in embryonal carcinoma cells. 1991 , 65, 382-8	41
362	Gene transfer into human lymphocytes by a defective human immunodeficiency virus type 1 vector. 1991 , 65, 532-6	116
361	Specificity of retroviral RNA packaging. 1991 , 65, 71-80	90

360	Cellular ras gene activity is required for full neoplastic transformation by polyomavirus. 1991 , 65, 5203-10	33
359	Mutational analysis of N-linked glycosylation sites of Friend murine leukemia virus envelope protein. 1991 , 65, 5323-32	36
358	Inhibition of human immunodeficiency virus type 1 multiplication by antisense and sense RNA expression. 1991 , 65, 5524-30	72
357	Resistance to human immunodeficiency virus type 1 (HIV-1) infection in human CD4+ lymphocyte-derived cell lines conferred by using retroviral vectors expressing an HIV-1 RNA-specific ribozyme. 1991 , 65, 5531-4	132
356	Defective hepatitis B virus particles are generated by packaging and reverse transcription of spliced viral RNAs in vivo. 1991 , 65, 5539-43	86
355	Viral and cellular factors governing hamster cell infection by murine and gibbon ape leukemia viruses. 1991 , 65, 5975-82	73
354	Long-term in vivo expression of genes introduced by retrovirus-mediated transfer into mammary epithelial cells. 1991 , 65, 6365-70	38
353	Plasma membrane receptors for ecotropic murine retroviruses require a limiting accessory factor. 1991 , 65, 6468-77	69
352	The majority of cells infected with the defective murine AIDS virus belong to the B-cell lineage. 1991 , 65, 6562-71	61
351	Bovine leukemia virus matrix-associated protein MA(p15): further processing and formation of a specific complex with the dimer of the 5'-terminal genomic RNA fragment. 1991 , 65, 6845-55	49
350	Activity of the simian virus 40 early promoter-enhancer in herpes simplex virus type 1 vectors is dependent on its position, the infected cell type, and the presence of Vmw175. 1991 , 65, 6900-12	20
349	Retrovirus promoter-trap vector to induce lacZ gene fusions in mammalian cells. 1991 , 65, 1507-15	47
348	Activator-dependent and activator-independent defective recombinant retroviruses from bovine leukemia virus. 1991 , 65, 1938-45	17
347	Expression of active human immunodeficiency virus type 1 protease by noninfectious chimeric virus particles. 1991 , 65, 3007-14	13
346	Binding of human immunodeficiency virus type 1 (HIV-1) RNA to recombinant HIV-1 gag polyprotein. 1991 , 65, 3203-12	97
345	cis-acting sequences required for encapsidation of duck hepatitis B virus pregenomic RNA. 1991 , 65, 3309-16	101
344	An E1M--E2C fusion protein encoded by human papillomavirus type 11 is a sequence-specific transcription repressor. 1991 , 65, 3317-29	55
343	An amino-terminal fragment of the Friend murine leukemia virus envelope glycoprotein binds the ecotropic receptor. 1991 , 65, 4026-32	113

342	Spleen necrosis virus, an avian retrovirus, can infect primate cells. 1991 , 65, 4769-76	25
341	U3 long terminal repeat-mediated induction of intracellular immunity by a murine retrovirus: a novel model of latency for retroviruses. 1992 , 66, 7201-10	10
340	Analytical study of avian reticuloendotheliosis virus dimeric RNA generated in vivo and in vitro. 1992 , 66, 7245-52	36
339	The requirements for viral entry differ from those for virally induced syncytium formation in NIH 3T3/DTras cells exposed to Moloney murine leukemia virus. 1992 , 66, 7262-9	40
338	Simian virus 40 large T-antigen expression decreases the G1 and increases the G2 + M cell cycle phase durations in exponentially growing cells. 1992 , 66, 1059-65	29
337	Novel GACG-hairpin pair motif in the 5' untranslated region of type C retroviruses related to murine leukemia virus. 1992 , 66, 632-40	61
336	Detection of receptor-specific murine leukemia virus binding to cells by immunofluorescence analysis. 1992 , 66, 2281-7	68
335	Homologous recombination of copackaged retrovirus RNAs during reverse transcription. 1992 , 66, 2378-88	110
334	Susceptibility of inbred strains of mice to murine AIDS (MAIDS) correlates with target cell expansion and high expression of defective MAIDS virus. 1992 , 66, 2398-406	28
333	Role and specificity of T-cell subsets in spontaneous recovery from Friend virus-induced leukemia in mice. 1992 , 66, 3271-7	66
332	Identification and characterization of a coronavirus packaging signal. 1992 , 66, 3522-30	107
331	A new retrovirus packaging cell for gene transfer constructed from amplified long terminal repeat-free chimeric proviral genes. 1992 , 66, 3725-32	23
330	The human immunodeficiency virus type 1 packaging signal and major splice donor region have a conserved stable secondary structure. 1992 , 66, 4144-53	176
329	Host range mutants of v-src: alterations in kinase activity and substrate interactions. 1992 , 66, 4315-24	20
328	Specificity of Rous sarcoma virus nucleocapsid protein in genomic RNA packaging. 1992 , 66, 4662-70	66
327	Capture of a cellular transcriptional unit by a retrovirus: mode of provirus activation in embryonal carcinoma cells. 1992 , 66, 4982-91	2
326	Packaging system for rapid production of murine leukemia virus vectors with variable tropism. 1992 , 66, 5110-3	233
325	Avian retroviral RNA encapsidation: reexamination of functional 5' RNA sequences and the role of nucleocapsid Cys-His motifs. 1993 , 67, 178-88	83

324	Mutated primer binding sites interacting with different tRNAs allow efficient murine leukemia virus replication. 1993 , 67, 7125-30	52
323	Specific binding of human immunodeficiency virus type 1 gag polyprotein and nucleocapsid protein to viral RNAs detected by RNA mobility shift assays. 1993 , 67, 7190-200	166
322	Erythropoietin receptor (EpoR)-dependent mitogenicity of spleen focus-forming virus correlates with viral pathogenicity and processing of env protein but not with formation of gp52-EpoR complexes in the endoplasmic reticulum. 1993 , 67, 1322-7	20
321	Bovine leukemia virus RNA sequences involved in dimerization and specific gag protein binding: close relation to the packaging sites of avian, murine, and human retroviruses. 1993 , 67, 1830-9	56
320	A Friend virus mutant that overcomes Fv-2rr host resistance encodes a small glycoprotein that dimerizes, is processed to cell surfaces, and specifically activates erythropoietin receptors. 1993 , 67, 2611-20	22
319	Simian immunodeficiency virus RNA is efficiently encapsidated by human immunodeficiency virus type 1 particles. 1993 , 67, 2681-8	115
318	Alteration of location of dimer linkage sequence in retroviral RNA: little effect on replication or homologous recombination. 1993 , 67, 3151-8	23
317	Packaging of human immunodeficiency virus type 1 RNA requires cis-acting sequences outside the 5' leader region. 1993 , 67, 3997-4005	98
316	Assembly and composition of intracellular particles formed by Moloney murine leukemia virus. 1993 , 67, 5163-74	29
315	Maturation of dimeric viral RNA of Moloney murine leukemia virus. 1993 , 67, 5443-9	183
314	Sequences responsible for the distinctive hemolytic potentials of Friend and Moloney murine leukemia viruses are dispersed but confined to the psi-gag-PR region. 1993 , 67, 5478-86	8
313	Presentation of native epitopes in the V1/V2 and V3 regions of human immunodeficiency virus type 1 gp120 by fusion glycoproteins containing isolated gp120 domains. 1994 , 68, 400-10	78
312	Screening retroviral packaging cells for highly efficient virus production by using a combined selection procedure. 1994 , 68, 566-9	6
311	An internal deletion enhances the transcriptional activity of a recombinant retrovirus in hematopoietic cells in vivo. 1994 , 68, 6924-32	2
310	An integration-defective U5 deletion mutant of human immunodeficiency virus type 1 reverts by eliminating additional long terminal repeat sequences. 1994 , 68, 7879-90	57
309	A small and efficient dimerization/packaging signal of rat VL30 RNA and its use in murine leukemia virus-VL30-derived vectors for gene transfer. 1994 , 68, 661-7	44
308	Differences in CD4 dependence for infectivity of laboratory-adapted and primary patient isolates of human immunodeficiency virus type 1. 1994 , 68, 2570-7	123
307	Negative regulation of the 5' long terminal repeat (LTR) by the 3' LTR in the murine proviral genome. 1994 , 68, 2662-70	11

306	Mutational analysis of cis-acting packaging signals in human immunodeficiency virus type 1 RNA. 1994 , 68, 3784-93	131
305	Identification of a sequence in the unique 5' open reading frame of the gene encoding glycosylated Gag which influences the incubation period of neurodegenerative disease induced by a murine retrovirus. 1994 , 68, 3879-87	41
304	Analysis in human immunodeficiency virus type 1 vectors of cis-acting sequences that affect gene transfer into human lymphocytes. 1994 , 68, 3888-95	111
303	Determination of the role for CD21 during Epstein-Barr virus infection of B-lymphoblastoid cells. 1994 , 68, 4716-26	23
302	Myristylation of Pr60gag of the murine AIDS-defective virus is required to induce disease and notably for the expansion of its target cells. 1994 , 68, 5648-55	18
301	The ability of human papillomavirus E6 proteins to target p53 for degradation in vivo correlates with their ability to abrogate actinomycin D-induced growth arrest. 1994 , 68, 5698-705	156
300	Processing of the intracellular form of the west Nile virus capsid protein by the viral NS2B-NS3 protease: an in vitro study. 1994 , 68, 5765-71	60
299	Efficiency and selectivity of RNA packaging by Rous sarcoma virus Gag deletion mutants. 1994 , 68, 5969-81	44
298	Mutational analysis of the murine AIDS-defective viral genome reveals a high reversion rate in vivo and a requirement for an intact Pr60gag protein for efficient induction of disease. 1995 , 69, 60-8	10
297	Retroviral retargeting by envelopes expressing an N-terminal binding domain. 1995 , 69, 6314-22	184
296	Retroviral nucleocapsid domains mediate the specific recognition of genomic viral RNAs by chimeric Gag polyproteins during RNA packaging in vivo. 1995 , 69, 6445-56	165
295	The dimerization/packaging sequence is dispensable for both the formation of high-molecular-weight RNA complexes within retroviral particles and the synthesis of proviruses of normal structure. 1995 , 69, 1079-84	16
294	Stem cell factor binding to retrovirus primer binding site silencers. 1995 , 69, 1142-9	29
293	Structural interactions between retroviral Gag proteins examined by cysteine cross-linking. 1995 , 69, 1150-9	31
292	Deletions in one domain of the Friend virus-encoded membrane glycoprotein overcome host range restrictions for erythroleukemia. 1995 , 69, 856-63	14
291	RNA secondary structure and binding sites for gag gene products in the 5' packaging signal of human immunodeficiency virus type 1. 1995 , 69, 2101-9	264
290	The bovine leukemia virus encapsidation signal is discontinuous and extends into the 5' end of the gag gene. 1995 , 69, 3282-9	37
289	The envelope glycoprotein of an amphotropic murine retrovirus binds specifically to the cellular receptor/phosphate transporter of susceptible species. 1995 , 69, 3433-40	35

288	Nucleocapsid protein effects on the specificity of retrovirus RNA encapsidation. 1995 , 69, 5716-22	120
287	Modulation of ecotropic murine retroviruses by N-linked glycosylation of the cell surface receptor/amino acid transporter. 1996 , 70, 6884-91	37
286	Helper virus-free transfer of herpes simplex virus type 1 plasmid vectors into neural cells. 1996 , 70, 7190-7	232
285	A dual role of the putative RNA dimerization initiation site of human immunodeficiency virus type 1 in genomic RNA packaging and proviral DNA synthesis. 1996 , 70, 8348-54	164
284	trans-acting proteins involved in RNA encapsidation and viral assembly in human immunodeficiency virus type 1. 1996 , 70, 880-6	33
283	A preferred region for recombinational patch repair in the 5' untranslated region of primer binding site-impaired murine leukemia virus vectors. 1996 , 70, 1439-47	45
282	Transfer of single gene-containing long terminal repeats into the genome of mammalian cells by a retroviral vector carrying the cre gene and the loxP site. 1996 , 70, 1792-8	33
281	The human immunodeficiency virus type 1 encapsidation site is a multipartite RNA element composed of functional hairpin structures. 1996 , 70, 2963-73	239
280	Exceptional fusogenicity of Chinese hamster ovary cells with murine retroviruses suggests roles for cellular factor(s) and receptor clusters in the membrane fusion process. 1996 , 70, 3432-9	37
279	cis-active structural motifs involved in specific encapsidation of Moloney murine leukemia virus RNA. 1996 , 70, 5043-50	60
278	The pCL vector system: rapid production of helper-free, high-titer, recombinant retroviruses. 1996 , 70, 5701-5	561
277	A role for two hairpin structures as a core RNA encapsidation signal in murine leukemia virus virions. 1997 , 71, 8061-5	48
276	A small region of the ecotropic murine leukemia virus (MuLV) gag gene profoundly influences the types of polytropic MuLVs generated in mice. 1997 , 71, 8923-7	7
275	Gene transfer to human cells using retrovirus vectors produced by a new polytropic packaging cell line. 1997 , 71, 4825-8	12
274	The critical N-linked glycan of murine leukemia virus envelope protein promotes both folding of the C-terminal domains of the precursor polyprotein and stability of the postcleavage envelope complex. 1997 , 71, 7012-9	18
273	In vivo selection of Rous sarcoma virus mutants with randomized sequences in the packaging signal. 1998 , 72, 8073-82	35
272	Monitoring retroviral RNA dimerization in vivo via hammerhead ribozyme cleavage. 1998 , 72, 8349-53	18
271	Construction of retroviral vectors with improved safety, gene expression, and versatility. 1998 , 72, 994-1004	56

270	Extended minus-strand DNA as template for R-U5-mediated second-strand transfer in recombinational rescue of primer binding site-modified retroviral vectors. 1998 , 72, 2519-25	13
269	Suppression of v-src transformation by the drs gene. 1998 , 72, 2532-7	22
268	A replication-competent retrovirus arising from a split-function packaging cell line was generated by recombination events between the vector, one of the packaging constructs, and endogenous retroviral sequences. 1998 , 72, 2663-70	76
267	The bovine leukemia virus encapsidation signal is composed of RNA secondary structures. 1998 , 72, 3196-204	28
266	cis-Acting sequences required for simian foamy virus type 1 vectors. 1998 , 72, 3451-4	34
265	Infectious molecular clones with the nonhomologous dimer initiation sequences found in different subtypes of human immunodeficiency virus type 1 can recombine and initiate a spreading infection in vitro. 1998 , 72, 3991-8	61
264	Sequences in pol are required for transfer of human foamy virus-based vectors. 1998 , 72, 5510-6	44
263	Recombination in the 5' leader of murine leukemia virus is accurate and influenced by sequence identity with a strong bias toward the kissing-loop dimerization region. 1998 , 72, 6967-78	31
262	A cell line-based neutralization assay for primary human immunodeficiency virus type 1 isolates that use either the CCR5 or the CXCR4 coreceptor. 1999 , 73, 8966-74	155
261	Single-step conversion of cells to retrovirus vector producers with herpes simplex virus-Epstein-Barr virus hybrid amplicons. 1999 , 73, 10426-39	65
260	Identification of directly infected cells in the bone marrow of neonatal moloney murine leukemia virus-infected mice by use of a moloney murine leukemia virus-based vector. 1999 , 73, 1617-23	10
259	In vitro assembly properties of human immunodeficiency virus type 1 Gag protein lacking the p6 domain. 1999 , 73, 2270-9	243
258	Moloney murine leukemia virus infects cells of the developing hair follicle after neonatal subcutaneous inoculation in mice. 1999 , 73, 2509-16	3
257	Localization of sequences required in cis for yeast Ty1 element transposition near the long terminal repeats: analysis of mini-Ty1 elements. 1990 , 10, 2695-2702	41
256	Domains of human c-myc protein required for autosuppression and cooperation with ras oncogenes are overlapping. 1990 , 10, 4961-4966	35
255	A stem cell-specific silencer in the primer-binding site of a retrovirus. 1991 , 11, 1214-1221	39
254	Dominant positive and negative selection using a hygromycin phosphotransferase-thymidine kinase fusion gene. 1991 , 11, 3374-3378	63
253	Hematologic disease induced in BALB/c mice by a bcr-abl retrovirus is influenced by the infection conditions. 1992 , 12, 1755-1763	12

252	Nonmyristoylated Abl proteins transform a factor-dependent hematopoietic cell line. 1992 , 12, 1864-1871	20
251	Role of the PU.1 transcription factor in controlling differentiation of Friend erythroleukemia cells. 1992 , 12, 2967-2975	44
250	Effector domain mutations dissociate p21ras effector function and GTPase-activating protein interaction. 1993 , 13, 7311-7320	12
249	Platelet-derived growth factor receptor can mediate tumorigenic transformation by the bovine papillomavirus E5 protein. 1993 , 13, 4137-4145	36
248	The Ets-related transcription factor PU.1 immortalizes erythroblasts. 1993 , 13, 5670-5678	39
247	A simple and efficient procedure for generating stable expression libraries by cDNA cloning in a retroviral vector. 1994 , 14, 880-887	23
246	Construction of a helper cell line for avian reticuloendotheliosis virus cloning vectors. 1983 , 3, 2241-2249	104
245	Amphotropic retrovirus vector system for human cell gene transfer. 1984 , 4, 1730-1737	58
244	Adeno-associated virus vector for high-frequency integration, expression, and rescue of genes in mammalian cells. 1985 , 5, 3251-3260	48
243	Bacterial beta-galactosidase as a marker of Rous sarcoma virus gene expression and replication. 1985 , 5, 281-290	78
242	Characterization of a retrovirus shuttle vector capable of either proviral integration or extrachromosomal replication in mouse cells. 1985 , 5, 305-312	5
241	Generation of helper-free amphotropic retroviruses that transduce a dominant-acting, methotrexate-resistant dihydrofolate reductase gene. 1985 , 5, 431-437	141
240	Recombinant retroviruses encoding simian virus 40 large T antigen and polyomavirus large and middle T antigens. 1986 , 6, 1204-1217	82
239	Retrovirus shuttle vector for study of kinase activities of pp60c-src synthesized in vitro and overproduced in vivo. 1986 , 6, 2033-2040	28
238	Redesign of retrovirus packaging cell lines to avoid recombination leading to helper virus production. 1986 , 6, 2895-2902	440
237	Expression of HLA-DR antigen in human class II mutant B-cell lines by double infection with retrovirus vectors. 1987 , 7, 3923-3928	13
236	Identification of protein products encoded by the proto-oncogene int-1. 1987 , 7, 3971-3977	39
235	Regulated expression of a complete human beta-globin gene encoded by a transmissible retrovirus vector. 1987 , 7, 887-897	56

234	Definition of regions in human c-myc that are involved in transformation and nuclear localization. 1987 , 7, 1697-1709	238
233	Increased frequency of N-region insertion in a murine pre-B-cell line infected with a terminal deoxynucleotidyl transferase retroviral expression vector. 1987 , 7, 3237-3243	98
232	Adeno-associated virus: a vector system for efficient introduction and integration of DNA into a variety of mammalian cell types. 1988 , 8, 3988-3996	29
231	Neoplastic transformation induced by an activated lymphocyte-specific protein tyrosine kinase (pp56lck). 1988 , 8, 540-550	115
230	Separation of simian virus 40 large-T-antigen-transforming and origin-binding functions from the ability to block differentiation. 1988 , 8, 1380-1384	24
229	The carboxy terminus of pp60c-src is a regulatory domain and is involved in complex formation with the middle-T antigen of polyomavirus. 1988 , 8, 1736-1747	32
228	Construction and properties of replication-competent murine retroviral vectors encoding methotrexate resistance. 1989 , 9, 100-108	26
227	Posttranscriptional regulation of cellular gene expression by the c-myc oncogene. 1989 , 9, 124-134	54
226	Oncogene cooperation in lymphocyte transformation: malignant conversion of E mu-myc transgenic pre-B cells in vitro is enhanced by v-H-ras or v-raf but not v-abl. 1989 , 9, 67-73	23
225	The BCR-ABL oncogene transforms Rat-1 cells and cooperates with v-myc. 1989 , 9, 1263-1270	89
224	Somatic gene therapy. Current status and future prospects. 1986 , 77, 1053-6	36
223	Alpha 1-antitrypsin deficiency caused by the alpha 1-antitrypsin Nullmattawa gene. An insertion mutation rendering the alpha 1-antitrypsin gene incapable of producing alpha 1-antitrypsin. 1989 , 83, 1144-52	56
222	Long-term exposure to retrovirally expressed granulocyte-colony-stimulating factor induces a nonneoplastic granulocytic and progenitor cell hyperplasia without tissue damage in mice. 1989 , 84, 1488-96	56
221	Dysregulated interleukin 6 expression produces a syndrome resembling Castleman's disease in mice. 1990 , 86, 592-9	250
220	Differential effects of microenvironmentally presented interleukin 3 versus soluble growth factor on primitive human hematopoietic cells. 1991 , 88, 417-22	24
219	Retroviral-mediated transfer of the human glucocerebrosidase gene into cultured Gaucher bone marrow. 1992 , 90, 342-8	54
218	Impaired secretion of the elongated mutant of protein C (protein C-Nagoya). Molecular and cellular basis for hereditary protein C deficiency. 1992 , 90, 2439-46	31
217	Enhanced prostacyclin synthesis in endothelial cells by retrovirus-mediated transfer of prostaglandin H synthase cDNA. 1993 , 91, 1843-9	29

216	Transfer of 15-lipoxygenase gene into rabbit iliac arteries results in the appearance of oxidation-specific lipid-protein adducts characteristic of oxidized low density lipoprotein. 1995 , 95, 2692-8	115
215	Genetically Engineered Cell Lines: Characterisation and Applications in Toxicity Testing: The Report and Recommendations of ECVAM Workshop 261, 2. 1997 , 25, 625-637	17
214	Expression of Activated Mutants of the Human Interleukin-3/Interleukin-5/Granulocyte-Macrophage Colony-Stimulating Factor Receptor Common β Subunit in Primary Hematopoietic Cells Induces Factor-Independent Proliferation and Differentiation. 1997 , 90, 1471-1481	7
213	Involvement of Transcription Factor Encoded by the Mouse mi Locus (MITF) in Expression of p75 Receptor of Nerve Growth Factor in Cultured Mast Cells of Mice. 1997 , 90, 2601-2608	7
212	DNA Cross-Linker-Induced G2/M Arrest in Group C Fanconi Anemia Lymphoblasts Reflects Normal Checkpoint Function. 1998 , 91, 275-287	1
211	Retroviruses and the study of cell lineage. 1987 , 101, 409-419	55
210	Permissiveness to murine leukemia, virus expression during preimplantation and early postimplantation mouse development. 1990 , 109, 655-665	33
209	Expressing antisense P0 RNA in Schwann cells perturbs myelination. 1991 , 112, 639-649	36
208	The metanephric blastema differentiates into collecting system and nephron epithelia in vitro. 1995 , 121, 3207-3214	58
207	Characterization of a PC12 cell sub-clone (PC12-C41) with enhanced neurite outgrowth capacity: implications for a modulatory role of high molecular weight tau in neurogenesis. 1993 , 106, 611-626	26
206	Transfection of rat dermal papilla cells with a gene encoding a temperature-sensitive polyomavirus large T antigen generates cell lines retaining a differentiated phenotype. 1994 , 107, 1761-1772	22
205	Apical plasma membrane proteins are not obligatorily stored in secretory granules in exocrine cells. 1994 , 107, 2271-2277	3
204	Gene transfer and genome-wide insertional mutagenesis by retroviral transduction in fish stem cells. 2015 , 10, e0127961	5
203	Cancer gene therapy. 2005 , 13, 23-26	2
202	DNA as therapeutics; an update. 2009 , 71, 488-98	16
201	Experimental Approaches to Restoration of Function of Ascending and Descending Axons in Spinal Cord Injury. 2000 , 215-239	1
200	Immortalized Cells. 2000 , 55-72	
199	Transient Transgenesis in The Endocrine System: Viral Vectors for Gene Delivery. 2001 , 195-232	

198 Genetic Engineering of Animal Cells. **2001**, 662-744

197 Targeting Gene Therapy to the Tumor Vasculature. **2002**, 453-473

196 Methoden der Genübertragung. **2003**, 542-590

195 Retrovectors Go Forward. **2003**,

194 Retrovectors Go Forward. **2003**, 232-261

193 Transduction Technologies. **2007**, 3-21

192 Production of spliced DNA copies of the cottontail rabbit papillomavirus genome in a retroviral vector. **1986**, 120, 68-82

6

191 In vitro expression of cloned PrP cDNA derived from scrapie-infected mouse brain: lack of transmission of scrapie infectivity. **1988**, 135, 197-208

2

190 Gene Therapy. **2008**, 227-252

189 Genetic Engineering of Animal Cells. 662-744

188 Gene Therapy and Viruses. **2009**, 351-370

187 Haemoglobin Disorders: Gene Therapy.

186 Gene Therapy for Nonneoplastic Hematologic and Histiocytic Disorders. **2010**, 597-608

185 Overview of Retrovirology. **2010**, 1-30

0

184 Introduction to Gene Therapy. **2012**, 1-10

183 Development of Retroviral and Lentiviral Vectors. **2012**, 11-28

182 Virus Assembly as a Target for Antiretroviral Therapy. **2013**, 185-214

181 Expression of cloned genes in animal cells. **1984**, 179-218

- 180 STRATEGIES FOR THE MOLECULAR CLONING OF LOW ABUNDANCE MESSENGER RNAs. **1984**, 365-385 1
- 179 Hybrid Dysgenesis as a Gene Transfer System in *Drosophila melanogaster*. **1984**, 121-126
- 178 Introducing Genes into Mice and into Embryonal Carcinoma Stem Cells. **1984**, 127-133
- 177 Cloning of Endogenous Retrovirus-Like Genes: The Murine VL30 Family.. **1985**, 205-220
- 176 Governmental Responsibilities and Genetic Disease. **1985**, 425-430
- 175 Gentransfer in eukaryotische Zellen. **1985**, 159-176
- 174 Microinjection studies of retroviral polynucleotides. **1986**, 123, 23-37 3
- 173 Structure and Expression of the Human Parathyroid Hormone Gene. **1986**, 641-663
- 172 Structural modification of c-abl in lymphoma and leukemia. **1986**, 132, 81-9 4
- 171 Determinants of Abelson murine leukemia virus pathogenesis. **1986**, 132, 62-74 1
- 170 Structure and Function of the Human Retroviruses. **1986**, 307-342
- 169 Detection of Proteins Produced by Recombinant DNA Techniques. **1986**, 315-343
- 168 Molecular Basis of α -Antitrypsin Deficiency and its Potential Therapy by Gene Transfer. **1986**, 85-91
- 167 Genetic engineering of animals. **1986**, 37, 7-13 1
- 166 Use of Metaphase-Chromosome Transfer for Mammalian Gene Mapping. **1986**, 95-115 1
- 165 Single-base mutations associated with mouse lymphomas. **1986**, 39, 313-22
- 164 Expression of murine ADA cDNA in bacterial and mammalian cells. **1986**, 195 Pt A, 223-9
- 163 Mammalian gene transfer and gene expression. **1986**, 205, 319-49

- 162 Adenosine Deaminase Gene Transfer. **1987**, 639-643 1
- 161 Genetic Aspects of Murine Lupus. **1987**, 22-49
- 160 The Transformation of New Genetic Material into Pluripotential Embryonic Cells Grown In Vitro and Their Incorporation into Chimaeric Animals. **1987**, 172-179
- 159 Identification of oncogenes in breast tumors and their effects on growth and differentiation. **1988**, 40, 67-92 2
- 158 New Insights into Tumor Promotion from Molecular Studies of Protein Kinase C. **1988**, 185-190
- 157 Molecular Biology of Gaucher Disease: Therapeutic Strategies Utilizing Recombinant DNA Technology. **1988**, 41-50
- 156 Gene Transfer into the Nervous System. **1988**, 339-371
- 155 Stable Expression of Multisubunit Protein Complexes in Mammalian Cells. **1989**, 469-480 1
- 154 Dysregulated Activation of a Haemopoietic Growth Factor Gene Alone is Insufficient to Cause Malignant Haemopoietic Disease in Normal Haemopoietic Cells. **1989**, 319-329
- 153 Introduction of the Erythropoietin Gene to a Factor-Dependent Murine Myeloid Cell Line. **1989**, 109-116
- 152 Retroviral gene transfer in mice: the use of a unique packaging line improves efficiency. **1989**, 271, 149-60 1
- 151 The Use of Retroviral Vectors in Human Disorders. **1989**, 81-91 1
- 150 Retroviral transduction of the human c-Ha-ras-1 oncogene into midgestation mouse embryos promotes rapid epithelial hyperplasia. **1989**, 9, 6-14 5
- 149 Genetic Enzyme Deficiencies and the Blood-Brain Barrier. **1989**, 307-339
- 148 Towards Gene Therapy for Adenosine Deaminase Deficiency. **1989**, 92-98 2
- 147 Retroviral-Mediated Gene Transfer. **1989**, 155-182
- 146 Alteration of the genome as a method to increase diversity in animal germplasm resources. **1989**, 293-309
- 145 Prospects for Gene Therapy Now and in the Future. **1989**, 191-201

- 144 Mechanism of autocrine stimulation in hematopoietic cells producing interleukin-3 after retrovirus-mediated gene transfer. **1989**, 9, 204-213 16
- 143 Improved Retroviral Transfer of Genes into Canine Hematopoietic Progenitor Cells. **1989**, 75-80
- 142 Clinical Application of Somatic Gene Therapy in Inborn Errors of Metabolism. **1990**, 597-616
- 141 Characteristics of acetylcholine receptor-channels stably expressed in fibroblasts. **1990**, 139-147
- 140 Normal and Defective LDL-Receptor Function in Vivo. **1990**, 397-450
- 139 Acetylcholine Receptor-Expressing Fibroblasts. **1990**, 159-170
- 138 Retroviral Gene Transfer of Human Adenosine Deaminase into Hematopoietic Cells. **1990**, 100-106
- 137 Present Status of Retroviral Mediated Gene Transfer into the Hematopoietic Tissue In Vivo: Possible Applications in Man. **1990**, 107-115
- 136 Macrophage lineage switching of murine early pre-B lymphoid cells expressing transduced fms genes. **1990**, 10, 2703-2714 36
- 135 Functional analysis and nucleotide sequence of the promoter region of the murine hck gene. **1990**, 10, 4603-4611 7
- 134 Overexpression of protein kinase C in HT29 colon cancer cells causes growth inhibition and tumor suppression. **1990**, 10, 4650-4657 38
- 133 Somatic Gene Therapy. **1991**, 213-219
- 132 Evidence for the Involvement of Genetic Differences and Mesenchymal Factors in the Progression of Oncogene-Induced Prostate Cancer in Reconstituted Mouse Prostate. **1991**, 337-344
- 131 Overexpression of Protein Kinase C in Swiss/3T3 Cells Reduces The Number of Both High and Low Affinity of the Epidermal Growth Factor Receptors. **1991**, 271-281
- 130 Interleukin-7 retroviruses transform pre-B cells by an autocrine mechanism not evident in Abelson murine. **1991**, 11, 1590-1597 3
- 129 A ras effector domain mutant which is temperature sensitive for cellular transformation: interactions with GTPase-activating protein and NF-1. **1991**, 11, 3132-3138 11
- 128 The amino-terminal 14 amino acids of v-src can functionally replace the extracellular and transmembrane domains of v-erbB. **1991**, 11, 4760-4770 7
- 127 Genetic definition of ras effector elements. **1991**, 11, 6158-6165 6

- 126 Genetic Control of Human Alpha-1-Antitrypsin and Hepatic Gene Therapy. **1992**, 159-167
- 125 A colony-stimulating factor 1 (CSF-1) receptor/platelet-derived growth factor-beta receptor gene fusion confers CSF-1 independence and tumorigenicity on a c-myc-immortalized monocyte cell line. **1992**, 12, 386-393 1
- 124 THE EXPRESSION AND FUNCTION OF hsp-70. **1992**, 980-985
- 123 Expression of the Evi-1 zinc finger gene in 32Dc13 myeloid cells blocks granulocytic differentiation in response to granulocyte colony-stimulating factor. **1992**, 12, 183-189 35
- 122 Medical Fetal Therapy. **1993**, 590-610
- 121 Milestone and events in the early development of human gene therapy. **1993**, 3, 1-32
- 120 A retrovirus carrying the K-fgf oncogene induces diffuse meningeal tumors and soft-tissue fibrosarcomas. **1993**, 13, 1998-2010 3
- 119 Addition of constitutive c-myc expression to Abelson murine leukemia virus changes the phenotype of the cells transformed by the virus from pre-B-cell lymphomas to plasmacytomas. **1993**, 13, 2578-2585 4
- 118 Retrovirus-Mediated Gene Transfer of PMP22 in Schwann Cells: Studies on Cell Growth. **1994**, 29-36
- 117 Molecular Aspects of Endothelia Function in Hemostasis, Inflammation, and Thrombosis. **1994**, 343-359
- 116 Regeneration der Epidermis von Vollhautdefekten mit gentechnisch modulierten (retroviral transduzierten) Keratinozyten [Eine neue Möglichkeit der de-novo Expression von Peptiden bei Wundheilung und Hautersatz. **1994**, 473-478
- 115 Retroviral-Mediated Gene Transfer and Duchenne Muscular Dystrophy. **1994**, 391-410 1
- 114 Murine pluripotent hematopoietic progenitors constitutively expressing a normal erythropoietin receptor proliferate in response to erythropoietin without preferential erythroid cell differentiation. **1994**, 14, 4834-4842 8
- 113 Comparison of DNA methylation patterns among mouse cell lines by restriction landmark genomic scanning. **1994**, 14, 7421-7427 11
- 112 Genetische Botschafter. **1995**, 262-292
- 111 The Role of the Blood Bank in Human Gene Therapy Trials. **1995**, 117-129
- 110 Gene delivery to the nervous system by direct injection of retroviral vector. **1995**, 135-148
- 109 Biologicals & Immunologicals: Process for the preparation of human cells expressing a therapeutic protein. **1995**, 5, 697-699

- 108 Use of retroviral vectors in lymphohemato-poietic lineage analysis. **1996**, 1127-1142
- 107 Investigations of Retroviral-Mediated Gene Therapy for Malignant Glioma: Transduction with HTK-Bearing Retroviruses Sensitizes Glioma Cells to Ganciclovir. **1996**, 415-421
- 106 Gene Therapy. **1996**, 577-594
- 105 Functional Repair of Myelinated Fibers in the Spinal Cord by Transplantation of Glial Cells. **1997**, 283-298
- 104 Methoden der Genübertragung. **1997**, 197-241
- 103 Discovery, Development, and Application of Synthetic Gene Delivery Systems. **1998**, 27-50
- 102 Safety aspects of genetic modification procedures. **1998**, 189-204 1
- 101 Alphavirus-Retrovirus Vectors. **1998**, 61-69
- 100 In-vitro- und In-vivo-Manipulation hämatopoetischer Stammzellen für die Hochdosischemotherapie. **1998**, 88-109
- 99 Retroviral Vectors From Laboratory Tools to Molecular Medicines. **1998**, 193-218
- 98 Retrovirus Vectors and Regulatable Promoters. **1998**, 7-38 1
- 97 Molekulare Grundlagen des Gentransfers und Anwendung für die Gentherapie. **1998**, 110-145
- 96 Origin and rapid evolution of a novel murine erythroleukemia virus of the spleen focus-forming virus family. **1998**, 72, 3602-9 1
- 95 Expression in Eukaryotic Cells: Gene Transfer Using Retroviral Vectors. **1999**, 337-351
- 94 Myc-induced cyclin D2 genomic instability in murine B cell neoplasms. **1999**, 246, 183-9; discussion 190-2 7
- 93 Retroviral Vectors. **1999**, 13-28
- 92 New packaging cells based on the adapted variant of the Rous sarcoma virus. **1999**, 15, 67-74
- 91 Gene Therapy. **2015**, 283-296

90 Gene Therapy. **2016**, 363-396

89 Efficient Transduction of T-Lymphocytes by Lentiviral Particles in Oncoimmunological Studies. **2020**, 13, 295-306

88 Viral Vector Delivery to Dividing Cells. **2006**, 477-493

87 Retrovirus transduction: generation of infectious retroviruses expressing dominant and selectable genes is associated with in vivo recombination and deletion events. **1983**, 3, 2180-2190 32

86 Isolation of large T antigen-producing mouse cell lines capable of supporting replication of polyomavirus-plasmid recombinants. **1984**, 4, 2406-2412 23

85 Frequent heritable shutdown of murine retrovirus gene expression in murine cell lines. **1984**, 4, 908-914 5

84 Biologically active mutants with deletions in the v-mos oncogene assayed with retroviral vectors. **1985**, 5, 3131-3138 23

83 H-2Ld antigen encoded by a recombinant retrovirus genome is expressed on the surface of infected cells. **1985**, 5, 1379-1384 1

82 Approaches to Gene Therapy in Disorders of Purine Metabolism. **1988**, 14, 459-477 3

81 Eucaryotic chromosome transfer: production of a murine-specific cosmid library from a near-linked fragment of murine chromosome 17. **1986**, 6, 441-451 8

80 Nature and specificity of lymphokine independence induced by a selectable retroviral vector expressing v-src. **1987**, 7, 3394-3401 11

79 Retrovirus-mediated gene transfer of human adenosine deaminase: expression of functional enzyme in murine hematopoietic stem cells in vivo. **1987**, 7, 3459-3465 22

78 Construction of a defective retrovirus containing the human hypoxanthine phosphoribosyltransferase cDNA and its expression in cultured cells and mouse bone marrow. **1987**, 7, 854-863 9

77 Nonmitogenic morphoregulatory action of pp60v-src on multicellular epithelial structures. **1987**, 7, 1326-1337 45

76 The v-fms oncogene induces factor-independent growth and transformation of the interleukin-3-dependent myeloid cell line FDC-P1. **1987**, 7, 1673-1680 25

75 Replication-defective chimeric helper proviruses and factors affecting generation of competent virus: expression of Moloney murine leukemia virus structural genes via the metallothionein promoter. **1987**, 7, 1797-1806 18

74 Individual mouse VL30 elements transferred to rat cells by viral pseudotypes retain their responsiveness to activators of protein kinase C. **1987**, 7, 2296-2298 9

73 Abelson virus transformation of an interleukin 2-dependent antigen-specific T-cell line. **1987**, 7, 2631-2635 13

72	Expression of human adenosine deaminase in murine hematopoietic cells. 1988 , 8, 5116-5125	17	
71	Elevated expression of pp60c-src alters a selective morphogenetic property of epithelial cells in vitro without a mitogenic effect. 1988 , 8, 632-646	14	
70	A retrovirus expressing the 12S adenoviral E1A gene product can immortalize epithelial cells from a broad range of rat tissues. 1988 , 8, 1036-1044	27	
69	Expression of the human beta-globin gene after retroviral transfer into murine erythroleukemia cells and human BFU-E cells. 1988 , 8, 1725-1735	19	
68	Stably transmitted triple-promoter retroviral vectors and their use in transformation of primary mammalian cells. 1988 , 8, 1803-1808	15	
67	Modulation of the Haemopoietic System by Murine Retroviruses. 1984 , 13, 447-459	1	
66	Genetic tagging of tumor cells with retrovirus vectors: clonal analysis of tumor growth and metastasis in vivo. 1988 , 8, 3143-3149	15	
65	Mock retroviral infection alters the developmental potential of murine bone marrow stem cells. 1989 , 9, 4541-4544	2	
64	Retrovirus-mediated transfer and expression of the interleukin-3 gene in mouse hematopoietic cells result in a myeloproliferative disorder. 1989 , 9, 798-808	31	
63	A majority of mice show long-term expression of a human beta-globin gene after retrovirus transfer into hematopoietic stem cells. 1989 , 9, 1426-1434	36	
62	Cell lines established by a temperature-sensitive simian virus 40 large-T-antigen gene are growth restricted at the nonpermissive temperature. 1989 , 9, 1672-1681	84	
61	Transformation of NIH 3T3 fibroblasts by an activated form of p59hck. 1989 , 9, 2724-2727	22	
60	Germ line c-myc is not down-regulated by loss or exclusion of activating factors in myc-induced macrophage tumors. 1989 , 9, 3482-3490	11	
59	pp60c-src variants containing lesions that affect phosphorylation at tyrosines 416 and 527. 1989 , 9, 3647-3656	18	
58	Early pre-B-cell transformation induced by the v-fms oncogene in long-term mouse bone marrow cultures. 1989 , 9, 3973-3981	11	
57	Transduction of human colony-stimulating factor-1 (CSF-1) receptor into interleukin-3-dependent mouse myeloid cells induces both CSF-1-dependent and factor-independent growth. 1989 , 9, 4069-4073	9	
56	Gene therapy for vascular diseases. 1994 , 21, 98-103	2	
55	Activating point mutations in the common beta subunit of the human GM-CSF, IL-3 and IL-5 receptors suggest the involvement of beta subunit dimerization and cell type-specific molecules in signalling. <i>EMBO Journal</i> , 1995 , 14, 4276-87	13	11

54	Point mutations within a dimer interface homology domain of c-Mpl induce constitutive receptor activity and tumorigenicity. <i>EMBO Journal</i> , 1995 , 14, 5569-78	13	27
53	A double hairpin structure is necessary for the efficient encapsidation of spleen necrosis virus retroviral RNA. <i>EMBO Journal</i> , 1994 , 13, 713-26	13	38
52	Targeted disruption of the c-fos gene demonstrates c-fos-dependent and -independent pathways for gene expression stimulated by growth factors or oncogenes. <i>EMBO Journal</i> , 1994 , 13, 3094-103	13	69
51	Retroviral-mediated gene transfer of the peripheral myelin protein PMP22 in Schwann cells: modulation of cell growth. <i>EMBO Journal</i> , 1995 , 14, 1122-8	13	38
50	A lethal myeloproliferative syndrome in mice transplanted with bone marrow cells infected with a retrovirus expressing granulocyte-macrophage colony stimulating factor. <i>EMBO Journal</i> , 1989 , 8, 441-8	13	55
49	Murine myeloid cell lines derived by in vitro infection with recombinant c-myb retroviruses express myb from rearranged vector proviruses. <i>EMBO Journal</i> , 1989 , 8, 1767-75	13	17
48	Activation of c-myb by carboxy-terminal truncation: relationship to transformation of murine haemopoietic cells in vitro. <i>EMBO Journal</i> , 1989 , 8, 1777-83	13	35
47	Site-specific mutagenesis identifies amino acid residues critical in prohormone processing. <i>EMBO Journal</i> , 1989 , 8, 2911-6	13	16
46	The truncation that generated the v-cbl oncogene reveals an ability for nuclear transport, DNA binding and acute transformation. <i>EMBO Journal</i> , 1993 , 12, 2017-26	13	19
45	Conditional immortalization of mouse myelomonocytic, megakaryocytic and mast cell progenitors by the Hox-2.4 homeobox gene. <i>EMBO Journal</i> , 1993 , 12, 3835-46	13	34
44	Bcl-2 mutants with restricted subcellular location reveal spatially distinct pathways for apoptosis in different cell types. <i>EMBO Journal</i> , 1996 , 15, 4130-41	13	102
43	Oncogenic activation of the neu-encoded receptor protein by point mutation and deletion. <i>EMBO Journal</i> , 1988 , 7, 2043-52	13	98
42	Peptide antibodies to the human c-fyn gene product demonstrate pp59c-fyn is capable of complex formation with the middle-T antigen of polyomavirus. <i>EMBO Journal</i> , 1988 , 7, 3845-55	13	66
41	Expression of functional human EGF receptor on murine bone marrow cells. <i>EMBO Journal</i> , 1988 , 7, 2749-56	13	20
40	Ras-mediated cell cycle arrest is altered by nuclear oncogenes to induce Schwann cell transformation. <i>EMBO Journal</i> , 1988 , 7, 1635-45	13	62
39	bcr-abl, the hallmark of chronic myeloid leukaemia in man, induces multiple haemopoietic neoplasms in mice. <i>EMBO Journal</i> , 1990 , 9, 1069-78	13	74
38	Negative autoregulation of c-myc transcription. <i>EMBO Journal</i> , 1990 , 9, 1113-21	13	92
37	The proto-oncogene int-1 encodes a secreted protein associated with the extracellular matrix. <i>EMBO Journal</i> , 1990 , 9, 1569-75	13	73

36	Expression of retroviral vectors in transgenic mice obtained by embryo infection. <i>EMBO Journal</i> , 1987 , 6, 383-8	13	35
35	Immunoglobulin heavy chain switch region recombination within a retroviral vector in murine pre-B cells. <i>EMBO Journal</i> , 1987 , 6, 577-84	13	18
34	An insertional mutant of epidermal growth factor receptor allows dissection of diverse receptor functions. <i>EMBO Journal</i> , 1987 , 6, 2669-76	13	31
33	Retroviral expression of the human IL-2 gene in a murine T cell line results in cell growth autonomy and tumorigenicity. <i>EMBO Journal</i> , 1987 , 6, 2705-9	13	28
32	The bovine leukemia virus p34 is a transactivator protein. <i>EMBO Journal</i> , 1987 , 6, 3385-9	13	39
31	The in vitro behavior of hemopoietic cells transformed by polyoma middle T antigen parallels that of primary human myeloid leukemic cells. <i>EMBO Journal</i> , 1987 , 6, 3703-9	13	2
30	Clonal fluctuation within the haematopoietic system of mice reconstituted with retrovirus-infected stem cells. <i>EMBO Journal</i> , 1987 , 6, 3955-60	13	43
29	Transfer of genes into embryonal carcinoma cells by retrovirus infection: efficient expression from an internal promoter. <i>EMBO Journal</i> , 1985 , 4, 663-6	13	54
28	Retroviral characteristics of the long terminal repeat of murine E.Tn sequences. <i>EMBO Journal</i> , 1985 , 4, 2911-5	13	14
27	Expression of the E.coli 3-methyladenine DNA glycosylase I gene in mammalian cells reduces the toxic and mutagenic effects of methylating agents. <i>EMBO Journal</i> , 1992 , 11, 4439-44	13	9
26	Mutations in the cytoplasmic domain of EGF receptor affect EGF binding and receptor internalization. <i>EMBO Journal</i> , 1986 , 5, 2179-90	13	60
25	Use of a recombinant retrovirus to study post-implantation cell lineage in mouse embryos. <i>EMBO Journal</i> , 1986 , 5, 3133-42	13	303
24	Involvement of transcription factor encoded by the mouse mi locus (MITF) in apoptosis of cultured mast cells induced by removal of interleukin-3. <i>American Journal of Pathology</i> , 1997 , 151, 1043-51	5.8	21
23	Studies on the pathology, especially brain lesions, induced by R7, a spontaneous mutant of Moloney murine sarcoma virus 124. <i>American Journal of Pathology</i> , 1998 , 152, 1509-20	5.8	
22	Autocrine secretion of osteopontin by vascular smooth muscle cells regulates their adhesion to collagen gels. <i>American Journal of Pathology</i> , 1996 , 149, 259-72	5.8	33
21	Conditional transformation of mouse liver epithelial cells. An in vitro model for analysis of genetic events in hepatocarcinogenesis. <i>American Journal of Pathology</i> , 1995 , 147, 1811-22	5.8	24
20	Regulation of the differentiation of diploid and some aneuploid rat liver epithelial (stemlike) cells by the hepatic microenvironment. <i>American Journal of Pathology</i> , 1993 , 142, 1373-82	5.8	130
19	A defective HSV-1 vector expresses Escherichia coli beta-galactosidase in cultured peripheral neurons. <i>Science</i> , 1988 , 241, 1667-9	33.3	76

18	Multiple Functional Motifs Are Required for the Tumor Suppressor Activity of a Constitutively-Active ErbB4 Mutant. 2013 , 1, 10		2
17	Antivirus activity, but not thiolreductase activity, is conserved in interferon-gamma-inducible GILT protein in arthropod. <i>Molecular Immunology</i> , 2021 , 140, 240-249	4.3	0
16	The potential of gene therapy for recessive dystrophic epidermolysis bullosa. <i>British Journal of Dermatology</i> , 2021 ,	4	1
15	Manufacturing of CAR-T Cells: The Assembly Line. <i>Cancer Drug Discovery and Development</i> , 2022 , 121-130.	3	
14	A defective HSV-1 vector expresses Escherichia coli beta-galactosidase in cultured peripheral neurons. 1988 , 241, 1667-1669		75
13	The expression of retroviral vectors in murine stem cells and transgenic mice. 1986 , 97, 263-275		0
12	Development and clinical translation of ex vivo gene therapy. <i>Computational and Structural Biotechnology Journal</i> , 2022 , 20, 2986-3003	6.8	
11	1. Development of CAR T-cell Therapy. <i>Japanese Journal of Clinical Pharmacology and Therapeutics</i> , 2022 , 53, 82-85	0	
10	Gene Therapy in Orthopaedics: Progress and Challenges in Pre-Clinical Development and Translation. <i>Frontiers in Bioengineering and Biotechnology</i> , 10,	5.8	1
9	THE USE OF GENE THERAPY FOR IMMUNODEFICIENCY DISEASE. <i>Radiologic Clinics of North America</i> , 1996 , 16, 683-726	2.3	
8	Delivering genes with human immunodeficiency virus-derived vehicles: still state-of-the-art after 25 years. 2022 , 29,		0
7	RNA Tumor Viruses. 1-14		0
6	Cancer Gene Therapy. 1-11		0
5	Understanding Retroviral Life Cycle and its Genomic RNA Packaging. 2022 , 167924		1
4	Neutrophils but Not Eosinophils Are Involved in Growth Suppression of IL-4-Secreting Tumors. 1998 , 160, 345-350		11
3	Identification of a Dynamic Intracellular Reservoir of CD86 Protein in Peripheral Blood Monocytes That Is Not Associated with the Golgi Complex. 1998 , 160, 5390-5396		2
2	Signals Transduced by CD3 But Not by Surface Pre-TCR Complexes, Are Able to Induce Maturation of an Early Thymic Lymphoma In Vitro. 1999 , 163, 2576-2585		16
1	Process intensification for lentiviral vector manufacturing using tangential flow depth filtration. 2023 , 29, 93-107		0

