

# Correlation of sequence hydrophobicities measures sim protein structure

Journal of Molecular Biology

171, 479-488

DOI: [10.1016/0022-2836\(83\)90041-4](https://doi.org/10.1016/0022-2836(83)90041-4)

Citation Report

#	ARTICLE	IF	CITATIONS
2	Stimulation of Vascular Smooth Muscle Sodium, Potassium--Adenosinetriphosphatase by Vasodilators. <i>Circulation Research</i> , 1974, 35, 601-607.	2.0	58
3	Recent progress in bioluminescence: cloning of the structural genes encoding bacterial luciferase, analysis of the encoded sequences, and crystallization of the enzyme. , 1984, , 345-358.		2
4	Similarity in gene organization and homology between proteins of animal picomaviruses and a plant comovirus suggest common ancestry of these virus families. <i>Nucleic Acids Research</i> , 1984, 12, 7251-7267.	6.5	277
5	Nucleotide sequence of the gene encoding the F72 fimbrial subunit of a uropathogenic <i>Escherichia coli</i> strain. <i>Gene</i> , 1984, 32, 83-90.	1.0	57
6	Primary structural comparison of RNA-dependent polymerases from plant, animal and bacterial viruses. <i>Nucleic Acids Research</i> , 1984, 12, 7269-7282.	6.5	878
7	The production and molecular properties of the zinc $\beta$ -lactamase of <i>Pseudomonas maltophilia</i> IID 1275. <i>Biochemical Journal</i> , 1985, 229, 791-797.	1.7	94
8	Prediction of homology and divergence in the secondary structure of polypeptides.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1985, 82, 366-370.	3.3	18
9	Brain-derived acidic fibroblast growth factor: complete amino acid sequence and homologies. <i>Science</i> , 1985, 230, 1385-1388.	6.0	337
10	Helical packing in the hydrophobic sector of cytochrome c oxidase. <i>Journal of Inorganic Biochemistry</i> , 1985, 23, 177-182.	1.5	8
11	Secondary structure of the pore-forming colicin A and its C-terminal fragment. <i>Experimental fact and structure prediction</i> . <i>FEBS Journal</i> , 1985, 152, 681-689.	0.2	64
12	Microcomputer Programs for Prediction and Comparative Evaluation of Protein Secondary Structure From Nucleotide Sequence Data: Application to Ribulose-1,5-Bisphosphate Carboxylase Sequences. <i>DNA and Cell Biology</i> , 1985, 4, 319-326.	5.1	8
13	Hydrophobicity of amino acid residues in globular proteins. <i>Science</i> , 1985, 229, 834-838.	6.0	1,134
14	X-ray crystallographic structure of the light-harvesting biliprotein C-phycoerythrin from the thermophilic cyanobacterium <i>Mastigocladus laminosus</i> and its resemblance to globin structures. <i>Journal of Molecular Biology</i> , 1985, 184, 257-277.	2.0	366
15	Nucleotide sequence and topography of chicken c-fps. <i>Journal of Molecular Biology</i> , 1985, 181, 175-186.	2.0	76
16	Turns in Peptides and Proteins. <i>Advances in Protein Chemistry</i> , 1985, 37, 1-109.	4.4	1,532
17	Sequence homology among the coat protein of gemini viruses. <i>Biochemical and Biophysical Research Communications</i> , 1985, 130, 892-896.	1.0	4
18	Sequence homology between the coat proteins of DNA and RNA plant viruses. <i>Biochemical and Biophysical Research Communications</i> , 1986, 134, 372-377.	1.0	5
19	Analysis of sequence and structure homologies between thyroglobulin and acetylcholinesterase: Possible functional and clinical significance. <i>Biochemical and Biophysical Research Communications</i> , 1986, 137, 142-148.	1.0	98

#	ARTICLE	IF	CITATIONS
20	Sequence of glutamine synthetase from Salmonella typhimurium and implications for the protein structure. <i>Gene</i> , 1986, 46, 297-300.	1.0	63
21	Methods for identifying antigenic determinants and other interaction sites. <i>Journal of Immunological Methods</i> , 1986, 88, 1-18.	0.6	166
22	Gene products specifying adhesion of uropathogenic Escherichia coli are minor components of pili.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1986, 83, 1891-1895.	3.3	127
23	Evolutionary similarity among peptide segments is a basis for prediction of protein folding. <i>Biopolymers</i> , 1986, 25, 1565-1577.	1.2	49
24	Phylogenetic trees constructed from hydrophobicity values of protein sequences. <i>Journal of Theoretical Biology</i> , 1986, 119, 189-196.	0.8	7
25	Nucleotide sequence of the Saccharomyces cerevisiae CTT1 gene and deduced amino-acid sequence of yeast catalase T. <i>FEBS Journal</i> , 1986, 160, 487-490.	0.2	90
26	DNA topology in a chromatin model system. <i>Cell Biophysics</i> , 1986, 8, 177-188.	0.4	1
27	Molecular characterization of bsg25D: a blastoderm-specific locus of Drosophila melanogaster. <i>Nucleic Acids Research</i> , 1987, 15, 2309-2325.	6.5	14
28	[24] The use of structural profiles and parametric sequence comparison in the rational design of polypeptides. <i>Methods in Enzymology</i> , 1987, 154, 450-473.	0.4	11
29	Profile analysis: detection of distantly related proteins.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1987, 84, 4355-4358.	3.3	1,225
30	Dependence of conformational stability on hydrophobicity of the amino acid residue in a series of variant proteins substituted at a unique position of tryptophan synthase alpha subunit.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1987, 84, 4441-4444.	3.3	271
31	Interior and surface of monomeric proteins. <i>Journal of Molecular Biology</i> , 1987, 196, 641-656.	2.0	873
32	COOH-terminal propeptides of the major human procollagens. <i>Journal of Molecular Biology</i> , 1987, 193, 127-143.	2.0	91
33	Occurrence of nucleotide triplets in genes and secondary structure of the coded proteins. <i>International Journal of Biological Macromolecules</i> , 1987, 9, 49-53.	3.6	13
34	Processing of the tobacco etch virus 49K protease requires autoproteolysis. <i>Virology</i> , 1987, 160, 355-362.	1.1	94
35	Hydrophobic cluster analysis: An efficient new way to compare and analyse amino acid sequences. <i>FEBS Letters</i> , 1987, 224, 149-155.	1.3	586
36	Conformational predictive studies on the activation segment of pancreatic procarboxypeptidases. <i>Biochemical and Biophysical Research Communications</i> , 1987, 149, 729-734.	1.0	3
37	Hydrophobicity scales and computational techniques for detecting amphipathic structures in proteins. <i>Journal of Molecular Biology</i> , 1987, 195, 659-685.	2.0	627

#	ARTICLE	IF	CITATIONS
38	Comparison of protein structural profiles by interactive computer graphics. <i>Journal of Molecular Graphics</i> , 1987, 5, 4-7.	1.7	7
39	Distribution of accessible surfaces of amino acids in globular proteins. <i>Proteins: Structure, Function and Bioinformatics</i> , 1987, 2, 153-161.	1.5	24
40	Tentative rules for increasing the thermostability of enzymes by protein engineering. <i>Enzyme and Microbial Technology</i> , 1987, 9, 238-244.	1.6	22
41	Prediction of the structure of proteins using related structures, energy minimization and computer graphics. <i>Journal of Molecular Graphics</i> , 1987, 5, 133-140.	1.7	15
42	A basic library of microcomputer programs to obtain immunologically relevant information from protein sequences. <i>International Journal of Bio-medical Computing</i> , 1988, 22, 165-181.	0.5	0
43	Characterization of the gene for the Fe-protein of the vanadium dependent alternative nitrogenase of <i>Azotobacter vinelandii</i> and construction of a Tn5 mutant. <i>Molecular Genetics and Genomics</i> , 1988, 214, 121-127.	2.4	43
44	Test of circular dichroism (CD) methods for crambin and CD-assisted secondary structure prediction of its homologous toxins. <i>Proteins: Structure, Function and Bioinformatics</i> , 1988, 4, 262-273.	1.5	15
45	Segmentation of a protein into structural elements: Analysis and classification of segments. <i>The Protein Journal</i> , 1988, 7, 509-525.	1.1	2
46	The structure of three bacteriophage T4 genes required for tail-tube assembly. <i>Virology</i> , 1988, 164, 81-90.	1.1	15
47	Functional T Cell Recognition of Synthetic Peptides Corresponding to Continuous Antibody Epitopes of Herpes Simplex Virus Type 1 Glycoprotein D. <i>Immunobiology</i> , 1988, 177, 134-148.	0.8	18
48	Analysis of Complementary and Genomic DNA Coding for a Highly Abundant Class of mRNA in Developing Field Bean Seeds ( <i>Vicia faba</i> L. var. minor cv. Fribo). <i>Biochemie Und Physiologie Der Pflanzen</i> , 1988, 183, 225-231.	0.5	3
49	The autoepitope of the 74-kD mitochondrial autoantigen of primary biliary cirrhosis corresponds to the functional site of dihydrolipoamide acetyltransferase. <i>Journal of Experimental Medicine</i> , 1988, 167, 1791-1799.	4.2	284
50	The use of various properties of amino acids in color and monochrome dot-matrix analyses for protein homologies. <i>Bioinformatics</i> , 1988, 4, 395-402.	1.8	5
51	Purification, sequence, and model structure of charybdotoxin, a potent selective inhibitor of calcium-activated potassium channels. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1988, 85, 3329-3333.	3.3	286
52	Ribonucleoprotein SS-B/La belongs to a protein family with consensus sequences for RNA-binding. <i>Nucleic Acids Research</i> , 1989, 17, 2233-2244.	6.5	101
53	Computerized sequence-based predictive methods: their use in the conformational characterization of proteins and in the analysis of their homologies a practical case employing lysozyme and $\hat{\pm}$ -lactalbumin. <i>Biochemical Education</i> , 1989, 17, 36-41.	0.1	1
54	Nucleotide sequence, organization, and nature of the protein products of the carotenoid biosynthesis gene cluster of <i>Rhodobacter capsulatus</i> . <i>Molecular Genetics and Genomics</i> , 1989, 216, 254-268.	2.4	343
55	Comparison of CD spectra in the aromatic region on a series on variant proteins substituted at a unique position of tryptophan synthase $\hat{\pm}$ -subunit. <i>Proteins: Structure, Function and Bioinformatics</i> , 1989, 5, 211-217.	1.5	2

#	ARTICLE	IF	CITATIONS
56	Hydrophobic Moments as Tools for Analyzing Protein Sequences and Structures. , 1989, , 635-646.		19
57	The Development of the Prediction of Protein Structure. , 1989, , 193-316.		73
58	Prediction of terminal protein and ribonuclease H domains in the gene P product of hepadnaviruses. FEBS Letters, 1989, 243, 115-118.	1.3	42
59	Cytoskeletal and Extracellular Proteins. Springer Series in Biophysics, 1989, , .	0.4	1
60	[38] Use of hydrophilicity plotting procedures to identify protein antigenic segments and other interaction sites. Methods in Enzymology, 1989, 178, 571-585.	0.4	39
61	Identifying determinants of folding and activity for a protein of unknown structure.. Proceedings of the National Academy of Sciences of the United States of America, 1989, 86, 2152-2156.	3.3	119
62	[25] Prediction of bilayer spanning domains of hydrophobic and amphipathic membrane proteins: Application to the cytochrome b and colicin families. Methods in Enzymology, 1989, 172, 439-461.	0.4	20
63	Fuzzy adaptive least squares and its use in quantitative structure-activity relationships.. Chemical and Pharmaceutical Bulletin, 1990, 38, 3373-3379.	0.6	18
64	Recognition of different nucleotide-binding sites in primary structures using a property-pattern approach. FEBS Journal, 1990, 191, 347-358.	0.2	52
65	Identification of protein folds: Matching hydrophobicity patterns of sequence sets with solvent accessibility patterns of known structures. Proteins: Structure, Function and Bioinformatics, 1990, 7, 257-264.	1.5	101
66	A possible new mechanism of oxygen affinity modulation in mammalian hemoglobins. Biophysical Chemistry, 1990, 37, 141-146.	1.5	48
67	Glutactin, a novel Drosophila basement membrane-related glycoprotein with sequence similarity to serine esterases.. EMBO Journal, 1990, 9, 1219-1227.	3.5	120
68	Temperature-Sensitive Mutant of Bacillus subtilis Glutamine Synthetase Obtained by Random Mutation. Journal of Biochemistry, 1990, 108, 116-121.	0.9	5
69	Identification of the most significant amphipathic helix with application to HIV and MHV envelope proteins. Bioinformatics, 1990, 6, 165-171.	1.8	1
70	Deciphering the message in protein sequences: tolerance to amino acid substitutions. Science, 1990, 247, 1306-1310.	6.0	494
71	Amino acid sequence similarity between the terminal protein of hepatitis B virus and predicted hepatitis delta virus gene product. FEBS Letters, 1990, 262, 345-348.	1.3	7
72	Dominant forces in protein folding. Biochemistry, 1990, 29, 7133-7155.	1.2	3,587
73	Structural predictions for membrane proteins: the dilemma of hydrophobicity scales. Trends in Biochemical Sciences, 1991, 16, 119.	3.7	16

#	ARTICLE	IF	CITATIONS
74	The <i>Drosophila</i> single-minded gene encodes a helix-loop-helix protein that acts as a master regulator of CNS midline development. <i>Cell</i> , 1991, 67, 1157-1167.	13.5	486
75	The role of internal packing interactions in determining the structure and stability of a protein. <i>Journal of Molecular Biology</i> , 1991, 219, 359-376.	2.0	219
76	Factors affecting peptide catabolism by oral streptococci. <i>Oral Microbiology and Immunology</i> , 1991, 6, 72-75.	2.8	9
77	Cloning, nucleotide sequence, and characterization of <i>mtr</i> , the structural gene for a tryptophan-specific permease of <i>Escherichia coli</i> K-12. <i>Journal of Bacteriology</i> , 1991, 173, 108-115.	1.0	66
78	[21] Molecular modeling and dynamics of biologically active peptides: Application to neuropeptide Y. <i>Methods in Enzymology</i> , 1991, 202, 449-470.	0.4	5
79	Physicochemical properties of signal receptor domains as the basis for sequence comparison. <i>Comparative Biochemistry and Physiology Part B: Comparative Biochemistry</i> , 1991, 98, 445-449.	0.2	1
80	Complete sequence and model for the A2 subunit of the carotenoid pigment complex, crustacyanin. <i>FEBS Journal</i> , 1991, 197, 407-417.	0.2	56
81	Development of hydrophobicity parameters to analyze proteins which bear post- or cotranslational modifications. <i>Analytical Biochemistry</i> , 1991, 193, 72-82.	1.1	327
82	Structural and functional comparison between the stability systems ParD of plasmid R1 and Ccd of plasmid F. <i>Molecular Genetics and Genomics</i> , 1991, 225, 355-362.	2.4	31
83	The protein-folding problem: the native fold determines packing, but does packing determine the native fold?. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1991, 88, 4195-4199.	3.3	102
84	PROFILEGRAPH: an interactive graphical tool for protein sequence analysis. <i>Bioinformatics</i> , 1992, 8, 331-337.	1.8	36
85	Octan-1-ol-water partition coefficients of zwitterionic $\hat{\pm}$ -amino acids. Determination by centrifugal partition chromatography and factorization into steric/hydrophobic and polar components. <i>Journal of the Chemical Society Perkin Transactions II</i> , 1992, , 79-84.	0.9	81
86	Structure-derived hydrophobic potential. <i>Journal of Molecular Biology</i> , 1992, 224, 725-732.	2.0	170
87	Use of conditional probabilities for determining relationships between amino acid sequence and protein secondary structure. <i>Proteins: Structure, Function and Bioinformatics</i> , 1992, 12, 382-399.	1.5	22
88	A bibliography on computational molecular biology and genetics. <i>Mathematical and Computer Modelling</i> , 1992, 16, 245-319.	2.0	3
89	Conformational preference functions for predicting helices in membrane proteins. <i>Biopolymers</i> , 1993, 33, 255-273.	1.2	38
90	PREDITOP: A program for antigenicity prediction. <i>Journal of Molecular Graphics</i> , 1993, 11, 204-210.	1.7	72
91	Protein secondary structure conformations and associated hydrophobicity scales. <i>Journal of Mathematical Chemistry</i> , 1993, 14, 35-45.	0.7	10

#	ARTICLE	IF	CITATIONS
92	Evaluation of transmembrane helix prediction methods using the recently defined NMR structures of the coat proteins from bacteriophages M13 and Pf1. <i>BBA - Proteins and Proteomics</i> , 1993, 1202, 161-168.	2.1	27
93	Hydrophobic characteristics of folded proteins. <i>Progress in Biophysics and Molecular Biology</i> , 1993, 59, 57-103.	1.4	105
94	Inverted protein structure prediction. <i>Current Opinion in Structural Biology</i> , 1993, 3, 437-444.	2.6	73
95	Cytochrome P450 Structure and Function. <i>Handbook of Experimental Pharmacology</i> , 1993, , 155-168.	0.9	7
96	Environmental Characteristics of Residues in Proteins: Three-Dimensional Molecular Hydrophobicity Potential Approach. <i>Journal of Biomolecular Structure and Dynamics</i> , 1993, 11, 483-507.	2.0	39
97	Cooperativity in protein-folding kinetics.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1993, 90, 1942-1946.	3.3	450
98	Site-Directed Random Mutagenesis of AMP-Binding Residues in Adenylate Kinase1. <i>Journal of Biochemistry</i> , 1993, 114, 627-633.	0.9	16
100	Cleavage site of the poliovirus receptor signal sequence. <i>Journal of General Virology</i> , 1994, 75, 1875-1881.	1.3	9
102	Protein stability for single substitution mutants and the extent of local compactness in the denatured state. <i>Protein Engineering, Design and Selection</i> , 1994, 7, 1209-1220.	1.0	60
103	Staden: Statistical and Structural Analysis of Nucleotide Sequences. , 1994, 25, 69-77.		7
104	HomologyPlot: Searching for homology to a family of proteins using a database of unique conserved patterns. <i>Journal of Computer-Aided Molecular Design</i> , 1994, 8, 193-210.	1.3	0
105	Conservation and prediction of solvent accessibility in protein families. <i>Proteins: Structure, Function and Bioinformatics</i> , 1994, 20, 216-226.	1.5	623
106	Lipophilicity of amino acids. <i>Amino Acids</i> , 1994, 7, 129-145.	1.2	42
107	Spatial and free energy distribution patterns of amino acid residues in water soluble proteins. <i>Biophysical Chemistry</i> , 1994, 51, 327-336.	1.5	9
108	Fourier transform infra-red spectroscopic studies of water molecules sorbed in solid polymers. <i>Polymer</i> , 1994, 35, 5637-5640.	1.8	96
109	Purification and Characterization of COR85-Oligomeric Complex from Cold-Acclimated Spinach. <i>Plant and Cell Physiology</i> , 1994, 35, 601-611.	1.5	94
110	Fuzzy adaptive least squares and its use in quantitative structure-activity relationships. <i>Pharmacochimistry Library</i> , 1995, 23, 275-296.	0.1	1
111	The expanding small heat-shock protein family, and structure predictions of the conserved $\alpha$ -crystallin domain. <i>Journal of Molecular Evolution</i> , 1995, 40, 238-248.	0.8	337

#	ARTICLE	IF	CITATIONS
112	VISTAS: A package for Visualizing Structures and sequences of proteins. Journal of Molecular Graphics, 1995, 13, 73-75.	1.7	8
113	A Sequence Property Approach to Searching Protein Databases. Journal of Molecular Biology, 1995, 251, 390-399.	2.0	183
114	Recognizing Native Folds by the Arrangement of Hydrophobic and Polar Residues. Journal of Molecular Biology, 1995, 252, 709-720.	2.0	134
115	Characteristics of Amino Acids. Current Protocols in Molecular Biology, 1996, 33, Appendix 1C.	2.9	7
116	Three-dimensional model of the potyviral genome-linked protein.. Proceedings of the National Academy of Sciences of the United States of America, 1996, 93, 12150-12154.	3.3	22
117	Chapter 6 Structure and function, of HlyB, the ABC-transporter essential for haemolysin secretion from escherichia coli. Handbook of Biological Physics, 1996, 2, 111-135.	0.8	2
118	RETINOBLASTOMA PROTEIN IN HUMAN BREAST CARCINOMA: IMMUNOHISTOCHEMICAL STUDY USING A NEW MONOCLONAL ANTIBODY EFFECTIVE ON ROUTINELY PROCESSED TISSUES. , 1996, 180, 65-70.		24
119	Analysis of amino acid indices and mutation matrices for sequence comparison and structure prediction of proteins. Protein Engineering, Design and Selection, 1996, 9, 27-36.	1.0	317
120	Binary assignments of amino acids from pattern conservation. Protein Engineering, Design and Selection, 1997, 10, 1013-1017.	1.0	0
121	Improvement of the refolding yield and solubility of hen egg-white lysozyme by altering the Met residue attached to its N-terminus to Ser. Protein Engineering, Design and Selection, 1997, 10, 1333-1338.	1.0	33
122	A New Spatial Representation of Amino Acid Residues in Globular Proteins. Journal of Biomolecular Structure and Dynamics, 1997, 14, 561-566.	2.0	1
123	Identification of an RNA-Binding-Loop in the N-Terminal Region of Signal-Recognition-Particle Protein SRP19. FEBS Journal, 1997, 245, 564-572.	0.2	7
124	Classification of the environment of protein residues. The Protein Journal, 1997, 16, 441-447.	1.1	5
125	Quantitative structure-function and structure-stability relationships of purposely modified proteins. Protein Engineering, Design and Selection, 1998, 11, 21-30.	1.0	27
126	Purification and Characterization of a Novel Cold-regulated Protein from an Ice-nucleating Bacterium, Pseudomonas fluorescens KUIN-1. Bioscience, Biotechnology and Biochemistry, 1998, 62, 2091-2097.	0.6	12
127	The hydrophobic domains in the carboxyl-terminal signal for GPI modification and in the amino-terminal leader peptide have similar structural requirements 1 Edited by I. B. Holland. Journal of Molecular Biology, 1998, 275, 25-33.	2.0	22
128	Which effective property of amino acids is best preserved by the genetic code?. Protein Engineering, Design and Selection, 1998, 11, 153-169.	1.0	101
129	Prediction of the helix/strand content of globular proteins based on their primary sequences. Protein Engineering, Design and Selection, 1998, 11, 971-979.	1.0	30



#	ARTICLE	IF	CITATIONS
130	WinGene/WinPep: User-Friendly Software for the Analysis of Amino Acid Sequences. <i>BioTechniques</i> , 1999, 26, 1170-1172.	0.8	63
132	Substitution of Surface-Exposed Framework Residues Alters Secretion of Recombinant Fusion Protein Fv/Tumor Necrosis Factor in <i>Escherichia coli</i> . <i>IUBMB Life</i> , 1999, 48, 327-332.	1.5	3
133	Cloning of the <i>mspA</i> gene encoding a porin from <i>Mycobacterium smegmatis</i> . <i>Molecular Microbiology</i> , 1999, 33, 933-945.	1.2	143
134	Relationship between amino acid properties and protein stability: buried mutations. <i>The Protein Journal</i> , 1999, 18, 565-578.	1.1	72
135	Substitution of Surface-Exposed Framework Residues Alters Secretion of Recombinant Fusion Protein Fv/Tumor Necrosis Factor in <i>Escherichia coli</i> . <i>IUBMB Life</i> , 1999, 48, 327-332.	1.5	3
136	Recombinant Green Fluorescent Protein Isoforms: Exercises To Integrate Molecular Biology, Biochemistry, and Biophysical Chemistry. <i>Journal of Chemical Education</i> , 1999, 76, 409.	1.1	12
137	Calcineurin B- and calmodulin-binding preferences identified with phage-displayed peptide libraries. <i>Gene</i> , 1999, 228, 51-59.	1.0	5
138	Molecular dissection of protein antigens and the prediction of epitopes. <i>Laboratory Techniques in Biochemistry and Molecular Biology / Edited By T S Work [and] E Work</i> , 1999, , 1-78.	0.2	2
139	Conformation and Antimicrobial Activity of Linear Derivatives of Tachyplesin Lacking Disulfide Bonds. <i>Archives of Biochemistry and Biophysics</i> , 1999, 361, 127-134.	1.4	89
140	Biased amino acid composition in repeat regions of <i>Plasmodium</i> antigens. <i>Molecular Biology and Evolution</i> , 1999, 16, 627-633.	3.5	31
141	Toward an energy function for the contact map representation of proteins. <i>Proteins: Structure, Function and Bioinformatics</i> , 2000, 40, 237-248.	1.5	42
142	Hydrogen exchange study of canine milk lysozyme: Stabilization mechanism of the molten globule. <i>Proteins: Structure, Function and Bioinformatics</i> , 2000, 40, 579-589.	1.5	31
143	Evolution of <i>Hoxa-11</i> in Lineages Phylogenetically Positioned along the Fin-Limb Transition. <i>Molecular Phylogenetics and Evolution</i> , 2000, 17, 305-316.	1.2	25
144	Protein Tyrosine Phosphatases from <i>Amphioxus</i> , Hagfish, and Ray: Divergence of Tissue-Specific Isoform Genes in the Early Evolution of Vertebrates. <i>Journal of Molecular Evolution</i> , 2000, 50, 302-311.	0.8	25
145	Voronoi Tessellation Reveals the Condensed Matter Character of Folded Proteins. <i>Physical Review Letters</i> , 2000, 85, 3532-3535.	2.9	60
146	Nonlinear Methods in the Analysis of Protein Sequences: A Case Study in Rubredoxins. <i>Biophysical Journal</i> , 2000, 78, 136-149.	0.2	56
147	Crystal Structure of a Light-Harvesting Protein C-Phycocyanin from <i>Spirulina platensis</i> . <i>Biochemical and Biophysical Research Communications</i> , 2001, 282, 893-898.	1.0	107
148	Comparing the Immunogenicity of Hepatitis B Virus S Gene Variants By DNA Immunization. <i>Viral Immunology</i> , 2001, 14, 359-367.	0.6	10

#	ARTICLE	IF	CITATIONS
150	Deletion of a cytotoxic, N-terminal putative signal peptide results in a significant increase in production yields in Escherichia coli and improved specific activity of Cel12A from Rhodothermus marinus. Applied Microbiology and Biotechnology, 2001, 55, 578-584.	1.7	27
151	Intrinsically disordered protein. Journal of Molecular Graphics and Modelling, 2001, 19, 26-59.	1.3	2,005
152	Elucidating protein secondary structures using alpha-carbon recurrence quantifications. Proteins: Structure, Function and Bioinformatics, 2001, 44, 292-303.	1.5	36
153	Quantitative comparison of the ability of hydrophathy scales to recognize surface $\beta$ -strands in proteins. Proteins: Structure, Function and Bioinformatics, 2001, 42, 243-255.	1.5	55
154	A New Approach to Predict the Helix/Strand Content of Globular Proteins. Journal of Theoretical Biology, 2001, 208, 65-78.	0.8	31
155	Mutations in the N-Terminus of VP5 Alter Its Interaction with the Scaffold Proteins of Herpes Simplex Virus Type 1. Virology, 2001, 284, 308-316.	1.1	7
156	Processing of a Multiple Membrane Spanning Epstein-Barr Virus Protein for Cd8+T Cell Recognition Reveals a Proteasome-Dependent, Transporter Associated with Antigen Processing-Independent Pathway. Journal of Experimental Medicine, 2001, 194, 1053-1068.	4.2	68
157	The directional atomic solvation energy: An atom-based potential for the assignment of protein sequences to known folds. Proceedings of the National Academy of Sciences of the United States of America, 2002, 99, 16041-16046.	3.3	29
158	Comparative Surface Accessibility of a Pore-lining Threonine Residue (T6 $\epsilon$ 2) in the Glycine and GABAA Receptors. Journal of Biological Chemistry, 2002, 277, 44845-44853.	1.6	27
159	Preclinical development of an adjuvant-free peptide vaccine with activity against CMV pp65 in HLA transgenic mice. Blood, 2002, 100, 3681-3689.	0.6	67
160	Nonlinear Signal Analysis Methods in the Elucidation of Protein Sequence-Structure Relationships. Chemical Reviews, 2002, 102, 1471-1492.	23.0	103
161	Enthalpic Homogeneous Pair Interaction Coefficients of $\beta$ -Amino Acids as a Hydrophobicity Parameter of Amino Acid Side Chains. Journal of the American Chemical Society, 2002, 124, 6003-6008.	6.6	65
162	N-terminal N-myristoylation of proteins: refinement of the sequence motif and its taxon-specific differences 1 Edited by J. Thornton. Journal of Molecular Biology, 2002, 317, 523-540.	2.0	181
163	Identification and functions of usefully disordered proteins. Advances in Protein Chemistry, 2002, 62, 25-49.	4.4	352
164	Sequence Analysis with WinGene/WinPep. , 2002, , 741-746.		0
165	Application of a chaperone-based refolding method to two- and three-dimensional off-lattice protein models. Biopolymers, 2002, 64, 146-160.	1.2	15
166	Functional implications of mutations in the human renal outer medullary potassium channel (ROMK2) identified in Bartter syndrome. Pflugers Archiv European Journal of Physiology, 2002, 443, 466-472.	1.3	24
167	Mathematical correlations for predicting protein retention times in hydrophobic interaction chromatography. Journal of Chromatography A, 2002, 978, 71-79.	1.8	73

#	ARTICLE	IF	CITATIONS
168	Review of Nonlinear Analysis of Proteins Through Recurrence Quantification. <i>Cell Biochemistry and Biophysics</i> , 2002, 36, 67-88.	0.9	33
169	A Computational Biology Database Digest: Data, Data Analysis, and Data Management. <i>Distributed and Parallel Databases</i> , 2003, 13, 7-42.	1.0	42
170	Molecular and Structural Characterization of the HMP-AB Gene Encoding a Pore-Forming Protein from a Clinical Isolate of <i>Acinetobacter baumannii</i> . <i>Current Microbiology</i> , 2003, 47, 434-43.	1.0	50
171	Sequence and structural analysis of cellular retinoic acid-binding proteins reveals a network of conserved hydrophobic interactions. <i>Proteins: Structure, Function and Bioinformatics</i> , 2003, 54, 179-194.	1.5	34
172	Early bioinformatics: the birth of a discipline--a personal view. <i>Bioinformatics</i> , 2003, 19, 2176-2190.	1.8	105
173	Motif Refinement of the Peroxisomal Targeting Signal 1 and Evaluation of Taxon-specific Differences. <i>Journal of Molecular Biology</i> , 2003, 328, 567-579.	2.0	161
174	O-GlcNAc Modification Is an Endogenous Inhibitor of the Proteasome. <i>Cell</i> , 2003, 115, 715-725.	13.5	374
175	Atom Depth as a Descriptor of the Protein Interior. <i>Biophysical Journal</i> , 2003, 84, 2553-2561.	0.2	62
176	Variation of amino acid properties in all- $\beta^2$ globular and outer membrane protein structures. <i>International Journal of Biological Macromolecules</i> , 2003, 32, 93-98.	3.6	17
177	Hydropathy – A window on the evasion of water. <i>Briefings in Bioinformatics</i> , 2003, 4, 279-282.	3.2	1
178	Identification of a TAP-Independent, Immunoproteasome-Dependent CD8 + T-Cell Epitope in Epstein-Barr Virus Latent Membrane Protein 2. <i>Journal of Virology</i> , 2003, 77, 2757-2761.	1.5	48
179	Mutation of Single Hydrophobic Residue I27, L35, F39, L58, L65, L67, or L71 in the N Terminus of VP5 Abolishes Interaction with the Scaffold Protein and Prevents Closure of Herpes Simplex Virus Type 1 Capsid Shells. <i>Journal of Virology</i> , 2003, 77, 4043-4059.	1.5	23
180	Simplicial Neighborhood Analysis of Protein Packing (SNAPP): A Computational Geometry Approach to Studying Proteins. <i>Methods in Enzymology</i> , 2003, 374, 509-544.	0.4	36
181	Tetramer-assisted identification and characterization of epitopes recognized by HLA A*2402â€‘restricted Epstein-Barr virusâ€‘specific CD8+ T cells. <i>Blood</i> , 2003, 101, 1460-1468.	0.6	62
182	On the role of water in the protein activity. <i>Brazilian Journal of Physics</i> , 2004, 34, 102-115.	0.7	8
183	Cloning and Sequencing of <i>cnf1</i> from <i>Escherichia coli</i> Incriminated in Mink and Bovine Colibacillosis. <i>Veterinary Research Communications</i> , 2004, 28, 103-112.	0.6	2
184	Cloning and Characterization of the Gene Encoding for OMP-PD Porin: The Major Photobacterium <i>damsela</i> Outer Membrane Protein. <i>Current Microbiology</i> , 2004, 48, 167-174.	1.0	9
185	Principal eigenvector of contact matrices and hydrophobicity profiles in proteins. <i>Proteins: Structure, Function and Bioinformatics</i> , 2004, 58, 22-30.	1.5	71

#	ARTICLE	IF	CITATIONS
186	N-Terminal tagged lactate dehydrogenase proteins: evaluation of relative hydrophobicity by hydrophobic interaction chromatography and aqueous two-phase system partition. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2004, 807, 25-31.	1.2	9
187	The importance of intrinsic disorder for protein phosphorylation. <i>Nucleic Acids Research</i> , 2004, 32, 1037-1049.	6.5	1,230
188	The Generation and Characterization of LMP2-Specific CTLs for Use as Adoptive Transfer From Patients With Relapsed EBV-Positive Hodgkin Disease. <i>Journal of Immunotherapy</i> , 2004, 27, 317-327.	1.2	96
189	Prediction in 1D: Secondary Structure, Membrane Helices, and Accessibility. <i>Methods of Biochemical Analysis</i> , 2005, , 559-587.	0.2	25
190	A new amphipathy scale. <i>Biochimica Et Biophysica Acta - Proteins and Proteomics</i> , 2005, 1747, 35-46.	1.1	12
191	Prediction of retention times of proteins in hydrophobic interaction chromatography using only their amino acid composition. <i>Journal of Chromatography A</i> , 2005, 1098, 44-54.	1.8	30
192	A common sequence-associated physicochemical feature for proteins of beta-trefoil family. <i>Computational Biology and Chemistry</i> , 2005, 29, 79-82.	1.1	21
193	SPdb--a signal peptide database. <i>BMC Bioinformatics</i> , 2005, 6, 249.	1.2	78
194	The C-terminal tail of the gp41 transmembrane envelope glycoprotein of HIV-1 clades A, B, C, and D may exist in two conformations: an analysis of sequence, structure, and function. <i>Virology</i> , 2005, 337, 284-296.	1.1	38
195	Predicting Protein Retention Time in Hydrophobic Interaction Chromatography. <i>Chemical Engineering and Technology</i> , 2005, 28, 1326-1334.	0.9	9
196	QSAR Analysis of the Structureâ€”Toxicity Relationship of Aconitum and Delphinium Diterpene Alkaloids. <i>Chemistry of Natural Compounds</i> , 2005, 41, 213-219.	0.2	13
197	A Quantitative Structure-Activity Relationship (QSAR) Study of the Antioxidant Activity of Flavonoids. <i>QSAR and Combinatorial Science</i> , 2005, 24, 1056-1065.	1.5	88
198	Reversal of some viral IL-6 electrostatic properties compared to IL-6 contributes to a loss of alpha receptor component recruitment. <i>Proteins: Structure, Function and Bioinformatics</i> , 2005, 60, 14-26.	1.5	6
199	Effects of the stabilization of the molten globule state on the folding mechanism of Î±-lactalbumin: A study of a chimera of bovine and human Î±-lactalbumin. <i>Proteins: Structure, Function and Bioinformatics</i> , 2005, 61, 356-365.	1.5	5
200	Enthalpic Pair Interaction Coefficient between Zwitterions of Î±-Amino Acids and Urea Molecule as a Hydrophobicity Parameter of Amino Acid Side Chains. <i>Journal of the American Chemical Society</i> , 2005, 127, 17768-17771.	6.6	63
201	Analysis of the Conserved N-Terminal Domains in Major Ampullate Spider Silk Proteins. <i>Biomacromolecules</i> , 2005, 6, 3152-3159.	2.6	104
202	The Pairwise Energy Content Estimated from Amino Acid Composition Discriminates between Folded and Intrinsically Unstructured Proteins. <i>Journal of Molecular Biology</i> , 2005, 347, 827-839.	2.0	911
203	The Neural Repressor NRSF/REST Binds the PAH1 Domain of the Sin3 Corepressor by Using its Distinct Short Hydrophobic Helix. <i>Journal of Molecular Biology</i> , 2005, 354, 903-915.	2.0	76

#	ARTICLE	IF	CITATIONS
204	Mutational pattern of influenza B viruses adapted to high growth replication in embryonated eggs. <i>Virus Research</i> , 2005, 109, 149-157.	1.1	22
205	Coupling of the nucleus and cytoplasm: Role of the LINC complex. <i>Journal of Cell Biology</i> , 2006, 172, 41-53.	2.3	1,153
206	Effect of soft segment component on moisture-permeable polyurethane films. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2006, 44, 573-583.	2.4	16
207	Predicting the behaviour of proteins in hydrophobic interaction chromatography. <i>Journal of Chromatography A</i> , 2006, 1107, 110-119.	1.8	40
208	Predicting the behaviour of proteins in hydrophobic interaction chromatography. <i>Journal of Chromatography A</i> , 2006, 1107, 120-129.	1.8	25
209	Vectorial representation of single- and multi-domain protein folds. <i>European Physical Journal B</i> , 2006, 54, 131-136.	0.6	5
210	Analysis of <i>Nanoarchaeum equitans</i> genome and proteome composition: indications for hyperthermophilic and parasitic adaptation. <i>BMC Genomics</i> , 2006, 7, 186.	1.2	67
211	P-450 Cytochromes: Structure and Function. <i>Advances in Enzymology and Related Areas of Molecular Biology</i> , 2006, 60, 35-87.	1.3	69
212	Defining Peptide Sequences: From Antigenicity to Immunogenicity Through Redundancy. <i>Current Pharmacogenomics and Personalized Medicine: the International Journal for Expert Reviews in Pharmacogenomics</i> , 2006, 4, 33-37.	0.3	9
213	Effects of amino acid substitutions at glycine 420 on SR-BI cholesterol transport function. <i>Journal of Lipid Research</i> , 2007, 48, 1386-1395.	2.0	7
214	Prediction of MHC Binding Peptides and Epitopes from Alfalfa mosaic virus. <i>Current Drug Discovery Technologies</i> , 2007, 4, 117-125.	0.6	20
215	Constraint-Based Simulation of Biological Systems Described by Molecular Interaction Maps. , 2007, , .		6
216	Structural Features of the Scaffold Interaction Domain at the N Terminus of the Major Capsid Protein (VP5) of Herpes Simplex Virus Type 1. <i>Journal of Virology</i> , 2007, 81, 9396-9407.	1.5	17
217	Antigenicity Prediction in Melittin: Possibilities of in Drug Development from <i>Apis dorsata</i> . <i>Current Proteomics</i> , 2007, 4, 107-114.	0.1	0
218	Photolyses of mammalian oxy-hemoglobin studied by nanosecond photoacoustic calorimetry. <i>Archives of Biochemistry and Biophysics</i> , 2007, 466, 78-84.	1.4	2
219	Photo-dissociation quantum yields of mammalian oxyhemoglobin investigated by a nanosecond laser technique. <i>Biochemical and Biophysical Research Communications</i> , 2007, 353, 953-959.	1.0	3
220	The Crystal Structure of the Extracellular Domain of the Inhibitor Receptor Expressed on Myeloid Cells IREM-1. <i>Journal of Molecular Biology</i> , 2007, 367, 310-318.	2.0	29
221	Evaluation of Protein Hydropathy Scales. , 2007, , .		0

#	ARTICLE	IF	CITATIONS
222	The Structurally Constrained Neutral Model of Protein Evolution. Biological and Medical Physics Series, 2007, , 75-112.	0.3	4
223	Novel scales based on hydrophobicity indices for secondary protein structure. Journal of Theoretical Biology, 2007, 248, 354-366.	0.8	42
224	Detection of gene duplication signals of Ig folds from their amino acid sequences. Proteins: Structure, Function and Bioinformatics, 2007, 68, 267-272.	1.5	14
225	Prediction of protein secondary structure content for the twilight zone sequences. Proteins: Structure, Function and Bioinformatics, 2007, 69, 486-498.	1.5	32
226	SABERTOOTH: protein structural alignment based on a vectorial structure representation. BMC Bioinformatics, 2007, 8, 425.	1.2	42
227	Effects of external interactions on protein sequence-structure relations of beta-trefoil fold. Proteins: Structure, Function and Bioinformatics, 2008, 72, 1161-1170.	1.5	4
228	Effective connectivity profile: A structural representation that evidences the relationship between protein structures and sequences. Proteins: Structure, Function and Bioinformatics, 2008, 73, 872-888.	1.5	22
229	Use of molecular dynamics data in biochemistry courses. Biochemistry and Molecular Biology Education, 2008, 36, 129-134.	0.5	0
230	Prediction of the partitioning behaviour of proteins in aqueous two-phase systems using only their amino acid composition. Journal of Chromatography A, 2008, 1178, 134-144.	1.8	29
231	Probing protein surface accessibility of amino acid substitutions using hydrophobic interaction chromatography. Journal of Chromatography A, 2008, 1215, 152-155.	1.8	7
232	Sequence based residue depth prediction using evolutionary information and predicted secondary structure. BMC Bioinformatics, 2008, 9, 388.	1.2	35
233	Prediction of protein-protein binding site by using core interface residue and support vector machine. BMC Bioinformatics, 2008, 9, 553.	1.2	57
234	Identification of outer membrane proteins of Mycobacterium tuberculosis. Tuberculosis, 2008, 88, 526-544.	0.8	143
235	ProfileGrids as a new visual representation of large multiple sequence alignments: a case study of the RecA protein family. BMC Bioinformatics, 2008, 9, 554.	1.2	11
236	Accurate sequence-based prediction of catalytic residues. Bioinformatics, 2008, 24, 2329-2338.	1.8	75
237	Computer Aided Multi Parameter Antigen Design: Impact of Synthetic Peptide Vaccines from Soybean Mosaic Virus. , 2008, , .		7
238	Sequence Uniqueness as a Molecular Signature of HIV-1-Derived B-Cell Epitopes. International Journal of Immunopathology and Pharmacology, 2009, 22, 639-646.	1.0	32
239	The Action of Key Factors in Protein Evolution at High Temporal Resolution. PLoS ONE, 2009, 4, e4821.	1.1	0

#	ARTICLE	IF	CITATIONS
240	Functional characterization of wild-type and mutated pendrin (SLC26A4), the anion transporter involved in Pendred syndrome. <i>Journal of Molecular Endocrinology</i> , 2009, 43, 93-103.	1.1	83
241	Reducing the Immunogenicity of Protein Therapeutics. <i>Current Drug Targets</i> , 2009, 10, 131-139.	1.0	41
242	Conformational and biological properties of partial sequences of salmon calcitonin. <i>International Journal of Peptide and Protein Research</i> , 1986, 27, 501-507.	0.1	19
243	New scoring matrix for amino acid residue exchanges based on residue characteristic physical parameters. <i>International Journal of Peptide and Protein Research</i> , 1987, 29, 276-281.	0.1	45
244	A hydrophobicity-dependent motif responsible for surface expression of cardiac potassium channel. <i>Cellular Signalling</i> , 2009, 21, 349-355.	1.7	12
245	Methods of calculating protein hydrophobicity and their application in developing correlations to predict hydrophobic interaction chromatography retention. <i>Journal of Chromatography A</i> , 2009, 1216, 1838-1844.	1.8	40
246	Prediction of G-protein-coupled receptor classes based on the concept of Chou's pseudo amino acid composition: An approach from discrete wavelet transform. <i>Analytical Biochemistry</i> , 2009, 390, 68-73.	1.1	150
247	Long membrane helices and short loops predicted less accurately. <i>Protein Science</i> , 2009, 11, 2766-2773.	3.1	25
248	Bioinformatic search of plant protein kinases involved in the phosphorylation of microtubular proteins and the regulation of the cell cycle. <i>Cytology and Genetics</i> , 2009, 43, 201-215.	0.2	1
249	Sequence Analysis with WinGene/WinPep. <i>Springer Protocols</i> , 2009, , 1141-1147.	0.1	1
250	Transmembrane helix predictions revisited. <i>Protein Science</i> , 2009, 11, 2774-2791.	3.1	181
251	Inferring Protein Interactions from Sequence using Support Vector Machine. , 2009, , .		0
253	Accuracy of protein hydropathy predictions. <i>International Journal of Data Mining and Bioinformatics</i> , 2010, 4, 735.	0.1	4
254	Predicting protein-protein interactions from sequence using correlation coefficient and high-quality interaction dataset. <i>Amino Acids</i> , 2010, 38, 891-899.	1.2	82
255	Insights into metazoan evolution from alvinella pompejana cDNAs. <i>BMC Genomics</i> , 2010, 11, 634.	1.2	46
256	Enhancement of the thermostability and activity of mesophilic <i>Clostridium cellulovorans</i> EngD by in vitro DNA recombination with <i>Clostridium thermocellum</i> CelE. <i>Journal of Bioscience and Bioengineering</i> , 2010, 109, 331-336.	1.1	19
257	Comparative resistance of food proteins to adult and infant <i>in vitro</i> digestion models. <i>Molecular Nutrition and Food Research</i> , 2010, 54, 767-780.	1.5	196
258	Food processing increases casein resistance to simulated infant digestion. <i>Molecular Nutrition and Food Research</i> , 2010, 54, 1677-1689.	1.5	131

#	ARTICLE	IF	CITATIONS
259	Antigenic epitopes prediction and MHC binder of a paralytic insecticidal toxin (ITX-1) of <i>Tegenaria agrestis</i> (hobo spider). <i>Open Access Bioinformatics</i> , 2010, , 97.	0.9	4
260	An Experimentally Based Computer Search Identifies Unstructured Membrane-binding Sites in Proteins. <i>Journal of Biological Chemistry</i> , 2010, 285, 5738-5747.	1.6	64
261	Prediction of proteinâ€™RNA binding sites by a random forest method with combined features. <i>Bioinformatics</i> , 2010, 26, 1616-1622.	1.8	133
262	Inferring protein-protein interactions from sequence using sequence order information. , 2010, , .		1
263	The self/nonself issue: A confrontation between proteomes. <i>Self/nonself</i> , 2010, 1, 255-258.	2.0	39
264	Recent Patents on Antimicrobial Peptides. <i>Recent Patents on DNA &amp; Gene Sequences</i> , 2010, 4, 10-16.	0.7	24
265	A novel coiled-coil repeat variant in a class of bacterial cytoskeletal proteins. <i>Journal of Structural Biology</i> , 2010, 170, 202-215.	1.3	30
266	Molecular simulations of protein disorderThis paper is one of a selection of papers published in this special issue entitled â€œCanadian Society of Biochemistry, Molecular & Cellular Biology 52nd Annual Meeting â€” Protein Folding: Principles and Diseasesâ€•and has undergone the Journal's usual peer review process.. <i>Biochemistry and Cell Biology</i> , 2010, 88, 269-290.	0.9	68
267	SIRT3 Substrate Specificity Determined by Peptide Arrays and Machine Learning. <i>ACS Chemical Biology</i> , 2011, 6, 146-157.	1.6	65
268	Mutagenesis Objective Search and Selection Tool (MOSST): an algorithm to predict structure-function related mutations in proteins. <i>BMC Bioinformatics</i> , 2011, 12, 122.	1.2	6
269	Conformations of the Huntingtin N-term in aqueous solution from atomistic simulations. <i>FEBS Letters</i> , 2011, 585, 3086-3089.	1.3	24
271	Conformation and sequence evidence for two-fold symmetry in left-handed beta-helix fold. <i>Journal of Theoretical Biology</i> , 2011, 285, 77-83.	0.8	6
272	A Bioinformatics Approach to Identify Natural Autoantibodies from Healthy Blood Donors' Sera Reactive with the HCV NS5A-Derived Peptide by Immunoassay. <i>Viral Immunology</i> , 2011, 24, 69-76.	0.6	1
273	Redox-Regulated Peptide Transfer from the Transporter Associated with Antigen Processing to Major Histocompatibility Complex Class I Molecules by Protein Disulfide Isomerase. <i>Antioxidants and Redox Signaling</i> , 2011, 15, 621-633.	2.5	17
274	Characterization of the interaction between the influenza A virus polymerase subunit PB1 and the host nuclear import factor Ran-binding protein 5. <i>Journal of General Virology</i> , 2011, 92, 1859-1869.	1.3	48
275	Autophagy mediates transporter associated with antigen processing-independent presentation of viral epitopes through MHC class I pathway. <i>Blood</i> , 2012, 120, 994-1004.	0.6	113
276	Membrane-Active Peptides and the Clustering of Anionic Lipids. <i>Biophysical Journal</i> , 2012, 103, 265-274.	0.2	115
277	Proteome Adaptation to High Temperatures in the Ectothermic Hydrothermal Vent Pompeii Worm. <i>PLoS ONE</i> , 2012, 7, e31150.	1.1	39



#	ARTICLE	IF	CITATIONS
278	A Realistic Model Under Which the Genetic Code is Optimal. <i>Journal of Molecular Evolution</i> , 2013, 77, 170-184.	0.8	13
279	Comparative analysis of Leishmania exoproteomes: Implication for host-pathogen interactions. <i>Biochimica Et Biophysica Acta - Proteins and Proteomics</i> , 2013, 1834, 2653-2662.	1.1	8
280	A novel method based on new adaptive LVQ neural network for predicting protein-protein interactions from protein sequences. <i>Journal of Theoretical Biology</i> , 2013, 336, 231-239.	0.8	23
281	Predictions of protein-RNA interactions. <i>Wiley Interdisciplinary Reviews: Computational Molecular Science</i> , 2013, 3, 161-175.	6.2	19
282	Does the Genetic Code Have A Eukaryotic Origin?. <i>Genomics, Proteomics and Bioinformatics</i> , 2013, 11, 41-55.	3.0	2
283	Crystal Structure of 2A Proteinase from Hand, Foot and Mouth Disease Virus. <i>Journal of Molecular Biology</i> , 2013, 425, 4530-4543.	2.0	24
285	Effect of Montanide and Poly-ICLC Adjuvant on Human Self/Tumor Antigen-Specific CD4+ T Cells in Phase I Overlapping Long Peptide Vaccine Trial. <i>Cancer Immunology Research</i> , 2013, 1, 340-350.	1.6	62
286	Exploring Fold Space Preferences of New-born and Ancient Protein Superfamilies. <i>PLoS Computational Biology</i> , 2013, 9, e1003325.	1.5	31
287	Prediction of Antigenic Peptide and MHC Binder from ITX-3 <i>Tegenaria agrestis</i> : Current Approach for Synthetic Vaccine Development. <i>Biochemistry &amp; Physiology</i> , 2014, 03, .	0.2	1
288	Identification of MHC Class, Transports Antigenic Peptides from <i>Naja melanoleuca</i> Long Neurotoxin 1. <i>Journal of Drug Metabolism &amp; Toxicology</i> , 2014, 05, .	0.1	0
289	The cleverSuite approach for protein characterization: predictions of structural properties, solubility, chaperone requirements and RNA-binding abilities. <i>Bioinformatics</i> , 2014, 30, 1601-1608.	1.8	48
290	Proteome-scale identification of outer membrane proteins in <i>Mycobacterium avium</i> subspecies paratuberculosis using a structure based combined hierarchical approach. <i>Molecular BioSystems</i> , 2014, 10, 2329-2337.	2.9	16
291	Modeling and molecular dynamics simulations of the V33 variant of the integrin subunit $\beta 3$ : Structural comparison with the L33 (HPA-1a) and P33 (HPA-1b) variants. <i>Biochimie</i> , 2014, 105, 84-90.	1.3	20
292	PhosphoSVM: prediction of phosphorylation sites by integrating various protein sequence attributes with a support vector machine. <i>Amino Acids</i> , 2014, 46, 1459-1469.	1.2	132
293	Improving protein order-disorder classification using charge-hydrophathy plots. <i>BMC Bioinformatics</i> , 2014, 15, S4.	1.2	63
294	RBRIIdent: An algorithm for improved identification of RNA-binding residues in proteins from primary sequences. <i>Proteins: Structure, Function and Bioinformatics</i> , 2015, 83, 1068-1077.	1.5	12
295	Information of Surface Accessibility of the Peptide Fragments of Coat Protein from Alfalfa mosaic virus (AMV) at the Physicochemical and Immunochemical Levels. <i>Drug Designing: Open Access</i> , 2015, 04, .	0.2	2
296	SFM: A novel sequence-based fusion method for disease genes identification and prioritization. <i>Journal of Theoretical Biology</i> , 2015, 383, 12-19.	0.8	12

#	ARTICLE	IF	CITATIONS
297	A novel method based on physicochemical properties of amino acids and one class classification algorithm for disease gene identification. <i>Journal of Biomedical Informatics</i> , 2015, 56, 300-306.	2.5	22
298	Study Hydrophobicity and Antigenicity of Cytochrome C Oxidase Subunit II from <i>D. medinensis</i> : New Prototype of Synthetic Vaccine Development. <i>Immunochemistry &amp; Immunopathology</i> , 2016, 02, .	0.4	1
299	Identification of Antigenic Determinants, Solvent Accessibility and MHC Binders of Antigen NADH Dehydrogenase Subunit 5 from a Little Dragon from Medina ( <i>Dracunculus medinensis</i> ). <i>Drug Designing: Open Access</i> , 2016, 05, .	0.2	1
300	A Meta-Analysis Based Method for Prioritizing Candidate Genes Involved in a Pre-specific Function. <i>Frontiers in Plant Science</i> , 2016, 7, 1914.	1.7	24
301	Inadequate Reference Datasets Biased toward Short Non-epitopes Confound B-cell Epitope Prediction. <i>Journal of Biological Chemistry</i> , 2016, 291, 14585-14599.	1.6	32
302	On the Physicochemical and Structural Modifications Associated with HIV-1 Subtype B Tropism Transition. <i>AIDS Research and Human Retroviruses</i> , 2016, 32, 829-840.	0.5	4
303	Contribution of Amphipathicity and Hydrophobicity to the Antimicrobial Activity and Cytotoxicity of Î²-Hairpin Peptides. <i>ACS Infectious Diseases</i> , 2016, 2, 442-450.	1.8	191
304	A competing hydrophobic tug on L596 to the membrane core unlatches S4â€“S5 linker elbow from TRP helix and allows TRPV4 channel to open. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, 11847-11852.	3.3	19
305	50Âyears of amino acid hydrophobicity scales: revisiting the capacity for peptide classification. <i>Biological Research</i> , 2016, 49, 31.	1.5	77
306	Excavating the surface-associated and secretory proteome of <i>Mycobacterium leprae</i> for identifying vaccines and diagnostic markers relevant immunodominant epitopes. <i>Pathogens and Disease</i> , 2016, 74, ftw110.	0.8	11
307	Characterizing hydrophobicity of amino acid side chains in a protein environment via measuring contact angle of a water nanodroplet on planar peptide network. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, 12946-12951.	3.3	87
308	Design and Optimization of Anti-amyloid Domain Antibodies Specific for Î²-Amyloid and Islet Amyloid Polypeptide. <i>Journal of Biological Chemistry</i> , 2016, 291, 2858-2873.	1.6	35
309	BepiPred-2.0: improving sequence-based B-cell epitope prediction using conformational epitopes. <i>Nucleic Acids Research</i> , 2017, 45, W24-W29.	6.5	1,048
310	In silico and cell-based analyses reveal strong divergence between prediction and observation of T-cellâ€“recognized tumor antigen T-cell epitopes. <i>Journal of Biological Chemistry</i> , 2017, 292, 11840-11849.	1.6	28
311	Stepwise Assembly of Î²-Sheet Structure during the Folding of an SH3 Domain Revealed by a Pulsed Hydrogen Exchange Mass Spectrometry Study. <i>Biochemistry</i> , 2017, 56, 3754-3769.	1.2	11
312	Structural and functional analysis of biopolymers and their complexes: Enzymatic synthesis of high-modified DNA. <i>Molecular Biology</i> , 2017, 51, 474-482.	0.4	11
313	Prediction of Protein Secondary Structure. <i>Methods in Molecular Biology</i> , 2017, , .	0.4	9
314	Prediction of Protein Phosphorylation Sites by Integrating Secondary Structure Information and Other One-Dimensional Structural Properties. <i>Methods in Molecular Biology</i> , 2017, 1484, 265-274.	0.4	6

#	ARTICLE	IF	CITATIONS
315	Brain-specific HIV Nef identified in multiple patients with neurological disease. <i>Journal of NeuroVirology</i> , 2018, 24, 1-15.	1.0	13
316	S-FLN: A sequence-based hierarchical approach for functional linkage network construction. <i>Journal of Theoretical Biology</i> , 2018, 437, 149-162.	0.8	0
317	Two-level delivery systems based on CaCO <sub>3</sub> cores for oral administration of therapeutic peptides. <i>Journal of Microencapsulation</i> , 2018, 35, 619-634.	1.2	14
318	Predicting Peroxisomal Targeting Signals to Elucidate the Peroxisomal Proteome of Mammals. <i>Sub-Cellular Biochemistry</i> , 2018, 89, 157-199.	1.0	11
319	PhosContext2vec: a distributed representation of residue-level sequence contexts and its application to general and kinase-specific phosphorylation site prediction. <i>Scientific Reports</i> , 2018, 8, 8240.	1.6	25
320	A novel method for predicting RNA-interacting residues in proteins using a combination of feature-based and sequence template-based methods. <i>Biotechnology and Biotechnological Equipment</i> , 2019, 33, 1138-1149.	0.5	3
321	PremPRI: Predicting the Effects of Missense Mutations on Protein-RNA Interactions. <i>International Journal of Molecular Sciences</i> , 2020, 21, 5560.	1.8	9
322	Simultaneously Improved Thermostability and Hydrolytic Pattern of Alpha-Amylase by Engineering Central Beta Strands of TIM Barrel. <i>Applied Biochemistry and Biotechnology</i> , 2020, 192, 57-70.	1.4	8
323	INeo-Epp: A Novel T-Cell HLA Class-I Immunogenicity or Neoantigenic Epitope Prediction Method Based on Sequence-Related Amino Acid Features. <i>BioMed Research International</i> , 2020, 2020, 1-12.	0.9	17
324	The effect of imidazolium salts with amino acids as counterions on the reactivity of 4-nitrophenyl acetate: A kinetic study. <i>Journal of Molecular Liquids</i> , 2020, 310, 113206.	2.3	5
325	A paradigm of thermal adaptation in penguins and elephants by tuning cold activation in TRPM8. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 8633-8638.	3.3	40
326	Prediction of phosphorylation sites based on granular support vector machine. <i>Granular Computing</i> , 2021, 6, 107-117.	4.4	3
327	Characterizing Hydropathy of Amino Acid Side Chain in a Protein Environment by Investigating the Structural Changes of Water Molecules Network. <i>Frontiers in Molecular Biosciences</i> , 2021, 8, 626837.	1.6	25
328	Estimating the Influence of Physicochemical and Biochemical Property Indexes on Selection for Amino Acids Usage in Eukaryotic Cells. <i>Journal of Molecular Evolution</i> , 2021, 89, 257-268.	0.8	0
329	N-semble-based method for identifying Parkinson's disease genes. <i>Neural Computing and Applications</i> , 2023, 35, 23829-23839.	3.2	3
330	Accurate annotation of protein coding sequences with IDTAXA. <i>NAR Genomics and Bioinformatics</i> , 2021, 3, lqab080.	1.5	0
331	Classifying Residues in Mechanically Stable and Unstable Substructures Based on a Protein Sequence: The Case Study of the DnaK Hsp70 Chaperone. <i>Nanomaterials</i> , 2021, 11, 2198.	1.9	3
332	Liquid-liquid phase separation of full-length prion protein initiates conformational conversion in vitro. <i>Journal of Biological Chemistry</i> , 2021, 296, 100367.	1.6	35

#	ARTICLE	IF	CITATIONS
333	The Quantitative Description of Amino Acid, Peptide, and Protein Properties and Bioactivities. Progress in Physical Organic Chemistry, 0, , 163-284.	1.2	24
334	Carotenoproteins. , 1989, , 75-104.		3
335	Hydrophobic Moments as Tools for Analysis of Protein Sequences and Structures. , 1987, , 425-436.		4
336	Tryptophans in Membrane Proteins. Advances in Experimental Medicine and Biology, 1999, 467, 789-799.	0.8	36
337	Quantum Molecular Similarity: Theory and Applications to the Evaluation of Molecular Properties, Biological Activities and Toxicity. Mathematical and Computational Chemistry, 2001, , 187-320.	0.3	30
338	Comparative Structures of P-450 Cytochromes. , 1986, , 161-216.		46
339	Relationship of Cytochrome caa3 from Thermus thermophilus to Other Heme- and Copper-Containing Terminal Oxidases. , 1990, , 94-104.		4
340	Primary structure and antiproteolytic activity of a Kunitz-type inhibitor from bovine spleen.. Journal of Biological Chemistry, 1985, 260, 11451-11455.	1.6	39
341	Structural and functional studies of the amino terminus of yeast metallothionein.. Journal of Biological Chemistry, 1987, 262, 12912-12919.	1.6	32
342	Basement membrane procollagen IV and its specialized carboxyl domain are conserved in Drosophila, mouse, and human.. Journal of Biological Chemistry, 1987, 262, 5947-5950.	1.6	72
343	The role of Leu-190 in the function and stability of adenylate kinase.. Journal of Biological Chemistry, 1990, 265, 21488-21493.	1.6	8
344	The mannose permease of Escherichia coli consists of three different proteins. Amino acid sequence and function in sugar transport, sugar phosphorylation, and penetration of phage lambda DNA.. Journal of Biological Chemistry, 1987, 262, 5238-5247.	1.6	164
345	Function of Lys-166 of Rhodospirillum rubrum ribulosebisphosphate carboxylase/oxygenase as examined by site-directed mutagenesis.. Journal of Biological Chemistry, 1987, 262, 3496-3501.	1.6	64
346	Structure-Function Studies on Bacteriorhodopsin. Journal of Biological Chemistry, 1989, 264, 14192-14196.	1.6	70
347	Preliminary structural studies of ribulose-1,5-bisphosphate carboxylase/oxygenase from Rhodospirillum rubrum.. Journal of Biological Chemistry, 1984, 259, 11594-11596.	1.6	21
348	Elucidation of the deficiency in two yeast coenzyme Q mutants. Characterization of the structural gene encoding hexaprenyl pyrophosphate synthetase.. Journal of Biological Chemistry, 1990, 265, 13157-13164.	1.6	257
349	The functional efficiency of a mammalian signal peptide is directly related to its hydrophobicity.. Journal of Biological Chemistry, 1990, 265, 8420-8425.	1.6	49
350	Degradation of structurally characterized proteins injected into HeLa cells. Tests of hypotheses.. Journal of Biological Chemistry, 1988, 263, 19850-19862.	1.6	32

#	ARTICLE	IF	CITATIONS
351	Purification and characterization of a unique, potent inhibitor of apamin binding from <i>Leiurus quinquestriatus hebraeus</i> venom.. <i>Journal of Biological Chemistry</i> , 1988, 263, 10192-10197.	1.6	120
352	The amino acid sequence of a delta 5-3-oxosteroid isomerase from <i>Pseudomonas putida</i> biotype B.. <i>Journal of Biological Chemistry</i> , 1986, 261, 6454-6460.	1.6	18
354	Oxidative modification of a cephalosporin C acylase from <i>Pseudomonas</i> strain N176 and site-directed mutagenesis of the gene. <i>Applied and Environmental Microbiology</i> , 1996, 62, 2919-2925.	1.4	19
355	Molecular cloning and sequence determination of the genomic regions encoding protease and genome-linked protein of three picornaviruses. <i>Journal of Virology</i> , 1986, 57, 1084-1093.	1.5	56
356	THE PROTEIN NON-FOLDING PROBLEM: AMINO ACID DETERMINANTS OF INTRINSIC ORDER AND DISORDER. , 2000, , 89-100.		114
357	Protein Sequence Analysis and Prediction of Secondary Structural Features. , 2004, , 99-185.		1
358	Utilization of the indirect lysosome targeting pathway by lysosome-associated membrane proteins (LAMPs) is influenced largely by the C-terminal residue of their GYXXØ targeting signals. <i>Journal of Cell Science</i> , 1999, 112, 4257-4269.	1.2	46
359	PremPS: Predicting the impact of missense mutations on protein stability. <i>PLoS Computational Biology</i> , 2020, 16, e1008543.	1.5	122
360	Nature of Protein Family Signatures: Insights from Singular Value Analysis of Position-Specific Scoring Matrices. <i>PLoS ONE</i> , 2008, 3, e1963.	1.1	12
361	Computational Characterization of 3â€² Splice Variants in the GFAP Isoform Family. <i>PLoS ONE</i> , 2012, 7, e33565.	1.1	10
362	L1pred: A Sequence-Based Prediction Tool for Catalytic Residues in Enzymes with the L1-logreg Classifier. <i>PLoS ONE</i> , 2012, 7, e35666.	1.1	24
363	How the Sequence of a Gene Specifies Structural Symmetry in Proteins. <i>PLoS ONE</i> , 2015, 10, e0144473.	1.1	4
365	Prediction and Dissection of Protein-RNA Interactions by Molecular Descriptors. <i>Current Topics in Medicinal Chemistry</i> , 2015, 16, 604-615.	1.0	4
366	â€œCytochrome Bâ€• Analysis of Hydrophobicity, Surface Accessibility, Antigenicity and Prediction of MHC I and MHC II Binders from <i>Dracunculiasis</i> . , 2016, 6, .		3
368	Prediction of MHC Binding Peptides and Epitopes from Groundnut Bud Necrosis Virus (GBNV). <i>Journal of Proteomics and Bioinformatics</i> , 2008, 01, 188-205.	0.4	13
369	Using Evolved Neural Networks to Elucidate Nef Features Associated with HIV-1 Subtype Differentiation. , 2021, , .		1
370	Determination of MHC Binding Peptides and Epitopes from Non- Structural Movement (NSm) Protein of Groundnut Bud Necrosis Virus. <i>Current Drug Discovery Technologies</i> , 2010, 7, 117-122.	0.6	0
371	Molecular Mechanism of Huntingtonâ€™s Disease â€” A Computational Perspective. , 0, , .		1

#	ARTICLE	IF	CITATIONS
372	Prediction of MHC Class Binding Peptide and High Affinity TAP Binders to Design Synthetic Peptide Vaccine of Long Neurotoxin 3 from Naja Naja. Journal of Molecular and Genetic Medicine: an International Journal of Biomedical Research, 2014, 09, .	0.1	0
373	Identification of Binding Affinity of TAP Peptides for Development of Fragment based Vaccine from Long neurotoxin 2 [N. naja]. Drug Designing: Open Access, 2014, 03, .	0.2	0
376	Connectors of Supramolecular Assemblies. Springer Series in Biophysics, 1989, , 347-354.	0.4	0
377	Heat Shock Protein Genes of Plants. , 1989, , 297-328.		5
378	STANDARD MEASUREMENTS, DATA, AND ABBREVIATIONS. Current Protocols in Molecular Biology, 1990, 12, A.1.1-A.1.32.	2.9	0
379	Recent studies on conformational stability of a protein and protein folding with mutant proteins.. Seibutsu Butsuri, 1992, 32, 27-32.	0.0	0
380	Protein Sequence Analysis, Storage and Retrieval. , 1995, , 465-472.		1
381	Chapter 4 Computational methods relating protein sequence and structure. Protein, 1997, , 165-268.	0.1	0
382	Prediction of MHC Binding Peptides and Antigenic Peptides from Ascaris lumbricoides. Journal of Autoimmune Disorders, 2016, 2, .	0.2	0
384	Calculation and Analysis of Fractal Descriptors for Protein Amino Acids in Various Conformational States. Biomedical Chemistry Research and Methods, 2018, 1, e00070.	0.1	0
390	Glutactin, a novel Drosophila basement membrane-related glycoprotein with sequence similarity to serine esterases. EMBO Journal, 1990, 9, 1219-27.	3.5	40
391	Specific antibody response towards predicted epitopes of the epidermal growth factor receptor induced by a thermostable synthetic peptide adjuvant conjugate. Clinical and Experimental Immunology, 1989, 78, 499-504.	1.1	11
392	Using Neural Networks to Identify Features Associated with HIV Nef Protein and Cancer. , 2020, , .		0
393	The genetic code is very close to a global optimum in a model of its origin taking into account both the partition energy of amino acids and their biosynthetic relationships. BioSystems, 2022, 214, 104613.	0.9	6
394	From Amino Acid Landscape to Protein Landscape: Analysis of Genetic Codes in Terms of Fitness Landscape. Journal of Molecular Evolution, 2000, 50, 313-323.	0.8	15
395	Investigations into the membrane activity of arenicin antimicrobial peptide AA139. Biochimica Et Biophysica Acta - General Subjects, 2022, 1866, 130156.	1.1	4
396	What a Difference an Amino Acid Makes: An All-Atom Simulation Study of Nonameric Peptides in Inhibitory HLA-E/NKG2A/CD94 Immune Complexes. Frontiers in Pharmacology, 0, 13, .	1.6	4
397	Druggable protein prediction using a multi-channel deep convolutional neural network based on autocovariance method. Computers in Biology and Medicine, 2022, , 106276.	3.9	1

#	ARTICLE	IF	CITATIONS
398	Embedded-AMP: A Multi-Thread Computational Method for the Systematic Identification of Antimicrobial Peptides Embedded in Proteome Sequences. <i>Antibiotics</i> , 2023, 12, 139.	1.5	0
400	An Affordable Topography-Based Protocol for Assigning a Residue's Character on a Hydrophathy (PARCH) Scale. <i>Journal of Chemical Theory and Computation</i> , 2024, 20, 1656-1672.	2.3	4