

Biomechanical considerations in osseointegrated prostheses

Journal of Prosthetic Dentistry

49, 843-848

DOI: [10.1016/0022-3913\(83\)90361-x](https://doi.org/10.1016/0022-3913(83)90361-x)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Tissue-integrated prostheses. British Journal of Oral and Maxillofacial Surgery, 1985, 23, 463.	0.4	88
2	Marginal tissue reactions at osseointegrated titanium fixtures. International Journal of Oral and Maxillofacial Surgery, 1986, 15, 39-52.	0.7	406
3	Dental materials: 1983 literature review Part 1. Journal of Dentistry, 1986, 14, 93-113.	1.7	0
4	Characterization of surface roughness in titanium dental implants measured with scanning tunnelling microscopy at atmospheric pressure. Biomaterials, 1986, 7, 463-466.	5.7	28
5	Bone-metal interface in osseointegration. Journal of Prosthetic Dentistry, 1987, 57, 597-607.	1.1	214
6	Osseointegration of bone implants: A review of an alternative mode of fixation. Acta Orthopaedica, 1987, 58, 567-577.	1.4	190
7	Acute tissue reactions to potassium alginate with and without colour/ flavour additives. Biomaterials, 1987, 8, 49-52.	5.7	17
8	A system of osseointegrated implants and its application to dental and facial rehabilitation. European Journal of Plastic Surgery, 1988, 11, 14-21.	0.3	3
9	Tissue-integrated prostheses for edentulous patients with normal and abnormal jaw relationships. Journal of Prosthetic Dentistry, 1988, 59, 180-187.	1.1	17
10	Bone-implant interface structures after nontapping and tapping insertion of screw-type titanium alloy endosseous implants. Journal of Prosthetic Dentistry, 1988, 59, 339-342.	1.1	41
11	Prosthetic rehabilitation of the partially edentulous trauma patient by using osseointegrated implants. Journal of Prosthetic Dentistry, 1988, 60, 354-357.	1.1	3
12	Residual ridge changes under titanium plasma-sprayed screw implant systems. Journal of Prosthetic Dentistry, 1989, 62, 576-580.	1.1	11
13	Primary Placement of Osseointegrated Implants in Microvascular Mandibular Reconstruction. Otolaryngology - Head and Neck Surgery, 1989, 101, 56-73.	1.1	170
14	Dental Implants: State of the Art, State of the Science. International Journal of Technology Assessment in Health Care, 1990, 6, 528-544.	0.2	7
15	A reduced-modulus acrylic bone cement: Preliminary results. Journal of Orthopaedic Research, 1990, 8, 623-626.	1.2	27
16	Hydroxyapatite coating enhances fixation of porous coated implants: A comparison in dogs between press fit and noninterference fit. Acta Orthopaedica, 1990, 61, 299-306.	1.4	193
17	An evaluation of impression techniques for osseointegrated implants. Journal of Prosthetic Dentistry, 1990, 63, 444-447.	1.1	145
18	Mandibular fractures through endosseous cylinder implants: Report of cases and review. Journal of Oral and Maxillofacial Surgery, 1990, 48, 311-317.	0.5	70

#	ARTICLE	IF	CITATIONS
19	Review of the literature. Journal of Prosthetic Dentistry, 1990, 64, 359-367.	1.1	0
20	Section report. Journal of Prosthetic Dentistry, 1990, 64, 368-371.	1.1	0
21	Modification of osseointegrated implants for distal-extension prostheses. Journal of Prosthetic Dentistry, 1990, 64, 469-472.	1.1	15
22	Stress-absorbing elements in dental implants. Journal of Prosthetic Dentistry, 1990, 64, 198-205.	1.1	98
23	Dental implant abutment resembling the two-phase tooth mobility. Journal of Biomechanics, 1990, 23, 297-306.	0.9	29
24	The effect of connector design on cement retention in an implant and natural tooth-supported fixed partial denture. Journal of Prosthetic Dentistry, 1991, 65, 822-827.	1.1	23
25	Fixation of titanium and hydroxyapatitecoated implants in arthritic osteopenic bone. Journal of Arthroplasty, 1991, 6, 307-316.	1.5	84
26	Production of accurately fitting full-arch implant frameworks: Part I—Clinical procedures. Journal of Prosthetic Dentistry, 1991, 66, 377-384.	1.1	93
27	Radiologic-prosthetic planning of the surgical phase of the treatment of edentulism by osseointegrated implants: An in vitro study. Journal of Prosthetic Dentistry, 1991, 65, 541-546.	1.1	33
28	Evaluation of an experimental periodontal ligament for dental implants. Biomaterials, 1991, 12, 474-478.	5.7	7
29	Transmission Electron Microscopic and High Voltage Electron Microscopic Observations of the Bone and Osteocyte Activity Adjacent to Unloaded Dental Implants Placed in Dogs. Journal of Periodontology, 1992, 63, 443-452.	1.7	33
30	Restorative considerations for a fixed implant prosthesis using different root form implant systems. Journal of Prosthetic Dentistry, 1992, 67, 124-129.	1.1	2
31	Electromyographic activity of the jaw-closing muscles in patients with osseointegrated implant fixed partial dentures. Journal of Prosthetic Dentistry, 1992, 67, 544-549.	1.1	11
32	The use of osseointegrated implants in the treatment of patients with trauma. Journal of Prosthetic Dentistry, 1992, 67, 670-678.	1.1	26
33	Determining the force absorption quotient for restorative materials used in implant occlusal surfaces. Journal of Prosthetic Dentistry, 1992, 67, 361-364.	1.1	88
34	Fatigue strength of cantilevered metal frameworks for tissue-integrated prostheses. Journal of Prosthetic Dentistry, 1992, 68, 83-92.	1.1	20
35	Stress distribution around dental implants: Influence of superstructure, length of implants, and height of mandible. Journal of Prosthetic Dentistry, 1992, 68, 96-102.	1.1	178
36	Bar-retained overdentures for implants—technical aspects. Journal of Prosthetic Dentistry, 1992, 68, 380-384.	1.1	9

#	ARTICLE	IF	CITATIONS
37	The In Vivo Wear Resistance of 12 Composite Resins. <i>Journal of Prosthodontics</i> , 1992, 1, 2-10.	1.7	4
38	Per mucosal implantation pilot study with HA-coated dental implant in dogs. <i>Biomaterials</i> , 1992, 13, 825-831.	5.7	9
39	A comparison of three finite element models of an edentulous mandible provided with implants. <i>Journal of Oral Rehabilitation</i> , 1993, 20, 147-157.	1.3	73
40	Full-Arch Implant Framework Casting Accuracy: Preliminary In Vitro Observation for In Vivo Testing. <i>Journal of Prosthodontics</i> , 1993, 2, 2-8.	1.7	81
41	The Accuracy of Six Impression Techniques for Osseointegrated Implants. <i>Journal of Prosthodontics</i> , 1993, 2, 75-82.	1.7	82
42	Evaluation of Strain at the Terminal Abutment Site of a Fixed Mandibular Implant Prosthesis During Cantilever Loading. <i>Journal of Prosthodontics</i> , 1993, 2, 93-102.	1.7	36
43	A three-dimensional, finite-element analysis of bone around dental implants in an edentulous human mandible. <i>Archives of Oral Biology</i> , 1993, 38, 491-496.	0.8	111
44	Minimizing biomechanical overload in implant prostheses: A computerized aid to design. <i>Journal of Prosthetic Dentistry</i> , 1993, 69, 495-502.	1.1	12
45	Evaluation of three impression techniques for osseointegrated oral implants. <i>Journal of Prosthetic Dentistry</i> , 1993, 69, 503-509.	1.1	127
46	CT scan as a radiologic data base for optimum implant orientation. <i>Journal of Prosthetic Dentistry</i> , 1993, 69, 381-385.	1.1	43
47	Hydroxyapatite ceramic coating for bone implant fixation. <i>Acta Orthopaedica</i> , 1993, 64, 1-58.	1.4	324
48	Implant Dentistry: Where Are We Now?. <i>Journal of the American Dental Association</i> , 1993, 124, 38-47.	0.7	47
49	Biomechanical considerations when combining tooth-supported and implant-supported prostheses. <i>Oral Surgery, Oral Medicine, and Oral Pathology</i> , 1994, 78, 22-27.	0.6	33
50	Cantilever and Implant Biomechanics: A Review of the Literature, Part 1. <i>Journal of Prosthodontics</i> , 1994, 3, 41-46.	1.7	35
51	Cantilever and Implant Biomechanics: A Review of the Literature, Part 2. <i>Journal of Prosthodontics</i> , 1994, 3, 114-118.	1.7	34
52	An Evaluation of Fit in Osseointegrated Implant Components Using Torque/Turn Analysis. <i>Journal of Prosthodontics</i> , 1994, 3, 206-212.	1.7	15
53	A Systematic Approach to Definitive Planning for Osseointegrated Implant Prostheses. <i>Journal of Prosthodontics</i> , 1994, 3, 237-242.	1.7	17
54	Location of implants in the interforaminal region of the mandible and the consequences for the design of the superstructure. <i>Journal of Oral Rehabilitation</i> , 1994, 21, 47-56.	1.3	30

#	ARTICLE	IF	CITATIONS
55	A modified impression technique for implant-supported restoration. <i>Journal of Prosthetic Dentistry</i> , 1994, 71, 589-591.	1.1	25
56	Early histologic response to titanium implants complexed with bovine bone morphogenetic protein. <i>Journal of Prosthetic Dentistry</i> , 1994, 71, 289-294.	1.1	22
57	Fractal Dimension Analysis of Mandibular Bones: Toward a Morphological Compatibility of Implants. <i>Bio-Medical Materials and Engineering</i> , 1994, 4, 397-407.	0.4	20
58	Force and moment distributions among osseointegrated dental implants. <i>Journal of Biomechanics</i> , 1995, 28, 1103-1109.	0.9	23
59	Stress in bone adjacent to dental implants. <i>Journal of Oral Rehabilitation</i> , 1995, 22, 897-903.	1.3	20
60	In vitro investigation of various attachments for overdentures on osseointegrated implants. <i>Journal of Oral Rehabilitation</i> , 1995, 22, 691-698.	1.3	14
61	Observations of the bone activity adjacent to unloaded dental implants coated with Polyactive® or HA. <i>Journal of Oral Rehabilitation</i> , 1995, 22, 167-174.	1.3	11
62	The influence of a flexible coating on the bone stress around dental implants. <i>Journal of Oral Rehabilitation</i> , 1995, 22, 105-111.	1.3	42
63	Modifications in the Design and Fabrication of Mandibular Osseointegrated Fixed Prosthesis Frameworks. <i>Journal of Prosthodontics</i> , 1995, 4, 82-89.	1.7	8
64	Comparison of Strains Transferred to a Bone Simulant Among Implant Overdenture Bars with Various Levels of Misfit. <i>Journal of Prosthodontics</i> , 1995, 4, 243-250.	1.7	33
65	A new implant site in iliac crest bone graft for retention of orbital epistheses: a preliminary report. <i>British Journal of Oral and Maxillofacial Surgery</i> , 1995, 33, 289-294.	0.4	15
66	The response of bone in primates around unloaded dental implants supporting prostheses with different levels of fit. <i>Journal of Prosthetic Dentistry</i> , 1996, 76, 500-509.	1.1	134
67	Analysis of strain at selected bone sites of a cantilevered implant-supported prosthesis. <i>Journal of Prosthetic Dentistry</i> , 1996, 76, 158-164.	1.1	40
68	Finite element analysis of the effect of cantilever and implant length on stress distribution in an implant-supported fixed prosthesis. <i>Journal of Prosthetic Dentistry</i> , 1996, 76, 165-169.	1.1	155
69	The influence of occlusal design on simulated masticatory forces transferred to implant-retained prostheses and supporting bone. <i>Journal of Prosthetic Dentistry</i> , 1996, 76, 50-55.	1.1	33
70	Analysis of load transfer and stress distribution by an implant-supported fixed partial denture. <i>Journal of Prosthetic Dentistry</i> , 1996, 75, 285-291.	1.1	49
71	Soft and hard tissue response to endosseous dental implants. <i>The Anatomical Record</i> , 1996, 245, 410-425.	2.3	62
73	The Accuracy of Implant Verification Casts Compared With Casts Produced From A Rigid Transfer Coping Technique. <i>Journal of Prosthodontics</i> , 1996, 5, 248-252.	1.7	29

#	ARTICLE	IF	CITATIONS
74	Retention force changes in implant-supported titanium telescope crowns over long-term use in vitro. <i>Journal of Oral Rehabilitation</i> , 1996, 23, 372-378.	1.3	30
75	Oral conditions and aptitude to receive implants in patients with removable partial denture: a cross-sectional study. Part II. Aptitude. <i>Journal of Oral Rehabilitation</i> , 1996, 23, 175-178.	1.3	5
76	The influence of occlusal scheme on masticatory forces using implant stabilized bridges. <i>Journal of Oral Rehabilitation</i> , 1996, 23, 386-391.	1.3	7
77	Association between Marginal Bone Loss around Osseointegrated Mandibular Implants and Smoking Habits: A 10-year Follow-up Study. <i>Journal of Dental Research</i> , 1997, 76, 1667-1674.	2.5	225
78	Effect of prosthetic superstructure accuracy on the osseointegrated implant bone interface. <i>Oral Surgery Oral Medicine Oral Pathology Oral Radiology and Endodontics</i> , 1997, 83, 198-205.	1.6	50
79	Flexible (PolyactiveÂ®) versus rigid (hydroxyapatite) dental implants. <i>International Journal of Oral and Maxillofacial Surgery</i> , 1997, 26, 135-140.	0.7	14
80	Intrusion Of Teeth In The Combination Implant-to-Natural-Tooth Fixed Partial Denture: A Review of the Theories. <i>Journal of Prosthodontics</i> , 1997, 6, 268-277.	1.7	56
81	Implant-retained mandibular overdentures with immediate loading.. <i>Clinical Oral Implants Research</i> , 1997, 8, 48-57.	1.9	265
82	Placement of dental implants in the irradiated mandible: A protocol without adjunctive hyperbaric oxygen. <i>Journal of Oral and Maxillofacial Surgery</i> , 1997, 55, 972-980.	0.5	53
83	Tissue volume considerations in implant prosthodontics. <i>Journal of Prosthetic Dentistry</i> , 1997, 77, 492-496.	1.1	2
84	Validation of dental implant systems through a review of literature supplied by system manufacturers. <i>Journal of Prosthetic Dentistry</i> , 1997, 77, 271-279.	1.1	35
85	Cement-retained versus screw-retained implant restorations: Achieving optimal occlusion and esthetics in implant dentistry. <i>Journal of Prosthetic Dentistry</i> , 1997, 77, 28-35.	1.1	428
86	A comparison of the dimensional accuracy of the splinted and unsplinted impression techniques for the Bone-Lock implant system. <i>Journal of Prosthetic Dentistry</i> , 1997, 77, 68-75.	1.1	91
87	An Alternative to Splinting Multiple Implants: Use of the ITI System. <i>Journal of Prosthodontics</i> , 1998, 7, 114-119.	1.7	32
88	Evaluation of the Accuracy of Solid Implant Casts. <i>Journal of Prosthodontics</i> , 1998, 7, 161-169.	1.7	21
89	A comparative evaluation of mandibular finite element models with different lengths and elements for implant biomechanics. <i>Journal of Oral Rehabilitation</i> , 1998, 25, 299-303.	1.3	77
90	A Prospective Multicenter Study Evaluating Loading of Osseotite Implants Two Months After Placement: One-Year Results. <i>Journal of Esthetic and Restorative Dentistry</i> , 1998, 10, 280-289.	1.8	108
91	Compliant Keeper system replication of the periodontal ligament protective damping function for implants: Part I. <i>Journal of Prosthetic Dentistry</i> , 1998, 80, 565-569.	1.1	13

#	ARTICLE	IF	CITATIONS
92	A comparison of the effect of different occlusal forms in mandibular implant overdentures. <i>Journal of Prosthetic Dentistry</i> , 1998, 79, 422-429.	1.1	33
93	Timing of loading and effect of micromotion on bone-dental implant interface: Review of experimental literature. , 1998, 43, 192-203.		595
94	Failure of oral implants: aetiology, symptoms and influencing factors. <i>Clinical Oral Investigations</i> , 1998, 2, 102-114.	1.4	77
95	Biological factors contributing to failures of osseointegrated oral implants, (II). Etiopathogenesis. <i>European Journal of Oral Sciences</i> , 1998, 106, 721-764.	0.7	913
96	Immediate Loading of Titanium Plasma-sprayed Implants: An Histologic Analysis in Monkeys. <i>Journal of Periodontology</i> , 1998, 69, 321-327.	1.7	165
97	Effect of Implant Number on Transverse Bending Moments During Simulated Unilateral Loading of Mandibular Fixed-Detachable Prosthesis. <i>Journal of Oral Implantology</i> , 1998, 24, 93-96.	0.4	5
98	A Dedication in Memoriam of Dr. Richard Skalak. <i>Annual Review of Biomedical Engineering</i> , 1999, 1, 1-18.	5.7	4
99	An Alternative Technique for an Accurate Implant-Retained Prosthesis Impression. <i>Journal of Prosthodontics</i> , 1999, 8, 160-162.	1.7	0
100	Osteodynamics around orthodontically loaded short maxillary implants. <i>Journal of Orofacial Orthopedics</i> , 1999, 60, 409-415.	0.5	19
101	Alternative complete-arch cement-retained implant-supported fixed partial denture. <i>Journal of Prosthetic Dentistry</i> , 1999, 82, 94-99.	1.1	15
102	Clinical complications of osseointegrated implants. <i>Journal of Prosthetic Dentistry</i> , 1999, 81, 537-552.	1.1	529
103	Clinical methods for evaluating implant framework fit. <i>Journal of Prosthetic Dentistry</i> , 1999, 81, 7-13.	1.1	309
104	Assessment of cold welding properties of the internal conical interface of two commercially available implant systems. <i>Journal of Prosthetic Dentistry</i> , 1999, 81, 159-166.	1.1	112
105	Compliant keeper system replication of the periodontal ligament protective damping function for implants: Part II. <i>Journal of Prosthetic Dentistry</i> , 1999, 81, 404-410.	1.1	6
106	In Vivo Bone Response to Biomechanical Loading at the Bone/Dental-Implant Interface. <i>Advances in Dental Research</i> , 1999, 13, 99-119.	3.6	358
107	Considerations preliminary to the application of early and immediate loading protocols in dental implantology. <i>Clinical Oral Implants Research</i> , 2000, 11, 12-25.	1.9	319
108	Magnitude and distribution of occlusal forces on oral implants supporting fixed prostheses: an in vivo study. <i>Clinical Oral Implants Research</i> , 2000, 11, 465-475.	1.9	155
109	Bone Response to Implant-Supported Frameworks with Differing Degrees of Misfit Preload: In Vivo Study in Rabbits. <i>Clinical Implant Dentistry and Related Research</i> , 2000, 2, 129-137.	1.6	53

#	ARTICLE	IF	CITATIONS
110	Implant-Abutment Interface: Biomechanical Study of Flat Top versus Conical. <i>Clinical Implant Dentistry and Related Research</i> , 2000, 2, 33-41.	1.6	108
111	Influence of Prosthesis Material on the Loading of Implants That Support a Fixed Partial Prosthesis: In Vivo Study. <i>Clinical Implant Dentistry and Related Research</i> , 2000, 2, 100-109.	1.6	17
112	Experimentally induced abutment strains in three types of single-molar implant restorations. <i>Journal of Prosthetic Dentistry</i> , 2000, 84, 318-326.	1.1	15
113	Effect of anchorage systems and extension base contact on load transfer with mandibular implant-retained overdentures. <i>Journal of Prosthetic Dentistry</i> , 2000, 84, 327-334.	1.1	85
114	Measurement of the dimensions and abutment rotational freedom of gold-machined 3i UCLA-type abutments in the as-received condition, after casting with a noble metal alloy and porcelain firing. <i>Journal of Prosthetic Dentistry</i> , 2000, 84, 548-553.	1.1	32
115	Accuracy of three corrective techniques for implant bar fabrication. <i>Journal of Prosthetic Dentistry</i> , 2000, 84, 602-607.	1.1	79
116	Evaluation of impression accuracy for osseointegrated implant supported superstructures. <i>Journal of Prosthetic Dentistry</i> , 2000, 83, 555-561.	1.1	125
117	Distal extension mandibular removable partial denture connected to an anterior fixed implant-supported prosthesis: A clinical report. <i>Journal of Prosthetic Dentistry</i> , 2000, 83, 607-612.	1.1	24
118	Comparison of impression materials for direct multi-implant impressions. <i>Journal of Prosthetic Dentistry</i> , 2000, 83, 323-331.	1.1	132
119	Theoretical cantilever lengths versus clinical variables in fifty-five clinical cases. <i>Journal of Prosthetic Dentistry</i> , 2000, 83, 332-343.	1.1	46
120	Bone Changes Around Hydroxyapatite and Titanium Implants After Abutment Placement in Rabbits—Observations Using Histological and Three-dimensional Examinations. <i>Journal of Oral Implantology</i> , 2000, 26, 250-256.	0.4	3
121	Peri-Implant Bone Reactions to Immediately Loaded Implants. An Experimental Study in Monkeys. <i>Journal of Periodontology</i> , 2001, 72, 506-511.	1.7	94
122	Evaluation of the Effect of the Residual Bone Angulation on Implant-Supported Fixed Prostheses in Mandibular Posterior Edentulism. Part I: Spiral Computed Tomography Study. <i>Implant Dentistry</i> , 2001, 10, 216-222.	1.7	9
123	The Significance Of Passive Framework Fit In Implant Prosthodontics: Current Status. <i>Implant Dentistry</i> , 2001, 10, 85-92.	1.7	277
124	Evaluation of the Effect of the Residual Bone Angulation on Implant-Supported Fixed Prosthesis in Mandibular Posterior Edentulism Part II: 3-D Finite Element Stress Analysis. <i>Implant Dentistry</i> , 2001, 10, 238-245.	1.7	25
125	Bone reactions adjacent to titanium implants subjected to static load. <i>Clinical Oral Implants Research</i> , 2001, 12, 1-8.	1.9	94
126	Evaluation of Factors Influencing the Marginal Bone Stability around Implants in the Treatment of Partial Edentulism. <i>Clinical Implant Dentistry and Related Research</i> , 2001, 3, 30-38.	1.6	22
127	Preload on oral implants after screw tightening fixed full prostheses: an <i>in vivo</i> study. <i>Journal of Oral Rehabilitation</i> , 2001, 28, 226-233.	1.3	9

#	ARTICLE	IF	CITATIONS
128	Application of finite element analysis in implant dentistry: A review of the literature. <i>Journal of Prosthetic Dentistry</i> , 2001, 85, 585-598.	1.1	776
129	Hard palate deformation in an animal model following quasi-static loading to stimulate that of orthodontic anchorage implants. <i>European Journal of Orthodontics</i> , 2001, 23, 349-354.	1.1	25
130	In Vitro Strain Gauge Analysis of Axial and Off-Axial Loading on Implant Supported Fixed Partial Dentures. <i>Implant Dentistry</i> , 2002, 11, 286-292.	1.7	28
131	Twenty years of progress in implant prosthodontics. <i>Journal of Prosthetic Dentistry</i> , 2002, 88, 89-95.	1.1	7
132	Impression technique for partially edentulous patients. <i>Journal of Prosthetic Dentistry</i> , 2002, 88, 103-104.	1.1	0
133	The influence of functional forces on the biomechanics of implant-supported prostheses—a review. <i>Journal of Dentistry</i> , 2002, 30, 271-282.	1.7	259
134	Effect of splinting and interproximal contact tightness on load transfer by implant restorations. <i>Journal of Prosthetic Dentistry</i> , 2002, 87, 528-535.	1.1	144
135	Twenty years of progress in implant prosthodontics. <i>Journal of Prosthetic Dentistry</i> , 2002, 88, 89-95.	1.1	142
136	Impression technique for partially edentulous patients. <i>Journal of Prosthetic Dentistry</i> , 2002, 88, 103-104.	1.1	7
137	Implant-retained mandibular overdentures with ITI implants. <i>Clinical Oral Implants Research</i> , 2002, 13, 495-501.	1.9	96
138	Three-dimensional finite element analysis of implant stability in the atrophic posterior maxilla. <i>Clinical Oral Implants Research</i> , 2002, 13, 657-665.	1.9	75
139	Experimental procedure for the evaluation of the mechanical properties of the bone surrounding dental implants. <i>Biomaterials</i> , 2002, 23, 9-17.	5.7	39
140	Biological performance of calcium phosphate films formed on commercially pure Ti by electron-beam evaporation. <i>Biomaterials</i> , 2002, 23, 609-615.	5.7	63
141	Spline? Implant Prospective Multicenter Study: Interim Report on Prosthetic Screw Stability in Partially Edentulous Patients. <i>Journal of Esthetic and Restorative Dentistry</i> , 2002, 14, 225-237.	1.8	10
142	Finite element analysis on dental implant-supported prostheses without passive fit. <i>Journal of Prosthodontics</i> , 2002, 11, 30-40.	1.7	55
143	Mise en charge immédiate à l'aide d'implants 3i-Ossotite® chez l'édenté total mandibulaire; résultats à trois ans. <i>Implantodontie</i> , 2003, 12, 61-71.	0,2	0
144	Evaluation of the accuracy of three techniques used for multiple implant abutment impressions. <i>Journal of Prosthetic Dentistry</i> , 2003, 89, 186-192.	1.1	131
145	An alternate treatment method for a fixed-detachable hybrid prosthesis: A clinical report. <i>Journal of Prosthetic Dentistry</i> , 2003, 89, 239-243.	1.1	15

#	ARTICLE	IF	CITATIONS
146	The anterior cantilever in the implant-supported screw-retained mandibular prosthesis. <i>Journal of Prosthetic Dentistry</i> , 2003, 89, 244-249.	1.1	25
147	Plasma processing of materials for medical applications. <i>Surface and Coatings Technology</i> , 2003, 171, 252-256.	2.2	8
148	Implant-supported fixed cantilever prostheses in partially edentulous arches. A seven-year prospective study. <i>Clinical Oral Implants Research</i> , 2003, 14, 303-311.	1.9	77
149	Bone contact, growth, and density around immediately loaded implants in the mandible of mini pigs. <i>Clinical Oral Implants Research</i> , 2003, 14, 312-321.	1.9	114
150	Osseous healing characteristics of three different implant types. <i>Clinical Oral Implants Research</i> , 2003, 14, 150-157.	1.9	146
151	Implant-Retained Mandibular Overdentures with Immediate Loading: a 3- to 8-Year Prospective Study on 328 Implants. <i>Clinical Implant Dentistry and Related Research</i> , 2003, 5, 29-38.	1.6	120
152	Histologic Analysis of Clinically Retrieved Immediately Loaded Titanium Implants: A Report of 11 Cases. <i>Clinical Implant Dentistry and Related Research</i> , 2003, 5, 89-94.	1.6	28
153	Prevention. Part 5: Preventive strategies for patients requiring osseointegrated oral implant treatment. <i>British Dental Journal</i> , 2003, 195, 187-194.	0.3	7
154	Variation in Biological Properties of Thin Calcium Phosphate Films Formed by e-Beam Evaporation. <i>Key Engineering Materials</i> , 2003, 240-242, 291-294.	0.4	0
155	Finite Element Analysis of Ceramic Dental Implants Incorporated into the Human Mandible. <i>Key Engineering Materials</i> , 2003, 254-256, 707-712.	0.4	2
156	Three-dimensional analysis of endosseous palatal implants and bones after vertical, horizontal, and diagonal force application. <i>European Journal of Orthodontics</i> , 2003, 25, 109-115.	1.1	30
157	Biomécanique des structures et des matériaux / Structure and Material Biomechanics. <i>Archives of Physiology and Biochemistry</i> , 2003, 111, 61-72.	1.0	21
158	Evaluation of the adaptation interface of one-piece implant-supported superstructures obtained in Ni-Cr-Ti and Pd-Ag alloys. <i>Brazilian Dental Journal</i> , 2003, 14, 197-202.	0.5	17
159	Use of base metal casting alloys for implant framework: marginal accuracy analysis. <i>Journal of Applied Oral Science</i> , 2004, 12, 337-343.	0.7	20
160	Area moments of inertia as a measure of the mandible stiffness of the implant patient. <i>Clinical Oral Implants Research</i> , 2004, 15, 450-458.	1.9	12
161	Fabrication of a screw-retained, implant-supported, provisional prosthesis: a clinical report. <i>Journal of Prosthetic Dentistry</i> , 2004, 91, 409-413.	1.1	1
162	Interdental papilla management: a review and classification of the therapeutic approaches. <i>Journal of Prosthetic Dentistry</i> , 2004, 92, 476.	1.1	13
163	Stress transfer of four mandibular implant overdenture cantilever designs. <i>Journal of Prosthetic Dentistry</i> , 2004, 92, 328-336.	1.1	57

#	ARTICLE	IF	CITATIONS
164	A review of selected dental literature on evidence-based treatment planning for dental implants: Report of the Committee on Research in Fixed Prosthodontics of the Academy of Fixed Prosthodontics. <i>Journal of Prosthetic Dentistry</i> , 2004, 92, 447-462.	1.1	128
165	An evaluation of impression techniques for multiple internal connection implant prostheses. <i>Journal of Prosthetic Dentistry</i> , 2004, 92, 470-476.	1.1	127
166	Influence of pores created by laser superfinishing on osseointegration of titanium alloy implants. <i>Journal of Biomedical Materials Research - Part A</i> , 2004, 69A, 444-453.	2.1	25
168	Parameters of Care for the Specialty of Prosthodontics. <i>Journal of Prosthodontics</i> , 2005, 14, 2-103.	1.7	2
169	A radiographic assessment of progressive loading on bone around single osseointegrated implants in the posterior maxilla. <i>Clinical Oral Implants Research</i> , 2005, 16, 161-167.	1.9	45
170	Indications for Splinting Implant Restorations. <i>Journal of Oral and Maxillofacial Surgery</i> , 2005, 63, 1642-1652.	0.5	50
171	The influence of various occlusal materials on stresses transferred to implant-supported prostheses and supporting bone: A three-dimensional finite-element study. <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , 2005, 73B, 140-147.	1.6	65
172	Preliminary Evaluation of a New Dental Implant Design with Finite Element Analysis. <i>Key Engineering Materials</i> , 2005, 288-289, 657-660.	0.4	0
173	Three-dimensional numerical simulation of dental implants as orthodontic anchorage. <i>European Journal of Orthodontics</i> , 2005, 27, 12-16.	1.1	30
174	Effects of cantilever design and material on stress distribution in fixed partial dentures - a finite element analysis. <i>Journal of Oral Rehabilitation</i> , 2005, 32, 273-278.	1.3	62
175	Rationale for Choices of Occlusal Schemes for Complete Dentures Supported by Implants. <i>Journal of Oral Implantology</i> , 2006, 32, 200-203.	0.4	11
176	Mechanical interactions of an implant/tooth-supported system under different periodontal supports and number of splinted teeth with rigid and non-rigid connections. <i>Journal of Dentistry</i> , 2006, 34, 682-691.	1.7	32
178	Finite Element Analysis of Different Bone Substitutes in the Bone Defects Around Dental Implants. <i>Implant Dentistry</i> , 2006, 15, 254-264.	1.7	7
179	Morphology of Thai Edentulous Mandible Using 3D Reverse Engineering: Relevance to Immediate Loading Dental Implant Design. <i>JSME International Journal Series C-Mechanical Systems Machine Elements and Manufacturing</i> , 2006, 49, 859-864.	0.3	0
180	Use of Stereolithographic Templates for Surgical and Prosthodontic Implant Planning and Placement. Part I. The Concept. <i>Journal of Prosthodontics</i> , 2006, 15, 51-58.	1.7	146
181	Rehabilitation of a Spark Erosion Prosthesis: A Clinical Report. <i>Journal of Prosthodontics</i> , 2006, 15, 113-116.	1.7	1
182	Radiological and clinical follow-up of machined- and anodized-surface implants after mean functional loading for 33 months. <i>Clinical Oral Implants Research</i> , 2006, 17, 651-657.	1.9	40
183	The neurophysiology of osseointegrated oral implants. A clinically underestimated aspect. <i>Journal of Oral Rehabilitation</i> , 2006, 33, 161-169.	1.3	40

#	ARTICLE	IF	CITATIONS
184	Numerical simulation on the biomechanical interactions of tooth/implant-supported system under various occlusal forces with rigid/non-rigid connections. <i>Journal of Biomechanics</i> , 2006, 39, 453-463.	0.9	66
185	A comparison of two solder registration materials: A three-dimensional analysis. <i>Journal of Prosthetic Dentistry</i> , 2006, 95, 379-391.	1.1	8
186	Alumina, Zirconia and Zircon as Bone Substitute. <i>Experimental Work on Dogs's™ Jaw. Advances in Science and Technology</i> , 2006, 49, 263-268.	0.2	0
187	Comparison of the Compressive Strength of 3 Different Implant Design Systems. <i>Journal of Oral Implantology</i> , 2007, 33, 1-7.	0.4	21
188	Biological Reaction. , 2007, , 125-155.		0
189	Oral Rehabilitation of a Patient with Complete Unilateral Cleft Lip and Palate Using an Implant-Retained Speech-Aid Prosthesis: Clinical Report. <i>Cleft Palate-Craniofacial Journal</i> , 2007, 44, 673-677.	0.5	27
190	Implant Application. , 2007, , 215-253.		2
191	Influence of Different Implant Surfaces on Peri-Implant Osteogenesis: Histomorphometric Analysis in Sheep. <i>Journal of Periodontology</i> , 2007, 78, 879-888.	1.7	81
192	In vitro evaluation of the precision of working casts for implant-supported restoration with multiple abutments. <i>Journal of Applied Oral Science</i> , 2007, 15, 241-246.	0.7	8
193	Industrial application of ion beam assisted deposition on medical implants. <i>Surface and Coatings Technology</i> , 2007, 201, 5132-5137.	2.2	29
194	Immediate Loading of Two Implants Supporting a Ball Attachment-Retained Mandibular Overdenture: A Prospective Clinical Study. <i>Clinical Implant Dentistry and Related Research</i> , 2007, 9, 136-143.	1.6	65
195	Surface and elemental alterations of dental alloys induced by electro discharge machining (EDM). <i>Dental Materials</i> , 2007, 23, 601-607.	1.6	39
196	Accuracy of two impression techniques with angulated implants. <i>Journal of Prosthetic Dentistry</i> , 2007, 97, 349-356.	1.1	134
197	Guided Surgery and Presurgical Prosthesis: Preliminary Results of 33 Fully Edentulous Maxillae Treated in Accordance with the NobelGuide® Protocol. <i>Clinical Implant Dentistry and Related Research</i> , 2010, 12, e104-13.	1.6	17
198	Mechanical Behavior and Failure Analysis of Prosthetic Retaining Screws after Long-term Use In Vivo. Part 1: Characterization of Adhesive Wear and Structure of Retaining Screws. <i>Journal of Prosthodontics</i> , 2008, 17, 168-180.	1.7	30
199	Accuracy of Impression Techniques for Implants. Part 1 " Influence of Transfer Copings Surface Abrasion. <i>Journal of Prosthodontics</i> , 2008, 17, 641-647.	1.7	22
200	Immediate function with fixed implant-supported maxillary dentures: A 12-month pilot study. <i>Journal of Prosthetic Dentistry</i> , 2008, 99, 351-360.	1.1	70
202	Testing the performance of dental implants. , 2008, , 360-427.		1

#	ARTICLE	IF	CITATIONS
203	A comparison of the masticatory function between two different types of implant supported prostheses and complete denture for fully edentulous patients. The Journal of Korean Academy of Prosthodontics, 2008, 46, 591.	0.0	4
204	Biomechanical analysis of the stresses generated by different disocclusion patterns in an implant-supported mandibular complete denture. Journal of Applied Oral Science, 2009, 17, 515-520.	0.7	24
205	Three-dimensional finite element analysis on stress distribution of the mandibular implant-supported cantilever prostheses depending on the designs. The Journal of Korean Academy of Prosthodontics, 2009, 47, 70.	0.0	2
206	Rehabilitation of an Edentulous Cleft Lip and Palate Patient with a Soft Palate Defect Using a Bar-Retained, Implant-Supported Speech-Aid Prosthesis: A Clinical Report. Cleft Palate-Craniofacial Journal, 2009, 46, 97-102.	0.5	21
207	An implant-supported, cobalt-chromium milled bar and nonflanged attachment-retained overdenture to rehabilitate the edentulous mandible. Journal of Prosthetic Dentistry, 2009, 102, 46-51.	1.1	9
209	Histomorphometric evaluation of immediately loaded SSII implants of different surface treatments in a dog model. Journal of Biomedical Materials Research - Part A, 2009, 90A, 396-400.	2.1	3
210	Dental occlusion: modern concepts and their application in implant prosthodontics. Odontology / the Society of the Nippon Dental University, 2009, 97, 8-17.	0.9	74
211	Finite Element Analysis of Stress on Dental Implant Prosthesis. Clinical Implant Dentistry and Related Research, 2010, 12, 105-113.	1.6	66
212	Effect of abutment's height and framework alloy on the load distribution of mandibular cantilevered implant-supported prosthesis. Clinical Oral Implants Research, 2009, 20, 196-200.	1.9	37
213	Effect of cantilever length and framework alloy on the stress distribution of mandibular cantilevered implant-supported prostheses. Clinical Oral Implants Research, 2009, 20, 737-741.	1.9	34
214	Implant-supported fixed cantilever prosthesis in partially edentulous jaws: a cohort prospective study. Clinical Oral Implants Research, 2009, 20, 1278-1285.	1.9	52
215	Influence of Different Tightening Forces Before Laser Welding to the Implant/Framework Fit. Journal of Prosthodontics, 2009, 18, 337-341.	1.7	5
216	Comparison of the Passivity between Cast Alloy and Laser-Welded Titanium Overdenture Bars. Journal of Prosthodontics, 2009, 18, 656-662.	1.7	8
217	Validation of Strain Gauges as a Method of Measuring Precision of Fit of Implant Bars. Implant Dentistry, 2009, 18, 151-161.	1.7	18
218	Effect of Passive Fit Absence in the Prosthesis/Implant/Retaining Screw System. Journal of Craniofacial Surgery, 2009, 20, 2000-2005.	0.3	16
219	Multiple Abutment Positional Guide. Implant Dentistry, 2009, 18, 5-9.	1.7	2
220	Computer-Guided Surgery in Implantology. Journal of Craniofacial Surgery, 2010, 21, 1917-1921.	0.3	54
221	Passivity in Implant-Supported Prosthesis. Journal of Craniofacial Surgery, 2010, 21, 2026-2029.	0.3	13

#	ARTICLE	IF	CITATIONS
222	Evaluation of Rotational Freedom of In-Ceram Ceramic Blank Abutments Before and After Infiltration. <i>Implant Dentistry</i> , 2010, 19, 50-56.	1.7	5
223	Effect of Superstructure Materials and Misfit on Stress Distribution in a Single Implant-Supported Prosthesis. <i>Journal of Craniofacial Surgery</i> , 2010, 21, 689-695.	0.3	15
224	Photoelastic Stress Analysis in Screwed and Cemented Implant-Supported Dentures With External Hexagon Implants. <i>Journal of Craniofacial Surgery</i> , 2010, 21, 1110-1113.	0.3	10
225	Effect of the number of abutments on biomechanics of Branemark prosthesis with straight and tilted distal implants. <i>Journal of Applied Oral Science</i> , 2010, 18, 178-185.	0.7	9
226	The effect of Electro Discharge Machining (EDM) on the corrosion resistance of dental alloys. <i>Dental Materials</i> , 2010, 26, e237-e245.	1.6	37
227	Analysis of three-dimensional distortion of two impression materials in the transfer of dental implants. <i>Journal of Prosthetic Dentistry</i> , 2010, 103, 202-209.	1.1	37
228	Porcelain Fracture Resistance of Screwâ€Retained, Cementâ€Retained, and Screwâ€Cementâ€Retained Implantâ€Supported Metal Ceramic Posterior Crowns. <i>Journal of Prosthodontics</i> , 2010, 19, 263-273.	1.7	60
229	Influence of Cusp Inclination on Stress Distribution in Implantâ€Supported Protheses. A Threeâ€Dimensional Finite Element Analysis. <i>Journal of Prosthodontics</i> , 2010, 19, 381-386.	1.7	28
230	Influence of Material of Overdentureâ€Retaining Bar with Vertical Misfit on Threeâ€Dimensional Stress Distribution. <i>Journal of Prosthodontics</i> , 2010, 19, 425-431.	1.7	38
231	Analysis of load transfer and stress distribution by splinted and unsplinted implant-supported fixed cemented restorations. <i>Journal of Oral Rehabilitation</i> , 2010, 37, 658-662.	1.3	35
232	A splitâ€mouth comparative study up to 16 years of two screwâ€shaped titanium implant systems. <i>Journal of Clinical Periodontology</i> , 2010, 37, 1119-1127.	2.3	47
233	Dental Implant Used Temporarily as Orthodontic Anchorage. , 2010, , .		0
234	Accuracy of a proposed implant impression technique using abutments and metal framework. <i>Journal of Advanced Prosthodontics</i> , 2010, 2, 25.	1.1	16
235	Effect of retorque on loosening torque of prosthetic screws under two levels of fit of implant-supported dentures. <i>Brazilian Dental Journal</i> , 2010, 21, 12-17.	0.5	42
236	A comparative study on the accuracy of impression body according to the types of impression tray. <i>The Journal of Korean Academy of Prosthodontics</i> , 2010, 48, 48.	0.0	1
237	Cantilevers Extending From Unilateral Implant-Supported Fixed Protheses. <i>Journal of the American Dental Association</i> , 2010, 141, 1221-1230.	0.7	18
239	Dental Implant Systems. <i>International Journal of Molecular Sciences</i> , 2010, 11, 1580-1678.	1.8	155
240	Effects of different fixture geometries on the stress distribution in mandibular peri-implant structures: a 3-dimensional finite element analysis. <i>Oral Surgery Oral Medicine Oral Pathology Oral Radiology and Endodontics</i> , 2010, 110, e1-e11.	1.6	17

#	ARTICLE	IF	CITATIONS
241	Misfit of pure titanium frameworks: Effect of veneer coverage and spark erosion process. <i>Acta Odontologica Scandinavica</i> , 2011, 69, 238-242.	0.9	10
242	Length of the drilling holes of zygomatic implants inserted with the standard technique or a revised method: A comparative study in dry skulls. <i>Journal of Cranio-Maxillo-Facial Surgery</i> , 2011, 39, 119-123.	0.7	27
243	Strain of implants depending on occlusion types in mandibular implant-supported fixed prostheses. <i>Journal of Advanced Prosthodontics</i> , 2011, 3, 1.	1.1	13
244	Finite element study on the effect of abutment length and material on implant bone interface against dynamic loading. <i>Journal of Advanced Prosthodontics</i> , 2011, 3, 140.	1.1	8
245	Three-dimensional finite element analysis for determining the stress distribution after loading the bone surface with two-component mini-implants of varying length. <i>Korean Journal of Orthodontics</i> , 2011, 41, 423.	0.8	6
246	Evaluation of the accuracy of different transfer impression techniques for multiple implants. <i>Brazilian Oral Research</i> , 2011, 25, 163-167.	0.6	17
247	Biomechanics of Cantilevered Implant-Supported Prosthesis (Biomechanics in Implant) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 502 Td (Pro		
248	Photoelastic Analysis of Biomechanical Behavior of Single and Multiple Fixed Partial Prostheses With Different Prosthetic Connections. <i>Journal of Craniofacial Surgery</i> , 2011, 22, 2060-2063.	0.3	13
249	Effect of Dislodging Forces on Mandibular Implant Attachment-Retained Overdenture. <i>Implant Dentistry</i> , 2011, 20, 246-254.	1.7	15
250	Photoelastic Stress Analysis of Different Designs of Cement-Retained Fixed Partial Dentures on Morse Taper Oral Implants. <i>Journal of Craniofacial Surgery</i> , 2011, 22, 674-678.	0.3	12
251	Immediate Occlusal Loading in Edentulous Jaws, CT-Guided Surgery and Fixed Provisional Prosthesis: A Maxillary Arch Clinical Report. <i>Journal of Prosthodontics</i> , 2011, 20, 209-217.	1.7	14
252	Evaluation of Stress Distribution in Overdentureâ€Retaining Bar with Different Levels of Vertical Misfit. <i>Journal of Prosthodontics</i> , 2011, 20, 280-285.	1.7	21
253	Effect of Engaging Abutment Position in Implant-Borne, Screw-Retained Three-Unit Fixed Cantilevered Prostheses. <i>Journal of Prosthodontics</i> , 2011, 20, 348-354.	1.7	19
254	A novel in vitro approach to assess the fit of implant frameworks. <i>Clinical Oral Implants Research</i> , 2011, 22, 658-663.	1.9	20
255	Fatigue resistance and failure mode of CAD/CAM composite resin implant abutments restored with type III composite resin and porcelain veneers. <i>Clinical Oral Implants Research</i> , 2011, 22, 1275-1281.	1.9	18
256	Freedom of rotation of selected overdenture attachments: An in vitro study. <i>Journal of Prosthetic Dentistry</i> , 2011, 106, 78-86.	1.1	21
257	Biomechanical comparison of implant retained fixed partial dentures with fiber reinforced composite versus conventional metal frameworks: A 3D FEA study. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2011, 4, 107-116.	1.5	61
258	Influence of Implant Surface Topography and Loading Condition on Stress Distribution in Bone Around Implants: A Comparative 3D FEA. <i>Journal of Indian Prosthodontic Society</i> , The, 2011, 11, 221-231.	0.3	18

#	ARTICLE	IF	CITATIONS
259	Effect of Vertical Misfit on Screw Joint Stability of Implant-Supported Crowns. <i>Journal of Materials Engineering and Performance</i> , 2011, 20, 947-951.	1.2	4
260	Digital image correlation analysis of the load transfer by implant-supported restorations. <i>Journal of Biomechanics</i> , 2011, 44, 1008-1013.	0.9	33
261	Prosthetic Rehabilitation of a Patient with Bilateral Cleft Lip and Palate Using Osseointegrated Implants and Extracoronary Resilient Attachments: A Case Report. <i>Cleft Palate-Craniofacial Journal</i> , 2011, 48, 342-347.	0.5	4
262	Clinical Management of Implant Prosthesis in Patients with Bruxism. <i>International Journal of Biomaterials</i> , 2012, 2012, 1-6.	1.1	28
263	Strain Gauge Analysis of the Effect of Porcelain Firing Simulation on the Prosthetic Misfit of Implant-Supported Frameworks. <i>Implant Dentistry</i> , 2012, 21, 225-229.	1.7	9
264	Implant Stability Measurements of Two Immediate Loading Protocols for the Edentulous Mandible. <i>Implant Dentistry</i> , 2012, 21, 486-490.	1.7	16
265	Comparative Study of the Polyvinyl Siloxane Technique With Resin-Splinted Transfer Copings Used for Multiple Implant Abutment Impressions. <i>Implant Dentistry</i> , 2012, 21, 72-76.	1.7	8
266	SINGLE IMPLANT-RETAINED DENTURES: LOADING OF VARIOUS ATTACHMENT TYPES UNDER OBLIQUE OCCLUSAL FORCES. <i>Journal of Mechanics in Medicine and Biology</i> , 2012, 12, 1250087.	0.3	12
267	Implant-Retained Mandibular Bar-Supported Overlay Dentures: A Finite Element Stress Analysis of Four Different Bar Heights. <i>Journal of Oral Implantology</i> , 2012, 38, 133-139.	0.4	13
268	Photoelastic Analysis of Stresses Transmitted by Universal Cast to Long Abutment on Implant-Supported Single Restorations Under Static Occlusal Loads. <i>Journal of Craniofacial Surgery</i> , 2012, 23, S77-S81.	0.3	3
269	Straight and Offset Implant Placement under Axial and Nonaxial Loads in Implant-Supported Prosthesis: Strain Gauge Analysis. <i>Journal of Prosthodontics</i> , 2012, 21, 535-539.	1.7	12
270	A digital image correlation analysis on the influence of crown material in implant-supported prostheses on bone strain distribution. <i>Journal of Prosthodontic Research</i> , 2012, 56, 25-31.	1.1	22
271	Effect of vertical misfit on strain within screw-retained implant titanium and zirconia frameworks. <i>Journal of Prosthodontic Research</i> , 2012, 56, 102-109.	1.1	37
273	Biomechanical comparison of two different collar structured implants supporting 3-unit fixed partial denture: A 3-D FEM study. <i>Acta Odontologica Scandinavica</i> , 2012, 70, 61-71.	0.9	15
274	Finite element stress analysis of Ti-6Al-4V and partially stabilized zirconia dental implant during clenching. <i>Acta Odontologica Scandinavica</i> , 2012, 70, 353-361.	0.9	18
276	Effect of various casting alloys and abutment composition on the marginal accuracy of bar-type retainer. <i>The Journal of Korean Academy of Prosthodontics</i> , 2012, 50, 85.	0.0	1
277	FEA in Dentistry: a useful tool to investigate the biomechanical behavior of implant-supported prosthesis. , 2012, , .		0
278	Mandibular Flexure and Its Significance on Implant Fixed Prosthesis: A Review. <i>Journal of Prosthodontics</i> , 2012, 21, 219-224.	1.7	29

#	ARTICLE	IF	CITATIONS
279	Fatigue resistance and failure mode of adhesively restored custom implant zirconia abutments. <i>Clinical Oral Implants Research</i> , 2012, 23, 1360-1368.	1.9	12
280	Resonance frequency analysis of overdenture retainer implants with immediate loading. <i>Gerodontology</i> , 2012, 29, e408-12.	0.8	4
281	A comparative analysis of the accuracy of different direct impression techniques for multiple implants. <i>Australian Dental Journal</i> , 2012, 57, 184-189.	0.6	35
282	Validation of finite element models for strain analysis of implant-supported prostheses using digital image correlation. <i>Dental Materials</i> , 2013, 29, 788-796.	1.6	46
283	Stress analysis in bone tissue around single implants with different diameters and veneering materials: A 3-D finite element study. <i>Materials Science and Engineering C</i> , 2013, 33, 4700-4714.	3.8	69
284	Marginal bone loss of two implant systems with three different superstructure materials: a randomised clinical trial. <i>Journal of Oral Rehabilitation</i> , 2013, 40, 457-463.	1.3	8
285	The Effect of Different Restorative and Abutment Materials on Marginal and Internal Adaptation of Three-Unit Cantilever Implant-Supported Fixed Partial Dentures: An In Vitro Study. <i>Journal of Prosthodontics</i> , 2013, 22, 608-617.	1.7	2
286	Influence of Platform and Abutment Angulation on Peri-Implant Bone. A Three-Dimensional Finite Element Stress Analysis. <i>Journal of Oral Implantology</i> , 2013, 39, 663-669.	0.4	9
287	Implant Application. , 2013, , 225-268.		2
288	Biological Reactions. , 2013, , 139-168.		0
289	Impression Techniques for Multiple Implants: A Photoelastic Analysis. Part I: Comparison of Three Direct Methods. <i>Journal of Oral Implantology</i> , 2013, 39, 539-544.	0.4	7
290	Bone Microstrain Values of 1-Piece and 2-Piece Implants Subjected to Mechanical Loading. <i>Implant Dentistry</i> , 2013, 22, 277-281.	1.7	10
291	The Effects of Loading on the Preload and Dimensions of the Abutment Screw for a 3-Unit Cantilever-Fixed Prosthesis Design. <i>Implant Dentistry</i> , 2013, 22, 414-421.	1.7	7
292	The Influence of the Attachment Type and Implant Number Supporting Mandibular Overdentures on Stress Distribution. <i>Implant Dentistry</i> , 2013, 22, 39-48.	1.7	12
293	A Method for Obtaining a Three-Dimensional Geometric Model of Dental Implants for Analysis via the Finite Element Method. <i>Implant Dentistry</i> , 2013, 22, 309-314.	1.7	3
294	Biomedical-Engineering Analyses of Mini Dental Implants. , 2013, , 35-56.		1
295	Shock Absorption Capacity of Restorative Materials for Dental Implant Prostheses: An In Vitro Study. <i>International Journal of Prosthodontics</i> , 2013, 26, 549-556.	0.7	74
296	Mechanical Evaluation of an Implant-Abutment Self-Locking Taper Connection: Finite Element Analysis and Experimental Tests. <i>International Journal of Oral and Maxillofacial Implants</i> , 2013, 28, e17-e26.	0.6	37

#	ARTICLE	IF	CITATIONS
297	Improving the Fit of Implant Prosthetics: An In Vitro Study. International Journal of Oral and Maxillofacial Implants, 2013, 28, 126-134.	0.6	22
298	Experimental and Numeric Stress Analysis of Titanium and Zirconia One-Piece Dental Implants. International Journal of Oral and Maxillofacial Implants, 2013, 28, e143-e150.	0.6	26
299	Distribution of Peri-implant Stresses with a Countertorque Device. International Journal of Oral and Maxillofacial Implants, 2013, 28, e98-e105.	0.6	0
300	Marginal and Internal Adaptation of Different Superstructure and Abutment Materials Using Two Different Implant Systems for Five-Unit Implant-Supported Fixed Partial Dentures: An In Vitro Study. International Journal of Oral and Maxillofacial Implants, 2013, 28, 1207-1216.	0.6	18
301	The Precision of Fit of Cast and Milled Full-Arch Implant-Supported Restorations. International Journal of Oral and Maxillofacial Implants, 2013, 28, 687-693.	0.6	51
302	Occlusion for implant-supported fixed dental prostheses in partially edentulous patients: a literature review and current concepts. Journal of Periodontal and Implant Science, 2013, 43, 51.	0.9	43
303	Importance of a distal proximal contact on load transfer by implant-supported single adjacent crowns in posterior region of the mandible: a photoelastic study. Journal of Applied Oral Science, 2013, 21, 397-402.	0.7	4
304	A New Trend in Recording Subgingival Tissue around an Implant While Making a Direct Abutment Impression. Case Reports in Dentistry, 2014, 2014, 1-6.	0.2	3
305	Effect of the Number of Supporting Implants on Mandibular Photoelastic Models with Different Implant-Retained Overdenture Designs. Journal of Prosthodontics, 2014, 23, 374-380.	1.7	13
306	Complications and Patient-Centered Outcomes with an Implant-Supported Monolithic Zirconia Fixed Dental Prosthesis: 1 Year Results. Journal of Prosthodontics, 2014, 23, 267-275.	1.7	46
307	Influence of Abutment Type and Esthetic Veneering on Preload Maintenance of Abutment Screw of Implant-Supported Crowns. Journal of Prosthodontics, 2014, 23, 134-139.	1.7	10
308	Passivity of the bars manufactured using current technologies: laser-sintering, casting, and milling. , 2014, , .		0
309	Comparative Evaluation of the Effects of Implant Position, Impression Material, and Tray Type on Implant Impression Accuracy. Implant Dentistry, 2014, 23, 283-288.	1.7	7
310	Screw joint stability after the application of retorque in implant-supported dentures under simulated masticatory conditions. Journal of Prosthetic Dentistry, 2014, 111, 499-504.	1.1	41
311	Multitechnique characterization of CPTi surfaces after electro discharge machining (EDM). Clinical Oral Investigations, 2014, 18, 67-75.	1.4	9
312	Influence of implant framework and mandibular flexure on the strain distribution on a Kennedy class II mandible restored with a long-span implant fixed restoration: A pilot study. Journal of Prosthetic Dentistry, 2014, 112, 31-37.	1.1	10
313	The Influence of Rehabilitation Characteristics in the Incidence of Peri-Implant Pathology: A Case-Control Study. Journal of Prosthodontics, 2014, 23, 21-30.	1.7	7
314	The role of superstructure material on the stress distribution in mandibular full-arch implant-supported fixed dentures. A CT-based 3D-FEA. Materials Science and Engineering C, 2014, 35, 92-99.	3.8	31

#	ARTICLE	IF	CITATIONS
315	Mechanical behavior of dental implants in different positions in the rehabilitation of the anterior maxilla. <i>Journal of Prosthetic Dentistry</i> , 2014, 111, 301-309.	1.1	15
316	Comparison of the correlation of photoelasticity and digital imaging to characterize the load transfer of implant-supported restorations. <i>Journal of Prosthetic Dentistry</i> , 2014, 112, 276-284.	1.1	18
317	Effects of orthodontic miniscrew placement angle and structure on the stress distribution at the bone miniscrew interface – A 3D finite element analysis. <i>Saudi Journal for Dental Research</i> , 2014, 5, 73-80.	1.2	10
318	Use of Stress Analysis Methods to Evaluate the Biomechanics of Oral Rehabilitation With Implants. <i>Journal of Oral Implantology</i> , 2014, 40, 217-228.	0.4	67
319	Implants in bone: Part II. Research on implant osseointegration. <i>Oral and Maxillofacial Surgery</i> , 2014, 18, 355-372.	0.6	44
320	An In Vitro Evaluation of Impression Techniques for Multiple Internal- and External-Connection Implant Prostheses. <i>International Journal of Oral and Maxillofacial Implants</i> , 2014, 29, 807-818.	0.6	15
321	Biomechanical Factors Associated with Mandibular Cantilevers: Analysis with Three-Dimensional Finite Element Models. <i>International Journal of Oral and Maxillofacial Implants</i> , 2014, 29, e275-e282.	0.6	15
323	Evaluation of the Three-Dimensional Accuracy of Implant Impression Techniques in Two Simulated Clinical Conditions by Optical Scanning. <i>International Journal of Oral and Maxillofacial Implants</i> , 2015, 30, 26-34.	0.6	6
324	Biomechanical In Vitro Evaluation of Two Full-Arch Rehabilitations Supported by Four or Five Implants. <i>International Journal of Oral and Maxillofacial Implants</i> , 2015, 30, 419-426.	0.6	4
325	Digitally Produced Fiber-Reinforced Composite Substructures for Three-Unit Implant-Supported Fixed Dental Prostheses. <i>International Journal of Oral and Maxillofacial Implants</i> , 2015, 30, 321-329.	0.6	27
326	Key Biomechanical Characteristics of Complete-Arch Fixed Mandibular Prostheses Supported by Three Implants Developed at P-I BrÅ¥nemark Institute, Bauru. <i>International Journal of Oral and Maxillofacial Implants</i> , 2015, 30, 1400-1404.	0.6	8
327	Load Transfer Characteristics of Various Designs of Three-Implant – Retained Mandibular Overdentures. <i>International Journal of Oral and Maxillofacial Implants</i> , 2015, 30, 1061-1067.	0.6	6
328	Stress Distribution in Bone and Implants in Mandibular 6-Implant-Supported Cantilevered Fixed Prosthesis. <i>Implant Dentistry</i> , 2015, 24, 680-685.	1.7	9
329	A prospective cross-over study to evaluate the effect of two different occlusal concepts on the masseter muscle activity in implant-retained mandibular overdentures. <i>International Journal of Implant Dentistry</i> , 2015, 1, 32.	1.1	3
330	Fabricating an Accurate Implant Master Cast: A Technique Report. <i>Journal of Prosthodontics</i> , 2015, 24, 654-660.	1.7	8
331	Analysis of Stress and Fracture Strength of Zirconia Implants after Cyclic Loading. <i>Materials Research</i> , 2015, 18, 1082-1088.	0.6	4
332	Does matching relation exist between the length and the tilting angle of terminal implants in the all-on-four protocol? stress distributions by 3D finite element analysis. <i>Journal of Advanced Prosthodontics</i> , 2015, 7, 240.	1.1	19
333	Modern Approaches in Choosing Materials for Implant Supported Prosthesis. <i>Key Engineering Materials</i> , 2015, 638, 243-248.	0.4	0

#	ARTICLE	IF	CITATIONS
334	New 3D technologies applied to assess the long-term clinical effects of misfit of the full jaw fixed prosthesis on dental implants. <i>Clinical Oral Implants Research</i> , 2015, 26, 1129-1134.	1.9	45
335	Immediate loading: From biology to biomechanics. Report of the Committee on Research in Fixed Prosthodontics of the American Academy of Fixed Prosthodontics. <i>Journal of Prosthetic Dentistry</i> , 2015, 113, 96-107.	1.1	20
336	All-on-4 Concept: A 3-Dimensional Finite Element Analysis. <i>Journal of Oral Implantology</i> , 2015, 41, 163-171.	0.4	34
337	In vitro mechanical analysis of complete-arch mandibular implant-supported fixed prostheses abutment screws after cyclic loading. <i>Journal of Prosthetic Dentistry</i> , 2015, 113, 432-439.	1.1	7
338	Stress on implant-supported fixed prostheses with different numbers of abutments after the application of acrylic resin. <i>Journal of Prosthetic Dentistry</i> , 2015, 113, 323-328.	1.1	2
339	A randomized controlled trial comparing interim acrylic prostheses with and without cast metal base for immediate loading of dental implants in the edentulous mandible. <i>Clinical Oral Implants Research</i> , 2015, 26, 1414-1420.	1.9	14
340	Stress on external hexagon and Morse taper implants submitted to immediate loading. <i>Journal of Oral Biology and Craniofacial Research</i> , 2015, 5, 173-179.	0.8	1
341	Teeth movement in denture and implant-supported prosthesis influenced by microwave flask systems. <i>Journal of Oral Biology and Craniofacial Research</i> , 2015, 5, 180-184.	0.8	5
342	Comparison of the Accuracy of Different Transfer Impression Techniques for Osseointegrated Implants. <i>Journal of Oral Implantology</i> , 2015, 41, 662-667.	0.4	4
343	Effect of attachment types and number of implants supporting mandibular overdentures on stress distribution: A computed tomography-based 3D finite element analysis. <i>Journal of Biomechanics</i> , 2015, 48, 130-137.	0.9	47
344	Stress Distribution Around Osseointegrated Implants With Different Internal-Cone Connections: Photoelastic and Finite Element Analysis. <i>Journal of Oral Implantology</i> , 2015, 41, 155-162.	0.4	10
345	Brånemark Novum [®] immediate loading rehabilitation of edentulous mandibles: 11-year retrospective study. <i>Clinical Oral Implants Research</i> , 2015, 26, 83-89.	1.9	5
346	Treatment Plans Related to Key Implant Positions and Implant Number. , 2015, , 253-292.		0
347	Clinical Biomechanics in Implant Dentistry. , 2015, , 95-106.		8
348	Biomaterials for Dental Implants. , 2015, , 66-94.		12
349	Effect of Magnetic Field on Bone Healing around Endosseous Implants – An In-vivo Study. <i>Journal of Clinical and Diagnostic Research JCDR</i> , 2016, 10, ZF01-ZF04.	0.8	11
350	Finite element analysis on stress distribution of maxillary implant-retained overdentures depending on the Bar attachment design and palatal coverage. <i>Journal of Advanced Prosthodontics</i> , 2016, 8, 85.	1.1	11
351	Tardive Dyskinesia, Oral Parafunction, and Implant-Supported Rehabilitation. <i>Case Reports in Dentistry</i> , 2016, 2016, 1-7.	0.2	6

#	ARTICLE	IF	CITATIONS
352	Biomechanical Consequences of the Elastic Properties of Dental Implant Alloys on the Supporting Bone: Finite Element Analysis. <i>BioMed Research International</i> , 2016, 2016, 1-9.	0.9	41
353	Effect of cantilever length and alloy framework on the stress distribution in peri-implant area of cantilevered implant-supported fixed partial dentures. <i>Journal of Applied Oral Science</i> , 2016, 24, 114-120.	0.7	12
354	The Overall Survival, Complication-Free Survival, and Related Complications of Combined Tooth-Implant Fixed Partial Dentures: A Literature Review. <i>Dentistry Journal</i> , 2016, 4, 15.	0.9	7
355	The prognosis of splinted restoration of the most-distal implants in the posterior region. <i>Journal of Advanced Prosthodontics</i> , 2016, 8, 494.	1.1	3
356	Analysis of Different Impression Techniques and Materials on Multiple Implants Through 3-Dimensional Laser Scanner. <i>Implant Dentistry</i> , 2016, 25, 232-237.	1.7	15
357	Effect of Different Abutments and Connections in Deformation Crestal Bone. <i>Implant Dentistry</i> , 2016, 25, 328-334.	1.7	2
358	Clinical importance of median mandibular flexure in oral rehabilitation: a review. <i>Journal of Oral Rehabilitation</i> , 2016, 43, 215-225.	1.3	28
359	Long-term retrospective follow-up of turned and moderately rough implants in the edentulous jaw. <i>Clinical Oral Implants Research</i> , 2016, 27, 421-426.	1.9	24
360	<i>Classic</i> : a new method to identify classic articles in <i>Implant Dentistry</i> , <i>Periodontics</i> , and <i>Oral Surgery</i> . <i>Clinical Oral Implants Research</i> , 2016, 27, 1317-1330.	1.9	20
361	Fit and Stability of Screw-Retained Implant-Supported Frameworks Under Masticatory Simulation: Influence of Cylinder Type. <i>Journal of Prosthodontics</i> , 2016, 25, 459-465.	1.7	11
362	Evaluation of stress distributions occurring on zirconia and titanium implant-supported prostheses: A three-dimensional finite element analysis. <i>Journal of Prosthetic Dentistry</i> , 2016, 116, 346-355.	1.1	31
363	A comparative study of marginal fit of copings prepared with various techniques on different implant abutments. <i>Dental Materials Journal</i> , 2016, 35, 447-453.	0.8	12
364	Mechanical Properties of Abutments: Resin-Bonded Glass Fiber-Reinforced Versus Titanium. <i>International Journal of Prosthodontics</i> , 2016, 29, 77-79.	0.7	4
365	Effect of Single Off-Axis Implant Placement on Abutment Screw Stability Under Lateral Loading. <i>International Journal of Oral and Maxillofacial Implants</i> , 2016, 31, 520-526.	0.6	8
366	Osseoperception in Dental Implants: A Systematic Review. <i>Journal of Prosthodontics</i> , 2016, 25, 185-195.	1.7	49
367	The effect of casting and masticatory simulation on strain and misfit of implant-supported metal frameworks. <i>Materials Science and Engineering C</i> , 2016, 62, 746-751.	3.8	19
368	Finite element analysis on influence of implant surface treatments, connection and bone types. <i>Materials Science and Engineering C</i> , 2016, 63, 292-300.	3.8	54
369	Investigation of the dental implant geometry effect on stress distribution at dental implant-bone interface. <i>Journal of the Brazilian Society of Mechanical Sciences and Engineering</i> , 2016, 38, 335-343.	0.8	14

#	ARTICLE	IF	CITATIONS
370	Effect of Splinting on Dimensional Accuracy of Impressions Made of Implants with Different Subgingival Alignments. <i>Journal of Prosthodontics</i> , 2017, 26, 48-55.	1.7	12
371	In-vitro fatigue and fracture testing of CAD/CAM-materials in implant-supported molar crowns. <i>Dental Materials</i> , 2017, 33, 427-433.	1.6	77
372	Carbon fibre versus metal framework in full-arch immediate loading rehabilitations of the maxilla – a cohort clinical study. <i>Journal of Oral Rehabilitation</i> , 2017, 44, 392-397.	1.3	15
373	The role of welding techniques in the biomechanical behavior of implant-supported prostheses. <i>Materials Science and Engineering C</i> , 2017, 78, 435-442.	3.8	13
374	Consequences of experience and specialist training on the fabrication of implant-supported prostheses: A survey. <i>Journal of Prosthetic Dentistry</i> , 2017, 117, 743-748.	1.1	5
375	Stress Distribution in an Implant-Supported Mandibular Complete Denture Using Different Cantilever Lengths and Occlusal Coating Materials. <i>Implant Dentistry</i> , 2017, 26, 106-111.	1.7	7
376	Adjacent Dental Implants Classification Based on Restorative Design. <i>Journal of Oral Implantology</i> , 2017, 43, 405-409.	0.4	3
377	Fracture Strength of Standard and Small Diameter Prosthetic Abutments for Full-Arch Implant-Supported Restorations. <i>Journal of Oral Implantology</i> , 2017, 43, 175-179.	0.4	2
378	Effect of Restorative Configurations and Occlusal Schemes on Strain Levels in Bone Surrounding Implants. <i>Implant Dentistry</i> , 2017, 26, 574-580.	1.7	5
379	Torque resistance of impression copings after direct implant impression: An in-vitro evaluation of impression materials with and without adhesive. <i>Journal of Prosthetic Dentistry</i> , 2017, 117, 73-80.	1.1	1
380	Marginal fit and photoelastic stress analysis of CAD-CAM and overcast 3-unit implant-supported frameworks. <i>Journal of Prosthetic Dentistry</i> , 2017, 117, 373-379.	1.1	31
381	Biological and mechanical characterization of carbon fiber frameworks for dental implant applications. <i>Materials Science and Engineering C</i> , 2017, 70, 646-655.	3.8	32
382	Stress distribution on short implants with different designs: a photoelastic analysis. <i>Journal of Medical Engineering and Technology</i> , 2017, 41, 115-121.	0.8	10
383	A Three-Dimensional Finite Element Analysis of the Stress Distribution Generated by Splinted and Nonsplinted Prostheses in the Rehabilitation of Various Bony Ridges with Regular or Short Morse Taper Implants. <i>International Journal of Oral and Maxillofacial Implants</i> , 2017, 32, 372-376.	0.6	12
384	Finite Element Analysis of Bone Stress in the Posterior Mandible Using Regular and Short Implants, in the Same Context, with Splinted and Nonsplinted Prostheses. <i>International Journal of Oral and Maxillofacial Implants</i> , 2017, 32, e199-e206.	0.6	19
385	Outcomes Assessment of Treating Completely Edentulous Patients with a Fixed Implant-Supported Profile Prosthesis Utilizing a Graftless Approach. Part 1: Clinically Related Outcomes. <i>International Journal of Oral and Maxillofacial Implants</i> , 2017, 32, 897-903.	0.6	11
386	Combined Implant and Tooth Support: An Up-to-Date Comprehensive Overview. <i>International Journal of Dentistry</i> , 2017, 2017, 1-11.	0.5	16
387	A New Model to Study Fatigue in Dental Implants Based on Probabilistic Finite Elements and Cumulative Damage Model. <i>Applied Bionics and Biomechanics</i> , 2017, 2017, 1-8.	0.5	12

#	ARTICLE	IF	CITATIONS
388	Peri-implant biomechanical responses to standard, short-wide, and double mini implants replacing missing molar supporting hybrid ceramic or full-metal crowns under axial and off-axial loading: an in vitro study. <i>International Journal of Implant Dentistry</i> , 2017, 3, 31.	1.1	1
389	Glossary of Oral and Maxillofacial Implants. <i>International Journal of Oral and Maxillofacial Implants</i> , 2017, 32, Gi-G200.	0.6	45
390	Effect of plaque accumulation and occlusal overload on peri-implant bone loss. <i>Journal of Biological Research (Italy)</i> , 2017, 90, .	0.0	0
391	Surgical and Prosthetic Biomechanical Considerations When Using the Zygoma Implant. <i>BDJ Clinician's Guides</i> , 2018, , 69-83.	0.1	0
392	Marginal discrepancy of CAD-CAM complete-arch fixed implant-supported frameworks. <i>Journal of Prosthetic Dentistry</i> , 2018, 120, 65-70.	1.1	23
393	Effect of feldspathic porcelain layering on the marginal fit of zirconia and titanium complete-arch fixed implant-supported frameworks. <i>Journal of Prosthetic Dentistry</i> , 2018, 120, 71-78.	1.1	14
394	Implant-Supported Fixed Partial Prosthesis With Different Prosthetic Materials. <i>Implant Dentistry</i> , 2018, 27, 303-310.	1.7	5
395	Effect of different restorative crown and customized abutment materials on stress distribution in single implants and peripheral bone: A three-dimensional finite element analysis study. <i>Journal of Prosthetic Dentistry</i> , 2018, 119, 437-445.	1.1	82
396	InÂvitro fit of CAD-CAM complete arch screw-retained titanium and zirconia implant prostheses fabricated on 4 implants. <i>Journal of Prosthetic Dentistry</i> , 2018, 119, 409-416.	1.1	34
397	Influence of spark erosion on the fit of screw-retained Co-Cr fixed complete denture frameworks veneered with different materials. <i>Journal of Prosthetic Dentistry</i> , 2018, 119, 797-803.	1.1	4
398	Effects of Prosthetic Material and Framework Design on Stress Distribution in Dental Implants and Peripheral Bone: A Three-Dimensional Finite Element Analysis. <i>Medical Science Monitor</i> , 2018, 24, 4279-4287.	0.5	16
399	Immediate Load Implants: Systematic Review on the Clinical Success Assessment and Follow Up. <i>JBR Journal of Interdisciplinary Medicine and Dental Science</i> , 2018, 06, .	0.1	1
400	Accuracy of fit of implant-supported bars fabricated on definitive casts made by different dental stones. <i>Journal of Clinical and Experimental Dentistry</i> , 2018, 10, 0-0.	0.5	9
401	FEM Investigation of the Stress Distribution over Mandibular Bone Due to Screwed Overdenture Positioned on Dental Implants. <i>Materials</i> , 2018, 11, 1512.	1.3	65
402	Evaluation of Vertical Misfit of CAD/CAM Implant-Supported Titanium and Zirconia Frameworks. <i>International Journal of Oral and Maxillofacial Implants</i> , 2018, 33, 1027-1032.	0.6	7
403	Precision and Accuracy of a Digital Impression Scanner in Full-Arch Implant Rehabilitation. <i>International Journal of Prosthodontics</i> , 2018, 31, 171-175.	0.7	71
404	A Five-Year Retrospective Assay of Implant Treatments and Complications in Private Practice: Restorative Treatment Profiles of Long-Span, Implant-Supported Fixed and Removable Dental Prosthesis. <i>International Journal of Prosthodontics</i> , 2018, 31, 211-222.	0.7	4
405	In Vitro Shock Absorption Tests on Implant-Supported Crowns: Influence of Crown Materials and Luting Agents. <i>International Journal of Oral and Maxillofacial Implants</i> , 2018, 33, 116-122.	0.6	32

#	ARTICLE	IF	CITATIONS
407	Effect of Amelogenin Coating of a Nano-Modified Titanium Surface on Bioactivity. <i>International Journal of Molecular Sciences</i> , 2018, 19, 1274.	1.8	15
408	Carbon-Fiber Framework for Full-Arch Implant-Supported Fixed Dental Prostheses Supporting Resin-Based Composite and Lithium Disilicate Ceramic Crowns: Case Report and Description of Features. <i>International Journal of Periodontics and Restorative Dentistry</i> , 2019, 39, 175-184.	0.4	7
409	Effects of occlusal forces on the peri-implant bone interface stability. <i>Periodontology 2000</i> , 2019, 81, 179-193.	6.3	35
410	The Effect of the Length and Distribution of Implants for Fixed Prosthetic Reconstructions in the Atrophic Posterior Maxilla: A Finite Element Analysis. <i>Materials</i> , 2019, 12, 2556.	1.3	9
411	Titanium and Zirconia External Connection Abutments Produced Following a Digital Protocol: An In Vitro Study. <i>International Journal of Prosthodontics</i> , 2019, 32, 358-360.	0.7	0
412	Brånemark Novum Immediate Loading Rehabilitation of Edentulous Mandibles: Case Series with a 16-Year Follow-up. <i>International Journal of Periodontics and Restorative Dentistry</i> , 2019, 39, 729-735.	0.4	9
413	Elastography of the bone-implant interface. <i>Scientific Reports</i> , 2019, 9, 14163.	1.6	7
414	Effect of Tapered and Cylindrical Implants on Stress Distribution in Different Bone Qualities: Finite Element Analysis. <i>International Journal of Oral and Maxillofacial Implants</i> , 2019, 34, e99-e105.	0.6	5
415	Mechanical characterisation of multi vs. uni-directional carbon fiber frameworks for dental implant applications. <i>Materials Science and Engineering C</i> , 2019, 102, 186-191.	3.8	14
416	A thermosensitive chitosan-based hydrogel for sealing and lubricating purposes in dental implant system. <i>Clinical Implant Dentistry and Related Research</i> , 2019, 21, 324-335.	1.6	12
417	Treatment Planning the Edentulous Mandible. Review of Biomechanical and Clinical Considerations: An Update. <i>International Journal of Oral and Maxillofacial Implants</i> , 2019, 34, e33-e41.	0.6	8
418	Passively fitting implant-supported complete-arch interim restoration. <i>Journal of Prosthetic Dentistry</i> , 2019, 121, 733-736.	1.1	1
419	Accuracy of different digital scanning techniques and scan bodies for complete-arch implant-supported prostheses. <i>Journal of Prosthetic Dentistry</i> , 2020, 123, 96-104.	1.1	100
420	Digital approach to fabricating an implant indexing device for dental implant abutments. <i>Journal of Prosthetic Dentistry</i> , 2020, 123, 393-397.	1.1	2
421	Finite element comparison of the effect of absorbers' design in the surrounding bone of dental implants. <i>International Journal for Numerical Methods in Biomedical Engineering</i> , 2020, 36, e3270.	1.0	10
422	Effect of different implant configurations on biomechanical behavior of full-arch implant-supported mandibular monolithic zirconia fixed prostheses. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2020, 102, 103490.	1.5	10
423	On the Future Design of Bio-Inspired Polyetheretherketone Dental Implants. <i>Macromolecular Bioscience</i> , 2020, 20, e1900239.	2.1	48
424	The ideal insertion angle after immediate loading in Jeil, Storm, and Thunder miniscrews: A 3D-FEM study. <i>International Orthodontics</i> , 2020, 18, 503-508.	0.6	18

#	ARTICLE	IF	CITATIONS
425	Dental rehabilitation of a cleft lip and palate patient by implant-supported overdenture: A case report. <i>Clinical Case Reports (discontinued)</i> , 2020, 8, 1932-1936.	0.2	2
426	Utility of measuring anterior-posterior spread to determine distal cantilever length off a fixed implant-supported full-arch prosthesis. <i>Journal of the American Dental Association</i> , 2020, 151, 790-795.	0.7	13
427	Finite element and experimental analysis to select patient's bone condition specific porous dental implant, fabricated using additive manufacturing. <i>Computers in Biology and Medicine</i> , 2020, 124, 103839.	3.9	36
428	In vitro comparison of trueness of 10 intraoral scanners for implant-supported complete-arch fixed dental prostheses. <i>Journal of Prosthetic Dentistry</i> , 2020, 124, 755-760.	1.1	24
429	Comparison of strains for new generation CAD/CAM implant-supported crowns under loading. <i>Clinical Implant Dentistry and Related Research</i> , 2020, 22, 397-402.	1.6	6
430	3D metal printing in dentistry: An in vitro biomechanical comparative study of two additive manufacturing technologies for full-arch implant-supported prostheses. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2020, 108, 103821.	1.5	35
431	A straightforward approach to conservative screw access for implant-supported fixed complete dentures. <i>Journal of Prosthetic Dentistry</i> , 2021, 125, 194-196.	1.1	0
432	Effect of bone quality and bone loss level around internal and external connection implants: A finite element analysis study. <i>Journal of Prosthetic Dentistry</i> , 2021, 125, 137.e1-137.e10.	1.1	20
433	Efficacy of Different Endodontic Irrigant Activation Techniques on Debris Removal from the Mesial Root Canal System of Mandibular Molars. <i>Journal of Contemporary Dental Practice</i> , 2021, 22, 231-236.	0.2	2
434	Development of Multifunctional Materials Based on Poly(ether ether ketone) with Improved Biological Performances for Dental Applications. <i>Materials</i> , 2021, 14, 1047.	1.3	5
435	Stress distribution patterns in mini-implant and bone in the infra-zygomatic crest region at different angulations: A finite element study. <i>Journal of the World Federation of Orthodontists</i> , 2021, 10, 29-34.	0.9	4
436	Occlusal Schemes for Implant Restorations: Best Evidence Consensus Statement. <i>Journal of Prosthodontics</i> , 2021, 30, 84-90.	1.7	7
437	New method to differentiate surface damping behavior and stress absorption capacities of common CAD/CAM restorative materials. <i>Dental Materials</i> , 2021, 37, e213-e230.	1.6	8
438	Biomechanical Evaluation of Different Implant-Abutment Connections, Retention Systems, and Restorative Materials in the Implant-Supported Single Crowns Using 3D Finite Element Analysis. <i>Journal of Oral Implantology</i> , 2022, 48, 194-201.	0.4	8
439	Framework Materials for Full-Arch Implant-Supported Rehabilitations: A Systematic Review of Clinical Studies. <i>Materials</i> , 2021, 14, 3251.	1.3	16
440	Osseodensification enables bone healing chambers with improved low-density bone site primary stability: an in vivo study. <i>Scientific Reports</i> , 2021, 11, 15436.	1.6	13
441	Cantilevered Versus non-cantilevered resilient bar attachment for 2-implant retained mandibular overdentures. A short term crossover study of chewing efficiency and bite force.. <i>Egyptian Dental Journal</i> , 2021, 67, 2263-2273.	0.1	1
442	Fracture resistances of CAD/CAM monolithic crowns with different occlusal thickness.. <i>Egyptian Dental Journal</i> , 2021, 67, 2275-2289.	0.1	0

#	ARTICLE	IF	CITATIONS
443	Establishment of a New Biomechanical Measurement Method for Surface Deformation of Bone by Force Application via Dental Implantsâ€”A Pilot Study. <i>Applied Sciences (Switzerland)</i> , 2021, 11, 7568.	1.3	1
444	EVIDENCE IS INSUFFICIENT WITH THE ASSOCIATION BETWEEN CANTILEVER TO ANTERIOR-POSTERIOR RATIO AND CLINICAL OUTCOMES OF FIXED IMPLANT-SUPPORTED FULL-ARCH PROSTHESIS. <i>Journal of Evidence-based Dental Practice</i> , 2021, 21, 101617.	0.7	0
445	The Mangled Extremity: Osseointegration. , 2021, , 285-290.		0
447	A Study on HA-Coated Titanium Dental Implants Part I: Stress Analysis of Dental Implant. , 1992, , 78-88.		2
449	Novel methods for demonstrating osseointegration of hydroxylapatite-coated titanium hip prostheses. <i>Proceedings Annual Meeting Electron Microscopy Society of America</i> , 1991, 49, 34-35.	0.0	1
450	Effect of Stiffness of Single Implant Supported Crowns on the Resultant Stresses : A Finite Element Analysis. <i>The Egyptian Journal of Hospital Medicine</i> , 2016, 63, 172-184.	0.0	3
451	Microscopic evaluation of implant platform adaptation with UCLA-type abutments: in vitro study. <i>Universidade Estadual Paulista Revista De Odontologia</i> , 2017, 46, 56-60.	0.3	2
452	Multiple-unit implant frames: one-piece casting vs. laser welding and brazing. <i>Journal of Applied Oral Science</i> , 2004, 12, 227-231.	0.7	3
454	The influence of pore geometry in cp Ti-implants â€” a cell culture investigation. , 2001, 2, 1-9.		44
455	Intraoral framework pick-up technique to improve fit of a metal-resin implant prosthesis. <i>Indian Journal of Dental Research</i> , 2012, 23, 435.	0.1	1
456	Three-dimensional finite element analysis of effect of prosthetic materials and short implant biomechanics on D4 bone under immediate loading. <i>Journal of Dental Implants</i> , 2012, 2, 2.	0.1	5
457	Full mouth rehabilitation of a patient with mandibular implant screw retained Fp-3 prosthesis opposing maxillary acrylic removable over-denture. <i>Contemporary Clinical Dentistry</i> , 2013, 4, 231.	0.2	8
458	Implant protected occlusion: A comprehensive review. <i>European Journal of Prosthodontics</i> , 2013, 1, 29.	0.2	15
459	Porcelain fracture of metal-ceramic tooth-supported and implant-supported restorations: A review. <i>Open Journal of Stomatology</i> , 2013, 03, 411-418.	0.1	9
460	Finite element analysis of stress concentration between surface coated implants and non surface coated implants - An in vitro study. <i>Journal of Clinical and Experimental Dentistry</i> , 2019, 11, e713-e720.	0.5	3
461	Fracture Resistance and Failure Location of Zirconium and Metallic Implant Abutments. <i>Journal of Contemporary Dental Practice</i> , 2008, 9, 41-48.	0.2	46
462	Implant Restoration Materials: An Overview. <i>International Journal of Oral Implantology and Clinical Research</i> , 2010, , 43-48.	0.1	3
463	Distal Extension Removable Partial Denture with Resilient Attachment Connected to an Anterior Fixed Implant-Supported Prosthesis: A Clinical Report. <i>World Journal of Dentistry</i> , 2012, 3, 87-90.	0.1	2

#	ARTICLE	IF	CITATIONS
464	Comparative Study of Dimensional Accuracy in Three Dental Implant Impression Techniques: Open Tray, Closed Tray with Impression Coping, and Snap Cap. Journal of Contemporary Dental Practice, 2018, 19, 974-981.	0.2	12
465	Evaluation of Stress Pattern Caused by Mini-Implant in Mandibular Alveolar Bone with Different Angulations and Retraction Forces: A Three-Dimensional Finite Element Study. Turkish Journal of Orthodontics, 2020, 33, 150-156.	1.2	5
466	IN-VITRO MODEL TO EVALUATE THE EFFECT OF ATTACHMENT DESIGNS ON STRESSES TRANSFERRED TO SURROUNDINGS IN IMPLANT-RETAINED OVERDENTURES. , 2000, , 531-538.		0
467	Shock Absorbability of High-Abrasion-Resistance-Posterior Resin Teeth.. Nihon Hotetsu Shika Gakkai Zasshi, 2000, 44, 675-682.	0.3	0
468	Evaluation of Osseointegration with an Impulse Response and Bone Marrow Pressure.. Nihon Hotetsu Shika Gakkai Zasshi, 2002, 46, 110-119.	0.3	0
469	FE-simulation of the maxillary sinus floor augmentation. , 2005, , .		0
470	14 Implantaatfalen: mechanische belasting en peri-implantitis. , 2008, , 189-203.		0
471	4 Biomechanica van enossale implantaten. , 2008, , 27-33.		0
472	AvaliaÃ§Ã£o in vitro do Emprego de Retificadores de Cilindros Fundidos na AdaptaÃ§Ã£o de PrÃ³teses Implanto Suportadas. Odonto, 2008, 16, 9-18.	0.1	0
473	Finite element study of load transfer in a splinted fixed partial denture. IFMBE Proceedings, 2009, , 1856-1861.	0.2	0
474	Impression Materials, Concepts, and Techniques for Dental Implants. , 2010, , 153-162.		1
475	Strain Gauge: study of strain distributions around three Morse taper prosthetic connections with offset positioning in machined and plastic copings under vertical load. CiÃªncia OdontolÃ³gica Brasileira, 2012, 15, 50-55.	0.0	2
476	Three-dimensional finite element analysis of stress distribution for different implant thread slope and implant angulation. The Journal of Korean Academy of Prosthodontics, 2013, 51, 1.	0.0	0
478	Simplified protocol using a translucent transference guide (T.T.G.) in immediate implant loading in the edentulous mandible. Annals of Oral and Maxillofacial Surgery, 2013, 1, .	0.1	0
479	A sectional-splinting technique for impressing multiple implant units by eliminating the use of an open tray. Contemporary Clinical Dentistry, 2014, 5, 221.	0.2	0
480	Comparative Evaluation of Dimensional Accuracy of Impression Techniques for Parallel Implants and Implants Placed with Angulation: An <i>in vitro</i> Study. International Journal of Oral Implantology and Clinical Research, 2014, 5, 92-98.	0.1	0
481	Comportamento biomecÃ¢nico do sistema prÃ³tese/implante em regiÃ£o anterior de maxila: anÃ¡lise pelo mÃ©todo de ciclagem mecÃ¢nica. Universidade Estadual Paulista Revista De Odontologia, 2014, 43, 46-51.	0.3	4
482	Kriterien der Auswahl einer implantatgerechten Suprastruktur im zahnlosen Unterkiefer. , 1988, , 417-428.		0

#	ARTICLE	IF	CITATIONS
483	Der Stellenwert von Implantaten in der Prophylaxe der Zahnlosigkeit im Unterkiefer. , 1988, , 393-398.		0
484	Osseointegrierte Implantate. , 1988, , 305-315.		0
485	A Study on Shock Absorbability of Various Elastic Materials. Part 1. Plate Specimens.. Nihon Hotetsu Shika Gakkai Zasshi, 1992, 36, 1004-1015.	0.3	1
486	Stress-Transfer Characteristics of Stress-Absorbing Elements in the IMZ Implant System. Part I. Stress Around a Freestanding Single Implant under Static Loading Conditions.. Nihon Hotetsu Shika Gakkai Zasshi, 1992, 36, 1102-1110.	0.3	1
487	A Study on the Absorbability of Various Elastic Materials. Part 2. Cubic Specimens.. Nihon Hotetsu Shika Gakkai Zasshi, 1992, 36, 1279-1289.	0.3	0
488	Stress-Absorbing Effect of Restorative Materials on Implant-bone Model.. Nihon Hotetsu Shika Gakkai Zasshi, 1994, 38, 1244-1251.	0.3	0
489	Implant Retained Fixed Prosthesis. International Journal of Clinical Implant Dentistry, 2015, 1, 85-94.	0.0	0
490	Microdeformation of Infrastructure for Implant-Supported fixed Dental Prosthesis by Strain-Gauge Method: Influence of Technique and Material Impression. Pesquisa Brasileira Em Odontopediatria E Clinica Integrada, 2015, 15, 75-84.	0.7	0
493	Attachments Used With Implant Supported Over Denture. Advances in Dentistry & Oral Health, 2016, 1, .	0.1	3
494	Impact de la solidarisation des couronnes implanto-portées sur le remodelage osseux péri-implantaire: Étude clinique prospective avec suivi à 5 ans. Medecine Buccale Chirurgie Buccale, 2016, 22, 97-104.	0.1	1
495	A Critical Review on the Relation and Impact of Bruxism and Prosthetic Treatment. The Egyptian Journal of Hospital Medicine, 2017, 66, 261-268.	0.0	0
496	Photogrammetric Analysis of Multiple Implant Abutment Impressions under Different Conditions. Open Journal of Stomatology, 2017, 07, 408-418.	0.1	0
497	STRESS ANALYSIS OF TWO DIFFERENT ATTACHMENTS FOR A TWO IMPLANT RETAINED MANDIBULAR OVERDENTURE. Egyptian Dental Journal, 2017, 63, 3447-3457.	0.1	0
498	Indications and Methods of removing Dental Implants. World Journal of Dentistry, 2018, 9, 180-186.	0.1	0
499	Knowledge and Attitude among Senior Dental Students on Forensic Dentistry: A Survey. World Journal of Dentistry, 2018, 9, 187-191.	0.1	3
500	The evaluation of the shear bond strength between various Hybrid CAD/CAM restorative materials and repairing composite resins. Korean Journal of Dental Materials, 2018, 45, 45-56.	0.2	3
501	Review on Dental Implantology. The Egyptian Journal of Hospital Medicine, 2018, 71, 2217-2225.	0.0	6
502	Assessment of two different Splinting materials on the immediate functional loading of Implants placed in mandibular unilateral free end saddle cases. Egyptian Dental Journal, 2018, 64, 3535-3542.	0.1	0

#	ARTICLE	IF	CITATIONS
503	AVALIAÇÃO DE CARGAS AXIAIS APLICADAS SOBRE MATERIAIS DE COBERTURA DE IMPLANTES, ATRAVÉS DO MÓDULO DOS ELEMENTOS FINITOS. Unifunec Ciências Da Saúde E Biológicas, 2019, 3, .	0.0	0
504	Biomechanical behavior of CAD/CAM cobalt-chromium and zirconia full-arch fixed prostheses. Journal of Advanced Prosthodontics, 2020, 12, 329.	1.1	3
505	Experimental and numerical investigations of fracture and fatigue behaviour of implant-supported bars with distal extension made of three different materials. Biomedizinische Technik, 2021, 66, 305-316.	0.9	5
506	Evaluation of stress distribution of implant-retained mandibular overdenture with different vertical restorative spaces: A finite element analysis. Dental Research Journal, 2012, 9, 741-7.	0.2	8
508	Stress Concentration in Open Hole Laminate Composites Under Bending: Potential Application in Dental Implant Prosthesis. Materials Research, 0, 25, .	0.6	0
509	Effect of Splinting of Tilted External Hexagon Implants on 3-Unit Implant-Supported Prostheses in the Posterior Maxilla: A 3D Finite Element Analysis. Journal of Prosthodontics, 2022, 31, 697-704.	1.7	4
510	Biomaterials and Bioceramics Part 1: Traditional, Natural, and Nano. Springer Series in Biomaterials Science and Engineering, 2022, , 1-45.	0.7	8
511	Investigation of the Damping Capabilities of Different Resin-Based CAD/CAM Restorative Materials. Polymers, 2022, 14, 493.	2.0	2
512	Comparison of magnitude and distribution of stress at implant-bone interface in carbon-fiber-reinforced-polyetheretherketone, zirconium, and titanium implant: A three-dimensional finite element study. SRM Journal of Research in Dental Sciences, 2022, 13, 7.	0.1	0
513	Accuracy of Digital Impressions at Varying Implant Depths: An In Vitro Study. Journal of Prosthodontics, 2022, , .	1.7	10
514	Stresses Generated in Completely Edentulous and Partially Edentulous Arch Rehabilitated with Four Implants: A Comparative 3D Fea Study. International Journal of Prosthodontics and Restorative Dentistry, 2022, 11, 168-172.	0.1	0
515	Complications Associated With Metal Resin Fixed Complete Denture Based On Implant Distribution. Journal of Prosthodontics, 2022, , .	1.7	1
531	Analysis of stress distribution on the bone around an implant placed in the anterior maxilla using three different abutment angulations by means of finite element analysis. Journal of Pharmacy and Bioallied Sciences, 2021, 13, 1591.	0.2	0
533	Avaliação biomecânica de próteses parciais fixas sobre implantes com diferentes plataformas em região posterior de mandíbula: análise in silico. Research, Society and Development, 2022, 11, e30311629037.	0.0	0
534	Biomechanical variables affect peri-implant bone loss in implant-supported fixed complete dentures: A methodological and prospective study. Journal of Prosthodontic Research, 2022, 67, 173-179.	1.1	0
535	Digital workflow effectiveness: preliminary results. Research, Society and Development, 2022, 11, e9911830598.	0.0	0
536	Influence of Different Restoring Materials on Stress Distribution in Prosthesis on Implants: A Review of Finite Element Studies. European Journal of Dentistry, 2023, 17, 001-006.	0.8	4
537	Alginate Substitute as a Promising Impression Material for Dental Implant Restorations: A Comparative In-vitro Study. , 0, , 1-11.		0

#	ARTICLE	IF	CITATIONS
538	Preventing and Resolving Complications With Osseointegrated Implants. <i>Dental Clinics of North America</i> , 1989, 33, 821-868.	0.8	53
539	Martens Hardness of CAD/CAM Resin-Based Composites. <i>Applied Sciences (Switzerland)</i> , 2022, 12, 7698.	1.3	4
540	Osseointegration: Current State of the Art. <i>Dental Clinics of North America</i> , 1989, 33, 537-554.	0.8	77
541	Understanding the Stress Distribution on Anatomic Customized Root-Analog Dental Implant at Bone-Implant Interface for Different Bone Densities. <i>Materials</i> , 2022, 15, 6379.	1.3	9
542	Finite Element Analysis of a New Non-Engaging Abutment System for Three-Unit Implant-Supported Fixed Dental Prostheses. <i>Bioengineering</i> , 2022, 9, 483.	1.6	2
543	Fully Digital versus Conventional Workflows for Fabricating Posterior Three-Unit Implant-Supported Reconstructions: A Prospective Crossover Clinical Trial. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 11456.	1.2	9
544	Stress Distribution Analysis of Implant-supported Fixed Prosthesis Framework Material in Peri-implant Bone Using Optimization: A 3D FEA Study. <i>World Journal of Dentistry</i> , 2022, 13, S58-S65.	0.1	0
545	Comparison of 4- or 6-implant supported immediate full-arch fixed prostheses: A retrospective cohort study of 217 patients followed up for 3-13 years. <i>Clinical Implant Dentistry and Related Research</i> , 0, , .	1.6	3
546	Three-Dimensional FEA Analysis of the Stress Distribution on Titanium and Graphene Frameworks Supported by 3 or 6-Implant Models. <i>Biomimetics</i> , 2023, 8, 15.	1.5	12
547	Comparison of 3D positional accuracy of implant analogs in printed resin models versus conventional stone casts: Effect of implant angulation. <i>Journal of Prosthodontics</i> , 2024, 33, 46-53.	1.7	0
548	Strains in the implant collars supporting a cantilevered cross-arch bar prosthesis. An in vitro study. <i>Journal of Prosthodontics</i> , 0, , .	1.7	0
549	Comparative photoelastic stress analysis between all-on-four implant-supported cobalt-chromium framework and carbon fiber reinforced framework with varying cantilever lengths - An in vitro study. <i>Indian Journal of Health Sciences and Biomedical Research KLEU</i> , 2023, 16, 60.	0.1	0
550	Thermo-mechanical behavior of alternative material combinations for full-arch implant-supported hybrid prostheses with short cantilevers™. <i>Journal of Dentistry</i> , 2023, 132, 104470.	1.7	0
551	THE WORLD'S LONGEST FUNCTIONING IMPLANT: A VERIFIED CASE REPORT. <i>Journal of Oral Implantology</i> , 0, , .	0.4	1
552	Rehabilitation of a patient with mandibular flexure using contemporary glass-infiltrated high performance CAD-CAM polymers: A clinical report with 1-year follow-up. <i>Journal of Prosthetic Dentistry</i> , 2023, , .	1.1	2
553	Zygomatic Implants. The ZAGA Concept. , 2023, , 247-275.		1
555	Comparative accuracy of implant impression techniques with different splinting materials. <i>Journal of Dental Rehabilitation and Applied Science</i> , 2023, 39, 9-20.	0.1	0
556	Engineers in Medicine: Foster Innovation by Traversing Boundaries. <i>Critical Reviews in Biomedical Engineering</i> , 2023, , .	0.5	0

#	ARTICLE	IF	CITATIONS
---	---------	----	-----------