

CITATION REPORT

List of articles citing

Follow-up of normotensive men with exaggerated blood pressure response to exercise

DOI: 10.1016/0002-8703(83)90198-9
American Heart Journal, 1983, 106, 316-20.

Source: <https://exaly.com/paper-pdf/16389736/citation-report.pdf>

Version: 2024-04-24

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
189	Blood pressure response in relation to blood lactate during exercise in patients with essential hypertension. <i>International Journal of Sports Medicine</i> , 1985 , 6, 169-73	3.6	2
188	Reliability and validity of ambulatory blood pressure recording in children. 1985 , 7, 217-25		3
187	Environmental factors as a risk for future hypertension. 1986 , 2, 241-251		1
186	Blood Pressure Response to Exercise as a Predictor of Hypertension. 1986 , 146, 2053		39
185	The relationship between cynical hostility and blood pressure reactivity. 1987 , 31, 111-6		54
184	Exercise Testing for Sports and the Exercise Prescription. <i>Cardiology Clinics</i> , 1987 , 5, 183-196	2.5	9
183	Municipal employees & cardiovascular diseases and occupational stress factors in Finland. 1987 , 59, 107-14		7
182	Exercise and antihypertensive therapy. <i>American Journal of Cardiology</i> , 1987 , 59, 98A-107A	3	25
181	Relation of blood pressure during exercise to anaerobic metabolism. <i>American Journal of Cardiology</i> , 1987 , 59, 1342-4	3	9
180	Parental history of hypertension and myocardial infarction predicts cardiovascular responses to behavioral stressors in middle-aged men and women. 1988 , 25, 269-77		28
179	Exercise stress test in young hypertensive patients. Response to vasodilators (prazosin) vs. beta-blocker (atenolol) agents. 1988 , 11, 24-34		3
178	Blood pressure at rest and during maximal dynamic and isometric exercise as predictors of systemic hypertension. <i>American Journal of Cardiology</i> , 1988 , 62, 1058-61	3	50
177	Ambulatory blood pressure monitoring and cardiovascular reactivity testing for the evaluation of the role of psychosocial factors and prognosis in hypertensive patients. <i>American Heart Journal</i> , 1988 , 116, 665-72	4.9	39
176	Blood pressure reactivity in children. 1988 , 32, 1-12		28
175	Blood pressure behaviour during physical activity. <i>Sports Medicine</i> , 1988 , 5, 353-74	10.6	35
174	A coherent pattern among social behavior, blood pressure, corticosterone and catecholamine measures in individual male rats. 1988 , 42, 485-9		83
173	Editorial note Is exercise-induced exacerbated blood pressure response a predictor of hypertension?. <i>International Journal of Cardiology</i> , 1988 , 18, 219-221	3.2	

172	Exaggerated systolic blood pressure response to exercise: a normal variant or a hyperdynamic phase of essential hypertension?. <i>International Journal of Cardiology</i> , 1988 , 18, 207-21	3.2	10
171	The resting surface electrocardiogram as a predictor of future hypertension. <i>International Journal of Cardiology</i> , 1988 , 18, 41-52	3.2	
170	Familial aggregation of blood pressure and heart rate responses during behavioral stress. 1988 , 50, 341-52		25
169	Prevalence of ventricular premature beats during stress testing in patients with exercise hypertension and the association with a positive family history of established hypertension. 1989 , 10, 666-9		
168	Premenopausal and postmenopausal women differ in their cardiovascular and neuroendocrine responses to behavioral stressors. 1989 , 26, 270-80		215
167	Methods of blood pressure determination to assess antihypertensive agents: are casual measurements enough?. 1989 , 45, 581-6		38
166	Effort blood pressure control in the course of antihypertensive treatment. 1989 , 87, 46S-56S		8
165	Effect of exercise on salivary composition and cortisol in serum and saliva in man. 1989 , 68, 1495-7		29
164	Blood pressure recovery curves after submaximal exercise. A predictor of hypertension at ten-year follow-up. <i>American Journal of Hypertension</i> , 1989 , 2, 135-8	2.3	39
163	Exercise response in young women with borderline hypertension. 1990 , 97, 298-301		5
162	Behaviorally-Evoked Cardiovascular Reactivity and Hypertension: Conceptual Issues and Potential Associations. 1990 , 12, 17-29		233
161	Left ventricular hypertrophy in men with normal blood pressure: relation to exaggerated blood pressure response to exercise. 1990 , 112, 161-6		162
160	Hypertension. <i>Physician and Sportsmedicine</i> , 1990 , 18, 77-82	2.4	3
159	Cardiovascular and metabolic activity at rest and during psychological and physical challenge in normotensives and subjects with mildly elevated blood pressure. 1990 , 27, 149-56		19
158	Individual differences in behaviorally evoked cardiovascular response: temporal stability and hemodynamic patterning. 1990 , 27, 605-19		171
157	Blood pressure response during maximal exercise in apparently healthy men and women. 1990 , 227, 157-63		9
156	Is left ventricular mass in apparently healthy, normotensive men correlated to maximal blood pressure during exercise?. 1990 , 11, 241-8		27
155	La pression artérielle lors de l'épreuve de ruffier et lors de l'épreuve sur ergocycle. 1991 , 6, 85-90		

154	Hypertension: the acute and chronic response to exercise. <i>American Heart Journal</i> , 1991 , 122, 264-6	4.9	5
153	Blood pressure response to exercise. A marker for future hypertension?. <i>American Journal of Hypertension</i> , 1991 , 4, 617S-620S	2.3	17
152	Exercise-loaded blood pressure and Li-Na countertransport system in the erythrocyte membrane as predictors of mild essential hypertension prognosis. 1991 , 18, 611-7		2
151	Whether to measure change from baseline or absolute level in studies of children's cardiovascular reactivity: a two-year follow-up. 1991 , 14, 409-19		10
150	Exercise prescription for hypertensive patients. 1991 , 23, 279-87		6
149	Blood pressure reactivity does not correlate with baseline blood pressure or blood pressure change over time in preschool children. 1992 , 136, 795-805		3
148	Relationship of stress testing blood pressure with electrocardiographic and funduscopy indices of hypertensive end-organ damage. 1992 , 14, 469-88		
147	Is there a relationship between exercise systolic blood pressure response and left ventricular mass? The Framingham Heart Study. 1992 , 116, 203-10		132
146	Aptitude for physical exercise in a population of female hospital workers. 1992 , 64, 131-9		2
145	Impact of left ventricular hypertrophy on blood pressure responses to exercise. <i>American Journal of Cardiology</i> , 1992 , 69, 225-8	3	36
144	Correspondence between screening and intra-arterial blood pressures in young men with borderline hypertension. 1993 , 234, 201-9		6
143	Self-disclosure and coping styles in men with cardiovascular reactivity. 1993 , 16, 275-82		10
142	Precursors of established hypertension in borderline hypertensives. A two-year follow-up. <i>International Journal of Cardiology</i> , 1993 , 39, 113-9	3.2	11
141	Ambulatory blood pressure: a predictor of left ventricular mass and future blood pressure in subjects predisposed for hypertension. <i>Blood Pressure</i> , 1993 , 2, 124-9	1.7	
140	Exercise Test Interpretation. <i>Cardiology Clinics</i> , 1993 , 11, 215-227	2.5	9
139	Exercise blood pressure response and 5-year risk of elevated blood pressure in a cohort of young adults: the CARDIA study. <i>American Journal of Hypertension</i> , 1994 , 7, 234-41	2.3	152
138	Stress, Hyperreactivity, and Health. 1994 , 46, 78-99		4
137	Blood pressure responses to a progressive step test in normotensive males and females. 1994 , 19, 421-31		4

136	Systolic blood pressure during submaximal exercise: an important correlate of cardiovascular disease risk factors in normotensive obese women. 1994 , 43, 18-23		6
135	Sex differences in human cardiovascular responses to external excitation. 1995 , 17, 699-707		0
134	Does This Patient Have Hypertension?. 1995 , 273, 1211		77
133	[Cardiovascular evaluation in athletic children]. 1995 , 2, 1101-15		0
132	Young borderline hypertensives are hyperreactive to mental arithmetic stress: spectral analysis of R-R intervals. 1995 , 54, 155-62		5
131	Left ventricular mass estimation by echocardiography: is it clinically useful?. 1995 , 12, 185-93		3
130	Angiographic and prognostic implications of an exaggerated exercise systolic blood pressure response and rest systolic blood pressure in adults undergoing evaluation for suspected coronary artery disease. 1995 , 26, 1630-6		89
129	Peak exercise blood pressure stratified by age and gender in apparently healthy subjects. 1996 , 71, 445-52		97
128	Cardiac structure and exercise blood pressure in urban and rural Canadian men of Icelandic descent. <i>American Journal of Hypertension</i> , 1996 , 9, 1104-9	2.3	
127	Doppler echocardiographic indexes and 24-h ambulatory blood pressure data in sedentary middle-aged men presenting exaggerated blood pressure response during dynamical exercise test. 1997 , 19, 1101-16		7
126	Predictors of 7-year changes in exercise blood pressure: effects of smoking, physical fitness and pulmonary function. <i>Journal of Hypertension</i> , 1997 , 15, 245-9	1.9	30
125	Cardiovascular and plasma catecholamine response to static exercise in normotensive blacks and whites. 1997 , 2, 127-36		13
124	Exaggerated blood pressure response to exercise in children with increased low-density lipoprotein cholesterol. <i>American Heart Journal</i> , 1997 , 133, 162-8	4.9	34
123	Physiological characteristics and hormonal profile of young normotensive men with exaggerated blood pressure response to exercise. 1997 , 17, 1-18		11
122	Exaggerated blood pressure response to exercise: importance of resting blood pressure. 1998 , 18, 457-62		18
121	Exaggerated blood pressure response at exercise in normotensive subjects: demographic and stress performance characteristics. <i>American Heart Journal</i> , 1998 , 136, 499-503	4.9	12
120	Should exercise blood pressure be measured in clinical practice?. <i>Journal of Hypertension</i> , 1998 , 16, 15-7	1.9	7
119	Blood pressure and hormonal responses to short whole body cold exposure in subjects with high dietary salt intake. 1999 , 18, 203-9		4

118	Blood pressure response during treadmill testing as a risk factor for new-onset hypertension. The Framingham heart study. <i>Circulation</i> , 1999 , 99, 1831-6	16.7	334
117	Prognostic significance of exercise-induced systemic hypertension in healthy subjects. <i>American Journal of Cardiology</i> , 1999 , 83, 371-5	3	123
116	Lipid reactivity to stress: II. Biological and behavioral influences.. 1999 , 18, 251-261		33
115	Exercise testing in clinical medicine. 2000 , 356, 1592-7		119
114	Role of cardiovascular reactivity to mental stress in predicting future hypertension. 2000 , 22, 1-22		24
113	Exercise BP response in subjects with high-normal BP: exaggerated blood pressure response to exercise and risk of future hypertension in subjects with high-normal blood pressure. 2000 , 36, 1626-31		73
112	Reproducibility of exaggerated blood pressure response to exercise in healthy patients. <i>American Heart Journal</i> , 2001 , 141, 1014-7	4.9	14
111	Responses of non-obese white children to treadmill exercise. 2001 , 139, 284-90		26
110	Blood pressure and endocrine responses of healthy subjects in cold pressor test after acutely increased dietary sodium intake. 2001 , 20, 207-12		1
109	Physiological Processes as Mediators of the Impact of Marital Conflict on Children. 2001 , 188-212		12
108	The significance of hypertensive response to exercise as a predictor of hypertension and cardiovascular disease. <i>Journal of Human Hypertension</i> , 2001 , 15, 353-6	2.6	69
107	Is exercise blood pressure a marker of vascular endothelial function?. 2002 , 95, 423-9		21
106	Blood pressure response after two-step exercise as a powerful predictor of hypertension: the Osaka Health Survey. <i>Journal of Hypertension</i> , 2002 , 20, 1507-12	1.9	32
105	Blood pressure response to heart rate during exercise test and risk of future hypertension. <i>Hypertension</i> , 2002 , 39, 761-6	8.5	168
104	Hypertensive response to exercise: a potential cause for new wall motion abnormality in the absence of coronary artery disease. 2002 , 39, 323-7		66
103	Relationships of the systolic blood pressure response during exercise with insulin resistance, obesity, and endurance fitness in men with type 2 diabetes mellitus. 2002 , 51, 1247-52		18
102	Can blood pressure responses to tests unmask future blood pressure trends and the need for antihypertensive medication? Ten years of follow-up. 2002 , 22, 125-33		3
101	How to predict nephropathy in type 1 diabetic patients. 2003 , 37, 437-42		4

100	Exercise blood pressure in young adults as a predictor of future blood pressure: a 12-year follow-up of medical school graduates. <i>Journal of Human Hypertension</i> , 2004 , 18, 815-21	2.6	21
99	Blood pressure in the long-term follow-up of children with hemolytic uremic syndrome. 2004 , 19, 1241-4		16
98	Is hypertensive response in treadmill testing better identified with correction for working capacity? A study with clinical, echocardiographic and ambulatory blood pressure correlates. <i>Blood Pressure</i> , 2004 , 13, 225-9	1.7	7
97	Serum cholesterol levels, blood pressure response to stress and incidence of stable hypertension in young subjects with high normal blood pressure. <i>Journal of Hypertension</i> , 2004 , 22, 265-72	1.9	22
96	The prognostic value of post-exercise blood pressure reduction in patients with hypertensive response during exercise stress test. <i>International Journal of Cardiology</i> , 2006 , 111, 352-7	3.2	10
95	Interpretation of Hemodynamic Responses to Exercise Testing. 2006 , 93-125		2
94	Cardiovascular reactivity to and recovery from psychological challenge as predictors of 3-year change in blood pressure. 2006 , 25, 111-8		53
93	Preventive Cardiology. 2006 ,		
92	Blood Pressure Response during the Exercise Treadmill Test and the Risk of Future Hypertension and Cardiovascular Disease. 2007 , 37, 277		1
91	Analysis of alteration of blood pressure response to exercise through baroreflex. 2007 , 74, 123-30		5
90	A hypertensive response to exercise is associated with transient ischemic dilation on myocardial perfusion SPECT imaging. 2007 , 14, 537-43		12
89	The blood pressure response to dynamic exercise testing: a systematic review. <i>Progress in Cardiovascular Diseases</i> , 2008 , 51, 135-60	8.5	117
88	Altered autonomic neural control of the cardiovascular system in patients with polycystic ovary syndrome. <i>International Journal of Cardiology</i> , 2008 , 130, 49-55	3.2	38
87	Efficacy of exercise, losartan, enalapril, atenolol and rilmenidine in subjects with blood pressure hyperreactivity at treadmill stress test and left ventricular hypertrophy. <i>Journal of Human Hypertension</i> , 2009 , 23, 259-66	2.6	2
86	High blood pressure response to stress ergometry could predict future hypertension. <i>European Journal of Internal Medicine</i> , 2009 , 20, 366-8	3.9	20
85	Detection of exaggerated blood pressure response using laboratory of physical science protocol and risk of future hypertension. <i>Journal of Occupational Health</i> , 2010 , 52, 278-86	2.3	6
84	Prognostic value of an exaggerated exercise blood pressure response in patients with diabetes mellitus and known or suspected coronary artery disease. <i>American Journal of Cardiology</i> , 2010 , 105, 780-5	3	12
83	Exercise blood pressure and future cardiovascular death in asymptomatic individuals. <i>Circulation</i> , 2010 , 121, 2109-16	16.7	95

82	The influence of Eadducin gene polymorphism on response of blood pressure to exercise in patients with hypertension. <i>Anatolian Journal of Cardiology</i> , 2010 , 10, 400-4		
81	Assessment of exercise blood pressure and heart rate in patients with coronary artery disease: is it worth it?. <i>Journal of Hypertension</i> , 2010 , 28, 2184-7	1.9	
80	Correction of the hypertensive response in the treadmill testing by the work performance improves the prediction of hypertension by ambulatory blood pressure monitoring and incidence of cardiac abnormalities by echocardiography: results of an eight year follow-up study. <i>International Journal of Cardiology</i> , 2010 , 141, 243-9	3.2	12
79	Association of masked hypertension and left ventricular remodeling with the hypertensive response to exercise. <i>American Journal of Hypertension</i> , 2011 , 24, 898-903	2.3	70
78	Hemodynamic variables during exercise in childhood and resting systolic blood pressure levels 6 years later in adolescence: the European Youth Heart Study. <i>Journal of Human Hypertension</i> , 2011 , 25, 608-14	2.6	12
77	Quantitative left ventricular contractility analysis under stress: a new practical approach in follow-up of hypertensive patients. <i>Journal of Human Hypertension</i> , 2011 , 25, 578-84	2.6	10
76	Exaggerated blood pressure response to exercise in athletes: dysmetabolism or altered autonomic nervous system modulation?. <i>Blood Pressure Monitoring</i> , 2012 , 17, 184-92	1.3	10
75	Cardiorespiratory screening in elite endurance sports athletes: the Quebec study. <i>Physician and Sportsmedicine</i> , 2012 , 40, 55-65	2.4	11
74	Use of the Frank-Starling mechanism during exercise is linked to exercise-induced changes in arterial load. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2012 , 302, H349-58	5.2	15
73	An exaggerated blood pressure response to treadmill exercise does not increase the likelihood that exercise echocardiograms are abnormal in men or women. <i>Journal of the American Society of Echocardiography</i> , 2012 , 25, 1113-9	5.8	10
72	Exercise blood pressure and the risk of future hypertension. <i>Journal of Human Hypertension</i> , 2012 , 26, 691-5	2.6	33
71	Blunted heart rate recovery is associated with exaggerated blood pressure response during exercise testing. <i>Heart and Vessels</i> , 2013 , 28, 750-6	2.1	3
70	Blood Pressure, Hypertension, and Exercise. 2013 , 517-528		
69	Exercise-induced exaggerated blood pressure response in men with the metabolic syndrome: the role of the autonomous nervous system. <i>Blood Pressure Monitoring</i> , 2013 , 18, 252-8	1.3	18
68	Blood pressure response to exercise is exaggerated in normotensive diabetic patients. <i>Blood Pressure</i> , 2013 , 22, 21-6	1.7	14
67	Exercise-induced hypertension: not quite ready for prime time. <i>Metabolic Syndrome and Related Disorders</i> , 2013 , 11, 1-3	2.6	
66	Association of Blood Pressure and Heart Rate Response to Graded Exercise Test with Left Atrial Volume Index and Pulse Wave Velocity. <i>Journal of the Korean Society of Hypertension</i> , 2013 , 19, 45		
65	Exaggerated exercise blood pressure response and risk of stroke in patients referred for stress testing. <i>European Journal of Internal Medicine</i> , 2014 , 25, 533-7	3.9	8

64	Exaggerated exercise pressor reflex in adults with moderately elevated systolic blood pressure: role of purinergic receptors. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2014 , 306, H132-41	5.2	51
63	The Effects of Chronic Nitrate Supplementation and the Use of Strong and Weak Antibacterial Agents on Plasma Nitrite Concentration and Exercise Blood Pressure. <i>International Journal of Sports Medicine</i> , 2015 , 36, 1177-85	3.6	42
62	Exaggerated Exercise Blood Pressure Response and Future Cardiovascular Disease. <i>Journal of Clinical Hypertension</i> , 2015 , 17, 837-44	2.3	30
61	Exercise Treadmill Test for the Assessment of Cardiac Risk Markers in HIV. 2015 , 325-336		
60	The D allele of angiotensin-converting enzyme gene is associated with greater hemodynamic response to resistance exercises. <i>JRAAS - Journal of the Renin-Angiotensin-Aldosterone System</i> , 2015 , 16, 1251-9	3	2
59	Submaximal Exercise Systolic Blood Pressure and Heart Rate at 20 Years of Follow-up: Correlates in the Framingham Heart Study. <i>Journal of the American Heart Association</i> , 2016 , 5,	6	5
58	Renal denervation improves exercise blood pressure: insights from a randomized, sham-controlled trial. <i>Clinical Research in Cardiology</i> , 2016 , 105, 592-600	6.1	10
57	Augmented pressor and sympathetic responses to skeletal muscle metaboreflex activation in type 2 diabetes patients. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2016 , 310, H300-9	5.2	55
56	Excessive Respiratory Modulation of Blood Pressure Triggers Hypertension. <i>Cell Metabolism</i> , 2017 , 25, 739-748	24.6	37
55	Absence of resting cardiovascular dysfunction in middle-aged endurance-trained athletes with exaggerated exercise blood pressure responses. <i>Journal of Hypertension</i> , 2017 , 35, 1586-1593	1.9	13
54	Impact of exaggerated blood pressure response in normotensive individuals on future hypertension and prognosis: Systematic review according to PRISMA guideline. <i>Advances in Medical Sciences</i> , 2017 , 62, 317-329	2.8	21
53	Exercise Blood Pressure Guidelines: Time to Re-evaluate What is Normal and Exaggerated?. <i>Sports Medicine</i> , 2018 , 48, 1763-1771	10.6	19
52	Reduced blood pressure responsiveness to skeletal muscle metaboreflex activation in older adults following inorganic nitrate supplementation. <i>Nitric Oxide - Biology and Chemistry</i> , 2018 , 78, 81-88	5	8
51	The influence of acute elevations in plasma osmolality and serum sodium on sympathetic outflow and blood pressure responses to exercise. <i>Journal of Neurophysiology</i> , 2018 , 119, 1257-1265	3.2	9
50	Early blood pressure response to isometric exercise is attenuated in obese individuals who have undergone bariatric surgery. <i>Journal of Applied Physiology</i> , 2018 , 124, 960-969	3.7	4
49	Orthostatic and Exercise Effects in Children Years After Kawasaki Disease. <i>Pediatric Cardiology</i> , 2020 , 41, 24-30	2.1	1
48	The impact of pulsed electromagnetic field therapy on blood pressure and circulating nitric oxide levels: a double blind, randomized study in subjects with metabolic syndrome. <i>Blood Pressure</i> , 2020 , 29, 47-54	1.7	5
47	An exaggerated increase in blood pressure with exercise does not predict mortality or severe cardiovascular events in women referred for exercise echocardiography for clinical reasons. <i>Revista Colombiana Espanola de Cardiologia</i> , 2020 , 220, 228-235	0.5	

46	Peak Systolic Blood Pressure During the Exercise Test: Reference Values by Sex and Age and Association With Mortality. <i>Hypertension</i> , 2021 , 77, 1906-1914	8.5	0
45	Cardiovascular Diseases. <i>Comprehensive Manuals in Pediatrics</i> , 1983 , 126-167		1
44	The Role of Cardiovascular Reactivity in Hypertension Risk. 1992 , 165-186		10
43	Psychophysiologic Strategies in Laboratory Research. 1989 , 349-364		46
42	Exercise in Patients with Cardiovascular Disease. 2007 , 169-183		1
41	OBLA Exercise Stress Testing in Health and Disease. 1984 , 67-91		9
40	Hemodynamic response to exercise in hypertension and its modulation by anti-hypertensive therapy. <i>Developments in Cardiovascular Medicine</i> , 1989 , 371-394		2
39	Exercise and the Hypertensive Athlete. <i>Clinics in Sports Medicine</i> , 1992 , 11, 291-302	2.6	8
38	Risks for Arterial Hypertension. <i>Cardiology Clinics</i> , 1986 , 4, 57-66	2.5	10
37	Modes of cardiovascular regulation during middle childhood. <i>Journal of Developmental and Behavioral Pediatrics</i> , 1999 , 20, 137-44	2.4	4
36	Genetic regulation of hemodynamic variables during dynamic exercise. The MCV twin study. <i>Circulation</i> , 1996 , 94, 1864-9	16.7	11
35	Relation between cold pressor test and development of hypertension based on 28-year follow-up. <i>Hypertension</i> , 1995 , 25, 71-6	8.5	112
34	Noninvasive ambulatory 24-hour blood pressure in patients with high normal blood pressure and exaggerated systolic pressure response to exercise. <i>Hypertension</i> , 1995 , 26, 1121-4	8.5	16
33	Anticipatory blood pressure response to exercise predicts future high blood pressure in middle-aged men. <i>Hypertension</i> , 1996 , 27, 1059-64	8.5	124
32	Ambulatory blood pressure and Doppler echocardiographic indexes of borderline hypertensive men presenting an exaggerated blood pressure response during dynamic exercise. <i>Brazilian Journal of Medical and Biological Research</i> , 2001 , 34, 1285-93	2.8	4
31	Hypertension and Exercise. 2011 , 473-484		
30	Denervated Sympathetic Nerve Distributed to Motor Muscle as a Possible Cause of Enhanced BP Response to Exercise in Patients with Heart Disease. <i>Journal of the Japanese Coronary Association</i> , 2012 , 18, 189-193		
29	Low Work Load During Physical Stress Testing Is Mental Stress Testing. 1984 , 222-228		

28	Der Belastungsblutdruck als diagnostischer Test [Sensitivit, Spezifit] (Literaturersicht). 1984 , 115-123		2
27	References. 1986 , 207-224		
26	Die prognostische Bedeutung des Belastungsblutdruckes bei Hochdruckkranken. 1986 , 49-62		
25	Die Beeinflussung des Bluthochdrucks durch kperliches Training. 1986 , 87-97		
24	Blutdruckverhalten bei Normotonikern und Hypertonie-Patienten wrend alltglicher und sportlicher Belastungen. 1986 , 35-47		
23	Herz-Kreislauf-Erkrankungen. 1986 , 154-207		
22	Klinische Bedeutung differenter Adaptationen an Land und im Wasser. 1987 , 377-386		
21	The hemodynamics of borderline hypertension. <i>Developments in Cardiovascular Medicine</i> , 1989 , 47-66		
20	Marked Blood Pressure Responses to Norepinephrine, Epinephrine, and Angiotensin II in Borderline Hypertension with a Parental History of Hypertension. 1989 , 317-328		
19	Methods for Blood Pressure Evaluation Using Exercise Stress Testing. 1993 , 63-78		4
18	Ergometrie zur Differenzierung zwischen normalem und erhhten Blutdruck. 1993 , 38-62		
17	Ergometrisches Follow-up des Blutdruckverhaltens bei Postinfarkt-Patienten. 1993 , 121-128		
16	Ergometrisches Follow-up des Blutdruckverhaltens bei Grenzwerthypertonikern. 1993 , 109-120		
15	Belastungsblutdruck und Prognose nach Myokardinfarkt. 1993 , 171-182		4
14	Resposta cardiovascular na prova de esfor: press arterial sistlica. <i>Revista Brasileira De Medicina Do Esporte</i> , 1997 , 3, 6-10	0.5	3
13	Ergometry in the Assessment of Arterial Hypertension and Antihypertensive Therapy. 1998 , 27-40		
12	Relationship between blood pressure and physical performance. <i>Medical Science Pulse</i> , 2014 , 8, 9-13	0.2	2
11	Exercise Blood Pressure Response and Cardiometabolic Risk Factors in Middle Aged Women: A MONET Group Study. <i>World Journal of Cardiovascular Diseases</i> , 2016 , 06, 157-165	0	

- 10 The Effect of Autonomic Neural Control on the Cardiovascular System in Patients with Depression. *Turkish Journal of Family Medicine & Primary Care*, 258-263
- 9 An exaggerated increase in blood pressure with exercise does not predict mortality or severe cardiovascular events in women referred for exercise echocardiography for clinical reasons. *Revista Clinica Espanola*, **2020**, 220, 228-235 0.7 0
- 8 Influence of Age and Estradiol on Sympathetic Nerve Activity Responses to Exercise in Women. *Medicine and Science in Sports and Exercise*, **2021**, 1.2 1
- 7 Exercise Testing and Risk Assessment. **2006**, 265-283
- 6 Blutdruckverhalten bei Normotonikern und Hypertonie-Patienten während alltäglicher und sportlicher Belastungen. **1986**, 35-47
- 5 Die prognostische Bedeutung des Belastungsblutdruckes bei Hochdruckkranken. **1986**, 49-62
- 4 Die Beeinflussung des Bluthochdrucks durch körperliches Training. **1986**, 87-97
- 3 Cardiovascular risk stratification: how important is the hypertensive response to exercise?. *Journal of Hypertension*, **2022**, 40, 27-29 1.9
- 2 Blood pressure response to exercise in children and adolescents. 9, 0
- 1 Exercise-Induced Excessive Blood Pressure Elevation Is Associated with Cardiac Dysfunction in Male Patients with Essential Hypertension. **2022**, 2022, 1-11 0