Vital capacity as a predictor of cardiovascular disease: the Framingham study

DOI: 10.1016/0002-8703(83)90532-x
American Heart Journal, 1983, 105, 311-5.

#	Paper	IF	Citations
152	Bioelectric theory of Pathogenesis of Atherosclerosis. **1984**, 3, 177-192		5
151	Air Ionization Effects on Cardiovascular Parameters in Humans: A Review. **1985**, 4, 63-74		1
150	Epidemiological assessment of the role of physical activity and fitness in development of cardiovascular disease. *American Heart Journal*, **1985**, 109, 876-85	4.9	162
149	Assessment methods for physical activity and physical fitness in population studies: report of a NHLBI workshop. *American Heart Journal*, **1986**, 111, 1177-92	4.9	209
148	Peak expiratory flow and risk of cardiovascular disease and death. A 12-year follow-up of participants in the population study of women in Gothenburg, Sweden. **1986**, 124, 942-8		87
147	Body weight and coronary disease risk: patterns of risk factor change associated with long-term weight change. The Normative Aging Study. **1986**, 124, 410-9		93
146	Prevention of cardiovascular disease in the elderly. **1987**, 10, 25A-28A		23
145	The epidemiology of pulmonary function and COPD mortality in the multiple risk factor intervention trial. **1989**, 140, S76-81		46
144	Respiratory symptoms, lung function, and mortality in a screening center cohort. **1989**, 129, 1157-69		25
143	Pulmonary function as a predictor of coronary heart disease. **1989**, 129, 97-104		60
142	Relation of forced expiratory volume in one second (FEV1) to lung cancer mortality in the Multiple Risk Factor Intervention Trial (MRFIT). **1990**, 132, 265-74		96
141	Smoking, pulmonary function, and mortality. **1990**, 1, 25-32		22
140	Lung function testing: selection of reference values and interpretative strategies. American Thoracic Society. **1991**, 144, 1202-18		2276
139	Pulmonary function as a phenotype physiologic marker of cardiovascular morbidity and mortality. *Chest*, **1991**, 99, 265-6	5.3	7
138	Ventilatory function as a predictor of fatal stroke. **1991**, 302, 84-7		47
137	Validation of the physical activity instrument for the Life in New Zealand national survey. **1991**, 133, 73-82		30
136	Pulmonary function and cardiovascular risk factor relationships in black and in white young men and women. The CARDIA Study. *Chest*, **1991**, 99, 315-22	5.3	58

135	Relationship of obesity and physical fitness to cardiopulmonary and metabolic function in healthy older men. **1991**, 46, M57-65		57
134	Ventilatory function, height, and mortality among lifelong non-smokers. **1992**, 46, 66-70		48
133	The effect of pulmonary impairment on all-cause mortality in a national cohort. *Chest*, **1993**, 103, 536-40	5.3	94
132	Height and incidence of cardiovascular disease in male physicians. *Circulation*, **1993**, 88, 1437-43	16.7	174
131	The importance of lung function, non-malignant diseases associated with asbestos, and symptoms as predictors of ischaemic heart disease in shipyard workers exposed to asbestos. **1993**, 50, 785-90		2
130	Multivariate prediction of the first major cerebrovascular event in an Italian population sample of middle-aged men followed up for 25 years. *Stroke*, **1993**, 24, 42-8	6.7	9
129	Age-related trends in cardiovascular morbidity and physical functioning in the elderly: the Cardiovascular Health Study. **1993**, 41, 1047-56		51
128	Risk Factors for Cardiac Death in Patients with a Transient Ischemic Attack or Ischemic Stroke. **1993**, 3, 146-153		5
127	Height and the risk of cardiovascular disease in women. **1995**, 142, 909-17		111
126	Use of vital capacity for cardiac failure risk estimation in persons with coronary disease and left ventricular hypertrophy. **1996**, 77, 1155-8		17
125	Building a National Strategy for the Prevention and Management of and Research in Chronic Obstructive Pulmonary DiseaseNational Heart, Lung, and Blood Institute Workshop Summary. **1997**, 277, 246		57
124	Relationship of peak expiratory flow rate with mortality and ischaemic heart disease in elderly Australians. **1997**, 166, 526-9		18
123	Relationship between lung function and blood pressure in Chinese men and women of Beijing and Guangzhou. PRC-USA Cardiovascular and Cardiopulmonary Epidemiology Research Group. **1998**, 27, 49-56		28
122	Respiratory symptoms and long-term risk of death from cardiovascular disease, cancer and other causes in Swedish men. **1998**, 27, 962-9		24
121	Association between self-reported leisure-time physical activity and measures of cardiorespiratory fitness in an elderly population. **1998**, 147, 921-31		64
120	Bundle-branch block and in-hospital mortality in acute myocardial infarction. National Registry of Myocardial Infarction 2 Investigators. **1998**, 129, 690-7		122
119	Impaired ventilatory function and elevated insulin levels in nondiabetic males: the Normative Aging Study. *European Respiratory Journal*, **1998**, 12, 635-40	13.6	41
118	Baseline ventilatory function predicts the development of higher levels of fasting insulin and fasting insulin resistance index: the Normative Aging Study. *European Respiratory Journal*, **1998**, 12, 641-5	13.6	93

117	Effects of body composition and fat distribution on ventilatory function in adults. **1998**, 68, 35-41		113
116	Decline in lung function and mortality: the Busselton Health Study. **1999**, 53, 230-4		63
115	Lung function, respiratory symptoms, and mortality: results from the Busselton Health Study. **1999**, 9, 297-306		111
114	Associations between white blood cell count, lung function, respiratory illness and mortality: the Busselton Health Study. *European Respiratory Journal*, **1999**, 13, 1115-9	13.6	38
113	Relationship between regional severity of emphysema and coronary heart disease. **2000**, 14, 369-72		1
112	Asymptomatic leg and carotid atherosclerosis in smokers is related to degree of ventilatory capacity: longitudinal and cross-sectional results from 'Men born in 1914', Sweden. **2001**, 155, 237-43		36
111	Association of dietary antioxidants and waist circumference with pulmonary function and airway obstruction. **2001**, 153, 157-63		62
110	Predictors of loss of lung function in the elderly: the Cardiovascular Health Study. *American Journal of Respiratory and Critical Care Medicine*, **2001**, 163, 61-8	10.2	113
109	Lung function and risk of fatal and non-fatal stroke. The Copenhagen City Heart Study. **2001**, 30, 145-51		101
108	Alveolar--capillary membrane gas conductance: a novel prognostic indicator in chronic heart failure. **2002**, 23, 467-76		74
107	Lung function and cardiovascular risk: relationship with inflammation-sensitive plasma proteins. *Circulation*, **2002**, 106, 2555-60	16.7	205
106	The impact of body-weight components on forced spirometry in healthy italians. *Lung*, **2002**, 180, 149-59	2.9	40
105	Lung function, insulin resistance and incidence of cardiovascular disease: a longitudinal cohort study. **2003**, 253, 574-81		137
104	One-Year Outcomes from a Disease Management Program for Chronic Obstructive Pulmonary Disease. **2003**, 11, 49-59		11
103	Reduced lung function and risk of atrial fibrillation in the Copenhagen City Heart Study. *European Respiratory Journal*, **2003**, 21, 1012-6	13.6	177
102	Treatment of systemic hypertension in patients with pulmonary disease: COPD and asthma. *Chest*, **2003**, 123, 222-43	5.3	45
101	Abdominal obesity and respiratory function in men and women in the EPIC-Norfolk Study, United Kingdom. **2004**, 159, 1140-9		162
100	Therapeutic update: non-selective beta- and alpha-adrenergic blockade in patients with coexistent chronic obstructive pulmonary disease and chronic heart failure. **2004**, 44, 497-502		43

99	The effect of air pollution on lung development from 10 to 18 years of age. *New England Journal of Medicine*, **2004**, 351, 1057-67	59.2	927
98	Body fat distribution, body composition, and respiratory function in elderly men. **2005**, 82, 996-1003		123
97	Chronic Obstructive Pulmonary Disease: A Behavioural Medicine Approach. **2005**, 155-179		1
96	Impact of smoking, diabetes and hypertension on survival time in the elderly: the Dubbo Study. **2005**, 182, 219-22		19
95	Lung function, smoking and mortality in a 26-year follow-up of healthy middle-aged males. *European Respiratory Journal*, **2005**, 25, 618-25	13.6	94
94	Vital capacity as a predictor of incident type 2 diabetes: the Atherosclerosis Risk in Communities study. **2005**, 28, 1472-9		115
93	Low-dose inhaled corticosteroids and the risk of acute myocardial infarction in COPD. *European Respiratory Journal*, **2005**, 25, 634-9	13.6	85
92	Lung function in type 2 diabetes: the Normative Aging Study. *Respiratory Medicine*, **2005**, 99, 1583-90	4.6	84
91	Determinants of respiratory symptom development in patients with chronic airflow obstruction. *Respiratory Medicine*, **2006**, 100, 2170-6	4.6	7
90	Change in C-reactive protein levels and FEV1 decline: a longitudinal population-based study. *Respiratory Medicine*, **2006**, 100, 2112-20	4.6	115
89	Can global initiative for Chronic Obstructive Lung Disease stage 0 provide prognostic information on long-term mortality in men?. *Chest*, **2006**, 130, 318-25	5.3	45
88	Reduced lung function predicts increased fatality in future cardiac events. A population-based study. **2006**, 260, 560-7		21
87	Religious service attendance and decline in pulmonary function in a high-functioning elderly cohort. **2006**, 32, 245-53		12
86	Lung function and ischemic stroke incidence: the Atherosclerosis Risk in Communities study. *Chest*, **2006**, 130, 1642-9	5.3	68
85	Angry breathing: A prospective study of hostility and lung function in the Normative Aging Study. **2006**, 61, 863-8		37
84	Effect of exposure to traffic on lung development from 10 to 18 years of age: a cohort study. **2007**, 369, 571-7		521
83	Stratgies dInterprtation des explorations fonctionnelles respiratoires. **2007**, 24, 83-108		3
82	Biology of the Tribal Groups of Rajasthan, India: 5. Pulmonary Functions: Their Relation with Anthropometric Variables. **2007**, 9, 267-272		1

81	Cardiovascular complications of respiratory diseases. **2007**, 334, 361-80		13
80	Body composition and respiratory function in healthy non-obese children. **2007**, 49, 553-7		12
79	[Beta-blocker prescription and chronic obstructive pulmonary disease]. **2007**, 56, 231-6		1
78	Body composition and pulmonary function in the elderly: a 7-year longitudinal study. **2008**, 32, 1423-30		51
77	Ischaemic heart disease, stroke and total mortality in women--results from a prospective population study in Gothenburg, Sweden. **1985**, 705, 1-42		2
76	Respiratory function as a marker of bone health and fracture risk in an older population. **2009**, 24, 956-63		9
75	Metabolic syndrome, insulin resistance and systemic inflammation as risk factors for reduced lung function in Korean nonsmoking males. **2010**, 25, 1480-6		33
74	Forced vital capacity paired with Framingham Risk Score for prediction of all-cause mortality. *European Respiratory Journal*, **2010**, 36, 1002-6	13.6	62
73	Association between lung function, hypertension and blood pressure medication. *Respiratory Medicine*, **2011**, 105, 727-33	4.6	17
72	Evidence of lung function for stratification of cardiovascular disease risk. **2011**, 41, 171-4		9
71	Relationship between dynapenia and cardiorespiratory functions in healthy postmenopausal women: novel clinical criteria. **2011**, 18, 400-5		33
70	Effects of body composition and adipose tissue distribution on respiratory function in elderly men and women: the health, aging, and body composition study. **2011**, 66, 801-8		44
69	Airflow obstruction, lung function, and risk of incident heart failure: the Atherosclerosis Risk in Communities (ARIC) study. **2012**, 14, 414-22		73
68	The Effects Aerobic Exercise on Some Pulmonary Indexes, Body Composition, Body Fat Distribution and VO2max in Normal and Fat Men of Personal and Members of Faculty of Azad University Bebahan Branch. **2012**, 46, 3041-3045		3
67	Association of adult-onset asthma with specific cardiovascular conditions. *Respiratory Medicine*, **2012**, 106, 948-53	4.6	29
66	Role of COPD in Evaluation of Cardiovascular Risk. **2013**, 7, 113-116		
65	Prognostic value of alveolar volume in systolic heart failure: a prospective observational study. **2013**, 13, 69		9
64	CRP is associated with lung function decline in men but not women: a prospective study. *Respiratory Medicine*, **2013**, 107, 91-7	4.6	19

63	Office spirometry. **2013**, 5, 65-69		3
62	Current perspectives on treatment of hypertensive patients with chronic obstructive pulmonary disease. **2013**, 6, 101-9		16
61	Culture and the Remembering of Trauma. **2014**, 2, 696-713		29
60	Association of lung function with coronary heart disease and cardiovascular disease outcomes in elderly: the Rancho Bernardo study. *Respiratory Medicine*, **2014**, 108, 1779-85	4.6	28
59	Chronic obstructive pulmonary disease mortality and prevalence: the associations with smoking and poverty--a BOLD analysis. **2014**, 69, 465-73		151
58	Genome-wide association analysis identifies six new loci associated with forced vital capacity. **2014**, 46, 669-77		104
57	Lung function and heart disease in American Indian adults with high frequency of metabolic abnormalities (from the Strong Heart Study). **2014**, 114, 312-9		6
56	Rapid lung function decline in smokers is a risk factor for COPD and is attenuated by angiotensin-converting enzyme inhibitor use. *Chest*, **2014**, 145, 695-703	5.3	46
55	Association of pulse wave velocity with total lung capacity: A cross-sectional analysis of the BOLD London study. *Respiratory Medicine*, **2015**, 109, 1569-75	4.6	14
54	Relationship Between Forced Vital Capacity and Framingham Cardiovascular Risk Score Beyond the Presence of Metabolic Syndrome: The Fourth Korea National Health and Nutrition Examination Survey. **2015**, 94, e2089		12
53	Higher Lipoprotein (a) Levels Are Associated with Better Pulmonary Function in Community-Dwelling Older People - Data from the Berlin Aging Study II. *PLoS ONE*, **2015**, 10, e0139040	3.7	4
52	Lung function in elderly subjects with metabolic syndrome and type II diabetes : Data from the Berlin Aging Study II. *Zeitschrift Fur Gerontologie Und Geriatrie*, **2015**, 1	2.7	6
51	Association of improved air quality with lung development in children. *New England Journal of Medicine*, **2015**, 372, 905-13	59.2	371
50	Pulmonary function following adult spinal deformity surgery: minimum two-year follow-up. *Journal of Bone and Joint Surgery - Series A*, **2015**, 97, 32-9	5.6	5
49	Global Lung Function Initiative Equations: The Legacy Starts. *Respiration*, **2016**, 92, 131-3	3.7	1
48	Lower lung function associates with cessation of menstruation: UK Biobank data. *European Respiratory Journal*, **2016**, 48, 1288-1297	13.6	13
47	[Pulmonary function in elderly subjects with metabolic syndrome and type II diabetes : Data from the Berlin Aging Study II]. *Zeitschrift Fur Gerontologie Und Geriatrie*, **2016**, 49, 405-15	2.7	4
46	Increased Cardiometabolic Risk and Worsening Hypoxemia at High Altitude. *High Altitude Medicine and Biology*, **2016**, 17, 93-100	1.9	28

45	Cardiac dysfunction during exacerbations of chronic obstructive pulmonary disease. *Lancet Respiratory Medicine,the*, **2016**, 4, 138-48	35.1	68
44	Gender Differences in the Association of Individual and Contextual Exposures with Lung Function in a Rural Canadian Population. *Lung*, **2017**, 195, 43-52	2.9	6
43	Classifying the Severity of COPD: Are We There Yet? Editorial for "Coton, S. et al. Severity of Airflow Obstruction in Chronic Obstructive Pulmonary Disease (COPD): Proposal for a New Classification". *COPD: Journal of Chronic Obstructive Pulmonary Disease*, **2017**, 14, 463-464	2	0
42	Effect of chest and abdominal wall mobility and respiratory muscle strength on forced vital capacity in older adults. *Respiratory Physiology and Neurobiology*, **2017**, 246, 47-52	2.8	11
41	Associations between body composition, physical capabilities and pulmonary function in healthy older adults. *European Journal of Clinical Nutrition*, **2017**, 71, 389-394	5.2	12
40	Association between phthalate exposure and lower lung function in an urban elderly population: A repeated-measures longitudinal study. *Environment International*, **2018**, 113, 177-183	12.9	16
39	Lung Function in Young Adults and Risk of Cardiovascular Events Over 29 Years: The CARDIA Study. *Journal of the American Heart Association*, **2018**, 7, e010672	6	16
38	Measures of low lung function and the prediction of incident COPD events and acute coronary events. *Respiratory Medicine*, **2018**, 144, 68-73	4.6	3
37	Impact of lung-function measures on cardiovascular disease events in older adults with metabolic syndrome and diabetes. *Clinical Cardiology*, **2018**, 41, 959-965	3.3	4
36	Systemic inflammatory markers in relation to lung function in NHANES. 2007-2010. *Respiratory Medicine*, **2018**, 142, 94-100	4.6	12
35	Developing "Vital Capacity" in Cardiovascular Risk Assessment. *Circulation*, **2019**, 140, 1291-1292	16.7	4
34	Pulmonary function abnormalities are common in patients with multiple myeloma and are independently associated with worse outcome. *Annals of Hematology*, **2019**, 98, 1427-1434	3	3
33	Pulmonary Impairment after Respiratory Viral Infections Is Associated with High Mortality in Allogeneic Hematopoietic Cell Transplant Recipients. *Biology of Blood and Marrow Transplantation*, **2019**, 25, 800-809	4.7	8
32	Correlation between Lung Function and Functional Movement in Healthy Adults. *Healthcare (Switzerland)*, **2020**, 8,	3.4	1
31	Hypertension Is Associated with Increased Risk of Diabetic Lung. *International Journal of Environmental Research and Public Health*, **2020**, 17,	4.6	2
30	Premature Aging and Increased Risk of Adult Cardiorespiratory Disease after Extreme Preterm Birth. Getting to the Heart (and Lungs) of the Matter. *American Journal of Respiratory and Critical Care Medicine*, **2020**, 202, 319-320	10.2	2
29	Lung Function and Gene Expression of Pathogen Recognition Pathway Receptors: the Cardia Lung Study. *Scientific Reports*, **2020**, 10, 9360	4.9	2
28	Reference Values for Lung Function in White Children and Adults. **2020**, 463-498		

27	Low lung function and the risk of incident chronic kidney disease in the Malm Preventive Project cohort. *BMC Nephrology*, **2020**, 21, 124	2.7	3
26	Incidence and predictors of COPD mortality in Uganda: A 2-year prospective cohort study. *PLoS ONE*, **2021**, 16, e0246850	3.7	
25	Determinants of adolescent lung function in Indians: race, nutrition and systemic inflammation.		
24	Low-level exposure to polycyclic aromatic hydrocarbons is associated with reduced lung function among Swedish young adults. *Environmental Research*, **2021**, 197, 111169	7.9	2
23	A composite sleep and pulmonary phenotype predicting hypertension. *EBioMedicine*, **2021**, 68, 103433	8.8	0
22	Isometric Handgrip Exercise Training Improves Spirometric Parameters and Pulmonary Capacity.. *Pathophysiology*, **2021**, 28, 328-338	1.8	
21	The Correlation of Lung Function Parameters, Blood Pressure and Beta-Blocker Medication in a General Population. *Pneumologie*, **2021**,	0.5	
20	The association between carotid-femoral pulse-wave velocity and lung function in the Swedish CArdioPulmonary bioImage study (SCAPIS) cohort. *Respiratory Medicine*, **2021**, 185, 106504	4.6	1
19	Addressing Race in Pulmonary Function Testing by Aligning Intent and Evidence With Practice and Perception. *Chest*, **2021**,	5.3	2
18	Respiratory function and risk of stroke. *Stroke*, **1995**, 26, 2004-10	6.7	38
17	Proposal of New Criteria for Assessing Respiratory Impairment. *Tuberculosis and Respiratory Diseases*, **2011**, 70, 199	3.2	3
16	Joint Indian Chest Society-National College of Chest Physicians (India) guidelines for spirometry. *Lung India*, **2019**, 36, S1-S35	1.1	10
15	Low socio-economic status, smoking, mental stress and obesity predict obstructive symptoms in women, but only smoking also predicts subsequent experience of poor health. *International Journal of Medical Sciences*, **2006**, 4, 7-12	3.7	13
14	Sleep Apnoea Syndromes. **2008**, 301-314		
13	Postoperative and Critical Care in the Elderly Cardiac Surgery Patient. **2011**, 377-388		
12	Body Composition and Lung Function. **2012**, 2259-2269		
11	Low lung function in the developing world is analogous to stunting: a review of the evidence. *Wellcome Open Research*, **2020**, 5, 147	4.8	
10	Origins of Cardiopulmonary Disease in Early Life. *Respiratory Medicine*, **2020**, 17-24	0.2	

9	Cardiovascular Comorbidity in Chronic Lung Disease: Epidemiology, Clinical Manifestations, and Diagnosis. *Respiratory Medicine*, **2020**, 1-15	0.2	
8	Low lung function in the developing world is analogous to stunting: a review of the evidence. *Wellcome Open Research*, 5, 147	4.8	0
7	Quantifying Risk Factors for Atrial Fibrillation: Retrospective Review of a Large Electronic Patient Database.. *Journal of Atrial Fibrillation*, **2020**, 13, 2365	0.8	
6	Cardiovascular Morbidity in Individuals with Impaired FEV1.. *Current Cardiology Reports*, **2022**, 24, 163	4.2	
5	ERS/ATS technical standard on interpretive strategies for routine lung function tests.. *European Respiratory Journal*, **2021**,	13.6	19
4	Association of 71 cardiovascular disease-related plasma proteins with pulmonary function in the community.. *PLoS ONE*, **2022**, 17, e0266523	3.7	
3	Joint Indian Chest Society National College of Chest Physicians (India) Guidelines for Spirometry. **2022**, 60, 159-201		0
2	Associations of Renal Function Trajectories and Long-Term Cardiovascular Risks Among a Population Without Chronic Kidney Disease.		0
1	The burgeoning cardiovascular disease epidemic in Indians perspectives on contextual factors and potential solutions. **2023**, 100156		0