

# CITATION REPORT

List of articles citing

**Time course of functional and biochemical recovery of myocardium salvaged by reperfusion**

**DOI: 10.1016/s0735-1097(83)80107-7**

**Journal of the American College of Cardiology, 1983, 1, 1047-5**

**Source:** <https://exaly.com/paper-pdf/16409566/citation-report.pdf>

**Version:** 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
304	Effect of coronary reperfusion on myocardial hemorrhage and infarct healing. <b>1983</b> , 52, 610-4		93
303	Quantitative computer-assisted analysis of left ventricular wall thickening and motion by 2-dimensional echocardiography in acute myocardial infarction. <b>1983</b> , 52, 960-4		34
302	Symposium on the present status of reperfusion of the acutely ischemic myocardium. Part I. Introduction. <i>Journal of the American College of Cardiology</i> , <b>1983</b> , 1, 1031-6	15.1	10
301	The effect of streptokinase on intramyocardial hemorrhage, infarct size, and the no-reflow phenomenon during coronary reperfusion. <b>1984</b> , 70, 513-21		117
300	Hydrogen peroxide contrast echocardiography: quantification in vivo of myocardial risk area during coronary occlusion and of the necrotic area remaining after myocardial reperfusion. <b>1984</b> , 70, 309-17		102
299	Thrombolytic therapy. A new strategy for the treatment of acute myocardial infarction (1). <b>1984</b> , 311, 710-7		162
298	Enhancement of salvage of reperfused myocardium by early beta-adrenergic blockade (timolol). <i>Journal of the American College of Cardiology</i> , <b>1984</b> , 3, 1438-43	15.1	72
297	Increased regional end-diastolic wall thickness early after reperfusion: a sign of irreversibly damaged myocardium. <i>Journal of the American College of Cardiology</i> , <b>1984</b> , 3, 1444-53	15.1	36
296	Dissociation between two-dimensional echocardiographic left ventricular wall motion and myocardial salvage in early experimental acute myocardial infarction in dogs. <b>1984</b> , 54, 875-9		11
295	Response of reperfusion-salvaged, stunned myocardium to inotropic stimulation. <b>1984</b> , 107, 13-9		186
294	Use of computerized tomography to assess myocardial infarct size and ventricular function in dogs during acute coronary occlusion and reperfusion. <b>1984</b> , 53, 282-9		9
293	Intravenous short-term infusion of streptokinase in acute myocardial infarction. <b>1984</b> , 5, 631-7		8
292	Myocardial Contrast Echocardiography: In Vivo Imaging of Regional Myocardial Perfusion Abnormalities. <b>1984</b> , 1, 495-505		5
291	The surgeon's role in the treatment of acute myocardial infarction. <b>1985</b> , 65, 527-37		10
290	Prevalence of Spontaneous Coronary Thrombolysis and its Relation to Left Ventricular Function. <b>1985</b> , 6, 145-153		23
289	Experimental and clinical results with a simplified left heart assist device for treatment of profound left ventricular dysfunction. <b>1985</b> , 9, 11-7		27
288	Myocardial reperfusion: a double-edged sword?. <b>1985</b> , 76, 1713-9		1004

287	Efficacy of crystalloid cardioplegic solutions in patients undergoing myocardial revascularization. <b>1985</b> , 89, 90-96		12
286	Echocardiographically detected dyskinesia, myocardial infarct size, and coronary risk region relationships in reperfused canine myocardium. <b>1985</b> , 71, 1292-300		16
285	Early loss of postextrasystolic potentiation in acutely ischemic myocardium: evaluation by contrast two-dimensional echocardiography. <b>1985</b> , 71, 602-9		12
284	Inotropic stimulation of reperfused myocardium with dopamine: effects on infarct size and myocardial function. <i>Journal of the American College of Cardiology</i> , <b>1985</b> , 6, 1026-34	15.1	100
283	Lactate metabolism in acute myocardial infarction and its relation to regional ventricular performance. <i>Journal of the American College of Cardiology</i> , <b>1985</b> , 5, 1283-91	15.1	10
282	Detection and sizing of myocardial ischemia and infarction by nuclear magnetic resonance imaging in the canine heart. <b>1985</b> , 110, 1284-90		42
281	Relationship between myocardial perfusion and function following coronary reflow in the canine heart using single photon emission computed tomography and two-dimensional echocardiography. <b>1985</b> , 109, 1375-84		5
280	Beta-adrenergic stimulation reverses postischemic myocardial dysfunction without producing subsequent functional deterioration. <b>1985</b> , 56, 964-8		202
279	Relation between the transmural extent of acute myocardial infarction and associated myocardial contractility two weeks after infarction. <b>1985</b> , 55, 1412-6		14
278	Effect of intracoronary verapamil on infarct size in the ischemic, reperfused canine heart: critical importance of the timing of treatment. <b>1985</b> , 56, 672-7		72
277	A randomized controlled trial of intravenous streptokinase in evolving acute myocardial infarction. <b>1986</b> , 111, 1021-9		33
276	Implications for acute intervention related to time of hospital arrival in acute myocardial infarction. <b>1986</b> , 58, 203-9		113
275	The natural history of regional wall motion in the acutely infarcted canine ventricle. <i>Journal of the American College of Cardiology</i> , <b>1986</b> , 7, 1325-34	15.1	19
274	Reversible ischemic left ventricular dysfunction: evidence for the "hibernating myocardium". <i>Journal of the American College of Cardiology</i> , <b>1986</b> , 8, 1467-70	15.1	611
273	Early thrombolysis in acute myocardial infarction: limitation of infarct size and improved survival. <i>Journal of the American College of Cardiology</i> , <b>1986</b> , 7, 717-28	15.1	462
272	Effect of verapamil on infarct size in dogs subjected to coronary artery occlusion with transient reperfusion. <i>Journal of the American College of Cardiology</i> , <b>1986</b> , 8, 1169-74	15.1	35
271	Inotropic response of the salvaged myocardium after acute coronary occlusion. <b>1986</b> , 41, 58-64		4
270	Streptokinase thrombolytic therapy in acute myocardial infarction. <b>1986</b> , 16 Suppl 3, 113-21		

269	[Thrombolytic treatment with streptokinase in acute myocardial infarction]. <b>1986</b> , 16 Suppl 4, 117-26	
268	Strategy for Treatment of Acute Evolving Myocardial Infarction with Pulsatile Left Heart Assist Device. <b>1986</b> , 2, 251-266	1
267	Quantitative Methods for Analyzing Regional Systolic Function with Two-Dimensional Echocardiography. <b>1986</b> , 3, 319-331	14
266	Infarct size reduction: a review of the clinical trials. <b>1986</b> , 26, 317-29	28
265	Surgical reperfusion of acute myocardial ischemia: a clinical review. <b>1986</b> , 1, 167-99	3
264	A prospective trial of intravenous streptokinase in acute myocardial infarction (I.S.A.M.). Mortality, morbidity, and infarct size at 21 days. <b>1986</b> , 314, 1465-71	788
263	Quantitative analysis of infarct size, contraction band necrosis, and coagulation necrosis in human autopsied hearts with acute myocardial infarction after treatment with selective intracoronary thrombolysis. <b>1987</b> , 76, 981-9	37
262	Reversibly injured, postischemic canine myocardium retains normal contractile reserve. <b>1987</b> , 61, 834-46	155
261	Acute myocardial infarction: diagnostic and prognostic applications of two-dimensional echocardiography. <b>1987</b> , 75, 521-4	37
260	Reduction in infarct size and enhanced recovery of systolic function after coronary thrombolysis with tissue-type plasminogen activator combined with beta-adrenergic blockade with metoprolol. <b>1987</b> , 75, 830-6	31
259	Differential effects of reperfusion on incidence of ventricular arrhythmias and recovery of ventricular function at 4 days following coronary occlusion. <b>1987</b> , 113, 1055-65	27
258	Myocardial thallium-201 kinetics and regional flow alterations with 3 hours of coronary occlusion and either rapid reperfusion through a totally patent vessel or slow reperfusion through a critical stenosis. <i>Journal of the American College of Cardiology</i> , <b>1987</b> , 9, 109-18	15.1 30
257	Recovery of the failing canine heart with biventricular support in a previously fatal experimental model. <b>1987</b> , 94, 656-663	21
256	Intraoperative myocardial protection in the context of coronary revascularization. <b>1987</b> , 29, 413-28	6
255	Effect of reperfusion on O <sub>2</sub> supply/consumption balance in ischemic canine left ventricle. <b>1988</b> , 188, 377-90	2
254	Time course of myocardial necrosis. <b>1988</b> , 2, 17-25	24
253	Abnormalities in myocardial metabolism in patients with unstable angina as assessed by positron emission tomography. <b>1988</b> , 2, 41-6	31
252	The Flawed Conclusions of TIMIIIA, TAMI and the European Cooperative Study of Immediate Coronary Angioplasty after Thrombolysis for Acute Myocardial Infarction. <b>1988</b> , 1, 81-83	2

251	Daily serial evaluation of left ventricular function with equilibrium radionuclide ventriculography following thrombolysis during acute myocardial infarction. <b>1988</b> , 11, 665-70		1
250	Improvement in regional wall motion after percutaneous transluminal coronary angioplasty during acute myocardial infarction: utility of two-dimensional echocardiography. <b>1988</b> , 115, 1149-55		34
249	Left ventricular topographic alterations in the completely healed rat infarct caused by early and late coronary artery reperfusion. <b>1988</b> , 116, 1508-13		89
248	Thromboxane synthetase inhibition reduces ventricular irritability after coronary occlusion and reperfusion. <b>1988</b> , 115, 505-9		9
247	Current concepts in unstable myocardial ischemia. <b>1988</b> , 115, 850-61		29
246	Topographic correspondence of contrast echocardiographic perfusion mapping and myocardial infarct extent after varying durations of coronary occlusion. <b>1988</b> , 1, 104-13		6
245	Quantitative assessment of left ventricular wall motion by two-dimensional echocardiography: validation during reversible ischemia in the conscious dog. <i>Journal of the American College of Cardiology</i> , <b>1988</b> , 11, 851-60	15.1	25
244	Modification of the centerline method for assessment of echocardiographic wall thickening and motion: a comparison with areas of risk. <i>Journal of the American College of Cardiology</i> , <b>1988</b> , 11, 861-6	15.1	38
243	Oxygen-derived free radicals and postischemic myocardial dysfunction ("stunned myocardium"). <i>Journal of the American College of Cardiology</i> , <b>1988</b> , 12, 239-49	15.1	319
242	Early recovery of left ventricular function after thrombolytic therapy for acute myocardial infarction: an important determinant of survival. <i>Journal of the American College of Cardiology</i> , <b>1988</b> , 12, 289-300	15.1	175
241	Beyond Coronary Thrombolysis. <b>1988</b> , 148, 1503		4
240	The effects of a critical stenosis on myocardial blood flow, ventricular function, and infarct size after coronary reperfusion. <b>1988</b> , 77, 915-26		21
239	Sequential thallium-201 myocardial perfusion studies after successful percutaneous transluminal coronary artery angioplasty: delayed resolution of exercise-induced scintigraphic abnormalities. <b>1988</b> , 77, 86-95		153
238	Reperfusion injury after temporary coronary occlusion. <b>1988</b> , 95, 960-968		21
237	Postischemic myocardial "stunning": a clinically relevant phenomenon. <b>1988</b> , 108, 626-8		104
236	"Reperfusion injury" by oxygen-derived free radicals? Effect of superoxide dismutase plus catalase, given at the time of reperfusion, on myocardial infarct size, contractile function, coronary microvasculature, and regional myocardial blood flow. <b>1989</b> , 64, 86-96		193
235	Effect of intravenous streptokinase as compared with that of tissue plasminogen activator on left ventricular function after first myocardial infarction. <b>1989</b> , 320, 817-21		163
234	Deleterious effects of oxygen radicals in ischemia/reperfusion. Resolved and unresolved issues. <b>1989</b> , 80, 1115-27		459

233	Myocardial protection by a left ventricular assist device during reperfusion following acute coronary occlusion. <b>1989</b> , 19, 563-9		6
232	Early recovery of regional left ventricular function after reperfusion in acute myocardial infarction assessed by serial two-dimensional echocardiography. <b>1989</b> , 63, 641-6		67
231	Unanswered questions in thrombolysis. <b>1989</b> , 64, 34A-40A; discussion 41A-42A		10
230	Reperfusion of infarcting myocardium: benefit of surgical reperfusion in a chronic model. <b>1989</b> , 48, 331-8		9
229	Technique and results with a roller pump left and right heart assist device. <b>1989</b> , 47, 124-9		20
228	Long-term follow-up of patients treated with coronary angioplasty for acute myocardial infarction. <b>1989</b> , 118, 228-33		34
227	Relationship of functional recovery to scar contraction after myocardial infarction in the canine left ventricle. <b>1989</b> , 117, 819-29		13
226	Controlled versus hyperemic flow during reperfusion of jeopardized ischemic myocardium. <b>1989</b> , 117, 515-22		41
225	Altered myocardial states. The stunned and hibernating myocardium. <b>1989</b> , 86, 14-22		144
224	Effects of nitroglycerin on regional O <sub>2</sub> supply and O <sub>2</sub> consumption in reperfused dog myocardium. <b>1989</b> , 166, 283-93		4
223	Early identification with ultrasonic integrated backscatter of viable but stunned myocardium in dogs. <i>Journal of the American College of Cardiology</i> , <b>1989</b> , 14, 462-71	15.1	93
222	Functional relation between infarct thickness and regional systolic function in the acutely and subacutely infarcted canine left ventricle. <i>Journal of the American College of Cardiology</i> , <b>1989</b> , 14, 481-8	15.1	9
221	Prolonged abnormalities of left ventricular diastolic wall thinning in the "stunned" myocardium in conscious dogs: time course and relation to systolic function. <i>Journal of the American College of Cardiology</i> , <b>1989</b> , 13, 185-94	15.1	119
220	ACE inhibitors in acute and chronic ischaemia: current status and future promise. <b>1989</b> , 28 Suppl 2, 159S-164S; discussion 164S-165S		2
219	Relationships between structure and effects of ACE inhibitors: comparative effects in myocardial ischaemic/reperfusion injury. <b>1989</b> , 28 Suppl 2, 167S-175S		39
218	Recurrent ischemia without warning. Analysis of risk factors for in-hospital ischemic events following successful thrombolysis with intravenous tissue plasminogen activator. <b>1989</b> , 80, 1159-65		110
217	Does tissue-type plasminogen activator have direct beneficial effects on the myocardium independent of its ability to lyse intracoronary thrombi?. <b>1989</b> , 79, 1125-36		44
216	Transient left ventricular filling abnormalities (diastolic stunning) after acute myocardial infarction. <b>1990</b> , 66, 897-903		41

215	The oxygen consumption paradox of "stunned myocardium" in dogs. <i>Basic Research in Cardiology</i> , <b>1990</b> , 85, 120-31	11.8	45
214	The stunned myocardium: Newer insights into mechanisms and clinical implications. <b>1990</b> , 100, 310-311		18
213	Evaluation of Free Radical Injury in Myocardium. <b>1990</b> , 18, 470-480		17
212	Late recurrent ischemia in infarct patients with a normal pre-discharge exercise test after thrombolysis. <b>1990</b> , 11, 897-902		9
211	Evidence for decreased coronary flow reserve in viable postischemic myocardium. <b>1990</b> , 67, 1201-10		84
210	Mechanism of myocardial "stunning". <b>1990</b> , 82, 723-38		830
209	Successful recovery of postischemic 'stunned' myocardium using centrifugal left ventricular assist. <b>1990</b> , 4, 84-8		11
208	Recovery of regional myocardial dysfunction after successful coronary angioplasty early after a non-Q wave myocardial infarction. <b>1990</b> , 120, 261-9		6
207	Evaluation of myocardial viability following ischemic and reperfusion injury using phosphorus 31 nuclear magnetic resonance spectroscopy in vivo. <b>1990</b> , 120, 31-9		19
206	Identification of viable myocardium by echocardiography during dobutamine infusion in patients with myocardial infarction after thrombolytic therapy: comparison with positron emission tomography. <i>Journal of the American College of Cardiology</i> , <b>1990</b> , 15, 1021-31	15.1	609
205	Mismatch of left ventricular function and infarct size demonstrated by technetium-99m isonitrile imaging after reperfusion therapy for acute myocardial infarction: identification of myocardial stunning and hyperkinesia. <i>Journal of the American College of Cardiology</i> , <b>1990</b> , 16, 1632-8	15.1	107
204	Effect of infarct location on myocardial salvage assessed by technetium-99m isonitrile. <i>Journal of the American College of Cardiology</i> , <b>1991</b> , 17, 1303-8	15.1	57
203	Low-dose dobutamine in patients with acute myocardial infarction identifies viable but not contractile myocardium and predicts the magnitude of improvement in wall motion abnormalities in response to coronary revascularization. <b>1991</b> , 122, 1522-31		224
202	Differentiation of reperfused-viable (stunned) from reperfused-infarcted myocardium at 1 to 3 days postreperfusion by in vivo phosphorus-31 nuclear magnetic resonance spectroscopy. <b>1991</b> , 122, 1571-82		11
201	Functional recovery of hibernating myocardium after coronary bypass surgery: does it coincide with improvement in perfusion?. <b>1991</b> , 122, 665-70		49
200	Effect of brief regional ischemia followed by reperfusion with or without superoxide dismutase and catalase administration on myocardial sarcoplasmic reticulum and contractile function. <b>1991</b> , 122, 1257-69		13
199	Clinical efficacy of PTCA and identification of restenosis: evaluation by serial body surface potential mapping. <b>1991</b> , 121, 1080-7		6
198	Improvement of postischemic contractile dysfunction of dog heart by MCI-154, a novel cardiotonic agent. <b>1991</b> , 192, 279-85		4

197	Retrograde coronary venous administration of recombinant tissue-type plasminogen activator: a unique and effective approach to coronary artery thrombolysis. <i>Journal of the American College of Cardiology</i> , <b>1991</b> , 18, 613-20	15.1	14
196	Acute effects of delayed reperfusion on myocardial infarct shape and left ventricular volume: a potential mechanism of additional benefits from thrombolytic therapy. <i>Journal of the American College of Cardiology</i> , <b>1991</b> , 17, 1641-50	15.1	41
195	Some comments on the indications for the coronary artery bypass graft operation. <b>1991</b> , 31, 23-30; discussion 31-2		8
194	Cellular response of the evolving myocardial infarction after therapeutic coronary artery reperfusion. <b>1991</b> , 22, 154-63		23
193	Beneficial effects of coronary venous retroinfusion but not left atrial administration of superoxide dismutase on myocardial necrosis in pigs. <b>1991</b> , 12, 442-50		11
192	Nuclear Imaging an Acute Cardiac Care. <b>1991</b> , 9, 733-759		2
191	Diastolic dysfunction as a precursor of myocardial damage by reoxygenation. <b>1991</b> , 12 Suppl D, 182-6		1
190	Early beneficial effect of streptokinase on left ventricular function in acute myocardial infarction. <b>1991</b> , 67, 555-8		11
189	Early prognosis after thrombolysis: value of exercise radionuclide ventriculography performed on anti-ischaeamic medication. <b>1991</b> , 7, 125-31		1
188	Stunning of the myocardium: an update. <b>1991</b> , 5, 849-51		13
187	Clinical relevance of myocardial "stunning". <b>1991</b> , 5, 877-90		30
186	Oxygen-derived free radicals and myocardial reperfusion injury: an overview. <b>1991</b> , 5 Suppl 2, 249-68		221
185	Revascularization of infarcted myocardium. Effect on myocardial perfusion assessed with quantified Tl-201 SPECT technique. <b>1991</b> , 25, 89-95		2
184	Dramatic improvement of stunned myocardium. <b>1992</b> , 101, 1147-8		3
183	Acute hibernation and reperfusion of the ischemic heart. <b>1992</b> , 85, 699-707		24
182	Protective effects of adenosine in myocardial ischemia. <b>1992</b> , 85, 893-904		371
181	Myocardial cell hypertrophy after myocardial infarction with reperfusion in dogs. <b>1992</b> , 86, 1935-44		12
180	Brief ischemia-reperfusion induces stunning of endothelium in canine coronary artery. <b>1992</b> , 85, 1473-82		72



179	Recombinant tissue-type plasminogen activator ameliorates ischemic derangements induced by thrombotic occlusion in closed chest anesthetized dogs. <i>Journal of the American College of Cardiology</i> , <b>1992</b> , 20, 218-25	15.1	3
178	Recombinant tissue-type plasminogen activator: an infarct-sparing effect beyond thrombolysis?. <i>Journal of the American College of Cardiology</i> , <b>1992</b> , 20, 226-7	15.1	
177	Anistreplase versus alteplase in acute myocardial infarction: comparative effects on left ventricular function, morbidity and 1-day coronary artery patency. The TEAM-3 Investigators. <i>Journal of the American College of Cardiology</i> , <b>1992</b> , 20, 753-66	15.1	30
176	Effect of Buckberg cardioplegia and peripheral cardiopulmonary bypass on infarct size in the closed chest dog. <i>Journal of the American College of Cardiology</i> , <b>1992</b> , 20, 1642-9	15.1	3
175	Effects of catecholamine stimulation on myocardial hibernation. <b>1992</b> , 123, 589-96		5
174	A comparison between intravenous streptokinase and tissue plasminogen activator with early intravenous heparin in acute myocardial infarction. <b>1992</b> , 123, 841-6		5
173	Attenuation of myocardial reperfusion injury by sulfhydryl-containing angiotensin converting enzyme inhibitors. <b>1992</b> , 6, 437-43		45
172	Left Ventricular Function as an Important Endpoint of Thrombolytic Trials. <b>1992</b> , 5, 111-116		1
171	Systolic left ventricular function after reperfusion therapy for acute myocardial infarction. Analysis of determinants of improvement. The TAMI Study Group. <b>1993</b> , 87, 1531-41		52
170	Unstable angina *1REPORT OF A MEETING OF PHYSICIANS AND SCIENTISTS, UNIVERSITY COLLEGE LONDON MEDICAL SCHOOL. <b>1993</b> , 341, 1323-1327		
169	Efflux of adenosine and its catabolites during cold blood cardioplegia. <b>1993</b> , 55, 1546-52		9
168	Natural history of left ventricular function in patients with uncomplicated acute myocardial infarction. <b>1993</b> , 103, 1320-4		3
167	The effects of tissue plasminogen activator, streptokinase, or both on coronary-artery patency, ventricular function, and survival after acute myocardial infarction. <b>1993</b> , 329, 1615-22		1505
166	Low-dose dobutamine echocardiography detects reversible dysfunction after thrombolytic therapy of acute myocardial infarction. <b>1993</b> , 88, 405-15		339
165	Time course of functional improvement in stunned myocardium in risk area in patients with reperfused anterior infarction. <b>1993</b> , 87, 355-62		109
164	Reperfusion after brief ischemia disrupts the microtubule network in canine hearts. <b>1993</b> , 72, 361-75		63
163	Myocardial stunning: an overview. <b>1993</b> , 8, 204-13		10
162	Left ventricular dysfunction following transient ischaemia induced by transluminal coronary angioplasty. Beneficial effects of calcium antagonists against post-ischaemic myocardial stunning. <b>1993</b> , 14 Suppl A, 14-21		65

161	Comparison of reinjection thallium 201 and resting technetium 99m sestamibi tomographic images for the quantification of infarct size after acute myocardial infarction. <b>1994</b> , 1, 17-28	29
160	Application of nuclear cardiology to the diagnosis of stunned and hibernating myocardium. <b>1994</b> , 1, 490-1	1
159	Emergency and long-term extracorporeal life support following acute myocardial infarction: rescue from severe cardiogenic shock related to stunned myocardium. <b>1994</b> , 17, 552-7	20
158	Dobutamine stress echocardiography predicts reversible dysfunction and quantitates the extent of irreversibly damaged myocardium after reperfusion of anterior myocardial infarction. <i>Journal of the American College of Cardiology</i> , <b>1994</b> , 24, 624-30	15.1 123
157	Myocardial salvage: its assessment and prediction by the analysis of serial myocardial contrast echocardiograms in patients with acute myocardial infarction. <b>1994</b> , 128, 649-56	45
156	Stunned myocardium following prolonged cardiopulmonary bypass: effect of warm versus cold cardioplegia in the canine model. <b>1994</b> , 9, 506-16	8
155	Enhanced preservation of acutely ischemic myocardium using glucose-insulin-potassium solutions. <b>1994</b> , 9, 474-8	12
154	Regional contraction improves, then declines after reperfusion of ischemic myocardium in the dog. <b>1994</b> , 9, 417-21	
153	The effects of isoflurane on regional myocardial contractility and metabolism in "stunned" myocardium in acutely instrumented dogs. <b>1994</b> , 79, 447-54	18
152	Stunned myocardium and the attenuation of stunning by calcium antagonists. <b>1995</b> , 75, 61E-67E	20
151	Regional myocardial blood flow, glucose utilization and contractile function before and after revascularization and ultrastructural findings in patients with chronic coronary artery disease. <b>1995</b> , 22, 1299-305	23
150	Left ventricular function following thrombolytic therapy for myocardial infarction. <b>1995</b> , 22, 173-9	2
149	High energy phosphates in postischemic myocardium with reduced or normalized function. <b>1995</b> , 4, 8-11	
148	Characterization of hibernating and stunned myocardium. <b>1995</b> , 16 Suppl J, 19-25	14
147	Incomplete, delayed functional recovery late after reperfusion following acute myocardial infarction: "maimed myocardium". <b>1995</b> , 130, 922-32	16
146	Rest-redistribution thallium-201 scintigraphy to determine myocardial viability early after myocardial infarction. <i>Journal of the American College of Cardiology</i> , <b>1995</b> , 25, 210-7	15.1 18
145	Quantitative two-dimensional echocardiographic assessment of regional wall motion during transient ischemia and reperfusion in the rat. <b>1995</b> , 8, 162-74	13
144	Low-dose dobutamine echocardiography and rest-redistribution thallium-201 tomography in the assessment of spontaneous recovery of left ventricular function after recent myocardial infarction. <b>1996</b> , 131, 1088-96	27

143	Myocardial stunning, hibernation, and ischemic preconditioning. <b>1996</b> , 10, 789-99	17
142	Comparative study of rest technetium-99m sestamibi SPET and low-dose dobutamine stress echocardiography for the early assessment of myocardial viability after acute myocardial infarction: importance of the severity of the infarct-related stenosis. <b>1996</b> , 23, 748-55	11
141	The determination of myocardial viability using Gd-DTPA in a canine model of acute myocardial ischemia and reperfusion. <b>1996</b> , 36, 684-93	90
140	Effects of proinflammatory cytokines on the contractility of mammalian heart. <b>1996</b> , 1, 203-210	17
139	Comparison of dobutamine stress echocardiography with dipyridamole stress echocardiography for detection of viable myocardium after myocardial infarction treated with thrombolysis. <b>1996</b> , 75, 240-6	30
138	Influence of Hypoxia Exposure On the Energy Metabolism of Common Carp (Cyprinus Carpio L.). <b>1997</b> , 48, 65-82	10
137	Characterization of hibernating and stunned myocardium. <b>1997</b> , 18 Suppl D, D102-10	33
136	Clinical promise of calcium antagonists in the angioplasty patient. <b>1997</b> , 18 Suppl B, B21-6	5
135	Impaired coronary circulation in acute myocardial infarction: a dipyridamole-thallium-201 study. <b>1997</b> , 24, 210-4	3
134	Dobutamine-atropine stress echocardiography for reversible dysfunction during the first week after acute myocardial infarction: limitations and determinants of accuracy. <i>Journal of the American College of Cardiology</i> , <b>1997</b> , 30, 1669-78	15.1 30
133	EDTA Chelation Therapy in Myocardial Stunning and Hibernation. <b>1997</b> , 10, 233-257	
132	Predictive value of dobutamine radionuclide ventriculography in detection of functional improvement after acute anterior wall infarction and thrombolytic therapy. <b>1997</b> , 20, 213-8	1
131	Does Reperfusion per se Kill Myocytes in the Heart?. <b>1997</b> , 4, 129-130	
130	Myocardial infarction in a canine model monitored by two-dimensional <sup>31</sup> P chemical shift spectroscopic imaging. <b>1997</b> , 38, 577-84	7
129	Gallopamil activity on asynergic viable myocardium in acute myocardial infarction: insights on stunned and hibernating myocardium. <b>1998</b> , 12, 431-7	
128	Left Ventricular Function Following Thrombolytic Therapy for Myocardial Infarction. <b>1998</b> , 11, 9-18	3
127	Eugene Braunwald, MD: a conversation with the editor. Interview by William Clifford Roberts. <b>1998</b> , 82, 93-108	1
126	Heart failure: is there an energy deficit contributing to contractile dysfunction?. <i>Basic Research in Cardiology</i> , <b>1998</b> , 93, 1-10	11.8 53

125	Myocardial perfusion after coronary artery bypass surgery. A study using ectomographic myocardial scintigraphy and adenosine provocation. <b>1998</b> , 32, 69-74	3
124	Redistribution in thallium-201 myocardial imaging soon after successful coronary stenting--tomographic evaluation during coronary hyperemia induced by adenosine. <b>1998</b> , 62, 160-6	10
123	"Myocardial stunning" remaining questions. <b>1998</b> , 38, 549-58	28
122	Molecular and cellular mechanisms of myocardial stunning. <b>1999</b> , 79, 609-34	841
121	Mitochondrial Function in Heart Failure. <b>1999</b> , 4, 229-244	6
120	Therapeutically accessible clinical cardiac states. <b>2000</b> , 191, 452-63	5
119	Percutaneous transluminal coronary angioplasty performed 24-48 hours after the onset of acute myocardial infarction improves chronic-phase left ventricular regional wall motion. <b>2000</b> , 51, 281-8	1
118	Comparison between low-dose dobutamine echocardiography and thallium-201 scintigraphy in the detection of myocardial viability in patients with recent myocardial infarction. <b>2000</b> , 73, 213-23	7
117	Effect of pre-reperfusion residual flow on recovery from myocardial stunning: a myocardial contrast echocardiography study. <b>2000</b> , 13, 18-25	3
116	Spontaneous delayed recovery of perfusion after thrombolized acute myocardial infarction: is it predictable before discharge?. <b>2001</b> , 14, 902-9	1
115	Pretreatment of human myocardium with adenosine. <b>2001</b> , 19, 41-6	12
114	Evidence for stunned myocardium in humans: a 2001 update. <b>2001</b> , 12, 349-56	37
113	Consequences of brief ischemia: stunning, preconditioning, and their clinical implications: part 1. <b>2001</b> , 104, 2981-9	377
112	Detection of viable myocardium by transvenous myocardial contrast echocardiography using harmonic power Doppler: canine model of acute coronary occlusion and reperfusion. <b>2001</b> , 120, 567-72	5
111	The assessment of myocardial viability: a review of current diagnostic imaging approaches. <b>2002</b> , 4, 381-410	24
110	Recombinant Soluble P-Selectin Glycoprotein Ligand-Ig (rPSGL-Ig) Attenuates Infarct Size and Myeloperoxidase Activity in a Canine Model of Ischemia-Reperfusion. <b>2002</b> , 88, 149-154	29
109	Effect of the final coronary arterial diameter after coronary angioplasty on heart rate variability responses. <b>2002</b> , 7, 106-13	10
108	Pharmacologic reperfusion therapy for acute myocardial infarction. <b>2002</b> , 14, 179-96	9

107	Myocardial Ischemia and Preconditioning. <b>2003</b> ,	
106	MR imaging of reperfused myocardial infarction: comparison of necrosis-specific and intravascular contrast agents in a cat model. <b>2003</b> , 226, 739-47	21
105	Extracardiac Fontan: The Importance of Avoiding Cardioplegic Arrest. 275-281	
104	. <b>2003</b> ,	
103	Role of collateral circulation in the acute phase of ST-segment-elevation myocardial infarction treated with primary coronary intervention. <b>2004</b> , 25, 854-8	88
102	Cardiac protection during acute myocardial infarction: where do we stand in 2004?. <i>Journal of the American College of Cardiology</i> , <b>2004</b> , 44, 276-86	15.1 155
101	How reliable is electrocardiography in differentiating transmural from non-transmural myocardial infarction? A study with contrast magnetic resonance imaging as gold standard. <b>2004</b> , 97, 417-23	9
100	Outcomes after ventricular fibrillation out-of-hospital cardiac arrest: expanding the chain of survival. <b>2005</b> , 80, 774-82	17
99	The effect of intra-aortic balloon counterpulsation on left ventricular functional recovery early after acute myocardial infarction: a randomized experimental magnetic resonance imaging study. <b>2005</b> , 26, 1235-41	34
98	Outcomes After Ventricular Fibrillation Out-of-Hospital Cardiac Arrest: Expanding the Chain of Survival. <b>2005</b> , 80, 774-782	15
97	(5-Arylfuran-2-ylcarbonyl)guanidines as cardioprotectives through the inhibition of Na <sup>+</sup> /H <sup>+</sup> exchanger isoform-1. <b>2005</b> , 48, 2882-91	41
96	Impact of infarct location on left ventricular ejection fraction after correction for enzymatic infarct size in acute myocardial infarction treated with primary coronary intervention. <b>2006</b> , 151, 1239.e9-14	15
95	Stem cell mobilization by granulocyte colony-stimulating factor in patients with acute myocardial infarction: a randomized controlled trial. <b>2006</b> , 295, 1003-10	333
94	Treatment of ischaemic left ventricular dysfunction with milrinone or dobutamine administered during coronary artery stenosis in the presence of beta blockade in pigs. <b>2006</b> , 97, 799-807	4
93	Coronary Heart Disease Syndromes: Pathophysiology and Clinical Recognition. <b>2007</b> , 667-698	1
92	Transient apical ballooning: sheep in wolves' garb. <b>2007</b> , 15, 150-3	6
91	Treating ischemic left ventricular dysfunction with hypertonic saline administered after coronary occlusion in pigs. <b>2007</b> , 21, 400-5	10
90	Etiology, electrophysiology, and myocardial mechanics of pulseless electrical activity. 426-446	5

89	Fisiopatolog� del miocardio isqu�mico. Importancia de la frecuencia cardiaca. <b>2007</b> , 7, 19D-25D	1
88	Administration of milrinone before ischemia, in the presence of beta-blockade, to treat metabolic impairment and myocardial stunning in pigs. <b>2008</b> , 52, 397-405	3
87	Acute Heart Failure. <b>2008</b> ,	7
86	Clinical cardioprotection and the value of conditioning responses. <b>2009</b> , 296, H1705-20	69
85	Quantification of regional functional improvement of infarcted myocardium after primary PTCA by contrast-enhanced magnetic resonance imaging. <b>2009</b> , 29, 298-304	31
84	State of the science of cardioprotection: Challenges and opportunities--proceedings of the 2010 NHLBI Workshop on Cardioprotection. <b>2011</b> , 16, 223-32	44
83	An apoptosis signal-regulating kinase 1 inhibitor reduces cardiomyocyte apoptosis and infarct size in a rat ischemia-reperfusion model. <b>2012</b> , 60, 276-82	30
82	Cardioprotection from ischemia/reperfusion injury: basic and translational research. <b>2012</b> , 76, 1074-82	92
81	Myocardial ischemia/reperfusion injury: potential of TRPV1 agonists as cardioprotective agents. <b>2014</b> , 14, 71-8	9
80	&ldquo;Mitochondrial remodeling&rdquo; in coronary heart disease. <b>2014</b> , 111	0
79	Core Knowledge in Critical Care Medicine. <b>2014</b> ,	
78	Coronary Heart Disease Syndromes: Pathophysiology and Clinical Recognition. <b>2015</b> , 365-407	3
77	New observations regarding post-ischemia/reperfusion myocardial swelling. <i>Journal of the American College of Cardiology</i> , <b>2015</b> , 65, 324-326	15.1 14
76	Comprehensive Management of High Risk Cardiovascular Patients. <b>2016</b> ,	1
75	Detection of small subendocardial infarction using speckle tracking echocardiography in a rat model. <b>2016</b> , 33, 1571-1578	3
74	Is there an effect of ischemic conditioning on myocardial contractile function following acute myocardial ischemia/reperfusion injury?. <b>2019</b> , 1865, 822-830	2
73	Myocardial Stunning. <b>2019</b> , 171-184	
72	Stunned and Hibernating Myocardium: Where Are We Nearly 4 Decades Later?. <b>2020</b> , 9, e015502	34

71	Myocardial stunning and hibernation revisited. <b>2021</b> , 18, 522-536		19
70	Myocardial Stunning and Hibernation: Mechanisms and Clinical Implication. <b>1992</b> , 251-280		5
69	Clinical Relevance of Myocardial Stunning <b>1992</b> , 56-82		6
68	Preconditioning and Myocardial Contractile Function. <b>1994</b> , 41-60		4
67	Increase of Cardiac and Systemic Catecholamines in Myocardial Ischemia. <b>1989</b> , 61-77		8
66	Thrombolysis in Stroke: Timing of Recanalization and Its Clinical Consequences. <b>1991</b> , 46-59		3
65	Calcium and the Stunned Myocardium. <b>1988</b> , 23-40		2
64	Cardiac sympathetic activity in myocardial ischemia: release and effects of noradrenaline. <i>Basic Research in Cardiology</i> , <b>1990</b> , 85 Suppl 1, 9-30	11.8	17
63	Release and effects of catecholamines in myocardial ischemia. <b>1990</b> , 381-412		6
62	Myocardial High-Energy Phosphates during Open-Heart Surgery. <b>1988</b> , 245-255		3
61	Assessment of glucose utilization in normal and ischemic myocardium with positron emission tomography and 18F-deoxyglucose. <b>1987</b> , 241-263		2
60	Moderate ischemic injury and myocardial stunning. <b>1993</b> , 3-40		1
59	Identification of viable myocardium: dobutamine echocardiography versus positron emission tomography. <b>1993</b> , 143-157		1
58	Metabolism in Normal and Ischemic Myocardium. <b>1997</b> , 325-393		7
57	Pathophysiology of Myocardial Reperfusion. <b>1987</b> , 5, 31-48		13
56	Determinants of Salvage of Jeopardized Myocardium After Coronary Thrombolysis. <b>1987</b> , 5, 67-77		6
55	Coronary Thrombolysis with TissueType Plasminogen Activator. <b>1987</b> , 5, 101-111		2
54	Pharmacologic effects of calcium channel blockers on restenosis. <b>1999</b> , 33 Suppl 2, S12-6		6

53	Reperfusion injury after acute myocardial infarction. <b>1995</b> , 310, 477-8	27
52	Effect of coronary artery reperfusion on transmural myocardial remodeling in dogs. <b>1995</b> , 91, 1143-53	30
51	Deleterious effects of a systemic lytic state on reperfused myocardium. Minimization of reperfusion injury and enhanced recovery of myocardial function by direct angioplasty. <b>1995</b> , 92, 500-10	18
50	Impaired myocardial tissue perfusion early after successful thrombolysis. Impact on myocardial flow, metabolism, and function at late follow-up. <b>1995</b> , 92, 2072-8	113
49	Discriminating between preservation and reperfusion injury in human cardiac allografts using heart weight and left ventricular mass. <b>1995</b> , 92, 11223-7	12
48	Detection and quantification of dysfunctional myocardium by magnetic resonance imaging. A new three-dimensional method for quantitative wall-thickening analysis. <b>1997</b> , 95, 924-31	111
47	Relationship between progressive microvascular damage and intramyocardial hemorrhage in patients with reperfused anterior myocardial infarction: myocardial contrast echocardiographic study. <b>1997</b> , 96, 448-53	88
46	Kinetics of rubidium-82 after coronary occlusion and reperfusion. Assessment of patency and viability in open-chested dogs. <b>1985</b> , 75, 1131-7	50
45	Reduction of sympathetic inotropic response after ischemia in dogs. Contributor to stunned myocardium. <b>1985</b> , 75, 1504-9	66
44	Effects of acute ischemia in the dog on myocardial blood flow, beta receptors, and adenylate cyclase activity with and without chronic beta blockade. <b>1989</b> , 83, 474-81	40
43	Treating metabolic impairment and myocardial stunning with phosphodiesterase inhibitor type III, milrinone, administered prior to coronary artery occlusion in the presence of calcium channel blockade in pigs. <b>2007</b> , 10, 34-41	1
42	Effects of cytokines and nitric oxide on myocardial E-C coupling. <b>2000</b> , 141-154	
41	Myocardial protection Against Ischemia and Reperfusion Injury by Endothelin Receptor Antagonists. <b>2003</b> , 443-463	
40	Acute Myocardial Infarction. <b>2006</b> , 611-646	
39	Mitochondrion: Key Factors in Acute Heart Failure. <b>2008</b> , 124-133	
38	Myocardial Protection from Ischemia and Reperfusion Injury. <b>2008</b> , 70-86	1
37	Shock. <b>2014</b> , 159-271	
36	The Effects of Arterial Reperfusion, Synchronized Diastolic Coronary Venous Retroperfusion and Pressure Controlled Intermittent Coronary Sinus Occlusion on the Morphologic Evolution of Myocardial Infarction. <b>1984</b> , 411-417	



- 35 Echocardiographic Approaches to the Evaluation of Acute Myocardial Infarction. **1984**, 76-87
- 34 Effects of Myocardial Ischemia on Regional Myocardial Function in the Experimental Animal. **1985**, 3-25
- 33 Current Status of Interventions Designed to Limit Infarct Size. **1985**, 289-314
- 32 Limitation of myocardial necrosis by thrombolysis during acute myocardial infarction. **1985**, 125-137
- 31 Anesthesia for Patients with Coronary Artery Disease. **1985**, 127-146
- 30 Intravenöse Streptokinase-Kurzzeitinfusion bei akutem Myokardinfarkt. **1985**, 45-53
- 29 Digital two-dimensional echocardiography. **1985**, 157-181 5
- 28 Physiologic Basis and Results of Thrombolytic Therapy in Acute Myocardial Infarction. **1986**, 155-185
- 27 The effect of pressure controlled intermittent coronary sinus occlusion during reperfusion. **1986**, 345-347 1
- 26 Free fatty acid metabolism in "stunned" myocardium. *Basic Research in Cardiology*, **1987**, 82 Suppl 1, 169-168 2
- 25 Die Bedeutung der Koronardilatation und weiterer Anschlussmaßnahmen bei der thrombolytischen Behandlung des akuten Myokardinfarktes. **1987**, 153-181
- 24 Role of Oxy-Radicals in Postischemic Myocardial Dysfunction. **1988**, 203-225
- 23 Technique and Results with a Roller Pump for Ventricular Assistance. **1989**, 181-190 1
- 22 Can one predict reversibility of regional ventricular dysfunction?. **1989**, 43-48
- 21 What is the Place of Surgery Soon After Thrombolysis?. **1989**, 189-197
- 20 Reperfusion. **1990**, 27-50
- 19 Two-dimensional echocardiography in the early management of acute myocardial infarction. **1991**, 109-119
- 18 Hauptthema: Die ischaemische Herzkrankheit. **1991**, 85-148

17	Cellular and Mechanical Effects of Myocardial Ischemia. <i>Anesthesiology Clinics</i> , <b>1991</b> , 9, 469-492		
16	Prognostic assessment of coronary artery disease by exercise radionuclide ventriculography. <b>1992</b> , 289-298		
15	Stunning of the Myocardium: An Update. <b>1992</b> , 4-9		
14	Myocardial ischemia, stunning and hibernation: blood flow, metabolism and pathophysiology mechanism. <b>1994</b> , 5-18		1
13	Myocardial Viability: Stunning and Hibernation. <b>1995</b> , 15-24		1
12	Pathophysiologie des Hibernating und Stunned Myokards. <b>1995</b> , 367-383		1
11	Prehospital care of acute coronary heart disease. <b>1996</b> , 309-329		
10	Contraction-perfusion matching in reperfused acute myocardial infarction. <b>1996</b> , 13-27		
9	Detection of Myocardial Viability and Inducible Ischemia with Dobutamine. <b>1996</b> , 597-609		
8	Myocardial Stunning: An Overview. <b>1996</b> , 175-193		
7	Effect of Adenosine on Myocardial Stunning. <b>1996</b> , 297-313		
6	Ischemia, Infarction and HSP70. <b>1997</b> , 25-39		
5	Perioperative Cardioprotective Strategies in Noncardiac Surgery. <b>2017</b> , 749-761		
4	Update on Cardioprotective Strategies for STEMI: Focus on Supersaturated Oxygen Delivery.. <i>JACC Basic To Translational Science</i> , <b>2021</b> , 6, 1021-1033	8.7	2
3	Experimental Models of Myocardial Ischemia, Reperfusion, and Coronary Steal: Scientific Foundations and Clinical Significance. <i>Anesthesiology Clinics</i> , <b>1988</b> , 6, 485-503		1
2	Intravenous short-term infusion of streptokinase in acute myocardial infarction. <i>Texas Heart Institute Journal</i> , <b>1984</b> , 11, 18-23	0.8	
1	Coronary blood flow in heart failure: cause, consequence and bystander.. <i>Basic Research in Cardiology</i> , <b>2022</b> , 117, 1	11.8	3