

CITATION REPORT

List of articles citing

Impairment of myocardial perfusion and function during painless myocardial ischemia

DOI: 10.1016/s0735-1097(83)80211-3

Journal of the American College of Cardiology, 1983, 1, 924-30

Source: <https://exaly.com/paper-pdf/16409669/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
281	Treatment of severely painful diabetic neuropathy with an aldose reductase inhibitor: relief of pain and improved somatic and autonomic nerve function. 1983 , 2, 758-62		108
280	Myocardial ischaemia during daily life in patients with stable angina: its relation to symptoms and heart rate changes. 1983 , 2, 753-8		565
279	Detection of Transient Ischemic Episodes by Ambulatory ECG Recordings. <i>Cardiology Clinics</i> , 1984 , 2, 441-448	2.5	2
278	Unreliability of conventional visual electrocardiographic monitoring for detection of transient ST segment changes in a coronary care unit. <i>European Heart Journal</i> , 1984 , 5, 784-91	9.5	25
277	When is concern about silent myocardial ischemia justified?. <i>Annals of Internal Medicine</i> , 1984 , 100, 597-98		5
276	Coronary bypass surgery for unstable angina. <i>Circulation</i> , 1984 , 69, 842-8	16.7	51
275	Technological status and problems of ambulatory electrocardiographic monitoring. 1984 , 432, 108-16		1
274	Computer system for analysis of ST segment changes on 24 hour Holter monitor tapes: comparison with other available systems. <i>Journal of the American College of Cardiology</i> , 1984 , 4, 245-52	15.1	69
273	Analysis of ST-segment changes in normal subjects: implications for ambulatory monitoring in angina pectoris. <i>American Journal of Cardiology</i> , 1984 , 54, 1321-5	3	124
272	Time for a new approach to management of patients with both symptomatic and asymptomatic episodes of myocardial ischemia. <i>American Journal of Cardiology</i> , 1984 , 54, 1358-9	3	31
271	Lessons from ambulatory electrocardiography. 1985 , 291, 617-8		10
270	Points: AIDS: the African connection?. 1985 , 290, 1517-1517		
269	Relation between cancer of the colon and blood transfusion. 1985 , 290, 1516-1517		27
268	Points: The silent coronary. 1985 , 290, 1517-1517		
267	Points: Pain in the earā presenting symptom of aortic dissection. 1985 , 290, 1517-1517		1
266	Points: Sequelae and support after termination of pregnancy for fetal malformation. 1985 , 290, 1517-1517		
265	Coronary anatomy in patients with various manifestations of three vessel coronary artery disease. 1985 , 54, 362-6		8

264	Characteristics of episodes of ST elevation or ST depression during ambulatory monitoring in patients subsequently undergoing coronary angiography. 1985 , 54, 484-8		57
263	Morphology of ambulatory ST segment changes in patients with varying severity of coronary artery disease. Investigation of the frequency of nocturnal ischaemia and coronary spasm. 1985 , 53, 186-93		157
262	Effects of myocardial revascularisation in patients with effort angina and those with effort and nocturnal angina. 1985 , 54, 557-61		19
261	Silent myocardial ischemia: hemodynamic changes during dynamic exercise in patients with proven coronary artery disease despite absence of angina pectoris. <i>Journal of the American College of Cardiology</i> , 1985 , 6, 275-84	15.1	85
260	Unstable angina with fatal outcome: dynamic coronary thrombosis leading to infarction and/or sudden death. Autopsy evidence of recurrent mural thrombosis with peripheral embolization culminating in total vascular occlusion. <i>Circulation</i> , 1985 , 71, 699-708	16.7	1006
259	Dynamic causes of angina pectoris. <i>American Heart Journal</i> , 1985 , 110, 1087-92	4.9	20
258	Silent myocardial ischemia as a manifestation of asymptomatic coronary artery disease: what is appropriate therapy?. <i>American Journal of Cardiology</i> , 1985 , 56, 28D-34D	3	14
257	Mechanisms of ischemic cardiac pain and silent myocardial ischemia. 1985 , 79, 7-11		88
256	Silent myocardial ischemia: therapeutic implications. 1985 , 79, 30-4		14
255	The role of transdermal nitroglycerin in the treatment of coronary heart disease. <i>American Heart Journal</i> , 1986 , 112, 197-207	4.9	17
254	Role of beta-endorphins in silent myocardial ischemia. <i>American Journal of Cardiology</i> , 1986 , 58, 428-30	3	38
253	Importance of generalized defective perception of painful stimuli as a cause of silent myocardial ischemia in chronic stable angina pectoris. <i>American Journal of Cardiology</i> , 1986 , 58, 667-72	3	150
252	Active transient myocardial ischemia during daily life in asymptomatic patients with positive exercise tests and coronary artery disease. <i>American Journal of Cardiology</i> , 1986 , 57, 1010-6	3	100
251	Effect of beta blockade on silent regional left ventricular wall motion abnormalities. <i>American Journal of Cardiology</i> , 1986 , 57, 521-6	3	24
250	Character and causes of transient myocardial ischemia during daily life. Implications for treatment of patients with coronary disease. 1986 , 80, 18-24		196
249	Assessing the total ischemic burden in the management of unstable angina. A review. 1986 , 81, 7-11		62
248	Silent myocardial ischemia: clinical characteristics, underlying mechanisms, and implications for treatment. 1986 , 81, 12-9		14
247	Effect of nifedipine on left ventricular function in patients with angina pectoris. 1986 , 81, 28-32		17

246	The incidence and morphology of ischaemic ventricular tachycardia. <i>European Heart Journal</i> , 1986 , 7, 1037-44	9.5	8
245	Silent Myocardial Ischemia as a Mechanism of Sudden Cardiac Death. <i>Cardiology Clinics</i> , 1986 , 4, 593-605	2.5	16
244	Myocardial Ischemia and Chest Pain: A Misunderstood and Oversimplified Relationship?. <i>Cardiology Clinics</i> , 1986 , 4, 621-625	2.5	7
243	Left Ventricular Function Abnormalities as a Manifestation of Silent Myocardial Ischemia. <i>Cardiology Clinics</i> , 1986 , 4, 669-675	2.5	5
242	Silent Myocardial Ischemia During Daily Activities: Studies in Asymptomatic Patients and Those with Various Forms of Angina. <i>Cardiology Clinics</i> , 1986 , 4, 635-642	2.5	12
241	Detection of Silent Myocardial Ischemia in Patients with Angina Using Continuous Electrocardiographic Monitoring. <i>Cardiology Clinics</i> , 1986 , 4, 627-633	2.5	9
240	Ambulatory ECG monitoring. How useful in detecting and quantitating transient ischemia?. 1986 , 79, 141-2, 144, 146-7		1
239	Is post-infarction angina related to poor residual left ventricular function?. <i>European Heart Journal</i> , 1986 , 7 Suppl C, 25-32	9.5	29
238	Characteristics and clinical significance of silent myocardial ischemia in unstable angina. <i>American Journal of Cardiology</i> , 1986 , 58, 26B-33B	3	64
237	Left ventricular dyskinesia reversed by intravenous nitroglycerin: a manifestation of silent myocardial ischemia. <i>American Journal of Cardiology</i> , 1986 , 58, 38B-42B	3	30
236	Symptomatic and silent myocardial ischemia during exercise testing in coronary artery disease. <i>American Journal of Cardiology</i> , 1986 , 58, 43B-46B	3	28
235	Myocardial ischemia during daily activities and stress. <i>American Journal of Cardiology</i> , 1986 , 58, 47B-50B	3	65
234	Haemodynamic response to myocardial ischaemia during unrestricted activity, exercise testing, and atrial pacing assessed by ambulatory pulmonary artery pressure monitoring. 1986 , 56, 12-8		23
233	Silent ischemia as a marker for early unfavorable outcomes in patients with unstable angina. 1986 , 314, 1214-9		623
232	The haemodynamic significance of asymptomatic ST segment depression assessed by ambulatory pulmonary artery pressure monitoring. 1986 , 56, 526-30		54
231	Regional perfusion, glucose metabolism, and wall motion in patients with chronic electrocardiographic Q wave infarctions: evidence for persistence of viable tissue in some infarct regions by positron emission tomography. <i>Circulation</i> , 1986 , 73, 951-63	16.7	253
230	The haemodynamic response to myocardial ischaemia in ambulant patients with variant angina. 1986 , 56, 518-25		4
229	Identification of impaired metabolic reserve by atrial pacing in patients with significant coronary artery stenosis. <i>Circulation</i> , 1986 , 74, 281-92	16.7	59

228	Life-Threatening Ventricular Tachycardia and Fibrillation Induced by Painless Myocardial Ischemia During Exercise Testing. 1987 , 257, 1937		27
227	Diurnal variation in left ventricular function: a study of patients with myocardial ischaemia, syndrome X, and of normal controls. 1987 , 57, 148-53		23
226	Silent myocardial ischemia: pathophysiology and clinical recognition. 1987 , 7, 56S-61S		
225	Silent myocardial ischemia during mastication. 1987 , 82, 357-60		21
224	What is the meaning of angina pectoris today?. <i>American Heart Journal</i> , 1987 , 114, 1542-6	4.9	8
223	Silent myocardial ischemia. I. Pathophysiology, frequency of occurrence, and approaches toward detection. <i>American Heart Journal</i> , 1987 , 114, 615-26	4.9	71
222	Reproducibility and validity of ambulatory ST segment monitoring in patients with chronic stable angina pectoris. <i>American Heart Journal</i> , 1987 , 113, 1091-6	4.9	15
221	Prognostic significance of silent myocardial ischemia in patients with unstable angina. <i>Journal of the American College of Cardiology</i> , 1987 , 10, 1-9	15.1	271
220	Silent ischemia during coronary occlusion produced by balloon inflation: relation to regional myocardial dysfunction. <i>Journal of the American College of Cardiology</i> , 1987 , 10, 491-8	15.1	72
219	Louis F. Bishop lecture. Role of coronary artery spasm in symptomatic and silent myocardial ischemia. <i>Journal of the American College of Cardiology</i> , 1987 , 9, 249-62	15.1	133
218	Coronary vasospasm: a neuro-behavioral event?. 1987 , 24, 369-74		2
217	Calcium antagonists for Prinzmetal's variant angina, unstable angina and silent myocardial ischemia: therapeutic tool and probe for identification of pathophysiologic mechanisms. <i>American Journal of Cardiology</i> , 1987 , 59, 101B-115B	3	40
216	Holter monitoring in assessment of angina pectoris. <i>American Journal of Cardiology</i> , 1987 , 59, 18C-22C	3	24
215	The ischemic cascade: temporal sequence of hemodynamic, electrocardiographic and symptomatic expressions of ischemia. <i>American Journal of Cardiology</i> , 1987 , 59, 23C-30C	3	387
214	Validation of a real-time electrocardiographic monitor for detection of myocardial ischemia secondary to coronary artery disease. <i>American Journal of Cardiology</i> , 1987 , 60, 525-7	3	32
213	Association between silent myocardial ischemia and prognosis: insensitivity of angina pectoris as a marker of coronary artery disease activity. <i>American Journal of Cardiology</i> , 1987 , 60, 33J-38J	3	9
212	Ambulatory heart rate and ST-segment depression during painful and silent myocardial ischemia in chronic stable angina pectoris. <i>American Journal of Cardiology</i> , 1987 , 59, 1029-34	3	43
211	Holter monitoring before, during and after percutaneous transluminal coronary angioplasty for evaluation of high-resolution trend recordings of leads CM5 and CC5 for ST-segment analysis. <i>American Journal of Cardiology</i> , 1987 , 60, 796-800	3	37

210	Comparison of amplitude-modulated (direct) and frequency-modulated ambulatory techniques for recording ischemic electrocardiographic changes. <i>American Journal of Cardiology</i> , 1987 , 60, 895-900	3	30
209	Significance of silent myocardial ischemia during exercise testing in patients with coronary artery disease. <i>American Journal of Cardiology</i> , 1987 , 59, 725-9	3	186
208	Frequency of painless myocardial ischemia during exercise tolerance testing in patients with and without diabetes mellitus. <i>American Journal of Cardiology</i> , 1987 , 59, 61-5	3	75
207	Transluminal coronary angioplasty in the treatment of silent ischemia. 1988 , 15, 223-8		13
206	Survival with painless strongly positive exercise electrocardiogram. <i>American Journal of Cardiology</i> , 1988 , 62, 892-5	3	36
205	Asymptomatic myocardial ischemia as a predictor of cardiac events after coronary artery bypass grafting for stable angina pectoris. <i>American Journal of Cardiology</i> , 1988 , 61, 248-52	3	70
204	Stability of multilead ST-segment "fingerprints" over time after percutaneous transluminal coronary angioplasty and its usefulness in detecting reocclusion. <i>American Journal of Cardiology</i> , 1988 , 61, 1232-7	3	57
203	Quantitation of transient myocardial ischemia by digital, ambulatory electrocardiography. <i>American Journal of Cardiology</i> , 1988 , 61, 13B-17B	3	26
202	The efficacy of the addition of nifedipine in patients with mixed angina compared to patients with classic exertional angina: a multicenter, randomized, double-blind, placebo-controlled clinical trial. <i>American Heart Journal</i> , 1988 , 116, 961-71	4.9	20
201	Noncardiac surgery in the cardiac patient. <i>American Heart Journal</i> , 1988 , 116, 831-8	4.9	15
200	Effect of pharmacologic therapy on angina frequency, ST segment depression during ambulatory ECG monitoring, and treadmill performance in patients with chronic stable mild angina. <i>American Heart Journal</i> , 1988 , 115, 220-7	4.9	4
199	Current concepts in unstable myocardial ischemia. <i>American Heart Journal</i> , 1988 , 115, 850-61	4.9	29
198	Silent Ischemia on Holter Monitoring Predicts Mortality in High-Risk Postinfarction Patients. 1988 , 259, 1030		191
197	Continuous monitoring of left ventricular function by an ambulatory radionuclide detector in patients with coronary artery disease. <i>Journal of the American College of Cardiology</i> , 1988 , 12, 669-79	15.1	70
196	Correlation between beta-endorphin plasma levels and anginal symptoms in patients with coronary artery disease. <i>Journal of the American College of Cardiology</i> , 1988 , 11, 719-23	15.1	54
195	Dental pain threshold and angina pectoris in patients with coronary artery disease. <i>Journal of the American College of Cardiology</i> , 1988 , 12, 348-52	15.1	57
194	Sequence and magnitude of ventricular volume changes in painful and painless myocardial ischemia. <i>Circulation</i> , 1988 , 78, 310-9	16.7	33
193	Silent myocardial ischaemia in chronic stable angina: a study of its frequency and characteristics in 150 patients. 1988 , 60, 417-23		87

192	Silent ischaemia: clinical implications in 1988. 1988 , 60, 363-6		7
191	Sensitization of reperfused myocardium to subsequent coronary flow reductions. An extension of the concept of myocardial stunning. <i>Circulation</i> , 1988 , 78, 717-28	16.7	8
190	Silent myocardial ischemia. <i>Annals of Internal Medicine</i> , 1988 , 109, 312-7	8	110
189	Silent ischaemia in post-myocardial infarction patients submitted to physical training. <i>European Heart Journal</i> , 1988 , 9 Suppl M, 22-7	9.5	3
188	Asymptomatic episodes of ischaemia and their relation to heart rate changes in patients with chronic ischaemic heart disease. <i>European Heart Journal</i> , 1988 , 9 Suppl N, 11-4	9.5	1
187	Characteristics of transient ischaemic episodes in patients with silent and symptomatic exercise-induced myocardial ischaemia. <i>European Heart Journal</i> , 1988 , 9, 1081-7	9.5	10
186	Silent myocardial ischaemia. 1988 , 297, 751-2		5
185	Silent myocardial ischemia: an update. 1988 , 72, 1033-54		4
184	Prognostic implications of transient--predominantly silent--ischaemia in patients with unstable angina pectoris. <i>European Heart Journal</i> , 1988 , 9, 435-40	9.5	52
183	Pain and the Heart: Discussion Paper. <i>Journal of the Royal Society of Medicine</i> , 1988 , 81, 100-102	2.3	
182	The contribution of ventricular tachyarrhythmias to the genesis of cardiac pain during transient myocardial ischaemia in patients with variant angina. <i>European Heart Journal</i> , 1988 , 9, 484-8	9.5	5
181	Exercise treadmill testing is a poor predictor of anatomic restenosis after angioplasty for acute myocardial infarction. <i>Circulation</i> , 1989 , 80, 1585-94	16.7	54
180	Elevated pain threshold in patients with effort-induced angina pectoris and asymptomatic myocardial ischemia during exercise test. 1989 , 12, 639-42		19
179	Prognostic significance of silent myocardial ischemia detected by early treadmill exercise after coronary angioplasty. <i>American Journal of Cardiology</i> , 1989 , 64, 1-5	3	35
178	Changing concepts in the pathophysiology of myocardial ischemia. <i>American Journal of Cardiology</i> , 1989 , 64, 3F-9F	3	7
177	Calcium antagonists and myocardial protection. <i>American Journal of Cardiology</i> , 1989 , 64, 10F-17F	3	10
176	Estimation of jeopardized left ventricular myocardium in symptomatic and silent ischemia as determined by iodine-123 phenylpentadecanoic acid rotational tomography. <i>American Journal of Cardiology</i> , 1989 , 63, 540-4	3	15
175	Painless versus painful myocardial ischemia: different left ventricular dysfunction detected by echocardiography. 1989 , 22, 321-7		6

174	Myocardial ischemia in patients awaiting coronary artery bypass grafting. <i>American Heart Journal</i> , 1989 , 117, 1189-95	4.9	28
173	Ambulatory (Holter) electrocardiography and myocardial ischemia. <i>American Heart Journal</i> , 1989 , 117, 164-76	4.9	35
172	The hibernating myocardium. <i>American Heart Journal</i> , 1989 , 117, 211-21	4.9	1012
171	Different coronary vasomotor effects of nifedipine and therapeutic correlates in angina with spontaneous and effort components versus Prinzmetal angina. <i>American Heart Journal</i> , 1989 , 117, 315-22	4.9	4
170	Superior efficacy of propranolol versus nifedipine in double-component angina, as related to different influences on coronary vasomotility. 1989 , 87, 15-21		13
169	.		5
168	What causes silent myocardial ischemia?. 1989 , 86, 62-6, 69-75		2
167	Silent ischemia during PTCA: its relationship with exercise-induced silent ischemia and the possible role for beta-endorphins. 1990 , 37, 165-75		2
166	Diagnostic value of ambulatory Holter monitoring for the detection of coronary artery disease in patients with variable threshold angina pectoris. <i>American Journal of Cardiology</i> , 1990 , 65, 1078-83	3	8
165	Temporal relation between left ventricular dysfunction and chest pain in coronary artery disease during activities of daily living. <i>American Journal of Cardiology</i> , 1990 , 66, 1455-8	3	15
164	ST monitoring for myocardial ischemia during and after coronary angioplasty. <i>American Journal of Cardiology</i> , 1990 , 66, 389-93	3	22
163	Transient myocardial ischemia in hypertensive heart disease. <i>American Journal of Cardiology</i> , 1990 , 65, 51G-55G	3	18
162	Clinical significance of silent ischemia in unstable angina pectoris. <i>American Journal of Cardiology</i> , 1990 , 65, 1313-6	3	43
161	Prognostic significance of silent myocardial ischemia on a thallium stress test. <i>American Journal of Cardiology</i> , 1990 , 65, 718-21	3	30
160	An update to silent myocardial ischemia: pathophysiological, diagnostic, and therapeutic approaches. 1990 , 13, 452-6		8
159	Radiation effects on left ventricular function and myocardial perfusion in long term survivors of Hodgkin's disease. 1990 , 19, 721-7		50
158	Major gynaecological surgery in patients with severe coronary artery disease--the combined approach. 1990 , 30, 146-9		
157	Functional and Anatomic Correlates of Asymptomatic and Symptomatic Stress Responses in Patients Free from Prior Infarction. 1990 , 4, 282-289		

156	Prevalence and prognostic significance of exercise-induced silent myocardial ischemia detected by thallium scintigraphy and electrocardiography in asymptomatic volunteers. <i>Circulation</i> , 1990 , 81, 428-36	16.7	218
155	Use of ambulatory electrocardiographic (Holter) monitoring. <i>Annals of Internal Medicine</i> , 1990 , 113, 53-68		96
154	Altered myocardial perfusion in patients with angina pectoris or silent ischemia during exercise as assessed by quantitative thallium-201 single-photon emission computed tomography. <i>Circulation</i> , 1990 , 82, 1305-15	16.7	48
153	Ambulant myocardial ischemia and its prognostic implications. <i>Circulation</i> , 1990 , 81, 1136-8	16.7	16
152	Regional myocardial metabolism of high-energy phosphates during isometric exercise in patients with coronary artery disease. 1990 , 323, 1593-600		306
151	Silent Myocardial Ischemia. 1990 , 264, 1132		32
150	Transient myocardial ischaemia after acute myocardial infarction. 1990 , 64, 299-303		15
149	Silent versus symptomatic myocardial ischemia during exercise testing: a comparison with coronary angiographic findings. 1990 , 27, 71-8		12
148	Silent myocardial ischaemia: characteristics and management. 1990 , 26, 5-13		3
147	Silent myocardial ischemia. 1990 , 65, 374-83		6
146	Exercise-induced silent myocardial ischemia in patients with vasospastic angina. <i>American Heart Journal</i> , 1990 , 119, 551-6	4.9	27
145	Exercise-induced silent myocardial ischemia: evaluation by thallium-201 emission computed tomography. <i>American Heart Journal</i> , 1990 , 119, 557-67	4.9	23
144	Clinical implications of exercise-induced chest pain: comparison of patients with and without pathologic Q waves in coronary artery disease. <i>American Heart Journal</i> , 1990 , 120, 550-4	4.9	2
143	Association of perioperative myocardial ischemia with cardiac morbidity and mortality in men undergoing noncardiac surgery. The Study of Perioperative Ischemia Research Group. 1990 , 323, 1781-8		830
142	Prevalence of and variables associated with silent myocardial ischemia on exercise thallium-201 stress testing. <i>Journal of the American College of Cardiology</i> , 1990 , 16, 115-23	15.1	45
141	ST analysis of Holter tapes. <i>Journal of Electrocardiology</i> , 1992 , 24 Suppl, 68-71	1.4	2
140	Mechanisms of angina pectoris in syndrome X. <i>Journal of the American College of Cardiology</i> , 1991 , 17, 499-506	15.1	352
139	Symptom-limited exercise testing causes sustained diastolic dysfunction in patients with coronary disease and low effort tolerance. <i>Journal of the American College of Cardiology</i> , 1991 , 17, 1251-5	15.1	39

138	Silent myocardial ischaemia. Implications for therapy. 1991 , 41, 825-31		3
137	Regional myocardial function after repetitive brief episodes of ischemia: effect of altering the duration of the reperfusion period. <i>American Heart Journal</i> , 1991 , 121, 1331-8	4.9	14
136	Exercise-induced myocardial dysfunction in patients with coronary artery disease with and without angina. <i>American Heart Journal</i> , 1991 , 121, 1403-8	4.9	16
135	Failure of adjuvant heparin to reduce myocardial ischemia in the early treatment of patients with unstable angina. <i>American Heart Journal</i> , 1991 , 122, 949-54	4.9	6
134	Perioperative myocardial ischemia in patients undergoing noncardiac surgery--I: Incidence and severity during the 4 day perioperative period. The Study of Perioperative Ischemia (SPI) Research Group. <i>Journal of the American College of Cardiology</i> , 1991 , 17, 843-50	15.1	299
133	Perioperative myocardial ischemia in patients undergoing noncardiac surgery--II: Incidence and severity during the 1st week after surgery. The Study of Perioperative Ischemia (SPI) Research Group. <i>Journal of the American College of Cardiology</i> , 1991 , 17, 851-7	15.1	158
132	A world record marathon runner with silent ischemia without coronary atherosclerosis. <i>Chest</i> , 1991 , 99, 1306-8	5.3	22
131	The effects of nisoldipine on the total ischaemic burden: the results of the ROCKET study. <i>European Heart Journal</i> , 1991 , 12, 1283-7	9.5	8
130	Circadian variation of transient myocardial ischemia in the early out-of-hospital period after first acute myocardial infarction. <i>American Journal of Cardiology</i> , 1991 , 67, 927-32	3	22
129	Intravenous diltiazem versus nitroglycerin for silent and symptomatic myocardial ischemia in unstable angina pectoris. <i>American Journal of Cardiology</i> , 1991 , 68, 42C-46C	3	10
128	The unstable ST segment early after thrombolysis for acute infarction and its usefulness as a marker of recurrent coronary occlusion. <i>American Journal of Cardiology</i> , 1991 , 67, 109-15	3	94
127	Effect of nifedipine on total ischemic activity and circadian distribution of myocardial ischemic episodes in angina pectoris. <i>American Journal of Cardiology</i> , 1991 , 67, 128-32	3	32
126	Validation of continuous radionuclide left ventricular functioning monitoring in detecting silent myocardial ischemia during balloon angioplasty of the left anterior descending coronary artery. <i>American Journal of Cardiology</i> , 1991 , 67, 1339-43	3	37
125	Continuous ambulatory ECG monitoring in the perioperative period: relationship of preoperative status and outcome. 1991 , 66, 285-91		18
124	Atenolol and ischaemic heart disease: an overview. 1991 , 12, 485-96		5
123	Effect of diltiazem on symptomatic and asymptomatic episodes of ST segment depression occurring during daily life and during exercise. <i>Circulation</i> , 1991 , 84, 15-22	16.7	37
122	Life-threatening ventricular arrhythmias in patients with silent myocardial ischemia due to coronary-artery spasm. 1992 , 326, 1451-5		323
121	Prevalence of transient myocardial ischaemia during the first year after a myocardial infarction. Effect of treatment with verapamil. The Danish Study Group on Verapamil in Myocardial Infarction. <i>European Heart Journal</i> , 1992 , 13, 666-70	9.5	19

120	Prevalence of silent myocardial ischaemia during exercise stress testing. Its relation to effort tolerance and myocardial perfusion abnormalities. <i>European Heart Journal</i> , 1992 , 13, 947-51	9.5	2
119	Correlation between myocardial ischemia and changes in arterial resistance during coronary artery bypass surgery. 1992 , 6, 33-41		8
118	Relation between left ventricular function at rest and with exercise and silent myocardial ischemia. <i>Journal of the American College of Cardiology</i> , 1992 , 19, 962-7	15.1	11
117	Endogenous opioid system modulation in anginal pain: demonstration of its central activity. <i>American Heart Journal</i> , 1992 , 124, 589-95	4.9	4
116	Diagnostic and prognostic value of ambulatory electrocardiographic monitoring. <i>American Heart Journal</i> , 1992 , 124, 1213-9	4.9	8
115	Comparison of ST depression recorded by Holter monitors and 12-lead ECGs during coronary angiography and exercise testing. <i>Journal of Electrocardiology</i> , 1992 , 25, 323-31	1.4	10
114	Comparison of painful and painless left ventricular dysfunction recorded during ambulatory ventricular function monitoring in angina pectoris secondary to coronary artery disease. <i>American Journal of Cardiology</i> , 1992 , 70, 1555-8	3	5
113	Analysis of the signal-averaged P-wave duration in patients with percutaneous coronary angioplasty-induced myocardial ischemia. <i>American Journal of Cardiology</i> , 1992 , 70, 728-32	3	29
112	Extent and severity of abnormal left ventricular wall motion detected by exercise echocardiography during painful and silent ischemia. <i>American Journal of Cardiology</i> , 1992 , 69, 1483-4	3	11
111	Prevalence and prognostic significance of exercise-induced silent myocardial ischemia in apparently healthy subjects. <i>American Journal of Cardiology</i> , 1992 , 69, 14B-18B	3	14
110	Prognostic implications of transient asymptomatic myocardial ischemia as detected by ambulatory electrocardiographic monitoring. 1992 , 35, 77-96		4
109	Mechanisms and significance of cardiac ischemic pain. 1992 , 35, 1-18		35
108	Pathophysiology of ischemia in patients with coronary artery disease. 1992 , 35, 27-39		16
107	The diagnosis and perioperative management of myocardial ischaemia. 1992 , 39, R90-R100		
106	Haemodynamic changes associated with thermodilution cardiac output determination during myocardial ischaemia or pulmonary oedema in dogs. 1992 , 36, 679-83		4
105	Silent ischemia: a hypothetical mechanism. 1993 , 17, 229-36		5
104	Silent myocardial ischemia. 1993 , 18, 301-59		3
103	Transient myocardial ischemia after a first acute myocardial infarction and its relation to clinical characteristics, pre-discharge exercise testing and cardiac events at one-year follow-up. <i>American Journal of Cardiology</i> , 1993 , 71, 139-44	3	26

102	Assessment of early post-infarction ischemia: correlation between ambulatory electrocardiographic monitoring and exercise treadmill testing. 1993 , 95, 371-6		1
101	Prognostic implications of myocardial ischemia during daily life in low risk patients with coronary artery disease. <i>Journal of the American College of Cardiology</i> , 1993 , 21, 700-8	15.1	43
100	Beta-endorphins during coronary angioplasty in patients with silent or symptomatic myocardial ischemia. <i>Journal of the American College of Cardiology</i> , 1993 , 22, 1614-20	15.1	35
99	Relative importance of psychologic traits and severity of ischemia in causing angina during treadmill exercise. Canadian Amlodipine/Atenolol in Silent Ischemia Study (CASIS) Investigators. <i>Journal of the American College of Cardiology</i> , 1993 , 21, 331-6	15.1	38
98	Transdermal nitroglycerin reduces the frequency of anginal attacks but fails to prevent silent ischemia. <i>Journal of the American College of Cardiology</i> , 1993 , 21, 337-42	15.1	24
97	The prevalence of myocardial ischemia six months after thrombolytic treatment of acute coronary episodes. A subset of a placebo controlled, randomised trial, the ASSET Study. 1993 , 39, 187-93		1
96	Thrombolytic Therapy in Acute Myocardial Infarction: A Review with Current Recommendations. <i>Asian Cardiovascular and Thoracic Annals</i> , 1993 , 1, 145-151	0.6	1
95	Exercise-induced silent myocardial ischemia in single vessel coronary artery disease associated with Q wave infarction. Assessment by thallium 201 single-photon emission computed tomography. <i>Chest</i> , 1993 , 103, 1074-9	5.3	1
94	Differential sensitivity of proximal and distal coronary arteries to a nitric oxide donor following reperfusion injury or inhibition of nitric oxide synthesis. 1993 , 27, 1444-8		11
93	Silent myocardial ischemia during coronary angioplasty. 1993 , 82, 325-34		7
92	Myocardial Perfusion Imaging During Pharmacologic Stress Testing. <i>Cardiology Clinics</i> , 1994 , 12, 223-245.5		36
91	Differences in autonomic nerve function in patients with silent and symptomatic myocardial ischaemia. 1994 , 71, 22-9		30
90	Relations between resting ventricular long axis function, the electrocardiogram, and myocardial perfusion imaging in syndrome X. 1994 , 71, 541-7		22
89	Prognostic significance of silent ischemia. 1994 , 1, 434-40		9
88	Detection of early systolic dysfunction in ischemia by sequential radionuclide imaging of ejection rates. 1994 , 10, 269-78		
87	Central modulation of pain perception in patients with silent myocardial ischemia. <i>American Journal of Cardiology</i> , 1994 , 74, 182-4	3	14
86	Variability of episodic ST segment depression in chronic stable angina: implications for individual and group trials of therapeutic efficacy. <i>Journal of the American College of Cardiology</i> , 1994 , 23, 66-73	15.1	13
85	Effect of autonomic nervous system dysfunction on the circadian pattern of myocardial ischemia in diabetes mellitus. <i>Journal of the American College of Cardiology</i> , 1994 , 24, 956-62	15.1	66

84	Transforming growth factor beta 1 preserves endothelial function after multiple brief coronary artery occlusions and reperfusion. <i>American Heart Journal</i> , 1994 , 127, 1456-61	4.9	27
83	Is silent myocardial ischemia really as severe as symptomatic ischemia? The analytical effect of patient selection biases. <i>Circulation</i> , 1994 , 89, 1958-66	16.7	54
82	Silent myocardial ischemia: pathophysiology and perioperative management. 1994 , 31, 75-87		
81	Characteristics and prognostic importance of ST-segment elevation on Holter monitoring early after acute myocardial infarction. <i>American Journal of Cardiology</i> , 1995 , 76, 537-42	3	4
80	Left ventricular performance during exercise testing in patients with silent and symptomatic myocardial ischemia. <i>American Heart Journal</i> , 1995 , 129, 459-64	4.9	4
79	Intermittent transdermal nitrates do not improve ischemia in patients taking beta-blockers or calcium antagonists: potential role of rebound ischemia during the nitrate-free period. <i>Journal of the American College of Cardiology</i> , 1995 , 25, 349-55	15.1	30
78	Magnitude of myocardial dysfunction is greater in painful than in painless myocardial ischemia: an exercise echocardiographic study. <i>Journal of the American College of Cardiology</i> , 1995 , 25, 1507-12	15.1	30
77	Is silent ischemia painless because it is mild?. <i>Journal of the American College of Cardiology</i> , 1995 , 25, 1513-5	15.1	7
76	Susceptibility to pain during coronary angioplasty: usefulness of pulpal test. <i>Journal of the American College of Cardiology</i> , 1996 , 28, 903-9	15.1	12
75	Silent ischemia as a central problem: regional brain activation compared in silent and painful myocardial ischemia. <i>Annals of Internal Medicine</i> , 1996 , 124, 939-49	8	150
74	The concept of total ischaemic burden: clinical significance. <i>European Heart Journal</i> , 1996 , 17 Suppl G, 38-47	9.5	3
73	ECG-manifest and ECG-silent dipyridamole technetium-99m sestamibi SPET perfusion defects in patients with ischaemic heart disease. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 1997 , 24, 160-9		2
72	Predictors of postoperative myocardial ischaemia. The role of intercurrent arterial hypertension and other cardiovascular risk factors. <i>Anaesthesia</i> , 1997 , 52, 107-11	6.6	51
71	Mental status and pain perception during stressor tests in patients with coronary artery disease. <i>European Journal of Pain</i> , 1997 , 1, 173-83	3.7	2
70	Prognosis of "clandestine" myocardial ischemia, silent myocardial ischemia, and angina pectoris in medically treated patients. <i>American Journal of Cardiology</i> , 1998 , 82, 1333-8	3	6
69	Should only the squeaky wheel get the grease? The prognostic significance of silent ischemia detected by exercise treadmill testing. <i>American Heart Journal</i> , 1998 , 136, 759-61	4.9	3
68	Detection of myocardial ischemia with a computer-assisted 12-lead 24-hour ECG monitoring system (EAGLE) in patients with suspected unstable angina. <i>Japanese Circulation Journal</i> , 1998 , 62, 586-91		3
67	Myocardial Ischemia after Coronary Bypass: Comparison of Trimetazidine and Diltiazem. <i>Asian Cardiovascular and Thoracic Annals</i> , 1999 , 7, 84-89	0.6	4

66	Sleep-disordered breathing and myocardial ischemia in patients with coronary artery disease. <i>Chest</i> , 2000 , 117, 1597-602	5.3	114
65	[Myocardial ischemia in hypertensive patients]. <i>Medizinische Klinik</i> , 2001 , 96, 256-60		1
64	Peri-operative silent myocardial ischaemia and long-term adverse outcomes in non-cardiac surgical patients. <i>Anaesthesia</i> , 2001 , 56, 630-7	6.6	19
63	Angioplasty induced myocardial ischaemia prolongs the signal-averaged P-wave duration in single vessel coronary artery disease. <i>Europace</i> , 2002 , 4, 289-93	3.9	2
62	Exercise-induced symptomatic ischaemia predicts a poor long-term prognosis after acute myocardial infarction. <i>Journal of Internal Medicine</i> , 2002 , 251, 53-60	10.8	4
61	Observer variability and optimal criteria of transient ischemia during ST monitoring with continuous 12-lead ECG. <i>Annals of Noninvasive Electrocardiology</i> , 2002 , 7, 181-90	1.5	2
60	The importance of von Willebrand factor level and heart rate changes in acute coronary syndromes: a comparison with chronic ischemic conditions. <i>Angiology</i> , 2003 , 54, 287-99	2.1	6
59	Silent myocardial ischaemia and haemoglobin concentration: a randomized controlled trial of transfusion strategy in lower limb arthroplasty. <i>Vox Sanguinis</i> , 2006 , 90, 105-12	3.1	92
58	Long-term continuous external electrocardiographic recording: a review. <i>Europace</i> , 2006 , 8, 255-66	3.9	34
57	The Diagnostic Value of ST Segment Analysis in Ambulatory ECG Monitoring Evaluated Using BayesR Theorem in Patients Screened for Coronary Artery Disease. 2008 , 3, 131-138		1
56	Pharmacological Methods Instead of Exercise for the Assessment of Coronary Artery Disease. <i>Echocardiography</i> , 2008 , 8, 99-113	1.5	3
55	Non-Q Wave Myocardial Infarction, Non-ST Elevation Myocardial Infarction, Unstable Angina Pectoris, Myocardial Ischemia. 2008 , 205-220		
54	From ST-elevation myocardial infarction to ST elevation with no myocardial infarction--review and overview of a new horizon of computerized electrocardiographic ischemia detection using high-fidelity implantable devices. <i>Journal of Electrocardiology</i> , 2009 , 42, 487-93	1.4	4
53	Sequence of electrocardiographic and acoustic cardiographic changes and angina during coronary occlusion and reperfusion in patients undergoing percutaneous coronary intervention. <i>Annals of Noninvasive Electrocardiology</i> , 2009 , 14, 137-46	1.5	3
52	Silent myocardial ischemia. <i>Circulation Journal</i> , 2009 , 73, 785-97	2.9	51
51	Relationship between regional myocardial oxygenation and perfusion in patients with coronary artery disease: insights from cardiovascular magnetic resonance and positron emission tomography. <i>Circulation: Cardiovascular Imaging</i> , 2010 , 3, 32-40	3.9	78
50	Long-Term Preservation of Left Ventricular Systolic Function in Patients With Refractory Angina Pectoris and Inducible Myocardial Ischemia on Optimal Medical Therapy. <i>American Journal of Cardiology</i> , 2016 , 117, 1558-1561	3	2
49	Assessment of segmental myocardial blood flow and myocardial perfusion reserve by adenosine-stress myocardial arterial spin labeling perfusion imaging. <i>Journal of Magnetic Resonance Imaging</i> , 2017 , 46, 413-420	5.6	8

48	Calcium, Calcium Antagonists, Stunning, and Hibernation: An Overview. 1992 , 226-234		3
47	Evaluation of Anginal Syndromes Using Standard Clinical Procedures. 1985 , 91-114		1
46	Neuroimaging of Heart Pain. 2000 , 365-411		3
45	Ventricular Repolarization in Myocardial Ischemia and Myocardial Infarction: Theory and Practice. 2010 , 803-831		2
44	Symptomatic versus asymptomatic ischemic episodes during Holter monitoring: patterns of high resolution trend recordings of ST segment and heart rate. 1987 , 125-130		3
43	Hemodynamics of painless ischemia. 1987 , 147-151		4
42	Variability of myocardial ischemia in chronic stable angina. 1987 , 203-207		2
41	Evaluation and Treatment of the Asymptomatic Patient with a Positive Exercise Tolerance Test. <i>Cardiology Clinics</i> , 1986 , 4, 717-726	2.5	5
40	Potential for Real-Time Processing of the Continuously Monitored Electrocardiogram in the Detection, Quantitation, and Intervention of Silent Myocardial Ischemia. <i>Cardiology Clinics</i> , 1986 , 4, 735-745	2.5	29
39	Assessment of Risk for Cardiac and Noncardiac Surgical Procedures. <i>Anesthesiology Clinics</i> , 1991 , 9, 521-551		2
38	Preoperative Cardiovascular Monitoring. <i>Anesthesiology Clinics</i> , 1988 , 6, 683-698		2
37	New look to an old symptom: angina pectoris. <i>Circulation</i> , 1997 , 96, 3766-73	16.7	30
36	Medical Treatment of Coronary Artery Disease. 2000 , 267-286		
35	Myocardium in Jeopardy. <i>Developments in Cardiovascular Medicine</i> , 2001 , 119-144		
34	Anesthesia for Myocardial Revascularization. 2011 , 522-569		1
33	Ventricular Repolarization in Myocardial Ischemia and Myocardial Infarction: Theory and Practice. 2012 , 321-349		
32	Methods and Limits for the Detection of the Response of Coronary Circulation to Acute Stress. 1984 , 1048-1060		
31	Detection of Silent Myocardial Ischemia in Correlation to Hemodynamic and Metabolic Data. 1984 , 50-57		

- 30 Assessment of Coronary Artery Disease and Myocardial Ischemia by Invasive Methods. *Handbook of Experimental Pharmacology*, **1985**, 239-284 3.2 1
- 29 Herzkrankheiten. *Verhandlungen Der Deutschen Gesellschaft Fur Innere Medizin*, **1986**, 11-23
- 28 Regional wall motion disorders during exercise with and without angina. **1987**, 107-116
- 27 Importance of silent myocardial ischemia in therapy for unstable angina pectoris. **1987**, 193-202
- 26 Experimental approach to painful and painless ischemia. **1987**, 31-42
- 25 Variability in the Perception of Painful Stimuli in Patients with Silent Myocardial Ischemia. *International Bringer Mannheim Symposia*, **1987**, 270-284
- 24 Dedicated ST-segment monitoring in the CCU after successful coronary angioplasty: incidence and prognosis of silent and symptomatic ischemia. **1987**, 140-146 2
- 23 Silent myocardial ischemia in unstable angina: Prognostic considerations. **1987**, 56-61
- 22 Painful Stimuli from the Heart. *International Bringer Mannheim Symposia*, **1987**, 267-269
- 21 Identification of patients with silent myocardial ischemia by metabolic, scintigraphic and angiographic findings. **1987**, 91-95
- 20 The frequency, pathophysiology, and prognosis of exercise-induced silent ischemia. **1987**, 96-106 4
- 19 Stummer Myokardinfarkt Stumme Myokardischämie. **1988**, 125-136
- 18 Longitudinal (Natural History) Studies of Silent Myocardial Ischemia. *Developments in Cardiovascular Medicine*, **1988**, 117-130
- 17 Pathophysiology of Ischemia: Why are Some Episodes Silent?. *Developments in Cardiovascular Medicine*, **1988**, 7-15
- 16 Methods to Detect Ischemia Using Ambulatory (Holter) Electrocardiography. *Developments in Cardiovascular Medicine*, **1988**, 77-87
- 15 Abnormal Coronary Vasomotion in the Genesis of Transient Myocardial Ischemia. *Update in Intensive Care and Emergency Medicine*, **1988**, 37-47
- 14 Stummer Myokardinfarkt Stumme Myokardischämie. **1989**, 126-138
- 13 Zusammenfassung. **1990**, 86-92

- 12 Silent Myocardial Ischemia and Prognosis in Patients with Unstable Angina. **1990**, 166-174
- 11 The Role of Coronary Vasomotion in the Pathophysiology of Unstable Angina. **1990**, 139-149
- 10 The Patient for Coronary Artery Bypass Surgery. **1991**, 258-276
- 9 Acute Coronary Syndromes: Focus on Unstable Angina. *Developments in Cardiovascular Medicine*, **1994**, 253-277
- 8 Sustained Diastolic Dysfunction Following Severe Exercise-Induced Ischemia in Patients with Coronary Disease. **1994**, 289-294
- 7 Definition, Klinik und Diagnostik. **1995**, 13-29
- 6 Mechanism of Anginal Pain: The Key Role of Adenosine. **1995**, 315-325 2
- 5 Functional Neuroimaging of Angina Pectoris. *Developments in Cardiovascular Medicine*, **1998**, 137-161
- 4 Silent Myocardial Ischemia. *Developments in Cardiovascular Medicine*, **1999**, 102-113
- 3 Pain and the heart: discussion paper. *Journal of the Royal Society of Medicine*, **1988**, 81, 100-2 2,3
- 2 Mechanisms of painless myocardial ischaemia. *Journal of the Royal College of Physicians of London*, **1991**, 25, 102-4
- 1 Hyperventilation and angina pectoris. *Journal of the Royal College of Physicians of London*, **1987**, 21, 46-50 7