

Silent myocardial ischemia during ambulatory electrocardiography in patients with effort angina

Journal of the American College of Cardiology
1, 934-939

DOI: [10.1016/s0735-1097\(83\)80213-7](https://doi.org/10.1016/s0735-1097(83)80213-7)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Detection of Transient Ischemic Episodes by Ambulatory ECG Recordings. <i>Cardiology Clinics</i> , 1984, 2, 441-448.	0.9	3
2	Functional and anatomic correlates of markedly abnormal stress tests. <i>Journal of the American College of Cardiology</i> , 1984, 3, 1375-1381.	1.2	14
3	ROLE OF HEART RATE IN PATHOPHYSIOLOGY OF CHRONIC STABLE ANGINA. <i>Lancet, The</i> , 1984, 324, 1353-1357.	6.3	98
4	Naloxone and asymptomatic ischemia: Failure to induce angina during exercise testing. <i>American Journal of Cardiology</i> , 1984, 54, 982-984.	0.7	72
5	Left ventricular function in patients with coronary heart disease in the presence or absence of angina pectoris during exercise radionuclide ventriculography. <i>American Journal of Cardiology</i> , 1984, 53, 1239-1243.	0.7	43
6	How important is a history of chest pain in determining the degree of ischaemia in patients with angina pectoris?. <i>Heart</i> , 1985, 54, 22-26.	1.2	57
7	Dual carbon-labeled isotope experiments using D-[6-14C] glucose and L-[1,2,3-13C3] lactate: A new approach for investigating human myocardial metabolism during ischemia. <i>Journal of the American College of Cardiology</i> , 1985, 5, 1138-1146.	1.2	63
8	Silent myocardial ischemia: Hemodynamic changes during dynamic exercise in patients with proven coronary artery disease despite absence of angina pectoris. <i>Journal of the American College of Cardiology</i> , 1985, 6, 275-284.	1.2	97
9	Serial exercise testing in patients with effort angina: Variable tolerance, fixed threshold. <i>Journal of the American College of Cardiology</i> , 1985, 6, 1011-1015.	1.2	52
10	Holter recording during treadmill testing in assessing myocardial ischemic changes. <i>American Journal of Cardiology</i> , 1985, 55, 1200-1203.	0.7	101
11	Problems associated with clinical evaluation of antianginal medications. <i>American Journal of Cardiology</i> , 1985, 56, 114-118.	0.7	13
12	Activity of transient myocardial ischemia out of hospital in coronary artery disease and implications for management. <i>American Journal of Cardiology</i> , 1985, 56, 119-122.	0.7	1
13	Mechanisms and therapy of silent myocardial ischemia and the effect of transdermal nitroglycerin. <i>American Journal of Cardiology</i> , 1985, 56, 123-127.	0.7	37
14	Silent myocardial ischemia as a manifestation of asymptomatic coronary artery disease: What is appropriate therapy?. <i>American Journal of Cardiology</i> , 1985, 56, D28-D34.	0.7	18
15	Silent myocardial ischemia: Classification, prevalence, and prognosis. <i>American Journal of Medicine</i> , 1985, 79, 2-6.	0.6	89
16	Mixed ischemic subsets: Comparison of the mechanisms of silent ischemia and mixed angina. <i>American Journal of Medicine</i> , 1985, 79, 25-29.	0.6	28
17	The role of transdermal nitroglycerin in the treatment of coronary heart disease. <i>American Heart Journal</i> , 1986, 112, 197-207.	1.2	17
18	Mechanisms and therapy of silent myocardial ischemia: The effect of transdermal nitroglycerin. <i>American Heart Journal</i> , 1986, 112, 222-229.	1.2	39

#	ARTICLE	IF	CITATIONS
19	Role of beta-endorphins in silent myocardial ischemia. American Journal of Cardiology, 1986, 58, 428-430.	0.7	41
20	Transient myocardial ischemia during daily life in patients with syndrome X. American Journal of Cardiology, 1986, 58, 1242-1247.	0.7	129
21	Active transient myocardial ischemia during daily life in asymptomatic patients with positive exercise tests and coronary artery disease. American Journal of Cardiology, 1986, 57, 1010-1016.	0.7	107
22	Noninvasive detection of coronary artery patency using continuous ST-segment monitoring. American Journal of Cardiology, 1986, 57, 916-922.	0.7	219
23	Effect of beta blockade on silent regional left ventricular wall motion abnormalities. American Journal of Cardiology, 1986, 57, 521-526.	0.7	24
24	Silent myocardial ischemia: dimensions of the problem in patients with and without angina. American Journal of Medicine, 1986, 80, 3-8.	0.6	40
25	Factors determining the activity of ischemic heart disease. American Journal of Medicine, 1986, 80, 9-17.	0.6	9
26	Assessing the total ischemic burden in the management of unstable angina: A review. American Journal of Medicine, 1986, 81, 7-11.	0.6	70
27	Silent myocardial ischemia: Clinical characteristics, underlying mechanisms, and implications for treatment. American Journal of Medicine, 1986, 81, 12-19.	0.6	15
28	Newer Concepts in the Pathogenesis of Myocardial Ischaemia. Drugs, 1986, 32, 1-14.	4.9	11
29	Myocardial Ischemia and Chest Pain: A Misunderstood and Oversimplified Relationship?. Cardiology Clinics, 1986, 4, 621-625.	0.9	8
30	Silent Myocardial Ischemia During Daily Activities: Studies in Asymptomatic Patients and Those with Various Forms of Angina. Cardiology Clinics, 1986, 4, 635-642.	0.9	15
31	Silent Myocardial Ischemia: Definition, Magnitude, and Scope of the Problem. Cardiology Clinics, 1986, 4, 577-581.	0.9	33
32	Detection of Silent Myocardial Ischemia in Patients with Angina Using Continuous Electrocardiographic Monitoring. Cardiology Clinics, 1986, 4, 627-633.	0.9	9
33	Treatment of Silent Myocardial Ischemia with Transdermal Nitroglycerin Added to Beta-Blockers and Alprazolam. Cardiology Clinics, 1986, 4, 697-704.	0.9	13
34	Development and Validation of Ambulatory Monitoring to Characterize Ischemic Heart Disease Out of Hospital. Cardiology Clinics, 1986, 4, 659-668.	0.9	7
35	Clinical patterns of angina pectoris. Postgraduate Medicine, 1986, 80, 148-166.	0.9	2
36	Silent Myocardial Ischemia. Chest, 1986, 90, 597-600.	0.4	6

#	ARTICLE	IF	CITATIONS
37	Ambulatory ECG monitoring. <i>Postgraduate Medicine</i> , 1986, 79, 141-147.	0.9	2
38	Hemodynamic and electrocardiographic correlates of symptomatic and silent myocardial ischemia: Pathophysiologic and therapeutic implications. <i>American Journal of Cardiology</i> , 1986, 58, B3-B10.	0.7	39
39	Clinical and research applications of ambulatory Holter ST-segment and heart rate monitoring. <i>American Journal of Cardiology</i> , 1986, 58, B11-B20.	0.7	33
40	Character of transient ischemia in angina pectoris. <i>American Journal of Cardiology</i> , 1986, 58, B21-B25.	0.7	46
41	Symptomatic and silent myocardial ischemia during exercise testing in coronary artery disease. <i>American Journal of Cardiology</i> , 1986, 58, B43-B46.	0.7	36
42	Myocardial ischemia during daily activities and stress. <i>American Journal of Cardiology</i> , 1986, 58, B47-B50.	0.7	77
43	Silent Ischemia as a Marker for Early Unfavorable Outcomes in Patients with Unstable Angina. <i>New England Journal of Medicine</i> , 1986, 314, 1214-1219.	13.9	701
44	The haemodynamic significance of asymptomatic ST segment depression assessed by ambulatory pulmonary artery pressure monitoring.. <i>Heart</i> , 1986, 56, 526-530.	1.2	62
45	Regional perfusion, glucose metabolism, and wall motion in patients with chronic electrocardiographic Q wave infarctions: evidence for persistence of viable tissue in some infarct regions by positron emission tomography.. <i>Circulation</i> , 1986, 73, 951-963.	1.6	282
46	Enhanced peripheral vasoconstrictor response and increased thromboxane A2 synthesis after the cold pressor test in patients with angina at rest.. <i>Circulation</i> , 1986, 73, 409-417.	1.6	22
47	Features of the exercise test that reflect the activity of ischemic heart disease out of hospital.. <i>Circulation</i> , 1986, 74, 72-80.	1.6	122
48	Asymptomatic Ischemia in Patients With Coronary Artery Disease. <i>JAMA - Journal of the American Medical Association</i> , 1987, 257, 1923.	3.8	23
49	Medical treatment of patients with severe exertional and rest angina: double blind comparison of beta blocker, calcium antagonist, and nitrate.. <i>Heart</i> , 1987, 57, 505-511.	1.2	84
50	Emotional State and Coronary Artery Disease: a Literature Review. <i>Holistic Medicine</i> , 1987, 2, 145-154.	0.1	1
51	Circadian variation of transient myocardial ischemia in patients with coronary artery disease.. <i>Circulation</i> , 1987, 75, 395-400.	1.6	539
53	Silent Myocardial Ischemia: Pathophysiology and Clinical Recognition. <i>Pharmacotherapy</i> , 1987, 7, 56S-61S.	1.2	0
54	What is the meaning of angina pectoris today?. <i>American Heart Journal</i> , 1987, 114, 1542-1546.	1.2	10
55	Psychological stress and silent myocardial ischemia. <i>American Heart Journal</i> , 1987, 114, 477-482.	1.2	106

#	ARTICLE	IF	CITATIONS
56	Silent myocardial ischemia. I. Pathophysiology, frequency of occurrence, and approaches toward detection. <i>American Heart Journal</i> , 1987, 114, 615-626.	1.2	86
57	Silent ischemia during coronary occlusion produced by balloon inflation: Relation to regional myocardial dysfunction. <i>Journal of the American College of Cardiology</i> , 1987, 10, 491-498.	1.2	78
58	Abolition of holter monitor-detected silent myocardial ischemia after percutaneous transluminal coronary angioplasty. <i>Journal of the American College of Cardiology</i> , 1987, 10, 499-503.	1.2	31
59	Role of coronary artery spasm in symptomatic and silent myocardial ischemia. <i>Journal of the American College of Cardiology</i> , 1987, 9, 249-262.	1.2	146
60	Vasoconstrictor activity of coronary sinus plasma from patients with coronary artery disease. <i>Journal of the American College of Cardiology</i> , 1987, 9, 1243-1249.	1.2	57
61	Silent myocardial ischemia perspectives. <i>Current Problems in Cardiology</i> , 1987, 12, 513-566.	1.1	8
62	Calcium antagonists for Prinzmetal's variant angina, unstable angina and silent myocardial ischemia: Therapeutic tool and probe for identification of pathophysiologic mechanisms. <i>American Journal of Cardiology</i> , 1987, 59, B101-B115.	0.7	44
63	Effects of titrated beta blockade (metoprolol) on silent myocardial ischemia in ambulatory patients with coronary artery disease. <i>American Journal of Cardiology</i> , 1987, 60, 519-524.	0.7	147
64	Role of nitrates in silent myocardial ischemia. <i>American Journal of Cardiology</i> , 1987, 60, H18-H25.	0.7	14
65	Association between silent myocardial ischemia and prognosis: Insensitivity of angina pectoris as a marker of coronary artery disease activity. <i>American Journal of Cardiology</i> , 1987, 60, J33-J38.	0.7	10
66	Ambulatory heart rate and ST-segment depression during painful and silent myocardial ischemia in chronic stable angina pectoris. <i>American Journal of Cardiology</i> , 1987, 59, 1029-1034.	0.7	58
67	Prognostic implications of symptomatic versus asymptomatic (silent) myocardial ischemia induced by exercise in mildly symptomatic and in asymptomatic patients with angiographically documented coronary artery disease. <i>American Journal of Cardiology</i> , 1987, 60, 778-783.	0.7	96
68	Holter monitoring before, during and after percutaneous transluminal coronary angioplasty for evaluation of high-resolution trend recordings of leads CM5 and CC5 for ST-segment analysis. <i>American Journal of Cardiology</i> , 1987, 60, 796-800.	0.7	38
69	Comparison of amplitude-modulated (direct) and frequency-modulated ambulatory techniques for recording ischemic electrocardiographic changes. <i>American Journal of Cardiology</i> , 1987, 60, 895-900.	0.7	31
70	Significance of silent myocardial ischemia during exercise testing in patients with coronary artery disease. <i>American Journal of Cardiology</i> , 1987, 59, 725-729.	0.7	211
71	An angiographic and functional comparison of patients with silent and symptomatic treadmill ischemia early after myocardial infarction. <i>American Journal of Cardiology</i> , 1987, 59, 730-734.	0.7	65
72	Demonstration of exercise-induced painless myocardial ischemia in survivors of out-of-hospital ventricular fibrillation. <i>American Journal of Cardiology</i> , 1987, 59, 740-745.	0.7	98
73	Silent myocardial ischemia, arrhythmias and sudden death: Are they related?. <i>American Journal of Cardiology</i> , 1987, 59, 919-920.	0.7	9

#	ARTICLE	IF	CITATIONS
74	Therapeutic implications of silent myocardial ischemia during daily activity. American Journal of Cardiology, 1987, 59, 993-995.	0.7	12
75	Incidence of acute myocardial infarction in patients with exercise-induced silent myocardial ischemia. American Journal of Cardiology, 1987, 59, 497-500.	0.7	86
76	Frequency of ST-segment depression produced by mental stress in stable angina pectoris from coronary artery disease. American Journal of Cardiology, 1988, 61, 989-993.	0.7	129
77	Risk of developing an acute myocardial infarction or sudden coronary death in patients with exercise-induced silent myocardial ischemia. A report from the coronary artery surgery study (CASS) registry. American Journal of Cardiology, 1988, 62, 1155-1158.	0.7	86
78	Effect of nifedipine on out-of-hospital silent myocardial ischemia in asymptomatic men with coronary artery disease. American Journal of Cardiology, 1988, 61, 908-910.	0.7	20
79	Survival with painless strongly positive exercise electrocardiogram. American Journal of Cardiology, 1988, 62, 892-895.	0.7	40
80	Transient myocardial ischemia after abrupt withdrawal of antianginal therapy in chronic stable angina. American Journal of Cardiology, 1988, 61, 1219-1222.	0.7	37
81	Characteristics of silent and symptomatic myocardial ischemia during daily activities. American Journal of Cardiology, 1988, 61, 1223-1228.	0.7	60
82	Prognostic significance of ischemic episodes in patients with previous myocardial infarction. American Journal of Cardiology, 1988, 62, 661-664.	0.7	262
83	Relation of silent myocardial ischemia to ventricular arrhythmias and sudden death. American Journal of Cardiology, 1988, 62, 124-127.	0.7	24
84	Quantitation of transient myocardial ischemia by digital, ambulatory electrocardiography. American Journal of Cardiology, 1988, 61, 13-17.	0.7	31
85	Randomized double-blind comparison of metoprolol, nifedipine, and their combination in chronic stable angina: Effects on total ischemic activity and heart rate at onset of ischemia. American Heart Journal, 1988, 116, 971-978.	1.2	51
86	Silent myocardial ischemia in asymptomatic survivors of unrecognized myocardial infarction and matched controls. American Heart Journal, 1988, 116, 1488-1492.	1.2	6
87	Current concepts in unstable myocardial ischemia. American Heart Journal, 1988, 115, 850-861.	1.2	35
88	Silent Ischemia on Holter Monitoring Predicts Mortality in High-Risk Postinfarction Patients. JAMA - Journal of the American Medical Association, 1988, 259, 1030.	3.8	238
89	Mental Stress and the Induction of Silent Myocardial Ischemia in Patients with Coronary Artery Disease. New England Journal of Medicine, 1988, 318, 1005-1012.	13.9	737
90	Continuous Monitoring of Left Ventricular Function by an Ambulatory Radionuclide Detector in Patients With Coronary Artery Disease. Journal of the American College of Cardiology, 1988, 12, 669-679.	1.2	82
91	Correlation between beta-endorphin plasma levels and anginal symptoms in patients with coronary artery disease. Journal of the American College of Cardiology, 1988, 11, 719-723.	1.2	58

#	ARTICLE	IF	CITATIONS
92	Dental pain threshold and angina pectoris in patients with coronary artery disease. Journal of the American College of Cardiology, 1988, 12, 348-352.	1.2	63
93	Severity of silent myocardial ischemia on ambulatory electrocardiographic monitoring in patients with stable angina pectoris: Relation to prognostic determinants during exercise stress testing and coronary angiography. Journal of the American College of Cardiology, 1988, 12, 1169-1176.	1.2	56
94	CIRCADIAN VARIATION OF TOTAL ISCHAEMIC BURDEN AND ITS ALTERATION WITH ANTI-ANGINAL AGENTS. Lancet, The, 1988, 332, 755-759.	6.3	297
95	Diltiazem, nifedipine, and their combination in patients with stable angina pectoris: effects on angina, exercise tolerance, and the ambulatory electrocardiographic ST segment.. Circulation, 1988, 77, 774-786.	1.6	109
96	The ST segment of the ambulatory electrocardiogram in a normal population.. Heart, 1988, 60, 4-16.	1.2	37
97	Silent myocardial ischaemia in Holter monitoring and exercise stress testing after a first myocardial infarction. European Heart Journal, 1988, 9, 114-118.	1.0	8
98	Myocardial Ischemia – Silent or Symptomatic. New England Journal of Medicine, 1988, 318, 1038-1043.	13.9	129
99	Silent myocardial ischaemia in chronic stable angina: a study of its frequency and characteristics in 150 patients.. Heart, 1988, 60, 417-423.	1.2	102
100	Silent ischaemia: clinical implications in 1988.. Heart, 1988, 60, 363-366.	1.2	7
101	Prognostic importance of myocardial ischemia detected by ambulatory monitoring in patients with stable coronary artery disease.. Circulation, 1988, 78, 877-884.	1.6	306
102	Silent Myocardial Ischemia. Annals of Internal Medicine, 1988, 109, 312.	2.0	149
103	Silent ischaemia in post-myocardial infarction patients submitted to physical training. European Heart Journal, 1988, 9, 22-27.	1.0	3
104	ST segment monitoring before, three weeks and six months after aortocoronary bypass surgery. European Heart Journal, 1988, 9, 169-175.	1.0	22
105	Characteristics of transient ischaemic episodes in patients with silent and symptomatic exercise-induced myocardial ischaemia. European Heart Journal, 1988, 9, 1081-1087.	1.0	10
106	Silent myocardial ischaemia.. BMJ: British Medical Journal, 1988, 297, 751-752.	2.4	11
107	Silent Myocardial Ischemia: An Update. Medical Clinics of North America, 1988, 72, 1033-1054.	1.1	4
108	Silent myocardial ischemia. Postgraduate Medicine, 1988, 83, 40-49.	0.9	8
109	The Degree of Left Ventricular Dysfunction in Silent Myocardial Ischemia. American Journal of Noninvasive Cardiology, 1988, 2, 255-258.	0.1	1

#	ARTICLE	IF	CITATIONS
110	Prognostic implications of transient "predominantly silent" ischaemia in patients with unstable angina pectoris. <i>European Heart Journal</i> , 1988, 9, 435-440.	1.0	55
111	Angina and Exertional Myocardial Ischemia in Diabetic and Nondiabetic Patients: Assessment by Exercise Thallium Scintigraphy. <i>Annals of Internal Medicine</i> , 1988, 108, 170.	2.0	215
113	Evaluation of a new antianginal agent, nipradilol, in effort angina using holter monitoring.. <i>International Heart Journal</i> , 1988, 29, 309-317.	0.6	6
114	Characteristics of symptomatic and asymptomatic myocardial ischemia during ambulatory electrocardiographic monitoring in patients with angina pectoris.. <i>International Heart Journal</i> , 1989, 30, 151-162.	0.6	2
115	Suppression of silent ischemia by metoprolol without alteration of morning increase of platelet aggregability in patients with stable coronary artery disease.. <i>Circulation</i> , 1989, 79, 557-565.	1.6	122
116	Silent myocardial ischaemia in patients referred for coronary bypass surgery because of angina: a comparison with patients whose symptoms were well controlled on medical treatment.. <i>Heart</i> , 1989, 61, 496-501.	1.2	20
117	Sudden Cardiac Death without Warning. <i>New England Journal of Medicine</i> , 1989, 321, 320-324.	13.9	101
118	Elevated pain threshold in patients with effort-induced angina pectoris and asymptomatic myocardial ischemia during exercise test. <i>Clinical Cardiology</i> , 1989, 12, 639-642.	0.7	19
119	Comparison of mortality and myocardial infarction rates in stable angina pectoris with and without ischemic episodes during daily activities. <i>American Journal of Cardiology</i> , 1989, 63, 273-276.	0.7	96
120	Prognostic significance of silent myocardial ischemia detected by early treadmill exercise after coronary angioplasty. <i>American Journal of Cardiology</i> , 1989, 64, 1-5.	0.7	42
121	A comparison of amplitude-modulated and frequency-modulated ambulatory monitoring systems. <i>American Journal of Cardiology</i> , 1989, 64, 76-80.	0.7	4
122	Frequency and significance of early postoperative silent myocardial ischemia in patients having peripheral vascular surgery. <i>American Journal of Cardiology</i> , 1989, 64, 1113-1116.	0.7	104
123	Estimation of jeopardized left ventricular myocardium in symptomatic and silent ischemia as determined by iodine-123 phenylpentadecanoic acid rotational tomography. <i>American Journal of Cardiology</i> , 1989, 63, 540-544.	0.7	17
124	Painless versus painful myocardial ischemia: different left ventricular dysfunction detected by echocardiography. <i>International Journal of Cardiology</i> , 1989, 22, 321-327.	0.8	6
125	Transient left ventricular dysfunction during provocative mental stress in patients with coronary artery disease. <i>American Heart Journal</i> , 1989, 118, 1-8.	1.2	86
126	Myocardial ischemia in patients awaiting coronary artery bypass grafting. <i>American Heart Journal</i> , 1989, 117, 1189-1195.	1.2	29
127	Ambulatory (Holter) electrocardiography and myocardial ischemia. <i>American Heart Journal</i> , 1989, 117, 164-176.	1.2	42
128	Circadian patterns of myocardial ischemia. <i>American Heart Journal</i> , 1989, 118, 1084-1087.	1.2	28

#	ARTICLE	IF	CITATIONS
129	Silent myocardial ischemia. American Heart Journal, 1989, 118, 1087-1092.	1.2	16
130	Silent myocardial ischemia. American Journal of Medicine, 1989, 86, 9-13.	0.6	11
131	The role of silent ischemia, the arrhythmic substrate and the short-long sequence in the genesis of sudden cardiac death. Journal of the American College of Cardiology, 1989, 14, 1618-1625.	1.2	82
132	ST segment shift in unstable angina: pathophysiology and association with coronary anatomy and hospital outcome. Journal of the American College of Cardiology, 1989, 13, 1495-1502.	1.2	203
133	Ischemia in the ambulatory setting—The total ischemic burden: Relation to exercise testing and investigative and therapeutic implications. Journal of the American College of Cardiology, 1989, 14, 1166-1172.	1.2	72
134	What causes silent myocardial ischemia?. Postgraduate Medicine, 1989, 86, 62-75.	0.9	2
135	Myocardial perfusion in silent myocardial ischemia: Investigation by exercise stress myocardial tomography with thallium-201.. Japanese Circulation Journal, 1989, 53, 1427-1436.	1.0	1
136	Clinical significance and management of silent myocardial ischemia in patients with angina pectoris and myocardial infarction.. Japanese Circulation Journal, 1989, 53, 1444-1451.	1.0	3
137	Assessment of silent and symptomatic ischemia in daily activity by an ambulatory ventricular function monitor.. Japanese Circulation Journal, 1989, 53, 1458-1465.	1.0	3
138	Clinical significance of symptomatic and silent myocardial ischemia during exercise test in patients with effort angina pectoris. Investigation of hemodynamic responses during supine ergometer exercise test.. Japanese Circulation Journal, 1989, 53, 387-394.	1.0	1
139	Transient myocardial ischaemia: A multivariate analysis on clinical, angiographic and ergometric variables. European Heart Journal, 1990, 11, 156-161.	1.0	4
140	Combination of ambulatory electrocardiographic monitoring and psychological testing in coronary artery disease patients.. Japanese Journal of Medicine, 1990, 29, 384-390.	0.1	0
141	Triggers of transient myocardial ischemia: Circadian variation and relation to plaque rupture and coronary thrombosis in stable coronary artery disease. American Journal of Cardiology, 1990, 66, G32-G36.	0.7	20
142	Temporal relation between left ventricular dysfunction and chest pain in coronary artery disease during activities of daily living. American Journal of Cardiology, 1990, 66, 1455-1458.	0.7	17
143	Efficacy of slow-release nifedipine on ischemic attacks in patients with variant angina. Cardiovascular Drugs and Therapy, 1990, 4, 915-918.	1.3	2
144	A new semiautomated algorithm to quantify holter-detected myocardial ischemia: Preliminary experience in the trimetazidine european multicenter trial (TEMS). Cardiovascular Drugs and Therapy, 1990, 4, 841-846.	1.3	6
145	Functional and Anatomic Correlates of Asymptomatic and Symptomatic Stress Responses in Patients Free from Prior Infarction. American Journal of Noninvasive Cardiology, 1990, 4, 282-289.	0.1	0
146	Myocardial Ischemia Caused by Distal Coronary-Artery Constriction in Stable Angina Pectoris. New England Journal of Medicine, 1990, 323, 514-520.	13.9	147

#	ARTICLE	IF	CITATIONS
147	Unraveling the mechanisms of ambulatory ischemia. How and why.. Circulation, 1990, 82, 1528-1530.	1.6	11
148	Comparison of propranolol, diltiazem, and nifedipine in the treatment of ambulatory ischemia in patients with stable angina. Differential effects on ambulatory ischemia, exercise performance, and anginal symptoms. The ASIS Study Group.. Circulation, 1990, 82, 1962-1972.	1.6	163
149	ECG record during changes in oesophageal pH.. Gut, 1990, 31, 127-128.	6.1	10
150	Esophageal Contribution to Chest Pain in Patients with Coronary Artery Disease. Chest, 1990, 98, 806-810.	0.4	54
151	Pathophysiology of silent myocardial ischemia during daily life. Hemodynamic evaluation by simultaneous electrocardiographic and blood pressure monitoring.. Circulation, 1990, 82, 1296-1304.	1.6	211
152	Routine Monitoring of Critically Ill Patients. Journal of Intensive Care Medicine, 1990, 5, 153-174.	1.3	3
153	Computer-Assisted Analysis of Holter Recordings. Annals of the New York Academy of Sciences, 1990, 601, 353-369.	1.8	11
154	Silent myocardial ischaemia: characteristics and management. International Journal of Cardiology, 1990, 26, 5-13.	0.8	3
155	Exercise-induced silent myocardial ischemia: Evaluation by thallium-201 emission computed tomography. American Heart Journal, 1990, 119, 557-567.	1.2	27
156	Exertional myocardial ischemia in diabetes: A quantitative analysis of anginal perceptual threshold and the influence of autonomic function. Journal of the American College of Cardiology, 1990, 15, 72-77.	1.2	131
157	Death in atherosclerotic plaque coronary artery disease: Lessons learned at necropsy. Journal of the American College of Cardiology, 1990, 15, 204-205.	1.2	0
158	ST analysis of Holter tapes. Journal of Electrocardiology, 1991, 24, 68-71.	0.4	3
159	The threshold for myocardial ischemia varies in patients with coronary artery disease depending on the exercise protocol. Journal of the American College of Cardiology, 1991, 17, 1256-1262.	1.2	27
161	Silent Myocardial Ischaemia. Drugs, 1991, 41, 825-831.	4.9	3
162	The perception of angina in diabetes: Relation to somatic pain threshold and autonomic function. American Heart Journal, 1991, 121, 1649-1654.	1.2	32
163	Exercise-induced myocardial dysfunction in patients with coronary artery disease with and without angina. American Heart Journal, 1991, 121, 1403-1408.	1.2	20
164	Myocardial ischemia during daily activities: The importance of increased myocardial oxygen demand. Journal of the American College of Cardiology, 1991, 18, 405-412.	1.2	41
165	Perioperative myocardial ischemia in patients undergoing noncardiac surgery: Incidence and severity during the 4 Day perioperative period. Journal of the American College of Cardiology, 1991, 17, 843-850.	1.2	353

#	ARTICLE	IF	CITATIONS
166	Therapeutic implications of dynamic coronary stenosis in patients with single vessel coronary artery disease. <i>European Heart Journal</i> , 1991, 12, 514-519.	1.0	5
167	Transient ischaemia after acute myocardial infarction: relationship to exercise ischaemia. <i>European Heart Journal</i> , 1991, 12, 395-400.	1.0	15
168	Prevalence and prognostic significance of silent myocardial ischaemia detected by exercise test and continuous ECG monitoring after acute myocardial infarction. <i>European Heart Journal</i> , 1991, 12, 186-193.	1.0	44
169	Biobehavioral factors in sudden cardiac death.. <i>Psychological Bulletin</i> , 1991, 109, 42-75.	5.5	178
170	Efficacy of slow-release nifedipine on myocardial ischemic episodes in variant angina pectoris. <i>American Journal of Cardiology</i> , 1991, 68, 580-584.	0.7	13
171	Transient Myocardial Ischemia During Holter Registration Before and After Coronary Angioplasty. <i>Angiology</i> , 1991, 42, 429-440.	0.8	3
172	Effect of diltiazem on symptomatic and asymptomatic episodes of ST segment depression occurring during daily life and during exercise.. <i>Circulation</i> , 1991, 84, 15-22.	1.6	40
173	Value of ambulatory ST segment monitoring in patients with chronic stable angina: does measurement of the "total ischaemic burden" assist with management?. <i>Heart</i> , 1992, 67, 47-52.	1.2	22
174	Effect of exercise training on the total ischaemic burden: an assessment by 24 hour ambulatory electrocardiographic monitoring. <i>Heart</i> , 1992, 68, 560-566.	1.2	35
175	Life-Threatening Ventricular Arrhythmias in Patients with Silent Myocardial Ischemia Due to Coronary Artery Spasm. <i>New England Journal of Medicine</i> , 1992, 326, 1451-1455.	13.9	369
176	Prognostic significance of silent exertional myocardial ischaemia in symptomatic men without previous myocardial infarction. <i>European Heart Journal</i> , 1992, 13, 183-187.	1.0	14
177	Diagnostic and prognostic importance of ST recording after an episode of unstable angina or non-Q-wave myocardial infarction. <i>European Heart Journal</i> , 1992, 13, 207-212.	1.0	25
178	Prevalence of silent myocardial ischaemia during exercise stress testing. Its relation to effort tolerance and myocardial perfusion abnormalities. <i>European Heart Journal</i> , 1992, 13, 947-951.	1.0	2
179	Prevention of serious cardiac events by low-dose aspirin in patients with silent myocardial ischaemia. <i>Lancet, The</i> , 1992, 340, 497-501.	6.3	74
180	Unstable angina: Role of silent ischemia and total ischemic time (silent plus painful ischemia), a 6-year follow-up. <i>Journal of the American College of Cardiology</i> , 1992, 19, 1173-1179.	1.2	38
181	Effects of coronary artery bypass surgery and angioplasty on the total ischemic burden: A study of exercise testing and ambulatory ST segment monitoring. <i>American Heart Journal</i> , 1992, 123, 597-603.	1.2	16
182	Comparison of ST depression recorded by Holter monitors and 12-lead ECGs during coronary angiography and exercise testing. <i>Journal of Electrocardiology</i> , 1992, 25, 323-331.	0.4	10
183	Ambulatory Electrocardiography Evaluation of Asymptomatic, Unstable, and Stable Coronary Artery Disease Patients for Myocardial Ischemia. <i>Cardiology Clinics</i> , 1992, 10, 417-430.	0.9	4

#	ARTICLE	IF	CITATIONS
184	Complementary Role of Ambulatory Electrocardiographic Monitoring and Exercise Testing in Evaluation of Myocardial Ischemia. <i>Cardiology Clinics</i> , 1992, 10, 461-466.	0.9	1
185	Can we really justify the treatment of silent ischemia in 1992? No!. <i>Cardiovascular Drugs and Therapy</i> , 1992, 6, 125-129.	1.3	7
186	Role of myocardial oxygen demand in the pathogenesis of silent ischemia during daily life. <i>American Journal of Cardiology</i> , 1992, 70, F19-F24.	0.7	15
187	Comparison of painful and painless left ventricular dysfunction recorded during ambulatory ventricular function monitoring in angina pectoris secondary to coronary artery disease. <i>American Journal of Cardiology</i> , 1992, 70, 1555-1558.	0.7	7
188	Daily life ischemia and nitrate therapy. <i>American Journal of Cardiology</i> , 1992, 70, B54-B63.	0.7	7
189	Silent myocardial ischemia in men with systemic hypertension and without clinical evidence of coronary artery disease. <i>American Journal of Cardiology</i> , 1992, 70, 86-90.	0.7	22
190	Prognosis for patients with initially suspected acute myocardial infarction in relation to presence of chest pain. <i>Clinical Cardiology</i> , 1992, 15, 570-576.	0.7	18
191	Therapeutic implications of ischemia in the ambulatory setting. <i>Progress in Cardiovascular Diseases</i> , 1992, 34, 413-428.	1.6	6
192	Epidemiology of silent myocardial ischemia in asymptomatic middle-aged men (the ECCIS Project). <i>American Journal of Cardiology</i> , 1993, 72, 1383-1388.	0.7	49
193	Assessment of early post-infarction ischemia: Correlation between ambulatory electrocardiographic monitoring and exercise treadmill testing. <i>American Journal of Medicine</i> , 1993, 95, 371-376.	0.6	1
194	Prevalence and functional significance of transient ST-segment depression during daily life activity: Comparisons of ambulatory ECG with stress redistribution thallium 201 single-photon emission computed tomographic imaging. <i>American Heart Journal</i> , 1993, 125, 1247-1257.	1.2	9
195	Role of behavioral and psychological factors in mental stress-induced silent left ventricular dysfunction in coronary artery disease. <i>Journal of the American College of Cardiology</i> , 1993, 22, 440-448.	1.2	174
196	Effects of intravenous theophylline on exercise-induced myocardial ischemia. I. Impact on the ischemic threshold. <i>Journal of the American College of Cardiology</i> , 1993, 21, 1075-1079.	1.2	15
197	Beta-endorphins during coronary angioplasty in patients with silent or symptomatic myocardial ischemia. <i>Journal of the American College of Cardiology</i> , 1993, 22, 1614-1620.	1.2	39
198	Exercise-induced Silent Myocardial Ischemia in Single Vessel Coronary Artery Disease Associated with Q Wave Infarction. <i>Chest</i> , 1993, 103, 1074-1079.	0.4	1
199	Silent ischemia in unstable angina is related to an altered cardiac norepinephrine handling.. <i>Circulation</i> , 1993, 87, 1928-1937.	1.6	38
200	Usefulness of exercise testing performed with vasodilators for predicting the severity of myocardial ischaemia during daily activities and treatment. <i>European Heart Journal</i> , 1993, 14, 380-387.	1.0	4
201	Concept of the Total Ischemic Burden: Pathophysiology and Detection. , 1993, , 93-100.		0

#	ARTICLE	IF	CITATIONS
202	Mental stress and the induction of silent myocardial ischemia in patients with coronary artery disease. , 1994, , 147-165.		0
203	Prognostic significance of silent ischemia. Journal of Nuclear Cardiology, 1994, 1, 434-440.	1.4	12
204	Induction of silent myocardial ischemia with mental stress testing: Relation to the triggers of ischemia during daily life activities to ischemic functional severity. Journal of the American College of Cardiology, 1994, 24, 1645-1651.	1.2	140
205	Characteristics and clinical significance of ambulatory myocardial ischemia in men and women in the general population presenting with angina pectoris. Journal of the American College of Cardiology, 1994, 23, 74-81.	1.2	20
206	Effect of autonomic nervous system dysfunction on the circadian pattern of myocardial ischemia in diabetes mellitus. Journal of the American College of Cardiology, 1994, 24, 956-962.	1.2	80
207	Triggers of angina and ST-segment depression in ambulatory patients with coronary artery disease: Evidence for an uncoupling of angina and ischemia. American Heart Journal, 1994, 128, 703-712.	1.2	56
208	Is 'silent' myocardial ischemia really as severe as symptomatic ischemia? The analytical effect of patient selection biases.. Circulation, 1994, 89, 1958-1966.	1.6	65
209	HEMODYNAMIC PARAMETERS DURING DYNAMIC EXERCISE IN PATIENTS WITH SILENT MYOCARDIAL ISCHEMIA IN THE PRESENCE OR ABSENCE OF HYPERTROPHY. Japanese Circulation Journal, 1994, 58, 227-237.	1.0	1
210	Silent Myocardial Ischemia: Pathophysiology and Perioperative Management. Advances in Pharmacology, 1994, 31, 75-87.	1.2	0
211	Functional and ultrastructural alterations of canine myocardium subjected to very brief coronary occlusions. European Heart Journal, 1995, 16, 1482-1490.	1.0	16
212	Effects of amlodipine on transient myocardial ischaemia in patients with a severe coronary condition treated with a beta-blocker. European Heart Journal, 1995, 16, 1780-1788.	1.0	13
213	Increased heart rate response to laboratory-induced mental stress predicts frequency and duration of daily life ambulatory myocardial ischemia in patients with coronary artery disease. American Journal of Cardiology, 1995, 76, 657-660.	0.7	13
214	The diagnostic and prognostic importance of ambulatory ST recording compared to a pre-discharge exercise test after an episode of unstable angina or non-Q wave myocardial infarction. European Heart Journal, 1995, 16, 888-893.	1.0	19
215	Magnitude of myocardial dysfunction is greater in painful than in painless myocardial ischemia: An exercise echocardiographic study. Journal of the American College of Cardiology, 1995, 25, 1507-1512.	1.2	33
216	Improved Detection of Silent Cardiac Ischemia With a 12-Lead Portable Microprocessor-Driven Real-Time Time Electrocardiographic Monitor. Mayo Clinic Proceedings, 1995, 70, 434-442.	1.4	7
217	MENTAL STRESS AS A TRIGGER OF MYOCARDIAL ISCHEMIA AND INFARCTION**Preparation of this article was assisted by a grant from the NIH (HL47337) and USUHS grant RO7233. The opinions and assertions expressed herein are those of the authors and are not to be construed as reflecting the views of the USUHS or the US Department of Defense.. Cardiology Clinics. 1996. 14. 271-287.	0.9	137
218	Susceptibility to Pain During Coronary Angioplasty: Usefulness of Pulpal Test. Journal of the American College of Cardiology, 1996, 28, 903-909.	1.2	13
220	Association Between Angina Pectoris and Ischemic Indexes During Exercise Testing and Ambulatory Monitoring**This study was supported by Grant No. 1-R01-HL-47477 from the National Heart, Lung, and Blood Institute, Bethesda, Maryland, by General Clinical Research Center Grant RR00046 from the National Institutes of Health, Bethesda, Maryland, and by Cooperative Agreement CR817643 from the Environmental Protection Agency, Washington, D.C.. American Journal of Cardiology, 1996, 78, 266-270.	0.7	8

#	ARTICLE	IF	CITATIONS
221	Valor diagnóstico do teste ergométrico na detecção da isquemia miocárdica silenciosa no paciente idoso com hipertensão sistólica. Arquivos Brasileiros De Cardiologia, 1997, 69, 25-29.	0.3	2
222	Surgery in patients with coronary artery disease—silent ischaemia during transurethral resection of tumors of prostate or bladder. Clinical Cardiology, 1997, 20, 125-129.	0.7	0
223	Usefulness of laboratory mental stress test in patients with stable coronary artery disease. Clinical Cardiology, 1997, 20, 367-371.	0.7	8
224	Selection of drug therapy in stable angina pectoris. , 1998, 12, 197-210.		13
225	Critical Analysis of Coronary Artery Bypass Graft Surgery: A 30-Year Journey. Journal of the American College of Cardiology, 1998, 31, 1B-63B.	1.2	106
226	Triggers of daily life ischaemia. Heart, 1998, 80, 489-492.	1.2	9
227	Long-term (5 year) effects of transient (silent) ischaemia on left ventricular systolic function in stable angina. Clinical and radionuclide study. European Heart Journal, 1998, 19, 1342-1347.	1.0	4
228	The Psychophysiological Investigations of Myocardial Ischemia (PIMI) Study. Psychosomatic Medicine, 1998, 60, 56-63.	1.3	39
229	Continuously Recorded Physical Activity Level During Myocardial Ischemia Detected by Ambulatory Electrocardiography. Annals of Noninvasive Electrocardiology, 1999, 4, 137-143.	0.5	0
230	Effect of mental stress on left ventricular ejection fraction and its relationship to the severity of coronary artery disease. European Journal of Nuclear Medicine and Molecular Imaging, 2000, 27, 1760-1767.	2.2	17
231	Sustained-Release Diltiazem Reduces Myocardial Ischemic Episodes in End-Stage Renal Disease: A Double-Blind, Randomized, Crossover, Placebo-Controlled Trial. Journal of the American Society of Nephrology: JASN, 2003, 14, 1006-1011.	3.0	6
232	The Diagnostic Value of ST Segment Analysis in Ambulatory ECG Monitoring Evaluated Using Bayes' Theorem in Patients Screened for Coronary Artery Disease. Annals of Noninvasive Electrocardiology, 1998, 3, 131-138.	0.5	1
233	Angina pectoris is a stronger indicator of diffuse vascular atherosclerosis than intermittent claudication: Framingham study. Journal of Clinical Epidemiology, 2008, 61, 951-957.	2.4	9
234	Ambulatory Electrocardiography. , 2008, , 631-645.		0
235	The Sensitivity of the Symptom Angina Pectoris as a Marker of Transient Myocardial Ischaemia in Chronic Stable Angina Pectoris. Acta Medica Scandinavica, 1987, 222, 301-306.	0.0	11
236	Transient Myocardial Ischaemia during Ambulatory Monitoring Out of Hospital in Patients with Chronic Stable Angina Pectoris. Acta Medica Scandinavica, 1988, 224, 311-318.	0.0	7
237	Silent Myocardial Ischemia. Circulation Journal, 2009, 73, 785-797.	0.7	62
238	Angina may trump ischaemia in predicting stable coronary artery disease outcomes, but most cardiovascular events occur in patients without angina or asymptomatic ischaemia. Evidence-Based Medicine, 2015, 20, 111-111.	0.6	0

#	ARTICLE	IF	CITATIONS
239	Incidence and clinical presentation of myocardial ischemia in patients with chronic CAD in Italy. <i>Journal of Cardiovascular Medicine</i> , 2016, 17, 647-652.	0.6	1
240	Different prognosis according to different clinical, electrocardiographic and scintigraphic ischemia criteria. <i>International Journal of Cardiology</i> , 2016, 219, 240-246.	0.8	4
241	Ambulatory 24-h ECG monitoring and cardiovascular autonomic assessment for the screening of silent myocardial ischemia in elderly type 2 diabetic hypertensive patients. <i>Heart and Vessels</i> , 2017, 32, 507-513.	0.5	9
243	A New Method for Electrocardiographic Monitoring. , 1987, , 165-175.		7
244	Asymptomatic Myocardial Ischemia in Patients with Effort Angina. , 1984, , 112-116.		4
246	Antianginal Efficacy of Nisoldipine in Patients with Unstable Angina Pectoris: Evaluation on Holter ECG. , 1987, , 115-122.		3
247	Symptomatic versus asymptomatic ischemic episodes during Holter monitoring: patterns of high resolution trend recordings of ST segment and heart rate. , 1987, , 125-130.		3
248	Silent ischemia and coronary anatomy. , 1987, , 131-139.		4
249	Variability of myocardial ischemia in chronic stable angina. , 1987, , 203-207.		5
250	Prevalence of ventricular arrhythmias during silent myocardial ischemia. , 1987, , 62-72.		3
251	Detection of Myocardial Ischemia/Infarction in the Emergency Department Patient with Chest Discomfort. <i>Emergency Medicine Clinics of North America</i> , 1988, 6, 317-340.	0.5	28
252	Current Concepts of Pathophysiology, Circadian Patterns, and Vasoreactive Factors Associated with Myocardial Ischemia Detected by Ambulatory Electrocardiography. <i>Cardiology Clinics</i> , 1992, 10, 403-415.	0.9	8
253	Prognostic Implications of Silent Myocardial Ischemia: Prediction of Events?. <i>Cardiology Clinics</i> , 1986, 4, 617-620.	0.9	1
254	Potential for Real-Time Processing of the Continuously Monitored Electrocardiogram in the Detection, Quantitation, and Intervention of Silent Myocardial Ischemia. <i>Cardiology Clinics</i> , 1986, 4, 735-745.	0.9	30
255	Noninvasive Cardiac Monitoring. <i>Critical Care Clinics</i> , 1988, 4, 435-454.	1.0	14
256	Assessment of Risk for Cardiac and Noncardiac Surgical Procedures. <i>Anesthesiology Clinics</i> , 1991, 9, 521-551.	1.4	3
257	Mental Stressâ€“Induced Ischemia in the Laboratory and Ambulatory Ischemia During Daily Life. <i>Circulation</i> , 1995, 92, 2102-2108.	1.6	149
258	Diabetics With Coronary Disease Have a Prevalence of Asymptomatic Ischemia During Exercise Treadmill Testing and Ambulatory Ischemia Monitoring Similar to That of Nondiabetic Patients. <i>Circulation</i> , 1996, 93, 2097-2105.	1.6	57

#	ARTICLE	IF	CITATIONS
259	Ischemic, Hemodynamic, and Neurohormonal Responses to Mental and Exercise Stress. <i>Circulation</i> , 1996, 94, 2402-2409.	1.6	222
260	Should We Use Emotional Stress Testing to Identify Ischemia?. <i>Developments in Cardiovascular Medicine</i> , 2002, , 163-171.	0.1	0
261	Klinik der koronaren Herzerkrankung I: Stabile Angina pectoris, stumme MyokardischÄmie. , 2004, , 463-496.		0
262	Silent Ischemia. , 2007, , 699-712.		0
263	Holter Monitor Recordings in Patients with Asymptomatic Positive Exercise Thallium-201 Defects. , 1984, , 99-110.		0
264	Detection of Silent Myocardial Ischemia in Correlation to Hemodynamic and Metabolic Data. , 1984, , 50-57.		1
265	Herzkrankheiten. Verhandlungen Der Deutschen Gesellschaft Fur Innere Medizin, 1986, , 11-23.	0.0	0
266	Experimental approach to painful and painless ischemia. , 1987, , 31-42.		0
267	Inzidenz und Bedeutung stummer Myokardischaemien â€” Therapieansatz mit Gallopamil. , 1987, , 150-160.		0
268	Painless Ischemia: Incidence, Characteristics, Significance, and an Algorithm for Management. <i>International BÄhringer Mannheim Symposia</i> , 1987, , 285-292.	0.5	0
269	Dedicated ST-segment monitoring in the CCU after successful coronary angioplasty: incidence and prognosis of silent and symptomatic ischemia. , 1987, , 140-146.		3
270	Silent myocardial ischemia in unstable angina: Prognostic considerations. , 1987, , 56-61.		0
271	Mechanisms of angina pectoris. , 1987, , 91-121.		2
272	Calcium Antagonists in Silent Myocardial Ischemia â€” Preliminary Results with Nisoldipine. , 1987, , 282-287.		1
273	Identification of patients with silent myocardial ischemia by metabolic, scintigraphic and angiographic findings. , 1987, , 91-95.		0
274	Fixed versus dynamic stenosis: possible causes and therapeutic approach. , 1987, , 111-115.		0
275	The frequency, pathophysiology, and prognosis of exercise-induced silent ischemia. , 1987, , 96-106.		4
276	Longitudinal (Natural History) Studies of Silent Myocardial Ischemia. <i>Developments in Cardiovascular Medicine</i> , 1988, , 117-130.	0.1	2

#	ARTICLE	IF	CITATIONS
277	Applications of Holter electrocardiography towards silent ischemia.. Japanese Journal of Electrocardiology, 1988, 8, 181-185.	0.0	0
278	Silent Myocardial Ischemia and Sudden Cardiac Death. Developments in Cardiovascular Medicine, 1988, , 131-138.	0.1	0
279	PrÄavalenz der stummen MyokardischÄmie. , 1988, , 79-95.		0
280	Coronarerkrankungen. , 1989, , 924-1033.		0
281	Incidence and importance of silent myocardial ischaemia â€” treatment with gallopamil. , 1989, , 151-160.		0
282	Silent myocardial ischemia on ambulatory Holter monitoring and exercise testing: detection, characteristics and significance. Developments in Cardiovascular Medicine, 1989, , 79-87.	0.1	0
283	Asymptomatic ST depression attack in patients with ischemic heart diseases. Studies with Holter electrocardiography.. Japanese Journal of Electrocardiology, 1989, 9, 356-365.	0.0	0
284	Ambulatory Electrocardiographic Monitoring. , 1989, , 273-291.		0
286	Kombinierte Behandlung der stabilen, belastungsinduzierten Angina pectoris und der â€žMixed anginaâ€œ. , 1990, , 347-365.		0
288	Silent Myocardial Ischemia and Prognosis in Patients with Unstable Angina. , 1990, , 166-174.		0
289	Combined Treatment of Stable Effort-Induced Angina and Mixed Angina. , 1990, , 331-347.		0
290	Incidence and prognostic significance of silent myocardial ischemia in patients after acute myocardial infarction. , 1990, , 551-558.		0
291	Pathophysiology of angina pectoris. , 1990, , 165-189.		0
294	Hauptthema: Die ischaemische Herzkrankheit. Verhandlungen Der Deutschen Gesellschaft Fur Innere Medizin, 1991, , 85-148.	0.0	0
295	Silent myocardial ischemia. Developments in Cardiovascular Medicine, 1991, , 83-93.	0.1	0
296	Silent Myocardial Ischemia. Anesthesiology Clinics, 1991, 9, 493-519.	1.4	0
297	Klinischer Teil. , 1992, , 132-341.		0
298	Neurohumoral Regulation in Silent Myocardial Ischemia. Developments in Cardiovascular Medicine, 1993, , 89-101.	0.1	0

#	ARTICLE	IF	CITATIONS
299	Evaluation of Transient Myocardial Ischemia by Holter Monitoring. <i>Developments in Cardiovascular Medicine</i> , 1994, , 53-72.	0.1	1
301	Klinik der koronaren Herzerkrankung I: Angina pectoris, stumme Myokardischämie, instabile Angina pectoris. , 1996, , 625-678.		0
302	Circadian variation in the incidence of transient myocardial ischemia. <i>Developments in Cardiovascular Medicine</i> , 1996, , 37-51.	0.1	0
303	Silent Myocardial Ischemia. <i>Developments in Cardiovascular Medicine</i> , 1999, , 102-113.	0.1	0
304	Silent Myocardial Ischaemia: A Review of the Literature for Prehospital Care Providers. <i>Australasian Journal of Paramedicine</i> , 2015, 6, .	0.4	0
305	Pain and the heart: discussion paper. <i>Journal of the Royal Society of Medicine</i> , 1988, 81, 100-2.	1.1	0
306	Silent myocardial ischemia: Current perspectives and future directions. <i>Experimental and Clinical Cardiology</i> , 2007, 12, 189-96.	1.3	15
307	Dynamic detection and reversal of myocardial ischemia using an artificially intelligent bioelectronic medicine. <i>Science Advances</i> , 2022, 8, eabj5473.	4.7	4