

Angiotensinogen is related to the antitrypsin-antithrom

Science

222, 417-419

DOI: [10.1126/science.6604942](https://doi.org/10.1126/science.6604942)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Analysis of the distribution of charged residues in the N-terminal region of signal sequences: implications for protein export in prokaryotic and eukaryotic cells.. EMBO Journal, 1984, 3, 2315-2318.	3.5	217
2	Cellular Biology of the Renin-Angiotensin Systems. Archives of Internal Medicine, 1984, 144, 2037.	4.3	58
3	Plasma protease inhibitors in mouse and man: divergence within the reactive centre regions. Nature, 1984, 311, 175-177.	13.7	155
4	Primary structure of human preangiotensinogen deduced from the cloned cDNA sequence. Biochemistry, 1984, 23, 3603-3609.	1.2	153
6	Maxzide or Dyazide: A Cautionary Note. Annals of Internal Medicine, 1985, 102, 717.	2.0	5
7	A genetic locus closely linked to a protease inhibitor gene complex controls the level of multiple RNA transcripts.. Molecular and Cellular Biology, 1985, 5, 2114-2122.	1.1	71
8	Inhibition of chymotrypsin by heparin cofactor II.. Proceedings of the National Academy of Sciences of the United States of America, 1985, 82, 6431-6434.	3.3	69
9	Molecular physiology and pathology of α_1 -antitrypsin. Biochemical Education, 1985, 13, 98-104.	0.1	9
10	More homologies among the vertebrate plasma proteins. Bioscience Reports, 1985, 5, 877-884.	1.1	3
11	Computerized Analysis of Holter Monitor Tapes. Annals of Internal Medicine, 1985, 102, 716.	2.0	0
12	Epstein-Barr Virus and Unexplained Illness. Annals of Internal Medicine, 1985, 102, 722.	2.0	1
13	Vancomycin and Red Necks. Annals of Internal Medicine, 1985, 102, 723.	2.0	15
14	Amegakaryocytic Thrombocytopenic Purpura Treated with Antithymocyte Globulin. Annals of Internal Medicine, 1985, 102, 720.	2.0	10
15	Isidore Snapper (1889-1973) and Quantitative Assay of Fecal Hemoglobin. Annals of Internal Medicine, 1985, 102, 721.	2.0	1
16	Hypoprothrombinemia and Bleeding Due to Cefoperazone. Annals of Internal Medicine, 1985, 102, 721.	2.0	15
17	Medical Education and the Humanities. Annals of Internal Medicine, 1985, 102, 724.	2.0	0
18	High-Dose Cisplatin Therapy for Cancer for the Ovary: Neurotoxicity. Annals of Internal Medicine, 1985, 102, 719.	2.0	15
19	Factitious Anemia Due to Surreptitious Phlebotomy Through A Hickman Catheter. Annals of Internal Medicine, 1985, 102, 720.	2.0	3

#	ARTICLE	IF	CITATIONS
20	Very-Low-Calorie Diets and Electrocardiographic Changes. <i>Annals of Internal Medicine</i> , 1985, 102, 716.	2.0	4
21	Women, Men, and Examination Scores. <i>Annals of Internal Medicine</i> , 1985, 102, 725.	2.0	0
22	Correction: Delta-9-Tetrahydrocannabinol as an Antiemetic in Methotrexate Treatment. <i>Annals of Internal Medicine</i> , 1985, 102, 726.	2.0	0
23	Pseudocancer Symptoms and Mourning. <i>Annals of Internal Medicine</i> , 1985, 102, 720.	2.0	0
24	Hypercoagulability, Hyperlipidemia, and Serum Antiproteases. <i>Annals of Internal Medicine</i> , 1985, 102, 724.	2.0	0
25	Rapid and sensitive protein similarity searches. <i>Science</i> , 1985, 227, 1435-1441.	6.0	4,091
26	Structure, Regulation and Evolution of the Genes for the Renin-Angiotensin and the Kallikrein-Kinin Systems. <i>Nature Biotechnology</i> , 1985, 3, 1089-1098.	9.4	7
27	Denaturation behavior of antithrombin in guanidinium chloride. Irreversibility of unfolding caused by aggregation. <i>Biochemistry</i> , 1985, 24, 1510-1517.	1.2	42
28	Induction of rat liver angiotensinogen mRNA following acute inflammation. <i>Biochemical and Biophysical Research Communications</i> , 1985, 129, 826-832.	1.0	89
29	Location of two of the introns in the antithrombin-III gene. <i>FEBS Letters</i> , 1985, 193, 213-216.	1.3	13
30	Human C.hivin.1 inhibitor: primary structure, cDNA cloning, and chromosomal localization. <i>Biochemistry</i> , 1986, 25, 4292-4301.	1.2	338
31	Molecular cloning of human C1 inhibitor: sequence homologies with $\hat{1}\pm 1$ -antitrypsin and other members of the serpins superfamily. <i>Gene</i> , 1986, 42, 265-272.	1.0	76
32	Human low- <i>M_r</i> kininogen contains three copies of a cystatin sequence that are divergent in structure and in inhibitory activity for cysteine proteinases. <i>Biochemical Journal</i> , 1986, 234, 429-434.	1.7	214
33	Cloning and sequence of a cDNA coding for the human beta-migrating endothelial-cell-type plasminogen activator inhibitor.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1986, 83, 6776-6780.	3.3	374
34	Human inhibitor of the first component of complement, C1: characterization of cDNA clones and localization of the gene to chromosome 11.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1986, 83, 3161-3165.	3.3	104
35	Regional location of $\hat{1}\pm 1$ -antichymotrypsin and $\hat{1}\pm 1$ -antitrypsin genes on human chromosome 14. <i>Somatic Cell and Molecular Genetics</i> , 1986, 12, 209-214.	0.7	85
36	A method for the simultaneous alignment of three or more amino acid sequences. <i>Journal of Molecular Evolution</i> , 1986, 23, 267-278.	0.8	68
37	Isolation and Characterization of the $\hat{1}\pm 1$ -Antitrypsin Gene of Mice. <i>DNA and Cell Biology</i> , 1986, 5, 29-36.	5.1	48

#	ARTICLE	IF	CITATIONS
38	Kinetic Studies on the Interaction of α -1-Proteinase Inhibitor (Pittsburgh) with Trypsin-Like Serine Proteinases. <i>Biological Chemistry Hoppe-Seyler</i> , 1986, 367, 853-860.	1.4	36
39	A new member of the plasma protease inhibitor gene family. <i>Nucleic Acids Research</i> , 1986, 14, 1073-1088.	6.5	79
40	Lipopolysaccharide modulates the expression of alpha 1 proteinase inhibitor and other serine proteinase inhibitors in human monocytes and macrophages.. <i>Journal of Experimental Medicine</i> , 1987, 166, 1041-1054.	4.2	61
41	Major Inhibitors of the Contact Phase Coagulation Factors. <i>Seminars in Thrombosis and Hemostasis</i> , 1987, 13, 69-78.	1.5	30
42	Proteolysis and deglycosylation of human C1 inhibitor. Effect on functional properties. <i>Biochemical Journal</i> , 1987, 244, 117-121.	1.7	35
43	THE EVOLUTION OF THE VERTEBRATE PLASMA PROTEINS. <i>Biological Bulletin</i> , 1987, 172, 269-283.	0.7	22
44	Renin-Angiotensin System in Sepsis. <i>Clinical and Experimental Hypertension</i> , 1987, 9, 1493-1504.	0.3	25
45	Acute phase responses of plasma angiotensinogen and T-kininogen in rats. <i>Biochemical Pharmacology</i> , 1987, 36, 3069-3073.	2.0	24
46	Histidine-rich glycoprotein is evolutionarily related to the cystatin superfamily. <i>FEBS Letters</i> , 1987, 216, 17-21.	1.3	49
47	Structure-function relationships in heparin cofactor II: Spectral analysis of aromatic residues and absence of a role for sulfhydryl groups in thrombin inhibition. <i>Archives of Biochemistry and Biophysics</i> , 1987, 259, 331-340.	1.4	24
48	Regulation of angiotensinogen gene expression in a human hepatoma cell line. <i>Life Sciences</i> , 1987, 41, 2397-2401.	2.0	4
49	Heterogeneity in the carbohydrate structure of rat angiotensinogen. <i>Molecular and Cellular Endocrinology</i> , 1987, 51, 211-218.	1.6	8
50	Natural proteinase inhibitors: blood coagulation inhibition and evolutionary relationships. <i>Comparative Biochemistry and Physiology Part B: Comparative Biochemistry</i> , 1987, 87, 435-441.	0.2	3
51	Molecular evolution of serpins: homologous structure of the human .alpha.1-antichymotrypsin and .alpha.1-antitrypsin genes. <i>Biochemistry</i> , 1987, 26, 7755-7759.	1.2	89
52	Amino-acid sequence of human alpha2-antiplasmin. <i>FEBS Journal</i> , 1987, 166, 565-574.	0.2	43
53	The organization of the human-plasminogen-activator-inhibitor-1 gene. Implications on the evolution of the serine-protease inhibitor family. <i>FEBS Journal</i> , 1988, 176, 609-616.	0.2	71
54	Synthetic peptide inhibitors of complement serine proteases. Identification of functionally equivalent protease inhibitor sequences in serpins and inhibition of C1s and D. <i>Molecular Immunology</i> , 1988, 25, 1261-1267.	1.0	21
55	Molecular structure and sequence homology of a gene related to α -1-antitrypsin in the human genome. <i>Genomics</i> , 1988, 2, 165-173.	1.3	36

#	ARTICLE	IF	CITATIONS
56	Half-life of rat angiotensinogen: influence of nephrectomy and lipopolysaccharide stimulation. <i>Molecular and Cellular Endocrinology</i> , 1988, 56, 91-98.	1.6	29
57	Expression and characterization of recombinant human angiotensinogen in a heterologous eukaryotic cell line. <i>Biochemical and Biophysical Research Communications</i> , 1988, 156, 1103-1110.	1.0	8
58	Molecular cloning of the mouse angiotensinogen gene. <i>Genomics</i> , 1988, 2, 240-248.	1.3	61
59	Î±1-Antitrypsin deficiency associated with panniculitis. <i>Journal of the American Academy of Dermatology</i> , 1988, 18, 684-692.	0.6	66
60	Purification and partial characterization of canine angiotensinogen.. <i>Hypertension</i> , 1988, 11, 21-27.	1.3	39
61	[37] Î±1-antitrypsin. <i>Methods in Enzymology</i> , 1988, 163, 400-418.	0.4	21
62	Elastase inhibitor. Characterization of the human elastase inhibitor molecule associated with monocytes, macrophages, and neutrophils.. <i>Journal of Experimental Medicine</i> , 1989, 169, 1071-1086.	4.2	68
63	Structure of Human Angiotensinogen Gene. <i>DNA and Cell Biology</i> , 1989, 8, 87-99.	5.1	133
64	Multiple Cis-Acting DNA Regulatory Elements Mediate Hepatic Angiotensinogen Gene Expression. <i>Molecular Endocrinology</i> , 1989, 3, 1022-1034.	3.7	61
65	Regulation of Angiotensinogen Gene. <i>American Journal of Hypertension</i> , 1989, 2, 403-410.	1.0	71
66	Purification of active human plasminogen activator inhibitor 1 from <i>Escherichia coli</i> . Comparison with natural and recombinant forms purified from eucaryotic cells. <i>FEBS Journal</i> , 1989, 186, 523-533.	0.2	107
67	Plasminogen activator inhibitor type 2 cDNA transfected into Chinese hamster ovary cells is stably expressed but not secreted. <i>Fibrinolysis</i> , 1989, 3, 189-196.	0.5	15
68	Redundancies in Protein Sequences. , 1989, , 599-623.		57
69	The Molecular Pathology of Inherited Human Antithrombin III Deficiency. <i>Transfusion Medicine Reviews</i> , 1989, 3, 264-281.	0.9	22
70	Physicochemical Aspects of Heparin Cofactor II. <i>Annals of the New York Academy of Sciences</i> , 1989, 556, 104-115.	1.8	48
71	The angiotensinogen gene is located on mouse chromosome 8. <i>FEBS Letters</i> , 1989, 255, 419-422.	1.3	18
72	Similar amino acid sequences revisited. <i>Trends in Biochemical Sciences</i> , 1989, 14, 244-245.	3.7	55
73	Ovalbumin and angiotensinogen lack serpin Sâ€™R conformational change. <i>Biochemical Journal</i> , 1989, 262, 103-107.	1.7	135

#	ARTICLE	IF	CITATIONS
74	Molecular characterization of three rat liver serine-protease inhibitors affected by inflammation and hypophysectomy. Protein and mRNA analysis and cDNA cloning. <i>FEBS Journal</i> , 1990, 190, 385-391.	0.2	50
75	Isolation and characterization of four serine proteinase inhibitors (serpins) from hemolymph of <i>Manduca sexta</i> . <i>Insect Biochemistry</i> , 1990, 20, 141-147.	1.8	36
76	Molecular cloning and expression of the rat angiotensinogen gene. <i>Pediatric Nephrology</i> , 1990, 4, 429-435.	0.9	29
77	Relationship between angiotensinogen, α 1-protease inhibitor elastase complex, antithrombin III and C-reactive protein in septic ARDS. <i>European Journal of Clinical Pharmacology</i> , 1990, 38, 125-31.	0.8	16
78	Assignment by in situ hybridization of the angiotensinogen gene to chromosome band 1q4, the same region as the human renin gene. <i>Human Genetics</i> , 1990, 84, 341-3.	1.8	53
79	Renin inhibitors. <i>Medicinal Research Reviews</i> , 1990, 10, 173-236.	5.0	275
80	Functional sites of glia-derived nexin (GDN): importance of the site reacting with the protease. <i>Biochemistry</i> , 1990, 29, 2417-2421.	1.2	24
81	Chromosomal organization and localization of the human urokinase inhibitor gene: Perfect structural conservation with ovalbumin. <i>Genomics</i> , 1990, 6, 159-167.	1.3	25
82	Angiotensinogen production by rat astroglial cells in vitro and in vivo. <i>Neuroscience</i> , 1990, 34, 545-554.	1.1	71
83	Evidence for a glycine residue at position 316 in human protein C inhibitor. <i>Thrombosis Research</i> , 1990, 59, 389-393.	0.8	3
84	Primary structure and assignment to chromosome 6 of three related rat genes encoding liver serine protease inhibitors. <i>Gene</i> , 1990, 94, 273-282.	1.0	30
85	Patchwork-structure serpins from silkworm (<i>Bombyx mori</i>) larval hemolymph. <i>FEBS Journal</i> , 1991, 202, 255-261.	0.2	53
86	Multiple murine alpha 1-protease inhibitor genes show unusual evolutionary divergence.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1991, 88, 9417-9421.	3.3	72
87	Molecular biology of angiotensinogen.. <i>Hypertension</i> , 1991, 17, 263-269.	1.3	110
89	Angiotensinogen in chronic liver disease. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 1992, 52, 57-63.	0.6	0
90	Conformation of the reactive site loop of α 1-proteinase inhibitor probed by limited proteolysis. <i>Biochemistry</i> , 1992, 31, 2720-2728.	1.2	207
91	Plasma interleukin-6 and renin substrate in reactive arthritis, rheumatoid arthritis, and systemic lupus erythematosus. <i>Rheumatology International</i> , 1992, 12, 93-96.	1.5	47
92	Phylogenetic continuum indicates ?Galaxies? in the protein universe: Preliminary results on the natural group structures of proteins. <i>Journal of Molecular Evolution</i> , 1992, 34, 358-375.	0.8	11

#	ARTICLE	IF	CITATIONS
93	A substrate-like form of plasminogen-activator-inhibitor type 1. Conversions between different forms by sodium dodecyl sulphate. <i>FEBS Journal</i> , 1992, 209, 985-992.	0.2	87
94	The response of hepatic angiotensinogen secretion to experimental inflammatory stimuli. <i>Agents and Actions</i> , 1993, 38, 220-230.	0.7	11
95	Hormonal regulation of the fibrinolytic components in the ovary. <i>Thrombosis Research</i> , 1993, 71, 1-45.	0.8	37
96	Interleukin-6 as a mediator responsible for inflammation-induced increase in plasma angiotensinogen. <i>Biochemical Pharmacology</i> , 1993, 45, 201-206.	2.0	22
97	Structure of the gene encoding the mouse 47-kDa heat-shock protein (HSP47). <i>Gene</i> , 1993, 126, 187-193.	1.0	44
98	Molecular biology of the renin-angiotensin system.. <i>Circulation</i> , 1993, 87, 1816-1828.	1.6	333
99	Angiotensinogen: an acute-phase protein?. <i>Hypertension</i> , 1994, 23, 1126-1126.	1.3	20
100	Renin Inhibition: A New Approach to Cardiovascular Therapy. <i>Journal of Clinical Pharmacology</i> , 1994, 34, 873-880.	1.0	16
101	Interaction of acetaldehyde with plasma proteins of the renin-angiotensin system. <i>Alcohol</i> , 1994, 11, 493-499.	0.8	30
102	Complementary DNA Cloning and Kinetic Characterization of a Novel Intracellular Serine Proteinase Inhibitor: Mechanism of Action with Trypsin and Factor Xa as Model Proteinases. <i>Biochemistry</i> , 1994, 33, 3432-3441.	1.2	29
103	Serine protease inhibitor activity of recombinant squamous cell carcinoma antigen towards chymotrypsin, as demonstrated by sodium dodecyl sulfatepolyacrylamide gel electrophoresis. <i>Electrophoresis</i> , 1995, 16, 1027-1030.	1.3	35
104	Angiotensin II: Biosynthesis, molecular recognition, and signal transduction. <i>Cellular and Molecular Neurobiology</i> , 1995, 15, 637-651.	1.7	21
105	Molecular Cloning, Expression, and Partial Characterization of Two Novel Members of the Ovalbumin Family of Serine Proteinase Inhibitors. <i>Journal of Biological Chemistry</i> , 1995, 270, 29854-29861.	1.6	66
106	Identification of Angiotensinogen and Complement C3dg as Novel Proteins Binding the Proform of Eosinophil Major Basic Protein in Human Pregnancy Serum and Plasma. <i>Journal of Biological Chemistry</i> , 1995, 270, 13645-13651.	1.6	65
107	Pigment Epithelium-derived Factor Behaves Like a Noninhibitory Serpin. <i>Journal of Biological Chemistry</i> , 1995, 270, 25992-25999.	1.6	197
108	Role of angiotensinogen in the genetics of essential hypertension. <i>Life Sciences</i> , 1995, 57, 2385-2395.	2.0	12
109	Angiotensinogen: Molecular biology, biochemistry and physiology. <i>International Journal of Biochemistry and Cell Biology</i> , 1996, 28, 1211-1222.	1.2	77
110	Local Renin-Angiotensin System: Especially in Coagulating Glands of Mice.. <i>Archives of Histology and Cytology</i> , 1996, 59, 399-420.	0.2	8

#	ARTICLE	IF	CITATIONS
111	The inhibition of human factor Xa by plasminogen activator inhibitor type 1 in the presence of calcium ion, and its enhancement by heparin and vitronectin. <i>BBA - Proteins and Proteomics</i> , 1996, 1298, 199-208.	2.1	17
112	Arginine substitutions in the hinge region of antichymotrypsin affect serpin β -sheet rearrangement. <i>Nature Structural and Molecular Biology</i> , 1996, 3, 888-893.	3.6	35
113	Cellular Internalization and Degradation of Antithrombin III-Thrombin, Heparin Cofactor II-Thrombin, and β -1-Antitrypsin-Trypsin Complexes Is Mediated by the Low Density Lipoprotein Receptor-related Protein. <i>Journal of Biological Chemistry</i> , 1996, 271, 6523-6529.	1.6	140
114	Selective recognition of M235T angiotensinogen variants and their determination in human plasma by monoclonal antibody-based immunoanalysis.. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1996, 81, 3505-3512.	1.8	11
115	Molecular Genetics of Human Hypertension: Role of Angiotensinogen*. <i>Endocrine Reviews</i> , 1997, 18, 662-677.	8.9	111
116	Transcriptional Regulation of Angiotensinogen Gene Expression. <i>Vitamins and Hormones</i> , 1997, 57, 217-247.	0.7	26
117	Expression, Purification, and Inhibitory Properties of Human Proteinase Inhibitor α 1. <i>Biochemistry</i> , 1997, 36, 14874-14882.	1.2	29
118	The Ovarian Renin- β -Angiotensin System in Reproductive Physiology. <i>Frontiers in Neuroendocrinology</i> , 1997, 18, 247-291.	2.5	94
119	Coagulation protein function V: diminution of antithrombin III function by acetaldehyde. <i>Digestive Diseases and Sciences</i> , 1998, 43, 1746-1751.	1.1	7
120	Various forms of rabbit plasma β -antiproteinase. <i>IUBMB Life</i> , 1998, 46, 27-34.	1.5	1
121	Angiotensinogen cleavage by renin: importance of a structurally constrained N-terminus. <i>FEBS Letters</i> , 1998, 436, 267-270.	1.3	36
122	Engineering an Anion-Binding Cavity in Antichymotrypsin Modulates the α -Spring-Loaded β -Serpins Protease Interaction. <i>Biochemistry</i> , 1998, 37, 3297-3304.	1.2	17
123	Role of N-Glycosylation in Human Angiotensinogen. <i>Journal of Biological Chemistry</i> , 1998, 273, 21232-21238.	1.6	36
124	Angiotensin-Converting Enzyme Inhibitors. <i>Circulation</i> , 1998, 97, 1411-1420.	1.6	687
125	Role of Cysteine Residues in Human Angiotensinogen. <i>Journal of Biological Chemistry</i> , 1998, 273, 34480-34487.	1.6	21
126	Human Thrombin and Calcium Bound Factor Xa Significantly Shorten tPA-Induced Fibrin Clot Lysis Time via Neutralization of Plasminogen Activator Inhibitor Type 1 Activity. <i>Thrombosis and Haemostasis</i> , 1998, 80, 161-166.	1.8	21
128	Characterization of a Human Angiotensinogen Cleaved in Its Reactive Center Loop by a Proteolytic Activity from Chinese Hamster Ovary Cells. <i>Journal of Biological Chemistry</i> , 2000, 275, 10648-10654.	1.6	20
129	Partitioning of Serpin-Proteinase Reactions between Stable Inhibition and Substrate Cleavage Is Regulated by the Rate of Serpin Reactive Center Loop Insertion into β -Sheet A. <i>Journal of Biological Chemistry</i> , 2000, 275, 5839-5844.	1.6	94

#	ARTICLE	IF	CITATIONS
132	Vertebrate Serpins: Construction of a Conflict-Free Phylogeny by Combining Exon-Intron and Diagnostic Site Analyses. <i>Molecular Biology and Evolution</i> , 2001, 18, 577-584.	3.5	60
133	Role of Signal Transducers and Activators of Transcription 1 and -3 in Inducible Regulation of the Human Angiotensinogen Gene by Interleukin-6. <i>Molecular Endocrinology</i> , 2001, 15, 441-457.	3.7	47
134	Angiotensinogen Gene Expression Is Dependent on Signal Transducer and Activator of Transcription 3-Mediated p300/cAMP Response Element Binding Protein-Binding Protein Coactivator Recruitment and Histone Acetyltransferase Activity. <i>Molecular Endocrinology</i> , 2002, 16, 824-836.	3.7	58
135	Serpin Structure, Mechanism, and Function. <i>Chemical Reviews</i> , 2002, 102, 4751-4804.	23.0	1,082
136	Role of muscle endopeptidases and their inhibitors in meat tenderness. <i>Trends in Food Science and Technology</i> , 2002, 13, 400-421.	7.8	264
137	Identification of the Neuroprotective Molecular Region of Pigment Epithelium-Derived Factor and Its Binding Sites on Motor Neurons. <i>Journal of Neuroscience</i> , 2002, 22, 9378-9386.	1.7	102
138	Angiotensin II Receptor Blockers in the Treatment of Heart Failure. <i>Congestive Heart Failure</i> , 2002, 8, 246-256.	2.0	6
139	Serpins Are Getting Hotter. <i>Structure</i> , 2003, 11, 364-365.	1.6	0
140	Plasminogen Activator Inhibitor-1 in Tumor Growth, Angiogenesis and Vascular Remodeling. <i>Current Pharmaceutical Design</i> , 2003, 9, 1545-1564.	0.9	155
141	Analysis of vertebrate genomes suggests a new model for clade B serpin evolution. <i>BMC Genomics</i> , 2005, 6, 167.	1.2	32
142	Mechanisms of serpin dysfunction in disease. <i>Expert Reviews in Molecular Medicine</i> , 2006, 8, 1-19.	1.6	32
143	Polymerization of human angiotensinogen: insights into its structural mechanism and functional significance. <i>Biochemical Journal</i> , 2006, 400, 169-178.	1.7	5
144	A Serpin from the Gut Bacterium <i>Bifidobacterium longum</i> Inhibits Eukaryotic Elastase-like Serine Proteases. <i>Journal of Biological Chemistry</i> , 2006, 281, 17246-17252.	1.6	141
145	Local Angiotensin Generation and AT2 Receptor Activation. , 2007, , 247-272.		0
146	An original SERPINA3 gene cluster: Elucidation of genomic organization and gene expression in the <i>Bos taurus</i> 21q24 region. <i>BMC Genomics</i> , 2008, 9, 151.	1.2	16
147	IFN γ Is One of Several Cytokines That Modulate Acute Phase Gene Expression in Human Hepatocytes and Human Macrophages. <i>Annals of the New York Academy of Sciences</i> , 1989, 557, 332-342.	1.8	12
149	Erythropoietin and Renin Substrate in Cerebellar Haemangioblastoma. <i>Acta Medica Scandinavica</i> , 1985, 218, 481-485.	0.0	11
150	A current view of brain renin-angiotensin system: Is the (pro)renin receptor the missing link?. , 2010, 125, 27-38.		77

#	ARTICLE	IF	CITATIONS
151	Dual Angiotensin II and Endothelin Receptor Antagonists. American Journal of Therapeutics, 2011, 18, e67-e70.	0.5	5
152	An unexpected link between angiotensinogen and thrombin. FEBS Letters, 2011, 585, 2395-2399.	1.3	19
153	Serpins as Hormone Carriers. Methods in Enzymology, 2011, 501, 89-103.	0.4	7
154	The roles of serpins in mosquito immunology and physiology. Journal of Insect Physiology, 2013, 59, 138-147.	0.9	80
155	Formation of high-molecular-weight angiotensinogen during pregnancy is a result of competing redox reactions with the proform of eosinophil major basic protein. Biochemical Journal, 2013, 449, 209-217.	1.7	13
156	Revising angiotensinogen from phylogenetic and genetic variants perspectives. Biochemical and Biophysical Research Communications, 2014, 446, 504-518.	1.0	17
157	Structural insights into the unique inhibitory mechanism of the silkworm protease inhibitor serpin18. Scientific Reports, 2015, 5, 11863.	1.6	22
158	Silk gland-specific proteinase inhibitor serpin16 from the Bombyx mori shows cysteine proteinase inhibitory activity. Biochemical and Biophysical Research Communications, 2015, 457, 31-36.	1.0	18
159	Proteolytic and angiotensin-converting enzyme-inhibitory activities of selected probiotic bacteria. International Journal of Food Science and Technology, 2016, 51, 865-874.	1.3	10
160	Escherichia coli-based production of recombinant ovine angiotensinogen and its characterization as a renin substrate. BMC Biotechnology, 2016, 16, 33.	1.7	4
161	Heparin Binds Lamprey Angiotensinogen and Promotes Thrombin Inhibition through a Template Mechanism. Journal of Biological Chemistry, 2016, 291, 24900-24911.	1.6	9
162	How serpins transport hormones and regulate their release. Seminars in Cell and Developmental Biology, 2017, 62, 133-141.	2.3	19
163	Angiotensinogen and the Modulation of Blood Pressure. Frontiers in Cardiovascular Medicine, 2021, 8, 645123.	1.1	11
164	Plasminogen Activator Inhibitor-1. , 1997, , 65-78.		2
165	Inhibition of Cysteine and Serine Proteinases by the Cowpox Virus Serpin CRMA. Advances in Experimental Medicine and Biology, 1996, 389, 173-176.	0.8	24
166	The Role of Reactive-Center Loop Mobility in the Serpin Inhibitory Mechanism. Advances in Experimental Medicine and Biology, 1997, 425, 99-108.	0.8	4
167	Use of Transgenic Animals in the Study of Neuropeptide Genes. Current Topics in Neuroendocrinology, 1993, , 145-167.	0.9	6
169	Evolution of the Vertebrate Plasma Proteins. , 1984, , 317-360.		12

#	ARTICLE	IF	CITATIONS
170	Synthesis, Processing, and Secretion of Plasma Proteins by the Liver and Other Organs and Their Regulation. , 1987, , 293-363.		39
171	SIMILAR AMINO ACID SEQUENCES REVISITED. , 1990, , 71-74.		1
172	Structure-function studies of the SERPIN plasminogen activator inhibitor type 1. Analysis of chimeric strained loop mutants. Journal of Biological Chemistry, 1990, 265, 20293-20301.	1.6	118
173	The serpin superfamily of proteinase inhibitors: structure, function, and regulation.. Journal of Biological Chemistry, 1994, 269, 15957-15960.	1.6	782
174	Leukocyte chemoattractant peptides from the serpin heparin cofactor II.. Journal of Biological Chemistry, 1991, 266, 704-709.	1.6	42
175	Intron structure of the human antithrombin III gene differs from that of other members of the serine protease inhibitor superfamily.. Journal of Biological Chemistry, 1985, 260, 9608-9612.	1.6	67
176	Common structural organization of the angiotensinogen and the alpha 1-antitrypsin genes.. Journal of Biological Chemistry, 1984, 259, 8063-8065.	1.6	95
177	Ovalbumin is an elastase substrate.. Journal of Biological Chemistry, 1984, 259, 14335-14336.	1.6	49
178	Plasma serine proteinase inhibitors (serpins) exhibit major conformational changes and a large increase in conformational stability upon cleavage at their reactive sites.. Journal of Biological Chemistry, 1988, 263, 16626-16630.	1.6	194
179	Distinct and additive effects of elastase and endotoxin on expression of alpha 1 proteinase inhibitor in mononuclear phagocytes.. Journal of Biological Chemistry, 1988, 263, 16499-16503.	1.6	48
180	Structure and expression of the gene coding for the human serpin hLS2.. Journal of Biological Chemistry, 1988, 263, 12129-12134.	1.6	33
181	Saturation mutagenesis of the plasminogen activator inhibitor-1 reactive center.. Journal of Biological Chemistry, 1992, 267, 7588-7595.	1.6	77
182	Expression of human angiotensinogen cDNA in Escherichia coli.. Journal of Biological Chemistry, 1987, 262, 7672-7675.	1.6	8
183	Inhibition of plasmin, urokinase, tissue plasminogen activator, and C1S by a myxoma virus serine proteinase inhibitor.. Journal of Biological Chemistry, 1993, 268, 516-521.	1.6	86
184	An elastase inhibitor from equine leukocyte cytosol belongs to the serpin superfamily. Further characterization and amino acid sequence of the reactive center.. Journal of Biological Chemistry, 1988, 263, 7364-7369.	1.6	44
185	Primary structure of the reactive site of human C1-inhibitor.. Journal of Biological Chemistry, 1985, 260, 2432-2436.	1.6	95
186	On the activation of human leuserpin-2, a thrombin inhibitor, by glycosaminoglycans.. Journal of Biological Chemistry, 1990, 265, 5211-5218.	1.6	75
187	Structure and expression of the human angiotensinogen gene. Identification of a unique and highly active promoter.. Journal of Biological Chemistry, 1990, 265, 7576-7582.	1.6	127

#	ARTICLE	IF	CITATIONS
188	A major estrogen-regulated protein secreted from the liver of <i>Xenopus laevis</i> is a member of the serpin superfamily. Nucleotide sequence of cDNA and hormonal induction of mRNA.. <i>Journal of Biological Chemistry</i> , 1992, 267, 7053-7059.	1.6	15
189	Primary structure of human alpha 2-antiplasmin, a serine protease inhibitor (serpin).. <i>Journal of Biological Chemistry</i> , 1987, 262, 1659-1664.	1.6	145
190	Characterization of a cDNA for human protein C inhibitor. A new member of the plasma serine protease inhibitor superfamily.. <i>Journal of Biological Chemistry</i> , 1987, 262, 611-616.	1.6	147
191	Absence of Large-scale Conformational Change upon Limited Proteolysis of Ovalbumin, the Prototypic Serpin. <i>Journal of Biological Chemistry</i> , 1989, 264, 3781-3785.	1.6	49
192	Primary Structure of a Member of the Serpin Superfamily of Proteinase Inhibitors from an Insect, <i>Manduca sexta</i> . <i>Journal of Biological Chemistry</i> , 1989, 264, 965-972.	1.6	94
193	Mechanisms for Inducible Control of Angiotensinogen Gene Transcription. <i>Hypertension</i> , 1996, 27, 465-475.	1.3	186
194	cDNA cloning of human plasminogen activator-inhibitor from endothelial cells.. <i>Journal of Clinical Investigation</i> , 1986, 78, 1673-1680.	3.9	321
195	Natural Proteinaceous Inhibitors of Serine Proteases. <i>Current Pharmaceutical Design</i> , 2012, 19, 1068-1084.	0.9	3
196	Vascular Inflammation as a Cardiovascular Risk Factor. , 2005, , 577-604.		0
198	Structure and function of heparin cofactor II.. <i>Blood & Vessel</i> , 1988, 19, 122-127.	0.0	0
199	Das Renin-Angiotensin-System, Molekularbiologie und Pharmakologie – Was gibt es Neues?. , 1990, , 1-9.		0
200	Humoral Control of the Circulation. , 1990, , 209-287.		0
202	The Cleavage of a Serine Protease Inhibitor at the Reactive Center by Its Target Protease: Analysis of the Substrate-Like Form of a Serpin. , 1993, , 29-34.		0
203	Molecular Biology of Ovalbumin Gene in the Chicken.. <i>Nihon Kakin Gakkaishi = Japanese Poultry Science</i> , 1993, 30, 93-107.	0.3	0
204	Protein Sequence Data Banks: The Continuing Search for Related Structures. , 1973, , 15-27.		0
205	A Genetic Locus Closely Linked to a Protease Inhibitor Gene Complex Controls the Level of Multiple RNA Transcripts. <i>Molecular and Cellular Biology</i> , 1985, 5, 2114-2122.	1.1	39
206	Analysis of the distribution of charged residues in the N-terminal region of signal sequences: implications for protein export in prokaryotic and eukaryotic cells. <i>EMBO Journal</i> , 1984, 3, 2315-8.	3.5	84
207	Pipiserpina, a <i>Culex</i> Factor Xa inhibitor, affects female reproductive capacity and serve as a potential target for mosquito control. <i>Pest Management Science</i> , 2022, , .	1.7	0

#	ARTICLE	IF	CITATIONS
209	Mast Cell and Basophil Granule Proteases - In Vivo Targets and Function. <i>Frontiers in Immunology</i> , 0, 13, .	2.2	13
210	Serum Metabolomics and Proteomics to Study the Antihypertensive Effect of Protein Extracts from <i>Tenebrio molitor</i> . <i>Nutrients</i> , 2022, 14, 3288.	1.7	0
211	Renin Angiotensin System and Thyroid Hormone Crosstalk: From Experimental Approaches to Clinical Perspectives. , 2023, , 23-37.		0