

Overproduction of a bifunctional thymidylate synthetase
DNA amplification in methotrexate-resistant *Leishman*

Proceedings of the National Academy of Sciences of the United States of America
80, 2132-2136

DOI: [10.1073/pnas.80.8.2132](https://doi.org/10.1073/pnas.80.8.2132)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Chromosomes of kinetoplastida.. EMBO Journal, 1984, 3, 3109-3115.	3.5	117
2	Mechanism of pyrimethamine resistance in recent isolates of Plasmodium falciparum. Antimicrobial Agents and Chemotherapy, 1984, 26, 656-659.	1.4	39
3	DNA Sequence Amplification in Mammalian Cells. International Review of Cytology, 1984, 90, 31-82.	6.2	177
4	A bifunctional thymidylate synthetase-dihydrofolate reductase in protozoa. Molecular and Biochemical Parasitology, 1984, 11, 257-265.	0.5	136
5	Purine and pyrimidine metabolism in the trypanosomatidae. Molecular and Biochemical Parasitology, 1984, 13, 243-261.	0.5	260
6	Probing the infra-structure of thymidylate synthase and deoxycytidylate deaminase. Advances in Enzyme Regulation, 1984, 22, 413-430.	2.9	9
7	Recent studies on inhibitors of macromolecular synthesis and function in trypanosomes. , 1984, 25, 239-254.		4
8	Gene amplification in the lac region of E. coli. Cell, 1984, 37, 217-224.	13.5	153
9	Unstable DNA amplifications in methotrexate resistant Leishmania consist of extrachromosomal circles which relocalize during stabilization. Cell, 1984, 38, 431-439.	13.5	255
10	Intranuclear structures in pyrimethamine-resistant isolates of the malaria parasite. Cell Biology International Reports, 1984, 8, 221-225.	0.7	8
11	Gene amplification in cultured animal cells. Cell, 1984, 37, 705-713.	13.5	646
12	Gene Amplification. Annual Review of Biochemistry, 1984, 53, 447-491.	5.0	684
13	Intervening sequence in the thymidylate synthase gene of bacteriophage T4.. Proceedings of the National Academy of Sciences of the United States of America, 1984, 81, 3049-3053.	3.3	200
14	UV radiation facilitates methotrexate resistance and amplification of the dihydrofolate reductase gene in cultured 3T6 mouse cells.. Molecular and Cellular Biology, 1984, 4, 1050-1056.	1.1	132
15	Dihydrofolate reductase from Daucus carota cell suspension cultures: purification, molecular and kinetic characterization. Plant Molecular Biology, 1985, 5, 363-372.	2.0	20
16	Selection and properties of Leishmania tropica resistant to 10-propargyl-5,8-dideazafolate, an inhibitor of thymidylate synthetase. Molecular and Biochemical Parasitology, 1985, 17, 79-91.	0.5	45
17	Purification and characterization of the bifunctional thymidylate synthetase-dihydrofolate reductase from methotrexate-resistant Leishmania tropica. Biochemistry, 1985, 24, 678-686.	1.2	162
18	Chromosome size polymorphisms in plasmodium falciparum can involve deletions and are frequent in natural parasite populations. Cell, 1986, 44, 87-95.	13.5	178

#	ARTICLE	IF	CITATIONS
19	Chapter 23. Nucleotide Metabolism in Parasitic Protozoa. Annual Reports in Medicinal Chemistry, 1986, 21, 247-255.	0.5	6
20	Primary structure of the gene encoding the bifunctional dihydrofolate reductase-thymidylate synthase of <i>Leishmania major</i> .. Proceedings of the National Academy of Sciences of the United States of America, 1986, 83, 2584-2588.	3.3	154
21	Multiple transcription start sites, DNase I-hypersensitive sites, and an opposite-strand exon in the 5' region of the CHO dhfr gene.. Molecular and Cellular Biology, 1986, 6, 425-440.	1.1	177
22	Molecular karyotype of species and subspecies of <i>Leishmania</i> . Molecular and Biochemical Parasitology, 1986, 20, 279-293.	0.5	96
23	Impaired drug uptake in methotrexate resistant <i>Crithidia fasciculata</i> without changes in dihydrofolate reductase activity or gene amplification. Molecular and Biochemical Parasitology, 1986, 19, 149-161.	0.5	36
24	Sequence and S1 nuclease mapping of the 5' region of the dihydrofolate reductase-thymidylate synthase gene of <i>Leishmania major</i> . Nucleic Acids Research, 1987, 15, 3369-3383.	6.5	34
25	In vitro activity of sulfonamides and sulfones against <i>Leishmania major</i> promastigotes. Antimicrobial Agents and Chemotherapy, 1987, 31, 1575-1578.	1.4	52
26	Tunicamycin-resistant <i>Leishmania mexicana amazonensis</i> : expression of virulence associated with an increased activity of N-acetylglucosaminyltransferase and amplification of its presumptive gene.. Proceedings of the National Academy of Sciences of the United States of America, 1987, 84, 1253-1257.	3.3	68
27	Evolution of the genus <i>Leishmania</i> as revealed by comparisons of nuclear DNA restriction fragment patterns.. Proceedings of the National Academy of Sciences of the United States of America, 1987, 84, 484-488.	3.3	100
28	Biochemical changes associated with \pm -difluoromethylornithine uptake and resistance in <i>Trypanosoma brucei</i> . Molecular and Biochemical Parasitology, 1987, 25, 227-238.	0.5	64
29	<i>Daucus carota</i> cells contain a dihydrofolate reductase: thymidylate synthase bifunctional polypeptide. Plant Molecular Biology, 1988, 10, 331-338.	2.0	16
30	Superiority of Hemoglobin to Hemin for Cultivation of <i>Leishmania tropica</i> Promastigotes in Serum-Free Media. Journal of Protozoology, 1988, 35, 446-449.	0.9	7
31	Heterologous expression of the bifunctional thymidylate synthase-dihydrofolate reductase from <i>Leishmania major</i> . Biochemistry, 1988, 27, 3776-3784.	1.2	47
32	Characterization of the "unusual" mobility of large circular DNAs in pulsed field-gradient electrophoresis. Nucleic Acids Research, 1988, 16, 925-939.	6.5	183
33	Amino acid changes linked to pyrimethamine resistance in the dihydrofolate reductase-thymidylate synthase gene of <i>Plasmodium falciparum</i> .. Proceedings of the National Academy of Sciences of the United States of America, 1988, 85, 9109-9113.	3.3	452
34	Amplified DNAs in laboratory stocks of <i>Leishmania tarentolae</i> : extrachromosomal circles structurally and functionally similar to the inverted-H-region amplification of methotrexate-resistant <i>Leishmania major</i> .. Molecular and Cellular Biology, 1988, 8, 5188-5199.	1.1	66
35	The Occurrence and Properties of Dihydrofolate Reductase Isolated from Sunflower Callus. Journal of Experimental Botany, 1989, 40, 693-699.	2.4	4
36	Structural alterations of chromosome 2 in <i>Leishmania major</i> as evidence for diploidy, including spontaneous amplification of the mini-exon array. Molecular and Biochemical Parasitology, 1989, 34, 177-188.	0.5	92

#	ARTICLE	IF	CITATIONS
37	Amplification of a New Region of DNA in an Unselected Laboratory Stock of <i>L. tarentolae</i> : The T Region. <i>Journal of Protozoology</i> , 1989, 36, 257-261.	0.9	25
38	Recent Studies on Thymidylate Synthase. <i>Annals of the New York Academy of Sciences</i> , 1989, 569, 201-210.	1.8	2
39	Affinity labeling of the folate-methotrexate transporter from <i>Leishmania donovani</i> . <i>Biochemistry</i> , 1989, 28, 6931-6937.	1.2	11
40	<i>Leishmania donovani</i> : Isolation and characterization of sodium stibogluconate (Pentostam)-resistant cell lines. <i>Experimental Parasitology</i> , 1989, 69, 157-163.	0.5	24
41	Transcriptional mapping of the amplified region encoding the dihydrofolate reductase-thymidylate synthase of <i>Leishmania major</i> reveals a high density of transcripts, including overlapping and antisense RNAs.. <i>Molecular and Cellular Biology</i> , 1989, 9, 3959-3972.	1.1	56
42	Stable transfection of the human parasite <i>Leishmania major</i> delineates a 30-kilobase region sufficient for extrachromosomal replication and expression.. <i>Molecular and Cellular Biology</i> , 1990, 10, 1084-1094.	1.1	419
43	Alpha-difluoromethylornithine resistance in <i>Leishmania donovani</i> is associated with increased ornithine decarboxylase activity. <i>Molecular and Biochemical Parasitology</i> , 1990, 39, 77-89.	0.5	40
44	Evolution of nuclear DNA and the occurrence of sequences related to new small chromosomal DNAs in the trypanosomatid genus <i>Endotrypanum</i> . <i>Molecular and Biochemical Parasitology</i> , 1990, 40, 151-161.	0.5	22
45	Bifunctional thymidylate synthase-dihydrofolate reductase in protozoa. <i>FASEB Journal</i> , 1990, 4, 1591-1597.	0.2	113
46	Nuclease mapping and DNA sequence analysis of transcripts from the dihydrofolate reductase-thymidylate synthase (R) region of <i>Leishmania major</i> . <i>Nucleic Acids Research</i> , 1990, 18, 6399-6408.	6.5	42
47	Direct and inverted DNA repeats associated with P-glycoprotein gene amplification in drug resistant <i>Leishmania</i> .. <i>EMBO Journal</i> , 1991, 10, 1009-1016.	3.5	153
48	<i>Leishmania major</i> : resistance of promastigotes to paromomycin, and susceptibility of amastigotes to paromomycin-methylbenzethonium chloride ointment. <i>Annals of Tropical Medicine and Parasitology</i> , 1991, 85, 323-328.	1.6	11
49	Homologous recombination in <i>Leishmania enriettii</i> .. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1991, 88, 864-868.	3.3	36
50	A DNA sequence (LD1) which occurs in several genomic organizations in <i>Leishmania</i> . <i>Molecular and Biochemical Parasitology</i> , 1991, 47, 151-160.	0.5	46
51	A Test for Genetic Exchange in Mixed Infections of <i>Leishmania major</i> in the Sand Fly <i>Phlebotomus papatasi</i> . <i>Journal of Protozoology</i> , 1991, 38, 224-228.	0.9	37
52	Pyrimethamin-resistant <i>Plasmodium falciparum</i> lack cross-resistance to methotrexate and 2,4-diamino-5-(substituted benzyl) pyrimidines. <i>Zeitschrift für Parasitenkunde (Berlin, Germany)</i> , 1991, 77, 346-350.	0.8	16
53	Homologous recombination in the tandem calmodulin genes of <i>Trypanosoma brucei</i> yields multiple products: compensation for deleterious deletions by gene amplification.. <i>Genes and Development</i> , 1991, 5, 2024-2032.	2.7	32
54	Gene Amplification in <i>Leishmania</i> . <i>Annual Review of Microbiology</i> , 1991, 45, 417-444.	2.9	218

#	ARTICLE	IF	CITATIONS
55	Molecular targets of 5-fluoroorotate in the human malaria parasite, <i>Plasmodium falciparum</i> . <i>Antimicrobial Agents and Chemotherapy</i> , 1992, 36, 704-711.	1.4	69
56	The 63-kilobase circular amplicon of tunicamycin-resistant <i>Leishmania amazonensis</i> contains a functional N-acetylglucosamine-1-phosphate transferase gene that can be used as a dominant selectable marker in transfection.. <i>Molecular and Cellular Biology</i> , 1992, 12, 4112-4122.	1.1	66
57	A novel antifolate resistance gene on the amplified H circle of <i>Leishmania</i> .. <i>EMBO Journal</i> , 1992, 11, 3601-3608.	3.5	184
58	Dynamics and size polymorphisms of minichromosomes in <i>Leishmania major</i> LV-561 cloned lines. <i>Molecular and Biochemical Parasitology</i> , 1992, 55, 65-74.	0.5	16
59	Reduced purine accumulation is encoded on an amplified DNA in <i>Leishmania mexicana amazonensis</i> resistant to toxic nucleosides. <i>Molecular and Biochemical Parasitology</i> , 1993, 60, 171-185.	0.5	25
60	Mechanisms of drug resistance in <i>Leishmania</i> . <i>Parasitology Today</i> , 1993, 9, 150-153.	3.1	134
61	Frequent amplification of a short chain dehydrogenase gene as part of circular and linear amplicons in methotrexate resistant <i>Leishmania</i> . <i>Nucleic Acids Research</i> , 1993, 21, 4305-4312.	6.5	68
62	Homologous recombination between direct repeat sequences yields P-glycoprotein containing amplicons in arsenite resistant <i>Leishmania</i> . <i>Nucleic Acids Research</i> , 1993, 21, 1895-1901.	6.5	100
63	Successful transient introduction of <i>Leishmania</i> RNA virus into a virally infected and an uninfected strain of <i>Leishmania</i> .. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1993, 90, 1736-1740.	3.3	26
64	Heterogeneity in the <i>Leishmania donovani</i> complex (Protozoa: Kinetoplastidae). <i>International Journal of Tropical Insect Science</i> , 1994, 15, 541-550.	0.4	0
65	Susceptibility of <i>Plasmodium falciparum</i> to a combination of thymidine and ICI D1694, a quinazoline antifolate directed at thymidylate synthase. <i>Antimicrobial Agents and Chemotherapy</i> , 1994, 38, 476-480.	1.4	24
66	Selection and characterization of 5-fluoroorotate-resistant <i>Plasmodium falciparum</i> . <i>Antimicrobial Agents and Chemotherapy</i> , 1994, 38, 2871-2876.	1.4	28
67	An amplified DNA element in <i>Leishmania</i> encodes potential integral membrane and nucleotide-binding proteins. <i>Molecular and Biochemical Parasitology</i> , 1994, 66, 11-20.	0.5	31
68	Atomic absorption spectrophotometric measurement of intracellular arsenite in arsenite-resistant <i>Leishmania</i> . <i>Molecular and Biochemical Parasitology</i> , 1994, 66, 161-164.	0.5	23
69	Identification by extrachromosomal amplification and overexpression of β -crystallin/NADPH-oxidoreductase homologue constitutively expressed in <i>Leishmania</i> spp.. <i>Molecular and Biochemical Parasitology</i> , 1994, 66, 201-210.	0.5	23
70	Amplification of the H locus in <i>Leishmania infantum</i> . <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 1994, 1227, 188-194.	1.8	13
71	<i>Leishmania</i> gene amplification: a mechanism of drug resistance. <i>Annals of Tropical Medicine and Parasitology</i> , 1994, 88, 123-130.	1.6	35
72	PTR1: a reductase mediating salvage of oxidized pteridines and methotrexate resistance in the protozoan parasite <i>Leishmania major</i> .. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1994, 91, 11442-11446.	3.3	168

#	ARTICLE	IF	CITATIONS
73	Phylogenetic analysis of <i>Leishmania</i> RNA virus and <i>Leishmania</i> suggests ancient virus-parasite association. <i>Nucleic Acids Research</i> , 1995, 23, 2300-2304.	6.5	58
74	Co-existence of circular and multiple linear amplicons in methotrexate-resistant <i>Leishmania</i> . <i>Nucleic Acids Research</i> , 1995, 23, 2856-2864.	6.5	29
75	New Mechanisms of Drug Resistance in Parasitic Protozoa. <i>Annual Review of Microbiology</i> , 1995, 49, 427-460.	2.9	286
76	Kinetics of <i>Plasmodium falciparum</i> thymidylate synthase: interactions with high-affinity metabolites of 5-fluoroorotate and D1694. <i>Antimicrobial Agents and Chemotherapy</i> , 1996, 40, 1628-1632.	1.4	35
77	Selection against the Dihydrofolate Reductase-Thymidylate Synthase (<i>DHFR-TS</i>) Locus as a Probe of Genetic Alterations in <i>Leishmania major</i> . <i>Molecular and Cellular Biology</i> , 1996, 16, 5655-5663.	1.1	76
78	Transketoplastidy in arsenite-resistant <i>Leishmania major</i> . <i>Molecular and Biochemical Parasitology</i> , 1996, 82, 121-124.	0.5	4
79	Intraspecific polymorphisms of <i>Eimeria</i> species due to resistance against anticoccidial drugs. <i>Parasitology Research</i> , 1996, 82, 706-714.	0.6	31
80	A soluble 3-hydroxy-3-methylglutaryl-CoA reductase in the protozoan <i>Trypanosoma cruzi</i> . <i>Biochemical Journal</i> , 1997, 324, 619-626.	1.7	22
81	±-Difluoromethylornithine-resistant cell lines obtained after one-step selection of <i>Leishmania mexicana</i> promastigote cultures. <i>Biochemical Journal</i> , 1997, 324, 847-853.	1.7	13
82	The Roles of Pteridine Reductase 1 and Dihydrofolate Reductase-Thymidylate Synthase in Pteridine Metabolism in the Protozoan Parasite <i>Leishmania major</i> . <i>Journal of Biological Chemistry</i> , 1997, 272, 13883-13891.	1.6	168
83	Analysis in yeast of antimalaria drugs that target the dihydrofolate reductase of <i>Plasmodium falciparum</i> . <i>Molecular and Biochemical Parasitology</i> , 1997, 85, 25-40.	0.5	84
84	A pteridine reductase gene <i>ptr1</i> contiguous to a P-glycoprotein confers resistance to antifolates in <i>Trypanosoma cruzi</i> ! Note: nucleotide sequence data reported in this paper have been submitted to the GenBank™ data base with the accession number U61221.1. <i>Molecular and Biochemical Parasitology</i> , 1997, 90, 525-535.	0.5	55
85	Biochemical and Genetic Tests for Inhibitors of <i>Leishmania</i> Pteridine Pathways. <i>Experimental Parasitology</i> , 1997, 87, 158-170.	0.5	90
86	Efflux Systems and Increased Trypanothione Levels in Arsenite-Resistant <i>Leishmania</i> . <i>Experimental Parasitology</i> , 1997, 87, 275-282.	0.5	103
87	Involvement of thiol metabolism in resistance to glucantime in <i>leishmania tropica</i> . <i>Biochemical Pharmacology</i> , 1998, 56, 1201-1208.	2.0	36
88	Effect of glucantime on field and patient isolates of New World <i>Leishmania</i> ?: use of growth parameters of promastigotes to assess antimony susceptibility. <i>Parasitology Research</i> , 1998, 84, 720-726.	0.6	21
89	A new member of YER057c family in <i>Trypanosoma cruzi</i> is adjacent to an ABC-transporter. <i>Gene</i> , 1998, 220, 1-12.	1.0	12
90	Drug resistance in <i>Leishmania</i> : similarities and differences to other organisms. <i>Drug Resistance Updates</i> , 1998, 1, 266-278.	6.5	20

#	ARTICLE	IF	CITATIONS
91	Gene Amplification in <i>Leishmania tarentolae</i> Selected for Resistance to Sodium Stibogluconate. Antimicrobial Agents and Chemotherapy, 1998, 42, 1689-1694.	1.4	53
92	Role of the locus and of the resistance gene on gene amplification frequency in methotrexate resistant <i>Leishmania tarentolae</i> . Nucleic Acids Research, 1999, 27, 3653-3659.	6.5	33
93	Isolation of Genes Mediating Resistance to Inhibitors of Nucleoside and Ergosterol Metabolism in <i>Leishmania</i> by Overexpression/Selection. Journal of Biological Chemistry, 1999, 274, 37723-37730.	1.6	54
94	Isolation of a taxol-resistant <i>Leishmania donovani</i> promastigote mutant that exhibits a multidrug-resistant phenotype. FEMS Microbiology Letters, 1999, 176, 437-441.	0.7	8
95	Characterization by pulse-field electrophoresis of a new region of DNA amplification containing the M 2 subunit of ribonucleotide reductase in hydroxyurea-resistant <i>Leishmania</i> . Parasitology Research, 1999, 85, 188-193.	0.6	6
96	The art of matchmaking: sequence alignment methods and their structural implications. Structure, 1999, 7, R7-R12.	1.6	17
97	Increased transport of pteridines compensates for mutations in the high affinity folate transporter and contributes to methotrexate resistance in the protozoan parasite <i>Leishmania tarentolae</i> . EMBO Journal, 1999, 18, 2342-2351.	3.5	92
98	Mutant PTR1 Proteins from <i>Leishmania tarentolae</i> : Comparative Kinetic Properties and Active-Site Labeling. Archives of Biochemistry and Biophysics, 1999, 368, 161-171.	1.4	8
99	Characterization and regulation of <i>Leishmania major</i> 3-hydroxy-3-methylglutaryl-CoA reductase. Biochemical Journal, 2000, 349, 27.	1.7	18
100	Potent and Selective Activity of a Combination of Thymidine and 1843U89, a Folate-Based Thymidylate Synthase Inhibitor, against <i>Plasmodium falciparum</i> . Antimicrobial Agents and Chemotherapy, 2000, 44, 1047-1050.	1.4	57
101	Characterization of uracil-DNA glycosylase activity from <i>Trypanosoma cruzi</i> and its stimulation by AP endonuclease. Nucleic Acids Research, 2001, 29, 1549-1555.	6.5	22
102	A New Type of High Affinity Folic Acid Transporter in the Protozoan Parasite <i>Leishmania</i> and Deletion of Its Gene in Methotrexate-resistant Cells. Journal of Biological Chemistry, 2002, 277, 29460-29467.	1.6	52
103	Multidrug Resistance Phenotype Mediated by the P-Glycoprotein-Like Transporter in <i>Leishmania</i> : A Search for Reversal Agents. Current Drug Targets, 2002, 3, 311-333.	1.0	66
104	Pterin transport and metabolism in <i>Leishmania</i> and related trypanosomatid parasites. International Journal for Parasitology, 2002, 32, 385-398.	1.3	89
105	Two casein kinase 1 isoforms are differentially expressed in <i>Trypanosoma cruzi</i> . Molecular and Biochemical Parasitology, 2002, 124, 23-36.	0.5	16
106	Improvements in transfection efficiency and tests of RNA interference (RNAi) approaches in the protozoan parasite <i>Leishmania</i> . Molecular and Biochemical Parasitology, 2003, 128, 217-228.	0.5	247
107	Prized malaria drug target nailed. Nature Structural and Molecular Biology, 2003, 10, 316-318.	3.6	14
108	Modulation of gene expression in <i>Leishmania</i> drug resistant mutants as determined by targeted DNA microarrays. Nucleic Acids Research, 2003, 31, 5886-5896.	6.5	105

#	ARTICLE	IF	CITATIONS
109	Promoter Strength of Folic Acid Synthesis Genes Affects Sulfa Drug Resistance in <i>Saccharomyces cerevisiae</i> . <i>Microbial Drug Resistance</i> , 2003, 9, 249-255.	0.9	18
110	A novel type of single-stranded nucleic acid binding protein recognizing a highly frequent motif in the intergenic regions of <i>Trypanosoma cruzi</i> . <i>Biochemical and Biophysical Research Communications</i> , 2003, 309, 183-188.	1.0	11
111	A single point mutation in <i>Drosophila</i> dihydrofolate reductase confers methotrexate resistance to a transgenic CHO cell line. <i>Genome</i> , 2003, 46, 707-715.	0.9	4
112	Differential Protein Expression Analysis of <i>Leishmania major</i> Reveals Novel Roles for Methionine Adenosyltransferase and S-Adenosylmethionine in Methotrexate Resistance. <i>Journal of Biological Chemistry</i> , 2004, 279, 33273-33280.	1.6	59
113	Growth Phase Regulation of the Main Folate Transporter of <i>Leishmania infantum</i> and Its Role in Methotrexate Resistance. <i>Journal of Biological Chemistry</i> , 2004, 279, 54494-54501.	1.6	54
114	Cell structure and cytokinesis alterations in multidrug-resistant <i>Leishmania (Leishmania) amazonensis</i> . <i>Parasitology Research</i> , 2005, 95, 90-96.	0.6	22
115	American Tegumentary Leishmaniasis: Is Antimonial Treatment Outcome Related to Parasite Drug Susceptibility?. <i>Journal of Infectious Diseases</i> , 2006, 194, 1168-1175.	1.9	92
116	Chemotherapy of Leishmaniasis: Past, Present and Future. <i>Current Medicinal Chemistry</i> , 2007, 14, 1153-1169.	1.2	239
117	Sugar Nucleotide Pools of <i>Trypanosoma brucei</i> , <i>Trypanosoma cruzi</i> , and <i>Leishmania major</i> . <i>Eukaryotic Cell</i> , 2007, 6, 1450-1463.	3.4	128
118	<i>Trypanosoma cruzi</i> as a model system to study the expression of exogenous genes coding for polyamine biosynthetic enzymes. Induction of DFMO resistance in transgenic parasites. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2007, 1770, 1605-1611.	1.1	7
119	Molecular genetic analysis of purine nucleobase transport in <i>Leishmania major</i> . <i>Molecular Microbiology</i> , 2007, 64, 1228-1243.	1.2	40
120	Transcriptional regulation of aldo-keto reductase 1C1 in HT29 human colon cancer cells resistant to methotrexate: Role in the cell cycle and apoptosis. <i>Biochemical Pharmacology</i> , 2008, 75, 414-426.	2.0	69
121	Modulation of gene expression in drug resistant <i>Leishmania</i> is associated with gene amplification, gene deletion and chromosome aneuploidy. <i>Genome Biology</i> , 2008, 9, R115.	13.9	140
122	Amplification of an alternate transporter gene suppresses the avirulent phenotype of glucose transporter null mutants in <i>Leishmania mexicana</i> . <i>Molecular Microbiology</i> , 2009, 71, 369-381.	1.2	20
123	Methylene tetrahydrofolate dehydrogenase/cyclohydrolase and the synthesis of 10â€œCHOâ€œTHF are essential in <i>Leishmania major</i> . <i>Molecular Microbiology</i> , 2009, 71, 1386-1401.	1.2	52
124	Mutational "hot-spots"™ in mammalian, bacterial and protozoal dihydrofolate reductases associated with antifolate resistance: Sequence and structural comparison. <i>Drug Resistance Updates</i> , 2009, 12, 28-41.	6.5	33
125	Studies of quinapyramine-resistance of <i>Trypanosoma brucei evansi</i> in China. <i>Acta Tropica</i> , 2010, 116, 173-177.	0.9	9
126	Antimony Resistance in <i>Leishmania</i> , Focusing on Experimental Research. <i>Journal of Tropical Medicine</i> , 2011, 2011, 1-15.	0.6	44

#	ARTICLE	IF	CITATIONS
127	Contribution of proteomics of <i>Leishmania</i> spp. to the understanding of differentiation, drug resistance mechanisms, vaccine and drug development. <i>Journal of Proteomics</i> , 2011, 74, 1614-1624.	1.2	42
128	The stepwise selection for ketoconazole resistance induces upregulation of C14-demethylase (CYP51) in <i>Leishmania amazonensis</i> . <i>Memorias Do Instituto Oswaldo Cruz</i> , 2012, 107, 416-419.	0.8	11
129	In silico identification of conserved intercoding sequences in <i>Leishmania</i> genomes: Unraveling putative cis-regulatory elements. <i>Molecular and Biochemical Parasitology</i> , 2012, 183, 140-150.	0.5	14
130	A folate independent role for cytosolic HPPK/DHPS upon stress in <i>Arabidopsis thaliana</i> . <i>Phytochemistry</i> , 2012, 73, 23-33.	1.4	23
131	Implication of CA repeated tracts on post-transcriptional regulation in <i>Trypanosoma cruzi</i> . <i>Experimental Parasitology</i> , 2013, 134, 511-518.	0.5	10
132	Drug Resistance in <i>Leishmania</i> Parasites. , 2013, , .		13
133	Functional Analysis of <i>Leishmania</i> Membrane (Non-ABC) Transporters Involved in Drug Resistance. , 2013, , 259-284.		1
134	Genetic Expression and Drug Resistance, the Role of Proteomics. , 2013, , 215-236.		1
135	Gene Amplification and Point Mutations in Pyrimidine Metabolic Genes in 5-Fluorouracil Resistant <i>Leishmania infantum</i> . <i>PLoS Neglected Tropical Diseases</i> , 2013, 7, e2564.	1.3	24
136	Formation of Linear Amplicons with Inverted Duplications in <i>Leishmania</i> Requires the MRE11 Nuclease. <i>PLoS Genetics</i> , 2014, 10, e1004805.	1.5	23
137	Drug Target Identification Using a Trypanosome Overexpression Library. <i>Antimicrobial Agents and Chemotherapy</i> , 2014, 58, 6260-6264.	1.4	33
138	Altered expression of an <i>RBP</i> -associated arginine methyltransferase 7 in <i>Leishmania major</i> affects parasite infection. <i>Molecular Microbiology</i> , 2014, 94, 1085-1102.	1.2	34
139	<i>Leishmania amazonensis</i> : Increase in ecto-ATPase activity and parasite burden of vinblastine-resistant protozoa. <i>Experimental Parasitology</i> , 2014, 146, 25-33.	0.5	13
140	Opposing effects of target overexpression reveal drug mechanisms. <i>Nature Communications</i> , 2014, 5, 4296.	5.8	102
141	<i>Leishmania</i> is not prone to develop resistance to tamoxifen. <i>International Journal for Parasitology: Drugs and Drug Resistance</i> , 2015, 5, 77-83.	1.4	17
142	Drug resistance analysis by next generation sequencing in <i>Leishmania</i> . <i>International Journal for Parasitology: Drugs and Drug Resistance</i> , 2015, 5, 26-35.	1.4	66
143	Cos-Seq for high-throughput identification of drug target and resistance mechanisms in the protozoan parasite <i>Leishmania</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, E3012-21.	3.3	76
145	Targeting the Cytochrome <i>bc</i> ₁ Complex of <i>Leishmania</i> Parasites for Discovery of Novel Drugs. <i>Antimicrobial Agents and Chemotherapy</i> , 2016, 60, 4972-4982.	1.4	28

#	ARTICLE	IF	CITATIONS
146	Gene Expression in <i>Leishmania</i> Is Regulated Predominantly by Gene Dosage. <i>MBio</i> , 2017, 8, .	1.8	108
147	Pyrimidine metabolism in schistosomes: A comparison with other parasites and the search for potential chemotherapeutic targets. <i>Comparative Biochemistry and Physiology - B Biochemistry and Molecular Biology</i> , 2017, 213, 55-80.	0.7	23
148	Comparative genomics of Tunisian <i>Leishmania</i> major isolates causing human cutaneous leishmaniasis with contrasting clinical severity. <i>Infection, Genetics and Evolution</i> , 2017, 50, 110-120.	1.0	16
149	Selective human inhibitors of ATR and ATM render <i>Leishmania</i> major promastigotes sensitive to oxidative damage. <i>PLoS ONE</i> , 2018, 13, e0205033.	1.1	11
150	Functional Analysis of <i>Leishmania</i> Membrane (Non-ABC) Transporters Involved in Drug Resistance. , 2018, , 273-294.		0
151	Drug Resistance in <i>Leishmania</i> Parasites. , 2018, , .		3
152	The Role of Proteomics in the Study of Drug Resistance. , 2018, , 209-245.		1
153	Combined gene deletion of dihydrofolate reductase-thymidylate synthase and pteridine reductase in <i>Leishmania</i> infantum. <i>PLoS Neglected Tropical Diseases</i> , 2021, 15, e0009377.	1.3	7
154	Effects of a Squalene-2,3-Epoxidase Inhibitor on Propagation and Sterol Biosynthesis of <i>Leishmania</i> Promastigotes and Amastigotes. , 1989, , 885-890.		3
155	Abnormally Migrating Chromosome Identifies <i>Leishmania</i> <i>Donovani</i> Populations. , 1989, , 539-547.		5
156	Frequent Amplification of a Short Chain Dehydrogenase Gene in Methotrexate Resistant <i>Leishmania</i> . <i>Advances in Experimental Medicine and Biology</i> , 1993, 338, 559-562.	0.8	10
157	Antifolate Resistance Mechanisms from Bacteria to Cancer Cells with Emphasis on Parasites. <i>Advances in Experimental Medicine and Biology</i> , 1998, 456, 99-113.	0.8	12
158	Characterization of a Mutant Clone of <i>Leishmania</i> <i>Donovani</i> Deficient in Folate Transport. <i>Advances in Experimental Medicine and Biology</i> , 1989, 253B, 533-538.	0.8	1
159	Drug Resistance in <i>Leishmania</i> . , 2017, , 649-665.		2
160	Gene Amplification and Related Events. <i>Biotechnology in Agriculture and Forestry</i> , 1990, , 153-201.	0.2	18
161	The metabolism of nucleotides. , 1986, , 120-135.		3
162	Isolation and characterization of a mutant dihydrofolate reductase-thymidylate synthase from methotrexate-resistant <i>Leishmania</i> cells.. <i>Journal of Biological Chemistry</i> , 1994, 269, 10590-10596.	1.6	38
163	Changes in folate and pterin metabolism after disruption of the <i>Leishmania</i> H locus short chain dehydrogenase gene.. <i>Journal of Biological Chemistry</i> , 1994, 269, 7310-7315.	1.6	49

#	ARTICLE	IF	CITATIONS
164	DNA amplification in antifolate-resistant <i>Leishmania</i> . The thymidylate synthase-dihydrofolate reductase gene and abundant mRNAs.. <i>Journal of Biological Chemistry</i> , 1985, 260, 7809-7812.	1.6	31
165	A member of the aldoketo reductase family confers methotrexate resistance in <i>Leishmania</i> .. <i>Journal of Biological Chemistry</i> , 1992, 267, 24165-24168.	1.6	100
166	Extrachromosomal elements in the lower eukaryote <i>Leishmania</i> .. <i>Journal of Biological Chemistry</i> , 1988, 263, 16970-16976.	1.6	64
167	The H circles of <i>Leishmania tarentolae</i> are a unique amplifiable system of oligomeric DNAs associated with drug resistance.. <i>Journal of Biological Chemistry</i> , 1988, 263, 16977-16983.	1.6	150
168	A sequence insertion targeting vector for <i>Leishmania enriettii</i> .. <i>Journal of Biological Chemistry</i> , 1992, 267, 4752-4758.	1.6	12
169	Amplification and molecular cloning of the ornithine decarboxylase gene of <i>Leishmania donovani</i> .. <i>Journal of Biological Chemistry</i> , 1992, 267, 2350-2359.	1.6	92
170	Electron microscopy of amplified DNA forms in antifolate-resistant <i>Leishmania</i> .. <i>Journal of Biological Chemistry</i> , 1987, 262, 14618-14624.	1.6	22
171	Amplification and molecular cloning of the IMP dehydrogenase gene of <i>Leishmania donovani</i> . <i>Journal of Biological Chemistry</i> , 1991, 266, 1665-1671.	1.6	83
172	Biochemistry and regulation of folate and methotrexate transport in <i>Leishmania major</i> .. <i>Journal of Biological Chemistry</i> , 1987, 262, 10053-10058.	1.6	71
173	Multiple Drug Resistance and Conservative Amplification of the H Region in <i>Leishmania major</i> . <i>Journal of Biological Chemistry</i> , 1989, 264, 15094-15103.	1.6	103
174	Methotrexate-resistant <i>Leishmania donovani</i> genetically deficient in the folate-methotrexate transporter.. <i>Journal of Biological Chemistry</i> , 1988, 263, 7020-7028.	1.6	90
175	DNA amplification in tunicamycin-resistant <i>Leishmania mexicana</i> . Multicopies of a single 63-kilobase supercoiled molecule and their expression.. <i>Journal of Biological Chemistry</i> , 1988, 263, 3418-3424.	1.6	62
176	Wild-type and Drug-resistant <i>Leishmania major</i> Hydrolyze Methotrexate to N-10-Methyl-4-deoxy-4-aminopteroate without Accumulation of Methotrexate Polyglutamates. <i>Journal of Biological Chemistry</i> , 1989, 264, 15960-15966.	1.6	30
177	Aspartate transcarbamylase from <i>Leishmania donovani</i> . A discrete, nonregulatory enzyme as a potential chemotherapeutic site.. <i>Journal of Biological Chemistry</i> , 1988, 263, 708-713.	1.6	18
178	Reductions in methotrexate and folate influx in methotrexate-resistant lines of <i>Leishmania major</i> are independent of R or H region amplification.. <i>Journal of Biological Chemistry</i> , 1987, 262, 13501-13506.	1.6	70
179	Analysis of amplified DNAs from drug-resistant <i>Leishmania</i> by orthogonal-field-alternation gel electrophoresis. <i>Journal of Biological Chemistry</i> , 1989, 264, 2979-2984.	1.6	12
180	Nucleotide sequence reveals overlap between T4 phage genes encoding dihydrofolate reductase and thymidylate synthase.. <i>Journal of Biological Chemistry</i> , 1984, 259, 6261-6266.	1.6	43
181	Purine and pyrimidine metabolism in parasitic protozoa. <i>FEMS Microbiology Letters</i> , 1988, 54, 47-83.	0.7	59

#	ARTICLE	IF	CITATIONS
182	The short transcript of Leishmania RNA virus is generated by RNA cleavage. <i>Journal of Virology</i> , 1995, 69, 3458-3464.	1.5	25
183	Stable Transfection of the Human Parasite <i>Leishmania major</i> Delineates a 30-Kilobase Region Sufficient for Extrachromosomal Replication and Expression. <i>Molecular and Cellular Biology</i> , 1990, 10, 1084-1094.	1.1	201
184	The 63-Kilobase Circular Amplicon of Tunicamycin-Resistant <i>Leishmania amazonensis</i> Contains a Functional N-Acetylglucosamine-1-Phosphate Transferase Gene That Can Be Used as a Dominant Selectable Marker in Transfection. <i>Molecular and Cellular Biology</i> , 1992, 12, 4112-4122.	1.1	18
185	UV Radiation Facilitates Methotrexate Resistance and Amplification of the Dihydrofolate Reductase Gene in Cultured 3T6 Mouse Cells. <i>Molecular and Cellular Biology</i> , 1984, 4, 1050-1056.	1.1	55
186	Multiple transcription start sites, DNase I-hypersensitive sites, and an opposite-strand exon in the 5' region of the CHO dhfr gene. <i>Molecular and Cellular Biology</i> , 1986, 6, 425-440.	1.1	103
187	Amplified DNAs in laboratory stocks of <i>Leishmania tarentolae</i> : extrachromosomal circles structurally and functionally similar to the inverted-H-region amplification of methotrexate-resistant <i>Leishmania major</i> . <i>Molecular and Cellular Biology</i> , 1988, 8, 5188-5199.	1.1	27
188	Transcriptional Mapping of the Amplified Region Encoding the Dihydrofolate Reductase-Thymidylate Synthase of <i>Leishmania major</i> Reveals a High Density of Transcripts, Including Overlapping and Antisense RNAs. <i>Molecular and Cellular Biology</i> , 1989, 9, 3959-3972.	1.1	29
189	Molecular biology of trypanosome antigenic variation. <i>Microbiological Reviews</i> , 1985, 49, 107-125.	10.1	101
190	The cell cycle and its relationship to development in <i>Acanthamoeba Castellanii</i> . <i>Journal of Cell Science</i> , 1987, 88, 579-590.	1.2	15
191	Relationship between the timing of dna replication and the developmental competence in <i>Acanthamoeba castellanii</i> . <i>Journal of Cell Science</i> , 1988, 91, 389-399.	1.2	13
192	Over-Expression of Cysteine Leucine Rich Protein Is Related to SAG Resistance in Clinical Isolates of <i>Leishmania donovani</i> . <i>PLoS Neglected Tropical Diseases</i> , 2015, 9, e0003992.	1.3	13
193	Effects of pyrimidine salvage inhibitors on uracil incorporation of <i>Toxoplasma gondii</i> . <i>Korean Journal of Parasitology</i> , 1990, 28, 79.	0.5	15
194	Changes in enzyme activity and expression of DHFR of <i>Toxoplasma gondii</i> by antifolates. <i>Korean Journal of Parasitology</i> , 1998, 36, 191.	0.5	3
195	THE SENSITIVITY OF CLINICAL ISOLATES OF LEISHMANIA FROM PERU AND NEPAL TO MILTEFOSINE. <i>American Journal of Tropical Medicine and Hygiene</i> , 2005, 73, 272-275.	0.6	99
196	Complex chromosomal neighborhood effects determine the adaptive potential of a gene under selection. <i>ELife</i> , 2017, 6, .	2.8	17
197	Malaria Chemotherapy: Paradigms from Pyrimidine Metabolism. , 2000, , 73-93.		0
198	Development and Application of an Engineered Dihydrofolate Reductase and Cytidine-Deaminase-Based Fusion Genes in Myeloprotection-Based Gene Therapy Strategies. , 2002, , 365-382.		0
199	Drug Resistance in <i>Leishmania</i> . , 2009, , 575-587.		0

#	ARTICLE	IF	CITATIONS
202	Control of transcription and mRNA processing. , 1986, , 341-382.		0
203	Unstable and Stable Gene Amplification in Methotrexate-Resistant Leishmania Major and Natural Isolates of Leishmania Tarentolae. , 1989, , 873-877.		1
204	Present status of Leishmaniasis. , 1990, 34, 447-490.		7
205	The metabolism of nucleotides. , 1992, , 135-151.		1
206	Omics and Their Impact on the Development of Chemotherapy Against <i>Leishmania</i> . RSC Drug Discovery Series, 2017, , 101-129.	0.2	0
207	Modulation of the Host Nuclear Compartment by <i>Trypanosoma cruzi</i> Uncovers Effects on Host Transcription and Splicing Machinery. <i>Frontiers in Cellular and Infection Microbiology</i> , 2021, 11, 718028.	1.8	4
213	Direct and inverted DNA repeats associated with P-glycoprotein gene amplification in drug resistant <i>Leishmania</i> . <i>EMBO Journal</i> , 1991, 10, 1009-16.	3.5	68
214	A novel antifolate resistance gene on the amplified H circle of <i>Leishmania</i> . <i>EMBO Journal</i> , 1992, 11, 3601-8.	3.5	79
215	Chromosomes of kinetoplastida. <i>EMBO Journal</i> , 1984, 3, 3109-15.	3.5	32
216	Inhibition of <i>Leishmania major</i> PTR1 Gene Expression by Antisense in <i>Escherichia coli</i> . <i>Iranian Journal of Public Health</i> , 2012, 41, 65-71.	0.3	1
217	Molecular cloning, expression and enzymatic assay of pteridine reductase 1 from Iranian lizard <i>Leishmania</i> . <i>Iranian Biomedical Journal</i> , 2010, 14, 97-102.	0.4	6