

Changes in the Distribution of Aquatic Plants in a Tropi

Environmental Conservation

10, 323-329

DOI: [10.1017/s0376892900013023](https://doi.org/10.1017/s0376892900013023)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Cycling and retention of nitrogen and phosphorus in wetlands: a theoretical and applied perspective. <i>Freshwater Biology</i> , 1985, 15, 391-431.	2.4	255
2	From Swamp to Lake: Recent Changes in a Lowland Tropical Swamp. <i>Journal of Ecology</i> , 1986, 74, 197.	4.0	9
3	Macrophyte management: An integrated perspective. <i>New Zealand Journal of Marine and Freshwater Research</i> , 1986, 20, 599-614.	2.0	20
4	The freshwater lakes of Papua New Guinea: an inventory and limnological review. <i>Journal of Tropical Ecology</i> , 1987, 3, 1-23.	1.1	20
5	Seasonality in Nutrients and Phytoplankton Production in Two Shallow Lakes: Waigani Lake, Papua New Guinea, and Barton Broad, Norfolk, England. <i>International Review of Hydrobiology</i> , 1991, 76, 105-120.	0.6	4
6	Literature review on higher plants for toxicity testing. <i>Water, Air, and Soil Pollution</i> , 1991, 59, 381-400.	2.4	124
7	Sediment Deposition and Late Holocene Environmental Change in a Tropical Lowland Basin: Waigani Lake, Papua New Guinea. <i>Journal of Biogeography</i> , 1993, 20, 599.	3.0	16
8	Lacustrine sediment geochemistry as a tool in retrospective environmental impact assessment of mining and urban development in tropical environments: examples from Papua New Guinea. <i>Geological Society Special Publication</i> , 1996, 113, 195-199.	1.3	0