

Distribution of *Angiostrongylus cantonesis* in Papua New Guinea

Transactions of the Royal Society of Tropical Medicine and Hygiene
78, 776-779

DOI: 10.1016/0035-9203(84)90017-8

Citation Report

#	ARTICLE	IF	CITATIONS
1	Eosinophilic meningitis beyond the Pacific Basin: The global dispersal of a peridomestic zoonosis caused by <i>angiostrongylus cantonensis</i> , the nematode lungworm of rats. <i>Social Science and Medicine</i> , 1992, 34, 199-212.	3.8	167
2	Parasitic zoonoses in Papua New Guinea. <i>Journal of Helminthology</i> , 2005, 79, 1-14.	1.0	79
3	<i>Angiostrongylus cantonensis</i> : Experimental study on the susceptibility of apple snails, <i>Pomacea canaliculata</i> compared to <i>Pila polita</i> . <i>Experimental Parasitology</i> , 2008, 118, 531-535.	1.2	16
4	Epidemiological survey of <i>Angiostrongylus cantonensis</i> in the west-central region of Guangdong Province, China. <i>Parasitology Research</i> , 2011, 109, 305-314.	1.6	33
6	Neurologic <i>Angiostrongyliasis</i> : Parasitic Eosinophilic Meningoencephalitis. , 1988, , 754-767.		3
7	Prevalence and Intensity of Infection with Third Stage Larvae of <i>Angiostrongylus cantonensis</i> in Mollusks from Northeast Thailand. <i>American Journal of Tropical Medicine and Hygiene</i> , 2009, 80, 983-987.	1.4	26
8	Detection of rat lungworm in intermediate, definitive, and paratenic hosts obtained from environmental sources. <i>Hawai'i Journal of Medicine & Public Health: A Journal of Asia Pacific Medicine & Public Health</i> , 2013, 72, 63-9.	0.4	15