

CITATION REPORT

List of articles citing

Magnetic properties of Y₂Fe₁₄B and Nd₂Fe₁₄B single crystals

DOI: 10.1016/0038-1098(84)91087-1
Solid State Communications, 1984, 51, 857-860.

Source: <https://exaly.com/paper-pdf/16960046/citation-report.pdf>

Version: 2024-04-29

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
423	Crystal fields in Nd ₂ Fe ₁₄ B. 1984 , 30, 7326-7327		69
422	¹⁶¹ Dy Mössbauer Effect in Dy ₂ Fe ₁₄ B. 1985 , 130, 575-580		29
421	On the Spin Reorientation in R ₂ Fe ₁₄ B Compounds. 1985 , 131, K123-K127		20
420	High field magnetization processes in Pr ₂ Fe ₁₄ B. 1985 , 92, K65-K68		14
419	Note on the crystal field induced magnetic anisotropy in several permanent magnet materials. 1985 , 132, 13-16		8
418	Spin reorientation and magnetization anomaly in Er ₂ Fe ₁₄ B and Tm ₂ Fe ₁₄ B. <i>Solid State Communications</i> , 1985 , 54, 335-337	1.6	95
417	Tetragonal rare earth (R) Iron borides, R _{1+x} Fe ₄ B ₄ (x=0.1), with incommensurate rare earth and iron substructures. <i>Solid State Communications</i> , 1985 , 55, 131-135	1.6	66
416	Nd ₅ Fe ₁₈ B ₁₈ (Nd _{1.11} Fe ₄ B ₄), a new nowotny-like phase. structural and magnetic properties. <i>Solid State Communications</i> , 1985 , 55, 303-306	1.6	80
415	Spin reorientation phenomena in RE ₂ Fe ₁₄ B (RE = Ce, Dy, Er) alloys from ⁵⁷ Fe and ¹⁶¹ Dy Mössbauer spectroscopies. <i>Solid State Communications</i> , 1985 , 55, 783-786	1.6	30
414	Magnetic anisotropy of Sm ₂ Fe ₁₄ B single crystal. <i>Solid State Communications</i> , 1985 , 54, 41-43	1.6	39
413	Crystal-field effects in Nd ₂ Fe ₁₄ B compounds. <i>Journal of Magnetism and Magnetic Materials</i> , 1985 , 52, 399-402	2.8	13
412	Differences in the low temperature magnetic anisotropy of Nd ₂ Fe ₁₄ B and Pr ₂ Fe ₁₄ B interpreted on a crystal field model. <i>Solid State Communications</i> , 1985 , 55, 529-532	1.6	92
411	Magnetization and torque measurements on Nd ₂ Fe ₁₄ B single crystals. <i>Solid State Communications</i> , 1985 , 56, 333-336	1.6	79
410	3d-4f magnetic interactions and crystalline electric field in the R ₂ Fe ₁₄ B compounds : Magnetization measurements and Mössbauer study of Gd ₂ Fe ₁₄ B. <i>Solid State Communications</i> , 1985 , 55, 295-298	1.6	74
409	MAGNETIC PROPERTIES OF R ₂ Fe ₁₄ B MEASURED ON SINGLE CRYSTALS. 1985 , 928-935		
408	MAGNETIC PROPERTIES OF RARE EARTH INTERMETALLICS. 1985 , 879-886		2
407	Single Crystal Measurements of Anisotropy Constants of R ₂ Fe ₁₄ B (R=Y, Ce, Pr, Nd, Gd, Tb, Dy and Ho). 1985 , 24, L803-L805		63

406	Low temperature magnetic properties of Nd ₂ Fe ₁₄ B single crystal. 1985 , 2, 349-352	5
405	Phase Diagram of the Nd-Fe-B Ternary System. 1985 , 24, L635-L637	158
404	Phase analysis of Fe-Nd-B alloys by Mossbauer spectroscopy. 1985 , 15, L129-L133	23
403	Mössbauer spectroscopic studies of Nd ₂ Fe ₁₄ B. 1985 , 32, 1756-1761	37
402	Magnetic properties of R ₂ Fe ₁₄ B single crystals. 1985 , 57, 4091-4093	124
401	Magnetic hardening in iron-neodymium-boron permanent magnets. 1985 , 57, 4097-4099	64
400	Polarized neutron study of the compounds Y ₂ Fe ₁₄ B and Nd ₂ Fe ₁₄ B. 1985 , 57, 4100-4102	160
399	Thermomagnetic data in iron-rare-earth-boron alloys. 1985 , 3, 270-272	3
398	Hot-pressed neodymium-iron-boron magnets. 1985 , 46, 790-791	374
397	On the site preference of 3d atoms in compounds of the R ₂ (Co _{1-x} Fe _x) ₁₄ B type. 1985 , 113, L9-L12	74
396	On the magnetic behaviour of Y ₂ Fe _{14-x} Ni _x B and Y ₂ Fe _{14-x} Co _x B. 1985 , 111, 83-86	29
395	Rare Earth-Transition metal permanent magnet materials. 1985 , 16, 127-162	104
394	Magnetization and magnetic anisotropy of R ₂ Fe ₁₄ B measured on single crystals. 1986 , 59, 873-879	703
393	Interpretation of Mössbauer effect measurements near the spin-reorientation temperature and the electric field gradient tensor of Nd ₂ Fe ₁₄ B. 1986 , 125, 97-104	9
392	Phase relationships, magnetic and crystallographic properties of Nd ₂ Fe ₁₄ B alloys. 1986 , 115, 357-366	66
391	Intrinsic magnetic properties of compounds with the Nd ₂ Fe ₁₄ B structure. 1986 , 126, 21-34	49
390	Magnetism of R ₂ Fe ₁₄ B-based systems. 1986 , 126, 41-52	43
389	Influence of hydrogen on the magnetic characteristics of R ₂ Fe ₁₄ B (R = Ce, Pr, Nd, Sm or Y) systems. 1986 , 120, 63-70	48

388	Rare Earth-Iron-Boron Materials: A New Era in Permanent Magnets. 1986 , 16, 467-485		49
387	Magnetic anisotropies and spin reorientations of R ₂ Fe ₁₄ B-type compounds. 1986 , 60, 3671-3679		39
386	New permanent magnet materials. 1986 , 1, 1-63		212
385	Spin reorientation in NdDyFe ₁₄ B. 1986 , 60, 2982-2984		26
384	¹⁶⁶ Er Mössbauer spectroscopy in the Er ₂ Fe ₁₄ B H ₂ L alloys. <i>Solid State Communications</i> , 1986 , 57, 309-313	1.6	28
383	Magnetic properties of the intermetallic compounds Y ₁₅ Fe ₇₇ T _x B ₈ (T = Mn, Co, Ni, x = 7, 17). <i>Solid State Communications</i> , 1986 , 57, 809-811	1.6	8
382	A note on exchange and crystal field interactions in R ₂ Fe ₁₄ B compounds: Yb ₂ Fe ₁₄ B. <i>Solid State Communications</i> , 1986 , 60, 723-727	1.6	26
381	Magnetic hyperfine field changes at different Fe-sites below spin reorientation temperature in polycrystalline untextured Nd ₂ Fe ₁₄ B. 1986 , 118, 103-105		4
380	Growth of single crystals of Nd ₂ Fe ₁₄ B. 1986 , 75, 277-280		6
379	A High Resolution Microscopic Study on Nd-Fe-B Permanent Magnetic Alloys. 1986 , 93, 573-583		8
378	Microstructure and magnetic properties of iron-based rare-earth magnets. 1986 , 22, 1845-1848		15
377	Determination of intrinsic magnetic material parameters of Nd ₂ Fe ₁₄ B from magnetic measurements of sintered Nd ₁₅ Fe ₇₇ B ₈ magnets. <i>Journal of Magnetism and Magnetic Materials</i> , 1986 , 59, 86-94	2.8	209
376	Concerning magnetic characteristics of (R ₂ -xR' _x)Fe ₁₂ Co ₂ B (R = Pr and Nd, R' = Tb and Dy). <i>Journal of Magnetism and Magnetic Materials</i> , 1986 , 61, 251-256	2.8	17
375	The dependence of coercivity on anisotropy field in sintered R-Fe-B permanent magnets. <i>Journal of Magnetism and Magnetic Materials</i> , 1986 , 61, 363-369	2.8	85
374	Magnetic properties of R ₂ T _x Fe ₁₄ B alloys (R = Y, Dy or Er). <i>Journal of Magnetism and Magnetic Materials</i> , 1986 , 61, 177-182	2.8	12
373	On the theory of nucleation fields in uniaxial ferromagnets. <i>Journal of Magnetism and Magnetic Materials</i> , 1986 , 58, 48-54	2.8	71
372	Magnetocrystalline anisotropy of (Pr _{1-x} Sm _x) ₂ Fe ₁₄ B. <i>Journal of Magnetism and Magnetic Materials</i> , 1986 , 54-57, 887-888	2.8	9
371	Magnetocrystalline anisotropy of (Nd _{1-x} Sm _x) ₂ Fe ₁₄ B and (Nd _{1-x} Pr _x) ₂ Fe ₁₄ B. <i>Journal of Magnetism and Magnetic Materials</i> , 1986 , 54-57, 895-897	2.8	24

370	Magnetic properties of the R-Fe-B ternary compounds. <i>Journal of Magnetism and Magnetic Materials</i> , 1986 , 54-57, 445-449	2.8	43
369	Magnetization of $(Y_{0.9}R_{0.1})_2Fe_{14}B$ single crystals. <i>Journal of Magnetism and Magnetic Materials</i> , 1986 , 54-57, 523-524	2.8	20
368	Electronic structure of $Y_2Fe_{14}B$. <i>Journal of Magnetism and Magnetic Materials</i> , 1986 , 54-57, 525-526	2.8	8
367	Origin of spin reorientation in rare earth-iron-boron permanent magnets. <i>Journal of Magnetism and Magnetic Materials</i> , 1986 , 54-57, 530-532	2.8	21
366	Magnetic properties of pseudoternary compounds $Nd_2(Fe_{1-x}Ru_x)_{14}B$. <i>Journal of Magnetism and Magnetic Materials</i> , 1986 , 54-57, 533-534	2.8	11
365	Magnetic properties of $Nd_2(Co_xFe_{1-x})_{14}B$ alloys. <i>Journal of Magnetism and Magnetic Materials</i> , 1986 , 54-57, 567-569	2.8	94
364	Crystal and magnetic structure of $Ce_2Fe_{14}B$ and $Lu_2Fe_{14}B$. <i>Journal of Magnetism and Magnetic Materials</i> , 1986 , 54-57, 570-572	2.8	33
363	High-field magnetization of $R_2Fe_{14}B$ single crystals. <i>Journal of Magnetism and Magnetic Materials</i> , 1986 , 54-57, 583-584	2.8	31
362	Magnetocrystalline anisotropy in $Nd_2Fe_{14}B$ intermetallic compound. <i>Journal of Magnetism and Magnetic Materials</i> , 1986 , 54-57, 585-586	2.8	47
361	Giant magnetic anisotropy and spin orientation in a single phase Nd-Fe-B magnet. <i>Journal of Magnetism and Magnetic Materials</i> , 1986 , 54-57, 587-588	2.8	12
360	Mössbauer evidence of spin reorientation in single crystal $Nd_2Fe_{14}B$. <i>Journal of Magnetism and Magnetic Materials</i> , 1986 , 54-57, 593-594	2.8	32
359	Mössbauer spectra of $Nd_2Fe_{14}B$ and related compounds. 1986 , 28, 655-658		15
358	Temperature variation of the spin reorientation in $Er_2Dy_xFe_{14}B$ alloys. <i>Solid State Communications</i> , 1986 , 59, 669-672	1.6	19
357	Bulk magnetic properties of the $Y_2T_xFe_{14-x}B$ compounds, where T = Al, Ni or Co. <i>Solid State Communications</i> , 1986 , 58, 803-805	1.6	21
356	Rare earth-transition metal alloy permanent magnet materials: 1960-1985. 1986 , 21, 3387-3400		2
355	Magnetic properties of the alloys $(Nd_{1-x}Tb_x)_{16.7}Fe_{75.5}B_{7.8}$ with $x=0-0.4$. 1986 , 3, 265-268		
354	$A_{155}Gd$ Mossbauer study of a $Gd_2Fe_{14}B$ single crystal. 1986 , 16, L67-L72		85
353	Electronic structure and magnetic properties of $Y_2Fe_{14}B$. 1986 , 16, 1051-1058		38

352	Magnetism and crystal field properties of the RE ₂ Fe ₁₄ B alloys (RE=Y, Ce, Dy, Er) from Mossbauer spectroscopy. 1986 , 16, 651-667	50
351	Low-temperature elastic properties of the permanent magnet compound Nd ₂ Fe ₁₄ B. 1986 , 48, 1444-1445	3
350	Structural and magnetic properties of R ₂ Fe ₁₄ TxB (R=Nd, Y; T=Cr, Mn, Co, Ni, Al). 1986 , 60, 1114-1117	63
349	Electronic-structure and magnetic-moment calculation for Y ₂ Fe ₁₄ B. 1986 , 33, 2868-2871	21
348	⁵⁷ Fe Mossbauer measurements of the spin reorientation in Tm ₂ Fe ₁₄ B. 1986 , 59, 3585-3587	19
347	Analysis of hysteresis loops in Nd-Fe-B sintered magnets. 1986 , 60, 3263-3265	45
346	Neutron scattering studies of the spin reorientation in Er ₂ Fe ₁₄ B. 1986 , 59, 93-96	44
345	Determination of Magnetic Anisotropy Constants from Unsaturated Torque Curves in Nd ₂ Fe ₁₄ B. 1986 , 55, 4014-4019	17
344	Paramagnetic behavior of Nd ₂ Fe ₁₄ B single crystal. 1987 , 4, 513-516	2
343	Neutron diffraction study of spin reorientation of Nd ₁₅ Fe ₇₈ B ₇ . 1987 , 4, 517-520	1
342	Remanence direction of Nd ₂ Fe ₁₄ B permanent magnet at 77k as a function of obliquely applied magnetic field. 1987 , 4, 25-28	1
341	An automated torque magnetometer for use in a 13 T superconducting solenoid. 1987 , 20, 406-409	2
340	Rare-earth contribution to the magnetocrystalline anisotropy energy in R ₂ Fe ₁₄ B. 1987 , 36, 8616-8621	34
339	Magnetocrystalline anisotropy in Nd-Fe-B magnet. 1987 , 61, 3436-3438	20
338	Crystal-field interactions and spin reorientation in (Er _{1-x} Dy _x) ₂ Fe ₁₄ B. 1987 , 36, 1865-1871	20
337	Comparative studies of electronic and magnetic structures in Y ₂ Fe ₁₄ B. 1987 , 36, 8530-8546	63
336	High Field Torque Magnetometry Measurements on Y _{1.8} Er _{0.2} Fe ₁₄ B. 1987 , 96, 111	
335	Spin Reorientations in (Er _x Y _{1-x}) ₂ Fe ₁₄ B and (Er _x Pr _{1-x}) ₂ Fe ₁₄ B Systems. 1987 , 96, 119	6

334	Magnetic Hardening Mechanism in Sintered R-Fe-B Permanent Magnets. 1987 , 96, 161		8
333	Static Devices with New Permanent Magnets. 1987 , 96, 307		1
332	Synthesis of R ₂ Fe ₁₄ B Single Crystals. 1987 , 96, 41		2
331	A Mössbauer spectroscopic study of Nd ₂ (Fe _{1-x} Cox) ₁₄ B at x = 0.13 between 100 K and 700 K. 1987 , 128, 343-350		11
330	Magnetic properties of the new permanent magnet compounds Nd ₂ (Fe _{0.2} M _{0.1}) ₁₄ B (M = Sc, Ti, V, Cr, Mn, Co, Ni). 1987 , 127, 43-48		19
329	Spin-reorientation phenomena in (Er _{1-x} Gd _x) ₂ Fe ₁₄ B alloys. 1987 , 127, 71-78		16
328	Canted spin structures in R ₂ Fe ₁₄ B (R = Tm, Er). 1987 , 135, 269-275		12
327	First-order magnetic transition in (Nd, Pr) ₂ Fe ₁₄ B. 1987 , 132, 317-325		44
326	3d and 4f magnetism in Nd ₂ Fe _{14-x} CoxB and Y ₂ Fe _{14-x} CoxB compounds. 1987 , 61, 5369-5373		27
325	First-order field-induced magnetization transitions in single-crystal Nd ₂ Fe ₁₄ B. 1987 , 62, 615-620		50
324	Mössbauer spectroscopy of R ₂ Fe ₁₄ B. 1987 , 17, 483-501		106
323	Magnetization process related to the singular point detection signal observed at high fields on Pr ₂ Fe ₁₄ B and Nd ₂ Fe ₁₄ B. <i>Solid State Communications</i> , 1987 , 64, 103-105	1.6	13
322	First order magnetization process in Pr ₂ Fe ₁₄ B single crystal. <i>Solid State Communications</i> , 1987 , 62, 475-478		52
321	The dip in magnetization curves of sintered Nd-Fe-B permanent magnets. 1987 , 99, K61-K64		12
320	Magnetization Process in Nd-Fe-B Permanent Magnets Near Remanence at Low Temperatures. 1987 , 104, 799-804		
319	Magnetic properties of Y ₂ Fe _{14-x} M _x B compounds where M=Si OR Cu. <i>Solid State Communications</i> , 1987 , 61, 61-64	1.6	18
318	3d magnetism in Y ₂ Fe _{14-x} M _x B with Me=Co, Ni, Mn, Cr. <i>Solid State Communications</i> , 1987 , 61, 761-766	1.6	32
317	Spin phase diagrams for R ₂ Fe _{14-x} CoxB systems (R = Y,Gd,Pr,Nd,Tb,Er,Tm). <i>Solid State Communications</i> , 1987 , 64, 1017-1019	1.6	14

316	Effect of Dy and Co substitutions on the spin-reorientation phenomena in Tm ₂ Fe ₁₄ B alloys. <i>Solid State Communications</i> , 1987 , 63, 1119-1121	1.6	3
315	Crystal growth of R ₂ T ₁₇ and R ₂ Fe ₁₄ B intermetallics (R = rare earth, T = Co, Fe). 1987 , 85, 248-251		15
314	New Permanent Magnet Materials. 1987 , T19B, 426-434		12
313	Mössbauer study of the intermetallic compound Nd ₂ Fe ₁₄ B. II. Temperature dependence and spin reorientation. <i>Journal of Magnetism and Magnetic Materials</i> , 1987 , 68, 15-27	2.8	66
312	The coercive field of sintered and melt-spun NdFeB magnets. <i>Journal of Magnetism and Magnetic Materials</i> , 1987 , 68, 63-75	2.8	164
311	3d magnetism in R ₂ Fe ₁₄ B compounds. <i>Journal of Magnetism and Magnetic Materials</i> , 1987 , 66, 158-162	2.8	57
310	Positive muon spectroscopy of Nd ₂ Fe ₁₄ B and Pr ₂ Fe ₁₄ B. <i>Journal of Magnetism and Magnetic Materials</i> , 1987 , 67, L286-L290	2.8	14
309	Magnetocrystalline anisotropy of Ni and Mn substituted Nd ₂ Fe ₁₄ B compounds. <i>Journal of Magnetism and Magnetic Materials</i> , 1987 , 67, 373-377	2.8	19
308	Magnetic and ⁵⁷ Fe Mössbauer studies of collinear spin rotation in Ho ₂ Fe ₁₄ B. <i>Journal of Magnetism and Magnetic Materials</i> , 1987 , 69, 267-275	2.8	16
307	¹⁶⁹ Tm Mössbauer effect in Tm ₂ Fe ₁₄ B. <i>Journal of Magnetism and Magnetic Materials</i> , 1987 , 68, 238-242	2.8	16
306	Magnetic properties of Pr ₂ (Fe _{1-x} Co _x) ₁₄ B compounds. <i>Journal of Magnetism and Magnetic Materials</i> , 1987 , 65, 123-127	2.8	42
305	Magnetic properties and spin reorientation of iron rare earth based intermetallics. <i>Journal of Magnetism and Magnetic Materials</i> , 1987 , 70, 107-111	2.8	2
304	Precision determination of magnetocrystalline anisotropy constants in R ₂ Fe ₁₄ B intermetallic compounds. <i>Journal of Magnetism and Magnetic Materials</i> , 1987 , 70, 319-321	2.8	6
303	High field magnetization measurements on Tb ₂ Fe ₁₄ B and Er ₂ Fe ₁₄ B single crystals. <i>Journal of Magnetism and Magnetic Materials</i> , 1987 , 70, 416-418	2.8	10
302	The origin of graduated demagnetization curves of Nd ₂ Fe ₁₄ B magnets. <i>Journal of Magnetism and Magnetic Materials</i> , 1987 , 67, 20-28	2.8	23
301	Effect of pressure on the curie and spin reorientation temperatures of polycrystalline Nd ₂ Fe ₁₄ B compound. <i>Journal of Magnetism and Magnetic Materials</i> , 1987 , 67, 29-32	2.8	29
300	Structure and magnetic properties of R ₂ Fe _{14-x} Si _x B compounds (R = Pr, Nd, and Er). 1987 , 23, 1795-1800		10
299	The texture of melt spun Fe ₇₆ Nd ₁₆ B ₈ ribbons. 1987 , 23, 3605-3606		41

298	High field magnetization of R ₂ Fe ₁₄ B compounds measured up to 55 T. 1987 , 23, 3107-3109		22
297	High-field hysteresis loop of Nd-Fe-B magnet and related materials. 1987 , 23, 2530-2532		15
296	Magnetic and Mössbauer study on Nd ₂ (Fe _{1-x} Co _x) ₁₄ B compound. 1987 , 23, 3113-3115		6
295	Magnetic anisotropy of RE-magnets. 1987 , 23, 2521-2526		11
294	Magnetic and crystallographic properties of R ₂ Fe ₁₄ B compounds (R = Y, Nd, and Gd). 1988 , 110, 241-245		16
293	Estimation of the Crystal Field at R Sites in R ₂ Fe ₁₄ B Compounds. 1988 , 145, 679-686		2
292	Electronic structure and magnetism of Y-M (M=Mn, Fe, Co and Ni) compounds. 1988 , 149, 376-389		16
291	NdFeB type permanent magnets [Recent developments in basic and applied research. 1988 , 40, 235-247		10
290	Spin reorientation in (RE) ₂ (TM) ₁₄ B alloys (RE = rare earth, TM = transition metal). 1988 , 40, 425-428		4
289	Rare earth magnetocrystalline anisotropy in R ₂ Fe ₁₄ B compounds [High-field magnetization process. <i>Journal of Magnetism and Magnetic Materials</i> , 1988 , 74, 43-50	2.8	45
288	Structural and magnetic characteristics of R ₂ Fe ₁₄ Cu _x B systems (R = Y, Nd and Gd). <i>Journal of Magnetism and Magnetic Materials</i> , 1988 , 74, 260-262	2.8	21
287	A study of exchange and crystalline electric field interactions in Nd ₂ Co ₁₄ B: Comparison with Nd ₂ Fe ₁₄ B. <i>Journal of Magnetism and Magnetic Materials</i> , 1988 , 72, L241-L246	2.8	25
286	Magnetocrystalline anisotropy of R ₂ Fe ₁₄ B, R=Dy, Ho, Gd, measured using high field torque magnetometry. <i>Journal of Magnetism and Magnetic Materials</i> , 1988 , 72, 52-58	2.8	2
285	Relative strengths of second-order crystal-field interactions in R ₂ M ₁₄ B (R ? Nd, Pr; M ? Fe, Co). 1988 , 144, L15-L19		1
284	Magnetic structure and preferential site occupation in manganese- and chromium-substituted Y ₂ Fe ₁₄ B compounds. 1988 , 136, 375-383		21
283	A new approach to the analysis of magnetisation measurements in rare-earth/transition-metal compounds: application to Nd ₂ Fe ₁₄ B. 1988 , 18, 779-787		120
282	Crystal-field analysis of the magnetization process in a series of Nd ₂ Fe ₁₄ B-type compounds. 1988 , 38, 620-633		251
281	Chapter 1 Permanent magnet materials based on 3d-rich ternary compounds. 1988 , 4, 1-129		25

280	Magnetic material R,Fe,Mo,(Co) with ThMn ₁₂ structure. 1988 , 64, 249-251	99
279	Prediction of magnetic phase diagrams of selected (R _x R' _{1-x}) ₂ Fe ₁₄ B systems. 1988 , 63, 3964-3966	12
278	. 1988 , 24, 915-917	2
277	Neutron determination of the magnetic order and site preference in Er ₂ (Co _x Fe _{1-x}) ₁₇ . 1988 , 63, 3725-3727	8
276	Calculation of crystal field parameters in Nd ₂ Fe ₁₄ B using realistic energy-band results. 1988 , 64, 5574-5576	3
275	. 1988 , 24, 1948-1950	16
274	Spin reorientation processes in hard magnetic pseudoternaries (Er _x Nd _{1-x}) ₂ Fe ₁₄ B. 1988 , 64, 5537-5539	16
273	Spin reorientation in melt-spun neodymium-iron-boron ribbons. 1988 , 64, 5565-5567	17
272	Analysis of high-field magnetization measurements on R ₂ Fe ₁₄ B single crystals (R=Tb, Dy, Ho, Er, and Tm). 1988 , 63, 3713-3715	65
271	Multi-ion crystal field analysis: Methodology and application to (Er _x Pr _{1-x}) ₂ Fe ₁₄ B (invited). 1988 , 63, 3124-3129	17
270	Mössbauer and neutron diffraction studies of Y ₂ (Fe _{1-x} Mn _x) ₁₄ B. 1988 , 64, 5580-5582	12
269	. 1988 , 24, 1945-1947	6
268	Magnetic hardening mechanism in sintered RFeB permanent magnets. 1988 , 3, 45-54	61
267	The behaviours of elastic modulus and ultrasonic attenuation in NdFeB magnet. 1988 , 5, 85-88	2
266	First-principles calculation of crystal-field parameters in Nd ₂ Fe ₁₄ B. 1989 , 39, 12018-12026	42
265	Theoretical construction of the magnetic Hamiltonian and zero-temperature anisotropic energy in Nd ₂ Fe ₁₄ B. 1989 , 40, 5292-5295	8
264	Effect of exchange interaction on spin reorientation in the Nd ₂ Fe ₁₄ B system. 1989 , 39, 7273-7276	16
263	Critical behavior in spin-reorientation phase transitions: (Er _x R _{1-x}) ₂ Fe ₁₄ B (R=Nd, Dy) magnets. 1989 , 40, 7192-7198	18

262	Magnetic phase diagram and anisotropy of pseudoternary $(\text{Er}_x\text{Dy}_{1-x})_2\text{Fe}_{14}\text{B}$ compounds. 1989 , 39, 7081-7088	26
261	Chapter 80 Preparation and crystal growth of rare earth elements and intermetallic compounds. 1989 , 12, 1-51	4
260	Mössbauer spectroscopy in modern permanent magnet alloys. 1989 , 49, 367-392	9
259	An_{57}Fe Mössbauer study of rare-earth intermetallic compounds $\text{R}(\text{Fe}_{11}\text{Ti})$. 1989 , 45, 233-240	38
258	Exchange interaction and magnetic anisotropy in $\text{Nd}_2(\text{Fe}_{13}\text{M})\text{B}$ compounds ($\text{M} = \text{Ga}, \text{Si}, \text{Al}$). <i>Journal of Magnetism and Magnetic Materials</i> , 1989 , 82, 327-334	2.8 15
257	Effect of niobium substitution on the magnetic properties of $\text{Nd}_2\text{Fe}_{14}\text{B}$ and $\text{Nd}_2\text{Fe}_{12}\text{Co}_2\text{B}$ alloys. <i>Journal of Magnetism and Magnetic Materials</i> , 1989 , 79, 109-112	2.8 7
256	Microscopic theory of spin reorientations - heterophase approach and basic model. 1989 , 157, 1203-1226	3
255	The effects of Ga addition on the structure and magnetic properties of $\text{Nd}_2\text{Fe}_{14}\text{B}$ compounds. <i>Solid State Communications</i> , 1989 , 72, 955-957	1.6 11
254	. 1989 , 25, 3440-3442	15
253	High-field research in China. 1989 , 155, 111-118	2
252	Preferential site occupation in Y and La substituted $\text{Pr}_2\text{Fe}_{14}\text{B}$ intermetallic compounds. 1989 , 156-157, 747-750	5
251	A.C. initial magnetic susceptibility and spin reorientation transitions in $(\text{Er}_x\text{R}_{1-x})_2\text{Fe}_{14}\text{B}$ magnets ($\text{R}=\text{Nd}$ and Dy). <i>Solid State Communications</i> , 1989 , 69, 131-136	1.6 15
250	R-T intermetallics as seen by Mössbauer spectroscopy. 1989 , 159, 66-78	2
249	Rare Earth Magnetocrystalline Anisotropy in $\text{R}_2\text{Fe}_{14}\text{B}$ ($\text{R} = \text{Sm}, \text{Er}, \text{Tm}, \text{Yb}$). 1989 , 111, 591-595	9
248	3d anisotropy and preferential site occupation in $\text{R}_2\text{Fe}_{13}\text{M}_1\text{B}$ compounds ($\text{R} = \text{Y}, \text{Gd}$; $\text{M} = \text{Ga}, \text{Si}, \text{Al}$). 1989 , 115, K219-K223	3
247	Interpretation of ^{57}Fe Mössbauer Measurements on $\text{Nd}_2\text{Fe}_{14}\text{B}$ at 83 and 295 K. 1989 , 151, 249-257	3
246	Crystal Chemistry, Physical Properties, Hydridation Properties of $\text{Nd}_2\text{Fe}_{14}\text{B}$ -Type of Compounds. 1989 , 214-229	
245	Intrinsic Magnetic Properties of Iron-Rich Compounds with the $\text{Nd}_2\text{Fe}_{14}\text{B}$ or ThMn_{12} Structure. 1989 , 76-97	9

244	Magnetic properties of (Nd,Y)2Fe14B and (Nd,Gd)2Fe14B. 1989 , 152, 67-74		19
243	Effect of substitution of vanadium in Nd2Fe14B studied by Mössbauer spectroscopy. 1989 , 147, 79-87		5
242	Magnetic anisotropy of the Y2(Co1-xFex)14B intermetallic compounds. 1989 , 155, 151-159		16
241	Anisotropic paramagnetic susceptibility of RBa2Cu3O7-x due to the crystalline electric field: Point charge calculations. 1989 , 149, 441-446		3
240	Intrinsic magnetic properties of the iron-rich ThMn12-structure alloys R(Fe11Ti); R=Y, Nd, Sm, Gd, Tb, Dy, Ho, Er, Tm and Lu. 1989 , 1, 755-770		214
239	Chapter 82 Physical properties of R2Fe14B-based alloys. 1989 , 71-132		6
238	Magnetic anisotropy in Y1-xRxFe14B permanent magnets. 1989 , 117-126		
237	. 1990 , 26, 1834-1836		24
236	Microstructure, crystallization, and coercivity of rare earth-iron-boron amorphous alloy ribbons. 1990 , 21, 2805-2814		4
235	Magnetic properties of R2Fe14-xCuxB compounds with R=Nd or Er. <i>Journal of Magnetism and Magnetic Materials</i> , 1990 , 86, 97-101	2.8	6
234	3d Magnetism in rare earth intermetallics. <i>Journal of Magnetism and Magnetic Materials</i> , 1990 , 84, 281-287		3
233	Magnetostriction in high pulsed magnetic fields on a single crystal of Nd2Fe14B. <i>Journal of Magnetism and Magnetic Materials</i> , 1990 , 84, 109-114	2.8	21
232	Spin phase diagrams and magnetic anisotropy in Nd2Fe14-xMxB compounds (M = Si, Cr and Cu). <i>Journal of Magnetism and Magnetic Materials</i> , 1990 , 83, 147-148	2.8	7
231	Coercivity of die upset Nd?Fe?B magnets: A strong pinning model. <i>Journal of Magnetism and Magnetic Materials</i> , 1990 , 89, 139-142	2.8	22
230	Magnetic phase diagram of Nd2Fe14-xGexB compounds. <i>Journal of Magnetism and Magnetic Materials</i> , 1990 , 87, 330-332	2.8	7
229	Magnetic Properties of Substituted Nd2R?x (Fe, Re, Co)14B Compounds (R? = Tb or Dy). 1990 , 117, 299-303		3
228	Effects of partial Co substitution on magnetic properties of (Nd, Gd)2Fe14B. 1990 , 121, 241-247		2
227	A Model Based on Single-Ion Theory II. Preferential Substitution and Local-Environment Effects at Different Rare-Earth Sites in Some (R, R?)2Fe14B Compounds. 1990 , 121, 617-626		5

226	Structure and Magnetic Properties of $\text{Pr}_2\text{Fe}_{14-x}\text{Co}_x\text{B}_{1-y}\text{Cy}$ Compounds. 1990 , 122, K69-K72		2
225	Magnetic anisotropy and exchange interaction in $\text{Gd}_2\text{Fe}_{14}\text{C}$ and $\text{Gd}_2\text{Fe}_{14}\text{B}$ compounds. <i>Solid State Communications</i> , 1990 , 73, 87-89	1.6	14
224	Magnetocrystalline anisotropy and first-order magnetisation processes in $(\text{Pr}_{1-x}\text{Nd}_x)_2\text{Fe}_{14}\text{B}$ compounds. 1990 , 2, 7317-7328		17
223	Anomalous electron transport $\text{Nd}_2\text{Fe}_{14}\text{B}$ single crystals. 1990 , 2, 7543-7548		6
222	Ground-state multiplet of rare-earth 3+ ions in $\text{R}_2\text{Fe}_{14}\text{B}$ investigated by inelastic neutron scattering. 1990 , 42, 3866-3876		27
221	^{57}Fe Mössbauer studies of $\text{Nd}_2\text{Fe}_{14}\text{B}$ and $\text{Nd}_2\text{Fe}_{12.5}\text{Si}_{1.5}\text{B}$ ($T=77-300\text{ K}$). 1990 , 41, 8617-8623		19
220	First-order magnetization process and spin phase diagram of $\text{Nd}_2\text{Fe}_{14-x}\text{Ga}_x\text{B}$ and $\text{Nd}_2\text{Fe}_{11.5-x}\text{Co}_{2.5}\text{Ga}_x\text{B}$. 1990 , 41, 7162-7166		4
219	Magnetic and structural characteristics of the $\text{Nd}_2(\text{Co},\text{Fe})_7\text{B}_3$ system. 1990 , 67, 4981-4983		11
218	Neutron diffraction and Mössbauer studies of Ga site preference in $\text{Nd}_2\text{Fe}_{14}\text{B}$ and Fe internal-field assignments. 1990 , 42, 6697-6699		7
217	Electronic structure and magnetism of $\text{R}_2\text{Fe}_{14}\text{B}$ ($\text{R}=\text{Y},\text{Nd}$) compounds. 1990 , 41, 9697-9700		45
216	Calculation of local orbital moments of conduction electrons in $\text{Nd}_2\text{Fe}_{14}\text{B}$. 1990 , 67, 4768-4770		6
215	Spin reorientation phenomenon in $\text{Nd}_{0.5}\text{Er}_{1.5}\text{Fe}_{14-x}\text{M}_x\text{B}$ ($\text{M}=\text{Al}$ and Co), as determined by ac susceptibility measurements. 1990 , 67, 4589-4591		5
214	Effect of crystal alignment on the remanence of sintered NdFeB magnets. 1990 , 67, 4610-4612		35
213	Chapter 1 Magnetic properties of ternary rare-earth transition-metal compounds. 1991 , 6, 1-83		39
212	$\text{R}_2\text{Fe}_{14}\text{B}$ materials: Intrinsic properties and technological aspects. 1991 , 63, 819-898		1120
211	Magnetic properties of rapidly quenched $\text{Nd}_4\text{Fe}_{77}\text{B}_{19}$ at low temperatures. 1991 , 10, 310-312		2
210	New developments in hard magnetic materials. 1991 , 54, 1123-1213		516
209	Microstructure and Coercivity of Rapidly Quenched Nd-Fe-B Magnets. 1991 , 232, 249		0

208	Comparison of melt-spun Nd ₄ Fe ₇₇ B ₁₉ with neodymium-rich isotropic permanent magnets. 1991 , 133, 151-153		21
207	Spin reorientation and FOMP transition in R ₂ T ₁₄ X compounds. <i>Journal of Magnetism and Magnetic Materials</i> , 1991 , 95, 184-194	2.8	30
206	Effects of partial Co substitution on structural and magnetic properties of (Pr, Gd) ₂ Fe ₁₄ B compounds. <i>Journal of Magnetism and Magnetic Materials</i> , 1991 , 96, 215-218	2.8	2
205	Calculation of magnetization curves of permanent magnet materials. <i>Journal of Magnetism and Magnetic Materials</i> , 1991 , 101, 323-327	2.8	4
204	Ordering phenomena in (Nd _{1-x} Y _x) ₂ Fe _{14-y} CryB alloys. <i>Journal of Magnetism and Magnetic Materials</i> , 1991 , 101, 341-342	2.8	1
203	Influence of particle size on the properties of polymer bonded Nd-Fe-B magnets. <i>Journal of Magnetism and Magnetic Materials</i> , 1991 , 101, 377-378	2.8	2
202	The dip in the magnetization curves of sintered Nd-Fe-B magnets with different degrees of texture. <i>Journal of Magnetism and Magnetic Materials</i> , 1991 , 101, 382-384	2.8	9
201	A model based on single-ion theory. III. Spin-reorientation and exchange interactions in (Nd, Pr) ₂ Fe ₁₄ B compounds. 1991 , 127, 483-489		3
200	A model based on single-ion theory. IV. Spin diagram in a multicomponent system (Nd, Pr, Gd) ₂ Fe ₁₄ B. 1991 , 127, 491-497		1
199	Spin-reorientation phenomenon in pseudobinary (Pr _{1-x} R _x)Co ₅ compounds (R=Sm, Gd, Dy, Tb, Ho, and Er) as determined by ac susceptibility measurements. 1991 , 69, 6061-6063		14
198	Calculated magnetic moments of Nd ₂ Fe ₁₄ B. 1991 , 69, 5708-5710		22
197	High-field magnetization process and spin reorientation in (Nd _{1-x} Dy _x) ₂ Fe ₁₄ B single crystals. 1991 , 44, 10014-10020		19
196	Calculation of spin-reorientation temperature in Nd ₂ Fe ₁₄ B. 1991 , 70, 6146-6148		7
195	A strong pinning model for the coercivity of die-upset Pr-Fe-B magnets. 1991 , 69, 5817-5819		23
194	Magnetism in Rare-Earth Metals and Rare-Earth Intermetallic Compounds. 1991 , T39, 100-109		17
193	Magnetocrystalline anisotropy of R ₂ Fe ₁₄ BN _x (R=Pr,Nd). 1992 , 46, 11204-11207		7
192	ac susceptibility of a spherical Nd ₂ Fe ₁₄ B single crystal. 1992 , 46, 3496-3505		38
191	Substitution Effect of Fe Sites in Nd ₂ Fe ₁₄ B. 1992 , 7, 38-44		

- 190 Effect of pressure on the magnetocrystalline anisotropy of $(\text{Er}_x\text{R}_{1-x})_2\text{Fe}_{14}\text{B}$ intermetallics. **1992**, 4, 9721-9734 23
- 189 Origin of the anomalous temperature dependence of the Nd sublattice magnetization in $\text{Nd}_2\text{Fe}_{14}\text{B}$. *Solid State Communications*, **1992**, 81, 283-286 1.6 2
- 188 Analysis of the unusual temperature dependence of the anisotropy constant K_1 of $\text{Y}_2\text{Fe}_{14}\text{B}$. *Journal of Magnetism and Magnetic Materials*, **1992**, 110, L15-L19 2.8 5
- 187 Spin reorientations in $(\text{Er}, \text{Nd})_2\text{Fe}_{14}\text{B}$. *Journal of Magnetism and Magnetic Materials*, **1992**, 110, L20-L24 2.8 2
- 186 Influence of internal field fluctuations on the hysteresis loops of permanent magnets. *Journal of Magnetism and Magnetic Materials*, **1992**, 104-107, 1121-1122 2.8 1
- 185 Magnetic phase transitions in some $\text{Nd}=\text{Fe}=\text{M}=\text{Co}=\text{B}$ magnetic materials (M-V, Mo or Re). *Journal of Magnetism and Magnetic Materials*, **1992**, 104-107, 1193-1194 2.8 1
- 184 Rare earth magnets for applications over a wide temperature range. *Journal of Magnetism and Magnetic Materials*, **1993**, 124, 325-329 2.8 11
- 183 Magnetic studies of $\text{Nd}_{2-x}\text{Y}_x\text{Fe}_{14}\text{B}$ and $\text{Nd}_{2-x}\text{Y}_x\text{Fe}_{13}\text{CuB}$ compounds. *Journal of Magnetism and Magnetic Materials*, **1993**, 123, 299-303 2.8 5
- 182 Magnetic anisotropy in $(\text{Er}_x\text{Ho}_{1-x})_x\text{Fe}_{14}\text{B}$ pseudoternary intermetallic compounds. **1993**, 5, 5637-5648 4
- 181 Calculation of the electronic structure and the magnetic moments of $\text{Nd}_2\text{Fe}_{14}\text{B}$. **1993**, 5, 7859-7870 16
- 180 . **1993**, 3, 381-384 5
- 179 Magnetic phase transitions, magnetocrystalline anisotropy, and crystal-field interactions in the RFe_{11}Ti series (where R=Y, Pr, Nd, Sm, Gd, Tb, Dy, Ho, Er, or Tm). **1993**, 47, 3231-3242 123
- 178 Chapter 3 Density functional theory of the ground-state magnetic properties of rare earths and actinides. **1993**, 7, 139-230 30
- 177 A micromagnetic understanding of the post-annealing process in producing sintered Nd-Fe-B permanent magnets. **1994**, 6, 6691-6698 16
- 176 Coercivity analysis in $\text{R}_{17}\text{Fe}_{83}\text{B}_1$ magnets. *Journal of Magnetism and Magnetic Materials*, **1994**, 130, 225-236 2.8 50
- 175 Superconducting coupling device. **1995**, 35, 567-572 6
- 174 Magnetocrystalline anisotropy of $\text{Er}_2\text{Fe}_{14}\text{B}$. *Journal of Magnetism and Magnetic Materials*, **1995**, 147, L231-L234 2.8 13
- 173 Chapter 2 Thermal expansion anomalies and spontaneous magnetostriction in rare-earth intermetallics with cobalt and iron. **1995**, 8, 59-187 23

- 172 Magnetotransport of a two-dimensional electron gas in a spatially random magnetic field. **1995**, 51, 13269-13273
- 171 Types of temperature dependence of single-ion magnetic anisotropy constants by general thermodynamic considerations. **1995**, 52, 4336-4352 24
- 170 Single-ion magnetic anisotropy of rare-earth-transition-metal compounds and its description by means of analytical expressions. **1995**, 51, 8904-8916 29
- 169 Structural and intrinsic magnetic material parameters of $\text{Pr}_3(\text{Fe,Ti})_{29}$ and $\text{Pr}_3(\text{Fe,Ti})_{29}\text{N}_x$. *Journal of Magnetism and Magnetic Materials*, **1996**, 153, 75-85 2.8 25
- 168 Spin reorientation phase transitions in $\text{R}_2\text{Fe}_{14}\text{B}$ ($\text{R} = \text{Y, Nd, Ho, Er, Tm}$) investigated by heat capacity measurements. *Journal of Magnetism and Magnetic Materials*, **1996**, 154, 71-82 2.8 33
- 167 Low-temperature magnetization reversal processes in permanent magnets based on $\text{R}_2\text{T}_{14}\text{B}$. *Journal of Magnetism and Magnetic Materials*, **1996**, 157-158, 373-375 2.8 11
- 166 Magnetic properties of $\text{Nd}_2\text{Fe}_{14}\text{B}_x\text{B}$. *Journal of Magnetism and Magnetic Materials*, **1996**, 162, 301-306.8 7
- 165 Nd-Nd exchange interaction in $\text{Nd}_2\text{Fe}_{14}\text{B}$. *Journal of Magnetism and Magnetic Materials*, **1996**, 164, 201-207 1
- 164 Magnetic phase transitions and magnetocrystalline anisotropy in $\text{Nd}_3(\text{Fe,Ti})_{29}$ and $\text{Nd}_3(\text{Fe,Ti})_{29}\text{N}_4$. *Solid State Communications*, **1996**, 97, 471-475 1.6 24
- 163 Magnetic disaccommodation phenomena in rare-earth intermetallic compounds. **1996**, 54, 15238-15250 16
- 162 ac susceptibility study on $\text{R}_2\text{Fe}_{14}\text{B}$ single crystals ($\text{R} = \text{Y, Pr, Nd, Sm, Gd, Tb, Dy, Ho, Er, Tm}$). **1996**, 54, 6421-6429.30
- 161 Magnetic properties of c-axis textured $\text{Nd}_{29}/\text{Fe}_{14}/\text{B}$ thin films. **1996**, 32, 4440-4442 22
- 160 An analysis of iron-iron interatomic distances in several rare earth transition metal intermetallics. **1997**, 81, 5103-5105 5
- 159 Calorimetric study of the desorption of the interstitial hydrogen atoms in ferromagnetic $\text{Nd}_2\text{Fe}_{14}\text{B}_x\text{H}_x$. **1997**, 56, 726-737 11
- 158 Conceptual design of an electrical machine with both low and high T_c superconductors. **1997**, 7, 3858-3865 9
- 157 . **1997**, 33, 3868-3870
- 156 Law of approach to saturation in highly anisotropic ferromagnets Application to $\text{Nd}_2\text{Fe}_{14}\text{B}$ melt-spun ribbons. **1997**, 260, 196-200 64
- 155 Determination of spin reorientation angle of cone anisotropic material from magnetization curves of magnetically aligned powders. *Journal of Magnetism and Magnetic Materials*, **1997**, 173, 93-100 2.8 5

154	Technical magnetic properties of melt-spun (Nd _{1-x} Pr _x) ₂ Fe ₁₄ B at low temperature. <i>Journal of Magnetism and Magnetic Materials</i> , 1997 , 176, 288-296	2.8	20
153	Ferromagnetic Ordering, Anisotropy, and Spin Reorientation for the Cyano-Bridged Bimetallic Compound Mn ₂ (H ₂ O) ₅ Mo(CN) ₇ ·4H ₂ O (β Phase). 1998 , 120, 13088-13095		125
152	A graphical method to determine high-order anisotropy constants of uniaxial anisotropic material from single-crystal magnetization curves. <i>Journal of Magnetism and Magnetic Materials</i> , 1998 , 182, 55-60	2.8	8
151	Determination of the first anisotropy constant of uniaxial anisotropic material from initial susceptibility of magnetization hard direction. <i>Journal of Magnetism and Magnetic Materials</i> , 1998 , 189, 241-250	2.8	8
150	Sublattice anisotropy constants of Dy ₂ Fe ₁₄ B and Tb ₂ Fe ₁₄ B at 4.2K. <i>Journal of Magnetism and Magnetic Materials</i> , 1998 , 189, 251-254	2.8	4
149	Permanent magnets based on R-Fe-B and R-Fe-C alloys. 1998 , 61, 1099-1266		174
148	Alternating current susceptibility study of a two-phase nanocomposite Fe ₈₈ Nd ₆ B ₆ alloy in the temperature range 77-90 K. 1998 , 83, 3731-3737		2
147	X-ray magnetic-circular-dichroism probe of a noncollinear magnetic arrangement below the spin reorientation transition in Nd ₂ Fe ₁₄ B. 1998 , 57, 8424-8429		27
146	Pure crystal field -mode magnetostriction of the itinerant ferromagnet. 1999 , 11, 3341-3353		2
145	150-kW experimental superconducting permanent-magnet motor. 1999 , 9, 1205-1208		11
144	Crystallographic and magnetic properties of a Tb ₃ (Fe,Cr) ₂₉ single crystal. <i>Solid State Communications</i> , 1999 , 111, 247-252	1.6	5
143	Magnetic Transitions in the Cyano-Bridged Bimetallic Ferromagnet Mn ₂ (H ₂ O) ₅ Mo(CN) ₇ ·4.75H ₂ O (beta Phase). 1999 , 38, 3621-3627		48
142	Structure, Ferromagnetic Ordering, Anisotropy, and Spin Reorientation for the Two-Dimensional Cyano-Bridged Bimetallic Compound K ₂ Mn ₃ (H ₂ O) ₆ [Mo(CN) ₇] ₂ ·6H ₂ O. 1999 , 121, 3349-3356		105
141	Spin reorientation and magnetocrystalline anisotropy of (Nd _{1-x} Pr _x) ₂ Fe ₁₄ B. <i>Journal of Magnetism and Magnetic Materials</i> , 1999 , 191, 133-136	2.8	23
140	The AC-initial susceptibility as a measure of exchange coupling in two-phase nano-structured NdFeCuNbB magnet alloys. <i>Journal of Magnetism and Magnetic Materials</i> , 1999 , 195, 588-594	2.8	2
139	Effects of powder alignment on determination error of spin reorientation angle of cone anisotropy. <i>Journal of Magnetism and Magnetic Materials</i> , 1999 , 195, 741-744	2.8	1
138	Structures, Ferromagnetic Ordering, Anisotropy, and Spin Reorientation for Two- and Three-Dimensional Cyano-Bridged Mo ₃ -Mn ₂ Compounds. 1999 , 334, 651-667		6
137	Magnetocrystalline anisotropy of Er ₂ Fe ₁₄ B and Tm ₂ Fe ₁₄ B at 4.2K. <i>Journal of Magnetism and Magnetic Materials</i> , 2000 , 222, 39-46	2.8	4

136	Magnetic anisotropy and spin reorientation in Nd ₂ Fe ₁₄ B. <i>Journal of Magnetism and Magnetic Materials</i> , 2000 , 212, 195-200	2.8	7
135	Soft x-ray magnetic circular dichroism investigation of the spin reorientation transition in Nd ₂ Fe ₁₄ B. 2000 , 87, 6567-6569		3
134	Strong noncollinearity between nonequivalent Nd magnetic moments in Nd ₂ Fe ₁₄ B at low temperature. 2000 , 87, 4762-4764		8
133	Hydrogenation effects on the magnetic and crystal-field interactions in the R ₂ Fe ₁₄ BH _x (R=Gd,Pr,Dy) compounds. 2000 , 62, 1004-1014		10
132	Orbital magnetic moment instability at the spin reorientation transition of Nd ₂ Fe ₁₄ B. 2000 , 85, 429-32		38
131	Spin reorientation and magnetocrystalline anisotropy of (Nd _{1-x} Dy _x) Fe ₁₄ B. <i>Journal of Magnetism and Magnetic Materials</i> , 2001 , 224, 49-54	2.8	2
130	Neutron Diffraction and the Structure of New Materials. 2002 , 1-20		
129	Mössbauer and DSC studies of spin reorientations in Er _{2-x} Fe ₁₄ B. 2002 , 336, 5-10		2
128	Magnetic properties and Mössbauer studies of Pr _{1-x} Fe _x -type nanocomposites. <i>Journal of Magnetism and Magnetic Materials</i> , 2002 , 239, 461-463	2.8	2
127	An approach to coercivity relating coercive field and activation volume. 2002 , 319, 127-132		11
126	Cerium influence on the spin reorientation in Er _{2-x} Ce _x Fe ₁₄ B evidenced by Mössbauer and DSC techniques. <i>Journal of Magnetism and Magnetic Materials</i> , 2002 , 248, 19-25	2.8	5
125	Study of the spin reorientation phenomenon in Nd ₂ (Fe, Si) ₁₄ BH _y . <i>Journal of Magnetism and Magnetic Materials</i> , 2002 , 246, 412-421	2.8	1
124	The physics of coercivity. <i>Journal of Magnetism and Magnetic Materials</i> , 2003 , 258-259, 1-5	2.8	80
123	Magnetic properties and Mössbauer studies of Pr _y Fe _{90-y} B ₁₀ (y=8-1.76) nanocomposites. 2003 , 327, 292-295		17
122	Magnetic properties, Mössbauer and aftereffect studies of Pr ₁₀ Fe _{90-x} B _x (x=5.88-1.5) nanocomposites. 2003 , 93, 4027-4033		17
121	Mossbauer and magnetic aftereffect studies of exchange coupled PrFeB-type nanocomposites.		
120	Magnetic properties and exchange coupling of nanocomposite (Nd,Y) ₂ Fe ₁₄ B/Fe. 2003 , 94, 2602-2606		9
119	Composition and microstructure dependent spin reorientation in nanocrystalline (Nd-Pr)-(Fe-Co)-B alloys. 2004 , 40, 2898-2900		15

118	Beyond element-specific magnetism: resolving inequivalent Nd crystal sites in Nd ₂ /Fe ₁₄ B. 2004 , 40, 2874-2876		5
117	Hard magnetic properties of NdFeB/Co films annealed in the presence of a magnetic field. 2004 , 40, 2889-2891		4
116	Field-ball milling induced anisotropy in magnetic particles. 2004 , 37, L45-L48		26
115	Investigation of magnetic properties, after effect and MFM of Pr _{1-x} Fe _{90-y} B ₁₀ (y=8-1.76) nanocomposites. <i>Journal of Magnetism and Magnetic Materials</i> , 2004 , 279, 149-159	2.8	14
114	Hard magnetic properties of rapidly annealed NdFeB/Co films and intergrain interactions. <i>Journal of Magnetism and Magnetic Materials</i> , 2004 , 279, 27-35	2.8	16
113	Enhancement of exchange coupling and hard magnetic properties in nanocomposites by magnetic annealing. 2005 , 53, 4155-4161		35
112	Spontaneous magnetostriction in R ₂ Fe ₁₄ B (R=Y, Nd, Gd, Tb, Er). <i>Journal of Magnetism and Magnetic Materials</i> , 2005 , 295, 65-76	2.8	21
111	The influence of processing, composition and temperature on the magnetic characteristics of nanophase RE ₂ Fe ₁₄ B alloys. <i>Journal of Magnetism and Magnetic Materials</i> , 2005 , 294, 213-225	2.8	16
110	Experimental studies of spin reorientations in Er _{2-x} Th _x Fe ₁₄ B. 2005 , 17, 6999-7007		2
109	Spin reorientation studies in Er _{2-x} Gd _x Fe ₁₄ B. 2005 , 396, 54-58		9
108	Atomic origin of magnetocrystalline anisotropy in Nd ₂ Fe ₁₄ B. 2005 , 95, 217207		51
107	Experimental studies of spin reorientations in Er _{2-x} Pr _x Fe ₁₄ B. 2006 , 18, 8891-8898		3
106	Sub-ambient magnetic properties of nanophase Nd/PrFeB based hard magnetic alloys. 2006 , 424, 255-261		6
105	Effect of Ti substitution on the magnetic properties, microstructure, and aftereffect of melt spun PrFeB nanocomposites. 2006 , 55, 529-532		21
104	Chapter Three Theory of Crystal-Field Effects in 3d-4f Intermetallic Compounds. 2007 , 17, 149-233		9
103	Spin arrangement diagrams for Er _{2-x} R _x Fe ₁₄ B (R = Pr, Gd). 2007 , 442, 126-128		
102	Faraday Rotators With Short Magneto-Optical Elements for 50-kW Laser Power. 2007 , 43, 451-457		20
101	Comparison of microstructure and magnetic properties of gas-atomized and melt-spun MRE ₂ Co ₁₄ B (MRE=Y+Dy+Nd, M=Zr+TiC). 2007 , 101, 09K510		1

100	Thermal behavior and magnetic properties of Co- and Cr-substituted Nd _{5.5} Fe ₆₆ Cr ₅ Co ₅ B _{18.5} . 2007 , 396, 70-74	2
99	Exchange-spring behavior of nanocrystalline (NdPr) ₄ Fe ₇₁ Co ₅ Cu _{0.5} Nb ₁ B _{18.5} . 2007 , 204, 2461-2469	1
98	Magnetic anisotropy of the Nd ₂ Fe ₁₄ B compound and its hydride Nd ₂ Fe ₁₄ BH ₄ . 2007 , 103, 39-50	16
97	Effect of Tb substitution on the magnetic properties of exchange-biased Nd ₂ Fe ₁₄ B/Fe ₃ B. 2007 , 42, 9415-9420	
96	Recoil hysteresis and temperature dependence of coercivity of Nd ₄ Fe _{73.5} Co ₃ Hf _{0.5} Ga _{0.5} B _{18.5} . 2008 , 205, 357-362	1
95	Short period, high field cryogenic undulator for extreme performance x-ray free electron lasers. 2010 , 13,	37
94	Mössbauer and calorimetric studies of spin reorientation processes in Er _{2-x} Pr _x Fe ₁₄ C. 2011 , 303, 012027	
93	Magnetic structure studies of ternary borides Er _{2-x} Ce _x Fe ₁₄ B. <i>Journal of Magnetism and Magnetic Materials</i> , 2011 , 323, 2968-2972	2.8
92	Multiple magnetic transitions in Ag-substituted DyPt ₂ . 2012 , 112, 033906	3
91	Understanding the microstructure and coercivity of high performance NdFeB-based magnets. 2012 , 67, 536-541	158
90	Nd ₂ Fe ₁₄ B and Pr ₂ Fe ₁₄ B magnets characterisation and modelling for cryogenic permanent magnet undulator applications. 2012 , 669, 1-6	45
89	High temperature magnetic properties of Sm _{1-x} Co and Sm _{1-x} Co/polyamide-12 materials: effects of temperature, particle size, and silanization. 2013 , 48, 8163-8170	5
88	Insertion device development for a broad range of radiation properties. 2013 , 425, 032012	2
87	Ab initio screening methodology applied to the search for new permanent magnetic materials. 2013 , 15, 125023	44
86	Development of a 2 m Pr ₂ Fe ₁₄ B Cryogenic Permanent Magnet Undulator at SOLEIL. 2013 , 425, 032019	18
85	Reversible Disorder in a Room Temperature Ferromagnet. 2014 , 24, 2986-2992	2
84	Demonstration of inverse free-electron laser seeding in a sub-80 K, short period cryogenic undulator. 2014 , 47, 234006	2
83	Squareness of NdFeB Stoner-Wohlfarth Hysteresis. 2014 , 802, 601-606	

82	Shaping Photon Beams with Undulators and Wigglers. 2014 , 1-62		
81	Dependence of Magnetic Anisotropy Energy on c/a Ratio of X ₂ Fe ₁₄ B (X = Y, Pr, Dy). 2014 , 50, 1-4		7
80	New generation of light sources: Present and future. 2014 , 196, 3-13		55
79	Itinerant and local-moment magnetism in EuCr ₂ As ₂ single crystals. 2014 , 89,		25
78	Accurate Determination of Magnetic Anisotropy Constants for High-Performance Permanent Magnets. 2014 , 50, 1-7		5
77	Barkhausen noise in the random field Ising magnet Nd ₂ Fe ₁₄ B. 2015 , 92,		4
76	Magnetic properties of Pr ₂ Fe ₁₄ B melt-spun ribbons with high coercivity. <i>Journal of Magnetism and Magnetic Materials</i> , 2015 , 393, 179-182	2.8	8
75	Cryogenic Permanent Magnet Undulator Development at HZB/BESSY II. 2015 , 28, 9-14		12
74	Cryogenic undulators. 2015 ,		3
73	Hardness of Mn ₂ V ₂ O ₇ thin films and its influential factors. 2015 , 22, 987-991		6
72	Synthesis, electron transport properties of transition metal nitrides and applications. 2015 , 70, 50-154		89
71	Ferromagnetism of Fe ₃ Sn and alloys. 2014 , 4, 7024		42
70	Alkali metal ion induced cube shaped mesoporous hematite particles for improved magnetic properties and efficient degradation of water pollutants. 2016 , 18, 20528-41		12
69	Coercivity of (PrDy)(CoFe)B Microparticles Ensemble Controlled by Magnetic Dipole Interaction and Dry Friction. 2016 , 52, 1-12		2
68	First-Principles Study of the Role of Cu in Improving the Coercivity of Nd-Fe-B Permanent Magnets. 2016 , 6,		26
67	Shaping Photon Beams with Undulators and Wigglers. 2016 , 751-819		
66	Site dependent enhancement of magnetic anisotropy in 4d and 5d impurity doped η -Fe ₁₆ N ₂ : A first principles study. 2018 , 18, 526-533		6
65	Site-specific magnetic anisotropies in R ₂ Fe ₁₄ B systems. 2018 , 112, 162405		14

64	Cryogenic permanent magnet and superconducting undulators. 2018 , 907, 149-168		20
63	Perspectives of stochastic micromagnetism of Nd ₂ Fe ₁₄ B and computation of thermally activated reversal process. 2018 , 154, 259-265		22
62	Hydrogen absorption and its effect on magnetic properties of Nd ₂ Fe ₁₄ B. <i>Journal of Magnetism and Magnetic Materials</i> , 2018 , 453, 226-230	2.8	6
61	Magnetic Properties of (Pr _{1-x} Sm _x) ₂ Fe ₁₄ B Melt-Spun Ribbons. 2018 , 31, 3705-3710		1
60	Advances in Nd-Fe-B Based Permanent Magnets. 2018 , 27, 269-372		24
59	First-principles study on substitution effects in Nd ₂ (Fe, X) ₁₄ B. 2018 , 4, 388-394		3
58	The Nd ₂ Fe ₁₄ B intermetallic compound. 2018 , 35-64		
57	Development of Cryogenic Permanent Magnet Undulators at SOLEIL. 2018 , 31, 42-47		5
56	Mechanochemically Processed Nd-Fe-Co-Cr-B Nanoparticles with High Coercivity and Reduced Spin Reorientation Transition Temperature. 2018 , 19, 2370-2379		6
55	Enhancement of the Magnetic Anisotropy in Rare-Earth-Free Multilayer Fe ₁₆ N ₂ /Ag/Fe ₁₆ N ₂ and Fe ₁₆ N ₂ /Au/Fe ₁₆ N ₂ . 2018 , 72, 1343-1349		0
54	Magnetic Properties of NdFeB Alloys Obtained by Gas Atomization Technique. 2018 , 54, 1-5		7
53	Investigation of the influence chemical and fractional compositions on the magnetic properties of the gas atomization powder of the Fe-Nd-B system. 2019 , 1172, 012025		
52	Features of Amorphization of the Fe-TM-Nd-REM-B Alloys System at Melt Quenching by Gas Atomization. 2019 , 31, 51-55		1
51	Permanent Magnet-Based Quadrupoles for Plasma Acceleration Sources. 2019 , 3, 27		11
50	Temperature dependent magnetic properties of Dy-doped Fe ₁₆ N ₂ : Potential rare-earth-lean permanent magnet. 2019 , 108, 25-31		2
49	Magnetic properties of ternary rare-earth transition-metal compounds. 2019 , 87-196		3
48	High coercivity Dy substituted Nd-Fe-Co-B magnetic nanoparticles produced by mechanochemical processing. <i>Journal of Magnetism and Magnetic Materials</i> , 2019 , 475, 554-562	2.8	10
47	First-principles study of crystalline NdBe alloys. 2020 , 13, 017006		5

46	Easy Determination of Large Anisotropy Constants for NdFeB Sintered Magnets Using Strain Gauges in Unidirectional High Fields. 2020 , 56, 1-5	1
45	Calorimetric study of Nd ₂ Fe ₁₄ B: Heat capacity, standard Gibbs energy of formation and magnetic entropy. 2020 , 690, 178672	2
44	Future trends in synchrotron science at NSLS-II. 2020 , 32, 374008	5
43	Mössbauer and structural study of the Fe ₃ Sn system and the effect of doping with indium. 2020 , 241, 1	
42	Impact of magnetism on the phase stability of rare-earth based hard magnetic materials. 2020 , 68, 101731	2
41	(Pr _{0.75} Ce _{0.25})-Fe-B hot-deformed magnets for cryogenic applications. 2021 , 194, 113648	3
40	Metallic Magnetic Materials. 2021 , 1-116	
39	Getting rid of critical raw materials in hard magnets: is it feasible?. 2021 , 1-1	
38	Reduction of Nd moments and local magnetic anisotropy in Nd ₂ Fe ₁₄ B single crystals. 2021 , 11, 025224	0
37	Micromagnetics of NdFeB magnets at finite temperature. 2021 , 60, 030909	1
36	Understanding the origin of magneto-crystalline anisotropy in pure and Fe/Si substituted SmCo ₅ . <i>Journal of Magnetism and Magnetic Materials</i> , 2021 , 522, 167549	2.8 2
35	An ultra-stable 1.5T permanent magnet assembly for qubit experiments at cryogenic temperatures. 2021 , 92, 085106	2
34	Resolving the spin polarization and magnetic domain wall width of (Nd,Dy) ₂ Fe ₁₄ B with spin-polarized scanning tunneling microscopy.	
33	Undulator design for a laser-plasma-based free-electron-laser. 2021 , 937, 1-1	3
32	Mössbauer Effect Studies of Hard Magnetic Materials. 1989 , 13-57	7
31	Synchrotron Radiation, Polarization, Devices and New Sources. 2013 , 51-94	3
30	Shaping Photon Beams with Undulators and Wignlers. 2019 , 1-84	1
29	Boron Iron Neodymium. 2008 , 482-511	4

28	A Search for New Fe-Rich Phases for the Development of Permanent Magnets. 1989 , 122-129	1
27	Development and operation of a Pr ₂ Fe ₁₄ B based cryogenic permanent magnet undulator for a high spatial resolution x-ray beam line. 2017 , 20,	29
26	Magnetic moment of rare-earth elements in R ₂ Fe ₁₄ B estimated with μ SR. 2019 , 3,	1
25	EuPRAXIA Conceptual Design Report. 2020 , 229, 3675-4284	23
24	Substitution effect of Fe sites in Nd ₂ Fe ₁₄ B.. <i>Journal of the Magnetism Society of Japan</i> , 1991 , 15, 233-236	3
23	Spin reorientation and magnetocrystalline anisotropy of (Nd _{1-x} RE _x) ₂ Fe ₁₄ B (RE=Y, Pr). <i>Journal of the Magnetism Society of Japan</i> , 1999 , 23, 498-500	1
22	Role of Rare-Earth Elements in Permanent Magnet Materials.. <i>Denki-seiko</i> , 2002 , 73, 255-262	2
21	Mössbauer and Magnetometric Studies of Spin Reorientations in Er _{2-x} Th _x Fe ₁₄ B. <i>Acta Physica Polonica A</i> , 2006 , 109, 427-432	0.6
20	5.5.2 Fe ₁₄ Y ₂ B. 2014 , 469-470	
19	Magnetic Interactions in Rare-Earth Bd Intermetallics. 1989 , 174-187	
18	Superconductors and Rare Earth Magnets: An Exciting Combination for Electrical Motors. 1990 , 621-626	
17	Comparison of melt-spun Nd ₄ Fe ₇₇ B ₁₉ with neodymium-rich isotropic permanent magnets. 1991 , 151-153	
16	Crystal Fields in Y _{2-x} Er _x Fe ₁₄ B from Magnetic Torque Measurements. 1991 , 431-448	
15	Spin Reorientation Transitions in Intermetallic Compounds with Interstitial Inclusions. 1995 , 599-616	
14	High Temperature μ c Behaviors of A Fe-Nd-B Nanocomposite Alloy. <i>Journal of the Magnetism Society of Japan</i> , 1999 , 23, 279-281	
13	Shaping Photon Beams with Undulators and Wigglers. 2015 , 1-62	
12	Shaping Photon Beams with Undulators and Wigglers. 2020 , 851-933	
11	Rare-earth moment reduction and local magnetic anisotropy in Pr ₂ Fe ₁₄ B and Tm ₂ Fe ₁₄ B. <i>Journal of Magnetism and Magnetic Materials</i> , 2021 , 168684	2.8 0

10 7.2.3.2 Intrinsic properties. 197-210

9 7.2.3.5 References for 7.2.3. 229-231

8 2.8.2.9 Compounds of composition $R_2Co_7B_3$ and $R_3Co_{11}B_4$ ($R = Sm, Gd$). 130-131

7 2.8.2.10 Compounds with $R_2M_{14}B$ stoichiometry ($M = Fe, Co$). 131-137

6 2.8.4 References for 2.8. 146-148

5 Metallic Magnetic Materials. **2021**, 693-808

4 Temperature dependent striction effect in a single crystalline $Nd_2Fe_{14}B$ revealed using a novel high temperature resistivity measurement technique. *Measurement Science and Technology*, **2022**, 33, 055901 2

3 Thermodynamic and Magnetic Properties for $Dy_2Fe_{14}B$ Determined by Heat Capacity Measurement from Very Low to High Temperatures and Solution Calorimetry. **2023**, 179410 ○

2 Itinerant-localized dichotomy in magnetic anisotropic properties of U-based ferromagnets. **2023**, 13, ○

1 High-throughput search for potential permanent magnet materials. **2023**, 7, ○