# CITATION REPORT List of articles citing

Swelling of ionic gels: quantitative performance of the Donnan theory

DOI: 10.1021/ma00142a081 Macromolecules, 1984, 17, 2916-2921.

**Source:** https://exaly.com/paper-pdf/17107863/citation-report.pdf

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

| #   | Paper   | IF  | Citations |
|-----|---|-----|-----------|
| 678 | SWELLING KINETICS OF SMALL SPHERICAL IONIC GELS. <b>1987</b> , 8, 321-339   |     | 4         |
| 677 | Phase transition in swollen gels. <b>1987</b> , 17, 465-472   |     | 28        |
| 676 | Phase transition in swollen gels. <b>1989</b> , 22, 271-276   |     | 11        |
| 675 | Insulin permeation through thermo-sensitive hydrogels. <b>1989</b> , 9, 271-279   |     | 130       |
| 674 | Phase Transition and Equilibrium. <i>Journal of Chemical Engineering of Japan</i> , <b>1989</b> , 22, 215-228   | 0.8 | 4         |
| 673 | Behavior of ions within hydrogel and its swelling properties <i>Journal of Chemical Engineering of Japan</i> , <b>1990</b> , 23, 574-579                                      | 0.8 | 12        |
| 672 | Swelling and shrinking of a polyelectrolyte gel induced by a salt solution. <b>1990</b> , 2, 77-97  |     | 17        |
| 671 | Comprehensive characterization of superabsorbent polymer hydrogels. <b>1990</b> , 24, 107-113   |     | 48        |
| 670 | Characterization of Ionic Water Absorbent Polymers: Determination of Ionic Content and Effective Crosslink Density. <i>Studies in Polymer Science</i> , <b>1990</b> , 103-124 |     | 6         |
| 669 | Prediction of equilibrium data of adsorptions from liquid mixtures. <b>1990</b> , 29, 560-564   |     | 1         |
| 668 | Kinetics of electrically and chemically induced swelling in polyelectrolyte gels. <i>Journal of Chemical Physics</i> , <b>1990</b> , 93, 4462-4472                            | 3.9 | 180       |
| 667 | Measurement of swelling in weakly crosslinked hydrogels. <b>1990</b> , 32, 166-171  |     |           |
| 666 | Swelling of ionic gels in electrolyte solutions. <b>1990</b> , 29, 554-560  |     | 74        |
| 665 | At study of ion permeation across a charged membrane in multicomponent ion systems as a function of membrane charge density. <b>1990</b> , 49, 145-169                        |     | 52        |
| 664 | Drug release from electric current sensitive polymers. <b>1991</b> , 17, 149-156  |     | 100       |
| 663 | Molecular separation by thermosensitive hydrogel membranes. <b>1991</b> , 64, 283-294   |     | 201       |
| 662 | Electrical control of the volume of pH-sensitive micro-gels. <b>1991</b> , 297, 399-407   |     | 21        |

| 661 | Equilibrium swelling behavior of pH-sensitive hydrogels. <b>1991</b> , 46, 715-722  |     | 409 |
|-----|---|-----|-----|
| 660 | Polymer Gels. 1991,   |     | 164 |
| 659 | Phase transition of a poly(acrylic acid) gel induced by polymer complexation. <i>Journal of Chemical Physics</i> , <b>1992</b> , 97, 7805-7808  | 3.9 | 36  |
| 658 | Simultaneous Measurements of Absorbance and Volume Changes of a Photoresponsive Polyacrylamide Microgel in Water. <b>1992</b> , 21, 311-314   |     | 2   |
| 657 | Migration of Ions and pH Gradients in Gels under Stationary Electric Fields. <b>1992</b> , 61, 4085-4097  |     | 25  |
| 656 | Mechanochemical Reaction of Calcium Alginate Hydrogel due to a Counterion Exchange. <b>1992</b> , 65, 121-  | 128 | 7   |
| 655 | Hydrophobic Polyelectrolytes. <b>1992</b> , 131-145   |     | 5   |
| 654 | A novel drug delivery system utilizing a glucose responsive polymer complex between poly (vinyl alcohol) and poly (N-vinyl-2-pyrrolidone) with a phenylboronic acid moiety. <b>1992</b> , 19, 161-170 |     | 181 |
| 653 | Volume-phase transitions of cationic polyelectrolyte gels. <i>Polymer</i> , <b>1992</b> , 33, 5040-5043   | 3.9 | 19  |
| 652 | Water states in PE-poly(MA-co-DVB) interpolymer type carboxylic ion-exchange membranes. <b>1992</b> , 66, 89-96   |     | 10  |
| 651 | Chemistry and physics of Egricultural hydrogels. Advances in Polymer Science, 1992, 97-133  | 1.3 | 144 |
| 650 | Interpenetrating hydrogel networks: 3. Properties of the gelatin-sodium carboxymethylcellulose system. <i>Polymer</i> , <b>1992</b> , 33, 2388-2391   | 3.9 | 16  |
| 649 | Concentration of large biomolecules with hydrogels. <b>1992</b> , 47, 31-40   |     | 40  |
| 648 | Elongation/contraction properties for poly(acrylonitrile) gel fibers stimulated by pH. <b>1993</b> , 1, 115-126   |     | 14  |
| 647 | Concentration redistribution of low-molecular-weight salts of metals in the presence of a strongly swelling polyelectrolyte hydrogel. <i>Polymer</i> , <b>1993</b> , 34, 5154-5156                    | 3.9 | 19  |
| 646 | Swelling equilibria of cationic polyelectrolyte gels in aqueous solutions of various electrolytes. <i>Polymer</i> , <b>1993</b> , 34, 2370-2373   | 3.9 | 24  |
| 645 | Osmotic deswelling of microgels by linear polyelectrolytes. <b>1993</b> , 271, 253-261  |     | 10  |
| 644 | Preparation, structure and diffusional behavior of hydrogels in controlled release. <b>1993</b> , 11, 1-35  |     | 471 |

| 643 | Specific volume phase transition of 2-acryloyloxyethyl acid phosphate gels in various solvent mixtures at a particular transition point. <i>Polymer</i> , <b>1993</b> , 34, 2677-2679 | 3.9 | 1   |
|-----|---|-----|-----|
| 642 | Volume phase transition and related phenomena of polymer gels. <i>Advances in Polymer Science</i> , <b>1993</b> , 1-62  | 1.3 | 583 |
| 641 | Hydrophobic weak polyelectrolyte gels: Studies of swelling equilibria and kinetics. <i>Advances in Polymer Science</i> , <b>1993</b> , 233-267  | 1.3 | 90  |
| 640 | Coexistence of phases and the nature of first-order phase transition in poly-N-isopropylacrylamide gels. <b>1993</b> , 1-26   |     | 114 |
| 639 | Effect of phase transition on swelling and mechanical behavior of synthetic hydrogels. <i>Advances in Polymer Science</i> , <b>1993</b> , 173-206                                     | 1.3 | 38  |
| 638 | Effect of pH on the phase transition of N-isopropylacrylamide-sodium acrylate copolymer gel <i>Journal of Chemical Engineering of Japan</i> , <b>1993</b> , 26, 328-330               | 0.8 | 11  |
| 637 | Synthetic macronet hydrophilic polymers as soil conditioners. I. kinetic characterization of macro-net sulfonated polystyrene resins. <b>1993</b> , 24, 1709-1720                     |     | 4   |
| 636 | Effect of pH on Theophylline Release from Partially Esterifted Alginic Acid Matrices. <b>1994</b> , 20, 2341-23   | 51  | 10  |
| 635 | EXTRACTION OF COPPER, CADMIUM AND RELATED METALS WITH POLY(SODIUM ACRYLATE - ACRYLIC ACID)HYDROGELS <b>1994</b> , 12, 1103-1119   |     | 20  |
| 634 | Swelling mechanism of poly(vinyl alcohol)-poly(acrylic acid) dense gels made by repetitive freezing and thawing process. <b>1994</b> , 2, 247-255                                     |     | 6   |
| 633 | Discontinuous volume transitions induced by calcium-sodium ion exchange in anionic gels and their neurobiological implications. <b>1994</b> , 34, 209-15                              |     | 33  |
| 632 | Swelling properties of hyaluronic acid ester membranes. <b>1994</b> , 92, 157-167   |     | 19  |
| 631 | Method of measuring the swelling pressure of superabsorbent gels. <b>1994</b> , 2, 49-58  |     | 15  |
| 630 | The osmotic response of the isolated tectorial membrane of the chick to isosmotic solutions: effect of Na+, K+, and Ca2+ concentration. <b>1994</b> , 79, 197-215                     |     | 20  |
| 629 | Dissociation Equilibrium in Hydrolyzed Polyacrylamide Gel Accompanied by Swelling and Shrinking <i>Journal of Chemical Engineering of Japan</i> , <b>1994</b> , 27, 171-176           | 0.8 | 6   |
| 628 | Modeling of fiber optic-based pH sensors. <b>1994</b> , 2068, 11  |     | 1   |
| 627 | pH, salt, and buffer dependent swelling in ionizable copolymer gels: tests of the ideal Donnan equilibrium theory. <b>1994</b> , 5, 433-50  |     | 37  |
| 626 | Spectroscopic and Kinetic Studies on Volume Expansion Processes of Photoresponsive Polyacrylamide Microgels in Water. <b>1995</b> , 68, 3397-3402                                     |     | 4   |

| 625 | Highly swollen gels of semi-flexible polyelectrolyte chains near the rod limit. 1995, 3, 331-373   |   | 11  |
|-----|--|---|-----|
| 624 | Effects of salt concentration and degree of ionization on the hydrophobic counterion binding to ionic gel and the contraction of the gel volume. <b>1995</b> , 3, 145-158                |   | 29  |
| 623 | Molecular electromechanics of cartilaginous tissues and polyelectrolyte gels. <b>1995</b> , 34, 307-330  |   | 7   |
| 622 | Peculiarities of the kinetics of polyelectrolyte hydrogel collapse in solutions of copper sulfate.  Polymer, 1995, 36, 2055-2058   | 9 | 7   |
| 621 | Swelling properties of acrylamide-based ampholytic hydrogels: comparison of experiment with theory. <i>Polymer</i> , <b>1995</b> , 36, 1061-1069   | 9 | 128 |
| 620 | Swelling/deswelling of anionic copolymer gels. <b>1995</b> , 16, 559-67  |   | 335 |
| 619 | Amine containing phenylboronic acid gel for glucose-responsive insulin release under physiological pH. <b>1995</b> , 37, 269-276   |   | 156 |
| 618 | Flory exponent of the chain of the expanding polyion gel. <i>Journal of Chemical Physics</i> , <b>1995</b> , 102, 9694-969   | 9 | 13  |
| 617 | Method for Analyzing pH-Sensitive Swelling of Amphoteric Hydrogels Application to a Polyelectrolyte Complex Gel Prepared from Xanthan and Chitosan I 1995, 59, 1422-1427                 |   | 28  |
| 616 | New phase diagram for N-arylacrylamide/acrylamide/sodium acrylate copolymer gel. <i>Journal of Chemical Physics</i> , <b>1995</b> , 102, 1846-1850                                       | 9 | 3   |
| 615 | . <b>1995</b> , 13, 1415-1420  |   | 39  |
| 614 | Multiple volume phase transition of nonionic thermosensitive gel. <i>Journal of Chemical Physics</i> , <b>1995</b> , 103, 6241-6247  | 9 | 22  |
| 613 | pH-Sensitive Swelling of a Polyelectrolyte Complex Gel Prepared from Xanthan and Chitosan. <b>1995</b> , 59, 717-719   |   | 32  |
| 612 | 'Smart' polymers in biotechnology and medicine. <b>1995</b> , 64, 471-489  |   | 65  |
| 611 | Mixed Polyelectrolyte/Ionomer Behavior of Poly(methacrylic acid) Gel upon Titration.  Macromolecules, <b>1996</b> , 29, 4642-4645  | 5 | 60  |
| 610 | Analogy between Swelling of Gels and Intrinsic Viscosity of Polymer Solutions for Ion-Complexed Poly(vinyl alcohol) in Aqueous Medium. <i>Macromolecules</i> , <b>1996</b> , 29, 885-891 | 5 | 33  |
| 609 | Rapid changes in light-scattering in the prism of Torpedo electric organ slice associated with the production of postsynaptic potentials. <b>1996</b> , 218, 298-301                     |   | 4   |
| 608 | Analysis of the pH-Sensitive Swelling Rate of a Polyelectrolyte Complex Gel Prepared from Xanthan and Chitosan by the Collective Diffusion Model. <b>1996</b> , 60, 1623-1626            |   | 6   |

| 607 | Collapse in responsive hydrogels. <b>1996</b> , 109, 169-183   |     | 6   |
|-----|--|-----|-----|
| 606 | Distributed sensing for intelligent civil engineering structures. 1996,  |     | 2   |
| 605 | Synthesis and characterization of polyampholyte hydrogels. <b>1996</b> , 100, 1079-1082  |     | 12  |
| 604 | Thermodynamics of phase equilibrium for systems containing gels. <b>1996</b> , 115, 113-133  |     | 64  |
| 603 | Preparation of bifunctional macronet polymers having both strongly and weakly acidic groups in one step. GelBolution transition of a transformable hydrogel. <i>Polymer</i> , <b>1996</b> , 37, 855-861  | 3.9 | 1   |
| 602 | Compressional and shear behaviour of weakly ionic polyacrylamide gels. <b>1996</b> , 4, 467-480  |     | 13  |
| 601 | Chemomechanical Gels for Actuator System Controlled by Electrochemical Reaction. <b>1996</b> , 7, 254-259  |     | 13  |
| 600 | Development of a Model for Analyzing the Swelling Rate of Ionic Gels on the Basis of the Diffusion of Mobile Ions: Application to the pH-Sensitive Swelling of a Polyelectrolyte Complex Gel Prepared from Xanthan and Chitosan. <b>1996</b> , 60, 1627-1632 |     | 11  |
| 599 | Polyelectrolyte hydrogel instabilities in ionic solutions. <i>Journal of Chemical Physics</i> , <b>1996</b> , 105, 10606-10  | 613 | 39  |
| 598 | Effect of Eluent Composition on the Distribution Coefficient of Saccharides on to a Cation-exchange Resin in Sodium-ion Form. <b>1997</b> , 61, 1296-1301  |     | 17  |
| 597 | Swelling-Induced Birefringence of a Polyelectrolyte Gel Strongly Interacting with Metal Ions. <i>Macromolecules</i> , <b>1997</b> , 30, 6556-6558  | 5.5 | 18  |
| 596 | Effect of pH on the Volume Phase Transition of Copolymer Gels of N-Isopropylacrylamide and Sodium Acrylate. <i>Journal of Physical Chemistry B</i> , <b>1997</b> , 101, 5089-5093  | 3.4 | 90  |
| 595 | Elastic and Osmotic Behavior and Network Imperfections of Nonionic and Weakly Ionized Acrylamide-Based Hydrogels. <i>Macromolecules</i> , <b>1997</b> , 30, 7478-7486  | 5.5 | 40  |
| 594 | Effect of Introduced Electric Charge on the Volume Phase Transition of N-Isopropylacrylamide Gels. <i>Journal of Physical Chemistry B</i> , <b>1997</b> , 101, 4184-4187   | 3.4 | 60  |
| 593 | Poly[(methyl methacrylate)-co-(methacrylic acid)] Microgel Particles: Swelling Control Using pH, Cononsolvency, and Osmotic Deswelling. <i>Macromolecules</i> , <b>1997</b> , 30, 482-487  | 5.5 | 167 |
| 592 | pH/Temperature-Responsive Polymer Composed of Poly((N,N-dimethylamino)ethyl methacrylate-co-ethylacrylamide). <i>Macromolecules</i> , <b>1997</b> , 30, 6856-6859  | 5.5 | 146 |
| 591 | Adsorption et desorption de l'eau vapeur sur un polymere polyacrylique superabsorbant IV. Effect de la masse sur les cin <b>E</b> iques d'adsorption et de dEorption. <b>1997</b> , 290, 227-238   |     | 7   |
| 590 | Equilibrium and kinetic aspects of the pH-dependent swelling of poly(2-vinylpyridine-co-styrene) microgels. <b>1997</b> , 275, 1108-1114   |     | 136 |

| 589             | Thermoreversible hydrogels VI: Swelling behavior of the (N-isopropylacrylamide-co-diethyl methyl methacryloyloxyethyl ammonium iodide) copolymeric hydrogels in aqueous salt solutions. <b>1997</b> , 4, 233-241  | 8    |
|-----------------|---|------|
| 588             | Synthesis of new pH-sensitive polyurethane gels using polyethylene glycol modified urethane acrylate anionomer. <b>1997</b> , 38, 403-410   | 4    |
| 587             | Distributed water ingress and water potential measurements using fibre optics. <b>1997</b> , 19, 35-44  | 7    |
| 586             | Swelling behavior of a blend hydrogel made of poly(allylguanidino-co-allylamine) and poly(vinyl alcohol). <b>1997</b> , 5, 317-326  | 3    |
| 585             | Effect of counter-ions on swelling and shrinkage of polyacrylamide-based ionic gels. <i>Polymer</i> , <b>1997</b> , 38, 2557-2560   | 27   |
| 584             | Effect of polymer complex formation on the cloud-point of poly(N-isopropyl acrylamide) (PNIPAAm) in the poly(NIPAAm-co-acrylic acid): polyelectrolyte complex between poly(acrylic acid) 3.9 and poly(allylamine). <i>Polymer</i> , <b>1997</b> , 38, 2759-2765 | 84   |
| 583             | A synthetic mimic of the secretory granule for drug delivery. <b>1998</b> , 394, 459-62   | 249  |
| 582             | Remediation of a sandy soil artificially contaminated with copper using a polyacrylate polymer. <b>1998</b> , 14, 106-110   | 17   |
| 581             | A novel co-crosslinked polysaccharide: studies for a controlled delivery matrix. 1998, 55, 57-66  | 50   |
| 580             | Poly[2-(hydroxyethyl methacrylate)-co-(sulfobetaine)]s hydrogels: 1. Synthesis and swelling behaviors of the 2-(hydroxyethyl methacrylate)-co-2-(vinyl-1-pyridinium propane sulfonate) hydrogels. <b>1998</b> , 5, 105-114                                      | 14   |
| 579             | Prediction of swelling behaviour of hydrogels containing diprotic acid moieties. <i>Polymer</i> , <b>1998</b> , 39, 1165-3.477  | 2 55 |
| 578             | Inverse thermally-reversible gelation of aqueous N-isopropylacrylamide copolymer solutions.  *Polymer*, 1998*, 39, 2809-2814**  3.9   | 100  |
| 577             | Molecular thermodynamics for volume-change transitions in temperature-sensitive polymer gels. <i>Polymer</i> , <b>1998</b> , 39, 3279-3283  | 46   |
| 576             | Thermoreversible hydrogels: 3. Synthesis and swelling behavior of the (N-isopropylacrylamide-co-trimethylacrylamidopropyl ammonium iodide) copolymeric hydrogels. 3.9 <i>Polymer</i> , <b>1998</b> , 39, 5393-5403  | 26   |
| 575             | Effect of polymer complex formation on the cloud-point of poly(N-isopropylacrylamide) (PNIPAAm) in the poly(NIPAAm-co-acrylic acid): polyelectrolyte complex between poly(acrylic acid) and poly(L-lysine). <i>Polymer</i> , <b>1998</b> , 39, 3703-3708        | 41   |
| 574             | Two mechanisms of gel/surfactant binding. <b>1998</b> , 6, 409-421  | 27   |
| 573             | Sclerox-chitosan co-gels: Effects of charge density on swelling of gels in ionic aqueous solution and in poor solvents, and on the rehydration of dried gels. <b>1998</b> , 6, 471-492  | 24   |
| 57 <sup>2</sup> | Volume phase transition of polymer gel in water and heavy water. <b>1998</b> , 238, 487-494   | 33   |

| 571   | Closure characteristics of a thermally responsive single ion-track pore determined by size exclusion method. <b>1998</b> , 140, 275-281  |     | 22                   |
|---|--|-----|----------------------|
| 570   | Deswelling and flocculation of gel networks: application to sludge dewatering. <b>1998</b> , 32, 3662-3672   |     | 34                   |
| 569   | Generalized MaxwellBtefan Approach for Swelling Kinetics of Dextran Gels. <b>1998</b> , 37, 3312-3322  |     | 29                   |
| 568   | Swelling Kinetics of a Polyelectrolyte Gel in Water and Salt Solutions. Coexistence of Swollen and Collapsed Phases. <i>Macromolecules</i> , <b>1998</b> , 31, 8845-8850   | 5.5 | 32                   |
| 567   | Polyacrylamide Hydrogels with Trapped Polyelectrolyte Rods. <i>Macromolecules</i> , <b>1998</b> , 31, 1168-1179  | 5.5 | 50                   |
| 566   | Consequences of Structural Differences in Ionomer Networks Prepared in Different Solvents. <i>Macromolecules</i> , <b>1998</b> , 31, 3542-3550   | 5.5 | 18                   |
| 565   | Effect of Degree of Cross-Linking on Spatial Inhomogeneity in Charged Gels. 3. Ionization Effect. <i>Macromolecules</i> , <b>1998</b> , 31, 8526-8530  | 5.5 | 23                   |
| 564   | pH and Ion-Triggered Volume Response of Anionic Hydrogel Microspheres. <i>Macromolecules</i> , <b>1998</b> , 31, 5084-93   | 5.5 | 137                  |
| 563   | Adsorption Properties of Metal Ions onto Sodium Polyacrylate Gel <i>Journal of Chemical Engineering of Japan</i> , <b>1998</b> , 31, 551-557   | 0.8 | 3                    |
| 562   | Cellulose fibre-supported pH-sensitive hydrogels. <i>Polymer</i> , <b>1999</b> , 40, 379-387   |     |                      |
| )0 <b>_</b>   | Cettutose fibre-supported pri-serisitive flydrogets. <i>Polyfiler</i> , 1999, 40, 319-361  | 3.9 | 35                   |
| 561   | Poly(ethylene glycol)-induced DNA condensation in aqueous/methanol containing low-molecular-weight electrolyte solutions. Theoretical considerations. <i>Polymer</i> , <b>1999</b> , 40, 4013-4023   | 3.9 | 27                   |
|   | Poly(ethylene glycol)-induced DNA condensation in aqueous/methanol containing  |     | 27                   |
| 561   | Poly(ethylene glycol)-induced DNA condensation in aqueous/methanol containing low-molecular-weight electrolyte solutionsl. Theoretical considerations. <i>Polymer</i> , <b>1999</b> , 40, 4013-4023 Scleroglucan gel volume changes in dimethylsulphoxide/water and alkaline solutions are partly  | 3.9 | 27                   |
| 561<br>560  | Poly(ethylene glycol)-induced DNA condensation in aqueous/methanol containing low-molecular-weight electrolyte solutionsl. Theoretical considerations. <i>Polymer</i> , <b>1999</b> , 40, 4013-4023  Scleroglucan gel volume changes in dimethylsulphoxide/water and alkaline solutions are partly caused by polymer chain conformational transitions. <i>Carbohydrate Polymers</i> , <b>1999</b> , 39, 249-255  Factors affecting the swelling of poly(N-isopropylacrylamide) microgel particles: fundamental and   | 3.9 | <sup>2</sup> 7       |
| 561<br>560<br>559   | Poly(ethylene glycol)-induced DNA condensation in aqueous/methanol containing low-molecular-weight electrolyte solutionsl. Theoretical considerations. <i>Polymer</i> , <b>1999</b> , 40, 4013-4023  Scleroglucan gel volume changes in dimethylsulphoxide/water and alkaline solutions are partly caused by polymer chain conformational transitions. <i>Carbohydrate Polymers</i> , <b>1999</b> , 39, 249-255  Factors affecting the swelling of poly(N-isopropylacrylamide) microgel particles: fundamental and commercial implications. <b>1999</b> , 149, 57-64  Effect of pH on the lower critical solution temperatures of random copolymers of   | 3.9 | <sup>2</sup> 7 7 51  |
| 561<br>560<br>559<br>558  | Poly(ethylene glycol)-induced DNA condensation in aqueous/methanol containing low-molecular-weight electrolyte solutionsl. Theoretical considerations. <i>Polymer</i> , <b>1999</b> , 40, 4013-4023  Scleroglucan gel volume changes in dimethylsulphoxide/water and alkaline solutions are partly caused by polymer chain conformational transitions. <i>Carbohydrate Polymers</i> , <b>1999</b> , 39, 249-255  Factors affecting the swelling of poly(N-isopropylacrylamide) microgel particles: fundamental and commercial implications. <b>1999</b> , 149, 57-64  Effect of pH on the lower critical solution temperatures of random copolymers of N-isopropylacrylamide and acrylic acid. <b>1999</b> , 35, 795-801  pH/thermoreversible hydrogels III: Synthesis and swelling behaviors of   | 3.9 | 27<br>7<br>51<br>100 |
| <ul><li>561</li><li>560</li><li>559</li><li>558</li><li>557</li></ul> | Poly(ethylene glycol)-induced DNA condensation in aqueous/methanol containing low-molecular-weight electrolyte solutionsl. Theoretical considerations. <i>Polymer</i> , <b>1999</b> , 40, 4013-4023  Scleroglucan gel volume changes in dimethylsulphoxide/water and alkaline solutions are partly caused by polymer chain conformational transitions. <i>Carbohydrate Polymers</i> , <b>1999</b> , 39, 249-255  Factors affecting the swelling of poly(N-isopropylacrylamide) microgel particles: fundamental and commercial implications. <b>1999</b> , 149, 57-64  Effect of pH on the lower critical solution temperatures of random copolymers of N-isopropylacrylamide and acrylic acid. <b>1999</b> , 35, 795-801  pH/thermoreversible hydrogels III: Synthesis and swelling behaviors of (N-isopropylacrylamide-co-acrylic acid) copolymeric hydrogels. <b>1999</b> , 6, 41-49 | 3.9 | 27 7 51 100          |

#### (2000-1999)

| 553             | acid-co-acrylamide) synthesized by inverse suspension polymerization. <b>1999</b> , 72, 1349-1366  | 64  |
|-----------------|--|-----|
| 552             | pHEhermoreversible hydrogels. II. Synthesis and swelling behaviors of N-isopropylacrylamide-co-acrylic acid-co-sodium acrylate hydrogels. <b>1999</b> , 73, 1955-1967  | 48  |
| 551             | Polyelectrolyte complex gel with high pH-sensitivity prepared from dextran sulfate and chitosan. <b>1999</b> , 73, 2227-2233   | 60  |
| 550             | Thermoreversible hydrogels. VIII. Effect of a zwitterionic monomer on swelling behaviors of thermosensitive hydrogels copolymerized by N-isopropylacrylamide with N,N?-dimethyl (acrylamidopropyl) ammonium propane sulfonate. <b>1999</b> , 74, 2170-2180 | 21  |
| 549             | Thermoreversible hydrogels. VII. Synthesis and swelling behavior of poly(N-isopropylacrylamide-co-3-methyl-1-vinylimidazolium iodide) hydrogels. <b>1999</b> , 74, 3242-3253   | 16  |
| 548             | A pH- and ionic strength-responsive polypeptide hydrogel: synthesis, characterization, and preliminary protein release studies. <b>1999</b> , 47, 595-602  | 98  |
| 547             | SWELLING OF POLY(VINYL AMINE) GELS: APPLICABILITY OF THE DONNAN THEORY. <b>1999</b> , 36, 507-516  | 5   |
| 546             | A LOW-TEMPERATURE PRODUCTION METHOD FOR CATIONIC HYDROGELS. <b>1999</b> , 36, 31-50  | 7   |
| 545             | Conformational Free Energy of Lattice Polyelectrolytes with Fixed End Points. 2. The Swelling Behavior of a Permanent Network of Lattice Polyelectrolytes. <i>Macromolecules</i> , <b>1999</b> , 32, 199-209   | 3   |
| 544             | Use of Luminescence of Europium Ions for the Study of the Interaction of Polyelectrolyte Hydrogels with Multivalent Cations. <i>Journal of Physical Chemistry B</i> , <b>1999</b> , 103, 7621-7626   | 39  |
| 543             | Investigation of the Swelling Response and Loading of Ionic Microgels with Drugs and Proteins: The Dependence on Cross-Link Density. <i>Macromolecules</i> , <b>1999</b> , 32, 4867-4878   | 206 |
| 542             | pH/Temperature-Sensitive Polymers for Controlled Drug Delivery. <b>2000</b> ,  |     |
| 54 <sup>1</sup> | Evaluation of optimum condition for designing high-performance electro-driven polymer hydrogel systems. <b>2000</b> , 75, 111-118  | 27  |
| 540             | Synthesis of novel amphiphilic pH-sensitive polyurethane networks through water-in-oil soap-free emulsion polymerization process. I. Microstructural differences and swelling behaviors. <b>2000</b> , 76, 2115-2127                                       | 5   |
| 539             | Thermoreversible hydrogels. IX. Swelling behaviors of thermosensitive hydrogels copolymerized by N-isopropylacrylamide with 1-vinyl-3-(3-sulfopropyl) imidazolium betaine. <b>2000</b> , 77, 14-23   | 12  |
| 538             | Thermoreversible hydrogels X: Synthesis and swelling behavior of the (N-isopropylacrylamide-co-sodium 2-acrylamido-2-methylpropyl sulfonate) copolymeric hydrogels. <b>2000</b> , 77, 1760-1768  | 58  |
| 537             | Thermoreversible hydrogels XIV. Synthesis and swelling behavior of the (n-isopropylacrylamide-co-2-hydroxyethyl methacrylate) copolymeric hydrogels. <b>2000</b> , 77, 1769-1781   | 18  |
| 536             | Equilibrium swelling behavior of pH- and temperature-sensitive poly(N-vinyl 2-pyrrolidone-g-citric acid) polyelectrolyte hydrogels. <b>2000</b> , 38, 2063-2071  | 35  |

| 535 | Characterization of network structure of poly(N-vinyl 2-pyrrolidone/acrylic acid) polyelectrolyte hydrogels by swelling measurements. <b>2000</b> , 38, 3309-3317                                       |     | 10   |
|-----|---|-----|------|
| 534 | Pores and diffusion characteristics of porous gels. <i>Polymer</i> , <b>2000</b> , 41, 7201-7207  | 3.9 | 17   |
| 533 | Cationic homopolymer model networks and star polymers: synthesis by group transfer polymerization and characterization of the aqueous degree of swelling. <i>Polymer</i> , <b>2000</b> , 41, 8523-8529  | 3.9 | 38   |
| 532 | Stimuli response of polysoap hydrogels in aqueous solution and DC electric fields. <b>2000</b> , 169, 85-94   |     | 37   |
| 531 | The effects of salinity and temperature on the behaviour of polyacrylamide gels. <b>2000</b> , 21, 169-174  |     | 25   |
| 530 | Behaviour of gels based on (hydroxypropyl) cellulose methacrylate. <i>Polymer</i> , <b>2000</b> , 41, 7691-7698   | 3.9 | 33   |
| 529 | A combination of vapor sorption and dynamic laser light scattering methods for the determination of the Flory parameter and the crosslink density of a powdered polymeric gel. <b>2000</b> , 167, 63-81 |     | 10   |
| 528 | Thermoreversible hydrogels XIII: Synthesis and swelling behaviors of [N-isopropylacrylamide-co-sodium 2-acrylamido-2-methylpropyl sulfonate] copolymeric  |     | 9    |
| 527 | Chemical waves in self-oscillating gels. <b>2000</b> , 62, 793-8  |     | 65   |
| 526 | Motion of microgel particles under an external electric field. <b>2000</b> , 12, 3605-3614  |     | 36   |
| 525 | Osmotic and SANS Observations on Sodium Polyacrylate Hydrogels in Physiological Salt Solutions. <i>Macromolecules</i> , <b>2000</b> , 33, 8329-8333   | 5.5 | 42   |
| 524 | Hydrogels in pharmaceutical formulations. <b>2000</b> , 50, 27-46   |     | 2850 |
| 523 | 13C Solid-State NMR Determination of Cross-Linking Degree in Superabsorbing Cellulose-Based Networks. <i>Macromolecules</i> , <b>2000</b> , 33, 430-437   | 5.5 | 41   |
| 522 | Osmotic swelling of polyacrylate hydrogels in physiological salt solutions. <b>2000</b> , 1, 84-90  |     | 324  |
| 521 | Physicochemical foundations and structural design of hydrogels in medicine and biology. <b>2000</b> , 2, 9-29   |     | 794  |
| 520 | Fast pH- and Ionic Strength-Responsive Hydrogels in Microchannels. <b>2001</b> , 17, 4758-4763  |     | 163  |
| 519 | Effect of monovalent-divalent cation exchange on the swelling of polyacrylate hydrogels in physiological salt solutions. <b>2001</b> , 2, 195-9   |     | 146  |
| 518 | Synthesis and Characterization of Novel Networks with Nano-Engineered Structures: Cross-Linked Star Homopolymers. <b>2001</b> , 13, 4738-4744   |     | 53   |

| 517 | Comparison between Neutral Gels and Neutralized Polyelectrolyte Gels in the Presence of Divalent Cations. <i>Macromolecules</i> , <b>2001</b> , 34, 4285-4287  | 10  |
|-----|--|-----|
| 516 | Thermocontrol of solute permeation across polymer membrane composed of poly(N,N-dimethylaminoethyl methacrylate) and its copolymers. <b>2001</b> , 6, 274-278  | 1   |
| 515 | Buffer transport in hydroxyethyl methacrylate copolymer irradiated by Frays. <i>Polymer</i> , <b>2001</b> , 42, 4989-49 <u>9</u> .6  | 6   |
| 514 | Osmotic properties of poly(ethylene oxide) gels with localized charged units. <i>Polymer</i> , <b>2001</b> , 42, 8075-8083   | 12  |
| 513 | A crosslinked system from scleroglucan derivative: preparation and characterization. <b>2001</b> , 22, 1899-909  | 32  |
| 512 | Prediction of the swelling behaviour of amphiphilic hydrogels and the determination of average molecular weight between cross-links. <b>2001</b> , 11, 475-482   | 9   |
| 511 | Polytetrahydrofuran amphiphilic networks. IV. Swelling behavior of poly(acrylic acid)-l-polytetrahydrofuran and poly(methacrylic acid)-l-polytetrahydrofuran networks. <b>2001</b> , 39, 1784-1790         | 12  |
| 510 | Thermoreversible hydrogels XI: Effect of salt on the swelling properties of the (n-isopropylacrylamide-co-sodium 2-acrylamido-2-methylpropyl sulfonate) copolymeric hydrogels. <b>2001</b> , 79, 1675-1684 | 7   |
| 509 | pH-sensitive shrinking of a dextran sulfate/chitosan complex gel and its promotion effect on the release of polymeric substances. <b>2001</b> , 81, 667-674  | 28  |
| 508 | pH-reversible hydrogels. IV. Swelling behavior of the 2-hydroxyethyl methacrylate-co-acrylic acid-co-sodium acrylate copolymeric hydrogels. <b>2001</b> , 81, 1360-1371                                    | 21  |
| 507 | Synthesis and swelling properties of 2-hydroxyethyl methacrylate-co-1-vinyl-3-(3-sulfopropyl)imidazolium betaine hydrogels. <b>2001</b> , 81, 2888-2900  | 15  |
| 506 | Hydrogel of biodegradable cellulose derivatives. II. Effect of some factors on radiation-induced crosslinking of CMC. <b>2001</b> , 81, 3030-3037  | 107 |
| 505 | Interpenetrating polymer networks based on poly(acrylic acid) and gelatin. I: Swelling and thermal behavior. <b>2001</b> , 82, 217-227   | 83  |
| 504 | Studies on preparation and swelling properties of the N-isopropylacrylamide/chitosan semi-IPN and IPN hydrogels. <b>2001</b> , 82, 2487-2496   | 132 |
| 503 | Behavior of Tetrazole-containing Acrylic Hydrogels in Electrolyte Solutions. <b>2001</b> , 74, 1203-1206   |     |
| 502 | REMEDIATION OF SANDY SOIL ARTIFICIALLY CONTAMINATED WITH CADMIUM USING A POLYACRYLATE POLYMER. <b>2001</b> , 32, 1567-1574   | 6   |
| 501 | Salt effects over the swelling of ionized mesoscopic gels. <i>Journal of Chemical Physics</i> , <b>2001</b> , 115, 7644-7649   | 81  |
| 500 | Equilibrium Swelling of Copolymerized Acrylic AcidMethacrylated Dextran Networks: Effects of pH and Neutral Salt. <i>Macromolecules</i> , <b>2002</b> , 35, 5235-5242                                      | 75  |

| 499 | Polyelectrolyte Networks Based on Poly(Para-phenylene)s: Synthesis, Preparation of Thin Films, and Swelling Behavior. <b>2002</b> , 1, 33-52                                      | 1   |
|-----|---|-----|
| 498 | Mechanical characteristics of ionic polymer-metal composite in the process of self-bending. <i>Journal of Applied Physics</i> , <b>2002</b> , 92, 7614-7618                       | 22  |
| 497 | Nanometer-scale ionic reservoir based on ion-responsive hydrogels. <b>2002</b> , 4695, 42   | 2   |
| 496 | UV-Induced Gelation on Nanometer Scale Using Liposome Reactor. <i>Macromolecules</i> , <b>2002</b> , 35, 1911-1926 <sub>.5</sub>  | 85  |
| 495 | Nanosized cationic hydrogels for drug delivery: preparation, properties and interactions with cells. <b>2002</b> , 54, 135-47   | 640 |
| 494 | Synthesis and characterization of chitosan/poly(acrylic acid) polyelectrolyte complex. <b>2002</b> , 83, 1025-1035  | 31  |
| 493 | Polytetrahydrofuran amphiphilic networks. III. Synthesis and characterization of pH-sensitive poly(methacrylic acid)-l-polytetrahydrofuran networks. <b>2002</b> , 85, 351-357    | 11  |
| 492 | PVA/PAA thermo-induced hydrogel fiber: Preparation and pH-sensitive behavior in electrolyte solution. <b>2002</b> , 85, 2423-2430   | 43  |
| 491 | Electric stimuli responses to poly(vinyl alcohol)/chitosan interpenetrating polymer network hydrogel in NaCl solutions. <b>2002</b> , 86, 2285-2289                               | 72  |
| 490 | Characteristics of electrical responsive chitosan/polyallylamine interpenetrating polymer network hydrogel. <b>2002</b> , 86, 2290-2295   | 49  |
| 489 | Bending behaviour of electroresponsive poly(vinyl alcohol)/poly(acrylic acid) semi-interpenetrating network hydrogel fibres under an electric stimulus. <b>2002</b> , 51, 502-509 | 45  |
| 488 | Radiation synthesis of poly(N-vinyl-2-pyrrolidone-g-tartaric acid) hydrogels [and their swelling behaviors. <b>2002</b> , 13, 87-93   | 7   |
| 487 | Swelling behaviors of polyelectrolyte hydrogels containing sulfonate groups. <b>2002</b> , 13, 567-576  | 42  |
| 486 | Fiber optic Bragg grating sensor based on hydrogels for measuring salinity. <b>2002</b> , 87, 487-490   | 88  |
| 485 | PVA/PAA thermo-crosslinking hydrogel fiber: preparation and pH-sensitive properties in electrolyte solution. <b>2002</b> , 38, 1653-1658  | 79  |
| 484 | Photo-Cross-Linkable PNIPAAm Copolymers. 2. Effects of Constraint on Temperature and pH-Responsive Hydrogel Layers. <i>Macromolecules</i> , <b>2003</b> , 36, 162-172             | 106 |
| 483 | Poly(vinyl alcohol)/poly(N-isopropylacrylamide) semi-interpenetrating polymer network hydrogels with rapid response to temperature changes. <b>2003</b> , 281, 580-583            | 53  |
| 482 | Effect of the Volume Phase Transition on Diffusion and Concentration of Molecular Species in Temperature-Responsive Gels: Electroanalytical Studies. <b>2003</b> , 15, 409-413    | 13  |

| 481 | Modeling ionic hydrogels swelling: characterization of the non-steady state. <b>2003</b> , 84, 20-8   | 28              |
|-----|---|-----------------|
| 480 | pH-sensitive dimethylaminoethyl methacrylate (DMAEMA)/acrylamide (AAm) hydrogels: Synthesis and adsorption from uranyl acetate solutions. <b>2003</b> , 88, 2028-2031   | 21              |
| 479 | Electrochemical behavior of an interpenetrating polymer network hydrogel composed of poly(propylene glycol) and poly(acrylic acid). <b>2003</b> , 89, 2301-2305   | 35              |
| 478 | Electroactive characteristics of interpenetrating polymer network hydrogels composed of poly(vinyl alcohol) and poly(N-isopropylacrylamide). <b>2003</b> , 89, 890-894  | 44              |
| 477 | Electrical response characterization of chitosan/polyacrylonitrile hydrogel in NaCl solutions. <b>2003</b> , 90, 91-96  | 49              |
| 476 | Effect of montmorillonite on the swelling behavior and drug-release behavior of nanocomposite hydrogels. <b>2003</b> , 89, 3652-3660  | 159             |
| 475 | Thermoreversible hydrogels. XIX. Synthesis and swelling behavior and drug release behavior for the N-isopropylacrylamide/poly(ethylene glycol) methylether acrylate copolymeric hydrogels. <b>2003</b> , 90, 1683-169 | 1 <sup>17</sup> |
| 474 | Preparation and swelling properties of solution crosslinked poly(cis-1,4-butadiene) gels. 2003, 90, 2241-2245   | 31              |
| 473 | Synthesis and characterization of temperature- and pH-sensitive poly(N,N-diethylacrylamide-co-methacrylic acid). <b>2003</b> , 90, 3563-3568  | 36              |
| 472 | Multiple point adsorption in a heteropolymer gel and the Tanaka approach to imprinting: experiment and theory. <b>2003</b> , 28, 1489-1515  | 74              |
| 471 | Thermo-sensitive poly(N-vinylcaprolactam-co-acetoacetoxyethyl methacrylate) microgels: 2. Incorporation of polypyrrole. <i>Polymer</i> , <b>2003</b> , 44, 7651-7659  | 48              |
| 470 | Effect of amino acid surfactants on phase transition of poly(N-isopropylacrylamide) gel. <b>2003</b> , 261, 191-6   | 10              |
| 469 | Probing the degree of crosslinking of a cellulose based superabsorbing hydrogel through traditional and NMR techniques. <i>Polymer</i> , <b>2003</b> , 44, 1577-1588  | 58              |
| 468 | Demonstration of etched cladding fiber Bragg grating-based sensors with hydrogel coating. <b>2003</b> , 96, 468-472   | 67              |
| 467 | Novel pH, ion sensitive polyampholyte gels based on carboxymethyl chitosan and gelatin. <b>2003</b> , 52, 56-61   | 34              |
| 466 | Evanescent wave optical-fiber sensing (temperature, relative humidity, and pH sensors). <b>2003</b> , 3, 806-811  | 50              |
| 465 | Influence of Polymer Conformation on the Shear Modulus and Morphology of Polyallylamine and Poly( $\mathbb{H}$ -lysine) Hydrogels. <i>Macromolecules</i> , <b>2003</b> , 36, 6189-6201                                | 19              |
| 464 | Structure of Binary and Ternary Complexes Formed by Sodium Poly(2-acrylamide-2-methyl-1-propanesulfonate) Gel in the Presence of Copper(II) Nitrate and Cetylpyridinium Chloride. <b>2003</b> , 19, 7845-7851         | 11              |

| 463 | Shrinking Kinetics of Polyacrylate Gels in Surfactant Solution. <i>Journal of Physical Chemistry B</i> , <b>2003</b> , 107, 9203-9213   | 28 |
|-----|---|----|
| 462 | Interaction of Sodium Poly(2-acrylamide-2-methyl-1-propanesulfonate) Linear Polymer and Gel with Metal Salts. <i>Journal of Physical Chemistry B</i> , <b>2003</b> , 107, 12206-12211                                 | 10 |
| 461 | Deswelling Kinetics of a Porous Poly(N-isopropylacrylamide/methacrylic acid) Gel Prepared by Freeze-Drying. <b>2003</b> , 76, 543-544   | 2  |
| 460 | pH-Sensitive Hydrogels Composed of Chitosan and Polyacrylamide IPreparation and Properties. <b>2004</b> , 19, 101-116   | 28 |
| 459 | Electromechanical properties of hydrogels based on chitosan and poly(hydroxyethyl methacrylate) in NaCl solution. <b>2004</b> , 13, 1036-1039   | 50 |
| 458 | Effects of continuous water flow on the swelling properties of polyelectrolyte hydrogels. <b>2004</b> , 14, 107-13  | 9  |
| 457 | STRUCTURAL AND DYNAMIC RESPONSE OF NEUTRAL AND INTELLIGENT NETWORKS IN BIOMEDICAL ENVIRONMENTS. <b>2004</b> , 75-130  | 20 |
| 456 | Modeling of the pH-sensitive behavior of an ionic gel in the presence of diffusion. <b>2004</b> , 39, 1301-1318   | 23 |
| 455 | Dual polyelectrolyte-ionomer behavior of poly(acrylic acid) in methanol: 2. Salt solutions. <b>2004</b> , 66, 669-672   | 5  |
| 454 | Dynamic and equilibrium swelling of a sulfonic acid superabsorbent copolymer in salt solutions. <b>2004</b> , 42, 505-514   | 12 |
| 453 | Formation of hydrogen bonding in ionized poly(N-isopropylacrylamide) gels by continuous water exchange. <b>2004</b> , 42, 1090-1098   | 15 |
| 452 | Factors driving the protonation of poly(N-vinylimidazole) hydrogels. <b>2004</b> , 42, 2294-2307  | 32 |
| 451 | Network structure and swellingEhrinking behaviors of pH-sensitive poly(acrylamide-co-itaconic acid) hydrogels. <b>2004</b> , 42, 2586-2594  | 31 |
| 450 | Determination of average molecular weight between crosslinks and polymerBolvent interaction parameters of poly(acrylamide-g-ethylene diamine tetraacetic acid) polyelectrolyte hydrogels. <b>2004</b> , 91, 2168-2175 | 14 |
| 449 | Swelling and drug-release behavior of the poly(AA-co-N-vinyl pyrrolidone)/chitosan interpenetrating polymer network hydrogels. <b>2004</b> , 91, 2135-2142  | 18 |
| 448 | Electrostimulus responsive behavior of poly(acrylic acid)/polyacrylonitrile semi-interpenetrating polymer network hydrogels. <b>2004</b> , 92, 1473-1477  | 14 |
| 447 | Electrical behavior of chitosan and poly(hydroxyethyl methacrylate) hydrogel in the contact system. <b>2004</b> , 92, 915-919   | 30 |
| 446 | Swelling behavior of chitosan/poly(acrylic acid) complex. <b>2004</b> , 92, 2930-2940   | 20 |

| 445 | Effect of the intercalation agent content of montmorillonite on the swelling behavior and drug release behavior of nanocomposite hydrogels. <b>2004</b> , 94, 74-82  |     | 50 |  |
|-----|--|-----|----|--|
| 444 | Effect of salt species on electrochemical properties of gel-type polymer electrolyte based on chemically crosslinking rubber. <b>2004</b> , 50, 295-300  |     | 10 |  |
| 443 | Complexation behaviour of radiation synthesized poly(vinylbenzyltrimethylammonium chloride) and its gel with potassium hexacyanoferrates (II, III) and potassium persulfate in aqueous medium. <b>2004</b> , 40, 1495-1502                             |     | 2  |  |
| 442 | Weak alignment of membrane proteins in stressed polyacrylamide gels. <b>2004</b> , 171, 258-69   |     | 36 |  |
| 441 | FTIR-ATR measurements of the ionization extent of acrylic acid within copolymerized methacrylated dextran/acrylic acid networks and its relation with pH/salt concentration-induced equilibrium swelling. <i>Polymer</i> , <b>2004</b> , 45, 1627-1636 | 3.9 | 19 |  |
| 440 | Holographic sensors for the determination of ionic strength. <b>2004</b> , 527, 13-20  |     | 29 |  |
| 439 | Volume phase transition of bovine vitreous body in vitro and determination of its dynamics. <b>2004</b> , 5, 1296-302  |     | 2  |  |
| 438 | Resistivity probing of multi-layered tissue phantoms using microelectrodes. <b>2004</b> , 25, 645-58   |     | 22 |  |
| 437 | Monte Carlo Simulations of Defect-Free Cross-Linked Gels in the Presence of Salt. <i>Macromolecules</i> , <b>2004</b> , 37, 10089-10100  | 5.5 | 57 |  |
| 436 | Microstructure and rheology of stimuli-responsive nanocolloidal systems-effect of ionic strength. <b>2004</b> , 20, 11380-6  |     | 27 |  |
| 435 | Study of chemically induced pressure generation of hydrogels under isochoric conditions using a microfabricated device. <i>Journal of Chemical Physics</i> , <b>2004</b> , 121, 2746-51  | 3.9 | 29 |  |
| 434 | Stimuli-sensitive hydrogels: ideal carriers for chronobiology and chronotherapy. <b>2004</b> , 15, 125-44  |     | 89 |  |
| 433 | A Rheological Model for pH-Sensitive Ionic Polymer Solutions for Optimal Mobility Control Applications. <b>2005</b> ,  |     | 50 |  |
| 432 | Evaluation of the Effect of the Water Formation Salinity in the Performance of Gels for Water Shutoff. <b>2005</b> ,   |     | 3  |  |
| 431 | Radiation crosslinking of CMC-Na at low dose and its application as substitute for hydrogel. <b>2005</b> , 72, 635-638   |     | 65 |  |
| 430 | Meshless steady-state analysis of chemo-electro-mechanical coupling behavior of pH-sensitive hydrogel in buffered solution. <b>2005</b> , 580, 161-172   |     | 25 |  |
| 429 | Measurement of Donnan potentials in gels by in situ microelectrode voltammetry. <b>2005</b> , 584, 100-109   |     | 24 |  |
| 428 | Studies on preparation and properties of NIPAAm/hydrophobic monomer copolymeric hydrogels. <b>2005</b> , 41, 2488-2495   |     | 38 |  |

| 427 | One Dimensional Volume-Phase Transition of N-Isopropylacrylamide Gels on the Surface of Gold Electrodes. <b>2005</b> , 17, 1396-1400  | 14  |
|-----|---|-----|
| 426 | Effect of gelatin on the swelling behavior of organic hybrid gels based on N-isopropylacrylamide and gelatin. <b>2005</b> , 98, 1092-1099   | 7   |
| 425 | Synthesis and characteristics of semi-interpenetrating polymer network hydrogels based on chitosan and poly(hydroxy ethyl methacrylate). <b>2005</b> , 96, 86-92                                  | 28  |
| 424 | Swelling behavior of poly(acrylamide-co-N-vinylimidazole) hydrogels under different environment conditions. <b>2005</b> , 96, 1783-1788   | 18  |
| 423 | Adsorption of ammonium and nitrate ions by poly(N-isopropylacrylamide) gel and poly(N-isopropylacrylamide-co-chlorophyllin) gel in different states. <b>2005</b> , 96, 2367-2372                  | 11  |
| 422 | Preparation and swelling characteristics of hydrogel from microbial poly(Eglutamic acid) by Erradiation. <b>2005</b> , 13, 339-343  | 8   |
| 421 | Structural investigations of a neutralized polyelectrolyte gel and an associating neutral hydrogel. <i>Polymer</i> , <b>2005</b> , 46, 4242-4247  | 31  |
| 420 | Thermally responsive complex polymer networks containing Fe3O4 nanoparticles: Composition/morphology/property relationship. <b>2005</b> , 43, 5923-5934   | 13  |
| 419 | Poly(2-Hydroxy Ethyl Methacrylate-co-Acrylic Acid) as Novel Biodegradable Macroporous Hydrogel. <b>2005</b> , 13, 807-814   | 3   |
| 418 | NMR experiments on aligned samples of membrane proteins. <b>2005</b> , 394, 350-82  | 66  |
| 417 | Mathematical modelling and controlled drug delivery: matrix systems. <b>2005</b> , 2, 97-116  | 258 |
| 416 | Ion-exchange controls the kinetics of deswelling of polyelectrolyte microgels in solutions of oppositely charged surfactant. <i>Journal of Physical Chemistry B</i> , <b>2005</b> , 109, 23843-56 | 40  |
| 415 | SwellingBhrinking Behavior of Poly(Acrylamide-co-itaconic Acid) Hydrogels in Water and Aqueous NaCl Solutions. <b>2005</b> , 42, 105-111  | 12  |
| 414 | Modeling of stimulated hydrogel volume changes in photonic crystal Pb2+ sensing materials. <b>2005</b> , 127, 10753-9   | 101 |
| 413 | Modeling and simulation of the swelling behavior of pH-stimulus-responsive hydrogels. <b>2005</b> , 6, 109-20   | 95  |
| 412 | Voltage-tunable volume transitions in nanoscale films of poly(hydroxyethyl methacrylate) surfaces grafted onto gold. <b>2005</b> , 21, 1979-85  | 29  |
| 411 | Electrokinetics of diffuse soft interfaces. III. Interpretation of data on the polyacrylamide/water interface. <b>2005</b> , 21, 6220-7   | 48  |
| 410 | Bulk conductivity of soft surface layers: experimental measurement and electrokinetic implications. <b>2005</b> , 21, 10054-60  | 18  |

## (2006-2005)

| 409 | Swelling Behavior of Semi-Interpenetrating Polymer Network Hydrogels Based on Chitosan and Poly(acryl amide). <b>2005</b> , 42, 1073-1083  | 24  |
|-----|--|-----|
| 408 | Fluorescence correlation spectroscopy studies of diffusion of a weak polyelectrolyte in aqueous solutions. <i>Journal of Chemical Physics</i> , <b>2005</b> , 122, 14907                                       | 63  |
| 407 | Nanostructured modified electrodes: role of ions and solvent flux in redox active polyelectrolyte multilayer films. <b>2006</b> , 8, 5086-95   | 24  |
| 406 | Electrospun nanoscale polyacrylonitrile artificial muscle. <b>2006</b> , 15, N152-N156   | 22  |
| 405 | Physical properties of hemoglobin-poly(acrylamide) hydrogel-based oxygen carriers: effect of reaction pH. <b>2006</b> , 22, 2212-21  | 40  |
| 404 | Ion concentration of external solution as a characteristic of micro- and nanogel ionic reservoirs. <i>Journal of Physical Chemistry B</i> , <b>2006</b> , 110, 15107-16  | 35  |
| 403 | Meshless simulation of equilibrium swelling/deswelling of pH-sensitive hydrogels. 2006, 44, 326-337  | 5   |
| 402 | Similarities between polyelectrolyte gels and biopolymer solutions. <b>2006</b> , 44, 3679-3686  | 19  |
| 401 | Acrylic/cyclodextrin hydrogels with enhanced drug loading and sustained release capability. <b>2006</b> , 312, 66-74   | 90  |
| 400 | Salt-, pH- and temperature-responsive semi-interpenetrating polymer network hydrogel based on poly(aspartic acid) and poly(acrylic acid). <i>Polymer</i> , <b>2006</b> , 47, 7702-7710                         | 156 |
| 399 | Micro-cantilevers with end-grafted stimulus-responsive polymer brushes for actuation and sensing. <b>2006</b> , 114, 371-378   | 118 |
| 398 | Polyelectrolyte networks as highly sensitive polymers. <b>2006</b> , 48, 1-20  | 43  |
| 397 | Swelling behavior and drug release of NIPAAm/PEGMEA copolymeric hydrogels with different crosslinkers. <b>2006</b> , 41, 7333-7340   | 25  |
| 396 | Swelling of N-isopropyl acrylamide hydrogels in aqueous solutions of sodium chloride. <b>2006</b> , 240, 186-196   | 16  |
| 395 | Synthesis of N-hydroxymethyl acrylamide with Emethyl hydrogen itaconate and itaconic acid hydrogels: Effects of the pH, composition, and ionic strength on the swelling behavior. <b>2006</b> , 100, 1735-1741 | 12  |
| 394 | Effect of hydrotalcite on the swelling and mechanical behaviors for the hybrid nanocomposite hydrogels based on gelatin and hydrotalcite. <b>2006</b> , 100, 500-507   | 38  |
| 393 | Effect of fluorinated hydrophobic monomer on the drug release behavior for the thermosensitive hydrogels. <b>2006</b> , 100, 4661-4667   | 9   |
| 392 | Experiments and simulation of pH-responsive N-isopropylacrylamidelicrylic acid copolymer hydrogels. <b>2006</b> , 101, 323-330   | 12  |

| 391 | Effect of porosigen on the swelling behavior and drug release of porous N-isopropylacrylamide/poly(ethylene glycol) monomethylether acrylate copolymeric hydrogels. <b>2006</b> , 102, 5490-5499    |     | 10  |
|-----|---|-----|-----|
| 390 | Swelling of pH-sensitive chitosanpoly(vinyl alcohol) hydrogels. <b>2006</b> , 102, 4665-4671  |     | 42  |
| 389 | Buffer solution can control the porosity of DNA-chitosan complexes. <b>2006</b> , 76, 121-9   |     | 20  |
| 388 | Liposome-nanogel structures for future pharmaceutical applications. <b>2006</b> , 12, 4713-28   |     | 43  |
| 387 | Effects of initial-fixed charge density on pH-sensitive hydrogels subjected to coupled pH and electric field stimuli: a meshless analysis. <b>2007</b> , 129, 148-55                                |     | 11  |
| 386 | Comparative Study of Scattering and Osmotic Properties of Synthetic and Biopolymer Gels. <b>2007</b> , 256, 80-87   |     | 10  |
| 385 | On the Modeling of Polyelectrolyte Gels. <b>2007</b> , 254, 306-313   |     | 13  |
| 384 | Macroscopically probing the entropic influence of ions: deswelling neutral microgels with salt. <b>2007</b> , 75, 011801  |     | 41  |
| 383 | Determination of the parameters controlling swelling of chemically cross-linked pH-sensitive poly(N-vinylimidazole) hydrogels. <i>Journal of Physical Chemistry B</i> , <b>2007</b> , 111, 12066-74 | 3.4 | 35  |
| 382 | Synthesis and Characterization of a pH- and Ionic Strength-Responsive Hydrogel. <b>2007</b> , 5, 183-195  |     | 56  |
| 381 | Functionalized microgel swelling: comparing theory and experiment. <i>Journal of Physical Chemistry B</i> , <b>2007</b> , 111, 11895-906  | 3.4 | 56  |
| 380 | Dynamic light scattering study of salt effect on phase behavior of pig vitreous body and its microscopic implication. <i>Journal of Physical Chemistry B</i> , <b>2007</b> , 111, 8411-8            | 3.4 | 3   |
| 379 | Deswelling kinetics of polyacrylate gels in solutions of cetyltrimethylammonium bromide. <i>Journal of Physical Chemistry B</i> , <b>2007</b> , 111, 9770-8   | 3.4 | 18  |
| 378 | Optical transduction of chemical forces. <b>2007</b> , 7, 733-7   |     | 44  |
| 377 | Structure and Dynamics of N-Isopropylacrylamide/Acrylic Acid Copolymer Gels Prepared by Cross-Linker-Free UVInduced Polymerization. <i>Macromolecules</i> , <b>2007</b> , 40, 2509-2514             | 5.5 | 8   |
| 376 | Block polyelectrolyte networks from poly(acrylic acid) and poly(ethylene oxide): sorption and release of cytochrome C. <b>2007</b> , 8, 490-7   |     | 34  |
| 375 | Control of gel swelling and phase separation of weakly charged thermoreversible gels by salt addition. <i>Macromolecules</i> , <b>2007</b> , 40, 3840-3847  | 5.5 | 6   |
| 374 | Dynamically Restructuring Hydrogel Networks Formed with Reversible Covalent Crosslinks.  Advanced Materials, 2007, 19, 2503-2507  | 24  | 167 |

| 373 | An Electro- and Thermochromic Hydrogel as a Full-Color Indicator. <i>Advanced Materials</i> , <b>2007</b> , 19, 2807-281/2   | 155 |
|-----|--|-----|
| 372 | Meshless Modeling of pH-Sensitive Hydrogels Subjected to Coupled pH and Electric Field Stimuli: Young Modulus Effects and Case Studies. <i>Macromolecular Chemistry and Physics</i> , <b>2007</b> , 208, 1137-1146 | 6   |
| 371 | Improving the loading and release of NSAIDs from pHEMA hydrogels by copolymerization with functionalized monomers. <b>2007</b> , 96, 802-13  | 130 |
| 370 | SPR response of stimuli-sensitive microgel on sensor chip. <b>2007</b> , 302, 403-410  | 9   |
| 369 | pH-sensitive cationic guar gum/poly (acrylic acid) polyelectrolyte hydrogels: Swelling and in vitro drug release. <i>Carbohydrate Polymers</i> , <b>2007</b> , 69, 774-783   | 206 |
| 368 | Hydrogels of polyvinylpyrrolidone (PVP) and poly(acrylic acid) (PAA) synthesized by photoinduced crosslinking of homopolymers. <i>Polymer</i> , <b>2007</b> , 48, 4974-4981  | 42  |
| 367 | Smart Polymeric Gels: Redefining the Limits of Biomedical Devices. <b>2007</b> , 32, 1083-1122   | 483 |
| 366 | Chronobiology, drug delivery, and chronotherapeutics. <b>2007</b> , 59, 828-51   | 164 |
| 365 | Cation identity dependence of crown ether photonic crystal Pb2+ sensing. 2007, 387, 2121-30  | 14  |
| 364 | Shrinking of Chemically Cross-Linked Polymer Networks in the Postgel Region. <b>2007</b> , 58, 435-445   | 5   |
| 363 | Effect of gelatin on the drug release behaviors for the organic hybrid gels based on N-isopropylacrylamide and gelatin. <b>2007</b> , 18, 1089-96  | 14  |
| 362 | Swelling behavior of ionically cross-linked polyampholytic hydrogels in varied salt solutions. <b>2007</b> , 285, 1395-1400  | 16  |
| 361 | Super porous organic[horganic poly(N-isopropylacrylamide)-based hydrogel with a very fast temperature response. <i>Polymer</i> , <b>2007</b> , 48, 1471-1482   | 75  |
| 360 | The effect of salt and pH on the phase transition behaviors of pH and temperature-responsive poly(N,N-diethylacrylamide-co-methylacrylic acid). <b>2008</b> , 16, 670-675  | 17  |
| 359 | Synthesis of bifunctional corelhell particles with a porous zeolite core and a responsive polymeric shell. <b>2008</b> , 286, 831-836  | 18  |
| 358 | Preparation, morphology and pH sensitivity of hybrid hydrolyzed polyacrylonitirile-blend-gelatin hydrogel fibers. <b>2008</b> , 57, 1017-1026  | 7   |
| 357 | Ionic and pH effects on the osmotic properties and structure of polyelectrolyte gels. <b>2008</b> , 46, 2803-2810  | 18  |
| 356 | Synthesis and characterization of dual-responsive micrometer-sized core-shell composite polymer particles. <b>2008</b> , 19, 181-185   | 6   |

| 355               | Preparation and characterization of pH-sensitive hydrogel fibers based on hydrolyzed-polyacrylonitrile/soy protein. <b>2008</b> , 108, 1100-1108  | 21       |
|-------------------|---|----------|
| 354               | Synthesis and properties of chitosan-modified poly(acrylic acid). <b>2008</b> , 109, 3382-3389  | 7        |
| 353               | Phase behavior of temperature- and pH-sensitive poly(acrylic acid-g-N-isopropylacrylamide) in dilute aqueous solution. <b>2008</b> , 109, 4036-4042   | 14       |
| 352               | Lower critical solution temperature determination of smart, thermosensitive N-isopropylacrylamide-alt-2-hydroxyethyl methacrylate copolymers: Kinetics and physical properties. <b>2008</b> , 110, 2815-2825  | 23       |
| 351               | Effects of PVA, agar contents, and irradiation doses on properties of PVA/ws-chitosan/glycerol hydrogels made by Erradiation followed by freeze-thawing. <b>2008</b> , 77, 954-960  | 47       |
| 350               | Physico-chemical properties and cytotoxicity assessment of PEG-modified liposomes containing human hemoglobin. <b>2008</b> , 65, 239-46   | 41       |
| 349               | Synthesis and swelling properties of novel pH-sensitive poly(aspartic acid) gels. 2008, 4, 733-44   | 89       |
| 348               | Review on the dynamics and micro-structure of pH-responsive nano-colloidal systems. 2008, 136, 25-44  | 111      |
| 347               | Molecular imprinting within hydrogels II: progress and analysis of the field. <b>2008</b> , 364, 188-212  | 141      |
| 346               | Adhesion force behavior between two gels attached with an electrolytic polymer liquid. <b>2008</b> , 107, 164-170   | 24       |
| 345               | Loading dependent swelling and release properties of novel biodegradable, elastic and environmental stimuli-sensitive polyurethanes. <b>2008</b> , 131, 128-36  | 50       |
|                   |   |          |
| 344               | Determination of swelling of responsive gels with nanometer resolution. Fiber-optic based platform for hydrogels as signal transducers. <b>2008</b> , 80, 5086-93   | 54       |
| 344               |   | 54<br>24 |
|                   | platform for hydrogels as signal transducers. <b>2008</b> , 80, 5086-93  Coupled chemo-electro-mechanical finite element simulation of hydrogels: I. Chemical stimulation.  |          |
| 343               | Coupled chemo-electro-mechanical finite element simulation of hydrogels: I. Chemical stimulation. 2008, 17, 045011  Physicochemical characterization of natural ionic Microreservoirs: Bacillus subtilis dormant spores.  | 24       |
| 343               | Platform for hydrogels as signal transducers. 2008, 80, 5086-93  Coupled chemo-electro-mechanical finite element simulation of hydrogels: I. Chemical stimulation. 2008, 17, 045011  Physicochemical characterization of natural ionic Microreservoirs: Bacillus subtilis dormant spores. Journal of Physical Chemistry B, 2008, 112, 2233-44  In Vivo Simulations of the Intravenous Dynamics of Submicron Particles of pH-Responsive Cationic   | 24       |
| 343<br>342<br>341 | Coupled chemo-electro-mechanical finite element simulation of hydrogels: I. Chemical stimulation. 2008, 17, 045011  Physicochemical characterization of natural ionic Microreservoirs: Bacillus subtilis dormant spores. Journal of Physical Chemistry B, 2008, 112, 2233-44  In Vivo Simulations of the Intravenous Dynamics of Submicron Particles of pH-Responsive Cationic Hydrogels in Diabetic Patients. 2008, 47, 10053-10063  Chemorheology of phenylboronate-salicylhydroxamate crosslinked hydrogel networks with a | 24 22 15 |

#### (2009-2008)

| 337 | Multiscale Modeling of Polymer Gels¶hemo-Electric Model versus Discrete Element Model. <b>2008</b> , 15, 228-234   |    | 14  |
|-----|--|----|-----|
| 336 | pH Dependence of Macroscopic Swelling and Microscopic Structures for Thermo/pH-Sensitive Gels with Different Charge Distributions. <i>Macromolecules</i> , <b>2008</b> , 41, 9882-9889 | ;  | 14  |
| 335 | Nanogels as Pharmaceutical Carriers. <b>2008</b> , 67-80   |    | 6   |
| 334 | . 2008,  |    | 25  |
| 333 | Hydrogels. 2009,   |    | 18  |
| 332 | Nanogele als pharmazeutische Trÿersysteme: winzige Netzwerke mit großn Mÿlichkeiten. <b>2009</b> ,<br>121, 5524-5536   |    | 38  |
| 331 | Nanogels as pharmaceutical carriers: finite networks of infinite capabilities. <b>2009</b> , 48, 5418-29   |    | 972 |
| 330 | Effect of silane coupling agent on swelling behaviors and mechanical properties of thermosensitive hybrid gels. <b>2009</b> , 111, 2025-2034   |    | 9   |
| 329 | pH-dependent swelling of hydrogels containing highly branched polyamine macromonomers. <i>Polymer</i> , <b>2009</b> , 50, 905-912  | )  | 15  |
| 328 | Crosslinked DADMAC polymers as cationic super absorbents. <b>2009</b> , 69, 660-665  |    | 17  |
| 327 | Molecular valve consisting of poly(acrylic acid) gel. <b>2009</b> , 142, 377-382   |    | 10  |
| 326 | Responsiveness of Etarrageenan microgels to cationic surfactants and neutral salts. <i>Carbohydrate Polymers</i> , <b>2009</b> , 78, 384-388   | .3 | 9   |
| 325 | Hydrogel-based microsensors for wireless chemical monitoring. <b>2009</b> , 11, 529-38   |    | 48  |
| 324 | Synthesis and characterization of a pH/temperature responsive glycine-mediated hydrogel for drug release. <b>2009</b> , 3, 374-379   |    | 5   |
| 323 | Effects of TEOS contents on swelling behaviors and mechanical properties of thermosensitive hybrid gels. <b>2009</b> , 31, NA-NA   |    |     |
| 322 | PEG-coated reverse osmosis membranes: Desalination properties and fouling resistance. <b>2009</b> , 340, 92-108  | 3  | 230 |
| 321 | Rapid pH/temperature-responsive cationic hydrogels with dual stimuli-sensitive grafted side chains. <i>Polymer</i> , <b>2009</b> , 50, 2516-2525                                       | )  | 87  |
| 320 | Characterization of cross-linked polyampholytic gelatin hydrogels through the rubber elasticity and thermodynamic swelling theories. <i>Polymer</i> , <b>2009</b> , 50, 6065-6075      | )  | 35  |

| 319                      | Motion of microgels in electric fields. <b>2009</b> , 147-148, 178-85  |     | 17             |
|--------------------------|--|-----|----------------|
| 318                      | Effects of microstructure, crosslinking density, temperature and exterior load on dynamic pH-response of hydrolyzed polyacrylonitrile-blend-gelatin hydrogel fibers. <b>2009</b> , 45, 1706-1715   |     | 9              |
| 317                      | Poly(MAA-co-AN) hydrogels with improved mechanical properties for theophylline controlled delivery. <b>2009</b> , 5, 316-27  |     | 53             |
| 316                      | Oscillatory dynamics induced in polyelectrolyte gels by a non-oscillatory reaction: a model. <b>2009</b> , 28, 337-46  |     | 16             |
| 315                      | The pH Inside a pH-Sensitive Gel Swollen in Aqueous Salt Solutions: Poly(N-vinylimidazole). <i>Macromolecules</i> , <b>2009</b> , 42, 1285-1292  | 5.5 | 22             |
| 314                      | Ion and pH effect on the lower critical solution temperature phase behavior in neutral and acidic poly(organophosphazene) counterparts. <b>2009</b> , 25, 2407-18  |     | 30             |
| 313                      | The hydrogel nature of mammalian cytoplasm contributes to osmosensing and extracellular pH sensing. <b>2009</b> , 96, 4276-85  |     | 54             |
| 312                      | Stimuli-responsive hydrogel thin films. <i>Soft Matter</i> , <b>2009</b> , 5, 511-524  | 3.6 | 462            |
| 311                      | An Analytical Method for Quantifying Transport and Reaction of Anti-Tumor Drugs in Human Tissues. <i>Journal of Chemical Engineering of Japan</i> , <b>2009</b> , 42, S226-S233  | 0.8 |                |
| 310                      | Control of Ag+Permeation by Na+Concentration on the Basis of Volume Change in Poly(acrylic acid) Gel. <b>2010</b> , 39, 970-971  |     |                |
|                          |  |     |                |
| 309                      | Controlled and extended drug release behavior of chitosan-based nanoparticle carrier. 2010, 6, 1140-8  |     | 227            |
| 309<br>308               | Controlled and extended drug release behavior of chitosan-based nanoparticle carrier. <b>2010</b> , 6, 1140-8  Probing the internal environment of PVP networks generated by irradiation with different sources. <b>2010</b> , 288, 969-980  |     | 227            |
|                          | Probing the internal environment of PVP networks generated by irradiation with different sources.  |     | ·              |
| 308                      | Probing the internal environment of PVP networks generated by irradiation with different sources.  2010, 288, 969-980  Hard and soft micro- and nanofabrication: An integrated approach to hydrogel-based biosensing   |     | 21             |
| 308<br>307               | Probing the internal environment of PVP networks generated by irradiation with different sources. 2010, 288, 969-980  Hard and soft micro- and nanofabrication: An integrated approach to hydrogel-based biosensing and drug delivery. 2010, 141, 303-13  Preparation and characterization of PMAA/MWCNTs nanohybrid hydrogels with improved   |     | 75             |
| 308<br>307<br>306        | Probing the internal environment of PVP networks generated by irradiation with different sources.  2010, 288, 969-980  Hard and soft micro- and nanofabrication: An integrated approach to hydrogel-based biosensing and drug delivery. 2010, 141, 303-13  Preparation and characterization of PMAA/MWCNTs nanohybrid hydrogels with improved mechanical properties. 2010, 92, 243-54  Control of Optical Hysteresis in Block Copolymer Photonic Gels: A Step Towards Wet Photonic                                   |     | 75<br>15       |
| 308<br>307<br>306<br>305 | Probing the internal environment of PVP networks generated by irradiation with different sources.  2010, 288, 969-980  Hard and soft micro- and nanofabrication: An integrated approach to hydrogel-based biosensing and drug delivery. 2010, 141, 303-13  Preparation and characterization of PMAA/MWCNTs nanohybrid hydrogels with improved mechanical properties. 2010, 92, 243-54  Control of Optical Hysteresis in Block Copolymer Photonic Gels: A Step Towards Wet Photonic Memory Films. 2010, 20, 1728-1732 |     | 75<br>15<br>69 |

## (2011-2010)

| 301 | Humectants effect on aqueous fluids absorption of Erradiated PVA hydrogel followed by freeze thawing. <b>2010</b> , 79, 650-653  |     | 19  |
|-----|--|-----|-----|
| 300 | Stimuli-responsive poly(4-vinyl pyridine) hydrogel nanoparticles: synthesis by nanoprecipitation and swelling behavior. <b>2010</b> , 348, 668-72  |     | 31  |
| 299 | Swelling and morphological properties of poly(vinyl alcohol) (PVA) and poly(acrylic acid) (PAA) hydrogels in solution with high salt concentration. <i>Polymer</i> , <b>2010</b> , 51, 953-958         | 3.9 | 54  |
| 298 | Large deformation and electrochemistry of polyelectrolyte gels. <b>2010</b> , 58, 558-577  |     | 192 |
| 297 | Physicochemical properties of a mucin/chitosan matrix used for the development of an oxalate biosensor. <b>2010</b> , 143, 660-665   |     | 8   |
| 296 | Computational analysis of smart soft hydrogels subjected to pH-electrical coupled stimuli: Effects of initial geometry. <b>2010</b> , 47, 614-623  |     | 8   |
| 295 | Preparation and properties of thermosensitive organic-inorganic hybrid gels containing modified nanosilica. <b>2010</b> , 31, 1712-1721  |     | 25  |
| 294 | Synthesis of crosslinked poly(orthosilicate)s based on cyclohexanediol derivatives and their swelling properties. <b>2010</b> , 42, 706-710  |     | 22  |
| 293 | Swelling Behavior and Metal-Ion Uptake Capacity of pH-Responsive Hydrogels of Poly(N-acryloyl-N?-ethylpiperazine). <b>2010</b> , 31, 1673-1678   |     | 9   |
| 292 | Potential of superabsorbent polymer for self-sealing cracks in concrete. <b>2010</b> , 109, 296-302  |     | 117 |
| 291 | Actuation and ion transportation of polyelectrolyte gels. 2010,  |     | 1   |
| 290 | Dynamical Modeling and Experimental Analysis on the Swelling Behavior of the sIPN Hydrogels. <b>2010</b> , 49, 10111-10115   |     | 11  |
| 289 | Responsive hydrogels for label-free signal transduction within biosensors. <b>2010</b> , 10, 4381-409  |     | 66  |
| 288 | A theory of constrained swelling of a pH-sensitive hydrogel. Soft Matter, 2010, 6, 784   | 3.6 | 243 |
| 287 | Modeling of effect of initial fixed charge density on smart hydrogel response to ionic strength of environmental solution. <i>Soft Matter</i> , <b>2010</b> , 6, 311-320                               | 3.6 | 31  |
| 286 | Swelling Behavior of pH-Sensitive Copolymers Containing 2-Acrylamido-2-Methyl Propane Sulfonic Acid and Acrylic Acid Crosslinked with Vinyl Trimethoxy Silane Crosslinker. <b>2010</b> , 31, 1456-1464 |     | 2   |
| 285 | Structural Investigation on Thermoresponsive PVA/Poly(methacrylate-co-N-isopropylacrylamide) Microgels across the Volume Phase Transition. <i>Macromolecules</i> , <b>2011</b> , 44, 4470-4478         | 5.5 | 17  |
| 284 | Gel swelling theories: the classical formalism and recent approaches. <i>Soft Matter</i> , <b>2011</b> , 7, 10536  | 3.6 | 243 |

| 283 | E-beam irradiation and UV photocrosslinking of microemulsion-laden poly(N-vinyl-2-pyrrolidone) hydrogels for <b>I</b> h situl <b>e</b> ncapsulation of volatile hydrophobic compounds. <b>2011</b> , 2, 192-202 |     | 16  |
|-----|---|-----|-----|
| 282 | Tunable Encapsulation of Proteins within Charged Microgels. <i>Macromolecules</i> , <b>2011</b> , 44, 8154-8160   | 5.5 | 71  |
| 281 | Dynamic Hydrogels. <b>2011</b> , 577-594  |     | 1   |
| 280 | Characteristic Swelling Deswelling of Polymer/Clay Nanocomposite Gels. <i>Macromolecules</i> , <b>2011</b> , 44, 8516-8526  | 5.5 | 65  |
| 279 | Formulation of a modified release metformin. HCl matrix tablet: influence of some hydrophilic polymers on release rate and in-vitro evaluation. <b>2011</b> , 47, 483-493                                       |     | 1   |
| 278 | An electrochemical actuator based on reversible changes in volume of poly(acrylic acid) gel induced by quinone redox. <b>2011</b> , 160, 1586-1592  |     | 15  |
| 277 | Biomedical applications of boronic acid polymers. <i>Polymer</i> , <b>2011</b> , 52, 4631-4643  | 3.9 | 302 |
| 276 | Molecular thermodynamic model for swelling behavior and volume phase transition of multi-responsive hydrogels. <b>2011</b> , 312, 106-115   |     | 12  |
| 275 | Effect of initiator on the structure of hydrogels of cross-linked polyacrylic acid. <b>2011</b> , 84, 2106-2113   |     | 5   |
| 274 | Synthesis and characterization of novel PEG-tethered PMAA hydrogels based on a PEG macromolecular azo initiator. <b>2011</b> , 53, 37-43  |     |     |
| 273 | Phase field model simulations of hydrogel dynamics under chemical stimulation. <b>2011</b> , 289, 513-521   |     | 11  |
| 272 | Modeling and simulation of pH-sensitive hydrogels. <b>2011</b> , 289, 535-544   |     | 39  |
| 271 | Bmart[poly(2-(dimethylamino)ethyl methacrylate-ran-9-(4-vinylbenzyl)-9H-carbazole) copolymers synthesized by nitroxide mediated radical polymerization. <b>2011</b> , 49, 5270-5283                             |     | 29  |
| 270 | Synthesis and characterization of temperature sensitive P-NIPAM macro/micro hydrogels. <b>2011</b> , 384, 466-472   |     | 22  |
| 269 | Transient modeling of the reversible response of the hydrogel to the change in the ionic strength of solutions. <b>2011</b> , 43, 287-298   |     | 20  |
| 268 | Highly temperature responsive core-shell magnetic particles: synthesis, characterization and colloidal properties. <b>2011</b> , 360, 556-64  |     | 50  |
| 267 | Fabrication and caffeine release from Fe3O4/P(MAA-co-NVP) magnetic microspheres with controllable core-shell architecture. <b>2011</b> , 22, 557-76   |     | 8   |
| 266 | ANALYSIS OF THE KINETICS OF SHRINKING OF THE IONIC-STRENGTH-SENSITIVE HYDROGEL WITH A MULTI-PHYSICAL MODEL. <b>2011</b> , 03, 313-334   |     | 3   |

| 265 | Preparation and Characterization of Thermo-Sensitive Hydroxypropylmethyl Cellulose/Poly (N-Isopropylacrylamide) Hydrogel. <b>2011</b> , 194-196, 773-776  |      | 2  |
|-----|---|------|----|
| 264 | Continuum Models of Stimuli-responsive Gels. <b>2012</b> , 165-196  |      | 1  |
| 263 | Light-Induced Phase Transition of Gels for Smart Functional Elements. 2012, 237-253   |      |    |
| 262 | Use of a novel pH-triggered polymer-gel system for optimal mobility-control applications. <b>2012</b> , 12,   |      | 1  |
| 261 | Preparation and characterization of novel polymer hydrogel from industrial waste and copolymerization of poly(vinyl alcohol) and polyacrylamide. <b>2012</b> , 124, 4362-4370   |      | 20 |
| 260 | The effect of nanoparticles on gastrointestinal release from modified Ecarrageenan nanocomposite hydrogels. <i>Carbohydrate Polymers</i> , <b>2012</b> , 89, 138-45   | 10.3 | 78 |
| 259 | Fast temperature-responsive nanocomposite PNIPAM hydrogels with controlled pore wall thickness: Force and rate of T-response. <b>2012</b> , 48, 1997-2007   |      | 37 |
| 258 | Modification of block copolymer photonic gels for colorimetric biosensors. <b>2012</b> , 20, 1219-1222  |      | 8  |
| 257 | Modeling deformation and contacts of pH sensitive hydrogels for microfluidic flow control. <i>Soft Matter</i> , <b>2012</b> , 8, 3083   | 3.6  | 25 |
| 256 | Synthesis of Crosslinked Networks of Gum ghatti with Different Vinyl Monomer Mixtures and Effect of Ionic Strength of Various Cations on its Swelling Behavior. <i>International Journal of Polymeric Materials and Polymeric Biomaterials</i> , <b>2012</b> , 61, 99-115 | 3    | 37 |
| 255 | Electromechanical Equilibrium Properties of Poly(acrylic acid/acrylamide) Hydrogels. <i>Macromolecules</i> , <b>2012</b> , 45, 1041-1045  | 5.5  | 10 |
| 254 | Effects of strongly selective additives on volume phase transition in gels. <i>Journal of Chemical Physics</i> , <b>2012</b> , 137, 024902  | 3.9  | 5  |
| 253 | Mechanical Instabilities of Gels. <b>2012</b> , 3, 311-332  |      | 59 |
| 252 | Hydrogels. <b>2012</b> , 385-395  |      | 19 |
| 251 | Polymer Gels. <b>2012</b> , 339-366   |      | 11 |
| 250 | pH-Responsive Nanogels: Synthesis and Physical Properties. <b>2012</b> , 81-115   |      | 1  |
| 249 | Effect of natural cross-linker on swelling and structural stability of kappa-carrageenan/hydroxyethyl cellulose pH-sensitive hydrogels. <b>2012</b> , 29, 1647-1655   |      | 16 |
| 248 | Biologically-Inspired Responsive Materials: Integrating Biological Function into Synthetic Materials. <b>2012</b> , 243-268   |      | 1  |

| 247 | pH-Sensitive Hydrogel for Micro-Fluidic Valve. <b>2012</b> , 3, 464-79   | 36  |
|-----|--|-----|
| 246 | Synthesis and Property of Temperature-Responsive Hydrogel with Movable Cross-Linking Points.  Macromolecules, <b>2012</b> , 45, 6136-6142  5.5                                 | 21  |
| 245 | Polyoxypropylenefhontmorillonite nanocomposites for drug-delivery vehicles: Preparation and characterization. <b>2012</b> , 125, E157  | 14  |
| 244 | Swelling behavior of sulfonated polyacrylamide nanocomposite hydrogels in electrolyte solutions: comparison of theoretical and experimental results. <b>2012</b> , 21, 175-183 | 13  |
| 243 | Impact of magnetic nanofillers in the swelling and release properties of Etarrageenan hydrogel nanocomposites. <i>Carbohydrate Polymers</i> , <b>2012</b> , 87, 328-335        | 61  |
| 242 | Effects of counter ions of clay platelets on the swelling behavior of nanocomposite gels. <b>2012</b> , 375, 134-41  | 15  |
| 241 | Moth wing scales as optical pH sensors. <b>2012</b> , 166-167, 824-828   | 18  |
| 240 | Synthesis and swelling behavior of thermosensitive IPN hydrogels based on sodium acrylate and N-isopropyl acrylamide by a two-step method. <b>2013</b> , 127, 3663-3672        | 10  |
| 239 | Effect of monomer composition on the properties of biodegradable poly(NIPAAm-AA-PCLdA) copolymeric hydrogels. <b>2013</b> , 128, 230-238                                       | 4   |
| 238 | Drug Release Behavior and Antitumor Efficiency of 5-ASA Loaded Chitosan-Layered Silicate Nanocomposites. <b>2013</b> , 23, 1078-1088   | 9   |
| 237 | A Dynamic Model of Polyelectrolyte Gels. <b>2013</b> , 73, 104-133   | 22  |
| 236 | Modification and swelling kinetic study of kappa-carrageenan-based hydrogel for controlled release study. <b>2013</b> , 44, 182-191  | 64  |
| 235 | Stopped-flow kinetics of pH-responsive polyamine latexes: how fast is the latex-to-microgel transition?. <b>2013</b> , 29, 15209-16  | 14  |
| 234 | Novel poly(orthosilicate)s based on linear aliphatic diols: Synthesis, characterization, and swelling properties. <b>2013</b> , 129, 2121-2127                                 | 14  |
| 233 | The facile preparation for temperature sensitive silica/PNIPAAm composite microspheres. <b>2013</b> , 268, 489-495   | 5   |
| 232 | Transformation of metal-organic framework to polymer gel by cross-linking the organic ligands preorganized in metal-organic framework. <b>2013</b> , 135, 5427-32              | 170 |
| 231 | Polyamide formation on a cellulose triacetate support for osmotic membranes: Effect of linking molecules on membrane performance. <b>2013</b> , 312, 2-9                       | 30  |
| 230 | Advances in smart materials: Stimuli-responsive hydrogel thin films. <b>2013</b> , 51, 1084-1099   | 123 |

| 229 | A simple method for synthesis of thermal responsive silica nanoparticle/PNIPAAm hybrids. <b>2013</b> , 233, 47-51   |   | 22  |
|-----|---|---|-----|
| 228 | Swelling and shear viscosity of stimuli-responsive colloidal systems. <i>Soft Matter</i> , <b>2013</b> , 9, 5319 3.   | 6 | 28  |
| 227 | Effect of Nanoclay Content and pH of the Medium on the Swelling Characteristics of Grafted and Cross-Linked Mixed Chitosan Derivatives. <b>2013</b> , 52, 352-357                   |   | 9   |
| 226 | Electronspun Thermal Responsive and Photocatalytic Zn(NO3)2/PNIPAAm Nanofibers. <b>2013</b> , 710, 50-54  |   | 1   |
| 225 | Effect of Salinity and Temperature on Swelling Behavior of Nano/Micro Polymer Particle. <b>2013</b> , 448-453, 3993-3997  |   | 1   |
| 224 | Quellungsexperimente mit Superabsorber-Polymeren. <b>2013</b> , 20, 127-130   |   |     |
| 223 | Electroactive hydrogel comprising poly(methyl 2-acetamido acrylate) for an artificial actuator.  Journal of Applied Physics, <b>2013</b> , 114, 054701                              | 5 | 4   |
| 222 | Simulation of Stimuli-Responsive Polymer Networks. <b>2013</b> , 1, 43-67   |   | 7   |
| 221 | . 2014,   |   | 5   |
| 220 | Super-porous nanocomposite PNIPAm hydrogels reinforced with titania nanoparticles, displaying a very fast temperature response as well as pH-sensitivity. <b>2014</b> , 59, 341-352 |   | 35  |
| 219 | The synthesis of hydrogels with controlled distribution of polymer brushes in hydrogel network. <b>2014</b> , 320, 818-828  |   | 5   |
| 218 | Synthesis of cellulose derivative based superabsorbent hydrogels by radiation induced crosslinking. <b>2014</b> , 21, 4157-4165   |   | 45  |
| 217 | Analysis and simulation of a model of polyelectrolyte gel in one spatial dimension. <b>2014</b> , 27, 1241-1285   |   | 5   |
| 216 | Synthesis and characterization of well-defined PAABEG multi-responsive hydrogels by ATRP and click chemistry. <b>2014</b> , 4, 54631-54640  |   | 11  |
| 215 | Surface modification of temperature-responsive polymer particles by an electrically conducting polyaniline shell layer. <b>2014</b> , 63, 667-673                                   |   | 8   |
| 214 | Volume phase transition of polyelectrolyte gels: effects of ionic size. <i>Journal of Chemical Physics</i> , <b>2014</b> , 141, 104905  | 9 | 5   |
| 213 | Synthesis and Characterization of Flexible Hydrogel Electrodes for Electrochemical Impedance Measurements of Protective Coatings on Metal Sculptures. <b>2014</b> , 26, 1059-1067   |   | 18  |
| 212 | Oxytocin-mediated GABA inhibition during delivery attenuates autism pathogenesis in rodent offspring. <b>2014</b> , 343, 675-9  |   | 385 |

| 211         | A model of ideal elastomeric gels for polyelectrolyte gels. <i>Soft Matter</i> , <b>2014</b> , 10, 2582-90   | 3.6             | 60  |
|-------------|--|-----------------|-----|
| <b>21</b> 0 | pH-responsive CMC/PAM/PVP semi-IPN hydrogels for theophylline drug release. <b>2014</b> , 21, 1  |                 | 10  |
| 209         | Mechanistic studies of an autonomously pulsing hydrogel/enzyme system for rhythmic hormone delivery. <b>2014</b> , 196, 261-71   |                 | 15  |
| 208         | Modelling of a hydrogel diffraction grating used for pH-sensing. <b>2014</b> , 342, 706-713  |                 | 2   |
| 207         | Novel determinants of the neuronal Cl(-) concentration. <b>2014</b> , 592, 4099-114  |                 | 36  |
| 206         | Microdynamics mechanism of thermal-induced hydrogel network destruction of poly(vinyl alcohol) in D2O studied by two-dimensional infrared correlation spectroscopy. <i>Journal of Physical Chemistry B</i> , <b>2014</b> , 118, 9496-506 | 3.4             | 14  |
| 205         | Local impermeant anions establish the neuronal chloride concentration. <b>2014</b> , 343, 670-5  |                 | 138 |
| 204         | Smart Gels. <b>2014</b> , 1-50   |                 | 1   |
| 203         | Synthesis and characterization of hydrogels from template polymerization of acrylic acid on to modified chitosan. <b>2014</b> , 71, 83-92  |                 | 4   |
| 202         | Structure, swelling, and drug release of thermoresponsive poly(amidoamine) dendrimerpoly(N-isopropylacrylamide) hydrogels. <b>2014</b> , 49, 6102-6110   |                 | 21  |
| 201         | Equilibrium swelling and electrochemistry of polyampholytic pH-sensitive hydrogel. <b>2014</b> , 51, 4149-4156   |                 | 22  |
| 200         | Stimuli sensitive polymers and self regulated drug delivery systems: a very partial review. <b>2014</b> , 190, 337-51  |                 | 88  |
| 199         | Thermodynamic model for polyelectrolyte hydrogels. <i>Journal of Physical Chemistry B</i> , <b>2014</b> , 118, 10534-4   | <del>3</del> 24 | 7   |
| 198         | Hydrophilicflydrophobic copolymer nano-sized particle gels: Swelling behavior and dependence on crosslinker chain length. <b>2014</b> , 361, 200-207   |                 | 10  |
| 197         | Hydrogels: Properties, Preparation, Characterization and Biomedical, Applications in Tissue Engineering, Drug, Delivery and Wound Care. <b>2014</b> , 295-357  |                 | 14  |
| 196         | Hydrogel-swelling driven delivery device for corrosion resistance of metal in water. <b>2015</b> , 72, 2270-6  |                 | 1   |
| 195         | Influence of Novel Crosslinker on the Properties of the Degradable Thermosensitive Hydrogels. <b>2015</b> , 358, 41-51   |                 | 2   |
| 194         | Swelling Dynamics of a DNA-Polymer Hybrid Hydrogel Prepared Using Polyethylene Glycol as a Porogen. <i>Gels</i> , <b>2015</b> , 1, 219-234   | 4.2             | 8   |

### (2015-2015)

| 193 | Effects of the Junction Functionality and Chain Entanglements in Chemomechanical Behavior of Polyelectrolyte Gels. <b>2015</b> , 2015, 1-10   | 1   |
|-----|---|-----|
| 192 | Synthesis and Properties of pH-, Thermo-, and Salt-Sensitive Modified Poly(aspartic acid)/Poly(vinyl alcohol) IPN Hydrogel and Its Drug Controlled Release. <b>2015</b> , 2015, 236745                    | 17  |
| 191 | Modeling the effects of pH and ionic strength on swelling of polyelectrolyte gels. <i>Journal of Chemical Physics</i> , <b>2015</b> , 142, 114904   | 48  |
| 190 | Cell volume control in three dimensions: Water movement without solute movement. <b>2015</b> , 145, 373-80  | 38  |
| 189 | Modeling the effects of pH and ionic strength on swelling of anionic polyelectrolyte gels. <b>2015</b> , 23, 055005   | 22  |
| 188 | Reaction-induced swelling of ionic gels. <i>Soft Matter</i> , <b>2015</b> , 11, 449-55  | 5   |
| 187 | Synthesis of "click" alginate hydrogel capsules and comparison of their stability, water swelling, and diffusion properties with that of Ca(+2) crosslinked alginate capsules. <b>2015</b> , 103, 1120-32 | 21  |
| 186 | Hysteresis in the surfactant-induced volume transition of hydrogels. <i>Journal of Physical Chemistry B</i> , <b>2015</b> , 119, 1717-25  | 9   |
| 185 | Salt and osmosensing: role of cytoplasmic hydrogel. <b>2015</b> , 467, 475-87   | 6   |
| 184 | A modeling analysis for effect of elastic modulus on kinetics of ionic-strength-sensitive hydrogel. <b>2015</b> , 226, 1957-1969  | 4   |
| 183 | Effect of Salt on Swelling Behaviors of Thermosensitive Hydrogels: Applicability of the Nonrandom Contact Model. <i>Macromolecules</i> , <b>2015</b> , 48, 4063-4072                                      | 14  |
| 182 | Investigation of pH-dependent swelling behavior and kinetic parameters of novel poly(acrylamide-co-acrylic acid) hydrogels with spirulina. <b>2015</b> , 15, 81-93  | 9   |
| 181 | Transformation of rigid metal@rganic frameworks into flexible gel networks and vice versa. <b>2015</b> , 17, 7978-7985  | 10  |
| 180 | Swelling of pH-sensitive hydrogels. <b>2015</b> , 91, 022305  | 31  |
| 179 | Swelling of pH-responsive cationic gels: Constitutive modeling and structureproperty relations. <b>2015</b> , 64-65, 176-190  | 37  |
| 178 | Modelling and Analysis of pH Responsive Hydrogels for the Development of Biomimetic Photo-Actuating Structures. <b>2015</b> , 1718, 65-70   | 2   |
| 177 | Hierarchically functionalized magnetic core/multishell particles and their postsynthetic conversion to polymer capsules. <b>2015</b> , 9, 4219-26   | 33  |
| 176 | Advances in Mechanics of Soft Materials: A Review of Large Deformation Behavior of Hydrogels. <b>2015</b> , 07, 1530001   | 161 |

| 175        | Oxygen reduction reaction induced pH-responsive chemo-mechanical hydrogel actuators. <i>Soft Matter</i> , <b>2015</b> , 11, 7953-9   | 3.6 | 23 |
|------------|--|-----|----|
| 174        | Effect of tensile load on the actuation performance of pH-sensitive hydrogels. <b>2015</b> , 53, 218-225   |     | 6  |
| 173        | Swellable Hydrogel-based Systems for Controlled Drug Delivery. <b>2016</b> ,   |     | 13 |
| 172        | Reversible Electrochemically Triggered Delamination Blistering of Hydrogel Films on Micropatterned Electrodes. <b>2016</b> , 26, 3218-3225   |     | 22 |
| 171        | Active Gap SERS for the Sensitive Detection of Biomacromolecules with Plasmonic Nanostructures on Hydrogels. <b>2016</b> , 4, 259-263  |     | 37 |
| 170        | Effect of surfactants on the swelling behaviors of thermosensitive hydrogels: applicability of the generalized Langmuir isotherm. <b>2016</b> , 6, 103811-103821   |     | 10 |
| 169        | Preparation and properties of the novel photoluminescent and thermosensitive hydrogels. <b>2016</b> , 23, 1  |     | 1  |
| 168        | Polymer Gels as EAPs: Models. <b>2016</b> , 53-81  |     |    |
| 167        | Radiation Engineering of Multifunctional Nanogels. <b>2016</b> , 374, 69   |     | 24 |
| 166        | Noncollapsing polyelectrolyte conetwork gels in physiologically relevant salt solutions. <b>2016</b> , 84, 668-6   | 74  | 11 |
| 165        | Electrospun Nanofibrous Materials as Stimuli-Responsive Polymerized Hydrogels. <b>2016</b> , 365, 118-127  |     | 4  |
| 164        | Static and dynamic behaviour of responsive graphene oxide-poly(N-isopropyl acrylamide) composite gels. <i>Soft Matter</i> , <b>2016</b> , 12, 7166-73  | 3.6 | 12 |
| 163        | Role of Mechanical Factors in Applications of Stimuli-Responsive Polymer Gels - Status and   |     |    |
|            | Prospects. <i>Polymer</i> , <b>2016</b> , 101, 415-449   | 3.9 | 24 |
| 162        |  | 3.9 | 17 |
|            | Prospects. <i>Polymer</i> , <b>2016</b> , 101, 415-449  Multi-stimuli-responsive poly(NIPA-co-HEMA-co-NVP) with spironaphthoxazine hydrogel for optical  | 3.9 |    |
| 162        | Prospects. <i>Polymer</i> , <b>2016</b> , 101, 415-449  Multi-stimuli-responsive poly(NIPA-co-HEMA-co-NVP) with spironaphthoxazine hydrogel for optical data storage application. <b>2016</b> , 294, 1623-1632   | 3.9 |    |
| 162<br>161 | Prospects. <i>Polymer</i> , <b>2016</b> , 101, 415-449  Multi-stimuli-responsive poly(NIPA-co-HEMA-co-NVP) with spironaphthoxazine hydrogel for optical data storage application. <b>2016</b> , 294, 1623-1632  Polymer Gels as EAPs: Models. <b>2016</b> , 1-29 |     | 17 |

| 157 | New insights into an innovative Auricularia auricular polysaccharide pH-sensitive hydrogel for controlled protein drug delivery. <b>2016</b> , 6, 59794-59799  | 7   |
|-----|--|-----|
| 156 | Modeling the effect of ionic strength on swelling of pH-sensitive macro- and nanogels. <i>Materials</i> Today Communications, <b>2016</b> , 6, 92-101  2.5   | 5   |
| 155 | Saccharide-induced modulation of photoluminescence lifetime in microgels. <b>2016</b> , 18, 16812-21   | 6   |
| 154 | Influence of MEOBiPA content on the properties of novel photoluminescent thermosensitive hydrogels. <b>2016</b> , 65, 231-244  | 1   |
| 153 | Thermo- and salt-responsive poly(NIPAm-co-AAc-Brij-58) microgels: adjustable size, stability under salt stimulus, and rapid protein adsorption/desorption. <b>2016</b> , 294, 617-628                        | 11  |
| 152 | Nanogels: An overview of properties, biomedical applications and obstacles to clinical translation. <b>2016</b> , 240, 109-126   | 299 |
| 151 | Ion-stimuli responsive dimethylaminoethyl methacrylate/hydroxyethyl methacrylate copolymeric hydrogels: mutual influence of reaction parameters on the swelling and mechanical strength. <b>2016</b> , 23, 1 | 9   |
| 150 | Inhomogeneous swelling of pH-responsive gels. <b>2016</b> , 87, 11-25  | 16  |
| 149 | Electroconductive nanocomposite hydrogel for pulsatile drug release. <b>2016</b> , 100, 12-17  | 50  |
| 148 | Evaluation of the transport parameters and physiochemical properties of forward osmosis membranes after treatment of produced water. <b>2016</b> , 499, 491-502  | 33  |
| 147 | Adhesion between highly stretchable materials. <i>Soft Matter</i> , <b>2016</b> , 12, 1093-9   | 73  |
| 146 | Synthesis of cellulose-based superabsorbent hydrogels by high-energy irradiation in the presence of crosslinking agent. <b>2016</b> , 118, 114-119   | 39  |
| 145 | Synthesis of conductive doubly filled poly(N-isopropylacrylamide)-polyaniline-SiO2 hydrogels. <b>2017</b> , 244, 616-634   | 26  |
| 144 | Preparation and properties of novel photoluminescent thermosensitive hydrogels containing a pyrene group. <b>2017</b> , 24, 1  | 1   |
| 143 | The effects of pH and ionic strength on equilibrium swelling of polyampholyte gels. <b>2017</b> , 110-111, 192-208   | 11  |
| 142 | Salt-Induced Swelling and Volume Phase Transition of Polyelectrolyte Gels. 2017, 84,   | 16  |
| 141 | Poly(N-isopropylacrylamide)-SiO2 nanocomposites interpenetrated by starch: Stimuli-responsive hydrogels with attractive tensile properties. <b>2017</b> , 88, 349-372  | 25  |
| 140 | Applications of Radiation Chemistry in the Fields of Industry, Biotechnology and Environment. <b>2017</b>  | 1   |

| 139 | Nanocellulose and Nanogels as Modern Drug Delivery Systems. <b>2017</b> , 209-269  | 6  |
|-----|--|----|
| 138 | Rhythmomimetic Drug Delivery: Modeling, Analysis, and Numerical Simulation. <b>2017</b> , 77, 565-592  | 1  |
| 137 | Study on pH-sensitive hydrogel micro-valves: A fluidEtructure interaction approach. <b>2017</b> , 28, 1589-1602  | 20 |
| 136 | Generation of membrane potential beyond the conceptual range of Donnan theory and Goldman-Hodgkin-Katz equation. <b>2017</b> , 43, 319-340   | 6  |
| 135 | Swelling of micro-hydrogels with a crosslinker gradient. <b>2017</b> , 19, 23740-23746   | 40 |
| 134 | Graphene derivatives in responsive hydrogels: Effect of concentration and surface chemistry. <b>2017</b> , 93, 717-725   | 6  |
| 133 | Theoretical and experimental investigation of the shape memory properties of an ionic polymer thetal composite. <b>2017</b> , 26, 045020   | 3  |
| 132 | Controlled Synthesis of Uniform, Micrometer-Sized Ruthenium-Functionalized Poly(N-Isopropylacrylamide) Gel Particles and their Application to the Catalysis of the Belousov-Zhabotinsky Reaction. <b>2017</b> , 38, 1600577        | 7  |
| 131 | Diffusion of Polyelectrolytes in Polyelectrolyte Gels. <i>Macromolecules</i> , <b>2017</b> , 50, 8158-8168 5.5   | 13 |
| 130 | A programmable soft chemo-mechanical actuator exploiting a catalyzed photochemical water-oxidation reaction. <i>Soft Matter</i> , <b>2017</b> , 13, 7312-7317  | 12 |
| 129 | Scaling Theory of Polyelectrolyte Nanogels. <b>2017</b> , 68, 250  | 1  |
| 128 | Modeling drug release through stimuli responsive polymer hydrogels. <b>2017</b> , 532, 502-510   | 13 |
| 127 | Charge density dependence of elasticity of anionically modified N,N -dimethylacrylamide-based gels with (meth)acrylic acid segments: An insight by quantitative analysis of electrostatic contributions. <b>2017</b> , 94, 484-500 | 2  |
| 126 | Isocyanate-Free, UV-Crosslinked Poly(Hydroxyurethane) Networks: A Sustainable Approach toward Highly Functional Antibacterial Gels. <b>2017</b> , 17, 1700190  | 6  |
| 125 | Conducting Polymer Hydrogels and Their Applications. <b>2017</b> , 193-221   | 2  |
| 124 | Swelling of glucose-responsive gels functionalized with boronic acid. <b>2017</b> , 65, 533-541  | 5  |
| 123 | 1.31 Dynamic Hydrogels. <b>2017</b> , 705-724  |    |
| 122 | The Properties of N,N?-bis(propionyl) cystamine-acrylamide/Nanowhiskers of Cellulose (CNWs) Composite Hydrogel. <b>2017</b> , 269, 012059  |    |

| Effect of alkalinity and calcium concentration of pore solution on the swelling and ionic exchange of superabsorbent polymers in cement paste. <b>2018</b> , 88, 150-164   |  | 62   |
|--|--|--|
| Hydrogels: experimental characterization and mathematical modelling of their mechanical and diffusive behaviour. <b>2018</b> , 47, 2357-2373   |  | 121  |
| Porosity in Biomaterials: A Key Factor in the Development of Applied Materials in Biomedicine. <b>2018</b> , 1-20  |  | 1  |
| Correlation between structure and responsivity in PNIPAM based nanocomposites: A combined nano- and macroscale view. <b>2018</b> , 99, 180-188   |  | 4  |
| Synthesis and Characterization of a New OrganicIhorganic Hybrid Hydrogel by Using SiO2 Nanoparticles as an Initiator. <b>2018</b> , 65, 225-230  |  | 2  |
| A mechanistic model for swelling kinetics of waxy maize starch suspension. <i>Journal of Food Engineering</i> , <b>2018</b> , 222, 237-249   | 6  | 17   |
| Dynamics of overall swelling profile of multiresponsive ionic dimethylacrylamide-based hydrogels and cryogels: Diffusion characteristics evaluation of salt-dependent swelling. <i>International Journal of Polymeric Materials and Polymeric Biomaterials</i> , <b>2018</b> , 67, 597-611 | 3  | 1  |
| Mapping Nanoparticles in Hydrogels: A Comparison of Preparation Methods for Electron Microscopy. <b>2018</b> , 8, 2446   |  | 10   |
| Microgels from hydrophobic solid monomers via miniemulsion polymerization for aqueous lead and copper ion removal. <b>2018</b> , 133, 136-142  |  | 3  |
| History, Classification, Properties and Application of Hydrogels: An Overview. <i>Gels Horizons: From Science To Smart Materials</i> , <b>2018</b> , 29-50   |  | 10   |
| Chemically crosslinked hydrogel and its driving force towards superabsorbent behaviour. <b>2018</b> , 118, 1422-1430   |  | 32   |
| Ultimate swelling described by limiting chain extensibility of swollen elastomers. <i>International Journal of Mechanical Sciences</i> , <b>2018</b> , 144, 531-539  | 5.5  | 12   |
| Phase Transitions and Pattern Formation in Chemo-Responsive Gels and Composites. <b>2018</b> , 58, 693-705   | 5  | 1  |
| Concrete with superabsorbent polymer. <b>2018</b> , 467-499  |  | 5  |
| Thermoresponsive Hydrogels and Their Biomedical Applications: Special Insight into Their Applications in Textile Based Transdermal Therapy. <b>2018</b> , 10,  |  | 66   |
| Stimuli-Responsive Cationic Hydrogels in Drug Delivery Applications. <i>Gels</i> , <b>2018</b> , 4,  | 4.2  | 47   |
| Mesoporous magnetic silica particles modified with stimuli-responsive P(NIPAM-DMA) valve for controlled loading and release of biologically active molecules. <i>Soft Matter</i> , <b>2018</b> , 14, 5469-5479   | 3.6  | 20   |
| Effects of ionic strength on removal of toxic pollutants from aqueous media with multifarious adsorbents: A review. <b>2019</b> , 646, 265-279   |  | 102  |
|  | of superabsorbent polymers in cement paste. 2018, 88, 150-164  Hydrogels: experimental characterization and mathematical modelling of their mechanical and diffusive behaviour. 2018, 47, 2357-2373  Porosity in Biomaterials: A Key Factor in the Development of Applied Materials in Biomedicine. 2018, 1-20  Correlation between structure and responsivity in PNIPAM based nanocomposites: A combined nano- and macroscale view. 2018, 99, 180-188  Synthesis and Characterization of a New Organidhorganic Hybrid Hydrogel by Using SiO2  Nanoparticles as an Initiator. 2018, 65, 225-230  A mechanistic model for swelling kinetics of waxy maize starch suspension. Journal of Food Engineering, 2018, 222, 237-249  Dynamics of overall swelling profile of multiresponsive ionic dimethylacrylamide-based hydrogels and cryogels: Diffusion characteristics evaluation of salt-dependent swelling. International Journal of Polymeric Materials and Polymeric Biomaterials, 2018, 67, 597-611  Mapping Nanoparticles in Hydrogels: A Comparison of Preparation Methods for Electron Microscopy. 2018, 8, 2446  Microgels from hydrophobic solid monomers via miniemulsion polymerization for aqueous lead and copper ion removal. 2018, 133, 136-142  History, Classification, Properties and Application of Hydrogels: An Overview. Gels Horizons: From Science To Smart Materials, 2018, 29-50  Chemically crosslinked hydrogel and its driving force towards superabsorbent behaviour, 2018, 118, 1422-1430  Ultimate swelling described by limiting chain extensibility of swollen elastomers. International Journal of Mechanical Sciences, 2018, 144, 531-539  Phase Transitions and Pattern Formation in Chemo-Responsive Gels and Composites. 2018, 58, 693-703  Concrete with superabsorbent polymer. 2018, 467-499  Thermoresponsive Hydrogels and Their Biomedical Applications: Special Insight into Their Applications in Textile Based Transdermal Therapy. 2018, 10,  Stimuli-Responsive Cationic Hydrogels in Drug Delivery Applications. Gels, 2018, 4,  Mesoporous magnetic silica particles modif | of superabsorbent polymers in cement paste. 2018, 88, 150-164  Hydrogels: experimental characterization and mathematical modelling of their mechanical and diffusive behaviour. 2018, 47, 2357-2373  Porosity in Blomaterials: A Key Factor in the Development of Applied Materials in Biomedicine. 2018, 1-20  Correlation between structure and responsivity in PNIPAM based nanocomposites: A combined nano- and macroscale view. 2018, 99, 180-188  Synthesis and Characterization of a New Organicthorganic Hybrid Hydrogel by Using SiO2 Nanopariticles as an Initiator. 2018, 69, 225-230  A mechanistic model for swelling kinetics of waxy maize starch suspension. Journal of Food Engineering, 2018, 222, 237-249  Dynamics of overall swelling profile of multiresponsive ionic dimethylacrylamide-based hydrogels and cryogels: Diffusion characteristics evaluation of salt-dependent swelling. International Journal of Polymeric Biomaterials, 2018, 67, 597-611  Mapping Nanoparticles in Hydrogels: A Comparison of Preparation Methods for Electron Microscopy. 2018, 8, 2446  Microgels from hydrophobic solid monomers via miniemulsion polymerization for aqueous lead and copper ion removal. 2018, 133, 136-142  History, Classification, Properties and Application of Hydrogels: An Overview. Gels Horizons: From Science To Smart Materials, 2018, 29-50  Chemically crosslinked hydrogel and its driving force towards superabsorbent behaviour. 2018, 118, 1422-1430  Ultimate swelling described by limiting chain extensibility of swollen elastomers. International Journal of Mechanical Sciences, 2018, 144, 531-539  Phase Transitions and Pattern Formation in Chemo-Responsive Gels and Composites. 2018, 58, 693-705  Concrete with superabsorbent polymer. 2018, 467-499  Thermoresponsive Hydrogels and Their Biomedical Applications: Special Insight into Their Applications in Textile Based Transdermal Therapy. 2018, 10,  Stimuli-Responsive Cationic Hydrogels in Drug Delivery Applications. Gels, 2018, 14, 5469-5479  After the properties of biologically active molecules. |

| 103 | Model modification for equilibrium swelling of highly branched polyamine macromonomers. <b>2019</b> , 76, 1115-1133  |             | 1  |
|-----|--|-------------|----|
| 102 | Counterion Exchange in Peptide-Complexed Core-Shell Microgels. <b>2019</b> , 35, 9521-9528   |             | 7  |
| 101 | Porous hybrid poly(N-isopropylacrylamide) hydrogels with very fast volume response to temperature and pH. <b>2019</b> , 120, 109213  |             | 8  |
| 100 | Research on 5-fluorouracil as a drug carrier materials with its in vitro release properties on organic modified magadiite. <b>2019</b> , 130, 44-53  |             | 14 |
| 99  | Monolithic intercalated PNIPAm/starch hydrogels with very fast and extensive one-way volume and swelling responses to temperature and pH: prospective actuators and drug release systems. <i>Soft Matter</i> , <b>2019</b> , 15, 752-769 | 5.6         | 16 |
| 98  | A pH-regulated drug delivery dermal patch for targeting infected regions in chronic wounds. <b>2019</b> , 19, 2265-2274  |             | 22 |
| 97  | Fabrication of Tough and Stretchable Hybrid Double-Network Elastomers Using Ionic Dissociation of Polyelectrolyte in Nonaqueous Media. <b>2019</b> , 31, 3766-3776   |             | 60 |
| 96  | Porous three-dimensional polymer composites for tailored delivery of bioactives and drugs. <b>2019</b> , 331-36  | 9           | 2  |
| 95  | Small and Robust All-Polymer Fiber Bragg Grating Based pH Sensor. <b>2019</b> , 37, 4480-4486  |             | 23 |
| 94  | Superabsorbent Poly(isoprenecarboxylate) Hydrogels from Glucose. <b>2019</b> , 7, 7491-7495  |             | 5  |
| 93  | 3D printed self-adhesive PEGDAPAA hydrogels as modular components for soft actuators and microfluidics. <b>2019</b> , 10, 2015-2028  |             | 29 |
| 92  | Superabsorbent hydrogel from oil palm empty fruit bunch cellulose and sodium carboxymethylcellulose. <b>2019</b> , 131, 50-59  |             | 22 |
| 91  | Piezoresistive Hydrogel-Based Sensors for the Detection of Ammonia. <b>2019</b> , 19,  |             | 9  |
| 90  | Crossly charged microfluidic device for spontaneous filtration without an external power supply. <b>2019</b> , 577, 21-25  |             |    |
| 89  | Effect of Network Parameters of Preformed Particle Gel on Structural Strength for Water Management. <b>2019</b> ,  |             | 1  |
| 88  | Effect of graphene-derivatives on the responsivity of PNIPAM-based thermosensitive nanocomposites [A review. <b>2019</b> , 116, 106-116  |             | 9  |
| 87  | Nonmagnetic Hypertonic Saline-Based Implant for Breast Cancer Postsurgical Recurrence Prevention by Magnetic Field/pH-Driven Thermochemotherapy. <i>ACS Applied Materials &amp; amp;</i> Interfaces, <b>2019</b> , 11, 10597-10607       | <b>)</b> .5 | 11 |
| 86  | Cell Model Approaches for Predicting the Swelling and Mechanical Properties of Polyelectrolyte Gels. <i>Macromolecules</i> , <b>2019</b> , 52, 9341-9353   | 5.5         | 4  |

Fully amino acid-based hydrogel as potential scaffold for cell culturing and drug delivery. 2019, 10, 2579-2593 6 85 Experimental Evidence for Universal Behavior of Ion-Induced Volume Phase Transition in Sodium 84 7 Polyacrylate Gels. 2019, 10, 7831-7835 Quick visualization of neurons in brain tissues using an optical clearing technique. 2019, 94, 199-208 83 5 Synthesis of methotrexate-loaded tantalum pentoxide-poly(acrylic acid) nanoparticles for 82 24 controlled drug release applications. 2019, 538, 286-296 Interconnected macropores cryogel with nano-thin crosslinked network regenerated cellulose. 81 10 2020, 148, 11-19 Sugar-responsive Pickering emulsions mediated by switching hydrophobicity in microgels. 2020, 80 14 561, 481-493 A unified analysis of the coagulation behaviour of silica hydrosols when the colloid and polymer 79 1 science meet. 2020, 298, 123-138 Ionic equilibria and swelling of soft permeable particles in electrolyte solutions. Soft Matter, 2020, 78 3.6 16, 929-938 Donnan Contribution and Specific Ion Effects in Swelling of Cationic Hydrogels are Additive: 77 4.2 4 Combined High-Resolution Experiments and Finite Element Modeling. Gels, 2020, 6, Thermomechanical analysis and pH-triggered elastic response of charge-balanced sulfonated 76 3.9 poly(tertiary amine-methacrylate)-based terpolymer cryogels. Polymer, 2020, 208, 122941 Swelling Behaviors of Hydrogels with Alternating Neutral/Highly Charged Sequences. 75 5.5 12 Macromolecules, 2020, 53, 8244-8254 Desalination of Seawater Using Cationic Poly(acrylamide) Hydrogels and Mechanical Forces for 3.9 7 74 Separation. Macromolecular Materials and Engineering, 2020, 305, 2000383 Reversibly Transforming a Highly Swollen Polyelectrolyte Hydrogel to an Extremely Tough One and 73 24 52 its Application as a Tubular Grasper. Advanced Materials, 2020, 32, e2005171 Imaging Switchable Protein Interactions With an Active Porous Polymer Support. Journal of Physical 2.8 72 Chemistry A, 2020, Environmentally safe bioadditive allows degradation of refractory poly(lactic acid) in seawater: Effect of poly(aspartic acid-co-l-lactide) on the hydrolytic degradation of PLLA at different salinity 71 4.7 7 and pH conditions. Polymer Degradation and Stability, 2020, 178, 109216 Imaging Switchable Protein Interactions with an Active Porous Polymer Support. Journal of Physical 8 70 3.4 Chemistry B, 2020, 124, 4412-4420 Effect of Network Parameters of Preformed Particle Gel on Structural Strength for Water 69 0.6 3

Management. SPE Production and Operations, 2020, 35, 362-372

axons using fluorescence microscopy. Scientific Reports, 2020, 10, 2917

68

Quantitative expansion microscopy for the characterization of the spectrin periodic skeleton of

4.9

7

| 67 | Behavior of Poly electrolyte Gels in Concentrated Solutions of Highly Soluble Salts. <i>MRS Advances</i> , <b>2020</b> , 5, 907-915  | 0.7 | 2  |
|----|--|-----|----|
| 66 | Grand-Reaction Method for Simulations of Ionization Equilibria Coupled to Ion Partitioning. <i>Macromolecules</i> , <b>2020</b> , 53, 3007-3020  | 5.5 | 17 |
| 65 | Enhancing the water holding capacity of model meat analogues through marinade composition.<br>Journal of Food Engineering, <b>2021</b> , 290, 110283   | 6   | 21 |
| 64 | Investigation of the Porosity of Poly(sodium methacrylate) Hydrogels by 1H-NMR T2-Relaxation and Inverse Size-Exclusion Chromatography. <i>Macromolecular Chemistry and Physics</i> , <b>2021</b> , 222, 2000300   | 2.6 | 2  |
| 63 | Equilibrium swelling of multi-stimuli-responsive superabsorbent hydrogels. <i>Mechanics of Soft Materials</i> , <b>2021</b> , 3, 1   | 2.1 |    |
| 62 | Scattering methods for determining structure and dynamics of polymer gels. <i>Journal of Applied Physics</i> , <b>2021</b> , 129, 071101   | 2.5 | 2  |
| 61 | Effect of Nonlinear Elasticity on the Swelling Behaviors of Highly Swollen Polyelectrolyte Gels. <i>Gels</i> , <b>2021</b> , 7,  | 4.2 | 4  |
| 60 | Dynamic Manipulation of DNA-Programmed Crystals Embedded in a Polyelectrolyte Hydrogel. <i>ACS Applied Materials &amp; Applied &amp; Applied Materials &amp; Applied &amp; App</i> | 9.5 | 5  |
| 59 | Experimental Verification of the Balance between Elastic Pressure and Ionic Osmotic Pressure of Highly Swollen Charged Gels. <i>Gels</i> , <b>2021</b> , 7,  | 4.2 | 3  |
| 58 | Salt partitioning in ionized, thermo-responsive hydrogels: perspective to water desalination.<br>Journal of Chemical Physics, <b>2021</b> , 154, 144902  | 3.9 | 2  |
| 57 | The effects of pH and ionic strength on the volume phase transition temperature of thermo-responsive anionic copolymer gels. <i>Polymer</i> , <b>2021</b> , 221, 123637  | 3.9 | 2  |
| 56 | Enhanced Mechanical Properties by Ionomeric Complexation in Interpenetrating Network Hydrogels of Hydrolyzed Poly (N-vinyl Formamide) and Polyacrylamide. <i>Gels</i> , <b>2021</b> , 7,   | 4.2 | 4  |
| 55 | Mitotic Chromosome Condensation Driven by a Volume Phase Transition.   |     | 1  |
| 54 | Polyelectrolyte Gels: A Unique Class of Soft Materials. <i>Gels</i> , <b>2021</b> , 7,   | 4.2 | 4  |
| 53 | Gel-induced dew condensation. <i>Journal of Hydrology</i> , <b>2021</b> , 599, 126263  | 6   | O  |
| 52 | Modulation of the volume phase transition temperature for multi-stimuli-responsive copolymer hydrogels. <i>International Journal of Mechanical Sciences</i> , <b>2021</b> , 211, 106753  | 5.5 | 2  |
| 51 | Gels.  |     | 1  |
| 50 | Theory of phase transition in polymer gels. Advances in Polymer Science, <b>1993</b> , 63-121  | 1.3 | 96 |

| 49                   | pH-responsive hydrogels: swelling model. Advances in Experimental Medicine and Biology, <b>2004</b> , 553, 29  | 9-436 | 16               |
|----------------------|--|-------|------------------|
| 48                   | Contraction Behavior of Poly(acrylonitrile) Gel Fibers. <b>1991</b> , 257-270  |       | 19               |
| 47                   | Hydrophobic Weak Polybasic Gels: Factors Controlling Swelling Equilibria. 1991, 309-317  |       | 3                |
| 46                   | Porosity in Biomaterials: A Key Factor in the Development of Applied Materials in Biomedicine. <b>2019</b> , 3503-3522   |       | 1                |
| 45                   | Multi-Effect-Coupling pH-Stimulus (MECpH) Model for pH-Sensitive Hydrogel. <b>2009</b> , 57-114  |       | 3                |
| 44                   | Biomaterials in Drug Delivery. <b>2004</b> , 1-31  |       | 1                |
| 43                   | Structure-Property Relationships in Hydrogels. <b>2009</b> , 9-20  |       | 12               |
| 42                   | Chemomechanics: Oscillatory Dynamics in Chemoresponsive Gels. <i>NATO Science for Peace and Security Series A: Chemistry and Biology</i> , <b>2009</b> , 95-116  | 0.1   | 2                |
| 41                   | New Aspects to Physicochemical Properties of Polymer Gels in Particularly the Coordination Biopolymeric Metal Alginate Ionotropic Hydrogels. <i>Gels Horizons: From Science To Smart Materials</i> , <b>2018</b> , 275-354   |       | 2                |
| 40                   | Preparation and Characterization of Crosslinked Hydrophilic Networks. <i>Studies in Polymer Science</i> , <b>1990</b> , 45-66  |       | 45               |
| 39                   | Molecular Thermodynamics of Aqueous Polymers and Gels. <i>Studies in Polymer Science</i> , <b>1990</b> , 203-221   |       |                  |
|                      | Motecular Thermodynamics of Aqueous Potymers and dets. Scudies in Potymer Science, 1990, 203-221   |       | 2                |
| 38                   | Semi-Interpenetrating Polymer Networks Based on N-isopropylacrylamide and 2-acrylamido-2-methylpropane Sulfonic Acid for Intramolecular Force-Compensated Sensors.  Journal of the Electrochemical Society, 2020, 167, 167521  | 3.9   | 3                |
|                      | Semi-Interpenetrating Polymer Networks Based on N-isopropylacrylamide and 2-acrylamido-2-methylpropane Sulfonic Acid for Intramolecular Force-Compensated Sensors.   | 3.9   |                  |
| 38                   | Semi-Interpenetrating Polymer Networks Based on N-isopropylacrylamide and 2-acrylamido-2-methylpropane Sulfonic Acid for Intramolecular Force-Compensated Sensors.  Journal of the Electrochemical Society, 2020, 167, 167521  | 3.9   | 3                |
| 38                   | Semi-Interpenetrating Polymer Networks Based on N-isopropylacrylamide and 2-acrylamido-2-methylpropane Sulfonic Acid for Intramolecular Force-Compensated Sensors. <i>Journal of the Electrochemical Society</i> , <b>2020</b> , 167, 167521  Kinetics of Smart Hydrogels. <b>2004</b> ,  Drug Delivery Using Smart Polymers. <b>2007</b> , 331-358  Hydrogel based Fabry-Pflot cavity for a pH sensor. <i>Optics Express</i> , <b>2020</b> , 28, 39640-39648  | 3.9   | 2                |
| 38<br>37<br>36       | Semi-Interpenetrating Polymer Networks Based on N-isopropylacrylamide and 2-acrylamido-2-methylpropane Sulfonic Acid for Intramolecular Force-Compensated Sensors. <i>Journal of the Electrochemical Society</i> , <b>2020</b> , 167, 167521  Kinetics of Smart Hydrogels. <b>2004</b> ,  Drug Delivery Using Smart Polymers. <b>2007</b> , 331-358  |       | 3<br>2<br>4      |
| 38<br>37<br>36<br>35 | Semi-Interpenetrating Polymer Networks Based on N-isopropylacrylamide and 2-acrylamido-2-methylpropane Sulfonic Acid for Intramolecular Force-Compensated Sensors. <i>Journal of the Electrochemical Society</i> , <b>2020</b> , 167, 167521  Kinetics of Smart Hydrogels. <b>2004</b> ,  Drug Delivery Using Smart Polymers. <b>2007</b> , 331-358  Hydrogel based Fabry-Pflot cavity for a pH sensor. <i>Optics Express</i> , <b>2020</b> , 28, 39640-39648  A Novel Design Strategy for Temperature-Responsive IPN Hydrogels Based on a Copolymer of Acrylamide and N-(1,1-Dimethyl-3-Oxobutyl)-Acrylamide. <i>Advances in Chemical Engineering and</i> | 3.3   | 3<br>2<br>4<br>9 |

| 31 | Dissociation Equilibrium in Chelating Sepharose Fast Flow Gel. <i>Journal of Chemical Engineering of Japan</i> , <b>2007</b> , 40, 693-697  | 0.8  | 1 |
|----|---|------|---|
| 30 | Internal Stress as a Link Between Macroscale and Mesoscale Mechanics. <i>NATO Science for Peace and Security Series A: Chemistry and Biology</i> , <b>2009</b> , 241-250  | 0.1  |   |
| 29 | Thermo-/pH-Dual-Responsive Hydrogels with Rapid Response Properties. <b>2013</b> , 193-232  |      |   |
| 28 | Practical and Theoretical Hints on Production and Application of Nanofibers, Nanotubes, Nanofillers and Nanocomposites. <b>2013</b> , 1-82  |      |   |
| 27 | Radiation Synthesis and Anti-inflammatory Evaluation of Polysaccharide Hydrogels from Ulmus Davidiana Var. Japonica. <i>Porrime</i> , <b>2014</b> , 38, 69-73   | 1    |   |
| 26 | Measuring Contact Stress with 19F-NMR Spectroscopy. <b>1991</b> , 271-285   |      |   |
| 25 | Responsive Microgel Dispersions. 6436-6450  |      |   |
| 24 | Preparation of Thermo-Responsive Separation Membrane and Evaluation of Its Separation Properties. <i>Kagaku Kogaku Ronbunshu</i> , <b>2016</b> , 42, 107-112  | 0.4  | 1 |
| 23 | Cationic Polymers: Stimuli-Responsive. 1334-1343  |      |   |
| 22 | All-Polymer Fiber Bragg Grating based pH Sensor. 2018,  |      |   |
| 21 | Advanced biomedical hydrogels: molecular architecture and its impact on medical applications <i>International Journal of Energy Production and Management</i> , <b>2021</b> , 8, rbab060                                      | 5.3  | 5 |
| 20 | Fundamentals and mechanics of polyelectrolyte gels: Thermodynamics, swelling, scattering, and elasticity. <i>Chemical Physics Reviews</i> , <b>2021</b> , 2, 041309   | 4.4  | 1 |
| 19 | Hydrogels. <b>2022</b> , 221-242  |      |   |
| 18 | Increased Donnan exclusion in charged polymer networks at high salt concentrations <i>Soft Matter</i> , <b>2021</b> ,   | 3.6  | 3 |
| 17 | Evidence of Many-Body Interactions in the Virial Coefficients of Polyelectrolyte Gels Gels, 2022, 8,  | 4.2  |   |
| 16 | The pH-Dependent Swelling of Weak Polyelectrolyte Hydrogels Modeled at Different Levels of Resolution. <i>Macromolecules</i> ,  | 5.5  | O |
| 15 | Distance-based detection in analytical flow devices: From gas detection tubes to microfluidic chips and microfluidic paper-based analytical devices. <i>TrAC - Trends in Analytical Chemistry</i> , <b>2022</b> , 150, 116581 | 14.6 | O |
| 14 | Hyaluronic acid/lactose-modified chitosan electrospun wound dressings - Crosslinking and stability criticalities <i>Carbohydrate Polymers</i> , <b>2022</b> , 288, 119375   | 10.3 | 1 |

#### CITATION REPORT

| 13 | Non-swellability of polyelectrolyte gel in divalent salt solution due to aggregation formation. <i>Polymer</i> , <b>2022</b> , 250, 124894   | 3.9 |   |
|----|--|-----|---|
| 12 | Preparation of poly(acrylamide-co-Acrylonitrile) thermosensitivity microgel and control release of aspirin. <i>International Journal of Polymeric Materials and Polymeric Biomaterials</i> , 1-9 | 3   |   |
| 11 | Synthesis and characterisation of high resilience collagen- polyacrylamide semi-interpenetrating network hydrogel. <i>Materials Today Communications</i> , <b>2022</b> , 103955                  | 2.5 | 1 |
| 10 | Superabsorbent graphene oxide/carbon nanotube hybrid Poly(acrylic acid-co-acrylamide) hydrogels for efficient salinity gradient energy harvest. <i>Energy</i> , <b>2022</b> , 124843             | 7.9 | O |
| 9  | Multiphysics-informed deep learning for swelling of pH/temperature sensitive cationic hydrogels and its inverse problem. <b>2022</b> , 175, 104498   |     | O |
| 8  | Formulation and Characterization of Poly (Acrylic Acid)- Co-Chitosan Nanoparticles as pH-Thermo-Responsive System to Control Delivery. 18, 72-86   |     | O |
| 7  | Simulations Explain the Swelling Behavior of Hydrogels with Alternating Neutral and Weakly Acidic Blocks.  |     | О |
| 6  | Advances in hydrogel-based controlled drug-delivery systems. <b>2023</b> , 329-350   |     | O |
| 5  | A Novel Approach for the Manufacturing of Gelatin-Methacryloyl. 2022, 14, 5424   |     | О |
| 4  | Revealing the complexity of ultra-soft hydrogel re-swelling inside the brain. <b>2023</b> , 294, 122024  |     | O |
| 3  | Periodic band formation of Fe(OH)3 precipitate through reaction diffusion reaction processes. 11,  |     | О |
| 2  | Gels: Energetics, Singularities, and Cavitation.   |     | 0 |
| 1  | Ion-mediated condensation controls the mechanics of mitotic chromosomes.   |     | О |