

# CITATION REPORT

List of articles citing

Synthesis, structure, and spectroscopic properties of copper(II) compounds containing nitrogensulphur donor ligands; the crystal and molecular structure of aqua[1,7-bis(N-methylbenzimidazol-2-yl)-2,6-dithiaheptane]

DOI: 10.1039/dt9840001349

Journal of the Chemical Society Dalton Transactions, 1984, , 1349-1356.

Source: <https://exaly.com/paper-pdf/17120596/citation-report.pdf>

Version: 2024-04-20

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
2234	ChemInform Abstract: SYNTHESIS, STRUCTURE, AND SPECTROSCOPIC PROPERTIES OF COPPER(II) COMPOUNDS CONTAINING NITROGEN-SULFUR DONOR LIGANDS: THE CRYSTAL AND MOLECULAR STRUCTURE OF AQUA(1,7-BIS(N-METHYLBENZIMIDAZOL-2?-YL)-2,6-DITHIAHEPTANE)COPPER(II)		1
2233	The coordination of divalent transition metal ions to a sterically constrained chelating pyrazole derivative. The crystal and molecular structure of bis(azido)(2,5-bis(3?,5?-dimethylpyrazol-1?-ylmethyl)-2,5-diazaheptane)nickel(II), [Ni(C16H28N12)]. <b>1985</b> , 104, 55-62		14
2232	The pH and redox-state dependence of the copper site in azurin from <i>Pseudomonas aeruginosa</i> as studied by EXAFS. <b>1986</b> , 873, 214-27		34
2231	Crystal structure of copper(II) cimetidine sulphate nonahydrate. Cation distortion and structure isomerism in three copper(II) cimetidine complexes. <b>1988</b> , 7, 307-314		17
2230	Synthesis and characterization of chelating ion-exchange resins: a spectral study of copper(II) complexes of chelating ion-exchange resins containing multidentate imidazole moieties. <b>1988</b> , 154, 141-155		16
2229	Synthesis of some benzimidazole-, pyridine- and imidazole-derived chelating agents. <b>1989</b> , 26, 541-543		10
2228	Is ligand topology an influence on the redox potentials of copper complexes?. <b>1989</b> , 162, 217-220		74
2227	Coordination compounds with a biomimetic N2S2 ligand, resulting in long metal-thioether bonds. The crystal and molecular structure of [1,7-bis(5-methyl-4-imidazolyl)-2,6-dithiaheptane]bis(thiocyanato-N)cobalt(II). <b>1989</b> , 8, 1965-1970		12
2226	Formation and properties of [Cd(S2CNEt2)I] [an alternating copolymer of cadmium N,N-diethyldithiocarbamate and cadmium iodide. <b>1990</b> , 175, 5-8		6
2225	Model systems for type I copper proteins: structures of copper coordination compounds with thioether and azole-containing ligands. <b>1990</b> , 104, 143-172		229
2224	Novel square pyramidal copper(II) complexes of the stereospecific linear NSNN tetradentate ligand, N-[(2-pyridyl)methyl]-2-[(2-aminoethyl)thio]acetamide (pygeH). The crystal structures of [Cu(pyge)X] (X = Br, N3). <b>1990</b> , 9, 2375-2383		17
2223	Coordination behavior of the ligand 1,9-bis(3,5-dimethyl-1-pyrazolyl)-3,7-dithianonane (bddn) towards first-row transition metals. X-ray structure of [Cu(bddn)(H2O)](BF4)2. <b>1990</b> , 176, 299-305		16
2222	Electrochemical synthesis of neutral divalent transition-metal complexes with tetradentate thioether-benzimidazole-containing ligands. <i>Journal of the Chemical Society Dalton Transactions</i> , <b>1990</b> , 3643-3646		8
2221	Syntheses, crystal structures, and electrochemical properties of binuclear copper(II,II)[Cu2L1Cl2][ClO4]2·4CH3CN and copper(I,I)[Cu2L1][ClO4]2 complexes {L1= 2,5-bis[N,N-bis(2?-pyridylethyl)aminomethyl]pyrazine}. <i>Journal of the Chemical Society Dalton Transactions</i> , <b>1990</b> , 2985-2989		11
2220	Synthesis, crystal structure, and electrochemical properties of $\mu$ -{2,5-bis[N,N-bis(2?-pyridylmethyl)aminomethyl]pyrazine}-bis[chlorocopper(II)] perchlorate. <i>Journal of the Chemical Society Dalton Transactions</i> , <b>1990</b> , 293-298		11
2219	Crystal structure of bis(2,2?-bipyridyl)monochlorocopper(II) tetrafluoroborate. A relook at the structural pathway of the bis(2,2?-bipyridyl)monochlorocopper(II) cation. <i>Journal of the Chemical Society Dalton Transactions</i> , <b>1990</b> , 3399-3406		48
2218	Copper co-ordination compounds of a chelating imidazole-thioether ligand. The molecular structures of [1,3-bis(5-methyl-4-imidazolyl)-2-thiapropane]-bis(nitrato)copper(II) and bis[1,3-bis(5-methyl-4-imidazolyl)-2-thiapropane]-copper(II) bis(tetrafluoroborate)·ethanol(1/2). <i>Journal of the Chemical Society Dalton Transactions</i> , <b>1990</b> , 3175-3182		25

- 2217 A bridge-bond isomerism. X-Ray crystal structure, spectral and magnetic properties of two dinuclear isomeric complexes [Cu(bipyo)Cl<sub>2</sub>](bipyo = 2,2'-bipyridine N,N'-dioxide). *Journal of the Chemical Society Dalton Transactions*, **1991**, 1385-1390 23
- 2216 Crystal and molecular structure and properties of the first characterized copper(II) one-dimensional polymer containing mepirizole [4-methoxy-2-(5-methoxy-3-methyl-1H-pyrazol-1-yl)-6-methylpyrimidine]. *Journal of the Chemical Society Dalton Transactions*, **1991**, 1057-1061 33
- 2215 Investigations of technetium-organohydrazine coordination chemistry. The crystal and molecular structures of [TcCl<sub>2</sub>(C<sub>8</sub>H<sub>5</sub>N<sub>4</sub>)(PPh<sub>3</sub>)<sub>2</sub>] $\cdot$ 0.75C<sub>7</sub>H<sub>8</sub> and [TcNCl<sub>2</sub>(PPh<sub>3</sub>)<sub>2</sub>] $\cdot$ 0.25CH<sub>2</sub>Cl<sub>2</sub>. **1991**, 185, 7-15 46
- 2214 Transition metal compounds of a chelating imidazole-thioether-amine ligand. Crystal and molecular structures of (4-(5-methyl-4-imidazolyl)-1-amino-3-thiabutane)di(chloro)copper(II), bis(4-(5-methyl-4-imidazolyl)-1-amino-3-thiabutane)copper(II) dichloride dihydrate, and bis(4-(5-methyl-4-imidazolyl)-1-amino-3-thiabutane)copper(II) bis(diphenylphosphine oxide). **1991**, 193, 187-195 11
- 2213 Preparation and characterization of triply-bridged dinuclear copper(II) complexes containing the [Cu<sub>2</sub>(EOH)(EX)(EOAc)]<sup>+</sup> core (X = Cl, Br), and the crystal structure of [Cu<sub>2</sub>(OH)Cl(OAc)(bpy)<sub>2</sub>](ClO<sub>4</sub>) $\cdot$ H<sub>2</sub>O. **1991**, 10, 2301-2308 24
- 2212 Copper(II) complexes of 1-(pyridine-2-yl)-3-methyl-3,6-diazaheptane (PDAHP). X-ray crystal structure of Cu(PDAHP)Cl<sub>2</sub>. **1991**, 10, 1675-1682 7
- 2211 Preparation and characterization of dinuclear copper(II) complexes containing the [Cu<sub>2</sub>(EOAc)<sub>2</sub>]<sup>2+</sup> core. **1992**, 11, 1471-1479 35
- 2210 Some high-potential trithioether chelates of copper. **1992**, 196, 97-103 20
- 2209 Metal complexes of sulfanilamide derivatives. Spectroscopic characterization of the dichloro disulfathiazole methanol copper(II) complex. **1993**, 211, 183-186 15
- 2208 A structural study on bis[trans-[bis(diphenylphosphino)ethylene]]tricarbonyliron(0) and cis-[bis(diphenylphosphino)ethylene]-tricarbonyliron(0). **1993**, 206, 89-95 6
- 2207 Phosphate ester coordination to dicopper(II) compounds; X-ray structure of a bis(4-nitrophenyl)phosphato bridged dicopper(II) complex. **1993**, 207, 135-138 17
- 2206 Axial versus equatorial metal-ligand distances in square-pyramidal nickel(II) complexes. **1993**, 12, 7-12 5
- 2205 Synthesis, spectroscopic and redox behaviour of copper(II) complexes with quinquedentate thiaaza ligands. **1993**, 203, 29-35 6
- 2204 Preparation and characterization of [Cu<sub>2</sub>Cl<sub>4</sub>L<sub>2</sub>]: The first structural determination of a complex containing the novel ligand 2-(2'-pyridyl)quinoxaline (L). **1993**, 12, 2069-2072 21
- 2203 Oxamidato complexes. Part 6. Complex formation between copper(II) and N,N'-bis[2-(dimethylamino)ethyl]oxamide (H<sub>2</sub>dmaeoxd). Preparation, crystal structure, and magnetic properties of [Cu<sub>2</sub>(dmaeoxd)(NCO)<sub>2</sub>(H<sub>2</sub>O)<sub>2</sub>]. *Journal of the Chemical Society Dalton Transactions*, **1993**, 1483-1488 29
- 2202 Crystal and molecular structure of di-bromobromopentakis(benzimidazole)dicopper(II) monobromide tetrahydrate [Cu<sub>2</sub>Br<sub>3</sub>(C<sub>7</sub>H<sub>6</sub>N<sub>2</sub>)<sub>5</sub>]Br $\cdot$ 4H<sub>2</sub>O. **1994**, 24, 139-143 3
- 2201 Spectroscopic studies on copper(II) complexes of chiral cyclens: [CuN<sub>4</sub>Cl] chromophores varying from square pyramidal to trigonal bipyramidal stereochemistry. **1994**, 215, 109-121 20
- 2200 Transition metal compounds of the tridentate pyrazole substituted amine ligand bis(2-(3,5-dimethyl-1-pyrazolyl)ethyl)ethylamine (ddae). X-ray structures of [Co(ddae)(NO<sub>3</sub>)<sub>2</sub>], [Cu(ddae)(NO<sub>3</sub>)(H<sub>2</sub>O)](NO<sub>3</sub>) and [Cu(ddae)(Cl)<sub>2</sub>] $\cdot$ 2H<sub>2</sub>O. **1994**, 216, 43-49 34

- 2199 Magnetic properties and crystal structure of {Pyrazine}bis[(aqua)(2,6-xylylamino)diacetato]copper(II)]. A pyrazine-bridged dinuclear copper(II) complex. **1994**, 217, 39-44 14
- 2198 Reactions of the polynuclear chain complex [Cu(L)(H<sub>2</sub>O)]<sub>n</sub> (H<sub>2</sub>L is 5-[(2-carboxyphenyl)azo]-1,3-dimethylbarbituric acid) with imidazole. Crystal structures of the dinuclear and mononuclear derivatives and EPR study of the dimer-monomer equilibrium in solution. **1994**, 219, 127-133 8
- 2197 Synthesis, properties and molecular structure of copper(II) and cobalt(II) 1,2-bis(pyrazol-1-ylmethyl)benzene complexes. **1994**, 223, 139-144 14
- 2196 Synthesis, spectra and electrochemical behaviour of biomimetic copper(II) complexes with CuN<sub>5</sub> and CuN<sub>6</sub> chromophores. **1994**, 224, 19-25 35
- 2195 Preparation, structural and physical studies of mercury(II) halide complexes with the N,N'-chelating biheteroaromatic ligand 2-(2-pyridyl)quinoxaline. **1994**, 227, 129-136 26
- 2194 Stereochemistry of copper(II) complexes of 1-(pyridine-2-yl)-3-methyl-3,6-diazaheptane (PDAHP). Crystal structures of Cu(PDAHP)<sub>2</sub> (X = Cl, Br, NO<sub>3</sub>). **1994**, 13, 435-440 1
- 2193 2-(2-pyridyl)quinoxaline (L) as a bidentate ligand: crystal structure, magnetic properties and quantum chemical study of [Cu<sub>2</sub>Cl<sub>4</sub>L<sub>2</sub>]. **1994**, 13, 3209-3218 23
- 2192 Synthesis and crystal structure determination of a one-dimensional end-to-end cyanate-bridged copper(II) compound. *Journal of the Chemical Society Dalton Transactions*, **1994**, 3005-3008 21
- 2191 Synthese und Struktur zweikerniger Kupfer(II)-Komplexe eines neuen Hexaaza-Makrocyclus mit verbrückenden Oxalat- und Acetat-Ionen. **1995**, 128, 115-119 16
- 2190 Metal complexes of 5-tertbutyloxycarbonylamido-1,3,4-thiadiazole-2-sulfonamide (B-H<sub>2</sub>ats), a carbonic anhydrase inhibitor. Synthesis and characterization of the copper(II) complex. Crystal structures of B-H<sub>2</sub>ats and the [Cu(B-ats)(NH<sub>3</sub>)<sub>2</sub>]<sub>2</sub> dimer complex. **1995**, 232, 117-124 30
- 2189 A heterodinuclear anti oximate-bridged copper(II)-nickel(II) complex: crystal structure and magnetic properties. **1995**, 234, 61-65 15
- 2188 Crystal and molecular structure of di-ethylbis[2-[[[(2-hydroxy-1-naphthyl)methyl]-imino]ethanolato]N,O,O']di-copper(II) dihydrate. **1995**, 25, 505-509 5
- 2187 Electrochemical synthesis and structural characterization of nickel(II) and copper(II) complexes of tridentate schiff bases: Molecular structure of the five-coordinated copper(II) complex: 1,10-phenanthroline {2-[(2-oxyphenyl)iminomethyl]phenolato}copper(II). **1995**, 14, 663-670 43
- 2186 Dinuclear copper(II) complexes with the new [Cu<sub>2</sub>(EOR)(EOAc)<sub>2</sub>]<sup>+</sup> (R = alkyl) core: preparation and characterization of [Cu<sub>2</sub>(OR)(OAc)<sub>2</sub>(bpy)<sub>2</sub>]<sup>+</sup> (R = Me, Et, Prn) salts. **1995**, 14, 1073-1081 29
- 2185 Copper(II) and cobalt(II) complexes of 2,2-diphenyl-4,4,6,6-tetrakis(1-pyrazolyl) cyclotriphosphazene, N<sub>3</sub>P<sub>3</sub>Ph<sub>2</sub>Pz<sub>4</sub>. X-ray crystal structure of N<sub>3</sub>P<sub>3</sub>Ph<sub>2</sub>Pz<sub>4</sub>·CoCl<sub>2</sub>·0.5CH<sub>2</sub>Cl<sub>2</sub>. **1995**, 14, 1607-1613 13
- 2184 Coordination behavior of sulfathiazole. Crystal structure of [Cu (sulfathiazole) (py)<sub>3</sub>Cl] superoxide dismutase activity. **1995**, 60, 219-230 65
- 2183 Structure and magnetism of novel tetranuclear μ<sub>4</sub>-oxo-bridged copper(II) complexes. *Journal of the Chemical Society Dalton Transactions*, **1995**, 2649-2656 37
- 2182 Synthesis, X-ray Structure, and Magnetic Properties of Ferromagnetically Coupled Binuclear Copper(II) Complexes Having a (μ-Hydroxo/methoxo)bis(μ-benzoato)dicopper(II) Core. **1996**, 35, 7666-7670 34

2181	Manganese(II/II/II) and Manganese(III/II/III) Trinuclear Compounds. Structure and Solid and Solution Behavior. <b>1996</b> , 35, 4974-4983	91
2180	Model Investigations for Vanadium-Protein Interactions. Synthetic, Structural, and Physical Studies of Vanadium(III) and Oxovanadium(IV/V) Complexes with Amidate Ligands. <b>1996</b> , 35, 357-367	74
2179	Syn-Anti Isomerism in a Mixed-Ligand Oxorhenium Complex, ReO[SN(R)S][S]. <b>1996</b> , 35, 7377-7383	51
2178	Synthesis and Characterization of Oxotechnetium(V) Mixed-Ligand Complexes Containing a Tridentate N-Substituted Bis(2-mercaptoethyl)amine and a Monodentate Thiol. <b>1996</b> , 35, 1685-1691	55
2177	Magnetostructural Correlations in Bis( $\mu$ -(2)-phenoxide)-Bridged Macrocyclic Dinuclear Copper(II) Complexes. Influence of Electron-Withdrawing Substituents on Exchange Coupling. <b>1996</b> , 35, 3117-3125	330
2176	Structural and Electrochemical Comparison of Copper(II) Complexes with Tripodal Ligands. <b>1996</b> , 35, 6809-6815	153
2175	Binuclear Copper(II) Complexes of Bis(pentadentate) Ligands Derived from Alkyl-Bridged Bis(1,4,7-triazacyclonane) Macrocycles. <b>1996</b> , 35, 1974-1979	70
2174	Formation of axial phenolate-metal bonds in square-pyramidal complexes. <i>Journal of the Chemical Society Dalton Transactions</i> , <b>1996</b> , 2233-2237	57
2173	Synthesis, Characterization, and Crystal Structure of a Novel Copper(II) Complex with an Asymmetric Coordinated 2,2'-Bipyridine Derivative: A Model for the Associative Complex in the Ligand-Substitution Reactions of [Cu(tren)L](2+)? <b>1996</b> , 35, 2253-2258	58
2172	Crystal structures and superoxide dismutase mimetic activity of [CuL <sub>2</sub> (Him) <sub>2</sub> ] $\cdot$ MeOH and [CuL <sub>2</sub> (mim) <sub>2</sub> ] $\cdot$ H <sub>2</sub> O [HL = 4-amino-N-(thiazol-2-yl)benzenesulfonamide, Him = imidazole, mim = N-methylimidazole]. <i>Journal of the Chemical Society Dalton Transactions</i> , <b>1996</b> , 2239-2244	51
2171	A Route to Bis(benzimidazole) Ligands with Built-In Asymmetry: Potential Models of Protein Binding Sites Having Histidines of Different Basicity. <b>1996</b> , 35, 7563-7571	27
2170	A New Donor Atom System [(SNN)(S)] for the Synthesis of Neutral Oxotechnetium(V) Mixed-Ligand Complexes. <b>1996</b> , 35, 4478-4483	37
2169	Synthesis, magnetic behaviour and structural characterization of the alternating hexanuclear copper(II) compound [Cu <sub>6</sub> (tmen) <sub>6</sub> ( $\mu$ -N <sub>3</sub> ) <sub>2</sub> ( $\mu$ -C <sub>2</sub> O <sub>4</sub> ) <sub>3</sub> (H <sub>2</sub> O) <sub>2</sub> ][ClO <sub>4</sub> ] <sub>4</sub> $\cdot$ 2H <sub>2</sub> O (tmen = Me <sub>2</sub> NCH <sub>2</sub> CH <sub>2</sub> NMe <sub>2</sub> ). <i>Journal of the Chemical Society Dalton Transactions</i> , <b>1996</b> , 1835-1838	23
2168	In situ oxidation of a copper (I) complex to produce a hydroxy-bridged dinuclear copper (II) complex. Structural, magnetic and electrochemical properties. <b>1996</b> , 244, 87-93	14
2167	Unusual complexation behavior of 1,3-diaminopropane. <b>1996</b> , 244, 255-258	3
2166	Aqueous syntheses and crystal structures of the hexa- and pentacoordinated nickel(II) isothiocyanato derivatives of bulky triamines: (H <sub>2</sub> Et <sub>5</sub> dien) <sub>2</sub> [Ni(NCS) <sub>6</sub> ], [Ni(Me <sub>5</sub> dien)(NCS) <sub>2</sub> ] and [Ni(Me <sub>4</sub> Et <sub>2</sub> dien)(NCS) <sub>2</sub> ]. <b>1996</b> , 248, 59-65	14
2165	Synthesis and characterisation of Cu(II) complexes with the 2-acetamido-N-(4-methyl-2-thiazolyl) (amtz) ligand. The crystal structure of [Cu(amtz) <sub>2</sub> H <sub>2</sub> O](NO <sub>3</sub> ) <sub>2</sub> . <b>1996</b> , 248, 209-213	10
2164	A new trinuclear copper complex and its reactions with plasmid DNA. <b>1996</b> , 242, 329-338	92

- 2163 Crystal and molecular structure and electronic properties of [Cu(HBIP) (BIP) (ONO<sub>2</sub>)] (HBIP = 3,3-bis(2-imidazolyl)propionic acid). **1996**, 248, 153-158 16
- 2162 Mercury(II)-carbon bond cleavage due to the coordination of the metal by 2-(2-pyridyl)quinoxaline (L): preparation and characterization of [Hg<sub>2</sub>I<sub>4</sub>L<sub>2</sub>] derived from the reaction of CH<sub>3</sub>HgI and L. **1996**, 15, 177-182 21
- 2161 Synthesis, properties and molecular structures of cobalt(II), copper(II) and zinc(II) complexes with 1,2-bis[3-(pyrazol-1-yl)-2-oxapropyl]benzene. **1996**, 15, 961-965 4
- 2160 Crystal structure and physicochemical properties of copper(II) complexes with polybenzimidazole ligands. **1996**, 15, 3659-3664 7
- 2159 Structural, spectroscopic and magnetic characterization of aquabis(crotonato)bis(imidazole)copper(ii). **1996**, 15, 3271-3276 3
- 2158 Transition metal complexes of singly and doubly deprotonated 2-thiooxamic acid. **1996**, 15, 3437-3452 8
- 2157 Stereochemistry of [Cu(Tridentate Ligand)<sub>2</sub>] entities. crystal and molecular structure and electronic properties of [Cu(tedpa)<sub>2</sub>](PF<sub>6</sub>)<sub>2</sub> (tedpa = N,N,N',N'-tetraethyl pyridinedicarboxamide). **1996**, 15, 4003-4009 15
- 2156 Crystal structures and spectral properties of five-coordinate copper(II) complexes with N,N,N',N',N'-pentamethyldiethylenetriamine (pmdt) and Diamines: Approximately regular trigonal bipyramidal [Cu(en)(pmdt)](ClO<sub>4</sub>)<sub>2</sub> and highly distorted [Cu(SS-chxn(pmdt))](ClO<sub>4</sub>)<sub>2</sub> (en = 1,2-diaminoethane and SS-chxn = 1,3,2,6-tetraazabicyclo[3.3.0]octane-1,2-diaminocyclohexane). **1996**, 15, 4391-4396 7
- 2155 Electrochemical behaviour of certain biomimetic copper(II) complexes in aqueous and aqueous micellar solutions. **1996**, 410, 43-53 10
- 2154 Modelling transition state analogues and enzyme-inhibitor complexes of zinc-containing class II aldolases and metalloproteases. **1996**, 250, 271-281 36
- 2153 Mixed-ligand copper(II) complexes with positive redox potentials. **1996**, 21, 142-148 7
- 2152 Synthesis, characterization and crystal structure of a tris(2-aminoethyl)amine copper complex with an imidazole coligand. **1996**, 21, 193-196 6
- 2151 Synthesis, Crystal Structures, and Catalytic Activity of Dicopper(II) Complexes with Dinucleating Tetraimidazole Ligands [Cu<sub>2</sub>(RO)(mbipl)](ClO<sub>4</sub>)<sub>2</sub> (R = Me, Et, 2-Pr; Hmbipl = 1,5-Bis[bis[(1-methyl-4-imidazolyl)methyl]amino]-3-pentanol) and [Cu<sub>2</sub>(MeO)(pbipl)](ClO<sub>4</sub>)<sub>2</sub> (Hpbipl = 1,5-Bis[bis[(1-isopropyl-4-imidazolyl)methyl]amino]-3-pentanol). **1997**, 36, 3861-3868 30
- 2150 Octanuclearity in Copper(II) Chemistry: Preparation, Characterization, and Magnetochemistry of [Cu<sub>8</sub>(dpk<sup>+</sup>OH)<sub>8</sub>(O<sub>2</sub>CCH<sub>3</sub>)<sub>4</sub>](ClO<sub>4</sub>)<sub>4</sub>·9H<sub>2</sub>O (dpk<sup>+</sup>H<sub>2</sub>O = the Hydrated, gem-Diol Form of Di-2-pyridyl Ketone). **1997**, 36, 3996-4006 86
- 2149 Coordination Modes of a Series of Xylylene-Bridged Bis(1,4,7-triazacyclonon-1-yl) Ligands: Synthesis, Structure, and Properties of Nickel(II) and Copper(II) Complexes. **1997**, 36, 6366-6373 45
- 2148 Syntheses, Structures, and Thermal Behavior of Cu(hfacac) Complexes Derived from Ethanolamines. **1997**, 36, 2930-2937 29
- 2147 Copper(II) Complexes of N,N'-Bis((2-substituted-imidazol-4-yl)methylene)-3,3'-diaminodipropylamine (2-Substituent = H, Me): Delta and Lambda Enantiomorphs of the Protonated Complex and Helical Structure of the Deprotonated Complex Formed by Hydrogen Bonds. **1997**, 36, 4329-4335 28
- 2146 Migratory Transmetalation in Diphenoxo-Bridged Cu(II)M(II) Complexes of a Dinucleating Macrocyclic with N(amine)(2)O(2) and N(imine)(2)O(2) Metal-Binding Sites. **1997**, 36, 2711-2717 90

- 2145 Syntheses and X-ray Structures of Mixed-Ligand Salicylaldehyde Complexes of Mn(III), Fe(III), and Cu(II) Ions: Reactivity of the Mn(III) Complex toward Primary Monoamines and Catalytic Epoxidation of Olefins by the Cu(II) Complex. **1997**, 36, 323-329 101
- 2144 Active Site Models for Galactose Oxidase. Electronic Effect of the Thioether Group in the Novel Organic Cofactor. **1997**, 36, 1407-1416 120
- 2143 Synthesis and structure of a three-dimensional copper(II) coordination polymer with 1,2-bis(imidazol-1-yl)ethane. **1997**, 256, 155-159 57
- 2142 Synthesis, crystal structure and magnetic properties of the triply bridged one-dimensional polymers [Cu<sub>2</sub>(ClO<sub>4</sub>)(OAc)<sub>2</sub>(bppz)(H<sub>2</sub>O)<sub>2</sub>](ClO<sub>4</sub>)(H<sub>2</sub>O)<sub>n</sub> and [Cu<sub>2</sub>(OBz)<sub>3</sub>(bppz)](ClO<sub>4</sub>)(H<sub>2</sub>O)<sub>2n</sub>; bppz=2,5-bis(2-pyridyl)pyrazine. **1997**, 260, 189-198 16
- 2141 Cu(II)-keto acid complexes as structural models of keto acid-dependent enzymes: syntheses, crystal structure and properties of [Cu(L) (benzoylformate)]X. **1997**, 263, 301-307 15
- 2140 Dinuclear Paddle-Wheel Copper(II) Carboxylates in the Catalytic Oxidation of Carboxylic Acids. Unusual Polymeric Chains Found in the Single-Crystal X-ray Structures of [Tetrakis(μ-1-phenylcyclopropane-1-carboxylato-O,O')bis(ethanol-O)dicopper(II)] and [Tetrakis(μ-1-phenylcyclopropane-1-carboxylato-O,O')bis(ethanol-O)dicopper(II)]·nH<sub>2</sub>O. **1997**, 263, 301-307 85
- 2139 Synthesis and characterization of tetrakis-μ-[(2,6dichlorophenyl) amino] benzeneacetodiaquodicopper(II) dihydrate and tetrakis-μ-[(2,6dichlorophenyl)amino]benzeneacetodimethylformamidodicopper(II). **1997**, 65, 151-157 78
- 2138 X-ray crystal structure and electronic properties of chlorobis(mepirizole)copper(II) tetrafluoroborate (mepirizole = 4-methoxy-2-(5-methoxy-3-methyl-1H-pyrazol-1-yl)-6-methylpyrimidine). **1997**, 16, 939-944 31
- 2137 Crystal structure characterization of a polynuclear complex between copper(II), tris(2-aminoethyl)amine and ferrocyanide. **1997**, 16, 909-914 18
- 2136 Platinum(II) and palladium(II) complexes of tetrakis(pyrazolyl)cyclotriphosphazenes. **1997**, 16, 1003-1011 15
- 2135 Synthesis and crystal structure of di [[Acetato](2-acetylpyridine-4N-ethylthiosemicarbazonato)zinc(II)]. **1997**, 16, 3947-3951 20
- 2134 Synthesis, X-ray structure and properties of a new nitrite-bound copper(II) complex with 2-(3,5-dimethylpyrazol-1-ylmethyl)pyridine in a CuN<sub>4</sub>(O) coordination. **1997**, 16, 4331-4336 17
- 2133 Unsymmetric Dinucleating Ligands for Metallobiosite Modelling. **1997**, 130, 433-442 108
- 2132 Structure and properties of Cu(II)(o-hydroxypropiophenone-salicylhydrazide)(2,2'-bipyridyl) [Cu(OHP-SHZ)(bipy)] and Cu(II)(o-hydroxypropiophenone-salicylhydrazide)(2,2'-bipyridylamine) monohydrate [Cu(OHP-SHZ)(bipyam)]H<sub>2</sub>O. **1997**, 255, 139-148 13
- 2131 Unexpected formation of the new oxorhenium (V) complex [ReO(NH(CH<sub>2</sub>CH<sub>2</sub>S)<sub>2</sub>)(SC<sub>6</sub>H<sub>5</sub>)] obtained by N≡C cleavage of the tripodal ligand N(CH<sub>2</sub>CH<sub>2</sub>SH)<sub>3</sub>. **1997**, 257, 143-147 13
- 2130 Significant antiferromagnetic exchange in copper(II) and nickel(II) dinuclear complexes of the substituted pyrazine ligand 2,3,5,6-tetra(2-pyridyl)pyrazine (TPPZ): magnetic properties, synthesis and crystal structure. **1997**, 257, 89-97 70
- 2129 Mercury(II) halide adducts of esters of 2-pyridinecarboxylic acid. Crystal structures and structural variations within the series [HgCl<sub>2</sub>(C<sub>5</sub>H<sub>4</sub>NCOOR)], R=Me, Et, Prn, Pri. **1997**, 266, 81-90 16
- 2128 Synthesis, characterization and crystal structure of a novel tris(2-aminoethyl) amine copper(II) complex with an asymmetric coordinated 4,5-diazafluorene-9-hydrazine. **1997**, 16, 187-194 11

- 2127 The coordination chemistry of (2-thiazolin-2-yl)hydrazine hydrochloride (TzHyHCl)II. Study of its interaction with zinc(II) and cadmium(II). **1997**, 16, 297-305 15
- 2126 Synthesis, X-ray structure, spectroscopic and magnetic properties of [bis(4-amino-3,5-bis(pyridin-2-yl)-1,2,4-triazole-N?,N1)-(aqua)copper(II)]bis(hydrogensulfate). **1998**, 268, 37-42 27
- 2125 Synthesis and structural characterization of the [2,9-dimethyl-4,7-diaza-2,9-decanedithiolato]oxorhenium(V) complex. **1998**, 268, 169-175 8
- 2124 Cull-herbicide complexes: structure and bioactivity. **1998**, 272, 24-32 77
- 2123 Copper complexes modelling the interaction between benzolamide and Cu-substituted carbonic anhydrase. Crystal structure of Cu(bz)(NH3)4 complex. **1998**, 273, 334-338 31
- 2122 Novel trigonal-bipyramidal copper(II) complexes containing one discrete amino acid chelate: crystal structures of [Cu(L-val)(pmdt)]ClO4 and [Cu(aiba)(pmdt)]ClO4·H2O (L-val = L-valinate ion, aiba =  $\beta$ -aminoisobutyrate ion, and pmdt = N,N,N',N',N'-pentamethyldiethylenetriamine). **1998**, 274, 247-250 5
- 2121 Dinuclear CuII/III complexes of a phenol-based macrocycle with N(amine)2O2 and N(imine)2O2 metal-binding sites: the effect of chloride ligation upon the site selectivity of metal ions. **1998**, 283, 72-79 33
- 2120 Molecular structure of a five-coordinate binuclear zinc complex. **1998**, 279, 249-251 3
- 2119 Crystal structures and magnetic properties of uniform and alternating azido-bridged (2,2'-bipyridyl)copper(II) chains. **1998**, 282, 82-89 62
- 2118 Synthesis, crystal structure and magnetic properties of the first single azido-bridged copper(II) chain [Cu(bpym)(N3)2]n (bpym + 2,2'-bipyrimidine). **1998**, 282, 252-256 29
- 2117 Exchange interactions through hydrogen-bond bridges. Crystal structure, spectroscopic characterisation and magnetic properties of the complex [{Cu(en)}2( $\beta$ egta)]·4H2O (H4egta = 3,12-bis(carboxymethyl)-6,9-dioxa-3,12-diazatetradecanedionic acid). **1998**, 279, 58-64 12
- 2116 Synthesis and metal complexes of a chelating ligand containing thiomorpholine and pyridine: 2,6-bis(thiomorpholinomethyl)pyridine. **1998**, 279, 221-225 8
- 2115 A metal-assisted conversion of CO2 and imidazole to carboxylate: synthesis and structural characterisation of the zinc carboxylate {bis(1-methyl-2-imidazolecarboxylato)(1-methylimidazole)}zinc(II), [Zn(1-Me-2-Imc)2(1-Melm)]. **1998**, 1, 30-33 6
- 2114 Expansion of the  $\beta + 1$  concept of oxorhenium-thiolate chemistry to cationic and binuclear complexes. **1998**, 1, 209-212 20
- 2113 Synthesis, structure, lipophilicity and protonation behaviour of mixed ligand rhenium chelates functionalized by amine groups. **1998**, 49, 961-966 12
- 2112 Reactions of mercury(II) with 2-pyridinecarboxylic and 6-methyl-2-pyridinecarboxylic acids and corresponding esters. Crystal structures of [Hg(C5H4NCOO)2], [HgX2(C5H4NCOOPri)], X = Br or I and [HgCl2(MeC5H3NCOOEt)]. **1998**, 17, 1591-1600 14
- 2111 Interaction of [ (dien) Cu (ONO2) ] NO3 and [ (dien) Cu (Br) ] Br with guanosine and adenine. Crystal structure of [ (dien) Cu (Guo-N7) (ONO2) ] NO3. **1998**, 17, 2719-2726 10
- 2110 Formation of 2-pyridinyl-2-oxazolines in the coordination sphere of copper (II) and cobalt (II) . The crystal structure of bromo-bis [ (2- (2-pyridinyl) - 4,4-bis (hydroxymethyl) -2-oxazoline) ] copper (II) bromide hemihydrate. **1998**, 17, 2765-2772 12



- 2109 Consecutive crystallisation of  $[\text{Cu}(\text{MeppdCl})_2]\text{BF}_4$  and  $[\text{Cu}(\text{MeppdCl})_2\text{Cl}]\text{BF}_4 \cdot 0.5(\text{C}_2\text{H}_5)_2\text{O}$  from dichloromethane. **1998**, 17, 3583-3593 5
- 2108 A mixed-ligand P,S,N-cis-dioxorhenium(V) complex by ligand exchange reactions on trans-monooxo-trichlorobis(triphenylphosphine)rhenium(V): formation and structural studies. **1998**, 17, 3711-3720 5
- 2107 Self association in the structures of two copper (II) Azo-dye complexes. **1998**, 17, 4169-4177 32
- 2106 Synthesis, characterization and crystal structures of three diverse copper (II) complexes with thiophene-2,5-dicarboxylic acid and 1,10-phenanthroline. **1998**, 17, 4237-4247 42
- 2105 Synthesis, spectral and XRD studies on three O-nitrito-complexes with new N,N,O-tridentate Schiff bases derived from 6-amino-5-formyl-1,3-dimethyluracil and semicarbazide, acetylhydrazine and benzoylhydrazine. **1998**, 18, 351-360 12
- 2104 Chelate ring-opening of Pd(II) triphos complexes. **1998**, 18, 383-389 21
- 2103 Homo- and Heterometallic Mono-, Di-, and Trinuclear  $\text{Co}^{2+}$ ,  $\text{Ni}^{2+}$ ,  $\text{Cu}^{2+}$ , and  $\text{Zn}^{2+}$  Complexes of the Heteroscorpionate Ligand (2-Hydroxyphenyl)bis(pyrazolyl)methane and Its Derivatives. **1998**, 37, 1473-1482 19
- 2102 Heteroditopic Cryptands of Tunable Cavity Size: Imposition of Distorted Geometry onto Copper(II) and Nickel(II) and Molecular Recognition of Water Molecules. **1998**, 37, 5050-5055 48
- 2101 Comparative Crystallography. 5. Crystal Structures, Electronic Properties, and Structural Pathways of Five  $[\text{Cu}(\text{phen})_2\text{Br}][\text{Y}]$  Complexes,  $\text{Y} = [\text{Br}]\cdot 4\text{H}_2\text{O}$ ,  $[\text{ClO}_4]^-$ ,  $[\text{NO}_3]^- \cdot 4\text{H}_2\text{O}$ ,  $[\text{PF}_6]^-$ , and  $[\text{BPh}_4]^-$ . **1998**, 37, 240-248 83
- 2100 Structural and Magnetochemical Properties of Mono-, Di-, and Trinuclear Manganese(III) Dithiolate Complexes. **1998**, 37, 516-525 20
- 2099 Structural and Magnetic Properties of Dicopper(II) Complexes of Polydentate Diazine Ligands. **1998**, 37, 3217-3229 75
- 2098 Coordination of Zn(II), Cd(II), Hg(II), and Ag(I) by Bis(benzimidazole) Ligands. **1998**, 37, 199-207 74
- 2097 Copper(II) Complexes with Unusual Axial Phenolate Coordination as Structural Models for the Active Site in Galactose Oxidase: X-ray Crystal Structures and Spectral and Redox Properties of  $[\text{Cu}(\text{bnpn})\text{X}]$  Complexes. **1998**, 37, 6418-6427 88
- 2096 Synthesis and Characterization of a Series of Edge-Sharing Octahedral-Tetrahedral-Octahedral Linear Trinuclear Complexes  $[\text{M}(3)(\text{L}1\text{O})(4)](2+)$ , Where  $\text{M} = \text{Mn}(2+)$ ,  $\text{Co}(2+)$ ,  $\text{Ni}(2+)$ ,  $\text{Cu}(2+)$ , and  $\text{Zn}(2+)$  and L1OH is the "Heteroscorpionate" Ligand (2-Hydroxyphenyl)bis(pyrazolyl)methane. **1998**, 37, 2263-2272 62
- 2095 CRYSTAL STRUCTURE AND SPECTROSCOPIC STUDIES OF TRIS(2-AMINOETHYL)AMINE COPPER(II) COMPLEXES WITH 4-AMINOPYRIDINE. **1998**, 44, 151-161 5
- 2094 The range in static stereochemistry of the cation distortion isomers of the  $[\text{Cu}(\text{chelate})_2\text{Cl}]^+$  cation, where chelate=bipy, phen or bipyam. The low temperature crystal structure (150 K) of  $[\text{Cu}(\text{bipy})_2\text{Cl}][\text{PF}_6] \cdot 4\text{H}_2\text{O}$  and  $[\text{Cu}(\text{phen})_2\text{Cl}][\text{BPh}_4]$ . **1999**, 18, 611-615 33
- 2093 Synthesis and structural characterization of Zn (II), Ag (I) and Pd (II) complexes with 2,4-diamino-5-nitroso-6-oxopyrimidine. Crystal and molecular structure of  $[\text{ZnCl}_2(\text{L})(\text{H}_2\text{O})]$  and  $[\text{Ag}(\text{NO}_3)(\text{L})_2]$ . **1999**, 18, 689-693 5
- 2092 Synthesis of cobalt(II), nickel(II) and copper(II) complexes with 2-(2-hydroxyphenyliminomethyl)-1-(4-methyl-phenylsulfonamido)benzene and crystal structures of {bis(methanol)[2-(2-N-tosylaminophenyl)iminomethyl]phenolato}nickel(II) and {bis(2,2'-bipyridine)[2-(2-N-tosylaminophenyl)iminomethyl]phenolato}copper(II). **1999**, 18, 863-869 35

- 2091 Syntheses, structures and properties of copper(II) complexes with thiophene-2,5-dicarboxylic acid (H2Tda) and nitrogen-containing ligands. **1999**, 18, 1211-1220 42
- 2090 Synthesis, chemical characterization, X-ray crystal structure and magnetic properties of oxalato-bridged copper(II) binuclear complexes with 2,2'-bipyridine and diethylenetriamine as peripheral ligands. **1999**, 18, 1235-1245 88
- 2089 Synthesis and reactions of new oxorhenium(V) complexes with Re-Halogen bonds.. **1999**, 18, 1793-1797 9
- 2088 Synthesis, spectra and redox properties of mononuclear five-co-ordinate copper(II) complexes with non-communicable pyrazole/pyridyl containing ligands: X-ray structure of [2,6-bis(3,5-dimethyl-pyrazol-1-ylmethyl)pyridine][2-(3,5-dimethylpyrazol-1-ylmethyl)pyridine]copper(II) diperchlorate. **1999**, 18, 1743-1750 26
- 2087 Syntheses, characterization and crystal structure of copper(II)  $\pi$ -unsaturated carboxylate complexes with imidazole. **1999**, 18, 2009-2015 51
- 2086 Synthesis and spectral studies on metal complexes with the neutral O,N,O-tridentate Schiff base 6-amino-5-formyl-1,3-dimethyluracil-benzoylhydrazone. **1999**, 18, 2205-2210 16
- 2085 Synthesis and structural characterization of nickel(II), copper(II) and zinc(II) complexes with the hexadentate ligand 2,13-bis(2-pyridylmethyl)-3,14-dimethyl-2,6,13,17-tetraazatricyclo[14,4,01.18,07.12]docosane. **1999**, 18, 2811-2820 16
- 2084 Copper(II) bromide/1-methylbenzotriazole chemistry. **1999**, 18, 3067-3075 10
- 2083 Coordinating behaviour of 3-methyl[1,2,3]triazolo[1,5-a]pyridine (tzpy): crystal and molecular structure and electronic properties of [Cu(tzpy)<sub>2</sub>(ONO<sub>2</sub>)<sub>2</sub>(OH<sub>2</sub>)]. **1999**, 18, 3129-3133 16
- 2082 Copper(II) complexes with the N,N,O-tridentate ligand 6-amino-5-formyl-1,3-dimethyluracilato-(N6)-benzoylhydrazone: synthesis, spectral and XRD studies. **1999**, 18, 3629-3636 21
- 2081 Synthesis, characterization and antifungal activity of group 12 metal complexes of 2-acetylpyridine-4N-ethylthiosemicarbazone (H4EL) and 2-acetylpyridine-N-oxide-4N-ethylthiosemicarbazone (H4ELO). **1999**, 18, 3695-3702 77
- 2080 Copper(I) and copper(II) complexes of the bidentate imidazole/thioether ligand 1-methyl-2-(methylthiomethyl)-1H-benzimidazole. **1999**, 287, 204-208 17
- 2079 A two-dimensional network constructed via 72-membered heart-shaped macrocycles, a copper(II) complex with 1,3,5-tris(imidazol-1-ylmethyl)-2,4,6-trimethylbenzene and diethylenetriamine ligands. **1999**, 295, 129-135 54
- 2078 Synthesis and characterization of oxorhenium-'3+1' mixed-thiolate complexes. Crystal and molecular structures of [ReO{EB-(SCH<sub>2</sub>CH<sub>2</sub>)<sub>2</sub>S}(C<sub>6</sub>H<sub>4</sub>X-4-CH<sub>2</sub>S)] (X=F, Cl, Br, OMe) and of the pendant thiolate compounds [ReO{EB-(SCH<sub>2</sub>CH<sub>2</sub>)<sub>2</sub>S}(E1-SCH<sub>2</sub>CH<sub>2</sub>SCH<sub>2</sub>CH<sub>2</sub>SH)] and [ReO{EB-(SCH<sub>2</sub>CH<sub>2</sub>)<sub>2</sub>S}(E2-SCH<sub>2</sub>CH<sub>2</sub>SCH<sub>2</sub>CH<sub>2</sub>SH)]. **1999**, 287, 253-257 34
- 2077 Synthesis and characterization of five-coordinate rhenium(V) and technetium(V) mixed ligand bifunctional complexes carrying the SNS/S or the SNN/S donor atom set. Crystal structure of ReO{[(C<sub>2</sub>H<sub>5</sub>)<sub>2</sub>NCH<sub>2</sub>CH<sub>2</sub>N(CH<sub>2</sub>CH<sub>2</sub>S)<sub>2</sub>](p-H<sub>2</sub>NBhS)} and ReO{[(CH<sub>2</sub>)<sub>4</sub>NCH<sub>2</sub>CH<sub>2</sub>NCH<sub>2</sub>CH<sub>2</sub>S](p-H<sub>2</sub>NBhS)}. **1999**, 285, 97-106 17
- 2076 Synthesis, crystal structure and magnetic properties of catena-poly[(2,2'-bipyridylcopper)-di- $\mu$ -thiocyanato] and bis(2,2'-bipyridyl)thiocyanatocopper(II) perchlorate. **1999**, 286, 169-174 41
- 2075 Coordination compounds with 4-aminopyridine. An unusual in situ formation of a bridging formate compound. The structure of catena-poly[bis(4-amino-pyridine)(formate-O)copper(II)- $\mu$ -formate(O,O?)]. **1999**, 287, 226-231 26
- 2074 The hydrothermal synthesis and structural characterization of a new class of compounds: nickel organoamine-halocadmates. **1999**, 292, 41-51 37

2073	Structural study of the electrochemically synthesized binuclear complex bis{1-phenylglyoxal bis(3-piperidylthiosemicarbazone)zinc(II)}. <b>1999</b> , 294, 79-82	8
2072	1:1 Adducts of triphenyltin chloride with oxovanadium(IV) tetradentate Schiff-base complexes. <b>1999</b> , 293, 147-154	14
2071	Study on the formation of mixed ligand oxorhenium and oxotechnetium complexes (SNS/S combination). <b>1999</b> , 295, 1-8	16
2070	Electrochemical synthesis of cobalt, nickel, copper, zinc and cadmium complexes with N[(2-hydroxyphenyl)methylidene]-N'-tosylbenzene-1,2-diamine. The crystal structures of {(1,10-phenanthroline)[N-(2-oxophenyl)methylidene]-N'-tosylbenzene-1,2-diaminato}nickel(II) and {(1,10-phenanthroline)[N-(2-oxophenyl)methylidene]-N'-tosylbenzene-1,2-diaminato}copper(II). <b>1999</b> , 295, 39-47	26
2069	Convenient Synthesis of Chiral Cyclophanes that Can Coordinate to Metals. <b>1999</b> , 121, 8270-8276	26
2068	(EPhenoxo) <sub>2</sub> CoIIIMII (M = Mn, Co, Zn) Complexes with a Co(salen) Entity in a Macrocyclic Framework: Core Structures and Neighboring MII Effects upon Oxygenation at the Co(salen) Center. <b>1999</b> , 38, 4038-4045	35
2067	Cu(I) and Cu(II) helical complexes formed with oligobipyridine ligand. <b>1999</b> , 42, 501-510	1
2066	Formation of Dinuclear Copper(II) Complexes from a Macrocycle with Built-in Pyrazole Groups. <b>1999</b> , 38, 1239-1243	24
2065	New Insights into the Berg <del>H</del> olm Oxomolybdoenzyme Model. <b>1999</b> , 121, 6430-6436	40
2064	Dinuclear and Trinuclear Zn(II) Calix[4]arene Complexes as Models for Hydrolytic Metallo-Enzymes. Synthesis and Catalytic Activity in Phosphate Diester Transesterification. <b>1999</b> , 64, 3896-3906	124
2063	High-Spin Molecules: Hexanuclear MnIII Clusters with [Mn <sub>6</sub> O <sub>4</sub> X <sub>4</sub> ] <sup>6+</sup> (X = Cl <sup>-</sup> , Br <sup>-</sup> ) Face-Capped Octahedral Cores and S = 12 Ground States. <b>1999</b> , 121, 5489-5499	97
2062	Synthesis, Structure, and Magnetic Properties of a New Chloro-Bridged Dimer [Cu <sub>2</sub> (dpt)2Cl <sub>2</sub> ]Cl <sub>2</sub> with an Unusual Structure and Ferromagnetic Coupling. <b>1999</b> , 38, 2328-2334	110
2061	Synthesis and Characterization of Zinc and Cadmium Compounds with Arenephosphinothiol Ligands. Crystal and Molecular Structures of [Cd(2){2-(Ph(2)PO)C(6)H(4)S}(4)], [Zn{2-(Ph(2)P)-6-(Me(3)Si)C(6)H(3)S}(2)], [Cd{2-(Ph(2)PO)-6-(Me(3)Si)C(6)H(3)S}(2)(CH(3)OH)], and [Zn{PhPO(C(6)H(4)S-2)}(2)}(bipy)]. <b>1999</b> , 38, 3709-3715	26
2060	New Robust Bleomycin Analogues: Synthesis, Spectroscopy, and Crystal Structures of the Copper(II) Complexes. <b>1999</b> , 38, 2824-2832	19
2059	Synthesis and Electrochemical and Structural Chemistry of Rhenium in High Oxidation States with Sterically Hindered Polypyridine Ligands. <b>1999</b> , 38, 5425-5430	11
2058	CRYSTAL STRUCTURE AND PROPERTIES OF A COPPER(II) COMPLEX OF AN 18-MEMBERED MACROCYCLIC LIGAND WITH N,N' -DICARBOXYLIC ACID ARMS. <b>1999</b> , 47, 289-297	1
2057	Crystal Structure and Reversible O <sub>2</sub> -Binding of a Room Temperature Stable <del>E</del> : <del>E</del> -Peroxicopper(II) Complex of a Sterically Hindered Hexapyridine Dinucleating Ligand. <b>1999</b> , 121, 11006-11007	132
2056	Coordination and Conversion of Urea at Dinuclear &mgr;-Acetato Nickel(II) Complexes with Symmetric and Asymmetric Cores. <b>1999</b> , 38, 4559-4566	49

- 2055 A Novel Triangular Trinuclear  $\beta$ -CO<sub>3</sub> Ferromagnetic CuII Compound Prepared in situ from CO<sub>2</sub> Uptake in Air. X-ray Structure, Spectroscopy and Magnetism. **2000**, 2000, 2179-2184 32
- 2054 Coordination chemistry with pyrazole-based chelating ligands: molecular structural aspects. **2000**, 203, 151-218 393
- 2053 Cyano bridged dinuclear Cu(II) complexes. **2000**, 300-302, 922-931 26
- 2052 Pentadentate thioether-oxime macrocyclic and quasi-macrocyclic complexes of copper(II) and nickel(II). **2000**, 300-302, 992-1003 39
- 2051 Synthesis, crystal structure and solution behavior of a novel tetranuclear Zn(II) Schiff base complex. **2000**, 304, 125-129 21
- 2050 Copper-mediated oxygenation of flavonolate in the presence of a tridentate N-ligand. Synthesis and crystal structures of [Cu(flav)(idpaH)]ClO<sub>4</sub> and [Cu(idpaH)(O-bs)]ClO<sub>4</sub>, [flav=flavonolate, idpaH=3,3'-iminobis(N,N-dimethylpropylamine), O-bs=O-benzoylsalicylate]. **2000**, 304, 72-77 25
- 2049 Synthesis and characterization of complexes of the {ReO} core with SNS and S donor ligands. **2000**, 306, 30-37 21
- 2048 Structure of aqua-bis(ethylenediamine)copper(II) bis(2,6-dimethylphenolate). **2000**, 306, 237-240 20
- 2047 Exploring oxorhenium '3+1' mixed-ligand complexes carrying the S-benzyl-3-[2-hydroxyphenyl)methylene]dithiocarbamate [ONS]/monothiol [S] donor set: synthesis and characterization. **2000**, 307, 154-159 21
- 2046 Synthesis and characterization of oxorhenium(V)-'3+1' mixed thiolate [SNS]/[S] and [ONS]/[S] complexes. Crystal and molecular structures of [ReO(eta-SCH(2)C(5)H(3)NCH(2)S)(eta-C(6)H(4)Br-4-S)], [ReO(eta-SCH(2)C(5)H(3)NCH(2)O)(eta-C(6)H(4)X-4-S)] (X=Cl, OMe). 18
- 2045 The syntheses and structures of '3+2' and '2+2+1' oxorhenium mixed-ligand complexes employing 8-hydroxy-5-nitroquinoline as the bidentate N,O donor ligand. **2000**, 308, 80-90 51
- 2044 Copper complexes of a new tridentate imidazole-containing ligand: spectroscopy, structures and nitrite reductase reactivity. **2000**, 310, 41-50 28
- 2043 Structure-dependent spectral behavior of five-coordinate ternary copper(II) complexes containing 2,2'-dipicolylamine. X-ray crystal structures of [Cu(dpa)(pic)]ClO<sub>4</sub>, and [Cu(dpa)(pic)]PF<sub>6</sub>·H<sub>2</sub>O (dpa=2,2'-dipicolylamine, pic=picolate). **2000**, 310, 96-102 34
- 2042 Ni(tn)<sub>2</sub>Ag<sub>2</sub>(CN)<sub>4</sub> and Cu(tn)<sub>2</sub>Ag<sub>2</sub>(CN)<sub>4</sub> (tn=1,3-diaminopropane): preparation, crystal structure, magnetic and spectral properties. **2000**, 311, 126-132 38
- 2041 Cationic complexes of the  $\beta$ +1 $\beta$ oxorheniumthiolate family. **2000**, 297, 98-105 35
- 2040 Synthesis, structural determination and magnetic properties of three new di- $\mu$ ,3-azido copper(II) dimers derived from tridentate amines: magneto-structural correlations. **2000**, 298, 195-201 48
- 2039 Stabilities of five-coordinate ternary copper(II) complexes containing 2,2'-dipicolylamine and  $\alpha$ -amino acids and X-ray crystal structure of [Cu(dpa)(l-phe)]ClO<sub>4</sub> (dpa=2,2'-dipicolylamine, l-phe=l-phenylalaninate). **2000**, 303, 148-155 13
- 2038 Synthesis and characterisation of cobalt, nickel, zinc and cadmium compounds with a pyridine-derived N<sub>3</sub>O<sub>2</sub> macrocycle: Crystal and molecular structures of the macrocyclic ligand and Co(II), Ni(II) and Zn(II) complexes. **2000**, 300-302, 234-242 11

- 2037 Oxorhenium(V) complexes containing tridentate Schiff-base and monothiol coligands. **2000**, 300-302, 517-524 19
- 2036 Calix[6]arene-based models for mono-copper enzymes: a promising supramolecular system for oxidation catalysis. **2000**, 3, 811-819 8
- 2035 Metal complexes as anticancer agents. **2000**, 3, 453-457 14
- 2034 A coordination polymer derived from the copper(II) complex of a bis-(salicylhydrazone) derived from iminodiacetic acid diethyl ester. **2000**, 3, 24-28 63
- 2033 A model for ZnII-containing-beta-lactamase: synthesis, X-ray crystal structure of a zinc(II) complex bearing thiol group and hydrolysis of phosphate diester. **2000**, 10, 1333-7 23
- 2032 Syntheses, structures and electrochemistry of  $[Zn(L1)2](BF4)2 \cdot 2H2O$  and  $[Zn(L1)(TpR)]BF4$  ( $L1=1$ -{pyrid-2-yl}-3-{2,5-dimethoxyphenyl}pyrazole;  $[TpR]$ =tris-{3-arylpyrazolyl}borate). **2000**, 19, 109-114 6
- 2031 Synthesis and properties of  $[CuLCl2]$  and  $[CuL(N3)(OCLO3)] \cdot H2O$  ( $L=$  bis(pyrazolyl)-m-xylene): X-ray structure of  $[CuLCl2]2$ . **2000**, 19, 719-724 13
- 2030 New Cu(II) and Zn(II) complexes of benzamide with diethylenetriamine: synthesis, spectroscopy and X-ray structures. **2000**, 19, 725-730 10
- 2029 Reaction of the diethyltin(IV) cation with pyridoxine (PN, vitamin B6) in the presence of various anionic species: the crystal structure of  $[SnEt2(PNB)]Cl$ . **2000**, 19, 813-819 29
- 2028 Synthesis, reactivity and magnetochemical studies on copper(II) complexes derived from N-salicylidenearylhhydrazines. X-ray structure of [mononitratoOO(II)(N-salicylidenebenzoylhydrazine)ONO(II)]copper(II) monohydrate. **2000**, 19, 949-958 68
- 2027 Synthesis, characterization and magnetochemical studies of some imidazole and imidazolate copper(II) ternary complexes derived from N-salicylidenearylhhydrazines. X-ray crystal and molecular structures of [(N-salicylidene-p-chlorobenzoylhydrazine)ONO(II)imidazole]copper(II) monohydrate and dimeric [(N-salicylidene-p-methylbenzoylhydrazine)ONO(II)imidazole]copper(II) dihydrate. **2000**, 19, 1181-1191 44
- 2026 Magnetic interactions in dicopper(II) complexes of a new endogenous alkoxo bridging ligand with exogenous pyrazolate, azide and acetate bridges. X-ray structure of  $[Cu2L(OC3H3N2)(OCLO3)(H2O)](CLO4) \cdot H2O$  ( $L=1,2,4,5$ -tetrakis[2-(2-oxo-1,2,4,5-tetrahydropyridin-3-yl)ethyl]benzene). **2000**, 19, 1199-1205 33
- 2025 Structures of 2-pyridineformamide thiosemicarbazone and its complexes with cadmium halides. **2000**, 19, 1873-1880 37
- 2024 Coordination chemistry of sulfamethizole: crystal structures of  $[Cu(\text{sulfamethizolate})2(\text{py})2(\text{OH}2)] \cdot 4\text{H}2\text{O}$ ,  $[M(\text{sulfamethizolate})2(\text{py})2(\text{OH}2)2]$  [ $M=\text{Co}$  and  $\text{Ni}$ ] and  $\{Cu(\text{sulfamethizolate})2(\text{dmf})2\}2$ . **2000**, 19, 1859-1866 29
- 2023 Synthesis, characterisation and crystal structure of a 1,4-diazacycloheptane complex of copper(II). **2000**, 19, 1881-1885 4
- 2022 Oxovanadium(IV) complexes with aromatic aldehydes. **2000**, 80, 35-9 53
- 2021 Synthesis and characterization of the zinc(II) complex of a bleomycin analogue: a unique polymeric 2-[(2-(4-imidazolyl)ethyl)amino]carbonyl-6-[(2-amino-2-methylpropyl)amino]methyl]pyridine zinc(II) nitrate complex. **2000**, 3, 107-110 6
- 2020 The first dicopper(II) complex of a new bis(1,5,9-triazacyclododecane) ligand: synthesis, crystal structure and magnetic coupling of the complex. **2000**, 298, 50-56 8

2019	A dinuclear copper(II) and a mononuclear cobalt(II) compound of the didentate N,O-donor ligand 1-(2-hydroxyethyl)-3,5-dimethylpyrazole. <b>2000</b> , 300-302, 1099-1103	17
2018	Molecular structure, characterization and magnetic properties of novel mixed-valence copper(I,II) $\mu$ -unsaturated carboxylate complexes with triphenylphosphine and methanol ligands. <b>2000</b> , 19, 891-898	24
2017	Models for the active site in galactose oxidase: Structure, spectra and redox of copper(II) complexes of certain phenolate ligands. <b>2000</b> , 112, 223-238	13
2016	Macrocyclic effects upon isomeric CuII and NiII cores. Formation with unsymmetric phenol-based macrocyclic ligands. <b>2000</b> , 112, 291-310	11
2015	Review on vanadium phosphates with mono and divalent metallic cations: syntheses, structural relationships and classification, properties. <b>2000</b> , 2, 561-579	87
2014	Crystal Chemical Aspects of Vanadium: Polyhedral Geometries, Characteristic Bond Valences, and Polymerization of (VO <sub>n</sub> ) Polyhedra. <b>2000</b> , 12, 1248-1259	197
2013	Magnetic coupling in end-to-end azido-bridged copper and nickel binuclear complexes: a theoretical study. <b>2000</b> , 39, 3221-9	140
2012	A Cu(II)-mediated C-H oxygenation of sterically hindered terpyridine ligands to form triangular Cu(II) <sub>3</sub> complexes. <b>2000</b> , 39, 226-34	45
2011	Varying coordination modes and magnetic properties of copper(II) complexes with diazamesocyclic ligands by altering additional donor pendants on 1,5-diazacyclooctane. <b>2000</b> , 39, 4190-9	66
2010	Phospho-Aldol Catalysis via Chiral Schiff Base Complexes of Aluminum <b>2000</b> , 19, 4445-4457	76
2009	Structurally diverse copper(II)-carboxylato complexes: neutral and ionic mononuclear structures and a novel binuclear structure. <b>2000</b> , 39, 3042-8	106
2008	Preparation and oxygenation of (flavonolato)copper isoindoline complexes with relevance to quercetin dioxygenase. <b>2000</b> , 39, 4224-9	101
2007	Structural influences of organonitrogen ligands on vanadium oxide solids. Hydrothermal syntheses and structures of the terpyridine vanadates [V <sub>2</sub> O <sub>4</sub> (terpy) <sub>2</sub> ] <sub>3</sub> [V <sub>10</sub> O <sub>28</sub> ], [VO <sub>2</sub> (terpy)][V <sub>4</sub> O <sub>10</sub> ], and [V <sub>9</sub> O <sub>22</sub> (terpy) <sub>3</sub> ]. <b>2000</b> , 39, 3252-60	98
2006	Formation of a tetranuclear copper (II) cluster assembled by metal-assisted hydrolysis and desulfurization of bis(3,5-dimethylpyrazolyl)methylphosphine sulfide, MeP(S)(3,5-Me <sub>2</sub> Pz) <sub>2</sub> . <b>2000</b> , 39, 3238-42	63
2005	Novel biomimetic calix[6]arene-based copper(II) complexes. <b>2000</b> , 39, 3436-7	59
2004	Ferromagnetism in an extended three-dimensional, diamond-like copper(II) network: a new copper(II)/1-hydroxybenzotriazolato complex exhibiting soft-magnet properties and two transitions at 6.4 and 4.4 K. <b>2000</b> , 39, 2522-9	47
2003	Coordination chemistry of a novel tetramacrocyclic ligand derived from 1,4,7-triazacyclononane: synthesis, structure, and properties of nickel(II) and copper(II) complexes. <b>2000</b> , 39, 1092-9	31
2002	Synthesis and characterization of mixed-ligand oxorhenium complexes with the SNN type of ligand. Isolation of a novel ReO[S <sub>N</sub> ][S][S] complex. <b>2000</b> , 39, 4211-8	13

2001	Tetranuclear manganese carboxylate complexes with a trigonal pyramidal metal topology via controlled potential electrolysis. <b>2000</b> , 39, 1501-13	64
2000	Ferromagnetism in malonato-bridged copper(II) complexes. Synthesis, crystal structures, and magnetic properties of $[[\text{Cu}(\text{H}_2\text{O})_3][\text{Cu}(\text{mal})_2(\text{H}_2\text{O})]]_n$ and $[[\text{Cu}(\text{H}_2\text{O})_4]_2[\text{Cu}(\text{mal})_2(\text{H}_2\text{O})]][\text{Cu}(\text{mal})_2(\text{H}_2\text{O})_2][[\text{Cu}(\text{H}_2\text{O})_4][\text{Cu}(\text{mal})_2(\text{H}_2\text{O})_2][(\text{H}_2\text{mal} = \text{malonic acid})]$ . <b>2000</b> , 39, 1363-70	202
1999	Synthesis and Characterization of Cross-Bridged Cyclams and Pendant-Armed Derivatives and Structural Studies of Their Copper(II) Complexes. <b>2000</b> , 122, 10561-10572	175
1998	Helical-chain copper(II) complexes and a cyclic tetranuclear copper(II) complex with single syn-anti carboxylate bridges and ferromagnetic exchange interactions. <b>2000</b> , 39, 2882-90	227
1997	A rational design for imidazolate-bridged linear trinuclear compounds from mononuclear copper(II) complexes with 2-[[[(imidazol-2-ylmethylidene)amino]ethyl]pyridine (HL): syntheses, structures, and magnetic properties of $[\text{Cu}(\text{L})(\text{hfac})\text{M}(\text{hfac})_2\text{Cu}(\text{hfac})(\text{L})]$ (M = ZnII, CuII, MnII). <b>2000</b> , 39, 2770-6	51
1996	Synthesis and Characterization of Imidazolate-Bridged Dinuclear Complexes as Active Site Models of Cu,Zn-SOD. <b>2000</b> , 122, 5733-5741	192
1995	Structure-spectroscopy correlation in distorted five-coordinate Cu(II) complexes: a case study with a set of closely related copper complexes of pyridine-2,6-dicarboxamide ligands. <b>2001</b> , 40, 7003-8	64
1994	Mercury complexes of meso-tetra-(p-cyanophenyl)porphyrin and N-methylporphyrin: meso-tetra(p-cyanophenyl)porphyrinatomercury(II) and chloro(N-methyl-meso-tetraphenylporphyrinato)mercury(II). <b>2001</b> , 40, 6064-8	32
1993	Syntheses and Structural Characterization of Ferrocene-Containing Double-Helicate and Mononuclear Copper(II) and Silver(I) Complexes. <b>2001</b> , 20, 2525-2532	54
1992	Group 13 compounds incorporating Salen ligands. <b>2001</b> , 101, 37-52	367
1991	Two polymeric compounds built from mononuclear and tetrameric squarate-copper(II) complexes by deprotonation of 3,3-bis(2-imidazolyl)propionic acid (HBIP). Synthesis, crystal structure, and magnetic characterization of $[\text{Cu}(\text{HBIP})(\text{BIP})](\text{C}(4)\text{O}(4))(1/2).2\text{H}(2)\text{O}$ and $[\text{Cu}(\text{BIP})(\text{OH}(2))](4)(\text{mv}-\text{C}(4)\text{O}(4))](\text{ClO}(4))(2).4\text{H}(2)\text{O}$ . <b>2001</b> , 40, 6832-40	49
1990	Cyano-bridged bimetallic assemblies from hexacyanometalate, $[\text{M}(\text{CN})_6](3-)$ (M = Mn(III) and Fe(III)), and $[\text{M}(\text{N}4\text{-macrocycle})]_2^+$ (M=Fe(III), Ni(II) and Zn(II)) building blocks. Syntheses, multidimensional structures, and magnetic properties. <b>2001</b> , 40, 4876-83	57
1989	Trigonal planar copper(I) complex: synthesis, structure, and spectra of a redox pair of novel copper(II/I) complexes of tridentate bis(benzimidazol-2'-yl) ligand framework as models for electron-transfer copper proteins. <b>2001</b> , 40, 2246-55	66
1988	Tetranuclear mixed-metal $\text{M}(\text{II})_2\text{Cu}(\text{II})_2$ complexes derived from a phenol-based macrocyclic ligand having two N(amine)2O2 and two N(imine)2O2 metal-binding sites. <b>2001</b> , 40, 3739-44	39
1987	Characterization of imidazolate-bridged dinuclear and mononuclear hydroperoxo complexes. <b>2001</b> , 40, 3200-7	48
1986	Crystal chemistry of the 4,4'-dimethyl-2,2'-bipyridine/copper bromide system. <b>2001</b> , 40, 4342-52	73
1985	Effects of sequential replacement of -NH <sub>2</sub> by -OH in the tripodal tetraamine tren on its acidity and metal ion coordinating properties. <b>2001</b> , 40, 1527-35	34
1984	Hydroperoxo-copper(II) complex stabilized by N(S)s-type ligand having a phenyl thioether. <b>2001</b> , 123, 7715-6	77

- 1983 Syntheses, crystal structures, magnetic properties, and EPR spectra of tetranuclear copper(II) complexes featuring pairs of "roof-shaped" Cu<sub>2</sub>X<sub>2</sub> dimers with hydroxide, methoxide, and azide bridges. **2001**, 40, 1536-43 111
- 1982 SYNTHESIS, CRYSTAL STRUCTURE, AND PROPERTIES OF CuL(N<sub>3</sub>)H<sub>2</sub>O. **2001**, 31, 1403-1419
- 1981 Synthesis, characterization, antifungal properties and X-ray crystal structures of five- and six-coordinate copper(II) complexes of the 6-methyl-2-formylpyridine-4-N-dimethylthiosemicarbazone. **2001**, 20, 1045-1052 73
- 1980 Chiral bis(oxazoline) complexes. Synthesis, structure and applications in catalytic phospho-transfer. **2001**, 20, 2151-2162 22
- 1979 Cu(II) complexes with pyrazole-derived ligands. Crystal structure of {[diaquanitrato(3-phenyl-5-(2-pyridyl)pyrazole)]copper(II)} nitrate. **2001**, 20, 2531-2536 36
- 1978 Five-coordinate anion-bound copper(II) complexes with non-planar tridentate ligands. X-ray structures of [Cu(L<sub>3</sub>)(N<sub>3</sub>)<sub>2</sub>] and [Cu(L<sub>3</sub>)(ONO)(OCIO<sub>3</sub>)] (L<sub>3</sub>=2,6-bis(3,5-dimethyl-pyrazol-1-ylmethyl)pyridine). **2001**, 20, 2545-2549 20
- 1977 Synthesis, magnetochemical studies and X-ray molecular structures of some mononuclear copper(II)-H-pyrazole adducts and mono(μ-pyrazolate) bridged dicopper(II) complexes derived from N-salicylidenearylhydrazines. **2001**, 20, 2787-2798 40
- 1976 Three-dimensional frameworks built from hydrogen bonds and π-stacking interactions: structural and spectral study on Co(II) complexes of 1,5-diazacyclooctane (DACO) functionalized by heterocyclic pendants. **2001**, 20, 3065-3071 15
- 1975 Iron(III), cobalt(II,III), copper(II) and zinc(II) complexes of 2-pyridineformamide 3-piperidylthiosemicarbazone. **2001**, 20, 3265-3273 33
- 1974 Synthesis and crystal structure of mononuclear copper(II) complex of tridentate Schiff base ligand and its ferrocyanide-bridged pentanuclear complex. **2001**, 20, 579-584 22
- 1973 Crystal structures of copper(II) complexes of 2-formylpyridine substituted thiosemicarbazones; the first example of a coordinated thiosemicarbazone with a thiol function. **2001**, 570, 129-136 15
- 1972 Technetium and rhenium heterocomplexes containing the diphenylphosphinoferrocenyl fragment. **2001**, 637-639, 772-776 9
- 1971 Synthesis, crystal structures and spectroscopic studies of diorganotin derivatives with mefenamic acid. Crystal and molecular structures of 1,2:3,4-di-μ<sub>2</sub>-[2-(2,3-dimethylphenyl)amino]-benzoato-O,O'-1,3-bis-2-[-[(2,3-dimethylphenyl)amino]benzoato-O-1,2,4:2,3,4- and 52
- 1970 Synthesis of oxorhenium(V) and oxotechnetium(V) [SN(R)S/S] mixed ligand complexes containing a phenothiazine moiety on the tridentate SN(R)S ligand. **2001**, 11, 1859-62 6
- 1969 Unexpected chlorination of a pyrazole ligand. Structural characterisation of a new binuclear Cu(II) complex. **2001**, 4, 610-612 21
- 1968 Triethanolamine copper chloride prepared from zerovalent metal: another polymorph of a known Cu(II) compound or a mixed-valence complex with all-trigonal bipyramidal copper?. **2001**, 4, 201-213 6
- 1967 Novel Diazamesocyclic Ligands Functionalized with Pyridyl Donor Group(s) [Synthesis, Crystal Structures, and Properties of Their Copper(II) Complexes. **2001**, 2001, 1551-1558 42
- 1966 Mixed-Ligand Copper(II) Complexes with the Rigid Bidentate Bis(N-arylimino)acenaphthene Ligand: Synthesis, Spectroscopic-, and X-ray Structural Characterization. **2001**, 2001, 2641-2646 80



- 1965 Coordination Chemistry of Unsymmetrical Tripodal Ligands with an NNO<sub>2</sub> Donor Set. **2001**, 2001, 2427-2436 11
- 1964 Magnetische Wechselwirkungen als supramolekulare Funktion: Struktur und magnetische Eigenschaften wasserstoffverbundener zweikerniger Kupfer(II)-Komplexe. **2001**, 113, 4333-4336 13
- 1963 Exchange coupling in carboxylato-bridged dinuclear copper(II) compounds: a density functional study. **2001**, 7, 627-37 315
- 1962 Syntheses and properties of zinc and calcium complexes of valinate and isovalinate: metal alpha-amino acidates as possible constituents of the early Earth's chemical inventory. **2001**, 7, 1133-42 29
- 1961 Novel oxorhenium and oxotechnetium complexes from an aminothiolo[NS]/thiolo[S] mixed-ligand system. **2001**, 7, 3671-80 19
- 1960 Magnetic Interactions as Supramolecular Function: Structure and Magnetic Properties of Hydrogen-Bridged Dinuclear Copper(II) Complexes. **2001**, 40, 4207-4210 65
- 1959 Structural overview of technetium compounds (1993-1999). **2001**, 214, 43-90 65
- 1958 Ni(II), Cu(II) and Zn(II) complexes of a bifunctional bis(picolylo)amine (bpa) ligand derived from glycine. **2001**, 314, 126-132 29
- 1957 Synthesis, structures and properties of the dinuclear copper(II) complexes triply bridged by two oximate and one pyrazolato or one phthalazine. **2001**, 316, 127-131 15
- 1956 Crystal structure and magnetic properties of the flexible self-assembled two-dimensional square network complex [Cu<sub>2</sub>(mal)<sub>2</sub>(H<sub>2</sub>O)<sub>2</sub>(4,4'-bpy)] (H<sub>2</sub>mal=malonic acid and 4,4'-bpy=4,4'-bipyridine). **2001**, 318, 159-165 125
- 1955 Copper complexes with bibrachial lariat ethers: from mono- to binuclear structures. **2001**, 317, 190-198 30
- 1954 Copper complexes of carboxamidrazone derivatives as anticancer agents. 3. Synthesis, characterization and crystal structure of [Cu(appc)Cl<sub>2</sub>], (appc=N1-(2-acetylpyridine)pyridine-2-carboxamidrazone). **2001**, 319, 90-94 25
- 1953 Transition metal complexes of the tridentate NSN-donor ligand 5-(3,5-dimethylpyrazol-1-yl)-3-thia-1-pentaneamine. Crystal structure of [Cu(dptpa)(NO<sub>3</sub>)<sub>2</sub>]. **2001**, 319, 219-223 1
- 1952 A new dinuclear unsymmetric copper(II) complex as model for the active site of catechol oxidase. **2001**, 320, 12-21 123
- 1951 Synthesis and structural characterization of two cis-dioxorhenium(V) ReO<sub>2</sub>[SN][P] mixed-ligand complexes. **2001**, 320, 174-177 12
- 1950 Synthesis, characterization, redox properties, and representative X-ray structures of four- and five-coordinate copper(II) complexes with polydentate aminopyridine ligands. **2001**, 324, 1-15 84
- 1949 A dinuclear copper(II) macrocyclic pyrazole compound catalyses the oxidative polymerisation of 2,6-dimethylphenol. **2001**, 324, 16-20 20
- 1948 The structural reorganisation of bis(diethylthiocarbamato)morpholinezinc(II) and copper(II) in the course of solid-state solvation with morpholine and benzene molecules studied by ESR, solid-state <sup>13</sup>C and <sup>15</sup>N CP/MAS NMR spectroscopy and single-crystal X-ray diffraction. **2001**, 321, 63-74 38

- 1947 Mononuclear Cu(II) and triple helical dinuclear Co(II) complexes of a new potentially tetradentate ligand containing inequivalent bidentate units. **2001**, 324, 331-335 9
- 1946 Synthesis and characterization of a 1,8-difunctionalized dissymmetrical cyclam copper(II) complex bearing pyridylmethyl and N,N-dimethylcarbamoylmethyl groups. **2001**, 322, 145-149 30
- 1945 Crystal structure, spectroscopic characterisation and magnetic properties of [Cu(BIP)(N3)] $\cdot$ 4H<sub>2</sub>O (BIP=3,3-bis(2-imidazolyl)propionate), a copper(II) polymeric compound with asymmetrical  $\mu$ , $\mu$ ,3-azido bridges. **2001**, 324, 117-122 18
- 1944 Copper(II) complexes of new unsymmetrical NSN thioether ligands. **2001**, 324, 123-130 22
- 1943 SOD activities of the copper complexes with tripodal polypyridylamine ligands having a hydrogen bonding site. **2001**, 324, 108-116 106
- 1942 Magnetic interactions in copper complexes with nitronyl and imino nitroxides. **2001**, 324, 188-193 18
- 1941 Synthesis, crystal structure and magnetic properties of [Cu(bpym)(mal)(H<sub>2</sub>O)] $\cdot$ 6H<sub>2</sub>O and [Cu<sub>2</sub>(bpym)(mal)<sub>2</sub>(H<sub>2</sub>O)<sub>2</sub>] $\cdot$ 4H<sub>2</sub>O (bpym=2,2'-bipyrimidine, H<sub>2</sub>mal=malonic acid). **2001**, 326, 20-26 57
- 1940 Copper(II) complexes of sterically hindered phenolate ligands as structural models for the active site in galactose oxidase and glyoxal oxidase: X-ray crystal structure and spectral and redox properties. **2001**, 324, 241-251 18
- 1939 The encapsulation of ferrocyanide by copper(II) complexes of tripodal tetradentate ligands. Novel H-bonding networks incorporating heptanuclear and pentanuclear heterometallic assemblies. **2001**, 40, 4696-704 59
- 1938 Dinuclear Nickel(II) and Zinc(II) Complexes of 2,6-[N,N'-bis(2-hydroxyphenylmethyl)-N,N'-bis(2-pyridylmethyl)aminomethyl]-4-methylphenol. **2001**, 13, 513-519 12
- 1937 SYNTHESIS AND STRUCTURE OF Cd( $\mu$ -S<sub>2</sub>CS-c-C<sub>6</sub>H<sub>11</sub>)<sub>2</sub>(P{c-C<sub>6</sub>H<sub>11</sub>}<sub>3</sub>). **2002**, 25, 9-12 9
- 1936 Syntheses and Characterization of Copper(II) and Cobalt(II) Complexes with Tris[2-(benzylamino)ethyl]amine. **2002**, 67, 1647-1657 9
- 1935 From monomer zinc-oxamate complexes to tetranuclear inverse 12-membered and octanuclear 12-membered metallacrowns. **2002**, 41, 4732-8 62
- 1934 Synthesis, characterization, and reactivity of mononuclear O,N-chelated vanadium(IV) and -(III) complexes of methyl 2-Aminocyclopent-1-ene-1-dithiocarboxylate based ligand: reporting an example of conformational isomerism in the solid state. **2002**, 41, 2433-40 37
- 1933 New oxamate-bridged trinuclear Cu(II)-Cu(II)-Cu(II) complexes with hydrogen-bond supramolecular structures: synthesis and magneto-structural studies. **2002**, 41, 5373-81 37
- 1932 Effect of steric encumbrance of tris(3-phenylpyrazolyl)borate on the structure and properties of ternary copper(II) complexes having N,N-donor heterocyclic bases. **2002**, 41, 3469-76 75
- 1931 Ligand influences on copper molybdate networks: the structures and magnetism of [Cu(3,4'-bpy)MoO(4)], [Cu(3,3'-bpy)(0.5)MoO(4)], and [Cu(4,4'-bpy)(0.5)MoO(4)].1.5H(2)O. **2002**, 41, 2124-33 80
- 1930 Synthesis and structural characterization of di- and tetranuclear zinc complexes with phenolate and carboxylate bridges. Correlations between <sup>13</sup>C NMR chemical shifts and carboxylate binding modes. **2002**, 41, 6426-31 105

1929	Ferromagnetic coupling in the malonato-bridged copper(II) chains [Cu(Im) <sub>2</sub> (mal)] <sub>n</sub> and [Cu(2-Melm) <sub>2</sub> (mal)] <sub>n</sub> (H <sub>2</sub> mal = malonic acid, Im = imidazole and 2-Melm = 2-methylimidazole). <b>2002</b> , 26, 1624-1628	77
1928	Bridging nitrate groups in [Mn(4)O(3)(NO(3))(O(2)CMe(3))(R(2)dbm(3))] (R = H, Et) and [Mn(4)O(2)(NO(3))(O(2)CEt(6)(bpy)(2))](ClO(4)): acidolysis routes to tetranuclear manganese carboxylate complexes. <b>2002</b> , 41, 805-17	60
1927	Metal-induced cyclization of thiosemicarbazones derived from beta-keto amides and beta-keto esters: open-chain and cyclized ligands in zinc(II) complexes. <b>2002</b> , 41, 1550-7	28
1926	Equilibrium and structural studies of complexes with a hexadentate ligand containing amide, amine and pyridyl nitrogen donors. Crystal structures of copper(II), nickel(II) and cobalt(III) complexes. <b>2002</b> , 2660	40
1925	Di- and tri-valent chlorochromium complexes bearing hydrotris(3,5-diisopropylpyrazolyl)borato ligand (TpiPr <sub>2</sub> ), TpiPr <sub>2</sub> CrCl <sub>n</sub> (L) (n = 1, 2) and [TpiPr <sub>2</sub> Cr(ECl) <sub>2</sub> ]: flexible coordination behavior of the TpiPr <sub>2</sub> ligand and reduction features of Cr(II) species. <b>2002</b> , 4514	19
1924	Mononuclear nitrogen/sulfur-ligated zinc methoxide and hydroxide complexes: investigating ligand effects on the hydrolytic stability of zinc alkoxide species. <b>2002</b> , 124, 9970-1	68
1923	Highly labile cationic tris-acetonitrile complexes, [TpRM(NCMe) <sub>3</sub> ]OTf (M = Ni, Co; TpR: hydrotrispyrazolylborato, R = Ph, Me and iPr <sub>2</sub> ): versatile precursors for TpR-containing nickel and cobalt complexes. <b>2002</b> , 3529	43
1922	Solvent controlled nuclearity in Cu(II) complexes linked by the CO <sub>3</sub> <sup>2-</sup> ligand: synthesis, structure and magnetic properties. <b>2002</b> , 2900	39
1921	Antiferromagnetism induced by successive protonation of terminal phenol groups of a bis(phenoxide)-bridged dicopper(II,II) complex. <b>2002</b> , 3737-3742	28
1920	Structure and magnetic properties of tri- and hexa-nuclear hydroxo-bridged copper(II) complexes formed by a trimacrocyclic derivative of 1,4,7-triazacyclononane. <b>2002</b> , 1226	19
1919	A dihydrogen arsenate-mediated supramolecular network: crystal structure and magnetic properties of [(bipy)Cu(H <sub>2</sub> AsO <sub>4</sub> )(H <sub>2</sub> AsO <sub>4</sub> ) <sub>2</sub> ] <sub>n</sub> . <b>2002</b> , 4, 13-16	18
1918	Synthesis, Crystal Structure and Properties of a 4,4'-Bipyridine Bridged Trigonal-Bipyramidal Copper Homobinuclear Complex with Tris(2-Aminoethyl)amine. <b>2002</b> , 55, 711-716	9
1917	X-ray structure of a dihydropyrimidinase from <i>Thermus</i> sp. at 1.3 Å resolution. <b>2002</b> , 320, 143-56	79
1916	Architecture dependence on the steric constraints of the ligand in cyano-bridged copper(I) and copper(II)-copper(I) mixed-valence polymer compounds containing diamines: crystal structures and spectroscopic and magnetic properties. <b>2002</b> , 41, 5141-9	104
1915	Novel mixed ligand technetium complexes as 5-HT <sub>1A</sub> receptor imaging agents. <b>2002</b> , 29, 217-26	28
1914	A method for evaluating the parameters R <sub>1</sub> and B of chemical bonds. Application to M=O bonds (M=Mo, V, P, Si). <b>2002</b> , 4, 149-159	7
1913	Structural Study of Nickel(II), Copper(II), and Palladium(II) Complexes of 2-Pyridineformamide 3-Hexamethyleneiminylthiosemicarbazone. <b>2002</b> , 628, 409-415	11
1912	Coordination of ZnII, CdII, and HgII by 2-Pyridineformamide-3-piperidyl-thiosemicarbazone. <b>2002</b> , 628, 492-504	15

1911	Syntheses, Structures, and Properties of Oxovanadium(V) Complexes with Ketone and Ketolate Ligands. <b>2002</b> , 628, 2340-2344	3
1910	Ligand-Templated Four-Metal Chains Dimerize into a Unique [CuII <sub>8</sub> ] Cluster. <b>2002</b> , 114, 1216-1218	3
1909	Tuning the activity of catechol oxidase model complexes by geometric changes of the dicopper core. <b>2002</b> , 8, 247-58	204
1908	Ligand-templated four-metal chains dimerize into a unique [Cu(II) <sub>8</sub> ] cluster. <b>2002</b> , 41, 1168-70	38
1907	A trigonal-bipyramidal ferric aqua complex with a sterically hindered salen ligand as a model for the active site of protocatechuate 3,4-dioxygenase. <b>2002</b> , 41, 3638-41, 3517	61
1906	A Dinuclear Zinc(II) Complex of 2,6-bis{[(2-hydroxybenzyl)(2-pyridylmethyl)amino]methyl}-4-methylphenol Bearing an Exogenous Hydroxo Bridge. <b>2002</b> , 2002, 535-538	9
1905	A New CuI Complex that Mimics the Cresolase Reaction of Tyrosinase and the Crystal Structure of its Oxygenated CuII Complex. <b>2002</b> , 2002, 987-990	23
1904	Supramolecular Assembly with Calix[6]arene and Copper Ions [Formation of a Novel Tetranuclear Core Exhibiting Unusual Redox Properties and Catecholase Activity. <b>2002</b> , 2002, 2007-2014	40
1903	New Mixed-Ligand ReV Complexes with Bis(2-mercaptoethyl) Sulfide and Functionalized Thioimidazolyl Ligands. <b>2002</b> , 2002, 2402-2407	8
1902	Syntheses and Characterization of Copper(II) Complexes of the New Ligands N-[(2-Pyridyl)methyl]-2,2'-dipyridylamine and N-[Bis(2-pyridyl)methyl]-2-pyridylamine. <b>2002</b> , 2002, 111-121	35
1901	A Zinc(II) Complex Composed of a Tridentate Ligand Bearing Podand Pyrenyl Moieties. <b>2002</b> , 2002, 447-451	13
1900	Synthesis of some benzimidazole-, benzothiazole- and pyridine-derived chelating agents. <b>2002</b> , 39, 399-404	4
1899	Organotin mefenamic complexes: preparations, spectroscopic studies and crystal structure of a triphenyltin ester of mefenamic acid: novel anti-tuberculosis agents. <b>2002</b> , 16, 360-368	55
1898	Catalytic formation of ethylene carbonate from supercritical carbon dioxide/ethylene oxide mixture with tetradentate Schiff-base complexes as catalyst. <b>2002</b> , 234, 25-33	125
1897	A dinuclear zinc(II) complex of 2,6-bis{[(2-hydroxybenzyl)(2-pyridylmethyl)amino]methyl}-4-methylphenol derived from bis(acetylacetonato)zinc(II). <b>2002</b> , 5, 12-14	12
1896	The interaction of 5-fluoroorotic acid with transition metals: synthesis and characterisation of Ni(II), Cu(II) and Zn(II) complexes. <b>2002</b> , 89, 227-36	17
1895	Synthesis, structure and catecholase activity of dinuclear copper and zinc complexes with an N(3)-ligand. <b>2002</b> , 91, 190-8	48
1894	Metal complexes of dipeptides containing the β-aminoisobutyric residue (Aib): preparation, characterization and crystal structures of copper(II) complexes with H <sub>2</sub> AibAibOH. <b>2002</b> , 21, 229-238	16

1893	Structural studies of metal complexes of 2-pyridineformamide N(4)-methylthiosemicarbazone. <b>2002</b> , 21, 729-737	39
1892	Steric effects on the stereochemistry of copper complexes of 2,6-bis(pyrazol-1-ylmethyl)pyridines. <b>2002</b> , 21, 1031-1041	21
1891	Crystal structure, magnetic and spectroscopic properties of copper(II) formate dimethylformamide: a new tetracarboxylato-bridged copper(II) dimer. <b>2002</b> , 21, 1057-1061	39
1890	Oxalato complexes of copper(II) with chelating diamines. Crystal structure of [Cu(dmen)ox(H <sub>2</sub> O)] <sub>2</sub> [Cu(dmen) <sub>2</sub> ](ClO <sub>4</sub> ) <sub>2</sub> . <b>2002</b> , 21, 1203-1209	15
1889	Coordination chemistry of a new imine-ether ligand, N,N'-bis(2-pyridylmethylene)-2,2'-(ethylenedioxy)bis(ethylamine): mono-helical and single-helical-strand coordination modes identified by X-ray crystallography. <b>2002</b> , 21, 1177-1187	15
1888	Synthesis and structures of acetylferrocene thiosemicarbazones and their dimethylthallium(III) complexes, which have four- or five-membered chelate rings. <b>2002</b> , 21, 1651-1660	27
1887	Spectral and XRD studies on perchlorate salts of several Co(II), Ni(II), Cu(II), Zn(II), Cd(II) and Hg(II) complexes from 1-methylillumazine and 1,6,7-trimethylillumazine. <b>2002</b> , 21, 1961-1968	13
1886	A co-ordination number asymmetric dinuclear zinc(II) complex of an unsymmetrical compartmental proligand. <b>2002</b> , 21, 1957-1960	14
1885	A chiral salen vanadyl complex with two significantly different configurations in solid state: synthesis, characterization, and molecular structure. <b>2002</b> , 21, 2021-2025	19
1884	Crystal structures, electronic absorption and reflectance spectral behaviors, and electrochemical properties of five-coordinated chlorocopper(II) complexes with 5,6-disubstituted-1,10-phenanthroline. <b>2002</b> , 21, 2143-2147	32
1883	Synthesis, crystal structure and spectroscopic properties of copper(II) complexes derived from 2-methylamino-5-pyridin-2-yl-1,3,4-oxadiazole. <b>2002</b> , 21, 2257-2263	10
1882	Synthesis, XRD structure and properties of diaqua(p-toluidine-N,N-di-3-propionato)copper(II) dihydrate [Cu(p-Tdp)(H <sub>2</sub> O) <sub>2</sub> ] <sub>2</sub> ·2H <sub>2</sub> O. <b>2002</b> , 21, 2719-2725	8
1881	Solid state coordination chemistry of copper(II)/hydroxycarboxylato/2,2'-bipyridine systems. <b>2002</b> , 21, 2811-2818	45
1880	Synthesis and 2D H-bonded Cu(II) network structure of [Cu(2,2'-bpy)(H <sub>2</sub> L1)](ClO <sub>4</sub> ) <sub>2</sub> [H <sub>2</sub> L1=1,2-bis((2-hydroxyethyl)amino)ethane]. <b>2002</b> , 608, 169-173	5
1879	Structural and spectral investigation on the Cu(II) complexes with 1,4-diazacycloheptane (DACH) functionalized by heterocyclic pendants. <b>2002</b> , 610, 27-31	6
1878	Synthesis, crystal structure and properties of the Cu(I) complex of a tetradentate imidazole-functionalized diazamesocyclic ligand, 1,4-bis(N-1-methylimidazol-2-yl-methyl)-1,4-diazacycloheptane. <b>2002</b> , 641, 29-34	5
1877	Synthesis, spectral and structural characterization of a novel phenoxo-bridged dinuclear Cu(II) complex with a tridentate phenol-functionalized diazamesocyclic ligand. <b>2002</b> , 641, 193-198	8
1876	Structural and electrochemical study of metal carbonyl complexes with chelating bis- and tetrakis(diphenylphosphino)tetrathiafulvalenes. <b>2002</b> , 643-644, 292-300	56

- 1875 Combining organometallic and Werner-type coordination sites in highly preorganized heterobimetallic systems. **2002**, 641, 113-120 22
- 1874 Preparation and structural characterization of mercury 21-thiaporphyrin complex: HgII(Stpp)Cl (Stpp=tetraphenyl-21-thiaporphyrin anion). **2002**, 5, 150-155 14
- 1873 Dinuclear nickel(II) complexes of unsymmetric compartmental ligands bearing a terdentate linear arm and a terdentate dipodal arm. **2002**, 331, 117-122 12
- 1872 Studies on galactose oxidase active site model complexes: effects of ring substituents on Cu(II)-phenoxyl radical formation. **2002**, 331, 168-177 49
- 1871 Ferromagnetic trinuclear carbonato-bridged and tetranuclear hydroxo-bridged Cu(II) compounds with 4,4'-dimethyl-2,2'-bipyridine as ligand. X-ray structure, spectroscopy and magnetism. **2002**, 331, 208-215 62
- 1870 Syntheses, stereochemistry, reactivity, and some properties of sulfur-bridged cobalt(III)-cadmium(II) polynuclear complexes derived from mononuclear cobalt(III) complex with d-penicillamine. **2002**, 332, 108-114 14
- 1869 Copper(II) compounds of the planar-tridentate ligand 2,6-bis(pyrazol-3-yl)pyridine. **2002**, 333, 51-56 35
- 1868 Structural and magnetic properties of O-bridged tetranuclear and binuclear Cu(II) complexes. **2002**, 333, 138-143 42
- 1867 A novel oxalato-bridged dinuclear copper(II) complex with diazamesocyclic terminal ligand: crystal structure, spectroscopy and magnetism. **2002**, 335, 136-140 30
- 1866 Synthesis, magnetic properties, and crystal structure of dinuclear antiferromagnetic [Cu<sub>2</sub>(5-aminomethyl-3-methylpyrazole)<sub>2</sub>Cl<sub>4</sub>]. **2002**, 337, 48-52 40
- 1865 Synthesis, characterization, and biodistribution of a Technetium-99m  $\beta$ -1 fatty acid derivative. The crystal and molecular structures of a series of oxorhenium model complexes. **2002**, 338, 149-156 24
- 1864 Attractive ligand-ligand interactions involving aromatic rings in five-coordinate ternary copper(II) complexes with a dipeptide and a bidentate N-donor ligand. **2002**, 339, 445-454 14
- 1863 Copper(II) salicylidene-glycinate complexes as potential antimicrobial agents. **2002**, 340, 15-20 61
- 1862 Synthesis, crystal structures and properties of ternary copper(II) complexes having 2,2'-bipyridine and  $\beta$ -amino acid salicylaldehydes as models for the type-2 sites in copper oxidases. **2002**, 337, 450-458 53
- 1861 Rhodium-mediated delamination of layered copper and zinc vinylphosphonates. **2002**, 824 11
- 1860 Use of the di-2-pyridyl ketone/3,5-di-tert-butylcatechol blend in iron(III) chemistry: a cationic tetranuclear cluster and an anionic trinuclear complex. **2003**, 3411-3418 54
- 1859 Organotin-Drug Interactions. Organotin Adducts of Lornoxicam, Synthesis and Characterisation of the First Complexes of Lornoxicam. **2003**, 2003, 1761-1767 34
- 1858 Synthesis of tripod Ligands Containing Mixed Donor Sets with Phosphane and Pyrazole Donors  $\square$  Bidentate Chelate Binding Modes and Dynamic Behaviour of tripod Ligands in d<sup>8</sup>-Metal Complexes (NiII, PdII, PtII). **2003**, 2003, 2219-2238 10

1857	Coordination Modes in a (Thiosemicarbazone)copper(II)/Oxalato System [Structures of $[[Cu(L)]_2(ox)] \cdot 2H_2O$ , $[Cu(HL)(ox)(H_2O)]$ , $[[Cu(HL)]_2(ox)][Cu(ox)_2] \cdot 2H_2O$ and $[[Cu(HL)]_2(ox)](NO_3)_2$ ] Ferro- vs. Antiferromagnetic Behavior in Dinuclear Compounds. <b>2003</b> , 2003, 2123-2132	25
1856	Synthesis, Structure, and Catalytic Activity of New [Oxo-Bridged Diiron(III) Complexes. <b>2003</b> , 2003, 1735-1740	54
1855	Structural Characterization of N-Methylpyridoxine (MePN; PN = Vitamin B6) and Its Diorganotin Complexes $[SnR_2(MePN-H)]$ (R = Me, Et, Bu and Ph). <b>2003</b> , 2003, 2790-2797	12
1854	Ternary Mononuclear and Ferromagnetically Coupled Dinuclear Copper(II) Complexes of 1,10-Phenanthroline and N-Salicylidene-2-methoxyaniline that Show Supramolecular Self-Organization. <b>2003</b> , 2003, 2318-2324	11
1853	New 1,3,4-Oxadiazolecopper(II) Derivatives Obtained from Thiosemicarbazone Complexes. <b>2003</b> , 2003, 2639-2650	30
1852	Diorganotin(IV) Complexes of a Cyclic Thiosemicarbazone Ligand: Crystal Structures of $[SnPh_2(C_{15}H_{10}N_3S)Cl]$ and $[SnMe_2(C_{15}H_{10}N_3S)_2]$ . <b>2003</b> , 2003, 2711-2717	15
1851	Thermal Stability and Absorption Spectroscopic Behavior of (μ-Peroxo)dicopper Complexes Regulated with Intramolecular Hydrogen Bonding Interactions. <b>2003</b> , 2003, 4378-4386	44
1850	Synthesis and Characterisation of New Nickel-Iron Complexes with an S4 Coordination Environment around the Nickel Centre. <b>2003</b> , 2003, 3968-3974	43
1849	Synthesis and Characterization of Oxorhenium and Oxotechnetium Complexes with a Novel Tetradentate N3O Bifunctional Agent. <b>2003</b> , 2003, 3826-3830	8
1848	Structure and Magnetism of a New Dodecanuclear CuII Complex with Acetato and Imidazolato Bridges, Formed by Oxidation of the Chelating Ligand 1,1,7,7-Tetrakis(imidazol-2-yl)-2,6-diazaheptane. <b>2003</b> , 2003, 4073-4077	7
1847	Coordination Modes in a Tridentate NNS (Thiosemicarbazonato)copper(II) System Containing Oxygen-Donor Coligands [Structures of $[[Cu(L)(X)]_2]$ (X = Formato, Propionato, Nitrito). <b>2003</b> , 2003, 518-527	41
1846	Synthesis and X-ray Structures of Tin(IV) and Lead(II) Complexes with Heterocyclic Thiones. <b>2003</b> , 2003, 678-686	23
1845	The Influence of Functional Group Orientation on the Structure of Zinc 1,1,4-Trimethylthiosemicarbazide Dicarboxylates: Probing the Limits of Crystal Engineering Strategies. <b>2003</b> , 2003, 766-776	52
1844	Two New Dinuclear Sterically Crowded CuII Complexes as Catalyst Precursors for the Oxidative Coupling of 2,6-Dimethylphenol. <b>2003</b> , 2003, 1394-1400	18
1843	A Study of the Equilibrium and Kinetics of Urea Binding by a Biomimetic Dinickel(II) Complex. <b>2003</b> , 2003, 1581-1590	34
1842	Structure of azo dye organotin(IV) compounds containing a C,N-chelating ligand. <b>2003</b> , 17, 168-174	34
1841	The preparation of zinc(II) and cadmium(II) complexes of the pentadentate N3S2 ligand formed from 2,6-diacetylpyridine and S-benzylthiocarbazate (H2SNNS) and the X-ray crystal structure of the novel dimeric $[Zn_2(SNNS)_2]$ complex. <b>2003</b> , 22, 3433-3438	43
1840	Bis(mercaptoimidazolyl)borates and the control of nuclearity in cadmium thiolate complexes. <b>2003</b> , 22, 3461-3466	23

- 1839 Synthesis, structure and magnetic properties of a trinuclear cyano-bridged complex [Cu(bappz)(ENC)Ni(CN)<sub>2</sub>(ECN)Cu(bappz)](ClO<sub>4</sub>)<sub>2</sub> {bappz=1,4-bis(3-aminopropyl)piperazine}. **2003**, 6, 1395-1399 31
- 1838 Ferromagnetic exchange coupling in a two-dimensional copper(II) compound: Cu(pyridine-2-carboxylate)Cl. **2003**, 342, 23-28 28
- 1837 Some new Ni<sup>2+</sup>Zn heterodinuclear complexes: square-pyramidal nickel(II) coordination. **2003**, 342, 295-300 47
- 1836 Synthesis and structural behavior of ternary copper(II) complexes containing reduced Schiff base N-(2-hydroxybenzyl)-4-aminobutyric acid and 1,10-phenanthroline. **2003**, 344, 65-76 36
- 1835 Crystal structures, spectra and magnetic properties of di-2-pyridylamine (dpa) Cu(II) complexes [Cu(dpa)<sub>2</sub>(N<sub>3</sub>)<sub>2</sub>](H<sub>2</sub>O)<sub>2</sub> and [Cu<sub>2</sub>(Eax)(dpa)<sub>2</sub>(CH<sub>3</sub>CN)<sub>2</sub>](ClO<sub>4</sub>)<sub>2</sub>. **2003**, 346, 207-214 34
- 1834 Synthesis, crystal structure and redox properties of bis-imidazolyl-containing copper(II) complexes. **2003**, 348, 69-74 31
- 1833 Structural characterization of copper complexes containing N,N'-di(6-methyl-2-pyridyl)formamidine. **2003**, 348, 135-142 15
- 1832 Silylated mixed-ligand rhenium complexes with the [PNS/S] donor atom set. **2003**, 348, 237-241 7
- 1831 Two pyrazolato-bridged, linear trinuclear Cu(II) complexes. Crystal structures and magnetic properties. **2003**, 350, 25-31 39
- 1830 Synthesis, characterization and properties of copper(II) complexes containing N,N-di-(2-pyridylmethyl)-glycine and alanine. **2003**, 349, 135-141 11
- 1829 Ternary copper(II) complexes of thiosemicarbazones and heterocyclic bases showing N<sub>3</sub>O<sub>S</sub> coordination as models for the type-2 centers of copper monooxygenases. **2003**, 349, 149-158 32
- 1828 Synthesis and characterization of several lumazine derivative complexes of Co(II), Ni(II), Cu(II), Cd(II), Pd(II) and Pt(II). X-ray structures of a mononuclear copper complex and a dinuclear cadmium complex. **2003**, 351, 356-362 17
- 1827 8-(2-Pyridylmethoxy)quinoline: a new N,O,N'-tridentate ligand and X-ray crystal structures of its mononuclear palladium(II), copper(II) and nickel(II) complexes. **2003**, 351, 7-11 14
- 1826 Copper(II) compounds of some Mannich-condensation amine-bis-imidazole ligands. **2003**, 355, 64-68 11
- 1825 Structural characterisation and nuclease activity of mixed copper(II) complexes with sulfonamides and bipyridil. **2003**, 353, 139-144 17
- 1824 Dinuclear copper(II) complexes of four new pyrazole-containing macrocyclic ligands are active catalysts in the oxidative coupling of 2,6-dimethylphenol. **2003**, 355, 374-385 19
- 1823 Structural studies of mixed-ligands copper(II) and copper(I) complexes with the rigid nitrogen ligand: bis[N-(2,6-diisopropylphenyl)imino]acenaphthene. **2003**, 645, 205-212 33
- 1822 Synthesis, spectra and crystal structure of 2-({[3-(methyl{3-[(2-hydroxybenzylidene)amino]propyl}amino)propyl]imino}methyl)phenol copper(II) complex. **2003**, 654, 125-129 8



1821	Synthesis, crystal structure and properties of the zinc complexes with unsymmetrical tridentate ligands. <b>2003</b> , 654, 235-243	10
1820	Synthesis, structural and magnetic properties of diphenoxo-bridged binuclear mixed-ligand Cu(II) complexes. <b>2003</b> , 655, 279-284	5
1819	Synthesis, crystal structure, weak antiferromagnetic behavior and electronic studies of novel [(D)sparteine)(PhCO <sub>2</sub> )(Cl)]Cu(II) complex. <b>2003</b> , 657, 137-143	14
1818	Synthesis of Ru(II) complexes of the new 1-[(P-diphenyl)-2-phosphinoethyl]-3,5-dimethylpyrazole ligand and study of their reactivity toward terminal alkynes. <b>2003</b> , 667, 126-134	33
1817	Dipeptides containing the alpha-aminoisobutyric residue (Aib) as ligands: preparation, spectroscopic studies and crystal structures of copper(II) complexes with H-Aib-X-OH (X=Gly, L-Leu, L-Phe). <b>2003</b> , 93, 109-18	18
1816	Synthesis, structural characterization and in vitro cytotoxicity of organotin(IV) derivatives of heterocyclic thioamides, 2-mercaptobenzothiazole, 5-chloro-2-mercaptobenzothiazole, 3-methyl-2-mercaptobenzothiazole and 2-mercaptonicotinic acid. <b>2003</b> , 96, 425-34	83
1815	Di- and tetra-nuclear nickel(II) complexes of an unsymmetric compartmental ligand bearing a terdentate linear arm and a terdentate dipodal arm. <b>2003</b> , 22, 75-81	6
1814	The new multi-directional polydentate ligand 2,4,6-(di-pyridin-2-yl-amino)-[1,3,5]triazine (dpyatriz) can discriminate between Zn(II) and Co(II) nitrate. <b>2003</b> , 22, 205-210	35
1813	Diorganotin(IV)-promoted deamination of amino acids by pyridoxal: SnR <sub>2</sub> 2+ complexes of pyridoxal 5'-phosphate and of the Schiff base pyridoxal-pyridoxamine (PLPM), and antibacterial activities of PLPM and [SnR <sub>2</sub> (PLPM-2H)] (R=Me, Et, Bu, Ph). <b>2003</b> , 22, 53-65	42
1812	Syntheses and properties of binuclear copper(II) mixed-ligand complexes involving thiodiglycolic acid.. <b>2003</b> , 22, 411-418	22
1811	Synthesis and coordination chemistry of tetradentate ligands containing two bidentate thioquinoline units: mononuclear complexes with Cu(I) and Cu(II), and a coordination polymer with Cu(I). <b>2003</b> , 22, 507-514	17
1810	Zinc thiosemicarbazide dicarboxylates: the influence of the anion shape on supramolecular structure. <b>2003</b> , 22, 673-686	35
1809	Spectral and structural studies of mercury(II) complexes of 2-pyridineformamide N(4)-dimethylthiosemicarbazone. <b>2003</b> , 22, 1147-1154	34
1808	Synthesis and characterization of mono- and bis-ligand zinc(II) and cadmium(II) complexes of the di-2-pyridylketone Schiff base of S-benzyl dithiocarbamate (Hdpksbz) and the X-ray crystal structures of the [Zn(dpksbz) <sub>2</sub> ] and [Cd(dpksbz)NCS] <sub>2</sub> complexes. <b>2003</b> , 22, 1471-1479	34
1807	Using HgX 2 units (X=Cl, CN) to increase structural and magnetic dimensionality in conjunction with (2,2'-bipyridyl)copper(II) building blocks. <b>2003</b> , 22, 1735-1743	27
1806	Malonate-based copper(II) coordination compounds: ferromagnetic coupling controlled by dicarboxylates. <b>2003</b> , 22, 2143-2153	101
1805	Further studies of [E(haloalkylstannyl)alkyl]phosphine oxides. Structures of bis[2-(bromodimethylstannyl)ethyl]phenylphosphine oxide and t-butyl[3-(iododimethylstannyl)propyl]phenylphosphine oxide. <b>2003</b> , 22, 3277-3288	4
1804	Dinuclear zinc(II) complexes of a [6,6]-unsymmetrical compartmental ligand. <b>2003</b> , 6, 19-22	11

- 1803 Thallium complexes of meso -tetra-( p -chlorophenyl)porphyrin: trifluoroacetato-[ meso -tetra( p -chlorophenyl)porphyrinato]thallium(III) and pentafluoropropionato-[ meso -tetra( p -chlorophenyl)porphyrinato]thallium(III). **2003**, 6, 252-258 6
- 1802 First end-to-end thiocyanato chain containing 5-coordinate copper(II) ions. **2003**, 6, 558-560 24
- 1801 Synthesis and structure of a copper(II) tetranuclear complex of 3-(6-methyl-2-pyridyl)-5-(2-pyridyl)pyrazole ligand. **2003**, 6, 833-836 24
- 1800 Copper(II) complexes of unsymmetric compartmental ligands bearing adjacent {N2O}, {N,S,O} donor sets and {N2O}, {N,O} donor sets. **2003**, 6, 837-840 11
- 1799 A new  $\mu_3$ ,5-dicyanamide bridged cyclic tetranuclear copper (II) complex with 1,5,9-triazacyclododecane ligands: structure, ESR spectroscopic and magnetic properties. **2003**, 6, 966-970 15
- 1798 Unexpected Formation of the Mixed Ligand Complexes [Cu(OAc)(bipy)<sub>2</sub>]Cl $\cdot$ 4H<sub>2</sub>O $\cdot$ 1/2MeOH and [Co(OH<sub>2</sub>)<sub>2</sub>(phen)<sub>2</sub>](OAc)<sub>2</sub> $\cdot$ 6H<sub>2</sub>O, and their Crystal Structures. **2003**, 629, 244-248 6
- 1797 Systematic studies on pH-dependent transformations of dinuclear vanadium(V)-citrate complexes in aqueous solutions. A perspective relevance to aqueous vanadium(V)-citrate speciation. **2003**, 93, 161-73 35
- 1796 Novel oxorhenium and oxotechnetium MO(NS)(S)<sub>2</sub> complexes in the development of 5-HT<sub>1A</sub> receptor imaging agents. **2003**, 93, 213-20 4
- 1795 The first  $\mu_3$ -oxalato-bridged copper complex with tridentate Schiff base ligand N-ethyl-N'-salicylidene-1,2-diaminoethane: synthesis, structure, and magnetic properties. **2003**, 42, 4265-7 31
- 1794 Heterodimetallic compounds assembled from ferrocenedicarboxylato and ferrocenecarboxylato ligands. **2003**, 42, 2519-30 78
- 1793 Metal complexes of N-benzamidoporphyrin: (N-benzimido-meso-tetraphenylporphyrinato)(methanol)zinc(II) methanol solvate and (acetato)(N-benzamido-meso-tetraphenylporphyrinato)cadmium(II) benzene solvate. **2003**, 42, 4603-9 19
- 1792 Synthesis, crystal structure, magnetic properties, and theoretical studies of [(Cu(mepirizole)Br)<sub>2</sub>( $\mu$ -OH)( $\mu$ -pz)] (mepirizole=4-methoxy-2-(5-methoxy-3-methyl-1H-pyrazol-1-yl)-6-methylpyrimidine; pz=1,2,4,5-tetrahydropyridine-3,4-dione). **2003**, 42, 4333-34 38
- 1791 Exploration of the Suitability of Bicyclic Guanidinate as Ligands in Catalytic Chemistry Mediated by Titanium  $\square$  **2003**, 22, 5201-5211 67
- 1790 Synthesis and Crystal Structure of Linear Chain Homotetranuclear Complexes with N<sub>3</sub>  $\square$  **2003**, 33, 281-296 26
- 1789 Structural and magnetic properties of three one-dimensional azido-bridged copper(II) and manganese(II) coordination polymers. **2003**, 42, 8456-64 99
- 1788 Binuclear copper(II) complexes of xylyl-bridged bis(1,4,7-triazacyclononane) ligands. **2003**, 42, 5594-603 36
- 1787 Syntheses and structures of isoindoline complexes of Zn(II) and Cu(II): an unexpected trinuclear Zn(II) complex. **2003**, 42, 122-7 37
- 1786 Mononuclear N<sub>3</sub>S(thioether)-ligated copper(II) methoxide complexes: synthesis, characterization, and hydrolytic reactivity. **2003**, 42, 4790-1 35

- 1785 Structural modulation of Cu(I) and Cu(II) complexes of sterically hindered tripyridine ligands by the bridgehead alkyl groups. **2003**, 42, 1193-203 15
- 1784 Oxamato-bridged trinuclear Ni(II)Cu(II)Ni(II) complexes: a new (Ni(II)Cu(II)Ni(II))<sub>2</sub> hexanuclear complex and supramolecular structures. Characterization and magnetic properties. **2003**, 42, 3366-73 24
- 1783 Blue dimetallic complexes of two heavy metal ions Cd(II) and Hg(II) with an extended nitrogen donor ligand. Preparation, spectral characterization, and crystallographic studies. **2003**, 42, 8592-7 43
- 1782 X-Ray crystal structures of copper(II) and cobalt(II) complexes with Schiff base ligands. Reactivity towards dioxygen. **2003**, 3211-3215 13
- 1781 Metal binding characteristics of a laterally nonsymmetric aza cryptand upon functionalization with a pi-acceptor group. **2003**, 42, 4955-60 21
- 1780 Copper. **2003**, 747-910 16
- 1779 Ni(II), Cu(II), and Zn(II) dinuclear metal complexes with an aza-phenolic ligand: crystal structures, magnetic properties, and solution studies. **2003**, 42, 348-57 62
- 1778 Interaction of hydroperoxopalladium complexes, (TpR)(py)Pd(OH), with hydroxo-nickel and -cobalt complexes, [(EDH)(MTpR?)]<sub>2</sub>(M = Ni, Co), leading to oxidative dehydrogenation of the saturated hydrocarbyl moiety in the ancillary ligand (TpiPr<sub>2</sub>). **2003**, 3506-3515 11
- 1777 Novel iron(III) complexes of tripodal and linear tetradentate bis(phenolate) ligands: close relevance to intradiol-cleaving catechol dioxygenases. **2003**, 42, 8283-93 115
- 1776 Efficient visible light induced nuclease activity of a ternary mono-1,10-phenanthroline copper(II) complex containing 2-(methylthio)ethylsalicylaldimine. **2003**, 42, 2483-5 70
- 1775 Electronic influence of ligand substituents on the rate of polymerization of  $\epsilon$ -caprolactone by single-site aluminium alkoxide catalysts. **2003**, 3082-3087 149
- 1774 Mixed-spin binuclear nickel(II) complexes in unsymmetrical ligand environments and related mononuclear compounds: electronic and molecular structures in solution and in the solid state. **2003**, 42, 7189-99 19
- 1773 Synthesis, crystal structure, and magnetic properties of an alkoxo-hydroxo-bridged octanuclear copper(II) complex showing chemically significant hydrogen-bonding interactions involving a metallamacrocyclic core. **2003**, 42, 463-8 27
- 1772 From metallacyclophanes to 1-D coordination polymers: role of anions in self-assembly processes of copper(II) and 2,5-bis(3-pyridyl)-1,3,4-oxadiazole. **2003**, 42, 552-9 95
- 1771 Ternary copper complexes for photocleavage of DNA by red light: direct evidence for sulfur-to-copper charge transfer and d-d band involvement. **2003**, 125, 12118-24 246
- 1770 Supramolecular control of an organic radical coupled to a metal ion embedded at the entrance of a hydrophobic cavity. **2003**, 4216-4218 34
- 1769 Directed assembly of dinuclear and mononuclear copper(II)-carboxylates into infinite 1-D motifs using isonicotinamide as a high-yielding supramolecular reagent. **2003**, 3956-3962 64
- 1768 Synthesis and structural and magnetic characterisation of tetranuclear Cu(II) complexes possessing novel [Cu<sub>4</sub>(μ<sub>3</sub>-PO<sub>4</sub>)<sub>2</sub>(μ<sub>2</sub>-CO<sub>3</sub>)] butterfly cores that exhibit supramolecular isomerism. **2003**, 4230-4237 43

- 1767 Novel topologies in NiII cluster chemistry: Incorporation of alkaline-earth metals in the new [NiII6MgII2] and [NiII8MII](M = Sr, Ba) cages. **2003**, 3436-3442 20
- 1766 Coordination chemistry of copper-(I) and -(II) with 2-pyridylmethyl substituted triazacyclohexanes. **2003**, 2269-2275 19
- 1765 Rhenium and technetium-99m complexes with coenzyme M (MESNA). **2003**, 3041-3045 7
- 1764 Evaluation of the influence of a thioether substituent on the solid state and solution properties of N3S-ligated copper(II) complexes. **2003**, 3111-3116 11
- 1763 {[Cu(H2O)3][Cu(phmal)2]}<sub>n</sub>: a new two-dimensional copper(II) complex with intralayer ferromagnetic interactions (phmal = phenylmalonate dianion). **2003**, 27, 1557-1562 49
- 1762 Development of bio-inspired chelates with hydrogen bond donors: synthesis and structure of monomeric metal acetate complexes with intramolecular hydrogen bonds. **2003**, 1986-1992 15
- 1761 Mixed-valence phosphatohydrogenphosphatoiron network compounds 1{[C4N2H11.6]1.5[FeIIFeIII(PO4)(H0.8PO4)2]·4H2O} and 3[FeII5FeIII2(PO4)2(H0.5PO4)4]: structure elucidation with the help of Mössbauer spectroscopy and a caveat on X-ray diffraction. **2003**, 2815-2823 12
- 1760 Compounds Containing Five-Coordinate Group 13 Elements. **2003**, 167-201 11
- 1759 Macrocyclic copper(II) and zinc(II) complexes incorporating phosphate esters. **2003**, 42, 5637-44 46
- 1758 Zinc. **2003**, 1147-1251 5
- 1757 Design of high-dimensional copper(II) malonate complexes with exo-polydentate N-donor ligands. **2003**, 42, 5938-48 111
- 1756 Synthesis, crystal structure and electrochemical behaviour of [2,6-bis(3,5-dimethylpyrazolyl)pyridine](dithiocyanato)cobalt(II). **2003**, 218, 497-500 13
- 1755 Synthesis and Properties of Mononuclear and Binuclear Copper(II) Complexes Stabilized by bis-Benzimidazolyl Ligands. **2004**, 34, 1721-1735 1
- 1754 Synthesis and Spectral Properties of the Complexes of Cobalt(II), Nickel(II), Copper(II), Zinc(II), and Cadmium(II) with 2-(Thiomethyl-2'-benzimidazolyl)-benzimidazole. **2004**, 34, 883-895 12
- 1753 New poly-iron(II) complexes of N4O dinucleating Schiff bases and pseudohalides: syntheses, structures, and magnetic and Mössbauer properties. **2004**, 43, 1574-86 102
- 1752 Structure and spectroscopy of copper-dioxygen complexes. **2004**, 104, 1013-45 1159
- 1751 Simplified synthesis, 1H, 13C, 15N, 119Sn NMR spectra and X-ray structures of diorganotin(IV) complexes containing the 4-phenyl-2,4-butanedionebenzoylhydrazone(2-)<sub>2</sub>ligand. **2004**, 689, 88-95 23
- 1750 Diorganotin(IV) complexes of dideprotonated pyridoxine (PN, vitamin B6). The crystal structures of [SnEt2(PN0H)]·CH3OH, [SnEt2(PN0H)(DMSO)] and [SnBu2(PN0H)]. **2004**, 689, 620-626 19

1749	Five-coordinate organoaluminum acetylides and crystal structure of the hydrosylate, [Salophen(tBu)Al]2O. <b>2004</b> , 689, 759-765	14
1748	Synthesis, properties, and crystal structure of a novel 3-hydroxy-(4H)-benzopyran-4-one containing copper(II) complex, and its oxygenation and relevance to quercetinase. <b>2004</b> , 29, 630-633	25
1747	Synthesis and crystal structures of a pair of rarely seen isologues. <b>2004</b> , 29, 653-657	8
1746	Low-dimensional compounds containing cyano groups. IX. Preparation, structure and properties of the [Cu(bpy)2(dca)]CF3SO3 complex. <b>2004</b> , 29, 786-791	4
1745	Complex Formation of 2, 6-Bis-(2'-hydroxyphenyl)pyridine with AlIII, FeIII and CuI. <b>2004</b> , 630, 1829-1838	24
1744	O, N-Chelated Vanadium(IV) Oxo Aminophenolate Complexes: the Effect of Steric Bulk on the Vanadium Coordination Geometry. Can this Influence be detected Spectroscopically?. <b>2004</b> , 630, 2097-2105	3
1743	Unusual Oligonuclear Copper(II) Complexes based on a Bis( tridentate) Compartmental Pyrazolate Ligand. <b>2004</b> , 630, 2627-2631	18
1742	An aromatic anion receptor: anion-pi interactions do exist. <b>2004</b> , 43, 5815-7	268
1741	An Aromatic Anion Receptor: Anion-pi Interactions do Exist. <b>2004</b> , 116, 5939-5941	61
1740	Synthesis and X-ray Crystal Structures of Cobalt and Copper Complexes of 1,3-Bis(benzotriazolyl)propanes. <b>2004</b> , 2004, 376-380	32
1739	Flexidentate Behaviour of 2-Pyridylsulfonamides  Direct Electrochemical Synthesis and Spectroscopic and X-ray Characterisation of Neutral Copper(II) Complexes of N-(2-Pyridyl)sulfonamides. <b>2004</b> , 2004, 635-645	32
1738	X-ray Crystallographic Study of Copper(II), Cobalt(II) and Silver(I) Complexes of Ligands Containing Two Oxine Subunits Linked by Xylylene Spacer Groups. <b>2004</b> , 2004, 329-334	16
1737	Tuning the Magnetic Properties of a Dinuclear Copper Complex: From Ferromagnetic to Antiferromagnetic Coupling. <b>2004</b> , 2004, 344-348	19
1736	Hydrolytic Cleavage of DNA by Ternary Amino Acid Schiff Base Copper(II) Complexes Having Planar Heterocyclic Ligands. <b>2004</b> , 2004, 1440-1446	99
1735	Unusual CuI and MnII Complexes of Phenol-Based Ligands Containing Amine, Pyridine and Formyl Functions: Unexpected Structural Features and Solution Studies. <b>2004</b> , 2004, 591-600	26
1734	The Reaction of $\mu_2$ -Peroxo- and Bis( $\mu_2$ )dicopper Complexes with Flavonol. <b>2004</b> , 2004, 2253-2259	23
1733	A Novel Pentacoordinated Dioxovanadium(V) Salicylaldiminate: Solvent Specific Crystallization of Dimorphs with Contrasting Coordination Geometries, Ligand Conformations and Supramolecular Architectures. <b>2004</b> , 2004, 1873-1878	15
1732	Pyrazolate-Based Dinucleating Ligands in L2M2 Scaffolds: Effects of Bulky Substituents and Coligands on Structures and $M^{\text{II}}-H^+$ Interactions. <b>2004</b> , 2004, 1646-1660	21

1731	Funnel Complexes with Coll and Nill: New Probes into the Biomimetic Coordination Ability of the Calix[6]arene-Based Tris(imidazole) System. <b>2004</b> , 2004, 1817-1826	33
1730	Polynuclear and Extended Coordination Compounds from Preorganized Bimetallic Components: Tuning the Magnetic Properties of Dinickel(II) Building Blocks. <b>2004</b> , 2004, 2413-2420	46
1729	3,11,19-Trithia[3.3.3]pyridinophane: Structural Diversity in Its Transition Metal Complexes. <b>2004</b> , 2004, 2086-2095	26
1728	Supramolecular Hydrogen-Bond Structures and Magnetic Interactions in Basal-Apical, Dinuclear, Azide-Bridged Copper(II) Complexes. <b>2004</b> , 2004, 3110-3117	86
1727	Synthesis, Characterisation, Properties and X-ray Structures of CuII Coordination Compounds with 5,5'-Dimethylbipyridine and Various Anions: Control of Stoichiometry and Structure by the Counterions. <b>2004</b> , 2004, 3733	19
1726	A New Trinuclear Linear Copper(II) Complex: Unusual Crystal Structure with Semi-Coordinated Thiophene Moieties and Weak Antiferromagnetic Coupling Through the Bridging Imidazolate Rings. <b>2004</b> , 2004, 4566-4571	16
1725	Metalation of 2-Propenylphenol. <b>2004</b> , 2004, 3644	2
1724	Phenylmalonate-Containing Copper(II) Complexes: Synthesis, Crystal Structure and Magnetic Properties. <b>2004</b> , 2004, 4081-4090	56
1723	(Schiff-base)CuII Complexes with Phenolate-Oxygen/Chloro or -Oxygen/Azido Mixed Bridges □ Syntheses, Crystal Structures and Magnetic Properties. <b>2004</b> , 2004, 4608-4615	42
1722	Synthesis, X-ray Crystal Structure and Magnetic Properties of Oxalato-Bridged Copper(II) Complexes with 2,3-Bis(2-pyridyl)pyrazine, 2,3-Bis(2-pyridyl)quinoxaline and 2,2'-Bipyrazine as Peripheral Ligands. <b>2004</b> , 2004, 4836-4848	44
1721	X-ray and Solution Structures of the First Zn Funnel Complex Based on a Calix[6]aza-cryptand. <b>2004</b> , 2004, 4371-4374	34
1720	Aggregation of [Cu(II)4] building blocks into [Cu(II)8] clusters or a [Cu(II)4]infinity chain through subtle chemical control. <b>2004</b> , 10, 6476-88	72
1719	Formation of cobalt(II) piperazine supramolecular systems under different organic acid mediums: synthesis, characterization and crystal structures. <b>2004</b> , 692, 155-161	15
1718	Synthesis, spectra and crystal structure of a CuII complex exhibiting novel two-dimensional joint-ladder like hydrogen-bonding pattern with an amino-acid type diazamesocyclic ligand. <b>2004</b> , 692, 195-199	8
1717	Hydrothermal synthesis, characterization and crystal structure of a three-dimensional (3D) ZnII supramolecular compound with ethylenediaminetetraacetic acid ligand and 4-(carboxylate)pyridinium guests. <b>2004</b> , 701, 119-124	8
1716	Formation of a CuII complex through metal-assisted alcoholysis reaction of an oxadiazole-containing dipyrityl ligand: mechanism, characterization and crystal structure. <b>2004</b> , 702, 55-59	3
1715	Structural and spectral studies of N-(3-hydroxypyridine-2-yl)-5-hydroxysalicylideneimine and its dimethyltin(IV) complex. <b>2004</b> , 705, 107-112	20
1714	Synthesis, characterization and crystal structure of copper(II) ternary complex with cinoxacin and histamine. <b>2004</b> , 357, 349-353	19

1713	Trinuclear Cu(II) complex with tetrazolyl-pyridine units as a bridging ligand: synthesis, characterization and X-ray structure. <b>2004</b> , 357, 505-512	29
1712	Copper(II) complexes of new pentadentate bis(benzimidazolyl)-dithioether ligands: synthesis, structure, spectra and redox properties. <b>2004</b> , 357, 919-930	21
1711	A comparison of the gas, solution, and solid state coordination environments for the Cu(II) complexes of a series of linear aminopyridine ligands with varying ratios of 5- and 6-membered chelate rings. <b>2004</b> , 357, 1141-1151	23
1710	Studies of copper(II) and nickel(II) complexation by bis(1,4,7-triazacyclononane) ligands containing alkene and alkyne bridging groups. <b>2004</b> , 357, 1478-1486	4
1709	1D/2D coordination polymers of copper(II) having two superexchange pathways: syntheses, crystal structures and magnetic properties. <b>2004</b> , 357, 1031-1038	22
1708	Preparation, properties and crystal structure of two isomers of R,R,S,S- and R,S,R,S-[chloro(1,3,10,12,16,19-hexaazatetracyclo[17,3,1,112,16,04,9]tetracosane)copper(II)]+. <b>2004</b> , 357, 1325-1331	7
1707	Molecular structure and intra- and intermolecular magnetic interactions in chloro-bridged copper(II) dimers. <b>2004</b> , 357, 2269-2278	83
1706	Synthesis, crystal structure and photo-induced DNA cleavage activity of ternary copper(II)-thiosemicarbazone complexes having heterocyclic bases. <b>2004</b> , 357, 2315-2323	72
1705	Synthesis, crystal structure, spectroscopic and magnetic properties of doubly and triply bridged dinuclear copper(II) compounds containing di-2-pyridylamine as a ligand. <b>2004</b> , 357, 2532-2542	44
1704	Structural analysis and magnetic properties of the copper(II) dicyanamide complexes [Cu <sub>2</sub> (dmphen) <sub>2</sub> (dca) <sub>4</sub> ], [Cu(dmphen)(dca)(NO <sub>3</sub> ) <sub>n</sub> ] and [Cu(4,4'-dmbpy)(H <sub>2</sub> O)(dca) <sub>2</sub> ] (dca=dicyanamide; dmphen=2,9-dimethyl-1,10-phenanthroline; 4,4'-dmbpy=4,4'-dimethyl-2,2'-bipyridine). <b>2004</b> , 357, 3304-3316	54
1703	Trinuclear Cu(pn) <sub>2</sub> Ag <sub>2</sub> (CN) <sub>4</sub> : preparation, crystal structure and properties (pn=1,2-diaminopropane). <b>2004</b> , 357, 2763-2768	22
1702	Crystal structures and magnetic properties of tetranuclear copper(II) complexes of N-(2-hydroxymethylphenyl)salicylideneimine with a defective double-cubane core. <b>2004</b> , 357, 2635-2642	46
1701	Spectral properties and bio-activity of copper(II) clofibrates, part III: crystal structure of Cu(clofibrate) <sub>2</sub> (2-pyridylmethanol) <sub>2</sub> , Cu(clofibrate) <sub>2</sub> (4-pyridylmethanol) <sub>2</sub> (H <sub>2</sub> O) dihydrate, and Cu <sub>2</sub> (clofibrate) <sub>4</sub> (N,N-diethylnicotinamide) <sub>2</sub> . <b>2004</b> , 357, 3211-3222	41
1700	Two forms of a copper(II) complex of 3-phenyl-5-(2-pyridyl)-4-(4-pyridyl)-4H-1,2,4-triazole: a six-coordinate monomer versus a five-coordinate polymer. <b>2004</b> , 357, 3413-3417	12
1699	Zinc complexes of 6-methyl-2-pyridinecarboxylic acid. Crystal structure of [Zn(MeC <sub>5</sub> H <sub>3</sub> NCOO) <sub>2</sub> (H <sub>2</sub> O)]·H <sub>2</sub> O. <b>2004</b> , 357, 3789-3792	20
1698	Synthesis, crystal structure, spectroscopic and magnetic properties of copper(II) complexes with 2-(2-pyridyl)imino-N-(2-thiazolin-2-yl)thiazolidine (PyTT). <b>2004</b> , 357, 3574-3582	20
1697	Synthesis, crystal structure, magnetic properties and EPR spectra of copper(II) acetate derivatives: tetra-(acetato)bis(2-methylaminopyridine)copper(II) and catena-poly(aquadiacetato-β-aminomethylpyridine)copper(II). Sheets formed by chains connected through hydrogen-bonds. <b>2004</b> , 357, 3230-3236	17
1696	Cyano-bridged Fe(II)Cu(II) bimetallic assemblies: honeycomb-like and pentanuclear structures. <b>2004</b> , 357, 3271-3278	21

- 1695 Compartmental pyrazolate ligands providing two adjacent tris(pyridylalkyl)amine-type binding pockets and their dicopper(II) fluoride complexes featuring extremely short intramolecular O<sup>H</sup>⋯F bridges. **2004**, 357, 3703-3711 42
- 1694 The coordination chemistry of mono(di-2-pyridylamine) copper(II) complexes with monovalent and divalent oxoanions: crystal structure, spectroscopic and magnetic properties of dinuclear [Cu(L)(H<sub>2</sub>PO<sub>4</sub>)(HPO<sub>4</sub>)<sub>2</sub>] and polynuclear [Cu(L)(B-HPO<sub>4</sub>)<sub>n</sub>]. **2004**, 357, 3603-3612 17
- 1693 Equilibrium and structural studies on Co(II), Ni(II), Cu(II) and Zn(II) complexes with N-(2-benzimidazolyl)methyliminodiacetic acid: crystal structures of Ni(II) and Cu(II) complexes. **2004**, 357, 3563-3573 14
- 1692 Synthesis and structure of copper(II) complexes of two new poly(2-pyridylalkyl)diamine ligands. **2004**, 357, 3793-3798 4
- 1691 Transition metal complexes with pyrazole based ligands, part 18: new binuclear Cu(I), Cu(II) and Co(II) complexes with 3,5-dimethyl-1-thiocarboxamide pyrazole: synthesis, structural and magnetic studies. **2004**, 357, 4528-4536 26
- 1690 Asymmetric chlorine-bridged zig-zag Cu(II) chains linked together in 2D sheets by strong Watson-Crick type intermolecular double hydrogen bonds of bis(pyrimidin-2-yl)amine ligands: synthesis, structure and antiferromagnetism. **2004**, 357, 4522-4527 18
- 1689 Hexanuclear copper(II) complex of a novel poly(pyridine) ligand exhibiting unique long distance ferromagnetic interactions through a nitrate-O,O' bridge. **2004**, 357, 213-218 32
- 1688 Synthesis and spectroscopic studies of diorganotin derivatives with 2-[(2,6-dimethylphenyl)amino]benzoic acid. Crystal and molecular structure of the first complexes of 2-[(2,6-dimethylphenyl)amino]benzoic acid. Crystal and molecular structures of 1,2,3,4-di[2-[(2,6-dimethylphenyl)amino]benzoato-O,O'-1,3-bis-2-[(2,6-dimethylphenyl)amino]benzoato-O-1,2,4,2,3,4]tin(IV) complexes. **2004**, 357, 4537-4542 32
- 1687 Preparation and structural studies on the tBu<sub>2</sub>Sn(IV) complexes with aromatic mono- and dicarboxylic acids containing hetero {N} donor atom. **2004**, 689, 2762-2769 30
- 1686 Synthesis and physic-chemical properties of a copper(II) complex with 2-(2-pyridyl)iminotetrahydro-1,3-thiazine hydrochloride-water (1/2) (PyTzHCl.2H<sub>2</sub>O). Crystal structure of PyTz and [[CuCl(PyTz)]<sub>2</sub>(μ-Cl)<sub>2</sub>]. **2004**, 98, 15-23 21
- 1685 Metal-assisted light-induced DNA cleavage activity of 2-(methylthio)phenylsalicylaldehyde Schiff base copper(II) complexes having planar heterocyclic bases. **2004**, 98, 377-86 55
- 1684 Dinuclear copper-dioxygen intermediates supported by polyamine ligands. **2004**, 98, 746-57 14
- 1683 Effect of a conjugated acridine moiety on the binding and reactivity of Cu(II)[9-acridinylmethyl-1,4,7-triazacyclononane] with DNA. **2004**, 98, 1778-86 18
- 1682 Synthesis, characterization and magnetochemical studies of some copper(II) complexes derived from n-salicylidene-n-alkanoylhydrazins: X-ray crystal and molecular structure of bis [monochloro-(En-salicylidene)myristoylhydrazine]onod(II) dicopper(II). **2004**, 23, 23-31 64
- 1681 Synthesis and hypodentate Cu(II) complexes of new tripodal tetraamine ligands incorporating a long pendant arm. **2004**, 23, 97-102 15
- 1680 A structural model for oxidized type II copper nitrite reductase with a polyimidazole tripodal ligand. **2004**, 23, 511-518 27
- 1679 Highly selective extraction of Cu(II) and Zn(II) using [B(3-iPrpz)<sub>4</sub>][iPrpz=isopropylpyrazolyl]. **2004**, 23, 283-289 7
- 1678 Synthesis and characterization of synanti carboxylate-bridged one-dimensional copper(II) complexes with bis(2-pyridylmethyl)amino acids. **2004**, 23, 903-911 53



1677	Synthesis, X-ray crystal structures, physicochemical and magnetic studies on copper(II) N-(2-carboxyphenyl) iminodiacetate polymers. <b>2004</b> , 23, 1081-1088	13
1676	Synthesis of new pyrazole-containing binuclear and mononuclear Cu(II) complexes: crystal structure, EPR, magnetic and spectroscopic properties. <b>2004</b> , 23, 1309-1316	36
1675	Solid state coordination chemistry of mononuclear mixed-ligand complexes of Ni(II), Cu(II) and Zn(II) with hydroxycarboxylic acids and imidazole. <b>2004</b> , 23, 1505-1518	67
1674	The novel dinuclear doubly and triply bridged copper(II) compound with monoatomic bridges. <b>2004</b> , 23, 1641-1647	4
1673	Synthesis, spectroscopic, magnetic and EPR results and crystal structure of di-[(N-methyl-N-methoxy-2-pyridinamine)bis[(2,2'-bipyridine)copper(II)]hexafluorophosphate. <b>2004</b> , 23, 1695-1700	4
1672	Novel hydrogen-bonded and interaction networks generated from the reaction of copper(II) chloride hydrates with heterocyclic diimines (2,2'-bipyridine, 1,10-phenanthroline) and bidentate diamine (ethylenediamine). <b>2004</b> , 23, 1961-1967	31
1671	Organotin adducts of indomethacin: synthesis, crystal structures and spectral characterization of the first organotin complexes of indomethacin. <b>2004</b> , 23, 2021-2030	22
1670	Spectral and structural studies of Zn and Cd complexes of 2-pyridineformamide N(4)-ethylthiosemicarbazone. <b>2004</b> , 23, 2303-2313	26
1669	Copper(II) complexes of new tetradentate NSNO pyridylthioazophenol ligands: synthesis, spectral characterization and crystal structure. <b>2004</b> , 23, 2457-2464	38
1668	Synthesis, characterization and bioactivity of mixed-ligand Cu(II) complexes containing S-methyldithiocarbamate derivatives and saccharinate ligands and the X-ray crystal structure of the copper-saccharinate complex containing	30
1667	Structural confirmation of the 3,5-dinitrosalicylate anion coordination ability to metal ion: crystal structure, spectral and magnetic properties of the [Cu3{3,5-(NO2)2sal}2{3,5-(NO2)2sal}2(H2O)4] · 4H2O. <b>2004</b> , 23, 2447-2456	19
1666	Model for type 2 Cu(II) oxidase: structure reactivity correlation studies on some mononuclear Cu(X)(Im) complexes, where X=H, Cl and Im=Imidazole: molecular association, electronic spectra and ascorbic oxidation. <b>2004</b> , 23, 2515-2522	22
1665	Structural, electrochemical and spectroscopic characterization of a new [Cu2L2(El)2]2[CuCl4]2 dimer complex. <b>2004</b> , 694, 193-198	3
1664	The generation of a trinuclear cobalt (II) core supported by differing tridentate acetate bridges. <b>2004</b> , 7, 140-145	9
1663	A di-phenoxo bridged zinc dimer with unfamiliar spatial arrangement. <b>2004</b> , 7, 311-314	41
1662	Copper(II) complexes with a novel tris(3,5-diisopropyl-1-pyrazolyl)methane ligand, [Cu(X)2{HC(3,5-iPr)2pz}3] (X=Cl and NO3). <b>2004</b> , 7, 330-332	20
1661	Efficient mechanochemical synthesis of tris(pyrazolylborate) complexes of manganese(II), cobalt(II) and nickel(II). <b>2004</b> , 7, 485-488	28
1660	Synthesis, characterization, and crystal structure of 1,4-bis(3-aminopropyl)piperazineperchloratocopper(II) perchlorate. <b>2004</b> , 7, 559-562	29

- 1659 The first structurally proved copper(II) complex simultaneously containing salicylato mono- and dianions. X-ray crystal structure, spectral and magnetic properties of the trimeric  $[\text{Cu}_3\{3,5\text{-(NO}_2)_2\text{sal}_2\}_2\{3,5\text{-(NO}_2)_2\text{sal}_1\}_2(\text{H}_2\text{O})_4] \cdot 4\text{H}_2\text{O}$ . **2004**, 7, 548-552 20
- 1658 DNA cleavage by a novel acyclic copper(II) complex. **2004**, 7, 803-805 10
- 1657 Synthesis and crystal structure of a zinc tris(xanthate) anionic derivative with a diaminoacridine cation. **2004**, 7, 1091-1094 4
- 1656 Synthesis, characterization, and crystal structure of the copper(II) complex of the optical active polypyridylmethylamine ligand: N,N,N'-tris(2-pyridylmethyl)-S-2-(aminomethyl)piperidine = S-P3pipda. **2004**, 7, 1229-1232 8
- 1655 Cadmium complexes of meso-tetra-(p-chlorophenyl)porphyrin: [meso-tetra-(p-chlorophenyl)porphyrinato](pyridine)cadmium(II) pyridine solvate and [meso-tetra-(p-chlorophenyl)porphyrinato](dimethylformamide)cadmium(II) toluene solvate. **2004**, 7, 1233-1237 8
- 1654 Synthesis and structures of dinuclear copper(II) complex and phenolatotetrazinc(II) complex with 1,3-diphenyl-4-(salicylidene hydrazone)-phenylethylene-pyrazolone-5. **2004**, 7, 1306-1310 26
- 1653 Biphenyl derived Schiff-base vanadium(V) complexes with pendant OH-groups--structure, characterization and hydrogen peroxide mediated sulfide oxygenation. **2004**, 2314-20 27
- 1652 Antisymmetric exchange in two tricopper(II) complexes containing a  $[\text{Cu}_3(\text{micro}_3\text{-OMe})]^{5+}$  core. **2004**, 59-64 93
- 1651 Mono- and dinuclear complexes of chiral tri- and tetradentate Schiff-base ligands derived from 1,1'-binaphthyl-2,2'-diamine. **2004**, 43, 6168-76 55
- 1650 On, off and intermediate coordination of a bridgehead triarylamine donor in tripodal complexes: towards the tuning of coordinative bond distance. **2004**, 2750-7 20
- 1649 Solid state coordination chemistry: structural consequences of variations in tether length in the oxovanadium-copper-bisterpy-[ $\text{O}_3\text{P}(\text{CH}_2)_n\text{PO}_3$ ] $^{4-}$  system, n= 1-6 (bisterpy = 2,2':4',4'':2'',2'''-quarterpyridyl-6',6''-di-2-pyridine). **2004**, 1527-38 42
- 1648 Co-ordination chemistry of amino pendant arm derivatives of 1,4,7-triazacyclononane. **2004**, 1934-44 15
- 1647 Synthesis, crystal structure, EPR and magnetic properties of a cyano-bridged Cu(II)Ni(II) heterobimetallic complex: an unusual structure with long-range ferromagnetic exchange through hydrogen bonding. **2004**, 28, 412-417 23
- 1646 Reactions of thiosemicarbazones derived from beta-keto amides and beta-keto esters with Zn(II) and Cd(II) acetates: influence of metal, substitution, reagent ratio and temperature on metal-induced cyclization. **2004**, 2019-26 26
- 1645 Synthesis, structure and solution NMR properties of  $(\text{Ph}_4\text{P})[\text{M}(\text{SeC}[\text{O}]\text{Tol})_3]$ , M = Zn, Cd and Hg. **2004**, 2890-4 11
- 1644 LZnX complexes of tripodal ligands with intramolecular RN-H hydrogen bonding groups: structural implications of a hydrogen bonding cavity, and of X/R in the hydrogen bonding geometry/strength. **2004**, 2800-7 17
- 1643 Insights into the absorption of carbon dioxide by zinc substrates: isolation and reactivity of di- and tetranuclear zinc complexes. **2004**, 2135-41 34
- 1642 Ferromagnetic coupling and thermochromism in  $[\text{Ni}(\text{rac-CTH})(\mu_1,1\text{-N}_3)_2\text{Cu}(\text{N}_3)_2]$ , the first end-on azido-bridged bimetallic complex. **2004**, 3938-40 17

1641	Syntheses, structural properties and catecholase activity of copper(II) complexes with reduced Schiff base N-(2-hydroxybenzyl)-amino acids. <b>2004</b> , 113-21	159
1640	Ligand oxidations in high-spin nickel thiolate complexes and zinc analogues. <b>2004</b> , 43, 7726-34	21
1639	Synthesis, characterization, and X-ray crystal structures of cyclam derivatives. 5. Copper(II) binding studies of a pyridine-strapped 5,12-dioxocyclam-based macrobicycle. <b>2004</b> , 43, 5572-87	32
1638	Tuning the Structures of Mercury Cyanide-Based Coordination Polymers with Transition Metal Cations. <b>2004</b> , 4, 621-632	42
1637	Steric and hydrogen-bonding effects on the stability of copper complexes with small molecules. <b>2004</b> , 43, 5725-35	56
1636	Crystal engineering of a versatile building block toward the design of novel inorganic-organic coordination architectures. <b>2004</b> , 2065-72	41
1635	Self-assembly of CuII and NiII [2 x 2] grid complexes and a binuclear CuII complex with a new semiflexible substituted pyrazine ligand: multiple anion encapsulation and magnetic properties. <b>2004</b> , 43, 1021-30	62
1634	Nickel(II)-phenoxyl radical complexes: structure-radical stability relationship. <b>2004</b> , 43, 7816-22	52
1633	Three new dinuclear copper(II) complexes with [Cu(1,3-N3)2Cu]2+ and [Cu(1,1-N3)2Cu]2+ asymmetrical cores: syntheses, structures and magnetic behaviour. <b>2004</b> , 28, 681-686	104
1632	Synthesis, structure, magnetism, and spectroscopic properties of heterobinuclear copper(II)-zinc(II) complexes and their copper(II)-copper(II) analogues in asymmetric ligand environments. <b>2004</b> , 43, 6015-23	22
1631	A new tetrameric CuII cluster with square topology exhibiting ferro- and antiferromagnetic magnetic pathways : which is which?. <b>2004</b> , 1102-3	36
1630	Rhenium(IV)-copper(II) heterobimetallic complexes with a bridge malonato ligand. Synthesis, crystal structure, and magnetic properties. <b>2004</b> , 43, 7823-31	45
1629	Synthesis of di-, tri- and penta-nuclear titanium(IV) species from reactions of titanium(IV) alkoxides with 2,2'-biphenol (H(2)L(1)) and 1,1'-binaphthol (H(2)L(2)); crystal structures of [Ti(3)(mu(2)-OPr(i))(2)(OPr(i))(8)L(1))], [Ti(3)(OPr(i))(6)L(1)(3))], [Ti(5)mu(3)-O(2)(mu(2)-OR)(2)(OR)(6)L(1)(4)] (R = OPr(i), OBu(n)) and [Ti(2)(OPr(i))(4)L(2)(2))]. <b>2004</b> , 1846-51	40
1628	The activation of tertiary carboxamides in metal complexes: an experimental and theoretical study on the methanolysis of acylated bispicolylamine copper(II) complexes. <b>2004</b> , 43, 4663-73	49
1627	Different supramolecular hydrogen bond structures and significant changes in magnetic properties in dinuclear mu-2-1,1-N3 copper(II) complexes with very similar tridentate Schiff base blocking ligands. <b>2004</b> , 252-9	128
1626	Steric and electronic control over the reactivity of a thiolate-ligated Fe(II) complex with dioxygen and superoxide: reversible mu-oxo dimer formation. <b>2004</b> , 43, 7682-90	38
1625	Isomerism in 1D Coordination Polymers of Cu(II) Complexes of N-(2-Hydroxybenzyl)-l-valine: Influence of Solvent and Coordination Sphere on the Conformation. <b>2004</b> , 4, 781-788	66
1624	Dinuclear CuII Complexes with a New Phenol-Based Ligand Bearing Pyridine and Thiophene Substituents: Synthesis, Characterization and Interaction with Catechol Substrates. <b>2004</b> , 2004, 4036-4045	40

- 1623 Crystal structure and spectroscopic properties of a new syn-anti carboxylate-bridged polymeric chain copper(II) glycylglycine complex. **2004**, 57, 657-664 8
- 1622 A New Cu(II) Bridging-carboxylate Helical Chain Polymer: Synthesis and Structural Aspects. **2005**, 2005, 502-504 4
- 1621 Crystal Structure of Tetrakis[.MU.-(acetato-O:O')]bisnicotinamide-N1-zinc(II) dihydrate. **2005**, 21, X167-X168 4
- 1620 Blue fluorescence of three metal-organic zinc polymers containing tetrazinc units and asymmetric ligand of btc<sub>3</sub> **2005**, 178, 3396-3404 12
- 1619 Characterization and biological activities of two copper(II) complexes with diethylenetriamine and 2,2'-bipyridine or 1,10-phenanthroline as ligands. **2005**, 62, 261-8 56
- 1618 Copper(II) complexes of 1,10-phenanthroline-derived ligands: studies on DNA binding properties and nuclease activity. **2005**, 99, 1205-19 166
- 1617 Synthesis, crystal structure, spectroscopy and magnetic properties of a dinuclear Cu<sub>2</sub>L complex with 3,5-bis(2-pyridyl)pyrazole bridging ligand. **2005**, 737, 17-21 28
- 1616 Bis(alkoxo)-bridged dinuclear iron(III) complexes of pyrazole-based ligands as models for iron-oxo proteins. **2005**, 24, 41-48 15
- 1615 The coordination chemistry of tripodal tetraamine ligands. **2005**, 24, 1-39 181
- 1614 Azido-bridged Cu(II) compounds with asymmetric end-to-end and end-on binding modes: magnetic assignments using a spin dimer model. **2005**, 24, 249-256 33
- 1613 A N,N'-diacetate benzodioxotetraazamacrocycle and its transition metal complexes. **2005**, 24, 451-461 5
- 1612 First example of atmospheric carbon dioxide uptake by a cyanocomplex: Preparation and structural characterization of Zn<sub>2</sub>(tn)<sub>2</sub>(CO<sub>3</sub>)Ni(CN)<sub>4</sub>·4H<sub>2</sub>O (tn=1,3-diaminopropane). **2005**, 24, 579-584 4
- 1611 Crystal structure, magnetic properties and spectroscopic characterization of a rare syn-anti acetato-bridged zig-zag chain copper(II) complex. **2005**, 24, 979-983 12
- 1610 New triorganotin(IV) complexes of a polyfunctional S,N,O-ligand. **2005**, 24, 995-1001 7
- 1609 Chloro-bridged Cu(II) pairs linked into a 1D coordination polymer through a dinucleating imidazole-based ligand: 3D structure and magnetism. **2005**, 24, 1599-1605 3
- 1608 Synthesis and X-ray crystallographic characterization of copper and iron complexes with tetradentate-N<sub>4</sub> ligands: Reactivity towards catechol oxidation. **2005**, 24, 2921-2932 28
- 1607 Coordination networks of 2,3-bis(4,5-dimethylthio-1,3-dithiole-2-ylidene)succinonitrile with silver salts: A study of network connectivity and topology as a function of counterion. **2005**, 24, 3032-3037 4
- 1606 Zn(II) pyrazolonate complexes obtained by metal-induced cyclization of thiosemicarbazones: Crystal structures and spectroscopic properties. **2005**, 24, 3057-3065 14

1605	Ligation properties of 2-acetyl-2-thiazoline semicarbazone (ATsc): Isolation, spectroscopic and X-ray study of ATsc and its Cu(II) and Ni(II) complexes. <b>2005</b> , 24, 2972-2980	12
1604	Copper(II) compounds of some rigid dinucleating bis-amineBis-imidazole ligands. <b>2005</b> , 358, 2167-2173	9
1603	Structure and magnetism of two new linear trinuclear copper(II) clusters obtained from the tetradentate N2O2 ligand bis(2-hydroxybenzyl)-1,3-diaminopropane. <b>2005</b> , 358, 109-115	37
1602	Five-coordinate zinc(II) complexes with optically active Schiff bases derived from (1R,2R)-[1-cyclohexanediamine: X-ray structure and CP MAS NMR characterization of [cyclohexylenebis(5-chlorosalicylideneiminato)zinc(II)pyridine] and [cyclohexylenebis(5-bromosalicylideneiminato)zinc(II)pyridine]. <b>2005</b> , 358, 467-475	27
1601	Hydrogen-bonding assemblies constructed from metalloligand building blocks and H2O. <b>2005</b> , 358, 423-428	14
1600	N-methyl-bis(2-bromo 6-pyridylmethyl)amine: high yield synthesis, and spectroscopic properties of the dichloroferrous complex with trigonal bipyramidal geometry. <b>2005</b> , 358, 839-843	17
1599	An unprecedented tetranuclear Cu(II) cluster, exclusively bridged by two $\beta,\beta$ -hydrogenphosphate anions: synthesis, structure, and magnetic properties. <b>2005</b> , 358, 849-853	18
1598	Copper(II) chloride/1-methylbenzotriazole chemistry: influence of various synthetic parameters on the product identity, structural and magnetic characterization, and quantum-chemical studies. <b>2005</b> , 358, 565-582	62
1597	Mono, di and polynuclear Cu(II)Azido complexes incorporating N,N,N reduced schiff base: syntheses, structure and magnetic behavior. <b>2005</b> , 358, 641-649	25
1596	Synthesis, structure and properties of unsymmetrical $\beta$ alkoxo-dicopper(II) complexes: biological relevance to phosphodiester and DNA cleavage and cytotoxic activity. <b>2005</b> , 358, 1807-1822	62
1595	An unexpected destabilisation of copper(II) phenoxyl radical species by steric protection. <b>2005</b> , 358, 1337-1341	7
1594	Copper complexes with new oxaza-pendant-armed macrocyclic ligands: X-ray crystal structure of a macrocyclic copper(II) complex. <b>2005</b> , 358, 1141-1150	19
1593	Dinuclear triply-bridged copper(II) compounds containing carboxylato bridges and di-2-pyridylamine as a ligand: synthesis, crystal structure, spectroscopic and magnetic properties. <b>2005</b> , 358, 1068-1078	51
1592	A one-dimensional copper (II) coordination polymer $[Cu_3(ampym)_2(\mu_1,1-N_3)_4(\mu_1,3-N_3)_2(dmef)_2]$ (ampym = 2-aminopyrimidine) containing both end-on and end-to-end azido bridges. <b>2005</b> , 358, 1171-1178	28
1591	Synthesis, X-ray crystal structure and properties of a novel tetranuclear unsymmetrical ( $\beta$ SO4) copper(II) complex: relevance to SO2 fixation. <b>2005</b> , 358, 997-1004	11
1590	Coordination chemistry of heterocycle-functionalized diazamesocycles: tuning the productive NIII complexes through altering the pendants of ligands. <b>2005</b> , 358, 1887-1896	10
1589	Synthesis, crystal structure and magnetic properties of a polynuclear Cu(II) complex: catena-poly[aqua(di-2-pyridylamine)copper(II)( $\beta$ formate-O,O?)nitrate]. <b>2005</b> , 358, 3267-3271	10
1588	A novel polymeric trinuclear-based $\beta$ -phosphato-bridged Cu(II) complex containing two different types of monophosphate. Synthesis, structure and magnetism of $\{[Cu_3(di-2-pyridylamine)_3(\beta,\beta-HPO_4)(\beta,\beta-PO_4)(H_2O)](PF_6)(H_2O)_3\}_n$ . <b>2005</b> , 358, 2125-2128	13

- 1587 A novel tetranuclear hydrogenphosphate-bridged Cu(II) cluster. Synthesis, structure, spectroscopy and magnetism of  $[\text{Cu}_4(\text{dpyam})_4(\mu_3\text{-HPO}_4)_2(\mu_2\text{X})_2]\text{X}_2(\text{H}_2\text{O})_6$  (X=Cl, Br). **2005**, 358, 2262-2268 12
- 1586 Synthesis, crystal structure and photo-induced DNA cleavage activity of ternary copper(II) complexes of NSO-donor Schiff bases and NN-donor heterocyclic ligands. **2005**, 358, 2437-2444 68
- 1585 Cu(II) complexes with labile apical coordination: Synthesis, crystal structure,  $^1\text{H}$  NMR investigation, and oxidation properties of mononuclear  $[\text{Cu}(\text{dien})(2\text{-PhIm})(\text{ClO}_4)]^+$  (1),  $[\text{Cu}(\text{dien})(2\text{-MeBzIm})]^{2+}$  (2), complexes. **2005**, 358, 2651-2660 13
- 1584 Co (II), Ni(II) and Cu(II) complexes with a new pendant armed macrocyclic ligand showing several  $\pi$ -interactions. **2005**, 358, 2618-2628 21
- 1583 A new ( $\beta$ -carbonato)tricopper(II) complex with symmetry related equilateral triangular array of metal centers; structure and magnetism. **2005**, 358, 2711-2717 22
- 1582 Copper(II) complexes of tetradentate thioether-oxime ligands. **2005**, 358, 3449-3456 31
- 1581 Synthesis, characterization and structure of a new zinc(II) complex containing the hexadentate N,N',N,N'-bis[(2-hydroxy-3,5-di-tert-butylbenzyl)(2-pyridylmethyl)]-ethylenediamine ligand: Generation of phenoxyl radical species. **2005**, 358, 3106-3114 26
- 1580 Synthesis and structure determination of two new dinuclear end-to-end doubly bridged azido- and thiocyanato-copper(II) complexes derived from diethyldiethylenetriamine. **2005**, 358, 3334-3340 76
- 1579 Molecular double chains and 3-D supramolecular frameworks with open channels assembled from 1D copper(II) maleate coordination polymers with chelating aromatic amine ligands by noncovalent interactions. **2005**, 358, 3807-3814 17
- 1578 Structural and equilibrium studies on mixed ligand complexes of Co(II), Ni(II), Cu(II) and Zn(II) with N-(2-benzimidazolyl)methyliminodiacetic acid and typical N,N donor ligands. **2005**, 358, 3786-3798 11
- 1577 Heterobimetallic M/Zn (M=Cu, Ni) complexes with open-chain N- and N,O-ligands: Template synthesis from metal powders and supramolecular crystal structures. **2005**, 358, 3889-3904 10
- 1576 Imidazole derivatives of binuclear copper (II) and nickel (II) complexes incorporating bis(1,4,7-triazacyclononan-1-yl) ligands. **2005**, 358, 3974-3982 16
- 1575 Synthetic, EPR spectroscopic, magnetic and X-ray crystallographic structural studies on copper(II) complexes of the tridentate N<sub>2</sub>S donor ligand formed from 6-methyl-2-formylpyridine and S-methyldithiocarbamate (Hmpsme). **2005**, 358, 3937-3948 54
- 1574 Zinc complexes of a new N<sub>3</sub>O ligand and their biomimetic reactions. **2005**, 358, 4019-4026 6
- 1573 Two-dimensional CuII and first PbII coordination polymers based on a flexible 1,4-cyclohexanedicarboxylate ligand displaying different conformations and coordination modes. **2005**, 358, 4034-4038 32
- 1572 Transition metal complexes of a tridentate ligand bearing two pendant pyridine bases: The X-ray crystal structure of pentacoordinate copper(II) complex. **2005**, 358, 3799-3806 31
- 1571 Oxime-functionalized diazamesocyclic derivatives and their metal complexes: Effect of the ligand backbones and anions on the generation of novel monomeric and mono- $\mu$ -Cl dimeric CuII complexes. **2005**, 358, 4481-4488 4
- 1570 Porous coordination polymer of copper(II) assembled from mixed organic ligands pyridine-2,4-dicarboxylic acid and trans-1,2-bis(4-pyridyl)ethylene: Synthesis, crystal structure and magnetic study. **2005**, 358, 4581-4587 25

1569	A unique tetra-nuclear AgI $\mu$ disulfoxide complex, {[Ag <sub>2</sub> (O,O-L)(EO- $\mu$ (SO)-L) <sub>2</sub> (ClO <sub>4</sub> )]ClO <sub>4</sub> ] <sub>2</sub> (L=meso-1,2-bis(ethylsulfinyl)ethane) with unprecedented ligand coordination mode. <b>2005</b> , 737, 23-27	4
1568	Synthesis, characterization and crystal structures of two discrete Cu(II) complexes with mixed-ligands: [Cu(mal)(L)(H <sub>2</sub> O)] $\cdot$ H <sub>2</sub> O and [Cu(Phmal)(L) <sub>2</sub> ] (mal=malonate dianion, phmal=phenylmalonate dianion and L=5,5'-dimethyl-2,2'-bipyridine). <b>2005</b> , 738, 183-187	22
1567	Coordination chemistry of the new ligand 1-(bis-pyridin-2-ylmethyl-amino)-3-chloropropan-2-ol (HPCINOL) with copper(II). X-ray crystal structure, spectroscopic and electrochemical properties of the complex [Cu(HPCINOL)(CH <sub>3</sub> CN)](ClO <sub>4</sub> ) <sub>2</sub> . <b>2005</b> , 749, 96-102	17
1566	From discrete metallacycle, cage to infinite chain: tuning the coordination frameworks by variation of the metal center or ligand functionality. <b>2005</b> , 8, 1-5	18
1565	Indirect evidences of desulfurization of a thiosemicarbazonecopper(II) system in aqueous basic medium. <b>2005</b> , 8, 259-262	22
1564	New mononuclear CuII and ZnII complexes capable of stabilizing phenoxyl radicals as models for the active form of galactose oxidase. <b>2005</b> , 8, 249-253	21
1563	Synthesis and characterization of formyl group containing N-monofunctionalized tetraazamacrocyclic ligand and its nickel(II) complex. <b>2005</b> , 8, 297-300	8
1562	An unusual bis(dicyano-nickel) complex possessing both bridging- and chelate-ligation by 1,3-bis(diphenylphosphino)propane. <b>2005</b> , 8, 850-852	2
1561	Synthesis, spectroscopic characterization, X-ray crystal structure and magnetic properties of dinuclear copper(II) complex with dual end-to-end and end-on cyanate bridges: [Cu <sub>2</sub> ( $\mu$ (NCO-N,N') <sub>2</sub> (NCO-N) <sub>2</sub> (dpyam) <sub>2</sub> ]. <b>2005</b> , 8, 882-885	30
1560	Ni(II), Co(II) and Mn(II) tris(pyrazolyl)borate complexes with 2,6-di-tert-butyl-4-carboxy-phenol: Formation of coordinated phenoxyl radical. <b>2005</b> , 8, 932-935	12
1559	Structural aspects of copper catalyzed atom transfer radical polymerization. <b>2005</b> , 249, 1155-1184	251
1558	The synthesis and coordination chemistry of 2,6-bis(pyrazolyl)pyridines and related ligands $\square$ Versatile terpyridine analogues. <b>2005</b> , 249, 2880-2908	279
1557	New trends of molecular magnetism. <b>2005</b> , 249, 2534-2548	126
1556	Tris(mercaptoimidazolyl)borate complexes of the coinage metals: syntheses and molecular structures of the first gold compounds and related copper and silver derivatives. <b>2005</b> , 2410-6	42
1555	Towards the Design of Linear Homo-Trinuclear Metal Complexes Based on a New Phenol-Functionalised Diazamesocyclic Ligand: Structural Analysis and Magnetism. <b>2005</b> , 2005, 294-304	37
1554	Dinuclear Copper(II) Complexes of Two Homologous Pyrazine-Based Bis(terdentate) Diamide Ligands. <b>2005</b> , 2005, 1530-1541	31
1553	Di-2-pyridyl Ketone Oxime in Zinc Chemistry: Inverse 12-Metallacrown-4 Complexes and Cationic Pentanuclear Clusters. <b>2005</b> , 2005, 1964-1978	47
1552	Bridging $\mu$ -Lactam Coordination at Dinuclear Zinc Sites. <b>2005</b> , 2005, 2346-2351	18

- 1551 Dinuclear Complexes of MII Thiocyanate (M = Ni and Cu) Containing a Tridentate Schiff-Base Ligand: Synthesis, Structural Diversity and Magnetic Properties. **2005**, 2005, 2376-2383 99
- 1550 Synthesis and Characterization of Heterotrinnuclear Complexes of Nickel and Palladium with Pyridinecarboxylate as Bridging Ligands. **2005**, 2005, 3049-3056 13
- 1549 N-Donor Ligand Coordination Polymers of CuII, ZnII, and CdII Obtained at Elevated Temperature and Pressure. **2005**, 2005, 2902-2908 21
- 1548 Formation of 3-Sulfanylcoumarins by SnPh3OH-Promoted Cyclization of 3-Aryl-2-Sulfanylpropenoic Acids. **2005**, 2005, 4425-4429 11
- 1547 Trinuclear CuII Complexes Containing Peripheral Ketonic Oxygen Bridges and a  $\beta$ -OH Core: Syntheses, Crystal Structures, Spectroscopic and Magnetic Properties. **2005**, 2005, 4562-4571 13
- 1546 Coordination Chemistry of N,N,N',N'-Tetraethylpyridine-2,6-dithiocarboxamide (S-dept) [X-ray Crystal Structures and Magnetic Properties of [Co(S-dept)X2] (X = Br, I, and NCS). **2005**, 2005, 3884-3893 17
- 1545 Unexpected Behaviour of Pyridine-2-carbaldehyde Thiosemicarbazonecopper(II) Entities in Aqueous Basic Medium [Partial Transformation of Thioamide into Nitrile. **2005**, 2005, 3409-3413 20
- 1544 Structural Trends in Divalent Benzil Bis(thiosemicarbazone) Complexes. **2005**, 2005, 4401-4409 19
- 1543 Catechol Oxidation with Dinuclear Copper Complexes of Aliphatic Tripodal Amino Alcohols. **2005**, 2005, 4914-4923 16
- 1542 Copper(II) Complexes of Schiff-Base and Reduced Schiff-Base Ligands: Influence of Weakly Coordinating Sulfonate Groups on the Structure and Oxidation of 3,5-DTBC. **2005**, 2005, 4635-4645 110
- 1541 Mononuclear and Polynuclear Chain Complexes of a Series of Multinucleating N/S Donor Ligands. **2005**, 2005, 4533-4549 13
- 1540 Synthesis and Characterization of Copper Complexes Containing the Tripodal N7 Ligand Tris{2-[(pyridin-2-ylmethyl)amino]ethyl}amine (=N?-(Pyridin-2-ylmethyl)-N,N-bis{2-[(pyridin-2-ylmethyl)amino]ethyl}ethane-1,2-diamine): Crystal Structures and Magnetic Properties of [Cu(L)X] (L = Tris{2-[(pyridin-2-ylmethyl)amino]ethyl}amine; X = Cl, Br, I, NO<sub>3</sub>, ClO<sub>4</sub>). **2005**, 2005, 4572-4580 13
- 1539 Two-Dimensional Holo- and Hemidirected Lead(II) Coordination Polymers: Synthetic, Spectroscopic, Thermal, and Structural Studies of [Pb(E<sub>5</sub>CN)<sub>2</sub>(E<sub>6</sub>bp)<sub>1.5</sub>]<sub>n</sub> and {[Pb(E<sub>6</sub>OAc)(E<sub>6</sub>bp)](ClO<sub>4</sub>)<sub>n</sub> (ebp=4,4'-[(1E)-Ethane-1,2-diyl]bis[pyridine]; OAc=Acetato). **2005**, 88, 2513-2522 22
- 1538 Two molecular tapes consisting of serial or parallel azido-bridged eight-membered copper rings. **2005**, 44, 5841-6 106
- 1537 Two Molecular Tapes Consisting of Serial or Parallel Azido-Bridged Eight-Membered Copper Rings. **2005**, 117, 5991-5996 11
- 1536 Ferromagnetic interaction in  $\mu$ 1,3-cyanamido-derived copper(II) cryptates. **2004**, 11, 398-405 15
- 1535 Less symmetrical dicopper(II) complexes as catechol oxidase models--an adjacent thioether group increases catecholase activity. **2005**, 11, 1201-9 110
- 1534 Total spontaneous resolution of chiral covalent networks from stereochemically labile metal complexes. **2005**, 11, 5311-8 30



- 1533 Mononuclear, dinuclear, and pentanuclear [[N,S(thiolate)]iron(II)] complexes: nuclearity control, incorporation of hydroxide bridging ligands, and magnetic behavior. **2005**, 11, 7328-41 24
- 1532 Ternary copper(II) complexes with N-carboxymethyl-L-prolinato(2-) ion and imidazole or creatinine: a comparative study of the interligand interactions influencing the molecular recognition and stability. **2005**, 99, 1424-32 6
- 1531 Synthesis, characterization and hydrolytic behavior of new bis(2-pyridylthio)acetate ligand and related organotin(IV) complexes. **2005**, 690, 1994-2001 40
- 1530 Kinetics and DFT studies on the reaction of copper(II) complexes and H<sub>2</sub>O<sub>2</sub>. **2005**, 10, 581-90 24
- 1529 Catecholase activity of a  $\mu$ -hydroxodicopper(II) macrocyclic complex: structures, intermediates and reaction mechanism. **2005**, 10, 739-50 53
- 1528 Novel diaroylhydrazine ligands as iron chelators: coordination chemistry and biological activity. **2005**, 10, 761-77 57
- 1527 Syntheses, Crystal Structures, and Magnetic Properties of Carboxylate-Bridged Copper(II) Complexes with Bis(2-Pyridylmethyl)Amino Acids. **2005**, 16, 649-656 15
- 1526 The first tris(saccharinato) complexes. Syntheses, spectral, thermal and structural characterization of ApyH[Cu(N $\bar{B}$ ac)2(O $\bar{B}$ ac)(H<sub>2</sub>O)2] and ApyH[Zn(N $\bar{B}$ ac)3-(H<sub>2</sub>O)] (ApyH=2 $\bar{B}$ iminopyridinium and sac=saccharinate). **2005**, 30, 95-102 12
- 1525 Synthesis and characterization of mononuclear copper(II) and dinuclear cadmium(II) complexes with di-(2-picoly)l)sulfide. **2005**, 30, 273-277 4
- 1524 Low-dimensional Compounds Containing Cyano Groups. XI. Preparation, Crystal Structure and Properties of Two Copper(II) Dicyanamide Complexes with PF $\bar{B}$  Anions. **2005**, 30, 889-896 12
- 1523 Synthesis, characterization and crystal structures of dipyridyl-N-methylimine and cloro-bis (N,N'-2,2'-dipyridyl-N-methylimine)lithium complex. **2005**, 35, 451-456 9
- 1522 Synthesis and Single-Crystal X-ray Diffraction and CP/MAS <sup>13</sup>C and <sup>15</sup>N NMR Study of Zinc Diethyldithiocarbamate Adducts with Dialkylamines: Manifestation of Conformational Isomerism. **2005**, 404, 205-209 4
- 1521 Copper(II) complexes with N-(2-carboxyethyl)anthranilic acid H<sub>2</sub>CEAnt. Synthesis and crystal structure of [Cu(CEAnt)(H<sub>2</sub>O)] $\cdot$ H<sub>2</sub>O. **2005**, 54, 1563-1568 2
- 1520 Structural Organization of Nickel(II), Zinc(II), and Copper(II) Complexes with Diisobutyldithiocarbamate: EPR, <sup>13</sup>C and <sup>15</sup>N CP/MAS NMR, and X-Ray Diffraction Studies. **2005**, 31, 695-707 19
- 1519 Kupferkomplexe des neuen Chelatliganden 1-Methyl-2-(2-thiophenolato)-1H-benzimidazol (mtpb) und dessen Oxidationsprodukten. **2005**, 631, 663-671 5
- 1518 Reactivity of Copper(I) Complexes with Tripodal Ligands towards O<sub>2</sub>: Structures of a Precursor [L<sub>3</sub>CuI(NCCH<sub>3</sub>)](BF<sub>4</sub>), L<sub>3</sub> = Tris(3-isopropyl-4,5-trimethylenepyrazolyl)methane and of its Oxidation Product [L<sub>3</sub>CuII( $\bar{O}$ H)2CuII(L<sub>3</sub>)](BF<sub>4</sub>)<sub>2</sub> with Strong Antiferromagnetic Spin-Spin Coupling. **2005**, 631, 2568-2574 14
- 1517 Crystal Structure and Magnetic Exchange in the Single Chloride-Bridged Copper(II) Chain Compound [CuCl<sub>2</sub>(TzHy)] [TzHy = (4,5-dihydro-1,3-thiazol-2-yl)hydrazine]. **2005**, 631, 1898-1902 25
- 1516 Condensation Reaction of Dimethyltin(IV) Oxide with 2-(2,3-Dichloroanilino)benzoic Acid Synthesis and Study of a Novel Dimeric Tetraorganodistannoxane. **2005**, 631, 2481-2484 7

1515	Variability in the Coordination Modes of 2-Pyridineformamide Thiosemicarbazone (HAM4DH) in some Zinc(II), Cadmium(II), and Mercury(II) Complexes. <b>2005</b> , 631, 2011-2019	22
1514	Complexes of $\text{Cu}_2(\text{EOAc})_4(\text{H}_2\text{O})_2$ with 1,10-Phenanthroline and Comparison with those of 2,2'-Bipyridine. Crystal Structure of the Dimer $[\text{Cu}(\text{OAc})_2(\text{phen})](\text{H}_2\text{O})$ . <b>2005</b> , 631, 2151-2155	15
1513	Bis(saccharinato)copper(II) complexes with 2-aminomethylpyridine and 2-aminoethylpyridine: Syntheses, crystal structures, spectral and thermal characterizations of $\text{trans-}[\text{Cu}(\text{sac})_2(\text{ampy})_2]$ and $[\text{Cu}(\text{sac})_2(\text{aepy})(\text{H}_2\text{O})]$ (ampy = 2-aminomethylpyridine and aepy = 2-aminoethylpyridine). <b>2005</b> , 58, 549-558	10
1512	Synthesis, crystal structure and antimicrobial properties of a copper(II) complex of an unsymmetrical tripodal ligand. <b>2005</b> , 58, 669-676	10
1511	Synthesis, Crystal Structure and Properties of a Chloro-bridged Dinuclear Copper(II) Complex, $[\text{Cu}_2(\text{Hsae})_2\text{Cl}_2](\text{H}_2\text{O})_{0.5}$ . <b>2005</b> , 35, 429-432	2
1510	Homo- and heteropolynuclear helicates with a $\text{N} + 3 + 2$ -dentate compartmental ligand. <b>2005</b> , 29, 904	44
1509	Novel rhenium chelate system derived from dimercaptosuccinic acid for the selective labeling of biomolecules. <b>2005</b> , 44, 9930-7	5
1508	BTA copper complexes. <b>2005</b> , 44, 8044-52	158
1507	Complexation models of N-(2-carboxyethyl)chitosans with copper(II) ions. <b>2005</b> , 6, 189-95	33
1506	From 1-D Coordination Polymers to 3-D Hydrogen-Bonding Networks: Crystal Engineering and Magnetism of $\text{Cu}(\text{II})$ -cyanopyridine Supramolecular Systems (dca = Dicyanamide, $\text{N}(\text{CN})_2^-$ ) <b>2005</b> , 5, 901-909	66
1505	Copper(II) complexes with tetradentate imine-phenols: synthesis, characterization and molecular structures. <b>2005</b> , 58, 975-984	16
1504	Self-assembly of copper(II) complexes with ladder, bi-rack, rack-ladder-rack and layer structures by the directional-bonding approach using a T-shaped ligand. <b>2005</b> , 2899-907	50
1503	Selective copper(II)-mediated oxidative coupling of a nucleophilic reagent to the para-methyl group of 2,4,6-trimethylphenol. <b>2005</b> , 3535-41	19
1502	Synthesis, crystal structure and magnetic behavior of a croconato bridged Cu(II) complex: effect of $\text{C}=\text{O}$ interaction in controlling the coordination bond formation in organic-organic hybrid. <b>2005</b> , 7, 616	41
1501	Designing binuclear transition metal complexes: a new example of the versatility of $\text{N,N}'$ -bis(2-aminobenzyl)-4,13-diaza-18-crown-6. <b>2005</b> , 2031-7	13
1500	Five-coordinate nickel(II) complexes with carboxylate anions and derivatives of 1,5,9-triazacyclododec-1-ene: structural and $^1\text{H}$ NMR spectroscopic studies. <b>2005</b> , 104-9	24
1499	Square pyramidal geometry around the metal and tridentate coordination mode of the tripod in the $[\text{6-(3-cyanophenyl)-2-pyridylmethyl}]_2\text{bis(2-pyridylmethyl)amine}$ $\text{FeCl}_2$ complex: a solid state effect. <b>2005</b> , 29, 1555	17
1498	Metal-assisted red light-induced DNA cleavage by ternary L-methionine copper(II) complexes of planar heterocyclic bases. <b>2005</b> , 896-902	116

1497	Tetrathiafulvalene-phosphine-based iron and ruthenium carbonyl complexes: electrochemical and EPR studies. <b>2005</b> , 7, 85-93	36
1496	Secondary metal-ligand cationic subunits {ML} <sub>n</sub> <sup>+</sup> as structural determinants in the oxovanadium/phenylphosphonate/{ML} <sub>n</sub> <sup>+</sup> system, where {ML} is a Cu <sup>2+</sup> /organonitrogen moiety. <b>2005</b> , 7, 480	31
1495	Homochiral 1D-helical metal-organic frameworks from achiral components. Formation of chiral channel via C $\pi$ -Cl interaction. <b>2005</b> , 7, 337	67
1494	Polynuclear complexes with bridging pyrophosphate ligands: synthesis and characterisation of {[bipy]Cu(H <sub>2</sub> O)( $\mu$ -P <sub>2</sub> O <sub>7</sub> )Na <sub>2</sub> (H <sub>2</sub> O) <sub>6</sub> ] x 4H <sub>2</sub> O}, {[bipy]Zn-(H <sub>2</sub> O)( $\mu$ -P <sub>2</sub> O <sub>7</sub> )Zn(bipy)] <sub>2</sub> x 14H <sub>2</sub> O} and {[bipy](VO) <sub>2</sub> ] <sub>2</sub> ( $\mu$ -P <sub>2</sub> O <sub>7</sub> )] x 5H <sub>2</sub> O}. <b>2005</b> , 3745-50	34
1493	Kinetic stability of heteroleptic (beta-diketiminato) heavier alkaline-earth (Ca, Sr, Ba) amides. <b>2005</b> , 278-84	91
1492	Synthesis and structural characterization of new oxorhenium and oxotechnetium complexes with XN <sub>2</sub> S-tetradentate semi-rigid ligands (X = O, S, N). <b>2005</b> , 3800-7	16
1491	Alkoxo-bridged copper(II) complexes as nodes in designing solid-state architectures. The interplay of coordinative and d <sub>10</sub> -d <sub>10</sub> metal-metal interactions in sustaining supramolecular solid-state architectures. <b>2005</b> , 1195-202	53
1490	Crystal Structure and Characterization of Manganese(II) Carboxylates: 3D Metal-Organic Frameworks. <b>2005</b> , 5, 1945-1951	44
1489	Cation-dependent nuclearity of the copper-azido moiety: synthesis, structure, and magnetic study. <b>2005</b> , 44, 6379-85	67
1488	Increasing Structural Dimensionality in Ag(I) Coordination Polymers Formed from the Same Flexible Multimodal Thioether Pyrazine Ligand. <b>2005</b> , 5, 1255-1261	40
1487	Copper(II) complexes of a series of polypyridine ligands possessing a 1,2-bis(2-pyridyl)ethane common moiety: incorporation and hydrolysis of phosphate esters. <b>2005</b> , 44, 691-702	27
1486	Steric protection of a photosensitizer in a N,N-bis[2-(2-pyridyl)ethyl]-2-phenylethylamine-copper(II) bowl that enhances red light-induced DNA cleavage activity. <b>2005</b> , 44, 8876-83	60
1485	Boroxide Complexes of the Group 4 Metals: A Noninnocent Ligand in Olefin Polymerization <b>2005</b> , 24, 3279-3289	16
1484	Synthesis, structures, and magnetic properties of the copper(II), cobalt(II), and manganese(II) complexes with 9-acridinecarboxylate and 4-quinolinecarboxylate ligands. <b>2005</b> , 44, 9837-46	87
1483	Dramatic variation of magnetic exchange through double end-on azide bridges in a series of ladder-like copper(II) coordination polymers. <b>2005</b> , 44, 638-48	54
1482	An unusual zinc-promoted decomposition of a bis(2-(pyrid-2-yl)ethyl)amine derivative. <b>2005</b> , 44, 4136-8	9
1481	Asymmetric azido-copper(II) bridges: ferro- or antiferromagnetic? experimental and theoretical magneto-structural studies. <b>2005</b> , 44, 5501-8	157
1480	A Ruthenium(II) Complex Stabilized by a Highly Fluorinated PCP Pincer Ligand. <b>2005</b> , 24, 4553-4557	28

1479	Structural, magnetic, and spectroscopic comparative studies on four new derivatives of DIMMAL (2-di1H-2-imidazolylmethylmalonate): a novel generator of multidimensional networks. <b>2005</b> , 44, 4644-55	22
1478	One-Dimensional Copper(II) Complexes Containing Only Single End-On Azido Bridges: Crystal Structures and Magnetic Properties. <b>2005</b> , 5, 1119-1124	44
1477	The structural influence of ligand coordination and hydrogen bonding capabilities in the crystal engineering of metal thiosemicarbazide compounds with malonate. <b>2005</b> , 7, 388	10
1476	Magneto-structural correlations in binuclear copper(II) compounds bridged by a ferrocenecarboxylato(-1) and an hydroxo- or methoxo-ligands. <b>2005</b> , 2322-30	42
1475	Polymeric networks of copper(II) phenylmalonate with heteroaromatic n-donor ligands: synthesis, crystal structure, and magnetic properties. <b>2005</b> , 44, 7794-801	49
1474	Copper(II) chloride complexes with multimodal ligands based on the cyclotriphosphazene platform. <b>2005</b> , 3337-43	42
1473	Red-light photosensitized cleavage of DNA by (l-lysine)(phenanthroline base)copper(II) complexes. <b>2005</b> , 2798-804	75
1472	Comparison of protective effects against reactive oxygen species of mononuclear and dinuclear Cu(II) complexes with N-substituted benzothiazolesulfonamides. <b>2005</b> , 44, 9424-33	47
1471	Synthesis, Crystal Structure, and Magnetic Behavior of Two Dicyanamido-Bridged Complexes of Manganese(II): Effect of Weak Interaction in Carving Regular Geometry. <b>2005</b> , 5, 941-947	52
1470	Dimetallic complexes of a structurally versatile pyridazine-containing Schiff-base macrocyclic ligand with pendant pyridine arms. <b>2005</b> , 2448-54	24
1469	Anion- and solvent-directed assembly in silver bis(thioimidazolyl)methane chemistry and the silver-sulfur interaction. <b>2006</b> , 45, 2132-42	65
1468	Rhenium(V) oxocomplexes with novel pyrazolyl-based N4- and N3S-donor chelators. <b>2006</b> , 5630-40	10
1467	Comparison of structurally analogous Zn <sub>2</sub> , Co <sub>2</sub> , and Mg <sub>2</sub> catalysts for the polymerization of cyclic esters. <b>2006</b> , 928-36	119
1466	Synthesis of a large amino-phenolic cage. Synthesis, crystal structures, and acid-base and coordination behavior toward cations and anions. <b>2006</b> , 45, 304-14	30
1465	Double-strand DNA cleavage by copper complexes of 2,2'-dipyridyl with electropositive pendants. <b>2006</b> , 2066-71	105
1464	Galactose Oxidase models: 19F NMR as a powerful tool to study the solution chemistry of tripodal ligands in the presence of copper(II). <b>2006</b> , 4122-4	17
1463	Two complexes of copper(II) salts with 5-amino-3-(pyrid-2-yl)-1H-pyrazole, the prototype for a new class of ditopic ligand. <b>2006</b> , 662-4	14
1462	Tetranuclear Cu(II) complex supported by a central mu <sub>4</sub> -1,1,3,3 azide bridge. <b>2006</b> , 3181-3	66

1461	Thioester hydrolysis reactivity of zinc hydroxide complexes: investigating reactivity relevant to glyoxalase II enzymes. <b>2006</b> , 183-92	11
1460	Amine mediated proton transfer reaction and C-Cl bond activation of solvent chloroform by a trinuclear copper(II) complex of a glucopyranosylamine derived ligand. <b>2006</b> , 3742-51	9
1459	The strength of hydrogen bonding to metal-bound ligands can contribute to changes in the redox behaviour of metal centres. <b>2006</b> , 2316-22	36
1458	Structure and magnetic properties of carbonate-bridged five-coordinate nickel(II) complexes controlled by solvent effect. <b>2006</b> , 3906-11	35
1457	Mononuclear copper(II)-hydroperoxo complex derived from reaction of copper(I) complex with dioxygen as a model of DbetaM and PHM. <b>2006</b> , 4428-30	41
1456	Ligating properties of a potentially tetradentate Schiff base [(CH <sub>3</sub> ) <sub>2</sub> NCH <sub>2</sub> CH <sub>2</sub> N=CHC <sub>6</sub> H <sub>3</sub> (OH)(OMe)] with zinc(II), cadmium(II), cobalt(II), cobalt(III) and manganese(III) ions: synthesis and structural studies. <b>2006</b> , 1758-67	67
1455	Multinuclear copper complexes of pyridylmethanamide ligands. <b>2006</b> , 1902-8	20
1454	Versatile supramolecular self-assembly. <b>2006</b> , 8, 530-544	35
1453	Metamagnetism in hydrophobically induced carboxylate (phenylmalonate)-bridged copper(II) layers. <b>2006</b> , 2857-9	31
1452	Copper complex of an iminodioxabicyclo[3.3.1]nonane pendant ligand: the first example of iminodioxocin bridgehead nitrogen coordination. <b>2006</b> , 45, 8826-8	3
1451	A functional model for the cysteinylated non-heme iron enzyme superoxide reductase (SOR). <b>2006</b> , 128, 14448-9	59
1450	Coordination of oxovanadium(V) in an expanded porphyrin macrocyclic. <b>2006</b> , 4486-8	26
1449	Preparation and characterization of mononuclear Co, Ni, and Zn complexes of dinucleating macrocyclic hexaaza-dithiophenolate ligands and their open-chain derivatives. <b>2006</b> , 3812-21	11
1448	Synthesis, characterization and nucleolytic property of bis(N,N'-dimethylglycinato)copper(II). <b>2006</b> , 59, 1089-1099	14
1447	Diastereopure Fe(II) and Zn(II) complexes derived from a tridentate N,N',N-bis(methyl-L-prolinate)-substituted pyridine ligand. <b>2006</b> , 45, 4214-27	32
1446	Influence of the presence of divalent first-row transition metal ions on the structure of sodium(I) salts of 1,2,3,4-benzenetetracarboxylic acid (H <sub>4</sub> bta). <b>2006</b> , 8, 338-345	28
1445	Synthesis, structure and spectral and redox properties of new mixed ligand monomeric and dimeric Ru(II) complexes: predominant formation of the "cis-alpha" diastereoisomer and unusual 3MC emission by dimeric complexes. <b>2006</b> , 730-43	22
1444	Hierarchical regulated assembly of new metallosupramolecular networks based on metal thiocyanate and trans-1-(2-pyridyl)-2-(4-pyridyl)ethylene (bpe) via multiple interactions. <b>2006</b> , 8, 552	35

- 1443 Syntheses, crystal structures, and magneto-structural correlations of novel Cu(II) complexes containing a planar [Cu( $\mu$ -L1)]<sub>2</sub> (HL1 = 3-(2-pyridyl)pyrazole) unit: from dinuclear to tetranuclear and then to one-dimensional compounds. **2006**, 45, 162-73 134
- 1442 Crystallographic evidence of theoretically novel anion $\pi$  interactions. **2006**, 30, 1561-1566 55
- 1441 Synthesis, structural characterization, experimental, and computational spectrophotometric studies of 8-quinolinylloxymethylphosphonate compounds. **2006**, 45, 5328-37 11
- 1440 Versatile supramolecular self-assembly. Part I. Network formation and magnetic behaviour of the alkaline salts of the bis(malonate)cuprate(II) anion. **2006**, 8, 507-529 36
- 1439 Coordination polymers with end-on azido and pyridine carboxylate N-oxide bridges displaying long-range magnetic ordering with low dimensional character. **2006**, 45, 6694-705 156
- 1438 Cadmium(II) and copper(II) complexes with imidazole-containing tripodal polyamine ligands: pH and anion effects on carbon dioxide fixation and assembling. **2006**, 45, 8098-107 44
- 1437 Di- and trinuclear complexes derived from hexakis(2-pyridyloxy)cyclotriphosphazene. Unusual P-O bond cleavage in the formation of [(L'CuCl)<sub>2</sub>(Co(NO<sub>3</sub>))Cl] (L' = N<sub>3</sub>P<sub>3</sub>(OC<sub>5</sub>H<sub>4</sub>N)<sub>5</sub>(O)). **2006**, 45, 3510-8 53
- 1436 Novel 3D, 2D, and 0D first-row coordination compounds with 4,4'-bipyridine-N,N'-dioxide incorporating sulfur-containing anions. **2006**, 45, 3287-94 36
- 1435 Investigation of group 12 metal complexes with a tridentate SNS ligand by X-ray crystallography and <sup>1</sup>H NMR spectroscopy. **2006**, 45, 571-81 21
- 1434 Mononuclear to polynuclear transition induced by ligand coordination: synthesis, X-ray structure, and properties of mono-, di-, and polynuclear copper(II) complexes of pyridyl-containing azo ligands. **2006**, 45, 562-70 31
- 1433 Metathesis-Enabled Formation of a Terminal Ruthenium Carbide Complex: A Computational Study. **2006**, 25, 4756-4762 13
- 1432 DNA cleavage on photoexposure at the d-d band in ternary copper(II) complexes using red-light laser. **2006**, 45, 11043-50 60
- 1431 Synthesis, X-ray crystal structures, magnetism, and phosphate ester cleavage properties of copper(II) complexes of N-substituted derivatives of 1,4,7-triazacyclononane. **2006**, 45, 3746-55 46
- 1430 Structural diversity within analogous compounds: syntheses and studies of M(SCH<sub>2</sub>CH<sub>2</sub>NH<sub>2</sub>)Cl (M = Zn, Cd, Hg). **2006**, 45, 8318-25 13
- 1429 1D Tube, 2D Layer, and 3D Framework Derived from a New Series of Metal(II) $\beta$ -Aminodiacetic Isophthalate Coordination Polymers. **2006**, 6, 1168-1174 109
- 1428 Thermotropic mesomorphism of soft materials bearing carboxylate-supported  $\mu_4$ -oxo tetracupric clusters. **2006**, 45, 7587-9 23
- 1427 Controlling aggregation of copper(II)-based coordination compounds: From mononuclear to dinuclear, tetranuclear, and polymeric copper complexes. **2006**, 45, 2886-95 47
- 1426 Dinuclear copper(II) complexes with {Cu<sub>2</sub>( $\mu$ -hydroxo)bis( $\mu$ -carboxylato)}<sup>+</sup> cores and their reactions with sugar phosphate esters: A substrate binding model of fructose-1,6-bisphosphatase. **2006**, 45, 2925-41 30

1425	[NaCu(II) <sub>4</sub> ] cluster from alkali template assembly of two asymmetric end-on azido-bridged [Cu(II) <sub>2</sub> ] units. <b>2006</b> , 45, 3143-5	48
1424	Combined effects of diamines and carboxylate bridges on structural and magnetic properties of a series of polynuclear copper(II) complexes with 1,1-cyclobutanedicarboxylic acid. <b>2006</b> , 45, 8144-55	64
1423	Two 2-Fold Interpenetrated Frameworks Showing Different Topologies Based on the Isomeric Benzenedicarboxylate Mixed with a Flexible N,N'-Type Ligand. <b>2006</b> , 6, 2517-2522	60
1422	Synthesis, Structure and Antimicrobial Study of N-Salicylidene-Phenylpropanolamine Bicopper(II) Complex. <b>2006</b> , 36, 667-672	2
1421	Reaction with dioxygen of a Cu(I) complex of 1-benzyl-[3-(2'-pyridyl)]pyrazole triggers ethyl acetate hydrolysis: acetato-/pyrazolato-, dihydroxo- and diacetato-bridged Cu(II) complexes. <b>2006</b> , 1611-21	31
1420	Structural Properties and Dynamics of Five-Coordinate Nickel(II) Allyl Complexes Containing Monodentate Phosphorus Ligands. <b>2006</b> , 25, 2308-2330	11
1419	Syntheses, Structures, and O <sub>2</sub> -Reactivities of Copper(I) Complexes with Bis(2-pyridylmethyl)amine and Bis(2-quinolylmethyl)amine Tridentate Ligands. <b>2006</b> , 79, 1729-1741	20
1418	Dinuclear Copper(II) Complexes of a Macrocyclic Compartmental Ligand in Two Isomeric Forms. Exogenous Ion Effect upon Ligand Isomerism. <b>2006</b> , 79, 881-885	21
1417	An unusual square planar open-lock shaped copper(II) metallaligand obtained from a hexadentate amine-imide-phenol ligand. <b>2006</b> , 2006, 632-635	1
1416	Syntheses, Crystal Structures, and Antibacterial Activities of Four Schiff Base Copper(II), Zinc(II), and Cadmium(II) Complexes Derived from 2-[(2-Dimethylaminoethylimino)methyl]phenol. <b>2006</b> , 632, 140-146	71
1415	An Aqua-Bridged Helical-Chain Copper(II)-Saccharinato Polymer Linked into a Two-Dimensional Supramolecular Framework. <b>2006</b> , 632, 505-508	5
1414	Kinetics and structural aspects of the cisplatin interactions with guanine: A quantum mechanical description. <b>2006</b> , 106, 2129-2144	33
1413	Yttrium(III) complex as a highly active catalyst for lactide polymerization. <b>2006</b> , 44, 6646-6651	33
1412	Synthesis, crystal structure and magnetic properties of an unexpected new coordination Cu(II) compound, containing two different phosphato-bridged dinuclear units; [Cu <sub>2</sub> (phen) <sub>2</sub> (H <sub>2</sub> PO <sub>4</sub> -O,O') <sub>2</sub> (H <sub>2</sub> PO <sub>4</sub> ) <sub>2</sub> ][Cu <sub>2</sub> (phen) <sub>2</sub> (H <sub>2</sub> PO <sub>4</sub> -O,O')(H <sub>2</sub> PO <sub>4</sub> -O)(HPO <sub>4</sub> -O)] <sub>2</sub> (H <sub>2</sub> O) <sub>9</sub> (phen=1,10-phenanthroline). <b>2006</b> , 9, 147-151	10
1411	(O-Benzoylsalicylato)copper(II) complexes as synthetic enzyme-product models for flavonol 2,4-dioxygenase. <b>2006</b> , 9, 251-254	13
1410	A rare 2D structure of a novel Cu(II) dinuclear-based compound with dicyanamide and 4-nitropyridine-N-oxide as ligands. <b>2006</b> , 9, 441-443	12
1409	Phosphate diester hydrolysis promoted by Zinc(II) complexes with alkoxide pendants. <b>2006</b> , 9, 460-463	4
1408	Syntheses and structures of two Zn(II) complexes with the pentadentate Schiff-base ligands. <b>2006</b> , 9, 911-914	38

- 1407 Two new oxalato-bridged dinuclear copper(II) complexes with di-2-pyridylamine: crystal structures, spectroscopic and magnetic properties. **2006**, 9, 973-977 22
- 1406 Copper(I) tribromide dianion as a weakly-bridging, axial ligand: Synthesis of an unusual mixed-valent Cu(II)<sub>2</sub>Cu(I) trimer. **2006**, 9, 887-890 7
- 1405 Two 3D supramolecular architectures from zinc hydrogen aconitate 1D polymers. **2006**, 9, 915-919 16
- 1404 Intermolecular Watson-Crick-like ligand pairing in two Cu(II) compounds with the ligand bis(pyrimidin-2-yl)amine forming 2D chain-type compounds. **2006**, 9, 1067-1070 6
- 1403 An unusual dichromium(II,II) compound bearing di-2-pyridyl ketone oximate ligands and prepared by the ligand-assisted reduction of a trichromium(III,III,III) complex in air. **2006**, 9, 1178-1182 13
- 1402 Ferromagnetic mixed tribridged dinuclear copper(II) complex [Cu<sub>2</sub>(OAc)<sub>2</sub>(OH)(dpa)<sub>2</sub>]PF<sub>6</sub>·H<sub>2</sub>O (dpa=2,2'-dipyridylamine): 3D superstructure based on hydrogen bond and  $\pi$ -interaction. **2006**, 9, 1276-1280 16
- 1401 Terminal ligand effect on the structure variation of Copper(II) complexes. **2006**, 9, 1293-1296 13
- 1400 Structural overview of technetium compounds (2000-2004). **2006**, 250, 561-573 30
- 1399 Syntheses and crystal structures of two mixed-ligand dimeric zinc complexes containing a dithiol ligand and an open chain crown ether ligand with terminal quinolyl groups. **2006**, 784, 144-148 1
- 1398 Weak ferromagnetic behavior, crystal structure, and electronic studies of novel [Cu(II)(Br)(PhCO<sub>2</sub>)(Sp)] (Sp=1,2-ethanediamine) complex. **2006**, 788, 145-151 9
- 1397 Syntheses, structures and magnetic properties of five coordination polymers derived via in situ metal-ligand reactions of 2-phenyl-malonic acid. **2006**, 796, 9-17 38
- 1396 Magnetic properties of copper(II) complexes containing peptides. Crystal structure of [Cu(phe-leu)]. **2006**, 797, 179-183 15
- 1395 One-dimensional coordination polymers: Cu(II) and Zn(II) complexes of N-(2-pyridylmethyl)-glycine and N-(2-pyridylmethyl)-l-alanine. **2006**, 796, 28-35 33
- 1394 Chemistry at the apical position of square-pyramidal copper(II) complexes: Synthesis, crystal structures, and magnetic properties of homopolynuclear complexes with azido bridges containing [Cu(AA)(BB)]<sup>+</sup> moieties (AA=acetylacetonate; BB=1,10-phenanthroline, bipy=2,2'-bipyridine). **2006**, 359, 453-457 31
- 1393 Novel Cu(I), Co(II) and Pb(II) supramolecular networks of pyridine-2,6-dicarboxylate (pydc) in cooperation with a bent dipyridyl spacer via coordinative, hydrogen-bonding and aromatic stacking interactions. **2006**, 359, 673-679 47
- 1392 Formation of a supramolecular ladder using dinuclear dicyanamide bridged Cu(II) species: Synthesis, crystal structure and magnetic property. **2006**, 359, 690-694 15
- 1391 Asymmetric 2:1,1-azido bridged copper(II) complex: Synthesis, X-ray structure, magnetic study and DFT calculations. **2006**, 359, 1193-1199 63
- 1390 Helical vs. zigzag coordination polymer: Influence of structural preference of metal-ion coordination geometry. **2006**, 359, 1376-1382 24



- 1389 Different topologies in heterometallic frameworks of copper(II) with Ni(CN)<sub>4</sub><sup>2-</sup> bridging ligand: Syntheses, crystal structures, thermal and magnetic properties. **2006**, 359, 593-602 25
- 1388 Axial versus equatorial coordination of thioether sulfur: Mixed ligand copper(II) complexes of 2-pyridyl-N-(2-methylthiophenyl)-methyleneimine with bidentate diimine ligands. **2006**, 359, 1103-1113 32
- 1387 Synthesis and structural characterization of three hydrogen-bonding connected supramolecular complexes of nickel, zinc and copper with 1,3-diphenyl-4-(salicylidene hydrazide)-acetyl-pyrazolone-5 and 2,2'-bipyridine. **2006**, 359, 633-641 29
- 1386 Dinuclear terephthalato-bridged copper(II) complexes: Syntheses, spectral and structural characterization, and magnetic properties. **2006**, 359, 1489-1500 44
- 1385 B + 1 Mixed-ligand oxorhenium(V) complexes and their inhibition of the cysteine proteases cathepsin B and cathepsin K. **2006**, 359, 2736-2750 23
- 1384 Synthesis, structures and magnetic properties of pentanuclear and trinuclear heterometallic complexes with bended and linear cyano-bridges (tren = tris(2-aminoethyl)amine). **2006**, 359, 2015-2022 17
- 1383 Syntheses, structures and properties of copper(II) complexes containing N-(2-hydroxybenzyl)-amino amide ligands. **2006**, 359, 3481-3490 39
- 1382 Synthesis, characterization, and magnetic study of pyrazine bridged polymeric complexes of copper(II). **2006**, 359, 2041-2046 22
- 1381 Complexes of copper(II) formate with 2-(phenylamino)pyridine and 2-(methylamino)pyridine: New copper formate paddle-wheel compounds. **2006**, 359, 2424-2430 11
- 1380 Zinc complexes with tricarballic acid and Lewis bases with zero- and two-dimensional structures. **2006**, 359, 3540-3548 22
- 1379 Molecular structure and linkage isomerization of isothiocyanato(3-thiapentane-1,5-dithiolato)oxorhenium(V) complex. **2006**, 359, 2472-2478 16
- 1378 Structure, spectroscopic and magnetic properties of a novel 1-D coordination copper(II) polymer containing BIMAM ligand [BIMAM = bis(imidazol-2-yl)methylaminomethane] and 1,3-squarato bridges. **2006**, 359, 3221-3228 25
- 1377 Conformational isomerism of the binuclear N,N-pentamethylenedithiocarbamate cadmium(II) complex, [Cd<sub>2</sub>{S<sub>2</sub>CN(CH<sub>2</sub>)<sub>5</sub>}<sub>4</sub>] on multinuclear (15N,113Cd) CP/MAS NMR and single-crystal X-ray diffraction data. **2006**, 359, 3855-3864 43
- 1376 Synthesis, crystal structure, nuclease and in vitro antitumor activities of a new mononuclear copper(II) complex containing a tripodal N<sub>3</sub>O ligand. **2006**, 359, 3167-3176 70
- 1375 A copper(II) coordination polymer based on flexible spacer ligands: Synthesis, crystal structure, and magnetic properties of the adipato complex [Cu<sub>4</sub>(bpy)<sub>4</sub>(adip)<sub>3</sub>](tcnp)<sub>2</sub> [bpy = C<sub>10</sub>H<sub>8</sub>N<sub>2</sub>; adip<sup>2-</sup> = O<sub>2</sub>C(CH<sub>2</sub>)<sub>4</sub>CO<sub>2</sub><sup>2-</sup>; tcnp = (NC)<sub>2</sub>CC(OEt)C(CN)<sub>2</sub>]. **2006**, 359, 3269-3274 16
- 1374 Synthesis, characterization, and anion selectivity of copper(II) complexes with a tetradentate Schiff base ligand. **2006**, 359, 4519-4525 43
- 1373 Synthesis, X-ray crystal structure and magnetic study of the 1D {[Cu<sub>2</sub>(N,N,N',N'-tetramethyl-ethylenediamine)<sub>2</sub>(1,5-dca)<sub>2</sub>(dca)<sub>2</sub>]}<sub>n</sub> complex. **2006**, 359, 4431-4435 10
- 1372 Dinuclear triply bridged copper(II)-carboxylato compounds with different bischelating ligands: Synthesis, crystal structure, spectroscopic and magnetic properties. **2006**, 359, 4168-4178 37

- 1371 Mono- and binuclear copper(II) complexes containing di(2-pyridyl)sulfide (DPS) as chelating ligand: Spectroscopic characterization and crystal structures of  $[\text{Cu}(\text{DPS})(\text{H}_2\text{O})\text{Cl}_2]\cdot\text{H}_2\text{O}$  and  $[\{\text{Cu}(\text{DPS})\text{Cl}\}_2\{\text{Cl}\}_2]$ . **2006**, 359, 4613-4618 13
- 1370 Crystal structure, magnetism and spectroscopy of a dinuclear Cu(II) compound with a chiral ligand;  $\text{Cu}_2(\text{SL})(\text{EtCl})(\text{Cl})_2(\text{CH}_3\text{OH})$  (HSL = S-1,2-bis(benzimidazol-2-yl)-1-hydroxyethane). **2006**, 25, 81-86 13
- 1369 Different nuclearities of M(II) nitrate complexes (M=Co, Ni, Cu and Cd) with a tetrapyridyl pendant-armed hexaazamacrocyclic ligand. **2006**, 25, 783-792 39
- 1368 Copper(II) complexes of sterically hindered Schiff base ligands: Synthesis, structure, spectra and electrochemistry. **2006**, 25, 1077-1088 44
- 1367 Transition metal complexes with thiosemicarbazide-based ligands. Part L. Synthesis, physicochemical properties and crystal structures of Co(II) complexes with acetone S-methylisothiosemicarbazone. **2006**, 25, 1096-1104 15
- 1366 A novel polymeric Cu(II) assemblage and a monomeric Ni(II) complex from a new easy-to-prepare flexible polytopic ligand: Synthesis, structural and magnetic studies. **2006**, 25, 1271-1278 17
- 1365 Dimethylxanthene- and dibenzofuran-diamido complexes of titanium. **2006**, 25, 859-863 18
- 1364 Structural characterization of a thiazoline-pyrazole ligand and its complexes with cobalt(II) and copper(II). **2006**, 25, 1399-1407 40
- 1363 Structural diversity of coordination polymers with bridging 3-pyridylmethanol ligand: New type of coordination polymer with different stereochemistry of copper(II) atom. **2006**, 25, 1561-1566 26
- 1362 Structure determination of nitrito- and thiocyanato-copper(II) complexes: X-ray structures of  $[\text{Cu}(\text{Medpt})(\text{ONO})(\text{H}_2\text{O})]\text{ClO}_4$  (1),  $[\text{Cu}(\text{dien})(\text{ONO})]\text{ClO}_4$  (2) and  $[\text{Cu}_2(\text{Medpt})_2(\text{N},\text{S-NCS})_2](\text{ClO}_4)_2$  (3) (Medpt=3,3'-diamino-N-methyldipropylamine and dien=diethylenetriamine). **2006**, 25, 1673-1680 66
- 1361 Synthesis, structures and fluorescence of nickel, zinc and cadmium complexes with the N,N,O-tridentate Schiff base N-2-pyridylmethylidene-2-hydroxy-phenylamine. **2006**, 25, 1753-1762 310
- 1360 Metal complexes of 21-(4-tert-butyl-benzenesulfonamido)-5,10,15,20-tetraphenyl-porphyrin:  $\text{Ga}(\text{N-p-NSO}_2\text{C}_6\text{H}_4\text{tBu-tpp})(\text{OH})$ ,  $\text{Tl}(\text{N-p-NSO}_2\text{C}_6\text{H}_4\text{tBu-tpp})(\text{O}_2\text{CCF}_3)$  and  $\text{Zn}(\text{N-p-NSO}_2\text{C}_6\text{H}_4\text{tBu-tpp})$  [tpp = 5,10,15,20-tetraphenylporphyrinate]. **2006**, 25, 1864-1872 6
- 1359 Synthesis, characterization, X-ray structure and magnetic study of the azido adducts of tridentate (NNO) Schiff base copper (II) complexes. **2006**, 25, 2191-2197 44
- 1358 Crystal structures and magnetic properties of two new phosphate-metal complexes:  $[\text{Cu}_2(\text{bpy})_2(\mu_2\text{-HPO}_4)(\mu_2\text{-H}_2\text{PO}_4)(\mu_2\text{-H}_2\text{PO}_4)]_n$  and  $[\text{Cu}_4(\text{phen})_4(\mu_3\text{-HPO}_4)_2(\mu_2\text{-H}_2\text{PO}_4)_2(\text{H}_2\text{PO}_4)_2](\text{H}_2\text{O})_4$ . **2006**, 25, 2198-2206 16
- 1357 Facile synthesis of Cu(II) complexes of monocondensed N,N,N donor Schiff base ligands: Crystal structure, spectroscopic and magnetic properties. **2006**, 25, 2241-2253 58
- 1356 Divalent cobalt, nickel and zinc halide complexes with multimodal ligands based on the cyclotriphosphazene platform: A structural study. **2006**, 25, 2341-2352 38
- 1355 Coordination compounds in a pentacyclic aromatic system from 2-aminobenzothiazole derivatives and transition metal ions. **2006**, 25, 2363-2374 17
- 1354 Synthesis and structural characterisation of three dicyanamide complexes with Mn(II), Zn(II) and Cd(II): Supramolecular architectures stabilised by hydrogen bonding. **2006**, 25, 2550-2558 45

- 1353 Synthesis, crystal structure and magnetic properties of two new manganese Schiff base complexes [Mn<sub>2</sub>(L1)<sub>2</sub>(NCS)<sub>2</sub>] and [Mn(L2)(N3)(H<sub>2</sub>O)] [{L1H = C<sub>13</sub>H<sub>10</sub>N<sub>2</sub>O<sub>2</sub>}; {L2H<sub>2</sub> = C<sub>19</sub>H<sub>22</sub>N<sub>2</sub>O<sub>4</sub>}. **2006**, 25, 2737-2744 35
- 1352 Atmospheric CO<sub>2</sub> fixation leads to a unique  $\mu_2$ -HCO<sub>3</sub><sup>-</sup>- bridged [Cu<sub>2</sub>II] complex and coordination induced ligand hydrolysis to a [CuII] complex. **2006**, 25, 2791-2799 20
- 1351 Solvent control in the synthesis of Zn(II) and Cd(II) supramolecular compounds with N,N'-{2,4-di-[(di-pyridin-2-yl)amine]-1,3,5-triazine}ethylenediamine. **2006**, 25, 2959-2966 5
- 1350 Synthesis, characterization and X-ray crystallographic structural study of copper(II) and nickel(II) complexes of the 2-quinoline carboxaldehyde Schiff base of S-methyldithiocarbazate (Hqaldsme). **2006**, 25, 3245-3252 15
- 1349 Trinuclear Cu(II) complexes containing peripheral ketonic oxygen bridges and a  $\mu_3$ -OH core: Steric influence on their structures and existence. **2006**, 25, 3084-3094 54
- 1348 Synthesis, structure and properties of ternary copper(II) complexes of ONO donor Schiff base, imidazole, 2,2'-bipyridine and 1,10-phenanthroline. **2006**, 25, 3312-3318 56
- 1347 Synthesis and characterization of a new chloro-di-phenyltin(IV) complex with 2-mercapto-nicotinic acid: Study of its influence upon the catalytic oxidation of linoleic acid to hydroperoxylinoleic acid by the enzyme lipoxygenase. **2006**, 691, 1780-1789 43
- 1346 Electronically variable imino-phenanthrolinyl-cobalt complexes; synthesis, structures and ethylene oligomerisation studies. **2006**, 691, 4114-4123 48
- 1345 Syntheses of C<sub>1</sub>-symmetric bidentate ligands having pyridyl and 1,3-Thiazolyl, 1-methylimidazolyl or pyrazinyl donor groups for enantioselective palladium-catalyzed allylic substitution and copper-catalyzed cyclopropanation. **2006**, 691, 5664-5672 17
- 1344 New binucleating ligand with two [P,S] chelation pockets on a single phenyl ring: Syntheses and X-ray structures of 1,4-bis(diphenylphosphino)-2,5-difluoro-3,6-bis(methylthio)benzene and of bimetallic complex (CO)<sub>3</sub>Fe( $\eta^1$ (PPh<sub>2</sub>)(SMe)C<sub>6</sub>F<sub>2</sub>(SMe)(PPh<sub>2</sub>))Fe(CO)<sub>3</sub>. **2006**, 691, 5024-5029 3
- 1343 Three inorganic-organic hybrids of bismuth(III) iodide complexes containing substituted 1,2,4-triazole organic components with characterizations of diffuse reflectance spectra. **2006**, 179, 1611-1617 27
- 1342 Neutral and cationic mononuclear copper(II) complexes with enrofloxacin: structure and biological activity. **2006**, 100, 1378-88 122
- 1341 Zinc(II) complexes derived from pyridine-2-carbaldehyde thiosemicarbazone and (1E)-1-pyridin-2-ylethan-1-one thiosemicarbazone. Synthesis, crystal structures and antiproliferative activity of zinc(II) complexes. **2006**, 100, 1558-67 93
- 1340 Synthesis, structure and biological activity of copper(II) complexes with oxolinic acid. **2006**, 100, 1764-73 112
- 1339 Vanadium calixarene complexes as molecular models for supported vanadia. **2006**, 251, 34-40 26
- 1338 Novel hydrogen bond network topologies in complexes of the ditopic ligand 5-amino-3-(pyrid-2-yl)-1H-pyrazole. **2006**, 8, 719 22
- 1337 Crystal structures of nitrato-{4-bromo-2-[(2-hydroxyethylimino)methyl]phenolo}-(3,5-Dibromopyridine)copper and nitrato-{2,4-dibromo-6-[(2-hydroxyethylimino)methyl]phenolo}-(3,5-dibromopyridine)copper. **2006**, 32, 744-750 2
- 1336 Crystal structures of 6-[(2-hydroxy-1,1-bis(hydroxymethyl)ethylamino)methylene]-2,4-dinitrocyclohexa-2,4-dienone hydrate and complexes of copper(II) chloride and copper(II) nitrate with this ligand. **2006**, 51, 601-608 2

1335	Synthesis and characterization of carboxylate-bridged copper(II) dinuclear complex. <b>2006</b> , 36, 7-12	4
1334	Structure of a five-coordinate mononuclear cobalt(II) complex: chlorobis([N,N-(1,1'-biphenyl-2,2'-dimethylene)]-2-aminomethyl) pyridine)cobalt(II) bromide. <b>2006</b> , 36, 147-151	5
1333	New unsymmetric dinuclear Cu(II)Cu(II) complexes and their relevance to copper(II) containing metalloenzymes and DNA cleavage. <b>2006</b> , 100, 992-1004	46
1332	Synthesis, crystal structure and biological activities of copper(II) complexes with chelating bidentate 2-substituted benzimidazole ligands. <b>2006</b> , 100, 1389-98	83
1331	Synthesis, characterisation and X-ray structures of diorganotin(IV) and iron(III) complexes of dianionic terdentate Schiff base ligands. <b>2006</b> , 691, 1321-1332	64
1330	Chiral self-assembly of methyltin(IV)-naproxenates: Combining dative Sn $\pi$ bonds, secondary Sn $\pi$ O interactions and C-H $\cdots$ O hydrogen bonding to make an inter-helical meander-shaped network and a cross-linked Z-shaped ribbon. <b>2006</b> , 691, 1693-1702	14
1329	Synthesis and characterization of new organotin(IV) complexes with polyfunctional ligands. <b>2006</b> , 691, 1615-1621	15
1328	Catecholase activity of a copper(II) complex with a macrocyclic ligand: unraveling catalytic mechanisms. <b>2006</b> , 12, 6138-50	94
1327	Oxidative DNA cleavage promoted by multinuclear copper complexes: activity dependence on the complex structure. <b>2006</b> , 12, 6621-9	158
1326	Modular approach to tridentate N,O,N' ligands using pyrazolylborate chemistry. <b>2006</b> , 12, 4735-42	9
1325	Co(II) chemistry of 2,6-bis(2-pyridylcarbonyl)pyridine: an icosanuclear Co cluster exhibiting superparamagnetic relaxation. <b>2006</b> , 45, 432-5	110
1324	A $\mu$ - $\eta^2$ : $\eta^2$ -disulfide dicopper(II) complex from reaction of S <sub>8</sub> with a copper(I) precursor: reactivity of the bound disulfur moiety. <b>2006</b> , 45, 1138-41	34
1323	Assembling magnetic nanowires into networks: a layered Co(II) carboxylate coordination polymer exhibiting single-chain-magnet behavior. <b>2006</b> , 45, 6310-4	235
1322	Synthesis and X-ray structure of two conformational isomers of [Zn(medpt)(SCN) <sub>2</sub> ], medpt = bis (3-aminopropyl)methylamine. <b>2006</b> , 41, 198-203	2
1321	Crystal structure analysis of {bis-2,6-(3,5-dimethylprazolyl)pyridine-dicyanato}copper(II)monohydrate. <b>2006</b> , 41, 309-313	3
1320	New, Multi-Dimensional Cu(II)-[M(CN) <sub>6</sub> ] <sup>n-</sup> Cyano-Bridged, Bimetallic Coordination Materials (M = FeII, CoIII, CrIII and tn = 1,3-Diaminopropane). <b>2006</b> , 2006, 185-199	25
1319	Tetra- and Decanuclear Iron(II) Complexes of Thiocalixarene Macrocycles: Synthesis, Structure, Mössbauer Spectroscopy and Magnetic Properties. <b>2006</b> , 2006, 357-365	65
1318	The Coordination Chemistry of 1,4-Diazepan-6-amine. <b>2006</b> , 2006, 314-328	17

1317	Synthesis and Structural Characterisation of Palladium and Group-12 Metal Complexes with a Hybrid Phosphanylphosphonate Ferrocene Ligand. <b>2006</b> , 2006, 926-938	34
1316	Synthesis, Characterization, and Properties of Some Copper(II) Complexes of 2-Pyridineformamide Thiosemicarbazone (HAm4DH). <b>2006</b> , 2006, 1231-1244	30
1315	Novel Metallosupramolecular Networks Constructed from CuII, NiII, and CdII with Mixed Ligands: Crystal Structures, Fluorescence, and Magnetism. <b>2006</b> , 2006, 1245-1254	40
1314	Programmed Helicity in Self-Assembled Hydrogen-Bonded Chains of Chiral Copper(II) Complexes. <b>2006</b> , 2006, 1190-1197	20
1313	Transformation of a Tetranuclear Copper(II) Complex Bridged by Sugar Phosphates into Nucleotide-Containing Cu <sub>4</sub> Aggregations. <b>2006</b> , 2006, 2504-2513	18
1312	Synthesis, Structures and Catecholase Activity of a New Series of Dicopper(II) Complexes of Reduced Schiff Base Ligands. <b>2006</b> , 2006, 2656-2670	79
1311	Genotoxic Potential of N-(Benzothiazolyl)sulfonamide Copper(II) Complexes on Yeast Cells Transformed with YEGFP Expression Constructs Containing the RAD54 or RNR2 Promoter. <b>2006</b> , 2006, 3823-3834	10
1310	A General and Facile One-Step Synthesis of Imido-Titanium(IV) Complexes: Application to the Synthesis of Compounds Containing Functionalized or Chiral Imido Ligands and Bimetallic Diimido Architectures. <b>2006</b> , 2006, 4503-4518	23
1309	New Dimeric Copper(II) Complex [Cu(5-MeOsal) <sub>2</sub> (Enia)(H <sub>2</sub> O)] <sub>2</sub> with Magnetic Exchange Interactions through H-Bonds. <b>2006</b> , 2006, 3813-3817	51
1308	New Copper(II) Complexes as Efficient Catalysts for Olefin Aziridination: The Effect of Ligand Steric Hindrance on Reactivity. <b>2006</b> , 2006, 4687-4695	21
1307	CoII Chemistry of 2,6-Bis(2-pyridylcarbonyl)pyridine: An Icosanuclear Co Cluster Exhibiting Superparamagnetic Relaxation. <b>2006</b> , 118, 446-449	4
1306	A μ <sub>2</sub> -μ <sub>2</sub> -Disulfide Dicopper(II) Complex from Reaction of S <sub>8</sub> with a Copper(I) Precursor: Reactivity of the Bound Disulfur Moiety. <b>2006</b> , 118, 1156-1159	6
1305	Assembling Magnetic Nanowires into Networks: A Layered CoII Carboxylate Coordination Polymer Exhibiting Single-Chain-Magnet Behavior. <b>2006</b> , 118, 6458-6462	32
1304	Syntheses and crystal structure of binuclear μ <sub>2</sub> -amido copper(II) complexes containing 1,4,7-triazacyclononane as a terminal ligand. <b>2006</b> , 59, 493-498	2
1303	Synthesis, Structure and Properties of a Linear Trinuclear Manganese(III/II/III) Complex. <b>2006</b> , 36, 759-764	1
1302	Study of ligand substituent effects on the rate and stereoselectivity of lactide polymerization using aluminum salen-type initiators. <b>2006</b> , 103, 15343-8	214
1301	Synthesis and crystal structures of two mixed-ligand Cu(II) complexes of tripyridyldiamine. <b>2007</b> , 60, 1173-1182	
1300	Factors affecting imine coordination in (iminoterpyridine)MX <sub>2</sub> (M = Fe, Co, Ni, Zn): synthesis, structures, DFT calculations and ethylene oligomerisation studies. <b>2007</b> , 31, 75-85	27

- 1299 Zinc triad metal ion complexes of NN?S ligand N-(2-pyridylmethyl)-N-(2-(methylthio)ethyl)amine. **2007**, 6, 155-168 8
- 1298 The synthesis, structure and thermal decomposition of some Cu(II) complexes with NNN type ligands and thiocyanate anion. **2007**, 222, 255-258 4
- 1297 Chloro-bridged complexes of copper(II) and manganese(II) derived from unsymmetric bidentate ligands: synthesis, crystal structure and characterization. **2007**, 60, 2351-2359 9
- 1296 Structural Characterization of a Dioxovanadium(V) Complex with 4,8-Dihydroxyquinoline-2-carboxylic Acid. **2007**, 80, 957-959 10
- 1295 Fixation of CO<sub>2</sub> by Hydroxozinc(II) Complex with Pyridylamino Type Ligand. **2007**, 36, 842-843 11
- 1294 Characterisation of a Mixed N-heterocycle, 2-(N-methylimidazole-2-yl-thiomethyl)benzimidazole, and its complexes with nickel(II) and copper(II). **2007**, 2007, 387-389 3
- 1293 Innersphere transformations of pyridine-2-carbonitrile mediated by copper(II), cobalt(II) and nickel(II). Crystal structures of bis (nitrate)- bis ( N -2-hydroxyethyl- pyridine-2-carboxamide- N,N ?)copper(II) and bromo-bis( N -3-hydroxy-propylpyridine-2-carboxamide- N,N ?)copper(II) bromide. **2007**, 60, 527-537
- 1292 A [2 x 2] nickel(ii) grid and a copper(ii) square result from differing binding modes of a pyrazine-based diamide ligand. **2007**, 633-45 39
- 1291 Aluminum Organometallics. **2007**, 265-285 9
- 1290 Extended Tapes of Cyclic Water Hexamers in an Unusual Oxalate-Bridged One-Dimensional Copper(II) Complex. **2007**, 7, 1220-1222 16
- 1289 Versatility of 2,6-diacetylpyridine (dap) hydrazones in generating varied molecular architectures: synthesis and structural characterization of a binuclear double helical Zn(II) complex and a Mn(II) coordination polymer. **2007**, 1150-9 46
- 1288 A comparison of different methods for fitting susceptibility data of cobalt(II) coordination polymers in a new cobalt(II)/sulfate 1-D chain. **2007**, 31, 1530 11
- 1287 Selective sensing of dihydrogen phosphate anion by a fluorescent tetranuclear pentacoordinated zinc(II) complex. **2007**, 31, 357 22
- 1286 A novel bis tridentate bipyridine carboxamide ligand and its complexation to copper(II): synthesis, structure, and magnetism. **2007**, 46, 8560-8 27
- 1285 Olefin metathesis reactions with vinyl halides: formation, observation, interception, and fate of the ruthenium-monohalomethylidene moiety. **2007**, 129, 7708-9 67
- 1284 Metal-Organic Coordination Architectures with Thiazole-Spaced Pyridinecarboxylates: Conformational Polymorphism, Structural Adjustment, and Ligand Flexibility. **2007**, 7, 124-131 55
- 1283 Reactivity of Chromium Complexes of a Bis(imino)pyridine Ligand: Highly Active Ethylene Polymerization Catalysts Carrying the Metal in a Formally Low Oxidation State. **2007**, 26, 3201-3211 69
- 1282 Structures and solution dynamics of pseudorotaxanes mediated by alkali-metal cations. **2007**, 3874-84 29

1281	Copper(II) azide complexes with mono-anionic tridentate Schiff-base ligands: monomer versus dimer. <b>2007</b> , 60, 2165-2176	9
1280	New pincer-type diphosphinito (POCOP) complexes of NiII and NiIII. <b>2007</b> , 978-80	114
1279	First insights into the electronic properties of a Cu(II) center embedded in the PN3 cap of a calix[6]arene-based ligand. <b>2007</b> , 46, 375-7	24
1278	COORDINATION AND BIOINORGANIC CHEMISTRY OF ARYL-APPENDED TRIS(2-PYRIDYLMETHYL)AMINE LIGANDS. <b>2007</b> , 28, 123-171	14
1277	Drastic effects of the second coordination sphere on neutral vs. anionic guest binding to a biomimetic Cu(II) center embedded in a calix[6]aza-cryptand. <b>2007</b> , 810-2	48
1276	Metamorphosis of a butterfly: synthesis, structural, thermal, magnetic and DFT characterisation of a ferromagnetically coupled tetranuclear copper(II) complex. <b>2007</b> , 5140-7	21
1275	The first dinuclear copper(II) and zinc(II) complexes containing novel Bis-TACN: syntheses, structures, and DNA cleavage activities. <b>2007</b> , 1060-6	135
1274	Sterically variable dizinc complexes bearing bis(iminopyridyl)phenolate ligands: synthesis, structures and reactivity studies. <b>2007</b> , 4565-75	9
1273	Four copper(II) pyrazolido complexes derived from reactions of 3{5}-substituted pyrazoles with CuF(2) or Cu(OH)(2). <b>2007</b> , 1392-9	25
1272	3D-, 2D- and 1D-supramolecular structures of {Zn[S2CN(CH2CH2OH)R]2}2 and their {Zn[S2CN(CH2CH2OH)R]2}2(4,4'-bipyridine) adducts for R = CH2CH2OH, Me or Et: polymorphism and pseudo-polymorphism. <b>2007</b> , 9, 930	63
1271	Structure and DNA cleavage properties of two copper(II) complexes of the pyridine-pyrazole-containing ligands mbpzbpy and Hmpzbpya. <b>2007</b> , 3676-83	40
1270	Dicopper(II) complexes of a new pyrazolate-containing Schiff-base macrocycle and related acyclic ligand. <b>2007</b> , 467-75	44
1269	Deactivation pathways of ethylene polymerization catalysts derived from titanium and zirconium 1,3-bis(furyl)-1,1,3,3-tetramethyldisilazide complexes. <b>2007</b> , 2707-17	9
1268	An "S"-shaped pentanuclear CuII cluster derived from the metal-assisted hydrolysis of pyCOpyCOpy: structural, magnetic and spectroscopic studies. <b>2007</b> , 3582-9	38
1267	Crystal engineering of 3-D coordination polymers by pillaring ferromagnetic copper(II)-methylmalonate layers. <b>2007</b> , 9, 478-487	88
1266	Copper(II) cyclam-based complexes for radiopharmaceutical applications: synthesis and structural analysis. <b>2007</b> , 971-8	71
1265	A trinucleating ligand based on 1,8-naphthalenediol: synthesis, structural and magnetic properties of a linear Cu(II)Cu(II)Cu(II) complex. <b>2007</b> , 356-8	18
1264	Syntheses, structures, and spectroscopic properties of copper(II) and cobalt(III) complexes containing 1,4,7-tribenzyl-1,4,7-triazacyclononane ligand. <b>2007</b> , 60, 1681-1690	3

- 1263 Imidazolate bridged Cu(II)-Cu(II) and Cu(II)-Zn(II) complexes of a terpyridinophane azamacrocycle: a solution and solid state study. **2007**, 4726-37 40
- 1262 cis- and trans-Bis(benzoylacetato)pyridinecopper(II): co-crystallisation of isomers and reversible pyridine loss with retention of crystallinity. **2007**, 31, 344-347 31
- 1261 Cleavage of double-strand DNA by zinc complexes of dicationic 2,2'-dipyridyl derivatives. **2007**, 1250-4 37
- 1260 N-methylation of macrobicycles reduces encapsulation ability. **2007**, 1762-72 15
- 1259 Interplay of coordinative and supramolecular interactions in engineering unusual crystalline architectures of low-dimensional metalβamoate complexes under co-ligand intervention. **2007**, 9, 1011 72
- 1258 Proton-controllable fluorescent switch based on interconversion of polynuclear and dinuclear copper(II) complexes. **2007**, 495-7 16
- 1257 Preparation and structural characterization of trimethyltin(IV) tropolonate. Investigation of a rare methyl-migrational dismutation in the solution, solid and liquid states. **2007**, 234-9 3
- 1256 Synthesis, structure, redox properties and azide binding for a series of biphenyl-based Cu(II) complexes. **2007**, 2571-9 5
- 1255 The long and short of it: the influence of N-carboxyethyl versus N-carboxymethyl pendant arms on in vitro and in vivo behavior of copper complexes of cross-bridged tetraamine macrocycles. **2007**, 2150-62 49
- 1254 Dicopper(II) complexes of a new di-para-xylyldioxatetraazamacrocycle and cascade species with dicarboxylate anions: thermodynamics and structural properties. **2007**, 2431-9 19
- 1253 ESR, zero-field splitting, and magnetic exchange of exchange-coupled copper(II)-copper(II) pairs in copper(II) tetraphenylporphyrin N-oxide. **2007**, 46, 578-85 16
- 1252 Synthesis, structure, and activity of supramolecular mimics for the active site and arg141 residue of copper, zinc-superoxide dismutase. **2007**, 46, 734-9 62
- 1251 High-Spin Organocobalt(II) Complexes in a Thioether Coordination Environment. **2007**, 26, 971-979 22
- 1250 Flux synthesis, crystal structures, and solid-state NMR spectroscopy of two indium silicates containing varied In-O coordination geometries. **2007**, 46, 3301-5 13
- 1249 Syntheses, crystal structures, and magnetic properties of metal-organic hybrid materials of Cu(II): effect of a long chain dicarboxylate backbone, and counteranion in their structural diversity. **2007**, 46, 3057-71 64
- 1248 Tetrakis- and tris(1-Methyluracil) complexes of Pt(II): formation and properties of a carbon-bonded nucleobase species as well as of heteronuclear derivatives. **2007**, 46, 11356-65 13
- 1247 Recognition of thymine and related nucleosides by a Zn(II)-cyclen complex bearing a ferrocenyl pendant. **2007**, 46, 1665-74 31
- 1246 A tetracopper(II)-tetraradical cuboidal core and its reactivity as a functional model of phenoxazinone synthase. **2007**, 46, 9895-905 103



1245	Synthesis, crystal structure and magnetic properties of novel heterobimetallic malonate-bridged MIIReIV complexes (M = Mn, Fe, Co and Ni). <b>2007</b> , 5305-15	28
1244	Alternatives to pyridinediimine ligands: syntheses and structures of metal complexes supported by donor-modified alpha-diimine ligands. <b>2007</b> , 2547-62	39
1243	DACH-Bridged (DACH = trans-1,2-Diaminocyclohexane) Bis(iminophosphonamide) Derivatives of Groups 3 and 13 and Their Use in the Enantiomorphic Polymerization of Methyl Methacrylate. <b>2007</b> , 26, 538-549	31
1242	Diphenyl(dipyrazolyl)methane complexes of Ni: synthesis, structural characterization, and chromotropism of NiBr <sub>2</sub> derivatives. <b>2007</b> , 46, 7621-32	17
1241	Modulating the M-M distance in dinuclear complexes. New ligand with a 2,2'-Biphenol fragment as key unit: synthesis, coordination behavior, and crystal structures of Cu(II) and Zn(II) dinuclear complexes. <b>2007</b> , 46, 309-20	23
1240	A rare chiral self-catenated network formed by two cationic and one anionic frameworks. <b>2007</b> , 46, 4365-7	59
1239	Copper(II) and oxovanadium(v) complexes of hexaphyrin(1.0.1.0.0.0). <b>2007</b> , 629-32	14
1238	Ferrocene substitution in amino acids strengthens the axial binding in Cu(II) complexes and separates the hydrophobic and hydrophilic region in the crystals. <b>2007</b> , 5148-55	19
1237	Ligand effects on the structures and magnetic properties of tricyanomethanide-containing copper(II) complexes. <b>2007</b> , 5190-200	34
1236	Terminal Carbido Complexes of Osmium: Synthesis, Structure, and Reactivity Comparison to the Ruthenium Analogues. <b>2007</b> , 26, 5102-5110	62
1235	Iminopyridine Complexes of 3d Metals for Ethylene Polymerization: Comparative Structural Studies and Ligand Size Controlled Chain Termination. <b>2007</b> , 26, 988-999	62
1234	Anion-directed synthesis of metal-organic frameworks based on 2-picolinate CuII complexes: a ferromagnetic alternating chain and two unprecedented ferromagnetic fish backbone chains. <b>2007</b> , 46, 10771-80	97
1233	A new branched phenanthroline derivative ligand: synthesis, solution chemistry, and crystal structures of copper(II) and zinc(II) complexes. <b>2007</b> , 46, 4737-48	11
1232	Copper(II), cobalt(II), and nickel(II) complexes with a bulky anthracene-based carboxylic ligand: syntheses, crystal structures, and magnetic properties. <b>2007</b> , 46, 6299-310	135
1231	Sterically bulky tris(triazolyl)borate ligands as water-soluble analogues of tris(pyrazolyl)borate. <b>2007</b> , 46, 360-2	45
1230	Mixed-ligand copper(II)-phenolate complexes: effect of coligand on enhanced DNA and protein binding, DNA cleavage, and anticancer activity. <b>2007</b> , 46, 8208-21	484
1229	Modeling the inhibition of peptide deformylase by hydroxamic acids: influence of the sulfur donor. <b>2007</b> , 1047-52	18
1228	Rationalizing the Effects of Amino Acid Side Chain, Pyridine, and Imidazole on the Assembly and Reversible Disassembly of a Octanuclear Cu(II) Complex. <b>2007</b> , 7, 1818-1824	22

- 1227 Synthesis and structure of 2-acetylpyridine-salicyloylhydrazone and its copper(II) and zinc(II) complexes. The effect of the metal coordination on the weak intermolecular interactions. **2007**, 9, 668 20
- 1226 Reaction chemistry of complexes containing Pt--H, Pt--SH, or Pt--S fragments: from their apparent simplicity to the maze of reactions underlying their interconversion. **2007**, 13, 1047-63 16
- 1225 Ferromagnetic interaction in an asymmetric end-to-end azido double-bridged copper(II) dinuclear complex: a combined structure, magnetic, polarized neutron diffraction and theoretical study. **2007**, 13, 3666-74 49
- 1224 An effective metallohydrolase model with a supramolecular environment: structures, properties, and activities. **2007**, 13, 2402-9 22
- 1223 Stereoselective ring-opening polymerization of a racemic lactide by using achiral salen- and homosalen-aluminum complexes. **2007**, 13, 4433-51 355
- 1222 Unique ligand-based oxidative DNA cleavage by zinc(II) complexes of hpyramol and hpyrimol. **2007**, 13, 5213-22 63
- 1221 Structural, kinetic, and theoretical studies on models of the zinc-containing phosphodiesterase active center: medium-dependent reaction mechanisms. **2007**, 13, 9093-106 46
- 1220 Ferromagnetic coupling in trinuclear, partial cubane Cu(II) complexes with a micro(3)-OH core: magnetostructural correlations. **2007**, 13, 9297-309 67
- 1219 Synthesis and metal complexes of chiral c(2)-symmetric diamino-bisoxazoline ligands. **2007**, 13, 8960-70 39
- 1218 Amphiphilic and magnetic properties of a new class of cluster-bearing [L2Cu4( $\mu_4$ -O)( $\mu_2$ -carboxylato)4] soft materials. **2007**, 13, 9948-56 25
- 1217 A hexacopper fluoro metallacrown cavitand and its alkali-metal complexes. **2007**, 46, 4073-6 41
- 1216 Syntheses, crystal structures and blue emission of three zinc(II) coordination polymers with a 4,4'-dicarboxybiphenyl sulfone ligand. **2007**, 21, 76-82 11
- 1215 Synthesis and characterization of diorganotin(IV) complexes of Schiff bases with ONO-type donors and crystal structure of [N-(2-hydroxy-4-nitrophenyl)-3-ethoxysalicylideneiminato]diphenyltin(IV). **2007**, 21, 913-918 10
- 1214 A Hexacopper Fluoro Metallacrown Cavitand and its Alkali-Metal Complexes. **2007**, 119, 4151-4154 6
- 1213 Aminoalkylbis(phosphonates): Their Complexation Properties in Solution and in the Solid State. **2007**, 2007, 333-344 60
- 1212 Dinuclear and Polynuclear Bridged Azido-Nickel(II) Complexes: Synthesis, Structure Determination, and Magnetic Properties. **2007**, 2007, 1091-1102 84
- 1211 Control of Intramolecular Ether-Oxygen Coordination in the Crystal Structure of Copper(II) Complexes With Dipicolylamine-Based Ligands. **2007**, 2007, 1143-1149 13
- 1210 Efficient DNA Cleavage Induced by Copper(II) Complexes of Hydrolysis Derivatives of 2,4,6-Tri(2-pyridyl)-1,3,5-triazine in the Presence of Reducing Agents. **2007**, 2007, 822-834 31

- 1209 Isolation and Characterization of ZnII and HgII Coordination Polymers with a Designed Azo-Aromatic Ligand: Identification of Micrometer- and Nanometer-Sized Particles. **2007**, 2007, 835-845 29
- 1208 A New Chloro-Bridged CuII Schiff Base Complex with Ferromagnetic Exchange Interaction. **2007**, 2007, 846-851 34
- 1207 [CuII4] Clusters From the Self-Assembly of Two Imidazolidinyl 2-Phenolate-Bridged [CuII2] Units: The Role of the Chloride Bridge. **2007**, 2007, 1644-1653 27
- 1206 Ten Years of a Biomimetic Approach to the Copper(II) Radical Site of Galactose Oxidase. **2007**, 2007, 2379-2404 164
- 1205 Bis-Pyrazolate-Bridged Dinickel(II) and Dicopper(II) Complexes: An Example of Stereoelectronic Preference of Metal Ions and Stabilization of Mixed-Valence NiIIINiII Species. **2007**, 2007, 2161-2170 35
- 1204 A Magnetostructural and Electrochemical Study of CuII and FeIII Complexes Containing a Tetradentate Aminebis(phenolate) Ligand with a Pendent Tetrahydrofuran Group. **2007**, 2007, 2334-2344 42
- 1203 Synthesis, X-ray Structure, Thermal and Magnetic Behavior of [(bipy)2Ni2(ECl)2Cl2(H2O)2]: The First Neutral Ferromagnetically Coupled Six-Coordinate Dichlorido-Bridged Nickel(II) Dimer. **2007**, 2007, 2083-2088 16
- 1202 Ternary Complexes of Zinc(II), Cyclen and Pyridinecarboxylic Acids. **2007**, 2007, 3974-3987 18
- 1201 Synthesis, Stability Constant Determination, and Structural Study of Some Complexes of a Zinc Triad Containing Pyridyl-amine-quinoline and Pyridyl-thio-quinoline. **2007**, 2007, 3669-3680 13
- 1200 Pyrazole-Based Ligands for the [CopperIIIEMPO]-Mediated Oxidation of Benzyl Alcohol to Benzaldehyde and Structures of the Cu Coordination Compounds. **2007**, 2007, 4197-4206 80
- 1199 Shearing-Like Distortion in Binuclear End-to-End CuII Azido Compounds: An Ab Initio Study of the Magnetic Interactions. **2007**, 2007, 4434-4437 22
- 1198 Coordination Alternatives in Dinuclear Bis(pyridin-2-ylalkyl)benzylaminecopper(II) Complexes with OH...RO...F... or Cl... Bridges: Experimental Structures and DFT Preferences. **2007**, 2007, 5500-5510 17
- 1197 Enantiopure Mono- and Mixed-Valence Multinuclear Cobalt Complexes from Amino Alcohol Based Ligands. **2007**, 2007, 5377-5389 21
- 1196 Structure-Activity correlations in highly preorganized dicopper catechol oxidase model systems. **2007**, 10, 421-432 49
- 1195 Asymmetric dinuclear metal complexes as models for active sites in hydrolases and redox enzymes. **2007**, 10, 433-462 46
- 1194 An unique trinuclear triply bridged Cu(II) compound containing double acetato and single azido bridges: Synthesis, X-ray structure and magnetism of [Cu3(dpyam)2(μ,1-N3)2(μCH3COO-μO1)2(μCH3COO-μO1,O2)2]·2(H2O) (dpyam=di-2-pyridylamine). **2007**, 10, 109-113 13
- 1193 Phosphate diester hydrolysis promoted by new Cu(II) alkoxide complexes. **2007**, 10, 204-208 4
- 1192 A 3D heteropolynuclear network with 4,6-connected (44·62)(48·66·8) topology: Synthesis, structure, thermal and magnetic properties. **2007**, 10, 187-190 22

- 1191 Synthesis, structure, and magnetic properties of a novel mixed-bridged heterometal tetranuclear complex  $[\text{Mn}_2\text{Ni}_2(\text{MeOSalen})_2(\text{L},1\text{-N}_3)_2(\text{N}_3)_2]$ . **2007**, 10, 397-400 41
- 1190 Synthesis, characterization and reactivity of a trinuclear copper(II) thiocyanurate complex: A spin-frustrated molecular propeller. **2007**, 10, 631-635 9
- 1189 Syntheses, structures and magnetic property of two copper complexes with cyclic dimer and 2D herringbone-like network built from helical motif. **2007**, 10, 661-665 14
- 1188 Copper(II) azide complexes of  $[\text{Cu}(\text{acac})(\text{N}_3)(\text{dpyam})]$  and  $[\text{Cu}(\text{N}_3)_2(\text{C}_2\text{N}_3)_2(\text{dpyam})]_2$ : Synthesis, crystal structure and magnetism. **2007**, 10, 843-848 20
- 1187 Preparation and characterization of mono- and hetero-dinuclear complexes with a dicompartmental macrocyclic ligand containing hexa- and penta-coordination sites. **2007**, 10, 1035-1039 13
- 1186 Hydrolysis to the first dumbbell-like high-nuclearity bismuth-oxo cluster  $[\text{Bi}_2(\text{B-OH})_4(\text{A-OH})_2(\text{B-O})_8(\text{A-O})_2(\text{NO}_3)_6]^{4+}$ : Synthesis, structure and spectroscopic characterizations. **2007**, 10, 1145-1148 12
- 1185 New method for the synthesis of bis-Schiff base trinuclear cobalt(II) complex with urease inhibitory activity. **2007**, 10, 1273-1275 25
- 1184 Lead(II) in a sulfur-rich environment: Synthesis and molecular structure of the first dinuclear bis(mercaptoimidazolyl)methane complex. **2007**, 10, 1381-1384 12
- 1183 Structure and magnetic properties of a copper malonate/dipyridylamine layered coordination polymer with both syn-anti and anti-anti copper carboxylate chains. **2007**, 10, 1518-1522 23
- 1182 Metal complexes with pincer-type ligands incorporating N-heterocyclic carbene functionalities. **2007**, 251, 610-641 555
- 1181 Characterization and evaluation of pyrone and tropolone chelators for use in metalloprotein inhibitors. **2007**, 360, 264-272 15
- 1180 Initial use of di-2-pyridyl ketone oxime in chromium carboxylate chemistry: Triangular  $\{\text{CrIII}(\text{B-O})\}_7^+$  compounds and unexpected formation of a carboxylate-free dichromium(II,II) complex. **2007**, 360, 69-83 25
- 1179 Carboxyester hydrolysis promoted by Cu(II) complexes of pyridyl-amine carboxylate-pendant ligands. **2007**, 360, 1691-1701 13
- 1178 Coordination chemistry of di-2-pyridylamine-based bridging heterocyclic ligands: A structural study of coordination polymers and discrete dinuclear complexes. **2007**, 360, 2100-2114 19
- 1177 Supramolecular networks of dinuclear copper(II): Synthesis, crystal structure and magnetic study. **2007**, 360, 2589-2597 56
- 1176 Synthesis, structures and magnetic properties of oxamido-bridged trinuclear  $\text{Cu(II)}_2\text{Mn(II)}\text{Cu(II)}$  complexes. **2007**, 360, 2835-2841 2
- 1175 Crystal structure, magnetic and electrochemical properties of five-coordinate copper (II) complexes with 1,10-phenanthroline-5,6-dione. **2007**, 360, 2829-2834 26
- 1174 Preparation and structural organisation of heteroleptic tetraphenylantimony(V) complexes comprising unidentately and bidentately coordinated O,O'-dialkyldithiophosphate groups: Multinuclear ( $^{13}\text{C}$ ,  $^{31}\text{P}$ ) CP/MAS NMR and single-crystal X-ray diffraction studies. **2007**, 360, 2897-2904 15

- 1173 New coordination polymer based on a triply bridged dicarboxylate ligand: Synthesis, structure, and magnetic properties of the adipato complex  $[Cu_4(bpy)_4(adip)_3](tcnoet)_2 \cdot 2H_2O$  {bpy=C<sub>10</sub>H<sub>8</sub>N<sub>2</sub>; adip<sup>2-</sup>[O<sub>2</sub>C(CH<sub>2</sub>)<sub>4</sub>CO<sub>2</sub>]<sup>2-</sup>[tcnoet<sup>-</sup>[N(C)C<sub>2</sub>CC(OEt)C(CN)<sub>2</sub>]}]. **2007**, 360, 3879-3886 19
- 1172 Synthesis, characterization and magnetic properties of new homotrimeric copper(II) complexes. **2007**, 360, 3475-3483 30
- 1171 Crystal structure and magnetic behaviour of a five-coordinate iron(III) complex of pyridoxal-4-methylthiosemicarbazone. **2007**, 360, 3896-3902 27
- 1170 Synthesis and characterization of imidazolate-bridged polynuclear copper complexes. **2007**, 360, 3304-3313 28
- 1169 Mononuclear and unsymmetric dinuclear complexes of the tripodal ligand 2-hydroxyethyl-bis(2-pyrid-2-yl)ethylamine. **2007**, 360, 4025-4030 3
- 1168 Substituted pyridylmethylamide ligands and their zinc complexes. **2007**, 360, 3610-3618 22
- 1167 Synthesis, crystal structures and magnetic studies of dicyanamide bridged two new 1D copper(II) complexes. **2007**, 360, 4085-4092 23
- 1166 Synthesis, characterization, and magnetic properties of new homotrimeric bis(oxamato) copper(II) complexes with an asymmetric central N,N'-bridge. **2007**, 360, 3777-3784 17
- 1165 Preparation, characterization and X-ray analysis of  $[Co_2(Cl)_2tpmc](BF_4)_2$ . Comparative structural analysis with the complexes having analogous geometries and ligands. **2007**, 827, 80-87 14
- 1164 Anion-tuned self-assembly of zinc(II) fluconazole complexes: Crystal structures, luminescent and thermal properties. **2007**, 829, 161-167 15
- 1163 Synthesis, structural characterization and antioxidant/anti-inflammatory activity of pentacoordinated bis(isoselenocyanato) and bis(isothiocyano) Cu(I) and Ni(II) complexes with Me5dien: Crystal structure of  $[Cu(Me_5dien)(NCSe)_2]$ . **2007**, 837, 30-37 12
- 1162 An unusual Cu(II) polymeric compound with tridentate dehydrated and bidentate neutral ligand bis(pyrimidin-2-yl)amine (=Hdipm) and uncoordinated Hdipm in a complicated H-bonding system. Synthesis, characterization and X-ray structure of  $[Cu_2(Hdipm)_2(Me_5dien)_2] \cdot 2H_2O$ . **2007**, 837, 45-47 5
- 1161 Use of multi-N-donor ligands for preparation of organic/inorganic hybrid materials: Crystal structures of ionic  $[M(aepn)_2][Ni(CN)_4] \cdot 4H_2O$  and polymeric  $M(aepn)Ni(CN)_4$  (M = Zn(II), Cd(II); aepn = N-(2-aminoethyl)-1,3-propanediamine). **2007**, 842, 117-124 13
- 1160 Structure determination of picolinato-copper(II)-amine complexes. **2007**, 871, 108-113 18
- 1159 Copper(II) complexes of tridentate selenobisphenolate ligand in mixed ligand environments: Synthesis, crystal structure, EPR and electrochemical studies. **2007**, 826, 17-23 9
- 1158 Two new copper(II) complexes with the shortest (N<sub>3</sub>) diazine based rigid ligand: Example of unusual tridentate coordination mode. **2007**, 826, 75-81 21
- 1157 Molecular structure of mononuclear azido- and dicyanamido-Cu(II) complexes. **2007**, 837, 72-78 50
- 1156 Unusual one-dimensional branched-chain structures assembled by a novel imidazole-containing tripodal ligand with cadmium(II) salts and their fluorescent property. **2007**, 180, 331-338 29

1155	Syntheses, structures and hydrolytic properties of copper(II) complexes of asymmetrically N-functionalised 1,4,7-triazacyclononane ligands. <b>2007</b> , 26, 344-355	15
1154	Copper complexes with 1,10-phenanthrolines tethered to a cyclotriphosphazene platform. <b>2007</b> , 26, 460-471	26
1153	Synthesis and structure of copper (II) complexes with LDH (LDH = 2,6-bis-[N-(2-pyridylethyl)-formidoyl]-4-methyl-phenol). <b>2007</b> , 26, 115-122	22
1152	Synthesis, X-ray crystal structure and magnetic study of the 1D $\{[\text{Cu}(\text{N,N-diethyl-1,2-ethanediamine})(\mu,5\text{-dca})(\text{dca})]\}_n$ complex. <b>2007</b> , 26, 736-740	16
1151	Synthesis and structural studies on di-oxovanadium(V) complexes of N(4)-substituted pyrazole based thiosemicarbazones. <b>2007</b> , 26, 773-781	17
1150	Crystal structures, spectro-structural correlation and structural pathways of eight $[\text{Cu}(\text{dpyam})_2(\text{NCO})][\text{Y}]$ complexes (dpyam = di-2-pyridylamine), Y = $\text{Br}[\text{CF}_3\text{SO}_3^-]$ , $\text{BF}_4^-$ , $\text{dpyam}$ , $\text{Cl}[\text{H}_2\text{O}]$ , $\text{NO}_3^-$ , $\text{PF}_6^-$ , $\text{ClO}_4^-$ and $\text{BPh}_4^-$ . <b>2007</b> , 26, 871-882	36
1149	Spectral and structural studies of mono- and binuclear copper(II) complexes of salicylaldehyde N(4)-substituted thiosemicarbazones. <b>2007</b> , 26, 829-836	70
1148	Variable temperature structural and magnetic characterisation of the cubane cluster $[\text{Cu}_4(\mu_3\text{-OH})_4(\text{L})_4][\text{ClO}_4]_4$ (L=5-tert-butyl-3-(pyrid-2-yl)-1H-pyrazole). <b>2007</b> , 26, 1977-1983	12
1147	Preparation, crystal structures and NMR characterization of substituted-benzoate complexes Nickel(II)-N3-macrocycles. <b>2007</b> , 26, 1029-1036	17
1146	Three new dinuclear bis-azido-bridged Cu(II) compounds with di-2-pyridylamine as a ligand: Syntheses, X-ray structure and magnetic measurements. <b>2007</b> , 26, 725-735	19
1145	Synthesis, crystal structure, electrochemical and kinetic studies on a cyano-bridged $\text{CuI}[\text{Ni}(\text{II})\text{CuI}]$ hetero-trinuclear complex. <b>2007</b> , 26, 1012-1022	8
1144	Influence of heterocycles arrangement in structural isomeric ligands on coordination sphere of copper(II) complexes: Crystal structures and spectroscopic characterization. <b>2007</b> , 26, 1173-1181	9
1143	Dioxovanadium(V) complexes with N,N,O-donor monoanionic ligands: Synthesis, structure and properties. <b>2007</b> , 26, 1205-1210	34
1142	Models for thyroxine: Aromatic iodine-assisted self-assemblies. <b>2007</b> , 26, 1417-1426	5
1141	Synthesis, spectral characterization and crystal structure of copper(II) complexes of 2-hydroxyacetophenone-N(4)-phenyl semicarbazone. <b>2007</b> , 26, 1427-1435	58
1140	Synthesis, structure, network and thermal analysis of four 5-(pyrazinyl)tetrazolato copper(II) and cobalt(II) complexes. <b>2007</b> , 26, 1531-1540	38
1139	Isomerism in copper(II) chloride complexes of bis(2-pyridylmethyl)amine and N-substituted derivatives: Synthesis and X-ray structural characterisation. <b>2007</b> , 26, 1649-1657	22
1138	Two new pseudohalide bridged di- and poly-nuclear copper(II) complexes: Synthesis, crystal structures and magnetic studies. <b>2007</b> , 26, 1740-1744	60

- 1137 Crystal structure, spectroscopy and magnetism of a dinuclear strongly antiferromagnetically coupled N-oxido-bridged Cu(II) compound with 2,2'-bipyridine-1,1'-dioxide (bpdo) as a ligand; [Cu<sub>2</sub>(bpdo)<sub>2</sub>Br<sub>4</sub>]. **2007**, 26, 2728-2732 8
- 1136 Syntheses, crystal structures and photoluminescence of three coordination polymers with 2,3-pyrazinedicarboxylic acid and N-donor ligands. **2007**, 26, 3103-3111 49
- 1135 Structure and magnetic properties of a copper(II) compound with syn-anti carboxylato- and linear Cu<sub>2</sub>Cl<sub>2</sub> Cu chloro-bridges. **2007**, 26, 3085-3091 17
- 1134 Synthesis and characterization of Cu(II), Co(II) and Ni(II) coordination polymers containing bis(imidazolyl) ligands. **2007**, 26, 3074-3084 49
- 1133 Synthesis and structural characterization of two five coordinate aluminum alkyl and bis(trimethylsilyl)amino complexes bearing acyclic tetradentate Schiff bases. **2007**, 26, 3286-3290 6
- 1132 Structural, spectroscopic and redox properties of transition metal complexes of dipyrido[3,2-f:2',3'-h]-quinoxaline (dpq). **2007**, 26, 3750-3762 26
- 1131 Synthesis, characterization and structures of copper(II) complexes with amide-based ligands: Unusual formation of a linear trimer and a zig-zag chain and their contrast magnetic behaviour. **2007**, 26, 3893-3903 19
- 1130 Hydrothermal syntheses, structures and properties of three cyclic tetranuclear complexes and one 1D chain complex with 3,5-dinitrosalicylate. **2007**, 26, 3849-3856 9
- 1129 Synthesis, crystal structure and biological activity of two new heterotrinnuclear thiocyanato bridged Cu(II)<sub>2</sub>Ag(II)Cu(II) complexes. **2007**, 26, 4187-4194 42
- 1128 Synthesis, crystal structure and hydrolysis of a dinuclear copper(II) complex constructed by N<sub>2</sub>O donor Schiff base and 4,4'-bipyridine: Discrete supra-molecular ensembles vs. oligomers. **2007**, 26, 4411-4418 47
- 1127 Self-assembled molecular magnets from discrete dimer to one-dimensional helical chain: Syntheses, crystal structures and magnetic properties. **2007**, 26, 4463-4469 8
- 1126 meta-Phenylene-bridged double Schiff base copper(II) complexes as building blocks for 1D coordination polymers: Synthesis, crystal structure and magnetic properties. **2007**, 26, 4581-4590 24
- 1125 Structural characterization of a copper(II) complex containing oxidative cyclization of N-2-(4-picolyl)-N'-(4-methoxyphenyl)thiourea, new ligands of 4-picolylthiourea derivatives and the precursor molecular structure of oxidative cyclization of N-(2-pyridyl)-N'-(4-methoxyphenyl)thiourea. **2007**, 26, 4609-4618 17
- 1124 Two-stage formation of chloro (N-o-chlorobenzamido-meso-tetraphenylporphyrinato) zinc(II) methylene chloride solvate: Zn(N-NHCO(o-Cl)C<sub>6</sub>H<sub>4</sub>-tpp)Cl · CH<sub>2</sub>Cl<sub>2</sub>. **2007**, 26, 4602-4608 2
- 1123 Preparation, crystal structures and spectroscopic characterization of oxalate copper(II) complexes containing the nitrogen ligands 4,4'-dimethyl-2,2'-bipyridine and di(2-pyridyl)sulfide. **2007**, 26, 4525-4532 31
- 1122 Crystal structures and spectroscopic properties of copper(II)bis(2-pyridylcarbonyl)amidechlorobenzoate complexes. **2007**, 26, 5009-5015 13
- 1121 Experimental and computational study on [2,6-bis(3,5-dimethyl-N-pyrazolyl)pyridine]-(dithiocyanato)mercury(II). **2007**, 26, 5069-5074 87
- 1120 Synthesis, X-ray structure and magnetic studies of Cu(II) complexes of tridentate SNS ligands (S-dbpt, N,N,N',N'-tetraisobutylpyridine-2,6-dithiocarboxamide; S-dppt, N,N,N',N'-tetraisopropylpyridine-2,6-dithiocarboxamide): Role of steric factors on the geometry around Cu(II). **2007**, 26, 5191-5199 10

1119	Three new pseudohalide bridged dinuclear Zn(II) Schiff base complexes: Synthesis, crystal structures and fluorescence studies. <b>2007</b> , 26, 5104-5112	129
1118	High-field EPR investigation of a series of mononuclear Mn(II) complexes doped into Zn(II) hosts. <b>2007</b> , 26, 5243-5249	19
1117	First examples of neutral rhenium(V) complexes with a novel semi-rigid ligand containing a P,N,N,S donor atom set: Synthesis, characterisation and crystal structure. <b>2007</b> , 26, 5185-5190	3
1116	Molecular, supramolecular structure and catalytic activity of transition metal complexes of phenoxy acetic acid derivatives. <b>2007</b> , 26, 5225-5234	28
1115	DNA binding and oxidative cleavage activity of ternary (l-proline)copper(II) complexes of heterocyclic bases. <b>2007</b> , 26, 5331-5338	67
1114	Neutral pyridylmethylamide ligands and their mononuclear copper(II) complexes. <b>2007</b> , 26, 5420-5431	5
1113	Main group complexes incorporating 1,3-bis(furyl)-1,1,3,3-tetramethyldisilazide ligands. <b>2007</b> , 692, 2548-2553	7
1112	Diorgano-gallium and -indium complexes with N-heterocyclic carboxylic acids: Synthesis, characterization and structures of [Me <sub>2</sub> M(O <sub>2</sub> CCH <sub>2</sub> CH <sub>2</sub> N)] <sub>2</sub> , M=Ga or In. <b>2007</b> , 692, 4237-4243	18
1111	Synthesis, crystal structure, magnetic property and nuclease activity of a new binuclear cobalt(II) complex. <b>2007</b> , 101, 196-202	45
1110	Synthesis, characterisation and antimicrobial activity of copper(II) and manganese(II) complexes of coumarin-6,7-dioxyacetic acid (cdoaH <sub>2</sub> ) and 4-methylcoumarin-6,7-dioxyacetic acid (4-MeccdoaH <sub>2</sub> ): X-ray crystal structures of [Cu(cdoa)(phen) <sub>2</sub> ].8.8H <sub>2</sub> O and [Cu(4-Meccdoa)(phen) <sub>2</sub> ].13H <sub>2</sub> O (phen = 1,10-phenanthroline). <b>2007</b> , 101, 1100-1106	66
1109	Thiol-copper(I) and disulfide-dicopper(I) complex O <sub>2</sub> -reactivity leading to sulfonate-copper(II) complex or the formation of a cross-linked thioether-phenol product with phenol addition. <b>2007</b> , 101, 1845-58	12
1108	Preparation, Structure, Spectral, and Magnetic Properties of Copper(II) Halogenonicotinate: Crystal and Molecular Structure of Tetrakis(μ <sub>2</sub> -chloronicotinato-O,O')-diaquadicopper(II). <b>2007</b> , 633, 298-305	20
1107	Synthesis of Mixed-ligand Complexes of Copper(II) with Lactate and 2,2'-Dipyridylamine: Study of the Effect of Weak Interactions on their Crystal Packing. <b>2007</b> , 633, 1791-1795	12
1106	Structural Flexibility of Carboxylate Bridging Exemplified by a Series of μ <sub>2</sub> -Acetato Dizinc Complexes. <b>2007</b> , 633, 2178-2186	17
1105	Synthesis, Crystal Structures and Properties of [Cu(L1) <sub>2</sub> (py) <sub>2</sub> (H <sub>2</sub> O)](H <sub>2</sub> O) [HL1 = N-(5-ethyl-[1,3,4]thiadiazole-2-yl)-toluenesulfonamidate] and [Cu(L2) <sub>2</sub> (py) <sub>2</sub> (H <sub>2</sub> O)] [HL2 = N-(5-ethyl-[1,3,4]thiadiazole-2-yl)-benzenesulfonamidate]. <b>2007</b> , 633, 1837-1841	6
1104	Solid State Conformational Features of Homodinuclear Nickel Complexes Double Bridged by Phosphate Esters and Related Ligands. <b>2007</b> , 633, 1869-1874	5
1103	Synthesis, Structural Characterization and Electrochemical Studies of a Nicotinamide-bridged Dinuclear Copper Complex derived from a Tridentate Hydrazone Schiff Base Ligand. <b>2007</b> , 633, 1945-1948	51
1102	Syntheses, Crystal Structures and Magnetic Properties of Three Low-Dimensional Materials Constructed from [Cu <sub>2</sub> (dmpzpo) <sub>2</sub> ] <sup>2+</sup> and [M(CN) <sub>2/4</sub> ] <sub>2</sub> [M = Ag or Ni] Precursors (Hdmpzpo = 1,3-bis(3,5-dimethylpyrazol-1-yl)propan-2-ol). <b>2007</b> , 633, 2104-2108	4



1101	Synthesis and structure of a bimetallic hybrid inorganic/organic layered coordination polymer with an octamolybdate cluster variant trapped between the $\eta^5$ and $\eta^6$ isomeric forms. <b>2007</b> , 9, 804-811	8
1100	Adducts of zinc and copper(II) dialkyldithiocarbamate complexes with dibutyl- and diisobutylamines: Synthesis, structures, EPR and solid-state natural abundance $^{13}\text{C}$ and $^{15}\text{N}$ CP/MAS NMR spectra. <b>2007</b> , 33, 233-243	9
1099	Formation of supramolecular complexes in reactions of adduct formation of zinc diethyldithiocarbamate with morpholine. Molecular structures and thermal properties. <b>2007</b> , 33, 815-825	5
1098	Structural variation in copper(I) complexes with pyridylmethylamide ligands: structural analysis with a new four-coordinate geometry index, $\tau_4$ . <b>2007</b> , 955-64	1980
1097	$\text{CO}_2$ fixation and transformation by a dinuclear copper cryptate under acidic conditions. <b>2007</b> , 2, 710-9	64
1096	Hexanuclear $[\text{Ni}_6\text{L}_{12}]$ metallacrown framework consisting of $\text{NiS}_4$ square-planar and $\text{NiS}_5$ square-pyramidal building blocks. <b>2007</b> , 4641-3	19
1095	Bis( $\alpha$ -diimine)nickel complexes: molecular and electronic structure of three members of the electron-transfer series $[\text{Ni}(\text{L})_2](z)$ ( $z = 0, 1+, 2+$ ) ( $\text{L} = 2$ -Phenyl-1,4-bis(isopropyl)-1,4-diazabutadiene). A combined experimental and theoretical study. <b>2007</b> , 46, 5327-37	108
1094	Models of the iron-only hydrogenase: structural studies of chelating diphosphine complexes $[\text{Fe}_2(\text{CO})_4(\text{micro-pdt})(\kappa^2\text{P},\text{P}'\text{-diphosphine})]$ . <b>2007</b> , 2495-8	82
1093	Zinc, Cadmium and Mercury Dithiocarboxylates: Synthesis, Characterization, Structure and Their Transformation to Metal Sulfide Nanoparticles. <b>2007</b> , 2007, 1566-1575	23
1092	Preparation of Thiocarboxylate, Thiocarbamate and Xanthate Complexes of Pentacoordinate Nickel(II): Insertion of Heterocumulenes Into Nickel(II) Hydroxido Complexes. <b>2007</b> , 2007, 4628-4636	10
1091	Supramolecular architectures with ladder and lamellar topologies using metal-ligand coordination units via $\text{C}\cdots\text{Cl}$ and $\text{O}\cdots\text{Cl}$ hydrogen bonding. <b>2007</b> , 18, 133-144	24
1090	New Cu(II) complexes with polydentate chelating Schiff base ligands: Synthesis, structures, characterisations and biochemical activity studies. <b>2007</b> , 18, 33-41	64
1089	Synthesis, crystal structure, and properties of copper(II) and manganese(II) complexes with azide and 3,4-di(2-pyridyl)-1,2,5-oxadiazole. <b>2007</b> , 18, 43-47	10
1088	Synthesis, characterisation and structural aspects of a new diorganotin(IV) complex with $\text{N}^-(5\text{-bromo-2-hydroxybenzylidene})\text{benzoylhydrazone}$ ligand. <b>2007</b> , 18, 287-293	28
1087	Synthesis and characterization of mononuclear copper(II) and cadmium(II) complexes with di-(2-picolyl)sulfur. <b>2007</b> , 18, 311-316	3
1086	Synthesis and magneto-structural correlation of a new maleato bridged copper(II) coordination polymer. <b>2007</b> , 18, 317-323	7
1085	Synthesis and characterization of diorganotin(IV) complexes of tridentate Schiff bases: crystal structure of $[\text{N}-(3\text{-hydroxypyridine-2-yl})-5\text{-chlorosalicylideneiminato}]\text{dimethyltin(IV)}$ . <b>2007</b> , 18, 667-675	10
1084	Synthesis, Properties, and Crystal Structures of Copper(II) Di-(2-picolyl)amine Complexes Containing Inorganic Salts. <b>2007</b> , 37, 847-852	9

- 1083 Zinc complexes of the biomimetic N,N,O ligand family of substituted 3,3-bis(1-alkylimidazol-2-yl)propionates: the formation of oxalate from pyruvate. **2007**, 12, 1181-96 11
- 1082 Synthesis, crystal structure, DNA binding and photo-induced DNA cleavage activity of (S-methyl-L-cysteine)copper(II) complexes of heterocyclic bases. **2007**, 101, 233-44 133
- 1081 Synthesis, crystal structure, EPR and electrochemical studies of copper(II) dipicolinate complex with 2,2'-dipyridylamine ligand. **2007**, 68, 2271-2277 15
- 1080 Synthesis, structural characterization, antiradical and antidiabetic activities of copper(II) and zinc(II) Schiff base complexes derived from salicylaldehyde and beta-alanine. **2008**, 102, 595-605 129
- 1079 Synthesis, structures and luminescence of three coordination polymers constructed from rigid 1,3,5-benzenetricarboxylic acid and flexible bis(imidazol-1-ylmethyl)-benzene. **2008**, 892, 420-426 54
- 1078 Two Zn(II) and one Mn(II) complexes using two different hydrazone ligands: spectroscopic studies and structural aspects. **2008**, 19, 209-217 34
- 1077 Synthesis, crystal structure, and DNA-binding studies of a one-dimensional copper(II) polymer bridged both by oxamidate and thiocyanato ligands. **2008**, 19, 819-826 4
- 1076 Supramolecular self-assembly of two Cu(II) complexes with 1,2,4-triazole derivatives: syntheses, crystal structures and magnetic properties. **2008**, 19, 911-916 6
- 1075 Low-dimensional compounds containing cyano groups. XV. Preparation, crystal structure and spectral properties of three copper(II) nitrosodicyanomethanide complexes. **2008**, 33, 1-8 9
- 1074 The synthesis and crystal structures of new 2-aminomethylbenzimidazole Zinc(II) complexes exhibiting luminescence. **2008**, 33, 9-15 13
- 1073 Synthesis, properties, and crystal structures of mononuclear nickel(II) and copper(II) complexes with 2-oximino-3-thiosemicarbazone-2,3-butanedione. **2008**, 33, 99-105 12
- 1072 Synthesis, crystal structures and DNA-binding properties of two new mononuclear copper(II) complexes. **2008**, 33, 781-789 8
- 1071 Synthesis, crystal structures, and antimicrobial activity of two thiocyanato-bridged dinuclear copper(II) complexes derived from 2,4-dibromo-6-[(2-diethylaminoethylimino)methyl]phenol and 4-nitro-2-[(2-ethylaminoethylimino)methyl]phenol. **2008**, 33, 797-802 9
- 1070 Synthesis, Crystal Structure and Spectroscopy of catena-poly-bis(azido-N1,N1)(2-Aminopyrimidine)Copper(II). **2008**, 38, 413-417 4
- 1069 Synthesis, Crystal Structures and Properties of Two Copper (II) Complexes with Pyridazine Derivative Ligand. **2008**, 38, 781-786 4
- 1068 Target Syntheses of Two New Bivanadyl Capped Keggin Polyoxometalate Derivatives. **2008**, 19, 499-509 8
- 1067 Synthesis, Structure and DNA Binding Properties of [Cu<sub>2</sub>(heae)(SCN)<sub>2</sub>] n · nH<sub>2</sub>O the First One-Dimensional Polymeric Copper(II) Complex Bridged Alternately by Oxamidate and Double End-to-End Thiocyanate Ligands. **2008**, 18, 448-456 11
- 1066 Structural and spectroscopic studies of a model for catechol oxidase. **2008**, 13, 499-510 49

1065	Ab initio reaction path for cisplatin interaction with L-cysteine and L-methionine. <b>2008</b> , 108, 401-414	17
1064	A Manganese(II) Coordination Polymer with Ditopic Bis(pyrazol-1-yl)borate Bridges. <b>2008</b> , 634, 1409-1414	11
1063	Synthesis, Structures and Magnetic Properties of Two Binuclear Cobalt(II) Complexes Bridged by Bis(p-nitrophenyl) Phosphate or Diphenylphosphinate Ion. <b>2008</b> , 634, 1775-1779	14
1062	Dinuclear Complexes with Dithiolate-bridged Square-pyramidal and Octahedral Nickel(II) Ions $\square$ Syntheses, Characterization, and Crystal Structures. <b>2008</b> , 634, 2330-2336	6
1061	A New Sulfur-containing Schiff-Base Ligand and Binding to Copper(II) and Cobalt(II). <b>2008</b> , 634, 2477-2482	3
1060	Metal-catalysed oxidation processes in thiosemicarbazones: new complexes with the ligand N-{2-([4-N-ethylthiosemicarbazone]methyl)phenyl}-p-toluenesulfonamide. <b>2008</b> , 14, 500-12	34
1059	Ammonium, alkylammonium, and amino acid complexes of a hexacopper fluoro-metallacrown cavitand. <b>2008</b> , 14, 223-33	28
1058	Oxidative double dehalogenation of tetrachlorocatechol by a bio-inspired Cu(I) complex: formation of chloranilic acid. <b>2008</b> , 14, 5567-76	22
1057	Copper complexes of mono- and ditopic [(methylthio)methyl]borates: missing links and linked systems en route to copper enzyme models. <b>2008</b> , 14, 6754-70	27
1056	A novel Ni(II) complex exhibiting microsecond quantum tunneling of the magnetization. <b>2008</b> , 14, 11158-66	32
1055	C $\cdots$ Cl Hydrogen Bond and $\pi$ - $\pi$ Interaction Based Two 3D Supramolecular Architectures of Cu(II) and Co(II) Complexes with Chiral 1,2-Bis(benzimidazol-2-yl) ethane Ligand Containing 2D Grids. <b>2008</b> , 26, 260-264	6
1054	Structural and Magnetic Properties of Two Copper(II) Complexes Based on Dinuclear Copper(II) Metallacyclophane. <b>2008</b> , 2008, 1287-1292	8
1053	Dinuclear Copper(II) Complexes with Bis-thiocarbohydrazone Ligands. <b>2008</b> , 2008, 2530-2536	20
1052	Syntheses, Characterization, and Reactivities of (E,E)-Disulfido)dicopper(II) Complexes with N-Alkylated cis,cis-1,3,5-Triaminocyclohexane Derivatives. <b>2008</b> , 2008, 3977-3986	4
1051	Tripodal Tetraamine Ligands Containing Three Pyridine Units: The other Polypyridyl Ligands. <b>2008</b> , 2008, 2633-2647	78
1050	Influence of a Pyrazyl Linker on the Physicochemical Properties of Homodinuclear Bis(cyclen) and Bis(cyclam) Complexes. <b>2008</b> , 2008, 4735-4744	5
1049	$\pi$ ,3- (trans) and $\pi$ ,2- (cis) Bonding in Squarato-Bridged Dinuclear Copper(II) and Nickel(II) Complexes Derived from Polypyridyl Amines. <b>2008</b> , 2008, NA-NA	21
1048	Anion-Directed Template Synthesis and Hydrolysis of Mono-Condensed Schiff Base of 1,3-Pentanediamine and o-Hydroxyacetophenone in Ni(II) and Cu(II) Complexes. <b>2008</b> , 2008, 3372-3381	58

1047	Adipato-Bridged Copper(II) Complexes. <b>2008</b> , 2008, 4453-4461	22
1046	Hydrogen Bonding and Anion Binding in Structures of Tris(pyrazolyl)boratenickel(II) and Phosphate Esters. <b>2008</b> , 2008, 4012-4018	15
1045	Copper(II) Complexes of N-Methylated Derivatives of ortho- and meta-Xylyl-Bridged Bis(1,4,7-triazacyclononane) Ligands: Synthesis, X-ray Structure and Reactivity as Artificial Nucleases. <b>2008</b> , 2008, 4133-4139	17
1044	Di-, Tetra-, and Polynuclear Copper(II) Complexes: Active Catalysts for Oxidation of Toluene and Benzene. <b>2008</b> , 2008, 4404-4412	41
1043	Copper Complexes with the Ligand Methyl Bis(3,5-dimethylpyrazol-1-yl)acetate (Mebdmpza), Generated by In Situ Methanolic Esterification of Bis(3,5-dimethylpyrazol-1-yl)acetic Acid. <b>2008</b> , 2008, 4977-4982	9
1042	Probing the Effect of Binding Site and Metal Centre Variation in Pentadentate Oligopyridylimine-Bearing Bimetallic (Fe <sub>2</sub> , Co <sub>2</sub> , Ni <sub>2</sub> ) Ethylene Oligomerisation Catalysts. <b>2008</b> , 2008, 4597-4607	42
1041	Covalently linked dimers of clusters: loop- and dumbbell-shaped Mn <sub>24</sub> and Mn <sub>26</sub> single-molecule magnets. <b>2008</b> , 47, 6694-8	112
1040	Proton- and reductant-assisted dioxygen activation by a nonheme iron(II) complex to form an oxoiron(IV) intermediate. <b>2008</b> , 47, 7064-7	144
1039	A trispyrazolylborato iron Malonato complex as a functional model for the acetylaceton dioxygenase. <b>2008</b> , 47, 7953-6	41
1038	Synthesis and spectroscopic characterization of new triorganotin(IV) complexes with the bis(1-methyl-1H-imidazol-2-ylthio)acetate ligand: effects on trout erythrocyte components. <b>2008</b> , 22, 43-48	4
1037	Tin dithiocarbamates: applications and structures. <b>2008</b> , 22, 533-550	159
1036	N $\pi$ L Temperature Enhancement by Increasing the In-plane Magnetic Correlation in Layered Inorganic/Organic Hybrid Materials. <b>2008</b> , 20, 1534-1538	38
1035	Covalently Linked Dimers of Clusters: Loop- and Dumbbell-Shaped Mn <sub>24</sub> and Mn <sub>26</sub> Single-Molecule Magnets. <b>2008</b> , 120, 6796-6800	14
1034	Proton- and Reductant-Assisted Dioxygen Activation by a Nonheme Iron(II) Complex to Form an Oxoiron(IV) Intermediate. <b>2008</b> , 120, 7172-7175	29
1033	Ein Trispyrazolylborato-Eisen-Malonato-Komplex als funktionelles Modell für die Acetylaceton-Dioxygenase. <b>2008</b> , 120, 8071-8074	17
1032	New ferromagnetic dinuclear triply-bridged copper(II) compounds containing carboxylato bridges: Synthesis, X-ray structure and magnetic properties. <b>2008</b> , 27, 304-318	42
1031	Synthesis, structure, spectroscopic, magnetic and electrochemical studies of a rare synanti acetate-bridged copper(II) complex. <b>2008</b> , 27, 249-254	14
1030	One-dimensional and two-dimensional coordination polymers constructed from copper(II) nodes and polycarboxylato spacers: Synthesis, crystal structures and magnetic properties. <b>2008</b> , 27, 574-582	36

1029	Syntheses, crystal structures and magnetic properties of mono- and polynuclear [bis(2-arylcarbonyl)amidate]copper(II) complexes. <b>2008</b> , 27, 559-573	20
1028	Two-dimensional divalent metal/pimelate coordination polymers incorporating dipodal organodiimines: Crystal structures, thermal properties, and magnetic studies. <b>2008</b> , 27, 821-834	8
1027	Coordination behaviour of Schiff base 2-acetyl-2-thiazoline hydrazone (ATH) towards cobalt(II), nickel(II) and copper(II). <b>2008</b> , 27, 879-886	54
1026	Synthesis, structure, thermal studies on Zn(II), Cd(II) complexes of N-(2-pyridylmethyl)pyridine-2-carbaldimine and N-(2-pyridylmethyl)pyridine-2-methylketimine. <b>2008</b> , 27, 805-811	12
1025	Synthesis, spectroscopic and structural characterization of diphenyltin(IV) complexes of acetone Schiff bases of S-alkyldithiocarbazates. <b>2008</b> , 27, 977-984	20
1024	Self-assembled [2 $\square$ + 1 $\square$ ] heterotetranuclear CuII3MnII/CuII3CoII and [2 $\square$ + 1 $\square$ ] heptanuclear CuII7 compounds derived from N,N'-o-phenylenebis(3-ethoxysalicylaldehyde): Structures and magnetic properties. <b>2008</b> , 27, 1201-1213	67
1023	Synthesis, structure, DNA binding and oxidative cleavage activity of ternary (l-leucine/isoleucine) copper(II) complexes of heterocyclic bases. <b>2008</b> , 27, 1343-1352	93
1022	Copper(II)-saccharinato complexes with piperazine and N-(2-aminoethyl)piperazine ligands. <b>2008</b> , 27, 1381-1386	8
1021	Copper(II) complexes with neutral bis(pyrazolyl)methane ligands: The influence of steric hindrance on their structures and properties. <b>2008</b> , 27, 1432-1446	27
1020	Ferromagnetic exchange coupling in phosphonato-bridged dinuclear copper(II) compound with monoethyl (pyridyn-2-ylmethyl)phosphonate ligand (2-mpmpe): Cu2(2-mpmpe)2(H2O)2(NO3)2. <b>2008</b> , 27, 1721-1728	21
1019	Dinuclear copper complexes with cyanamide derivatives as bridging ligands. <b>2008</b> , 27, 1809-1817	16
1018	Three new polynuclear tetracarboxylato-bridged copper(II) complexes: Syntheses, X-ray structure and magnetic properties. <b>2008</b> , 27, 1875-1882	35
1017	Synthesis, structure and nuclease activity of copper complexes of disubstituted 2,2'-bipyridine ligands bearing ammonium groups. <b>2008</b> , 27, 1898-1904	37
1016	Synthesis, structure and solution chemistry of a family of dinuclear hydrazone-vanadium(V) complexes with [OV(EO)VO]4+ core. <b>2008</b> , 27, 2193-2201	30
1015	Synthetic study of the ternary copper(II)/maleamate(-1)/1,10-phenanthroline reaction system: Mononuclear, dinuclear and polymeric complexes. <b>2008</b> , 27, 2131-2142	20
1014	Influence of counter anions on structural, spectroscopic and electrochemical behaviours of copper(II) complexes of dipyrido[3,2-f: 2',3'-h]-quinoxaline (dpq). <b>2008</b> , 27, 2105-2112	14
1013	Two new end-on azido bridged dinuclear copper(II) and cobalt(III) complexes derived from the (E)-N'-((pyridin-2-yl)methylene) acetohydrazide Schiff base ligand: Characterisation, crystal structures and magnetic study. <b>2008</b> , 27, 2409-2415	71
1012	A pyrazine-bridged linear pentanuclear copper(II) complex and related tri- and dinuclear complexes showing various coordination structures and magnetic couplings. <b>2008</b> , 27, 2341-2348	19

1011	Synthesis, spectroscopic characterization, X-ray structure and DFT calculations of five-coordinated chlorocopper(II) complex with bis(3,5-dimethylpyrazol-1-yl)methane. <b>2008</b> , 27, 2513-2518	10
1010	CuII acetate complexes involving N,N,O donor Schiff base ligands: Mono-atomic oxygen bridged dimers and alternating chains of the dimers and Cu <sub>2</sub> (OAc) <sub>4</sub> . <b>2008</b> , 27, 2625-2633	36
1009	Synthesis, characterization and magnetostructural correlation studies on three binuclear copper complexes of pyrimidine derived Schiff base ligands. <b>2008</b> , 27, 2519-2528	40
1008	pH-dependent self-assembly of copper(II) complexes with a new imidazole-containing polyamine ligand: Synthesis, structure and magnetic property. <b>2008</b> , 27, 2672-2680	27
1007	Syntheses, crystal structures and magnetic properties of tricyanomethanide-containing bis(2-pyrimidylcarbonyl)amidate copper(II) complexes. <b>2008</b> , 27, 2577-2584	10
1006	Synthesis, crystal engineering, and magnetic properties of an anionic 4-terpyridone based copper(II) azide supramolecule containing dinuclear/nononuclear cocrystal. <b>2008</b> , 27, 2693-2697	12
1005	Copper(II) complexes with 1,2,4-triazolo[1,5-a] pyrimidine and its 5,7-dimethyl derivative. <b>2008</b> , 27, 2779-2784	18
1004	Mononuclear, dinuclear and hydroxo-bridged tetranuclear complexes from reactions of CuII ions, mandelic acid and diimine ligands. <b>2008</b> , 27, 2921-2930	32
1003	Interaction of copper(II) and palladium(II) with linked 2,2'-dipyridylamine derivatives: Synthetic and structural studies. <b>2008</b> , 27, 2889-2898	25
1002	Chemistry of mixed-ligand methoxy bonded oxidovanadium(V) complexes with a family of hydrazone ligands containing VO <sub>3</sub> <sup>+</sup> core and their substituent controlled methoxy-bridged dimeric forms. <b>2008</b> , 27, 3197-3206	33
1001	Synthesis and structural characterization of copper(II) and vanadium(V) complexes of pyridyl/pyrimidyl/pyrazole derived Schiff base ligands: Metal specific adjustment of ligand binding mode. <b>2008</b> , 27, 3267-3274	39
1000	Coordination chemistry of 2-hydroxymethylbenzimidazole complexes with copper(II) and cadmium(II) ions: Similarities and differences. <b>2008</b> , 27, 3500-3508	26
999	Zinc(II) complexes derived from di-2-pyridyl ketone N4-phenyl-3-semicarbazone: Crystal structures and spectral studies. <b>2008</b> , 27, 3461-3466	17
998	3D supramolecular architectures of copper(II) complexes with 6-methylpicolinic and 6-bromopicolinic acid: Synthesis, spectroscopic, thermal and magnetic properties. <b>2008</b> , 27, 3631-3638	46
997	Catalase mimics of a manganese(II) complex: The effect of axial ligands and pH. <b>2008</b> , 280, 203-209	45
996	Mixed-ligand CuII complexes with Me <sub>5</sub> dien and heterocyclic acids. Synthesis, antioxidant and anti-inflammatory activity. Crystal structure of [Cu(Me <sub>5</sub> dien)(tpaa)(H <sub>2</sub> O)](ClO <sub>4</sub> ). <b>2008</b> , 872, 73-80	25
995	Synthesis and spectroscopic characterization of dicyanamido-Cu(II) complexes. Part 2: Crystal structure of the complexes of tris[2-(2-pyridylethyl)]amine, tris(2-pyridylmethyl)amine and 1,4-bis[2-(2-pyridylethyl)]piperazine. <b>2008</b> , 889, 271-278	35
994	One- and two-dimensional divalent copper coordination polymers based on kinked organodiimine and long flexible aliphatic dicarboxylate ligands. <b>2008</b> , 891, 423-428	4

993	Topologically novel copper molybdate phases based on 3,4?-dipyridylketone: Hydrothermal synthesis, structural characterization, and magnetic properties. <b>2008</b> , 181, 828-836	13
992	Synthesis, spectral and structural studies of zinc(II) complexes of salicylaldehyde N4-phenylthiosemicarbazone. <b>2008</b> , 69, 726-32	48
991	Spectral and structural studies of copper(II) complexes of thiosemicarbazones derived from salicylaldehyde and containing ring incorporated at N(4)-position. <b>2008</b> , 70, 86-93	43
990	Synthesis, structure and spectral investigation of hydrogen bonded helical chain in mixed ligand Cu(II) pyrimidone complex. <b>2008</b> , 71, 609-15	3
989	Preparation, structural characterisation and electrochemical properties of iron(0) and tungsten(0) carbonyl complexes with 1-(diphenylphosphanyl)-1?-vinylferrocene and 1-(diphenylphosphanyl)-1?-(dimethylvinylsilyl)ferrocene as P-monodentate ligands. <b>2008</b> , 693, 297-306	7
988	Activation of C-H and C-Br bonds in cyclopalladation reactions of Schiff base ligands: Influence of the benzylidene ring substituents. <b>2008</b> , 693, 685-700	20
987	Di- and tri-organotin(IV) complexes of the new bis(1-methyl-1H-imidazol-2-ylthio)acetate ligand and the decarboxylated analogues. <b>2008</b> , 693, 996-1004	9
986	Diorganotin(IV) complexes of dipeptides containing the alpha-aminoisobutyryl residue (Aib): preparation, structural characterization, antibacterial and antiproliferative activities of [(n-Bu) <sub>2</sub> Sn(H(-1)L)] (LH=H-Aib-L-Leu-OH, H-Aib-L-Ala-OH). <b>2008</b> , 102, 1397-405	37
985	Syntheses and characterization of copper complexes with the ligand 2-aminoethyl(2-pyridylmethyl)-1,2-ethanediamine (apme). <b>2008</b> , 102, 1236-45	7
984	Structure, magnetic properties and nuclease activity of pyridine-2-carbaldehyde thiosemicarbazonecopper(II) complexes. <b>2008</b> , 102, 1910-20	42
983	Polynuclear paddle-wheel copper(II) propionate with di-2-pyridylamine or 1,10-phenanthroline: Preparation, characterization and X-ray structure. <b>2008</b> , 11, 57-62	16
982	Hexa- and polynuclear copper(II) coordination compounds based on the carbonato bridge: Synthesis, crystal structures and magnetic properties. <b>2008</b> , 11, 179-185	8
981	A copper(II) complex with rare $\mu_2$ -1,1-azide ligand: Active catalyst for heterogeneous olefin epoxidation. <b>2008</b> , 11, 265-269	51
980	Aromatic hydroxylation by molecular oxygen performed by mononuclear benzoato iron(II) complexes and preparation of new iron(III) complex with two minus ligand. <b>2008</b> , 11, 381-384	8
979	A novel octanuclear copper(II) compound: Synthesis, crystal structure and magnetic properties. <b>2008</b> , 11, 427-432	4
978	A rare ferromagnetic $\mu_2$ -1,2-oxalato-bridged Cu(II) complex. <b>2008</b> , 11, 591-594	9
977	The chiral Zn(II) $\mu_2$ -Na(I) coordination polymer: Synthesis, crystal structure, thermal and optical properties. <b>2008</b> , 11, 749-753	12
976	New planar polynitrile dianion and its first coordination polymer with unexpected short M <sup>2+</sup> M contacts (tcno) <sub>2</sub> <sup>2-</sup> [(NC) <sub>2</sub> CC(O)C(CN) <sub>2</sub> ] <sub>2</sub> <sup>2-</sup> <b>2008</b> , 11, 921-924	25

- 975 Synthesis, crystal structures and selective oxygenation of dinuclear copper(II) complexes of N,N,N',N'-xylylenediamine tetraacetate. **2008**, 11, 925-928 7
- 974 Carbon dioxide fixation by zinc(II) complexes with macrocyclic ligand. **2008**, 11, 929-934 11
- 973 A new self-assembled  $\mu$ -sulfato hexanuclear cobalt(II) complex of a symmetric dinucleating ligand: Synthesis and X-ray structural analysis. **2008**, 11, 1033-1036 9
- 972 Ionothermal synthesis of a 3D ZnBTC metal-organic framework with distorted tetranuclear  $[Zn_4(\mu_3-O)]$  subunits. **2008**, 11, 1190-1193 63
- 971 Synthesis, structure and characterization of neat  $Zn_2(OH)_2$  diamond-core chains linked through 2,2',4,4'-biphenyl-tetracarboxylate. **2008**, 11, 1221-1223 25
- 970 Synthesis and structure of a copper sulfate/kinked organodiimine coordination polymer entraining infinite decorated water chains with C14 classification. **2008**, 11, 1276-1279 5
- 969 Solvent-regulated assembly of 1-D and 2-D ZnII coordination polymers with tetrabromoterephthalate. **2008**, 11, 1405-1408 39
- 968 Traversing the coordination chemistry and chemical biology of hydroxamic acids. **2008**, 252, 1387-1408 209
- 967 Five-coordinate cobalt(II) complexes of tris(2-pyridylmethyl)amine (TPA): Synthesis, structural and magnetic characterization of a terephthalato-bridged dinuclear cobalt(II) complex. **2008**, 361, 123-131 65
- 966 Design of a flexible ligand for the construction of a one-dimensional metal-organic coordination polymer. **2008**, 361, 387-392 10
- 965 Novel oxorhenium(V)  $\mu_3$ -mixed ligand complexes with 3-thiapentane-1,5-dithiolate and functional mercaptobenzoyl amino acid ethyl ester. **2008**, 361, 145-152 6
- 964 Syntheses, characterization, and reactivity of copper complexes with tridentate N-donor ligands. **2008**, 361, 279-292 37
- 963 Structure and magnetic properties of polynuclear copper(II) compounds with syn/anti carboxylato- and bromo-bridges. **2008**, 361, 1213-1221 10
- 962 Squarato-metal(II) complexes. 1: Structural and magnetic characterization of squarato-bridged dinuclear nickel(II) and copper(II) complexes. **2008**, 361, 299-308 40
- 961 Coordination geometry induced control of channel morphology in divalent metal pyridinedicarboxylate coordination polymers containing a kinked tethering organodiimine. **2008**, 361, 317-326 24
- 960 Coordination geometry isomerism induced by  $NH_2Cl$ ,  $CH_2Cl$ ,  $CH_2N$ ,  $CH_2$  and  $\pi$  supramolecular interactions in mercury(II) complexes with tripyridylimidazole chelating ligands. **2008**, 361, 248-254 22
- 959 Intermolecular versus intramolecular electron-/atom- (Cl) transfer in heme-iron and copper pyridylalkylamine complexes. **2008**, 361, 1100-1115 3
- 958 Dinuclear fumarato- and terephthalato-bridged copper(II) complexes: Structural characterization and magnetic properties. **2008**, 361, 1339-1348 38



957	Structural and spectroscopic comparison of five-coordinate cobalt(II) and nickel(II) thiolato complexes with the related four-coordinate complexes. <b>2008</b> , 361, 1134-1141	15
956	Molecular structures and redox properties of oxorhenium(V) B+1 mixed ligand complexes with heterocyclic thiolates containing nitrogen. <b>2008</b> , 361, 1524-1529	7
955	Synthesis, Characterization and Copper Chemistry of a Non-symmetric Ligand: 2-Methyl-9-(3,5-dimethyl-N-pyrazolylmethyl)-1,10-phenanthroline. <b>2008</b> , 361, 1142-1148	3
954	Preparation, crystal structure and properties of a novel microporous CuII coordination polymer with 6-quinolinecarboxylate. <b>2008</b> , 361, 1827-1831	4
953	Hydrothermal synthesis, crystal structures and properties of new FeII, CoII, NiII, and ZnII complexes with 6-quinolinecarboxylate: Interplay of coordinative and noncovalent interactions. <b>2008</b> , 361, 1555-1561	6
952	Complexes of oxomethoxovanadium(V) with tridentate thiobenzhydrazide based Schiff bases. <b>2008</b> , 361, 2296-2304	44
951	[[Cu(pzPh)(Opo)] <sub>2</sub> (Cl) <sub>2</sub> ]: A new dinuclear copper(II) complex with a chloride bridge and mixed blocking ligands. <b>2008</b> , 361, 2455-2461	28
950	Pseudohalide-bridged five-coordinate Ni(II) or Co(II) complexes with bulky bidentate ligands: Magneto-structural correlation. <b>2008</b> , 361, 2396-2406	42
949	Pseudohalide-induced structural variations in hydrazone-based metal complexes: Syntheses, electrochemical studies and structural aspects. <b>2008</b> , 361, 2692-2700	48
948	Two new pseudohalide-bridged Cu(II) complexes with a hydrazone ligand: Syntheses, crystal structures and magnetic studies. <b>2008</b> , 361, 2707-2714	36
947	Syntheses and crystal structures of the metal complexes based on pyrazolecarboxylic acid ligands. <b>2008</b> , 361, 2721-2730	33
946	Synthesis and properties of (2-pyridyl)alkylamine- and (2-pyridyl)alkylamine-imide-coordinated copper(II) complexes: Structures and non-covalent interactions. <b>2008</b> , 361, 2768-2776	15
945	Tuning magnetic exchange using the versatile azide ligand. <b>2008</b> , 361, 3847-3855	18
944	Two new tetranuclear copper(II) complexes: Structure and magnetic studies. <b>2008</b> , 361, 4065-4069	8
943	A preliminary investigation into a rationally designed catalytic system for the epoxidation of alkenes based on a bipyridyl core. <b>2008</b> , 296, 1-8	12
942	Synthesis, characterization and molecular sensing behavior of [ZnCl <sub>2</sub> (B-N,N,O-dpkbh)] (dpkbh=di-2-pyridyl ketone benzoyl hydrazone). <b>2008</b> , 873, 17-28	44
941	Characterisation and structure of two Cu(II) mononuclear compounds with 7-azaindole as a ligand that display interesting H-bond properties. <b>2008</b> , 874, 41-45	17
940	Preparation, crystal structure and magnetic properties of di-2-pyridylamine (dpa) copper(II) complexes [Cu(dpa)(N <sub>3</sub> ) <sub>2</sub> ] <sub>n</sub> and [Cu <sub>2</sub> (dpa) <sub>2</sub> (NCO) <sub>4</sub> ]. <b>2008</b> , 890, 31-40	34

- 939 A rare Cu(I)/Cu(II)-azide complex showing honeycomb-type net structure: Synthesis, structure, and magnetic studies. **2008**, 888, 253-256 11
- 938 A novel mixed ligand coordination polymer of copper(II): Synthesis, characterisation and magneto-structural correlation. **2008**, 891, 19-24 11
- 937 Rational tuning of the thiolate donor in model complexes of superoxide reductase: direct evidence for a trans influence in Fe(III)-OOR complexes. **2008**, 130, 14189-200 55
- 936 The synthesis and structure of terpyridine-N-oxide complexes of copper(II) perchlorate. **2008**, 506-13 6
- 935 Assembly of the highest connectivity Wells-Dawson polyoxometalate coordination polymer: the use of organic ligand flexibility. **2008**, 47, 3274-83 219
- 934 Ruthenium(II) Complexes of New Chelating Indolizino[2,3-b]pyrazine- and Indolizino[2,3-b]quinoxaline-Derived Ligands: Syntheses, Electrochemistry and Absorption Spectroscopy. **2008**, 61, 894 6
- 933 Synthesis, structure and application of chiral copper(II) coordination polymers for asymmetric acylation. **2008**, 47, 5093-8 30
- 932 Synthesis and characterisation of metal-organic frameworks containing bis(β-diketonate) linkers. **2008**, 10, 1474 8
- 931 Chemisorption of copper(II) at zinc and cadmium dialkyldithiocarbamates: EPR and X-ray diffraction studies. **2008**, 34, 413-421 8
- 930 Molecular and crystal structure of bis(1.10-phenanthroline)copper(I) (5-fluorouracil-1-yl)-acetate 3.25 hydrate. **2008**, 34, 513-515
- 929 Tetraphenylantimony(V) O,O'-dialkyl dithiophosphates [Sb(C<sub>6</sub>H<sub>5</sub>)<sub>4</sub>{S<sub>2</sub>P(OR)<sub>2</sub>}] (R = *s*-C<sub>4</sub>H<sub>9</sub>, *c*-C<sub>6</sub>H<sub>11</sub>): Synthesis, structures, and <sup>13</sup>C and <sup>31</sup>P CP/MAS NMR spectra. **2008**, 34, 527-535 8
- 928 Adducts of zinc and copper(II) dimethyl and diethyldithiocarbamates with piperidine: Synthesis, EPR, solid-state natural abundance <sup>13</sup>C and <sup>15</sup>N CP/MAS NMR and single-crystal X-ray diffraction studies. **2008**, 34, 688-698 5
- 927 A dimeric copper coumarin complex: synthesis and crystal structure of [[Cu(4-methyl-7-(salicylideneamino)coumarin)<sub>2</sub>]<sub>2</sub>]. **2008**, 6, 319-323 2
- 926 Synthesis and structural peculiarities of gallium Complexes with novel paullone derivatives. **2008**, 6, 340-346 5
- 925 Structural and electronic effects involving pyridine rings in 4-methylpyridine Cu<sub>4</sub>Ox<sub>6</sub>L<sub>4</sub> complexes. II. Correlations based on molecular structure of the Cu<sub>4</sub>OCl<sub>6</sub>(4-Mepy)<sub>4</sub> complex. **2008**, 62, 3
- 924 Crystal structures of copper(II) and nickel(II) nitrate and chloride complexes with 4-bromo-2-[(2-hydroxyethylimino)-methyl]phenol. **2008**, 53, 619-625 4
- 923 One-dimensional coordination polymers constructed from bicapped Keggin polyoxometalate and cyclic tetranuclear Cu<sub>1</sub> cluster bridged by asymmetrical bipyridine derivative. **2008**, 10, 1352-1357 11
- 922 A Three-Dimensional Mixed-Ligand Coordination Polymer Featuring Strongly Antiferromagnetically Coupled Dinuclear Copper Paddlewheels Linked into a 6-Connected Self-Penetrated Network. **2008**, 8, 3518-3520 63

- 921 Syntheses and characterization of nickel(II), zinc(II) and palladium(II) complexes derived from three pyrazole-based polydentate ligands. **2008**, 61, 1272-1282 6
- 920 R-Isophthalate (R = H, NO<sub>2</sub>, and COOH) as modular building blocks for mixed-ligand coordination polymers incorporated with a versatile connector 4-amino-3,5-bis(3-pyridyl)-1,2,4-triazole. **2008**, 10, 306-321 115
- 919 Multiple pathways for dinitrogen activation during the reduction of an Fe Bis(iminepyridine) complex. **2008**, 47, 896-911 86
- 918 Complete and 'incomplete' [2 x 2] grids by self-assembly with a sterically hindered ditopic imidazole hydrazone ligand—structural and magnetic studies. **2008**, 3610-8 45
- 917 Copper(II) complexes with singly condensed tridentate Schiff-base ligands incorporating 1-benzoylacetone. **2008**, 61, 3693-3702 5
- 916 Synthesis, structure, magnetism and nuclease activity of tetranuclear copper(II) phosphonates containing ancillary 2,2'-bipyridine or 1,10-phenanthroline ligands. **2008**, 1150-60 56
- 915 Identification of a copper(I) intermediate in the conversion of 1-aminocyclopropane carboxylic acid (ACC) into ethylene by Cu(II)-ACC complexes and hydrogen peroxide. **2008**, 47, 4627-38 20
- 914 Binding properties of solvatochromic indicators [Cu(X)(acac)(tmen)] (X = PF<sub>6</sub><sup>-</sup> and BF<sub>4</sub><sup>-</sup>, acac = Acetylacetonate, tmen = N,N,N',N'-tetramethylethylenediamine) in solution and the solid state. **2008**, 47, 7360-5 27
- 913 Three novel 3D metal-organic frameworks with a 1D ladder, tube or chain as assembly units. **2008**, 10, 1429 23
- 912 Synthesis, crystal structures and magnetic properties of tricyanomethanide-containing copper(II) complexes. **2008**, 1583-96 41
- 911 Heavier group 2 element-catalysed hydroamination of isocyanates. **2008**, 5206-8 51
- 910 Tetranuclear CoII, MnII, and CuII complexes of a novel binucleating pyrazolate ligand preorganized for the self-assembly of compact [2 x 2]-grid structures. **2008**, 47, 1576-85 82
- 909 Effect of N-Donor Ancillary Ligands on Supramolecular Architectures of a Series of Zinc(II) and Cadmium(II) Complexes with Flexible Tricarboxylate. **2008**, 8, 3233-3245 136
- 908 (infinity)(2)[Cu<sub>2</sub>(mu<sub>5</sub>-btb)(mu-OH)(mu-H<sub>2</sub>O)]: a two-dimensional coordination polymer built from ferromagnetically coupled Cu<sub>2</sub> units (btb = benzene-1,2,3-tricarboxylate). **2008**, 4877-84 76
- 907 Supramolecular self-assembly and anion-dependence of copper(II) complexes with cationic dihydro-imidazo phenanthridinium (DIP)-containing ligands. **2008**, 10, 1243 16
- 906 Synthesis and properties of diphenoxo-bridged CoII, NiII, CuII, and ZnII complexes of a new tripodal ligand: generation and properties of MII-coordinated phenoxyl radical species. **2008**, 47, 4471-80 51
- 905 Influence of Coordinating and Non-Coordinating Anions and of a Methoxy Substituent on the Formation of Copper-Based Coordination Assemblies. **2008**, 8, 1005-1012 33
- 904 Copper-hydroperoxo-mediated N-debenzylation chemistry mimicking aspects of copper monooxygenases. **2008**, 47, 8736-47 53

- 903 A copper complex bearing a TEMPO moiety as catalyst for the aerobic oxidation of primary alcohols. **2008**, 3567-73 41
- 902 Novel Cu(II)-Based Frameworks Built from BIMAM and Oxalate: Syntheses, Structures, and Magnetic Characterizations (BIMAM = Bis(imidazol-yl) methylaminomethane). **2008**, 8, 4075-4082 22
- 901 Harnessing scorpionate ligand equilibria for modeling reduced nickel superoxide dismutase intermediates. **2008**, 47, 7966-8 34
- 900 Synthesis of a Purely Inorganic Three-Dimensional Porous Framework Based on Polyoxometalates and 4d/5f Heterometals. **2008**, 8, 4476-4480 63
- 899 Versatile coordinative abilities of a new hybrid pteridine-thiosemicarbazone ligand: crystal structure, spectroscopic characterization, and luminescent properties. **2008**, 47, 1096-106 19
- 898 Synthesis and structure of iron(III) diamine-bis(phenolate) complexes. **2008**, 2991-8 50
- 897 Helicates, boxes, and polymers from simple pyridine-alcohol ligands: the impact of the identity of the transition metal ion. **2008**, 47, 209-18 28
- 896 Synthesis, structure and magnetic properties of oligometallic systems derived from di- and trinuclear copper(II) amido-oximate complexes. **2008**, 3007-14 9
- 895 Barrel- and crown-shaped dodecanuclear copper(II) cages built from phosphonate, pyrazole, and hydroxide ligands. **2008**, 47, 5347-54 37
- 894 Nickel(II), copper(II), and cobalt(II) solid-state structures formed through hydrogen bonding with ditopic heteroscorpionate ligands. **2008**, 3995-4005 21
- 893  $\mu$ -Diketiminato Calcium Acetylides: Synthesis, Solution Dimerization, and Catalytic Carbon-Carbon Bond Formation. **2008**, 27, 6300-6306 52
- 892 New microporous copper(II) coordination polymers based upon bifunctional 1,2,4-triazole/tetrazolate bridges. **2008**, 10, 1216 64
- 891 Aluminum Complexes of Fluorinated Dialkoxy-Diimino Salen-like Ligands: Syntheses, Structures, and Use in Ring-Opening Polymerization of Cyclic Esters. **2008**, 27, 5815-5825 117
- 890 Synthesis, structure, and physical properties of a new anions-controlled Cd(II)-guanazole (3,5-diamino-1,2,4-triazole) hybrid family. **2008**, 47, 4861-76 98
- 889 Unusual structural types in nickel cluster chemistry from the use of pyridyl oximes: Ni<sub>5</sub>, Ni<sub>12</sub>Na<sub>2</sub>, and Ni<sub>14</sub> clusters. **2008**, 47, 11825-38 71
- 888 Structural and biological studies of organotin(IV) derivatives with 2-mercapto-benzoic acid and 2-mercapto-4-methyl-pyrimidine. **2008**, 27, 3318-3324 16
- 887 New 3,5-dimethylpyrazole copper(II) compounds with a variety of hydrogen bonds, synthesized by using a dehydrating agent: Synthesis, characterization, structures and intermolecular interactions. **2008**, 361, 3380-3387 8
- 886 Trifluoromethylated enamines and their explorative coordination chemistry with Cu(II): synthesis, redox properties and structural characterization of the complexes. **2008**, 5621-6 13

885	Novel Copper(I) and Copper(II) Guanazolate Complexes: Structure, Network Topologies, Photoluminescence, and Magnetic Properties. <b>2008</b> , 8, 3735-3744	38
884	Multicopper(II) Pyromellitate Compounds: Self-Assembly Synthesis, Structural Topologies, and Magnetic Features. <b>2008</b> , 8, 4100-4108	64
883	Syntheses, structures, and properties of copper(II) complexes of bis(2-pyridylmethyl) derivatives of o-, m-, and p-phenylenediamine and aniline. <b>2008</b> , 47, 9612-23	34
882	pH-Dependent Cu(II) Coordination Polymers with Tetrazole-1-acetic Acid: Synthesis, Crystal Structures, EPR and Magnetic Properties. <b>2008</b> , 8, 1140-1146	135
881	Structural Diversity in Metal-Organic Frameworks Derived from Binuclear Alkoxo-Bridged Copper(II) Nodes and Pyridyl Linkers. <b>2008</b> , 8, 964-975	38
880	Potentiometric, spectroscopic, electrochemical and DFT characterization of oxovanadium(IV) complexes formed by citrate and tartrates in aqueous solution at high ligand to metal molar ratios: the effects of the trigonal bipyramidal distortion in bis-chelated species and biological implications. <b>2008</b> , 48, 1003-16	49
879	Symmetrical and unsymmetrical dizinc complexes as models for the active sites of hydrolytic enzymes. <b>2008</b> , 993-6	47
878	Synthesis and characterization of mono- and micro <sub>6</sub> -sulfato hexanuclear zinc complexes of a new symmetric dinucleating ligand. <b>2008</b> , 2717-24	37
877	From dinuclear to tetranuclear zinc complexes through carboxylate donors: structural and luminescence studies. <b>2008</b> , 32, 247-257	19
876	Low-dimensional copper(II) complexes triply bridged with azide/carboxylate/DMSO showing very strong ferromagnetic interaction and influence of dipolar fields at low temperatures: a quantum Monte Carlo magnetic study. <b>2008</b> , 1752-60	45
875	The crystal structures of four azido-bridged Zn(II) complexes based on open-chain diazine Schiff-base ligands. <b>2008</b> , 10, 614	22
874	Assembly of tetra, di and mononuclear molecular cadmium phosphonates using 2,4,6-triisopropylphenylphosponic acid and ancillary ligands. <b>2008</b> , 5189-96	29
873	Synthesis, crystal structure and properties of a 1D copper(II) complex with 1,5,9-triazacyclododecane bridged by p-benzenebicarboxylate. <b>2008</b> , 61, 661-668	
872	Self-assembly of hydrogen-bonded supramolecular structures of two copper(II) 2-bromobenzoate complexes with 4-pyridylmethanol and nicotinamide. <b>2008</b> , 61, 3740-3752	15
871	Two- and three-dimensional divalent metal coordination polymers constructed from 2,2-dimethylsuccinate and dipyridylamine ligands. <b>2008</b> , 10, 846	19
870	Monomeric, dimeric and 1D chain polymeric copper(ii) complexes of a pyrrole-containing tridentate Schiff-base ligand and its 4-brominated analogue. <b>2008</b> , 6014-22	26
869	Controlling the geometry of Cu(II) tectons to build one-dimensional hydrogen bonded chains. <b>2008</b> , 10, 86-94	19
868	Influence of the metal-to-ligand ratio on the formation of metal organic complexes. <b>2008</b> , 32, 813	23

- 867 A new five-coordinated CuIP2NO2 system: XRD structure of 6-acetyl-1,3,7-trimethyl-pteridine-2,4(1H,3H)-dione and its Cu(I) (N5,O61,O4)-tridentate complex with triphenylphosphine. An AIM study of the nature of metal-ligand bonds. **2008**, 6461-6 10
- 866 Synthesis, structure, magnetic properties and aqueous solution characterization of p-hydroquinone and phenol iminodiacetate copper(II) complexes. **2008**, 6188-204 39
- 865 A novel [Cu II 4] cluster from the assembly of two [Cu II 2L]+ units by a central mu4-1,1,2,2 perchlorate ligand. **2008**, 861-4 31
- 864 A phosphorus-supported multisite coordination ligand containing three imidazolyl arms and its metalation behaviour. An unprecedented co-existence of mononuclear and macrocyclic dinuclear Zn(II) complexes in the same unit cell of a crystalline lattice. **2008**, 5962-9 14
- 863 Technetium and rhenium in five-coordinate symmetrical and dissymmetrical nitrido complexes with alkyl phosphino-thiol ligands. Synthesis and structural characterization. **2008**, 47, 11972-83 25
- 862 Polytypism, homochirality, interpenetration, and hydrogen-bonding in transition metal (Mn(II), Ni(II), Cu(II), Zn(II)) 5-hydroxyisophthalate coordination polymers containing 4,4'-bipyridyl. **2008**, 2034-42 42
- 861 Unsymmetrically substituted side-bridged cyclam derivatives and their Cu(II) and Zn(II) complexes. **2008**, 32, 496-504 18
- 860 Mechanistic variety in zirconium-catalyzed bond-forming reaction of arsines. **2008**, 4488-98 50
- 859 Reactivity of B(C6F5)3 with Simple Early Transition Metal Alkoxides: Alkoxide-Aryl Exchange, THF Ring-Opening, or Acetonitrile CC Coupling. **2008**, 27, 5017-5024 28
- 858 Aluminium-salen luminophores as new hole-blocking materials for phosphorescent OLEDs. **2008**, 1818-20 42
- 857 Phosphonate- and ester-substituted 2-cyanoethylene-1,1-dithiolate clusters of zinc: aerial CO2 fixation and unusual binding patterns. **2008**, 47, 2777-85 23
- 856 Tetra- and dinuclear nickel(II)-vanadium(IV/V) heterometal complexes of a phenol-based N2O2 ligand: synthesis, structures, and magnetic and redox properties. **2008**, 47, 584-91 21
- 855 Titanium and zirconium benzofuranoxides. Crystal structures and catalytic properties. **2008**, 2620-6 20
- 854 New synthetic routes to a disulfidodnickel(II) complex: characterization and reactivity of a Ni2(mu-eta2:eta2-S2) core. **2008**, 47, 3931-3 25
- 853 Reactions of copper(II)-H2O2 adducts supported by tridentate bis(2-pyridylmethyl)amine ligands: sensitivity to solvent and variations in ligand substitution. **2008**, 47, 8222-32 49
- 852 Supramolecular Networks in Copper(II) Malonate Complexes. **2008**, 8, 3219-3232 46
- 851 Halogen exchange and scrambling between C-X and M-X' bonds in copper, nickel, and cobalt complexes of 6,6'-bis(bromo/chloromethyl)-2,2'-bipyridine. structural, electrochemical, and photochemical studies. **2008**, 47, 281-96 19
- 850 Anion recognition of chloride and bromide by a rigid dicobalt(II) cryptate. **2008**, 47, 3158-65 36

849	Manganese(III) Compounds of PhenolByrazole-Based Ligands: Synthesis, Crystal Structure, Magnetic, and Thermal Properties. <b>2008</b> , 112, 20525-20534	11
848	Synthesis, structure and magnetic behavior of five-coordinate bis(iminopyrrolyl) complexes of cobalt(II) containing PMe <sub>3</sub> and THF ligands. <b>2008</b> , 47, 8896-911	46
847	Combination effects of cation and anion of ionic liquids on the cadmium metal-organic frameworks in ionothermal systems. <b>2008</b> , 47, 1907-9	52
846	Employment of 2,6-diacetylpyridine dioxime as a new route to high nuclearity metal clusters: Mn <sub>6</sub> and Mn <sub>8</sub> complexes. <b>2008</b> , 47, 1134-44	54
845	Structural and functional mimic of galactose oxidase by a copper complex of a sterically demanding [N <sub>2</sub> O <sub>2</sub> ] ligand. <b>2008</b> , 2815-24	32
844	Synthesis of two new linear trinuclear Cu(II) complexes: mechanism of magnetic coupling through hybrid B3LYP functional and CShM studies. <b>2008</b> , 47, 6227-35	78
843	Iron(II) complexes of sterically bulky alpha-ketocarboxylates. structural models for alpha-ketoacid-dependent nonheme iron halogenases. <b>2008</b> , 47, 1324-31	19
842	Synthesis, Properties, and Structure of Tethered Molybdenum Alkylidenes. <b>2008</b> , 27, 5130-5138	12
841	H <sub>2</sub> O <sub>2</sub> -reactivity of copper(II) complexes supported by tris[(pyridin-2-yl)methyl]amine ligands with 6-phenyl substituents. <b>2008</b> , 47, 12032-9	31
840	Properties of square-pyramidal alkyl-thiolate Fe(III) complexes, including an analogue of the unmodified form of nitrile hydratase. <b>2008</b> , 47, 11228-36	25
839	Synthetic, mechanistic, and computational investigations of nitrile-alkyne cross-metathesis. <b>2008</b> , 130, 8984-99	66
838	Organocadmium aminoalcoholates: synthesis, structure, and materials chemistry. <b>2008</b> , 47, 9706-15	22
837	Stereocontrol by a pair of epimeric sugar-derived ligands of the coordination sphere of copper(II) complexes. <b>2008</b> , 47, 2243-5	15
836	Squarato-metal(II) complexes. 2. unusual bonding mode for a squarato-bridged trinuclear copper(II) complex. <b>2008</b> , 47, 4648-55	25
835	Trinuclear Copper(II) Endomacrocyclic Complex with a New Nonaazamacrocyclic Ligand Showing a Trapped Perchlorate Anion. <b>2008</b> , 8, 3924-3926	3
834	Synthesis and Structure of Strontium and Barium Guanidates and Mixed-Ligand Guanidinate Pentamethylcyclopentadienyl Complexes. <b>2008</b> , 27, 1596-1604	20
833	Structural and magnetic studies of two-dimensional solvent-free manganese(II) complexes prepared via ligand exchange reaction under solvothermal conditions. <b>2008</b> , 47, 1568-75	13
832	Structure, cytotoxicity, and DNA-cleavage properties of the complex [Cu(II)(pbt)Br <sub>2</sub> ]. <b>2008</b> , 47, 3719-27	114

831	Monovalent iron in a sulfur-rich environment. <b>2008</b> , 47, 1889-91	45
830	Organozinc aminoalcoholates: synthesis, structure, and materials chemistry. <b>2008</b> , 47, 12040-8	34
829	Metal-metal communication in copper(II) complexes of cyclotetraphosphazene ligands. <b>2008</b> , 47, 9182-92	40
828	Molecular and electronic structures of mononuclear iron complexes using strongly electron-donating ligands and their oxidized forms. <b>2008</b> , 47, 6804-24	53
827	Synthesis, Characterization, and Crystal Structure of a Thiocyanato-Bridged Dinuclear Copper(II) Complex Derived from 2,4-Dibromo-6-[(2-methylaminoethylimino) methyl]phenol. <b>2008</b> , 38, 769-773	2
826	Oxidative C-H and C-C bond cleavage by a (2,2'-bipyridine)copper(I) chloride complex. <b>2008</b> , 47, 6121-3	7
825	Coordination complexes exhibiting anion...pi interactions: synthesis, structure, and theoretical studies. <b>2008</b> , 47, 5873-81	68
824	Anion influence on the structure and magnetic properties of a series of multidimensional pyrimidine-2-carboxylato-bridged copper(II) complexes. <b>2008</b> , 47, 8143-58	61
823	A new class of sulfido/oxo(dithiolene)-molybdenum(IV) complexes derived from sulfido/oxo-bis(tetrasulfido)molybdenum(IV) anions. <b>2008</b> , 47, 10150-7	12
822	Zinc(II), cadmium(II), mercury(II), and ethylmercury(II) complexes of phosphinothiol ligands. <b>2008</b> , 47, 2121-32	24
821	Thiolate bridging and metal exchange in adducts of a zinc finger model and Pt(II) complexes: biomimetic studies of protein/Pt/DNA interactions. <b>2008</b> , 130, 6272-80	49
820	Reactivity of a sterically hindered Fe(II) thiolate dimer with amines and hydrazines. <b>2008</b> , 47, 11382-90	18
819	A novel ligand modification and diamond-core molybdenum(IV) 2,6-bis(2,2-diphenyl-2-thioethyl)pyridinate(2-) complex. <b>2008</b> , 47, 11166-70	2
818	Dinuclear Zn(II) Polymer Consisting of Channels Formed by $\pi$ -Stacking Interactions with a Flow of Nitrate Anions through the Channels. <b>2008</b> , 8, 2080-2082	18
817	Flexible and versatile anionic modules in the direction of 1-D, 2-D, and 3-D coordination frameworks by metal-ligand synergistic interactions. <b>2008</b> , 10, 1350	20
816	Structural Versatility in Copper(II) $\beta$ -Hydroxycarboxylate Complexes with the Twisted Ligands 4,4'-Dipyridyldisulfide and Bis(4-pyridylthio)methane: From Molecular Compounds to Two-Dimensional Coordination Polymers. <b>2008</b> , 8, 995-1004	41
815	Syntheses and Crystal Structures of Metal Complexes with 2,2'-Biimidazole-like Ligand and Chloride: Investigation of X-H...Cl (X = N, O, and C) Hydrogen Bonding and Cl...imidazolyl Interactions. <b>2008</b> , 8, 2282-2290	87
814	DNA cleavage in red light promoted by copper(II) complexes of alpha-amino acids and photoactive phenanthroline bases. <b>2008</b> , 6966-76	55



813	Pentanuclear and heptanuclear helicates by self-assembly of d10 metal ions and a rigid aromatic bis-bidentate chelator. <b>2008</b> , 47, 7389-95	38
812	A biomimetic approach to oxidized sites in the xanthine oxidoreductase family: synthesis and stereochemistry of tungsten(VI) analogue complexes. <b>2008</b> , 130, 12794-807	35
811	Preparation and Reactivities of PCP-Type Pincer Complexes of Nickel. Impact of Different Ligand Skeletons and Phosphine Substituents. <b>2008</b> , 27, 5723-5732	101
810	Photosensitizer in a molecular bowl and its effect on the DNA-binding and -cleavage activity of 3d-metal scorpionates. <b>2008</b> , 47, 5625-33	47
809	Divalent metal complexes of an amide-appended N3O-donor ligand: synthesis, structural and spectroscopic features, and amide methanolysis reactivity. <b>2008</b> , 61, 61-77	5
808	Synthesis, Crystal Structure and Antimicrobial Activities of a Novel Schiff Base Zinc(II) Complex. <b>2008</b> , 38, 451-454	2
807	Crystal structure and antitumor activity of the novel zwitterionic complex of tri-n-butyltin(IV) with 2-thiobarbituric acid. <b>2008</b> , 654137	25
806	Self-Assembly of an Infinite Copper(II) Chiral Metallohelicite. <b>2008</b> , 8, 3187-3192	5
805	Synthesis, characterization, crystal structure and non-isothermal dehydration kinetics of a copper(II) complex. <b>2008</b> , 61, 3493-3500	1
804	Synthesis, spectroscopy, thermodynamics and structure of [ZnCl <sub>2</sub> ( $\beta$ -dpktch)] ( $\beta$ -dpktch = N,N,O-di-2-pyridyl ketone thiophene-2-carboxylic acid hydrazone). <b>2008</b> , 61, 3066-3079	15
803	Synthesis, Crystal Structure, and Magnetic Properties of a Dinuclear Copper(II) Complex: [Cu <sub>2</sub> ( $\eta$ ta)(phen) <sub>3</sub> ](ClO <sub>4</sub> )·2H <sub>2</sub> O. <b>2008</b> , 38, 534-538	4
802	Synthesis and characterization of copper(II) complexes with 3-methylpicolinic acid. Crystal and molecular structure of bis (3-methylpicolinato- N , O )(4-picoline)copper(II). <b>2008</b> , 61, 3092-3101	13
801	Crystal Structure of Bis(N-ethyl-N-phenyldithiocarbamato- $\kappa$ 2S,S')(2-ethyl-2-oxazoline- $\kappa$ 1N)zinc(II). <b>2008</b> , 24, X155-X156	1
800	Aqua-bis(o-vanillinato- $\eta$ ,O')nickel(II). <b>2008</b> , 64, m298	6
799	Syntheses, structures, and properties of supramolecular complexes with bipyridine and amino-Schiff-base derived from salicylaldehyde with glycine. <b>2009</b> , 62, 3391-3400	5
798	Synthesis, structures, and characterization of cadmium(II), cobalt(II), and copper(II) metal polymers with tetrazole-1-acetate. <b>2009</b> , 62, 2108-2117	25
797	Synthesis, crystal structure, DNA binding, and oxidative cleavage activity of copper(II)-bipyridyl complexes containing tetraalkylammonium groups. <b>2009</b> , 62, 1775-1783	12
796	Syntheses and crystal structures of two copper(II) complexes derived from 2-bromo-4-chloro-6-[(2-morpholin-4-ylethylimino)methyl]phenol. <b>2009</b> , 62, 593-599	6

- 795 5,5-Diethylbarbiturato complexes of copper(II) with (2-aminoethyl)piperidine, -pyrrolidine, and -morpholine: syntheses, crystal structures, spectroscopic, and thermal properties. **2009**, 62, 3250-3258 15
- 794 Syntheses and crystal structures of nickel(II), copper(II), and zinc(II) complexes with a biphenyl-bridged bis(pyrrole-2-yl-methyleneamine) ligand. **2009**, 62, 3478-3487 2
- 793 Double and triple stranded mesocates containing the bis(bidentate) bridging ligand 1,3-bis(pyridine-2-carboxamide)benzene. Structure, properties and DNA interaction. **2009**, 33, 1901 11
- 792 Two Dinuclear CuII - Tetrazolate Complexes: Syntheses, Structures, and Magnetic Properties. **2009**, 62, 941 7
- 791 Syntheses and Crystal Structures of Two Acetato-Bridged Trinuclear Zinc(II) Complexes Derived from 4-Chloro-2-[(2-ethylaminoethylimino)methyl]phenol and 4-Chloro-2-[(2-isopropylaminoethylimino)methyl]phenol. **2009**, 39, 211-215 5
- 790 Synthesis, characterization, and biological activity studies of copper(II) mixed compound with histamine and nalidixic acid. **2009**, 603651 7
- 789 A Synthetic High-Spin Oxoiron(IV) Complex: Generation, Spectroscopic Characterization, and Reactivity. **2009**, 121, 3676-3680 53
- 788 Reactivity of thiosemicarbazides with redox active metal ions: controlled formation of coordination complexes versus heterocyclic compounds. **2009**, 15, 3012-23 10
- 787 Structural and reactivity studies of "pincer" pyridine dicarbene complexes of Fe0: experimental and computational comparison of the phosphine and NHC donors. **2009**, 15, 5491-502 99
- 786 Synthesis and properties of salen-aluminum complexes as a novel class of color-tunable luminophores. **2009**, 15, 6478-87 46
- 785 Chiral salen aluminium ethyl complexes and their application in lactide polymerization. **2009**, 15, 9836-45 155
- 784 Photocontrolled ring-opening polymerization of strained dicarba[2]ferrocenophanes: a route to well-defined polyferrocenylethylene homopolymers and block copolymers. **2009**, 15, 12234-46 30
- 783 Designed topology and site-selective metal composition in tetranuclear [MM'...M'M] linear complexes. **2009**, 15, 11235-43 40
- 782 Mechanistic studies of C-C bond cleavage of nitriles by dinuclear metal cryptates. **2009**, 15, 12399-407 35
- 781 Synthesis, X-ray structure of ferrocene bearing bis(Zn-cyclen) complexes and the selective electrochemical sensing of TpT. **2009**, 15, 10988-96 17
- 780 On the Effect of Coordination and Protonation Preferences in the Amphiphilic Behavior of Metallosurfactants with Asymmetric Headgroups. **2009**, 2009, 345-356 24
- 779 (1,3,4-Oxadiazole)copper(II) Compounds: Dimensionality, Magnetism and Nuclease Activity. **2009**, 2009, 373-388 15
- 778 Anion Coordination Effect on the Nuclearity of CuII, NiII, CuII, and ZnII Complexes with a Benzimidazole Pendant-Armed Crown. **2009**, 2009, 400-411 11

777	Structural Evidence for an Unusual Conformation and Weak Interligand Interactions in Two Copper Chelates with (o-Nitrophenyl)ethylenediaminediacetic Acid. <b>2009</b> , 2009, 1488-1494	5
776	A Chloro-Bridged Linear Chain Imine-Copper(II) Complex and Its Application as an Enzyme-Free Amperometric Biosensor for Hydrogen Peroxide. <b>2009</b> , 2009, 2219-2228	19
775	Polynuclear Complexes of Macrocyclic Oxamide with Thiocyanate: Syntheses, Crystal Structures and Magnetic Properties. <b>2009</b> , 2009, 2825-2834	22
774	Nitronyl Nitroxide Radicals Linked to Exchange-Coupled Metal Dimers: Studies Using X-ray Crystallography, Magnetic Susceptibility Measurements, EPR Spectroscopy, and DFT Calculations. <b>2009</b> , 2009, 1495-1502	10
773	Dinuclear Copper(II) Phosphonates Containing Chelating Nitrogen Ligands: Synthesis, Structure, Magnetism and Nuclease Activity. <b>2009</b> , 2009, 1640-1646	21
772	Potentiometric, Spectroscopic and DFT Study of the VIVO Complexes Formed by Di(pyridin-2-yl) Ligands. <b>2009</b> , 2009, 2363-2374	1
771	Bis(terdentate) Pyrazole/Pyridine Ligands: Synthesis, Crystal Structures and Magnetic Properties of Bridged Binuclear and Tetranuclear Copper(II) Complexes. <b>2009</b> , 2009, 3431-3439	24
770	Competing Large and Small Angles in a Double End-On Azido Copper(II) Binuclear Complex: A Combined Experimental and Theoretical Study of Magnetic Interactions. <b>2009</b> , 2009, 3008-3015	29
769	Monomeric and Dimeric Copper(II) Complexes of a Pyrrole-Containing Tridentate Schiff-Base Ligand. <b>2009</b> , 2009, 2851-2859	17
768	A New Trigonal-Bipyramidal [CuII(pyTBuN3)Cl2] Complex: Synthesis, Structure and Ligand Substitution Behaviour. <b>2009</b> , 2009, 3111-3118	15
767	One-Dimensional Coordination Polymers of MnII, CuII, and ZnII Supported by Carboxylate-Appended (2-Pyridyl)alkylamine Ligands: Structure and Magnetism. <b>2009</b> , 2009, 3317-3325	18
766	Metal Complexes of 4,11-Dimethyl-1,4,8,11-tetraazacyclotetradecane-1,8-bis(methylphosphonic acid): Thermodynamic and Formation/Decomplexation Kinetic Studies. <b>2009</b> , 2009, 3577-3592	27
765	Copper Complexes with Neutral N4 Tripodal Ligands: Influence of the Number of Nitrogen Donors on Their Structures, Properties, and Reactivity. <b>2009</b> , 2009, 3921-3934	24
764	Preparation, Magnetic and Structural Study on Oxido-Bridged Diiron(III) Complexes with Open-Chain Tetrapyrrolic 2,2'-Bidipyrrin Ligands. <b>2009</b> , 2009, 3628-3635	5
763	Maleamate(II) and Maleate(II) Copper(II) 2,2'-Bipyridine Complexes: Synthesis, Reactivity and Structural and Physical Studies. <b>2009</b> , 2009, 4554-4563	11
762	Ferromagnetic Coupling in a New Copper(II) Schiff Base Complex with Cubane Core: Structure, Magnetic Properties, DFT Study and Catalytic Activity. <b>2009</b> , 2009, 4385-4395	53
761	A Dinuclear Double-Stranded Oxido Complex of ReV with a Bis(benzene-o-dithiolato) Ligand. <b>2009</b> , 2009, 4043-4051	19
760	Two New Helical Compounds Based on Pitch-Tunable Keggin Clusters. <b>2009</b> , 2009, 5175-5180	16

759	Single End-to-End Azidocopper(II) Chain Based on an Electroactive Ligand: A Structural, Electrochemical, Magnetic and Ab Initio Study. <b>2009</b> , 2009, 4718-4726	10
758	Azido, Cyanato, and Thiocyanato Coordination Induced Distortions in Pentacoordinated [CoIIA(bip)] <sub>2</sub> (A = NCS <sup>-</sup> , N <sub>3</sub> <sup>-</sup> or NCO <sup>-</sup> ) Complexes. <b>2009</b> , 2009, 4675-4685	14
757	Ferromagnetic Properties of a Trinuclear Nickel(II) Complex with a Trithiocyanurate Bridge. <b>2009</b> , 2009, 5475-5482	16
756	Halido-Bridged Dinuclear Nickel and Zinc Complexes with a Bis(tripodal) Octaamine Ligand □ Unusual Coordination Mode of an ortho-Phenylenediamine. <b>2009</b> , 2009, 4373-4377	9
755	Divanadium(V) and Trapped Valence Linear Tetravanadium(IV,V,V,IV) Complexes. <b>2009</b> , 2009, 5391-5398	12
754	A Combined Experimental and Theoretical Study on the Magnetic Properties of a Family of Bis(η <sup>2</sup> -phenoxido)dicopper(II) Complexes Bearing [Bis(2-hydroxy-3,5-dimethylbenzyl)amino]alkan-1-ol Ligands. <b>2009</b> , 2009, 4877-4886	26
753	Synthesis, X-ray Crystal Structures, DNA Binding and Nuclease Activities of Two Novel 1,2,4-Triazole-Based CuII Complexes. <b>2009</b> , 2009, 5036-5045	29
752	A synthetic high-spin oxoiron(IV) complex: generation, spectroscopic characterization, and reactivity. <b>2009</b> , 48, 3622-6	226
751	The unprecedented role of a CuII cryptand in the luminescence properties of a EuIII cryptate complex. <b>2009</b> , 140, 783-787	7
750	Pseudohalide copper(II) complexes derived from polypyridyl ligands: Synthesis and characterization. <b>2009</b> , 919, 196-203	57
749	Structural characterization of copper(II) complexes based on a new 10-membered binucleating 1,6-diazecine ligand. <b>2009</b> , 933, 69-76	3
748	Synthesis and structural characterization of dicopper(II) and dipalladium(II) complexes of 1,1,2,2-tetrakis(carboxamido-2-methylpyridyl)ethane. <b>2009</b> , 936, 250-256	1
747	An iron (II) complex containing well-resolved 1D water chain and 1D chain of copper (II) complex with bis(tetrazoly)amine: Syntheses, crystal structures and properties. <b>2009</b> , 938, 150-155	8
746	Extracting Cu(II) from aqueous solutions with hydrophobic room-temperature ionic liquid in the presence of a pyridine-based ionophore to attempt Cu recovery: A laboratory study. <b>2009</b> , 54, 1744-1751	34
745	Synthesis, solid state and solution structures of two isomeric dicopper(II) complexes with functionalized azetidine ligands. <b>2009</b> , 65, 59-64	1
744	Three new coordination complexes of cobalt(III), manganese(II), and copper(II) with N,N,O-donor hydrazone ligands: syntheses and structural characterizations. <b>2009</b> , 20, 633-642	27
743	Nickel(II) and copper(II) complexes of 2-(2-pyridyl)benzimidazole: synthesis and structural characterization. <b>2009</b> , 34, 613-620	18
742	Synthesis, characterization and X-ray crystal structures of N-2-pyridinyl carbonyl-2-pyridine carboximidate copper(II) complexes. <b>2009</b> , 34, 663-668	2

741	Cu(II) Compounds with Pyrimidine-Based Chelating Ligands, Bridged by a Flexible Alkyl Spacer: Synthesis, Characterisation and X-Ray Structures of Methoxide-Bridged Dinuclear-Based Species. <b>2009</b> , 39, 358-363	2
740	3D Solid-State Network from Hierarchical Supramolecular Self-Assembly of Transition Metal Complexes of Pyridine Based Ligand. <b>2009</b> , 39, 416-422	6
739	Synthesis, structure and superoxide dismutase activity of two self-assembly transition metal complexes containing a tridentate amino-Schiff base deviating from salicylaldehyde with glycine. <b>2009</b> , 54, 3508-3514	4
738	Synthesis, Structure and Characterization of Dinuclear Pentacoordinate Molybdenum(V) Complexes with Thiosemicarbazone Ligands. <b>2009</b> , 635, 1242-1248	8
737	Synthesis and Structural Characterization of ZnII Diimine Complexes with Chloride and Thiocyanate Co-Ligands. <b>2009</b> , 635, 1225-1230	4
736	2-Organoselenomethyl-1H-benzimidazole Complexes of Copper(II) and Copper(I). <b>2009</b> , 635, 2177-2184	2
735	A promiscuous dicopper(II) system promoting the hydrolysis of bis(2,4-dinitrophenyl)phosphate: Gaining mechanistic insight by means of structural and spectroscopic DFT studies. <b>2009</b> , 110, NA-NA	4
734	Lone-pair self-containment in pyritohedron-shaped closed cavities: optimized hydrothermal synthesis, structure, magnetism and lattice thermal conductivity of CoF(TeO). <b>2020</b> , 49, 2234-2243	3
733	Preparation and reactivity of molybdenum complexes bearing pyrrole-based PNP-type pincer ligand. <b>2020</b> , 56, 6933-6936	9
732	Formation of monomeric Sn(II) and Sn(IV) perfluoropinacolate complexes and their characterization by Sn Mössbauer and Sn NMR spectroscopies. <b>2020</b> , 49, 13773-13785	4
731	(Salicylato)[tris-(1-methyl-1H-benzimidazol-2-ylmethyl)amine]copper(II) perchlorate dimethyl-formamide disolvate. <b>2007</b> , 64, m19	1
730	[Bis(2-pyridylmethyl)amine]dichloridomercury(II). <b>2008</b> , 64, m358	6
729	Dichlorido-1,3-bis-{[2,2'-[propane-1,3-diylbis(imino-methyl-ene)]di-phenolato]-1:2, N,N',O':O,O';2:3, O':O,N,N',O'-t	4
728	{N,N-Bis[2-(trimethyl-silylamino)ethyl]-N'-(trimethyl-silyl)ethane-1,2-diaminato(3-)}methyl-zirconium(IV). <b>2008</b> , 64, m477	4
727	Chlorido(pyridine-2-carbaldehyde oximato- $\kappa^2, N'$ )(pyridine-2-carbaldehyde oxime- $\kappa^2, N'$ )copper(II). <b>2008</b> , 64, m828	3
726	( $\kappa^2$ -Piperazine-1,4-dicarbodithioato- $\kappa^2, S':S'', S'''$ )bis-[triphenyl-tin(IV)] dichloro-methane solvate. <b>2008</b> , 64, m1177	2
725	Bis(1,10-phenanthroline- $\kappa^2, N'$ )(phenyl-acetato- $\kappa^2$ )copper(II) phenyl-acetate hexa-hydrate. <b>2008</b> , 64, m1475	2
724	Tetra-kis(3,5-dimethyl-1H-pyrazole- $\kappa^2$ )(nitrato- $\kappa^2, O'$ )cadmium(II) nitrate. <b>2008</b> , 64, m1532	2

723	The first oxazoline adduct of Zn(acac)(2): bis-(acetyl-acetonato- $\text{O},\text{O}'$ )(2-phenyl-2-oxazoline- $\text{N}$ )zinc(II). <b>2008</b> , 65, m103-4	6
722	Dichlorido{N-[1-(2-pyrid-yl)ethyl-idene]ethane-1,2-diamine}copper(II). <b>2009</b> , 65, m439	4
721	Bis( $\text{N}$ -benzyl- $\text{N}$ -tetra-decyl-dithio-carbamato- $\text{S}:\text{S}'$ )bis-[( $\text{N}$ -benzyl- $\text{N}$ -tetra-decyl-dithio-carbamato- $\text{S},\text{S}'$ )zinc(II)]. <b>2009</b> , 65, m471	3
720	Tetra- $\text{O}$ -acetato- $\text{O}'$ -bis-[[2-(2-fur-yl)-1-(2-furylmeth-yl)-1H-benzimidazole- $\text{N}$ ]copper(II)]. <b>2009</b> , 65, m867-8	1
719	Aqua-(2,2'-bipyridine- $\text{N},\text{N}'$ )bis-(thio-phenene-2-carboxyl-ato- $\text{O}$ )copper(II). <b>2009</b> , 65, m909-10	5
718	(6-Acetyl-1,3,7-trimethyl-lumazine- $\text{O},\text{N},\text{O}$ )bis-(triphenyl-phosphine- $\text{P}$ )copper(I) hexa-fluorido-phosphate. <b>2010</b> , 66, m145-6	1
717	catena-Poly[sodium-di- $\text{H}_2\text{O}$ -sodium-bis[[2,2,2-trichloro- $\text{N}$ -(dimorpholinophosphoryl)acetamide]]. <b>2010</b> , 66, m426-7	5
716	Iodido{4-phenyl-1-[1-(1,3-thia-zol-2-yl- $\text{N}$ )ethyl-idene]thio-semicarbazidato- $\text{N},\text{S}$ }[4-phenyl-1-[1-(1,3-thia-zol-2-yl)ethyl-idene]thio-semicarbazide- $\text{S}$ ]cadmium(II). <b>2013</b> , 69, m246-7	1
715	Bis(di-methyl-formamide)-penta-kis-( $\text{N},2$ -dioxido-benzene-1-carb-ox-imidato)tetra-kis-(1-methyl-imidazole)di- $\text{H}$ -propionato (1/0.24/1.36). <b>2013</b> , 69, m483-4	3
714	Solvent-mediated structural transformations of copper(II) coordination polymers induced by different short-chain alcohols. <b>2019</b> , 75, 79-85	2
713	Low-dimensional compounds containing cyanido groups. Part XXXV. Structure, spectral, thermal and magnetic properties of a binuclear Cu-biquinoline complex with bridging and terminal dicyanamide ligands. <b>2018</b> , 74, 1469-1476	1
712	Coordination of a triazine ligand with Cu and Ag investigated by spectral, structural, theoretical and docking studies. <b>2019</b> , 75, 1389-1397	4
711	Synthesis, crystal structures and magnetic and electrochemiluminescence properties of three manganese(II) complexes. <b>2020</b> , 76, 236-243	3
710	Crystal structure of [tris-(pyridin-2-ylmeth-yl)amine- $\text{N}$ ] $\text{N}$ ]copper(II) bromide. <b>2016</b> , 72, 801-4	3
709	Crystal structure of a mixed-ligand silver(I) complex of the non-steroidal anti-inflammatory drug diclofenac and pyrimidine. <b>2016</b> , 72, 1475-1479	10
708	[ $\text{B}$ -Benzyl-(2-phenyl-eth-yl)di-thio-carbamato- $\text{S}$ ]tri-phenyl-tin(IV) and [bis-(2-meth-oxy-eth-yl)di-thio-carbamato- $\text{S}$ ]tri-phenyl-tin(IV): crystal structures and Hirshfeld surface analysis. <b>2016</b> , 72, 1480-1487	4
707	Bis(-,di-ethyl-dithio-carbamato- $\text{S}$ )(3-hy-droxy-pyridine- $\text{N}$ )zinc and bis-[(2-hy-droxy-eth-yl)-methyl-dithio-carbamato- $\text{S}$ ](3-hy-droxy-pyridine- $\text{N}$ )zinc: crystal structures and Hirshfeld surface analysis. <b>2016</b> , 72, 1700-1709	3
706	Crystal structure of (perchlorato- $\text{O}$ )(1,4,7,10-tetra-aza-cyclo-dodecane- $\text{N}$ )copper(II) perchlorate. <b>2017</b> , 73, 31-34	2

- 705 Crystal structure of chlorido-bis-[(1,2,5,6-*η*)-cyclo-octa-1,5-diene]iridium(I). **2017**, 73, 273-277 1
- 704 Bis[*η*-methyl-*η*-phenyl-dithio-carbamato-*κ*;-*κ*']-bis-[(*η*-methyl-*η*-phenyl-dithio-carbamato-*κ*)]cadmium]: crystal structure and Hirshfeld surface analysis. **2017**, 73, 429-433 1
- 703 Crystal structures of {*κ*':-bis-[(pyridin-3-yl)meth-yl]ethanedi-amide}tetra-kis-(di-methyl-carbamodi-thio-ato)dizinc(II) di-methyl-formamide disolvate and {*κ*':-bis-[(pyridin-3-yl)meth-yl]ethanedi-amide}tetra-kis-(di-propyl-carbamodi-thio-ato)dizinc(II). **2017**, 73, 1563-1567 4
- 702 **2017**, imine-containing coordination motifs: ligand-directed synthesis of mononuclear and binuclear Cu compounds. **2017**, 73, 1563-1567 2
- 701 Crystal structure of aqua-(perchlorato)bis-*κ*-2-({[2-(pyridin-2-yl)eth-yl]imino}-meth-yl)phenolato-*κ*':,]dicopper(II) perchlorate. **2017**, 73, 1708-1711 2
- 700 Crystal structures and Hirshfeld surface analyses of bis-*κ*[-bis-(2-meth-oxy-eth-yl)di-thio-carbamato-*κ*']di-butyl-tin(IV) and [*κ*-(2-meth-oxy-eth-yl)-methyl-dithio-carbamato-*κ*']tri-phenyl-tin(IV). **2018**, 74, 302-308 4
- 699 A new co-crystal dinuclear/trinuclear Zn-Zn/Zn-Sm-Zn complex with a salen-type Schiff base ligand. **2018**, 74, 1862-1866 4
- 698 Crystal structure of BaCo(BO). **2019**, 75, 388-391 1
- 697 Crystal structure of NiFe(CO)[tris(pyridyl-meth-yl)aza-phosphatrane]: a synthetic mimic of the NiFe hydrogenase active site incorporating a pendant pyridine base. **2019**, 75, 438-442 3
- 696 Crystal structures of two Cu compounds: -poly[[chlorido-copper(II)]-*κ*][eth-oxy(pyridin-2-yl)methyl-idene]-'-[oxido(pyridin-3-yl)methyl-idene]hydrazine-*κ*'] and di-*κ*-chlorido-1:4*κ*-2:3*κ*-di-chlorido-2[4*κ*]bis[*κ*eth-oxy(pyridin-2-yl)methano-lato-1:2:3*κ*']-1:3:4*κ*]-bis-*κ*eth-oxy(pyridin-2-yl)methano-lato-1:2*κ*':3:4*κ*']tetracopper(II). **2019**, 75, 1069-1075 2
- 695 Crystal structure of poly[[*κ*-(1,2,4-triazol-4-yl)adamantane-1-carboxyl-ato-*κ*':, ]silver(I)] dihydrate]. **2019**, 75, 1145-1148 2
- 694 The crystal structures of {Cu} (= Gd, Dy and Ho) 15-metallacrown-5 complexes and a reevaluation of the isotopic Eu analogue. **2019**, 75, 1215-1223 3
- 693 The synthesis and crystal structure of bis-[3,3-diethyl-1-(phenyl-imino)-*η*-thio-urea-*κ*]-silver hexa-fluorido-phosphate. **2019**, 75, 1394-1398 1
- 692 Crystal structure, spectroscopic characterization and Hirshfeld surface analysis of aqua-dichlorido-*κ*-{[(pyridin-2-yl)methyl-idene]aniline}copper(II) monohydrate. **2020**, 76, 148-154 4
- 691 (*η*-Di-allyl-dithio-carbamato-*κ*')tri-phenyltin(IV) and bis-(*η*-di-allyl-dithio-carbamato-*κ*')di-phenyl-tin(IV): crystal structure, Hirshfeld surface analysis and computational study. **2020**, 76, 167-176 4
- 690 Bis[*κ*{ethyl 4-[4-(4-hydroxyphenyl)diazenyl]benzoate-*κ*}]bis[aqua(4-{4-(ethoxycarbonyl)phenyl}diazenyl)phenolato-*κ*}]ethyl 4-[4-(4-hydroxyphenyl)diazenyl]benzoate-*κ*}potassium]. **2017**, 2, 1-10 1
- 689 Synthesis and crystal structure of [Cs([2.2.2]crypt)]<sub>2</sub>[Mo(CO)<sub>5</sub>]. **2019**, 4, 1-10 1
- 688 AN NOVEL ANTIBACTERIAL ACTIVE [CuII $\kappa$ dIII] COMPLEX CONSTRUCTED FROM AN ASYMMETRIC SALAMO-BASED LIGAND: SYNTHESIS AND STRUCTURAL CHARACTERIZATION. **2020**, 61, 1993-2006 1

- 687 Mechanism Change of (+)-Nonlinear Effect in a Phase Separation System in a CuII-Catalyzed Asymmetric Friedel-Crafts Reaction Using a C2-Chiral Dioxolane-Containing-Bisamidine Ligand, Naph-diPIM-dioxo-iPr. **2020**, 93, 1319-1333 3
- 686 Crystal Structure of DIM-1, an Acquired Subclass B1 Metallo- $\beta$ -Lactamase from *Pseudomonas stutzeri*. **2015**, 10, e0140059 3
- 685 Synthesis and structural characterization of dialkyltin complexes of N-salicylidene-L-valine. **2020**, 43, 138-146 3
- 684 Crystal structure of (N-benzyl-N-methyl-dithiocarbamato- $\lambda^5$ , $\lambda^5$ )di(4-chlorobenzyl)chloridotin(IV), C<sub>23</sub>H<sub>22</sub>Cl<sub>3</sub>NS<sub>2</sub>Sn. **2020**, 235, 647-649 3
- 683 A Novel 2d Zinc(II) Coordination Polymer Based on 2,2'-bipyridine-4,4'-dicarboxylic Acid: Synthesis, Crystal Structure and Photoluminescence Property. **2018**, 13, 30-35 1
- 682  $\beta$ -Phenolato- $\beta$ -acetato-bridged Dinuclear Copper(II) Complex with Dinucleating Schiff-base Ligand Having Three Phenolate Groups. **2018**, 34, 45-47 3
- 681 Self-Assembly by Tridentate or Bidentate Ligand: Synthesis and Vapor Adsorption Properties of Cu(II), Zn(II), Hg(II) and Cd(II) Complexes Derived from a Bis(pyridylhydrazone) Compound. **2020**, 26, 3
- 680 Co-crystal structure of a dinuclear (Zn-Y) and a trinuclear (Zn-Y-Zn) complexes derived from a Schiff base ligand. **2018**, 9, 67-73 6
- 679 Chromium carbides and cyclopropenylidenes. **2021**, 12, 14281-14287 1
- 678 Synthesis, crystal structure, DFT analysis, and DNA studies of a binuclear copper(II) complex with 2,2'-bipyridine and 4-aminobenzoate. 1-16 0
- 677 A New Dimeric Copper(II) Complex of Hexyl Bis(pyrazolyl)acetate Ligand as an Efficient Catalyst for Allylic Oxidations. **2021**, 26, 1 1
- 676 Synthesis, crystal structure and battery-like studies on a new acylpyrazolone-based mixed-ligand Cu(II) complex. 1 1
- 675 Synthesis, characterization and DNA-binding studies of Cu(II) and Ni(II) complexes of 1,3-diamino-2-hydroxy-propane derivatives. 1-18 1
- 674 Direct Aerobic Generation of a Ferric Hydroperoxo Intermediate Via a Preorganized Secondary Coordination Sphere. **2021**, 143, 18121-18130 0
- 673 Synthesis, crystal structure and Hirshfeld surface analysis of copper(I) nitrate  $\pi$ -complex based on 1-(2,6-dimethylphenyl)-5-allylsulfanyl-1H-tetrazole. **2021**, 84-89 1
- 672 Zn(II) complexes containing O,N,N,O-donor Schiff base ligands: synthesis, crystal structures, spectral investigations, biological activities, theoretical calculations and substitution effect on structures. 1-21 2
- 671 Comparative Study of Macrocyclic and Acyclic Picolinate Derivatives for Chelation of Copper Cations. 1 1
- 670 Coordination polymer of a tetranuclear copper(II) complex: structural characterization, computational investigation and spectral study. **2021**, 133, 1 1



- 669 Double Tethered Metallacyclobutane Catalyst for Cyclic Polymer Synthesis. **2021**, 143, 17276-17283 1
- 668 Propellanes as Drop-In ROMP Initiators. **2021**, 40, 3389-3396 1
- 667 Vanadium(IV) Complexes with Methyl-Substituted 8-Hydroxyquinolines: Catalytic Potential in the Oxidation of Hydrocarbons and Alcohols with Peroxides and Biological Activity. **2021**, 26, 1 1
- 666 Two mono- and dinuclear Cu (II) complexes derived from 3-ethoxy salicylaldehyde: X-ray structures, spectroscopic, electrochemical, antibacterial activities, Hirshfeld surfaces analyses, and time-dependent density functional theory studies. e6475 0
- 665 Multiple Strategies to Fabricate a Highly Stable 2D CuCu-Organic Framework with High Proton Conductivity. **2021**, 60, 16474-16483 6
- 664 Modulation of a  $\mu_2$ -Peroxo Dicopper(II) Intermediate by Strong Interaction with Alkali Metal Ions. **2021**, 143, 17751-17760 3
- 663 Valinate and SiMe<sub>2</sub> An Interesting Couple in Pentacoordinate Si-Complexes: Templated Generation of the Dipeptide val-val and Formation of an Organosilicon-Ammonia-Adduct. **2021**, 956, 122126 0
- 662 Co(II) Amide, Pyrrolate, and Aminopyridinate Complexes: Assessment of their Manifold Structural Chemistry and Thermal Properties\*\*. **2021**, 2021, 5119 0
- 661 Difluorobis(pentafluoroethyl)phosphoranide: A Promising Building Block for Phosphoranidometal Complexes. **2021**, 60, 16466-16473 0
- 660 Synthesis, Characterization and Chemical Behavior of Disulfide-bearing Mononuclear Transition Metal Complexes with the Rigid Structure. **2021**, 50, 1883-1886 0
- 659 Arylamination via ortho-fusion on an azo-appended pyridine carboxamide complex of copper(II). **2021**, 956, 122121 1
- 658 Structurally diverse heterobimetallic Pb(II)-Salen complexes mechanistic notion of cytotoxic activity against neuroblastoma cancer cell: Synthesis, characterization, protein-ligand interaction profiler, and intuitions from DFT. **2021**, 210, 115504 7
- 657 catena-Poly[[tri-n-butyl-tin(IV)]- $\mu_2$ -thio-phene-acetato]. **2007**, 64, m81 0
- 656 [[6-Methyl-2-pyridylmeth-yl)(2-pyridylmeth-yl)amine][(2-pyridylmeth-yl)amine]copper(II) bis-(perchlorate). **2007**, 64, m74-5 0
- 655 Salicylato[tris-(N-methyl-benzimidazol-2-ylmeth-yl)amine]zinc(II) perchlorate dimethyl-formamide sesquisolvate. **2007**, 64, m128 0
- 654 Aqua-dicrotonato(di-2-pyridyl-amine)cobalt(II). **2008**, 64, m590 0
- 653 catena-Poly[[trimethyl-tin(IV)]- $\mu_2$ -(3-thien-yl)acetato]. **2008**, 65, m35 1
- 652 Aquabis(benzoato- $\mu$ )bis-(1H-imidazole- $\mu$ )copper(II) monohydrate. **2009**, 65, m376-7 0

- 651 Synthesis, Crystal Structure, and Properties of Copper(II) Complexes with 1,4,7-Tris(2-Aminoethyl)-1,4,7-Triazacyclononane. **2015**, 10, 40-47
- 650 Crystal structure of aqua-bis-(hepta-fluoro-butano-ato- $\kappa$ )(1,10'-phenanthroline- $\kappa^2$  N,N')copper(II). **2016**, 72, 4-7
- 649 Bis(N-benzyl-N-methyldithiocarbamato- $\kappa^2$ S,S')(pyridine- $\kappa$ )cadmium(II). **2016**, 1,
- 648 Synthesis and structure of aroxy-tetra-p-tolylantimony (4-MeC<sub>6</sub>H<sub>4</sub>)<sub>4</sub>SbOC<sub>6</sub>H<sub>2</sub>Br<sub>2</sub>-2,6-(t-Bu)-4. **2016**, 8, 41-45
- 647 Chloridobis[2-(pyridin-2-yl- $\kappa$ )benzo[b][1,5]naphthyridine- $\kappa$  1]copper(II) perchlorate acetonitrile disolvate. **2016**, 1,
- 646 (4?-Phenyl-2,2?:6?,2??-terpyridine- $\kappa$ N,N?,N??)bis(thiocyanato- $\kappa$ )zinc(II) unknown solvate. **2016**, 1,
- 645 [2-(2,2?-Bipyridin-6-yl- $\kappa$ N1,N1?)benzo[b][1,5]naphthyridine- $\kappa$ 1]dichloridozinc. **2016**, 1,
- 644 [-(4-Dec-yloxy-2-oxido-benzyl-idene)-3-hy-droxy-2-naphtho-hydrazidato- $\kappa^2$ ]di-methyl-tin(IV): crystal structure and Hirshfeld surface analysis. **2017**, 73, 390-396 2
- 643 Aqua-chlorido-(2-[[6-(di-methyl-amino)-pyrimidin-4-yl]sulfan-yl]pyrimidine-4,6-di-amine)-copper(II) chloride hydrate. **2017**, 73, 1534-1538
- 642 Elucidaçã estrutural de um complexo inãito de cobre(II) com 2-acetilpiridina etilcarbazono.
- 641 catena-Poly[[trimethyltin(IV)]- $\kappa^3$ ,4-difluorobenzeneseleninato- $\kappa^2$ O:O?]. **2017**, 2,
- 640 DIRECT SYNTHESIS AND CRYSTAL STRUCTURE OF BIS(BROMIDO-BIS(1,10 PHENANTHROLINE)-COPPER(II)) NITROPRUSSIDE DIMETHYLFORMAMIDE SOLVATE. **2018**, 15-18
- 639 Crystal structures of bis-[4-(di-methyl-amino)-pyridinium] tetra-kis-(thio-cyanato- $\kappa$ )manganate(II) and tris-[4-(di-methyl-amino)-pyridinium] penta-kis(thio-cyanato- $\kappa$ )manganate(II). **2018**, 74, 15-20 1
- 638 {Bis[2-(diisopropylphosphanyl)ethyl]amine}carbonyl(tetrahydroborato)cobalt(I). **2018**, 3,
- 637 Oxido- and Dioxidovanadium(V) Complexes with O-vanillin Semicarbazone: Synthesis and Crystal Structure. **2018**, 13, 36-45
- 636 Hydrothermal synthesis and characterization of one dimensional (1D) 5-nitroisophthalate Cu(II) and Cd(II)-coordination polymers. 1-1
- 635 Synthesis, crystal-molecular structure and spectral investigation of mixed-ligand Cu(II) new complex with 1,10-phenanthroline bidentate ligand by Salicylaldehyde S-benzylisothiosemicarbazone. **2018**, 26, 479-488
- 634 Crystal structure of a mononuclear copper(II) complex with 2-methoxy-,bis-(quinolin-2-yl-meth-yl)-ethyl-amine (DQMEA). **2018**, 74, 1138-1141

- 633 Phenolato-azido-bridged Dinuclear Zinc(II) Complex with a Schiff-base Having Imidazolyl Groups. **2018**, 34, 33-35 1
- 632 Di-chlorido-bis[chlorido(dimethylformamide- $\kappa$ )(3,5-diphenyl-1H-pyrazole- $\kappa$ 2)copper(II)]. **2018**, 3, 3-5 1
- 631 Synthesis, crystal structures, substitutional and comparative structural analysis of copper diphosphates LiNaCuP<sub>2</sub>O<sub>7</sub>, LiKCuP<sub>2</sub>O<sub>7</sub> and Rb<sub>0.5</sub>Na<sub>1.5</sub>CuP<sub>2</sub>O<sub>7</sub>. **2018**, 9, 258-268 0
- 630  $\mu$ -Chlorido-chlorido( $\mu$ -4-[[2-(diethylamino)ethyl]imino]pent-2-en-2-olato)bis(tetrahydrofuran- $\kappa$ O)cobalt(II)lithium. **2018**, 3, 3-5 1
- 629 Synthesis and spectroscopic study of transition metal complexes of tridentate ligand formed by direct condensation of o-vanillin and 2-aminophenol: X-ray structural characterization of the zinc(II) complex. **2018**, 9, 281-286 0
- 628 Sonochemical synthesis and crystal structure of di-methyl-ammonium bis-[3-carb-oxy-2-(di-methyl-amino)-propano-ato- $\kappa$ ']chlorido-chromium(III) monohydrate. **2019**, 75, 604-606 1
- 627 The crystal and molecular structures of three copper-containing complexes and their activities in mimicking galactose oxidase. **2019**, 75, 538-544 0
- 626 Synthesis and Crystal Structure of [cis-Dichloro(2-Pyridin-2-yl-1H-Benzoimidazole) (1H-Imidazole) Copper(II)] Complex. **2019**, 1, 39-41 1
- 625 Crystal structure and Hirshfeld surface analysis of di-iodido- $\kappa$ -(1-(phen-yl)(pyridin-2-yl- $\kappa$ 1)methylidene)pyridine-2-carbohydrazide- $\kappa$ 1,cadmium(II). **2019**, 75, 1061-1064 1
- 624 Crystal structure of hexa-chlorido- $\mu$ -oxido-tetra-kis-[[1-(2-hydroxy-ethyl)-2-methyl-5-nitro-1-imidazole- $\kappa$ 1]copper(II)] containing short NO $\cdots$ NO contacts. **2019**, 75, 1057-1060 1
- 623 A new form of NaMnAsO. **2019**, 75, 969-971 0
- 622 Crystal structure of poly[[[(hydroxido- $\kappa$ 3)(selenato- $\kappa$ 3):tris-[[2-(1,2,4-triazol-4-yl)acetato- $\kappa$ 1]]tricopper(II)] dihydrate]. **2019**, 75, 1185-1189 1
- 621 Bis( $\mu$ -4-nitrophenolato)bis(4-nitrophenolato)di- $\mu$ -oxido-octaphenyltetra tin chloroform sesquisolvate [+ solvate]: a tetranuclear stannoxane. **2019**, 4, 3-5 1
- 620 An Unusual Cu(II) Mediated C $\equiv$ N Single Bond Cleavage of Pentacoordinating N<sub>4</sub>S Ligands: Control of Copper Coordination Geometry by Modified Ligand Structure. **2019**, 31, 2653-2662 1
- 619 Synthesis, spectroscopic studies and X-ray structure determination of two mononuclear copper complexes derived from the Schiff base ligand N,N-dimethyl-N'-((5-methyl-1H-imidazol-4-yl)methylene)ethane-1,2-diamine. **2019**, 10, 201-208 1
- 618 ( $\eta$ -Diiso-propyl-dithio-carbamato)tri-phenyl-tin(IV): crystal structure, Hirshfeld surface analysis and computational study. **2019**, 75, 1479-1485 3
- 617 Crystal structure of (N-n-butyl, N-methyl-dithiocarbamato- $\kappa$  S,S')-chlorido-dimethyl-tin(IV), C<sub>8</sub>H<sub>18</sub>ClNS<sub>2</sub>Sn. **2019**, 234, 1313-1315 2
- 616 The first coordination compound of deprotonated 2-bromo-nicotinic acid: crystal structure of a dinuclear paddle-wheel copper(II) complex. **2020**, 76, 225-230 1

- 615 The dual roles of a V(III) centre for substrate binding and oxygen atom abstraction; nitrite reduction mediated by a V(III) complex. **2020**, 49, 14393-14396
- 614 The crystal structures and Hirshfeld surface analyses of a cadmium(II) and a zinc(II) mononuclear complex of the new tetrakis-substituted pyrazine ligand ,',',','-[pyrazine-2,3,5,6-tetra-yltetra-kis-(methyl-ene)]tetra-kis-(methyl-aniline). **2020**, 76, 410-416
- 613 Ruthenium(II) complexes of the tetradentate polypyridyl thioether 1,2-bis[3'-(2'-pyridyl)-1'-thiapropryl]benzene. **2020**, 179, 114367
- 612 A new Zn metallocryptand with unprecedented diflexure helix induced by V-shaped diimidazole building blocks. **2020**, 76, 411-416
- 611 Synthesis and crystal structure of two manganese-based 12-metallacrown-4 complexes: Na(3-chloro-benzoate)[12-MC-4](DMF) and MnNa(3-chloro-benzoate)[12-MC-4](DMF)(HO)4DMF0.72HO. **2020**, 76, 848-856
- 610 Transmetalation and Demetallization for Open-Oyster-like Non-Ionic Cd(II) Macrocycles. **2020**, 59, 7504-7511 1
- 609 Crystal structure of catena-poly[chlorido-(2-formato-2O:O?)-(1,10-phenathroline-2N,N?)copper(II)], C26H18Cl2Cu2N4O4. **2020**, 235, 985-986
- 608 Crystal structures of [(L1)di-bromidodicopper(II)] dibromide and poly[[[(L1)diiodido-dicopper(I)]-di-Iodido-dicopper(I)], where L1 is 2,5,8,11,14,17-hexa-thia-[9.9](2,6,3,5)-pyrazino-phane. **2020**, 76, 984-989 1
- 607 Di-aqua-bis-{[1,5-bis-[(pyridin-2-yl)methyl-idene]carbonohydrazide(1-)}di-ethylchlorido-tetra-chlorido-tetra-zinc(II). **2020**, 76, 1349-1352
- 606 Anion-Dominated Copper Salicyaldimine Complexes-Structures, Coordination Mode of Nitrate and Decolorization Properties toward Acid Orange 7 Dye. **2020**, 12, 0
- 605 Synthesis, properties and crystal structure of novel Copper(II) ammine complex with [Pd(CN)4]2- building blocks. **2020**, 235, 459-463
- 604 Synthesis and crystallographic characterization of di-phenyl-amide rare-earth metal complexes (NPh)(THF) and [(PhN) (ENPh)]. **2020**, 76, 1447-1453
- 603 Conformational polymorphism in a cobalt(II) dithiocarbamate complex. **2020**, 76, 921-926
- 602 Aromatic dicarboxylate incorporated new di- and tetranuclear cobalt(II) complexes: Synthetic and structural aspects, and evaluation of properties and catalytic activity. **2020**, 510, 119752 1
- 601 Cobalt Complexes of Bulky PNP Ligand: H2 Activation and Catalytic Two-Electron Reactivity in Hydrogenation of Alkenes and Alkynes. 2
- 600 Tin(II) Ureide Complexes: Synthesis, Structural Chemistry, and Evaluation as SnO Precursors. **2021**, 60, 17083-17093
- 599 Non-covalent interactions in hexanuclear polyoxidometalates [VIV6B20O50H8]8- An experimental and theoretical approach. **2021**, 211, 115553 0
- 598 Comparative Study of Antioxidant and Pro-Oxidant Properties of Homoleptic and Heteroleptic Copper Complexes with Amino Acids, Dipeptides and 1,10-Phenanthroline: The Quest for Antitumor Compounds. **2021**, 26, 0

- 597 Manganese(II), cobalt(II) and nickel(II) complexes constructed from a pyridyloxy-functionalized hexapodal cyclophosphazene ligand: Structural and magnetic studies. **2021**, 211, 115557
- 596 Can 2-Pyridyl-1,2,3-triazole "Click" Ligands be Used to Develop Cu(I)/Cu(II) Molecular Switches?. **2021**, 6, 30115-30129 2
- 595 Homo- and heterometallic oxalate-based complexes obtained using [Cr(C<sub>2</sub>O<sub>4</sub>)<sub>3</sub>]<sup>3-</sup> building block. Two polymorphs of a solvate. **2021**, 211, 115556 0
- 594 Cu(II) complexes of a bio-compatible aminoguanidine Schiff base: Histidine sensing and DNA-binding studies. **2021**, 115554 1
- 593 Copper(II) Complexes Containing Mixed- Chelate Ligand, Solvatochromism and Density Functional Theory Studies. **2021**, 131822
- 592 Bis(4-phenyl-2-sulfanylidene-2,3-dihydro-1,3-thiazol-3-ylidene)bis(2,2',6,6'-tetrahydro-1,2,4-triazole-5-thiolato-κ<sup>2</sup>-S<sub>2</sub>)bismuth. **2020**, 5,
- 591 Bis(benzo[h]quinolin-10-olato-κ<sup>2</sup>-N,O)bromidomanganese(III). **2020**, 5,
- 590 Syntheses, crystal structures and photoluminescent properties of dinuclear and tetranuclear zinc complexes with 1,4-bis(2,2':6',2''-terpyridine-4'-yl)benzene. **2021**, 74, 927-941
- 589 Versatile Coordination Behavior of the Asymmetric Bis(3-mesityl-pyrazol-1-yl)(5-mesitylpyrazol-1-yl) Hydroborate Ligand towards Late 3 d M<sup>2+</sup> Ions. **2021**, 2021, 71-85
- 588 Imidazo-pyridine-based zinc(II) complexes as fluorescent hydrogen sulfide probes. **2021**, 50, 17075-17085 3
- 587 Benchmarking magnetic and spectroscopic properties on highly stable 3d metal complexes with tuneable bis(benzoxazol-2-yl)methanide ligands. **2021**, 50, 16810-16818 2
- 586 Analysis of structural conformation and supramolecular self-assembly of novel oxalate-bridged tetranuclear Cu(II) complex by combined crystallographic and computational studies. **2022**, 1250, 131658
- 585 Copper complexes from 3,5-disubstituted N-hydroxyethylpyrazole ligands: Cleavage of C N bond as well as formation of second coordination sphere complexes. **2022**, 211, 115543 0
- 584 Supramolecular architectures of mononuclear nickel(II) and homobinuclear copper(II) complexes with the 5,5'-dimethyl-2,2''-bipyridine ligand: Syntheses, crystal structures and Hirshfeld surface analyses. **2022**, 1250, 131728 0
- 583 Synthesis and cytotoxicity against tumor cells of pincer N-heterocyclic ligands and their transition metal complexes.. **2021**, 11, 34742-34753 1
- 582 Bis[2-(dimethylamino-κ<sup>1</sup>)-1,1'-biphenylbenzenemethanolato-κ<sup>1</sup>](tetrahydrofuran-κ<sup>1</sup>)magnesium(II). **2019**, 4,
- 581 Crystal structures of chlorido-[dihydroxybis-(1-imino-ethoxy)]arsanido-κ<sup>2</sup>,κ<sup>1</sup>]platinum(II) and of a polymorph of chlorido-[dihydroxybis-(1-imino-propoxy)arsanido-κ<sup>2</sup>,κ<sup>1</sup>]platinum(II). **2020**, 76, 180-185
- 580 Syntheses and crystal structures of a new pyrazine dicarboxamide ligand, , -bis-(quinolin-8-yl)pyrazine-2,3-dicarboxamide, and of a copper perchlorate binuclear complex. **2020**, 76, 332-338

- 579 Intermolecular interaction energies and magnetic properties of spin-isolated multinuclear Cu complexes. **2020**, 76, 166-176 1
- 578 Silver(I) nitrate two-dimensional coordination polymers of two new pyrazine-thio-phane ligands: 5,7-di-hydro-1,3-dithieno[3,4-:3',4'-]pyrazine and 3,4,8,10,11,13-hexa-hydro-1,6-bis-([1,4]di-thio-cino)[6,7-:6',7'-]pyrazine. **2020**, 76, 539-546 3
- 577 The crystal structure of (E)-5-chloro-2-hydroxy-N<sup>?</sup>-(2-hydroxy-4-methoxybenzylidene)benzohydrazide, C<sub>15</sub>H<sub>13</sub>ClN<sub>2</sub>O<sub>4</sub>. **2020**, 235, 523-525
- 576 Formation of Osmium Alkylidene, Alkylidyne, and Dinitrogen Complexes from Reactions of OsCl<sub>2</sub>(PPh<sub>3</sub>)<sub>3</sub> with Diazoalkanes.
- 575 A bis-chelate -vanillin-2-ethano-lamine copper(II) complex bearing both imine and amine forms of the ligand.. **2021**, 77, 1272-1275 1
- 574 Tris[tri-phenyl-anti-mony(V)]hexa(μ<sub>2</sub>-oxido)-tellurium(VI): a mol-ecular complex with six Te-O-Sb bridges.. **2021**, 77, 1229-1233
- 573 Crystal structure of chlorido-[(N,N-di-isobutyl)dithiocarbamato-μ<sub>2</sub>S,S']-di(4-methylbenzyl-κ)tin(IV), C<sub>25</sub>H<sub>36</sub>ClNS<sub>2</sub>Sn. **2020**, 235, 1399-1401
- 572 Crystal structure of tetrakis (N-(2-hydroxyethyl)-N-isopropylcarbomodithioato-μ<sub>2</sub>S,S')-(μ<sub>2</sub>-(2-(pyridin-4-yl)vinyl)pyridine-κ<sub>2</sub>N,N?)dicadmium(II), C<sub>36</sub>H<sub>58</sub>Cd<sub>2</sub>N<sub>6</sub>O<sub>4</sub>S<sub>8</sub>. **2020**, 235, 1453-1456
- 571 Crystal structure of chlorido(2-methylquinolin-8-olato-κ<sub>2</sub>N,O)-bis(4-tolyl-κ)tin(IV), C<sub>24</sub>H<sub>22</sub>ClNOSn. **2020**, 235, 1531-1533
- 570 Crystal structure and spectroscopic properties of chlorido{hydridotris[3-,5-dimethylpyrazol-1-yl-κ<sub>3</sub>]borato}(3-,5-dimethylpyrazol-1-yl-κ)copper(II), C<sub>20</sub>H<sub>30</sub>BClCuN<sub>8</sub>. **2021**, 236, 147-150 0
- 569 On the Hirshfeld surface for copper(II) atoms in different coordination environments. **2020**, 53, 1321-1333 0
- 568 Zinc(II) complexes of 3,5-dibromo-salicylaldehyde and μ<sub>2</sub>diimines: Synthesis, characterization and in vitro and in silico biological profile. **2022**, 226, 111659 3
- 567 Distinct nonlinear optical responses in three pairs of 2D homochiral Ag(I) enantiomers modulated by dicarboxylic acid ligands. 3
- 566 Ligand mediated structural diversity of copper(II)-azido moiety: Synthesis, structure and magnetic study. **2022**, 531, 120713 3
- 565 Effects of Protonation State on Electrocatalytic CO Reduction by a Cobalt Aminopyridine Macrocyclic Complex. **2021**, 60, 17517-17528 2
- 564 Electrochemical Properties and Reactivity Study of [Mn(O)(EOR-Lewis Acid)] Cores. **2021**, 60, 18006-18016 5
- 563 Complexes of Copper(II) Halides with 2-(3,5-Dimethylpyrazol-1-yl)benzimidazole: Synthesis and Magnetic and Cytotoxic Properties. **2021**, 47, 751-759 1
- 562 The structures of 1:1 and 1:2 adducts of phosphane-tricarbo-nitrile with 1,4-di-aza-bicyclo[2.2.2]octa-ne.. **2021**, 77, 1190-1196

- 561 Synthesis and coordination to the coinage metals of a trimethylpyrazolyl substituted 3-arylacetylacetone. **2021**, 0
- 560 Glutamine conjugated organotin(IV) Schiff base compounds: Synthesis, structure, and anticancer properties. **2022**, 36, e6521 2
- 559 Template Synthesis of Novel Norcorrole Complexes with a Phenyl-substituted Phosphorus Center. 1
- 558 A Family of [Zn] Complexes from the Carboxylate-Bridge-Supported Assembly of [Zn] Building Units: Synthetic, Structural, Spectroscopic, and Systematic Biological Studies. **2021**, 60, 17608-17626 0
- 557 Predicting Catalytic Activity from  $^{13}\text{C}$  Alkylidene Chemical Shift in Cationic Tungsten Oxo Alkylidene N-Heterocyclic Carbene Complexes. 1
- 556 Azide-Alkyne "Click" Reaction in Water Using Parts-Per-Million Amine-Functionalized Azoaromatic Cu(I) Complex as Catalyst: Effect of the Amine Side Arm. **2021**, 60, 17537-17554 0
- 555 Single crystals of SnTeO in the millimetre range grown by chemical vapor transport reactions.. **2021**, 77, 1276-1279 1
- 554 Crystal structure of a Tb-Cu glycine-hydroxamate 15-metallacrown-5 sulfate complex.. **2021**, 77, 1197-1202
- 553 New azamacrocyclic binuclear Cu(II) aminocarboxylate complexes: structural, magnetic, spectral and antiproliferative studies. **2021**, 1252, 131969 0
- 552 Sterically Stabilized End-On Superoxocopper(II) Complexes and Mechanistic Insights into Their Reactivity with O-H, N-H, and C-H Substrates. **2021**, 143, 19731-19747 1
- 551 How Cationic Metalloligands Affect the Coordination of Lewis Basic Ligands in RhI Complexes. 0
- 550 Synthesis and Selected Properties of New Complex Cation Decorated Polyoxotantalates. **2021**, 21, 7128-7138 1
- 549 Immobilization of  $\pi$ -Capping Arene-Cobalt(II) Complexes on Ordered Mesoporous Carbon for Electrocatalytic Water Oxidation. 15068-15082 2
- 548 Vanadium-Catalyzed Terpolymerization of  $\beta$ -Dienes with Ethylene and Cyclic Olefins: Ready Access to Polar-Functionalized Polyolefins. 0
- 547 Systematic Variation of 3d Metal Centers in a Redox-Innocent Ligand Environment: Structures, Electrochemical Properties, and Carbon Dioxide Activation. **2021**, 1
- 546 Synthesis, optical and structural characterisation of ZnS nanoparticles derived from Zn(ii) dithiocarbamate complexes. **2021**, 19, 1134-1147 1
- 545 Single source precursor route to nanometric tin chalcogenides. **2021**, 50, 17346-17360 0
- 544 Anion-controlled Zn(II) coordination polymers with 1-(tetrazo-5-yl)-3-(triazole-1-yl) benzene as an assembling ligand: synthesis, characterization, and efficient detection of tryptophan in water. **2021**, 2

543	Synthesis, structures and properties of metal-organic frameworks prepared using a semi-rigid tricarboxylate linker.	0
542	Synthesis, structural topologies and anticancer evaluation of phenanthroline-based 2,6-pyridinedicarboxylato Cu(II) and Ni(II) compounds. <b>2022</b> , 213, 115632	3
541	Platinum(II) and Copper(II) complexes of asymmetric halogen-substituted [NN'O] ligands: Synthesis, characterization, structural investigations and antiproliferative activity.. <b>2021</b> , 119, 105556	2
540	Synthesis, spectral characterization, crystal structures, biological activities, theoretical calculations and substitution effect of salicylidene ligand on the nature of mono and dinuclear Zn(II) Schiff base complexes. <b>2022</b> , 213, 115636	3
539	Tridentate acylhydrazone copper(II) complexes with heterocyclic bases as coligands. Synthesis, spectroscopic studies, crystal structure and cytotoxicity assays. <b>2022</b> , 213, 115621	0
538	Structural diversity of copper(II) complexes with three dimensional network: Crystal structure, Hirshfeld surface analysis, DFT calculations and catalytic activity. <b>2022</b> , 214, 115633	2
537	Synthesis, structural characterization and in vitro cytotoxic evaluation of mixed Cu(II)/Co(II) levofloxacin-Bipyridyl complexes. <b>2022</b> , 532, 120757	1
536	An insight into non-covalent interactions in binary, ternary and quaternary copper (II) complexes: Synthesis, X-ray structure, DFT calculations, antimicrobial activity and molecular docking studies. <b>2022</b> , 532, 120748	0
535	A highly selective bis(salamo)-based fluorescent sensor for two-pronged recognitions to Cu <sup>2+</sup> and Arg. <b>2022</b> , 533, 120775	3
534	Two structural types of dithiocarbamate-chlorido complexes of mercury(II): Preparation, supramolecular self-assembly, solid-state <sup>13</sup> C and <sup>15</sup> N NMR characterisation and thermal behaviour of pseudo-polymeric compounds of [Hg <sub>2</sub> (S <sub>2</sub> CNBu <sub>2</sub> ) <sub>2</sub> Cl <sub>2</sub> ] and [Hg <sub>4</sub> (S <sub>2</sub> CNiBu <sub>2</sub> ) <sub>6</sub> ][Hg <sub>2</sub> Cl <sub>6</sub> ]. <b>2022</b> , 533, 120736	0
533	Synthesis, characterization, SC-XRD, HSA and DFT study of a novel copper(I) iodide complex with 2-(thiophen-2-yl)-4,5-dihydro-1H-imidazole ligand: An experimental and theoretical approach. <b>2022</b> , 1253, 132264	5
532	Sensing and Liquid-Liquid Extraction of Dicarboxylates Using Dicopper Cryptates. <b>2020</b> , 5, 26573-26582	0
531	Investigations of new five-coordinate dinuclear Co(II) and Cu(II) salamo-based complexes. <b>2021</b> , 74, 2912-2926	3
530	Solvent-induced synthesis and crystal structures of copper(II) complexes derived from 4-chloro-2-[(2-hydroxymethylphenylimino)methyl]phenol with antibacterial activity. <b>2021</b> , 74, 2972-2983	0
529	Phenoxy-imino ligands: coordination chemistry and binding properties with copper(II) cations. <b>2021</b> , 74, 2850-2862	0
528	Exploitation of Structure-Property Relationships towards Multi-Dimensional Applications of a Paddle-Wheel Cu(II) Compound. <b>2022</b> , 2022,	1
527	Exceptionally fast formation of stable rigidified cross-bridged complexes formed with Cu(ii) isotopes for molecular imaging.	0
526	Iron, Cobalt, and Nickel Complexes Supported by a iPrPNPhP Pincer Ligand.	0



- 525 Large interaction energy for the homodimer and the heterodimer extracted from the supramolecular chain of a bent trinuclear zinc(ii) complex with a reduced Schiff base ligand. **2022**, 46, 1845-1856 0
- 524 Role of Anion in Determining the Stereoselectivity of Mg-Ph-BOX-Catalyzed Diels-Alder Reactions: A Computational Study. **2022**, 41, 105-114 1
- 523 Reactions of Imidazolio-Phosphides with Organotin Chlorides: Surprisingly Diverse. 1
- 522 Sterically rigid bismuth pincer complexes; observation of the growing polymer chain in polar monomer polymerisation.. **2022**, 0
- 521 Aza-Crown-Based Macrocyclic Probe Design for "PET-off" Multi-Cu Responsive and "CHEF-on" Multi-Zn Sensor: Application in Biological Cell Imaging and Theoretical Studies.. **2022**, 1
- 520 Mononuclear and tetranuclear alkali metal complexes: Synthesis, structural characterization, and in vitro anti-cancer and antimicrobial studies. **2022**, 1256, 132506
- 519 A Brønsted Acidic Gallium Hydride: Facile Interconversion of NNNN-Macrocycle Supported [Ga]<sup>+</sup> and [Ga<sup>III</sup>H]<sub>2</sub>.. **2021**, 0
- 518 Cu(II), Mn(II) and Zn(II) complexes of hydrazones with a quaternary ammonium moiety: synthesis, experimental and theoretical characterization and cytotoxic activity. **2021**, 3
- 517 New Hypercoordinating Organostannanes for the Modular Functionalization of Mono- and Polystannanes: Synthetic and Computational Studies\*\*. 1
- 516 Ligand isomerism fine-tunes structure and stability in zinc complexes of fused pyrazolopyridines.. **2021**, 0
- 515 Cyclodextrin-Templated Co(II) Grids: Symmetry Control over Supramolecular Topology and Magnetic Properties.. **2022**, 0
- 514 Reactivity of molybdenum-nitride complex bearing pyridine-based PNP-type pincer ligand toward carbon-centered electrophiles.. **2022**, 0
- 513 A fluorescent colorimetric vanillin di-Schiff base chemosensor for detection of Cu(ii) and isolation of trinuclear Cu(ii)-trihydrazide. 1
- 512 Polymerisation of styrene using pincer type amine functionalized azo aromatic complexes of Co(II) as catalysts.. **2022**, 0
- 511 Zinc(II)-Coordination Polymers Based on Isomeric Azo-Containing Anionic and Neutral Linkers. 1
- 510 Expanding and quantifying the crystal chemistry of the flexible ligand 15aneN5. **2022**, 24, 1218-1236
- 509 Efficient dye-sensitized solar cells based on bioinspired copper redox mediators by tailoring counterions. 0
- 508 Ein Brønsted-saures Galliumhydrid: Einfache Umwandlung von NNNN-Makrocyclus-geprägtem [Ga I] + in [Ga III H] 2+.

- 507 Copper(II) hydrazone complexes derived from (Z)-N<sup>2</sup>-{(2-hydroxynaphthalen-1-yl)methylene}acetohydrazide: Synthesis, spectral characterization, electrochemical behaviour, density functional study, in vitro catalytic activity and molecular docking. **2022**, 4, 100244 2
- 506 Isocyanate deoxygenation by a molecular magnesium silanide. **2021**, 1
- 505 Synthesis and Structural Characterization of Thallium and Cadmium Carbatrane Compounds, [TismPriBenz]Tl and [TismPriBenz]CdMe. **2022**, 115642
- 504 Ligand-Controlled Stereoselective Synthesis of Heterotactic Polylactide with Titanium(IV) Complexes. 0
- 503 Multinuclear Co(II) and Zn(II) salamo-based complexes with unique  $\beta$  parameters: Structure characterizations, Hirshfeld surfaces and fluorescence properties. **2022**, 212, 115615 2
- 502 Synthesis, characterization and investigation of photophysical and biological properties of Cu(II) and Zn(II) complexes of benzimidazole ligands. 0
- 501 Synthesis, Single Crystal Structure and Spectroscopic Characterization of a Nickel(II) Complex that Contains a SNS Tridentate Ligand. 1
- 500 A tetra-nuclear nickel(II) complex, [Ni<sub>4</sub>](ClO<sub>4</sub>)<sub>4</sub>·CHN<sub>2</sub>·2H<sub>2</sub>O, with an asymmetric NiO open-cubane-like core.. **2022**, 78, 98-102
- 499 Syntheses, crystal structures and supramolecular assemblies of two Cu(ii) complexes based on a new heterocyclic ligand: insights into C<sub>H</sub>⋯Cl and  $\pi$ ⋯ $\pi$  interactions. 2
- 498 Architectural View of Flexible Aliphatic  $\pi$ H Group Coordinated Hemi-Directed Pb(II)-Salen Coordination Polymer: Synthesis, Crystal Structure, Spectroscopic Insights, Supramolecular Topographies, and DFT Perspective. **2022**, 32, 1159 2
- 497 Elucidating Two Distinct Pathways for Electrocatalytic Hydrogen Production Using Co (II) Pincer Complexes.. **2022**,
- 496 Cu(II), Mn(II) and Zn(II) Complexes of Anthracene-Affixed Carboxylate-Rich Tridentate Ligand: Synthesis, Structure, Spectroscopic Investigation and Their DNA Binding Profile. **2022**, 7, 0
- 495 Highly Antiproliferative Latonduine and Indolo[2,3-]quinoline Derivatives: Complex Formation with Copper(II) Markedly Changes the Kinase Inhibitory Profile.. **2022**, 65, 2238-2261 2
- 494 Molecular and Electronic Structures of a Series of Dinuclear Co II Complexes Varied by Exogeneous Ligands: Influence of  $\pi$ -Bonding on Redox Potentials.
- 493 Synthesis, crystal structures and urease inhibition of copper, nickel and zinc complexes derived from 4-chloro-2-((pyridin-2-ylmethylene)amino)phenol. 1-16 3
- 492 Designing Supramolecular Triaminoguanidine-Based Cobalt(II) Complexes Inspired by Their Zinc(II) Analogs.
- 491 Supramolecular diorganotin(IV) complexes of N<sup>2</sup>-(2-hydroxynaphthalen-1-yl)methylene)formohydrazide: Synthesis, spectroscopic characterization, X-ray structure, antibacterial screening, cytotoxicity and docking study. **2022**, 215, 115678
- 490 Structure and in vitro and in silico biological activity of zinc(II) complexes with 3,5-dichloro-salicylaldehyde.. **2022**, 229, 111727 1

- 489 Tetranuclear Cu(II) complex with [2+4] Cu<sub>4</sub>O<sub>4</sub> cubane based core framework derived from 2-[[2-(1-hydroxy-ethyl)-phenylimino]-methyl]-6-methoxy-phenol: Quantifying conventional and unconventional interactions and QTAIM analysis. **2022**, 1254, 132396 3
- 488 Functional mimic for amine and catechol oxidases: Structural, spectral, electrochemical and catalytic properties of mononuclear copper(II) complex. **2022**, 534, 120819 0
- 487 Synthesis, characterization, and biological evaluation of eight new organotin(IV) complexes derived from (1R, 2S) ephedrinedithiocarbamate ligand. **2022**, 534, 120810
- 486 A bowl-shaped phenoxido-bridged binuclear zinc complex: Experimental and theoretical studies. **2022**, 534, 120807 0
- 485 Structural and theoretical studies of iron(III) and copper(II) complexes of dianion N1,N4-bis(salicylidene)-S-alkyl-thiosemicarbazide. **2022**, 1255, 132388 0
- 484 Computational investigation into intramolecular hydrogen bonding controlling the isomer formation and p of octahedral nickel(II) proton reduction catalysts.. **2022**, 0
- 483 Oxygenolysis of a series of copper(II)-flavonolate adducts varying the electronic factors on supporting ligands as a mimic of quercetin 2,4-dioxygenase-like activity.. **2022**, 1
- 482 Coinage Metal Complexes of Bis(quinoline-2-ylmethyl)phenylphosphine-Simple Reactions Can Lead to Unprecedented Results.. **2022**, e202100224 1
- 481 Distorted zinc coordination polyhedra in bis-(1-eth-oxy-2-[[[(2-meth-oxy-eth-yl)imino]-meth-yl]propan-1-olato]zinc, a possible CVD precursor for zinc oxide thin films.. **2022**, 78, 317-321
- 480 Vanadium Imido NHC Complexes for Ring-Closing Olefin Metathesis Reactions. 1
- 479 Complexes of late transition metals of the 3d row based on functionalized o-aminobenzoquinone type ligands: Interrelation of molecular and electronic structure, magnetic behaviour. **2022**, 459, 214399 3
- 478 Synthesis and biological evaluation of six L-tryptophan Schiff base copper(II) complexes as promising anticancer agents in vitro. **2022**, 1256, 132578 0
- 477 Mono- and Binuclear Copper(II) Complexes with Different Structural Motifs and Geometries: Synthesis, Spectral Characterization, Dft Calculations and Superoxide Dismutase Enzymatic Activity.
- 476 Synthesis of a 2D Cu@TiO<sub>2</sub> composite the design of a 1D Cu-based coordination polymer precursor for efficient and selective photodegradation of dyes.. **2022**, 12, 9363-9372 0
- 475 Heterobimetallic cyanide-bridged Fe<sup>III</sup>(ECN)M<sup>II</sup> complexes (M = Mn and Cu): synthesis, structure and magnetism. 1
- 474 Zn/Cu complexes constructed through selective in situ Br/I exchange: synthesis, structures, properties, and DFT insights into the Cu-catalyzed mechanism. 1
- 473 Synthesis of Ph<sub>3</sub>Bi(O<sub>2</sub>CR)<sub>2</sub> Compounds with Unsaturated Carboxylic Acids and Use of Triphenylbismuth Dicrotonate in the Synthesis of Bismuth-Containing Polymers. **2022**, 92, 85-94 0
- 472 Mononuclear Co(II) polypyridyl complexes: synthesis, molecular structure, DNA binding/cleavage, radical scavenging, docking studies and anticancer activities.. **2022**, 1

471	Discovery of thirteen cobalt(II) and copper(II) salicylaldehyde Schiff base complexes that induce apoptosis and autophagy in human lung adenocarcinoma A549/DDP cells and that can overcome cisplatin resistance and .. <b>2022</b> ,	3
470	Insight into charge transportation in cadmium based semiconducting organic-inorganic hybrid materials and their application in the fabrication of photosensitive Schottky devices.. <b>2022</b> ,	1
469	Structural diversity and magnetic properties of copper(ii) quinaldinate compounds with amino alcohols.	1
468	Synthesis and characterization of novel copper(ii) complexes as potential drug candidates against SARS-CoV-2 main protease. <b>2022</b> , 46, 4911-4926	3
467	Precursor design and impact of structure on the fabrication of materials. <b>2022</b> , 3-53	1
466	Structural studies of main group organometallic single-source precursors for MOCVD. <b>2022</b> , 55-105	
465	Electrocatalytic proton reduction by dinuclear cobalt complexes in a nonaqueous electrolyte. <b>2022</b> , 46, 6027-6038	0
464	Conformationally dynamic copper coordination complexes.. <b>2022</b> ,	0
463	Clinically used antifungal azoles as ligands for gold(III) complexes: the influence of the Au(III) ion on the antimicrobial activity of the complex.. <b>2022</b> ,	3
462	Aerobic oxidation of vanillyl alcohol to vanillin catalyzed by air-stable and recyclable copper complex and TEMPO under base-free conditions. <b>2022</b> , 24, 2542-2556	2
461	Cycloaddition of isoselenocyanates to sodium and magnesium metallacycles.. <b>2022</b> ,	0
460	Synthesis, spectroscopic findings and crystal engineering of Pb(ii)-Salen coordination polymers, and supramolecular architectures engineered by Hole/spodium/tetrel bonds: a combined experimental and theoretical investigation.. <b>2022</b> , 12, 6352-6363	3
459	SYNTHESIS, CRYSTAL STRUCTURE, AND DFT STUDIES OF A NEW PHENOXY-BRIDGED DINUCLEAR ZINC(II) SCHIFF BASE COMPLEX WITH TWO DIFFERENT GEOMETRIES. <b>2022</b> , 63, 9-18	
458	A tetra Co(II/III) complex with an open cubane CoO core and square-pyramidal Co(II) and octahedral Co(III) centres: bifunctional electrocatalytic activity towards water splitting at neutral pH.. <b>2022</b> ,	3
457	Influence of the Reaction Conditions in the Crystal Structures of Zn(II) and Ni(II) Coordination Compounds with a Dissymmetric Bis(Thiosemicarbazone) Ligand. <b>2022</b> , 12, 310	1
456	Tuning Photophysical Properties by -Functional Groups in Zn(II) and Cd(II) Complexes with Piperonylic Acid.. <b>2022</b> , 27,	0
455	Copper(II) and Cobalt(II) Carboxylates Containing the 1,3,4-Oxadiazole Fragment: Structures and Properties. <b>2022</b> , 48, 75-83	1
454	Chloro-cobalt complexes with pyridyl-ethyl-derived di-aza-cyclo-alkanes.. <b>2022</b> , 78, 235-243	

- 453 Trigonal Bipyramidal Rhodium(I) Methyl and Phenyl Complexes: Precursors of Oxidative Methyl and Phenyl Radical Generation. **2022**, 10, 28
- 452 Synthesis and characterization of two new mixed-ligand Cu(II) complexes of a tridentate NN'O type Schiff base ligand and N-donor heterocyclic co-ligands: In vitro anticancer assay, DNA/human leukemia/COVID-19 molecular docking studies, and pharmacophore modeling.. **2022**, 36, e6639 3
- 451 Synthesis, Structure, and Antiproliferative Action of 2-Pyridyl Urea-Based Cu(II) Complexes.. **2022**, 10, 5
- 450 Crystal structure of (7-[[bis-(pyridin-2-ylmethyl)amino- $\pi$ ;',']meth-yl]-5-chloro-quinolin-8-ol)di-bromidozinc(II).. **2022**, 78, 326-329
- 449 Coordination-driven self-assemblies of two hetero-trinuclear [Cu(II)2Ln(III)] (Ln = La and Ce) complexes with a flexible bis(salamo)-type ligand. 1-18 2
- 448 Crystal structure of (2,2?-(naphthalen-1-ylmethyl)azanediyl)diacetato- $\beta$  N,O,O?)-(1,10-phenanthroline- $\pi$  N,N?)-copper(II) trihydrate, CuC27H27N3O7. **2022**,
- 447 Investigation of Molecular Iridium Fluorides IrF (n=1-6): A Combined Matrix-Isolation and Quantum-Chemical Study.. **2022**, e202104005
- 446 Mono- and Bis(iminoxolene)iridium Complexes: Synthesis and Covalency in  $\pi$ Bonding.. **2022**, 0
- 445 Magnetic Anisotropy from Easy-Plane to Easy-Axial in Square Pyramidal Cobalt(II) Single-Ion Magnets. **2022**, 22, 2742-2748 2
- 444 Synthesis and Characterization of Solvated Lanthanide Tris(trimethylsilyl)siloxides.. **2022**, 61, 5048-5059 0
- 443 Silver(I) and gold(I) complexes of multidentate ligands based on functionalized pyridine. **2022**, 115801 0
- 442 Tetra-nuclear copper(II) complex of 2-hydroxy-,'-bis-[1-(2-hydroxy-phen-yl)ethyl-ylene]-propane-1,3-di-amine.. **2022**, 78, 349-353
- 441 Interaction of pseudohalides copper(II) complexes of hydrazide ligand with DNA: synthesis, spectral characterization, molecular docking simulations and superoxide dismutase activity. 1-16
- 440 Syntheses, Characterization, and X-Ray Crystal Structure of a Co-Crystal Containing One Neutral Mononuclear Copper (II) Unit and One Cationic Dinuclear Copper (II) Unit Assembled with Schiff Base and Perchlorate Copper(II) Salt. 35-52
- 439 Template synthesis of a rare 14-membered macrocyclic complex using cadmium(II) ion as a collector. 1
- 438 Deciphering the mechanism of the Ni-photocatalyzed C-O cross-coupling reaction using a tridentate pyridinophane ligand.. **2022**, 13, 1313 2
- 437 Crystal structure of tetra-kis-( $\pi$ 4-benzyl-4-1,2,4-triazole- $\pi$ )tetra-fluoridodi- $\pi$ oxido-dioxidodisilver(I)divanadium(V).. **2022**, 78, 399-403
- 436 Conjugation of triphenylantimony(V) with carvacrol against human breast cancer cells.. **2022**, 27, 373 1

- 435 Crystal Structure of  $[\text{Zn}_3(\text{L})_2(\text{CO})_2]$  **2022**, 38, 53-55
- 434 Synthesis, structural analysis, and docking studies with SARS-CoV-2 of a trinuclear zinc complex with N-phenylanthranilic acid ligands.. **2022**, 78, 231-239
- 433 An effortless approach to synthesize two structurally diverse nano copper(II) materials and assessment of their apoptosis-inducing ability on lung cancer cell line.
- 432 The Tail Wags the Dog: The Far Periphery of the Coordination Environment Manipulates the Photophysical Properties of Heteroleptic Cu(I) Complexes.. **2022**, 27, 0
- 431 Hybrid Cu-Containing Compounds Based on Lacunary Strandberg Anions: Synthesis under Mild Conditions, Crystal Structure, and Magnetic Properties.. **2022**, 2
- 430 O,N,S-tris-chelating ligand scaffolds flanked with cyclohexyl or adamantyl substituents anchored with diorganotin(IV) moieties: synthesis, structures and cytotoxicity. **2022**, 120935
- 429 Synthesis and characterization of methyl indium 4,6-dimethyl-2-pyrimidyl selenolates and its utility for indium selenide,  $\text{CuInSe}_2$  nanostructures and indium selenide thin films. **2022**, 37, 1341
- 428 Synthesis, characterizations, photo-electrochemical, and physical properties of a new 0D copper(II) complex. 1
- 427 Near-Infrared Lanthanide-Based Emission from Fused Bis[Ln(III)/Zn(II) 14-metallacrown-5] Coordination Compounds.. **2022**, 1
- 426 Phenylchromium(III) Chemistry Revisited 100 Years after Franz Hein (Part III): From  $(\text{Ar})_3\text{CrCl}(\text{L})_x$  (Ar = Ph, p-F-C<sub>6</sub>H<sub>4</sub>, C<sub>6</sub>D<sub>5</sub>; n = 0, 1, 2; L = thf, dme, tmeda, 12C4) to Bis(η<sup>6</sup>-arene)chromium Complexes. 1
- 425 A centipede like thiocyanate-bridged multi-nuclear copper(I/II) complex derived from 2-(((2-(dimethylamino)ethyl)imino)methyl)-5-fluorophenol with urease inhibitory activity. 1-9 0
- 424 Crystal structure of di-μ-chlorido-bis-{chlorido-[(−)-5,6-pinenebi-pyridine]-cobalt(II)} aqua-dichlorido[(−)-5,6-pinenebi-pyridine]cobalt(II).. **2022**, 78, 464-467
- 423 Molecular engineering of an inverse hexacopper(II) coordination complex with a photoactive metallacyclophane centroligand as prototype of a magnetic photoswitch. **2022**, 217, 115732 0
- 422 Iron complexes of [2+2] and [6+6] Schiff-base macrocycles derived from 2,2'-oxydianiline and their applications. **2022**, 139, 109376 0
- 421 Mononuclear and polymeric zinc(II) β-diketonate complexes with aromatic N-donor ligands: Structural, spectral, thermal, theoretical and docking studies. **2022**, 218, 115757
- 420 Geometry and electronic structures of cobalt(II) and iron(III) complexes bearing bis(2-pyridylmethyl)ether or alkylbis(2-pyridylmethyl)amine. **2022**, 218, 115735 0
- 419 Synthesis, characterization, and analysis of intermolecular interactions of isostructural diorganotin compounds containing enantiomeric 1,1-dithioligands. **2022**, 217, 115723
- 418 Antidiabetes, antimicrobial and antioxidant studies of mixed β-diketone and diimine copper(II) complexes. **2022**, 217, 115738 1

- 417 A rare diiodo-L-tyrosine copper(II) complexes [Crystal and molecular structure of materials stabilized by weak interactions. **2022**, 219, 115780
- 416 Structural, spectral, cytotoxic and biocatalytic studies of a dinuclear phenoxo bridged Zn(II) complex from NNO donor tridentate Schiff base. **2022**, 39, 100853 1
- 415 Synthesis, crystal structure, spectral characterization, theoretical and computational studies of Ni(II), Cu(II) and Zn(II) complexes incorporating Schiff base ligand derived from 4-(diethylamino)salicylaldehyde. **2022**, 536, 120878 3
- 414 Reactivity between late first-row transition metal halides and the ligand bis(2-pyridylmethyl)disulfide: Vibrantly-colored compounds with variable molecular geometries influenced by metal-sulfur interactions. **2022**, 537, 120910
- 413 An investigation into the coordination chemistry of tripodal 1,2,4-triazole ligands with Mn, Ni, Co and Zn ions. **2022**, 1259, 132736
- 412 Designing, physicochemical confirmation, evaluation of biological and in-silico potential of Triorganotin(IV) complexes. **2022**, 1260, 132814 0
- 411 Zinc(II) and copper(II) complexes constructed from new bis(1H-1,2,3-triazole-4-carboxylate)-based ligands. **2022**, 1259, 132703
- 410 Structural investigations and catalytic performances of a new oxovanadium complex derived from 1,2-bis((E)-5-bromo-2-hydroxybenzylideneamino)-4-methylbenzene.. **2022**, 1261, 132888
- 409 Reduction of CO with Aluminum Hydrides Supported with Ar-BIAN Radical-Anions (Ar-BIAN = 1,2-Bis(arylimino)acenaphthene).. **2021**, 0
- 408 Anion-Dependent Synthesis of Cu(II) Complexes with 2-(1-Tetrazol-5-yl)-1-indole: Synthesis, X-Ray Structures, and Radical Scavenging Activity.. **2021**, 2021, 6736908
- 407 Synthesis of Coordination Polymers and Discrete Complexes from the Reaction of Copper(II) Carboxylates with Pyrazole: Role of Carboxylates Basicity. **2022**, 22, 1032-1044 0
- 406 Phenolato-Chlorido-bridged Dinuclear Manganese(II) Complex with a Dinucleating Schiff-base Ligand Having Imidazolyl Groups. **2021**, 37, 81-83
- 405 Role of Coordination Geometry on the Magnetic Relaxation Dynamics of Isomeric Five-Coordinate Low-Spin Co(II) Complexes.. **2021**, 1
- 404 Hydrosilylation of Aldehydes and Ketones Catalyzed by a 2-Iminopyrrolyl Alkyl-Manganese(II) Complex.. **2021**, 1
- 403 Indium-Catalyzed CO/Epoxy Copolymerization: Enhancing Reactivity with a Hemilabile Phosphine Donor. **2021**, 2
- 402 An Isolable Azide Adduct of Titanium(II) Follows Bifurcated Deazotation Pathways to an Imide.. **2021**, 0
- 401 Syntheses, Structures, and Magnetic Properties of Two Cu(II) Coordination Polymers Based on 4-Nitrophthalic Acid. **2021**, 66, 2077-2083 0
- 400 Synthesis of L2Ni(ORF)2 (RF = C(CF3)3) Complexes and Their Reactivity in Ethylene Oligomerization. **2021**, 40, 4133-4142 0

- 399 Reversible C-C Bond Formation, Halide Abstraction, and Electromers in Complexes of Iron Containing Redox-Noninnocent Pyridine-imine Ligands. **2021**, 0
- 398 Probing the redox-conversion of Co(II)-disulfide to Co(III)-thiolate complexes: the effect of ligand-field strength.. **2022**, 1
- 397 DNA Binding Effects of 2,2'-bipyridine and 1,10-phenanthroline ligands synthesized with benzimidazole copper (II) complexes :Crystal Structure, Molecular Docking, DNA Binding and Anti-Cancer Studies. **2022**, 115834
- 396 Synthesis and Characterization of a Tetradentate Bispidine-based Ligand and its Zinc(II) Complex. **2022**, 120968 1
- 395 Novel first-row transition-metal phosphates: hydrothermal synthesis and crystal structures.. **2022**, 78, 287-294
- 394 An Unprecedented Dodecanuclear Copper(II) Complex Derived from an Unsymmetrical Schiff-Base Ligand. **2022**, 7, 0
- 393 Metal(II) Complexes of the Fluoroquinolone Fleroxacin: Synthesis, Characterization and Biological Profile. **2022**, 14, 898 0
- 392 Synthesis, Characterization and Single Crystal X-Ray Structures of Trifluoroacetylacetonate Copper(II) Complexes.
- 391 Self-assembled discrete and polymeric cobalt(II) complexes of a carboxylate appended tripodal tetradentate ligand: reactivity with aerial dioxygen or aqueous hydrogen peroxide. **2022**, 134, 1
- 390 [3 + 2] Cycloadditions and Retrocycloadditions of Niobium Imido Complexes: An Experimental and Computational Mechanistic Study.. **2022**, 0
- 389 Exploring the hydrogen-bonding interactions in the piperazinylethanol substituted homoleptic zinc(II)-dithiocarbamate and its diimine 2,2'-bipyridyl and 1,10-phenanthroline adducts, and their DNA binding studies. **2022**, 133106
- 388 A Copper(II)-Nitrite Complex Hydrogen-Bonded to a Protonated Amine in the Second-Coordination-Sphere. 1
- 387 Data\_Sheet\_1.docx. **2018**,
- 386 Data\_Sheet\_1.DOCX. **2018**,
- 385 Role of Redox-Inactive Metal Ions in Modulating the Reduction Potential of Uranyl Schiff Base Complexes: Detailed Experimental and Theoretical Studies.. **2022**, 0
- 384 Phosphorus or nitrogen - the first phosphatriptycene in coordination polymer chemistry.. **2022**, 0
- 383 Geometrically constrained square pyramidal phosphoranide. 1
- 382 Metalorganic framework structures of fused hexagonal motifs with cuprophilic interactions of a triangular Cu(I)<sub>3</sub>(pyrazolate-benzoate) metallo-linker. 1



- 381 Aluminum-Ligand Cooperative O-H Bond Activation Initiates Catalytic Transfer Hydrogenation.
- 380 The alkali metal copper(II) oxidotellurates(IV)  $\text{Li}_2\text{Cu}_2\text{Te}_3\text{O}_9$ ,  $\text{Li}_2\text{Cu}_3\text{Te}_4\text{O}_{12}$ ,  $\text{Rb}_2\text{Cu}_3\text{Te}_6\text{O}_{16}$ . 0
- 379 Synthesis and Characterization of a Stable Iron Pentacarbonyl Radical Cation Salt.. **2022**, 1
- 378 Isolation of an Elusive Phosphametallacyclobutadiene and Its Role in Reversible Carbon-Carbon Bond Cleavage.. **2022**, 0
- 377 Metal-Ligand Cooperativity in Iron Dinitrogen Complexes: Proton-Coupled Electron Transfer Disproportionation and an Anionic Fe(0)N Hydride.. **2022**, 0
- 376 Triaryltechnetium(III) and Related Complexes. 0
- 375 Decoding the Ambiguous Electron Paramagnetic Resonance Signals in the Lytic Polysaccharide Monooxygenase from .. **2022**, 0
- 374 Synthesis and Characterization of a Stable Iron Pentacarbonyl Radical Cation Salt.
- 373 Isomers of Molybdenum Imido Alkylidene N-Heterocyclic Carbene Complexes. 1
- 372 Isolation of an Elusive Phosphametallacyclobutadiene and Its Role in Reversible Carbon-Carbon Bond Cleavage.
- 371 Chalcogen and Hydrogen Bonds at the Periphery of Arylhydrazone Metal Complexes.
- 370 Synthesis, characterization, and optical properties of four coordination polymers with 3,5-dicarboxy-1-(4-cyanobenzyl)pyridin-1-ium bromide. **2022**, 221, 115863
- 369 Vanadium precursors and the type of complexes formed with Schiff base ligand composed of 5-bromosalicylaldehyde and 2-hydroxybenzhydrazide Structure and characterization. **2022**, 222, 115903 0
- 368 Polymerization of butadiene, isoprene and 1-substituted dienes using cobalt catalysts. **2022**, 121011
- 367 Oxo transfer reaction: Dioxido and monooxidovanadium(V) complexes. **2022**, 100518
- 366 Indanone-Based Copper(II) Molecular Materials as Potential Semiconductors for Optoelectronic Devices.
- 365 Synthesis, crystal structure, fluorescence properties and theoretical calculations of heterobimetallic  $3d^4f$  complex with a flexible bis(salamo)-type ligand. **2022**, 133272 2
- 364 Stable bidentate silylene adducts of alkaline-earth amides.

- 363 Theoretical investigation of the cooperative effect of solvent: a case study. 0
- 362 A new diformyl phenol based chemosensor selectively detects Zn<sup>2+</sup> and Co<sup>2+</sup> in nanomolar range in 100% aqueous medium and HCT live cells. 0
- 361 Exploration of supramolecular and theoretical aspects of two new Cu(II) complexes: On the importance of lone pair(chelate ring) and (chelate ring) interactions. **2022**, 133358 0
- 360 Configurational Flexibility of a Triaryl-Supported SBS Ligand with Rh and Ir: Structural Investigations and Olefin Isomerization Catalysis. 0
- 359 Mononuclear cobalt(II) complexes with polypyridyl ligands: Synthesis, characterization, DNA interactions and in vitro cytotoxicity towards human cancer cells. **2022**, 111866 0
- 358 Structural, magnetic and gamma-ray shielding features of Zn doped Mg<sub>2</sub>FeTiO<sub>6</sub> double perovskite. **2022**, 414024 0
- 357 Co(II) single-ion magnets: synthesis, structure, and magnetic properties. 3
- 356 Mono- and binuclear copper(II) complexes with different structural motifs and geometries: Synthesis, spectral characterization, DFT calculations and superoxide dismutase enzymatic activity. **2022**, 222, 115913 0
- 355 Structural diversity of 9,10-phenanthrenequinone molecular complexes with metal halides. **2022**, 539, 121031 0
- 354 Mononuclear Dy(III)/heteropolynuclear Zn(II)Dy(III) Schiff base complexes: Synthesis, structures, fluorescence and antioxidant properties. **2022**, 1264, 133340 0
- 353 Tetranuclear Zn(II) complexes with ditopic picolinohydrazone ligands: Synthesis, crystal structure, spectroscopic studies, and Hirschfeld surface analysis. **2022**, 1265, 133356 1
- 352 Multinuclear Ni(II) and Cu(II) complexes of meso 6+6 macrocyclic amine derived from trans-1,2-diaminocyclopentane and 2,6-diformylpyridine. 1
- 351 Co-existence of Five- and Six-Coordinate Iron(II) Species Captured in a Geometrically Strained Spin-Crossover Hofmann Framework. 0
- 350 Investigation of structural, spectroscopic, dielectric, magnetic, and in vitro biocompatibility properties of Sr/Ni co-doped hydroxyapatites. **2022**, 0
- 349 Synthesis, Crystal Structure and Magnetic Properties of a Trinuclear Copper(II) Complex Based on P-Cresol-Substituted Bis(π-Nitronyl Nitroxide) Biradical. **2022**, 27, 3218 0
- 348 BSA Interaction, Molecular Docking, and Antibacterial Activity of Zinc(II) Complexes Containing the Sterically Demanding Biomimetic N3S2 Ligand: The Effect of Structure Flexibility. **2022**, 27, 3543 1
- 347 Experimental and theoretical investigation of hydrogen bonded supramolecular assemblies through water molecules in a copper(II)-EGTA complex. **2022**, 133400 0
- 346 pH-Responsive Switching Properties of a Water-Soluble dinuclear Cu(II) Complex containing oximate bridges chelating ligand: Synthesis, crystal structure and computational study. **2022**, 121044 0

- 345 Synthesis, Structure and Biological Evaluations of Zn(II) Pincer Complexes Based on S-Triazine Type Chelator. **2022**, 27, 3625 1
- 344 Investigating the antiproliferative activities of new Cu(I) complexes with pyridine hydrazone derivatives of nalidixic acid. **2022**, 111881 0
- 343 Tale of Three Molecular Nitrides: Mononuclear Vanadium (V) and (IV) Nitrides As Well As a Mixed-Valence Trivanadium Nitride Having a V<sub>3</sub>N<sub>4</sub> Double-Diamond Core. 0
- 342 Does Reduction-Induced Isomerization of a Uranium(III) Aryl Complex Proceed via C≡N Oxidative Addition and Reductive Elimination across the Uranium(II/IV) Redox Couple?. 2
- 341 Structures and Magnetic Properties of Carbonato-Bridged Hexanuclear Ni<sub>4</sub>Ln<sub>2</sub> (Ln = Gd, Tb, Dy) Complexes Formed by Atmospheric Carbon Dioxide Fixation in the Absence of an External Base. 1
- 340 Rigid Schiff Base Complex Supermolecular Aggregates as a High-Performance pH Probe: Study on the Enhancement of the Aggregation-Caused Quenching (ACQ) Effect via the Substitution of Halogen Atoms. **2022**, 23, 6259 4
- 339 Zinc-Based Cyclens Containing Pyridine and Cross-Bridges: X-Ray and DFT Structures, Lewis Acidity, Gas-Phase Acidity, and pK<sub>a</sub> Values. **2022**, 115941 0
- 338 Structural variety, fluorescence and photocatalytic activity of dissymmetric thiosemicarbazone complexes. **2022**, 115945
- 337 Cluster self-assembly and anion binding by metal complexes of non-innocent thiazolidinylthiolate ligands. 1
- 336 Mixed-metal calix[8]arene complexes: structure, and ring opening polymerisation studies.
- 335 Iridium and rhodium complexes bearing a silyl-bipyridine pincer ligand: synthesis, structures and catalytic activity for C≡N borylation of arenes. 1
- 334 Anion Induced Synthesis and Crystal Structures of Schiff Base Copper(II) and Zinc(II) Complexes with Antibacterial Activity. **2022**, 48, 385-396 0
- 333 Well-Defined Phosphine-Free Manganese(II)-Complex-Catalyzed Synthesis of Quinolines, Pyrroles, and Pyridines. 0
- 332 Ligand Enabled Disproportionation of 1,2-Diphenylhydrazine at a P(V)-Center. 1
- 331 Two Distinct Cu(II)⋯(IV) Superexchange Interactions with Similar Bond Angles in a Triangular Cu<sub>2</sub>V<sub>2</sub>F<sub>8</sub> Fragment.
- 330 Radical Complexes of Nickel(II)/Copper(II) and Redox Non-innocent MB-DIPY Ligands: Unusual Stability and Strong Near-Infrared Absorption at λ<sub>max</sub> ~1300 nm. 0
- 329 Elucidation of Structure-Activity Relationships in Indolobenzazepine-Derived Ligands and Their Copper(II) Complexes: the Role of Key Structural Components and Insight into the Mechanism of Action. 1
- 328 Experimental and theoretical evaluation of N-pyridoxal-salicylic acid hydrazide derived copper(II) complex with 2-methylimidazole. 1-12

- 327 Ligand Enabled Disproportionation of 1,2-Diphenylhydrazine at a P(V)-Center.
- 326 X-ray Structure Analyses and Biological Evaluations of a New Cd(II) Complex with S-Triazine Based Ligand. **2022**, 12, 861 1
- 325 Cooperative redox and spin activity from three redox congeners of sulfur-bridged iron nitrosyl and nickel dithiolene complexes. **2022**, 119, 0
- 324 Mixed Ligand Mononuclear Copper(II) Complex as a Promising Anticancer Agent: Interaction Studies with DNA/HSA, Molecular Docking, and In Vitro Cytotoxicity Studies. 0
- 323 Zinc(II) and copper(II) complexes with benzothiadiazole Schiff-base ligands. **2022**, 115994 0
- 322 Copper-catalyzed direct hydroxylation of arenes to phenols with hydrogen peroxide. **2022**, 528, 112441 0
- 321 Weak antiferromagnetic interaction in Cu(ii) complex with semi-coordination exchange pathway. **2022**, 223, 115962 1
- 320 Synthesis, characterisation and biological activity of diorganotin compounds of (E)-N'-(5-nitro-2-hydroxybenzylidene)-3-hydroxy-2-naphthohydrazide. **2022**, 223, 115955 0
- 319 New insight into two penta-coordinated multinuclear copper(II) single-armed salamo-based complexes. **2022**, 540, 121047 2
- 318 Counteranion-driven self-assembly of di- and tetra-nuclear Zn(II) single-armed salamo-type complexes. **2022**, 1265, 133473 2
- 317 A bis(silylene)pyridine pincer ligand can stabilize mononuclear manganese(0) complexes: facile access to isolable analogues of the elusive d7-Mn(CO)<sub>5</sub> radical. 0
- 316 Novel ditopic 2-mercaptothiazoles and their sodium salts: synthesis, structural diversity and luminescence.
- 315 Trinuclear zinc calix[4]arenes: Synthesis, structure, and ring opening polymerization studies.
- 314 Cationic molybdenum oxo alkylidenes stabilized by N-heterocyclic carbenes: from molecular systems to efficient supported metathesis catalysts. 0
- 313 Response of Ancillary Azide Ligand in Designing a 1D Copper(II) Polymeric Complex along with the Introduction of High DNA- and HAS-Binding Efficacy, Leading to Impressive Anticancer Activity: A Compact Experimental and Theoretical Approach. **2022**, 7, 23276-23288 0
- 312 Crystal structures of bis[1-(1-hydroxypropan-2-ylidene)thiosemicarbazide- $\beta$ S,N,O]cobalt(III)-tetra(thiocyanato- $\beta$ N)cobalt(II) methanol solvate, bis{1-(1-hydroxypropan-2-ylidene)thiosemicarbazide- $\beta$ S,N,O}nickel(II) bis(thiocyanate) and 0
- 311 AN EXPLORATION OF STRUCTURALLY CHARACTERIZED HETERO-TRINUCLEAR [Cu(II)2Ca(II)] 196-205 FLEXIBLE-BIS(SALAMO)-TYPE COMPLEX. **2022**, 63, 854-867 1
- 310 Calcium Complexes Bearing Dianionic or Monoanionic Iminoacenaphthen-1-one Ligands: Synthesis, Reactions with Alkynes and Catalysis of L-lactide Polymerization. 0

- 309 Toward Improved Charge Separation through Conformational Control in Copper Coordination Complexes. **2022**, 144, 12116-12126 1
- 308 Dioxygen Activation and Mandelate Decarboxylation by Iron(II) Complexes of N4 Ligands: Evidence for Dioxygen-Derived Intermediates from Cobalt Analogues. **2022**, 61, 10461-10476
- 307 Reactions of TcI(NO) and TcVN Complexes with Alkynes and Alkynides. 0
- 306 Incorporation of Cation Affects the Redox Reactivity of Fe<sup>III</sup>NN Complexes on C<sub>60</sub> Oxidation.
- 305 Unravelling the Role of the Pentafluoroorthotellurate Group as a Ligand in Nickel Chemistry.
- 304 So Close, Yet so Different: How One Donor Atom Changes Significantly the Photophysical Properties of Mononuclear Cu(I) Complexes. 1
- 303 Synthesis, characterization and self assembly of dinuclear zinc Schiff base complexes: A combined experimental and theoretical study. **2022**, 116044 1
- 302 Anion-assisted supramolecular assemblies of zinc(II) complexes with isonicotinamide<sup>1</sup>. **2022**, e09943
- 301 Coordinative diversity in mononuclear CuI and CuII complexes of O,N,S-ambidentate camphoriminoquinone ligands. **2022**, 121081
- 300 Three coordination networks of Cd(II) with 2-hydroxy-trimesic acid and their photoluminescence properties. **2022**, 133706
- 299 Amide-Driven Secondary Building Unit Structural Transformations between Zn(II) Coordination Polymers. 1
- 298 Investigation on crystal structure, spectral FT-IR analysis, DFT and molecular docking studies of a novel complex with the N<sup>2</sup>-(pyridin-2-ylmethylene)nicotinohydrazide. **2022**, 133741 0
- 297 Low-Valent Cobalt(I) CNC Pincer Complexes as Catalysts for Light-Driven Carbon Dioxide Reduction. **2022**, 12, 8718-8728 1
- 296 Nine new tetracyanomethylate(II) complexes with 2-(2-aminoethyl)pyridine: synthesis, crystal structures and spectroscopic studies. 1-22
- 295 Synthesis and characterization of cobalt SCS pincer complexes.
- 294 CF<sub>3</sub>O-Functionalized Bis(arylimino)pyridine-Cobalt Ethylene Polymerization Catalysts: Harnessing Solvent Effects on Performance and Polymer Properties. 1
- 293 Free Difluorobis(pentafluoroethyl)phosphorane Ion and Its Ligand Properties. **2022**, 61, 10833-10843 0
- 292 Synthesis of a Novel Unexpected Cu(II)Thiazolidine Complex-X-ray Structure, Hirshfeld Surface Analysis, and Biological Studies. **2022**, 27, 4583 0

- 291 Vanadium(V) complexes supported on porous MIL-100(Fe) as catalysts for the selective oxidation of toluene. **2022**, 341, 112091
- 290 Supramolecular assemblies involving unconventional non-covalent contacts in pyrazole-based coordination compounds of Co(II) and Cu(II) pyridinedicarboxylates: Antiproliferative evaluation and theoretical studies. **2022**, 224, 116025 1
- 289 Synthesis, characterization and arsenate binding events of new mononuclear copper(II) complexes. **2022**, 99, 100637
- 288 Synthesis, crystal structures and antibacterial properties of four complexes derived from mono- or diquinoline-substituted acylhydrazone ligands. **2022**, 541, 121080 0
- 287 The X-ray crystal structures, molecular docking and biological activities of two novel Cu(II) and Zn(II) complexes with a ligand having a potentially N4O2 donor set and two nitro phenyl rings as pendant arms. **2022**, 235, 111910 0
- 286 Synthesis, Coordination Chemistry, and Mechanistic Studies of P,N-Type Phosphaalkene-Based Rh(I) Complexes. 2
- 285 Halide Effects in Reductive Splitting of Dinitrogen with Rhenium Pincer Complexes. 0
- 284 Structural and Magnetic Properties of Dimeric and Tetrameric Copper (II) Complexes with Simple Bidentate Ligands and Phosphate Bridges. **2022**, 7, 0
- 283 A Ni(II) chetale of an unsymmetrical N2O3 donor ligand and its use as flexidentate metalloligand to synthesise heterometallic Ni(II)-Mn(II) complexes: recurrent CH $\pi$ - $\pi$  and  $\pi$ -stacking motifs in the structures. **2022**, 121111 0
- 282 Quasi-Restricted Orbital Description of the Copper(I) Photoredox Catalytic Cycle. 1
- 281 Interplay and Competition Between Two Different Types of Redox-Active Ligands in Cobalt Complexes: How to Allocate the Electrons?.
- 280 Oligopyrrolic Cu(II)-based tetragonal cage: synthesis, structure, spectral and magnetic properties.
- 279 Synthesis of Two Novel Copper (II) Complexes as Potential Inhibitors of HIV-1 Protease Enzyme: Experimental and Theoretical Investigations. **2022**, 12, 1066
- 278 An Iron(III)-S-methylthiosemicarbazone Complex: Synthesis, Spectral Characterization, and Antioxidant Potency Measured by CUPRAC and DPPH Methods. 867-878
- 277 Unravelling the Synthetic Mimic, Spectroscopic Insights, and Supramolecular Crystal Engineering of an Innovative Heteronuclear Pb(II)-Salen Cocrystal: An Integrated DFT, QTAIM/NCI Plot, NLO, Molecular Docking/PLIP, and Antibacterial Appraisal. 1
- 276 Flexible Piezoelectric Nanogenerators Based on One-Dimensional Neutral Coordination Network Composites. **2022**, 10, 9911-9920 0
- 275 Novel Co<sub>5</sub> and Ni<sub>4</sub> Metal Complexes and Ferromagnets by the Combination of 2-Pyridyl Oximes with Polycarboxylic Ligands. **2022**, 27, 4701
- 274 Synthesis, structure, and magnetic properties of the iron(III) iodide complex with the 3,5-di-tert-butylcatecholate ligand. **2022**, 71, 1385-1393

- 273 Co(II) and 2-Amino-perimidinium Based New Generation Hybrid Material Promoted Facile Dimerization of Aroyl chloride: A Route to  $\beta$ -Diketones. **2022**, 134004 0
- 272 Hybrid Quinoline Telluroether Ligand Derived Copper and Silver Complexes: Synthesis, Structural and Electronic Properties.
- 271 Synthesis, X-ray Crystal Structure of Cu(II) 1D Coordination Polymer: In View of Hirshfeld surface, FMO, Molecular electrostatic potential (MEP) and Natural Bond orbital (NBO) analyses. **2022**, 133949 1
- 270 Energy Levels in Pentacoordinate d5 to d9 Complexes. **2022**, 10, 116
- 269 Synthesis, Characterization, Computational and Biological Activity of Some Schiff Bases and Their Fe, Cu and Zn Complexes. **2022**, 10, 112 0
- 268 Antiproliferative Copper(II) Complexes Bearing Mixed Chelating Ligands: Structural Characterization, ROS Scavenging, In Silico Studies, and Anti-Melanoma Activity. **2022**, 14, 1692
- 267 Oxygenation of copper(I) complexes containing fluorine tagged tripodal tetradentate chelates: significant ligand electronic effects. 1-19
- 266 A Mesoionic CarbenePyridine Bidentate Ligand That Improves Stability in Electrocatalytic CO<sub>2</sub> Reduction by a Molecular Manganese Catalyst. 1
- 265 Structural Tuning Enhanced Catalytic Activity of Amido Aluminum Complexes for the Ring-Opening Polymerization of  $\beta$ -Caprolactone. **2022**, 122493
- 264 Na<sub>2</sub>Cu+[Cu<sub>2</sub>+ 3O](AsO<sub>4</sub>)<sub>2</sub>Cl and Cu<sub>3</sub>[Cu<sub>3</sub>O]<sub>2</sub>(PO<sub>4</sub>)<sub>4</sub>Cl<sub>2</sub>: two new structure types based upon chains of oxocentered tetrahedra. **2022**,
- 263 Cobalt-Catalyzed Hydrogenation Reactions Enabled by Ligand-Based Storage of Dihydrogen. **2022**, 12, 9933-9943 1
- 262 Antitumor activity of copper(II) complexes with Schiff bases derived from N<sup>2</sup>-tosylbenzene-1,2-diamine. **2022**, 111975
- 261 Analysis of the stability of chlorodiorganotin(IV) dithiocarbamates in dueterochloric acid by NMR titrations experiments. **2022**, 133931
- 260 Synthesis, crystal structure and coordination behaviors of two unexpected tetranuclear Zn(II) and Co(II) supramolecular boxes derived from structural variation of coumarin schiff base ligand. 1-13 1
- 259 A Cu(II) coordination polymer: Crystal structure and therapeutic effect on sepsis. **2022**, 99, 100664
- 258 A Zinc(II) MOF for recognition of nitroaromatic explosive and Cr(III) ion. **2022**, 315, 123482 1
- 257 Enhancing the biological properties of zinc complexes with bis(indolyl)methane groups: Synthesis, characterization, DNA interaction, and biocide activity. **2022**, 236, 111973 1
- 256 On the dissociation pathways of copper complexes relevant as PET imaging agents. **2022**, 236, 111951 1

- 255 Two water-stable Zn(II) complexes for highly sensitive sensing of Cr<sup>2+</sup> ions and levofloxacin. **2022**, 543, 121163
- 254 The new salt of 2-amino-3-methylpyridine with dipicolinic acid and its metal complexes: Synthesis, characterization and antimicrobial activity studies. **2022**, 1270, 133961 1
- 253 Dianionic or tetraanionic ligand: Synthesis, Hirshfeld surface analysis, DFT, electrochemical and magnetic properties of mono- and dinuclear Cu(II) complexes derived from a deprotonated Schiff base. **2022**, 1269, 133857
- 252 Synthesis and in vitro cytotoxicity study of three di-organotin(IV) Schiff base di-acylhydrazone complexes. **2022**, 236, 111983 0
- 251 Metal-organic hybrids based on [VO<sub>2</sub>(L)]<sup>n</sup> with cations of imidazole and its derivative: Synthesis, single-crystal structures and molecular docking studies. **2022**, 227, 116125 0
- 250 Studies on two phenoxo-bridged homopolynuclear Cu(II) bis(salamo) type complexes based on theoretical calculations and fluorescence properties. **2022**, 226, 116113 1
- 249 Synthesis and characterization of two polynuclear zinc(II) complexes and their applications in nitroaromatics sensing: An experimental and theoretical study. **2022**, 543, 121186 0
- 248 Structural investigations and reactivity of cobalt(II) disulfide compounds. **2022**, 543, 121193 0
- 247 Investigating the Photosensitivity of Koneramines for Cell Imaging and Therapeutic Applications. 0
- 246 Synthesis, characterization and dye adsorption property of a 2D nickel(ii)-coordination polymer constructed from tetracarboxylic acid and 1,3-bis(imidazol-1-yl-methyl)benzene. 0
- 245 On the importance of  $\pi$ -stacking interactions in the complexes of copper and zinc bearing pyridine-2,6-dicarboxylic acid N-oxide and N-donor auxiliary ligands. **2022**, 24, 6677-6687 0
- 244 The effects of metal cofactors on the reactivity of quercetin 2,4-dioxygenase: synthetic model studies with M(II)-complexes (M = Mn, Co, Ni, Cu, Zn) and assessment of the regulatory factors in catalytic efficacy. 0
- 243 Structural and theoretical study of copper(II) complex incorporating chalcone and 2,2'-bipyridine mixed ligands : A probable candidate for optical material. 0
- 242 Hydrolysis of a carbamate triggered by coordination of metal ions. **2022**, 51, 12915-12920 0
- 241 Ligand non-innocence allows isolation of a neutral and terminal niobium nitride. 0
- 240 Scandium, titanium and vanadium complexes supported by PCP-type pincer ligands: synthesis, structure, and styrene polymerization activity. **2022**, 51, 12250-12257 1
- 239 Copper(ii) complexes with 2-ethylpyridine and related hydroxyl pyridine derivatives: structural, spectroscopic, magnetic and anticancer in vitro studies. **2022**, 12, 27648-27665 1
- 238 Bis(2-pyridyl)ditellane as a precursor to CoII, CuI and CuII complex formation: structural characterization and photocatalytic studies. **2022**, 46, 18165-18172 1



- 237 Tetrachlorocatecholates of triarylarsines as a novel class of Lewis acids. **2022**, 51, 13716-13724 1
- 236 Zinc Complexes with N4-Donor Ligands as Catalysts for the Co<sub>2</sub>/Epoxides Cycloaddition. 0
- 235 Understanding the structure–activity relationship and performance of highly active novel ATRP catalysts. **2022**, 51, 13272-13287 0
- 234 Agostic interactions in (MesCCC)Fe–Mes(L) complexes. **2022**, 58, 9626-9629 0
- 233 Influence of the Hydroxamate Ligands Structure on the Thermodynamic Properties and Structure of Metallacrown Complexes. **2022**, 77-116 0
- 232 Pentanuclear M<sup>III</sup>M<sup>II</sup> (M = Ni and Cu) complexes of N<sub>2</sub>O<sub>2</sub> donor ligands with a variation of carboxylate anions: syntheses, structures, magnetic properties and catecholase-like activities. **2022**, 46, 17260-17271 0
- 231 EXPERIMENTAL AND THEORETICAL STUDY OF A SANDWICH-LIKE PHENOXY-BRIDGED HETEROBIMETALLIC ZINC(II)–MANGANESE(III) 3-MeOSALPHEN COMPLEX. **2022**, 63, 1242-1255 1
- 230 SYNTHESSES, CRYSTAL STRUCTURES AND UREASE INHIBITORY ACTIVITIES OF Zn<sup>II</sup> AND Ni<sup>II</sup> COMPLEXES DERIVED FROM 4,4'-DIMETHOXY-2,2'-(PROPANE-1,3-DIYLDIIMINODIMETHYLENE)DIPHENOL. **2022**, 63, 1371-1381 0
- 229 Solid-State Self-Assembly of a Linear Hexanuclear Copper(II) Oxamate Complex with Alternating Antiferro- and Ferromagnetic Coupling. **2022**, 8, 116 0
- 228 Redox Conversion of Cobalt(II)-Diselenide to Cobalt(III)-Selenolate Compounds: Comparison with Their Sulfur Analogs. 0
- 227 Differential study on the transition from a new polyhalogen-substituted unsymmetric salamo-based ligand to its Cu(II) and Co(II) complexes. 1-17 0
- 226 Synthesis, Structures, and Photoluminescence of Two Novel Zinc(II) Compounds Containing 2-Acetylpyridine-aminoguanidine. **2022**, 10, 147 0
- 225 Synthesis, characterization, structure, in vitro enzymatic activity and sensing aspects of a copper(II) complex stabilized from a naphthaldehyde based Schiff base ligand. **2022**, 121229 0
- 224 Dinuclear Azide-Bridged Copper(II) Polymer With Azido–(pyridyl) Interaction: Synthesis, Crystal Structure and Hirshfeld Surface Analysis. 1
- 223 The Steric Effect in Preparations of Vanadium(II)/(III) Dinitrogen Complexes of Triamidoamine Ligands Bearing Bulky Substituents. **2022**, 27, 5864 0
- 222 Ruthenium-Locked Helical Chirality: A Barrier of Inversion and Formation of an Asymmetric Macrocycle. 0
- 221 Synthesis and electronic structure of a series of first-row transition-metal pyrazine(diimine) complexes in two oxidation states. 1-26 0
- 220 Carboxylato- and squarato-bridged dinuclear/tetranuclear Cu(II) complexes: Synthesis, magnetic property, and protein binding studies. **2022**, 36, 0

219	Tetrahydrated bis(monoaqua-bis(ethylenediamine) copper(II))-diaqua-bis(ethylenediamine)copper(II) dicitrate: preparation, crystal structure, Raman and FTIR spectra and paramagnetic behavior. 1-15	0
218	Phase formation studies and crystal structure refinements in the Mn II /Te IV /O/(H) system.	0
217	Synthesis and Characterization of Ir-( $\eta$ -NSi) Species Active toward the Solventless Hydrolysis of HSiMe(OSiMe <sub>3</sub> ) <sub>2</sub> .	1
216	DFT, Molecular Docking, Molecular Dynamics Simulation (MMGBSA) and Hirshfeld Surface Analysis of 5-Sulfosalicylic Acid. <b>2022</b> , 134242	0
215	Metal-Ligand Cooperativity to Assemble a Neutral and Terminal Niobium Phosphorus Triple Bond (Nb $\equiv$ P).	0
214	Structural Adjustments of Zn(II)-Terpyridine Analogues by Pendant of Coligand: Solvothermal Syntheses, Crystal Structure, and Photophysical Behavior.	0
213	Synthesis and Structural Characterization of a Series of Co(II) NNN Pincer Complexes. <b>2022</b> , 116155	0
212	Synthesis and Structural Investigation of Mononuclear Penta- and Hexa-Coordinated Co Complexes of 8-hydroxyquinoline Derived Ligands. <b>2022</b> , 134253	0
211	MnII, ZnII and CdII Dinuclear Complexes Based on Mixed Benzoic Acid and Metronidazole Benzoate: Syntheses, Crystal structures, Spectroscopic, Hirshfeld surface analysis, and Molecular modelling of their potential activity against Porphyromonas gingivalis. <b>2022</b> , 134287	0
210	Metal-Ligand Cooperativity to Assemble a Neutral and Terminal Niobium Phosphorus Triple Bond (Nb $\equiv$ P).	0
209	Transition metal(ii) complexes of halogenated derivatives of (E)-4-(2-(pyridin-2-ylmethylene)hydrazinyl)quinazoline: structure, antioxidant activity, DNA-binding DNA photocleavage, interaction with albumin and in silico studies.	0
208	Synthesis and reactivity of titanium BOCOP $\pi$ pincer complexes.	0
207	Oxygen-atom transfer photochemistry of a molecular copper bromate complex.	0
206	Synthesis, crystal structure, exploration of the supramolecular assembly through Hirshfeld surface analysis and bactericidal activity of the cadmium organometallic complexes obtained from the heterocyclic ligand. <b>2022</b> , 4, 100600	4
205	Effect of flexible chain length of the dimetal subunit on the formation of 1D coordination polymer to molecular rectangle.	0
204	Scorpiands: Quinquedentate Ligands that Couple the Rigidity of Cyclam and the Flexibility of a Coordinating Side Chain.	0
203	A Singlet-Diradical Co(III)-Dimer as a Nonvolatile Resistive Switching Device: Synthesis, Redox-Induced Interconversion, and Current-Voltage Characteristics.	0
202	Origin of Decomposition in a Family of Molybdenum Precursor Compounds. <b>2022</b> , 61, 16607-16621	2

201	Supramolecular structural influences from remote functionality in coordination complexes of 4-picolyamine ligands. 1-23	0
200	Catalytic Transfer Hydrogenation of Lignocellulosic Biomass Model Compounds Furfural and Vanillin with Ethanol by an Air-stable Iron(II) Complex.	0
199	Coordination Chemistry of (Triphos)Fe(0) Ethylene Complexes and Their Application to CO <sub>2</sub> Valorization.	0
198	2,6-Di(1H-tetrazol-1-yl)pyridine and its cupric chloride complex.	0
197	The crystal structure of (tris(2-benzimidazolylmethyl)amine)-benzoato-copper(II) perchlorate monohydrate, CuC <sub>31</sub> H <sub>28</sub> N <sub>7</sub> O <sub>7</sub> Cl. <b>2022</b> ,	0
196	Two-Site O <sub>H</sub> Addition to an Iridium Complex Featuring a Nonspectator Tricoordinate Phosphorus Ligand.	1
195	Ancillary-Ligand-Assisted Variation in Nuclearities Leading to the Formation of Di-, Tri-, and Tetranuclear Copper(II) Complexes with Multifaceted Carboxylate Coordination Chemistry.	0
194	SYNTHESES OF COBALT AND NICKEL COORDINATION POLYMERS COMPOSED OF 1,3-ADAMANTANEDICARBOXYLATE AND BIS(4-(1H-IMIDAZOL-1-YL)PHENYL) METHANONE LIGANDS. <b>2022</b> , 63, 1610-1615	0
193	Synthetic strategies and structures of zinc(II) complexes with di-azine ligands based on salicylaldehyde or its derivatives. <b>2022</b> , 100620	0
192	Ferrimagnetic behavior in a naphthalene templated manganese(II) 1,1-cyclohexanediacetate compound. 1-13	0
191	Ionic Dioxidovanadium(V) Complexes with Schiff-Base Ligands as Potential Insulin-Mimetic Agents Substituent Effect on Structure and Stability. <b>2022</b> , 27, 6942	0
190	Studying the impact of NCS <sup>-</sup> anion and the steric hindrance of flexible N-donor ligands on the crystal engineering of the mercury(II) coordination polymer.	0
189	Computational Investigation into Heteroleptic Photoredox Catalysts Based on Nickel(II) Tris-Pyridinethiolate for Water Splitting Reactions.	0
188	A 3D Predicted Structure of the Amine Oxidase Domain of Lysyl Oxidase Like 2. <b>2022</b> , 23, 13385	1
187	Copper(II) coordination polymer based on L-arginine as a supramolecular hybrid inorganic-organic material - synthesis, structural, spectroscopic and magnetic properties.	0
186	Sulfane Decreases the Nucleophilic Reactivity of Zinc Thiolates: Implications for Biological Reactive Sulfur Species.	1
185	Nonheme Iron(III) Azide and Iron(III) Isothiocyanate Complexes: Radical Rebound Reactivity, Selectivity, and Catalysis.	0
184	Unexpected Latency of Z-Stereoretentive Ruthenium Olefin Metathesis Catalysts Bearing Unsymmetrical N-heterocyclic Carbene or Cyclic(alkyl)(amino)carbene Ligands.	0

- 183 Synthesis and structural studies of quinolone-based Zn(II), Mn(II) and Ca(II) complexes involving supramolecular interactions. 1-16 0
- 182 Solvent-dependent formation of 1D coordination polymers based on polynuclear copper(II)-carboxylate fragments and 4-(pyridine-3-yl)methyleneamino-1,2,4-triazole linkers. **2022**, 228, 116174 0
- 181 Antibacterial study on nickel and copper dicarboxylate complexes. **2023**, 545, 121273 1
- 180 Copper(II) complexes with 3,5-dihalogenosalicylaldehydes: Synthesis, structure and interaction with DNA and albumins. **2023**, 238, 112049 1
- 179 A comprehensive overview on the synthesis, structures and applications of mono-nuclear transition metal complexes with asymmetrically substituted salen-type Schiff bases. **2023**, 545, 121246 0
- 178 On the coordination behaviour of diorganoselenium ligands based on amino and azole functionalities: silver(I) complexes with relevance for biological applications. 0
- 177 Pyridyl-containing dialkylphosphine oxides and their chelate copper(II) complexes. **2023**, 545, 121286 0
- 176 Bioinorganic interest on Co(II) and Zn(II) complexes of pyrrole-based surfactant ligand: Synthesis, characterization, and in silico-ADME study. **2023**, 1274, 134434 1
- 175 Novel Organotin(IV) Complexes of 2-[4-Hydroxy-3-((2-hydroxyethylimino)methyl)phenylazo]benzoic Acid: Synthesis, Structure, Noncovalent Interactions and In Vitro Antibacterial Activity. **2022**, 12, 1582 0
- 174 Differences in the reactivity of geminal SiDB and AlDB. 0
- 173 Sodium Aminodiboranates Na(H3BNR2BH3): Structural and Spectroscopic Studies of Steric and Electronic Substituent Effects. 1
- 172 Pyrazine-2-carboxylate copper(II) complexes. 1-13 0
- 171 A Combined Experimental and Theoretical Investigation of Oxidation Catalysis by cis-[VIV(O)(Cl/F)(N4)]<sup>+</sup> Species Mimicking the Active Center of Metal-Enzymes. 0
- 170 Synthesis, characterization and computational investigation of the phosphatase activity of a dinuclear Zinc(II) complex containing a new heptadentate asymmetric ligand. **2022**, 112064 1
- 169 MetalLigand Role Reversal: Hydride-Transfer Catalysis by a Functional Phosphorus Ligand with a Spectator Metal. 1
- 168 Ligand-Substitution-Induced Single-Crystal to Single-Crystal Transformations in a Redox-Versatile Cu(II) MOF toward Smartphone-Based Colorimetric Detection of Iodide. 0
- 167 Effects of Counterions, Coordination Anions, and Coordination Solvent Molecules on Single-Molecule Magnetic Behaviors and Nonlinear Optical Properties of Chiral Zn2Dy Schiff Base Complexes. 1
- 166 Pseudohalide Coligands Guided Structural Motifs, Magnetism and BSA-Interactions of Copper(II) Complexes Derived from 1,3-Dimethyl-6-Aminouracil. **2022**, 116215 1

- 165 A Vanadium(V) complexes derived from pyridoxal/salicylaldehyde. Interaction with CT-DNA/HSA, and molecular docking assessments. **2022**, 112070 ○
- 164 Molybdenum Alkylidyne Silyloxy N-Heterocyclic Carbene Complexes [Highly Active Alkyne Metathesis Catalysts that can be Handled in Air. ○
- 163 Self-assembly of the 4-nuclear fragment {Cu<sub>4</sub>(hfac)<sub>2</sub>(LHF) (LF)<sub>2</sub>-} with deprotonated trihydroxyoxanes and heterospin complexes with nitroxides. **2022**, 116209 ○
- 162 Templating metallocycles with a macrocycle: synthesis, structures and magnetic studies of {Cr<sub>11</sub>M<sub>2</sub>} complexes. **2022**, 52, 20-23 ○
- 161 The quest for unligated oxaphosphiranes with phosphorus in different coordination numbers. ○
- 160 Bioactive mixed-ligand zinc(II) complexes with 1H-tetrazole-5-acetic acid and oligopyridine derivatives. **2023**, 230, 116213 ○
- 159 Enclathration of Mn(II)(H<sub>2</sub>O)<sub>6</sub> guests and unusual Cu-O bonding contacts in supramolecular assemblies of Mn(II) Co-crystal hydrate and Cu(II) Pyridinedicarboxylate: Antiproliferative evaluation and theoretical studies. **2023**, 230, 116243 ○
- 158 Oxidation of thymol catalysed by a water-soluble Cu(II)-adipate-diphenylamine complex in a biphasic medium. **2023**, 230, 116237 ○
- 157 Carbon dioxide uptake by [Cu(bpca)]<sup>+</sup>: synthesis, crystal structure, and magnetic properties of {[Na(H<sub>2</sub>O)<sub>2</sub>][Cu<sub>2</sub>(bpca)<sub>2</sub>(CO<sub>3</sub>)(HCO<sub>3</sub>)]<sub>n</sub> [Hbpca = bis(2-pyridylcarbonyl)amide]. ○
- 156 Dinuclear doubly bridged phenoxido copper(II) complexes as efficient anticancer agents. **2023**, 246, 114992 4
- 155 Structure-function correlation of mononuclear nonheme copper(ii) compounds based on a ligand backbone effect and phenoxazinone synthase activity. ○
- 154 Copper(ii) complexes of cyclams with N-(2,2,2-trifluoroethyl)-aminoalkyl pendant arms as potential probes for <sup>19</sup>F magnetic resonance imaging. ○
- 153 Synthesis, characterization and cytotoxicity of copper (II) complex containing a 2H-benzo[e][1,3]oxazin derivative. **2023**, 239, 112087 1
- 152 Structurally characterized copper complexes of flavonoid naringenin with enhanced radical scavenging activity. **2023**, 546, 121325 1
- 151 Interplay of electronic and geometric structure on Cu phenanthroline, bipyridine and derivative complexes, synthesis, characterization, and reactivity towards oxygen. **2023**, 477, 214943 1
- 150 Dimeric ZnII complex of carboxylate-appended (2-pyridyl)alkylamine ligand and exploration of experimental, theoretical, molecular docking and electronic excitation studies of ligand. **2023**, 1276, 134715 ○
- 149 Mercury (II) complex based on quinoxaline- $\pi$ -aminoantipyrene: Synthesis, crystal structure, computational studies and anticancer activities evaluation. **2023**, 1275, 134607 ○
- 148 New organotin(IV) complexes with a bis-acyl-hydrazone ligand: Synthesis, crystal structure and immobilization on magnetic mesoporous silica nanoparticles as a strategy in cancer therapy. **2023**, 1275, 134622 ○

- 147 Synthesis, crystal structure, and chromatopism properties of Dihalo N-2-ethanolpicolyamine copper(II). **2023**, 1276, 134801 ○
- 146 Bioinspired oxidation of benzyl alcohol: The role of environment and nuclearity of the catalyst evaluated by multivariate analysis. **2023**, 240, 112095 ○
- 145 Catalytic performance of tridentate versus bidentate Co(ii) complexes supported by Schiff base ligands in vinyl addition polymerization of norbornene. **2022**, 12, 35896-35904 1
- 144 Amidines from cyclic amines and nitriles in the presence of zinc(ii): other nitriles in place of acetonitrile. **2022**, 46, 23225-23238 ○
- 143 Iron(II)-Keto Acid Complexes of Tridentate Ligands on Gold Nanoparticles: Effect of Ligand Geometry and Immobilization on Their Dioxygen-Dependent Reactivity. ○
- 142 Electronic and Structural Variations of a Nickel(0) N-Heterocyclic Phosphenium Complex in Comparison to Group 10 Analogues. **2022**, 61, 19440-19451 1
- 141 Heteroligand Diimine-Zn(II) Complexes with O,N,O<sup>-</sup> and O,N,S-Donor Redox-Active Schiff Bases: Synthesis, Structure and Electrochemical Properties. **2022**, 27, 8216 ○
- 140 SYNTHESIS, SPECTRAL CHARACTERIZATION, CRYSTAL STRUCTURE AND ANTIBACTERIAL ACTIVITY OF DICHLORO-{2-[(4-FLUOROPHENYL) IMINOMETHYL]PYRIDINE-2N,N<sup>?</sup>}MERCURY(II). **2022**, 63, 1797-1801 ○
- 139 Enriching Chemical Space of Bioactive Scaffolds by New Ring Systems: Benzazocines and Their Metal Complexes as Potential Anticancer Drugs. **2022**, 61, 20445-20460 1
- 138 Synthesis and X-ray Structure Combined with Hirshfeld and AIM Studies on a New Trinuclear Zn(II)-Azido Complex with s-Triazine Pincer Ligand. **2022**, 12, 1786 1
- 137 Zinc(II) and copper(II) complexes with N-substituted imines derived from 4-amino-1,2,4-triazole: synthesis, crystal structure, and biological activity. **2022**, 121359 ○
- 136 Polymeric Copper(II) Complexes with a Newly Synthesized Biphenyldicarboxylic Acid Schiff Base Ligand Synthesis, Structural and Thermal Characterization. **2022**, 10, 261 ○
- 135 Mononuclear/Binuclear [VIVO]/[VVO<sub>2</sub>] Complexes Derived from 1,3-Diaminoguanidine and Their Catalytic Application for the Oxidation of Benzoin via Oxygen Atom Transfer. ○
- 134 o-Phenylene- and o-benzyl-linked P/NBi/Sn Lewis pairs. ○
- 133 Conformational Effects of Regioisomeric Substitution on the Catalytic Activity of Copper/Calix[8]arene CB Coupling. ○
- 132 Copper(II) chelates derived from an N,N,O-tridentate 2-pyridinecarboxaldehyde-N4-phenylsemicarbazone: Synthesis, spectral aspects, crystal structure, FMO and NBO analysis. **2022**, 134866 ○
- 131 Zinc-bis(imino)pyridine Complexes as Catalysts for Azide-Alkyne Cycloaddition in Water. **2022**, 7, ○
- 130 Biological activity of mixed chelate copper(II) complexes, with substituted diimine and tridentate Schiff bases (NNO) and their hydrogenated derivatives as secondary ligands: Casiopeia's fourth generation. **2022**, 112097 ○

- 129 Hydroboration of a Diolate Complex Obtained by Carbon Dioxide Capture with Acenaphthenediimine Aluminum Hydride. ○
- 128 Homo- and Heteronuclear Group 12 Metallothionein Type B Cluster Analogs: Synthesis, Structure, <sup>1</sup>H NMR and ESI-MS. **2022**, 61, 19857-19869 ○
- 127 Synthesis, structure, thermal and magnetic properties of new tetranuclear copper(II) complex supported by multidentate ligand and glutarate functionality. **2022**, 134855 ○
- 126 Gallium (III) Complexes Based on Aminobisphenolate Ligands: Extremely High Active ROP-Initiators from Well-Known and Easily Accessible Compounds. **2022**, 23, 15649 ○
- 125 Oxygen versus Sulfur Coordination in Cobalt Superoxo Complexes: Spectroscopic Properties, O<sub>2</sub> Binding, and H-Atom Abstraction Reactivity. ○
- 124 Investigations of stable penta- and hexa-coordinate polynuclear Zn(II) and Cd(II) complexes derived from a single-armed salamo-based ligand. 1-17 ○
- 123 Synthesis of Heterometallic Rare Earth(III)Cobalt(II) Complexes and Their Application in Alternating Copolymerization of Cyclohexene Oxide and Carbon Dioxide. ○
- 122 A new fluorescent chemosensor based on 2,2'-bipyridyl acylhydrazone Schiff base: Synthesis, sensing properties, and coordination behaviors. **2022**, 121367 1
- 121 Synthesis, Structure and Reactivity of Organoindium 1,2-Benzenedithiolates and 2-Amidobenzenethiolates. ○
- 120 Two novel coordination polymers based on V-shaped carboxylic acid: synthesis, crystal structure and properties. **2022**, 134873 ○
- 119 Copper(II) Complexes of 5-Fluorosalicylaldehyde: Synthesis, Characterization, Antioxidant Properties, Interaction with DNA and Serum Albumins. **2022**, 27, 8929 ○
- 118 Thiosemicarbazonecopper/Halido Systems: Structure and DFT Analysis of the Magnetic Coupling. **2023**, 11, 31 ○
- 117 Structural Diversity, XAS and Magnetism of Copper(II)-Nickel(II) Heterometallic Complexes Based on the [Ni(NCS)<sub>6</sub>]<sup>4-</sup> Unit. **2023**, 16, 731 ○
- 116 Nonlinear Optical Glass-Ceramic From a New Polar Phase-Transition Organic-Inorganic Hybrid Crystal. ○
- 115 Vanadium-Catalyzed Dinitrogen Reduction to Ammonia via a [V]NNH<sub>2</sub> Intermediate. **2023**, 145, 811-821 ○
- 114 Synthesis and structural, magnetic and spectroscopic characterization of iron(III) complexes with in situ formed ligands from methyl-2-pyridyl ketone transformations. ○
- 113 Latonduine-1-Amino-Hydantoin Hybrid, Triazole-Fused Latonduine Schiff Bases and Their Metal Complexes: Synthesis, X-ray and Electron Diffraction, Molecular Docking Studies and Antiproliferative Activity. **2023**, 11, 30 ○
- 112 Copper Coordination Compounds Based on BIS-Quinolyhydrazone of 2,6-Diacetylpyridine: Synthesis, Structure and Cytotoxic Activity. **2023**, 116292 ○

- 111 Preferential Enrichment of Enantiomer from Amino Acid Schiff Bases by Coordination Interaction and Crystallization. **2023**, 16, 530 ○
- 110 Phonon assisted charge transfer in complexes of Zn(II) and Cd(II) with 2-acetylpyridine-aminoguanidine. **2023**, 136, 113445 ○
- 109 Chromene-based Schiff base ligand: DNA interaction studies and characterization of tetranuclear zinc, nickel and iron complexes. **2023**, 547, 121363 ○
- 108 Synthesis, structures and magnetic properties of end-on pseudo-halide bridged dinuclear copper(II) complexes with N,O-donor salicylaldimine Schiff base blocking ligands: A review. **2023**, 548, 121377 1
- 107 Synthesis and characterization of two piperazine containing macrocycles and their transition metal complexes. **2023**, 241, 112124 ○
- 106 Synthesis and Characterization of Late Transition Metal Complexes of Mono-Acetate Pendant Armed Ethylene Cross-Bridged Tetraazamacrocycles with Promise as Oxidation Catalysts for Dye Bleaching. **2023**, 28, 232 ○
- 105 Rationalization of supramolecular interactions of a newly synthesized binuclear Cu(II) complex derived from 4,4',6,6'-tetramethyl 2,2'-bipyrimidine ligand through Hirshfeld surface analysis. **2022**, 13, 393-401 ○
- 104 Aluminum Salen Complexes Modified with Unsaturated Alcohol: Synthesis, Characterization, and Their Activity towards Ring-Opening Polymerization of  $\epsilon$ -Caprolactone and D,L-Lactide. **2023**, 28, 1262 ○
- 103 Exploring the Biological Properties of Zn(II) Bisthiosemicarbazone Helicates. **2023**, 24, 2246 ○
- 102 Sulfur-Ligated [2Fe-2C] Clusters as Synthetic Model Systems for Nitrogenase. ○
- 101 Incorporation of Switchable Inorganic Building Blocks into Heterometallic Coordination Polymers. ○
- 100 Elucidating the exchange interactions in a {GdIII CuII<sub>4</sub>} propellor. ○
- 99 The Cobalt(II) Oxidotellurate(IV) Hydroxides Co<sub>2</sub>(TeO<sub>3</sub>)(OH)<sub>2</sub> and Co<sub>15</sub>(TeO<sub>3</sub>)<sub>14</sub>(OH)<sub>2</sub>. **2023**, 13, 176 ○
- 98 Alkaline-earth metal dimesitylphosphinites and their ether adducts [A structural study in solution and in the crystalline state. ○
- 97 Combine Effect of Lewis Acidity and Electric Field of Proximal Redox Innocent Metal Ions on Redox Potential of Vanadyl Schiff Base Complexes: Experimental and Theoretical Study. ○
- 96 Copper(ii) and silver(i) complexes with dimethyl 6-(pyrazine-2-yl)pyridine-3,4-dicarboxylate (py-2pz): the influence of the metal ion on the antimicrobial potential of the complex. **2023**, 13, 4376-4393 ○
- 95 Mixed-ligand copper(II) hydrazone complexes: Synthesis, structure, and anti-lung cancer properties. **2023**, 1279, 134986 ○
- 94 Trinuclear heterometallic CuII<sup>III</sup> (M' = Mn and Co) complexes of N,O donor ligands with o-nitro benzoate anion: Structures, magnetic properties and catalytic oxidase activities. **2023**, 549, 121404 ○



- 93 New supramolecular architectures of 4-(4-quinolinyl)-2,2':6',2''-terpyridine based on tin complexes: Design, structural variations and thermal properties. **2023**, 1279, 135038 ○
- 92 Copper(II) complexes containing derivative of aminobenzoic acid and nitrogen-rich ligands: Synthesis, characterization and cytotoxic potential. **2023**, 1279, 135002 1
- 91 A novel Cu(II)-based DNA-intercalating agent: Structural and biological insights using biophysical and in silico techniques. **2023**, 293, 122438 ○
- 90 Crystal design, spectroscopic analyses and antibacterial study of new carbazate ligands and their Cu(II) complexes. **2023**, 549, 121421 ○
- 89 Effect of di- and tri-ethylammonium cations on the structure and physicochemical properties of dioxido vanadium(V) Schiff base complexes. **2023**, 1281, 135109 ○
- 88 Cobalt(II) and cobalt(III) complexes of tripodal tetradentate diamino-bis(phenolate) ligands: Synthesis, characterization, crystal structures and evaluation in radical polymerization processes. **2023**, 549, 121408 ○
- 87 Unimodal polyethylenes of high linearity and narrow dispersity by using ortho-4,4'-dichlorobenzhydryl-modified bis(imino)pyridyl-iron catalysts. **2023**, 47, 5786-5795 ○
- 86 Effect of methoxy substituents on fluorescent Zn<sup>2+</sup>/Cd<sup>2+</sup> selectivity of bisquinoline derivatives with a N,N'-dimethylalkanediamine skeleton. ○
- 85 The importance of spodium bonds, H-bonds and  $\pi$ -stacking interactions in the solid state structures of four zinc complexes with tetradentate secondary diamine ligands. ○
- 84 A tris(2-aminoethyl)amine-based zinc complex as a highly water-soluble drug carrier for the anti-COVID-19 drug favipiravir: a joint experimental and theoretical study. ○
- 83 The reactivity of N-heterocyclic diphospholenes towards iron triad carbonyls. **2023**, 47, 5953-5960 ○
- 82 Na[Tc(CO)(CNp-F-ArDArF<sub>2</sub>)<sub>4</sub>]: an isocyanide analogue of the elusive Na[Tc(CO)<sub>5</sub>]. **2023**, 59, 4028-4031 ○
- 81 Magnetostructural Properties of Some Doubly-Bridged Phenoxido Copper(II) Complexes. **2023**, 28, 2648 ○
- 80 Synthesis and crystal structure of the copper (II) carboxylate with 2,2-bipyridine, [Cu(4-mba)<sub>2</sub>(bipy)(H<sub>2</sub>O)]. **2023**, 14, 109-113 ○
- 79 Synthesis, Crystal Structures and Urease Inhibition of Zinc(II) and Copper(II) Complexes Derived from 2-Amino-N'-(1-(Pyridin-2-yl) Ethylidene)Benzohydrazide. **2023**, 64, 365-376 ○
- 78 Spectroscopic Characterization, Cyclic Voltammetry, Biological Investigations, MOE, and Gaussian Calculations of VO(II), Cu(II), and Cd(II) Heteroleptic Complexes. ○
- 77 Copper(II) pseudoatrane appended heterobimetallic 2D-MOF: A multi-functional material with catalytic and sensing properties. ○
- 76 Synthesis, electronic structure and interaction of rhodium(I) and iridium(I) bisimine-acenaphthalene complexes with CO<sub>2</sub>. **2023**, 235, 116350 ○

- 75 Two families of Ln(III)-V(IV) compounds (Ln(III) = Eu, Tb, Dy, Ho) of different structural types mediated by Rb<sup>+</sup> and Cs<sup>+</sup> cations: Slow magnetic relaxation of Eu(III)- and Ho(III)-containing members. **2023**, 236, 116385 ○
- 74 Low-dimensional compounds containing bioactive ligands. Part XXI: Crystal structures, cytotoxic, antimicrobial activities and BSA binding of zinc complexes with 5-chloro-7-nitro-8-hydroxyquinoline. **2023**, 235, 116347 ○
- 73 Structural diversity and luminescence of zinc coordination polymers constructed by flexible ligands. **2023**, 1282, 135183 1
- 72 [Cu<sub>2</sub>(ox)(dien)<sub>2</sub>](NO<sub>3</sub>)<sub>3</sub>, a precursor for preparation of CuO nanoparticles: Synthesis, structural, Hirshfeld surface analyses, and physico-chemical investigations. **2023**, 1282, 135258 ○
- 71 Transition metal(II) complexes with the nonsteroidal antiinflammatory drug oxaprozin: Characterization and biological profile. **2023**, 243, 112196 ○
- 70 Structure-induced luminescence and bioactivities of Zinc(II) complexes with 2-(2,4-dichlorophenoxy)-N<sup>?</sup>-[pyridin-2-ylmethylene]acetohydrazide. **2023**, 551, 121481 ○
- 69 Exploring a new family of designer copper(II) complexes of anthracene-appended polyfunctional organic assembly displaying potential anticancer activity via cytochrome c mediated mitochondrial apoptotic pathway. **2023**, 243, 112182 ○
- 68 The flexibility of CuI chains and the functionality of pyrazine-2-thiocarboxamide keys to obtaining new Cu(I)-I coordination polymers with potential use as photocatalysts for organic dye degradation. **2023**, 418, 114072 ○
- 67 Novel copper (II) and zinc (II) complexes with enrofloxacin and oxolinic acid: synthesis, characterization, Hirshfeld surface and DFT/CAM-B3LYPD3BJ studies: NBO, QTAIM and RDG analysis. **2023**, 1282, 135141 ○
- 66 Synthesis of novel Schiff base metal complexes and their spectroscopic characterization, biological activity and molecular docking investigation. **2023**, 1282, 135161 ○
- 65 Catalytic synthesis of tetrazoles by a silica supported Zn(II) coordination compound containing azide ligand. **2023**, 1281, 135120 ○
- 64 An overview of copper complexes with diamine-based N<sub>4</sub> donor bis-pyridine Schiff base ligands: Synthesis, structures, magnetic properties and applications. **2023**, 552, 121486 ○
- 63 Insight into the role of pseudo-halides as multiple hydrogen bond acceptors in the formation of supramolecular 1D assembly of di and trinuclear zinc complexes. **2023**, 553, 121516 ○
- 62 Promising catalytic activity of a mononuclear copper(II) complex: Functional mimic for amine and catechol oxidases. **2023**, 553, 121514 ○
- 61 Comparison of the photochemical properties of phthalocyanine and hemiporphyrzine Zn(II) complexes. **2023**, 441, 114715 ○
- 60 An overview on the synthesis, structure and properties of nickel(II) and zinc(II) complexes with diamine-based N<sub>4</sub> donor bis-pyridine and N<sub>6</sub> donor tris-pyridine Schiff base ligands. **2023**, 552, 121479 ○
- 59 Variable behaviour of a flexible bispyrazole ligand: A Co(II) polymer and a unique Cu(II) penta-coordinated dimer. **2023**, 1284, 135419 ○
- 58 Two temperature-induced 1D CuII chain enantiomeric pairs showing different magnetic properties and nonlinear optical responses. **2023**, 52, 2440-2447 ○

- 57 Synthesis and characterization of novel binuclear zinc complex, immobilization in nano-porous support, and its catalytic application. **2023**, 537, 112964 ○
- 56 Copper(II) and zinc(II) complexes bridged by benzenoid aromatic oxocarbon and dicarboxylate dianions. **2023**, 234, 116327 1
- 55 Crystal structure, vibrational spectroscopy, <sup>1</sup>H NMR, and DFT analyses with antibacterial activity studies on silver nitrate complex of 5-iodoindole. **2023**, 150, 110465 ○
- 54 Homoleptic Complexes of Heterocyclic Curcuminoids with Mg(II) and Cu(II): First Conformationally Heteroleptic Case, Crystal Structures, and Biological Properties. **2023**, 28, 1434 ○
- 53 Synthesis and Characterization of Zinc(II), Cadmium(II), and Palladium(II) Complexes with the Thiophene-Derived Schiff Base Ligand. **2023**, 8, 6016-6029 ○
- 52 New Dinuclear Macrocyclic Copper(II) Complexes as Potentially Fluorescent and Magnetic Materials. **2023**, 24, 3017 ○
- 51 Synthesis of Ti Complexes Supported by an ortho-Terphenoxide Ligand and Their Applications in Alkyne Hydroamination Catalysis. ○
- 50 Dinuclear Phenoxo-Bridged Nickel(II) and Copper(II) Complexes of Phenolate-Based Tripodal Ligand: Theoretical and Experimental Insights. 1-20 ○
- 49 Copper(II) coordination polymer based on l-arginine as a supramolecular hybrid inorganicorganic material: synthesis, structural, spectroscopic and magnetic properties. ○
- 48 A Rigid Linker for Site-Selective Coordination of Transition Metal Cations: Combining an Acetylacetone with a Caged Phosphine. **2023**, 62, 3178-3185 ○
- 47 Three new zinc(II) 4?-chloro-2,2':6',2''-terpyridine (4?-Cltpy)-based complexes: synthesis, spectroscopic and structural studies, thermal behavior, and Hirshfeld surface analysis. 1-13 ○
- 46 Influence of structural properties of zinc complexes with N4-donor ligands on the catalyzed cycloaddition of CO<sub>2</sub> to epoxides into cyclic carbonates. **2023**, 538, 112992 ○
- 45 A new copper(II) complex containing triclopyr: one-pot crystallization, structure, conformation and Hirshfeld surface analyses. **2023**, ○
- 44 Tetranuclear [Cu<sub>3</sub>Ln] complexes derived from a tetraketone-type ligand. **2023**, 52, 3947-3953 ○
- 43 Effect of crystal packing on charge transfer in the heteroleptic gallium(III) complex. **2023**, 72, 193-201 ○
- 42 A New Concept of Enhancing the Anticancer Activity of Manganese Terpyridine Complex by Oxygen-Containing Substituent Modification. **2023**, 24, 3903 ○
- 41 Synthesis and characterization of two self-assembled [Cu<sub>6</sub>Gd<sub>3</sub>] and [Cu<sub>5</sub>Dy<sub>2</sub>] complexes exhibiting the magnetocaloric effect, slow relaxation of magnetization, and anticancer activity. **2023**, 52, 3795-3806 ○
- 40 Synthesis, Supramolecular Structural Investigations of Co(II) and Cu(II) Azido Complexes with Pyridine-Type Ligands. **2023**, 13, 346 ○

- 39 Group 13 salphen compounds (In, Ga and Al): a comparison of their structural features and activities as catalysts for cyclic carbonate synthesis. ○
- 38 An Interesting Conversion Route of Mononuclear Zinc Complex to Zinc Mixed Carboxylate Coordination Polymer. **2023**, 28, 2011 ○
- 37 Monocyclopentadienyltitanium(III) Complexes with Hydridoborato Ligands. ○
- 36 Fluorine-based Zn salan complexes. **2023**, 52, 4044-4057 ○
- 35 Ion-Imprinted Polymer Structurally Preorganized Using a Phenanthroline-Divinylbenzoate Complex with the Cu(II) Ion as Template and Some Adsorption Results. **2023**, 15, 1186 ○
- 34 A Complete Triad of Zero-Valent 17-Electron Monoradicals of Group 7 Elements Stabilized by m-Terphenyl Isocyanides. 1
- 33 Ein m-Terphenylisocyanid stabilisiert 17-Elektronen-Monoradikale von drei Elementen der Gruppe 7. ○
- 32 Bimetallic Carbonyl Complexes Based on Iridium and Rhodium: Useful Tools for Hydrodefluorination Reactions. ○
- 31 The effect of anions in the synthesis and structure of pyrazolylamidino copper(ii) complexes. **2023**, 52, 4429-4441 ○
- 30 Perchlorate-induced structural diversity in thiosemicarbazone copper(ii) complexes provides insights to understand the reactivity in acidic and basic media. **2023**, 25, 2213-2226 ○
- 29 Photo-Initiated Radical Hydrophosphination at Titanium Compounds Capable of TiB Insertion. ○
- 28 Synthesis, Properties and Reactivity Studies of a Hetero-dicopper Complex Consisting of a Porphyrin and a Bispyridylamine Moiety Connected by a Xanthene Backbone. ○
- 27 Crystal structure of [2-([2-(dimethylamino-*N,N*)ethyl]imino-*N*)methyl)phenolato-*O*](1,10-phenanthroline-*N,N'*)copper(II) perchlorate. **2023**, 79, 259-263 ○
- 26 Water-soluble copper(ii) 5-fluorouracil complexes bearing polypyridyl co-ligands: synthesis, structures and anticancer activity. ○
- 25 Pentacoordinated Organotin(IV) Complexes as an Alternative in the Design of Highly Efficient Optoelectronic and Photovoltaic Devices: Synthesis and Photophysical Characterization. **2023**, 24, 5255 ○
- 24 Novel cyano-activated Cu(ii) complexes of arylhydrazones of active methylene nitriles and their catalytic application for azide-alkyne cycloaddition in water and glycerol. ○
- 23 Exploration of Solid-State vs Solution-State Structure in Contact Ion Pair Systems: Synthesis, Characterization, and Solution-State Dynamics of Zinc Diphenyl Phosphate, [Zn{O2P(OPh)2}2], Donor-Base-Supported Complexes. **2023**, 62, 4770-4785 ○
- 22 Nuclearity Control in Molecular Copper Phosphates Derived from a Bulky Arylphosphate: Synthesis, Structural and Magnetic Studies. ○

- 21 Crystal structure of [tBuMgCl]<sub>2</sub>[MgCl<sub>2</sub>(Et<sub>2</sub>O)<sub>2</sub>]<sub>2</sub>. **2023**, 79, 341-344
- 20 Cooperative Ternary Assemblies Involving Anion-π-Anion Assemblies and Unconventional Cl...Cl Interactions in Cu(II) Coordination Compounds: Experimental and Theoretical Studies. **2023**, 13, 517
- 19 Manganese(II) Bromide Coordination toward the Target Product and By-Product of the Condensation Reaction between 2-Picolylamine and Acenaphthenequinone. **2023**, 2023, M1606
- 18 P,N-type phosphalkene-based Ir(i) complexes: synthesis, coordination chemistry, and catalytic applications. **2023**, 10, 2285-2293
- 17 Synthesis of Six New Transition Metal Complexes: Structural Characterization and in vitro α-Glucosidase Inhibitions Studies. **2023**, 8,
- 16 Synthetic, Structural and Supramolecular Features of a New Dithiocyanato-πN, πS-Copper(II) Complex: Insights Through Computational Studies.
- 15 Catalytic, Theoretical, and Biological Investigations of Ternary Metal (II) Complexes Derived from L-Valine-Based Schiff Bases and Heterocyclic Bases. **2023**, 28, 2931
- 14 Syntheses, Characterizations, Crystal Structures, and Protonation Reactions of Dinitrogen Chromium Complexes Supported with Triamidoamine Ligands. **2023**, 62, 5320-5333
- 13 Improved Trianionic Pincer Ligand Synthesis for Cyclic Polymer Catalysts.
- 12 Synthesis of Ph<sub>3</sub>Sb(O<sub>2</sub>CR)<sub>2</sub> Compounds with Unsaturated Carboxylic Acids and Use of Triphenylantimony Dicrotonate for the Production of Sb-Containing Polymers. **2023**, 93, 292-303
- 11 Increased Efficiency of a Functional SOD Mimic Achieved with Pyridine Modification on a PycLen-Based Copper(II) Complex. **2023**, 62, 5415-5425
- 10 Spectroscopic and Magnetic Studies of Co(II) Scorpionate Complexes: Is There a Halide Effect on Magnetic Anisotropy?. **2023**, 62, 5984-6002
- 9 Large piezoelectric response in a Jahn-Teller distorted molecular metal halide. **2023**, 14,
- 8 Catalytic Four-Electron Reduction of Oxygen to Water by a Molecular Cobalt Complex Consisting of a Proton Exchanging Site at the Secondary Coordination Sphere. **2023**, 13, 5285-5297
- 7 Alcohol Dehydrogenation-Triggered Selective C<sub>3</sub>-Alkylation of Indoles by Homogeneous Azo-aromatic Cobalt Catalysts.
- 6 Exploring ligand substituent effects on stereoselective polymerization of racemic lactide using aluminium salen-type complexes.
- 5 A ferrocenyl P/NNN hybrid ligand for binding soft/hard metal pairs. **2023**, 238, 116412
- 4 A Bifunctional NHC-Aryloxido Titanium Catalyst for the Ring-Opening Polymerization of ε-Caprolactone and an Unusual Fragmentation of Its Ligand Backbone.

- 3 An overview of the synthesis, structures and applications of di and polynuclear zinc-salen complexes with Zn<sub>2</sub>O<sub>2</sub>cores. **2023**, 121540 ○
- 2 The crystal structure of [N-[[2-(oxy)-4-methoxyphenyl](phenyl)methylidene}alaninato]-diphenyl-silicon(IV) trichloroform (1/1), C<sub>29</sub>H<sub>25</sub>NO<sub>4</sub>Si·CHCl<sub>3</sub>. **2023**, ○
- 1 Iron ethylene polymerization catalysts incorporating trifluoromethoxy functionality: Effects on PE molecular weight and productivity. **2023**, 994, 122740 ○