

A Sm-Nd isotopic study of atmospheric dusts and particulates

Earth and Planetary Science Letters

70, 221-236

DOI: [10.1016/0012-821x\(84\)90007-4](https://doi.org/10.1016/0012-821x(84)90007-4)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Petrology of the Archean Pontiac and Kewagama sediments and implications for the stratigraphy of the southern Abitibi belt. Canadian Journal of Earth Sciences, 1984, 21, 1305-1314.	0.6	39
2	Estimation of continental 187Os/186Os values by using 187Os/186Os and 143Nd/144Nd ratios in marine manganese nodules. Proceedings of the National Academy of Sciences of the United States of America, 1984, 81, 8032-8034.	3.3	18
3	Source of Precambrian chemical and clastic sediments. Nature, 1985, 314, 325-330.	13.7	182
4	Caledonian Magma Genesis and Crustal Recycling. Journal of Petrology, 1985, 26, 515-544.	1.1	114
5	Nd isotopes in French Phanerozoic shales: external vs. internal aspects of crustal evolution. Geochimica Et Cosmochimica Acta, 1985, 49, 601-610.	1.6	349
6	Isotope and trace element geochemistry of sediments from the Barbados Ridge-Demerara Plain region, Atlantic Ocean. Geochimica Et Cosmochimica Acta, 1985, 49, 1875-1886.	1.6	218
7	Petrology of the Archean Pontiac and Kewagama sediments and implications for the stratigraphy of the southern Abitibi belt: Reply. Canadian Journal of Earth Sciences, 1985, 22, 1377-1379.	0.6	1
8	Isotopic and chemical variation in granites across a Proterozoic continental margin—the Ketilidian mobile belt of South Greenland. Earth and Planetary Science Letters, 1985, 73, 65-80.	1.8	82
9	Upper crustal recycling in southern Britain: evidence from Nd and Sr isotopes. Earth and Planetary Science Letters, 1985, 75, 1-12.	1.8	110
10	Strontium and neodymium isotopes in hot springs on the East Pacific Rise and Guaymas Basin. Earth and Planetary Science Letters, 1985, 72, 341-356.	1.8	115
11	Variations in the Nd isotopic composition of foraminifera from Atlantic Ocean sediments. Earth and Planetary Science Letters, 1985, 73, 299-305.	1.8	91
12	Sr and Nd isotope systematics in fish teeth. Earth and Planetary Science Letters, 1985, 76, 45-56.	1.8	166
13	The extraction of magma from the crust and mantle. Earth and Planetary Science Letters, 1985, 74, 81-91.	1.8	630
14	Dating the oldest terrestrial rocks — fact and fiction. Chemical Geology, 1986, 57, 63-86.	1.4	166
15	Crustal residence ages of clastic sediments, orogeny and continental evolution. Chemical Geology, 1986, 57, 87-99.	1.4	96
16	Trace-element and Nd isotopes in shales as indexes of provenance and crustal growth: The early Paleozoic from the Brabant Massif (Belgium). Chemical Geology, 1986, 57, 101-115.	1.4	41
17	A Sm/1bNd isotopic study of heterogeneous granulites from the Archean Kasai-Lomami gabbro-norite and charnockite complex (Zaire, Africa). Chemical Geology, 1986, 57, 235-245.	1.4	15
18	Mass balance for Nd in the Mediterranean Sea. Chemical Geology, 1986, 55, 45-50.	1.4	49

#	ARTICLE	IF	CITATIONS
19	Hf isotope ratios of marine sediments and Mn nodules: evidence for a mantle source of Hf in seawater. <i>Earth and Planetary Science Letters</i> , 1986, 79, 46-54.	1.8	96
20	$^{143}\text{Nd}/^{144}\text{Nd}$ in Pacific ferromanganese encrustations and nodules. <i>Earth and Planetary Science Letters</i> , 1986, 81, 7-14.	1.8	44
21	Neodymium isotopic study of Baffin Bay water: sources of REE from very old terranes. <i>Earth and Planetary Science Letters</i> , 1986, 77, 259-272.	1.8	129
22	The Archean-Proterozoic transition: Evidence from the geochemistry of metasedimentary rocks of Guyana and Montana. <i>Geochimica Et Cosmochimica Acta</i> , 1986, 50, 2125-2141.	1.6	109
23	Geochronology and isotopic variation of the early Archaean Amitsoq gneisses of the Isukasia area, southern West Greenland. <i>Geochimica Et Cosmochimica Acta</i> , 1986, 50, 2173-2183.	1.6	100
24	Rare earth elements and neodymium isotopes in ferromanganese oxide coatings of Cenozoic foraminifera from the Atlantic Ocean. <i>Geochimica Et Cosmochimica Acta</i> , 1986, 50, 409-417.	1.6	129
25	Isotope and trace element geochemistry of Colorado Plateau volcanics. <i>Geochimica Et Cosmochimica Acta</i> , 1986, 50, 2735-2750.	1.6	113
26	Sm-Nd isochron-age and provenance of the argillites of the Gunflint Iron Formation in Ontario, Canada. <i>Geochimica Et Cosmochimica Acta</i> , 1986, 50, 1141-1146.	1.6	54
27	The Pb-Sr-Nd isotope geochemistry of some recent circum-Mediterranean granites. <i>Contributions To Mineralogy and Petrology</i> , 1986, 92, 331-340.	1.2	104
28	$^{187}\text{Os}/^{186}\text{Os}$ in marine manganese nodules and the constraints on the crustal geochemistries of rhenium and osmium. <i>Nature</i> , 1986, 319, 216-220.	13.7	64
29	Geochemical and isotopic characteristics of blueschist facies rocks from the <i>Åžle de Groix</i> , Armorican Massif (northwest France). <i>Lithos</i> , 1986, 19, 235-253.	0.6	47
30	Nb and Pb in oceanic basalts: new constraints on mantle evolution. <i>Earth and Planetary Science Letters</i> , 1986, 79, 33-45.	1.8	1,459
31	Chemical Geodynamics. <i>Annual Review of Earth and Planetary Sciences</i> , 1986, 14, 493-571.	4.6	4,040
32	Nd evidence for extensive Archean basement in the western Churchill Province, Canada. <i>Canadian Journal of Earth Sciences</i> , 1986, 23, 1433-1437.	0.6	28
33	The geochemistry of early diagenetic dolostones from a low-salinity Jurassic lagoon. <i>Journal of the Geological Society</i> , 1987, 144, 687-698.	0.9	20
34	Nd Isotope Systematics of Coarse- and Fine-Grained Sediments: Examples from the Middle Proterozoic Belt-Purcell Supergroup. <i>Journal of Geology</i> , 1987, 95, 309-327.	0.7	114
35	The sedimentary cycle of the boron isotopes. <i>Geochimica Et Cosmochimica Acta</i> , 1987, 51, 1939-1949.	1.6	330
36	Rare earth element transport in the western North Atlantic inferred from Nd isotopic observations. <i>Geochimica Et Cosmochimica Acta</i> , 1987, 51, 1257-1271.	1.6	272

#	ARTICLE	IF	CITATIONS
37	Geochemical evolution of the crust and mantle. <i>Reviews of Geophysics</i> , 1987, 25, 1011-1020.	9.0	16
38	Evolution of continental crust in southern Africa. <i>Earth and Planetary Science Letters</i> , 1987, 83, 85-93.	1.8	48
39	The assessment of REE patterns and $^{143}\text{Nd}/^{144}\text{Nd}$ ratios in fish remains. <i>Earth and Planetary Science Letters</i> , 1987, 84, 181-196.	1.8	205
40	The Sm/Nd secular evolution of the continental crust and the depleted mantle. <i>Earth and Planetary Science Letters</i> , 1987, 82, 25-35.	1.8	61
41	Mass balance calculations with end member compositional variability: applications to petrologic problems. <i>Earth and Planetary Science Letters</i> , 1987, 81, 212-220.	1.8	7
42	Nd and Sr isotopic variations of Early Paleozoic oceans. <i>Earth and Planetary Science Letters</i> , 1987, 84, 27-41.	1.8	328
43	Rb $\text{--}$ Sr and Sm $\text{--}$ Nd systematics of cherts and other siliceous deposits. <i>Geochimica Et Cosmochimica Acta</i> , 1987, 51, 959-972.	1.6	21
44	Development of the archaean crust in the medina mountain area, wind river range, wyoming (U.S.A.). <i>Precambrian Research</i> , 1987, 37, 287-304.	1.2	28
45	Relationships between chemical and convective layering in the Earth. <i>Journal of the Geological Society</i> , 1987, 144, 259-274.	0.9	61
46	A Nd and Sr isotopic study of the Ivrea zone, Southern Alps, N-Italy. <i>Contributions To Mineralogy and Petrology</i> , 1987, 97, 31-42.	1.2	97
47	Nd-Sr isotopic characteristics of the Lugano volcanic rocks and constraints on the continental crust formation in the South Alpine domain (N-Italy-Switzerland). <i>Contributions To Mineralogy and Petrology</i> , 1987, 96, 140-150.	1.2	50
48	The Nd and Sr isotopic systematics of river-water dissolved material: Implications for the sources of Nd and Sr in seawater. <i>Chemical Geology: Isotope Geoscience Section</i> , 1987, 66, 245-272.	0.7	227
49	Recycling of the continental crust. <i>Pure and Applied Geophysics</i> , 1988, 128, 683-724.	0.8	60
50	Petrogenesis of the magmatic complex at Mount Ascutney, Vermont, USA. <i>Contributions To Mineralogy and Petrology</i> , 1988, 98, 408-416.	1.2	9
51	Decoupled evolution of Nd and Sr isotopes in the continental crust and the mantle. <i>Nature</i> , 1988, 336, 733-738.	13.7	84
52	A samarium-neodymium isotopic survey of modern river sediments from Northern Britain. <i>Chemical Geology: Isotope Geoscience Section</i> , 1988, 73, 1-13.	0.7	21
53	Neodymium isotopes as tracers in marine sediments and aerosols: North Atlantic. <i>Earth and Planetary Science Letters</i> , 1988, 87, 367-378.	1.8	218
54	Nd and Sr isotopic systematics of river water suspended material: implications for crustal evolution. <i>Earth and Planetary Science Letters</i> , 1988, 87, 249-265.	1.8	863

#	ARTICLE	IF	CITATIONS
55	Rare earth elements in river waters. <i>Earth and Planetary Science Letters</i> , 1988, 89, 35-47.	1.8	572
56	A Nd isotopic study of the Hamersley and Michipicoten banded iron formations: the source of REE and Fe in Archean oceans. <i>Earth and Planetary Science Letters</i> , 1988, 87, 29-44.	1.8	171
57	The origin of $^{10}\text{Be}$ in island-arc volcanic rocks. <i>Earth and Planetary Science Letters</i> , 1988, 89, 288-298.	1.8	30
58	Isotopic constraints on crustal growth and recycling. <i>Earth and Planetary Science Letters</i> , 1988, 90, 315-329.	1.8	140
59	Nd isotopic variations of Phanerozoic paleoceans. <i>Earth and Planetary Science Letters</i> , 1988, 90, 395-410.	1.8	83
60	Melting and continent generation. <i>Earth and Planetary Science Letters</i> , 1988, 90, 449-456.	1.8	61
61	Beryllium systematics in young volcanic rocks: Implications for $^{10}\text{Be}$ . <i>Geochimica Et Cosmochimica Acta</i> , 1988, 52, 237-244.	1.6	90
62	Progressive mixing of isotopic reservoirs during magma genesis at the Sierrita porphyry copper deposit, Arizona: Inverse solutions. <i>Geochimica Et Cosmochimica Acta</i> , 1988, 52, 2235-2249.	1.6	30
63	Sources of osmium isotopes in manganese nodules. <i>Geochimica Et Cosmochimica Acta</i> , 1988, 52, 1197-1202.	1.6	55
64	Nd and Sr isotope systematics of clastic metasediments from Isua, West Greenland: Identification of pre- $3.8$ Ga Differentiated Crustal Components. <i>Journal of Geophysical Research</i> , 1988, 93, 338-354.	3.3	110
65	Comparison of Isotopic and Petrographic Provenance Indicators in Sediments from Tertiary Continental Basins of New Mexico. <i>Journal of Sedimentary Research</i> , 1988, Vol. 58, .	0.8	24
66	Source terranes for Proterozoic sedimentary rocks in southern British Columbia: Nd isotopic and petrographic evidence. <i>Canadian Journal of Earth Sciences</i> , 1988, 25, 824-832.	0.6	19
67	Is average continental crust generated at subduction zones?. <i>Geology</i> , 1988, 16, 314.	2.0	100
68	A Major Change in the Thermal State of the Earth at the Archean-Proterozoic Boundary: Consequences for the Nature and Preservation of Continental Lithosphere. <i>Journal of Petrology</i> , 1988, Special_Volume, 39-52.	1.1	70
69	A cryptic Caledonian flysch terrane in Scotland. <i>Journal of the Geological Society</i> , 1988, 145, 685-703.	0.9	47
70	Chapter 2. RADIOGENIC ISOTOPE GEOCHEMISTRY OF RARE EARTH ELEMENTS. , 1989, , 25-44.		4
71	Chapter 7. RARE EARTH ELEMENTS IN SEDIMENTARY ROCKS: INFLUENCE OF PROVENANCE AND SEDIMENTARY PROCESSES. , 1989, , 169-200.		1,040
72	U-Pb zircon, Rb-Sr and Sm-Nd geochronology of high- to very-high-pressure meta-acidic rocks from the western Alps. <i>Contributions To Mineralogy and Petrology</i> , 1989, 101, 280-289.	1.2	72

#	ARTICLE	IF	CITATIONS
73	The age and origin of younger granitic plutons of the Shaw Batholith in the Archaean Pilbara Block, Western Australia. <i>Contributions To Mineralogy and Petrology</i> , 1989, 101, 361-376.	1.2	90
74	Neodymium and strontium isotopic characteristics of New Zealand granitoids and related rocks. <i>Contributions To Mineralogy and Petrology</i> , 1989, 103, 131-142.	1.2	50
75	Effects of sedimentary sorting on neodymium isotopes in deep-sea turbidites. <i>Nature</i> , 1989, 337, 547-549.	13.7	83
76	Evidence from neodymium isotopes for mantle contributions to Phanerozoic crustal genesis in the Canadian Cordillera. <i>Nature</i> , 1989, 337, 705-709.	13.7	162
77	The Origin of Earth Heat. , 1989, , 17-63.		0
78	Sm-Nd evidence for diachronous crustal accretion in the Lewisian complex of northwest Scotland. <i>Tectonophysics</i> , 1989, 161, 245-256.	0.9	61
79	Crustal reworking in southern Africa: constraints from Sr-Nd isotope studies in Archaean to Pan-African terrains. <i>Tectonophysics</i> , 1989, 161, 257-270.	0.9	19
80	Sm/Nd constraints on the growth rate of continental crust. <i>Tectonophysics</i> , 1989, 161, 299-305.	0.9	10
81	SmNd age of the Fiskefjell Anorthosite Complex, West Greenland. <i>Earth and Planetary Science Letters</i> , 1989, 91, 261-270.	1.8	31
82	The geochemistry of marine sediments, island arc magma genesis, and crust-mantle recycling. <i>Earth and Planetary Science Letters</i> , 1989, 94, 1-21.	1.8	697
83	NdSr isotopic study of Proterozoic to Triassic sediments from southeastern British Columbia. <i>Earth and Planetary Science Letters</i> , 1989, 94, 29-44.	1.8	31
84	Chemical structure and history of the Earth: evidence from global non-linear inversion of isotopic data in a three- $\alpha$ -model. <i>Earth and Planetary Science Letters</i> , 1989, 96, 61-88.	1.8	96
85	REE, SmNd and UPb zircon study of eclogites from the Alpine External Massifs (Western Alps): evidence for crustal contamination. <i>Earth and Planetary Science Letters</i> , 1989, 96, 181-198.	1.8	122
86	Limits on chemical and convective isolation in the Earth's interior. <i>Chemical Geology</i> , 1989, 75, 257-290.	1.4	101
87	Nd isotopic composition of Jurassic Tethys seawater and the genesis of Alpine Mn-deposits: Evidence from Sr-Nd isotope data. <i>Geochimica Et Cosmochimica Acta</i> , 1989, 53, 1095-1099.	1.6	32
88	Samarium-neodymium isotope stratigraphy of the Lunde and Statfjord Formations of Snorre Oil Field, northern North Sea. <i>Journal of the Geological Society</i> , 1989, 146, 217-228.	0.9	42
89	Nd and Sr Isotopic Characterization of the Wrangellia Terrane and Implications for Crustal Growth of the Canadian Cordillera. <i>Journal of Geology</i> , 1990, 98, 749-762.	0.7	62
90	Provenance of the pre-Devonian sediments of England and Wales: Sm-Nd isotopic evidence. <i>Journal of the Geological Society</i> , 1990, 147, 591-594.	0.9	81

#	ARTICLE	IF	CITATIONS
91	Isotopic and trace element studies for Cenozoic volcanic rocks from western China: implication for a crust-like enriched component in the mantle.. <i>Geochemical Journal</i> , 1990, 24, 327-342.	0.5	16
92	The evolution of strontium isotopes in the upper continental crust. <i>Nature</i> , 1990, 344, 850-853.	13.7	17
93	Magmatic evolution of the Karmøy Ophiolite Complex, SW Norway: relationships between MORB-IAT-boninitic-calc-alkaline and alkaline magmatism. <i>Contributions To Mineralogy and Petrology</i> , 1990, 104, 277-293.	1.2	55
94	Nd isotopes as tracers in water column particles: the western Mediterranean Sea. <i>Marine Chemistry</i> , 1990, 30, 389-407.	0.9	22
95	Geological constraints on the origin of the mantle root beneath the Canadian shield. <i>Philosophical Transactions of the Royal Society A</i> , 1990, 331, 523-532.	1.3	50
97	Evolution of the Lower Crust in the Ivrea Zone: A Model Based on Isotopic and Geochemical Data. , 1990, , 87-110.		15
98	Formation and tectonic evolution of Southeastern China and Taiwan: Isotopic and geochemical constraints. <i>Tectonophysics</i> , 1990, 183, 145-160.	0.9	380
99	Geochemical and Nd–Sr isotopic composition of deep-sea turbidites: Crustal evolution and plate tectonic associations. <i>Geochimica Et Cosmochimica Acta</i> , 1990, 54, 2015-2050.	1.6	936
100	The development of continental crust through geological time: the South African case. <i>Earth and Planetary Science Letters</i> , 1990, 98, 74-89.	1.8	54
101	Nd, Sr-isotopic provenance and trace element geochemistry of Amazonian foreland basin fluvial sands, Bolivia and Peru: implications for ensialic Andean orogeny. <i>Earth and Planetary Science Letters</i> , 1990, 100, 1-17.	1.8	86
102	Sm–Nd isotopic geochemistry of sediments from Taiwan and implications for the tectonic evolution of southeast China. <i>Chemical Geology</i> , 1990, 88, 317-332.	1.4	71
103	Isotopic chemistry and sedimentology of the Bengal fan sediments: The denudation of the Himalaya. <i>Chemical Geology</i> , 1990, 84, 368-370.	1.4	9
104	Pb isotope data from late Proterozoic subduction-related rocks: Implications for crust-mantle evolution. <i>Chemical Geology</i> , 1990, 83, 165-181.	1.4	21
105	Crustal evolution of the Hercynian belt of Western Europe: Evidence from lower-crustal granulitic xenoliths (French Massif Central). <i>Chemical Geology</i> , 1990, 83, 209-231.	1.4	124
106	Intracrustal recycling and upper-crustal evolution: A case study from the Pan-African Damara mobile belt, central Namibia. <i>Chemical Geology</i> , 1990, 83, 263-280.	1.4	49
107	A neodymium isotope study of plutons near the Grenville Front in Ontario, Canada. <i>Chemical Geology</i> , 1990, 83, 315-324.	1.4	44
108	Secular variation in the isotopic composition of Nd in Tethys seawater. <i>Geochimica Et Cosmochimica Acta</i> , 1990, 54, 3139-3145.	1.6	33
109	Re–Os isotopic constraints on the formation of mantle and crustal reservoirs. <i>Australian Journal of Earth Sciences</i> , 1991, 38, 569-576.	0.4	18

#	ARTICLE	IF	CITATIONS
110	Nd isotopic evidence for crustal recycling in the ca. 2.0 Ga subsurface of western Canada. <i>Canadian Journal of Earth Sciences</i> , 1991, 28, 1140-1147.	0.6	40
111	Uâ€Pb ages and Smâ€Nd signature of two subsurface granites from the Fort Simpson magnetic high, northwest Canada. <i>Canadian Journal of Earth Sciences</i> , 1991, 28, 1003-1008.	0.6	57
112	A neodymium isotopic study of crude oils and source rocks: potential applications for petroleum exploration. <i>Chemical Geology</i> , 1991, 91, 125-138.	1.4	24
113	Nd isotopic characterization of metamorphic rocks in the Coast Mountains, Alaskan and Canadian Cordillera: Ancient crust bounded by juvenile terranes. <i>Tectonics</i> , 1991, 10, 770-780.	1.3	62
114	Geochemistry of eolian dust in Pacific pelagic sediments: Implications for paleoclimatic interpretations. <i>Geochimica Et Cosmochimica Acta</i> , 1991, 55, 2147-2158.	1.6	91
115	Early mantle differentiation and its thermal consequences. <i>Geochimica Et Cosmochimica Acta</i> , 1991, 55, 227-239.	1.6	141
116	La-Ce and Sm-Nd systematics of siliceous sedimentary rocks: A clue to marine environment in their deposition. <i>Geology</i> , 1991, 19, 369.	2.0	20
117	Chronology of the high-pressure metamorphism of Norwegian garnet peridotites/pyroxenites. <i>Journal of Metamorphic Geology</i> , 1991, 9, 125-139.	1.6	78
118	Chronology and mechanism of depletion in Lewisian granulites. <i>Contributions To Mineralogy and Petrology</i> , 1991, 106, 142-153.	1.2	62
119	Hf isotope systematics in granitoids from the central and southern Alps. <i>Contributions To Mineralogy and Petrology</i> , 1991, 107, 273-278.	1.2	26
120	Crustâ€mantle interaction in western Turkey: implications from Sr and Nd isotope geochemistry of Tertiary and Quaternary volcanics. <i>Geological Magazine</i> , 1991, 128, 417-435.	0.9	158
121	Potassic Mafic Lavas of the Bearpaw Mountains, Montana: Mineralogy, Chemistry, and Origin. <i>Journal of Petrology</i> , 1992, 33, 305-346.	1.1	61
122	Smâ€Nd and geochemical characteristics of metasedimentary rocks at Mt Narryer, Western Australia. <i>Australian Journal of Earth Sciences</i> , 1992, 39, 67-78.	0.4	5
123	Nd Isotopic Evolution of the Taltson Magmatic Zone, Northwest Territories, Canada: Insights into Early Proterozoic Accretion along the Western Margin of the Churchill Province. <i>Journal of Geology</i> , 1992, 100, 465-475.	0.7	48
124	Chapter 13 Isotopic Studies of Proterozoic Crustal Growth and Evolution. <i>Neoproterozoic-Cambrian Tectonics, Global Change and Evolution: A Focus on South Western Gondwana</i> , 1992, 10, 481-508.	0.2	17
125	Sm-Nd isotopes in fine-grained clastic sedimentary materials: Clues to sedimentary processes and recycling growth of the continental crust. , 1992, , 287-319.		6
126	Isotopic compositions of dissolved strontium and neodymium in continental surface and shallow subsurface waters. , 1992, , 467-495.		1
127	Isotope and rare earth element evidence for a late archaean terrane boundary in the southeastern pilbara craton, western australia. <i>Precambrian Research</i> , 1992, 54, 211-229.	1.2	25



#	ARTICLE	IF	CITATIONS
128	Pre-Elsonian mafic magmatism in the Nain Igneous Complex, Labrador: the bridges layered intrusion. <i>Precambrian Research</i> , 1992, 56, 73-87.	1.2	12
129	Sm-Nd and U-Pb zircon isotopic constraints on the provenance of sediments from the Amadeus Basin, central Australia: Evidence for REE fractionation. <i>Geochimica Et Cosmochimica Acta</i> , 1992, 56, 921-940.	1.6	107
130	Early Proterozoic crustal evolution in the birimian of Ghana: constraints from geochronology and isotope geochemistry. <i>Precambrian Research</i> , 1992, 56, 97-111.	1.2	212
131	Chemical composition of the continental crust in the Qinling Orogenic Belt and its adjacent North China and Yangtze cratons. <i>Geochimica Et Cosmochimica Acta</i> , 1992, 56, 3933-3950.	1.6	60
132	Samarium/neodymium elemental and isotopic systematics in sedimentary rocks. <i>Geochimica Et Cosmochimica Acta</i> , 1992, 56, 887-898.	1.6	142
133	A Sm-Nd isochron on pelites 1 Ga in excess of their depositional age and its possible significance. <i>Geochimica Et Cosmochimica Acta</i> , 1992, 56, 789-795.	1.6	24
134	Genesis of the southern Abitibi greenstone belt, Superior Province, Canada: Evidence from zircon Hf isotope analyses using a single filament technique. <i>Geochimica Et Cosmochimica Acta</i> , 1992, 56, 2081-2097.	1.6	191
135	Crustal growth in West Africa at 2.1 Ga. <i>Journal of Geophysical Research</i> , 1992, 97, 345-369.	3.3	436
136	Origins of peri-Saharan dust deposits traced by their Nd and Sr isotopic composition. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 1992, 93, 203-212.	1.0	105
137	Secular boron isotope variations in the continental crust: an ion microprobe study. <i>Earth and Planetary Science Letters</i> , 1992, 108, 229-241.	1.8	174
138	Antarctic (Dome C) ice-core dust at 18 k.y. B.P.: Isotopic constraints on origins. <i>Earth and Planetary Science Letters</i> , 1992, 111, 175-182.	1.8	245
139	The CeNdSr isotope systematics of seawater: Comment on $\epsilon_{\text{Ce}}$ isotopic compositions of Ce, Nd and Sr in ferromanganese nodules from the Pacific and Atlantic Oceans, the Baltic and Barents Seas, and Gulf of Bothnia by H. Amakawa, J. Ingri, A. Masuda and H. Shimizu. <i>Earth and Planetary Science Letters</i> , 1992, 111, 557-561.	1.8	8
140	Sm-Nd isotopic dating of Proterozoic clay material: An example from the Francevillian sedimentary series, Gabon. <i>Earth and Planetary Science Letters</i> , 1992, 113, 207-218.	1.8	109
141	U-Pb zircon and $\text{Sm-Nd}$ geochronology of mafic and ultramafic rocks from the central part of the Tauern Window (eastern Alps). <i>Contributions To Mineralogy and Petrology</i> , 1992, 110, 57-67.	1.2	63
142	Neodymium isotopic evidence for the tectonic assembly of Late Archean crust in the Slave Province, northwest Canada. <i>Contributions To Mineralogy and Petrology</i> , 1992, 111, 493-504.	1.2	92
143	Nd isotopes in Indian Ocean sediments used as a tracer of supply to the ocean and circulation paths. <i>Marine Geology</i> , 1992, 103, 349-359.	0.9	43
144	Sm-Nd and zircon U-Pb isotopic constraints on the age of formation of the precambrian crust in Southeast China. <i>Diqiu Huaxue</i> , 1992, 11, 111-120.	0.5	19
145	Nd isotopic composition and material source of pre- and post-Sinian sedimentary rocks in Xiushui area, Jiangxi Province. <i>Geochemistry</i> , 1992, 11, 80-87.	0.1	9

#	ARTICLE	IF	CITATIONS
146	Conventional and ion-microprobe U-Pb dating of detrital zircons of the Tentudí Group (Serie Negra), Tj ETQq0 0 0 rgBT /Overlock 10 boundary. Contributions To Mineralogy and Petrology, 1993, 113, 289-299.	1.2	55
147	Provenance of dust in the Pacific Ocean. Earth and Planetary Science Letters, 1993, 119, 143-157.	1.8	246
148	Concentration and isotopic composition of Nd in the South Atlantic Ocean. Earth and Planetary Science Letters, 1993, 117, 581-591.	1.8	204
149	Nd and Sr isotopes from diamondiferous eclogites, Udachnaya Kimberlite Pipe, Yakutia, Siberia: Evidence of differentiation in the early Earth?. Earth and Planetary Science Letters, 1993, 118, 91-100.	1.8	51
150	The Pb isotopic evolution of the Earth: inferences from river water suspended loads. Earth and Planetary Science Letters, 1993, 115, 245-256.	1.8	117
151	Origin of the 3500-3300 Ma calc-alkaline rocks in the Pilbara Archaean: isotopic and geochemical constraints from the Shaw Batholith. Precambrian Research, 1993, 60, 117-149.	1.2	89
152	Evolution of the Himalaya since Miocene time: isotopic and sedimentological evidence from the Bengal Fan. Geological Society Special Publication, 1993, 74, 603-621.	0.8	158
153	Sm <sup>147</sup> -Nd geochronology of Sveconorwegian granulite facies mineral assemblages in the Bamble Shear Belt, South Norway. Precambrian Research, 1993, 64, 389-402.	1.2	57
154	Sm <sup>147</sup> -Nd, U <sup>238</sup> -Pb, and Rb <sup>87</sup> -Sr geochronology and lithostructural relationships in the southwestern Rae province: constraints on crustal assembly in the western Canadian shield. Precambrian Research, 1993, 61, 27-50.	1.2	41
155	Palaeoproterozoic basement province in the Caledonian fold belt of North-East Greenland. Precambrian Research, 1993, 63, 163-178.	1.2	99
156	Rare Earth element composition of precipitation, precipitation particles, and aerosols. Journal of Geophysical Research, 1993, 98, 20587-20599.	3.3	58
157	The osmium isotopic composition of the continental crust. Geochimica Et Cosmochimica Acta, 1993, 57, 3093-3104.	1.6	330
158	Unravelling dates through the ages: geochronology of the Scottish metamorphic complexes. Journal of the Geological Society, 1993, 150, 447-464.	0.9	21
159	Nd isotopic evidence for the antiquity of the Wyoming province. Geology, 1993, 21, 351.	2.0	55
160	Nd- and Sr-Isotope Evidence for Proterozoic and Paleozoic Crustal Evolution in the Brooks Range, Northern Alaska. Journal of Geology, 1993, 101, 435-450.	0.7	18
161	Sm-Nd dating of Fig Tree clay minerals of the Barberton greenstone belt, South Africa. Geology, 1994, 22, 199.	2.0	29
162	Geochemical characterization and origin of granitoids from the South Bohemian Batholith in Lower Austria. Contributions To Mineralogy and Petrology, 1994, 118, 13-32.	1.2	40
163	Particulate and dissolved Nd in the western Mediterranean Sea: Sources, fate and budget. Marine Chemistry, 1994, 45, 283-305.	0.9	67

#	ARTICLE	IF	CITATIONS
164	Archaean crustal development in the Lewisian complex of northwest Scotland. <i>Nature</i> , 1994, 370, 552-555.	13.7	26
165	Mantle plumes and episodic crustal growth. <i>Nature</i> , 1994, 372, 63-68.	13.7	456
166	Neodymium and strontium isotopic dating of diagenesis and low-grade metamorphism of argillaceous sediments. <i>Geochimica Et Cosmochimica Acta</i> , 1994, 58, 1471-1481.	1.6	73
167	The paleoclimatic record provided by eolian deposition in the deep sea: The geologic history of wind. <i>Reviews of Geophysics</i> , 1994, 32, 159.	9.0	774
168	Crustal history of the Rae and Hearne provinces, southwestern Canadian Shield, Saskatchewan: constraints from geochronologic and isotopic data. <i>Precambrian Research</i> , 1994, 68, 1-21.	1.2	61
169	Isotope geochemistry of Quaternary deposits from the arid lands in northern China. <i>Earth and Planetary Science Letters</i> , 1994, 127, 25-38.	1.8	144
170	Neodymium isotopic variations in North Pacific modern silicate sediment and the insignificance of detrital REE contributions to seawater. <i>Earth and Planetary Science Letters</i> , 1994, 127, 55-66.	1.8	161
171	Lead isotopic compositions of Neogene volcanic rocks from the Aegean extensional area. <i>Chemical Geology</i> , 1994, 118, 27-41.	1.4	25
172	Composition and Sm-Nd isotopic data of the lower crust beneath San Luis Potosí, central Mexico: Evidence from a granulite-facies xenolith suite. <i>Chemical Geology</i> , 1994, 118, 63-84.	1.4	75
173	Structural relationships and Sr <sup>87</sup> -Nd isotope systematics of polymetamorphic granitic gneisses and granitic rocks from central Rajasthan, India: implications for the evolution of the Aravalli craton. <i>Precambrian Research</i> , 1994, 65, 319-339.	1.2	91
174	Gneiss-greenstone relationships in the Ancient Gneiss Complex of southwestern Swaziland, southern Africa, and implications for early crustal evolution. <i>Precambrian Research</i> , 1994, 67, 109-139.	1.2	80
175	U-Pb, Single Zircon Pb-Evaporation, and Sm-Nd Isotopic Study of a Granulite Domain in SE Madagascar. <i>Journal of Geology</i> , 1994, 102, 523-538.	0.7	212
177	Genesis of high Mg# andesites and the continental crust. <i>Contributions To Mineralogy and Petrology</i> , 1995, 120, 1-19.	1.2	607
178	Unravelling dates through the ages: geochronology of the Scottish metamorphic complexes. <i>Geological Society Memoir</i> , 1995, 16, 37-54.	0.9	1
179	The application of samarium-neodymium (Sm-Nd) Provenance Ages to correlation of biostratigraphically barren strata: a case study of the Staffjord Formation in the Gullfaks Oilfield, Norwegian North Sea. <i>Geological Society Special Publication</i> , 1995, 89, 201-222.	0.8	10
180	Mylonitic mafic granulite in fault megabreccia at Clarke Head, Nova Scotia: a sample of Avalonian lower crust?. <i>Geological Magazine</i> , 1995, 132, 81-90.	0.9	10
181	A comparison of the geochronology and geochemistry of plagioclase-dominated granitoids across a major terrane boundary in the SW Baltic Shield. <i>Precambrian Research</i> , 1995, 74, 57-72.	1.2	28
182	Evolution of the Western European continental crust: implications from Nd and Pb isotopes in Iberian sediments. <i>Chemical Geology</i> , 1995, 121, 345-357.	1.4	53

#	ARTICLE	IF	CITATIONS
183	The Gabal Gerf complex: A precambrian N-MORB ophiolite in the Nubian Shield, NE Africa. <i>Chemical Geology</i> , 1995, 123, 29-51.	1.4	238
184	Taiwan as a witness of repeated mantle inputs – Sr–Nd–O isotopic geochemistry of Taiwan granitoids and metapelites. <i>Chemical Geology</i> , 1995, 124, 287-303.	1.4	32
185	Geochemical and NdSrPb isotopic composition of Alleghanian granites of the southern Appalachians: Origin, tectonic setting, and source characterization. <i>Earth and Planetary Science Letters</i> , 1995, 134, 359-376.	1.8	40
186	Exchange of neodymium and its isotopes between seawater and small and large particles in the Sargasso Sea. <i>Geochimica Et Cosmochimica Acta</i> , 1995, 59, 535-547.	1.6	161
187	Geochemical and isotopic study of a norite-eclogite transition in the European Variscan belt: Implications for U–Pb zircon systematics in metabasic rocks. <i>Geochimica Et Cosmochimica Acta</i> , 1995, 59, 1611-1622.	1.6	69
188	Evolution of the Kaapvaal Craton as viewed from geochemical and Sm–Nd isotopic analyses of intracratonic pelites. <i>Geochimica Et Cosmochimica Acta</i> , 1995, 59, 2239-2258.	1.6	321
189	Strontium, neodymium, and lead isotopic and trace-element signatures of the East Indonesian sediments: provenance and implications for banda arc magma genesis. <i>Geochimica Et Cosmochimica Acta</i> , 1995, 59, 2573-2598.	1.6	118
190	Reply to the comment by C. A. Goodrich, G. W. Lugmair, M. J. Drake, and P. J. Patchett on “U–Th–Pb and Sm–Nd isotopic systematics of the Goalpara ureilite: Resolution of terrestrial contamination”. <i>Geochimica Et Cosmochimica Acta</i> , 1995, 59, 4087-4091.	1.6	12
191	Measurement Methods to Determine Compliance with Ambient Air Quality Standards for Suspended Particles. <i>Journal of the Air and Waste Management Association</i> , 1995, 45, 320-382.	0.9	571
192	Nd isotopic evidence for the position of southernmost Indian terranes within East Gondwana. <i>Precambrian Research</i> , 1995, 70, 269-280.	1.2	57
193	3.5 Ga old terranes in the West African Craton, Mauritania. <i>Journal of the Geological Society</i> , 1996, 153, 507-510.	0.9	90
194	Secular variation in the Nd isotopic composition of Neoproterozoic sediments from the southern margin of the Yangtze Block: evidence for a Proterozoic continental collision in southeast China. <i>Precambrian Research</i> , 1996, 76, 67-76.	1.2	203
195	The oldest part of the Barberton granitoid-greenstone terrain, South Africa: evidence for crust formation between 3.5 and 3.7 Ga. <i>Precambrian Research</i> , 1996, 78, 105-124.	1.2	194
196	The southern limit of Archean crust and significance of rocks with Paleoproterozoic model ages: Nd model age mapping in the Grenville Province of western Quebec. <i>Precambrian Research</i> , 1996, 77, 231-241.	1.2	21
197	Geochemical evidence for the Proterozoic tectonic evolution of the Qinling Orogenic Belt and its adjacent margins of the North China and Yangtze cratons. <i>Precambrian Research</i> , 1996, 80, 23-48.	1.2	93
198	Sr–Nd–Pb isotope systematics in Amazon and Congo River systems: constraints about erosion processes. <i>Chemical Geology</i> , 1996, 131, 93-112.	1.4	185
199	Major and trace elements of river-borne material: The Congo Basin. <i>Geochimica Et Cosmochimica Acta</i> , 1996, 60, 1301-1321.	1.6	335
200	Re–Os, Sm–Nd, and rare earth element evidence for Proterozoic oceanic and possible subcontinental lithosphere in tectonized ultramafic lenses from the Swiss Alps. <i>Geochimica Et Cosmochimica Acta</i> , 1996, 60, 2583-2593.	1.6	28

#	ARTICLE	IF	CITATIONS
201	Sr and Nd isotopes as tracers of North Atlantic lithic particles: Paleoclimatic implications. <i>Paleoceanography</i> , 1996, 11, 95-113.	3.0	135
202	Geochemical characterization of the Luochuan loess-paleosol sequence, China, and paleoclimatic implications. <i>Chemical Geology</i> , 1996, 133, 67-88.	1.4	508
203	Geochemistry of garnet peridotite massifs from lower Austria and the composition of deep lithosphere beneath a Palaeozoic convergent plate margin. <i>Chemical Geology</i> , 1996, 134, 49-65.	1.4	50
204	The Neoproterozoic Pan-African basement from the Alpine Lower Danubian nappe system (South) Tj ETQq1 1 0.784314 rgBT /Overlo	1.2	60
205	Grain-size and Sr <sup>87</sup> -Nd isotopes as tracer of paleo-bottom current strength, Northeast Atlantic Ocean. <i>Marine Geology</i> , 1996, 131, 233-249.	0.9	83
206	Holocene Saharan dust deposition on the Cape Verde Islands: sedimentological and Nd-Sr isotopic evidence. <i>Sedimentology</i> , 1996, 43, 359-366.	1.6	59
207	Sm <sup>147</sup> -Nd isotopic age of Precambrian-Cambrian boundary in China. <i>Geological Magazine</i> , 1996, 133, 53-61.	0.9	15
208	Chapter 158 Marine chemistry and geochemistry of the lanthanides. <i>Fundamental Theories of Physics</i> , 1996, 23, 497-593.	0.1	246
209	Tonalite-trondhjemite-granodiorite magmatism and the genesis of Lewisian crust during the Archaean. <i>Geological Society Special Publication</i> , 1996, 112, 25-42.	0.8	23
210	Petrology and Geochronology of Eclogites from the Lanterman Range, Antarctica. <i>Journal of Petrology</i> , 1997, 38, 1391-1417.	1.1	69
211	The Pliocene volcanic rocks of Crommyonia, western Greece and their implications for the early evolution of the South Aegean arc. <i>Geological Magazine</i> , 1997, 134, 55-66.	0.9	32
212	Asian provenance of glacial dust (stage 2) in the Greenland Ice Sheet Project 2 Ice Core, Summit, Greenland. <i>Journal of Geophysical Research</i> , 1997, 102, 26765-26781.	3.3	523
213	Distribution of rare earth elements and neodymium isotopes in settling particulate material of the tropical Atlantic Ocean (EUMELI site). <i>Deep-Sea Research Part I: Oceanographic Research Papers</i> , 1997, 44, 1769-1792.	0.6	71
214	The neodymium isotopic composition of manganese nodules from the Southern and Indian oceans, the global oceanic neodymium budget, and their bearing on deep ocean circulation. <i>Geochimica Et Cosmochimica Acta</i> , 1997, 61, 1277-1291.	1.6	104
215	Strontium, neodymium, and lead isotope variations of authigenic and silicate sediment components from the Late Cenozoic Arctic Ocean: Implications for sediment provenance and the source of trace metals in seawater. <i>Geochimica Et Cosmochimica Acta</i> , 1997, 61, 4181-4200.	1.6	100
216	Secular changes of lead and neodymium in central Pacific seawater recorded by a Fe <sup>57</sup> -Mn crust. <i>Geochimica Et Cosmochimica Acta</i> , 1997, 61, 3957-3974.	1.6	103
217	Isotopic and geochemical evidence for crust-mantle interaction during late Archaean crustal growth. <i>Geochimica Et Cosmochimica Acta</i> , 1997, 61, 4809-4829.	1.6	61
218	Strontium and neodymium isotope ratios in the Fraser River, British Columbia: a riverine transect across the Cordilleran orogen. <i>Chemical Geology</i> , 1997, 137, 243-253.	1.4	20

#	ARTICLE	IF	CITATIONS
219	The history of a continent from U <sup>235</sup> -Pb ages of zircons from Orinoco River sand and Sm <sup>147</sup> -Nd isotopes in Orinoco basin river sediments. <i>Chemical Geology</i> , 1997, 139, 271-286.	1.4	90
220	The mafic-ultramafic complex near Finero (Ivrea-Verbano Zone), II. Geochronology and isotope geochemistry. <i>Chemical Geology</i> , 1997, 140, 223-235.	1.4	57
221	<sup>147</sup> Sm- <sup>143</sup> Nd and <sup>40</sup> K- <sup>39</sup> Ar volcanic sequences in the Isua (Greenland) supracrustal belt; structural and Nd isotope implications. <i>Chemical Geology</i> , 1997, 141, 271-287.	1.4	186
222	Nd and Sr isotope geochemistry of plutonic rocks from Hong Kong: implications for granite petrogenesis, regional structure and crustal evolution. <i>Chemical Geology</i> , 1997, 143, 81-93.	1.4	58
223	ReOs isotopes in orogenic peridotite massifs in the Eastern Alps, Austria. <i>Chemical Geology</i> , 1997, 143, 217-229.	1.4	37
224	Evolution of Nd and Pb isotopes in Central Pacific seawater from ferromanganese crusts. <i>Earth and Planetary Science Letters</i> , 1997, 146, 1-12.	1.8	348
225	Sm <sup>147</sup> -Nd signature of modern and late Quaternary sediments from the northwest North Atlantic: Implications for deep current changes since the Last Glacial Maximum. <i>Earth and Planetary Science Letters</i> , 1997, 146, 607-625.	1.8	51
226	The erosion of the Alps: Nd isotopic and geochemical constraints on the sources of the peri-Alpine molasse sediments. <i>Earth and Planetary Science Letters</i> , 1997, 146, 627-644.	1.8	25
227	Trace element transport during dehydration processes in the subducted oceanic crust: 1. Experiments and implications for the origin of ocean island basalts. <i>Earth and Planetary Science Letters</i> , 1997, 148, 193-205.	1.8	509
228	The chemical variation of moldavite tektites: Simple mixing of terrestrial sediments. <i>Meteoritics and Planetary Science</i> , 1997, 32, 493-502.	0.7	29
229	The Chengwatana Volcanics, Wisconsin and Minnesota: petrogenesis of the southernmost volcanic rocks exposed in the Midcontinent rift. <i>Canadian Journal of Earth Sciences</i> , 1997, 34, 536-548.	0.6	22
230	Significance of high-grade metasediments from the Neoproterozoic basement of Eritrea. <i>Precambrian Research</i> , 1997, 86, 45-58.	1.2	22
231	U <sup>238</sup> -Pb zircon and Sr <sup>87</sup> -Nd <sup>143</sup> -Pb whole-rock investigations from the continental deep drilling (KTB). <i>Geologische Rundschau: Zeitschrift Fur Allgemeine Geologie</i> , 1997, 86, S258-S271.	1.3	25
232	Isotope geochemistry of river water. , 1997, , 33-45.		0
233	Sr-Nd isotopes as tracers of fine-grained detrital sediments: the South-Barbados accretionary prism during the last 150 kyr. <i>Marine Geology</i> , 1997, 136, 225-243.	0.9	26
234	The alkaline- <sup>per</sup> alkaline granitic post-collisional Tin Zebane dyke swarm (Pan-African Tuareg shield,) Tj ETQq1 1 0,784314 rgBT /Overl 0,6 46		
235	Geochemical characteristics of Yamada <sup>±</sup> volcanics in central east Anatolia: an example from collision-zone volcanism. <i>Journal of Volcanology and Geothermal Research</i> , 1998, 85, 303-326.	0.8	26
236	<sup>87</sup> Sr/ <sup>86</sup> Sr measurements on marine sediments by inductively coupled plasma-mass spectrometry. <i>Fresenius' Journal of Analytical Chemistry</i> , 1998, 360, 230-234.	1.5	17



#	ARTICLE	IF	CITATIONS
237	Multimethod (K-Ar, Rb-Sr, Sm-Nd) dating of bentonite minerals from the eastern United States. <i>Basin Research</i> , 1998, 10, 261-270.	1.3	10
238	The Sholl Shear Zone, West Pilbara: evidence for a domain boundary structure from integrated tectonostratigraphic analyses, SHRIMP U <sup>-137</sup> -Pb dating and isotopic and geochemical data of granitoids. <i>Precambrian Research</i> , 1998, 88, 143-171.	1.2	175
239	Evidence for extensive Proterozoic remobilization of the Aldan shield and implications for Proterozoic plate tectonic reconstructions of Siberia and Laurentia. <i>Precambrian Research</i> , 1998, 89, 1-23.	1.2	103
240	Nd isotopic evolution of the upper mantle during the Precambrian: models, data and the uncertainty of both. <i>Precambrian Research</i> , 1998, 91, 233-252.	1.2	139
241	Sm <sup>-147</sup> -Nd, Rb <sup>-87</sup> -Sr and Pb <sup>-210</sup> -Pb dating of silicic carbonates from the early Archaean Barberton Greenstone Belt, South Africa. <i>Precambrian Research</i> , 1998, 92, 129-144.	1.2	51
242	Concentrations and isotopic compositions of neodymium in the eastern Indian Ocean and Indonesian straits. <i>Geochimica Et Cosmochimica Acta</i> , 1998, 62, 2597-2607.	1.6	123
243	Extreme Nd isotope heterogeneity in the early Archaean <sup>-422</sup> fact or fiction? Case histories from northern Canada and West Greenland <sup>-422</sup> Comment. <i>Chemical Geology</i> , 1998, 148, 213-217.	1.4	18
244	Loess geochemistry and its implications for particle origin and composition of the upper continental crust. <i>Earth and Planetary Science Letters</i> , 1998, 156, 157-172.	1.8	354
245	Crustal Age Domains and the Evolution of the Continental Crust in the Mozambique Belt of Tanzania: Combined Sm-Nd, Rb-Sr, and Pb-Pb Isotopic Evidence. <i>Journal of Petrology</i> , 1998, 39, 749-783.	1.1	122
246	Mineralogy and geochemistry of Bay of Bengal deep-sea fan sediments, ODP Leg 116: evidence for an Indian subcontinent contribution to distal fan sedimentation. <i>Geological Society Special Publication</i> , 1998, 131, 151-176.	0.8	9
247	Medicine Bow orogeny: Timing of deformation and model of crustal structure produced during continent-arc collision, ca. 1.78 Ga, southeastern Wyoming. <i>Rocky Mountain Geology</i> , 1998, 33, 259-277.	0.4	86
248	Crustal Recycling of Metamorphic Basement: Late Palaeozoic Granitoids of Northern Chile (4224S). Implications for the Composition of the Andean Crust. <i>Journal of Petrology</i> , 1999, 40, 1527-1551.	1.1	65
249	Lower-Crustal Xenoliths from the Valle de Santiago Maar Field, Michoacan-Guanajuato Volcanic Field, Central Mexico. <i>International Geology Review</i> , 1999, 41, 1067-1081.	1.1	17
250	Characterization, provenance, and tectonic setting of Fig Tree greywackes from the Archaean Barberton Greenstone Belt, South Africa. <i>Sedimentary Geology</i> , 1999, 124, 113-129.	1.0	61
251	European contribution of ice-rafted sand to Heinrich layers H3 and H4. <i>Marine Geology</i> , 1999, 158, 197-208.	0.9	71
252	Sources of sediment to the Ionian Sea and western Levantine basin of the Eastern Mediterranean during S-1 sapropel times. <i>Marine Geology</i> , 1999, 160, 45-61.	0.9	62
253	Metamorphism, isotopic ages and composition of lower crustal granulite xenoliths from the Cretaceous Salta Rift, Argentina. <i>Contributions To Mineralogy and Petrology</i> , 1999, 134, 325-341.	1.2	60
254	Migmatization by metamorphic segregation at subsolidus conditions: implications for Nd <sup>-147</sup> -Pb isotope exchange. <i>Lithos</i> , 1999, 46, 275-298.	0.6	27

#	ARTICLE	IF	CITATIONS
255	The planet beyond the plume hypothesis. <i>Earth-Science Reviews</i> , 1999, 48, 135-182.	4.0	74
256	Chemical signals of epiphytic lichens in southwestern North America; natural versus man-made sources for airborne particulates. <i>Atmospheric Environment</i> , 1999, 33, 5095-5104.	1.9	35
257	Continental Drainage in North America During the Phanerozoic from Nd Isotopes. <i>Science</i> , 1999, 283, 671-673.	6.0	66
258	Evolution of the Continents and the Atmosphere Inferred from Th-U-Nb Systematics of the Depleted Mantle. <i>Science</i> , 1999, 283, 1519-1522.	6.0	210
260	Major and trace element compositions and Sr-Nd-Pb systematics of crystalline rocks from the Dawson Range, Yukon, Canada. <i>Canadian Journal of Earth Sciences</i> , 1999, 36, 1463-1481.	0.6	17
261	Distribution of rare earth elements and neodymium isotopes in suspended particles of the tropical Atlantic Ocean (EUMELI site). <i>Deep-Sea Research Part I: Oceanographic Research Papers</i> , 1999, 46, 733-755.	0.6	104
262	Permian high pressure rocks—the basement of the Sierra de Limón Verde in Northern Chile. <i>Journal of South American Earth Sciences</i> , 1999, 12, 183-199.	0.6	32
263	Nd–Sr Isotopic composition of present-day sediments from the Gironde Estuary, its draining basins and the WestGironde mud patch (SW France). <i>Continental Shelf Research</i> , 1999, 19, 135-150.	0.9	16
264	Geochemical and U–Pb zircon geochronological constraints on the development of a Late Archean greenstone belt at Birch Lake, Superior Province, Canada. <i>Precambrian Research</i> , 1999, 97, 77-97.	1.2	27
265	The Effect of Hydrothermal Alteration on the Sr and Nd Isotopic Signatures of the Barra do Itapirapuã Carbonatite, Southern Brazil. <i>Journal of Geology</i> , 1999, 107, 177-191.	0.7	12
266	Rare earth elements and Sr and Nd isotopic compositions of dissolved and suspended loads from small river systems in the Vosges mountains (France), the river Rhine and groundwater. <i>Chemical Geology</i> , 1999, 160, 139-158.	1.4	164
267	Picrite evidence for more Fe in Archean mantle reservoirs. <i>Earth and Planetary Science Letters</i> , 1999, 167, 197-213.	1.8	64
268	Relationships between Lu–Hf and Sm–Nd isotopic systems in the global sedimentary system. <i>Earth and Planetary Science Letters</i> , 1999, 168, 79-99.	1.8	936
269	Nd- and Pb-isotope time series from Atlantic ferromanganese crusts: implications for changes in provenance and paleocirculation over the last 8 Myr. <i>Earth and Planetary Science Letters</i> , 1999, 173, 381-396.	1.8	98
270	Evolution of the depleted mantle: Hf isotope evidence from juvenile rocks through time. <i>Geochimica Et Cosmochimica Acta</i> , 1999, 63, 533-556.	1.6	1,263
271	Pb and Nd isotopes in NE Atlantic Fe–Mn crusts: Proxies for trace metal paleosources and paleocean circulation. <i>Geochimica Et Cosmochimica Acta</i> , 1999, 63, 1489-1505.	1.6	164
272	Geochemical and Nd isotopic constraints for the origin of Late Archean turbidites from the Yellowknife area, Northwest Territories, Canada. <i>Geochimica Et Cosmochimica Acta</i> , 1999, 63, 2579-2598.	1.6	29
273	Geochemical and Nd-Pb isotopic systematics of late Archean granitoids, southwestern Slave Province, Canada: constraints for granitoid origin and crustal isotopic structure. <i>Canadian Journal of Earth Sciences</i> , 1999, 36, 1131-1147.	0.6	40



#	ARTICLE	IF	CITATIONS
274	Deep circulation changes in the Labrador Sea since the Last Glacial Maximum: New constraints from Sm-Nd data on sediments. <i>Paleoceanography</i> , 1999, 14, 777-788.	3.0	35
275	$^{1.57}\text{Ga}$ Magmatism in the South Carpathians: Implications for the Pre-Alpine Basement and Evolution of the Mantle under the European Continent. <i>Journal of Geology</i> , 1999, 107, 237-248.	0.7	28
276	$^{1.57}\text{Ga}$ Magmatism in the South Carpathians: Implications for the Pre-Alpine Basement and Evolution of the Mantle under the European Continent: A Discussion. <i>Journal of Geology</i> , 1999, 107, 733-736.	0.7	3
277	Sr and Nd isotope ratios and REE abundances of moraines in the mountain areas surrounding the Taklimakan Desert, NW China.. <i>Geochemical Journal</i> , 2000, 34, 407-427.	0.5	58
278	Pb, Nd, and Sr Isotopes and REE Systematics of Cambrian Sediments from New Zealand: Implications for the Reconstruction of the Early Paleozoic Gondwana Margin along Australia and Antarctica. <i>Journal of Geology</i> , 2000, 108, 663-686.	0.7	25
279	Nd model ages of sedimentary profile from the northwest Yangtze Craton, Guangyuan, Sichuan province, China and their geological implication.. <i>Geochemical Journal</i> , 2000, 34, 263-270.	0.5	17
280	Exhumation of the lower crust during crustal shortening: an Alice Springs (380 Ma) age for a prograde amphibolite facies shear zone in the Strangways Metamorphic Complex (central Australia). <i>Journal of Metamorphic Geology</i> , 2000, 18, 737-747.	1.6	32
281	Neoproterozoic crustal evolution in the Congo Craton: evidence from K rich granitoids of the Ntem Complex, southern Cameroon. <i>Journal of African Earth Sciences</i> , 2000, 30, 133-147.	0.9	104
282	Strontium and neodymium isotopic compositions of detrital sediment of NS90-103 from South China Sea: Variations and their paleoclimate implication. <i>Science in China Series D: Earth Sciences</i> , 2000, 43, 596-604.	0.9	7
283	Sr, Nd, C and O isotopic compositions of carbonatite and peralkaline silicate rocks from the Zhidoy complex, Russia. Evidence for binary mixing, liquid immiscibility and a heterogeneous depleted mantle source region.. <i>Journal of Mineralogical and Petrological Sciences</i> , 2000, 95, 162-172.	0.4	8
284	Subduction Style Magmatism in a Non-subduction Setting: the Colville Igneous Complex, NE Washington State, USA. <i>Journal of Petrology</i> , 2000, 41, 43-67.	1.1	76
285	The Isotope and Trace Element Budget of the Cambrian Devil River Arc System, New Zealand: Identification of Four Source Components. <i>Journal of Petrology</i> , 2000, 41, 759-788.	1.1	84
286	Early Proterozoic Granulites in Central Korea: Tectonic Correlation with Chinese Cratons. <i>Journal of Geology</i> , 2000, 108, 729-738.	0.7	90
287	Petrogenesis of the Cretaceous Cassiar batholith, Yukon-British Columbia, Canada: Implications for magmatism in the North American Cordilleran Interior. <i>Bulletin of the Geological Society of America</i> , 2000, 112, 1119-1133.	1.6	42
288	Discovery of pre-3.5 Ga exotic crust at the northwestern Superior Province margin, Manitoba. <i>Geology</i> , 2000, 28, 75.	2.0	54
289	Nd and Sr isotopic investigation of the Archean-Proterozoic boundary in north eastern Tanzania: constraints on the nature of Neoproterozoic tectonism in the Mozambique Belt. <i>Precambrian Research</i> , 2000, 102, 87-98.	1.2	53
290	Geochemical and Nd-Pb-O isotope systematics of granites from the Taltson Magmatic Zone, NE Alberta: implications for early Proterozoic tectonics in western Laurentia. <i>Precambrian Research</i> , 2000, 102, 221-249.	1.2	53
291	Origin and evolution of mid- to late-Archean crust in the Hanikahimajuk Lake area, Slave Province, Canada; evidence from U-Pb geochronological, geochemical and Nd-Pb isotopic data. <i>Precambrian Research</i> , 2000, 99, 197-224.	1.2	19

#	ARTICLE	IF	CITATIONS
292	Effects of basement composition and age on silicic magmas across an accreted terrane-Precambrian crust boundary, Sierra Madre Occidental, Mexico. <i>Journal of South American Earth Sciences</i> , 2000, 13, 255-273.	0.6	32
293	Proterozoic–Paleozoic development of the basement of the Central Andes (18°–26°S) – a mobile belt of the South American craton. <i>Journal of South American Earth Sciences</i> , 2000, 13, 697-715.	0.6	135
294	Glacial–interglacial variations in the neodymium isotope composition of seawater in the Bay of Bengal recorded by planktonic foraminifera. <i>Earth and Planetary Science Letters</i> , 2000, 176, 425-441.	1.8	133
295	Dust production and deposition in Asia and the north Pacific Ocean over the past 12 Myr. <i>Earth and Planetary Science Letters</i> , 2000, 178, 397-413.	1.8	187
296	Resolving crystallisation ages of Archean mafic–ultramafic rocks using the Re–Os isotope system. <i>Earth and Planetary Science Letters</i> , 2000, 179, 453-467.	1.8	25
297	Integrated Nd isotopic and U–Pb detrital zircon systematics of clastic sedimentary rocks from the Slave Province, Canada: evidence for extensive crustal reworking in the early- to mid-Archean. <i>Earth and Planetary Science Letters</i> , 2000, 174, 283-299.	1.8	23
298	Provenance and transport of terrigenous sediment in the south Atlantic Ocean and their relations to glacial and interglacial cycles: Nd and Sr isotopic evidence. <i>Geochimica Et Cosmochimica Acta</i> , 2000, 64, 3813-3827.	1.6	122
299	Fossil fish teeth as proxies for seawater Sr and Nd isotopes. <i>Geochimica Et Cosmochimica Acta</i> , 2000, 64, 835-847.	1.6	133
300	Eolian inputs of lead to the North Pacific. <i>Geochimica Et Cosmochimica Acta</i> , 2000, 64, 1405-1416.	1.6	130
301	Light rare earth element enrichments in ureilites: A detailed ion microprobe study. <i>Meteoritics and Planetary Science</i> , 2000, 35, 131-144.	0.7	23
302	<sup>92</sup> Nb– <sup>92</sup> Zr and the Early Differentiation History of Planetary Bodies. <i>Science</i> , 2000, 289, 1538-1542.	6.0	63
303	Tracing Crustal Evolution in the Southern Central Andes from Late Precambrian to Permian with Geochemical and Nd and Pb Isotope Data. <i>Journal of Geology</i> , 2000, 108, 515-535.	0.7	97
304	Characterization of late glacial continental dust in the Greenland Ice Core Project ice core. <i>Journal of Geophysical Research</i> , 2000, 105, 4637-4656.	3.3	210
305	Taltson basement gneissic rocks: U–Pb and Nd isotopic constraints on the basement to the Paleoproterozoic Taltson magmatic zone, northeastern Alberta. <i>Canadian Journal of Earth Sciences</i> , 2000, 37, 1575-1596.	0.6	79
306	Osmium Isotopic Evidence for Crust–Mantle Interaction in the Genesis of Continental Intraplate Basalts from the Newer Volcanics Province, Southeastern Australia. <i>Journal of Petrology</i> , 2001, 42, 1197-1218.	1.1	58
307	Archean mafic magmatism in the Kalgoorlie area of the Yilgarn Craton, Western Australia: a geochemical and Nd isotopic study of the petrogenetic and tectonic evolution of a greenstone belt. <i>Precambrian Research</i> , 2001, 108, 75-112.	1.2	84
308	Nd isotopic and geochemical signature of the Paleoproterozoic Trans-Hudson Orogen, southern Baffin Island, Canada: implications for the evolution of eastern Laurentia. <i>Precambrian Research</i> , 2001, 108, 113-138.	1.2	35
309	Evolution of the Continental Crust in the Proterozoic Eastern Ghats Belt, India and new constraints for Rodinia reconstruction: implications from Sm–Nd, Rb–Sr and Pb–Pb isotopes. <i>Precambrian Research</i> , 2001, 112, 183-210.	1.2	240

#	ARTICLE	IF	CITATIONS
310	Isotopic provenance of the lower Muskwa assemblage (Mesoproterozoic, Rocky Mountains, British Columbia). <i>Earth and Planetary Science Letters</i> , 2001, 184, 479-491.	1.2	47
311	Nd, Pb and Sr isotopes in the Identidade Belt, an Archaean greenstone belt of the Rio Maria region (Carajás Province, Brazil): implications for the Archaean geodynamic evolution of the Amazonian Craton. <i>Precambrian Research</i> , 2001, 109, 293-315.	1.2	69
312	REE fractionation during granite weathering and removal by waters and suspended loads: Sr and Nd isotopic evidence. <i>Geochimica Et Cosmochimica Acta</i> , 2001, 65, 387-406.	1.6	345
313	Geographic control on Pb isotope distribution and sources in Indian Ocean Fe-Mn deposits. <i>Geochimica Et Cosmochimica Acta</i> , 2001, 65, 4303-4319.	1.6	52
314	Evolution of the Ligurian Tethys in the Western Alps: Sm/Nd and U/Pb geochronology and rare-earth element geochemistry of the Montgenèvre ophiolite (France). <i>Chemical Geology</i> , 2001, 175, 449-466.	1.4	51
315	The Hf isotope composition of global seawater and the evolution of Hf isotopes in the deep Pacific Ocean from Fe-Mn crusts. <i>Chemical Geology</i> , 2001, 178, 23-42.	1.4	85
316	Geochemistry of the Xining, Xifeng and Jixian sections, Loess Plateau of China: eolian dust provenance and paleosol evolution during the last 140 ka. <i>Chemical Geology</i> , 2001, 178, 71-94.	1.4	355
317	Pb isotope compositions of modern deep sea turbidites. <i>Earth and Planetary Science Letters</i> , 2001, 184, 489-503.	1.8	91
318	Tracing patterns of erosion and drainage in the Paleogene Himalaya through ion probe Pb isotope analysis of detrital K-feldspars in the Indus Molasse, India. <i>Earth and Planetary Science Letters</i> , 2001, 188, 475-491.	1.8	83
319	Composition and density model of the continental crust at an active continental margin—the Central Andes between 21° and 27°S. <i>Tectonophysics</i> , 2001, 341, 195-223.	0.9	149
320	A Cretaceous back-arc basin in the Coast Belt of the northern Canadian Cordillera: evidence from geochemical and neodymium isotope characteristics of the Kluane metamorphic assemblage, southwest Yukon. <i>Canadian Journal of Earth Sciences</i> , 2001, 38, 91-103.	0.6	18
321	Isotopic and geochemical constraints on Neoproterozoic crust formation in the Wami River area, eastern Tanzania. <i>Journal of African Earth Sciences</i> , 2001, 33, 91-101.	0.9	9
322	Contrasting responses of Rb-Sr systematics to regional and contact metamorphism, Laramie Mountains, Wyoming, USA. <i>Journal of Metamorphic Geology</i> , 2001, 17, 259-269.	1.6	17
323	On the formation of laminated sediments on the continental margin off Pakistan: the effects of sediment provenance and sediment redistribution. <i>Marine Geology</i> , 2001, 172, 43-56.	0.9	41
324	Nd isotopic compositions of Eastern Mediterranean sediments: tracers of the Nile influence during sapropel S1 formation?. <i>Marine Geology</i> , 2001, 177, 45-62.	0.9	96
325	Geochemistry, geochronology and isotope geology of Nakfa intrusive rocks, northern Eritrea: products of a tectonically thickened Neoproterozoic arc crust. <i>Journal of African Earth Sciences</i> , 2001, 33, 283-301.	0.9	25
326	DIRTMAP: the geological record of dust. <i>Earth-Science Reviews</i> , 2001, 54, 81-114.	4.0	441
327	Crustal origin of Early Proterozoic syenites in the Congo Craton (Ntem Complex), South Cameroon. <i>Lithos</i> , 2001, 57, 23-42.	0.6	180

#	ARTICLE	IF	CITATIONS
328	Development of the Indus Fan and its significance for the erosional history of the Western Himalaya and Karakoram. <i>Bulletin of the Geological Society of America</i> , 2001, 113, 1039-1051.	1.6	185
329	Petrogenesis of Olivine-phyric Basalts from the Aphanasey Nikitin Rise: Evidence for Contamination by Cratonic Lower Continental Crust. <i>Journal of Petrology</i> , 2001, 42, 277-319.	1.1	50
330	Late Cenozoic, post-collisional Aegean igneous rocks: Nd, Pb and Sr isotopic constraints on petrogenetic and tectonic models. <i>Geological Magazine</i> , 2001, 138, 653-668.	0.9	92
331	Multichronometric Evidence for an In Situ Origin of the Ultrahigh-Pressure Metamorphic Terrane of Dabieshan, China. <i>Journal of Geology</i> , 2001, 109, 633-646.	0.7	78
332	The Massabesic Gneiss Complex, New Hampshire: a study of a portion of the Avalon Terrane. <i>Numerische Mathematik</i> , 2001, 301, 657-682.	0.7	18
333	Extending the ancient margin outboard in the Canadian Cordillera: record of Proterozoic crust and Paleocene regional metamorphism in the Nicola horst, southern British Columbia. <i>Canadian Journal of Earth Sciences</i> , 2002, 39, 1605-1623.	0.6	22
334	Isotope constraints on the origin of Pan-African granitoid rocks in the Kaoko belt, NW Namibia. <i>South African Journal of Geology</i> , 2002, 105, 179-192.	0.6	37
335	Indian Continental Crust Recovered from Elan Bank, Kerguelen Plateau (ODP Leg 183, Site 1137). <i>Journal of Petrology</i> , 2002, 43, 1241-1257.	1.1	87
336	North American margin origin of Quesnel terrane strata in the southern Canadian Cordillera: Inferences from geochemical and Nd isotopic characteristics of Triassic metasedimentary rocks. <i>Bulletin of the Geological Society of America</i> , 2002, 114, 462-475.	1.6	72
337	Pre-Alpine Crust in the Apuseni Mountains, Romania: Insights from Sm-Nd and U-Pb Data. <i>Journal of Geology</i> , 2002, 110, 341-354.	0.7	35
338	Nature and P-T Conditions of the Crust Beneath the Central Mexican Volcanic Belt Based on a Precambrian Crustal Xenolith. <i>International Geology Review</i> , 2002, 44, 222-242.	1.1	16
339	Cenozoic evolution of Asian climate and sources of Pacific seawater Pb and Nd derived from eolian dust of sediment core LL44-GPC3. <i>Paleoceanography</i> , 2002, 17, 3-1-3-13.	3.0	85
340	Global modelling of continent formation and destruction through geological time and implications for CO <sub>2</sub> drawdown in the Archaean Eon. <i>Geological Society Special Publication</i> , 2002, 199, 259-274.	0.8	16
341	Geochemistry and Nd-isotope systematics of chemical and terrigenous sediments from the Dun Mountain Ophiolite, New Zealand. <i>New Zealand Journal of Geology, and Geophysics</i> , 2002, 45, 427-451.	1.0	12
342	Geochemistry and tectonic significance of alkalic mafic magmatism in the Yukon-Tanana terrane, Finlayson Lake region, Yukon. <i>Canadian Journal of Earth Sciences</i> , 2002, 39, 1729-1744.	0.6	50
343	Sources of Labrador Sea sediments since the last glacial maximum inferred from Nd-Pb isotopes. <i>Geochimica Et Cosmochimica Acta</i> , 2002, 66, 2569-2581.	1.6	40
344	Sr and Nd isotope composition of Late Pleistocene sapropels and nonsapropelic sediments from the Eastern Mediterranean Sea. <i>Geochimica Et Cosmochimica Acta</i> , 2002, 66, 3585-3598.	1.6	48
345	Enrichment from plume interaction in the generation of Neoproterozoic arc rocks in northern Eritrea: implications for crustal accretion in the southern Arabian-Nubian Shield. <i>Chemical Geology</i> , 2002, 184, 167-184.	1.4	40

#	ARTICLE	IF	CITATIONS
346	Lead evolution of the Pre-Mesozoic crust in the Central Andes (18°–27°): progressive homogenisation of Pb. <i>Chemical Geology</i> , 2002, 186, 183-197.	1.4	24
347	Provenance of lithogenic surface sediments and pathways of riverine suspended matter in the Eastern Mediterranean Sea: evidence from <sup>143</sup> Nd/ <sup>144</sup> Nd and <sup>87</sup> Sr/ <sup>86</sup> Sr ratios. <i>Chemical Geology</i> , 2002, 186, 139-149.	1.4	136
348	Timing of accretion and collisional deformation in the Central Asian Orogenic Belt: implications of granite geochronology in the Bayankhongor Ophiolite Zone. <i>Chemical Geology</i> , 2002, 192, 23-45.	1.4	120
349	Seasonal variability in the origin of recent atmospheric mineral dust at NorthGRIP, Greenland. <i>Earth and Planetary Science Letters</i> , 2002, 196, 123-134.	1.8	195
350	Relationship between the early Kerguelen plume and continental flood basalts of the paleo-Eastern Gondwanan margins. <i>Earth and Planetary Science Letters</i> , 2002, 197, 35-50.	1.8	99
351	Glacial-interglacial cycles in Sr and Nd isotopic composition of Arctic marine sediments triggered by the Svalbard/Barents Sea ice sheet. <i>Marine Geology</i> , 2002, 182, 351-372.	0.9	112
352	Radiogenic isotopes: Tracers of past ocean circulation and erosional input. <i>Reviews of Geophysics</i> , 2002, 40, 1-1.	9.0	452
353	Isotopic dating of Neoproterozoic crustal growth in the Usambara Mountains of Northeastern Tanzania: evidence for coeval crust formation in the Mozambique Belt and the Arabian-Nubian Shield. <i>Precambrian Research</i> , 2002, 113, 227-242.	1.2	28
354	Shear-zone patterns and eclogite-facies metamorphism in the Mozambique belt of northern Malawi, east-central Africa: implications for the assembly of Gondwana. <i>Precambrian Research</i> , 2002, 116, 19-56.	1.2	76
355	Modelling the isotopic evolution of the Earth. <i>Philosophical Transactions Series A, Mathematical, Physical, and Engineering Sciences</i> , 2002, 360, 2433-2474.	1.6	22
356	Geochemistry and Geochronology of a Neoproterozoic Low-K Tholeiite-Boninite Association in Central Eritrea. <i>Gondwana Research</i> , 2002, 5, 597-611.	3.0	13
357	Time and tectonic setting of the Xixiang Group: Constraints from zircon U-Pb geochronology and geochemistry. <i>Science in China Series D: Earth Sciences</i> , 2002, 45, 818-831.	0.9	27
358	Crustal residence history and garnet Sm-Nd ages of high-grade metamorphic rocks from the Windmill Islands area, East Antarctica. <i>International Journal of Earth Sciences</i> , 2002, 91, 993-1004.	0.9	21
359	Coupled evolution of back-arc and island arc-like mafic crust in the late-Neoproterozoic Agardagh Tes-Chem ophiolite, Central Asia: evidence from trace element and Sr-Nd-Pb isotope data. <i>Contributions To Mineralogy and Petrology</i> , 2002, 143, 154-174.	1.2	96
360	Geochemistry of peridotite xenoliths in alkali basalts from Jeju Island, Korea. <i>Island Arc</i> , 2002, 11, 221-235.	0.5	29
361	Crustal evolution in the East African Orogen: a neodymium isotopic perspective. <i>Journal of African Earth Sciences</i> , 2002, 34, 109-117.	0.9	447
362	Erosional response of South China to arc rifting and monsoonal strengthening; a record from the South China Sea. <i>Marine Geology</i> , 2002, 184, 207-226.	0.9	184
363	On the formation of laminated sediments on the continental margin off Pakistan – reply to the comment by von Rad et al.. <i>Marine Geology</i> , 2002, 192, 431-433.	0.9	3

#	ARTICLE	IF	CITATIONS
364	Geochemistry and mineralogy of Platinum-group elements in the Ransko gabbroâ€“peridotite massif, Bohemian Massif (Czech Republic). <i>Mineralium Deposita</i> , 2003, 38, 298-311.	1.7	9
365	The Â«Venice GranodioriteÂ»: constraints on the Â«CaledonianÂ» and Variscan events in the Alpine domain. <i>Rendiconti Lincei</i> , 2003, 14, 179-204.	1.0	3
366	Enriched Subcontinental Lithospheric Mantle in the Northern Part of the South Indian Granulite Terrain: Evidence from Yelagiri and Sevattur Syenite Plutons, Tamil Nadu, South India. <i>Gondwana Research</i> , 2003, 6, 585-594.	3.0	20
367	Clay minerals and Srâ€“Nd isotopes of the sediments along the western margin of India and their implication for sediment provenance. <i>Marine Geology</i> , 2003, 202, 55-69.	0.9	88
368	Constraints on the composition of ore fluids and implications for mineralising events at the Cleo gold deposit, Eastern Goldfields Province, Western Australia*. <i>Australian Journal of Earth Sciences</i> , 2003, 50, 19-38.	0.4	27
369	Neodymium budget in the modern ocean and paleo-oceanographic implications. <i>Journal of Geophysical Research</i> , 2003, 108, .	3.3	253
370	Case study of a Chinese dust plume reaching the French Alps. <i>Geophysical Research Letters</i> , 2003, 30, .	1.5	182
371	Temporal control of subduction magmatism in the eastern Trans-Mexican Volcanic Belt: Mantle sources, slab contributions, and crustal contamination. <i>Geochemistry, Geophysics, Geosystems</i> , 2003, 4, .	1.0	95
372	Evolution of deepwater mixing and weathering inputs in the central Atlantic Ocean over the past 33 Myr. <i>Paleoceanography</i> , 2003, 18, n/a-n/a.	3.0	17
373	Late Pleistocene sedimentation in the Western Mediterranean Sea: implications for productivity changes and climatic conditions in the catchment areas. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2003, 190, 121-137.	1.0	43
374	Reâ€“Os systematics of the ca. 2.7-Ga komatiites from Alexo, Ontario, Canada. <i>Chemical Geology</i> , 2003, 196, 147-162.	1.4	32
375	Nb/Ta, Zr/Hf and REE in the depleted mantle: implications for the differentiation history of the crustâ€“mantle system. <i>Earth and Planetary Science Letters</i> , 2003, 205, 309-324.	1.8	174
376	Geochemical and Nd isotopic variations in sediments of the South China Sea: a response to Cenozoic tectonism in SE Asia. <i>Earth and Planetary Science Letters</i> , 2003, 211, 207-220.	1.8	183
377	Isotopic constraints on the source of Argentinian loess â€“ with implications for atmospheric circulation and the provenance of Antarctic dust during recent glacial maxima. <i>Earth and Planetary Science Letters</i> , 2003, 212, 181-196.	1.8	104
378	Isotopic evidence for the magmatic and tectonic histories of the Carolina terrane: implications for stratigraphy and terrane affiliation. <i>Tectonophysics</i> , 2003, 371, 187-211.	0.9	29
379	Geochemistry of the granulitic Bondy gneiss complex: a 1.4 Ga arc in the Central Metasedimentary Belt, Grenville Province, Canada. <i>Precambrian Research</i> , 2003, 120, 193-217.	1.2	44
380	Crustal evolution of the Gyeonggi massif, South Korea: Nd isotopic evidence and implications for continental growths of East Asia. <i>Precambrian Research</i> , 2003, 121, 25-34.	1.2	60
381	Geochemical and Srâ€“Nd isotopic constraints from the Kontum massif, central Vietnam on the crustal evolution of the Indochina block. <i>Precambrian Research</i> , 2003, 122, 7-27.	1.2	140



#	ARTICLE	IF	CITATIONS
382	Age, geochemistry, and tectonic significance of Neoproterozoic alkaline granitoids in the northwestern margin of the Gyeonggi massif, South Korea. <i>Precambrian Research</i> , 2003, 122, 297-310.	1.2	99
383	Neoproterozoic tectonic evolution of the northwestern Yangtze craton, South China: implications for amalgamation and break-up of the Rodinia Supercontinent. <i>Precambrian Research</i> , 2003, 122, 111-140.	1.2	352
384	Nd isotope and geochemical constraints on the depositional setting of Paleoproterozoic metasedimentary rocks along the margin of the Archean Hearne craton, Saskatchewan, Canada. <i>Precambrian Research</i> , 2003, 123, 1-28.	1.2	58
385	Petrology and geochemistry of the Lyngdal granodiorite (Southern Norway) and the role of fractional crystallisation in the genesis of Proterozoic ferro-potassic A-type granites. <i>Precambrian Research</i> , 2003, 124, 149-184.	1.2	66
386	Nature of assean lake ancient crust, Manitoba: a combined SHRIMP <sup>U</sup> -ID-TIMS <sup>U</sup> - <sup>Pb</sup> geochronology and <sup>Sm</sup> - <sup>Nd</sup> isotope study. <i>Precambrian Research</i> , 2003, 126, 55-94.	1.2	33
387	Dating the TIPA shear zone: an Early Devonian terrane boundary between the Famatinian and Pampean systems (NW Argentina). <i>Journal of South American Earth Sciences</i> , 2003, 16, 45-66.	0.6	74
388	Neodymium isotope geochemistry of felsic volcanic and intrusive rocks from the Yukon-Tanana Terrane in the Finlayson Lake Region, Yukon, Canada. <i>Canadian Journal of Earth Sciences</i> , 2003, 40, 77-97.	0.6	26
389	Pleistocene magmatism in a lithospheric transition area: petrogenesis of alkaline and peralkaline lavas from the Baringo-Bogoria Basin, central Kenya Rift. <i>Canadian Journal of Earth Sciences</i> , 2003, 40, 1239-1257.	0.6	19
390	Proterozoic basement provinces of southern and southwestern Australia, and their correlation with Antarctica. <i>Geological Society Special Publication</i> , 2003, 206, 93-130.	0.8	229
391	Age and tectonic setting of the Nes <sup>Å</sup> ya Batholith: implications for Ordovician arc development in the Caledonides of Central Norway. <i>Geological Magazine</i> , 2003, 140, 573-594.	0.9	23
392	Ages and Growth of the Continental Crust from Radiogenic Isotopes. , 2003, , 321-348.		12
393	Quantification of Magmatic and Hydrothermal Processes in a Peralkaline Syenite-Alkali Granite Complex Based on Textures, Phase Equilibria, and Stable and Radiogenic Isotopes. <i>Journal of Petrology</i> , 2003, 44, 1247-1280.	1.1	97
394	U-Pb zircon age of 548 Ma for the leptynites (high-grade felsic rocks) of the central part of the Maures Massif. Geodynamic significance of the so-called leptyno-amphibolitic complexes of the Variscan belt of western Europe. <i>Bulletin - Societie Geologique De France</i> , 2003, 174, 585-594.	0.9	17
395	Active or passive continental margin? Geochemical and Nd isotope constraints of metasediments in the backstop of a pre-Andean accretionary wedge in southernmost Chile (46°30'N-48°30'S). <i>Geological Society Special Publication</i> , 2003, 208, 253-268.	0.8	20
396	Chemical and Isotopic Composition of Lower to Upper Ordovician Sedimentary Rocks (Central) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 18	0.7	28
397	A geochemical and Sr-Nd-O isotopic study of the Proterozoic Eriksfjord Basalts, Gardar Province, South Greenland: Reconstruction of an OIB signature in crustally contaminated rift-related basalts. <i>Mineralogical Magazine</i> , 2003, 67, 831-853.	0.6	37
398	Compositional Evolution of the Mantle. , 2003, , 493-519.		50
399	Long-lived Isotopic Tracers in Oceanography, Paleooceanography, and Ice-sheet Dynamics. , 2003, , 453-489.		159

#	ARTICLE	IF	CITATIONS
400	Geochemical and Isotopic Heterogeneities along an Island Arc-Spreading Ridge Intersection: Evidence from the Lewis Hills, Bay of Islands Ophiolite, Newfoundland. <i>Journal of Petrology</i> , 2004, 45, 635-668.	1.1	43
401	Mid-Paleozoic initiation of the northern Cordilleran marginal backarc basin: Geologic, geochemical, and neodymium isotope evidence from the oldest mafic magmatic rocks in the Yukon-Tanana terrane, Finlayson Lake district, southeast Yukon, Canada. <i>Bulletin of the Geological Society of America</i> , 2004, 116, 1087.	1.6	45
402	Lower Permian magmatism of the Iberian Chain, Central Spain, and its relationship to extensional tectonics. <i>Geological Society Special Publication</i> , 2004, 223, 465-490.	0.8	19
403	Deciphering the petrogenesis of deeply buried granites: whole-rock geochemical constraints on the origin of largely undepleted felsic granulites from the Moldanubian Zone of the Bohemian Massif. <i>Earth and Environmental Science Transactions of the Royal Society of Edinburgh</i> , 2004, 95, 141-159.	0.3	92
404	Deciphering the petrogenesis of deeply buried granites: whole-rock geochemical constraints on the origin of largely undepleted felsic granulites from the Moldanubian Zone of the Bohemian Massif. , 2004, , .		16
405	Isotope and trace element analysis of human teeth and bones for forensic purposes. <i>Geological Society Special Publication</i> , 2004, 232, 215-236.	0.8	24
406	Subduction of arc basaltic andesite: implications for the tectonic history of the southern New England Fold Belt. <i>Australian Journal of Earth Sciences</i> , 2004, 51, 819-830.	0.4	6
407	Mantle-like Sr-Nd isotope composition of Fe-K subalkaline granites: the Peneda-GerÃs Variscan massif (NW Iberian Peninsula). <i>Terra Nova</i> , 2004, 16, 109-115.	0.9	13
408	Sr, Nd and Pb isotope and geochemical data from the Quaternary Nevado de Toluca volcano, a source of recent adakitic magmatism, and the Tenango Volcanic Field, Mexico. <i>Journal of Volcanology and Geothermal Research</i> , 2004, 138, 77-110.	0.8	57
409	Crustal contamination of mafic magmas: evidence from a petrological, geochemical and Sr?Nd?Os?O isotopic study of the Proterozoic Isortoq dike swarm, South Greenland. <i>Lithos</i> , 2004, 74, 199-232.	0.6	69
410	A hybrid origin for Lachlan S-type granites: the Murrumbidgee Batholith example. <i>Lithos</i> , 2004, 78, 197-216.	0.6	191
411	Crustal Provenance and Cooling of the Basement Complexes of the Sierra de San Luis: An Insight Into the Tectonic History of the Pro to-Andean Margin of Gondwana. <i>Gondwana Research</i> , 2004, 7, 1171-1195.	3.0	62
412	Radiogenic isotopes: systematics and applications to earth surface processes and chemical stratigraphy. <i>Earth-Science Reviews</i> , 2004, 65, 141-194.	4.0	308
413	Comparing the Epica and Vostok dust records during the last 220,000 years: stratigraphical correlation and provenance in glacial periods. <i>Earth-Science Reviews</i> , 2004, 66, 63-87.	4.0	241
414	Tectono-Magmatic Evolution, Age and Emplacement of the Agardagh Tes-Chem Ophiolite in Tuva, Central Asia: Crustal Growth by Island arc Accretion. <i>Neoproterozoic-Cambrian Tectonics, Global Change and Evolution: A Focus on South Western Gondwana</i> , 2004, , 207-221.	0.2	13
415	Neoproterozoic to Early-Palaeozoic magmatic evolution in the Gondwana-derived Austroalpine basement to the south of the Tauern Window (Eastern Alps). <i>International Journal of Earth Sciences</i> , 2004, 93, 824-843.	0.9	53
416	Origin of the Permian-Triassic komatiites, northwestern Vietnam. <i>Contributions To Mineralogy and Petrology</i> , 2004, 147, 453-469.	1.2	131
417	TTC magmatism in the Congo craton; a view from major and trace element geochemistry, Rbâ€“Sr and Smâ€“Nd systematics: case of the Sangmelima region, Ntem complex, southern Cameroon. <i>Journal of African Earth Sciences</i> , 2004, 40, 61-79.	0.9	101



#	ARTICLE	IF	CITATIONS
418	Provenance of the sedimentary Rakaia sub-terrane, Torlesse Terrane, South Island, New Zealand: the use of igneous clast compositions to define the source. <i>Sedimentary Geology</i> , 2004, 168, 193-226.	1.0	36
419	Provenance of Pliocene sediments and paleoenvironmental changes in the southern North Sea region using Samarium <sup>147</sup> –Neodymium (Sm/Nd) provenance ages and clay mineralogy. <i>Sedimentary Geology</i> , 2004, 171, 205-226.	1.0	36
420	The Gronnedal-Ika Carbonatite-Syenite Complex, South Greenland: Carbonatite Formation by Liquid Immiscibility. <i>Journal of Petrology</i> , 2004, 46, 191-217.	1.1	109
421	Rare earth elements distribution in seawater and suspended particulate of the Central Mediterranean Sea. <i>Chemistry and Ecology</i> , 2004, 20, 323-343.	0.6	46
422	Provenance of the sedimentary Rakaia sub-terrane, Torlesse Terrane, South Island, New Zealand: the use of igneous clast compositions to define the source. <i>Sedimentary Geology</i> , 2004, 168, 193-193.	1.0	3
423	Crustal Evolution along the Early Ordovician Proto-Andean Margin of Gondwana: Trace Element and Isotope Evidence from the Complejo Igneo Pocitos (Northwest Argentina). <i>Journal of Geology</i> , 2004, 112, 503-520.	0.7	44
424	Marine sedimentary evidence for monsoon strengthening, Tibetan uplift and drainage evolution in East Asia. <i>Geophysical Monograph Series</i> , 2004, , 255-282.	0.1	39
425	Lead isotopic systematics of major river sediments: a new estimate of the Pb isotopic composition of the Upper Continental Crust. <i>Chemical Geology</i> , 2004, 203, 75-90.	1.4	160
426	U <sup>235</sup> –Pb zircon ages and Nd, Sr, and Pb isotopes of lower crustal xenoliths from North China Craton: insights on evolution of lower continental crust. <i>Chemical Geology</i> , 2004, 211, 87-109.	1.4	228
427	Behavior of Sm and Nd in a lateritic soil profile. <i>Geochimica Et Cosmochimica Acta</i> , 2004, 68, 2043-2054.	1.6	67
428	Nd, O, and H-isotopic evidence for complex, closed-system fluid evolution of the peralkaline Ilímaussaq intrusion, south Greenland. <i>Geochimica Et Cosmochimica Acta</i> , 2004, 68, 3379-3395.	1.6	102
429	Neodymium isotopes in the Mediterranean Sea: comparison between seawater and sediment signals. <i>Geochimica Et Cosmochimica Acta</i> , 2004, 68, 3095-3106.	1.6	121
430	New constraints on the sources and behavior of neodymium and hafnium in seawater from Pacific Ocean ferromanganese crusts. <i>Geochimica Et Cosmochimica Acta</i> , 2004, 68, 3827-3843.	1.6	113
431	Major episodic increases of continental crustal growth determined from zircon ages of river sands; implications for mantle overturns in the Early Precambrian. <i>Physics of the Earth and Planetary Interiors</i> , 2004, 146, 369-394.	0.7	245
432	Basement terrane correlations and crustal recycling in the western Superior Province: Nd isotopic character of granitoid and felsic volcanic rocks in the Wabigoon subprovince, N. Ontario, Canada. <i>Precambrian Research</i> , 2004, 132, 245-274.	1.2	71
433	Mesoproterozoic Sm <sup>147</sup> –Nd and U <sup>235</sup> –Pb ages for the Kunene Anorthosite Complex of SW Angola. <i>Precambrian Research</i> , 2004, 133, 187-206.	1.2	93
434	Evolution of the continental crust in the Kerala Khondalite Belt, southernmost India: evidence from Nd isotope mapping, U <sup>235</sup> –Pb and Rb <sup>87</sup> –Sr geochronology. <i>Precambrian Research</i> , 2004, 134, 275-292.	1.2	62
435	The Sierra de Macon, Plutonic expression of the Ordovician magmatic arc, Salta Province Argentina. <i>Journal of South American Earth Sciences</i> , 2004, 16, 587-597.	0.6	23

#	ARTICLE	IF	CITATIONS
436	Distinguishing crustal recycling and juvenile additions at active continental margins: the Paleozoic to recent compositional evolution of the Chilean Pacific margin (36°–41°S). <i>Journal of South American Earth Sciences</i> , 2004, 17, 103-119.	0.6	107
437	Neodymium isotopic variations in Northwest Pacific waters. <i>Geochimica Et Cosmochimica Acta</i> , 2004, 68, 715-727.	1.6	81
438	Deciphering the petrogenesis of deeply buried granites: whole-rock geochemical constraints on the origin of largely undepleted felsic granulites from the Moldanubian Zone of the Bohemian Massif. <i>Transactions of the Royal Society of Edinburgh: Earth Sciences</i> , 2004, 95, 141.	1.0	52
439	Nd isotopic study of Upper Cambrian conodonts from Korea and implications for early Paleozoic paleogeography. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2004, 212, 77-94.	1.0	13
440	Nd isotopic anatomy of a pebble conglomerate from the Murihiku terrane of New Zealand: Record of a varied provenance along the Mesozoic Gondwanaland margin. <i>Sedimentary Geology</i> , 2005, 182, 201-208.	1.0	5
441	Nd and Sr isotopic signatures of fine-grained clastic sediments: A case study of western Pacific marginal basins. <i>Sedimentary Geology</i> , 2005, 182, 183-199.	1.0	46
442	REE and $\epsilon_{Nd}$ of clay fractions in sediments from the eastern Pacific Ocean: Evidence for clay sources. <i>Science in China Series D: Earth Sciences</i> , 2005, 48, 701-712.	0.9	1
443	Timing and nature of fluid flow and alteration during Mesoproterozoic shear zone formation, Olary Domain, South Australia. <i>Journal of Metamorphic Geology</i> , 2005, 23, 147-164.	1.6	54
444	Evolution of helium isotopes in the Earth's mantle. <i>Nature</i> , 2005, 436, 1107-1112.	13.7	164
445	$Sm-Nd$ isotopic investigation of Neoproterozoic and Cretaceous igneous rocks from southern Brazil: A study of magmatic processes. <i>Lithos</i> , 2005, 82, 345-377.	0.6	17
446	Refining the timing of eclogite metamorphism: a geochemical, petrological, Sm-Nd and U-Pb case study from the Pohorje Mountains, Slovenia (Eastern Alps). <i>Contributions To Mineralogy and Petrology</i> , 2005, 150, 70-84.	1.2	63
447	The $Sm-Nd$ method. , 2005, , 70-100.		1
448	Size-Dependent Geochemical Characteristics of Asian Dust-Sr and Nd Isotope Compositions as Tracers for Source Identification-. <i>Journal of the Meteorological Society of Japan</i> , 2005, 83A, 107-120.	0.7	43
449	Provenance of Jurassic Tethyan sediments in the HP/UHP Zermatt-Saas ophiolite, western Alps. <i>Bulletin of the Geological Society of America</i> , 2005, 117, 530.	1.6	21
450	Integrated Provenance Analysis of a Complex Orogenic Terrane: Mesozoic Uplift of the Bogda Shan and Inception of the Turpan-Hami Basin, NW China. <i>Journal of Sedimentary Research</i> , 2005, 75, 251-267.	0.8	79
451	The early Palaeozoic Orogen in the Central Andes: a non-collisional orogen comparable to the Cenozoic high plateau?. <i>Geological Society Special Publication</i> , 2005, 246, 257-273.	0.8	25
452	Potassic Magmatism in Western Sichuan and Yunnan Provinces, SE Tibet, China: Petrological and Geochemical Constraints on Petrogenesis. <i>Journal of Petrology</i> , 2005, 46, 33-78.	1.1	229
453	U–Pb zircon geochronology and Nd isotope geochemistry of Proterozoic granitoids in the western Churchill Province: intrusive age pattern and Archean source domains. <i>Canadian Journal of Earth Sciences</i> , 2005, 42, 339-377.	0.6	45

#	ARTICLE	IF	CITATIONS
454	Geochemistry of Cambro-Ordovician Sedimentary Rocks of the Northeastern United States: Changes in Sediment Sources at the Onset of Taconian Orogenesis. <i>Journal of Geology</i> , 2005, 113, 571-587.	0.7	17
455	Mississippian volcanic assemblage conformably overlying Cordilleran miogeoclinal strata, Turnagain River area, northern British Columbia, is not part of an accreted terrane. <i>Canadian Journal of Earth Sciences</i> , 2005, 42, 1449-1465.	0.6	4
456	Sm-Nd isotopic compositions as a proxy for magmatic processes during the Neoproterozoic of the southern Brazilian shield. <i>Journal of South American Earth Sciences</i> , 2005, 18, 255-276.	0.6	31
457	A new estimate for the composition of weathered young upper continental crust from alluvial sediments, Queensland, Australia. <i>Geochimica Et Cosmochimica Acta</i> , 2005, 69, 1041-1058.	1.6	340
458	Tracing dust sources and transport patterns using Sr, Nd and Pb isotopes. <i>Chemical Geology</i> , 2005, 222, 149-167.	1.4	387
459	Neodymium isotopes as a new tool for quantifying exchange fluxes at the continent-ocean interface. <i>Earth and Planetary Science Letters</i> , 2005, 232, 245-257.	1.8	359
460	Neodymium isotope evolution of NW Tethyan upper ocean waters throughout the Cretaceous. <i>Earth and Planetary Science Letters</i> , 2005, 236, 705-720.	1.8	98
461	Provenance and tectonic development of the late Archaean Gawler Craton, Australia; U-Pb zircon, geochemical and Sm-Nd isotopic implications. <i>Precambrian Research</i> , 2005, 141, 106-136.	1.2	109
462	Ancient (Meso- to Paleoproterozoic) crust in the Rae Province, Canada: Evidence from Sm-Nd and U-Pb constraints. <i>Precambrian Research</i> , 2005, 141, 137-153.	1.2	53
463	Sr, Nd isotopic evidence of terrigenous flux variations in the Bay of Bengal: Implications of monsoons during the last ~34,000 years. <i>Geophysical Research Letters</i> , 2005, 32, n/a-n/a.	1.5	55
464	Early and Middle Proterozoic evolution of Yukon, Canada. <i>Canadian Journal of Earth Sciences</i> , 2005, 42, 1045-1071.	0.6	70
465	In suspect terrane? Provenance of the late Archean Phantom Lake metamorphic suite, Sierra Madre, Wyoming. <i>Canadian Journal of Earth Sciences</i> , 2006, 43, 1557-1577.	0.6	16
466	Evolution of weathering patterns in the Indo-Burman Ranges over the last 280 kyr: Effects of sediment provenance on <sup>87</sup> Sr/ <sup>86</sup> Sr ratios tracer. <i>Geochemistry, Geophysics, Geosystems</i> , 2006, 7, n/a-n/a.	1.0	119
467	A Nd isotopic study of southern sourced waters and Indonesian Throughflow at intermediate depths in the Cenozoic Indian Ocean. <i>Geochemistry, Geophysics, Geosystems</i> , 2006, 7, n/a-n/a.	1.0	28
468	Erosion by rivers and transport pathways in the ocean: A provenance tool using <sup>40</sup> Ar- <sup>39</sup> Ar incremental heating on fine-grained sediment. <i>Journal of Geophysical Research</i> , 2006, 111, .	3.3	4
469	Crustal Evolution at the Central Andean Continental Margin: a Geochemical Record of Crustal Growth, Recycling and Destruction. , 2006, , 45-64.		31
470	Large-scale drainage capture and surface uplift in eastern Tibet-SW China before 24 Ma inferred from sediments of the Hanoi Basin, Vietnam. <i>Geophysical Research Letters</i> , 2006, 33, .	1.5	183
471	The tonalite-trondhjemite-granodiorite (TTC) to granodiorite-granite (GG) transition in the late Archean plutonic rocks of the central Wyoming Province. <i>Canadian Journal of Earth Sciences</i> , 2006, 43, 1419-1444.	0.6	78

#	ARTICLE	IF	CITATIONS
472	Archean crustal growth by lateral accretion of juvenile supracrustal belts in the south-central Wyoming Province. <i>Canadian Journal of Earth Sciences</i> , 2006, 43, 1533-1555.	0.6	41
473	Tectonic histories of the Paleo- to Mesoarchean Sacawee block and Neoarchean Oregon Trail structural belt of the south-central Wyoming Province. <i>Canadian Journal of Earth Sciences</i> , 2006, 43, 1445-1466.	0.6	21
474	Evidence for Early Mesoproterozoic Arc Magmatism in the Musgrave Block, Central Australia: Implications for Proterozoic Crustal Growth and Tectonic Reconstructions of Australia. <i>Journal of Geology</i> , 2006, 114, 43-63.	0.7	137
475	Timing of gold and crustal evolution of the Palaeozoic south central Andes, NW Argentinaâ€”implications for the endowment of orogenic belts. <i>Earth and Planetary Science Letters</i> , 2006, 245, 702-721.	1.8	27
476	Reduced Agulhas Leakage during the Last Glacial Maximum inferred from an integrated provenance and flux study. <i>Earth and Planetary Science Letters</i> , 2006, 250, 72-88.	1.8	65
477	How juvenile is the Arabianâ€”Nubian Shield? Evidence from Nd isotopes and pre-Neoproterozoic inherited zircon in the Bi'r Umq suture zone, Saudi Arabia. <i>Earth and Planetary Science Letters</i> , 2006, 252, 308-326.	1.8	248
478	A chemical Earth model with whole mantle convection: The importance of a coreâ€”mantle boundary layer (Dâ€³) and its early formation. <i>Chemical Geology</i> , 2006, 226, 79-99.	1.4	79
479	Nd, Pb, Sr, and O isotopic characterization of Saudi Arabian Shield terranes. <i>Chemical Geology</i> , 2006, 226, 163-188.	1.4	224
480	Nd and Pb isotope evolution of deep water masses in the eastern Indian Ocean during the past 33 Myr. <i>Chemical Geology</i> , 2006, 226, 264-279.	1.4	26
481	Provenance of the Triassic Songpanâ€”Ganzi flysch, west China. <i>Chemical Geology</i> , 2006, 231, 159-175.	1.4	106
482	Astoria Fan sediments, DSDP site 174, Cascadia Basin: Hfâ€”Ndâ€”Pb constraints on provenance and outburst flooding. <i>Chemical Geology</i> , 2006, 233, 276-292.	1.4	45
483	The impact of vegetation on REE fractionation in stream waters of a small forested catchment (the) Tj ETQq1 1 0.784314 rgBT/Overlo	1.6	68
484	A multi-proxy study of Argentina loess: Marine oxygen isotope stage 4 and 5 environmental record from pedogenic hematite. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2006, 239, 45-62.	1.0	36
485	Emplacement and deformation of the Vinukonda meta-granite (Eastern Ghats, India)â€”Implications for the geological evolution of peninsular India and for Rodinia reconstructions. <i>Precambrian Research</i> , 2006, 146, 165-178.	1.2	117
486	Petrogenesis of the Kunavaram alkaline complex and the tectonothermal evolution of the neighboring Eastern Ghats Belt granulites, SE India. <i>Precambrian Research</i> , 2006, 150, 73-94.	1.2	24
487	Barberton (South Africa) TTG magmas: Geochemical and experimental constraints on source-rock petrology, pressure of formation and tectonic setting. <i>Precambrian Research</i> , 2006, 151, 53-78.	1.2	91
488	Tectonic evolution of the Himalaya constrained by detrital <sup>40</sup> Ar- <sup>39</sup> Ar, Sm-Nd and petrographic data from the Siwalik foreland basin succession, SW Nepal. <i>Basin Research</i> , 2006, 18, 375-391.	1.3	97
489	Cycles of alkaline magmatism. <i>Geochemistry International</i> , 2006, 44, 274-285.	0.2	12

#	ARTICLE	IF	CITATIONS
490	Age and geochemical constraints for partial melting of granulites in Estonia. <i>Mineralogy and Petrology</i> , 2006, 86, 277-300.	0.4	12
491	Mesoproterozoic rifting and Pan-African continental collision in SE India: evidence from the Khariar alkaline complex. <i>Contributions To Mineralogy and Petrology</i> , 2006, 151, 434-456.	1.2	71
492	Gulf of Guinea continental slope and Congo (Zaire) deep-sea fan: Sr <sup>87</sup> / <sub>86</sub> isotopic constraints on sediments provenance from ZaiAngo cores. <i>Marine Geology</i> , 2006, 226, 323-332.	0.9	10
493	Archaean and Palaeoproterozoic gneisses reworked during a Neoproterozoic (Pan-African) high-grade event in the Mozambique belt of East Africa: Structural relationships and zircon ages from the Kidatu area, central Tanzania. <i>Journal of African Earth Sciences</i> , 2006, 45, 139-155.	0.9	32
494	Sr-Nd isotope geochemistry of eolian dust of the arid-semiarid areas in China: Implications for loess provenance and monsoon evolution. <i>Science Bulletin</i> , 2006, 51, 1401-1412.	4.3	47
495	Whole rock geochemistry and Sr isotopic compositions of Phanerozoic sedimentary rocks in the Inner Zone of the Southwest Japan Arc. <i>Gondwana Research</i> , 2006, 9, 126-141.	3.0	18
496	Mesoproterozoic rift-related alkaline magmatism at Elchuru, Prakasam Alkaline Province, SE India. <i>Lithos</i> , 2006, 89, 447-477.	0.6	95
497	Provenance of Cambrian conglomerates from New Zealand: implications for the tectonomagmatic evolution of the SE Gondwana margin. <i>Journal of the Geological Society</i> , 2006, 163, 997-1010.	0.9	17
498	Provenance of late Palaeozoic metasediments of the SW South American Gondwana margin: a combined U <sup>235</sup> / <sub>238</sub> and Hf-isotope study of single detrital zircons. <i>Journal of the Geological Society</i> , 2006, 163, 983-995.	0.9	80
499	Mid- to late Paleozoic K-feldspar augen granitoids of the Yukon-Tanana terrane, Yukon, Canada: Implications for crustal growth and tectonic evolution of the northern Cordillera. <i>Bulletin of the Geological Society of America</i> , 2006, 118, 1212-1231.	1.6	34
500	Tertiary volcanic rocks from Samothraki island (north Aegean, Greece): Sr and Nd isotope constraints on their evolution. , 2006, , .		3
501	Nd and Sr isotopic data from argillaceous rocks of the Galice Formation and Rattlesnake Creek terrane, Klamath Mountains: Evidence for the input of Precambrian sources. , 2006, , .		9
502	Low-pressure Granulites of the LiÅov Massif, Southern Bohemia: VisÃ©an Metamorphism of Late Devonian Plutonic Arc Rocks. <i>Journal of Petrology</i> , 2006, 47, 705-744.	1.1	98
503	Palaeozoic Intraplate Crustal Anatexis in the Mount Painter Province, South Australia: Timing, Thermal Budgets and the Role of Crustal Heat Production. <i>Journal of Petrology</i> , 2006, 47, 2281-2302.	1.1	59
504	Timing and Climatic Consequences of the Opening of Drake Passage. <i>Science</i> , 2006, 312, 428-430.	6.0	466
505	Interpretation of Whole-rock Geochemical Data in Igneous Geochemistry: Introducing Geochemical Data Toolkit (GCDkit). <i>Journal of Petrology</i> , 2006, 47, 1255-1259.	1.1	651
506	Petrology and geochemistry of the Middle Jurassic Ironside Mountain batholith: Evolution of potassic magmas in a primitive arc setting. , 2006, , .		8
507	Geology of the Bear Mountain intrusive complex, Klamath Mountains, California. , 2006, , .		2

#	ARTICLE	IF	CITATIONS
508	Post-collisional, Potassic and Ultrapotassic Magmatism of the Northern Tibetan Plateau: Constraints on Characteristics of the Mantle Source, Geodynamic Setting and Uplift Mechanisms. <i>Journal of Petrology</i> , 2006, 47, 1177-1220.	1.1	250
509	Circa 2.3 Ga Magmatism of the Arrowsmith Orogeny, Uranium City Region, Western Churchill Craton, Canada. <i>Journal of Geology</i> , 2007, 115, 181-195.	0.7	92
510	Geochemical constraints on the petrogenesis of the Proterozoic granitoid gneisses from the eastern segment of the Central Tianshan Tectonic Zone, northwestern China. <i>Geological Magazine</i> , 2007, 144, 305-317.	0.9	33
511	Nd and Sr isotope systematics and geochemistry of a plume-related Early Cretaceous alkaline-mafic-ultramafic igneous complex from Jasra, Shillong plateau, northeastern India. , 2007, , 815-830.		6
512	Chapter Fifteen Isotopic Tracers of Water Masses and Deep Currents. <i>Developments in Marine Geology</i> , 2007, , 645-679.	0.4	1
513	Rifting of a Mississippian continental arc system: Little Salmon formation, Yukon-Tanana terrane, northern Canadian Cordillera. <i>Canadian Journal of Earth Sciences</i> , 2007, 44, 1267-1289.	0.6	3
514	Queen Maud block: A newly recognized Paleoproterozoic (2.4-2.5 Ga) terrane in northwest Laurentia. <i>Geology</i> , 2007, 35, 707.	2.0	66
515	Sm-Nd Isotope Technique as An Exploration Tool: Delineating the Northern Extension of the Thompson Nickel Belt, Manitoba, Canada. <i>Economic Geology</i> , 2007, 102, 1217-1231.	1.8	8
516	The LaRonde Penna Au-Rich Volcanogenic Massive Sulfide Deposit, Abitibi Greenstone Belt, Quebec: Part II. Litho-geochemistry and Paleotectonic Setting. <i>Economic Geology</i> , 2007, 102, 611-631.	1.8	42
517	SHRIMP U-Pb zircon and Sm-Nd garnet ages from the granulite-facies basement of SE Kenya: evidence for Neoproterozoic polycyclic assembly of the Mozambique Belt. <i>Journal of the Geological Society</i> , 2007, 164, 189-201.	0.9	63
518	The Nature and Origin of Gold Deposits of the Tarcoola Goldfield and Implications for the Central Gawler Gold Province, South Australia. <i>Economic Geology</i> , 2007, 102, 1541-1563.	1.8	28
519	Geochemistry, Geochronology and Isotopic Evolution of the Chewore-Rufunsa Terrane, Southern Irumide Belt: a Mesoproterozoic Continental Margin Arc. <i>Journal of Petrology</i> , 2007, 48, 1411-1441.	1.1	37
520	The Sr and Nd isotopic variations of the Chinese Loess Plateau during the past 7 Ma: Implications for the East Asian winter monsoon and source areas of loess. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2007, 249, 351-361.	1.0	173
521	The Coastal Terrane of the Kaoko Belt, Namibia: Outboard arc-terrane and tectonic significance. <i>Precambrian Research</i> , 2007, 155, 139-158.	1.2	97
522	High Fe-Ti mafic magmatism and tectonic setting of the Paleoproterozoic Broken Hill Block, NSW, Australia. <i>Precambrian Research</i> , 2007, 156, 55-84.	1.2	17
523	Crustal evolution and Neoproterozoic assembly of the central-southern Hearne domains: Evidence from U-Pb geochronology and Sm-Nd isotopes of the Phelps Lake area, northeastern Saskatchewan. <i>Precambrian Research</i> , 2007, 159, 33-59.	1.2	28
524	PALEOCEANOGRAPHY, PHYSICAL AND CHEMICAL PROXIES   Terrigenous Sediments. , 2007, , 1776-1785.		2
525	Balancing the global oceanic neodymium budget: Evaluating the role of groundwater. <i>Earth and Planetary Science Letters</i> , 2007, 253, 129-142.	1.8	121



#	ARTICLE	IF	CITATIONS
526	Hf–Nd–Pb isotope evidence from Permian arc rocks for the long-term presence of the Indian–Pacific mantle boundary in the SW Pacific. <i>Earth and Planetary Science Letters</i> , 2007, 254, 377-392.	1.8	70
527	Records of the Nd isotope composition of seawater from the Bay of Bengal: Implications for the impact of Northern Hemisphere cooling on ITCZ movement. <i>Earth and Planetary Science Letters</i> , 2007, 255, 213-228.	1.8	57
528	Nd isotopes of siliciclastic rocks from Tibet, western China: Constraints on provenance and pre-Cenozoic tectonic evolution. <i>Earth and Planetary Science Letters</i> , 2007, 256, 604-616.	1.8	136
529	Global neodymium–hafnium isotope systematics revisited. <i>Earth and Planetary Science Letters</i> , 2007, 259, 432-441.	1.8	110
530	The effect of allanite inclusions on U–Pb step-leaching ages and Sm–Nd isotope systematics of garnet from the Ogcheon metamorphic belt, South Korea. <i>Chemical Geology</i> , 2007, 236, 27-41.	1.4	28
531	Isotopic Nd compositions and concentrations of the lithogenic inputs into the ocean: A compilation, with an emphasis on the margins. <i>Chemical Geology</i> , 2007, 239, 156-164.	1.4	208
532	Initial Hf isotope compositions in magmatic zircon from early Proterozoic rocks from the Gawler Craton, Australia: A test for zircon model ages. <i>Chemical Geology</i> , 2007, 241, 23-37.	1.4	106
533	<sup>40</sup> Ar/ <sup>39</sup> Ar ages of hornblende grains and bulk Sm/Nd isotopes of circum-Antarctic glacio-marine sediments: Implications for sediment provenance in the southern ocean. <i>Chemical Geology</i> , 2007, 244, 507-519.	1.4	98
534	Strontium isotopic compositions of dissolved and suspended loads from the main channel of the Yangtze River. <i>Chemosphere</i> , 2007, 69, 1081-1088.	4.2	41
535	Derivation of Mesozoic adakitic magmas from ancient lower crust in the North China craton. <i>Geochimica Et Cosmochimica Acta</i> , 2007, 71, 2591-2608.	1.6	163
536	Nd and Sr isotopic characteristics of Chinese deserts: Implications for the provenances of Asian dust. <i>Geochimica Et Cosmochimica Acta</i> , 2007, 71, 3904-3914.	1.6	388
537	Nd Isotopes and Geochemistry of Phanerozoic Clastic Sedimentary Rocks from the Yangtze Block and Their Tectonic Implications. <i>Journal of China University of Geosciences</i> , 2007, 18, 109-127.	0.4	2
538	Archaean crustal accretion at the northern border of the Congo Craton (South Cameroon). The charnockite-TTG link. <i>Bulletin - Societie Geologique De France</i> , 2007, 178, 331-342.	0.9	70
539	Determination of cerium isotope ratios in geochemical samples using oxidative extraction technique with chelating resin. <i>Journal of Analytical Atomic Spectrometry</i> , 2007, 22, 616.	1.6	40
540	Petrogenesis of <sup>150</sup> Ga granitic gneiss of the Coompana Block: filling the ‘magmatic gap’ of Mesoproterozoic Australia. <i>Australian Journal of Earth Sciences</i> , 2007, 54, 1089-1102.	0.4	18
541	Strontium isotope tracing of terrigenous sediment dispersal in the Antarctic Circumpolar Current: Implications for constraining frontal positions. <i>Geochemistry, Geophysics, Geosystems</i> , 2007, 8, n/a-n/a.	1.0	36
542	Nd isotopic constraints on the origin of suspended particles in the Atlantic Sector of the Southern Ocean. <i>Geochemistry, Geophysics, Geosystems</i> , 2007, 8, .	1.0	13
543	Radiogenic isotope characteristics of the Mesoproterozoic intrusive rocks of the Nipigon Embayment, northwestern Ontario. <i>Canadian Journal of Earth Sciences</i> , 2007, 44, 1111-1129.	0.6	19

#	ARTICLE	IF	CITATIONS
544	Sr <sup>87</sup> /Nd isotopes and geochemistry of the infrastructural rocks in the Meatiq and Hafafit core complexes, Eastern Desert, Egypt: Evidence for involvement of pre-Neoproterozoic crust in the growth of Arabian-Nubian Shield. <i>Island Arc</i> , 2008, 17, 90-108.	0.5	36
545	Geochemical and Nd isotope composition of detrital sediments on the north margin of the South China Sea: provenance and tectonic implications. <i>Sedimentology</i> , 2007, 54, 1-17.	1.6	47
546	Isotope geochemistry and geochronology of the Nico Pérez Terrane, Rio de la Plata Craton, Uruguay. <i>Gondwana Research</i> , 2007, 12, 489-508.	3.0	87
547	Evidence for the silicate source of relict soils on the Edwards Plateau, central Texas. <i>Quaternary Research</i> , 2007, 67, 275-285.	1.0	27
548	Post-collisional adakites in south Tibet: Products of partial melting of subduction-modified lower crust. <i>Lithos</i> , 2007, 96, 205-224.	0.6	326
549	Magmatic history of granite-derived mylonites from the southern Desná Unit (Silesicum, Czech) <i>Tj ETQq1 1 0.784314 rgBT /Overlock 10</i>	0.4	10
550	Archaean high-K granitoids produced by remelting of earlier Tonalite-Trondhjemite-Granodiorite (TTG) in the Sangmelima region of the Ntem complex of the Congo craton, southern Cameroon. <i>International Journal of Earth Sciences</i> , 2007, 96, 817-841.	0.9	87
551	Sr-Nd isotopic compositions of the Changjiang sediments: Implications for tracing sediment sources. <i>Science in China Series D: Earth Sciences</i> , 2007, 50, 1556-1565.	0.9	93
552	Zircon 207Pb/206Pb evaporation ages of Panafrican metasedimentary rocks in the Kombá-II area (Bafia) <i>Tj ETQq0 0 0 rgBT /Overlock 10</i>	0.9	40
553	Nd and Sr isotopic compositions of sediments from the Yellow and Yangtze Rivers: Implications for partitioning tectonic terranes and crust weathering of the Central and Southeast China. <i>Frontiers of Earth Science</i> , 2008, 2, 418-426.	0.5	29
554	Provenance of late Palaeozoic metasediments of the Patagonian proto-Pacific margin (southernmost) <i>Tj ETQq0 0 0 rgBT /Overlock 10</i>	0.9	31
555	Contrasting provenance of Late Archean metasedimentary rocks from the Wutai Complex, North China Craton: detrital zircon U <sup>235</sup> /Pb, whole-rock Sm <sup>147</sup> /Nd isotopic, and geochemical data. <i>International Journal of Earth Sciences</i> , 2008, 97, 443-458.	0.9	36
556	Petrochemistry of the south Marmara granitoids, northwest Anatolia, Turkey. <i>International Journal of Earth Sciences</i> , 2008, 97, 1181-1200.	0.9	74
557	Crustal age domains in the Kibaran belt of SW-Uganda: Combined zircon geochronology and Sm <sup>147</sup> /Nd isotopic investigation. <i>Journal of African Earth Sciences</i> , 2008, 51, 4-20.	0.9	33
558	Composition of the Earth's interior: the importance of early events. <i>Philosophical Transactions Series A, Mathematical, Physical, and Engineering Sciences</i> , 2008, 366, 4077-4103.	1.6	66
559	Geochemistry, isotope systematics and petrogenesis of the volcanic rocks in the Zhongtiao Mountain: An alternative interpretation for the evolution of the southern margin of the North China Craton. <i>Lithos</i> , 2008, 102, 158-178.	0.6	97
560	Neoproterozoic adakitic plutons in the northern margin of the Yangtze Block, China: Partial melting of a thickened lower crust and implications for secular crustal evolution. <i>Lithos</i> , 2008, 104, 231-248.	0.6	215
561	Magma evolution in the Pliocene-Pleistocene succession of Kos, South Aegean arc (Greece). <i>Lithos</i> , 2008, 106, 110-124.	0.6	38



#	ARTICLE	IF	CITATIONS
562	Protolith age and timing of Precambrian magmatic and metamorphic events in the Priest River complex, northern Rockies. <i>Canadian Journal of Earth Sciences</i> , 2008, 45, 99-116.	0.6	41
563	Evolving east Asian river systems reconstructed by trace element and Pb and Nd isotope variations in modern and ancient Red River–Song Hong sediments. <i>Geochemistry, Geophysics, Geosystems</i> , 2008, 9, .	1.0	125
564	Chapter Four Proxies Used for Palaeoenvironmental Reconstructions in the Arctic Ocean. <i>Developments in Marine Geology</i> , 2008, 2, 133-243.	0.4	18
565	Pliny the Elder and Sr–Nd isotopes: tracing the provenance of raw materials for Roman glass production. <i>Journal of Archaeological Science</i> , 2008, 35, 1993-2000.	1.2	141
566	Tracking fluvial response to climate change in the Pacific Northwest: a combined provenance approach using Ar and Nd isotopic systems on fine-grained sediments. <i>Quaternary Science Reviews</i> , 2008, 27, 497-517.	1.4	21
567	Geochronology and tectonometamorphic history of the Snowbird Lake area, Northwest Territories, Canada: New insights into the architecture and significance of the Snowbird tectonic zone. <i>Precambrian Research</i> , 2008, 161, 201-230.	1.2	62
568	Petrogenesis of the St Peter Suite, southern Australia: Arc magmatism and Proterozoic crustal growth of the South Australian Craton. <i>Precambrian Research</i> , 2008, 166, 283-296.	1.2	87
569	Palaeoproterozoic and Archaean gneiss complexes in northern Greenland: Palaeoproterozoic terrane assembly in the High Arctic. <i>Precambrian Research</i> , 2008, 161, 419-451.	1.2	57
570	Nd isotopic data reveal the material and tectonic nature of the Main Central Thrust zone in Nepal Himalaya. <i>Tectonophysics</i> , 2008, 451, 265-281.	0.9	49
571	Tracking the lithium isotopic evolution of the mantle using carbonatites. <i>Earth and Planetary Science Letters</i> , 2008, 265, 726-742.	1.8	86
572	Oscillating glacial northern and southern deep water formation from combined neodymium and carbon isotopes. <i>Earth and Planetary Science Letters</i> , 2008, 272, 394-405.	1.8	98
573	Seasonal and provenance controls on Nd–Sr isotopic compositions of Amazon rivers suspended sediments and implications for Nd and Sr fluxes exported to the Atlantic Ocean. <i>Earth and Planetary Science Letters</i> , 2008, 274, 511-523.	1.8	80
574	Between carbonatite and lamproite–Diamondiferous Torngat ultramafic lamprophyres formed by carbonate-fluxed melting of cratonic MARID-type metasomes. <i>Geochimica Et Cosmochimica Acta</i> , 2008, 72, 3258-3286.	1.6	221
575	Controls on transport and fractionation of the rare earth elements in stream water of a mixed basaltic–granitic catchment basin (Massif Central, France). <i>Chemical Geology</i> , 2008, 254, 1-18.	1.4	52
576	U-Pb Ages of Zircons in Western Qinling Shan, China, and Their Tectonic Implications. <i>Earth Science Frontiers</i> , 2008, 15, 88-107.	0.5	18
577	Methodology of Tracking Source of Cadmium Anomalies and Their Quantitative Estimation in the Yangtze River Basin. <i>Earth Science Frontiers</i> , 2008, 15, 179-194.	0.5	21
578	Early to middle Proterozoic dykes in the Mt. Riiser-Larsen area of the Napier Complex, East Antarctica: tectonic implications as deduced from geochemical studies. <i>Geological Society Special Publication</i> , 2008, 308, 195-210.	0.8	13
579	Neodymium-142 Evidence for Hadean Mafic Crust. <i>Science</i> , 2008, 321, 1828-1831.	6.0	301

#	ARTICLE	IF	CITATIONS
580	Origin of metasedimentary and igneous rocks from the Entia Dome, eastern Arunta region, central Australia: a U–Pb LA-ICPMS, SHRIMP and Sm–Nd isotope study. <i>Australian Journal of Earth Sciences</i> , 2008, 55, 703-719.	0.4	27
581	Two Distinctive Granite Suites in the SW Bohemian Massif and their Record of Emplacement: Constraints from Geochemistry and Zircon 207Pb/206Pb Chronology. <i>Journal of Petrology</i> , 2008, 49, 1853-1872.	1.1	46
582	Pericontinental Crustal Growth of the Southwestern Abitibi Subprovince, Canada—U-Pb, Hf, and Nd Isotope Evidence. <i>Economic Geology</i> , 2008, 103, 1151-1184.	1.8	54
584	Holocene erosion of the Lesser Himalaya triggered by intensified summer monsoon. <i>Geology</i> , 2008, 36, 79.	2.0	174
585	The Ellsworth terrane, coastal Maine: Geochronology, geochemistry, and Nd-Pb isotopic composition—Implications for the rifting of Ganderia. <i>Bulletin of the Geological Society of America</i> , 2008, 120, 1134-1158.	1.6	38
586	The Magmatic and Fluid Evolution of the Motzfeldt Intrusion in South Greenland: Insights into the Formation of Agpaitic and Miaskitic Rocks. <i>Journal of Petrology</i> , 2008, 49, 1549-1577.	1.1	43
587	The origin of the Variscan upper allochthons in the Ortegale Complex, northwestern Iberia: Sm–Nd isotopic constraints on the closure of the Rheic Ocean. <i>Canadian Journal of Earth Sciences</i> , 2008, 45, 651-668.	0.6	23
588	Reconstructing the Nd oceanic cycle using a coupled dynamical biogeochemical model. <i>Biogeosciences</i> , 2009, 6, 2829-2846.	1.3	185
589	Petrogenesis of the 1.9 Ga mafic hanging wall sequence to the Flin Flon, Callinan, and Triple 7 massive sulphide deposits, Flin Flon, Manitoba, Canada This is a companion paper to DeWolfe, Y.M., Gibson, H.L., Lafrance, B., and Bailes, A.H. 2009. Volcanic reconstruction of Paleoproterozoic arc volcanoes: the Hidden and Louis formations, Flin Flon, Manitoba, Canada. <i>Canadian Journal of Earth Sciences</i> , 46</b>: this issue.. <i>Canadian Journal of Earth Sciences</i> , 2009, 46, 509-527.	0.6	16
590	Two late Mesozoic volcanic events in Fujian Province: constraints on the tectonic evolution of southeastern China. <i>International Geology Review</i> , 2009, 51, 216-251.	1.1	42
591	Melting of Newly Formed Mafic Crust for the Formation of Neoproterozoic I-Type Granite in the Hannan Region, South China. <i>Journal of Geology</i> , 2009, 117, 54-70.	0.7	63
592	Geochemical and zircon U–Pb and Hf isotopic study of the Baijhuajian metaluminous A-type granite: Extension at 125–100 Ma and its tectonic significance for South China. <i>Lithos</i> , 2009, 112, 289-305.	0.6	208
593	Isotopic evidences for provenance of East Asian Dust. <i>Atmospheric Environment</i> , 2009, 43, 4481-4490.	1.9	62
594	Sr–Nd isotope geochemistry of the early Precambrian sub-alkaline mafic igneous rocks from the southern Bastar craton, Central India. <i>Mineralogy and Petrology</i> , 2009, 96, 71-79.	0.4	27
595	The Taihua group on the southern margin of the North China craton: further insights from U–Pb ages and Hf isotope compositions of zircons. <i>Mineralogy and Petrology</i> , 2009, 97, 43-59.	0.4	189
596	Textural, chemical, and isotopic effects of late-magmatic carbonatitic fluids in the carbonatite–syenite Tamazeght complex, High Atlas Mountains, Morocco. <i>Mineralogy and Petrology</i> , 2009, 97, 23-42.	0.4	23
597	Lower Carboniferous post-orogenic granites in central-eastern Sierra de Velasco, Sierras Pampeanas, Argentina: U–Pb monazite geochronology, geochemistry and Sr–Nd isotopes. <i>International Journal of Earth Sciences</i> , 2009, 98, 1001-1025.	0.9	78
598	Origin of a Mesozoic granite with A-type characteristics from the North China craton: highly fractionated from I-type magmas?. <i>Contributions To Mineralogy and Petrology</i> , 2009, 158, 113-130.	1.2	86

#	ARTICLE	IF	CITATIONS
599	Preliminary Mo isotope data of Phanerozoic clastic sediments from the northern margin of the Yangtze block and its implication for paleoenvironmental conditions. <i>Science Bulletin</i> , 2009, 54, 822-829.	4.3	3
600	Contribution of pre Pan-African crust to formation of the Arabian Nubian Shield: New secondary ionization mass spectrometry U-Pb and O studies of zircon. <i>Geology</i> , 2009, 37, 899-902.	2.0	88
601	Hf and Nd isotopes in marine sediments: Constraints on global silicate weathering. <i>Earth and Planetary Science Letters</i> , 2009, 277, 318-326.	1.8	112
602	Contrasting compositions of Saharan dust in the eastern Atlantic Ocean during the last deglaciation and African Humid Period. <i>Earth and Planetary Science Letters</i> , 2009, 278, 257-266.	1.8	107
603	The $\epsilon_{\text{Zr}}$ zircon effect as recorded by the chemical and Hf isotopic compositions of Lesser Antilles forearc sediments. <i>Earth and Planetary Science Letters</i> , 2009, 287, 86-99.	1.8	139
604	Concurrent Pb-Hf isotope analysis of zircon by laser ablation multi-collector ICP-MS, with implications for the crustal evolution of Greenland and the Himalayas. <i>Chemical Geology</i> , 2009, 261, 244-260.	1.4	164
605	Detrital zircon ages: Improving interpretation via Nd and Hf isotopic data. <i>Chemical Geology</i> , 2009, 262, 277-292.	1.4	81
606	The hafnium isotope composition of Pacific Ocean water. <i>Geochimica Et Cosmochimica Acta</i> , 2009, 73, 91-101.	1.6	51
607	Determining melt productivity of mantle sources from $^{238}\text{U}$ - $^{230}\text{Th}$ and $^{235}\text{U}$ - $^{231}\text{Pa}$ disequilibria; an example from Pico Island, Azores. <i>Geochimica Et Cosmochimica Acta</i> , 2009, 73, 2103-2122.	1.6	49
608	Hafnium isotopes in Arctic Ocean water. <i>Geochimica Et Cosmochimica Acta</i> , 2009, 73, 3218-3233.	1.6	44
609	Zn isotopes in the suspended load of the Seine River, France: Isotopic variations and source determination. <i>Geochimica Et Cosmochimica Acta</i> , 2009, 73, 4060-4076.	1.6	84
610	A method to estimate the composition of the bulk silicate Earth in the presence of a hidden geochemical reservoir. <i>Geochimica Et Cosmochimica Acta</i> , 2009, 73, 6952-6964.	1.6	23
611	Eocene adakitic volcanism in southern British Columbia: Remelting of arc basalt above a slab window. <i>Tectonophysics</i> , 2009, 464, 164-185.	0.9	67
612	Geochemistry, Nd isotopes and U-Pb SHRIMP zircon dating of Neoproterozoic volcanic rocks from the Central Eastern Desert of Egypt: New insights into the $\sim 750\text{Ma}$ crust-forming event. <i>Precambrian Research</i> , 2009, 171, 1-22.	1.2	198
613	Provenance of the Arroyo del Soldado Group (Ediacaran to Cambrian, Uruguay): Implications for the paleogeographic evolution of southwestern Gondwana. <i>Precambrian Research</i> , 2009, 171, 57-73.	1.2	80
614	Evidence for enrichment of subcontinental lithospheric mantle from Paleoproterozoic intracratonic magmas: Geochemistry and U-Pb geochronology of Martin Group igneous rocks, western Rae Craton, Canada. <i>Precambrian Research</i> , 2009, 175, 1-15.	1.2	32
615	Geochemistry and geochronology of the bimodal volcanic rocks of the Suguti area in the southern part of the Musoma-Mara Greenstone Belt, Northern Tanzania. <i>Precambrian Research</i> , 2009, 174, 241-257.	1.2	34
616	Upper Carboniferous retroarc volcanism with submarine and subaerial facies at the western Gondwana margin of Argentina. <i>Journal of South American Earth Sciences</i> , 2009, 27, 299-308.	0.6	10

#	ARTICLE	IF	CITATIONS
617	Provenance of the late Proterozoic to early Cambrian metaclastic sediments of the Sierra de San Luis (Eastern Sierras Pampeanas) and Cordillera Oriental, Argentina. <i>Journal of South American Earth Sciences</i> , 2009, 28, 239-262.	0.6	68
618	Grain size effect on Sr and Nd isotopic compositions in eolian dust: Implications for tracing dust provenance and Nd model age. <i>Geochemical Journal</i> , 2009, 43, 123-131.	0.5	74
619	U-Pb dating, geochemistry, and tectonic implications of the Songpan-Ganzi block and the Longmen Shan, China. <i>Geochemical Journal</i> , 2009, 43, 77-99.	0.5	17
620	Nd–Sr–Hf–O isotope provinciality in the northernmost Arabian–Nubian Shield: implications for crustal evolution. <i>Contributions To Mineralogy and Petrology</i> , 2010, 160, 181-201.	1.2	98
621	Zircon U-Pb geochronology, Hf isotopic composition and geological implications of the rhyodacite and rhyodacitic porphyry in the Xiangshan uranium ore field, Jiangxi Province, China. <i>Science China Earth Sciences</i> , 2010, 53, 1411-1426.	2.3	47
622	Petrogenesis and tectonic setting of volcanic rocks in the Xiaoshan and Waifangshan areas along the southern margin of the North China Craton: Constraints from bulk-rock geochemistry and Sr–Nd isotopic composition. <i>Lithos</i> , 2010, 114, 186-199.	0.6	87
623	Petrogenesis of the Late Cretaceous Demirköy Igneous Complex in the NW Turkey: Implications for magma genesis in the Strandja Zone. <i>Lithos</i> , 2010, 114, 369-384.	0.6	23
624	Neoproterozoic continental growth prior to Gondwana assembly: Constraints from zircon–titanite geochronology, geochemistry and petrography of ring complex granitoids, Sudan. <i>Lithos</i> , 2010, 118, 61-81.	0.6	21
625	Geochemical, U–Pb zircon, and Nd isotope investigations of the Neoproterozoic Ghawjah Metavolcanic rocks, Northwestern Saudi Arabia. <i>Lithos</i> , 2010, 120, 379-392.	0.6	56
626	Provenances of atmospheric dust over Korea from Sr–Nd isotopes and rare earth elements in early 2006. <i>Atmospheric Environment</i> , 2010, 44, 2401-2414.	1.9	45
627	Geodynamic evolution of the early Paleozoic Western Gondwana margin 14°–17°S reflected by the detritus of the Devonian and Ordovician basins of southern Peru and northern Bolivia. <i>Gondwana Research</i> , 2010, 18, 370-384.	3.0	69
628	Late Archaean high-K granite geochronology of the northern metacratonic margin of the Archaean Congo craton, Southern Cameroon: Evidence for Pb-loss due to non-metamorphic causes. <i>Gondwana Research</i> , 2010, 18, 337-355.	3.0	82
629	Geochemical character and petrogenesis of Pan-African Amspoort suite of the Boundary Igneous Complex in the Kaoko Belt (NW Namibia). <i>Gondwana Research</i> , 2010, 18, 688-707.	3.0	43
630	Sr–Nd isotopes and geochemistry of granite-gneiss complexes from the Meatiq and Hafafit domes, Eastern Desert, Egypt: No evidence for pre-Neoproterozoic crust. <i>Journal of African Earth Sciences</i> , 2010, 57, 31-40.	0.9	129
631	Zircon and titanite age evidence for coeval granitization and migmatization of the early Middle and early Late Proterozoic Saharan Metacraton; example from the central North Sudan basement. <i>Journal of African Earth Sciences</i> , 2010, 57, 492-524.	0.9	24
632	Mercury-Contaminated Hydraulic Mining Debris in San Francisco Bay. <i>San Francisco Estuary and Watershed Science</i> , 2010, 8, .	0.2	15
633	Melt–Peridotite Reactions and Fluid Metasomatism in the Upper Mantle, Revealed from the Geochemistry of Peridotite and Gabbro from the Horoman Peridotite Massif, Japan. <i>Journal of Petrology</i> , 2010, 51, 1417-1445.	1.1	21
634	Vestige of an Early Cambrian incipient oceanic crust incorporated in the Variscan orogen: Letovice Complex, Bohemian Massif. <i>Journal of the Geological Society</i> , 2010, 167, 1113-1130.	0.9	24

#	ARTICLE	IF	CITATIONS
635	ÅDistribution and significance of pre-Neoproterozoic zircons in juvenile Neoproterozoic igneous rocks of the Arabian-Nubian Shield. <i>Numerische Mathematik</i> , 2010, 310, 791-811.	0.7	161
636	Analysis of the Willowa-Baker terrane boundary: Implications for tectonic accretion in the Blue Mountains province, northeastern Oregon. <i>Bulletin of the Geological Society of America</i> , 2010, 122, 517-536.	1.6	48
637	Geochemical and Isotopic Study of the XiongÅ™er Volcanic Rocks at the Southern Margin of the North China Craton: Petrogenesis and Tectonic Implications. <i>Journal of Geology</i> , 2010, 118, 417-433.	0.7	47
638	Palaeoproterozoic (Å~¼1.9Ga) extension and breakup along the eastern margin of the Eastern Dharwar Craton, SE India: New SmÅ™Nd isochron age constraints from anorogenic mafic magmatism in the Neoproterozoic Nellore greenstone belt. <i>Journal of Asian Earth Sciences</i> , 2010, 37, 67-81.	1.0	66
639	Pb, Sr and Nd isotope systematics of metavolcanic rocks of the Hutti greenstone belt, Eastern Dharwar craton: Constraints on age, duration of volcanism and evolution of mantle sources during Late Archean. <i>Journal of Asian Earth Sciences</i> , 2010, 39, 1-11.	1.0	68
640	Volcanism of the Nanpu Sag in the Bohai Bay Basin, Eastern China: Geochemistry, petrogenesis, and implications for tectonic setting. <i>Journal of Asian Earth Sciences</i> , 2010, 39, 173-191.	1.0	34
641	Hafnium and neodymium isotopes in surface waters of the eastern Atlantic Ocean: Implications for sources and inputs of trace metals to the ocean. <i>Geochimica Et Cosmochimica Acta</i> , 2010, 74, 540-557.	1.6	97
642	Detrital zircon evidence for Hf isotopic evolution of granitoid crust and continental growth. <i>Geochimica Et Cosmochimica Acta</i> , 2010, 74, 2450-2472.	1.6	159
643	Turbulent mixing in the Amazon River: The isotopic memory of confluences. <i>Earth and Planetary Science Letters</i> , 2010, 290, 37-43.	1.8	118
644	The fundamental role of island arc weathering in the oceanic Sr isotope budget. <i>Earth and Planetary Science Letters</i> , 2010, 292, 51-56.	1.8	161
645	Climate driven glacialÅ™interglacial variations in the osmium isotope composition of seawater recorded by planktic foraminifera. <i>Earth and Planetary Science Letters</i> , 2010, 295, 58-68.	1.8	22
646	Isotopic characteristics of river sediments on the Tibetan Plateau. <i>Chemical Geology</i> , 2010, 269, 406-413.	1.4	46
647	Geochemistry of Precambrian sedimentary rocks used to solve stratigraphical problems: An example from the Neoproterozoic Volta basin, Ghana. <i>Precambrian Research</i> , 2010, 176, 65-76.	1.2	27
648	Geochemical, SmÅ™Nd isotopic characteristics and petrogenesis of Paleoproterozoic mafic rocks from the Georgetown Inlier, north Queensland: Implications for relationship with the Broken Hill and Mount Isa Eastern Succession. <i>Precambrian Research</i> , 2010, 177, 39-54.	1.2	34
649	Pitfalls of classifying ancient magmatic suites with tectonic discrimination diagrams: An example from the Paleoproterozoic Tunkillia Suite, southern Australia. <i>Precambrian Research</i> , 2010, 177, 227-240.	1.2	52
650	Å~¼2.7Ga crust growth in the North China craton. <i>Precambrian Research</i> , 2010, 179, 37-49.	1.2	221
651	Geochemical and isotopic constraints on the tectonic and crustal evolution of the Shackleton Range, East Antarctica, and correlation with other Gondwana crustal segments. <i>Precambrian Research</i> , 2010, 180, 85-112.	1.2	49
652	The negligible role of intermediate water circulation in stadialÅ™interstadial oxygenation variations along the southern California margin: Evidence from Nd isotopes. <i>Quaternary Science Reviews</i> , 2010, 29, 2442-2450.	1.4	11

#	ARTICLE	IF	CITATIONS
653	Geochemistry and petrogenesis of Permian ultramafic-mafic complexes of the Jinpingâ€“Song Da rift (<i>southeastern Asia</i>). Russian Geology and Geophysics, 2010, 51, 611-624.	0.3	13
654	THE ORIGIN OF FERROAN-POTASSIC A-TYPE GRANITOIDS: THE CASE OF THE HORNBLLENDE-BIOTITE GRANITE SUITE OF THE MESOPROTEROZOIC MAZURY COMPLEX, NORTHEASTERN POLAND. Canadian Mineralogist, 2010, 48, 947-968.	0.3	28
655	Controls on Devonianâ€“Carboniferous magmatism in Tasmania, based on inherited zircon age patterns, Sr, Nd and Pb isotopes, and major and trace element geochemistry. Australian Journal of Earth Sciences, 2010, 57, 933-968.	0.4	40
656	Petrogenesis of Latest Mioceneâ€“Quaternary Continental Intraplate Volcanism along the Northern Dead Sea Fault System (Al Ghabâ€“Homs Volcanic Field), Western Syria: Evidence for Lithosphereâ€“Asthenosphere Interaction. Journal of Petrology, 2011, 52, 401-430.	1.1	73
657	Grain size control on Srâ€“Nd isotope provenance studies and impact on paleoclimate reconstructions: An example from deepâ€“sea sediments offshore NW Africa. Geochemistry, Geophysics, Geosystems, 2011, 12, .	1.0	133
658	Zircon effect alone insufficient to generate seawater Ndâ€“Hf isotope relationships. Geochemistry, Geophysics, Geosystems, 2011, 12, .	1.0	18
659	Grain size control of river suspended sediment geochemistry: Clues from Amazon River depth profiles. Geochemistry, Geophysics, Geosystems, 2011, 12, .	1.0	243
660	The provenance of sediments in the Gulf of Lions, western Mediterranean Sea. Geochemistry, Geophysics, Geosystems, 2011, 12, n/a-n/a.	1.0	37
661	Current transport versus continental inputs in the eastern Indian Ocean: Radiogenic isotope signatures of clay size sediments. Geochemistry, Geophysics, Geosystems, 2011, 12, n/a-n/a.	1.0	33
662	Spatio-temporal evolution of the West African monsoon during the last deglaciation. Geophysical Research Letters, 2011, 38, n/a-n/a.	1.5	19
663	A stable (Li, O) and radiogenic (Sr, Nd) isotope perspective on metasomatic processes in a subducting slab. Chemical Geology, 2011, 281, 151-166.	1.4	70
664	Step heating of <sup>40</sup> Ar/ <sup>39</sup> Ar standard mineral mixtures: Investigation of a fine-grained bulk sediment provenance tool. Geochimica Et Cosmochimica Acta, 2011, 75, 2324-2335.	1.6	24
665	Tracing Nile sediment sources by Sr and Nd isotope signatures (Uganda, Ethiopia, Sudan). Geochimica Et Cosmochimica Acta, 2011, 75, 3627-3644.	1.6	117
666	CO <sub>2</sub> degassing and trapping during hydrothermal cycles related to Gondwana rifting in eastern Australia. Geochimica Et Cosmochimica Acta, 2011, 75, 5444-5466.	1.6	37
667	Modelling Nd-isotopes with a coarse resolution ocean circulation model: Sensitivities to model parameters and source/sink distributions. Geochimica Et Cosmochimica Acta, 2011, 75, 5927-5950.	1.6	136
668	Sr fluxes and <sup>87</sup> Sr/ <sup>86</sup> Sr characterization of river waters from a karstic versus granitic watershed in the Yangtze River. Journal of Geochemical Exploration, 2011, 110, 202-215.	1.5	14
669	A fresh isotopic look at Greenland kimberlites: Cratonic mantle lithosphere imprint on deep source signal. Earth and Planetary Science Letters, 2011, 305, 235-248.	1.8	140
670	Climatically driven changes in sediment supply on the SW Iberian shelf since the Last Glacial Maximum. Earth and Planetary Science Letters, 2011, 312, 80-90.	1.8	23



#	ARTICLE	IF	CITATIONS
671	Crustal segments in the North Patagonian Massif, Patagonia: An integrated perspective based on Sm-Nd isotope systematics. <i>Journal of South American Earth Sciences</i> , 2011, 31, 324-341.	0.6	32
672	Precambrian history of the Zona Transversal of the Borborema Province, NE Brazil: Insights from Sm-Nd and U-Pb geochronology. <i>Journal of South American Earth Sciences</i> , 2011, 31, 227-252.	0.6	171
673	Across-arc variation of the Famatinian magmatic arc (NW Argentina) exemplified by I, S- and transitional I/S-type Early Ordovician granitoids of the Sierra de Velasco. <i>Journal of South American Earth Sciences</i> , 2011, 32, 110-126.	0.6	53
674	K-Ar age and geochemistry of the SW Japan Paleogene cauldron cluster: Implications for Eocene-Oligocene thermo-tectonic reactivation. <i>Journal of Asian Earth Sciences</i> , 2011, 40, 509-533.	1.0	55
675	Continental arc magmatism along the southeast Hearne Craton margin in Saskatchewan, Canada: Comparison of the 1.92-1.91Ga Porter Bay Complex and the 1.86-1.85Ga Wathaman Batholith. <i>Precambrian Research</i> , 2011, 184, 93-120.	1.2	11
676	The role of crustal contamination in massif-type anorthosites, new evidence from Sr-Nd-Pb isotopic composition of the Kunene Intrusive Complex, NW Namibia. <i>Precambrian Research</i> , 2011, 185, 18-36.	1.2	24
677	Isotopic and geochemical constraints on the Paleoproterozoic Hutchison Group, southern Australia: Implications for Paleoproterozoic continental reconstructions. <i>Precambrian Research</i> , 2011, 187, 99-126.	1.2	66
678	On the edge: U-Pb, Lu-Hf, and Sm-Nd data suggests reworking of the Yilgarn craton margin during formation of the Albany-Fraser Orogen. <i>Precambrian Research</i> , 2011, 187, 223-247.	1.2	116
679	The Ediacaran Ferani and Rutig volcano-sedimentary successions of the northernmost Arabian-Nubian Shield (ANS): New insights from zircon U-Pb geochronology, geochemistry and O-Nd isotope ratios. <i>Precambrian Research</i> , 2011, 188, 21-44.	1.2	81
680	An estimate of 1.9Ga mantle depletion using the high-field-strength elements and Nd-Pb isotopes of ocean floor basalts, Flin Flon Belt, Canada. <i>Precambrian Research</i> , 2011, 189, 114-139.	1.2	22
681	Continental growth and secular evolution: Constraints from U-Pb ages and Hf isotope of detrital zircons in Proterozoic Jixian sedimentary section (1.8-0.8Ga), North China Craton. <i>Precambrian Research</i> , 2011, 189, 229-238.	1.2	49
682	SHRIMP dating and Nd isotope geology of the Archean terranes of the Uweinat-Kamil inlier, Egypt-Sudan-Libya. <i>Precambrian Research</i> , 2011, 189, 328-346.	1.2	39
683	Variations in trace element (including rare earth element) concentrations with grain sizes in loess and their implications for tracing the provenance of eolian deposits. <i>Quaternary International</i> , 2011, 236, 116-126.	0.7	56
684	Forecasting and Modeling of Harmful Algal Blooms in the Coastal Zone. , 2011, , 217-330.		3
685	U-Pb and 40Ar-39Ar Geochronology and Isotopic Constraints on the Genesis of Copper-Gold-Bearing Iron Oxide Deposits in the Hasancelebi District, Eastern Turkey. <i>Economic Geology</i> , 2011, 106, 261-288.	1.8	20
686	DATA ON 61 CHEMICAL ELEMENTS FOR THE CHARACTERIZATION OF THREE MAJOR GLASS COMPOSITIONS IN LATE ANTIQUITY AND THE MIDDLE AGES. <i>Archaeometry</i> , 2011, 53, 81-102.	0.6	100
687	REE contents, REE minerals and Sm/Nd isotopes of granite- and unconformity-related fluorite mineralization at the western edge of the Bohemian Massif: With special reference to the Nabburg-Walsendorf District, SE Germany. <i>Ore Geology Reviews</i> , 2011, 40, 132-148.	1.1	50
688	Highly depleted oceanic lithosphere in the Rheic Ocean: Implications for Paleozoic plate reconstructions. <i>Lithos</i> , 2011, 123, 165-175.	0.6	46

#	ARTICLE	IF	CITATIONS
689	Secular variations in magmatism and tectonic implications. <i>Lithos</i> , 2011, 123, ix-xiv.	0.6	1
690	Volcaniclastic gravity flow deposits in the Dezadeash Formation (Jura-Cretaceous), Yukon, Canada: Implications regarding the tectonomagmatic evolution of the Chitina arc in the northern Cordillera of North America. <i>Lithos</i> , 2011, 125, 86-100.	0.6	12
691	Source of Mesozoic intermediate-felsic igneous rocks in the North China craton: Granulite xenolith evidence. <i>Lithos</i> , 2011, 125, 335-346.	0.6	42
692	Early Cretaceous volcanism of the Coastal Ranges, NW Syria: Magma genesis and regional dynamics. <i>Lithos</i> , 2011, 126, 290-306.	0.6	14
693	Precambrian sources of Early Paleozoic SE Gondwana sediments as deduced from combined Lu-Hf and U-Pb systematics of detrital zircons, Takaka and Buller terrane, South Island, New Zealand. <i>Gondwana Research</i> , 2011, 20, 427-442.	3.0	21
694	Nd-isotopic mapping of the Archaean-Proterozoic boundary in southwestern Tanzania: Implication for the size of the Archaean Tanzania Craton. <i>Gondwana Research</i> , 2011, 20, 325-334.	3.0	19
695	Geochronology and geochemistry of 2.5 to 2.4Ga granitic plutons from the southern margin of the North China Craton: Implications for a tectonic transition from arc to post-collisional setting. <i>Gondwana Research</i> , 2011, 20, 171-183.	3.0	91
696	The Río de la Plata Craton: a review of units, boundaries, ages and isotopic signature. <i>International Journal of Earth Sciences</i> , 2011, 100, 201-220.	0.9	172
697	The Early Palaeozoic high-grade metamorphism at the active continental margin of West Gondwana in the Andes (NW Argentina/N Chile). <i>International Journal of Earth Sciences</i> , 2011, 100, 445-463.	0.9	23
698	Geodynamic evolution of the Eastern Sierras Pampeanas (Central Argentina) based on geochemical, Sm-Nd, Pb-Pb and SHRIMP data. <i>International Journal of Earth Sciences</i> , 2011, 100, 631-657.	0.9	34
699	Metasomatized lithospheric mantle beneath Turkana depression in southern Ethiopia (the East Africa) Tj ETQq0 0 0 rgBT /Overlock 10 Tf Petrology, 2011, 162, 889-907.	1.2	45
700	Geochemical, zircon U-Pb dating and Sr-Nd-Hf isotopic constraints on the age and petrogenesis of an Early Cretaceous volcanic-intrusive complex at Xiangshan, Southeast China. <i>Mineralogy and Petrology</i> , 2011, 101, 21-48.	0.4	89
701	Rb-Sr direct dating of pyrite from the Pipela VMS Zn-Cu prospect, Rajasthan, NW India. <i>Journal of the Geological Society of India</i> , 2011, 77, 149-159.	0.5	12
702	Seasonal variations in the Sr-Nd isotopic compositions of suspended particulate matter in the lower Changjiang River: Provenance and erosion constraints. <i>Science Bulletin</i> , 2011, 56, 2371-2378.	1.7	21
703	The importance of the terrigenous fraction within a cold-water coral mound: A case study. <i>Marine Geology</i> , 2011, 282, 13-25.	0.9	15
704	New SHRIMP, Rb/Sr and Sm/Nd isotope and whole rock chemical data from central Mozambique and western Dronning Maud Land, Antarctica: Implications for the nature of the eastern margin of the Kalahari Craton and the amalgamation of Gondwana. <i>Journal of African Earth Sciences</i> , 2011, 59, 74-100.	0.9	47
705	Eburnean and Pan-African granitoids and the Raghane mega-shear zone evolution: Image analysis, U-Pb zircon age and AMS study in the Arokam Tâ©nÃ©rÃ©© (Tuareg shield, Algeria). <i>Journal of African Earth Sciences</i> , 2011, 60, 133-152.	0.9	31
706	The Nagercoil Charnockite: a Magnesian, Calcic to Calc-alkalic Granitoid Dehydrated during a Granulite-facies Metamorphic Event. <i>Journal of Petrology</i> , 2011, 52, 375-400.	1.1	64



#	ARTICLE	IF	CITATIONS
707	Neoproterozoic high-potassium granites of the Boothia mainland area, Rae domain, Churchill Province: U–Pb zircon and Sm–Nd whole rock isotopic constraints. This article is one of a series of papers published in this Special Issue on the theme of <i>Geochronology</i> in honour of Tom Krogh. Canadian Journal of Earth Sciences, 2011, 48, 247-279.	0.6	39
708	Garnet Peridotite Xenoliths and Xenocrysts from the Monk Hill Kimberlite, South Australia: Insights into the Lithospheric Mantle beneath the Adelaide Fold Belt. Journal of Petrology, 2011, 52, 1965-1986.	1.1	12
709	Petrogenesis of peraluminous magmas from the Akum-Bamenda Massif, Pan-African Fold Belt, Cameroon. International Geology Review, 2011, 53, 1121-1149.	1.1	23
710	Geochemical indicators of metalliferous fertility in the Carboniferous San Blas pluton, Sierra de Velasco, Argentina. Geological Society Special Publication, 2011, 350, 175-186.	0.8	6
711	High-Temperature Granite Magmatism, Crust–Mantle Interaction and the Mesoproterozoic Intracontinental Evolution of the Musgrave Province, Central Australia. Journal of Petrology, 2011, 52, 931-958.	1.1	147
712	Provenance of late Paleoproterozoic cover sequences in the central Gawler Craton: exploring stratigraphic correlations in eastern Proterozoic Australia using detrital zircon ages, Hf and Nd isotopic data. Australian Journal of Earth Sciences, 2011, 58, 475-500.	0.4	24
713	Late Jurassic magmatism, metamorphism, and deformation in the Blue Mountains Province, northeast Oregon. Bulletin of the Geological Society of America, 2011, 123, 2083-2111.	1.6	48
714	Lithosphere-asthenosphere mixing in a transform-dominated late Paleozoic backarc basin: Implications for northern Cordilleran crustal growth and assembly. , 2012, 8, 716-739.		14
715	Tectonic Significance of Upper Cambrian–Middle Ordovician Mafic Volcanic Rocks on the Alexander Terrane, Saint Elias Mountains, Northwestern Canada. Journal of Geology, 2012, 120, 293-314.	0.7	31
716	U–Pb zircon dating and Sr–Nd–Hf isotopic evidence to support a juvenile origin of the ~ 634 Ma El Shaluf granitic gneiss dome, Arabian–Nubian Shield. Geological Magazine, 2012, 149, 783-797.	0.9	84
717	Convection of North Pacific deep water during the early Cenozoic. Geology, 2012, 40, 527-530.	2.0	51
719	GEOTRACES intercalibration of neodymium isotopes and rare earth element concentrations in seawater and suspended particles. Part 2: Systematic tests and baseline profiles. Limnology and Oceanography: Methods, 2012, 10, 252-269.	1.0	54
720	Zircon response to high-grade metamorphism as revealed by U–Pb and cathodoluminescence studies. International Journal of Earth Sciences, 2012, 101, 2105-2123.	0.9	16
721	Composition, age, and origin of the ~620 Ma Humr Akarim and Humrat Mukbid A-type granites: no evidence for pre-Neoproterozoic basement in the Eastern Desert, Egypt. International Journal of Earth Sciences, 2012, 101, 1705-1722.	0.9	71
722	Intensifying Weathering and Land Use in Iron Age Central Africa. Science, 2012, 335, 1219-1222.	6.0	161
723	The Sr–Nd isolation procedure for subsequent isotopic analysis using multi-collector ICP-mass spectrometry in the context of provenance studies on archaeological glass. Journal of Analytical Atomic Spectrometry, 2012, 27, 1335.	1.6	32
724	<sup>182</sup> W Evidence for Long-Term Preservation of Early Mantle Differentiation Products. Science, 2012, 335, 1065-1069.	6.0	211
725	Avalonian perspectives on Neoproterozoic paleogeography: Evidence from Sm-Nd isotope geochemistry and detrital zircon geochronology in SE New England, USA. Bulletin of the Geological Society of America, 2012, 124, 517-531.	1.6	50

#	ARTICLE	IF	CITATIONS
726	P-T-t conditions, Nd and Pb isotopic compositions and detrital zircon geochronology of the Massabesic Gneiss Complex, New Hampshire: Isotopic and metamorphic evidence for the identification of Gander basement, central New England. <i>Numerische Mathematik</i> , 2012, 312, 1049-1097.	0.7	28
727	Sources and transport routes of fine detritus material to the Late Quaternary Dead Sea basin. <i>Quaternary Science Reviews</i> , 2012, 50, 55-70.	1.4	99
728	Geochronology of granitoid and metasedimentary rocks from Togo and Benin, West Africa: Comparisons with NE Brazil. <i>Precambrian Research</i> , 2012, 196-197, 218-233.	1.2	44
729	Geochemistry and geochronology of the c. 1585Ma Benagerie Volcanic Suite, southern Australia: Relationship to the Gawler Range Volcanics and implications for the petrogenesis of a Mesoproterozoic silicic large igneous province. <i>Precambrian Research</i> , 2012, 206-207, 17-35.	1.2	52
730	Neodymium isotopic variations of the late Cenozoic sediments in the Jiangnan Basin: Implications for sediment source and evolution of the Yangtze River. <i>Journal of Asian Earth Sciences</i> , 2012, 45, 57-64.	1.0	25
731	Greater supply of Patagonian-sourced detritus and transport by the ACC to the Atlantic sector of the Southern Ocean during the last glacial period. <i>Earth and Planetary Science Letters</i> , 2012, 317-318, 374-385.	1.8	32
732	Osmium isotopes and highly siderophile element fractionation in the massif-type anorthosites of the Mesoproterozoic Kunene Intrusive Complex, NW Namibia. <i>Chemical Geology</i> , 2012, 302-303, 33-47.	1.4	12
733	Tracing the effects of high-pressure metasomatic fluids and seawater alteration in blueschist-facies overprinted eclogites: Implications for subduction channel processes. <i>Chemical Geology</i> , 2012, 292-293, 69-87.	1.4	64
734	Geochemistry, geochronology and Sr <sup>87</sup> /Nd <sup>143</sup> and Hf isotopes of two Mesozoic granitoids in the Xiaolinling gold district: Implication for large-scale lithospheric thinning in the North China Craton. <i>Chemical Geology</i> , 2012, 294-295, 173-189.	1.4	92
735	Combined U <sup>235</sup> /Pb geochronology and Sr <sup>87</sup> /Nd isotope analysis of the Ice River perovskite standard, with implications for kimberlite and alkaline rock petrogenesis. <i>Chemical Geology</i> , 2012, 304-305, 10-17.	1.4	42
736	Evaluating the use of clay mineralogy, Sr <sup>87</sup> /Nd isotopes and zircon U <sup>235</sup> /Pb ages in tracking dust provenance: An example from loess of the Carpathian Basin. <i>Chemical Geology</i> , 2012, 304-305, 83-96.	1.4	78
737	Asthenospheric source of Neoproterozoic and Mesozoic kimberlites from the North Atlantic craton, West Greenland: New high-precision U <sup>235</sup> /Pb and Sr <sup>87</sup> /Nd isotope data on perovskite. <i>Chemical Geology</i> , 2012, 320-321, 113-127.	1.4	59
738	Provenance of terrigenous detritus of the surface sediments in the Bering and Chukchi Seas as derived from Sr and Nd isotopes: Implications for recent climate change in the Arctic regions. <i>Deep-Sea Research Part II: Topical Studies in Oceanography</i> , 2012, 61-64, 155-171.	0.6	52
739	Spatial distribution of dissolved neodymium and <sup>143</sup> Nd in the Bay of Bengal: Role of particulate matter and mixing of water masses. <i>Geochimica Et Cosmochimica Acta</i> , 2012, 94, 38-56.	1.6	94
740	Two tales of the continental lithospheric mantle prior to the destruction of the North China Craton: Insights from Early Cretaceous mafic intrusions in western Shandong, East China. <i>Geochimica Et Cosmochimica Acta</i> , 2012, 96, 193-214.	1.6	86
741	Geochemical record of Holocene to Recent sedimentation on the Western Indus continental shelf, Arabian Sea. <i>Geochemistry, Geophysics, Geosystems</i> , 2012, 13, .	1.0	53
742	The distribution of neodymium isotopes and concentrations in the Eastern Equatorial Pacific: Water mass advection versus particle exchange. <i>Earth and Planetary Science Letters</i> , 2012, 353-354, 198-207.	1.8	85
743	Late Mesozoic tectonic evolution of the Songliao basin, NE China: Evidence from detrital zircon ages and Sr <sup>87</sup> /Nd isotopes. <i>Gondwana Research</i> , 2012, 22, 943-955.	3.0	99

#	ARTICLE	IF	CITATIONS
744	The radiogenic isotope characteristics of dikes and sills associated with the Mesoproterozoic Midcontinent Rift near Thunder Bay, Ontario, Canada. <i>Precambrian Research</i> , 2012, 214-215, 269-279.	1.2	21
745	Geochronology, geochemistry and tectonic significance of two Early Cretaceous A-type granites in the Gan-Hang Belt, Southeast China. <i>Lithos</i> , 2012, 150, 155-170.	0.6	132
746	Geochemistry, geochronology, and Sr <sup>87</sup> / <sup>86</sup> and Nd isotopes of the Late Neoproterozoic Wadi Kid volcano-sedimentary rocks, Southern Sinai, Egypt: Implications for tectonic setting and crustal evolution. <i>Lithos</i> , 2012, 154, 147-165.	0.6	81
747	Nd, Sr isotopes and elemental geochemistry of surface sediments from the South China Sea: Implications for Provenance Tracing. <i>Marine Geology</i> , 2012, 319-322, 21-34.	0.9	87
748	Chemical weathering and provenance evolution of Holocene–Recent sediments from the Western Indus Shelf, Northern Arabian Sea inferred from physical and mineralogical properties. <i>Marine Geology</i> , 2012, 326-328, 101-115.	0.9	33
749	A review of methods for long term in situ characterization of aerosol dust. <i>Aeolian Research</i> , 2012, 6, 55-74.	1.1	61
750	Sr-Nd isotope stratification along water depth: An example from Datong hydrological station of Yangtze River. <i>Science Bulletin</i> , 2012, 57, 4482-4490.	1.7	16
751	Geochemistry and provenance of bed sediments of the large rivers in the Tibetan Plateau and Himalayan region. <i>International Journal of Earth Sciences</i> , 2012, 101, 1357-1370.	0.9	15
752	Ediacaran terrane accretion within the Arabian–Nubian Shield. <i>Gondwana Research</i> , 2012, 21, 341-352.	3.0	112
753	The Himalayan leucogranites: Constraints on the nature of their crustal source region and geodynamic setting. <i>Gondwana Research</i> , 2012, 22, 360-376.	3.0	239
754	Permo-Triassic granitoids in the northern part of the Truong Son belt, NW Vietnam: Geochronology, geochemistry and tectonic implications. <i>Gondwana Research</i> , 2012, 22, 628-644.	3.0	173
755	Petrology of the Coyaguayma ignimbrite, northern Puna of Argentina: Origin and evolution of a peraluminous high-SiO <sub>2</sub> rhyolite magma. <i>Lithos</i> , 2012, 134-135, 179-200.	0.6	25
756	In situ zircon U <sup>238</sup> / <sup>235</sup> Pb, oxygen and hafnium isotopic compositions of Jurassic granites from the North China craton: Evidence for Triassic subduction of continental crust and subsequent metamorphism-related 18O depletion. <i>Lithos</i> , 2012, 142-143, 84-94.	0.6	84
757	Geochemistry and petrogenesis of mafic sills in the 1.1Ga Umkondo large igneous province, southern Africa. <i>Lithos</i> , 2012, 142-143, 116-129.	0.6	22
758	Magnetic characterization and paleoclimatic significances of late Pliocene-early Pleistocene sediments at site 882A, northwestern Pacific Ocean. <i>Science China Earth Sciences</i> , 2012, 55, 323-331.	2.3	3
759	Fluctuations in late Neoproterozoic atmospheric oxidation $\delta^{54}\text{Cr}$ Cr isotope chemostratigraphy and iron speciation of the late Ediacaran lower Arroyo del Soldado Group (Uruguay). <i>Gondwana Research</i> , 2013, 23, 797-811.	3.0	88
760	Assessment of seawater Nd isotope signatures extracted from foraminiferal shells and authigenic phases of Gulf of Guinea sediments. <i>Geochimica Et Cosmochimica Acta</i> , 2013, 121, 414-435.	1.6	42
761	Albitization in the Antimony Line, Murchison Greenstone Belt (Kaapvaal Craton): A geochemical and geochronological investigation. <i>Lithos</i> , 2013, 168-169, 124-143.	0.6	13

#	ARTICLE	IF	CITATIONS
762	Geochemistry and petrogenesis of Proterozoic mafic rocks from East Khasi Hills, Shillong Plateau, Northeastern India. <i>Precambrian Research</i> , 2013, 230, 119-137.	1.2	26
763	Bulk composition of northern African dust and its source sediments – A compilation. <i>Earth-Science Reviews</i> , 2013, 116, 170-194.	4.0	296
764	Post-collisional, K-rich mafic magmatism in south Tibet: constraints on Indian slab-to-wedge transport processes and plateau uplift. <i>Contributions To Mineralogy and Petrology</i> , 2013, 165, 1311-1340.	1.2	128
765	Age, Nd–Hf isotopes, and geochemistry of the Vijayan Complex of eastern and southern Sri Lanka: A Grenville-age magmatic arc of unknown derivation. <i>Precambrian Research</i> , 2013, 234, 288-321.	1.2	77
766	2.1–1.85Ga tectonic events in the Yangtze Block, South China: Petrological and geochronological evidence from the Kongling Complex and implications for the reconstruction of supercontinent Columbia. <i>Lithos</i> , 2013, 182-183, 200-210.	0.6	173
767	Variable HfSrNd radiogenic isotopic compositions in a Saharan dust storm over the Atlantic: Implications for dust flux to oceans, ice sheets and the terrestrial biosphere. <i>Chemical Geology</i> , 2013, 349-350, 18-26.	1.4	58
768	Not-so-suspect terrane: Constraints on the crustal evolution of the Rudall Province. <i>Precambrian Research</i> , 2013, 235, 131-149.	1.2	28
769	Algorithms for estimating uncertainties in initial radiogenic isotope ratios and model ages. <i>Chemical Geology</i> , 2013, 340, 131-138.	1.4	48
770	Geochemistry and U–Pb zircon dating of the high-K calc-alkaline basaltic andesitic lavas from the Buanji Group, south-western Tanzania. <i>Journal of African Earth Sciences</i> , 2013, 86, 107-118.	0.9	9
771	A Sr–Nd isotopic study of sand-sized sediment provenance and transport for the San Francisco Bay coastal system. <i>Marine Geology</i> , 2013, 345, 143-153.	0.9	19
772	Neoproterozoic plutonic rocks from the western Gyeonggi massif, South Korea: Implications for the amalgamation and break-up of the Rodinia supercontinent. <i>Precambrian Research</i> , 2013, 227, 349-367.	1.2	60
773	Dust transport and synoptic conditions over the Sahara–Arabia deserts during the MIS6/5 and 2/1 transitions from grain-size, chemical and isotopic properties of Red Sea cores. <i>Earth and Planetary Science Letters</i> , 2013, 382, 125-139.	1.8	56
774	Geochemistry and tectonic implications of late Mesoproterozoic alkaline bimodal volcanic rocks from the Tieshajie Group in the southeastern Yangtze Block, South China. <i>Precambrian Research</i> , 2013, 230, 179-192.	1.2	101
775	Subduction related tectonic evolution of the Neoproterozoic eastern Dharwar Craton, southern India: New geochemical and isotopic constraints. <i>Precambrian Research</i> , 2013, 227, 204-226.	1.2	83
776	Hf isotopic composition of single zircons from Neoproterozoic arc volcanics and post-collision granites, Eastern Desert of Egypt: Implications for crustal growth and recycling in the Arabian-Nubian Shield. <i>Precambrian Research</i> , 2013, 239, 42-55.	1.2	79
777	Recognition of Early and Late Neoproterozoic supracrustal units in West Africa and North-East Brazil from detrital zircon geochronology. <i>Precambrian Research</i> , 2013, 226, 105-115.	1.2	33
778	Evolution of the African continental crust as recorded by U–Pb, Lu–Hf and O isotopes in detrital zircons from modern rivers. <i>Geochimica Et Cosmochimica Acta</i> , 2013, 107, 96-120.	1.6	136
779	Evolution of Archaean crust in the Dharwar craton: The Nd isotope record. <i>Precambrian Research</i> , 2013, 227, 227-246.	1.2	109

#	ARTICLE	IF	CITATIONS
780	Island arc-type bimodal magmatism in the eastern Tianshan Belt, Northwest China: Geochemistry, zircon U <sup>238</sup> /Pb geochronology and implications for the Paleozoic crustal evolution in Central Asia. <i>Lithos</i> , 2013, 168-169, 48-66.	0.6	98
781	Seychelles alkaline suite records the culmination of Deccan Traps continental flood volcanism. <i>Lithos</i> , 2013, 182-183, 33-47.	0.6	31
782	Large U loss during weathering of upper continental crust: The sedimentary record. <i>Chemical Geology</i> , 2013, 340, 91-104.	1.4	54
783	Sr Nd Pb isotopic compositions of Early Cretaceous granitoids from the Dabie orogen: Constraints on the recycled lower continental crust. <i>Lithos</i> , 2013, 156-159, 204-217.	0.6	66
784	Tectonic evolution of the East Junggar terrane: Evidence from the Taheir tectonic window, Xinjiang, China. <i>Gondwana Research</i> , 2013, 24, 578-600.	3.0	82
785	Changes in silicate utilisation and upwelling intensity off Peru since the Last Glacial Maximum – insights from silicon and neodymium isotopes. <i>Quaternary Science Reviews</i> , 2013, 72, 18-35.	1.4	31
786	Nature and timing of metasomatism in the stratified mantle lithosphere beneath the central Slave craton (Canada). <i>Chemical Geology</i> , 2013, 352, 153-169.	1.4	81
787	Evolution and origin of the Miocene intraplate basalts on the Aleppo Plateau, NW Syria. <i>Chemical Geology</i> , 2013, 335, 149-171.	1.4	23
788	Sediment discharge and export of fluvial carbon and nutrients into the Arafura and Timor Seas: A regional synthesis. <i>Marine Geology</i> , 2013, 343, 146-158.	0.9	19
789	Geochemical and isotopic characterization of the Bodø Depression dust source and implications for transatlantic dust transport to the Amazon Basin. <i>Earth and Planetary Science Letters</i> , 2013, 380, 112-123.	1.8	106
790	The volcanoes of an oceanic arc from origin to destruction: A case from the northern Luzon Arc. <i>Journal of Asian Earth Sciences</i> , 2013, 74, 97-112.	1.0	14
791	Hf and Nd isotopes in Early Ordovician to Early Carboniferous granites as monitors of crustal growth in the Proto-Andean margin of Gondwana. <i>Gondwana Research</i> , 2013, 23, 1617-1630.	3.0	91
792	Changing rainfall patterns in NW Africa since the Younger Dryas. <i>Aeolian Research</i> , 2013, 10, 111-123.	1.1	26
793	Late Neoproterozoic arc-related magmatism in the Horse Cove Complex, eastern Avalon Zone, Newfoundland. <i>Canadian Journal of Earth Sciences</i> , 2013, 50, 462-482.	0.6	15
794	Mafic forearc cumulates and associated rocks in the central high-pressure belt of the Acatlán Complex of southern Mexico: geochemical constraints. <i>International Geology Review</i> , 2013, 55, 1401-1417.	1.1	2
795	Evidence of silicic acid leakage to the tropical Atlantic via Antarctic Intermediate Water during Marine Isotope Stage 4. <i>Paleoceanography</i> , 2013, 28, 307-318.	3.0	20
796	Geochemical constraints on provenance of the mid-Pleistocene red earth sediments in subtropical China. <i>Sedimentary Geology</i> , 2013, 290, 97-108.	1.0	49
797	Petrogenesis and tectonic significance of Early Cretaceous high-Zr rhyolite in the Dazhou uranium district, Gan-Hang Belt, Southeast China. <i>Journal of Asian Earth Sciences</i> , 2013, 74, 303-315.	1.0	30

#	ARTICLE	IF	CITATIONS
798	Controls on the incongruent release of hafnium during weathering of metamorphic and sedimentary catchments. <i>Geochimica Et Cosmochimica Acta</i> , 2013, 101, 263-284.	1.6	27
799	Chemical and Sr-Nd isotopic compositions and zircon U-Pb ages of the Birimian granitoids from NE Burkina Faso, West African Craton: Implications on the geodynamic setting and crustal evolution. <i>Precambrian Research</i> , 2013, 224, 364-396.	1.2	49
800	Intracontinental Eocene-Oligocene Porphyry Cu Mineral Systems of Yunnan, Western Yangtze Craton, China: Compositional Characteristics, Sources, and Implications for Continental Collision Metallogeny. <i>Economic Geology</i> , 2013, 108, 1541-1576.	1.8	144
801	Multiple sources for the origin of Late Jurassic Linglong adakitic granite in the Shandong Peninsula, eastern China: Zircon U-Pb geochronological, geochemical and Sr-Nd-Hf isotopic evidence. <i>Lithos</i> , 2013, 162-163, 251-263.	0.6	124
802	ISOTOPES ON THE BEACH, PART 2: NEODYMIUM ISOTOPIC ANALYSIS FOR THE PROVENANCING OF ROMAN GLASS-MAKING. <i>Archaeometry</i> , 2013, 55, 449-464.	0.6	39
803	Smaller, better, more: Five decades of advances in geochemistry. , 2013, , .		5
804	Understanding a critical basinal link in Cretaceous Cordilleran paleogeography: Detailed provenance of the Hornbrook Formation, Oregon and California. <i>Bulletin of the Geological Society of America</i> , 2013, 125, 709-727.	1.6	21
805	Geochemical, Sr-Nd-Pb, and Zircon Hf-O Isotopic Compositions of Eocene-Oligocene Shoshonitic and Potassic Adakite-like Felsic Intrusions in Western Yunnan, SW China: Petrogenesis and Tectonic Implications. <i>Journal of Petrology</i> , 2013, 54, 1309-1348.	1.1	170
806	Ages and Sources of Ore-Related Porphyries at Yongping-C-Mo Deposit in Jiangxi Province, Southeast China. <i>Resource Geology</i> , 2013, 63, 288-312.	0.3	19
807	Weathering geochemistry and Sr-Nd fingerprints of equatorial upper Nile and Congo muds. <i>Geochemistry, Geophysics, Geosystems</i> , 2013, 14, 292-316.	1.0	141
808	The Lithospheric Mantle Beneath Central Europe: Nd Isotopic Constraints for Its Late Proterozoic Enrichment and Implications for Early Crustal Evolution. <i>Geophysical Monograph Series</i> , 2013, , 269-276.	0.1	2
809	PALEOCEANOGRAPHY, PHYSICAL AND CHEMICAL PROXIES   Terrigenous Sediments. , 2013, , 941-953.		3
810	Marked change of Sr-Nd isotopic compositions of granitoids in Sanin Belt of SW Japan and Gyeongsang Basin of Korea during the latest Cretaceous, and geologic significance. <i>Journal of the Geological Society of Japan</i> , 2013, 119, 229-248.	0.2	8
811	Mantle Differentiation Through Continental Crust Growth and Recycling and the Thermal Evolution of the Earth. <i>Geophysical Monograph Series</i> , 0, , 55-71.	0.1	14
812	Reply to comment by Jianguo Liu, Wen Yan, Zhong Chen, Han Chen, Jun Lu on "Holocene evolution in weathering and erosion patterns in the Pearl River delta". <i>Geochemistry, Geophysics, Geosystems</i> , 2014, 15, 3081-3084.	1.0	0
814	Neoproterozoic (c. 2.7 Ga) Plutons of the Ungava Craton, Quebec, Canada: Parental Magma Compositions and Implications for Fe-rich Mantle Source Regions. <i>Journal of Petrology</i> , 2014, 55, 2481-2512.	1.1	5
815	Petrology and geochemistry of the Valle de Santiago lower-crust xenoliths: Young tectonothermal processes beneath the central Trans-Mexican volcanic belt. <i>Lithosphere</i> , 2014, 6, 335-360.	0.6	11
816	Zircon U-Pb geochronology, geochemical and Sr-Nd-Hf isotopic compositions of the Triassic granite and diorite dikes from the Wulonggou mining area in the Eastern Kunlun Orogen, NW China: Petrogenesis and tectonic implications. <i>Lithos</i> , 2014, 205, 266-283.	0.6	107



#	ARTICLE	IF	CITATIONS
817	Late Paleozoic assembly of the Alexander-Wrangellia-Peninsular composite terrane, Canadian and Alaskan Cordillera. <i>Bulletin of the Geological Society of America</i> , 2014, 126, 1531-1550.	1.6	2
818	Tectonic reconstruction and sediment provenance of a far-travelled oceanic nappe, Helgeland Nappe Complex, west-central Norway. <i>Geological Society Special Publication</i> , 2014, 390, 583-602.	0.8	12
819	Petrogenesis and geochronology of a post-orogenic calc-alkaline magmatic association: the Å <sup>1/2</sup> ulovÅ; Pluton, Bohemian Massif. <i>Journal of Geosciences (Czech Republic)</i> , 2014, , 415-440.	0.3	40
820	Trace Element Analysis in Provenancing <scp>R</scp>oman Glassâ€Making. <i>Archaeometry</i> , 2014, 56, 116-136.	0.6	71
821	Nd-isotope evidence for the distal provenance of the historical (c. <3000BP) lateritic surface cover underlying the Equatorial forest in Gabon (Western Africa). <i>Aeolian Research</i> , 2014, 15, 177-192.	1.1	6
822	Geochemical Characteristics of Eolian Deposits on the Eastern Margin of the Tibetan Plateau and Implications for Provenance. <i>Acta Geologica Sinica</i> , 2014, 88, 963-973.	0.8	6
823	Late Paleozoic assembly of the Alexander-Wrangellia-Peninsular composite terrane, Canadian and Alaskan Cordillera. <i>Bulletin of the Geological Society of America</i> , 2014, 126, 1531-1550.	1.6	27
824	Sediment storage and reworking on the shelf and in the Canyon of the Indus Riverâ€Fan System since the last glacial maximum. <i>Basin Research</i> , 2014, 26, 183-202.	1.3	43
825	Sediment fluxes and buffering in the postâ€glacial Indus Basin. <i>Basin Research</i> , 2014, 26, 369-386.	1.3	62
826	Geochemical fingerprinting of trans-Atlantic African dust based on radiogenic Sr-Nd-Hf isotopes and rare earth element anomalies. <i>Geology</i> , 2014, 42, 675-678.	2.0	76
827	Constraints on the relationships between Paleoproterozoic intrusions and dyke swarms, East Arm of Great Slave Lake, N.W.T., Canada. <i>Canadian Journal of Earth Sciences</i> , 2014, 51, 419-438.	0.6	3
828	Long-lived Isotopic Tracers in Oceanography, Paleoceanography, and Ice-sheet Dynamics. , 2014, , 453-483.		10
829	Provenance versus weathering control on the composition of tropical river mud (southern Africa). <i>Chemical Geology</i> , 2014, 366, 61-74.	1.4	172
830	Integrating 40Arâ€39Ar, 87Rbâ€87Sr and 147Smâ€143Nd geochronology of authigenic illite to evaluate tectonic reactivation in an intraplate setting, central Australia. <i>Geochimica Et Cosmochimica Acta</i> , 2014, 134, 155-174.	1.6	23
831	Internal architecture and Feâ€Tiâ€V oxide ore genesis in a Variscan synorogenic layered mafic intrusion, the Beja Layered Gabbroic Sequence (Portugal). <i>Lithos</i> , 2014, 190-191, 111-136.	0.6	10
832	Melting of a subduction-modified mantle source: A case study from the Archean Marda Volcanic Complex, central Yilgarn Craton, Western Australia. <i>Lithos</i> , 2014, 190-191, 403-419.	0.6	22
833	Ndâ€Sr isotopic and REE geochemical compositions of Late Quaternary deposits in the desertâ€loess transition, north-central China: Implications for their provenance and past wind systems. <i>Quaternary International</i> , 2014, 334-335, 197-212.	0.7	12
834	Highly depleted isotopic compositions evident in Iapetus and Rheic Ocean basalts: implications for crustal generation and preservation. <i>International Journal of Earth Sciences</i> , 2014, 103, 1219-1232.	0.9	13

#	ARTICLE	IF	CITATIONS
835	Geochronology, geochemistry, and mineralization of the granodiorite porphyry hosting the Matou Cu-Mo ( $\pm$ W) deposit, Lower Yangtze River metallogenic belt, eastern China. <i>Journal of Asian Earth Sciences</i> , 2014, 79, 623-640.	1.0	43
836	Episodic magmatism at 105 Ma in the Kinki district, SW Japan: Petrogenesis of Nb-rich lamprophyres and adakites, and geodynamic implications. <i>Lithos</i> , 2014, 184-187, 105-131.	0.6	47
837	The role of subduction channel magmas and convergent subduction systems in the petrogenesis of post-collisional K-rich mafic magmatism in NW Tibet. <i>Lithos</i> , 2014, 198-199, 184-201.	0.6	53
838	Constraining genesis and geotectonic setting of metavolcanic complexes: a multidisciplinary study of the Devonian Vrbno Group (Hrubá Jeseníky Mts., Czech Republic). <i>International Journal of Earth Sciences</i> , 2014, 103, 455-483.	0.9	36
839	Geochronology, geochemistry and Sr-Nd-Pb isotopic constraints on the origin of the Qianmeichong porphyry Mo deposit, Dabie orogen, east China. <i>Journal of Asian Earth Sciences</i> , 2014, 85, 163-177.	1.0	22
840	Geochemistry of primary-carbonate bearing K-rich igneous rocks in the Awulale Mountains, western Tianshan: Implications for carbon-recycling in subduction zone. <i>Geochimica Et Cosmochimica Acta</i> , 2014, 143, 143-164.	1.6	28
841	SIMS zircon U-Pb and mica K-Ar geochronology, and Sr-Nd isotope geochemistry of Neoproterozoic granitoids and their bearing on the evolution of the north Eastern Desert, Egypt. <i>Gondwana Research</i> , 2014, 25, 1570-1598.	3.0	66
842	Petrology and geochemistry of the ultramafic-mafic Mawpyut complex, Meghalaya: a Sylhet trap differentiation centre in northeastern India. <i>Geological Journal</i> , 2014, 49, 111-128.	0.6	6
843	Reassessment of continental growth during the accretionary history of the Central Asian Orogenic Belt. <i>Gondwana Research</i> , 2014, 25, 103-125.	3.0	713
844	Late Quaternary evolution of sediment provenances in the Central Arctic Ocean: mineral assemblage, trace element composition and Nd and Pb isotope fingerprints of detrital fraction from the Northern Mendeleev Ridge. <i>Quaternary Science Reviews</i> , 2014, 92, 140-154.	1.4	57
845	Geographical variations in Sr and Nd isotopic ratios of cryoconite on Asian glaciers. <i>Environmental Research Letters</i> , 2014, 9, 045007.	2.2	24
846	Nd isotopic structure of the Pacific Ocean 70-30 Ma and numerical evidence for vigorous ocean circulation and ocean heat transport in a greenhouse world. <i>Paleoceanography</i> , 2014, 29, 454-469.	3.0	53
847	Geochronology, geochemistry, and petrogenesis of the Maşka subvolcanic intrusions: implications for the Late Cretaceous magmatic and geodynamic evolution of the eastern part of the Sakarya Zone, northeastern Turkey. <i>International Geology Review</i> , 2014, 56, 1246-1275.	1.1	52
848	Provenance of sedimentary kaolin deposits in Egypt: Evidences from the Pb, Sr and Nd isotopes. <i>Journal of African Earth Sciences</i> , 2014, 100, 532-540.	0.9	10
849	The Chemical Composition of Subducting Sediments. , 2014, , 607-629.		277
850	Evidence for the control of the geochemistry of Amazonian floodplain sediments by stratification of suspended sediments in the Amazon. <i>Chemical Geology</i> , 2014, 387, 101-110.	1.4	32
851	Geographically different oceanographic responses to global warming during the Cenomanian-Turonian interval and Oceanic Anoxic Event 2. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2014, 411, 136-143.	1.0	5
852	Geochemical and isotopic composition of Pan-African metabasalts from southwestern Gondwana: Evidence of Cretaceous South Atlantic opening along a Neoproterozoic back-arc. <i>Lithos</i> , 2014, 202-203, 363-381.	0.6	33

#	ARTICLE	IF	CITATIONS
853	Geodynamic Reconstruction of the Winston Lake Greenstone Belt and VMS Deposits: New Trace Element Geochemistry and U-Pb Geochronology. <i>Economic Geology</i> , 2014, 109, 1291-1313.	1.8	8
854	Geochronology and geochemistry of Cretaceous Nanshanping alkaline rocks from the Zijinshan district in Fujian Province, South China: Implications for crust-mantle interaction and lithospheric extension. <i>Journal of Asian Earth Sciences</i> , 2014, 93, 253-274.	1.0	32
855	Geochemistry of the Palaeoproterozoic gabbros and granodiorites of the Saza area in the Lupa Goldfield, southwestern Tanzania. <i>Journal of African Earth Sciences</i> , 2014, 100, 401-408.	0.9	14
856	U-Pb zircon geochronology and Nd-Hf-O isotopic systematics of the Neoproterozoic Hadb adh Dayheen ring complex, Central Arabian Shield, Saudi Arabia. <i>Lithos</i> , 2014, 206-207, 348-360.	0.6	33
857	Sr and Nd isotopic compositions of apatite reference materials used in U-Th-Pb geochronology. <i>Chemical Geology</i> , 2014, 385, 35-55.	1.4	234
858	Geochronological (U-Pb, U-Th-total Pb, Sm-Nd) and geochemical (REE, 87Sr/86Sr, $\delta^{18}O$ , $\delta^{13}C$ ) tracing of intraplate tectonism and associated fluid flow in the Warburton Basin, Australia. <i>Contributions To Mineralogy and Petrology</i> , 2014, 168, 1.	1.2	6
859	Neodymium isotopes and concentrations in Caribbean seawater: Tracing water mass mixing and continental input in a semi-enclosed ocean basin. <i>Earth and Planetary Science Letters</i> , 2014, 406, 174-186.	1.8	51
860	Where is basalt in river sediments, and why does it matter?. <i>Earth and Planetary Science Letters</i> , 2014, 407, 61-69.	1.8	41
861	Provenances of the Mesozoic sediments in the Ordos Basin and implications for collision between the North China Craton (NCC) and the South China Craton (SCC). <i>Journal of Asian Earth Sciences</i> , 2014, 96, 296-307.	1.0	34
862	Generation of Cenozoic granitoids in Hokkaido (Japan): Constraints from zircon geochronology, Sr-Nd-Hf isotopic and geochemical analyses, and implications for crustal growth. <i>Numerische Mathematik</i> , 2014, 314, 704-750.	0.7	53
863	Orstian palaeoposition and geotectonic setting of Suchomasty Volcanic Centre (Silurian, Prague) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50	0.4	10
864	Petrogenesis of Late Mesozoic granitoids and coeval mafic rocks from the Jiurui district in the Middle-Lower Yangtze metallogenic belt of Eastern China: Geochemical and Sr-Nd-Pb-Hf isotopic evidence. <i>Lithos</i> , 2014, 190-191, 467-484.	0.6	38
865	Timing and sources of pre-collisional Neoproterozoic sedimentation along the SW margin of the Congo Craton (Kaoko Belt, NW Namibia). <i>Gondwana Research</i> , 2014, 26, 386-401.	3.0	48
866	Timing of Archean crust formation and cratonization in the Awsard-Tichla zone of the NW Reguibat Rise, West African Craton: A SHRIMP, Nd-Sr isotopes, and geochemical reconnaissance study. <i>Precambrian Research</i> , 2014, 242, 112-137.	1.2	41
867	Decreased influence of Antarctic intermediate water in the tropical Atlantic during North Atlantic cold events. <i>Earth and Planetary Science Letters</i> , 2014, 389, 200-208.	1.8	65
868	Constraints from loess on the Hf-Nd isotopic composition of the upper continental crust. <i>Earth and Planetary Science Letters</i> , 2014, 388, 48-58.	1.8	145
869	Which minerals control the Nd-Hf-Sr-Pb isotopic compositions of river sediments?. <i>Chemical Geology</i> , 2014, 364, 42-55.	1.4	114
870	Lithospheric and asthenospheric sources of lamprophyres in the Jiaodong Peninsula: A consequence of rapid lithospheric thinning beneath the North China Craton?. <i>Geochimica Et Cosmochimica Acta</i> , 2014, 124, 250-271.	1.6	198

#	ARTICLE	IF	CITATIONS
871	The high-supply, current-dominated continental margin of southeastern South America during the late Quaternary. <i>Quaternary Research</i> , 2014, 81, 339-354.	1.0	46
872	Highly fractionated S-type granites from the giant Dahutang tungsten deposit in Jiangnan Orogen, Southeast China: geochronology, petrogenesis and their relationship with W-mineralization. <i>Lithos</i> , 2014, 202-203, 207-226.	0.6	180
873	Accretionary wedge harzburgite serpentinization and rodingitization constrained by perovskite U/Pb SIMS age, trace elements and Sm/Nd isotopes: Case study from the Western Carpathians, Slovakia. <i>Lithos</i> , 2014, 205, 1-14.	0.6	22
874	Deciphering human-climate interactions in an ombrotrophic peat record: REE, Nd and Pb isotope signatures of dust supplies over the last 2500years (Misten bog, Belgium). <i>Geochimica Et Cosmochimica Acta</i> , 2014, 135, 288-306.	1.6	15
875	Geochemistry and petrogenesis of lava flows around Linga, Chhindwara area in the Eastern Deccan Volcanic Province (EDVP), India. <i>Journal of Asian Earth Sciences</i> , 2014, 91, 174-193.	1.0	22
876	Geochemistry of Early Cretaceous calc-alkaline lamprophyres in the Jiaodong Peninsula: Implication for lithospheric evolution of the eastern North China Craton. <i>Gondwana Research</i> , 2014, 25, 859-872.	3.0	135
877	The seawater neodymium and lead isotope record of the final stages of Central American Seaway closure. <i>Paleoceanography</i> , 2014, 29, 715-729.	3.0	52
878	Nd and Sr isotope compositions of different phases of surface sediments in the South Pacific: Extraction of seawater signatures, boundary exchange, and detrital/dust provenance. <i>Geochemistry, Geophysics, Geosystems</i> , 2014, 15, 3502-3520.	1.0	28
879	The reliability of $^{42.9}\text{Ga}$ old Witwatersrand banded iron formations (South Africa) as archives for Mesoarchean seawater: Evidence from REE and Nd isotope systematics. <i>Journal of African Earth Sciences</i> , 2015, 111, 322-334.	0.9	39
881	New insights into hydrological exchange between the South China Sea and the Western Pacific Ocean based on the Nd isotopic composition of seawater. <i>Deep-Sea Research Part II: Topical Studies in Oceanography</i> , 2015, 122, 25-40.	0.6	39
882	Sr-Nd-Pb Isotopic compositions of the Neogene Eolian Deposits in the Xining Basin and Implications for Their Dust Sources. <i>Journal of Earth Science (Wuhan, China)</i> , 2015, 26, 669-676.	1.1	10
883	Millennial-scale fluctuations of the European Ice Sheet at the end of the last glacial, and their potential impact on global climate. <i>Quaternary Science Reviews</i> , 2015, 123, 113-133.	1.4	122
884	Quantitative estimates of Asian dust input to the western Philippine Sea in the mid-late Quaternary and its potential significance for paleoenvironment. <i>Geochemistry, Geophysics, Geosystems</i> , 2015, 16, 3182-3196.	1.0	50
886	K'Mudku A-type magmatism in the southernmost Guyana Shield, central-north Amazon Craton (Brazil): the case of Pedra do Gavião syenogranite. <i>Brazilian Journal of Geology</i> , 2015, 45, 293-306.	0.3	9
887	Nutrient utilisation and weathering inputs in the Peruvian upwelling region since the Little Ice Age. <i>Climate of the Past</i> , 2015, 11, 187-202.	1.3	10
888	Importance of crustal relamination in origin of the orogenic mantle peridotite-high-pressure granulite association: example from the Náměšť Granulite Massif (Bohemian Massif, Czech Republic). <i>Journal of the Geological Society</i> , 2015, 172, 479-490.	0.9	36
889	Sr-Nd isotopic constraints on detrital sediment provenance and paleoenvironmental change in the northern Okinawa Trough during the late Quaternary. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2015, 430, 74-84.	1.0	39
890	Precambrian continent assembly and dispersal events of South Indian and East Antarctic Shields. <i>International Geology Review</i> , 2015, 57, 1992-2027.	1.1	24

#	ARTICLE	IF	CITATIONS
891	Post-collisional high-K calc-alkaline volcanism in Tengchong volcanic field, SE Tibet: constraints on Indian eastward subduction and slab detachment. <i>Journal of the Geological Society</i> , 2015, 172, 624-640.	0.9	37
892	Geochemical and Sr <sup>87</sup> /Nd isotopic variations in a deep-sea sediment core from Eastern Indian Ocean: Constraints on dust provenances, paleoclimate and volcanic eruption history in the last 300,000 years. <i>Marine Geology</i> , 2015, 367, 38-49.	0.9	4
893	Petrology and geochemistry of late Carboniferous hornblende gabbro from the Awulale Mountains, western Tianshan (NW China): Implication for an arc <sup>2</sup> nascent back-arc environment. <i>Journal of Asian Earth Sciences</i> , 2015, 113, 218-237.	1.0	32
894	Kikikkat volcanics of Arctic Alaska <sup>2</sup> Melting of harzburgitic mantle associated with the Franklin large igneous province. <i>Lithosphere</i> , 2015, 7, 275-295.	0.6	50
895	Spatial variations in geochemical characteristics of the modern Mackenzie Delta sedimentary system. <i>Geochimica Et Cosmochimica Acta</i> , 2015, 171, 100-120.	1.6	36
896	A Mineralogical, Chemical and Isotopic Investigation of Shales from the Barberton Greenstone Belt, South Africa, To Constrain Source Materials and Post-Deposition Evolution. <i>South African Journal of Geology</i> , 2015, 118, 389-410.	0.6	11
897	Pan-African adakitic rocks of the north Arabian <sup>2</sup> Nubian Shield: petrological and geochemical constraints on the evolution of the Dokhan volcanics in the north Eastern Desert of Egypt. <i>International Journal of Earth Sciences</i> , 2015, 104, 541-563.	0.9	15
898	Geochemical and isotopic constraints on island arc, synorogenic, post-orogenic and anorogenic granitoids in the Arabian Shield, Saudi Arabia. <i>Lithos</i> , 2015, 220-223, 97-115.	0.6	52
899	High-precision radiogenic strontium isotope measurements of the modern and glacial ocean: Limits on glacial <sup>2</sup> interglacial variations in continental weathering. <i>Earth and Planetary Science Letters</i> , 2015, 415, 111-120.	1.8	91
900	Late Cretaceous granites from the giant Dulong Sn-polymetallic ore district in Yunnan Province, South China: Geochronology, geochemistry, mineral chemistry and Nd <sup>143</sup> /Hf isotopic compositions. <i>Lithos</i> , 2015, 218-219, 54-72.	0.6	104
901	Age constraints on the timing of iron ore mineralisation in the southeastern Gawler Craton. <i>Australian Journal of Earth Sciences</i> , 2015, 62, 55-75.	0.4	10
902	Carboniferous <sup>2</sup> Permian tectonic framework and its later modifications to the area from eastern Kazakhstan to southern Altai: Insights from the Zaysan <sup>2</sup> Jimunai Basin evolution. <i>Journal of Asian Earth Sciences</i> , 2015, 113, 16-35.	1.0	33
903	Late Cenozoic intraplate volcanism in Changbai volcanic field, on the border of China and North Korea: insights into deep subduction of the Pacific slab and intraplate volcanism. <i>Journal of the Geological Society</i> , 2015, 172, 648-663.	0.9	42
904	Neoproterozoic continental arc volcanism at the northern edge of the Arabian Plate, SE Turkey. <i>Precambrian Research</i> , 2015, 258, 208-233.	1.2	52
905	Paleogene post-collisional lamprophyres in western Yunnan, western Yangtze Craton: Mantle source and tectonic implications. <i>Lithos</i> , 2015, 233, 139-161.	0.6	108
906	Persistently strong Indonesian Throughflow during marine isotope stage 3: evidence from radiogenic isotopes. <i>Quaternary Science Reviews</i> , 2015, 112, 197-206.	1.4	8
907	Separating biogeochemical cycling of neodymium from water mass mixing in the Eastern North Atlantic. <i>Earth and Planetary Science Letters</i> , 2015, 412, 245-260.	1.8	79
908	Nd <sup>143</sup> /Sr isotope geochemistry of fine-grained sands in the basin-type deserts, West China: Implications for the source mechanism and atmospheric transport. <i>Geomorphology</i> , 2015, 246, 458-471.	1.1	24

#	ARTICLE	IF	CITATIONS
909	Orosirian (ca. 1.96 Ga) mafic crust of the northwestern São Francisco Craton margin: Petrography, geochemistry and geochronology of amphibolites from the Rio Preto fold belt basement, NE Brazil. <i>Journal of South American Earth Sciences</i> , 2015, 59, 95-111.	0.6	29
910	The role of Indian and Tibetan lithosphere in spatial distribution of Cenozoic magmatism and porphyry Cu-Mo deposits in the Gangdese belt, southern Tibet. <i>Earth-Science Reviews</i> , 2015, 150, 68-94.	4.0	118
911	Zircon U-Pb geochronology and Nd isotope systematics of the Abas terrane, Yemen: Implications for Neoproterozoic crust reworking events. <i>Precambrian Research</i> , 2015, 267, 106-120.	1.2	19
912	Geodynamic setting, crustal architecture, and VMS metallogeny of ca. 2720 Ma greenstone belt assemblages of the northern Wawa subprovince, Superior Province. <i>Canadian Journal of Earth Sciences</i> , 2015, 52, 196-214.	0.6	9
913	Mantle-derived sources of syenites from the A-type igneous suites – New approach to the provenance of alkaline silicic magmas. <i>Lithos</i> , 2015, 232, 242-265.	0.6	64
914	Mineralogy and Sr-Nd isotopes of SPM and sediment from the Mandovi and Zuari estuaries: Influence of weathering and anthropogenic contribution. <i>Estuarine, Coastal and Shelf Science</i> , 2015, 156, 103-115.	0.9	19
915	Rare earth element distribution in Caribbean seawater: Continental inputs versus lateral transport of distinct REE compositions in subsurface water masses. <i>Marine Chemistry</i> , 2015, 177, 172-183.	0.9	84
916	Variscan terrane boundaries in the Odenwald-Spessart basement, Mid-German Crystalline Zone: New evidence from ocean ridge, intraplate and arc-derived metabasaltic rocks. <i>Lithos</i> , 2015, 220-223, 23-42.	0.6	18
917	Sources of rare-metal-bearing A-type granites from Jabel Sayed complex, Northern Arabian Shield, Saudi Arabia. <i>Journal of Asian Earth Sciences</i> , 2015, 107, 244-258.	1.0	41
918	Mesoproterozoic-trans-Laurentian magmatism: A synthesis of continent-wide age distributions, new SIMS U-Pb ages, zircon saturation temperatures, and Hf and Nd isotopic compositions. <i>Precambrian Research</i> , 2015, 265, 286-312.	1.2	159
919	Petrogenesis of Malaysian granitoids in the Southeast Asian tin belt: Part 1. Geochemical and Sr-Nd isotopic characteristics. <i>Bulletin of the Geological Society of America</i> , 2015, 127, 1209-1237.	1.6	73
920	Petrological and geochemical characteristics of Mesoproterozoic dyke swarms in the Gardar Province, South Greenland: Evidence for a major sub-continental lithospheric mantle component in the generation of the magmas. <i>Mineralogical Magazine</i> , 2015, 79, 909-939.	0.6	30
921	Radiogenic isotopes for deciphering terrigenous input provenance in the western Mediterranean. <i>Chemical Geology</i> , 2015, 410, 237-250.	1.4	16
922	Cretaceous crust-mantle interaction and tectonic evolution of Cathaysia Block in South China: Evidence from pulsed mafic rocks and related magmatism. <i>Tectonophysics</i> , 2015, 661, 136-155.	0.9	29
923	Garnet pyroxenite from the Shackleton Range, Antarctica: Intrusion of plume-derived picritic melts in the continental lithosphere during Rodinia breakup?. <i>Lithos</i> , 2015, 238, 185-206.	0.6	9
924	New perspectives on the Li isotopic composition of the upper continental crust and its weathering signature. <i>Earth and Planetary Science Letters</i> , 2015, 428, 181-192.	1.8	111
925	Age, petrogenesis and tectonic implications of Early Devonian bimodal volcanic rocks in the South Altyn, NW China. <i>Journal of Asian Earth Sciences</i> , 2015, 111, 733-750.	1.0	12
926	Petrogenesis of Neoproterozoic adakitic tonalites and high-K granites in the eastern Songpan-Ganze Fold Belt and implications for the tectonic evolution of the western Yangtze Block. <i>Precambrian Research</i> , 2015, 270, 181-203.	1.2	40



#	ARTICLE	IF	CITATIONS
927	Rare earth elements and neodymium isotopes in world river sediments revisited. <i>Geochimica Et Cosmochimica Acta</i> , 2015, 170, 17-38.	1.6	239
928	Post-collisional Ultrapotassic Mafic Magmatism in South Tibet: Products of Partial Melting of Pyroxenite in the Mantle Wedge Induced by Roll-back and Delamination of the Subducted Indian Continental Lithosphere Slab. <i>Journal of Petrology</i> , 2015, 56, 1365-1406.	1.1	134
929	Chronostratigraphy of the Hottah terrane and Great Bear magmatic zone of Wopmay Orogen, Canada, and exploration of a terrane translation model. <i>Canadian Journal of Earth Sciences</i> , 2015, 52, 1062-1092.	0.6	31
930	Late Eocene to present isotopic ( $Sr^{87}/Sr^{86}$ ) and geochemical evolution of sediments from the Lomonosov Ridge, Arctic Ocean: Implications for continental sources and linkage with the North Atlantic Ocean. <i>Comptes Rendus - Geoscience</i> , 2015, 347, 227-235.	0.4	3
931	Melt extraction and metasomatism recorded in basal peridotites above the metamorphic sole of the northern Fizh massif, Oman ophiolite. <i>Tectonophysics</i> , 2015, 650, 53-64.	0.9	19
932	Source area and seasonal $^{87}Sr/^{86}Sr$ variations in rivers of the Amazon basin. <i>Hydrological Processes</i> , 2015, 29, 187-197.	1.1	29
933	Geochronology, geochemistry, and $Sr^{87}/Sr^{86}$ - $Hf$ isotopes of the early Paleozoic igneous rocks in the Duobaoshan area, NE China, and their geological significance. <i>Journal of Asian Earth Sciences</i> , 2015, 97, 229-250.	1.0	103
934	Mode and timing of granitoid magmatism in the Västervik area (SE Sweden, Baltic Shield): $Sr^{87}/Sr^{86}$ isotope and SIMS $U^{238}/Pb$ age constraints. <i>Lithos</i> , 2015, 212-215, 321-337.	0.6	13
935	Geochronology, geochemistry, and its geological significance of the Damaoqi Permian volcanic sequences on the northern margin of the North China Block. <i>Journal of Asian Earth Sciences</i> , 2015, 97, 307-319.	1.0	28
936	A subduction-related metasomatically enriched mantle origin for the Luoboling and Zhongliao Cretaceous granitoids from South China: implications for magma evolution and $Cu-Mo$ mineralization. <i>International Geology Review</i> , 2015, 57, 1239-1266.	1.1	36
937	Application of Geochemical Tracers to Fluvial Sediment. <i>SpringerBriefs in Earth Sciences</i> , 2015, , .	0.5	17
938	Palaeoproterozoic volcanism and granitic magmatism in the Ngualla area of the Ubendian Belt, SW Tanzania: Constraints from SHRIMP $U^{238}/Pb$ zircon ages, and $Sm^{147}/Nd$ isotope systematics. <i>Precambrian Research</i> , 2015, 256, 120-130.	1.2	13
939	Crustal evolution, intra-cratonic architecture and the metallogeny of an Archaean craton. <i>Geological Society Special Publication</i> , 2015, 393, 23-80.	0.8	68
940	Early Permian A-type granites from central Inner Mongolia, North China: Magmatic tracer of post-collisional tectonics and oceanic crustal recycling. <i>Gondwana Research</i> , 2015, 28, 311-327.	3.0	137
941	$U^{238}/Pb$ zircon geochronology and $Hf^{177}/Nd$ isotopic systematics of Wadi Beitan granitoid gneisses, South Eastern Desert, Egypt. <i>Gondwana Research</i> , 2015, 27, 811-824.	3.0	70
942	Geochronology, geochemistry and $Sr^{87}/Sr^{86}$ - $Hf$ isotopes of mafic dikes in the Huicheng Basin: Constraints on intracontinental extension of the Qinling orogen. <i>Journal of Asian Earth Sciences</i> , 2015, 104, 115-126.	1.0	11
943	Lead and Nd isotopic evidence for a crustal Pb source of the giant Broken Hill $Pb-Zn-Ag$ deposit, New South Wales, Australia. <i>Ore Geology Reviews</i> , 2015, 65, 228-244.	1.1	0
944	Zircon $U^{238}/Pb$ dating, geochemistry and $Sr^{87}/Sr^{86}$ - $Pb^{206}/Pb^{207}$ - $Hf$ isotopes of the Wajilitag alkali mafic dikes, and associated diorite and syenitic rocks: Implications for magmatic evolution of the Tarim large igneous province. <i>Lithos</i> , 2015, 212-215, 428-442.	0.6	32

#	ARTICLE	IF	CITATIONS
945	Variations in Sr and Nd Isotopic Ratios of Mineral Particles in Cryoconite in Western Greenland. <i>Frontiers in Earth Science</i> , 2016, 4, .	0.8	17
946	Lithology, Monsoon and Sea-Surface Current Control on Provenance, Dispersal and Deposition of Sediments over the Andaman Continental Shelf. <i>Frontiers in Marine Science</i> , 2016, 3, .	1.2	32
947	Petrogenesis and tectonic implications of the late Jurassic basic rocks from the northern Shiâ€“Hang zone, Southeast China. <i>Island Arc</i> , 2016, 25, 235-250.	0.5	3
948	Origin of Late Cenozoic Abagaâ€“Dalinuoer basalts, eastern China: Implications for a mixed pyroxeniteâ€“peridotite source related with deep subduction of the Pacific slab. <i>Gondwana Research</i> , 2016, 37, 130-151.	3.0	48
949	Neodymium in the oceans: a global database, a regional comparison and implications for palaeoceanographic research. <i>Philosophical Transactions Series A, Mathematical, Physical, and Engineering Sciences</i> , 2016, 374, 20150293.	1.6	85
950	Age and provenance of Late Miocene-Early Pliocene sedimentary rocks from the Patao high hydrocarbon reservoir offshore NE Venezuela â€“ U-Pb detrital zircon age, Sm-Nd isotope, and biostratigraphic data. <i>Journal of Natural Gas Science and Engineering</i> , 2016, 31, 459-473.	2.1	2
951	Pb Sr Nd isotopic tracing of the influence of the Amazon River on the bottom sediments in the lower TapajÃ’s River. <i>Journal of South American Earth Sciences</i> , 2016, 70, 36-48.	0.6	9
952	Petrogenesis of ore-bearing porphyry from the Tangjiaping porphyry Mo deposit, Dabie orogen: Zircon U-Pb geochronology, geochemistry and Sr-Nd-Hf isotopic constraints. <i>Ore Geology Reviews</i> , 2016, 79, 288-300.	1.1	16
953	Rapid lithospheric thinning of the North China Craton: New evidence from cretaceous mafic dikes in the Jiaodong Peninsula. <i>Chemical Geology</i> , 2016, 432, 1-15.	1.4	96
954	Petrogenesis and emplacement of the TTG and K-rich granites at the Buzwagi gold mine, northern Tanzania: Implications for the timing of gold mineralization. <i>Lithos</i> , 2016, 256-257, 26-40.	0.6	24
955	Late Permian high-Mg andesite and basalt association from northern Liaoning, North China: Insights into the final closure of the Paleo-Asian ocean and the orogenâ€“craton boundary. <i>Lithos</i> , 2016, 258-259, 58-76.	0.6	67
956	Zircon Uâ€“Pb dating, geochemical and Srâ€“Ndâ€“Hf isotopic characteristics of the Jintonghu monzonitic rocks in western Fujian Province, South China: Implication for Cretaceous crustâ€“mantle interactions and lithospheric extension. <i>Lithos</i> , 2016, 260, 413-428.	0.6	30
957	Contribution of Asian dust and volcanic material to the western Pacific sea over the last 220 kyr as inferred from grain size and Sâ€“Nâ€“d isotopes. <i>Journal of Geophysical Research: Oceans</i> , 2016, 121, 6911-6928.	1.0	21
958	The nature of Mesoarchean seawater and continental weathering in 2.85 Ga banded iron formation, Slave craton, NW Canada. <i>Geochimica Et Cosmochimica Acta</i> , 2016, 194, 34-56.	1.6	27
959	Neodymium isotopes in authigenic phases, bottom waters and detrital sediments in the Gulf of Alaska and their implications for paleo-circulation reconstruction. <i>Geochimica Et Cosmochimica Acta</i> , 2016, 193, 14-35.	1.6	95
960	Petrology of Eocene volcanic rocks from the Central Sakarya Zone (northwestern Anatolia, Turkey): new evidence from Ar-Ar and Sr-Nd isotope determinations. <i>Arabian Journal of Geosciences</i> , 2016, 9, 1.	0.6	2
961	Geochronology, geochemistry and Srâ€“Ndâ€“Pbâ€“Hf isotopes of the Paleoproterozoic mafic dykes from the Wulashan area, North China Craton: Petrogenesis and geodynamic implications. <i>Precambrian Research</i> , 2016, 286, 306-324.	1.2	10
962	Geochemical response of the mid-depth Northeast Atlantic Ocean to freshwater input during Heinrich events 1 to 4. <i>Quaternary Science Reviews</i> , 2016, 151, 236-254.	1.4	16

#	ARTICLE	IF	CITATIONS
963	Juvenile crustal recycling in an accretionary orogen: Insights from contrasting Early Permian granites from central Inner Mongolia, North China. <i>Lithos</i> , 2016, 264, 524-539.	0.6	38
964	Neoproterozoic crustal growth at the margin of the East Gondwana continent – age and isotopic constraints from the easternmost inliers of Oman. <i>International Geology Review</i> , 2016, 58, 2046-2064.	1.1	28
965	Basin redox and primary productivity within the Mesoproterozoic Roper Seaway. <i>Chemical Geology</i> , 2016, 440, 101-114.	1.4	89
966	The Paleoproterozoic Wernecke Supergroup of Yukon, Canada: Relationships to orogeny in northwestern Laurentia and basins in North America, East Australia, and China. <i>Gondwana Research</i> , 2016, 39, 14-40.	3.0	48
967	U–Pb chronology and geochemistry of detrital monazites from major African rivers: Constraints on the timing and nature of the Pan-African Orogeny. <i>Precambrian Research</i> , 2016, 282, 139-156.	1.2	42
968	New data on genesis of the crust in the eastern segment of the Middle Urals: Sr–Nd isotopic constraints. <i>Doklady Earth Sciences</i> , 2016, 467, 331-336.	0.2	2
969	The coupled <sup>182</sup> W– <sup>142</sup> Nd record of early terrestrial mantle differentiation. <i>Geochemistry, Geophysics, Geosystems</i> , 2016, 17, 2168-2193.	1.0	87
970	U–Pb detrital zircon ages from some Neoproterozoic successions of Uruguay: Provenance, stratigraphy and tectonic evolution. <i>Journal of South American Earth Sciences</i> , 2016, 71, 108-130.	0.6	20
971	Neodymium isotope constraints on provenance, dispersal, and climate-driven supply of Zambesi sediments along the Mozambique margin during the past ~445,000 years. <i>Geochemistry, Geophysics, Geosystems</i> , 2016, 17, 181-198.	1.0	32
972	Hawaiian imprint on dissolved Nd and Ra isotopes and rare earth elements in the central North Pacific: Local survey and seasonal variability. <i>Geochimica Et Cosmochimica Acta</i> , 2016, 189, 110-131.	1.6	53
973	Archean TTGs and sanukitoids from the Jiaobei terrain, North China craton: Insights into crustal growth and mantle metasomatism. <i>Precambrian Research</i> , 2016, 281, 656-672.	1.2	63
974	The Carrancas Formation, Bambuí-Group: A record of pre-Marinoan sedimentation on the southern São Francisco craton, Brazil. <i>Journal of South American Earth Sciences</i> , 2016, 71, 1-16.	0.6	27
975	Cadomian (~560 Ma) crust buried beneath the northern Arabian Peninsula: Mineral, chemical, geochronological, and isotopic constraints from NE Jordan xenoliths. <i>Earth and Planetary Science Letters</i> , 2016, 436, 31-42.	1.8	33
976	Climate change and response in bottom water circulation and sediment provenance in the Central Arctic Ocean since the Last Glacial. <i>Chemical Geology</i> , 2016, 427, 98-108.	1.4	16
977	Petrogenesis of the 2115 Ma Haicheng mafic sills from the Eastern North China Craton: Implications for an intra-continental rifting. <i>Gondwana Research</i> , 2016, 39, 347-364.	3.0	76
978	Age and geochemistry of coeval felsic volcanism and plutonism in the Palaeoproterozoic Ndembera Group of southwestern Tanzania: Constraints from SHRIMP U–Pb zircon and Sm–Nd data. <i>Precambrian Research</i> , 2016, 272, 115-132.	1.2	12
979	Generation of Palaeoproterozoic tonalites and associated high-K granites in southwestern Tanzania by partial melting of underplated mafic crust in an intracontinental setting: Constraints from geochemical and isotopic data. <i>Lithos</i> , 2016, 260, 120-133.	0.6	16
980	Geochronology and geochemical constraints on petrogenesis of Early Paleozoic granites from the Laojunshan district in Yunnan Province of South China. <i>Gondwana Research</i> , 2016, 29, 248-263.	3.0	21

#	ARTICLE	IF	CITATIONS
981	Geochemistry, geochronology and Sr <sup>87</sup> /Nd <sup>143</sup> /Pb <sup>206</sup> /Hf isotopic compositions of Middle to Late Jurassic syenite <sup>2</sup> granodiorites <sup>2</sup> dacite in South China: Petrogenesis and tectonic implications. <i>Gondwana Research</i> , 2016, 35, 217-237.	3.0	31
982	Environmental Hf <sup>176</sup> /Nd isotopic decoupling in World river clays. <i>Earth and Planetary Science Letters</i> , 2016, 438, 25-36.	1.8	46
983	Neodymium isotopic composition and concentration in the western North Atlantic Ocean: Results from the GEOTRACES GA02 section. <i>Geochimica Et Cosmochimica Acta</i> , 2016, 177, 1-29.	1.6	117
984	Geochronology and geochemistry of Eocene potassic felsic intrusions in the Nangqian basin, eastern Tibet: Tectonic and metallogenic implications. <i>Lithos</i> , 2016, 246-247, 212-227.	0.6	27
985	A new petrogenetic model for meta-granitic rocks in the central and southern Menderes Massif <sup>2</sup> W Turkey: Implications for Cadomian crustal evolution within the Pan-African mega-cycle. <i>Precambrian Research</i> , 2016, 275, 450-470.	1.2	26
986	Paleoproterozoic continental crust generation events at 2.15 and 2.08 Ga in the basement of the southern Braslia Orogen, SE Brazil. <i>Precambrian Research</i> , 2016, 275, 176-196.	1.2	50
988	Oxygen isotope perspective on crustal evolution on early Earth: A record of Precambrian shales with emphasis on Paleoproterozoic glaciations and Great Oxygenation Event. <i>Earth and Planetary Science Letters</i> , 2016, 437, 101-113.	1.8	62
989	Contrasting SHRIMP U <sup>235</sup> /Pb zircon ages of two carbonatite complexes from the peri-cratonic terranes of the Reguibat Shield: Implications for the lateral extension of the West African Craton. <i>Gondwana Research</i> , 2016, 38, 238-250.	3.0	33
990	Petrogenesis and Geochemistry of Archean Komatiites. <i>Journal of Petrology</i> , 2016, 57, 147-184.	1.1	96
991	U <sup>235</sup> /Pb SHRIMP zircon dating of high-grade rocks from the Upper Allochthonous Terrane of Bragansa and Morais Massifs (NE Portugal); geodynamic consequences. <i>Tectonophysics</i> , 2016, 675, 23-49.	0.9	13
992	Lithophile and siderophile element systematics of Earth <sup>2</sup> s mantle at the Archean <sup>2</sup> Proterozoic boundary: Evidence from 2.4 Ga komatiites. <i>Geochimica Et Cosmochimica Acta</i> , 2016, 180, 227-255.	1.6	73
993	Enriched continental flood basalts from depleted mantle melts: modeling the lithospheric contamination of Karoo lavas from Antarctica. <i>Contributions To Mineralogy and Petrology</i> , 2016, 171, 1.	1.2	43
994	A model for Cryogenian iron formation. <i>Earth and Planetary Science Letters</i> , 2016, 433, 280-292.	1.8	65
995	Geochronology and geochemistry of late Carboniferous volcanic rocks from northern Inner Mongolia, North China: Petrogenesis and tectonic implications. <i>Gondwana Research</i> , 2016, 36, 545-560.	3.0	52
996	Nd <sup>143</sup> /Sr isotopic constraint to the formation of metatexite and diatexite migmatites, Higo metamorphic terrane, central Kyushu, Japan. <i>International Geology Review</i> , 2016, 58, 405-423.	1.1	6
997	Melt evolution beneath a rifted craton edge: 40 Ar/ 39 Ar geochronology and Sr <sup>87</sup> /Nd <sup>143</sup> /Hf <sup>176</sup> /Pb isotope systematics of primitive alkaline basalts and lamprophyres from the SW Baltic Shield. <i>Geochimica Et Cosmochimica Acta</i> , 2016, 173, 1-36.	1.6	35
998	Generation of continental crust in the northern part of the Borborema Province, northeastern Brazil, from Archaean to Neoproterozoic. <i>Journal of South American Earth Sciences</i> , 2016, 68, 68-96.	0.6	48
999	Geochronology, geochemistry and tectonic significance of the late Mesozoic volcanic sequences in the northern Wuyi Mountain volcanic belt of South China. <i>Gondwana Research</i> , 2016, 37, 362-383.	3.0	20

#	ARTICLE	IF	CITATIONS
1000	First evidence for Cambrian rift-related magmatism in the West African Craton margin: The Derraman Peralkaline Felsic Complex. <i>Gondwana Research</i> , 2016, 36, 423-438.	3.0	29
1001	Nature and evolution of lithospheric mantle beneath the southern Ethiopian rift zone: evidence from petrology and geochemistry of mantle xenoliths. <i>International Journal of Earth Sciences</i> , 2017, 106, 939-958.	0.9	6
1002	Controls on erosion patterns and sediment transport in a monsoonal, tectonically quiescent drainage, Song Gianh, central Vietnam. <i>Basin Research</i> , 2017, 29, 659-683.	1.3	27
1003	Structural evolution and late Carboniferous magmatism of the Zhongguai arc in the western Junggar Basin, Northwest China: implications for tectonic evolution of the Junggar Ocean. <i>International Geology Review</i> , 2017, 59, 1234-1255.	1.1	26
1004	The Early Carboniferous Xiaomiaogou granite porphyry dykes in the northern margin of the North China Craton: implication for crust-mantle interaction and intraplate magmatism. <i>Geological Journal</i> , 2017, 52, 489-509.	0.6	3
1005	Geochronology and geochemistry of Permian bimodal volcanic rocks from central Inner Mongolia, China: Implications for the late Palaeozoic tectonic evolution of the south-eastern Central Asian Orogenic Belt. <i>Journal of Asian Earth Sciences</i> , 2017, 135, 370-389.	1.0	60
1006	What Hf isotopes in zircon tell us about crust-mantle evolution. <i>Lithos</i> , 2017, 274-275, 304-327.	0.6	78
1007	Isotopic, mineralogical, and thermobarometric variations of Al-Wahbah crater (Maklaa Tameya), Kishb area, Saudi Arabia. <i>Arabian Journal of Geosciences</i> , 2017, 10, 1.	0.6	0
1008	Petrogenesis of the middle Jurassic appinite and coeval granitoids in the Eastern Hebei area of North China Craton. <i>Lithos</i> , 2017, 278-281, 331-346.	0.6	22
1009	Geochemistry of metabasites from the North Shahrekord metamorphic complex, Sanandaj-Sirjan Zone: Geodynamic implications for the Pan-African basement in Iran. <i>Precambrian Research</i> , 2017, 293, 56-72.	1.2	26
1010	Evidence for voluminous bimodal pyroclastic volcanism during rifting of a Paleoproterozoic arc at Snow Lake, Manitoba. <i>Canadian Journal of Earth Sciences</i> , 2017, 54, 654-676.	0.6	6
1011	Geology, U-Pb zircon geochronology, and geochemistry of PGE-bearing Neoproterozoic and Paleoproterozoic gabbroic rocks of the Peter Lake domain, southern Hearne craton, Canada. <i>Canadian Journal of Earth Sciences</i> , 2017, 54, 587-608.	0.6	3
1012	Geochemical and isotopic characteristics of stream and terrace sediments of the Harsit Stream, NE Turkey. <i>Geochemistry: Exploration, Environment, Analysis</i> , 2017, 17, 279-296.	0.5	7
1013	Mineralogical, geochemical and Sr-Nd isotopes characteristics of fluorite-bearing granites in the Northern Arabian-Nubian Shield, Egypt: Constraints on petrogenesis and evolution of their associated rare metal mineralization. <i>Ore Geology Reviews</i> , 2017, 88, 1-22.	1.1	55
1014	Petrogenesis of two Triassic A-type intrusions in the interior of South China and their implications for tectonic transition. <i>Lithos</i> , 2017, 284-285, 642-653.	0.6	13
1015	Persistence of fertile and hydrous lithospheric mantle beneath the northwestern Ethiopian plateau: Evidence from modal, trace element and Sr-Nd-Hf isotopic compositions of amphibole-bearing mantle xenoliths. <i>Lithos</i> , 2017, 284-285, 401-415.	0.6	6
1016	Tracer techniques in aeolian research: Approaches, applications, and challenges. <i>Earth-Science Reviews</i> , 2017, 170, 1-16.	4.0	28
1017	Petrogenesis of Early Cretaceous adakitic granodiorite: Implication for a crust thickening event within the Cathaysia Block, South China. <i>Science China Earth Sciences</i> , 2017, 60, 1237-1255.	2.3	7



#	ARTICLE	IF	CITATIONS
1018	Using Nd-Sr isotopes and rare earth elements to study sediment provenance of the modern radial sand ridges in the southwestern Yellow Sea. <i>Applied Geochemistry</i> , 2017, 81, 23-35.	1.4	22
1019	Glacial/interglacial changes of Southern Hemisphere wind circulation from the geochemistry of South American dust. <i>Earth and Planetary Science Letters</i> , 2017, 469, 98-109.	1.8	67
1020	Climatic and glacial impact on erosion patterns and sediment provenance in the Himalayan rain shadow, Zaskar River, NW India. <i>Bulletin of the Geological Society of America</i> , 2017, 129, 820-836.	1.6	25
1021	Petrogenetic evolution of Cretaceous Samchampi-Samteran Alkaline Complex, Mikir Hills, Northeastern India: Implications on multiple melting events of heterogeneous plume and metasomatized sub-continental lithospheric mantle. <i>Gondwana Research</i> , 2017, 48, 237-256.	3.0	19
1022	Nature of three episodes of Paleoproterozoic magmatism (2180 Ma, 2115 Ma and 1890 Ma) in the Liaoji belt, North China with implications for tectonic evolution. <i>Precambrian Research</i> , 2017, 298, 252-267.	1.2	58
1023	Petrogenesis of the postcollisional Middle Devonian monzonitic to granitic magmatism of the Sierra de San Luis, Argentina. <i>Lithos</i> , 2017, 288-289, 191-213.	0.6	20
1024	Continental growth seen through the sedimentary record. <i>Sedimentary Geology</i> , 2017, 357, 16-32.	1.0	81
1025	A Nd- and O-isotope study of the REE-rich peralkaline Strange Lake granite: implications for Mesoproterozoic A-type magmatism in the Core Zone (NE-Canada). <i>Contributions To Mineralogy and Petrology</i> , 2017, 172, 1.	1.2	13
1026	Age and Petrogenesis of the Doros Complex, Namibia, and Implications for Early Plume-derived Melts in the Paran-Étendeka LIP. <i>Journal of Petrology</i> , 2017, 58, 423-442.	1.1	22
1027	Fingerprinting Gondwana versus Baltica provenance: Nd and Sr isotopes in Lower Paleozoic clastic rocks of the Małopolska and Wysogózy terranes, southern Poland. <i>Gondwana Research</i> , 2017, 45, 138-151.	3.0	19
1028	Geochronological and geochemical evidences for extension-related Neoproterozoic granitoids in the southern São Francisco Craton, Brazil. <i>Precambrian Research</i> , 2017, 294, 322-343.	1.2	31
1029	The Mongol-Okhotsk Ocean subduction-related Permian peraluminous granites in northeastern Mongolia: Constraints from zircon U-Pb ages, whole-rock elemental and Sr-Nd-Hf isotopic compositions. <i>Journal of Asian Earth Sciences</i> , 2017, 144, 225-242.	1.0	35
1030	Petrologic and geochemical characterization of rift-related magmatism at the northernmost Main Ethiopian Rift: Implications for plume-lithosphere interaction and the evolution of rift mantle sources. <i>Lithos</i> , 2017, 282-283, 240-261.	0.6	16
1031	Subduction between the Jiamusi and Songliao blocks: Geochronological and geochemical constraints from granitoids within the Zhangguangcailing orogen, northeastern China. <i>Lithosphere</i> , 0, L618.1.	0.6	8
1032	Diffusion-zoned pyroxenes in an isotopically heterogeneous mantle lithosphere beneath the Dunedin Volcanic Group, New Zealand, and their implications for intraplate alkaline magma sources. <i>Lithosphere</i> , 2017, 9, 463-475.	0.6	30
1033	Investigations of the spatial and temporal variations of $^{87}\text{Sr}/^{86}\text{Sr}$ and $^{143}\text{Nd}/^{142}\text{Nd}$ isotopes in sediments from two Indian Rivers: Implications to source identification. <i>Geochemistry, Geophysics, Geosystems</i> , 2017, 18, 1520-1536.	1.0	5
1034	Genesis of the Permian karstic Pingguo bauxite deposit, western Guangxi, China. <i>Mineralium Deposita</i> , 2017, 52, 1031-1048.	1.7	41
1035	Subduction between the Jiamusi and Songliao blocks: Geological, geochronological and geochemical constraints from the Heilongjiang Complex. <i>Lithos</i> , 2017, 282-283, 128-144.	0.6	45



#	ARTICLE	IF	CITATIONS
1036	Molybdenum mineralization related to the Yangtze's lower crust and differentiation in the Dabie Orogen: Evidence from the geochemical features of the Yaochong porphyry Mo deposit. <i>Lithos</i> , 2017, 282-283, 111-127.	0.6	12
1037	Petrogenesis of Ore-Related Granodiorite Porphyry in the Jiande Copper Deposit, SE China: Implications for the Tectonic Setting and Mineralization. <i>Resource Geology</i> , 2017, 67, 117-138.	0.3	6
1038	Caledonian granitoids in the Jinxiu area, Guangxi, South China: Implications for their tectonic setting. <i>Lithos</i> , 2017, 272-273, 249-260.	0.6	12
1039	Geochemistry, Sr- <sup>87</sup> Sr/ <sup>86</sup> Sr, Nd- <sup>143</sup> Nd/ <sup>142</sup> Nd, Pb- <sup>207</sup> Pb/ <sup>206</sup> Pb, Hf isotopes systematics and geochronological constrains on petrogenesis of the Xishan A-type granite and associated W-Sn mineralization in Guangdong Province, South China. <i>Ore Geology Reviews</i> , 2017, 88, 739-752.	1.1	31
1040	Isotopic (U-Pb, Nd) and geochemical constraints on the origins of the Aileu and Gondwana sequences of Timor. <i>Journal of Asian Earth Sciences</i> , 2017, 134, 330-351.	1.0	5
1041	Ages, geochemistry and tectonic implications of the Cambrian igneous rocks in the northern Great Xing Mountains Range, NE China. <i>Journal of Asian Earth Sciences</i> , 2017, 144, 5-21.	1.0	30
1042	Ages and origin of felsic rocks from the Eastern Erenhot ophiolitic complex, southeastern Central Asian Orogenic Belt, Inner Mongolia China. <i>Journal of Asian Earth Sciences</i> , 2017, 144, 126-140.	1.0	25
1043	Enhanced silicate weathering of tropical shelf sediments exposed during glacial lowstands: A sink for atmospheric CO <sub>2</sub> . <i>Geochimica Et Cosmochimica Acta</i> , 2017, 200, 123-144.	1.6	85
1044	Cu-rich porphyry magmas produced by fractional crystallization of oxidized fertile basaltic magmas (Sangnan, East Junggar, PR China). <i>Ore Geology Reviews</i> , 2017, 91, 296-315.	1.1	15
1045	Geochemistry, geochronology, isotope and fluid inclusion studies of the Kuh-e-Zar deposit, Khaf-Kashmar-Bardaskan magmatic belt, NE Iran: Evidence of gold-rich iron oxide-copper-gold deposit. <i>Journal of Geochemical Exploration</i> , 2017, 183, 58-78.	1.5	7
1046	Geochronology, geochemical and Sr- <sup>87</sup> Sr/ <sup>86</sup> Sr, Nd- <sup>143</sup> Nd/ <sup>142</sup> Nd, Hf-Pb isotopic compositions of the granitoids in the Yemaquan orefield, East Kunlun orogenic belt, northern Qinghai-Tibet Plateau: Implications for magmatic fractional crystallization and sub-solidus hydrothermal alteration. <i>Lithos</i> , 2017, 294-295, 339-355.	0.6	19
1047	Seasonal variations in dissolved neodymium isotope composition in the Bay of Bengal. <i>Earth and Planetary Science Letters</i> , 2017, 479, 310-321.	1.8	26
1048	Geochemistry of Precambrian volcanosedimentary rocks of the Karsakpai Group in southern Ulutau (Central Kazakhstan). <i>Russian Geology and Geophysics</i> , 2017, 58, 935-948.	0.3	1
1049	Stratigraphy and provenance of forearc sequences in the Lichi MÃ©lange, Coastal Range: Geological records of the active Taiwan arc-continent collision. <i>Journal of Geophysical Research: Solid Earth</i> , 2017, 122, 7408-7436.	1.4	14
1050	Meso to Neoproterozoic layered mafic-ultramafic rocks from the Virorco back-arc intrusion, Argentina. <i>Journal of South American Earth Sciences</i> , 2017, 79, 489-506.	0.6	5
1051	Genesis and evolution of a Paleoproterozoic basement inlier within West Gondwana addressed by Sm-Nd isotopic geochemistry and Zr saturation thermometry. <i>Journal of South American Earth Sciences</i> , 2017, 80, 95-106.	0.6	5
1052	U-Pb age constraints for the La Tuna Granite and Montevideo Formation (Paleoproterozoic, Uruguay): Unravelling the structure of the RÃ© de la Plata Craton. <i>Journal of South American Earth Sciences</i> , 2017, 79, 443-458.	0.6	25
1053	Coherent Response of Antarctic Intermediate Water and Atlantic Meridional Overturning Circulation During the Last Deglaciation: Reconciling Contrasting Neodymium Isotope Reconstructions From the Tropical Atlantic. <i>Paleoceanography</i> , 2017, 32, 1036-1053.	3.0	23

#	ARTICLE	IF	CITATIONS
1054	A reworked Lake Zone margin: Chronological and geochemical constraints from the Ordovician arc-related basement of the Hovd Zone (western Mongolia). <i>Lithos</i> , 2017, 294-295, 112-132.	0.6	23
1055	Early to late Ediacaran conglomeratic wedges from a complete foreland basin cycle in the southwest São Francisco Craton, Bambuí-Group, Brazil. <i>Precambrian Research</i> , 2017, 299, 101-116.	1.2	42
1056	Provenance of exhalites associated with the Lemarchant volcanogenic massive sulphide (VMS) deposit, central Newfoundland, Canada: insights from Nd isotopes and litho-geochemistry. <i>Journal of the Geological Society</i> , 2017, 174, 954-967.	0.9	3
1057	The N-orth America mid-Cretaceous kimberlite corridor: Wet, edge-driven decompression melting of an OIB-type deep mantle source. <i>Geochemistry, Geophysics, Geosystems</i> , 2017, 18, 2727-2747.	1.0	37
1058	Abrupt response of chemical weathering to Late Quaternary hydroclimate changes in northeast Africa. <i>Scientific Reports</i> , 2017, 7, 44231.	1.6	34
1059	Hafnium and neodymium isotopes and REY distribution in the truly dissolved, nanoparticulate/colloidal and suspended loads of rivers in the Amazon Basin, Brazil. <i>Geochimica Et Cosmochimica Acta</i> , 2017, 213, 383-399.	1.6	36
1060	Geochemical characterization of critical dust source regions in the American West. <i>Geochimica Et Cosmochimica Acta</i> , 2017, 215, 141-161.	1.6	32
1061	Controls on modern erosion and the development of the Pearl River drainage in the late Paleogene. <i>Marine Geology</i> , 2017, 394, 52-68.	0.9	54
1062	Enrichment of dissolved silica in the deep equatorial Pacific during the Eocene-Oligocene. <i>Paleoceanography</i> , 2017, 32, 848-863.	3.0	27
1063	Petrogenesis of an Early Cretaceous lamprophyre dike from Kyoto Prefecture, Japan: Implications for the generation of high-Nb basalt magmas in subduction zones. <i>Lithos</i> , 2017, 290-291, 18-33.	0.6	11
1064	Lead isotope evolution across the Neoproterozoic boundary between craton and juvenile crust, Bayuda Desert, Sudan. <i>Journal of African Earth Sciences</i> , 2017, 135, 72-81.	0.9	1
1065	Baddeleyite U-Pb age and geochemical data of the mafic dykes from South Qinling: Constraints on the lithospheric extension. <i>Geological Journal</i> , 2017, 52, 272-285.	0.6	6
1067	Reconstructing the Evolution of the Submarine Monterey Canyon System From Os, Nd, and Pb Isotopes in Hydrogenetic Fe-Mn Crusts. <i>Geochemistry, Geophysics, Geosystems</i> , 2017, 18, 3946-3963.	1.0	7
1068	Bridging the gap between the foreland and hinterland II: Geochronology and tectonic setting of Ordovician magmatism and basin formation on the Laurentian margin of New England and Newfoundland. <i>Numerische Mathematik</i> , 2017, 317, 555-596.	0.7	55
1069	Elemental and Sr-Nd isotopic geochemistry of Cretaceous to Early Paleogene granites and volcanic rocks in the Sikhote-Alin Orogenic Belt (Russian Far East): implications for the regional tectonic evolution. <i>Journal of Asian Earth Sciences</i> , 2017, 146, 383-401.	1.0	37
1070	Geochemical and geochronological constraints on distinct Early-Neoproterozoic and Cambrian accretionary events along southern margin of the Baydrag Continent in western Mongolia. <i>Gondwana Research</i> , 2017, 47, 200-227.	3.0	57
1071	The Archean kalsilite-nepheline syenites of the Awsard intrusive massif (Reguibat Shield, West African) <i>Tectonophysics</i> , 2017, 127, 16-50.	0.9	9
1072	Geochemical characterization and petrogenesis of mafic granulites from the Central Indian Tectonic Zone (CITZ). <i>Geological Society Special Publication</i> , 2017, 449, 207-229.	0.8	9

#	ARTICLE	IF	CITATIONS
1073	Age, geochemistry, and Sr <sup>87</sup> /Nd <sup>143</sup> /Hf <sup>177</sup> /Pb isotopes of the Caosiyao porphyry Mo deposit in Inner Mongolia, China. <i>Ore Geology Reviews</i> , 2017, 81, 706-727.	1.1	39
1074	Hadean origins of Paleoproterozoic continental crust in the central Wyoming Province. <i>Bulletin of the Geological Society of America</i> , 2017, 129, 259-280.	1.6	55
1075	Parentage of Archean basement within a Paleoproterozoic orogen and implications for on-craton diamond preservation: Slave craton and Wopmay orogen, northwest Canada. <i>Canadian Journal of Earth Sciences</i> , 2017, 54, 203-232.	0.6	8
1076	Nd isotopic variation of Paleozoic-Mesozoic granitoids from the Da Hinggan Mountains and adjacent areas, NE Asia: Implications for the architecture and growth of continental crust. <i>Lithos</i> , 2017, 272-273, 164-184.	0.6	51
1077	Water mass circulation and weathering inputs in the Labrador Sea based on coupled Hf <sup>177</sup> /Nd isotope compositions and rare earth element distributions. <i>Geochimica Et Cosmochimica Acta</i> , 2017, 199, 164-184.	1.6	24
1078	Early to late Yanshanian I-type granites in Fujian Province, SE China: Implications for the tectonic setting and Mo mineralization. <i>Journal of Asian Earth Sciences</i> , 2017, 137, 194-219.	1.0	20
1079	Palaeogeography and crustal evolution of the Ossa-Morena Zone, southwest Iberia, and the North Gondwana margin during the Cambro-Ordovician: a review of isotopic evidence. <i>International Geology Review</i> , 2017, 59, 94-130.	1.1	41
1080	Isotopic Tracers of Dust and Loess in the Levant. , 0, , 483-492.		1
1081	Genesis and Uranium Sources of Leucogranite-hosted Uranium Deposits in the Gaudeamus Area, Central Damara Belt, Namibia: Study of Element and Nd Isotope Geochemistry. <i>Acta Geologica Sinica</i> , 2017, 91, 2126-2137.	0.8	4
1082	Petrogenesis and Magmatic Evolution of the Guichon Creek Batholith: Highland Valley Porphyry Cu ± (Mo) District, South-Central British Columbia. <i>Economic Geology</i> , 2017, 112, 1857-1888.	1.8	25
1084	Isotopic characterization and petrogenetic modeling of Early Cretaceous mafic diking-Lithospheric extension in the North China craton, eastern Asia. <i>Bulletin of the Geological Society of America</i> , 2017, 129, 1379-1407.	1.6	141
1085	Geochemistry, geochronology, and Sr <sup>87</sup> /Nd isotopic compositions of Permian volcanic rocks in the northern margin of the North China Block: implications for the tectonic setting of the southeastern Central Asian Orogenic Belt. <i>International Journal of Earth Sciences</i> , 2018, 107, 2143-2161.	0.9	10
1086	Petrogenesis and geodynamic implications of Ediacaran highly fractionated A-type granitoids in the north Arabian-Nubian Shield (Egypt): Constraints from whole-rock geochemistry and Sr-Nd isotopes. <i>Lithos</i> , 2018, 304-307, 329-346.	0.6	69
1087	Two Types of Granites in the Western Yangtze Block and Their Implications for Regional Tectonic Evolution: Constraints from Geochemistry and Isotopic Data. <i>Acta Geologica Sinica</i> , 2018, 92, 89-105.	0.8	7
1088	Geochronology and geochemistry of the Carboniferous Ulan Tolgoi granite complex from northern Inner Mongolia, China: Petrogenesis and tectonic implications for the Uliastai continental margin. <i>Geological Journal</i> , 2018, 53, 2690-2709.	0.6	5
1089	The Archean Fortescue large igneous province: A result of komatiite contamination by a distinct Eo-Paleoproterozoic crust. <i>Precambrian Research</i> , 2018, 310, 365-390.	1.2	23
1090	Geochemistry and U <sup>238</sup> /Pb-Hf zircon data for plutonic rocks of the Troia Massif, Borborema Province, NE Brazil: Evidence for reworking of Archean and juvenile Paleoproterozoic crust during Rhyacian accretionary and collisional tectonics. <i>Precambrian Research</i> , 2018, 311, 167-194.	1.2	32
1091	Birimian crustal growth in the West African Craton: U-Pb, O and Lu-Hf isotope constraints from detrital zircon in major rivers. <i>Chemical Geology</i> , 2018, 479, 259-271.	1.4	15

#	ARTICLE	IF	CITATIONS
1092	Geochronological and geochemical constraints on the petrogenesis of the 2.6–2.5 Ga amphibolites, low- and high-Al TTGs in the Wangwushan area, southern North China Craton: Implications for the Neoproterozoic crustal evolution. <i>Precambrian Research</i> , 2018, 307, 93-114.	1.2	19
1093	Petrogenesis of the late Early Cretaceous granodiorite – Quartz diorite from eastern Guangdong, SE China: Implications for tectono-magmatic evolution and porphyry Cu–Au–Mo mineralization. <i>Lithos</i> , 2018, 304-307, 388-411.	0.6	16
1094	A Palaeoproterozoic tectono-magmatic lull as a potential trigger for the supercontinent cycle. <i>Nature Geoscience</i> , 2018, 11, 97-101.	5.4	98
1095	Did the circum-Rodinia subduction trigger the Neoproterozoic rifting along the Congo–Kalahari Craton margin?. <i>International Journal of Earth Sciences</i> , 2018, 107, 1859-1894.	0.9	52
1096	The Sm-Nd Method. , 0, , 67-98.		0
1097	Sr–Nd–Hf isotopic fingerprinting of transatlantic dust derived from North Africa. <i>Earth and Planetary Science Letters</i> , 2018, 486, 23-31.	1.8	37
1098	Mid-Permian rifting in Central China: Record of geochronology, geochemistry and Sr–Nd–Hf isotopes of bimodal magmatism on NE Qinghai–Tibetan Plateau. <i>Gondwana Research</i> , 2018, 57, 77-89.	3.0	18
1099	Geochemical evidence for the provenance of aeolian deposits in the Qaidam Basin, Tibetan Plateau. <i>Aeolian Research</i> , 2018, 32, 60-70.	1.1	32
1100	Tracing provenance and chemical weathering changes in Ankara Stream sediments, central Turkey: Geochemical and Sr–Nd–Pb–O isotopic evidence. <i>Journal of African Earth Sciences</i> , 2018, 138, 367-382.	0.9	6
1101	Characterising the southern part of the Hearne Province: A forgotten part of Canada’s shield revisited. <i>Precambrian Research</i> , 2018, 307, 51-65.	1.2	9
1102	Tectonic Topography Changes in Cenozoic East Asia: A Landscape Erosion–Sediment Archive in the South China Sea. <i>Geochemistry, Geophysics, Geosystems</i> , 2018, 19, 1731-1750.	1.0	18
1103	Both plume and arc: Origin of Neoproterozoic crust as recorded in Veligallu greenstone belt, Dharwar craton, India. <i>Precambrian Research</i> , 2018, 314, 41-61.	1.2	26
1104	Petrogenesis of Early Cretaceous intermediate-felsic dikes in the Jiaodong Peninsula, south-eastern North China Craton: Constraints from geochronology, geochemistry and Sr-Nd-Pb-Hf isotopes. <i>Gondwana Research</i> , 2018, 60, 69-93.	3.0	29
1105	The zircon story of the Nile: Time–structure maps of source rocks and discontinuous propagation of detrital signals. <i>Basin Research</i> , 2018, 30, 1098-1117.	1.3	28
1106	Signal or noise? Isolating grain size effects on Nd and Sr isotope variability in Indus delta sediment provenance. <i>Chemical Geology</i> , 2018, 485, 56-73.	1.4	47
1107	Early Jurassic mafic dykes from the Aigao uranium ore deposit in South China: Geochronology, petrogenesis and relationship with uranium mineralization. <i>Lithos</i> , 2018, 308-309, 118-133.	0.6	22
1108	Field occurrences and Nd isotopic characteristics of the meta-mafic-ultramafic rocks from the Caozhuang Complex, eastern Hebei: Implications for early Archean crustal evolution of the North China Craton. <i>Precambrian Research</i> , 2018, 310, 425-442.	1.2	16
1109	Enhanced Saharan dust input to the Levant during Heinrich stadials. <i>Quaternary Science Reviews</i> , 2018, 186, 142-155.	1.4	12

#	ARTICLE	IF	CITATIONS
1110	Picrite "Intelligence" from the Middle-Late Triassic Stikine arc: Composition of mantle wedge asthenosphere. <i>Lithos</i> , 2018, 308-309, 446-461.	0.6	2
1111	New evidence for an old idea: Geochronological constraints for a paired metamorphic belt in the central European Variscides. <i>Lithos</i> , 2018, 302-303, 278-297.	0.6	12
1112	The Geon 14 arc-related mafic rocks from the central Grenville Province. <i>Canadian Journal of Earth Sciences</i> , 2018, 55, 545-570.	0.6	5
1113	Palaeo-dust records: A window to understanding past environments. <i>Global and Planetary Change</i> , 2018, 165, 13-43.	1.6	54
1114	A Silurian-early Devonian slab window in the southern Central Asian Orogenic Belt: Evidence from high-Mg diorites, adakites and granitoids in the western Central Beishan region, NW China. <i>Journal of Asian Earth Sciences</i> , 2018, 153, 75-99.	1.0	32
1115	Petrogenesis of siliceous high-Mg series: Evidence from Early Paleoproterozoic mafic volcanic rocks of the Vodlozero Domain, Fennoscandian Shield. <i>Geoscience Frontiers</i> , 2018, 9, 207-221.	4.3	3
1116	Origin and tectonic evolution of the NE basement of Oman: a window into the Neoproterozoic accretionary growth of India?. <i>Geological Magazine</i> , 2018, 155, 1150-1174.	0.9	22
1117	Geochemical and Sr-Nd isotopic records of Paleoproterozoic metavolcanics and mafic intrusive rocks from the West African Craton: Evidence for petrogenesis and tectonic setting. <i>Geological Journal</i> , 2018, 53, 725-741.	0.6	5
1118	Geochronology, petrology and geochemistry of the Mesozoic Dashizhuzi granites and lamprophyre dykes in eastern Hebei " western Liaoning: implications for lithospheric evolution beneath the North China Craton. <i>Geological Magazine</i> , 2018, 155, 1542-1565.	0.9	7
1119	Early-Holocene greening of the Afro-Asian dust belt changed sources of mineral dust in West Asia. <i>Earth and Planetary Science Letters</i> , 2018, 481, 30-40.	1.8	27
1120	Geochronology, geochemistry and Sr-Nd-Pb-Hf isotopes of the Early Jurassic granodiorite from the Sankuanggou intrusion, Heilongjiang Province, Northeastern China: Petrogenesis and geodynamic implications. <i>Lithos</i> , 2018, 296-299, 113-128.	0.6	23
1121	Diverse lamprophyres origins corresponding to lithospheric thinning: a case study in the Jiurui district of Middle-Lower Yangtze River Belt, South China Craton. <i>Gondwana Research</i> , 2018, 54, 62-80.	3.0	14
1122	Compositional characteristics and geodynamic significance of late Mesozoic volcanic rocks associated with the Cretaceous hard epithermal gold-silver deposit, southwest Yanzu, Island Arc, 2018, 27, e12223.	0.5	11
1123	Geochemical and detrital zircon U-Pb geochronological constraints on provenance of the Xiaomei red earth sediments (Bose Basin, Guangxi Province, southern China). <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2018, 510, 49-62.	1.0	9
1124	Cambrian-Ordovician magmatism of the Ikh-Mongol Arc System exemplified by the Khantaishir Magmatic Complex (Lake Zone, south-central Mongolia). <i>Gondwana Research</i> , 2018, 54, 122-149.	3.0	58
1125	Lu-Hf ratios of crustal rocks and their bearing on zircon Hf isotope model ages: The effects of accessories. <i>Chemical Geology</i> , 2018, 484, 179-190.	1.4	34
1126	Geochronological and geochemical constraints on the origin of the Yunzhug ophiolite in the Shiquanhe-Yunzhug-Namu Tso ophiolite belt, Lhasa Terrane, Tibetan Plateau. <i>Lithos</i> , 2018, 300-301, 250-260.	0.6	59
1127	Bathyal records of enhanced silicate erosion and weathering on the exposed Luzon shelf during glacial lowstands and their significance for atmospheric CO <sub>2</sub> sink. <i>Chemical Geology</i> , 2018, 476, 302-315.	1.4	25



#	ARTICLE	IF	CITATIONS
1128	Sr-Nd-Hf Isotopic Analysis of <math>\leq 10</math> mg Dust Samples: Implications for Ice Core Dust Source Fingerprinting. <i>Geochemistry, Geophysics, Geosystems</i> , 2018, 19, 60-72.	1.0	8
1129	1.88 Ga $\epsilon_{\text{Ga}}$ Gabriel AMCG association in the southernmost Uatun-Anau Domain: Petrological implications for post-collisional A-type magmatism in the Amazonian Craton. <i>Lithos</i> , 2018, 300-301, 291-313.	0.6	7
1130	Petrogenesis of Cretaceous volcanic-intrusive complex from the giant Yanbei tin deposit, South China: Implication for multiple magma sources, tin mineralization, and geodynamic setting. <i>Lithos</i> , 2018, 296-299, 163-180.	0.6	31
1131	Sources and processes affecting the distribution of dissolved Nd isotopes and concentrations in the West Pacific. <i>Geochimica Et Cosmochimica Acta</i> , 2018, 222, 508-534.	1.6	42
1132	Elemental and isotopic (C, O, Sr, Nd) compositions of Late Paleozoic carbonated eclogite and marble from the SW Tianshan UHP belt, NW China: Implications for deep carbon cycle. <i>Journal of Asian Earth Sciences</i> , 2018, 153, 307-324.	1.0	17
1133	Geochemical, mineralogical, and $\text{Sr}$ - $\text{Nd}$ isotopic compositions of ferromanganese encrustations from Central Indian Ridge at $06^{\circ}38.5^{\circ}\text{S}$ . <i>Geological Journal</i> , 2018, 53, 2193-2203.	0.6	2
1134	Stenian-Tonian arc magmatism in west-central Madagascar: the genesis of the Dabolava Suite. <i>Journal of the Geological Society</i> , 2018, 175, 111-129.	0.9	14
1135	Geochronology, geochemistry, and petrogenesis of the late Mesozoic Luoyang volcanics: Implications for the geodynamic evolution of the Zhejiang-Fujian region, SE China. <i>Geological Journal</i> , 2018, 53, 1635-1655.	0.6	2
1136	Elevated Magmatic Sulfur and Chlorine Contents in Ore-Forming Magmas at the Red Chris Porphyry Cu-Au Deposit, Northern British Columbia, Canada. <i>Economic Geology</i> , 2018, 113, 1047-1075.	1.8	70
1137	Late Triassic intra-oceanic arc system within Neotethys: Evidence from cumulate apatite in the Gangdese belt, southern Tibet. <i>Lithosphere</i> , 2018, 10, 545-565.	0.6	52
1138	Geochronology, Geochemistry and Sr-Nd-Pb Isotopic Study of the Wulong Flower-Like Glomerophytic Diorite Porphyry (Central China): Implications for Tectonic Evolution of Eastern Qinling. <i>Journal of Earth Science (Wuhan, China)</i> , 2018, 29, 1203-1218.	1.1	7
1139	Spatial variations of Sr-Nd isotopic ratios, mineralogical and elemental compositions of cryoconite in an Alaskan glacier. <i>Annals of Glaciology</i> , 2018, 59, 147-158.	2.8	0
1140	Elemental and Sr-Nd Isotope Geochemistry of Sinking Particles in the Northern South China Sea: Implications for Provenance and Transportation. <i>Journal of Geophysical Research: Oceans</i> , 2018, 123, 9137-9155.	1.0	10
1141	Multiproxy Isotopic and Geochemical Analysis of the Siwalik Sediments in NW India: Implication for the Late Cenozoic Tectonic Evolution of the Himalaya. <i>Tectonics</i> , 2019, 38, 120-143.	1.3	19
1142	Petrogenesis and evolution of the Nuweibi rare-metal granite, Central Eastern Desert, Egypt. <i>Arabian Journal of Geosciences</i> , 2018, 11, 1.	0.6	13
1143	The late-Paleoproterozoic I- and A-type granites in Liang Complex, North China Craton: New evidence on post-collisional extension of Trans-North China Orogen. <i>Precambrian Research</i> , 2018, 318, 70-88.	1.2	31
1144	Probing into Thailand's basement: New insights from U-Pb geochronology, Sr, Sm-Nd, Pb and Lu-Hf isotopic systems from granitoids. <i>Lithos</i> , 2018, 320-321, 332-354.	0.6	25
1145	Gravitational Potential Energy per Unit Area as a Constraint on Archean Sea Level. <i>Geochemistry, Geophysics, Geosystems</i> , 2018, 19, 4063-4095.	1.0	3



#	ARTICLE	IF	CITATIONS
1146	Link between climate and catchment erosion in the Himalaya during the late Quaternary. <i>Chemical Geology</i> , 2018, 501, 68-76.	1.4	10
1147	Provenance constraints on the Xishanyao Formation, southern Yili Basin, northwest China: evidence from petrology, geochemistry, and detrital zircon U-Pb geochronology. <i>Canadian Journal of Earth Sciences</i> , 2018, 55, 1020-1035.	0.6	7
1148	Petrogenesis of Mid-Eocene granites in South Sakhalin, Russian Far East: Juvenile crustal growth and comparison with granitic magmatism in Hokkaido and Sikhote-Alin. <i>Journal of Asian Earth Sciences</i> , 2018, 167, 103-129.	1.0	12
1149	North African mineral dust across the tropical Atlantic Ocean: Insights from dust particle size, radiogenic Sr-Nd-Hf isotopes and rare earth elements (REE). <i>Aeolian Research</i> , 2018, 33, 106-116.	1.1	25
1150	Relationships between magmatism and deformation in northern Yorke Peninsula and southeastern Proterozoic Australia. <i>Australian Journal of Earth Sciences</i> , 2018, 65, 619-641.	0.4	9
1151	Tungsten-182 in the upper continental crust: Evidence from glacial diamictites. <i>Chemical Geology</i> , 2018, 494, 144-152.	1.4	40
1152	Middle-Late Triassic bimodal intrusive rocks from the Tethyan Himalaya in South Tibet: Geochronology, petrogenesis and tectonic implications. <i>Lithos</i> , 2018, 318-319, 78-90.	0.6	31
1153	Urban Stone Decay and Sustainable Built Environment in the Niger River Basin. , 2018, , 261-276.		1
1154	Final Assembly of the Southwestern Central Asian Orogenic Belt as Constrained by the Evolution of the South Tianshan Orogen: Links With Gondwana and Pangea. <i>Journal of Geophysical Research: Solid Earth</i> , 2018, 123, 7361-7388.	1.4	53
1155	A flower-like glomerophytic diorite porphyry from Central China: Constraints on the unusual texture. <i>Lithos</i> , 2018, 318-319, 1-13.	0.6	3
1156	Rare Earth Elements Geochemistry and Nd Isotopes in the Mississippi River and Gulf of Mexico Mixing Zone. <i>Frontiers in Marine Science</i> , 2018, 5, .	1.2	28
1157	Neoproterozoic convergent margin Ni-Cu mineralization? Axis Lake and Nickel King Ni-Cu deposits in the south Rae craton of the Canadian Shield. <i>Precambrian Research</i> , 2018, 316, 305-323.	1.2	3
1158	Geochemical provenance of sediments from the northern East China Sea document a gradual migration of the Asian Monsoon belt over the past 400,000 years. <i>Quaternary Science Reviews</i> , 2018, 190, 161-175.	1.4	16
1159	Radiogenic isotope (Nd, Pb, Sr) signatures of surface and sea ice-transported sediments from the Arctic Ocean under the present interglacial conditions. <i>Polar Research</i> , 2018, 37, 1442982.	1.6	24
1160	Geochronology, geochemistry and Nd-Hf isotopes of the Xiaokouzi granite from the Helanshan complex: Constraints on the Paleoproterozoic evolution of the Khondalite Belt, North China Craton. <i>Precambrian Research</i> , 2018, 317, 57-76.	1.2	13
1161	Elemental and Sr-Nd isotopic geochemistry of Mesoproterozoic sedimentary successions from NE Lesser Himalaya, northern India: Implications for Proterozoic climate and tectonics. <i>Journal of Asian Earth Sciences</i> , 2018, 163, 235-248.	1.0	8
1162	Geochemical Evidence for Large-Scale Drainage Reorganization in Northwest Africa During the Cretaceous. <i>Geochemistry, Geophysics, Geosystems</i> , 2018, 19, 1690-1712.	1.0	13
1163	Hydrothermal Alteration of Eudialyte-Hosted Critical Metal Deposits: Fluid Source and Implications for Deposit Grade. <i>Minerals (Basel, Switzerland)</i> , 2019, 9, 422.	0.8	11

#	ARTICLE	IF	CITATIONS
1164	Architecture and composition of ocean floor subducted beneath northern Gondwana during Neoproterozoic to Cambrian: A palinspastic reconstruction based on Ocean Plate Stratigraphy (OPS). <i>Gondwana Research</i> , 2019, 76, 77-97.	3.0	25
1165	Geochemistry, in-situ Sr-Nd-Hf-O isotopes, and mineralogical constraints on origin and magmatic-hydrothermal evolution of the Yulong porphyry Cu Mo deposit, Eastern Tibet. <i>Gondwana Research</i> , 2019, 76, 98-114.	3.0	19
1166	Periodic Paleoproterozoic calc-alkaline magmatism at the south eastern margin of the Yilgarn Craton; implications for Nuna configuration. <i>Precambrian Research</i> , 2019, 332, 105400.	1.2	11
1167	Petrogenesis and metallogenic implications of volcanic rocks from the Lawu basin, eastern Tibet: Insights into the intracontinental Eocene-Oligocene porphyry copper systems. <i>Ore Geology Reviews</i> , 2019, 111, 103001.	1.1	11
1168	Constraining paleoproterozoic ( $\sim 1.7$ Ga) collisional orogenesis between the Eastern Dharwar and Bastar cratons: New Sm-Nd garnet isochron and Th-U-total Pb monazite chemical ages from the Bhopalpatnam orogen, central India. <i>Lithos</i> , 2019, 350-351, 105247.	0.6	6
1169	From magmatic generation to UHP metamorphic overprint and subsequent exhumation: A rapid cycle of plate movement recorded by the supra-subduction zone ophiolite from the North Qaidam orogen. <i>Lithos</i> , 2019, 350-351, 105238.	0.6	15
1170	The Ediacarian-Cambrian uplift history of western Dronning Maud Land: New $^{40}\text{Ar}$ - $^{39}\text{Ar}$ and Sr/Nd data from Sverdrupfjella and Kirwanveggan, the source of the Urfjell Group and tectonic evolution of Dronning Maud Land within the Kuunga Orogeny and Gondwana amalgamation. <i>Precambrian Research</i> , 2019, 333, 105444.	1.2	10
1171	Competing droughts affect dust delivery to Sierra Nevada. <i>Aeolian Research</i> , 2019, 41, 100545.	1.1	17
1172	A geochemical approach to reconstruct modern dust fluxes and sources to the South Pacific. <i>Geochimica Et Cosmochimica Acta</i> , 2019, 264, 205-223.	1.6	16
1173	Predicting fluid pressure in sedimentary basins from seismic tomography. <i>Geophysical Journal International</i> , 2019, 219, 1421-1430.	1.0	2
1174	Early Paleozoic post-breakup magmatism along the Cordilleran margin of western North America: New zircon U-Pb age and whole-rock Nd- and Hf-isotope and litho-geochemical results from the Kechika group, Yukon, Canada. , 2019, 15, 1262-1290.		14
1175	A $16\text{ kyr}$ Record of Ocean Circulation and Monsoon Intensification From the Central Bay of Bengal. <i>Geochemistry, Geophysics, Geosystems</i> , 2019, 20, 872-882.	1.0	9
1176	Chemical weathering of mafic rocks in boreal subarctic environment (northwest Russia) under influence of glacial moraine deposits. <i>Chemical Geology</i> , 2019, 509, 115-133.	1.4	6
1177	Platinum-Group Element Geochemistry of the Escondida Igneous Suites, Northern Chile: Implications for Ore Formation. <i>Journal of Petrology</i> , 2019, 60, 487-514.	1.1	26
1178	Protoliths and tectonic implications of the newly discovered Triassic Baqing eclogites, central Tibet: Evidence from geochemistry, Sr Nd isotopes and geochronology. <i>Gondwana Research</i> , 2019, 69, 144-162.	3.0	14
1179	Mineralogical and isotopic evidence for the sediment provenance of the western South Yellow Sea since MIS 3 and implications for paleoenvironmental evolution. <i>Marine Geology</i> , 2019, 414, 103-117.	0.9	10
1180	The formation and evolution of the paleo-Pearl River and its influence on the source of the northern South China sea. <i>Marine and Petroleum Geology</i> , 2019, 106, 171-189.	1.5	16
1181	Trace Elements and Sr, Nd Isotope Compositions of Surface Sediments in the Indian Ocean: An Evaluation of Sources and Processes for Sediment Transport and Dispersal. <i>Geochemistry, Geophysics, Geosystems</i> , 2019, 20, 3090-3112.	1.0	18

#	ARTICLE	IF	CITATIONS
1182	Petrogenesis and tectonic implications of Early Cretaceous shoshonitic syenites in the northern Wuyi Mt Range, Southeast China. <i>Journal of Asian Earth Sciences</i> , 2019, 180, 103877.	1.0	8
1183	Building Arc Crust: Plutonic to Volcanic Connections in an Extensional Oceanic Arc, the Southern Alisitos Arc, Baja California. <i>Journal of Petrology</i> , 2019, 60, 1195-1228.	1.1	21
1184	Heterogeneity of the sub-continental lithospheric mantle and $\epsilon^{\text{non-juvenile}}$ mantle additions to a Proterozoic silicic large igneous province. <i>Lithos</i> , 2019, 340-341, 87-107.	0.6	23
1185	Controls on the geochemistry of suspended sediments from large tropical South American rivers (Amazon, Orinoco and Maroni). <i>Chemical Geology</i> , 2019, 522, 38-54.	1.4	32
1186	Regional Pliocene exhumation of the Lesser Himalaya in the Indus drainage. <i>Solid Earth</i> , 2019, 10, 647-661.	1.2	27
1187	Modeling Neodymium Isotopes in the Ocean Component of the Community Earth System Model (CESM1). <i>Journal of Advances in Modeling Earth Systems</i> , 2019, 11, 624-640.	1.3	18
1188	Heterogeneous lithospheric mantle beneath the southeastern Tibetan Plateau: Evidence from Cenozoic high-Mg potassic volcanic rocks in the Jinshajiang Ailaoshan Cenozoic magmatic belt. <i>Journal of Asian Earth Sciences</i> , 2019, 180, 103849.	1.0	18
1189	The Penultimate Glacial Termination and Variability of the Pacific Intertropical Convergence Zone. <i>Geophysical Research Letters</i> , 2019, 46, 4826-4835.	1.5	6
1190	Genesis of the Singhbhum Craton, eastern India; implications for Archean crust-mantle evolution of the Earth. <i>Chemical Geology</i> , 2019, 512, 85-106.	1.4	84
1191	The evolution and control of detrital sediment provenance in the middle and northern Okinawa Trough since the last deglaciation: Evidence from Sr and Nd isotopes. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2019, 522, 1-11.	1.0	9
1192	Petrogenesis of the Triassic Cuyo basin magmatism: Controls on the magmatic evolution of passive rifts basins in Western Gondwana. <i>Journal of South American Earth Sciences</i> , 2019, 92, 586-597.	0.6	8
1193	Recognizing metasedimentary sequences potentially hosting concealed massive sulfide accumulations in the Iberian Pyrite Belt using geochemical fingerprints. <i>Ore Geology Reviews</i> , 2019, 107, 973-998.	1.1	8
1194	New evidence on the provenance of Red Lustrous Wheel-made Ware (RLW): Petrographic, elemental and Sr-Nd isotope analysis. <i>Journal of Archaeological Science: Reports</i> , 2019, 24, 412-433.	0.2	7
1195	Constraints on the formation of the Baogutu reduced porphyry copper deposit (West Junggar, NW) Tj ETQq1 1 0.784314 rgBT /Overl	0.6	5
1196	Formation of Paleoproterozoic-Mesoarchean Na-rich (TTC) and K-rich granitoid crust of the Singhbhum craton, eastern India: Constraints from major and trace element geochemistry and Sr-Nd-Hf isotope composition. <i>Precambrian Research</i> , 2019, 327, 255-272.	1.2	67
1197	Late Paleoproterozoic and Mesoproterozoic magmatism of the Nico Pérez Terrane (Uruguay): Tightening up correlations in southwestern Gondwana. <i>Precambrian Research</i> , 2019, 327, 296-313.	1.2	23
1198	The rise of the Brunovistulicum: age, geological, petrological and geochemical character of the Neoproterozoic magmatic rocks of the Central Basic Belt of the Brno Massif. <i>International Journal of Earth Sciences</i> , 2019, 108, 1165-1199.	0.9	25
1199	New K/Ar age values and context from published clay mineralogy and Sr and Nd isotopes as tracers of terrigenous Atlantic Ocean sediments. <i>Marine Geology</i> , 2019, 411, 36-50.	0.9	2

#	ARTICLE	IF	CITATIONS
1200	From the Libyan border to the Nile – Neoproterozoic magmatism and basement evolution of southern Egypt. <i>International Geology Review</i> , 2019, 61, 2057-2079.	1.1	5
1201	Proxies for Basement Structure and Its Implications for Mesoproterozoic Metallogenic Provinces in the Gawler Craton. <i>Journal of Geophysical Research: Solid Earth</i> , 2019, 124, 3088-3104.	1.4	14
1202	Geochemistry and Sm Nd isotope systematics of mafic-ultramafic rocks from the Babina and Mauranipur greenstone belts, Bundelkhand Craton, India: Implications for tectonic setting and Paleoproterozoic mantle evolution. <i>Lithos</i> , 2019, 330-331, 90-107.	0.6	43
1203	Radiogenic isotope chemostratigraphy reveals marine and nonmarine depositional environments in the late Mesoproterozoic Borden Basin, Arctic Canada. <i>Bulletin of the Geological Society of America</i> , 2019, 131, 1965-1978.	1.6	15
1204	Late Pliocene and Early Pleistocene Variability of the REE and Nd Isotope Composition of Caribbean Bottom Water: A Record of Changes in Sea Level and Terrestrial Inputs During the Final Stages of Central American Seaway Closure. <i>Paleoceanography and Paleoclimatology</i> , 2019, 34, 2067-2079.	1.3	4
1205	Archean Boninite-like Rocks of the Northwestern Youanmi Terrane, Yilgarn Craton: Geochemistry and Genesis. <i>Journal of Petrology</i> , 2019, 60, 2131-2168.	1.1	15
1206	Distribution and provenance implication of rare earth elements and Sr-Nd isotopes in surface sediments of Jiulong River, Southeast China. <i>Journal of Soils and Sediments</i> , 2019, 19, 1499-1510.	1.5	11
1207	Late Neoproterozoic adakitic magmatism of the eastern Arabian Nubian Shield. <i>Geoscience Frontiers</i> , 2019, 10, 1981-1992.	4.3	14
1208	Pre-Neoproterozoic basement evolution of southwestern Egypt. <i>International Geology Review</i> , 2019, 61, 1909-1926.	1.1	10
1209	Environmental Drivers of Rare Earth Element Bioaccumulation in Freshwater Zooplankton. <i>Environmental Science &amp; Technology</i> , 2019, 53, 1650-1660.	4.6	26
1210	Composite basement along the southern margin of the North Australian Craton: Evidence from in-situ zircon U-Pb-O-Hf and whole-rock Nd isotopic compositions. <i>Lithos</i> , 2019, 324-325, 733-746.	0.6	3
1211	Neoproterozoic magmatic and metamorphic events in the Cuchilla Dionisio Terrane, Uruguay, and possible correlations across the South Atlantic. <i>Precambrian Research</i> , 2019, 320, 303-322.	1.2	47
1212	Identifying lithospheric boundaries using magnetotellurics and Nd isotope geochemistry: An example from the Gawler Craton, Australia. <i>Precambrian Research</i> , 2019, 320, 403-423.	1.2	27
1213	Experimental evidence for mineral-controlled release of radiogenic Nd, Hf and Pb isotopes from granitic rocks during progressive chemical weathering. <i>Chemical Geology</i> , 2019, 507, 64-84.	1.4	28
1214	Geochemistry and isotopic study of southern Bay of Bengal sediments: Implications for provenance and paleoenvironment during the middle Miocene. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2019, 514, 156-167.	1.0	15
1215	Dating apgaitic rocks: A multi-system (U/Pb, Sm/Nd, Rb/Sr and <sup>40</sup> Ar/ <sup>39</sup> Ar) isotopic study of layered nepheline syenites from the IlĀmaussaq complex, Greenland. <i>Lithos</i> , 2019, 324-325, 74-88.	0.6	15
1216	Petrogenesis of the Late Triassic shoshonitic Shadegai pluton from the northern North China Craton: Implications for crust-mantle interaction and post-collisional extension. <i>Geoscience Frontiers</i> , 2019, 10, 595-610.	4.3	13
1217	The distribution of neodymium isotopes and concentrations in the eastern tropical North Atlantic. <i>Chemical Geology</i> , 2019, 511, 265-278.	1.4	12

#	ARTICLE	IF	CITATIONS
1218	Late Eocene granites in the Central Sakhalin Island (Russian Far East) and its implication for evolution of the Sakhalin-Hokkaido orogenic belt. <i>Lithos</i> , 2019, 324-325, 684-698.	0.6	9
1219	Along-arc variations in isotope and trace element compositions of Paleogene gabbroic rocks in the Gangdese batholith, southern Tibet. <i>Lithos</i> , 2019, 324-325, 877-892.	0.6	27
1220	Geochemistry, zircon U-Pb and Lu-Hf systematics of high-grade metasedimentary sequences from the South Muya block (northeastern Central Asian Orogenic Belt): Reconnaissance of polymetamorphism and accretion of Neoproterozoic exotic blocks in southern Siberia. <i>Precambrian Research</i> , 2019, 321, 34-53.	1.2	17
1221	Oldest Rocks of the Wyoming Craton. , 2019, , 723-739.		2
1222	Provenance analysis of the Dezadeash Formation (Jurassic–Cretaceous), Yukon, Canada: implications regarding a linkage between the Wrangellia composite terrane and the western margin of Laurasia. <i>Canadian Journal of Earth Sciences</i> , 2019, 56, 77-100.	0.6	14
1223	The ~1.85 Ga carbonatite in north China and its implications on the evolution of the Columbia supercontinent. <i>Gondwana Research</i> , 2019, 65, 125-141.	3.0	11
1224	Geochemistry, U-Pb zircon geochronology and Sm-Nd isotopes of the Xincai banded iron formation in the southern margin of the North China Craton: Implications on Neoproterozoic seawater compositions and solute sources. <i>Precambrian Research</i> , 2019, 326, 240-257.	1.2	26
1225	Genetic relationship between 1780 Ma dykes and coeval volcanics in the Lvliang area, North China. <i>Precambrian Research</i> , 2019, 329, 232-246.	1.2	21
1226	2.9 Ga magmatism in Eastern Hebei, North China Craton. <i>Precambrian Research</i> , 2019, 326, 6-23.	1.2	21
1227	Detrital Sr–Nd isotopes, sediment provenances and depositional processes in the Laxmi Basin of the Arabian Sea during the last 800 ka. <i>Geological Magazine</i> , 2020, 157, 895-907.	0.9	12
1228	The nature and history of the South Qilian orogenic belt: Constraints from compositions of rivers' sediments and their detrital zircon U–Pb geochronology, Lu–Hf isotopic compositions. <i>Geological Journal</i> , 2020, 55, 712-727.	0.6	5
1229	Geochemical characteristics of the eolian deposits in the Zoigã basin and their implications for provenance and weathering intensity. <i>Quaternary International</i> , 2020, 552, 155-163.	0.7	3
1230	Ultramafic–mafic and granitoids supra-subduction magmatism in the southern Ashanti volcanic belt, Ghana: Evidence from geochemistry and Nd isotopes. <i>Geological Journal</i> , 2020, 55, 2495-2531.	0.6	3
1231	The Neoproterozoic basement of the Sauce Chico Inlier (Ventania System): Geochemistry and U–Pb geochronology of igneous rocks with African lineage in central-eastern Argentina. <i>Journal of South American Earth Sciences</i> , 2020, 98, 102391.	0.6	11
1232	Sr-Nd isotopic characteristics of the Northeast Sandy Land, China and their implications for tracing sources of regional dust. <i>Catena</i> , 2020, 184, 104303.	2.2	12
1233	Li and B isotopic fingerprint of Archean subduction. <i>Geochimica Et Cosmochimica Acta</i> , 2020, 268, 446-466.	1.6	18
1234	Late Cambrian – Early Ordovician magmatism in the Sierra de Pie de Palo, Sierras Pampeanas (Argentina): implications for the early evolution of the proto-Andean margin of Gondwana. <i>Geological Magazine</i> , 2020, 157, 321-339.	0.9	2
1235	Tectonomagmatic evolution of the Sveconorwegian orogen recorded in the chemical and isotopic compositions of 1070–920 Ma granitoids. <i>Precambrian Research</i> , 2020, 340, 105527.	1.2	14

#	ARTICLE	IF	CITATIONS
1236	Large-scale mass wasting on the Miocene continental margin of western India. <i>Bulletin of the Geological Society of America</i> , 2020, 132, 85-112.	1.6	11
1237	Depletion ages and factors of MORB mantle sources. <i>Earth and Planetary Science Letters</i> , 2020, 530, 115926.	1.8	3
1238	Formation of the Ce-Nd mantle array: Crustal extraction vs. recycling by subduction. <i>Earth and Planetary Science Letters</i> , 2020, 530, 115941.	1.8	14
1239	Pyrite Rb-Sr, Sm-Nd and Fe isotopic constraints on the age and genesis of the Qingchengzi Pb-Zn deposits, northeastern China. <i>Ore Geology Reviews</i> , 2020, 117, 103324.	1.1	22
1240	Development of a protocol to obtain the composition of terrigenous detritus in marine sediments -a pilot study from International Ocean Discovery Program Expedition 361. <i>Chemical Geology</i> , 2020, 535, 119449.	1.4	5
1241	Geochronology, geochemistry, and Sr <sup>87</sup> / <sup>86</sup> -Nd <sup>143</sup> / <sup>142</sup> -Hf <sup>176</sup> / <sup>177</sup> -O isotopes of the Zhongqiyang rhyolitic tuff in eastern Guangdong, SE China: Constraints on petrogenesis and tectonic setting. <i>Geological Journal</i> , 2020, 55, 5082-5100.	0.6	8
1242	Influence of provenance and transport process on the geochemistry and radiogenic (Hf, Nd, and Sr) isotopic composition of Pleistocene glacial sediments, Minnesota, USA. <i>Chemical Geology</i> , 2020, 532, 119390.	1.4	4
1243	Tracing water mass mixing and continental inputs in the southeastern Atlantic Ocean with dissolved neodymium isotopes. <i>Earth and Planetary Science Letters</i> , 2020, 530, 115944.	1.8	20
1244	Petrological, geochemical and isotopic data of Neoproterozoic rock units from Uruguay and South Africa: Correlation of basement terranes across the South Atlantic. <i>Gondwana Research</i> , 2020, 80, 12-32.	3.0	16
1245	Response of heterogeneous rainfall variability in East Asia to Hadley circulation reorganization during the late Quaternary. <i>Quaternary Science Reviews</i> , 2020, 247, 106562.	1.4	14
1246	Cretaceous granitic magmatism and mineralization in the Shanhu W-Sn ore deposit in the Nanling Range in South China. <i>Ore Geology Reviews</i> , 2020, 126, 103758.	1.1	14
1247	Melting of subducted continental crust during collision and exhumation: Insights from granitic rocks from the North Qaidam UHP metamorphic belt, NW China. <i>Lithos</i> , 2020, 378-379, 105794.	0.6	14
1248	Late Paleozoic to early Triassic granitoids from the Rudny Altai, Central Asian Orogenic Belt: Petrogenesis and implications for continental crustal evolution. <i>Solid Earth Sciences</i> , 2020, 5, 115-129.	0.8	6
1249	Ediacaran - Earliest Cambrian arc-tholeiite and adakite associations of the Malcocinado Formation (Ossa-Morena Zone, SW Spain): Juvenile continental crust and deep crustal reworking in northern Gondwana. <i>Lithos</i> , 2020, 372-373, 105683.	0.6	12
1250	Geochronology, geochemistry, and Hf <sup>176</sup> / <sup>177</sup> -Sr-Nd isotopes of the Hamisana Shear Zone granitoids in northeastern Sudan: Petrogenesis and tectonic evolution of neoproterozoic juvenile crust in the Nubian Shield. <i>Precambrian Research</i> , 2020, 347, 105857.	1.2	9
1251	The Archean to Late-Paleozoic architecture of the Oulad Dlim Massif, the main Gondwanan indenter during the collision with Laurentia. <i>Earth-Science Reviews</i> , 2020, 208, 103273.	4.0	19
1252	Particle-Sea-water Interaction of Neodymium in the North Atlantic. <i>ACS Earth and Space Chemistry</i> , 2020, 4, 1700-1717.	1.2	14
1253	Sea-level changes controlled detrital sediment inputs to the Bicol Shelf in the western Philippine Sea since 150 ka. <i>Journal of Oceanology and Limnology</i> , 2020, 38, 1153-1168.	0.6	2



#	ARTICLE	IF	CITATIONS
1254	A unique blueschist facies metapelite with Mg-rich chloritoid from the Badajoz-Córdoba Unit (SW) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 International Geology Review, 2021, 63, 1634-1657.	1.1	10
1255	A ~1.4 Ga alkaline mafic sill from the Carletonville area: connection to the Pilanesberg Alkaline Province?. South African Journal of Geology, 2020, 123, 597-614.	0.6	1
1256	Laser ablation split-stream analysis of the Sm-Nd and U-Pb isotope compositions of monazite, titanite, and apatite – Improvements, potential reference materials, and application to the Archean Saglek Block gneisses. Chemical Geology, 2020, 539, 119493.	1.4	42
1257	Increasing terrigenous sediment supply from Taiwan to the southern Okinawa Trough over the last 3000 years evidenced by Sr Nd isotopes and geochemistry. Sedimentary Geology, 2020, 406, 105725.	1.0	9
1258	The distribution of (234U/238U) activity ratios in river sediments. Geochimica Et Cosmochimica Acta, 2020, 290, 216-234.	1.6	12
1259	Multiphase Late Devonian to Carboniferous volcanic events in the west of Oyu Tolgoi, southeastern Mongolia: New geochronological, geochemical, and isotopic constraints on tectonic history. Gondwana Research, 2020, 88, 169-184.	3.0	3
1260	Intermediate and deep ocean current circulation in the Mozambique Channel: New insights from ferromanganese crust Nd isotopes. Marine Geology, 2020, 430, 106356.	0.9	9
1261	The Atud gabbro – diorite complex: glimpse of the Cryogenian mixing, assimilation, storage and homogenization zone beneath the Eastern Desert of Egypt. Journal of the Geological Society, 2020, 177, 965-980.	0.9	14
1262	Steady erosion rates in the Himalayas through late Cenozoic climatic changes. Nature Geoscience, 2020, 13, 448-452.	5.4	51
1263	Genesis of the graphite orbicules in the Huangyangshan graphite deposit, Xinjiang, China: Evidence from geochemical, isotopic and fluid inclusion data. Ore Geology Reviews, 2020, 122, 103505.	1.1	6
1264	Primary or secondary? A dichotomy of the strontium isotope anomalies in the Ediacaran carbonates of Saudi Arabia. Precambrian Research, 2020, 343, 105720.	1.2	18
1265	Geochemical evidence for a widespread mantle re-enrichment 3.2 billion years ago: implications for global-scale plate tectonics. Scientific Reports, 2020, 10, 9461.	1.6	27
1266	Imprints of ancient recycled oceanic lithosphere in heterogeneous Indian Ocean mantle: Evidence from petrogenesis of Carlsberg ridge basalts from Northwest Indian Ocean. Gondwana Research, 2020, 86, 60-82.	3.0	11
1267	Rare earth elements in oyster shells: provenance discrimination and potential vital effects. Biogeosciences, 2020, 17, 2205-2217.	1.3	12
1268	Geochronology, petrogenesis and oxidation state of the Wenyu igneous suite in the Xiaoqinling district, North China Craton: Implications for lithospheric thinning and magma fertility. Lithos, 2020, 370-371, 105646.	0.6	4
1269	Enigmatic 1146 ± 4 Ma old granite in the southeastern rim of the West African craton, now part of the Dahomeyan orogenic belt in Ghana. Journal of African Earth Sciences, 2020, 167, 103814.	0.9	2
1270	Early Cretaceous Wulong intermediate-mafic dike swarms in the Liaodong Peninsula: Implications for rapid lithospheric delamination of the North China Craton. Lithos, 2020, 362-363, 105473.	0.6	14
1271	Multistage magmatic-hydrothermal activity and W-Cu mineralization at Jiepai, Guangxi Zhuang Autonomous Region, South China: Constraints from geochronology and Nd-Sr-Hf-O isotopes. Ore Geology Reviews, 2020, 121, 103492.	1.1	8

#	ARTICLE	IF	CITATIONS
1272	A clearer view of crustal evolution: U-Pb, Sm-Nd, and Lu-Hf isotope systematics in five detrital minerals unravel the tectonothermal history of northern China. <i>Bulletin of the Geological Society of America</i> , 2020, 132, 2367-2381.	1.6	12
1273	Evolution of the Global Overturning Circulation since the Last Glacial Maximum based on marine authigenic neodymium isotopes. <i>Quaternary Science Reviews</i> , 2020, 241, 106396.	1.4	40
1274	Direct evidence for Archean crust in the Western Domain of the Karagwe Ankole Belt, Rwanda: Implications for Neoproterozoic to Paleoproterozoic crustal evolution. <i>Precambrian Research</i> , 2020, 350, 105851.	1.2	7
1275	The Neoproterozoic alkaline rocks from Fangcheng area, East Qinling (China) and their implications for regional Nb mineralization and tectonic evolution. <i>Precambrian Research</i> , 2020, 350, 105852.	1.2	15
1276	Rifting of the Kaapvaal Craton during the early Paleoproterozoic: Evidence from magmatism in the western Transvaal subbasin (South Africa). <i>Precambrian Research</i> , 2020, 342, 105687.	1.2	9
1277	A rare earth element and Nd isotopic investigation into the provenance and deposition of the Dahongliutan banded iron formation and associated carbonates, NW China: Implications on Neoproterozoic seawater compositions. <i>Precambrian Research</i> , 2020, 342, 105685.	1.2	10
1278	Crust-mantle interaction during subduction zone processes: Insight from late Mesozoic I-type granites in eastern Guangdong, SE China. <i>Journal of Asian Earth Sciences</i> , 2020, 192, 104284.	1.0	15
1279	Geochemical Discrimination of Monazite Source Rock Based on Machine Learning Techniques and Multinomial Logistic Regression Analysis. <i>Geosciences (Switzerland)</i> , 2020, 10, 63.	1.0	33
1280	Cambro-Ordovician magmatism in the Delamerian orogeny: Implications for tectonic development of the southern Gondwanan margin. <i>Gondwana Research</i> , 2020, 81, 490-521.	3.0	27
1281	The Permian Sn metallogenic event and its geodynamic setting in East Kunlun, NW China: Evidence from zircon and cassiterite geochronology, geochemistry, and Sr-Nd-Hf isotopes of the Xiaowolong skarn Sn deposit. <i>Ore Geology Reviews</i> , 2020, 118, 103370.	1.1	8
1282	Origin of post-collisional A-type granites in the Mahakoshal Supracrustal Belt, Central Indian Tectonic Zone, India: Zircon U-Pb ages and geochemical evidences. <i>Journal of Asian Earth Sciences</i> , 2020, 191, 104247.	1.0	24
1283	Genesis of alkaline-peralkaline A-type granite from El Dair complex, SW Arabian-Nubian Shield, Sudan: geochronology, geochemistry and isotopic constraints. <i>Arabian Journal of Geosciences</i> , 2020, 13, 1.	0.6	7
1284	Intraplate adakite-like rocks formed by differentiation of mantle-derived mafic magmas: A case study of Eocene intermediate-felsic porphyries in the Machangqing porphyry Cu-Au mining district, SE Tibetan plateau. <i>Journal of Asian Earth Sciences</i> , 2020, 196, 104364.	1.0	9
1285	Distribution pattern of age and geochemistry of 2.18-2.14 Ga I- and A-type granites and their implication for the tectonics of the Liao-Ji belt in the North China Craton. <i>Lithos</i> , 2020, 364-365, 105518.	0.6	10
1286	Petrogenesis of Paleogene lamprophyres in the Ailaoshan tectonic belt, western Yangtze Craton: Implications for the mantle source of orogenic gold deposits. <i>Ore Geology Reviews</i> , 2020, 122, 103507.	1.1	9
1287	Volcanic reconstruction of the Paleoproterozoic Stroud Breccia: Understanding the transition from a primitive to mature arc and its impact on VMS ore-formation, Snow Lake, Manitoba, Canada. <i>Precambrian Research</i> , 2020, 344, 105723.	1.2	2
1288	Sm-Nd systematics of metaultramafic-mafic rocks from the Arroio Grande Ophiolite (Brazil): Insights on the evolution of the South Adamastor paleo-ocean. <i>Geoscience Frontiers</i> , 2020, 11, 2287-2296.	4.3	12
1289	Early Cretaceous bimodal magmatism related epithermal mineralization: A case study of the Gaosongshan gold deposit in the northern Lesser Xing'an Range, NE China. <i>Ore Geology Reviews</i> , 2020, 121, 103563.	1.1	6

#	ARTICLE	IF	CITATIONS
1290	Phased evolution and variation of the South Asian monsoon, and resulting weathering and surface erosion in the Himalaya–Karakoram Mountains, since late Pliocene time using data from Arabian Sea core. <i>Geological Magazine</i> , 2020, 157, 864-878.	0.9	9
1291	Volcanic reconstruction and geochemistry of the Powderhouse formation in the Paleoproterozoic VMS-hosting Chisel sequence, Snow Lake, Manitoba, Canada. <i>Canadian Journal of Earth Sciences</i> , 2021, 58, 247-267.	0.6	0
1292	The Tapes Complex (Nico Pérez Terrane, Uruguay): Constraining the Mesoproterozoic evolution of the Río de la Plata Craton. <i>Journal of South American Earth Sciences</i> , 2021, 105, 102906.	0.6	12
1293	New Zealand as a source of mineral dust to the atmosphere and ocean. <i>Quaternary Science Reviews</i> , 2021, 251, 106659.	1.4	15
1294	Orosirian I-type calc-alkaline granitoids from northern Brazil: Petrogenetic implications for evolution of the central Amazonian Craton. <i>Lithos</i> , 2021, 380-381, 105914.	0.6	1
1295	Distinguishing Glacial AMOC and Interglacial Non-AMOC Nd Isotopic Signals in the Deep Western Atlantic Over the Last 1 Myr. <i>Paleoceanography and Paleoclimatology</i> , 2021, 36, .	1.3	5
1296	Dissolved neodymium and hafnium isotopes and rare earth elements in the Congo River Plume: Tracing and quantifying continental inputs into the southeast Atlantic. <i>Geochimica Et Cosmochimica Acta</i> , 2021, 294, 192-214.	1.6	15
1297	Neodymium isotope composition of Palaeoproterozoic Birimian shales from the Waawra Belt, northwest Ghana: Constraints on provenance. <i>Geological Journal</i> , 2021, 56, 2072-2081.	0.6	7
1298	Lithogenic Particle Transport Trajectories on the Northwest Atlantic Margin. <i>Journal of Geophysical Research: Oceans</i> , 2021, 126, .	1.0	4
1299	Three North African dust source areas and their geochemical fingerprint. <i>Earth and Planetary Science Letters</i> , 2021, 554, 116645.	1.8	23
1300	Late Cretaceous changes in oceanic currents and sediment sources in the eastern Tethys: insights from Nd isotopes and clay mineralogy. <i>Global and Planetary Change</i> , 2021, 198, 103353.	1.6	2
1301	Geochemistry and zircon ages of the Yushigou diabase in the Longshoushan area, Alxa Block: implications for crust–mantle interaction and tectonic evolution. <i>Geological Magazine</i> , 2021, 158, 685-700.	0.9	3
1302	Petrogenesis and tectonic significance of the Early Devonian lamprophyres and diorites in the Alxa Block, NW China. <i>Chemie Der Erde</i> , 2021, 81, 125685.	0.8	5
1303	Geochronology, geochemistry and geological significance of the Early Devonian bimodal intrusive rocks in Wulonggou area, East Kunlun Orogen. <i>Acta Petrologica Sinica</i> , 2021, 37, 2007-2028.	0.3	5
1304	Geochronology, geochemistry and stratospheric interactions of Late Mesozoic granitoids near the boundary between Anhui and Zhejiang provinces in the eastern segment of the Jiangnan orogenic belt. <i>Acta Petrologica Sinica</i> , 2021, 37, 433-461.	0.3	4
1305	Geochemistry and detrital zircon geochronology of metasedimentary rocks in the Sierra Madre Terrane, Mexico: Implications of deposition along the western margin of Pangea. <i>Geological Journal</i> , 2021, 56, 3342-3377.	0.6	1
1306	Zircon U–Pb ages, geochemistry, and Sr–Nd–Pb–Hf isotopes of the Mugangri monzogranite in the southern Qiangtang of Tibet, western China: Implications for the evolution of the Bangong–Nujiang Mesotethyan Ocean. <i>Geological Journal</i> , 2021, 56, 3170-3186.	0.6	5
1307	Geochemical and Isotopic Evidence for Provenance of the Western Sea of Japan Over the Last 30000 Years. <i>Frontiers in Earth Science</i> , 2021, 9, .	0.8	1

#	ARTICLE	IF	CITATIONS
1308	Geochronology, Petrogenesis and Oxidation State of the Northparkes Igneous Suite, New South Wales, Australia: Implications for Magma Fertility. <i>Economic Geology</i> , 0, , .	1.8	9
1309	Archaean S-Type granites: petrology, geochemistry and geochronology of the Lekkersmaak and Willie plutons, Kaapvaal Craton, South Africa. <i>South African Journal of Geology</i> , 2021, 124, 87-110.	0.6	3
1310	Magmatic-hydrothermal processes and controls on rare-metal enrichment of the Baerzhe peralkaline granitic pluton, inner Mongolia, northeastern China. <i>Ore Geology Reviews</i> , 2021, 131, 103984.	1.1	12
1311	Global continental and marine detrital $\hat{\mu}$ Nd: An updated compilation for use in understanding marine Nd cycling. <i>Chemical Geology</i> , 2021, 567, 120119.	1.4	30
1312	Glacial-interglacial sedimentation and paleocirculation at the Northwind Ridge, western Arctic Ocean. <i>Quaternary Science Reviews</i> , 2021, 258, 106882.	1.4	11
1313	Sr-Nd Isotope Composition of Uraniferous Leucogranites in the Gaudeamus area, Central Damara Belt, Namibia. <i>IOP Conference Series: Earth and Environmental Science</i> , 2021, 783, 012009.	0.2	0
1314	New Sr-Nd Isotope Data Record Juvenile and Ancient Crust-Mantle Melt Interactions in the Vijayan Complex, Sri Lanka. <i>Journal of Geology</i> , 0, , 000-000.	0.7	7
1315	Age, origin and tectonic implications of Late Carboniferous-Early Permian felsic magmatic rocks from central Inner Mongolia, south-eastern Central Asian Orogenic Belt. <i>International Geology Review</i> , 0, , 1-22.	1.1	1
1316	The formation of Neoproterozoic continental crust in the south-east Superior Craton by two distinct geodynamic processes. <i>Precambrian Research</i> , 2021, 356, 106104.	1.2	47
1317	Age, genesis, and tectonic setting of the Qishuwan Cu-Mo deposit in East Qinling (Central China): Constraints from Sr-Nd-Hf isotopes, zircon U-Pb and molybdenite Re-Os dating. <i>Ore Geology Reviews</i> , 2021, 132, 103998.	1.1	11
1318	Modern isotopic signatures of Plata River sediments and changes in sediment supply to the western subtropical South Atlantic during the last 30 kyr. <i>Quaternary Science Reviews</i> , 2021, 259, 106910.	1.4	1
1319	Changes in sedimentary provenance and climate off the coast of Northeast Brazil since the Last Interglacial. <i>Marine Geology</i> , 2021, 435, 106454.	0.9	8
1320	Paleogene Sedimentary Records of the Paleozoic Jinshajiang (Upper Yangtze) in the Jianchuan Basin, Yunnan, SW China. <i>Geochemistry, Geophysics, Geosystems</i> , 2021, 22, e2020GC009500.	1.0	10
1321	Localized Backarc Extension in an Overall Compressional Setting During the Assembly of Nuna: Geochemical and Isotopic Evidence From Orosirian (1883-1848 Ma) Mafic Magmatism of the Aillik Group, Labrador, Canada. <i>Earth and Space Science</i> , 2021, 8, e2020EA001489.	1.1	4
1322	Geochemical reconnaissance of the Guara and Ouadda Massifs in Chad: evolution of Proterozoic crust in the Central Sahara Shield. <i>South African Journal of Geology</i> , 2021, 124, 353-382.	0.6	7
1323	The Piedras de Afilar Formation (Neoproterozoic, Uruguay): Sedimentology and provenance of a key unit for SW-Gondwana paleogeography. <i>Journal of South American Earth Sciences</i> , 2021, 108, 103176.	0.6	4
1324	The timeline of prolonged accretionary processes in eastern Central Asian Orogenic Belt: Insights from episodic Paleozoic intrusions in central Inner Mongolia, North China. <i>Bulletin of the Geological Society of America</i> , 2022, 134, 629-657.	1.6	6
1325	Early Permian continental arc magmatism in the Zhaojinggou area of the northern North China Craton: Implications for crust-mantle interactions during southward Paleo-Asian plate subduction. <i>Lithos</i> , 2021, 390-391, 106110.	0.6	4

#	ARTICLE	IF	CITATIONS
1326	Age disequilibrium between zircon and their granitoid hosts caused by intracrustal reworking: Nd-Hf-Ar isotope evidence of Archaean Granitoids from Barberton Mountain Land (Kapaal craton), Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5		
1327	Petrogenesis and tectonic implications of the late Paleoproterozoic (ca. 1.7Ga) post-collisional magmatism in the southwestern Gyeonggi Massif at Garorim Bay, South Korea. <i>Journal of Asian Earth Sciences</i> , 2021, 5, 100050.	0.6	1
1328	Magmatic processes recorded in plagioclase and the geodynamic implications in the giant Shimensi Wâ€“Cuâ€“Mo deposit, Dahutang ore field, South China. <i>Journal of Asian Earth Sciences</i> , 2021, 212, 104734.	1.0	3
1329	Constraints of magmatic differentiation on epithermal mineralization at Dongan, NE China: Insights from zircon geochronology, elements and Srâ€“Hfâ€“Nd isotope geochemistry. <i>Journal of Geochemical Exploration</i> , 2021, 226, 106768.	1.5	4
1330	Sr-Nd isotope and REE compositions of surface sediments from the three Gorges Reservoir: Implications for source identification and apportionment. <i>Journal of Hydrology</i> , 2021, 598, 126279.	2.3	2
1331	Arc-related peridotite blocks exhumed to the Eastern Block of the North China Craton prior to 2.47 Ga. <i>Geological Magazine</i> , 2021, 158, 2115-2138.	0.9	1
1332	Multiple isotope (He-Ar-Zn-Sr-Nd-Pb) constraints on the genesis of the Jiawula Pb-Zn-Ag deposit, NE China. <i>Ore Geology Reviews</i> , 2021, 134, 104142.	1.1	3
1333	Constraints on the source of reactive phases in sediment from a major Arctic river using neodymium isotopes. <i>Earth and Planetary Science Letters</i> , 2021, 565, 116933.	1.8	8
1334	The largest plagiogranite on Earth formed by re-melting of juvenile proto-continental crust. <i>Communications Earth &amp; Environment</i> , 2021, 2, .	2.6	17
1335	Reconstruction of the exhumation history of the eastern Nepal Himalaya based on provenance changes. <i>Sedimentary Geology</i> , 2021, 420, 105920.	1.0	2
1336	Pb-Nd-Sr Isotope Geochemistry of Metapelites from the Iberian Pyrite Belt and Its Relevance to Provenance Analysis and Mineral Exploration Surveys. <i>Economic Geology</i> , 2022, 117, 423-454.	1.8	3
1337	Hydrous Juvenile Lower Crust at the Western Yangtze Craton Margin as the Main Source of the Beiya Porphyryâ€“skarn Au Deposit. <i>Acta Geologica Sinica</i> , 2022, 96, 972-992.	0.8	3
1338	On the cratonization of the Arabian-Nubian Shield: Constraints from gneissic granitoids in south Eastern Desert, Egypt. <i>Geoscience Frontiers</i> , 2021, 12, 101148.	4.3	10
1339	Zircon Uâ€“Pb geochronology of Paleoproterozoic Statherian intraplate A-Type magmatic associations of the Lagoa Real Uranium Province, SÃ£o Francisco Craton (Bahia, Brazil). <i>Journal of South American Earth Sciences</i> , 2021, 109, 103245.	0.6	5
1340	Detrital neodymium and (radio)carbon as complementary sedimentary bedfellows? The Western Arctic Ocean as a testbed. <i>Geochimica Et Cosmochimica Acta</i> , 2021, 315, 101-126.	1.6	5
1341	Petrological and geochemical characterisation of the sarsen stones at Stonehenge. <i>PLoS ONE</i> , 2021, 16, e0254760.	1.1	4
1342	A geochemical and isotopic perspective on tectonic setting and depositional environment of Precambrian meta-carbonate rocks in collisional orogenic belts. <i>Gondwana Research</i> , 2021, 96, 163-204.	3.0	13
1343	Tectonic significance of the Virgin River shear zone of the Canadian Shield and implications for the origin of the Snowbird tectonic zone of Laurentia. <i>Precambrian Research</i> , 2021, 361, 106241.	1.2	4

#	ARTICLE	IF	CITATIONS
1344	The Sr-Nd isotope geochemical tracing of Xiashu Loess and its implications for the material transport mechanism of the Yangtze River. <i>Catena</i> , 2021, 203, 105335.	2.2	7
1345	A geochemical study of the Crown Formation and Bird Member lavas of the Mesoarchaeon Witwatersrand Supergroup, South Africa. <i>South African Journal of Geology</i> , 2021, 124, 663-684.	0.6	1
1346	Reversible scavenging and advection – Resolving the neodymium paradox in the South Atlantic. <i>Geochimica Et Cosmochimica Acta</i> , 2021, 314, 121-139.	1.6	7
1347	Control of oceanic circulation on sediment distribution in the southwestern Atlantic margin (23 to 13 Ma). <i>Earth-Science Reviews</i> , 2021, 220, 103682.	4.0	36
1348	Late Permian High-Ti Basalt in Western Guangxi, SW China and Its Link With the Emeishan Large Igneous Province: Geochronological and Geochemical Perspectives. <i>Frontiers in Earth Science</i> , 2021, 9, .	0.8	0
1349	Magmatic constraints on the Ermi porphyry copper mineralization, Northeast China: Evidence from zircon U-Pb geochronology, whole-rock geochemistry and Sr-Nd-Hf isotopic geochemistry. <i>Ore Geology Reviews</i> , 2021, 136, 104294.	1.1	4
1350	Monsoon controls on sediment generation and transport: Mass budget and provenance constraints from the Indus River catchment, delta and submarine fan over tectonic and multimillennial timescales. <i>Earth-Science Reviews</i> , 2021, 220, 103682.	4.0	36
1351	High pressure granulite facies metamorphism at the interface of the Archean Bastar craton and the Proterozoic Eastern Ghats Belt, India. <i>Precambrian Research</i> , 2021, 363, 106330.	1.2	1
1352	Isotopic compositions and geological significance of sediments from the Heihe River, North Qilian Orogen, NW China. <i>Chemie Der Erde</i> , 2021, 81, 125806.	0.8	5
1353	A non-arc tectonic setting for the evolution of Archean gabbro anorthosite Complexes: Evidence from the Singhbhum Craton, eastern India. <i>Precambrian Research</i> , 2021, 363, 106250.	1.2	7
1354	Provenance study of the Lubok Antu Mafic dykes from the Lupar valley, West Sarawak, Borneo: Implications for the closure of eastern Meso-Tethys?. <i>Chemical Geology</i> , 2021, 581, 120415.	1.4	10
1355	Disentangle the sediment mixing from geochemical proxies and detrital zircon geochronology. <i>Marine Geology</i> , 2021, 440, 106572.	0.9	4
1356	Field, textural, geochemical, and isotopic constraints on the origin and evolution of the magmatic microgranular enclaves from the Gharib Granitoid Complex, North Eastern Desert, Egypt. <i>Precambrian Research</i> , 2021, 365, 106380.	1.2	1
1357	North Atlantic Deep Water during Pleistocene interglacials and glacials. <i>Quaternary Science Reviews</i> , 2021, 269, 107146.	1.4	9
1358	Petrogenesis and geodynamics of Eocene alkaline intrusions in the pre-salt sedimentary sequence of Santos Basin, Brazil. <i>Lithos</i> , 2021, 400-401, 106400.	0.6	3
1359	Comparison of petrological and geochemical characteristics of three different types of Eocene copper-gold mineralization in eastern Iran. <i>Ore Geology Reviews</i> , 2021, 138, 104335.	1.1	0
1360	Geochronology, geochemistry and tectonic implications of Variscan granitic and dioritic rocks from the Odenwald-Spessart basement, Germany. <i>Lithos</i> , 2021, 404-405, 106454.	0.6	2
1361	Provenance of the Middle Jurassic-Cretaceous sedimentary rocks of the Arequipa Basin (South Peru) and implications for the geodynamic evolution of the Central Andes. <i>Gondwana Research</i> , 2022, 101, 59-76.	3.0	5



#	ARTICLE	IF	CITATIONS
1362	Geochemical and isotopic studies of potassic granite from the western Dharwar Craton, southern India: Implications for crustal reworking in the Neoproterozoic. <i>Geological Journal</i> , 2021, 56, 2930-2949.	0.6	6
1363	Contrasting high-Mg, high-K rocks in Central Iberia: the appinite–vaugnerite conundrum and their (non-existent) relation with arc magmatism. <i>Journal of Iberian Geology</i> , 2021, 47, 235-261.	0.7	12
1364	Isotopic Provenance of Clastic Deposits: Application of Geochemistry to Sedimentary Provenance Studies. <i>Frontiers in Sedimentary Geology</i> , 1988, , 27-42.	0.2	11
1365	Chemical Weathering Yields from Basement and Orogenic Terrains in Hot and Cold Climates. , 1997, , 329-351.		62
1366	On Composition, Morphology, and Size Distribution of Airborne Mineral Dust. , 2014, , 15-49.		21
1367	Metallogeny of the large-scale Carboniferous karstic bauxite in the Sanmenxia area, southern part of the North China Craton, China. <i>Chemical Geology</i> , 2020, 556, 119851.	1.4	24
1368	Ages and petrogenesis of the late Triassic andesitic rocks at the Luerma porphyry Cu deposit, western Gangdese, and implications for regional metallogeny. <i>Gondwana Research</i> , 2020, 85, 103-123.	3.0	22
1369	Diabase-hosted copper mineralization in the Qunjaisai deposit, West Tianshan, NW China: Geological, geochemical and geochronological characteristics and mineralization mechanism. <i>Ore Geology Reviews</i> , 2018, 92, 430-448.	1.1	7
1370	A Fragment of Columbia Supercontinent: Insight for Cathaysia Block Basement From Tectono–Magmatic Evolution and Mantle Heterogeneity. <i>Geophysical Research Letters</i> , 2019, 46, 2012-2024.	1.5	21
1371	A Test of a Quartz Eclogite Source for Parental Aleutian Magmas: A Mass Balance Approach. <i>Journal of Geology</i> , 1986, 94, 811-828.	0.7	26
1372	Geochemical constraints on the provenance of pre-Mississippian sedimentary rocks in the North Slope subterranean of Yukon and Alaska. , 2019, , 573-592.		3
1374	Controls on erosion in the western Tarim Basin: Implications for the uplift of northwest Tibet and the Pamir. , 2017, 13, 1747-1765.		21
1376	Nd and Sr isotopic evidence for provenance of clastic material of the Upper Triassic rocks of Silesia, Poland. <i>Annales Societatis Geologorum Poloniae</i> , 0, , .	0.1	5
1378	Neodymium and strontium isotopes in the provenance determination of primary natron glass production. , 2009, , 53-72.		8
1379	Petrogenesis of the Tertiary volcanic rocks from the southeastern part of Korea.. <i>Journal of Mineralogy, Petrology and Economic Geology</i> , 1998, 93, 441-461.	0.1	6
1380	Garnet two-mica granite rich in high field strength elements, Kanamaru–Oguni area on the Niigata–Yamagata border, Japan arc. <i>Gansekai Kobutsu Kagaku</i> , 2015, 44, 131-154.	0.1	1
1381	Categories of Vendian catchments – sources of fine-grained aluminosiliciclastic materials for the Serebryanka and Sylvitsa group deposits (Middle Urals). <i>Lithosphere (Russian Federation)</i> , 2020, 20, 751-770.	0.1	3
1382	Sedimentology and Isotopic Chemistry of the Bengal Fan Sediments: The Denudation of the Himalaya. , 0, , .		37

#	ARTICLE	IF	CITATIONS
1383	Provenance of Amazon Fan muds: constraints from Nd and Pb isotopes. , 0, , .		12
1385	Geochemical and isotopic (Sr, Nd and O) constraints on sources for Variscan granites in the Western Carpathians - implications for crustal structure and tectonics. Journal of Geosciences (Czech) Tj ETQq1 1 0.7843140gBT / Overalock 10	0.3	10
1386	Making continental crust: origin of Devonian orthogneisses from SE Mongolian Altai. Journal of Geosciences (Czech Republic), 2016, , 25-50.	0.3	27
1387	Insights into the Acadian orogeny, New England Appalachians: a provenance study of the Carrabassett and Kittery formations, Maine. Atlantic Geology, 0, 45, 50-71.	0.2	9
1388	Preserved Sm-Nd Isotopic Composition as Useful Provenance Indicators in Neoproterozoic Sandstones in the Voltaian Basin, Ghana. International Journal of Geosciences, 2012, 03, 463-468.	0.2	2
1389	High-resolution neodymium characterization along the Mediterranean margins and modelling of &lt;i>μ</i>&lt;i>Nd</i> distribution in the Mediterranean basins. Biogeosciences, 2016, 13, 5259-5276.	1.3	23
1392	A database of marine and terrestrial radiogenic Nd and Sr isotopes for tracing earth-surface processes. Earth System Science Data, 2019, 11, 741-759.	3.7	21
1393	Contributions to the petrography, geochemistry and geochronology (U-Pb and Sm-Nd) of the Paleoproterozoic effusive rocks from Iricoumã Group, Amazonian Craton, Brazi. Brazilian Journal of Geology, 2014, 44, 121-138.	0.3	16
1394	Chronological and isotope geological study of Cretaceous granitic rocks, upper reach of the Nakagawa river, Fukuoka Prefecture. Journal of the Geological Society of Japan, 2008, 114, 218-230.	0.2	4
1395	SHRIMP Zircon U-Pb Geochronology, Geochemistry and Sr-Nd Isotopic Study of the Cheongju granitoid rocks. The Journal of the Petrological Society of Korea, 2011, 20, 191-206.	0.2	8
1396	The discovery of Sr-rich carbonatite and its significance in Baozishan REE deposit, Mianning, Sichuan Province. Acta Petrologica Sinica, 2021, 37, 2861-2874.	0.3	2
1397	Little Change in Ice Age Water Mass Structure From Cape Basin Benthic Neodymium and Carbon Isotopes. Paleoceanography and Paleoclimatology, 2021, 36, e2021PA004281.	1.3	6
1398	Isotopic fingerprints of recycled eclogite facies sediments in the generation of the Huanglongpu carbonatite, central China. Ore Geology Reviews, 2021, 139, 104534.	1.1	7
1399	Timing and genesis of the Tudiling trachyte Nb-Ta-Zr-REE deposit in the South Qinling (Central China): Implications for rare metal enrichment in extrusive peralkaline magmatic systems. Ore Geology Reviews, 2021, 139, 104535.	1.1	9
1400	Nd Isotopes vs. Ken Hs¼'s Tectonic Facies. , 2001, , 343-350.		0
1401	Time and tectonic setting of the Xixiang Group: Constraints from zircon U-Pb geochronology and geochemistry. Science in China Series D: Earth Sciences, 2002, 45, 818.	0.9	1
1402	The Appledore Island pluton of the Rye Complex, coastal New Hampshire and Maine, USA: geochronological and chemical evidence for the affinity of an enigmatic terrane. Atlantic Geology, 0, 50, 138.	0.2	2
1403	Radiogenic Isotopes. SpringerBriefs in Earth Sciences, 2015, , 89-116.	0.5	0

#	ARTICLE	IF	CITATIONS
1404	Permian – Triassic Magmatic Activity in the Song Da Structure. <i>Modern Approaches in Solid Earth Sciences</i> , 2016, , 17-58.	0.1	0
1405	Age, geochemistry, and significance of Devonian felsic magmatism in the North Slope subterranean, Yukon, Canadian Arctic. , 2019, , 593-618.		5
1406	Variability of protoliths and pressure-temperature conditions of amphibolites from the Ohmachi Seamount (Izu-Bonin-Mariana arc): evidence of a fossil subduction channel in a modern intra-oceanic arc. <i>Mineralogy and Petrology</i> , 2020, 114, 305-318.	0.4	1
1407	Geochemical and geochronological constraints on the genesis of Pliocene post-collisional granite porphyry and shoshonite in Quanshuigou, western Kunlun Mountains, NW Qinghai – Tibet Plateau. <i>International Geology Review</i> , 2022, 64, 275-296.	1.1	3
1408	Petrogenesis of $^{214}\text{Pb}$ - $^{210}\text{Pb}$ mafic and granitic magmatism and tectonic implication of Jiaobei Terrane in North China Craton. <i>Lithos</i> , 2020, 378-379, 105806.	0.6	4
1409	Middle Paleoproterozoic tectonic evolution of the Trans-North China Orogen, North China Craton: Constraint from the intermediate-acid magmatism in the Liang area. <i>Lithos</i> , 2020, 378-379, 105804.	0.6	8
1410	Evidence for a Northern Hemispheric trigger of the 100,000-y glacial cyclicity. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, .	3.3	19
1411	<i>Argon</i> , 1999, , 18-19.		0
1412	Atomic mass unit, avogadro constant and mole. , 1999, , 23-25.		0
1413	The Ediacaran Post-collisional Dokhan Volcanics. <i>Regional Geology Reviews</i> , 2021, , 267-294.	1.2	1
1414	Neodymium Isotope Geochemistry of a Subterranean Estuary. <i>Frontiers in Water</i> , 2021, 3, .	1.0	1
1415	Ediacaran bimodal volcanism in the southernmost Dom Feliciano Belt, Uruguay: Implications for the evolution of SW Gondwana. <i>Lithos</i> , 2021, 406-407, 106539.	0.6	1
1416	Late Holocene dust provenance at Siple Dome, Antarctica. <i>Quaternary Science Reviews</i> , 2021, 274, 107271.	1.4	3
1417	Aptian Flood Basalts in Bacalhau Field: Petrogenesis and Geodynamics of Post-Rift Tholeiites in the Pre-Salt of Santos Basin, Brazil. <i>SSRN Electronic Journal</i> , 0, , .	0.4	0
1418	Petrogenesis of the Early Cretaceous adakitic intrusive rocks in Chuzhou and Guandian, Anhui Province: Constraints from zircon U-Pb geochronology and Sr-Nd-Hf isotopic compositions. <i>Acta Petrologica Sinica</i> , 2021, 37, 3559-3574.	0.3	1
1419	Petrogenesis and implications of $^{214}\text{Pb}$ - $^{210}\text{Pb}$ Jingqishan granites in the Jiaobei Terrane, North China Craton. <i>Precambrian Research</i> , 2022, 369, 106536.	1.2	6
1420	The Significance of Slab-Derived Aqueous Fluids on Along- and Across-Arc Variations in Global Quaternary Arcs. <i>SSRN Electronic Journal</i> , 0, , .	0.4	0
1421	Mafic dykes of the southeastern Gawler Craton: ca 1564 Ma magmatism with an enriched mantle source. <i>Australian Journal of Earth Sciences</i> , 0, , 1-22.	0.4	3

#	ARTICLE	IF	CITATIONS
1422	Dissolved neodymium isotopes in the Mediterranean Sea. <i>Geochimica Et Cosmochimica Acta</i> , 2022, 322, 143-169.	1.6	4
1423	Tectonic and Climatic Impacts on Environmental Evolution in East Asia During the Palaeogene. <i>Geophysical Research Letters</i> , 2022, 49, .	1.5	6
1424	The role of crustal contamination in magma evolution of Neoproterozoic metaigneous rocks from Southwest Svalbard. <i>Precambrian Research</i> , 2022, 370, 106521.	1.2	4
1425	Petrogenesis and tectonic implication of the Late Triassic A1-type alkaline volcanics from the Xiangride area, eastern segment of the East Kunlun Orogen (China). <i>Lithos</i> , 2022, 412-413, 106595.	0.6	10
1426	Ca. 2.1 Ga Low- $\delta^{18}O$ Gabbro-Diorite Association in Southern North China Craton: Implications for an Intraplate Rifting. <i>SSRN Electronic Journal</i> , 0, , .	0.4	0
1427	Zircon U-Pb dating and geochemistry of intrusive rocks in the Shangdan suture zone of the Qinling Orogenic Belt: petrogenesis and tectonic implications. <i>Journal of the Geological Society</i> , 2022, 179, .	0.9	2
1428	New Perspectives on the $^{143}Nd/^{144}Nd$ Palaeoceanographic Tracer on Foraminifera: The State-of-the-Art <i>Frontiers of Analytical Methods. Geochemistry, Geophysics, Geosystems</i> , 2022, 23, .	1.0	3
1429	REE Geochemistry of Neogene-Holocene Sediments of La Fontanilla Cove (Tinto Estuary, SW Spain). <i>Minerals (Basel, Switzerland)</i> , 2022, 12, 417.	0.8	2
1430	Martian hydrothermal fluids recorded in the Sm-Nd isotopic systematics of apatite in regolith breccia meteorites. <i>Earth and Planetary Science Letters</i> , 2022, 581, 117413.	1.8	0
1431	U-Pb zircon ages and Sm-Nd isotopic data from the Cobequid Highlands, Nova Scotia, Canada: New contributions to understanding the Neoproterozoic geologic history of Avalonia. , 2022, , 135-172.		5
1432	Evolving views of West Avalonia: Perspectives from southeastern New England, USA. , 2022, , 47-72.		5
1433	The komatiite testimony to ancient mantle heterogeneity. <i>Chemical Geology</i> , 2022, 594, 120776.	1.4	13
1434	Late Neoproterozoic geodynamic regime of the northeastern North China Craton: Constraints from metamorphosed volcanic rocks of the Anshan-Benxi greenstone belt. <i>Precambrian Research</i> , 2022, 371, 106583.	1.2	6
1435	History of crustal growth in Africa and the Americas from detrital zircon and Nd isotopes in glacial diamictites. <i>Precambrian Research</i> , 2022, 373, 106641.	1.2	10
1436	Generation of crystal-rich rhyodacites by fluid-induced crystal-mush rejuvenation: Perspective from the Late Triassic Nageng (sub-)volcanic complex of the East Kunlun Orogen, NW China. <i>Chemical Geology</i> , 2022, 599, 120833.	1.4	5
1438	Petrogenesis and tectonic implications of the quartz diorites and mafic microgranular enclaves in the Asihua gold ore deposit in the East Kunlun orogenic belt: Evidence from zircon U-Pb dating, geochemistry, and Sr-Nd-Hf isotopes. <i>Geological Journal</i> . 2022. 57. 1759-1782.	0.6	3
1439	Late Carboniferous gabbro-granite suite from West Ujimqin of central Inner Mongolia: Petrogenesis and geodynamic implication. <i>Acta Petrologica Sinica</i> , 2022, 38, 830-854.	0.3	2
1440	Neoproterozoic pre-collisional events recorded in the Sergipano belt, Southern Borborema Province, West Gondwana. <i>International Geology Review</i> , 2023, 65, 527-545.	1.1	2

#	ARTICLE	IF	CITATIONS
1441	Boundary processes and neodymium cycling along the Pacific margin of West Antarctica. <i>Geochimica Et Cosmochimica Acta</i> , 2022, 327, 1-20.	1.6	4
1442	P <sup>40</sup> Ar estimates for the fractionated and primary melt of tholeiitic dykes from Multai area of Deccan flood basalt, Madhya Pradesh (India). <i>Journal of Earth System Science</i> , 2022, 131, 1.	0.6	1
1443	neodymiumNeodymium in sedimentary rocks. , 1998, , 421-422.		0
1445	Genesis of the Fulu Cryogenian iron formation in South China: Synglacial or interglacial?. <i>Precambrian Research</i> , 2022, 376, 106689.	1.2	4
1446	Nd-Hf isotopic systematics of the arc mantle and their implication for continental crust growth. <i>Chemical Geology</i> , 2022, 602, 120897.	1.4	5
1447	Rift-related multistage evolution of the Mangalwar Complex, Aravalli Craton (<sc>NW</sc> India): Evidence from elemental and <sc>Sr</sc>Nd isotopic features of Proterozoic amphibolites. <i>Geological Journal</i> , 2022, 57, 3199-3229.	0.6	2
1448	Geochronology, geochemistry, and isotopic composition of the early Neoproterozoic granitoids in the Bikou Terrane along the northwestern margin of the Yangtze Block, South China: Petrogenesis and tectonic implications. <i>Precambrian Research</i> , 2022, 377, 106724.	1.2	7
1449	GNOM v1.0: an optimized steady-state model of the modern marine neodymium cycle. <i>Geoscientific Model Development</i> , 2022, 15, 4625-4656.	1.3	6
1450	Apatites Record Sedimentary Provenance Change 4–5 Myrs Before Clay in the Oligocene/Miocene Alpine Molasse. <i>Frontiers in Earth Science</i> , 0, 10, .	0.8	0
1451	Age and Chemostratigraphy of the Finlayson Lake District, Yukon: Implications for Volcanogenic Massive Sulfide (VMS) Mineralization and Tectonics along the Western Laurentian Continental Margin. <i>Lithosphere</i> , 2022, 2022, .	0.6	3
1452	Slab break-off-related magnesian andesites and dacites with adakitic affinity from the early Quaternary KeÅiboydurun stratovolcano, Cappadocia province, central Turkey: evidence for slab/sediment melt–mantle interaction and magma mixing. <i>Contributions To Mineralogy and Petrology</i> , 2022, 177, .	1.2	3
1453	A ca. 1.33 Ga mafic dyke identified from the Liaodong Peninsula, northeastern North China Craton: Implications for eastward extension of the Yanliao large igneous province. <i>Precambrian Research</i> , 2022, 378, 106770.	1.2	2
1454	Petrogenesis of Mo-associated Mesozoic granitoids on the Jiaodong Peninsula: Implications for crustal architecture and Mo mineralization along the Dabie–Sulu Orogen. <i>Ore Geology Reviews</i> , 2022, 149, 105015.	1.1	3
1455	U–Pb age dating and geochemical fingerprints of Cambrian granites in the North Moroccan Meseta. Implication for the continental rift opening in the Northwest Gondwana margin. <i>Journal of African Earth Sciences</i> , 2022, , 104644.	0.9	1
1456	Isotopic investigations of the Nova-Bollinger Ni–Cu–Co deposit in the Fraser Zone, Albany-Fraser Orogen, Western Australia. <i>Australian Journal of Earth Sciences</i> , 2022, 69, 1177-1196.	0.4	4
1457	A shift of mantle sources for the post-collisional lavas and tectonic links with synchronous deformation in the SE Tibetan Plateau. <i>Chemical Geology</i> , 2022, 607, 121009.	1.4	4
1458	Formation of juvenile continental crust in northern Nubian Shield: New evidence from granitic zircon U-Pb-Hf-O isotopes. <i>Precambrian Research</i> , 2022, 379, 106791.	1.2	7
1459	Persistent mildly supra-chondritic initial Hf in the Lewisian Complex, NW Scotland: Implications for Neoproterozoic crust-mantle differentiation. <i>Chemical Geology</i> , 2022, 606, 121001.	1.4	7

#	ARTICLE	IF	CITATIONS
1460	Tournaisian volcanism associated with transtensional basin development in western Newfoundland during the amalgamation of Pangea. <i>Gondwana Research</i> , 2022, 110, 226-248.	3.0	1
1461	The Early~Middle Palaeozoic Oceanic Events Along the Southern European Margin: The Deli Jovan Ophiolite Massif (NE Serbia) and Palaeo-oceanic Zones of the Great Caucasus. <i>Turkish Journal of Earth Sciences</i> , 0, , .	0.4	1
1462	Size and Composition of the MORB+OIB Mantle Reservoir. <i>Geochemistry, Geophysics, Geosystems</i> , 2022, 23, .	1.0	10
1463	Enhanced Weathering Triggered the Transient Oxygenation Event at $\sim 1.57$ Ga. <i>Geophysical Research Letters</i> , 2022, 49, .	1.5	13
1464	Mineral and isotopic (Nd, Sr) signature of fine-grained deglacial and Holocene sediments from the Mackenzie Trough, Arctic Canada. <i>Arctic, Antarctic, and Alpine Research</i> , 2022, 54, 346-367.	0.4	3
1465	Sedimentary provenance perspectives on the evolution of the major rivers draining the eastern Tibetan Plateau. <i>Earth-Science Reviews</i> , 2022, 232, 104151.	4.0	15
1466	Unraveling late Quaternary atmospheric circulation in the Southern Hemisphere through the provenance of Pampean loess. <i>Earth-Science Reviews</i> , 2022, 232, 104143.	4.0	3
1467	Rare earth elements and neodymium and strontium isotopic constraints on provenance switch and post-depositional alteration of fossiliferous Ediacaran and lowermost Cambrian strata from Arctic Norway. <i>Precambrian Research</i> , 2022, 381, 106845.	1.2	2
1468	Ca. 2.1 Ga low- $\delta^{18}O$ gabbro-diorite association in southern North China Craton: Implications for an intraplate rifting. <i>Lithos</i> , 2022, 430-431, 106858.	0.6	1
1469	Late Permian A-type granites in Ma'andi in the Jinping area, southwestern China: Petrogenesis and implications for plume~slab interaction. <i>Lithos</i> , 2022, 430-431, 106878.	0.6	0
1470	Soil Dust Emissions. , 2022, , 51-77.		3
1471	Geochemistry and petrogenesis of Proterozoic granitoids from Central Indian Tectonic Zone (CITZ): elemental and isotopic constraints. <i>Geochemical Journal</i> , 2022, 56, 160-176.	0.5	3
1472	Mid-Devonian basaltic magmatism and associated sedimentation: the Ooloo Hill Formation, central-eastern South Australia. <i>Australian Journal of Earth Sciences</i> , 0, , 1-22.	0.4	0
1473	Unraveling the Genesis of Highly Fractionated Rare-Metal Granites in the Nubian Shield via the Rare-Earth Elements Tetrad Effect, Sr~Nd Isotope Systematics, and Mineral Chemistry. <i>ACS Earth and Space Chemistry</i> , 2022, 6, 2368-2384.	1.2	26
1474	Origin of highly variable and unusually low $\delta^7Li$ in mineral separates from ultramafic intrusive rocks in a convergent tectonic setting in the Tibetan plateau. <i>Chemical Geology</i> , 2022, 611, 121133.	1.4	1
1475	Geochemistry and Sr-Nd isotopic studies of Precambrian gneisses from central Aravalli Craton, NW India: Implications for crustal evolution and reworking. <i>Journal of Asian Earth Sciences: X</i> , 2022, 8, 100125.	0.6	0
1476	Geochronological and geochemical constraints on the petrogenesis of alkali granites from the Makrohar Granulite Belt: Evidence for Mesoproterozoic extensional regime in the eastern Central Indian Shield. <i>Geological Journal</i> , 2023, 58, 563-582.	0.6	2
1477	Formation of Paleo- to Meso-Archean continental crust in the western Dharwar Craton, India: Constraints from U Pb zircon ages and Hf-Pb-Sr isotopes of granitoids and sedimentary rocks. <i>Chemical Geology</i> , 2022, , 121196.	1.4	5



#	ARTICLE	IF	CITATIONS
1478	Genesis of the recently discovered Daxiyingzi Rb <sup>87</sup> /Be deposit on the northern margin of the North China Craton: Evidence from 40Ar/39Ar ages and geochemical data. <i>Ore Geology Reviews</i> , 2022, 150, 105152.	1.1	2
1479	Assessing neodymium isotopes as an ocean circulation tracer in the Southwest Atlantic. <i>Earth and Planetary Science Letters</i> , 2022, 599, 117846.	1.8	3
1480	Petrology, metallogeny and U-Pb geochronology of the paleoproterozoic mafic-ultramafic Hamutenha intrusion, Angolan Shield. <i>Journal of African Earth Sciences</i> , 2023, 197, 104733.	0.9	1
1481	Archaean Zircon U-Pb Age Paradox in Juvenile Neoproterozoic Granitoids, Central North Sudan, Saharan Metacraton. <i>Turkish Journal of Earth Sciences</i> , 0, , .	0.4	0
1482	A large-scale Sr and Nd isotope baseline for archaeological provenance in Silk Road regions and its application to plant-ash glass. <i>Journal of Archaeological Science</i> , 2023, 149, 105695.	1.2	4
1483	Temporal, geochemical and isotopic constraints on plume-driven felsic and mafic components in a Mesoproterozoic flood rhyolite province. <i>Results in Geochemistry</i> , 2022, 9, 100019.	0.3	2
1484	Plutonic-subvolcanic connection of the Himalayan leucogranites: Insights from the Eocene Lhunze complex, southern Tibet. <i>Lithos</i> , 2022, 434-435, 106939.	0.6	0
1485	Geochronological and isotopic constraints on Neoproterozoic crustal growth in the Egyptian Nubian Shield: Review and synthesis. <i>Earth-Science Reviews</i> , 2022, 235, 104244.	4.0	3
1486	Petrogenesis of anorthosites throughout Earth history. <i>Precambrian Research</i> , 2023, 384, 106936.	1.2	5
1487	Non-traditional stable isotopic analysis for source tracing of atmospheric particulate matter. <i>TrAC - Trends in Analytical Chemistry</i> , 2023, 158, 116866.	5.8	5
1488	Understanding Nd model ages of granite rocks: The effects of the 147Sm/144Nd variability during partial melting and crystallization. <i>Lithos</i> , 2023, 436-437, 106940.	0.6	2
1489	Mantle contribution to the generation of the giant Jinduicheng porphyry Mo deposit, Central China: New insights from combined in-situ element and isotope compositions of zircon and apatite. <i>Chemical Geology</i> , 2023, 616, 121238.	1.4	3
1490	Petrogenesis of Meso-Neoproterozoic granitoids from the Chitradurga Greenstone Belt: Implications on crustal growth and reworking of the Dharwar Craton, southern India. <i>Journal of Asian Earth Sciences</i> , 2023, 242, 105494.	1.0	3
1491	Ediacaran to Cambrian tectonomagmatic events in the Southern Dom Feliciano Belt, Uruguay: From a plate margin to an intraplate setting and the assembly of SW Gondwana. <i>Gondwana Research</i> , 2023, 115, 155-182.	3.0	5
1492	Geochemistry, Lu <sup>176</sup> /Hf garnet ages, and P <sup>18</sup> /T conditions of blueschists from the Meliatic and Patric nappes, Western Carpathians: Indicators of Neotethyan subduction. <i>Geosystems and Geoenvironment</i> , 2023, 2, 100150.	1.7	1
1493	Geochronology, geochemistry, and petrogenesis of I- and A-type granites in the Solwezi Dome of the Lufilian Arc: implications for the late-Mesoproterozoic magmatic and geodynamic evolution in northern Zambia. <i>Arabian Journal of Geosciences</i> , 2022, 15, .	0.6	0
1494	Petrogenesis of the Limerick Igneous Suite: insights into the causes of post-eruptive alteration and the magmatic sources underlying the Iapetus Suture in SW Ireland. <i>Journal of the Geological Society</i> , 2023, 180, .	0.9	1
1495	Sr, Nd, and Pb isotope provenance of surface sediments on the East Siberian Arctic Shelf and implications for transport pathways. <i>Chemical Geology</i> , 2023, 618, 121277.	1.4	3

#	ARTICLE	IF	CITATIONS
1496	The factors controlling along-arc and across-arc variations of primitive arc magma compositions: A global perspective. <i>Frontiers in Earth Science</i> , 0, 10, .	0.8	1
1497	The early-mid Miocene abyssal brown/green claystone from IODP Site U1503A in the northern South China Sea: Implications for paleoclimate and paleoceanography. <i>Gondwana Research</i> , 2022, , .	3.0	2
1498	Exposing basement terranes of the North Australian Craton. <i>Earth-Science Reviews</i> , 2023, 237, 104310.	4.0	0
1499	Arc-like magmatism in syn- to post-collisional setting: The Ediacaran Angra Fria Magmatic Complex (NW) Tj ETQq1 1 0.784314 rgBT /Ov Geodynamics, 2023, 155, 101960.	0.7	2
1500	Geological evolution of the Proterozoic Betul belt ( $\sim 1.6\text{--}0.95\text{ Ga}$ ) of the Central Indian tectonic Zone: Its linkage to the assembly and dispersal of Columbia and Rodinia supercontinents. <i>Gondwana Research</i> , 2023, 116, 168-197.	3.0	3
1501	Cyclicity of multistage anatexis of deeply subducted continental crust during the North Qaidam orogeny: Tracing the source, timescale, and evolution of pulsed melts. <i>Numerische Mathematik</i> , 2022, 322, 225-279.	0.7	3
1502	Sm-Nd isotope systematics of Indian shales constrain the growth of continental crust: Implication for supercontinent cycle and mantle plume activity. <i>Lithos</i> , 2023, , 107051.	0.6	0
1503	Neodymium isotopes in peat reveal past local environmental disturbances. <i>Science of the Total Environment</i> , 2023, 871, 161859.	3.9	1
1504	Affinity and Petrogenesis of the Huzyk Creek Metal-Enriched Graphite Deposit: A Metamorphosed Metalliferous Black Shale in the Trans-Hudson Orogen Of Manitoba, Canada. <i>Canadian Mineralogist</i> , 2022, 60, 853-880.	0.3	0
1505	Potential dust sources for loess deposits in Central Italy: A geochemical case study from the Loess-Paleosol-Sequence of Ponte Crispiero (Marche). <i>Catena</i> , 2023, 226, 107064.	2.2	1
1506	Geology, geochemistry, isotope geochemistry and fluid inclusions of the Early Carboniferous granitic rocks from Bajo de La Leona, Deseado Massif (Santa Cruz, Argentina) and geological relationships with the Triassic-Jurassic magmatism. <i>Journal of South American Earth Sciences</i> , 2023, 123, 104197.	0.6	3
1507	Response of the North Lhasa terrane to the initial break-up of Rodinia: Evidence from the newly identified early Neoproterozoic gabbros in the Asa area, southern Tibet. <i>Precambrian Research</i> , 2023, 386, 106971.	1.2	1
1508	Sr-Nd isotopic fingerprints of Red River sediments and its implication for provenance discrimination in the South China Sea. <i>Marine Geology</i> , 2023, 457, 106997.	0.9	1
1510	Constraints on the Nd-isotopic composition and nature of the last major influx of magma into the Bushveld Complex. <i>Contributions To Mineralogy and Petrology</i> , 2023, 178, .	1.2	0
1511	Simulating marine neodymium isotope distributions using Nd v1.0 coupled to the ocean component of the FAMOUSâ€“MOSES1 climate model: sensitivities to reversible scavenging efficiency and benthic source distributions. <i>Geoscientific Model Development</i> , 2023, 16, 1231-1264.	1.3	3
1513	Prodigious shift in provenance across Permian-Triassic Boundary at Guryul Ravine Section, Kashmir, Tethys Himalaya, India: Evidences from Sr and Nd isotopes. <i>Chemie Der Erde</i> , 2023, , 125981.	0.8	0
1514	Nd isotopes as a tracer of dust trapped by peat bogs: A reminder of basics. Comment on: Å« Neodymium isotopes in peat reveal past local environmental disturbances Å» by. <i>Science of the Total Environment</i> , 2023, 882, 163379.	3.9	2
1515	Petrogenesis of mantle-hosted granitoids from the Samail ophiolite. <i>Journal of Petrology</i> , 0, , .	1.1	1

#	ARTICLE	IF	CITATIONS
1516	Petrogenesis of the Late Eocene to Early Oligocene Yao'an Shoshonitic Complex, Southeastern Tibet: Partial Melting of an Ancient Continental Lithospheric Mantle beneath the Yangtze Block. <i>Acta Geologica Sinica</i> , 2023, 97, 1657-1670.	0.8	2
1517	Discovery of a giant 3.3–3.1 Ga terrane in the Rae craton, Canada: Implications for the timing and extent of ancient continental growth. <i>Geology</i> , 2023, 51, 597-601.	2.0	1
1552	Geochemistry and Mineralogy of Peninsular Indian River Sediments with Special Reference to Godavari and Krishna Rivers. , 2024, , 95-107.		0