CITATION REPORT List of articles citing

Restenosis after percutaneous transluminal coronary angioplasty (PTCA): a report from the PTCA Registry of the National Heart, Lung, and Blood Institute

DOI: 10.1016/0002-9149(84)90752-5 American Journal of Cardiology, 1984, 53, 77C-81C.

Source: https://exaly.com/paper-pdf/17211465/citation-report.pdf

Version: 2024-04-25

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
924	Exercise, electrocardiographic and functional responses after percutaneous transluminal coronary angioplasty. <i>American Journal of Cardiology</i> , 1984 , 53, 36C-41C	3	56
923	The role of balloon angioplasty in the management of coronary artery disease. 1985 , 9, 69-73		
922	Percutaneous transluminal coronary angioplasty: state of the art and future directions. 1985 , 1, 143-54		3
921	Coronary angioplasty of multiple vessels: short-term outcome and long-term results. 1985 , 72, 1314-20)	115
920	The current status of percutaneous coronary angioplasty. 1985 , 26, 497-505		2
919	Follow-up clinical results in patients undergoing percutaneous transluminal coronary angioplasty. 1985 , 71, 754-60		180
918	Sex differences in early and long-term results of coronary angioplasty in the NHLBI PTCA Registry. 1985 , 71, 90-7		253
917	Subacute left main coronary stenosis: an unusual but serious complication of percutaneous transluminal coronary angioplasty. 1985 , 36, 130-6		26
916	Clinical and angiographic assessment 6 months after double vessel percutaneous coronary angioplasty. 1985 , 6, 1239-44		176
915	Percutaneous transluminal coronary angioplasty. 1985 , 6, 992-4		6
914	Coronary angioplasty: clinical and angiographic follow-up. <i>American Journal of Cardiology</i> , 1985 , 55, 67	3- 6	162
913	Early detection of restenosis after successful percutaneous transluminal coronary angioplasty by exercise-redistribution thallium scintigraphy. <i>American Journal of Cardiology</i> , 1985 , 55, 357-61	3	130
912	Nd-YAG laser fusion of human atheromatous plaque-arterial wall separations in vitro. <i>American Journal of Cardiology</i> , 1985 , 56, 953-7	3	44
911	Reply. American Journal of Cardiology, 1985 , 56, 911	3	
910	The pathogenesis and prevention of aortocoronary vein bypass graft occlusion and restenosis after arterial angioplasty: role of vascular injury and platelet thrombus deposition. 1986 , 8, 57B-66B		43
909	Comparative results of percutaneous transluminal coronary angioplasty in patients with dynamic versus fixed coronary stenosis. 1986 , 8, 504-8		55
908	Effect of nifedipine on recurrent stenosis after percutaneous transluminal coronary angioplasty. 1986 , 8, 1271-6		217

907	Coronary angioplasty and the persistent problem of restenosis. 1986, 8, 1277-8	8
906	Histopathology after Nd-YAG laser percutaneous transluminal angioplasty of peripheral arteries. 1986 , 8, 1089-95	32
905	Laser angioplasty: unraveling the Gordian knot. 1986 , 7, 705-8	35
904	Comparison of angioplasty and bypass surgery in multivessel coronary artery disease. 1986 , 10, 213-21	15
903	Percutaneous transluminal coronary angioplasty: current status and future trends. 1986 , 61, 865-76	26
902	Balloon angioplasty of coronary bifurcation lesions: the kissing balloon technique. 1986 , 12, 124-38	91
901	Percutaneous coronary angioplasty: technique, indications, and results. 1986 , 9, 261-72	22
900	Restenosis after successful coronary angioplasty in patients with single-vessel disease. 1986 , 73, 710-7	656
899	Measurement of transstenotic pressure gradient during percutaneous transluminal coronary angioplasty. 1986 , 73, 1223-30	106
898	Prediction of long-term clinical outcome with final translesional pressure gradient during coronary angioplasty. 1986 , 74, 563-6	53
897	Incidence of spasm at the site of previous successful transluminal coronary angioplasty: effect of ergometrine maleate in consecutive patients. 1986 , 56, 27-32	19
896	Coronary angioplasty. 1987 , 63, 327-35	1
895	Platelet accumulation in experimental angioplasty: time course and relation to vascular injury. 1987 , 75, 636-42	279
894	Balloon-expandable intracoronary stents in the adult dog. 1987 , 76, 450-7	321
893	Long-term follow-up after percutaneous transluminal coronary angioplasty. The early Zurich experience. 1987 , 316, 1127-32	346
892	Interactions of platelets and vessel wall in the development of restenosis after coronary angioplasty. 1987 , 516, 605-20	12
891	RE-STENOSIS FOLLOWING ANGIOPLASTY. 1987 , 330, 1440-1441	
890	Editorial note Coronary angioplasty and bypass grafting: inevitable comparisons. 1987 , 15, 173-175	1

889	Multilesion coronary angioplasty: clinical and angiographic follow-up. 1987, 10, 246-52		175
888	Three year anatomic, functional and clinical follow-up after successful percutaneous transluminal coronary angioplasty. 1987 , 9, 1-7		69
887	Percutaneous transluminal angioplasty of stenotic coronary artery bypass grafts: 5 years' experience. 1987 , 9, 8-17		139
886	Coronary wedge pressure: a predictor of restenosis after coronary balloon angioplasty. 1987 , 10, 504-9	9	48
885	Medical approaches to prevention of restenosis after coronary angioplasty. 1987 , 9, 834-48		121
884	Multicenter study of percutaneous transluminal angioplasty for right coronary artery ostial stenosis. 1987 , 9, 1214-8		144
883	Privatised Pharmacology. 1987 , 330, 1439-1440		
882	Multiple vessel coronary angioplasty: classification, results, and patterns of restenosis in 494 consecutive patients. 1987 , 13, 1-15		195
881	Recurrence after coronary angioplasty. 1987 , 13, 77-86		53
880	Immediate balloon inflation during ventricular fibrillation complicating coronary angioplastyan alternative technique to angioplasty system withdrawal: case reports and review. 1987 , 13, 125-32		4
879	Platelet-inhibitor drugs' role in coronary artery disease. 1987 , 29, 325-46		44
878	Percutaneous transluminal coronary angioplasty: ten years' experience. 1987 , 30, 147-210		41
877	Late angiographic follow-up after successful coronary arterial thrombolysis and angioplasty during acute myocardial infarction. <i>American Journal of Cardiology</i> , 1987 , 60, 210-3	3	7
876	Influence of the methodology of percutaneous transluminal coronary angioplasty on restenosis. <i>American Journal of Cardiology</i> , 1987 , 60, 29B-33B	3	25
875	Percutaneous transluminal coronary angioplasty and subsequent restenosis: quantitative and qualitative methodology for their assessment. <i>American Journal of Cardiology</i> , 1987 , 60, 34B-38B	3	21
874	Restenosis after percutaneous transluminal coronary angioplasty: the Emory University Hospital experience. <i>American Journal of Cardiology</i> , 1987 , 60, 39B-43B	3	86
873	Restenosis after multilesion percutaneous transluminal coronary angioplasty. <i>American Journal of Cardiology</i> , 1987 , 60, 44B-47B	3	20
872	Percutaneous transluminal coronary angioplasty restenosis: potential prevention with laser balloon angioplasty. <i>American Journal of Cardiology</i> , 1987 , 60, 61B-64B	3	78

(1988-1987)

871	Angiographic findings when chest pain recurs after successful percutaneous transluminal coronary angioplasty. <i>American Journal of Cardiology</i> , 1987 , 60, 792-5	3	37
870	Prim II- und Langzeitergebnisse der perkutanen transluminalen Koronarangioplastie (PTCA). 1987 , 19, 16-22		1
869	Role of percutaneous transluminal coronary angioplasty in multivessel disease. <i>American Journal of Cardiology</i> , 1988 , 61, 9G-14G	3	21
868	Restenosis after percutaneous transluminal coronary angioplasty. <i>American Journal of Cardiology</i> , 1988 , 61, 67G-70G	3	49
867	Additional improvement of stenosis geometry in human coronary arteries by stenting after balloon dilatation. <i>American Journal of Cardiology</i> , 1988 , 61, 71G-76G	3	62
866	Role of laser and thermal ablation devices in the treatment of vascular diseases. <i>American Journal of Cardiology</i> , 1988 , 61, 81G-86G	3	47
865	Laser balloon angioplasty: effect of tissue temperature on weld strength of human postmortem intima-media separations. 1988 , 8, 30-9		47
864	Laser balloon angioplasty: effect of constant temperature versus constant power on tissue weld strength. 1988 , 8, 40-4		21
863	Laser balloon angioplasty: effect of exposure duration on shear strength of welded layers of postmortem human aorta. 1988 , 8, 392-6		14
862	Saphenous vein graft rupture during percutaneous transluminal angioplasty. 1988 , 14, 258-62		9
861	Angioplasty for stable versus unstable angina pectoris: are unstable patients more likely to get restenosis? A quantitative angiographic study in 339 consecutive patients. 1988 , 3, 87-97		7
860	Percutaneous transluminal coronary angioplasty. 1988 , 3, 53-66		3
859	Antithrombotic therapy for patients with cardiac disease. 1988 , 13, 430-513		1
858	Long-term outcome of patients with asymptomatic restenosis after percutaneous transluminal coronary angioplasty. <i>American Journal of Cardiology</i> , 1988 , 62, 1298-9	3	33
857	Treatment of recurrent restenosis with repeat percutaneous transluminal coronary angioplasty. <i>American Journal of Cardiology</i> , 1988 , 61, 906-8	3	16
856	Increased frequency of restenosis in patients continuing to smoke cigarettes after percutaneous transluminal coronary angioplasty. <i>American Journal of Cardiology</i> , 1988 , 61, 260-3	3	96
855	Long-term follow-up and influence of symptom-free interval on restenosis after repeat percutaneous transluminal coronary angioplasty. <i>American Journal of Cardiology</i> , 1988 , 62, 476-8	3	6
854	Usefulness of early radionuclide angiography for identifying low-risk patients for late restenosis after percutaneous transluminal coronary angioplasty. <i>American Journal of Cardiology</i> , 1988 , 61, 51-4	3	31

853	Progression of coronary artery disease after percutaneous transluminal coronary angioplasty. 1988 , 115, 297-301	25
852	Coronary angioplasty for patients with multivessel coronary artery disease: follow-up clinical status. 1988 , 115, 8-13	33
851	Cinevideodensitometric analysis of the effect of coronary angioplasty on coronary stenotic dimensions. 1988 , 115, 722-32	29
850	Clinical significance of perfusion defects by thallium-201 single photon emission tomography following oral dipyridamole early after coronary angioplasty. 1988 , 11, 970-6	80
849	Late restenosis after emergent coronary angioplasty for acute myocardial infarction: comparison with elective coronary angioplasty. 1988 , 11, 698-705	45
848	Repeat coronary angioplasty: correlates of a second restenosis. 1988 , 11, 714-8	78
847	Restenosis and progression of coronary atherosclerosis after coronary angioplasty. 1988 , 12, 49-55	49
846	Multiple coronary angioplasty: a model to discriminate systemic and procedural factors related to restenosis. 1988 , 12, 310-4	86
845	Change in diameter of coronary artery segments adjacent to stenosis after percutaneous transluminal coronary angioplasty: failure of percent diameter stenosis measurement to reflect morphologic changes induced by balloon dilation. 1988 , 12, 315-23	76
844	Coronary angioplasty for unstable angina: immediate and late results in 200 consecutive patients with identification of risk factors for unfavorable early and late outcome. 1988, 12, 324-33	144
	with faction of fisk factors for amayorable early and late outcome. 1700, 12, 324 33	
843	Guidelines for percutaneous transluminal coronary angioplasty. 1988 , 12, 529-545	524
843 842		
	Guidelines for percutaneous transluminal coronary angioplasty. 1988 , 12, 529-545 Stress thallium-201 imaging after coronary angioplasty predicts restenosis and recurrent	524
842	Guidelines for percutaneous transluminal coronary angioplasty. 1988 , 12, 529-545 Stress thallium-201 imaging after coronary angioplasty predicts restenosis and recurrent symptoms. 1988 , 12, 1199-204 Balloon angioplasty of aortocoronary saphenous vein bypass grafts: a histopathologic study of six	524 62
842	Guidelines for percutaneous transluminal coronary angioplasty. 1988, 12, 529-545 Stress thallium-201 imaging after coronary angioplasty predicts restenosis and recurrent symptoms. 1988, 12, 1199-204 Balloon angioplasty of aortocoronary saphenous vein bypass grafts: a histopathologic study of six grafts from five patients, with emphasis on restenosis and embolic complications. 1988, 12, 1501-9 Restenosis after successful percutaneous transluminal coronary angioplasty: serial angiographic	5 ² 4 6 ₂
842 841 840	Guidelines for percutaneous transluminal coronary angioplasty. 1988, 12, 529-545 Stress thallium-201 imaging after coronary angioplasty predicts restenosis and recurrent symptoms. 1988, 12, 1199-204 Balloon angioplasty of aortocoronary saphenous vein bypass grafts: a histopathologic study of six grafts from five patients, with emphasis on restenosis and embolic complications. 1988, 12, 1501-9 Restenosis after successful percutaneous transluminal coronary angioplasty: serial angiographic follow-up of 229 patients. 1988, 12, 616-23 Incidence of spontaneous and provoked coronary spasms after percutaneous transluminal coronary	5 ² 4 6 ₂ 6 ₇ 757
842 841 840 839	Guidelines for percutaneous transluminal coronary angioplasty. 1988, 12, 529-545 Stress thallium-201 imaging after coronary angioplasty predicts restenosis and recurrent symptoms. 1988, 12, 1199-204 Balloon angioplasty of aortocoronary saphenous vein bypass grafts: a histopathologic study of six grafts from five patients, with emphasis on restenosis and embolic complications. 1988, 12, 1501-9 Restenosis after successful percutaneous transluminal coronary angioplasty: serial angiographic follow-up of 229 patients. 1988, 12, 616-23 Incidence of spontaneous and provoked coronary spasms after percutaneous transluminal coronary angioplasty. 1988, 21, 11-9 Reduction in the rate of early restenosis after coronary angioplasty by a diet supplemented with	524 62 67 757

835	Restenosis after successful coronary angioplasty. Pathophysiology and prevention. 1988, 318, 1734-7	387
834	Sequential thallium-201 myocardial perfusion studies after successful percutaneous transluminal coronary artery angioplasty: delayed resolution of exercise-induced scintigraphic abnormalities. 1988, 77, 86-95	153
833	Perforation thresholds and safety factors in in vivo coronary laser angioplasty. 1988, 59, 429-37	4
832	Aspirin and dipyridamole in the prevention of restenosis after percutaneous transluminal coronary angioplasty. 1988 , 318, 1714-9	613
831	Report of the Joint ISFC/WHO Task Force on Coronary Angioplasty. The International Society and Federation of Cardiology and the World Health Organization. 1988 , 78, 780-9	62
830	Incidence of restenosis after successful coronary angioplasty: a time-related phenomenon. A quantitative angiographic study in 342 consecutive patients at 1, 2, 3, and 4 months. 1988 , 77, 361-71	826
829	Long-term clinical and angiographic results following percutaneous transluminal coronary angioplasty. 1988 , 18, 689-92	4
828	Update on Percutaneous Transluminal Coronary Angioplasty. 1988 , 6, 321-328	1
827	Early and late results of coronary artery bypass after failed angioplasty. 1988 , 96, 191-197	43
826	Reply to the Editor: How do you spell relief: PTCA or CABG?. 1989 , 97, 936-937	1
825	Coronary angioplasty versus coronary bypass. 1989 , 97, 496-503	27
824	Infracoronary Stents. 1989 , 1, 327-338	
823	Pathology of Transluminal Balloon Angioplasty Used in the Treatment of Coronary Heart Disease. 1989 , 7, 749-770	8
822	Recurrent ischemia more than 1 year after successful percutaneous transluminal coronary angioplasty. An analysis of the extent and anatomic pattern of coronary disease. 1989 , 80, 1580-4	16
821	Exercise treadmill testing is a poor predictor of anatomic restenosis after angioplasty for acute myocardial infarction. 1989 , 80, 1585-94	54
820	Influence of inflation pressure and balloon size on the development of intimal hyperplasia after balloon angioplasty. A study in the atherosclerotic rabbit. 1989 , 80, 1029-40	155
820 819		155

817	Long-term efficacy of percutaneous transluminal angioplasty on incidence of myocardial infarction, relief of symptoms and survival. 1989 , 12, 427-31		4
816	Factors predicting recurrent restenosis after percutaneous transluminal coronary balloon angioplasty. <i>American Journal of Cardiology</i> , 1989 , 63, 902-5	3	34
815	Usefulness of fish oil supplements in preventing clinical evidence of restenosis after percutaneous transluminal coronary angioplasty. <i>American Journal of Cardiology</i> , 1989 , 64, 294-9	3	117
814	Effects of high resistance training in coronary artery disease. <i>American Journal of Cardiology</i> , 1989 , 64, 866-70	3	82
813	Quantitative exercise thallium-201 scintigraphy for predicting angina recurrence after percutaneous transluminal coronary angioplasty. <i>American Journal of Cardiology</i> , 1989 , 63, 517-21	3	34
812	Importance of stenosis morphology in the estimation of restenosis risk after elective percutaneous transluminal coronary angioplasty. <i>American Journal of Cardiology</i> , 1989 , 63, 30-4	3	138
811	A randomized trial of corticosteroids for the prevention of restenosis in 102 patients undergoing repeat coronary angioplasty. 1989 , 18, 227-31		80
810	Coronary atherectomy: first 50 patients at the Mayo Clinic. 1989 , 64, 747-52		36
809	Clinical outcome of coronary angioplasty for single-vessel disease. 1989 , 2, 546-50		15
808	Percutaneous coronary excimer laser angioplasty: initial clinical results. 1989 , 2, 647-50		44
807	Pathology of Coronary Angioplasty. 1989 , 334, 423-424		2
806	Short-term outcome and long-term follow-up following coronary angioplasty in the young patient: an 8-year experience. 1989 , 118, 873-7		21
805	Effect of 18- to 24-hour heparin administration for prevention of restenosis after uncomplicated coronary angioplasty. 1989 , 117, 777-82		283
804	Is the residual translesional pressure gradient useful to predict regional myocardial perfusion after percutaneous transluminal coronary angioplasty?. 1989 , 117, 783-90		28
803	Treatment of coronary artery disease. 1989 , 13, 957-68		7
802	"Crackers, breakers, stretchers, drillers, scrapers, shavers, burners, welders and melters"the future treatment of atherosclerotic coronary artery disease? A clinical-morphologic assessment. 1989 , 13, 969-87		282
801	Thermal compression and molding of atherosclerotic vascular tissue with use of radiofrequency energy: implications for radiofrequency balloon angioplasty. 1989 , 13, 1167-75		31
800	The spoof factor. 1989 , 14, 1125		14

799	Repeat coronary angioplasty: efficacy of a third angioplasty for a second restenosis. 1989 , 13, 291-6		50
798	Determinants of restenosis and lack of effect of dietary supplementation with eicosapentaenoic acid on the incidence of coronary artery restenosis after angioplasty. 1989 , 13, 665-72		159
797	Percutaneous coronary angioscopy: methods, findings, and therapeutic implications. 1990 , 7, 485-94		3
796	Coronary atherectomy. Clinical, angiographic, and histological findings and observations regarding potential mechanisms. 1990 , 82, 69-79		261
795	Left Main Coronary Angioplasty: Assessment of a R isk Scorel t o Predict Acute and Long-Term Outcome. 1990 , 3, 75-86		4
794	Angiographic and Histologic Course after Implantation of Balloon Expandable Intravascular Stents in Miniswine Coronary Arteries: Short- and Mid-Term Observations. 1990 , 3, 87-98		5
793	The Role of a Third and Possible Fourth Coronary Angioplasty for Recurrent Stenosis. 1990 , 3, 11-14		1
792	Detection of restenosis after elective percutaneous transluminal coronary angioplasty using the exercise treadmill test. <i>American Journal of Cardiology</i> , 1990 , 65, 28-34	3	89
791	Role of beta-adrenergic blockers after percutaneous transluminal coronary angioplasty. <i>American Journal of Cardiology</i> , 1990 , 66, 915-20	3	12
790	Patient-related variables and restenosis after percutaneous transluminal coronary angioplastya report from the M-HEART Group. <i>American Journal of Cardiology</i> , 1990 , 66, 926-31	3	59
789	Risk factors for progression of atherosclerosis six months after balloon angioplasty of coronary stenosis. <i>American Journal of Cardiology</i> , 1990 , 65, 980-5	3	20
788	Usefulness of tomographic thallium-201 imaging for detection of restenosis after percutaneous transluminal coronary angioplasty. <i>American Journal of Cardiology</i> , 1990 , 66, 1314-8	3	62
787	Angiographic morphology of recurrent stenoses after percutaneous transluminal coronary angioplasty: are lesions longer at restenosis?. 1990 , 6, 77-84		2
786	Role of a nonsteroidal anti-inflammatory agent, ibuprofen, in coronary revascularization after acute myocardial infarction. 1990 , 85, 55-70		6
785	Pharmacological therapy after coronary angioplasty. Early experience with low molecular weight heparin for prophylaxis of reocclusion. 1990 , 68, 294		8
784	Restenosis following coronary angioplasty. 1990 , 5, 155-62		4
783	Does percutaneous transluminal coronary angioplasty accelerate atherosclerotic lesions?. 1990 , 21, 1-6		10
782	Intracoronary stenting: bailout or bypass?. 1990 , 21, 260-2		2

781	Analysis of risk factors for restenosis after PTCA. 1990 , 19, 151-9	43
780	Experimental argon laser thermal angioplasty as an adjunct to balloon angioplasty in peripheral arteriosclerotic disease. 1990 , 20, 63-70	1
779	Coronary angioplasty for medically refractory unstable angina in patients with prior coronary bypass surgery. 1990 , 20, 174-81	5
778	Multi-Hospital Eastern Atlantic Restenosis Trial: design, recruitment, and feasibility. M-HEART Investigators. 1990 , 20, 227-37	5
777	Restenosis after balloon angioplasty. A practical proliferative model in porcine coronary arteries. 1990 , 82, 2190-200	370
776	Vascular reactivity after balloon angioplasty in an atherosclerotic rabbit. 1990 , 82, 1790-801	14
775	Efficacy and safety of coronary balloon angioplasty and directional atherectomy. 1990 , 82, 305-7	7
774	Granulocyte activation after coronary angioplasty in humans. 1990 , 82, 140-6	98
773	Vascular stenting in normal and atherosclerotic rabbits. Studies of the intravascular endoprosthesis of titanium-nickel-alloy. 1990 , 81, 667-83	31
772	Prevention of thrombosis and rethrombosis. New approaches. 1990 , 82, 655-7	14
77 ²	Prevention of thrombosis and rethrombosis. New approaches. 1990 , 82, 655-7 Time course of smooth muscle cell proliferation in the intima and media of arteries following experimental angioplasty. 1990 , 67, 651-9	287
	Time course of smooth muscle cell proliferation in the intima and media of arteries following	
771	Time course of smooth muscle cell proliferation in the intima and media of arteries following experimental angioplasty. 1990 , 67, 651-9 Heparin-resistant thrombus formation by endovascular stents in baboons. Interruption by a	287
77 ¹	Time course of smooth muscle cell proliferation in the intima and media of arteries following experimental angioplasty. 1990 , 67, 651-9 Heparin-resistant thrombus formation by endovascular stents in baboons. Interruption by a synthetic antithrombin. 1990 , 82, 570-7	287 56
771 770 769	Time course of smooth muscle cell proliferation in the intima and media of arteries following experimental angioplasty. 1990 , 67, 651-9 Heparin-resistant thrombus formation by endovascular stents in baboons. Interruption by a synthetic antithrombin. 1990 , 82, 570-7 Thermal balloon angioplasty in a canine model: preliminary results. 1990 , 1, 121-6	287 56 5
771 770 769 768	Time course of smooth muscle cell proliferation in the intima and media of arteries following experimental angioplasty. 1990 , 67, 651-9 Heparin-resistant thrombus formation by endovascular stents in baboons. Interruption by a synthetic antithrombin. 1990 , 82, 570-7 Thermal balloon angioplasty in a canine model: preliminary results. 1990 , 1, 121-6 Advances in interventional cardiology. 1990 , 65, 565-83 Predicting late restenosis after coronary angioplasty by very early (12 to 24 h) thallium-201	287 56 5
771 770 769 768 767	Time course of smooth muscle cell proliferation in the intima and media of arteries following experimental angioplasty. 1990, 67, 651-9 Heparin-resistant thrombus formation by endovascular stents in baboons. Interruption by a synthetic antithrombin. 1990, 82, 570-7 Thermal balloon angioplasty in a canine model: preliminary results. 1990, 1, 121-6 Advances in interventional cardiology. 1990, 65, 565-83 Predicting late restenosis after coronary angioplasty by very early (12 to 24 h) thallium-201 scintigraphy: implications with regard to mechanisms of late coronary restenosis. 1990, 15, 1486-92 Repeat coronary angioplasty during the same angiographic diagnosis of coronary restenosis. 1990,	287 56 5 11

(1991-1990)

763	Comparison of quantitative coronary angiography to visual estimates of lesion severity pre and post PTCA. 1990 , 119, 178-84	88
762	Short- and long-term outcome of percutaneous transluminal coronary angioplasty in chronic dialysis patients. 1990 , 119, 484-9	158
761	Buccal nitroglycerin decreases ischemic pain during coronary angioplasty: a double-blind, randomized, placebo-controlled study. 1990 , 120, 275-81	5
760	The effect of balloon angioplasty on vasa vasorum blood flow in canine coronary arteries. 1990 , 120, 1285-91	1
759	Very early prediction of restenosis after successful coronary angioplasty: anatomic and functional assessment. 1990 , 15, 259-64	57
758	Very early prediction of restenosis after successful coronary angioplasty: how early is early and can we identify it?. 1990 , 15, 265-6	10
757	Restenosis after coronary angioplasty: new standards for clinical studies. 1990 , 15, 491-8	124
756	Restenosis after directional coronary atherectomy: differences between primary atheromatous and restenosis lesions and influence of subintimal tissue resection. 1990 , 16, 1665-71	108
755	Assessment of "silent" restenosis and long-term follow-up after successful angioplasty in single vessel coronary artery disease: the value of quantitative exercise electrocardiography and quantitative coronary angiography. 1990 , 16, 578-85	59
754	Effect of short-term prostacyclin administration on restenosis after percutaneous transluminal coronary angioplasty. 1990 , 15, 691-7	77
753	Restenosis after percutaneous transluminal coronary angioplasty: pathologic observations in 20 patients. 1991 , 17, 433-9	359
75 ²	Differential histopathology of primary atherosclerotic and restenotic lesions in coronary arteries and saphenous vein bypass grafts: analysis of tissue obtained from 73 patients by directional atherectomy. 1991 , 17, 442-8	146
751	Silent ischemia after coronary angioplasty: evaluation of restenosis and extent of ischemia in asymptomatic patients by tomographic thallium-201 exercise imaging and comparison with symptomatic patients. 1991 , 17, 670-7	109
750	A paradigm for restenosis based on cell biology: clues for the development of new preventive therapies. 1991 , 17, 758-69	484
749	Laser balloon angioplasty: clinical, angiographic and histologic results. 1991, 18, 193-202	47
748	Cilazapril. A review of its pharmacodynamic and pharmacokinetic properties, and therapeutic potential in cardiovascular disease. 1991 , 41, 799-820	23
747	Prevention of restenosis by lovastatin after successful coronary angioplasty. 1991 , 121, 1600-8	154
746	Multi-Hospital Eastern Atlantic Restenosis Trial. II: A placebo-controlled trial of thromboxane blockade in the prevention of restenosis following coronary angioplasty. 1991 , 122, 1239-44	16

745	Clinical efficacy of PTCA and identification of restenosis: evaluation by serial body surface potential mapping. 1991 , 121, 1080-7	6
744	Coronary angioplasty in single-vessel complex lesions: short- and long-term outcome and factors predicting acute coronary occlusion. 1991 , 122, 44-9	13
743	Prevention of restenosis after percutaneous transluminal coronary angioplasty: the search for a "magic bullet". 1991 , 122, 171-87	126
742	Coronary angioplasty of diffuse coronary artery disease. 1991 , 121, 12-9	18
741	High speed rotational coronary atherectomy for patients with diffuse coronary artery disease. 1991 , 18, 1694-701	127
740	Clinical, physiologic, anatomic and procedural factors predictive of restenosis after percutaneous transluminal coronary angioplasty. 1991 , 18, 368-76	127
739	Effect of lovastatin on intimal hyperplasia after balloon angioplasty: a study in an atherosclerotic hypercholesterolemic rabbit. 1991 , 17, 251-9	118
738	Restenosis after coronary angioplasty: a multivariate statistical model to relate lesion and procedure variables to restenosis. The M-HEART Investigators. 1991 , 18, 647-56	340
737	Coronary restenosis: what have we learned from angiography?. 1991 , 17, 14B-22B	37
736	Quantitative coronary arteriographic methods in the interventional catheterization laboratory: an update and perspective. 1991 , 17, 23B-33B	32
735	Peptide inhibition of myointimal proliferation by angiopeptin, a somatostatin analogue. 1991 , 17, 132B-136B	38
734	Clinical experience with the Palmaz-Schatz coronary stent. 1991 , 17, 155B-159B	84
733	Laser balloon angioplasty: potential for reduction of the thrombogenicity of the injured arterial wall and for local application of bioprotective materials. 1991 , 17, 179B-188B	13
732	Consequences of restenosis after coronary angioplasty. 1991 , 31, 143-7	4
731	Advances in coronary interventional techniques. 1991 , 32, 175-81	4
730	Interventional radiologya review. 1991 , 21, 902-16	
729	Coronary artery bypass without extracorporeal circulation versus percutaneous transluminal coronary angioplasty: Comparison of costs. 1991 , 102, 802-803	30
728	Holmium:YAG coronary laser angioplasty [HOLCA]. 1991 , 9, 459-66	1

New horizons in the treatment of coronary artery thrombosis. **1991**, 301, 21-7

726	Prevention of restenosis after percutaneous transluminal coronary angioplasty with thromboxane A2-receptor blockade. A randomized, double-blind, placebo-controlled trial. Coronary Artery		215
725	Restenosis Prevention on Repeated Thromboxane-Antagonism Study (CARPORT). 1991 , 84, 1568-80 In vivo technetium-99m S12 antibody imaging of platelet alpha-granules in rabbit endothelial neointimal proliferation after angioplasty. 1991 , 83, 224-36		30
724	Effectiveness of recombinant desulphatohirudin in reducing restenosis after balloon angioplasty of atherosclerotic femoral arteries in rabbits. 1991 , 84, 232-43		211
723	Clinical experience with the Palmaz-Schatz coronary stent. Initial results of a multicenter study. 1991 , 83, 148-61		555
722	Modified Gianturco Arterial Stents P reliminary Results in Iliac Arteries of Sheep. 1991 , 35, 157-158		
721	Relation of stenosis resolution pressure to long-term clinical outcome after successful percutaneous transluminal coronary angioplasty. <i>American Journal of Cardiology</i> , 1991 , 67, 953-6	3	5
720	Prior restenosis predicts restenosis after coronary angioplasty of a new significant narrowing. American Journal of Cardiology, 1991 , 68, 1158-62	3	19
719	Growth factors in pathogenesis of coronary arterial restenosis. <i>American Journal of Cardiology</i> , 1991 , 68, 24C-33C	3	46
718	Comparative quantitative angiographic analysis of directional coronary atherectomy and balloon coronary angioplasty. <i>American Journal of Cardiology</i> , 1991 , 68, 1556-63	3	33
717	Intimal disruption and coronary thrombosis: its role in the pathogenesis of human coronary disease. <i>American Journal of Cardiology</i> , 1991 , 68, 69B-77B	3	12
716	Cause of acute myocardial infarction after successful coronary angioplasty. <i>American Journal of Cardiology</i> , 1991 , 68, 967-70	3	4
715	Comparison of usefulness of high-dose dipyridamole echocardiography and exercise electrocardiography for detection of asymptomatic restenosis after coronary angioplasty. <i>American Journal of Cardiology</i> , 1991 , 67, 1335-8	3	60
714	Percutaneous transluminal angioplasty of aortocoronary venous bypass grafts and effect of the caliber of the grafted coronary artery on graft stenosis. <i>American Journal of Cardiology</i> , 1991 , 68, 27-30	3	12
713	Intravascular stents. 1991 , 1, 127-31		2
712	Restenosis following coronary angioplasty. 1991 , 14, 791-801		23
711	The influence of the presence of collaterals on restenoses after PTCA. 1991 , 14, 803-7		14
710	Coronary directional atherectomy: rescue for failed balloon angioplasty and treatment of complicated lesions. 1991 , 4, 5-11		9

709	Interventional cardiology techniques for coronary artery disease. 1991 , 6, 415-24	1
708	Coronary angioplasty requiring extraordinarily high balloon inflation pressure. 1991 , 22, 115-7	8
707	New technologies for the treatment of obstructive arterial disease. 1991 , 22, 205-33	29
706	Percutaneous transluminal coronary angioplasty utilizing prolonged balloon inflations: initial results and six-month follow-up. 1991 , 23, 239-44	11
705	Effect of angiotensin converting enzyme inhibition on the incidence of restenosis after percutaneous transluminal coronary angioplasty. 1991 , 23, 263-7	13
704	Morphologic change in coronary artery stenosis with the Medtronic Wiktor stent: initial results from the core laboratory for quantitative angiography. 1991 , 24, 237-45	45
703	Excimer laser coronary angioplasty: Initial experience at St. Thomas' Hospital. 1991 , 6, 339-347	2
702	Percutaneous coronary rotational angioplasty: preliminary clinical and quantitative imaging results. 1991 , 7, 47-54	3
701	Application of intraluminal ultrasound imaging to vascular stenting. 1991 , 6, 285-311	32
700	Reduction in thrombus formation by placement of endovascular stents at endarterectomy sites in baboon carotid arteries. 1991 , 84, 1749-57	18
699	Cytotoxic effects of a recombinant chimeric toxin on rapidly proliferating vascular smooth muscle cells. 1991 , 84, 778-87	55
698	Clinical implications of late proven patency after successful coronary angioplasty. 1991 , 84, 572-82	48
697	Increased blood flow inhibits neointimal hyperplasia in endothelialized vascular grafts. 1991 , 69, 1557-65	211
696	Clinical trials of restenosis after coronary angioplasty. 1991 , 84, 1426-36	297
695	Effects of serotonin-receptor blockade on angioplasty-induced vasospasm in an atherosclerotic rabbit model. 1991 , 11, 770-83	9
694	EPA in the prevention of restenosis post PTCA. 1991 , 42, 187-94	11
693	Higher recurrence rate after coronary angioplasty in unstable angina pectoris. 1991 , 42, 273-80	6
692	Abnormal coronary vasoconstriction as a predictor of restenosis after successful coronary angioplasty in patients with unstable angina pectoris. 1991 , 325, 1053-7	26

691 A helical microwave antenna for welding plaque during balloon angioplasty. 1992,

690	Recent Advances in Platelet Research Symposium held on 17 December 1991 at the Royal Free Hospital School of Medicine (University of London), Pond Street, London NW3 2QG, UK. 1992 , 3, 97-117	
689	In vitro effects of a recombinant toxin targeted to the fibroblast growth factor receptor on rat vascular smooth muscle and endothelial cells. 1992 , 71, 640-5	30
688	Initial and long-term outcome of 354 patients after coronary balloon angioplasty of total coronary artery occlusions. 1992 , 85, 1003-11	163
687	Restenosis after placement of Palmaz-Schatz stents in native coronary arteries. Initial results of a multicenter experience. 1992 , 86, 1836-44	224
686	Vitamin E supplementation, plasma lipids and incidence of restenosis after percutaneous transluminal coronary angioplasty (PTCA). 1992 , 11, 68-73	104
685	Dose-dependent smooth muscle cell proliferation induced by thermal injury with pulsed infrared lasers. 1992 , 86, 1249-56	30
684	Restenosis after coronary angioplasty: a proposal of new comparative approaches based on quantitative angiography. 1992 , 68, 417-24	50
683	Hirudins: antithrombin anticoagulants. 1992 , 26, 1535-40	66
682	Low high density lipoprotein level is associated with increased restenosis rate after coronary angioplasty. 1992 , 85, 1279-85	121
681	Activation of platelets in blood perfusing angioplasty-damaged coronary arteries. Flow cytometric detection. 1992 , 12, 1475-87	112
680	Coronary angioplasty in cardiac transplant patients. Results of a multicenter study. 1992 , 86, 458-62	56
679	Double-blind, randomized, controlled trial of fish oil supplements in prevention of recurrence of stenosis after coronary angioplasty. 1992 , 85, 950-6	135
678	A comparison of angioplasty with medical therapy in the treatment of single-vessel coronary artery disease. Veterans Affairs ACME Investigators. 1992 , 326, 10-6	556
677	Biology of restenosis and therapeutic approach. 1992 , 72, 919-40	4
676	Options for percutaneous coronary and peripheral revascularization. 1992 , 76, 1099-124	2
675	Myocardial revascularization. Coronary angioplasty and bypass surgery indications. 1992 , 76, 1083-97	2
674	Coronary artery disease in women. How it isand isn'tunique. 1992 , 91, 197-200, 203-6	16

673	Pulsed excimer laser versus continuous-wave Nd:YAG laser versus conventional angioplasty of peripheral arterial occlusions: prospective, controlled, randomised trial. 1992 , 340, 1183-8	51
672	The high-risk unstable angina patient. An approach to treatment. 1992 , 43, 837-48	5
671	Heart disease in patients with diabetes mellitus. 1992 , 45, 1357-70	23
670	Ischemia: reperfusion injury and restenosis after coronary angioplasty. 1992 , 669, 215-36	13
669	Fish oil supplements for prevention of restenosis after coronary angioplasty. 1992 , 35, 87-93	55
668	Restenosis after directional coronary atherectomy. 1992 , 20, 623-32	67
667	Therapeutic dissection after successful coronary balloon angioplasty: no influence on restenosis or on clinical outcome in 693 patients. The MERCATOR Study Group (Multicenter European Research Trial with Cilazapril after Angioplasty to prevent Transluminal Coronary Obstruction and	103
666	Restenosis). 1992, 20, 767-80 Pulsed laser and thermal ablation of atherosclerotic plaque: morphometrically defined surface thrombogenicity in studies using an annular perfusion chamber. 1992, 19, 1091-100	15
665	Effect of external beam irradiation on neointimal hyperplasia after experimental coronary artery injury. 1992 , 19, 1106-13	142
664	Repeat coronary angioplasty as treatment for restenosis. 1992 , 19, 1310-4	26
663	Restenosis after coronary angioplasty: the paradox of increased lumen diameter and restenosis. 1992 , 19, 258-66	121
662	Restenosis and the proportional neointimal response to coronary artery injury: results in a porcine model. 1992 , 19, 267-74	1000
661	A new balloon-expandable tantalum coil stent: angiographic patency and histologic findings in an atherogenic swine model. 1992 , 19, 870-6	45
660	Midterm outcome of patients with asymptomatic restenosis after coronary balloon angioplasty. 1992 , 19, 1402-9	56
659	Silent myocardial ischemia after coronary angioplasty: distinguishing the shadow from the substance. 1992 , 19, 1410-1	15
658	Novel approach to the analysis of restenosis after the use of three new coronary devices. 1992 , 19, 1493-9	214
657	Angiographic restenosis after successful Wallstent stent implantation: an analysis of risk predictors. 1992 , 124, 1473-7	9
656	Long-term follow-up after percutaneous transluminal coronary angioplasty in patients with single-vessel disease. 1992 , 124, 1159-69	27

655	Aggressive clinical pattern of angina at restenosis following coronary angioplasty in unstable angina. 1992 , 124, 1174-80		11
654	Detection of restenosis with dobutamine stress test after coronary angioplasty. 1992 , 124, 1196-204		16
653	Excimer laser angioplasty in the atherosclerotic rabbit: comparison with balloon angioplasty. 1992 , 124, 349-55		6
652	Novel coronary interventional devices: an update. 1992 , 123, 497-506		13
651	Restenosis after excimer laser angioplasty of coronary stenoses and chronic total occlusions. 1992 , 123, 878-85		22
650	Preangioplasty complicated coronary stenosis morphology as a predictor of restenosis. 1992 , 123, 15-2	20	18
649	Percutaneous excimer laser coronary angioplasty: results of one center in a multi-center investigation. 1992 , 10, 171-5		
648	Ambulatory Electrocardiography Evaluation of the Post-Coronary Artery Bypass Graft and Post-Percutaneous Transluminal Coronary Angioplasty Patient. 1992 , 10, 431-448		1
647	Acute and mid-term experiences with the Wiktor stent in acute complications and restenosis after coronary angioplasty. 1992 , 5, 147-57		5
646	Controlled Release of Heparin Reduces Neointimal Hyperplasia in Stented Rabbit Arteries: Ramifications for Local Therapy. 1992 , 5, 195-202		10
645	Adjunctive Pharmacotherapy for Interventional Coronary Techniques. 1992 , 5, 227-244		
644	Success rate and incidence of restenosis following coronary excimer laser angioplasty: results of a single center experience. 1992 , 5, 15-23		6
643	Background and methods for the lovastatin restenosis trial after percutaneous transluminal coronary angioplasty. The Lovastatin Restenosis Trial Study Group. <i>American Journal of Cardiology</i> , 1992 , 70, 293-9	3	19
642	Excimer coronary laser angioplasty: it's time for a critical evaluation. <i>American Journal of Cardiology</i> , 1992 , 69, 1640-3	3	18
641	Late (five to eight years) clinical and angiographic assessment of patients undergoing successful percutaneous transluminal coronary angioplasty. <i>American Journal of Cardiology</i> , 1992 , 69, 965-7	3	9
640	Effect of restenosis after an earlier angioplasty at another coronary site on the frequency of restenosis after a subsequent coronary angioplasty. <i>American Journal of Cardiology</i> , 1992 , 69, 1086-9	3	5
639	Percutaneous transluminal coronary rotary ablation with Rotablator (European experience). <i>American Journal of Cardiology</i> , 1992 , 69, 470-4	3	87

637	Postangioplasty restenosis rate between segments of the major coronary arteries. <i>American Journal of Cardiology</i> , 1992 , 69, 194-200	3	41
636	Initial management and long-term clinical outcome of restenosis after initially successful percutaneous transluminal coronary angioplasty. <i>American Journal of Cardiology</i> , 1992 , 70, 47-55	3	23
635	Pharmacological modulation of fibrinolysis by antithrombotic and cardiovascular drugs. 1992 , 34, 379-	98	16
634	Monitoring prothrombin fragment 1 + 2 during initiation of oral anticoagulant therapy after intracoronary stenting. 1992 , 65, 83-7		22
633	Lipids and fatty acids and their relationship to restenosis. 1992 , 25, 25-30		6
632	Clinical results and quality of life after percutaneous transluminal coronary angioplasty: a preliminary report. 1992 , 27, 89-94		8
631	Occurrence, extent, and implications of pressure waves during excimer laser ablation of normal arterial wall and atherosclerotic plaque. 1993 , 13, 263-70		16
630	Acute vessel closure following excimer laser coronary angioplasty: can we predict it?. 1993 , 71, 978-84		
629	Percutaneous transluminal coronary angioplasty of focal coronary lesions after cardiac transplantation. 1993 , 71, 524-30		4
628	Restenosis after coronary angioplasty. 1993 , 6, 187-202		12
627	Influence of platelet size before coronary angioplasty on subsequent restenosis. 1993 , 23, 361-7		47
626	Quantitative analysis of factors influencing late lumen loss and restenosis after directional coronary atherectomy. <i>American Journal of Cardiology</i> , 1993 , 71, 552-7	3	34
626 625		3	34 49
	coronary atherectomy. <i>American Journal of Cardiology</i> , 1993 , 71, 552-7 Early decrease in minimal luminal diameter after successful percutaneous transluminal coronary		
625	coronary atherectomy. <i>American Journal of Cardiology</i> , 1993 , 71, 552-7 Early decrease in minimal luminal diameter after successful percutaneous transluminal coronary angioplasty predicts late restenosis. <i>American Journal of Cardiology</i> , 1993 , 71, 1391-5 Examination of restenosis sites in patients with restenosis in one of two previously dilated	3	49
625 624	coronary atherectomy. American Journal of Cardiology, 1993, 71, 552-7 Early decrease in minimal luminal diameter after successful percutaneous transluminal coronary angioplasty predicts late restenosis. American Journal of Cardiology, 1993, 71, 1391-5 Examination of restenosis sites in patients with restenosis in one of two previously dilated coronary artery narrowings. American Journal of Cardiology, 1993, 71, 867-9 Effect of restenosis at one previously dilated coronary site on the probability of restenosis at	3	49 1
625 624 623	Coronary atherectomy. American Journal of Cardiology, 1993, 71, 552-7 Early decrease in minimal luminal diameter after successful percutaneous transluminal coronary angioplasty predicts late restenosis. American Journal of Cardiology, 1993, 71, 1391-5 Examination of restenosis sites in patients with restenosis in one of two previously dilated coronary artery narrowings. American Journal of Cardiology, 1993, 71, 867-9 Effect of restenosis at one previously dilated coronary site on the probability of restenosis at another previously dilated coronary site. American Journal of Cardiology, 1993, 72, 1107-13	3	49 1 13

619	Restenosis after coronary angioplasty. 1993 , 39, 613-70	5
618	Effects of angiotensin converting enzyme inhibition on neointimal proliferation in a porcine coronary injury model. 1993 , 125, 695-701	54
617	Immediate and 6-month follow-up results of coronary angioplasty for restenosis: analysis of factors predicting recurrent clinical restenosis. 1993 , 126, 565-70	5
616	Usefulness of exercise SPECT-thallium to detect asymptomatic restenosis in patients who had angina before coronary angioplasty. 1993 , 126, 571-7	36
615	Coronary restenosis: evaluation of a restenosis injury index in a swine model. 1993 , 126, 1334-40	50
614	Restenosis revisited: insights provided by quantitative coronary angiography. 1993 , 126, 1243-67	99
613	Definition and measurement of restenosis after successful coronary angioplasty: implications for clinical trials. 1993 , 125, 1394-408	27
612	Pharmacological approaches to the prevention of restenosis following angioplasty. The search for the Holy Grail? (Part II). 1993 , 46, 249-62	52
611	Guidelines for percutaneous transluminal coronary angioplasty. A report of the American Heart Association/American College of Cardiology Task Force on Assessment of Diagnostic and Therapeutic Cardiovascular Procedures (Committee on Percutaneous Transluminal Coronary Angioplasty). 1993, 88, 2987-3007	331
610	Coronary restenosis: prospects for solution and new perspectives from a porcine model. 1993 , 68, 54-62	67
609	Ten-year completed follow-up of percutaneous transluminal coronary angioplasty: the early Zurich experience. 1993 , 22, 353-60	53
608	Mechanisms of restenosis and redilation within coronary stentsquantitative angiographic assessment. 1993 , 21, 1166-74	210
607	Reliability of quantitative coronary angiography of the target lesion immediately and 1 day after coronary balloon and excimer laser angioplasty. 1993 , 21, 876-84	7
606	Prolonged dilation with an autoperfusion balloon catheter for refractory acute occlusion related to percutaneous transluminal coronary angioplasty. 1993 , 22, 1016-23	15
605	Silent ischemia after percutaneous transluminal coronary angioplasty: incidence and prognostic significance. 1993 , 22, 1446-54	41
604	Can restenosis after coronary angioplasty be predicted from clinical variables?. 1993 , 21, 6-14	157
603	Guidelines for percutaneous transluminal coronary angioplasty. 1993 , 22, 2033-2054	241
602	Late symptom recurrence after successful coronary angioplasty: angiographic outcome. 1993 , 42, 257-62	9

601	A predictive method for estimating the late angiographic results of coronary intervention despite incomplete ascertainment. 1993 , 87, 815-30	39
600	Downregulation of c-myc expression by antisense oligonucleotides inhibits proliferation of human smooth muscle cells. 1993 , 88, 1190-5	102
599	Defining coronary restenosis. Newer clinical and angiographic paradigms. 1993 , 88, 1310-23	209
598	Angiographic-pathologic correlations after elective percutaneous transluminal coronary angioplasty. 1993 , 88, 1558-68	21
597	Long-term clinical follow-up in patients with angiographic restudy after successful angioplasty. 1993 , 87, 831-40	89
596	Probucol decreases neointimal formation in a swine model of coronary artery balloon injury. A possible role for antioxidants in restenosis. 1993 , 88, 628-37	143
595	Detailed angiographic analysis of high-speed mechanical rotational atherectomy in human coronary arteries. 1993 , 88, 961-8	87
594	Luminal narrowing after percutaneous transluminal coronary angioplasty. A study of clinical, procedural, and lesional factors related to long-term angiographic outcome. Coronary Artery Restenosis Prevention on Repeated Thromboxane Antagonism (CARPORT) Study Group. 1993 , 88, 975-85	115
593	Sustained activation of vascular cells and leukocytes in the rabbit aorta after balloon injury. 1993 , 88, 1788-803	219
592	Southwestern internal medicine conference: restenosis: the Achilles heel of coronary angioplasty. 1993 , 306, 265-75	35
591	Regeneration of the Rat Carotid Artery after Clipping Injury. Part II. A Pharmacological Study. 1993 , 32, 73-78	4
590	Uses and Limitations of Echocardiography in Neonatal Intensive Care Units. 1993 , 8, 103-104	
589	Early and late exercise testing. Usefulness after percutaneous transluminal coronary angioplasty. 1993 , 103, 391-5	9
588	Restenosis after Coronary Angioplasty: Pathogenesis of Neointimal Thickening Initiated by Endothelial Loss. 1993 , 1, 5-22	33
587	Regeneration of the Rat Carotid Artery after Clipping Injury. Part I. A Morphological Study. 1993 , 32, 66-72	3
586	Clinical experience with cardiac retransplantation. 1993 , 106, 622-631	28
585	Long-term follow-up after peripheral and coronary angioplasty in patients undergoing both types of procedure. 1994 , 45, 923-9	1
584	Evaluating the potential cost-effectiveness of stenting as a treatment for symptomatic single-vessel coronary disease. Use of a decision-analytic model. 1994 , 89, 1859-74	100

583	Lipoprotein(a) in restenosis after percutaneous transluminal coronary angioplasty and coronary artery disease. 1994 , 89, 1593-8		47
582	Differential neointimal response to coronary artery injury in pigs and dogs. Implications for restenosis models. 1994 , 14, 395-400		81
581	Differences in compensatory vessel enlargement, not intimal formation, account for restenosis after angioplasty in the hypercholesterolemic rabbit model. 1994 , 89, 2809-15		256
580	Low-dose, beta-particle emission from 'stent' wire results in complete, localized inhibition of smooth muscle cell proliferation. 1994 , 90, 2956-63		105
579	Universal angiographic follow-up in trials of new interventional devices. A concept whose time has passed. 1994 , 90, 2529-33		6
578	Specific factor Xa inhibition reduces restenosis after balloon angioplasty of atherosclerotic femoral arteries in rabbits. 1994 , 89, 1262-71		94
577	Lack of effect of lovastatin on restenosis after coronary angioplasty. Lovastatin Restenosis Trial Study Group. 1994 , 331, 1331-7		237
576	Percutaneous transluminal coronary angioplasty. 1994 , 330, 981-93		296
575	Infrainguinal directional atherectomy: long-term follow-up and comparison with percutaneous transluminal angioplasty. 1994 , 17, 305-11		10
574	A time sequence of vessel wall changes in an experimental model of angioplasty. 1994 , 172, 287-92		36
573	Creation and healing of severe coronary dissection by the use of oversized balloon for the treatment of restenosis after an initially successful angioplasty. 1994 , 31, 34-6		1
572	Local intramural drug delivery using an infusion balloon following angioplasty in normal and atherosclerotic vessels. 1994 , 31, 240-5		8
571	Current status of percutaneous transluminal coronary angioplasty. 1994 , 19, 233-283		
570	Relation of restenosis after excimer laser angioplasty to fasting insulin levels. <i>American Journal of Cardiology</i> , 1994 , 73, 323-7	3	21
569	Serum lipids and restenosis after successful percutaneous transluminal coronary angioplasty. Ichilov Magnesium Study Group. <i>American Journal of Cardiology</i> , 1994 , 73, 1154-8	3	17
568	Prevention of restenosis after percutaneous transluminal coronary angioplasty by reducing lipoprotein (a) levels with low-density lipoprotein apheresis. Low-Density Lipoprotein Apheresis Angioplasty Restenosis Trial (L-ART) Group. <i>American Journal of Cardiology</i> , 1994 , 73, 1037-40	3	65
567	Is 40% to 70% diameter narrowing at the site of previous stenting or directional coronary atherectomy clinically significant?. <i>American Journal of Cardiology</i> , 1994 , 74, 26-32	3	25
566	Late angiographic status of coronary angioplasty site which was American Journal of Cardiology, 1994 , 73, 892-4	3	6

565	Results of coronary stenting of ostial lesions. <i>American Journal of Cardiology</i> , 1994 , 73, 901-3	87
564	The role of noninvasive cardiac imaging in the evaluation of the postcoronary intervention patient. 1994 , 7, 213-9	3
563	The Spanish trial: are national randomized trials a necessary evil?. 1994 , 7, 347-53	3
562	Inhibition of human vascular smooth muscle cell proliferation by lovastatin: the role of isoprenoid intermediates of cholesterol synthesis. 1994 , 24, 766-72	74
561	Porous balloon catheters for local delivery: assessment of vascular damage in a rabbit iliac angioplasty model. 1994 , 24, 820-4	28
560	Morphologic characteristics of lesion formation and time course of smooth muscle cell proliferation in a porcine proliferative restenosis model. 1994 , 24, 1398-405	202
559	Cell adhesion molecules in coronary artery disease. 1994 , 24, 1591-601	337
558	The basis of molecular strategies for treating coronary restenosis after angioplasty. 1994 , 23, 1278-88	76
557	Intracoronary irradiation markedly reduces restenosis after balloon angioplasty in a porcine model. 1994 , 23, 1491-8	275
556	Radiofrequency thermal balloon coronary angioplasty: a new device for successful percutaneous transluminal coronary angioplasty. 1994 , 23, 336-40	21
555	External beam irradiation inhibits neointimal hyperplasia following balloon angioplasty. 1994 , 44, 191-202	50
554	Restenosis after successful emergency coronary angioplasty for acute myocardial infarction: comparison with elective angioplasty. 1994 , 47, S49-54	
553	A randomized comparison of coronary-stent placement and balloon angioplasty in the treatment of coronary artery disease. Stent Restenosis Study Investigators. 1994 , 331, 496-501	3506
552	Percutaneous transluminal coronary angioplasty: clinical and quality of life outcomes one year later. 1994 , 24, 15-21	21
551	The effect of transluminal endothelial seeding on myointimal hyperplasia following angioplasty. 1994 , 8, 423-34	21
550	Predictors of restenosis: a morphometric and quantitative evaluation by intravascular ultrasound. 1994 , 128, 664-73	51
549	Assessment of myointimal cellular kinetics in a model of angioplasty by means of proliferating cell nuclear antigen expression. 1994 , 128, 681-6	9
548	Effect of angiographic and hemodynamic results of coronary balloon angioplasty on late angiographic outcome. 1994 , 128, 1077-83	5

547 Fatty acid exercise scintigraphy after percutaneous transluminal coronary angioplasty. **1994**, 14, 655-69

546	Factors affecting the restenosis rate after percutaneous transluminal coronary angioplasty. 1994 , 74 Suppl 1, S55-67	27
545	Consistent responses of the human vascular smooth muscle cell in culture: implications for restenosis. 1994 , 20, 482-7	15
544	Effects of a thromboxane A2-receptor antagonist, a thromboxane synthetase inhibitor and aspirin on prostaglandin I2 production in endothelium-intact and -injured aorta of guinea pigs. 1994 , 66, 471-9	3
543	Gamma irradiation inhibits neointimal hyperplasia in rats after arterial injury. 1994 , 25, 424-8	93
542	Intravascular stents: Current applications. 1995 , 20, 616-678	
541	The problem of reocclusion and restenosis [Clinical aspects. 1995 , 9, 48-52	2
540	Utility of various clinical, noninvasive, and invasive procedures for determining the causes of recurrence of myocardial ischemia or infarction > or = 1 year after percutaneous transluminal 3 coronary angioplasty. <i>American Journal of Cardiology</i> , 1995 , 75, 1003-6	4
539	Progression of coronary artery disease in non-dilated sites in the months following balloon angioplasty: time-dependent relation with restenosis. 1995 , 25, 935-41	2
538	Alterations in reference vessel diameter following intracoronary stent implantation: important consequences for restenosis based on percent diameter stenosis. 1995 , 35, 103-9	11
537	Morphologic characteristics of restenotic lesions following coronary interventions: balloon angioplasty versus directional atherectomy: can we speculate about the mechanism of restenosis from morphologic analysis?. 1995 , 36, 103-9; discussion 110-1	3
536	Ultrastructural characteristics of cellular reaction after experimentally induced lesions in the arterial vessel. 1995 , 90, 160-6	10
535	Inhibition of cellular ras prevents smooth muscle cell proliferation after vascular injury in vivo. 1995 , 1, 541-5	206
534	Perivascular delivery of heparin regulates myointimal hyperplasia. 1995 , 25, 149-156	7
533	Effects of lovastatin in prevention of restenosis after percutaneous transluminal angioplasty in lower limbs. 1995 , 4, 173-176	7
532	Current concepts in restenosis following balloon angioplasty. 1995 , 5, 200-4	23
531	Effect of inhibitors of factor Xa or platelet adhesion, heparin, and aspirin on platelet deposition in an atherosclerotic rabbit model of angioplasty injury. 1995 , 33, 53-61	25
530	Restenosis following coronary angioplasty: clinical presentations and therapeutic options. 1995 , 18, 693-703	48

529	Combination of vitamins C and E alters the response to coronary balloon injury in the pig. 1995 , 15, 156-65	124
528	Prevention of restenosis after coronary angioplasty with low-density lipoprotein apheresis. 1995 , 19, 1243-7	11
527	Intracoronary ultrasound imaging before and after directional coronary atherectomy: in vitro and clinical observations. 1995 , 129, 841-51	20
526	Risk factors for restenosis after percutaneous transluminal coronary angioplasty: role of lipoprotein (a). 1995 , 130, 1168-73	32
525	Importance of immediate and very early postprocedural angiographic and thallium-201 single photon emission computed tomographic perfusion measurements in predicting late results after coronary intervention. 1995 , 130, 425-32	8
524	The value of exercise electrocardiography testing in the identification of coronary restenosis: a probability analysis. 1995 , 48, 239-47	8
523	Intracoronary irradiation markedly reduces neointimal proliferation after balloon angioplasty in swine: persistent benefit at 6-month follow-up. 1995 , 25, 1451-6	177
522	The Subcutaneous Heparin and Angioplasty Restenosis Prevention (SHARP) trial. Results of a multicenter randomized trial investigating the effects of high dose unfractionated heparin on angiographic restenosis and clinical outcome. 1995 , 26, 947-54	47
521	Rapid angiographic progression of "target" and "nontarget" stenoses in patients awaiting coronary angioplasty. 1995 , 26, 416-21	33
520	Angioplasty versus bypass surgery. 1995 , 346, 1174-5	14
519	Restenosis after percutaneous transluminal coronary angioplasty: have we been aiming at the wrong target?. 1995 , 25, 516-20	162
518	Spontaneous regression of restenosis: an angiographic study. 1995 , 26, 696-702	29
517	Medical and economic costs of psychologic distress in patients with coronary artery disease. 1995 , 70, 734-42	107
516	Hostility predicts restenosis after percutaneous transluminal coronary angioplasty. 1996 , 71, 729-34	32
515	Restenosis: pathophysiology and preventive strategies. 1996 , 7, 321-33	18
514	Diabetic complications and the surgeon. 1996 , 33, 223-98	1
513	Continued benefit of coronary stenting versus balloon angioplasty: one-year clinical follow-up of Benestent trial. Benestent Study Group. 1996 , 27, 255-61	189
512	Potential mechanisms promoting restenosis in diabetic patients. 1996 , 27, 528-35	265

[1996-1996]

511	Intravascular ultrasound predictors of restenosis after percutaneous transcatheter coronary revascularization. 1996 , 27, 1678-87		146
510	Leukocyte activation with platelet adhesion after coronary angioplasty: a mechanism for recurrent disease?. 1996 , 28, 345-53		203
509	Impaired fibrinolysis early after percutaneous transluminal coronary angioplasty is associated with restenosis. 1996 , 131, 1-6		42
508	Preventive effects of probucol on restenosis after percutaneous transluminal coronary angioplasty. 1996 , 132, 23-9		73
507	Early exercise testing to stratify risk for development of restenosis after percutaneous transluminal coronary angioplasty. 1996 , 132, 1222-5		
506	Low molecular weight heparin in prevention of restenosis after PTCA. 1996 , 81, S53-9		2
505	Restenosis is associated with decreased coronary artery nitric oxide synthase. 1996 , 55, 183-91		20
504	Low molecular weight heparin (reviparin) in percutaneous transluminal coronary angioplasty. Results of a randomized, double-blind, unfractionated heparin and placebo-controlled, multicenter trial (REDUCE trial). Reduction of Restenosis After PTCA, Early Administration of Reviparin in a		105
503	Effects of inflation pressure of balloon catheter on vascular injuries and subsequent development of intimal hyperplasia in rabbit aorta. 1996 , 121, 45-53		16
502	The lack of effect of beta-carotene on restenosis in cholesterol-fed rabbits. 1996 , 123, 157-67		7
501	A helical microwave antenna for welding plaque during balloon angioplasty. 1996 , 44, 1819-1831		2
500	Percutaneous Transluminal Coronary Angioplasty in the Elderly. 1996 , 12, 181-194		9
499	Role of intimal hyperplasia and arterial remodeling after balloon angioplasty: an experimental study in the atherosclerotic rabbit model. 1996 , 16, 479-87		48
498	Beyond 30 MHz [applications of high-frequency ultrasound imaging]. 1996, 15, 60-71		189
497	Use of exercise echocardiography to evaluate patients after coronary angioplasty. <i>American Journal of Cardiology</i> , 1996 , 78, 1163-6	3	5
496	Intravascular ultrasound to discern device-specific effects and mechanisms of restenosis. <i>American Journal of Cardiology</i> , 1996 , 78, 18-22	3	141
495	Increase in the delta ST/delta heart rate (HR) index: a new predictor of restenosis after successful percutaneous transluminal coronary angioplasty. <i>American Journal of Cardiology</i> , 1996 , 78, 990-5	3	8
494	Atherosclerosis and restenosis: reflections on the Lovastatin Restenosis Trial and Scandinavian Simvastatin Survival Study. <i>American Journal of Cardiology</i> , 1996 , 78, 1036-8	3	9

493	Radionuclide imaging of the synthetic smooth muscle cell phenotype in experimental atherosclerotic lesions. 1996 , 6, 226-32	4
492	Endothelial cell seeding of native vascular surfaces. 1996 , 11, 290-303	20
491	Comparative study of Nd:YAG laser angioplasty at 1.06 microns, 1.32 microns, and 1.44 microns wavelengths: decreased vascular spasm and early mortality with 1.44 microns laser ablation. 1996 , 19, 299-310	0
490	Elective implantation of intracoronary stents without intravascular ultrasound guidance or subsequent warfarin. 1996 , 37, 355-9	11
489	The Multi-Link stent: another good idea. 1996 , 39, 420	2
488	Intracoronary irradiation: dose response for the prevention of restenosis in swine. 1996 , 36, 767-75	121
487	Gamma radiation effect on vascular smooth muscle cells in culture. 1996 , 36, 821-8	45
486	High dose rate intracoronary radiation for inhibition of neointimal formation in the stented and balloon-injured porcine models of restenosis: angiographic, morphometric, and histopathologic analyses. 1996 , 36, 777-88	117
485	The dose distribution produced by a 32P source for endovascular irradiation. 1996 , 36, 933-9	23
484	Pravastatin reduces restenosis after coronary angioplasty of high grade stenotic lesions: results of SHIPS (SHIga Pravastatin Study). 1996 , 10, 475-83	12
483	Clinical Experience with Wiktor Stent Implantation: A Report from the French Multicentric Registry. 1996 , 9, 279-286	3
482	Diltiazem Reduces Restenosis After Percutaneous Transluminal Coronary Angioplasty. 1996 , 9, 287-295	5
481	Effect of smoking status on the long-term outcome after successful percutaneous coronary revascularization. 1997 , 336, 755-61	186
480	Preventing coronary restenosis and complications. 1997 , 336, 1748-9	13
479	The investigation of 32P wire for catheter-based endovascular irradiation. 1997 , 24, 1788-92	15
478	Percutaneous transluminal coronary angioplasty or coronary artery bypass grafting for coronary artery disease?. 1997 , 31, 201-11	3
477	Intravascular ultrasound insights into mechanisms of stenosis formation and restenosis. 1997 , 15, 17-29	41
476	The evolution of antithrombotic therapy in coronary stenting. 1997 , 134, s78-s80	7

475	Effectiveness of tranilast on restenosis after directional coronary atherectomy. 1997 , 134, 712-8		56
474	Postangioplasty restenosis: platelet activation and the coagulation-fibrinolysis system as possible factors in the pathogenesis of restenosis. 1997 , 133, 387-92		86
473	Percutaneous transluminal angioplasty increases thromboxane A2 production in claudicants. 1997 , 56, 369-72		5
472	Growth factors released into the coronary circulation after vascular injury promote proliferation of human vascular smooth muscle cells in culture. 1997 , 29, 1536-41		34
471	Effectiveness of an antioxidant in preventing restenosis after percutaneous transluminal coronary angioplasty: the Probucol Angioplasty Restenosis Trial. 1997 , 30, 855-62		170
470	Restenosis or rapid progression in non-dilated sites are not predictors of late spontaneous coronary events. 1997 , 60, 201-11		1
469	Platelet aggregability and occurrence of restenosis following coronary angioplasty. 1997 , 60, 227-31		11
468	Heparin/heparan sulfate chelation inhibits control of vascular repair by tissue-engineered endothelial cells. 1997 , 273, H2586-95		4
467	The Feasibility of Systematic Use of a Combined Diagnostic and Interventional 6 Fr Guide Catheter in Patients with Suspected Coronary Restenosis. 1997 , 10, 107-111		
466	Host tissue damage by phagocytes. 1997 , 832, 426-48		84
466 465	Host tissue damage by phagocytes. 1997 , 832, 426-48 Activation of cAMP-PKA signaling in vivo inhibits smooth muscle cell proliferation induced by vascular injury. 1997 , 3, 775-9		176
	Activation of cAMP-PKA signaling in vivo inhibits smooth muscle cell proliferation induced by	3	
465	Activation of cAMP-PKA signaling in vivo inhibits smooth muscle cell proliferation induced by vascular injury. 1997 , 3, 775-9 Impact of diabetes mellitus on percutaneous revascularization (CAVEAT-I). CAVEAT-I Investigators. Coronary Angioplasty Versus Excisional Atherectomy Trial. <i>American Journal of Cardiology</i> , 1997 ,	3	176
465 464	Activation of cAMP-PKA signaling in vivo inhibits smooth muscle cell proliferation induced by vascular injury. 1997 , 3, 775-9 Impact of diabetes mellitus on percutaneous revascularization (CAVEAT-I). CAVEAT-I Investigators. Coronary Angioplasty Versus Excisional Atherectomy Trial. <i>American Journal of Cardiology</i> , 1997 , 79, 748-55 Accuracy of treadmill exercise electrocardiography in detecting restenosis following single-vessel		176 52
465 464 463	Activation of cAMP-PKA signaling in vivo inhibits smooth muscle cell proliferation induced by vascular injury. 1997, 3, 775-9 Impact of diabetes mellitus on percutaneous revascularization (CAVEAT-I). CAVEAT-I Investigators. Coronary Angioplasty Versus Excisional Atherectomy Trial. <i>American Journal of Cardiology</i> , 1997, 79, 748-55 Accuracy of treadmill exercise electrocardiography in detecting restenosis following single-vessel percutaneous transluminal coronary angioplasty. <i>American Journal of Cardiology</i> , 1997, 80, 1282-6		176 52 7
465 464 463 462	Activation of cAMP-PKA signaling in vivo inhibits smooth muscle cell proliferation induced by vascular injury. 1997, 3, 775-9 Impact of diabetes mellitus on percutaneous revascularization (CAVEAT-I). CAVEAT-I Investigators. Coronary Angioplasty Versus Excisional Atherectomy Trial. American Journal of Cardiology, 1997, 79, 748-55 Accuracy of treadmill exercise electrocardiography in detecting restenosis following single-vessel percutaneous transluminal coronary angioplasty. American Journal of Cardiology, 1997, 80, 1282-6 Restenosis after coronary angioplasty. 1997, 22, 1-36		176 52 7 18
465 464 463 462 461	Activation of cAMP-PKA signaling in vivo inhibits smooth muscle cell proliferation induced by vascular injury. 1997, 3, 775-9 Impact of diabetes mellitus on percutaneous revascularization (CAVEAT-I). CAVEAT-I Investigators. Coronary Angioplasty Versus Excisional Atherectomy Trial. American Journal of Cardiology, 1997, 79, 748-55 Accuracy of treadmill exercise electrocardiography in detecting restenosis following single-vessel percutaneous transluminal coronary angioplasty. American Journal of Cardiology, 1997, 80, 1282-6 Restenosis after coronary angioplasty. 1997, 22, 1-36 Biodegradable implant strategies for inhibition of restenosis. 1997, 24, 3-9 Detection of patients with restenosis after PTCA by		176 52 7 18

457	In vivo gene transfer: prevention of neointima formation by inhibition of mitogen-activated protein kinase kinase. 1997 , 92, 378-84		25
456	New double wire technique to stent ostial lesions. 1997 , 40, 400-2		11
455	Exaggerated luminal loss a few minutes after successful percutaneous transluminal coronary angioplasty in patients with recent myocardial infarction compared with stable angina: an intracoronary ultrasound study. 1997 , 41, 32-9		5
454	Multiple stent implantation in single coronary arteries: acute results and six-month angiographic follow-up. 1997 , 42, 158-65		9
453	Initial experience with the Cordis stent: analysis of serial angiographic follow-up. 1997 , 42, 166-72		5
452	Update on Intravascular Radiation. 1998 , 11, S125-S129		
451	Short-term and long-term effects of low-density lipoprotein (LDL) apheresis on restenosis after percutaneous transluminal coronary angioplasty (PTCA): is lowering Lp(a) by LDL apheresis effective on restenosis after PTCA?. 1998 , 2, 65-70		15
450	Usefulness of the substitution of nonangiographic end points (death, acute myocardial infarction, coronary bypass and/or repeat angioplasty) for follow-up coronary angiography in evaluating the success of coronary angioplasty in patients with angina pectoris. <i>American Journal of Cardiology</i> ,	3	15
449	Effect of direct thrombin inhibition with Bivalirudin (Hirulog) on restenosis after coronary angioplasty. <i>American Journal of Cardiology</i> , 1998 , 82, 511-5	3	29
448	The role of myocardial revascularization preceding noncardiac surgery. 1998 , 40, 383-404		10
447	Medical therapies for the prevention of restenosis after percutaneous coronary interventions. 1998 , 23, 534-635		10
446	Intra-arterial photodynamic therapy using 5-ALA in a swine model. 1998 , 16, 284-91		29
445	In vitro and in vivo degradation of poly(propylene fumarate-co-ethylene glycol) hydrogels. 1998 , 42, 312-20		77
444	Endovascular brachytherapytreatment planning and radiation protection. 1998 , 23, 337-46		17
443	Dose distribution for a 32P-impregnated coronary stent: comparison of theoretical calculations and measurements with radiochromic film. 1998 , 40, 713-20		20
442	External beam irradiation inhibits neointimal hyperplasia after injury-induced arterial smooth muscle cell proliferation. 1998 , 42, 617-22		12
441	Versican, biglycan, and decorin protein expression patterns in coronary arteries: analysis of primary and restenotic lesions. 1998 , 7, 31-7		9
440	Outcome of coronary bypass surgery versus coronary angioplasty in diabetic patients with multivessel coronary artery disease. 1998 , 31, 10-9		196

439	The development of interventional cardiology. 1998 , 31, 64B-88B	34
438	Critical analysis of coronary artery bypass graft surgery: a 30-year journey. 1998 , 31, 1B-63B	82
437	The sulfonylurea controversy: more questions from the heart. 1998 , 31, 950-6	134
436	The influence of diabetes mellitus on acute and late clinical outcomes following coronary stent implantation. 1998 , 32, 584-9	363
435	Guidance of intracoronary radiation therapy based on dose-volume histograms derived from quantitative intravascular ultrasound. 1998 , 17, 772-8	27
434	Synchronization of cultured vascular smooth muscle cells following reversal of quiescence induced by treatment with the antioxidant N-acetylcysteine. 1998 , 239, 447-53	18
433	Impact of routine angiographic follow-up after angioplasty. 1998 , 136, 613-9	31
432	Midterm angiographic outcome of single-vessel intracoronary stent placement in diabetic versus nondiabetic patients: a matched comparative study. 1998 , 136, 150-5	30
431	Differential restenosis rate of individual coronary artery sites after multivessel angioplasty: implications for revascularization strategy. CABRI Investigators. Coronary Angioplasty versus Bypass Revascularisation Investigation. 1998 , 135, 703-8	15
430	Reliability of the exercise-induced ST-segment changes to detect restenosis three months after coronary angioplasty: significance of the appearance in other leads. 1998 , 135, 449-56	9
429	Restenosis after coronary stenting in current clinical practice. 1998 , 135, 510-8	74
428	Reliability of exercise-induced ST segment changes to detect restenosis 3 months after coronary angioplasty: significance of the appearance in other leads. 1998 , 135, 74-81	1
427	Peter B. Samuels Award. Restenosis after percutaneous transluminal angioplasty. 1998 , 176, 102-8	3
426	Plasma activity and insertion/deletion polymorphism of angiotensin I-converting enzyme: a major risk factor and a marker of risk for coronary stent restenosis. 1998 , 97, 147-54	150
425	The effect of radiographic contrast media on human vascular smooth muscle cells. 1998 , 71, 376-80	9
424	Thrombosis and Hemostasis in Cardiology: Review of Pathophysiology and Clinical Practice (Part I). 1998 , 4, 51-75	О
423	Endovascular beta-radiation to reduce restenosis after coronary balloon angioplasty: results of the beta energy restenosis trial (BERT). 1998 , 97, 2025-30	302
422	Lipoprotein(a) level does not predict restenosis after percutaneous transluminal coronary angioplasty. 1998 , 18, 1281-6	18

421	Coronary-artery stenting compared with balloon angioplasty for restenosis after initial balloon angioplasty. Restenosis Stent Study Group. 1998 , 339, 1672-8	243
420	Use of Stress Testing to Evaluate Patients With Recurrent Chest Pain After Percutaneous Coronary Revascularization. 1998 , 316, 46-52	7
419	NK-104, a newly developed HMG-CoA reductase inhibitor, suppresses neointimal thickening by inhibiting smooth muscle cell growth and fibronectin production in balloon-injured rabbit carotid artery. 1998 , 77, 117-28	31
418	Local delivery infusion pressure is a key determinant of vascular damage and intimal thickening. 1998 , 62, 299-304	8
417	Differential regulation of somatostatin receptor types 1-5 in rat aorta after angioplasty. 1999 , 13, 387-94	40
416	Elective intracoronary Micro-Stent II implantation without quantitative coronary angiography or intravascular ultrasound guidance and without subsequent anticoagulation: short- and long-term results. 1999 , 50, 381-91	1
415	beta-Particle-emitting radioactive stent implantation. A safety and feasibility study. 1999 , 100, 1684-9	39
414	Anti-monocyte chemoattractant protein-1/monocyte chemotactic and activating factor antibody inhibits neointimal hyperplasia in injured rat carotid arteries. 1999 , 84, 306-14	207
413	Preintervention arterial remodeling as an independent predictor of target-lesion revascularization after nonstent coronary intervention: an analysis of 777 lesions with intravascular ultrasound imaging. 1999 , 99, 3149-54	87
412	Local L-arginine delivery after balloon angioplasty reduces monocyte binding and induces apoptosis. 1999 , 100, 1830-5	33
411	Differentiation between vasculoprotective and uterotrophic effects of ligands with different binding affinities to estrogen receptors alpha and beta. 1999 , 96, 7077-82	208
410	Pharmacogenetic analysis of the effect of angiotensin-converting enzyme inhibitor on restenosis after percutaneous transluminal coronary angioplasty. 1999 , 50, 811-22	30
409	Targeting Gbeta gamma signaling in arterial vascular smooth muscle proliferation: a novel strategy to limit restenosis. 1999 , 96, 3945-50	78
408	Strategic targeting of atherosclerotic lesions. 1999 , 6, 81-90	15
407	Modeling rhenium-186 and rhenium-188 distribution in a neutron-activated rhenium wire and effect of the distribution on beta dosimetry in a water phantom. 1999 , 51, 543-549	3
406	The effect of external electron beam on neointima in rat carotid artery injury model. 1999 , 44, 643-8	8
405	Fibrocellular tissue responses to endovascular and external beam irradiation in the porcine model of restenosis. 1999 , 44, 633-41	22
404	Enhancement of ultrasound-accelerated thrombolysis by echo contrast agents: dependence on microbubble structure. 1999 , 25, 1431-7	80

403	New DNA enzyme targeting Egr-1 mRNA inhibits vascular smooth muscle proliferation and regrowth after injury. 1999 , 5, 1264-9		213
402	External Radiation for Restenosis. 1999 , 12, 235-241		6
401	Overcommitment predicts restenosis after coronary angioplasty in cardiac patients. 1999 , 6, 356-69		23
400	QT dispersion plus ST-segment depression: a new predictor of restenosis after successful percutaneous transluminal coronary angioplasty. 1999 , 22, 409-12		6
399	Use of QT dispersion measured on treadmill exercise electrocardiograms for detecting restenosis after percutaneous transluminal coronary angioplasty. 1999 , 22, 639-48		12
398	Role of restenosis in determining adverse outcome after coronary angioplasty vs bypass surgery. 1999 , 25, 434-7		
397	Perivascular delivery of heparin for the reduction of smooth muscle cell proliferation after endothelial injury. 1999 , 60, 129-42		39
396	Reduction of restenosis by vessel size adapted percutaneous transluminal coronary angioplasty using intravascular ultrasound. <i>American Journal of Cardiology</i> , 1999 , 83, 875-9	3	27
395	Clinical and sequential angiographic follow-up six months and 10 years after successful percutaneous transluminal coronary angioplasty. <i>American Journal of Cardiology</i> , 1999 , 83, 868-74	3	26
394	Coronary artery stent restenosis responds favorably to repeat interventions. <i>American Journal of Cardiology</i> , 1999 , 83, 1565-8, A7	3	13
393	Coronary artery restenosis after atherectomy is primarily due to negative remodeling. <i>American Journal of Cardiology</i> , 1999 , 84, 141-6	3	13
392	Incidence and predictors of target vessel revascularization following percutaneous transluminal coronary angioplasty: a report from the National Heart, Lung, and Blood Institute Percutaneous Transluminal Coronary Angioplasty Registry. <i>American Journal of Cardiology</i> , 1999 , 84, 170-5	3	18
391	Long-term prognostic value of Duke treadmill score and exercise thallium-201 imaging performed one to three years after percutaneous transluminal coronary angioplasty. <i>American Journal of Cardiology</i> , 1999 , 84, 1323-7	3	26
390	Vascular stents. 1999 , 36, 909-1053		5
389	The American Brachytherapy Society perspective on intravascular brachytherapy. 1999 , 1, 8-19		14
388	Two-year follow-up after intracoronary gamma radiation therapy. 1999 , 1, 30-5		22
387	In vitro cytotoxicity and in vivo biocompatibility of poly(propylene fumarate-co-ethylene glycol) hydrogels. 1999 , 46, 22-32		100
386	First clinical experience with the premounted balloon-expandable serpentine stent: acute angiographic and intermediate-term clinical results. 1999 , 46, 249-53		О

385	Clinical and angiographic outcome of stenting following suboptimal results of percutaneous transluminal coronary angioplasty in small (. 1999 , 47, 269-76	6
384	Quality of life comparisons after coronary angioplasty and coronary artery bypass graft surgery. 1999 , 28, 409-17	21
383	Pravastatin prevents clinical events in revascularized patients with average cholesterol concentrations. Cholesterol and Recurrent Events CARE Investigators. 1999 , 34, 106-12	82
382	Restenosis, late vessel occlusion and left ventricular function six months after balloon angioplasty in diabetic patients. 1999 , 34, 476-85	66
381	Randomized comparison of coronary stent implantation and balloon angioplasty in the treatment of de novo coronary artery lesions (START): a four-year follow-up. 1999 , 34, 1498-506	114
380	Effects of a single local administration of cilostazol on neointimal formation in balloon-injured rat carotid artery. 1999 , 142, 41-6	74
379	Impact of tranilast on restenosis after coronary angioplasty: tranilast restenosis following angioplasty trial (TREAT). 1999 , 138, 968-75	111
378	Economics and cost-effectiveness in evaluating the value of cardiovascular therapies. Coronary stents: an industry perspective. 1999 , 137, S138-41	2
377	Development of poly(propylene fumarate-co-ethylene glycol) as an injectable carrier for endothelial cells. 1999 , 8, 345-50	79
376	Cognitive adaptation as a predictor of new coronary events after percutaneous transluminal coronary angioplasty. 1999 , 61, 488-95	49
375	Increased plasma antigen levels of monocyte chemoattractant protein-1 in patients with restenosis after percutaneous transluminal coronary angioplasty. 2000 , 64, 831-4	19
374	Release of endothelin 1 and angiotensin II induced by percutaneous transluminal coronary angioplasty. 2000 , 51, 42-9	17
373	Beta-radiation for coronary in-stent restenosis. 2000 , 51, 422-9	9
372	Technical achievement: transthoracic Doppler echocardiography can be used to detect LAD restenosis after coronary angioplasty. 2000 , 20, 428-33	15
371	Revascularization strategies in patients with diabetes: evolving concepts. 2000 , 7, 153-8	O
370	Beta versus gamma for catheter-based intravascular brachytherapy: dosimetric perspectives in the presence of metallic stents and calcified plaques. 2000 , 46, 1043-9	35
369	Diabetes and Multiple Stents Independently Double the Risk of Short-term Revascularization. 2000 , 13, 87-91	
368	Experimental and Clinical Studies of Biodegradable Polymeric Stents. 2000 , 13, 439-445	3

(2000-2000)

367	Relation of coronary artery size to one-year clinical events after new device angioplasty of native coronary arteries (a New Approach to Coronary Intervention [NACI] Registry Report). <i>American Journal of Cardiology</i> , 2000 , 85, 166-71	3	16
366	Optimally deployed stents in the treatment of restenotic versus de novo lesions. <i>American Journal of Cardiology</i> , 2000 , 85, 333-7	3	8
365	Effect of transcatheter endovascular radiation with holmium-166 on neointimal formation after balloon injury in porcine coronary artery. 2000 , 7, 478-83		3
364	Acute myocardial infarctiona late complication of intracoronary stent placement. 2000 , 23, 376-8		10
363	Vascular Radiation Therapy to Reduce Coronary Artery Restenosis. 2000 , 9, 577-584		1
362	Hot topics. 2000 , 3, 53-64		
361	All-trans-retinoic acid limits restenosis after balloon angioplasty in the focally atherosclerotic rabbit: a favorable effect on vessel remodeling. 2000 , 20, 89-95		87
360	Expression of monocyte chemoattractant protein-1 by nonenzymatically glycated albumin (Amadori adducts) in vascular smooth muscle cells. 2000 , 269, 666-70		13
359	Long-term outcome of coronary balloon angioplasty in diabetic patients. 2000 , 76, 7-16		11
358	Potent complementary clinical benefit of abciximab and stenting during percutaneous coronary revascularization in patients with diabetes mellitus: results of the EPISTENT trial. 2000 , 139, S46-52		11
357	A prospective evaluation of angiography-guided coronary stent implantation with high versus very high balloon inflation pressure. 2000 , 140, 804-12		21
356	A high-precision, high-resolution and fast dosimetry system for beta sources applied in cardiovascular brachytherapy. 2000 , 27, 662-7		37
355	Dosimetry of a W-188/Re-188 beta line source for endovascular brachytherapy. 2000 , 27, 668-75		12
354	Percutaneous Periadventitial Heparin Delivery via Crosslinked Liquid Polymer. 2000 , 11, 348-351		
353	[A comparison of the clinical and angiographic evolution of diabetic and nondiabetic patients treated by conventional angioplasty versus stent implantation in native coronary arteries]. 2000 , 53, 172-8		3
352	Coronary Artery Disease: Radiation Therapy. 2000 , 11, 93-103		
351	Prospective trial of infrapopliteal artery balloon angioplasty for critical limb ischemia: angiographic and clinical results. 2000 , 11, 1021-31		232
350	Acute myocardial infarction: are diabetics different?. 2000 , 35, 1513-5		10

349	8-chloro-cAMP inhibits smooth muscle cell proliferation in vitro and neointima formation induced by balloon injury in vivo. 2000 , 36, 288-93	62
348	Value of acceleration flow and the prestenotic to stenotic coronary flow velocity ratio by transthoracic color Doppler echocardiography in noninvasive diagnosis of restenosis after percutaneous transluminal coronary angioplasty. 2000 , 35, 164-8	61
347	Effects of hydroxymethylglutaryl coenzyme A reductase inhibitor simvastatin on smooth muscle cell proliferation in vitro and neointimal formation in vivo after vascular injury. 2000 , 35, 214-21	116
346	Greater late lumen loss after successful coronary balloon angioplasty in the proximal left anterior descending coronary artery is not explained by extent of vessel wall damage or plaque burden. 2000 , 35, 382-8	1
345	Impact of coronary artery remodeling on clinical presentation of coronary artery disease: an intravascular ultrasound study. 2001 , 37, 63-9	248
344	Achieving optimal results with standard balloon angioplasty: can baseline and angiographic variables predict stent-like outcomes?. 2001 , 37, 1883-90	5
343	Accelerated intimal thickening in carotid arteries of balloon-injured rats after immunization against heat shock protein 70. 2001 , 38, 1564-9	26
342	Use of routine functional testing after percutaneous transluminal coronary angioplasty: results from the ROSETTA Registry. 2001 , 141, 837-46	12
341	Coronary stenting in diabetic patients: Results from the ROSETTA registry. 2001 , 142, 960-4	8
340	Long-term outcome in patients with unstable angina treated by coronary balloon angioplasty. 2001 , 77, 13-24	3
339	[Current status of intracoronary brachytherapy]. 2001, 54, 1197-209	3
338	Self-absorption correction for 32P, 198Au and 188Re stents: dose point kernel calculations versus Monte Carlo. 2001 , 28, 1883-97	4
337	Structure of carotid artery in baboon and rat and differences in their response to endothelial denudation angioplasty. 2001 , 33, 63-78	15
336	No influence of hemochromatosis-related gene mutations on restenosis rate in a retrospective study of 137 patients after coronary stent implantation. 2001 , 4, 181-186	3
335	The restenosis story: is intracoronary radiation therapy the solution?. 2001 , 9, 329-38	4
334	Characterization of a soft X-ray source for intravascular radiation therapy. 2001 , 49, 847-56	11
333	Impaired fibrinolysis determines the outcome of percutaneus transluminal coronary angioplasty (PTCA). 2001 , 31, 586-92	8
332	Is the "candy-wrapper" effect of (32)P radioactive beta-emitting stents due to remodeling or neointimal hyperplasia? Insights from intravascular ultrasound. 2001 , 54, 41-8	8

331	Long-term follow-up after deferring angioplasty in asymptomatic patients with moderate noncritical in-stent restenosis. 2001 , 24, 551-5	6
330	Mechanisms of angioplasty and stent restenosis: implications for design of rational therapy. 2001 , 91, 149-66	129
329	Overview of therapies for prevention of restenosis after coronary interventions. 2001 , 92, 165-78	46
328	Endovascular brachytherapy in coronary arteries: the Rotterdam experience. 2001, 2, 42-50	12
327	Localization of c-Myb and induction of apoptosis by antisense oligonucleotide c-Myb after angioplasty of porcine coronary arteries. 2001 , 21, 1727-32	10
326	Clinical and angiographic factors associated with asymptomatic restenosis after percutaneous coronary intervention. 2001 , 104, 2289-94	62
325	Clinical and economic impact of diabetes mellitus on percutaneous and surgical treatment of multivessel coronary disease patients: insights from the Arterial Revascularization Therapy Study (ARTS) trial. 2001 , 104, 533-8	256
324	Dosimetric effects of contrast media for catheter-based intravascular brachytherapy. 2001 , 28, 757-63	15
323	Treating cardiac disease with catheter-based tissue heating. 2002 , 3, 57-64	4
322	And the answer is, it doesn't much matter. 2002 , 106, 11-3	47
321	Review: The pathogenesis of type 2 diabetes and cardiovascular disease. 2002 , 2, 350-356	1
320	Physical training increases eNOS vascular expression and activity and reduces restenosis after balloon angioplasty or arterial stenting in rats. 2002 , 91, 1190-7	75
319	Balloon coronary angioplasty and long-term survival of non-diabetic patients with isolated severe left anterior descending coronary artery disease. 2002 , 66, 589-94	
318	Increased expression of monocyte chemoattractant protein-1 in atherectomy specimens from patients with restenosis after percutaneous transluminal coronary angioplasty. 2002 , 66, 114-6	25
317	Inaccuracy in manual multisegmental irradiation in coronary arteries. 2002, 63, 89-95	10
316	Detection of coronary restenosis after coronary angioplasty by contrast-enhanced transthoracic echocardiographic Doppler assessment of coronary flow velocity reserve. 2002 , 40, 896-903	39
315	Clinical restenosis after coronary stenting: perspectives from multicenter clinical trials. 2002, 40, 2082-9	327
314	A randomized comparison of a sirolimus-eluting stent with a standard stent for coronary revascularization. 2002 , 346, 1773-80	3321

313	The impact of tranilast on restenosis after coronary angioplasty: the Second Tranilast Restenosis Following Angioplasty Trial (TREAT-2). 2002 , 143, 506-13	56
312	Effects of hospital volume on long-term outcomes after percutaneous transluminal coronary angioplasty after acute myocardial infarction. 2002 , 144, 144-50	7
311	Ultrastructure of intramural coronary arteries in pigs with hypertrophic cardiomyopathy. 2002, 11, 104-11	12
310	The influence of diabetes mellitus on late clinical outcomes following coronary stent implantation. 2002 , 84, 41-5	3
309	A pharmacoeconomic evaluation of results from the Coronary Angioplasty Amlodipine Restenosis Study (CAPARES) in Norway and Canada. 2002 , 84, 23-30; discussion 30-2	8
308	Simultaneous intra/extravascular administration of antiproliferative agents as a new strategy to inhibit restenosis: the peak of reactive cell proliferation as a hallmark for the duration of the treatment. 2002 , 2, 2	1
307	Acute coronary syndrome is a common clinical presentation of in-stent restenosis. <i>American Journal of Cardiology</i> , 2002 , 89, 491-4	58
306	Geographical miss and restenosis during catheter-based intracoronary beta-radiation for de novo lesions. 2002 , 3, 138-46	7
305	Therapeutic ultrasound: its application in drug delivery. 2002 , 22, 204-23	143
304	Coronary restenosis: a review of current insights and therapies. 2002 , 55, 265-71	13
303	Clinical study of adjuvant photodynamic therapy to reduce restenosis following femoral angioplasty. 1999 , 86, 1258-63	45
302	Development of a multi-electrode extrapolation chamber as a prototype of a primary standard for the realization of the unit of the absorbed dose to water for beta brachytherapy sources. 2002 , 492, 264-275	8
301	Clinical and angiographic results with the Coroflex Coronary Stent System. 2002, 15, 363-9	2
300	Coronary intervention in the diabetic patient: improved outcome following stent implantation compared with balloon angioplasty. 2002 , 25, 213-7	15
299	Rationale and design of the randomized, multicenter, cilostazol for RESTenosis (CREST) trial. 2003 , 26, 451-4	16
298	State of the art in coronary intervention. <i>American Journal of Cardiology</i> , 2003 , 91, 50A-53A 3	42
297	Implications of cigarette smoking for the management of patients with acute coronary syndromes. 2003 , 46, 1-9	16
296	Lipid metabolism and occurrence of post-percutaneous transluminal coronary angioplasty restenosis: role of cholesteryl ester transfer protein and paraoxonase/arylesterase. 2003 , 1, 1202-7	8

295	The predictive value of exercise QRS duration changes for post-PTCA coronary events. 2003, 8, 60-7	5
294	Reno, a European postmarket surveillance registry, confirms effectiveness of coronary brachytherapy in routine clinical practice. 2003 , 55, 1019-26	40
293	Risk stratification and interventional cardiology: Robert L. Frye Lecture. 2003, 78, 1507-18	3
292	Silent ischemia: unsafe at any time. 2003 , 42, 41-4	10
291	Thiazolidinedione regulation of smooth muscle cell proliferation. 2003, 115 Suppl 8A, 87S-92S	30
290	Beta-blockers reduce the incidence of clinical restenosis: prospective study of 4840 patients undergoing percutaneous coronary revascularization. 2003 , 145, 875-81	18
289	Percutaneous coronary intervention: historical perspectives, current status, and future directions. 2003 , 146, 787-96	40
288	Pro: standard percutaneous coronary intervention is the procedure of choice for myocardial revascularization. 2003 , 17, 263-8	O
287	Diabetes mellitus is associated with a shift in the temporal risk profile of inhospital death after percutaneous coronary intervention: an analysis of 25,223 patients over 20 years. 2003 , 145, 270-7	40
286	Geographical miss during centered intracoronary beta-radiation with 90Yttrium: incidence and implications for recurrence rates after vascular brachytherapy for de novo lesions. 2003 , 5, 181-9	2
285	Receptor for AGE (RAGE) mediates neointimal formation in response to arterial injury. 2003, 107, 2238-43	152
284	Leflunomide analogue FK778 is vasculoprotective independent of its immunosuppressive effect: potential applications for restenosis and chronic rejection. 2003 , 76, 455-8; discussion 471-3	35
283	Intravascular brachytherapy: a review of the current vascular biology. 2003, 26, e13-21	6
282	Diabetes mellitus and coronary artery disease: therapeutic considerations. 2003, 5, 119-28	4
281	Monte carlo parametric study of stent impact on dose for catheter-based intravascular brachytherapy with 90Sr/90Y. 2004 , 31, 1964-71	5
280	Early experiences and clinical implications of drug-eluting stents: part 1. 2004 , 38, 661-9	11
279	Clinical and angiographic predictors of restenosis after percutaneous coronary intervention: insights from the Prevention of Restenosis With Tranilast and Its Outcomes (PRESTO) trial. 2004 , 109, 2727-31	82
278	Effect of diabetes on long-term mortality following contemporary percutaneous coronary intervention: analysis of 4,284 cases. 2004 , 27, 1137-42	40

277	The protective effect of superoxide dismutase mimetic M40401 on balloon injury-related neointima formation: role of the lectin-like oxidized low-density lipoprotein receptor-1. 2004 , 311, 44-5	0	35
276	Drug-eluting stents: a mechanical and pharmacologic approach to coronary artery disease. 2004 , 24, 1554-77		22
275	Percutaneous coronary intervention in diabetics. 2004 , 5, 277-85		6
274	Validation of a thermographic guidewire for endoluminal mapping of atherosclerotic disease: an in vitro study. 2004 , 62, 221-9		17
273	Double-wire technique for access into a protruding aorto-ostial stent for treatment of in-stent restenosis. 2004 , 62, 214-7		24
272	Coronary atherosclerosis in diabetic subjects: clinical significance, anatomic characteristics, and identification with in vivo imaging. 2004 , 22, 527-40, vi		6
271	Paradigm shifts in cardiovascular medicine. 2004 , 43, 507-12		11
270	Myocardial perfusion imaging following percutaneous coronary intervention: the importance of restenosis, disease progression, and directed reintervention. 2004 , 43, 328-36		50
269	[Predictive factors of restenosis: what changes with "active" stents?]. 2004, 52, 206-11		2
268	Selective estrogen receptor modulators prevent neointima formation after vascular injury. 2004 , 227, 9-20		16
267	Predictors of repeat revascularization after nonemergent, first percutaneous coronary intervention in the community. 2004 , 147, 146-50		1
266	Optimal source position for irradiation of coronary bifurcations in endovascular brachytherapy with catheter based beta or iridium-192 sources. 2004 , 71, 99-108		4
265	Prevention of restenosis after coronary angioplasty. 2004 , 19, 500-9		24
264	Estrogen regulates insulin-like growth factor 1, platelet-derived growth factor A and B, and their receptors in the vascular wall. 2004 , 77, 35-42		7
263	Local delivery of argatroban for the prevention of restenosis after coronary balloon angioplasty: a prospective randomized pilot study. 2004 , 68, 615-22		14
262	Anti-factor Xa kinetics after intravenous enoxaparin in patients undergoing percutaneous coronary intervention: a population model analysis. 2005 , 60, 364-73		29
261	Clinical and Angiographic Results of Dilatation Procedures for Symptomatic Intracranial Atherosclerotic Disease. 2005 , 15, 240-249		13
260	Outcome of patients with prior percutaneous revascularization undergoing repeat coronary intervention (from the PRESTO Trial). <i>American Journal of Cardiology</i> , 2005 , 96, 741-6	3	12

(2006-2005)

259	diagnostic work-up, and management. 2005 , 94, 772-90	18
258	A systematic review and economic analysis of drug-eluting coronary stents available in Australia. 2005 , 183, 464-71	22
257	The translation of transcription. 2005 , 97, 1083-4	1
256	Intracoronary radiation therapy using a novel beta emitter for in-stent restenosis Tungsten WRIST. 2005 , 6, 52-7	2
255	Noninvasive diagnosis of restenosis by transthoracic Doppler echocardiography after percutaneous coronary intervention: comparison with exercise Tl-SPECT. 2006 , 19, 165-71	6
254	C-type natriuretic peptide inhibits intimal thickening after vascular injury. 1995 , 748, 517-23	22
253	Geographical differences in the rates of angiographic restenosis and ischemia-driven target vessel revascularization after percutaneous coronary interventions: results from the Prevention of Restenosis With Tranilast and its Outcomes (PRESTO) Trial. 2006 , 47, 34-9	15
252	Protein kinase C beta/early growth response-1 pathway: a key player in ischemia, atherosclerosis, and restenosis. 2006 , 48, A47-55	50
251	IVUS-based dosimetry on patients with repeat-radiated coronary arteries to the same site. 2006, 7, 70-5	
250	Mean platelet volume as marker of restenosis after percutaneous transluminal coronary angioplasty in patients with stable and unstable angina pectoris. 2006 , 117, 371-7	87
249	Cardiac Rehabilitation. 2006 , 461-507	O
248	Myocardial infarction as a presentation of clinical in-stent restenosis. 2006 , 70, 1026-9	64
247	Outcome of diabetic and non-diabetic patients undergoing successful coronary angioplasty with bare stent of chronic total occlusion. 2006 , 7, 847-51	4
246	Predictors of long-term outcome following percutaneous coronary intervention in patients with type 2 diabetes mellitus. 2006 , 17, 131-8	3
245	Early and intermediate-term outcomes with drug-eluting stents in high-risk patients with symptomatic intracranial stenosis. 2006 , 59, 1044-51; discussion 1051	74
244	Restenosis following implantation of bare metal coronary stents: pathophysiology and pathways involved in the vascular response to injury. 2006 , 58, 358-76	124
243	Drug-eluting coronary stents. 2006 , 31, 8-119	41
242	Collapse pressures of bilayered biodegradable stents. 2006 , 79, 102-7	9

241	Role of drug eluting stents in diabetic patients. 2006 , 92, 579-81	O
240	Oral mycophenolate mofetil prevents in-stent intimal hyperplasia without edge effect. 2006 , 57, 577-84	2
239	The effect of HapMap on cardiovascular research and clinical practice. 2007 , 4, 136-42	5
238	In-Stent Restenosis in the Rabbit Common Carotid Arteries Organ Culture. 2007, 342-343, 313-316	
237	Drug-eluting stents: preventing restenosis. 2007 , 15, 1-12	31
236	Applying drug-eluting stents in clinical practice. <i>American Journal of Cardiology</i> , 2007 , 100, 25K-31K 3	5
235	Stents coronaires chez le patient diabdtique. 2007 , 56, S71-S75	
234	In vivo reduction of the nuclear factor-kappaB activity using synthetic cis-element decoy oligonucleotides suppresses intimal hyperplasia in the injured carotid arteries in rabbits. 2007 , 37, 575-83	9
233	Clopidogrel and coronary stents: risks and benefits. <i>Current Atherosclerosis Reports</i> , 2008 , 10, 303-8	
232	SpEificitE thEapeutiques du coronarien diabEique. 2008 , 2008, 10-17	
231	CCN1 knockdown suppresses neointimal hyperplasia in a rat artery balloon injury model. 2008 , 28, 1077-83	49
230	The protective effect of bergamot oil extract on lecitine-like oxyLDL receptor-1 expression in balloon injury-related neointima formation. 2008 , 13, 120-9	43
229	Paclitaxel-eluting versus bare-metal stents in acute ST elevation myocardial infarction (STEMI). 2008 , 7, 232-8	2
228	Clinical value of echocardiographic assessment of coronary flow reserve after left anterior descending coronary artery stenting in an unselected population. 2008 , 9, 1254-9	2
227	Restenosis and in-stent restenosis. 2008, 151-161	1
226	The first generation of angioplasty. 2009 , 2, 1-3	3
225	The Current Status of Coronary Drug-Eluting Stents. 2009 , 21, 18-27	1
224	Use of a novel anti-proliferative compound coated on a biopolymer to mitigate platelet-derived growth factor-induced proliferation in human aortic smooth muscle cells: comparison with sirolimus. 2009 , 26, 721-32	1

(2011-2009)

223	Passive and active polymer coatings for intracoronary stents: novel devices to promote arterial healing. 2009 , 22, 37-48	27
222	1. Overview of First-Generation Drug-Eluting Stent and Future Generation. 2009 , 98, 336-342	
221	Myocardial Perfusion SPECT Imaging in Patients after Percutaneous Coronary Intervention. 2010 , 6, 98-103	6
220	The patient with coronary stents and antiplatelet agents: what to do and how to deal?. 2010 , 27, 406-10	6
219	Revascularization for coronary artery disease in diabetes mellitus: angioplasty, stents and coronary artery bypass grafting. 2010 , 11, 75-86	52
218	Predicting neointimal hyperplasia in stented arteries using time-dependant computational fluid dynamics: a review. 2010 , 40, 408-18	46
217	Chemokine receptors in vascular smooth muscle. 2003 , 10, 265-72	17
216	A DNA enzyme targeting Egr-1 inhibits rat vascular smooth muscle cell proliferation by down-regulation of cyclin D1 and TGF-beta1. 2010 , 43, 17-24	4
215	The management of antiplatelet therapy in patients with coronary stents undergoing noncardiac surgery. 2010 , 14, 256-73	13
214	Genetic determinants of adverse outcome (restenosis, malapposition and thrombosis) after stent implantation. 2010 , 2, 147-157	3
213	A comparative study of restenosis rates in bare metal and drug-eluting stents. 2010 , 19, e66-72	24
212	Significant prostacyclin/thromboxane level imbalance after lower limb arterial angioplasty: a possible platelet function alteration. 2010 , 21, 1354-8	2
211	Mesenchymal stem cell seeding promotes reendothelialization of the endovascular stent. 2011 , 98, 442-9	23
210	Impact of smoking on the outcome of patients treated with drug-eluting stents: 1-year results from the prospective multicentre German Drug-Eluting Stent Registry (DES.DE). 2011 , 100, 413-23	21
209	Disparity in perceived illness intrusiveness and illness severity between cardiac patients and their spouses. 2011 , 26, 481-6	8
208	Use of registries to complement clinical trials in renal artery stenting. 2012 , 63, 161-3	1
207	Diagnostic value of myocardial SPECT to detect in-stent restenosis after drug-eluting stent implantation. 2012 , 28, 2125-34	4
206	Restenosis after PCI. Part 1: pathophysiology and risk factors. 2011 , 9, 53-62	189

205 The Role of Exercise Test After Percutaneous Coronary Intervention. 2012,

204	Myocardial perfusion imaging after coronary revascularization: a clinical appraisal. 2013 , 40, 1275-82	9
203	p27(Kip1) inhibits tissue factor expression. 2013 , 439, 559-63	4
202	Effect of the intravascular low energy laser illumination during percutaneous coronary intervention on the inflammatory process in vascular wall. 2013 , 28, 763-8	12
201	Eosinophils in Human Disease. 2013 , 431-536	2
200	Comparison of in vitro human endothelial cell response to self-expanding stent deployment in a straight and curved peripheral artery simulator. 2013 , 10, 20120965	10
199	Minimizing complications following stent implantation: outcomes and follow-up. 2013 , 5, 301-317	2
198	Long-term Outcomes of Drug-eluting Stents in Symptomatic Intracranial Stenosis. 2013 , 8, 9-14	22
197	Self-expanding stent modelling and radial force accuracy. 2014 , 17, 318-33	12
196	Microscopic bio-corrosion evaluations of magnesium surfaces in static and dynamic conditions. 2014 , 255, 104-15	11
195	Treatment of coronary de novo bifurcation lesions with DCB only strategy. 2014 , 103, 451-6	29
194	Macromolecular approaches to prevent thrombosis and intimal hyperplasia following percutaneous coronary intervention. 2014 , 15, 2825-32	10
193	Coronary intervention in diabetes: is it different. 2015 , 7, 9-14	
192	Coronary Artery Bypass Surgery and Percutaneous Coronary Revascularization: Impact on Morbidity and Mortality in Patients with Coronary Artery Disease. 2015 , 683-726	2
191	microRNAs Distinctively Regulate Vascular Smooth Muscle and Endothelial Cells: Functional Implications in Angiogenesis, Atherosclerosis, and In-Stent Restenosis. 2015 , 887, 53-77	65
190	Local paclitaxel induces late lumen enlargement in coronary arteries after balloon angioplasty. 2015 , 104, 217-25	97
189	Distinctive effects of CD34- and CD133-specific antibody-coated stents on re-endothelialization and in-stent restenosis at the early phase of vascular injury. 2015 , 2, 87-96	28
188	Coronary stent technology: a narrative review. 2016 , 205, 277-81	12

187	Using a weft-knitting technique to make elastic degradable vascular stents. 2016, 17, 608-614	1
186	Nitric Oxide Releasing Coronary Stent: A New Approach Using Layer-by-Layer Coating and Liposomal Encapsulation. 2016 , 12, 6012-6023	35
185	The History of Primary Angioplasty and Stenting for Acute Myocardial Infarction. 2016 , 18, 5	4
184	Recent advances to accelerate re-endothelialization for vascular stents. 2017 , 8, 2041731417731546	50
183	Fabrication and Characterization of a Magnetic Drilling Actuator for Navigation in a Three-dimensional Phantom Vascular Network. 2018 , 8, 3691	36
182	Synthesis of a bio-inspired catechol/phosphorylcholine surface modifier and characterization of its surface properties. 2018 , 56, 38-49	4
181	Pathways of the Research Innovator. 2018 , 1-20	
180	Optimizing the deformation behavior of stent with nonuniform Poisson's ratio distribution for curved artery. 2018 , 88, 442-452	12
179	Coronary Stents: History, Design, and Construction. 2018 , 7,	38
178	Current Technical Challenges and the Future of Drug-Coated Balloons. 2019 , 227-234	
177	Clinical impact of the gap-angle ratio in patients with ostial lesions of the right coronary artery undergoing percutaneous coronary intervention. 2019 , 34, 1717-1727	1
176	Protective effect of a hydrogen sulfide donor on balloon injury-induced restenosis via the Nrf2/HIF-1嵒ignaling pathway. 2019 , 43, 1299-1310	14
175	Short-term outcomes from drug-coated balloon for coronary de novo lesions in large vessels. 2019 , 73, 151-155	9
174	Drug-Coated Balloons for Coronary Artery Disease: Third Report of the International DCB Consensus Group. 2020 , 13, 1391-1402	61
173	Two decades after coronary radiation therapy: A single center longitudinal clinical study. 2020 , 96, E204-E212	2
172	Microneedle drug eluting balloon for enhanced drug delivery to vascular tissue. 2020 , 321, 174-183	18
171	Curcumin's Effect on Inflammatory Response following Percutaneous Coronary Intervention in Adult Patients with Stable Coronary Heart Disease. 2021 , 30, 132-138	1
170	Management of ST Elevation Myocardial Infarction (STEMI) in Different Settings. 2021 , 30, 67-75	1

169	A Microneedles Balloon Catheter for Endovascular Drug Delivery. 2021 , 6, 2100037	1
168	Imaging Features of Complications after Coronary Interventions and Surgical Procedures. 2021 , 41, 699-719	1
167	Stent visualization methods to guide percutaneous coronary interventions and assess long-term patency. 2021 , 13, 416-437	
166	Effect of Material and Population on the Delivery of Nanoparticles to an Atherosclerotic Plaque: A Patient-specific Study. 2021 , 37, 1551-1562	6
165	Proteinases and Restenosis: Matrix Metalloproteinase and their Inhibitor and Activator. 1995 , 19-30	1
164	Omega-3 Fatty Acids and Heart Disease. 1995 , 77-137	1
163	Arterial remodelling after percutaneous transluminal balloon angioplasty. 1993 , 346, 277-82	1
162	Complex Cardiac Surgery. 1992 , 71-90	2
161	Interventional Cardiology. 1993 , 499-530	1
160	Serial Intravascular Ultrasound Evidence for Arterial Remodeling as a Mechanism of Restenosis Following Interventional Coronary Procedures. 1997 , 111-126	1
159	Lesion Morphology and Composition: Risk of Restenosis Following Coronary Interventions. 1997, 311-341	1
158	Radionuclide Imaging of Atherosclerotic Lesions. 2003 , 217-235	3
157	Epidemiology and Pathogenesis of Restenosis. 2007 , 7-28	3
156	Advanced Stents for Cardiovascular Applications. 2016 , 407-426	3
155	Assessment of Results of Coronary Angioplasty. 1986 , 183-193	2
154	Outcome of Coronary Angioplasty. 1986 , 194-210	4
153	The Problem of Restenosis. 1986 , 211-222	2
152	Report of the Initial Experience with the Palmaz-Schatz Coronary Stent Following Elective Angioplasty. 1992 , 45-55	2

151	Coronary Stenting with the Palmaz-Schatz Stent: The Clinic Pasteur Interventional Cardiology Unit Experience. 1992 , 57-77	1
150	Bioabsorbable Endovascular Stent Prostheses. 1992 , 155-167	1
149	Akuter Myokardinfarkt. 2000 , 393-442	1
148	Eicosanoids in myocardial ischaemia and injury. 1988 , 128-158	3
147	Coronary Angioplasty: A New Way to Revascularization of the Heart. 1988, 529-541	1
146	¶ollateral pressure∏occlusion pressure) during coronary angioplasty in coronary artery disease. 1986, 105-114	2
145	CARPORT © Coronary artery restenosis prevention on repeated thromboxane antagonism. A multicenter randomized clinical trial. 1993 , 351-364	1
144	Restenosis after Palmaz-Schatzl\(\textit{stent Implantation. 1992}\), 191-205	3
143	Direct Laser Ablation of Coronary Atherosclerotic Plaque in Humans The German Experience. 1992 , 485-495	1
142	Evaluation of Restenosis Following New Coronary Interventions. 1992 , 149-160	1
141	Coronary stenting, report of the initial clinical experience with the Palmaz-Schatz TM balloon expandable stent. 1991 , 313-325	1
140	Nitric Oxide and Vascular Disease. 2000 , 759-783	4
139	Laser Therapy of Coronary Artery Obstructions. 1985 , 3, 93-100	6
138	A Meta-analysis of Randomized Trials of Fish Oil in Prevention of Restenosis Following Coronary Angioplasty. 1992 , 8, 186-192	45
137	Use of stress testing to evaluate patients with recurrent chest pain after percutaneous coronary revascularization. 1998 , 316, 46-52	11
136	Intravascular ultrasonography in the evaluation of results of coronary angioplasty and stenting. 1999 , 14, 471-9	10
135	Tc-99m tetrofosmin myocardial perfusion imaging before and six months after percutaneous transluminal coronary angioplasty. 1998 , 23, 678-82	14
134	Angiopeptin inhibits thymidine incorporation by explants of porcine coronary arteries. 1997 , 29, 278-83	4

133	Influence of diabetes mellitus on early and late outcome after percutaneous transluminal coronary angioplasty. 1995 , 91, 979-89	342
132	Angioscopic prediction of successful dilatation and of restenosis in percutaneous transluminal coronary angioplasty. Significance of yellow plaque. 1995 , 91, 1389-96	29
131	Elevated serum lipoprotein(a) is a risk factor for clinical recurrence after coronary balloon angioplasty. 1995 , 91, 1403-9	91
130	Endovascular low-dose irradiation inhibits neointima formation after coronary artery balloon injury in swine. A possible role for radiation therapy in restenosis prevention. 1995 , 91, 1533-9	255
129	Histomorphometric and biochemical correlates of arterial procollagen gene expression during vascular repair after experimental angioplasty. 1995 , 91, 2049-57	39
128	Long-term luminal renarrowing after successful elective coronary angioplasty of total occlusions. A quantitative angiographic analysis. 1995 , 91, 2140-50	66
127	Fibrinogen after coronary angioplasty as a risk factor for restenosis. 1995 , 92, 31-8	84
126	Intracoronary low-dose beta-irradiation inhibits neointima formation after coronary artery balloon injury in the swine restenosis model. 1995 , 92, 3025-31	199
125	Effect of thromboxane A2 blockade on clinical outcome and restenosis after successful coronary angioplasty. Multi-Hospital Eastern Atlantic Restenosis Trial (M-HEART II). 1995 , 92, 3194-200	85
124	Early and late quantitative angiographic results of vein graft lesions treated by excimer laser with adjunctive balloon angioplasty. 1995 , 92, 348-56	26
123	Noninvasive localization of experimental atherosclerotic lesions with mouse/human chimeric Z2D3 F(ab')2 specific for the proliferating smooth muscle cells of human atheroma. Imaging with conventional and negative charge-modified antibody fragments. 1995 , 92, 474-84	56
122	Smooth muscle cell proliferation is proportional to the degree of balloon injury in a rat model of angioplasty. 1995 , 92, 1230-5	92
121	Identification of a potential role for the adventitia in vascular lesion formation after balloon overstretch injury of porcine coronary arteries. 1996 , 93, 2178-87	317
120	Inhibition of neointimal proliferation with low-dose irradiation from a beta-particle-emitting stent. 1996 , 93, 529-36	97
119	Contributions of frequency distribution analysis to the understanding of coronary restenosis. A reappraisal of the gaussian curve. 1996 , 93, 1123-32	23
118	Arterial remodeling after coronary angioplasty: a serial intravascular ultrasound study. 1996 , 94, 35-43	567
117	Coronary angioplasty in diabetic patients. The National Heart, Lung, and Blood Institute Percutaneous Transluminal Coronary Angioplasty Registry. 1996 , 94, 1818-25	306
116	Beta-radiation to reduce restenosis. Too little, too soon?. 1997 , 95, 1095-7	22

(2000-1997)

115	Local intramural delivery of L-arginine enhances nitric oxide generation and inhibits lesion formation after balloon angioplasty. 1997 , 95, 1863-9	74
114	Redifferentiation of smooth muscle cells after coronary angioplasty determined via myosin heavy chain expression. 1997 , 96, 82-90	84
113	Remodeling of human coronary arteries undergoing coronary angioplasty or atherectomy. 1997 , 96, 475-83	147
112	Restenosis rates in diabetic patients: a comparison of coronary stenting and balloon angioplasty in native coronary vessels. 1997 , 96, 1454-60	173
111	Effect of serotonin, thromboxane A2, and specific receptor antagonists on vascular smooth muscle cell proliferation. 1997 , 96, 2280-6	106
110	Early induction of angiotensin I-converting enzyme in rat carotid artery after balloon injury. 1997 , 30, 272-7	17
109	Effects of antisense c-myb oligonucleotides on vascular smooth muscle cell proliferation and response to vessel wall injury. 1995 , 76, 505-13	93
108	Epidermal growth factor receptor-targeted cytotoxin inhibits neointimal hyperplasia in vivo. Results of local versus systemic administration. 1995 , 77, 519-29	19
107	Expression of nonmuscle myosin heavy chain-B isoform in the vessel wall of porcine coronary arteries after balloon angioplasty. 1997 , 80, 514-9	15
106	Prevention of smooth muscle cell outgrowth from human atherosclerotic plaque by a recombinant cytotoxin specific for the epidermal growth factor receptor. 1993 , 91, 724-9	43
105	Protamine and protamine-insulins exacerbate the vascular response to injury. 1993 , 91, 2308-13	14
104	Effects of the thromboxane A2 receptor antagonist on platelet deposition and intimal hyperplasia after balloon injury. 1999 , 40, 791-802	9
103	Irradiation and postangioplasty restenosis: a recent overview. 2000 , 41, 541-70	9
102	Contemporary Management of Stent Failure: Part One. 2019 , 14, 10-16	12
101	Percutaneous Coronary Intervention in the Elderly. 2008, 387-404	2
100	Efficacy of intramuscular methyl prednisolone in preventing restenosis after coronary artery stenting with bare-metal stainless steel stent: a double-blind, randomised, controlled clinical trial. 2011 , 22, 67-9	9
99	Anatomie und Pathologie des KoronargefBystems, Physiologie und Pathophysiologie der Koronardurchlutung, Pathogenese der Atherosklerose. 2000 , 295-326	
98	Klinik und Diagnostik der koronaren Herzkrankheit. 2000 , 327-353	

Therapie der stabilen und instabilen Angina pectoris. 2000, 355-391 97 96 References. 2001, 28-32 Targeting Atherosclerotic Plaques. 2002, 69-83 95 Koronare Hochfrequenzrotationsangioplastie. 2002, 209-220 94 Restenosis and brachytherapy. 2004, 403-425 93 Optimal patient preparation and selection to avoid complications. 2006, 17-37 92 Coronary Intervention and Ischemic Cardioprotection in Diabetic Patients. 2007, 187-197 91 Mechanical Approaches to Percutaneous Coronary Intervention. 2007, 121-134 90 Coronary Artery Bypass Surgery and Percutaneous Coronary Revascularization: Impact on 89 \circ Morbidity and Mortality in Patients with Coronary Artery Disease. 2007, 1073-1111 88 Clinical Trials in Interventional Cardiology: Focus on XIENCE V Drug-Eluting Stent. 1 Percutaneous coronary intervention. 2011, 434-443 87 Perioperative Management of the Patient With Coronary Stents. 2012, e135-1-e135-4 86 85 Arterial Wall Remodeling and Restenosis Following Vascular Reconstruction. 2013, 97-105 Single Vessel Stenosis after Acute Myocardial Infarction: Which Patients Should Undergo 84 Percutaneous Transluminal Coronary Angioplasty?. 1985, 269-276 Treatment of unstable angina by transluminal coronary angioplasty PTCA. 1985, 219-230 83 82 Does angioplasty improve or accelerate atherosclerosis?. 1985, 142-149 Incidence of Restenosed Coronary Lesions after PTCA Analysis of Possibly Meaningful Factors. 81 **1986**, 83-88 Coronary Angioplasty for Evolving Myocardial Infarction. 1986, 284-304 80

Diagnostic Procedures Before, During, and After PTCA. 1986, 1-7 79 The role of percutaneous transluminal coronary angioplasty (PTCA) in unstable angina. 1987, 190-201 78 Determinants of Restenosis After Coronary Angioplasty. 1987, 97-102 77 Percutaneous Transluminal Coronary Angioplasty in the Management of Recurrent Angina Pectoris 76 Following Coronary Bypass Grafting. 1987, 103-110 A coronary endoprosthesis to prevent restenosis and acute occlusion after percutaneous 75 1 angioplasty: One and a half year of clinical experience. 1988, 278-284 Early regression and late progression in coronary artery lesions in the first 3 months following 74 coronary angioplasty. 1988, 167-180 Platelet Inhibitor Drugs in Coronary Artery Disease and Coronary Intervention. 1989, 329-354 73 Percutaneous Transluminal Coronary Stenting: A New Approach to Unresolved Problems in 72 Coronary Angioplasty, 1989, 314-318 Transluminale koronare Angioplastik: Parameter eines erhliten Rezidivrisikos. 1989, 37-42 71 Factors Influencing the Rate of Coronary Artery Occlusion and Reocclusion. 1989, 213-221 70 Management of Early and Late Complications of Coronary Angioplasty. 1989, 306-313 69 Perkutane Transluminale Koronarangioplastie. Neuere Entwicklungen [Komplikationen und 68 Empfehlungen. **1990**, 103-118 Results of Repeat Angiography up to Eight Years Following Percutaneous Transluminal 67 Angioplasty. **1990**, 51-54 Koronarangioplastik 🛭 st das Rezidivrisiko am Tage des Eingriffes voraussagbar? Eine prospektive 66 Untersuchung. 1990, 42-46 Coronary angioplasty for unstable angina pectoris. 1990, 335-356 65 64 Angioplasty, Laser Probes and Atherectomy. **1990**, 597-607 Conorary Excimer Laser Angioplasty Btate of the Art 11991, 167-175 63 1 High speed arteriosclerotic lesion ablation for treatment of coronary artery disease. 1991, 81-93 62

The European Experience Coronary Excimer Laser Angioplasty: The Technolas Study Group. 1991, 111-123 61 Milichkeiten und Grenzen der Lasertherapie in der inneren Medizin. 1991, 599-618 60 Result of a pilot study on percutaneous coronary excimer laser ablation in patients with coronary 59 artery disease. **1991**, 63-71 58 Restenosis following Coronary Angioplasty. 1991, 125-133 Holmium: YAG Coronary Laser Angioplasty (HOLCA). The American Experience. 1991, 125-134 57 Emergency CABG Burgery after PTCA: Complications in 1420 Cases of Angioplasty, with 56 Consideration of Coronary Anatomy, Management, and Outcome. 1991, 97-103 Introduction. 1992, 3-9 55 Laser Balloon Angioplasty: European Experience. 1992, 359-372 54 Percutaneous Transluminal Coronary Rotational Ablation: Serial Follow-up by Quantitative 53 Angiography. 1992, 313-328 52 Transluminal Extraction Endarterectomy. 1992, 259-272 The Wallstent Experience: 1986 1990. 1992, 167-189 51 Restenosis Following Laser Angioplasty. 1992, 385-413 50 Excimer Laser Assisted Angioplasty of Peripheral Vessels. 1992, 427-473 49 Stenting of Coronary Arteries The Ideal Revascularization Technique: Reality, Dream, Mystery or 48 Myth?. 1992, 101-133 Basic Considerations for Coronary Stenting. 1992, 5-19 47 Regeneration of the Rat Carotid Artery after Clipping Injury. Part I. A Morphological Study. 1993, 46 32, 66???72 Regeneration of the Rat Carotid Artery after Clipping Injury. Part II. A Pharmacological Study. 1993, 45 32, 73???78 Platelet-derived growth factor release after angioplasty. 1993, 261-274

The Wallstent experience: 1986 1990. 1993, 567-591 43 Quantitative coronary angiography after directional coronary atherectomy. 1993, 459-472 42 Rotational atherectomy [An overview. 1994, 353-366 41 Rotational atherectomy. 1994, 561-572 40 Restenosis assessed by quantitative angiography. Lessons learned from two european multicenter 39 trials. 1994, 495-535 Strategies for Treating Arterial Restenosis Using Polymeric Controlled Release Implants. 1994, 259-268 38 Evolving quantitative angiographic approaches to the comparative assessment of luminal 37 renarrowing and longterm outcome after different transluminal coronary interventions. 1994, 611-634 Photodynamische Therapie (PDT) in arteriellenGefBegmenten zur Prophylaxe der 36 Zellproliferation nach Geflerletzung. 1994, 144-147 Radionuclide Techniques in the Selection of Patients for PTCA and in Post-PTCA Evaluation. 1994, 35 12, 373-383 Coronary Artery Restenosis Following Balloon Angioplasty. 1995, 117-125 34 Epidermal Growth Factor Receptor Targeted Cytotoxin Inhibits Neointimal Hyperplasia In Vivo. 33 1995, 77, 32 Vascular restenosis. 1996, 473-483 Perkutane transluminale Koronarangioplastie (PTCA). 1996, 1410-1423 31 Vitamins C and E Alter the Response to Coronary Balloon Injury in the Pig. 1996, 322-323 30 Can restenosis after coronary angioplasty be predicted by scintigraphy?. 1996, 379-385 29 28 Coronary Remodeling and Interventional Strategies. 1997, 471-504 Vascular Smooth Muscle Cell Biology and Restenosis. 1999, 45-69 27 Restenosis: The Clinical Problem. 1999, 1-19 26

25	The Pathobiology of Restenosis a Paradigm From Clinical and Experimental Studies. 1999, 21-34		
24	Therapeutic Effects of Dantoniclon Coronary Heart Disease. 2015 , 101-152		
23	Coronary Intervention in the Chronic Kidney Disease, Diabetic and Elderly Populations. 2018, 291-303		
22	Technical Insights on Drug-Coated Balloons. 2019 , 35-43		
21	The Candy Wrapper Problem: A Temporal Multiscale Approach for PDE/PDE Systems. <i>Lecture Notes in Computational Science and Engineering</i> , 2021 , 17-33	0.3	1
20	The Meaning of Life Related to Heart Disease and Its Relationship to Quality of Life After Repeat Coronary Artery Angioplasty. <i>Creative Nursing</i> , 2020 , 26, 48-55	0.6	O
19	1980s: Expanding the Practice. 2021 , 53-86		
18	Interventionelle Kardiologie. 2005 , 272-295		
17	The Use of Radio Isotopes in the Diagnosis of Vascular Proliferative Disease. 2007, 257-275		
16	Clinical Presentation of Restenosis. 2007 , 29-46		
15	Coronary Angioplasty and Newer Interventional Strategies. 2009, 463-470		
14	Atherosclerosis: past, present, and future. <i>Texas Heart Institute Journal</i> , 1990 , 17, 148-56	0.8	
13	Theoretic considerations regarding low-dose radiation therapy for prevention of restenosis after angioplasty. <i>Texas Heart Institute Journal</i> , 1991 , 18, 4-7	0.8	5
12	Lipids, atherosclerosis, and restenosis after percutaneous transluminal coronary angioplasty. <i>Texas Heart Institute Journal</i> , 1992 , 19, 54-61	0.8	3
11	Revascularization therapy for coronary artery disease. Coronary artery bypass grafting versus percutaneous transluminal coronary angioplasty. <i>Texas Heart Institute Journal</i> , 1995 , 22, 145-61	0.8	4
10	Restenosis following percutaneous transluminal angioplasty: clinical, physiologic and pathological features. <i>Cmaj</i> , 1986 , 134, 1129-32	3.5	3
9	Drug-eluting stents. International Journal of Clinical and Experimental Medicine, 2010, 3, 192-201		8
	Does lipoprotein (a) level have a predictive value in restenosis after coronary stenting?.		

CITATION REPORT

7	Nanomaterials: A Promising Therapeutic Approach for Cardiovascular Diseases. <i>Journal of Nanomaterials</i> , 2022 , 2022, 1-25	3.2	9	
6	Recent Advances in Stent Technology: Do They Reduce Cardiovascular Events?. <i>Current Atherosclerosis Reports</i> ,	6	2	
5	MANAGEMENT OF THE PATIENT UNDERGOING MYOCARDIAL REVASCULARIZATION: PERCUTANEOUS TRANSLUMINAL CORONARY ANGIOPLASTY. 1992 , 27, 231-242		О	
4	The factors influencing the efficiency of drug-coated balloons. 9,		1	
3	Positive Vessel Remodelling. 111-115		O	
2	Percutaneous Transluminal Coronary Angioplasty. 1985 , 23, 597-611		О	
1	Short-term outcomes of drug-coated balloon versus drug-eluting stent for de novo saphenous vein graft lesions in coronary heart disease. 10,		О	