CITATION REPORT List of articles citing

Interposition vein cuff for anastomosis of prosthesis to small artery

DOI: 10.1111/j.1445-2197.1984.tb05318.x ANZ Journal of Surgery, 1984, 54, 283-5.

Source: https://exaly.com/paper-pdf/17221294/citation-report.pdf

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

| # | Paper | IF | Citations |
|-----|---|-----|-----------|
| 197 | Vein cuff interposition prevents juxta-anastomotic neointimal hyperplasia. 1988 , 207, 717-23 | | 52 |
| 196 | Is arterial reconstruction to the ankle worthwhile in the absence of autologous vein?. 1989 , 3, 429-34 | | 28 |
| 195 | Experimental evidence to support the use of interposition vein collars/patches in distal PTFE anastomoses. 1990 , 4, 95-101 | | 29 |
| 194 | Vascular outflow resistance and angiographic assessment of lower limb arterial reconstructive procedures. <i>ANZ Journal of Surgery</i> , 1990 , 60, 275-81 | 1 | 5 |
| 193 | The use of an adjuvant arterio-venous shunt in prosthetic femoro-crural bypass. 1991 , 5, 327-32 | | 18 |
| 192 | Femoro-distal graftscan the results be improved?. 1991 , 5, 607-9 | | 15 |
| 191 | PTFE, collars, and patches. 1992 , 5, 25-34 | | 11 |
| 190 | A retrospective analysis of infra-inguinal arterial reconstruction: three year patency rates. <i>ANZ Journal of Surgery</i> , 1992 , 62, 256-60 | 1 | 7 |
| 189 | Creation of a distal arteriovenous fistula improves microcirculatory hemodynamics of prosthetic graft bypass in secondary limb salvage procedures. <i>Journal of Vascular Surgery</i> , 1993 , 18, 1-8; discussion 8-9 | 3.5 | 43 |
| 188 | PTFE bypass grafting to isolated popliteal segments in critical limb ischaemia. 1993 , 7, 26-30 | | 19 |
| 187 | ePTFE grafts for femoro-crural bypassimproved results with combined adjuvant venous cuff and arteriovenous fistula?. 1993 , 7, 528-33 | | 26 |
| 186 | Femorocrural grafting and regrafting: does polytetrafluoroethylene have a role?. 1993, 7, 329-34 | | 33 |
| 185 | The fate of infrainguinal PTFE grafts and an analysis of factors affecting outcome. 1994 , 8, 607-10 | | 13 |
| 184 | Operative adjuncts for distal revascularization. 1995 , 75, 753-9 | | 4 |
| 183 | Current reflections of the vascular surgeon on the assessment and treatment of critical limb ischaemia. <i>European Journal of Vascular and Endovascular Surgery</i> , 1995 , 9, 473-8 | 2.3 | 11 |
| 182 | Infrapopliteal polytetrafluoroethylene and composite bypass: factors influencing patency. <i>Annals of Vascular Surgery</i> , 1995 , 9, 187-96 | 1.7 | 33 |
| 181 | Noninvasive predictors of patency for infrapopliteal PTFE bypasses with combined arteriovenous fistula and vein interposition technique. 1995 , 170, 103-5 | | 8 |

(1998-1995)

| 180 | The protective effect of vein cuffed anastomoses is not mechanical in origin. <i>Journal of Vascular Surgery</i> , 1995 , 21, 558-64; discussion 564-6 | 3.5 | 53 |
|-------------------|---|-----|----------------------|
| 179 | Improved method to create the common ostium variant of the distal arteriovenous fistula for enhancing crural prosthetic graft patency. <i>Journal of Vascular Surgery</i> , 1996 , 24, 240-8 | 3.5 | 50 |
| 178 | Progressive enlargement of a Miller vein cuff. <i>Journal of Vascular Surgery</i> , 1996 , 24, 302-3 | 3.5 | 1 |
| 177 | Complementary distal arteriovenous fistula and deep vein interposition: a five-year experience with a new technique to improve infrapopliteal prosthetic bypass patency. <i>Journal of Vascular Surgery</i> , 1996 , 24, 134-43 | 3.5 | 67 |
| 176 | Remembrance of things pastNew England surgeons and infrainguinal reconstruction. <i>Journal of Vascular Surgery</i> , 1996 , 24, 1-5 | 3.5 | 4 |
| 175 | Polytetrafluoroethylene bypasses to infrapopliteal arteries without cuffs or patches: a better option than amputation in patients without autologous vein. <i>Journal of Vascular Surgery</i> , 1996 , 23, 347-54; discussion 355-6 | 3.5 | 70 |
| 174 | Interposition vein cuffs. European Journal of Vascular and Endovascular Surgery, 1996, 11, 257-9 | 2.3 | 1 |
| 173 | The effect of a surveillance programme on the patency of synthetic infrainguinal bypass grafts. <i>European Journal of Vascular and Endovascular Surgery</i> , 1996 , 11, 441-5 | 2.3 | 40 |
| 172 | Randomized trial comparing infrainguinal polytetrafluoroethylene bypass grafting with and without vein interposition cuff at the distal anastomosis. The Joint Vascular Research Group. <i>Journal of Vascular Surgery</i> , 1997 , 26, 543-50 | 3.5 | 174 |
| 171 | Prosthetic bypass with a distal vein patch for limb salvage. 1997 , 174, 173-6 | | 32 |
| 170 | The impact of knee joint flexion on infrainguinal vascular grafts: an angiographic study. European | | 1.4 |
| | Journal of Vascular and Endovascular Surgery, 1997 , 13, 23-30 | 2.3 | 14 |
| 169 | Stable vortices within vein cuffs inhibit anastomotic myointimal hyperplasia?. European Journal of Vascular and Endovascular Surgery, 1997, 14, 157-63 | 2.3 | 36 |
| 169 168 | Stable vortices within vein cuffs inhibit anastomotic myointimal hyperplasia?. European Journal of | | |
| | Stable vortices within vein cuffs inhibit anastomotic myointimal hyperplasia?. European Journal of Vascular and Endovascular Surgery, 1997, 14, 157-63 Myointimal hyperplasia in vein collars for ePTFE grafts. European Journal of Vascular and | 2.3 | 36 |
| 168 | Stable vortices within vein cuffs inhibit anastomotic myointimal hyperplasia?. European Journal of Vascular and Endovascular Surgery, 1997, 14, 157-63 Myointimal hyperplasia in vein collars for ePTFE grafts. European Journal of Vascular and Endovascular Surgery, 1997, 14, 33-6 Lower extremity bypass for critical ischemia using synthetic conduit and adjuvant vein cuff. Annals | 2.3 | 36 26 |
| 168 167 | Stable vortices within vein cuffs inhibit anastomotic myointimal hyperplasia?. European Journal of Vascular and Endovascular Surgery, 1997, 14, 157-63 Myointimal hyperplasia in vein collars for ePTFE grafts. European Journal of Vascular and Endovascular Surgery, 1997, 14, 33-6 Lower extremity bypass for critical ischemia using synthetic conduit and adjuvant vein cuff. Annals of Vascular Surgery, 1997, 11, 242-6 Below-knee popliteal and distal bypass with PTFE and vein cuff. European Journal of Vascular and | 2.3 | 36 26 11 |
| 168 167 166 | Stable vortices within vein cuffs inhibit anastomotic myointimal hyperplasia?. European Journal of Vascular and Endovascular Surgery, 1997, 14, 157-63 Myointimal hyperplasia in vein collars for ePTFE grafts. European Journal of Vascular and Endovascular Surgery, 1997, 14, 33-6 Lower extremity bypass for critical ischemia using synthetic conduit and adjuvant vein cuff. Annals of Vascular Surgery, 1997, 11, 242-6 Below-knee popliteal and distal bypass with PTFE and vein cuff. European Journal of Vascular and Endovascular Surgery, 1998, 15, 327-30 Polytetrafluoroethylene femorodistal grafts: can the use of a vein collar offer patients a | 2.3 | 36 26 11 27 |

| 162 | Results of Distal Revascularization in Elderly Patients for Critical Ischemia of the Lower Limbs. 1999 , 99, 68-71 | | 3 |
|-----|--|-----|-----|
| 161 | Clinical and Biological Relevance of Vein Cuff Anastomosis. 1999 , 99, 282-288 | | 14 |
| 160 | Factors Influencing Patency of Infrainguinal Bypasses with Polytetrafluoroethylene. 1999 , 99, 236-240 | | 1 |
| 159 | Local haemodynamics of arterial bypass graft anastomoses. <i>Proceedings of the Institution of Mechanical Engineers, Part H: Journal of Engineering in Medicine</i> , 1999 , 213, 401-9 | 1.7 | 15 |
| 158 | Prevention of Anastomotic Intimal Hyperplasia in Infrainguinal PTFE Bypass Grafts with Distal Arterial Segment Interposition. 1999 , 33, 269-281 | | О |
| 157 | Computer aided design and fabrication of models for in vitro studies of vascular fluid dynamics. <i>Proceedings of the Institution of Mechanical Engineers, Part H: Journal of Engineering in Medicine</i> , 1999 , 213, 1-4 | 1.7 | 24 |
| 156 | Long-term outcome of infra-inguinal bypass for limb salvage: Are we giving diabetic patients a fair deal?. 1999 , 16, 204-206 | | 2 |
| 155 | Comparison of Reversed, Nonreversed Translocated, and In Situ Vein Grafts in Arterial Revascularization: Techniques, Cumulative Patency, Versatility, and Durability. 1999 , 8, 197-202 | | 7 |
| 154 | Patency and limb salvage for polytetrafluoroethylene bypasses with vein interposition cuffs. <i>Annals of Vascular Surgery</i> , 1999 , 13, 386-92 | 1.7 | 24 |
| 153 | Prospective randomised trial of distal arteriovenous fistula as an adjunct to femoro-infrapopliteal PTFE bypass. <i>European Journal of Vascular and Endovascular Surgery</i> , 1999 , 17, 197-201 | 2.3 | 49 |
| 152 | Blood flow in distal end-to-side anastomoses with PTFE and a venous patch: results of an in vitro flow visualisation study. <i>European Journal of Vascular and Endovascular Surgery</i> , 1999 , 18, 191-200 | 2.3 | 36 |
| 151 | Early experience with cryopreserved arterial allografts in below-knee revascularization for limb salvage. 1999 , 177, 197-202 | | 33 |
| 150 | Femoral-infrapopliteal bypass with prosthetic grafts. 1999 , 126, 759-765 | | 30 |
| 149 | Comparison between supra- and infrainguinal inflow sites for infrapopliteal PTFE bypasses with complementary arteriovenous fistula and vein interposition. <i>European Journal of Vascular and Endovascular Surgery</i> , 2000 , 19, 138-42 | 2.3 | 8 |
| 148 | Intimal hyperplasia in vascular grafts. <i>European Journal of Vascular and Endovascular Surgery</i> , 2000 , 19, 336-50 | 2.3 | 154 |
| 147 | Femorodistal PTFE bypass grafting for severe limb ischaemia: results of a prospective clinical study using a new distal anastomotic technique. <i>European Journal of Vascular and Endovascular Surgery</i> , 2000 , 20, 51-6 | 2.3 | 15 |
| 146 | Infrainguinal diseaseBurgical treatment. <i>European Journal of Vascular and Endovascular Surgery</i> , 2000 , 19, S184-S191 | 2.3 | |
| 145 | Anastomotic rupture at the site of polytetrafluoroethylene (PTFE) and distal vein cuff of femoropopliteal bypass. Two case reports. 2000 , 105, 245-8 | | |

(2002-2000)

| 144 | Long-Term Results of Infrapopliteal Bypass Using Polytetrafluoroethylene and Taylor Vein Patch for Critical Lower Extremity Ischemia. 2000 , 34, 569-576 | | 3 |
|-----|---|-----|-----|
| 143 | The effect of a venous anastomosis Tyrell vein collar on the primary patency of arteriovenous grafts in patients undergoing hemodialysis. <i>Journal of Vascular Surgery</i> , 2000 , 32, 1149-54 | 3.5 | 20 |
| 142 | Effects of a venous cuff at the venous anastomosis of polytetrafluoroethylene grafts for hemodialysis vascular access. <i>Journal of Vascular Surgery</i> , 2000 , 32, 1155-63 | 3.5 | 37 |
| 141 | Adjunctive techniques to improve patency of distal prosthetic bypass grafts: polytetrafluoroethylene with remote arteriovenous fistulae versus vein cuffs. <i>Journal of Vascular Surgery</i> , 2000 , 31, 696-701 | 3.5 | 54 |
| 140 | Infrainguinal diseaseBurgical treatment. <i>Journal of Vascular Surgery</i> , 2000 , 31, S217-S226 | 3.5 | 1 |
| 139 | Remodeling and suppression of intimal hyperplasia of vascular grafts with a distal arteriovenous fistula in a rat model. <i>Journal of Vascular Surgery</i> , 2001 , 34, 701-6 | 3.5 | 30 |
| 138 | Improved patency of infrainguinal polytetrafluoroethylene bypass grafts using a distal Taylor vein patch. 2001 , 182, 578-83 | | 20 |
| 137 | Tibial bypass using complex autologous conduit: patency and limb salvage. <i>Annals of Vascular Surgery</i> , 2001 , 15, 634-43 | 1.7 | 19 |
| 136 | Tibial bypass for limb salvage using polytetrafluoroethylene and a distal vein patch. <i>Journal of Vascular Surgery</i> , 2001 , 33, 266-71; discussion 271-2 | 3.5 | 71 |
| 135 | Vascular reconstructive options in the ischemic foot. 2001 , 6, 683-98 | | 1 |
| 134 | Long-term assessment of cryopreserved vein bypass grafting success. <i>Journal of Vascular Surgery</i> , 2001 , 33, 528-32 | 3.5 | 56 |
| 133 | Optimising miller cuff dimensions: the influence of geometry on anastomotic flow patterns. European Journal of Vascular and Endovascular Surgery, 2001 , 21, 251-60 | 2.3 | 27 |
| 132 | Compliance in anastomoses with and without vein cuff interposition. <i>European Journal of Vascular and Endovascular Surgery</i> , 2001 , 21, 461-6 | 2.3 | 16 |
| 131 | Harnessing haemodynamic forces for the suppression of anastomotic intimal hyperplasia: the rationale for precuffed grafts. <i>European Journal of Vascular and Endovascular Surgery</i> , 2001 , 21, 520-8 | 2.3 | 27 |
| 130 | Simulation of flow through a Miller cuff bypass graft. 2002 , 5, 207-17 | | 8 |
| 129 | Theoretical study of the effect of local flow disturbances on the concentration of low-density lipoproteins at the luminal surface of end-to-end anastomosed vessels. 2002 , 40, 576-87 | | 36 |
| 128 | Numerical study of hemodynamics and wall mechanics in distal end-to-side anastomoses of bypass grafts. 2002 , 35, 225-36 | | 123 |
| 127 | Fluid dynamics, wall mechanics, and oxygen transfer in peripheral bypass anastomoses. <i>Annals of Biomedical Engineering</i> , 2002 , 30, 447-60 | 4.7 | 54 |

| 126 | Polytetrafluoroethylene femorotibial bypass grafting: 5-year patency and limb salvage. <i>Annals of Vascular Surgery</i> , 2003 , 17, 486-91 | 1.7 | 42 |
|-------------------|--|-------------------|----------------------|
| 125 | Diabetic revascularization: Improving limb salvage in the absence of autogenous vein. <i>Seminars in Vascular Surgery</i> , 2003 , 16, 19-26 | 1.2 | 1 |
| 124 | Particle-hemodynamics modeling of the distal end-to-side femoral bypass: effects of graft caliber and graft-end cut. <i>Medical Engineering and Physics</i> , 2003 , 25, 843-58 | 2.4 | 31 |
| 123 | Long-term results of femorotibial bypass with vein or polytetrafluoroethylene. <i>British Journal of Surgery</i> , 1998 , 85, 934-8 | 5.3 | 152 |
| 122 | Particle hemodynamics analysis of Miller cuff arterial anastomosis. <i>Journal of Vascular Surgery</i> , 2003 , 38, 1353-62 | 3.5 | 24 |
| 121 | Improving the patency of vascular bypass grafts: the role of suture materials and surgical techniques on reducing anastomotic compliance mismatch. <i>European Journal of Vascular and Endovascular Surgery</i> , 2003 , 25, 287-95 | 2.3 | 68 |
| 120 | Adjuncts to improve patency of infrainguinal prosthetic bypass grafts. <i>Vascular and Endovascular Surgery</i> , 2003 , 37, 381-6 | 1.4 | 11 |
| 119 | Arterial wall shear stress: observations from the bench to the bedside. <i>Vascular and Endovascular Surgery</i> , 2003 , 37, 47-57 | 1.4 | 196 |
| 118 | Isobaric elastic mismatch among native arteries and conduits used in systemic vascular by-pass. | | |
| 117 | Computational Models of Arterial Flow and Mass Transport. 2003 , 73-136 | | 2 |
| | | | |
| 116 | Does an adjuvant AV-fistula improve the patency of a femorocrural PTFE bypass with distal vein cuff in critical leg ischaemia?a prospective randomised multicentre trial. <i>European Journal of Vascular and Endovascular Surgery</i> , 2004 , 27, 180-5 | 2.3 | 29 |
| 116 | cuff in critical leg ischaemia?a prospective randomised multicentre trial. European Journal of | 2.3 | 29 |
| | cuff in critical leg ischaemia?a prospective randomised multicentre trial. <i>European Journal of Vascular and Endovascular Surgery</i> , 2004 , 27, 180-5 Patency and limb salvage after distal prosthetic bypass associated with vein cuff and arteriovenous | | |
| 115 | cuff in critical leg ischaemia?a prospective randomised multicentre trial. <i>European Journal of Vascular and Endovascular Surgery</i> , 2004 , 27, 180-5 Patency and limb salvage after distal prosthetic bypass associated with vein cuff and arteriovenous fistula. <i>European Journal of Vascular and Endovascular Surgery</i> , 2004 , 27, 417-22 Interposition vein cuff and intimal hyperplasia: an experimental study. <i>European Journal of Vascular</i> | 2.3 | 10 |
| 115 | cuff in critical leg ischaemia?a prospective randomised multicentre trial. European Journal of Vascular and Endovascular Surgery, 2004, 27, 180-5 Patency and limb salvage after distal prosthetic bypass associated with vein cuff and arteriovenous fistula. European Journal of Vascular and Endovascular Surgery, 2004, 27, 417-22 Interposition vein cuff and intimal hyperplasia: an experimental study. European Journal of Vascular and Endovascular Surgery, 2004, 27, 617-21 Multicenter randomized prospective trial comparing a pre-cuffed polytetrafluoroethylene graft to a vein cuffed polytetrafluoroethylene graft for infragenicular arterial bypass. Annals of Vascular | 2.3 | 10 |
| 115 114 113 | cuff in critical leg ischaemia?a prospective randomised multicentre trial. European Journal of Vascular and Endovascular Surgery, 2004, 27, 180-5 Patency and limb salvage after distal prosthetic bypass associated with vein cuff and arteriovenous fistula. European Journal of Vascular and Endovascular Surgery, 2004, 27, 417-22 Interposition vein cuff and intimal hyperplasia: an experimental study. European Journal of Vascular and Endovascular Surgery, 2004, 27, 617-21 Multicenter randomized prospective trial comparing a pre-cuffed polytetrafluoroethylene graft to a vein cuffed polytetrafluoroethylene graft for infragenicular arterial bypass. Annals of Vascular Surgery, 2004, 18, 199-206 | 2.3 2.3 | 10 11 53 |
| 115 114 113 | cuff in critical leg ischaemia?a prospective randomised multicentre trial. European Journal of Vascular and Endovascular Surgery, 2004, 27, 180-5 Patency and limb salvage after distal prosthetic bypass associated with vein cuff and arteriovenous fistula. European Journal of Vascular and Endovascular Surgery, 2004, 27, 417-22 Interposition vein cuff and intimal hyperplasia: an experimental study. European Journal of Vascular and Endovascular Surgery, 2004, 27, 617-21 Multicenter randomized prospective trial comparing a pre-cuffed polytetrafluoroethylene graft to a vein cuffed polytetrafluoroethylene graft for infragenicular arterial bypass. Annals of Vascular Surgery, 2004, 18, 199-206 Popliteal-to-distal bypass for limb salvage. Annals of Vascular Surgery, 2004, 18, 321-8 Experimental comparison of four methods of end-to-side anastomosis with expanded | 2.3 2.3 1.7 | 10 11 53 26 |

108 Computational approach to hemodynamics in femoral bypass graft.

| 107 | Patency and limb salvage rates after distal revascularization to unclampable calcified outflow arteries. <i>Journal of Vascular Surgery</i> , 2004 , 39, 539-46 | 3.5 | 28 |
|-----|---|--------------------|-----|
| 106 | Numerical simulation of steady flows in designed sleeve models at distal anastomoses. 2005 , 32, 707-7 | 14 | 6 |
| 105 | Haemodynamics of the interposition vein cuff. British Journal of Surgery, 1986, 73, 823-5 | 5.3 | 23 |
| 104 | Infrainguinal bypass surgery: factors determining late graft patency. <i>British Journal of Surgery</i> , 1990 , 77, 1382-7 | 5.3 | 58 |
| 103 | Subclavian-to-subclavian bypass facilitated by the use of an interposition vein cuff. <i>British Journal of Surgery</i> , 1991 , 78, 630-1 | 5.3 | 2 |
| 102 | Justifying arterial reconstruction to crural vesselseven with a prosthetic graft. <i>British Journal of Surgery</i> , 1991 , 78, 897-9 | 5.3 | 31 |
| 101 | New prosthetic venous collar anastomotic technique: combining the best of other procedures. <i>British Journal of Surgery</i> , 1991 , 78, 1016-7 | 5.3 | 75 |
| 100 | Low-dose intra-arterial thrombolysis in the treatment of occluded vascular grafts. <i>British Journal of Surgery</i> , 1992 , 79, 86-8 | 5.3 | 16 |
| 99 | Improved technique for polytetrafluoroethylene bypass grafting: long-term results using anastomotic vein patches. <i>British Journal of Surgery</i> , 1992 , 79, 348-54 | 5.3 | 191 |
| 98 | Influence of a vein cuff on polytetrafluoroethylene grafts for primary femoropopliteal bypass. <i>British Journal of Surgery</i> , 1995 , 82, 487-91 | 5.3 | 79 |
| 97 | New graft design to inhibit myointimal hyperplasia in small vessel anastomoses. <i>British Journal of Surgery</i> , 1996 , 83, 1383-4 | 5.3 | 17 |
| 96 | Hemodynamics and complications encountered with arteriovenous fistulas and grafts as vascular access for hemodialysis: a review. <i>Annals of Biomedical Engineering</i> , 2005 , 33, 1142-57 | 4.7 | 76 |
| 95 | Numerical simulation of wall shear stress and particle-based hemodynamic parameters in pre-cuffed and streamlined end-to-side anastomoses. <i>Annals of Biomedical Engineering</i> , 2005 , 33, 1752- | -6 6 .7 | 23 |
| 94 | Infragenicular bypass graft for limb salvage using polytetrafluoroethylene and distal vein cuff as the first alternative in patients without ipsilateral greater saphenous vein. <i>Annals of Vascular Surgery</i> , 2005 , 19, 379-85 | 1.7 | 12 |
| 93 | Comparison of precuffed and vein-cuffed expanded polytetrafluoroethylene grafts for infragenicular arterial reconstructions: a case-matched study. <i>Annals of Vascular Surgery</i> , 2005 , 19, 49-5 | 5 ^{1.7} | 12 |
| 92 | Numerical Simulation of Physiological Blood Flow in 2-way Coronary Artery Bypass Grafts. <i>Journal of Biological Physics</i> , 2005 , 31, 161-82 | 1.6 | 11 |
| 91 | A 10-year experience with complementary distal arteriovenous fistula and deep vein interposition for infrapopliteal prosthetic bypasses. <i>Vascular and Endovascular Surgery</i> , 2005 , 39, 401-9 | 1.4 | 14 |

| 90 | Computational simulation of biomechanics in e-PTFE and venous Miller's cuffs: implications for intimal hyperplasia. <i>Journal of Medical Engineering and Technology</i> , 2005 , 29, 187-96 | 1.8 | 2 |
|----|---|-------|------|
| 89 | Popliteal-to-distal bypass: identifying risk factors associated with limb loss and graft failure. <i>Vascular and Endovascular Surgery</i> , 2005 , 39, 393-400 | 1.4 | 20 |
| 88 | Resultados de la prEesis Distaflo en isquemia crEica de miembros inferiores. <i>Angiologia</i> , 2005 , 57, 37-45 | 0 | 1 |
| 87 | Anastomotic strategies to improve hemodialysis access patencya review. <i>Vascular and Endovascular Surgery</i> , 2005 , 39, 135-42 | 1.4 | 18 |
| 86 | Reconstructive Surgery. 2006, 303-322 | | |
| 85 | Swirling flow pattern in a non-planar model of an interposition vein cuff anastomosis. <i>Medical Engineering and Physics</i> , 2006 , 28, 27-35 | 2.4 | 9 |
| 84 | Comparison of carbon-impregnated and standard ePTFE prostheses in extra-anatomical anterior tibial artery bypass: a prospective randomized multicenter study. <i>European Journal of Vascular and Endovascular Surgery</i> , 2006 , 32, 155-68 | 2.3 | 49 |
| 83 | Degeneracifi aneurismEica de manguito (cuff) de Miller. <i>Angiologia</i> , 2007 , 59, 457-458 | 0 | |
| 82 | Long-term outcome of a cuffed expanded PTFE graft for hemodialysis vascular access. <i>World Journal of Surgery</i> , 2008 , 32, 1827-31 | 3.3 | 18 |
| 81 | Cuffed anastomosis for above-knee femoropopliteal bypass with a stretch expanded polytetrafluoroethylene graft. <i>Surgery Today</i> , 2008 , 38, 679-84 | 3 | 8 |
| 80 | Revascularisations infra-inguinales en l'absence de veine grande saphile. <i>EMC - Techniques Chirurgicales - Chirurgie Vasculaire</i> , 2008 , 3, 1-12 | | |
| 79 | Interposition vein cuff for infragenicular prosthetic bypass graft. 2009, | | |
| 78 | Early results for below-knee bypasses using Distaflo. Vascular and Endovascular Surgery, 2008, 42, 561-6 | 5 1.4 | 16 |
| 77 | Numerical study of the influence of anastomotic configuration on hemodynamics in miller cuff models. <i>Annals of Biomedical Engineering</i> , 2009 , 37, 301-14 | 4.7 | 3 |
| 76 | Rivascolarizzazioni infrainguinali in mancanza della vena grande safena. <i>EMC - Tecniche Chirurgiche Vascolare</i> , 2009 , 14, 1-12 | О | |
| 75 | Tratamiento quirÉgico de la arteria femoral profunda en su tercio distal con interposicili de un collarete venoso de Miller. <i>Angiologia</i> , 2009 , 61, 77-82 | O | |
| 74 | PTFE bypass to below-knee arteries: distal vein collar or not? A prospective randomised multicentre study. <i>European Journal of Vascular and Endovascular Surgery</i> , 2010 , 39, 747-54 | 2.3 | 21 |
| 73 | Effects of disturbed flow on vascular endothelium: pathophysiological basis and clinical perspectives. <i>Physiological Reviews</i> , 2011 , 91, 327-87 | 47.9 | 1300 |

Heart and Cardiovascular Engineering. **2011**, 317-333

| 71 | Vein cuffs facilitate removal of prosthetic dialysis access grafts. <i>Journal of the Royal College of Surgeons of Edinburgh</i> , 2011 , 9, 172-3 | 2.5 | |
|----|---|-----|----|
| 70 | Hemodynamic comparison of differing anastomotic geometries using magnetic resonance velocimetry. <i>Journal of Surgical Research</i> , 2011 , 169, 311-8 | 2.5 | 14 |
| 69 | A reappraisal of saphenous vein grafting. Annals of Saudi Medicine, 2011, 31, 62-71 | 1.6 | 7 |
| 68 | Open surgical revascularization for wound healing: past performance and future directions. <i>Plastic and Reconstructive Surgery</i> , 2011 , 127 Suppl 1, 154S-162S | 2.7 | 5 |
| 67 | Interposition vein cuff for infragenicular prosthetic bypass graft. <i>The Cochrane Library</i> , 2012 , CD007921 | 5.2 | 12 |
| 66 | A comparison of tibial artery bypass performed with heparin-bonded expanded polytetrafluoroethylene and great saphenous vein to treat critical limb ischemia. <i>Journal of Vascular Surgery</i> , 2012 , 56, 1008-14 | 3.5 | 50 |
| 65 | Prevention of neointimal hyperplasia associated with modified stretch expanded polytetrafluoroethylene hemodialysis grafts (Gore) in an experimental preclinical study in swine. <i>Journal of Vascular Surgery</i> , 2012 , 55, 192-202 | 3.5 | 13 |
| 64 | Surgical bypass: when is it best and do angiosomes play a role?. <i>Seminars in Vascular Surgery</i> , 2012 , 25, 102-7 | 1.2 | 14 |
| 63 | An expanded series of distal bypass using the distal vein patch technique to improve prosthetic graft performance in critical limb ischemia. <i>European Journal of Vascular and Endovascular Surgery</i> , 2012 , 44, 177-82 | 2.3 | 26 |
| 62 | Systematic review and meta-analysis of vein cuffs for below-knee synthetic bypass. <i>British Journal of Surgery</i> , 2012 , 99, 1195-202 | 5.3 | 5 |
| 61 | Computational estimation of fluid mechanical benefits from a fluid deflector at the distal end of artificial vascular grafts. <i>Computers in Biology and Medicine</i> , 2013 , 43, 164-8 | 7 | 7 |
| 60 | Coronary artery bypass grafting hemodynamics and anastomosis design: a biomedical engineering review. <i>BioMedical Engineering OnLine</i> , 2013 , 12, 129 | 4.1 | 76 |
| 59 | Worsening of preoperative foot ischemia after occlusion of polytetrafluoroethylene femorotibial grafts: a comparison with saphenous vein grafts. <i>Annals of Vascular Surgery</i> , 2013 , 27, 634-7 | 1.7 | 5 |
| 58 | Comparison of precuffed expanded polytetrafluorothylene and heparin-bonded polytetrafluorothylene graft in crural bypass. <i>Annals of Vascular Surgery</i> , 2013 , 27, 218-24 | 1.7 | 11 |
| 57 | Distal anastomotic vein adjunct usage in infrainguinal prosthetic bypasses. <i>Journal of Vascular Surgery</i> , 2013 , 57, 982-9 | 3.5 | 4 |
| 56 | Optimal management of infrainguinal arterial occlusive disease. <i>Vascular Health and Risk Management</i> , 2014 , 10, 599-608 | 4.4 | 14 |
| 55 | Advantageous swirling flow in 45° end-to-side anastomosis. <i>Experiments in Fluids</i> , 2014 , 55, 1 | 2.5 | 5 |

| 54 | Das Omniflow II Biograft. <i>Gefasschirurgie</i> , 2015 , 20, 343-349 | 0.3 | 1 |
|----|---|-----|----|
| 53 | A comparison of femorocrural bypasses performed with modified heparin-bonded expanded polytetrafluorethylene grafts and those with great saphenous vein grafts to treat critical limb ischemia. <i>Annals of Vascular Surgery</i> , 2015 , 29, 1255-64 | 1.7 | 8 |
| 52 | Update on the role of the distal arteriovenous fistula as an adjunct for improving graft patency and limb salvage rates after crural revascularization. <i>Annals of Vascular Surgery</i> , 2015 , 29, 1022-8 | 1.7 | 5 |
| 51 | Effect of swirling blood flow on vortex formation at post-stenosis. <i>Proceedings of the Institution of Mechanical Engineers, Part H: Journal of Engineering in Medicine</i> , 2015 , 229, 175-83 | 1.7 | 5 |
| 50 | Beneficial fluid-dynamic features of pulsatile swirling flow in 45° end-to-side anastomosis. <i>Medical Engineering and Physics</i> , 2015 , 37, 272-9 | 2.4 | 9 |
| 49 | Hemodynamics of Coronary Artery Bypass Grafting: Conventional vs. Innovative Anastomotic Configuration Designs for Enhancing Patency. 2016 , 419-436 | | |
| 48 | Chirurgia delle arterie dell'Erto inferiore: tecniche. <i>EMC - Tecniche Chirurgiche Vascolare</i> , 2016 , 21, 1-32 | 0 | |
| 47 | Using the diamond intermediate anastomosis in composite sequential bypass grafting for critical limb ischemia. <i>Journal of Vascular Surgery</i> , 2016 , 63, 1116-20 | 3.5 | 4 |
| 46 | Development of a Limb-Preservation Program. <i>Blood Purification</i> , 2017 , 43, 218-225 | 3.1 | 10 |
| 45 | Cardiovascular Tissue Engineering. 2017 , 171-193 | | |
| 44 | Distal vein patch use and limb events after infragenicular prosthetic bypasses. <i>Journal of Vascular Surgery</i> , 2018 , 68, 145-152 | 3.5 | 0 |
| 43 | Bypass to the Infrapopliteal Arteries for Chronic Critical Limb Ischemia. 2018 , 269-273 | | |
| 42 | The Society for Vascular Surgery practice guidelines on follow-up after vascular surgery arterial procedures. <i>Journal of Vascular Surgery</i> , 2018 , 68, 256-284 | 3.5 | 63 |
| 41 | Flow patterns through vascular graft models with and without cuffs. <i>PLoS ONE</i> , 2018 , 13, e0193304 | 3.7 | 1 |
| 40 | Genesis of Crural Revascularization. Annals of Vascular Surgery, 2019, 58, 357-362 | 1.7 | |
| 39 | A concurrent implementation of the surrogate management framework with application to cardiovascular shape optimization. <i>Optimization and Engineering</i> , 2020 , 21, 1487-1536 | 2.1 | 5 |
| 38 | Adjunctive Techniques: Distal Anastomosis of an Infrainguinal Prosthetic Bypass. 2021 , 281-301 | | |
| 37 | Adaptation of the vein cuff in distal arterial anastomosis (Brighton Sock). <i>Annals of the Royal College of Surgeons of England</i> , 2021 , 103, 537-538 | 1.4 | |

| 36 | Usefulness of the Vein Cuff Technique for Recurrent Stenosis due to Intimal Hyperplasia in Prosthetic Graft and Autologous Vein Graft Anastomosis. <i>Japanese Journal of Cardiovascular Surgery</i> , 2021 , 50, 342-347 | 0.1 | |
|----|--|-----|---|
| 35 | Surgical Reconstruction for Critical Ischaemia. 1990 , 73-84 | | 2 |
| 34 | Technique. 2010 , 1244-1261 | | 2 |
| 33 | Prosthetic Grafts. 2010 , 1335-1349 | | 3 |
| 32 | Infrainguinal Disease. 2010 , 1682-1703 | | 3 |
| 31 | Hemodynamics of vascular prostheses. 1996 , 373-423 | | 5 |
| 30 | A Reappraisal of Saphenous Vein Grafting. Annals of Saudi Medicine, 2011, 31, 62-71 | 1.6 | 2 |
| 29 | Arterial Disease of the Lower Extremity: Surgical Approach. 2002, 1433-1448 | | |
| 28 | Chronic Critical Limb Ischaemia. 2003 , 157-161 | | |
| 27 | Clinical Properties and Healing Characteristics of e-PTFE Vascular Grafts and Their Effects on Long-Term Patency. 2003 , | | |
| 26 | Chronic Critical Limb Ischemia. 2006 , 167-171 | | |
| 25 | Analyses of Arterial Diseases. 2006 , 241-320 | | |
| 24 | Mglichkeiten der kruralen Bypass-Chirurgie mit der humanen Umbilikalvene (HUV). <i>Berliner Gef</i> gschirurgische Reihe, 2009 , 113-127 | | |
| 23 | Kardiovaskulīes l īssue engineering[] 2010 , 111-133 | | |
| 22 | Bypass to the Infrapopliteal Arteries for Chronic Critical Limb Ischemia. 2010 , 231-235 | | |
| 21 | Surgical Treatment of Iliac and Lower Extremity Artery Disease. 695-704 | | |
| 20 | Infrainguinal Arterial Disease. 749-760 | | |
| 19 | Adjuvant Surgical Techniques for Limb Salvage. 776-785 | | |

| 18 | Midterm outcome of surgical infrainguinal revascularization for critical limb ischemia in patients with end-stage renal disease. <i>The Journal of Japanese Society of Limb Salvage and Podiatric Medicine</i> , 2013 , 5, 151-157 | О | |
|----|---|-----|---|
| 17 | Reconstructive Surgery for Peripheral Artery Disease. 2013 , 268-284 | | |
| 16 | Infrainguinal Bypass. 2014 , 1-11 | | |
| 15 | Operative techniques and adjuvant measures influencing outcome in femorodistal bypass. 1991 , 141-1 | 54 | |
| 14 | Klinen die Ergebnisse femoropoplitealer Rekonstruktionen verbessert werden?. 1994 , 23-29 | | |
| 13 | Arterial vascular reconstruction in critical ischemia of the lower extremities. 1995 , 101-111 | | |
| 12 | Value of intraoperative techniques in improving bypass patency. 1995 , 123-136 | | |
| 11 | Femoro-distal PTFE bypass reconstruction with vein collar. 1998 , 25-27 | | |
| 10 | Role arteriovenous fistula in femoral-tibial bypass surgery. <i>I P Pavlov Russian Medical Biological Herald</i> , 2014 , 22, 159 | 0.4 | |
| 9 | Infra-Inguinal Bypass Surgery. 2015 , 3273-3280 | | |
| 8 | Case of lower limb revascularisation using composite sequential bypass graft with a 'diamond' intermediate anastomosis. <i>BMJ Case Reports</i> , 2018 , 2018, | 0.9 | |
| 7 | Mathematic modelling of vascular anastomoses. 2007 , 25-38 | | |
| 6 | Determinants of anastomosis long term patency. 2007 , 39-52 | | |
| 5 | Distal femoropopliteal bypass using a composite graft of PTFE and non-reversed saphenous vein. <i>Annals of the Royal College of Surgeons of England</i> , 1989 , 71, 269 | 1.4 | |
| 4 | A critical review of surgical strategies to minimise venous stenosis in arteriovenous grafts. <i>Journal of Vascular Access</i> , 2021 , 11297298211060944 | 1.8 | 1 |
| 3 | Chirurgia delle arterie degli arti inferiori per patologia occlusiva. Indicazioni, tecniche e risultati. <i>EMC - Tecniche Chirurgiche Vascolare</i> , 2022 , 27, 1-30 | Ο | |
| 2 | Long-Term Results of Below-The-Knee Bypass Using a Prosthetic Graft with a Distal Arteriovenous Fistula Interposition. 2023 , 13, 1246 | | О |
| 1 | Internal thoracic artery on the aorta: A simple radial connection. 021849232311700 | | O |