CITATION REPORT List of articles citing

Efficient in vitro synthesis of biologically active RNA and RNA hybridization probes from plasmids containing a bacteriophage SP6 promoter

DOI: 10.1093/nar/12.18.7035 Nucleic Acids Research, 1984, 12, 7035-56.

Source: https://exaly.com/paper-pdf/17244725/citation-report.pdf

Version: 2024-04-10

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
1962	A novel in vitro transcription-translation system: accurate and efficient synthesis of single proteins from cloned DNA sequences 1984 , 3, 3143-3148		170
1961	Isolation of recombinant cDNAs encoding chicken erythroid delta-aminolevulinate synthase. 1985 , 82, 3702-6		65
1960	Nonconsensus branch-site sequences in the in vitro splicing of transcripts of mutant rabbit beta-globin genes. 1985 , 82, 8349-53		93
1959	Transcription boundaries of U1 small nuclear RNA. 1985 , 5, 2332-40		55
1958	ATTAAA as well as downstream sequences are required for RNA 3'-end formation in the E3 complex transcription unit of adenovirus. 1985 , 5, 3183-93		37
1957	Mouse-Torpedo hybrid acetylcholine receptors: functional homology does not equal sequence homology. 1985 , 82, 4852-6		85
1956	Papillomavirus genomes in human cervical tumors: analysis of their transcriptional activity. 1985 , 82, 5540-4		112
1955	Differential efficiencies of in vitro translation of mouse c-myc transcripts differing in the 5' untranslated region. 1985 , 82, 2315-9		108
1954	Deletions in the 3'-terminal tRNA-like structure of brome mosaic virus RNA differentially affect aminoacylation and replication in vitro. 1985 , 82, 5636-40		48
1953	A third viral nuclear protein in lymphoblasts immortalized by Epstein-Barr virus. 1985 , 82, 5944-8		74
1952	Expression of a cytoplasmic LINE-1 transcript is regulated in a human teratocarcinoma cell line. 1985 , 82, 6050-4		153
1951	Sequence of a second human asialoglycoprotein receptor: conservation of two receptor genes during evolution. 1985 , 82, 6465-9		172
1950	Specific regions of the intervening sequences of beta-globin RNA are resistant to nuclease in 50S heterogeneous nuclear RNA-protein complexes. 1985 , 82, 8414-8		10
1949	Human genes involved in cholesterol metabolism: chromosomal mapping of the loci for the low density lipoprotein receptor and 3-hydroxy-3-methylglutaryl-coenzyme A reductase with cDNA probes. 1985 , 82, 8567-71		121
1948	Identification of a sequence element on the 3' side of AAUAAA which is necessary for simian virus 40 late mRNA 3'-end processing. 1985 , 5, 2713-9		129
1947	Photochemical cross-linking of cap binding proteins to eucaryotic mRNAs: effect of mRNA 5' secondary structure. 1985 , 5, 3222-30		117
1946	Transient expression of human adenosine deaminase cDNAs: identification of a nonfunctional clone resulting from a single amino acid substitution. 1985 , 5, 762-7		34

1945	Virus deletion mutants that affect a 3' splice site in the E3 transcription unit of adenovirus 2. 1985 , 5, 2405-13		17
1944	Cloning and molecular analysis of the HAP2 locus: a global regulator of respiratory genes in Saccharomyces cerevisiae. 1985 , 5, 3410-6		141
1943	Injected anti-sense RNAs specifically block messenger RNA translation in vivo. 1985 , 82, 144-8		366
1942	Synthesis of sperm and late histone cDNAs of the sea urchin with a primer complementary to the conserved 3' terminal palindrome: evidence for tissue-specific and more general histone gene variants. 1985 , 82, 5676-80		51
1941	A method to detect and characterize point mutations in transcribed genes: amplification and overexpression of the mutant c-Ki-ras allele in human tumor cells. 1985 , 82, 7575-9		269
1940	In vitro synthesis of infectious poliovirus RNA. 1985 , 82, 8424-8		32
1939	Deletions near the albino locus on chromosome 7 of the mouse affect the level of tyrosine aminotransferase mRNA. 1985 , 82, 2866-9		54
1938	Synthesis of bovine growth hormone in primates by using a herpesvirus vector. 1985 , 5, 2796-803		38
1937	Linker scanning mutagenesis of the 5'-flanking region of the mouse beta-major-globin gene: sequence requirements for transcription in erythroid and nonerythroid cells. 1985 , 5, 1498-511		137
1936	Molecular cloning and in vitro expression of a cDNA clone for human cellular tumor antigen p53. 1985 , 5, 1601-10		169
1935	Identification of a deletion in the low density lipoprotein (LDL) receptor gene in a patient with familial hypercholesterolaemia. <i>Human Genetics</i> , 1985 , 71, 75-8	5.3	36
1934	Cloning and molecular characterization of a telomeric sequence from a temperature-induced Balbiani ring. 1985 , 92, 108-115		47
1933	Synthesis of brome mosaic virus subgenomic RNA in vitro by internal initiation on (-)-sense genomic RNA. 1985 , 313, 68-70		239
1932	Developmental regulation of T-cell receptor gene expression. 1985 , 314, 103-7		484
1931	Primary structure and transmembrane orientation of the murine anion exchange protein. 1985 , 316, 234-8		524
1930	A molecular clone of HTLV-III with biological activity. 1985 , 316, 262-5		304
1929	Chromosomal localization of a unique gene by non-autoradiographic in situ hybridization. 1985 , 317, 175-7		155
1928	Regulatory elements controlling chorion gene expression are conserved between flies and moths. 1985, 317, 453-6		110

1927	Distribution of factor VIII mRNA and antigen in human liver and other tissues. 1985 , 317, 726-9	252
1926	Bovine opsin has more than one signal sequence. 1985 , 318, 338-43	189
1925	Transcription pattern of the Drosophila segmentation gene hairy. 1985, 318, 439-445	297
1924	Role of acetylcholine receptor subunits in gating of the channel. 1985 , 318, 538-43	262
1923	Organization and expression of the MHC of the C57 black/10 mouse. 1985 , 84, 29-50	46
1922	HLA class I genes: from structure to expression, serology and function. 1985 , 84, 73-92	27
1921	High-performance liquid chromatography of DNA restriction fragments. 1985, 326, 251-61	36
1920	Evidence of a new chimeric bcr/c-abl mRNA in patients with chronic myelocytic leukemia and the Philadelphia chromosome. 1985 , 313, 1429-33	214
1919	Comparison of multimeric plus and minus forms of viroids and virusoids. 1985 , 4, 293-304	95
1918	Two major RNA products are transcribed from heat-shock locus 93D of Drosophila melanogaster. 1985 , 93, 17-20	23
1917	Induction of a 26-kDa-protein mRNA in human cells treated with an interleukin-1-related, leukocyte-derived factor. 1985 , 152, 253-7	152
1916	Infectivity studies on different potato spindle tuber viroid (PSTV) RNAs synthesized in vitro with the SP6 transcription system. 1985 , 4, 2191-2199	56
1915	The two intervening sequences of human beta- and gamma-globin pre-mRNAs are excised in a preferred temporal order in vitro 1985 , 4, 1991-1996	17
1914	Purification of a protein required for the splicing of pre-mRNA and its separation from the lariat debranching enzyme 1985 , 4, 3571-3581	45
1913	Hormonal regulation of cell surface expression of the major histocompatibility antigen H-2Ld in transfected cells 1985 , 4, 3447-3453	8
1912	Levels of nerve growth factor and its mRNA in the central nervous system of the rat correlate with cholinergic innervation 1985 , 4, 1389-1393	761
1911	Cell-type preference of immunoglobulin kappa and lambda gene promoters 1985 , 4, 2831-2838	63
1910	Isolation of caudal, a Drosophila homeo box-containing gene with maternal expression, whose transcripts form a concentration gradient at the pre-blastoderm stage. 1985 , 4, 2961-2969	173

1909	from the TATA element 1985 , 4, 3273-3280		95
1908	Developmental regulation of a gastrula-specific gene injected into fertilized Xenopus eggs 1985 , 4, 3463-3471		125
1907	Metal-dependent SV40 viruses containing inducible enhancers from the upstream region of metallothionein genes 1985 , 4, 3851-3859		58
1906	Expression of the Rous sarcoma virus pol gene by ribosomal frameshifting. 1985 , 230, 1237-42		414
1905	Infectivity and in vitro mutagenesis of monomeric cDNA clones of citrus exocortis viroid indicates the site of processing of viroid precursors. <i>Nucleic Acids Research</i> , 1985 , 13, 5843-56	20.1	76
1904	Structure and transcription of the Drosophila mulleri alcohol dehydrogenase genes. <i>Nucleic Acids Research</i> , 1985 , 13, 6899-917	20.1	80
1903	Direct cloning of specific genomic DNA sequences in plasmid libraries following fragment enrichment. <i>Nucleic Acids Research</i> , 1985 , 13, 7569-78	20.1	62
1902	The effect of capping and polyadenylation on the stability, movement and translation of synthetic messenger RNAs in Xenopus oocytes. <i>Nucleic Acids Research</i> , 1985 , 13, 7375-94	20.1	217
1901	Single stranded DNA SP6 promoter plasmids for engineering mutant RNAs and proteins: synthesis of a 'stretched' preproparathyroid hormone. <i>Nucleic Acids Research</i> , 1985 , 13, 1103-18	20.1	130
1900	Detection of single base substitutions by ribonuclease cleavage at mismatches in RNA:DNA duplexes. 1985 , 230, 1242-6		509
1900 1899		20.1	509
	duplexes. 1985, 230, 1242-6 Primary sequence and partial secondary structure of the 12S kinetoplast (mitochondrial) ribosomal RNA from Leishmania tarentolae: conservation of peptidyl-transferase structural elements. <i>Nucleic</i>	20.1	
1899	duplexes. 1985, 230, 1242-6 Primary sequence and partial secondary structure of the 12S kinetoplast (mitochondrial) ribosomal RNA from Leishmania tarentolae: conservation of peptidyl-transferase structural elements. <i>Nucleic Acids Research</i> , 1985, 13, 2337-56 Translation of mRNA injected into Xenopus oocytes is specifically inhibited by antisense RNA. 1985,	20.1	62
1899 1898	duplexes. 1985, 230, 1242-6 Primary sequence and partial secondary structure of the 12S kinetoplast (mitochondrial) ribosomal RNA from Leishmania tarentolae: conservation of peptidyl-transferase structural elements. <i>Nucleic Acids Research</i> , 1985, 13, 2337-56 Translation of mRNA injected into Xenopus oocytes is specifically inhibited by antisense RNA. 1985, 101, 1094-9 Novel deletion mutants that enhance a distant upstream 5' splice in the E3 transcription unit of		62 188
1899 1898 1897	Primary sequence and partial secondary structure of the 12S kinetoplast (mitochondrial) ribosomal RNA from Leishmania tarentolae: conservation of peptidyl-transferase structural elements. <i>Nucleic Acids Research</i> , 1985, 13, 2337-56 Translation of mRNA injected into Xenopus oocytes is specifically inhibited by antisense RNA. 1985, 101, 1094-9 Novel deletion mutants that enhance a distant upstream 5' splice in the E3 transcription unit of adenovirus 2. <i>Nucleic Acids Research</i> , 1985, 13, 5771-88	20.1	62 188 27
1899 1898 1897 1896	Primary sequence and partial secondary structure of the 12S kinetoplast (mitochondrial) ribosomal RNA from Leishmania tarentolae: conservation of peptidyl-transferase structural elements. <i>Nucleic Acids Research</i> , 1985 , 13, 2337-56 Translation of mRNA injected into Xenopus oocytes is specifically inhibited by antisense RNA. 1985 , 101, 1094-9 Novel deletion mutants that enhance a distant upstream 5' splice in the E3 transcription unit of adenovirus 2. <i>Nucleic Acids Research</i> , 1985 , 13, 5771-88 Evidence for transient requirement of the IgH enhancer. <i>Nucleic Acids Research</i> , 1985 , 13, 8901-12 Sequence requirements for self-splicing of the Tetrahymena thermophila pre-ribosomal RNA.	20.1	62 188 27 45
1899 1898 1897 1896	Primary sequence and partial secondary structure of the 12S kinetoplast (mitochondrial) ribosomal RNA from Leishmania tarentolae: conservation of peptidyl-transferase structural elements. <i>Nucleic Acids Research</i> , 1985 , 13, 2337-56 Translation of mRNA injected into Xenopus oocytes is specifically inhibited by antisense RNA. 1985 , 101, 1094-9 Novel deletion mutants that enhance a distant upstream 5' splice in the E3 transcription unit of adenovirus 2. <i>Nucleic Acids Research</i> , 1985 , 13, 5771-88 Evidence for transient requirement of the IgH enhancer. <i>Nucleic Acids Research</i> , 1985 , 13, 8901-12 Sequence requirements for self-splicing of the Tetrahymena thermophila pre-ribosomal RNA. <i>Nucleic Acids Research</i> , 1985 , 13, 1871-89 Eleven new sequence variants of citrus exocortis viroid and the correlation of sequence with	20.1 20.1	62 188 27 45 57

1891	Phenocopy of discoidin I-minus mutants by antisense transformation in Dictyostelium. 1985, 43, 633-41	219
1890	Activation of muscle-specific actin genes in Xenopus development by an induction between animal and vegetal cells of a blastula. 1985 , 41, 913-22	220
1889	New vectors for construction of recombinant high-copy-number yeast acentric-ring plasmids. 1985 , 40, 217-29	15
1888	Expression of amplified human beta interferon genes using heavy metal induction in Chinese hamster ovary cells. 1985 , 37, 139-44	15
1887	Separate regulatory elements for the heat-inducible and ovarian expression of the Drosophila hsp26 gene. 1985 , 43, 737-46	138
1886	Double-strand cleavage at a two-base deletion mismatch in a DNA heteroduplex by nuclease S1. 1985 , 5, 627-32	6
1885	Transient accumulation of c-fos RNA following serum stimulation requires a conserved 5' element and c-fos 3' sequences. 1985 , 42, 889-902	838
1884	Expression of alfalfa mosaic virus RNA 4 cDNA transcripts in vitro and in vivo. 1985 , 146, 177-87	43
1883	Malignant transformation of rat cells by the polyomavirus middle T gene. 1985 , 146, 233-45	8
1882	Template-dependent RNA polymerase from black beetle virus-infected Drosophila melanogaster cells. 1985 , 147, 373-81	23
1881	Differential effect of poly rI.rC and Newcastle disease virus on the expression of interferon and cellular genes in mouse cells. 1985 , 147, 382-93	37
1880	Cell-free synthesis and processing of an infectious dimeric transcript of potato spindle tuber viroid RNA. 1985 , 142, 441-7	50
1879	Simultaneous expression of early and late histone messenger RNAs in individual cells during development of the sea urchin embryo. 1985 , 112, 157-66	28
1878	Changes in RNA titers and polyadenylation during oogenesis and oocyte maturation in Xenopus laevis. 1985 , 112, 451-7	90
1877	Multiple mechanisms regulate the expression of murine immune response genes. 1985 , 42, 623-8	50
1876	Multiple factors including the small nuclear ribonucleoproteins U1 and U2 are necessary for pre-mRNA splicing in vitro. 1985 , 42, 725-36	466
1875	Stable reduction of thymidine kinase activity in cells expressing high levels of anti-sense RNA. 1985 , 42, 129-38	330
1874	A transgenic immunoglobulin mu gene prevents rearrangement of endogenous genes. 1985 , 42, 117-27	170

(1985-1985)

1873	Detection of sickle-cell mutation by electrophoresis of partial RNA:DNA hybrids following solution hybridization. 1985 , 39, 77-83	5
1872	A eukaryotic transcriptional activator bearing the DNA specificity of a prokaryotic repressor. 1985 , 43, 729-36	609
1871	Streptomyces contain Escherichia coli-type A + T-rich promoters having novel structural features. 1985 , 39, 191-201	59
1870	Human beta-interferon gene expression is regulated by an inducible enhancer element. 1985 , 41, 509-20	294
1869	DNA sequence and characterization of the S. cerevisiae gene encoding adenylate cyclase. 1985 , 43, 493-505	428
1868	Identification and cloning of localized maternal RNAs from Xenopus eggs. 1985 , 42, 769-77	443
1867	Control elements of the Drosophila segmentation gene fushi tarazu. 1985 , 43, 603-13	408
1866	Rapid transfer of DNA from agarose gels to nylon membranes. <i>Nucleic Acids Research</i> , 1985 , 13, 7207-21 _{20.1}	1685
1865	U2 as well as U1 small nuclear ribonucleoproteins are involved in premessenger RNA splicing. 1985 , 42, 737-50	599
1864	Molecular consequences of specific intron mutations on yeast mRNA splicing in vivo and in vitro. 1985 , 42, 335-44	175
1863	Molecular cloning of cDNA for human von Willebrand factor: authentication by a new method. 1985 , 41, 49-56	142
1862	Trans splicing of mRNA precursors. 1985 , 42, 157-64	190
1861	Alternative splicing caused by RNA secondary structure. 1985 , 43, 667-76	268
1860	A region flanking the GAL7 gene and a binding site for GAL4 protein as upstream activating sequences in yeast. 1985 , 186, 821-4	41
1859	Transcription cell type specificity is conferred by an immunoglobulin VH gene promoter that includes a functional consensus sequence. 1985 , 41, 479-87	333
1858	Reversibility of cyclization of the Tetrahymena rRNA intervening sequence: implication for the mechanism of splice site choice. 1985 , 42, 639-48	66
1857	High-level expression of RNAs and proteins: the use of oligonucleotides for the precise fusion of coding-to-regulatory sequences. 1985 , 37, 199-206	37
1856	Rapid and reliable dideoxy sequencing of double-stranded DNA. 1985 , 40, 317-23	151

1855	Gene-specific expression of the actin multigene family of Dictyostelium discoideum. 1985 , 186, 337-55		49
1854	Detection of preprocholecystokinin and preproenkephalin A mRNAs in rat brain by hybridization histochemistry using complementary RNA probes. 1985 , 6, 573-80		81
1853	Light-Inducible Expression of a Chimeric Gene in Soybean Tissue Transformed with Agrobacterium. 1985 , 3, 241-246		22
1852	Transcriptional regulation of fibroblast collagen synthesis by activated mononuclear cell supernatants. 1985 , 131, 1028-32		8
1851	Developmental regulation of alpha-fetoprotein genes in transgenic mice. 1985 , 5, 1639-48		153
1850	Delay of disease development in transgenic plants that express the tobacco mosaic virus coat protein gene. 1986 , 232, 738-43		1068
1849	A simple and efficient enzymatic method for covalent attachment of DNA to cellulose. Application for hybridization-restriction analysis and for in vitro synthesis of DNA probes. <i>Nucleic Acids Research</i> , 1986 , 14, 9171-91	20.1	12
1848	The U2 RNA analogue of Trypanosoma brucei gambiense: implications for a splicing mechanism in trypanosomes. <i>Nucleic Acids Research</i> , 1986 , 14, 8893-903	20.1	92
1847	Clinical applications of gene probes in human genetic disease, malignancy, and infectious disease. 1986 , 157, 1-32		31
1846	Full-length sequence and expression of the 42 kDa 2-5A synthetase induced by human interferon. 1986 , 196, 113-20		40
1845	Synthesis and maturation of recombinant human tumor necrosis factor in eukaryotic systems. 1986 , 197, 99-104		21
1844	fixA, B and C genes are essential for symbiotic and free-living, microaerobic nitrogen fixation. 1986 , 200, 186-192		45
1843	A single RNA species injected in Xenopus oocyte directs the synthesis of active tyrosine hydroxylase. 1986 , 205, 6-10		12
1842	Induction of c-fos and AFP expression in a differentiating teratocarcinoma cell line. 1986 , 165, 473-80		23
1841	Effects of antiestrogens on the induction of vitellogenin and its mRNA in Xenopus laevis. 1986 , 24, 1141-	-9	8
1840	Neither a germ line-specific nor several somatically expressed genes are lost or rearranged during embryonic chromatin diminution in the nematode Ascaris lumbricoides var. suum. 1986 , 118, 141-7		40
1839	Proenkephalin A-like mRNA in human leukemia leukocytes and CNS-tissues. 1986 , 39, 2237-41		31
1838	Nucleotide sequencing and transcriptional mapping of the Orgyia pseudotsugata multicapsid nuclear polyhedrosis virus p10 gene. 1986 , 153, 157-67		51

(1986-1986)

1837	SP6 transcripts of cloned (S)CARNA 5 cDNA produce electrophoretically comigrating protein products. 1986 , 152, 455-8	23
1836	Molecular cloning and sequence analysis of the human parainfluenza 3 virus mRNA encoding the P and C proteins. 1986 , 155, 46-60	61
1835	A major internal initiation site for the in vitro translation of the adenovirus DNA polymerase. 1986 , 155, 214-24	29
1834	In vitro transcription and translation of cloned cDNAs encoding the 30-kDa protein gene of TMV. 1986 , 155, 277-83	12
1833	Packaging of recombinant RNA molecules into pseudovirus particles directed by the origin-of-assembly sequence from tobacco mosaic virus RNA. 1986 , 155, 299-308	53
1832	Poliovirus temperature-sensitive mutant containing a single nucleotide deletion in the 5'-noncoding region of the viral RNA. 1986 , 155, 498-507	88
1831	Detection of single base substitutions in influenza virus RNA molecules by denaturing gradient gel electrophoresis of RNA-RNA or DNA-RNA heteroduplexes. 1986 , 150, 55-64	19
1830	High resolution mapping of carnation mottle virus-associated RNAs. 1986 , 150, 196-206	27
1829	Evidence that AGUAUAUGA and CCAAGAUGA initiate translation in the same mRNA region E3 of adenovirus. 1986 , 148, 168-80	59
1828	Characterization of a new type of human papillomavirus (HPV) related to HPV5 from a case of actinic keratosis. 1986 , 154, 389-94	28
1827	Trophoblastic differentiation of human teratocarcinoma cell line HT-H1. 1986 , 116, 510-8	36
1826	Spatial patterns of metallothionein mRNA expression in the sea urchin embryo. 1986 , 116, 543-7	30
1825	Developmental analysis of the torso-like phenotype in Drosophila produced by a maternal-effect locus. 1986 , 115, 479-89	60
1824	Analysis of the transcription unit adjacent to the 3'-end of the dopa decarboxylase gene in Drosophila melanogaster. 1986 , 114, 260-4	14
1823	Tissue specificity of Drosophila P element transposition is regulated at the level of mRNA splicing. 1986 , 44, 7-19	564
1822	Glucocorticoids and cyclic AMP synergistically regulate the abundance of preproenkephalin messenger RNA in neuroblastoma-glioma hybrid cells. 1986 , 139, 1-10	76
1821	Interleukin 1 alpha mRNA in virus-transformed T and B cells. 1986 , 139, 353-60	23
1820	Characterization of rodent epidermal growth factor receptor transcripts using a mouse genomic probe. 1986 , 141, 1109-15	21

1819	Self-splicing of group II introns in vitro: mapping of the branch point and mutational inhibition of lariat formation. 1986 , 46, 557-65	197
1818	Primary structure of a proteinase inhibitor II gene from potato (Solanum tuberosum). <i>Nucleic Acids Research</i> , 1986 , 14, 5641-50	90
1817	The intervening sequence RNA of Tetrahymena is an enzyme. 1986 , 231, 470-5	428
1816	Effect of Insulin on the Expression of Genes Encoding Tyrosine Aminotransferase, Tryptophan Oxygenase, and Phosphoenolpyruvate Carboxykinase in Cultured Rat Hepatocytesa. 1986 , 478, 307-309	
1815	Plasmids allowing transcription of cloned DNA by Salmonella typhimurium phage SP6 RNA polymerase to produce RNAs with authentic 5'-terminal sequences. 1986 , 46, 57-64	5
1814	Sequence requirements for splicing of higher eukaryotic nuclear pre-mRNA. 1986 , 47, 555-65	379
1813	Replication of the bovine papillomavirus type 1 genome; antisense transcripts prevent episomal replication. 1986 , 50, 185-93	7
1812	The role of the transit peptide in the routing of precursors toward different chloroplast compartments. 1986 , 46, 365-75	350
1811	An improved Escherichia coli expression vector for the construction and identification of full-length cDNA clones. 1986 , 44, 347-51	9
1810	Plasmid vector pBR322 and its special-purpose derivativesa review. 1986 , 50, 3-40	290
1809	Pre-mRNA splicing. 1986 , 20, 671-708	670
1808	Secretion in yeast: reconstitution of the translocation and glycosylation of alpha-factor and invertase in a homologous cell-free system. 1986 , 44, 619-28	229
1807	Activating elements in the promoter region of the chicken beta-actin gene. 1986 , 48, 1-11	108
1806	Molecular structure of human lymphocyte receptor for immunoglobulin E. 1986 , 47, 657-65	343
1805	Molecular cloning and regulation of the expression of the MET2 gene of Saccharomyces cerevisiae. 1986 , 46, 71-8	23
1804	Expression of anti-sense mRNA in H-ras transfected NIH/3T3 cells does not suppress the transformed phenotype. 1986 , 45, 215-20	13
1803	Detection of factors that interact with the human beta-interferon regulatory region in vivo by DNAase I footprinting. 1986 , 45, 611-8	197
1802	Specific small nuclear RNAs are associated with yeast spliceosomes. 1986 , 45, 869-77	138

(1986-1986)

1801	immunoglobulin heavy chain binding protein. 1986 , 46, 291-300	1352
1800	Single-stranded DNA 'blue' T7 promoter plasmids: a versatile tandem promoter system for cloning and protein engineering. 1986 , 1, 67-74	718
1799	Formation of the pool of covalently closed circular viral DNA in hepadnavirus-infected cells. 1986 , 47, 451-60	551
1798	A plasmid expression vector that permits stabilization of both mRNAs and proteins encoded by the cloned genes. 1986 , 45, 193-201	24
1797	Diversity, rearrangement, and expression of murine T cell gamma genes. 1986 , 45, 733-42	372
1796	Pre-mRNA splicing in vitro requires intact U4/U6 small nuclear ribonucleoprotein. 1986, 46, 697-704	233
1795	A protein associated with small nuclear ribonucleoprotein particles recognizes the 3' splice site of premessenger RNA. 1986 , 47, 973-84	284
1794	Rapid reprogramming of globin gene expression in transient heterokaryons. 1986 , 46, 591-602	214
1793	Functional dissection of a eukaryotic transcriptional activator protein, GCN4 of yeast. 1986 , 46, 885-94	892
1792	Isolation, structure, and expression of even-skipped: a second pair-rule gene of Drosophila containing a homeo box. 1986 , 47, 721-34	370
1791	Sequencing of DNA using T3 RNA polymerase and chain terminating ribonucleotide analogs. 1986 , 3, 59-66	5
1790	High-level, heat-regulated synthesis of proteins in eukaryotic cells. 1986 , 49, 1-8	69
1789	Mammalian expression-and-transmission vector derived from Akv murine leukemia virus. 1986 , 41, 59-65	7
1788	Polypeptides encoded by varicella-zoster virus unique short sequences. 1986 , 5, 67-76	15
1787	The clam embryo protein cyclin A induces entry into M phase and the resumption of meiosis in Xenopus oocytes. 1986 , 47, 861-70	507
1786	Glucocorticoid responsiveness of the transcriptional enhancer of Moloney murine sarcoma virus. 1986 , 46, 283-90	243
1785	The human glucose transporter can insert posttranslationally into microsomes. 1986, 44, 629-37	187
1784	Alternative 5' exons and tissue-specific expression of the Drosophila EGF receptor homolog transcripts. 1986 , 46, 1091-101	96

1783	Two forms of the Ia antigen-associated invariant chain result from alternative initiations at two in-phase AUGs. 1986 , 47, 619-25	121
1782	U1, U2, and U4/U6 small nuclear ribonucleoproteins are required for in vitro splicing but not polyadenylation. 1986 , 46, 691-6	198
1781	Cap trimethylation of U snRNA is cytoplasmic and dependent on U snRNP protein binding. 1986 , 46, 905-11	371
1780	A single gene from yeast for both nuclear and cytoplasmic polyadenylate-binding proteins: domain structure and expression. 1986 , 45, 827-35	377
1779	Synthesis in vitro of a seven amino acid peptide encoded in the leader RNA of Rous sarcoma virus. 1986 , 190, 45-57	58
1778	Developmental potential and dynamic behavior of hematopoietic stem cells. 1986 , 45, 917-27	738
1777	Preparation of mRNA transcripts for secondary structure analysis using SP6 polymerase, guanylyltransferase, and preparative gel electrophoresis. 1986 , 3, 45-52	9
1776	U2 RNA from yeast is unexpectedly large and contains homology to vertebrate U4, U5, and U6 small nuclear RNAs. 1986 , 47, 49-59	164
1775	Transcriptional and post-transcriptional inhibition of albumin gene expression by estrogen in Xenopus liver. 1986 , 44, 201-9	37
1774	Characterization of the intron in the phage T4 thymidylate synthase gene and evidence for its self-excision from the primary transcript. 1986 , 45, 157-66	97
1773	M1 RNA with large terminal deletions retains its catalytic activity. 1986 , 45, 177-83	53
1772	Characterization of three sites of RNA 3' end formation in the Xenopus ribosomal gene spacer. 1986, 45, 431-43	163
1771	A self-splicing RNA excises an intron lariat. 1986 , 44, 213-23	413
1770	Deletion mapping of Sindbis virus DI RNAs derived from cDNAs defines the sequences essential for replication and packaging. 1986 , 44, 137-45	147
1769	Spontaneous mutation in beta-thalassaemia producing the same nucleotide substitution as that in a common hereditary form. 1986 , 1, 3-5	30
1768	Mapping transcription start points on cloned genomic DNA with T4 DNA polymerase: a precise and convenient technique. 1986 , 42, 21-9	40
1767	Cloning and expression of the bacteriophage T3 RNA polymerase gene. 1986 , 41, 193-200	66
1766	A chicken-yeast chimeric beta-tubulin protein is incorporated into mouse microtubules in vivo. 1986 , 44, 461-8	151

1765	A cosmid vector for systematic chromosome walking. 1986 , 49, 9-22	66
1764	An internal signal sequence: the asialoglycoprotein receptor membrane anchor. 1986 , 44, 177-85	219
1763	The use of psoralen-modified DNA to probe the mechanism of enhancer action. 1986 , 45, 567-74	60
1762	Excess function hairy-wing mutations caused by gypsy and copia insertions within structural genes of the achaete-scute locus of Drosophila. 1986 , 44, 303-12	149
1761	A small nuclear ribonucleoprotein associates with the AAUAAA polyadenylation signal in vitro. 1986 , 45, 581-91	143
1760	A rapid and simple procedure for the preparation of homogeneously labeled DNA probes. 1986 , 43, 305-10	2
1759	Developmental coordination of alpha-amylase and psp gene expression during mouse parotid gland differentiation is controlled posttranscriptionally. 1986 , 47, 107-12	44
1758	Chromosomal position or virus mutation permits retrovirus expression in embryonal carcinoma cells. 1986 , 47, 391-9	216
1757	A compensatory base change in U1 snRNA suppresses a 5' splice site mutation. 1986 , 46, 827-35	724
1756	A new approach to high sensitivity differential hybridization. 1986 , 50, 41-53	20
1755	Use of [32P]RNA probes for the dot-hybridization detection of potato spindle tuber viroid. <i>Journal of Virological Methods</i> , 1986 , 14, 309-19	26
1754	Detection of herpes simplex virus and adenovirus DNA by dot blot hybridization using in vitro synthesized RNA transcripts. <i>Journal of Virological Methods</i> , 1986 , 13, 291-9	11
1753	Synthesis of epidermal growth factor (EGF) receptor in vitro using SP6 RNA polymerase-transcribed template mRNA. 1986 , 867, 244-51	17
1752	HLA-DR allogenotyping using exon-specific cDNA probes and application of rapid minigel methods. 1986 , 23, 1111-6	104
1751	Sustained IL-2 production by the EL4 subline during continuous phorbol diester stimulation is related to an increase of IL-2-mRNA. 1986 , 88, 207-15	6
1750	Deletion mutants that alter differential RNA processing in the E3 complex transcription unit of adenovirus. 1986 , 190, 543-57	28
1749	Larval salivary gland secretion proteins in Drosophila structural analysis of the Sgs-5 gene. 1986 , 190, 149-58	21
1748	Activation of sea urchin actin genes during embryogenesis. Measurement of transcript accumulation from five different genes in Strongylocentrotus purpuratus. 1986 , 188, 173-83	121

1747	Physical state, expression and regulation of two glucocorticoid-controlled genes on bovine papilloma virus vectors. 1986 , 187, 557-68	14
1746	Amplification of human argininosuccinate synthetase pseudogenes. 1986 , 192, 221-33	15
1745	New reactions of the ribosomal RNA precursor of Tetrahymena and the mechanism of self-splicing. 1986 , 189, 143-65	175
1744	Splicing of messenger RNA precursors. 1986 , 55, 1119-50	1600
1743	In situ hybridization detection of human papillomavirus DNAs and messenger RNAs in genital condylomas and a cervical carcinoma. 1986 , 17, 1250-8	185
1742	H4 histone messenger RNA decay in cell-free extracts initiates at or near the 3' terminus and proceeds 3' to 5'. 1986 , 188, 579-93	176
1741	Point mutations define a sequence flanking the AUG initiator codon that modulates translation by eukaryotic ribosomes. 1986 , 44, 283-92	4440
1740	Differential expression of genes during legume seed development. 1986 , 314, 367-384	51
1739	Scrapie and cellular PrP isoforms are encoded by the same chromosomal gene. 1986 , 46, 417-28	705
1738	Functional analysis of the yeast plasmid partition locus STB. 1986 , 5, 3391-3399	59
1737	Accurate in vitro splicing of two pre-mRNA plant introns in a HeLa cell nuclear extract 1986 , 5, 2749-2758	58
1736	Alternative processing of H-2Dd pre-mRNAs results in membrane expression of differentially phosphorylated protein products 1986 , 5, 2477-2483	23
1735	Endothelial plasminogen activator inhibitor (PAI): a new member of the Serpin gene family 1986 , 5, 2539-2544	251
1734	Regulatory elements involved in Drosophila Adh gene expression are conserved in divergent species and separate elements mediate expression in different tissues 1986 , 5, 1275-1289	47
1733	Reinitiation of translocation in the Semliki Forest virus structural polyprotein: identification of the signal for the E1 glycoprotein 1986 , 5, 1551-1560	44
1732	Alpha 2-macroglobulin gene expression during rat development studied by in situ hybridization 1986 , 5, 3151-3156	29
1731	One adenosine deaminase allele in a patient with severe combined immunodeficiency contains a point mutation abolishing enzyme activity 1986 , 5, 113-119	32
1730	A GAL family of upstream activating sequences in yeast: roles in both induction and repression of transcription 1986 , 5, 603-608	104

1729	Cloning and identification of the gene coding for the 140-kd subunit of Drosophila RNA polymerase II. 1986 , 5, 741-746	11
1728	Molecular cloning of bovine and chick nerve growth factor (NGF): delineation of conserved and unconserved domains and their relationship to the biological activity and antigenicity of NGF 1986 , 5, 1489-1493	90
1727	Primary structure of a developmentally regulated nicotinic acetylcholine receptor protein from Drosophila. 1986 , 5, 1503-1508	105
1726	The transmembrane segment of the human transferrin receptor functions as a signal peptide 1986 , 5, 1543-1550	95
1725	Viral-encoded small RNAs in herpes virus saimiri induced tumors 1986 , 5, 1625-1632	45
1724	The hormone regulatory element of mouse mammary tumour virus mediates progesterone induction 1986 , 5, 2237-2240	251
1723	c-myc and c-fos expression in differentiating mouse primary keratinocytes 1986 , 5, 2853-2857	84
1722	A human villin cDNA clone to investigate the differentiation of intestinal and kidney cells in vivo and in culture 1986 , 5, 3119-3124	63
1721	Upstream sequences required for tissue-specific activation of the cardiac actin gene in Xenopus laevis embryos 1986 , 5, 3185-3193	100
1720	Genetic complementation in the Xenopus oocyte: co-expression of sea urchin histone and U7 RNAs restores 3? processing of H3 pre-mRNA in the oocyte 1986 , 5, 1675-1682	54
1719	Formation of the 3? end on U snRNAs requires at least three sequence elements 1986, 5, 2931-2937	28
1718	Alternative splicing and alternative initiation of translation explain the four forms of the Ia antigen-associated invariant chain 1986 , 5, 3483-3488	106
1717	Immunochemical detection of proteins related to the human c-myc exon 1 1986 , 5, 2241-2250	26
1716	The organisation and interviral homologies of genes at the 3? end of tobacco rattle virus RNA1. 1986 , 5, 223-229	44
1715	Coordination of murine parotid secretory protein and salivary amylase expression 1986 , 5, 1891-1896	31
1714	The v-mos and H-ras oncogene expression represses glucocorticoid hormone-dependent transcription from the mouse mammary tumor virus LTR 1986 , 5, 2609-2616	82
1713	Transcription of the tandem array of ribosomal DNA in Drosophila melanogaster does not terminate at any fixed point. 1986 , 5, 1267-1273	41
1712	Replication of in vitro constructed viroid mutants: location of the pathogenicity-modulating domain of citrus exocortis viroid. 1986 , 5, 2051-2055	57

Molecular analysis of two phytohemagglutinin genes and their expression in Phaseolus vulgaris cv. Pinto, a lectin-deficient cultivar of the bean. 1986 , 5, 3075-3082	33
1710 Egg-laying hormone genes of Aplysia: evolution of the ELH gene family. 1986 , 6, 2026-36	48
Molecular characterisation of a hypervariable region downstream of the human alpha-globin gene cluster 1986 , 5, 1857-1863	118
The mouse glucocorticoid receptor: mapping of functional domains by cloning, sequencing and expression of wild-type and mutant receptor proteins 1986 , 5, 2513-2522	267
1707 Activated v-myc and v-ras oncogenes do not transform normal human lymphocytes. 1986 , 6, 3410-7	7 43
Nucleotide sequence and expression of a phosphate-regulated gene encoding a secreted hemolysin of Pseudomonas aeruginosa. 1986 , 167, 291-8	76
Cloning and characterization of the gene encoding 3-deoxy-D-manno-octulosonate 8-phosphate synthetase from Escherichia coli. 1986 , 168, 437-9	36
Translational coupling in Escherichia coli of a heterologous Bacillus subtilis-Escherichia coli gene fusion. 1986 , 168, 1033-5	5
Embryonic expression and nuclear localization of Xenopus homeobox (Xhox) gene products 1986 , 5, 1237-1244	90
Full-length von Willebrand factor (vWF) cDNA encodes a highly repetitive protein considerably larger than the mature vWF subunit 1986 , 5, 1839-1847	189
	189
larger than the mature vWF subunit 1986 , 5, 1839-1847	189 4
larger than the mature vWF subunit 1986 , 5, 1839-1847 1701 Introduction of Functional RNA into Plant Protoplasts by Electroporation. 1986 ,	189 4 58
larger than the mature vWF subunit 1986 , 5, 1839-1847 1701 Introduction of Functional RNA into Plant Protoplasts by Electroporation. 1986 , 1700 In vitro transcription of infectious viral RNA from cloned cDNA. 1986 , 704-716	4 58
larger than the mature vWF subunit 1986, 5, 1839-1847 Introduction of Functional RNA into Plant Protoplasts by Electroporation. 1986, In vitro transcription of infectious viral RNA from cloned cDNA. 1986, 704-716 In situ hybridization for the study of gene expression in the brain. 1986, 124, 497-510 Foscarnet decreases serum and liver duck hepatitis B virus DNA in chronically infected ducks. 1986	4 58
larger than the mature vWF subunit 1986, 5, 1839-1847 Introduction of Functional RNA into Plant Protoplasts by Electroporation. 1986, In vitro transcription of infectious viral RNA from cloned cDNA. 1986, 704-716 In situ hybridization for the study of gene expression in the brain. 1986, 124, 497-510 Foscarnet decreases serum and liver duck hepatitis B virus DNA in chronically infected ducks. 1986 91, 818-24	4 58 , 56 3 59
larger than the mature vWF subunit 1986, 5, 1839-1847 Introduction of Functional RNA into Plant Protoplasts by Electroporation. 1986, In vitro transcription of infectious viral RNA from cloned cDNA. 1986, 704-716 In situ hybridization for the study of gene expression in the brain. 1986, 124, 497-510 Foscarnet decreases serum and liver duck hepatitis B virus DNA in chronically infected ducks. 1986, 91, 818-24 Tissue localization of Drosophila melanogaster ras transcripts during development. 1986, 6, 2241-8 Quantification of tissue-type plasminogen activator (t-PA) mRNA in human endothelial-cell culture	4 58 56 3 59

1693	Analysis of Xenopus ribosomal RNA synthesized by transcription in vitro. 1986 , 14, 269-270	4
1692	Novel form of transcription attenuation regulates expression the Bacillus subtilis tryptophan operon. 1986 , 166, 461-71	152
1691	Tripartite sequences within and 3' to the sea urchin H2A histone gene display properties associated with a transcriptional termination process. 1986 , 6, 4008-18	36
1690	Different tissue-specific expression of the amylase gene Amy-1 in mice and rats. 1986 , 6, 4067-76	25
1689	In vitro cleavage of the simian virus 40 early polyadenylation site adjacent to a required downstream TG sequence. 1986 , 6, 4734-41	42
1688	Expression of hepatitis B viral core region in mammalian cells. 1986 , 6, 1393-400	120
1687	4.5S RNA is encoded by hundreds of tandemly linked genes, has a short half-life, and is hydrogen bonded in vivo to poly(A)-terminated RNAs in the cytoplasm of cultured mouse cells. 1986 , 6, 1508-19	32
1686	Use of a novel S1 nuclease RNA-mapping technique to measure efficiency of transcription termination on polyomavirus DNA. 1986 , 6, 1624-32	22
1685	T-cell receptor variable region gene usage in T-cell populations. 1986 , 83, 3987-91	48
1684	Isolation of a Drosophila genomic sequence homologous to the kinase domain of the human insulin receptor and detection of the phosphorylated Drosophila receptor with an anti-peptide antibody. 1986 , 83, 4710-4	106
1683	Early replication and expression of oocyte-type 5S RNA genes in a Xenopus somatic cell line carrying a translocation. 1986 , 83, 5150-4	55
1682	Trans regulation of the phosphoenolpyruvate carboxykinase (GTP) gene, identified by deletions in chromosome 7 of the mouse. 1986 , 83, 5184-8	46
1681	Alternative protein products with different carboxyl termini from a single class I gene, H-2Kb. 1986 , 83, 6084-8	31
1680	Amino acid sequence of the plasma membrane ATPase of Neurospora crassa: deduction from genomic and cDNA sequences. 1986 , 83, 7693-7	183
1679	Stable repression of ribosomal protein L1 synthesis in Xenopus oocytes by microinjection of antisense RNA. 1986 , 83, 8639-43	56
1678	Identification of a domain within the phosphoprotein of vesicular stomatitis virus that is essential for transcription in vitro. 1986 , 83, 8873-7	57
1677	Regulation of a transfected human class II major histocompatibility complex gene in human fibroblasts. 1986 , 83, 9139-43	155
1676	Detection of lymphocytes expressing human T-lymphotropic virus type III in lymph nodes and peripheral blood from infected individuals by in situ hybridization. 1986 , 83, 772-6	622

1675	Inhibition of splicing but not cleavage at the 5' splice site by truncating human beta-globin pre-mRNA. 1986 , 83, 927-31	51
1674	Alternative branch points are selected during splicing of a yeast pre-mRNA in mammalian and yeast extracts. 1986 , 83, 2022-6	50
1673	Expression of the three influenza virus polymerase proteins in a single cell allows growth complementation of viral mutants. 1986 , 83, 2709-13	22
1672	Expression of cell cycle-dependent genes in young and senescent WI-38 fibroblasts. 1986 , 83, 3316-20	224
1671	Inducible overproduction of the mouse c-myc protein in mammalian cells. 1986, 83, 5414-8	133
1670	Cell-type-specific transcription of an immunoglobulin kappa light chain gene in vitro. 1986 , 83, 8511-5	104
1669	Detection of single base-pair mismatches in DNA by chemical modification followed by electrophoresis in 15% polyacrylamide gel. 1986 , 83, 586-90	52
1668	Isolation of cDNA clones coding for the catalytic subunit of mouse cAMP-dependent protein kinase. 1986, 83, 1300-4	242
1667	Isolation and characterization of the gene encoding Drosophila DNA topoisomerase II. 1986 , 83, 3664-8	44
1666	GCN4 protein, a positive transcription factor in yeast, binds general control promoters at all 5' TGACTC 3' sequences. 1986 , 83, 8516-20	297
1665	Efficient expression of the Saccharomyces cerevisiae PGK gene depends on an upstream activation sequence but does not require TATA sequences. 1986 , 6, 4335-43	150
1664	The complete sequence of the mouse skeletal alpha-actin gene reveals several conserved and inverted repeat sequences outside of the protein-coding region. 1986 , 6, 15-25	103
1663	Characterization of two nonallelic pairs of late histone H2A and H2B genes of the sea urchin: differential regulation in the embryo and tissue-specific expression in the adult. 1986 , 6, 3746-54	39
1662	Saccharomyces cerevisiae contains two functional citrate synthase genes. 1986 , 6, 1936-42	139
1661	Analysis of histone gene expression in adult tissues of the sea urchins Strongylocentrotus purpuratus and Lytechinus pictus: tissue-specific expression of sperm histone genes. 1986 , 6, 2602-12	48
1660	Analysis of a sea urchin gene cluster coding for the small nuclear U7 RNA, a rare RNA species implicated in the 3' editing of histone precursor mRNAs. 1986 , 83, 3243-7	40
1659	Rat transferrin gene expression: tissue-specific regulation by iron deficiency. 1986 , 83, 3723-7	171
1658	Isolation of human mdr DNA sequences amplified in multidrug-resistant KB carcinoma cells. 1986 , 83, 4538-42	574

1657	Glucocorticoid inhibition of transcription from episomal proopiomelanocortin gene promoter. 1986 , 83, 8903-7	89
1656	Localization of Epstein-Barr virus-encoded small RNAs by in situ hybridization. 1986 , 83, 9006-10	232
1655	Regulation of insulin-like growth factor I gene expression by growth hormone. 1986 , 83, 9343-7	454
1654	Three novel genes of human T-lymphotropic virus type III: immune reactivity of their products with sera from acquired immune deficiency syndrome patients. 1986 , 83, 2209-13	98
1653	Activation of the human beta-interferon gene requires an interferon-inducible factor. 1986 , 6, 801-10	246
1652	Estrogen regulation of the avian transferrin gene in transgenic mice. 1986 , 6, 1010-4	22
1651	Hepatitis B surface antigen: an unusual secreted protein initially synthesized as a transmembrane polypeptide. 1986 , 6, 1454-63	129
1650	The AAUAAA sequence is required both for cleavage and for polyadenylation of simian virus 40 pre-mRNA in vitro. 1986 , 6, 2317-23	163
1649	Cloning and characterization of a variant surface glycoprotein expression site from Trypanosoma equiperdum. 1986 , 6, 2950-6	14
1648	Characterization of an activated human ros gene. 1986 , 6, 3109-16	100
1647	Structure, organization, and sequence of alpha satellite DNA from human chromosome 17: evidence for evolution by unequal crossing-over and an ancestral pentamer repeat shared with the human X chromosome. 1986 , 6, 3156-65	234
1646	Messenger RNA coding for only the alpha subunit of the rat brain Na channel is sufficient for expression of functional channels in Xenopus oocytes. 1986 , 83, 7503-7	181
1645	Molecular cloning of cDNA for the nuclear ribonucleoprotein particle C proteins: a conserved gene family. 1986 , 83, 2007-11	49
1644	Interactions among the gypsy transposable element and the yellow and the suppressor of hairy-wing loci in Drosophila melanogaster. 1986 , 6, 47-53	128
1643	Ribonucleoprotein complex formation during pre-mRNA splicing in vitro. 1986 , 6, 2582-92	100
1642	Splice site consensus sequences are preferentially accessible to nucleases in isolated adenovirus RNA. <i>Nucleic Acids Research</i> , 1986 , 14, 8447-65	13
1641	Mapping of brain areas expressing RNA homologous to two different acetylcholine receptor alpha-subunit cDNAs. 1986 , 83, 4076-80	94
1640	Complete nucleotide and deduced amino acid sequence of bovine phenylethanolamine N-methyltransferase: partial amino acid homology with rat tyrosine hydroxylase. 1986 , 83, 5454-8	70

1639	Expression of type C-related endogenous retroviral sequences in human colon tumors and colon cancer cell lines. 1986 , 83, 6127-31	30
1638	Nucleotide sequence of rat preputial gland beta-glucuronidase cDNA and in vitro insertion of its encoded polypeptide into microsomal membranes. 1986 , 83, 7292-6	61
1637	RNA polymerase II transcription terminates at a specific DNA sequence in a HeLa cell-free reaction. 1986 , 83, 7623-7	44
1636	Transformation of a human poliovirus receptor gene into mouse cells. 1986 , 83, 7845-9	78
1635	Minor transcription initiation events indicate that both human mitochondrial promoters function bidirectionally. 1986 , 6, 294-301	38
1634	Cellular promoters incorporated into the adenovirus genome: cell specificity of albumin and immunoglobulin expression. 1986 , 6, 3791-7	80
1633	Multiple transcripts from the Antennapedia gene of Drosophila melanogaster. 1986 , 6, 4667-75	81
1632	Three tightly linked genes encoding human type I keratins: conservation of sequence in the 5'-untranslated leader and 5'-upstream regions of coexpressed keratin genes. 1986 , 6, 539-48	86
1631	The chronic myelocytic cell line K562 contains a breakpoint in bcr and produces a chimeric bcr/c-abl transcript. 1986 , 6, 607-16	173
1630	Differential responsiveness of myc- and ras-transfected cells to growth factors: selective stimulation of myc-transfected cells by epidermal growth factor. 1986 , 6, 870-7	151
1629	Beta-adrenergic stimulation of c-fos gene expression in the mouse submandibular gland. 1986 , 6, 2984-9	67
1628	Genomic cloning, characterization, and multilineage growth-promoting activity of human granulocyte-macrophage colony-stimulating factor. 1986 , 83, 3101-5	116
1627	In vitro splicing of influenza viral NS1 mRNA and NS1-beta-globin chimeras: possible mechanisms for the control of viral mRNA splicing. 1986 , 83, 5444-8	49
1626	Two proto-oncogenes implicated in mammary carcinogenesis, int-1 and int-2, are independently regulated during mouse development. 1986 , 83, 7806-10	190
1625	Photocrosslinking of the signal sequence of nascent preprolactin to the 54-kilodalton polypeptide of the signal recognition particle. 1986 , 83, 8604-8	297
1624	Satellite tobacco ringspot virus RNA: A subset of the RNA sequence is sufficient for autolytic processing. 1986 , 83, 8859-62	137
1623	Interferon-stimulated transcription: isolation of an inducible gene and identification of its regulatory region. 1986 , 83, 8929-33	165
1622	Molecular cloning and DNA sequence of the Arabidopsis thaliana alcohol dehydrogenase gene. 1986 , 83, 1408-12	230

1621 Microdissection of and microcloning from the short arm of human chromosome 2. 1986 , 6, 3826-30		47
Transcriptional control of the mouse prealbumin (transthyretin) gene: both promoter sequences and a distinct enhancer are cell specific. 1986 , 6, 4697-708		155
1619 Expression of multiple proliferin genes in mouse cells. 1986 , 6, 3283-6		36
Post-transcriptional control of 26 k casein genes during lactogenesis in mouse mammary glands. 1986 , 99, 1639-43		6
Sequence homology between tyrosine hydroxylase mRNA and a rat adrenal medullary cDNA. 1986 , 16, 3-12		7
Isolation and sequence of cDNA clones coding for the precursor to the gamma subunit of mouse muscle nicotinic acetylcholine receptor. 1986 , 16, 37-49		59
Localization of proopiomelanocortin mRNA in functional subsets of neurons defined by their axonal projections. 1986 , 16, 89-96		57
In situ hybridization histochemistry for the analysis of gene expression in the endocrine and central nervous system tissues: a 3-year experience. 1986 , 16, 183-200		123
Assignment of the human tyrosine aminotransferase gene to chromosome 16. <i>Human Genetics</i> , 1986 , 72, 225-8	6.3	32
Assessment of small polymorphisms in defined human collagen gene segments. Human Genetics,		
1612 1986 , 72, 245-7	6.3	
1986, 72, 245-7 Biologically active transcripts of cloned DNA of the coat protein messenger of two plant viruses. 1986, 6, 281-8	6.3	14
Biologically active transcripts of cloned DNA of the coat protein messenger of two plant viruses.	6.3	14 55
Biologically active transcripts of cloned DNA of the coat protein messenger of two plant viruses. 1986, 6, 281-8 Site-specific mutagenesis of potato spindle tuber viroid cDNA:: Alterations within premelting	6.3	
Biologically active transcripts of cloned DNA of the coat protein messenger of two plant viruses. 1986, 6, 281-8 Site-specific mutagenesis of potato spindle tuber viroid cDNA: : Alterations within premelting region 2 that abolish infectivity. 1986, 6, 179-92 The gene for the Mr 10,000 phosphoprotein associated with photosystem II is part of the psbB	6.3	55
Biologically active transcripts of cloned DNA of the coat protein messenger of two plant viruses. 1986, 6, 281-8 Site-specific mutagenesis of potato spindle tuber viroid cDNA:: Alterations within premelting region 2 that abolish infectivity. 1986, 6, 179-92 The gene for the Mr 10,000 phosphoprotein associated with photosystem II is part of the psbB operon of the spinach plastid chromosome. 1986, 11, 165-9		55 84
Biologically active transcripts of cloned DNA of the coat protein messenger of two plant viruses. 1986, 6, 281-8 Site-specific mutagenesis of potato spindle tuber viroid cDNA: : Alterations within premelting region 2 that abolish infectivity. 1986, 6, 179-92 The gene for the Mr 10,000 phosphoprotein associated with photosystem II is part of the psbB operon of the spinach plastid chromosome. 1986, 11, 165-9 Plastocyanin is encoded by an uninterrupted nuclear gene in spinach. 1986, 11, 171-6		55 84 90
Biologically active transcripts of cloned DNA of the coat protein messenger of two plant viruses. 1986, 6, 281-8 Site-specific mutagenesis of potato spindle tuber viroid cDNA:: Alterations within premelting region 2 that abolish infectivity. 1986, 6, 179-92 The gene for the Mr 10,000 phosphoprotein associated with photosystem II is part of the psbB operon of the spinach plastid chromosome. 1986, 11, 165-9 Plastocyanin is encoded by an uninterrupted nuclear gene in spinach. 1986, 11, 171-6 Isolation of cDNA clones for fourteen nuclear-encoded thylakoid membrane proteins. 1986, 204, 258-26 Heat-shock locus 93D of Drosophila melanogaster: An RNA with limited coding capacity		55849086

1603	Genes for male-specific transcripts in Drosophila melanogaster. 1986 , 202, 219-225	41
1602	Evidence in a nematode for regulation of transposon excision by tissue-specific factors. 1986 , 202, 410-5	18
1601	Organization of the ribosomal RNA genes in Mycoplasma hyopneumoniae: the 5S rRNA gene is separated from the 16S and 23S rRNA genes. 1986 , 205, 428-33	41
1600	The importance of the transit peptide and the transported protein for protein import into chloroplasts. 1986 , 205, 446-453	56
1599	A simple gene-expression system for the small subunit of ribulose bisphosphate carboxylase in leaves of Nicotiana sylvestris. 1986 , 7, 301-9	13
1598	Isolation of a cDNA clone coding for a possible neural nicotinic acetylcholine receptor alpha-subunit. 1986 , 319, 368-74	417
1597	Cloning of cDNA encoding the murine IgG1 induction factor by a novel strategy using SP6 promoter. 1986 , 319, 640-6	473
1596	An embryonic pattern of expression of a human fetal globin gene in transgenic mice. 1986 , 319, 685-9	191
1595	Product of per locus of Drosophila shares homology with proteoglycans. 1986 , 320, 185-8	224
1594	Splice-site selection by a self-splicing RNA of Tetrahymena. 1986 , 321, 133-139	149
1593	A novel type of human papillomavirus associated with genital neoplasias. 1986 , 321, 246-9	309
1592	A block to elongation is largely responsible for decreased transcription of c-myc in differentiated HL60 cells. 1986 , 321, 702-6	791
1591	Cloning the gene for an inherited human disorderchronic granulomatous diseaseon the basis of its chromosomal location. 1986 , 322, 32-8	723
1590	Expression of functional sodium channels from cloned cDNA. 1986 , 322, 826-8	473
1589	Transposon-dependent mutant phenotypes at the Notch locus of Drosophila. 1986 , 323, 89-91	54
1589 1588	Transposon-dependent mutant phenotypes at the Notch locus of Drosophila. 1986 , 323, 89-91 Cloning, sequencing and expression of complementary DNA encoding the muscarinic acetylcholine receptor. 1986 , 323, 411-6	54 855
	Cloning, sequencing and expression of complementary DNA encoding the muscarinic acetylcholine	

1585	Effect of mutations at the lariat branch acceptor site on beta-globin pre-mRNA splicing in vitro. 1986 , 324, 589-91	115
1584	Homoeobox gene expression in mouse embryos varies with position by the primitive streak stage. 1986 , 324, 662-4	120
1583	Location of a delta-subunit region determining ion transport through the acetylcholine receptor channel. 1986 , 324, 670-4	309
1582	Quantitation of vasopressin mRNA and oxytocin mRNA in hypothalamic nuclei by solution hybridization assays. 1986 , 47, 1814-21	44
1581	Comparison of mouse and human keratin 18: a component of intermediate filaments expressed prior to implantation. 1986 , 33, 61-8	92
1580	Expression of actin mRNAs in rat aortic smooth muscle cells during development, experimental intimal thickening, and culture. 1986 , 32, 245-51	83
1579	Molecular cloning, full-length sequence and preliminary characterization of a 56-kDa protein induced by human interferons. 1986 , 155, 11-7	66
1578	Regulation of type I collagen mRNA levels in fibroblasts. 1986 , 157, 433-9	13
1577	Effect of deletions within the leader peptide of pre-ornithine transcarbamylase on mitochondrial import. 1986 , 161, 19-23	27
1576	Expression of the major heat shock protein (hsp 70) family during early mouse embryo development. 1986 , 6, 493-510	67
1575	Isolation and characterization of the human catalase gene. <i>Nucleic Acids Research</i> , 1986 , 14, 5321-35 20.1	192
1574	Acceleration of nucleic acid hybridization rate by polyethylene glycol. 1986 , 152, 304-7	385
1573	In vitro expression of two proteins from overlapping reading frames in a eukaryotic DNA sequence. 1986 , 24, 61-71	7
1572	Analysis of lymphocytic choriomeningitis virus gene expression in acutely and persistently infected mice. 1986 , 175, 105-8	3
1571	Isolation and characterization of a light-inducible, organ-specific gene from potato and analysis of its expression after tagging and transfer into tobacco and potato shoots. 1986 , 205, 14-22	69
1570	Heterogeneous nuclear ribonucleoproteins: role in RNA splicing. 1986 , 231, 1534-9	395
1569	Genes encoding mammalian neuroendocrine peptides: strategies toward their identification and analysis. 1986 , 48, 431-46	12
1568	Effect of gamma interferon on cachectin expression by mononuclear phagocytes. Reversal of the lpsd (endotoxin resistance) phenotype. 1986 , 164, 1791-6	217

1567	The organization of the human HPRT gene. <i>Nucleic Acids Research</i> , 1986 , 14, 3103-18	20.1	118
1566	In vitro processing of a plant pre-mRNA in a HeLa cell nuclear extract. <i>Nucleic Acids Research</i> , 1986 , 14, 7513-28	20.1	45
1565	Three distinct activities possibly involved in mRNA splicing are found in a nuclear fraction lacking U1 and U2 RNA. <i>Nucleic Acids Research</i> , 1986 , 14, 3045-57	20.1	35
1564	A BR 1 gene in Chironomus tentans has a composite structure: a large repetitive core block is separated from a short unrelated 3'-terminal domain by a small intron. <i>Nucleic Acids Research</i> , 1986 , 14, 703-19	20.1	22
1563	The human thyroglobulin gene is over 300 kb long and contains introns of up to 64 kb. <i>Nucleic Acids Research</i> , 1986 , 14, 5171-86	20.1	63
1562	Construction of a retroviral cDNA version of the int-1 mammary oncogene and its expression in vitro. <i>Nucleic Acids Research</i> , 1986 , 14, 693-702	20.1	24
1561	Bacterial gene inserted in an engineered RNA virus: efficient expression in monocotyledonous plant cells. 1986 , 231, 1294-7		191
1560	Gamma interferon enhances macrophage transcription of the tumor necrosis factor/cachectin, interleukin 1, and urokinase genes, which are controlled by short-lived repressors. 1986 , 164, 2113-8		485
1559	The primary structure of chicken B-creatine kinase and evidence for heterogeneity of its mRNA. <i>Nucleic Acids Research</i> , 1986 , 14, 1449-63	20.1	48
1558	Essential features of the assembly origin of tobacco mosaic virus RNA as studied by directed mutagenesis. <i>Nucleic Acids Research</i> , 1986 , 14, 9229-42	20.1	42
1557	Molecular analysis of a deletion polymorphism in alpha satellite of human chromosome 17: evidence for homologous unequal crossing-over and subsequent fixation. <i>Nucleic Acids Research</i> , 1986 , 14, 6915-27	20.1	103
1556	Molecular characterization of the MT-family of dispersed middle-repetitive DNA in rodent genomes. <i>Nucleic Acids Research</i> , 1986 , 14, 6403-16	20.1	42
1555	Control of cell division in Escherichia coli. DNA sequence of dicA and of a second gene complementing mutation dicA1, dicC. <i>Nucleic Acids Research</i> , 1986 , 14, 6821-33	20.1	24
1554	Structure of the DNA distal to the gene for ribosomal protein S20 in Escherichia coli K12: presence of a strong terminator and an IS1 element. <i>Nucleic Acids Research</i> , 1986 , 14, 6965-81	20.1	43
1553	Characterisation of chicken erythroid nuclear proteins which bind to the nuclease hypersensitive regions upstream of the beta A- and beta H-globin genes. <i>Nucleic Acids Research</i> , 1986 , 14, 7675-93	20.1	53
1552	Expression strategies of the yeast retrotransposon Ty: a short sequence directs ribosomal frameshifting. <i>Nucleic Acids Research</i> , 1986 , 14, 7001-16	20.1	63
1551	Sequences of three promoters for the bacteriophage SP6 RNA polymerase. <i>Nucleic Acids Research</i> , 1986 , 14, 3521-6	20.1	52
1550	A deletion truncating the gonadotropin-releasing hormone gene is responsible for hypogonadism in the hpg mouse. 1986 , 234, 1366-71		503

1549	Purification of the gam gene-product of bacteriophage Mu and determination of the nucleotide sequence of the gam gene. <i>Nucleic Acids Research</i> , 1986 , 14, 6901-14	.1	17
1548	M13 vectors with T7 polymerase promoters: transcription limited by oligonucleotides. <i>Nucleic Acids Research</i> , 1986 , 14, 2830	.1	21
1547	A mouse homeo box gene is expressed in spermatocytes and embryos. 1986 , 233, 663-7		129
1546	Efficient trans-splicing of a yeast mitochondrial RNA group II intron implicates a strong 5' exon-intron interaction. 1986 , 234, 1099-104		84
1545	Tissue-specific and ectopic expression of genes introduced into transgenic mice by retroviruses. 1986 , 234, 1409-13		103
1544	The hypogonadal mouse: reproductive functions restored by gene therapy. 1986 , 234, 1372-8		235
1543	Multiple control elements in the TRP1 promoter of Saccharomyces cerevisiae. 1986 , 6, 4251-8		51
1542	Molecular cloning of the chicken progesterone receptor. 1986 , 233, 767-70		218
1541	Novel promoter upstream of the human c-myc gene and regulation of c-myc expression in B-cell lymphomas. 1986 , 6, 3481-9		178
1540	Expression of the Saccharomyces cerevisiae inositol-1-phosphate synthase (INO1) gene is regulated by factors that affect phospholipid synthesis. 1986 , 6, 3320-8		211
1539	Detection of human cytomegalovirus in urine by DNA-DNA and RNA-DNA hybridization. 1986 , 154, 309-14		44
1538	Human lecithin-cholesterol acyltransferase gene: complete gene sequence and sites of expression. Nucleic Acids Research, 1986 , 14, 9397-406	.1	120
1537	Cloning and in vitro expression of the measles virus matrix gene. 1986 , 64, 1038-43		5
1536	Analysis of the organization and nucleotide sequence of the chromosomal gene for the beta-subunit of rat thyrotropin. 1986 , 5, 299-304		35
1535	Self-cleavage of plus and minus RNA transcripts of avocado sunblotch viroid. <i>Nucleic Acids Research</i> , 1986 , 14, 3627-40	.1	509
1534	Rapid RNA sequencing using double-stranded template DNA, SP6 polymerase, and 3'-deoxynucleotide triphosphates. 1986 , 5, 167-71		11
1533	Synthetic oligonucleotide tails inhibit in vitro and in vivo translation of SP6 transcripts of maize zein cDNA clones. <i>Nucleic Acids Research</i> , 1986 , 14, 1511-24	.1	40
1532	Fine structure of the human hypoxanthine phosphoribosyltransferase gene. 1986 , 6, 393-403		200

1531	Secretory protein translocation in a yeast cell-free system can occur posttranslationally and requires ATP hydrolysis. 1986 , 102, 1543-50		310
1530	Plant glutamine synthetase complements a glnA mutation in Escherichia coli. 1986 , 232, 1242-4		64
1529	Presence of a polyadenylated RNA fragment encoding the membrane domain for immunoglobulin alpha chain indicates that mRNAs for both secreted and membrane-bound alpha chains can be produced from the same RNA transcript. <i>Nucleic Acids Research</i> , 1986 , 14, 6129-44	20.1	12
1528	Comparison of the late H1 histone genes of the sea urchins Lytechinus pictus and Strongelocentrotus purpuratus. <i>Nucleic Acids Research</i> , 1986 , 14, 8121-33	20.1	28
1527	Alternative splicing of SV40 early pre-mRNA in vitro. <i>Nucleic Acids Research</i> , 1986 , 14, 9911-26	20.1	32
1526	Transcriptional and posttranscriptional regulation of exogenous human beta interferon gene in simian cells defective in interferon synthesis. 1986 , 6, 2279-83		175
1525	The developmental expression of the gene for TFIIIA in Xenopus laevis. <i>Nucleic Acids Research</i> , 1986 , 14, 6185-95	20.1	45
1524	Genomic sequence for human prointerleukin 1 beta: possible evolution from a reverse transcribed prointerleukin 1 alpha gene. <i>Nucleic Acids Research</i> , 1986 , 14, 7897-914	20.1	180
1523	Rye heterochromatin. I. Studies on clusters of the major repeating sequence and the identification of a new dispersed repetitive sequence element. 1986 , 28, 645-657		68
1522	Analysis of the genome structure of tobacco rattle virus strain PSG. <i>Nucleic Acids Research</i> , 1986 , 14, 2157-69	20.1	68
1521	Affinity chromatography of splicing complexes: U2, U5, and U4 + U6 small nuclear ribonucleoprotein particles in the spliceosome. 1986 , 233, 1294-9		242
1520	Linkage analysis of polymorphisms within the DNA fragment XJ cloned from the breakpoint of an X;21 translocation associated with X linked muscular dystrophy. 1986 , 23, 548-55		28
1519	Cloning and characterization of human and rat liver cDNAs coding for a gap junction protein. 1986 , 103, 767-76		411
1518	The relationship between mRNA stability and length in Saccharomyces cerevisiae. <i>Nucleic Acids Research</i> , 1986 , 14, 8347-60	20.1	102
1517	The common 5' terminal sequence on trypanosome mRNAs: a target for anti-messenger oligodeoxynucleotides. <i>Nucleic Acids Research</i> , 1986 , 14, 5605-14	20.1	89
1516	The mRNA for a proteinase inhibitor related to the HI-30 domain of inter-alpha-trypsin inhibitor also encodes alpha-1-microglobulin (protein HC). <i>Nucleic Acids Research</i> , 1986 , 14, 7839-50	20.1	196
1515	Isolation of oligonucleosomes from active chromatin using HMG17-specific monoclonal antibodies. <i>Nucleic Acids Research</i> , 1986 , 14, 3363-76	20.1	55
1514	Nucleotide sequence of a cloned hepatitis B virus genome, subtype ayr: comparison with genomes of the other three subtypes. 1986 , 67 (Pt 11), 2305-14		146

1513	Protein translocation across the yeast microsomal membrane is stimulated by a soluble factor. 1986 , 103, 2629-36		84
1512	A trans-acting mechanism represses the expression of the major transplantation antigens in mouse hybrid thymoma cell lines. 1986 , 164, 677-94		17
1511	Meiotic maturation of mouse oocytes triggers the translation and polyadenylation of dormant tissue-type plasminogen activator mRNA. 1987 , 1, 1201-11		174
1510	Closely linked DNA elements control the expression of the Sgs-5 glue protein gene in Drosophila. 1987 , 1, 829-39		28
1509	DNA inserted two bases down from the initiation site of a SP6 polymerase transcription vector is transcribed efficiently in vitro. <i>Nucleic Acids Research</i> , 1987 , 15, 1337	20.1	7
1508	Regulation of viral and cellular promoter activity by polyomavirus early proteins. <i>Nucleic Acids Research</i> , 1987 , 15, 1595-613	20.1	5
1507	Differential usage of three exons generates at least five different mRNAs encoding human leukocyte common antigens. 1987 , 166, 1548-66		309
1506	Transcription of a human transposon-like sequence is usually directed by other promoters. <i>Nucleic Acids Research</i> , 1987 , 15, 5199-215	20.1	39
1505	Erythroid anion transporter assembly is mediated by a developmentally regulated recruitment onto a preassembled membrane cytoskeleton. 1987 , 105, 1405-16		27
1504	Expression of a beta thalassemia gene with abnormal splicing. <i>Nucleic Acids Research</i> , 1987 , 15, 8195-204	2 0.1	21
1503	Northern and Southern blots. 1987, 152, 572-81		73
1502	The influenza hemagglutinin insertion signal is not cleaved and does not halt translocation when presented to the endoplasmic reticulum membrane as part of a translocating polypeptide. 1987 , 104, 1705-14		29
1501	A homogeneous nucleic acid hybridization assay based on strand displacement. <i>Nucleic Acids Research</i> , 1987 , 15, 6883-97	20.1	28
1500	Lysozyme gene activity in chicken macrophages is controlled by positive and negative regulatory elements. <i>Nucleic Acids Research</i> , 1987 , 15, 4163-78	20.1	89
1499	Thyroid hormone induction of keratin genes: a two-step activation of gene expression during development. 1987 , 1, 1107-17		55
1498	Isolation and characterization of cDNA clones for rat ribophorin I: complete coding sequence and in vitro synthesis and insertion of the encoded product into endoplasmic reticulum membranes. 1987 , 104, 855-63		45
1497	Plasmid Vectors Carrying the Replication Origin of Filamentous Single-Stranded Phages. 1987 , 135-154		73
1496	Isolation, structure and expression of mammalian genes for histidyl-tRNA synthetase. <i>Nucleic Acids Research</i> , 1987 , 15, 3349-67	20.1	74

1495	Pancreatic neoplasia induced by SV40 T-antigen expression in acinar cells of transgenic mice. 1987 , 238, 188-93	231
1494	Identification by cell fusion of gene sequences that interact with positive trans-acting factors. 1987 , 237, 283-6	70
1493	Isolation of an olfactory cDNA: similarity to retinol-binding protein suggests a role in olfaction. 1987 , 235, 1053-6	119
1492	Activation of the HIV-1 LTR by T cell mitogens and the trans-activator protein of HTLV-I. 1987 , 238, 1575-8	433
1491	Cloning of complementary DNA for GAP-43, a neuronal growth-related protein. 1987 , 236, 597-600	338
1490	Differential regulation of gonadotropin subunit messenger ribonucleic acids by gonadotropin-releasing hormone pulse frequency in ewes. 1987 , 1, 724-8	54
1489	Unusual proopiomelanocortin ribonucleic acids in extrapituitary tissues: intronless transcripts in testes and long poly(A) tails in hypothalamus. 1987 , 1, 749-57	89
1488	Glucocorticoid control of rat growth hormone gene expression: effect on cytoplasmic messenger ribonucleic acid production and degradation. 1987 , 1, 933-41	17
1487	Molecular cloning and sequencing of a rat preprogastrin complementary deoxyribonucleic acid. 1987 , 1, 306-11	74
1486	A yeast mutant defective at an early stage in import of secretory protein precursors into the endoplasmic reticulum. 1987 , 105, 633-45	369
1485	Interaction of GAL4 and GAL80 gene regulatory proteins in vitro. 1987 , 7, 3446-51	156
1484	Structure-function properties of the chicken progesterone receptor A synthesized from complementary deoxyribonucleic acid. 1987 , 1, 791-801	57
1483	Canine pancreatic polypeptide complementary deoxyribonucleic acid sequence: pancreatic polypeptide and insulin messenger ribonucleic acid distribution in the lobes of the pancreas. 1987 , 1, 413-9	6
1482	Efficient in vitro and in vivo expression of human glucocerebrosidase cDNA. 1987, 6, 101-8	37
1481	Structure of the 3' region of the human elastin gene: great abundance of Alu repetitive sequences and few coding sequences. 1987 , 16, 197-211	51
1480	A comparison of eukaryotic viral 5'-leader sequences as enhancers of mRNA expression in vivo. Nucleic Acids Research, 1987, 15, 8693-711	206
1479	Non R adioactive Photobiotin I labeled Probes Detect Single Copy Genes and Low Abundance mRNA. 1987 , 5, 269-272	23
1478	A low polymorphic mouse H-2 class I gene from the Tla complex is expressed in a broad variety of cell types. 1987 , 166, 341-61	69

1477	chromosomal site. 1987 , 1, 1075-84		22
1476	T cell antigen receptor expression in athymic (nu/nu) mice. Evidence for an oligoclonal beta chain repertoire. 1987 , 166, 195-209		76
1475	Functional gap junctions are not required for muscle gene activation by induction in Xenopus embryos. 1987 , 104, 557-64		30
1474	U1 precursors: variant 3' flanking sequences are transcribed in human cells. 1987 , 104, 175-82		18
1473	Stage-specific selection of alternative transcriptional initiation sites from the 5C actin gene of Drosophila melanogaster. 1987 , 1, 1161-71		48
1472	Species- and tissue-specific expression of human alpha 1-antitrypsin in transgenic mice. 1987 , 1, 161-71		111
1471	Introns increase gene expression in cultured maize cells. 1987 , 1, 1183-200		557
1470	Isotypes of alpha-tubulin are differentially regulated during neuronal maturation. 1987 , 105, 3065-73		198
1469	RNA polymerase II terminates transcription in vitro in the SV40 origin region. <i>Nucleic Acids Research</i> , 1987 , 15, 4417-36	20.1	12
1468	Studies on SP6 promoter using a new plasmid vector that allows gene insertion at the transcription initiation site. <i>Nucleic Acids Research</i> , 1987 , 15, 2279-94	20.1	28
1467	Oestrogen regulates cathepsin D mRNA levels in oestrogen responsive human breast cancer cells. <i>Nucleic Acids Research</i> , 1987 , 15, 3773-86	20.1	120
1466	Transcription analysis of the maize chloroplast gene for the ribosomal protein S4. <i>Nucleic Acids Research</i> , 1987 , 15, 1853-67	20.1	22
1465	Identification of a novel sequence that governs both polyadenylation and alternative splicing in region E3 of adenovirus. <i>Nucleic Acids Research</i> , 1987 , 15, 9397-416	20.1	29
1464	Enzymatic synthesis of RNA oligonucleotides. <i>Nucleic Acids Research</i> , 1987 , 15, 6705-11	20.1	15
1463	Expression of human cathepsin D in Xenopus oocytes: phosphorylation and intracellular targeting. 1987 , 105, 1937-45		68
1462	Cloning and sequencing of Schizosaccharomyces pombe DNA topoisomerase I gene, and effect of gene disruption. <i>Nucleic Acids Research</i> , 1987 , 15, 9727-39	20.1	84
1461	Specific and cooperative binding of E. coli single-stranded DNA binding protein to mRNA. <i>Nucleic Acids Research</i> , 1987 , 15, 5241-50	20.1	22
1460	Expression of mRNA electroporated into plant and animal cells. <i>Nucleic Acids Research</i> , 1987 , 15, 5823-3	2 0.1	43

1459	In vitro processing of the human growth hormone primary transcript. <i>Nucleic Acids Research</i> , 1987 , 15, 7005-25	20.1	14
1458	The untranslated leader of nuclear COX4 gene of Saccharomyces cerevisiae contains an intron. <i>Nucleic Acids Research</i> , 1987 , 15, 3515-29	20.1	24
1457	Assembly of pre-mRNA splicing complex is cap dependent. <i>Nucleic Acids Research</i> , 1987 , 15, 1387-99	20.1	47
1456	cDNA Cloning of Plant RNA Viruses and Viroids. 1987 , 53-85		1
1455	Identification of the sequence required for expression of the 2H4 epitope on the human leukocyte common antigens. 1987 , 166, 1567-72		50
1454	Plasminogen activator and mouse spermatozoa: urokinase synthesis in the male genital tract and binding of the enzyme to the sperm cell surface. 1987 , 104, 1281-9		113
1453	Stereospecificity of nucleases towards phosphorothioate-substituted RNA: stereochemistry of transcription by T7 RNA polymerase. <i>Nucleic Acids Research</i> , 1987 , 15, 4145-62	20.1	120
1452	The complete sequence of the MHC class II chain RT.1D alpha u of the diabetic BB rat: mRNA levels of RT1.D alpha in lymphocytes. <i>Nucleic Acids Research</i> , 1987 , 15, 10551-67	20.1	19
1451	Biogenesis of mitochondria: a mutation in the 5'-untranslated region of yeast mitochondrial oli1 mRNA leading to impairment in translation of subunit 9 of the mitochondrial ATPase complex. <i>Nucleic Acids Research</i> , 1987 , 15, 1965-77	20.1	31
1450	Identification and cell type specificity of the tyrosine hydroxylase gene promoter. <i>Nucleic Acids Research</i> , 1987 , 15, 2363-84	20.1	71
1449	The yeast ROAM mutationidentification of the sequences mediating host gene activation and cell-type control in the yeast retrotransposon, Ty. <i>Nucleic Acids Research</i> , 1987 , 15, 7309-24	20.1	21
1448	A role for exon sequences in alternative splicing of the human fibronectin gene. <i>Nucleic Acids Research</i> , 1987 , 15, 7725-33	20.1	149
1447	Androgen regulated expression of a spermine binding protein gene in mouse ventral prostate. <i>Nucleic Acids Research</i> , 1987 , 15, 7709-24	20.1	39
1446	A method for gene disruption that allows repeated use of URA3 selection in the construction of multiply disrupted yeast strains. 1987 , 116, 541-5		802
1445	Butyrate selectively activates the metallothionein gene in teratocarcinoma cells and induces hypersensitivity to metal induction. <i>Nucleic Acids Research</i> , 1987 , 15, 5461-75	20.1	37
1444	Vectors for cell-free expression and mutagenesis of protein-coding sequences. <i>Nucleic Acids Research</i> , 1987 , 15, 10066	20.1	9
1443	A 3' enhancer contributes to the stage-specific expression of the human beta-globin gene. 1987 , 1, 954	-61	115
1442	Amount of RNA secondary structure required to induce an alternative splice. 1987 , 7, 3194-8		143

1441	Characterization of human papillomavirus type 45, a new type 18-related virus of the genital tract. 1987 , 68 (Pt 12), 3073-9		39
1440	Developmental and tissue-specific regulation of beta-tubulin gene expression in the embryo of the sea urchin Strongylocentrotus purpuratus. 1987 , 1, 147-60		35
1439	In vitro molecular genetics as a tool for determining the differential cleavage specificities of the poliovirus 3C proteinase. <i>Nucleic Acids Research</i> , 1987 , 15, 2069-88	1	79
1438	Growth hormone induction of insulin-like growth factor I messenger RNA in primary cultures of rat liver cells. 1987 , 115, 135-9		48
1437	Equilibrium properties of mouse-Torpedo acetylcholine receptor hybrids expressed in Xenopus oocytes. 1987 , 90, 553-73		46
1436	Retroviruses and insertional mutagenesis in mice: proviral integration at the Mov 34 locus leads to early embryonic death. 1987 , 1, 366-75		107
1435	Human muscle carbonic anhydrase: gene structure and DNA methylation patterns in fetal and adult tissues. 1987 , 1, 594-602		37
1434	Differential accumulation of U1 and U4 small nuclear RNAs during Xenopus development. 1987 , 1, 39-46		68
1433	A purine-rich DNA sequence motif present in SV40 and lymphotropic papovavirus binds a lymphoid-specific factor and contributes to enhancer activity in lymphoid cells. 1987 , 1, 962-72		102
1432	Widespread transcription of a Qa region gene in adult mice. 1987 , 166, 95-108		15
1432	Widespread transcription of a Qa region gene in adult mice. 1987, 166, 95-108 Expression and assembly of a human neurofilament protein in transgenic mice provide a novel neuronal marking system. 1987, 1, 1085-95		15 95
1431	Expression and assembly of a human neurofilament protein in transgenic mice provide a novel		
1431	Expression and assembly of a human neurofilament protein in transgenic mice provide a novel neuronal marking system. 1987 , 1, 1085-95		95
1431	Expression and assembly of a human neurofilament protein in transgenic mice provide a novel neuronal marking system. 1987 , 1, 1085-95 Two mammalian genes transcribed from opposite strands of the same DNA locus. 1987 , 235, 1514-7	1	95
1431 1430 1429	Expression and assembly of a human neurofilament protein in transgenic mice provide a novel neuronal marking system. 1987, 1, 1085-95 Two mammalian genes transcribed from opposite strands of the same DNA locus. 1987, 235, 1514-7 Sequence and expression of a functional chicken progesterone receptor. 1987, 1, 517-25 Roles of cis-acting elements and chromatin structure in Drosophila alcohol dehydrogenase gene	1	95 187 106
1431 1430 1429 1428	Expression and assembly of a human neurofilament protein in transgenic mice provide a novel neuronal marking system. 1987, 1, 1085-95 Two mammalian genes transcribed from opposite strands of the same DNA locus. 1987, 235, 1514-7 Sequence and expression of a functional chicken progesterone receptor. 1987, 1, 517-25 Roles of cis-acting elements and chromatin structure in Drosophila alcohol dehydrogenase gene expression. <i>Nucleic Acids Research</i> , 1987, 15, 7903-20	1	95 187 106
1431 1430 1429 1428	Expression and assembly of a human neurofilament protein in transgenic mice provide a novel neuronal marking system. 1987, 1, 1085-95 Two mammalian genes transcribed from opposite strands of the same DNA locus. 1987, 235, 1514-7 Sequence and expression of a functional chicken progesterone receptor. 1987, 1, 517-25 Roles of cis-acting elements and chromatin structure in Drosophila alcohol dehydrogenase gene expression. <i>Nucleic Acids Research</i> , 1987, 15, 7903-20 In vitro RNA synthesis with SP6 RNA polymerase. 1987, 155, 397-415 Allelic exclusion in transgenic mice that express the membrane form of immunoglobulin mu. 1987,		95 187 106 23 622

Determinants of rat albumin promoter tissue specificity analyzed by a expression system. 1987 , 7, 2425-34	n improved transient	187
1422 Structural organization and expression of the mouse estrogen recepto	рг. 1987, 1, 735-44	336
Transport of the murine Mx protein into the nucleus is dependent on a sequence. 1987 , 7, 657-69	a basic carboxy-terminal	61
Neural cell adhesion molecule: structure, immunoglobulin-like domain and alternative RNA splicing. 1987 , 236, 799-806	s, cell surface modulation,	1047
1419 Enzymatic synthesis of oligoribonucleotides of defined sequence. 198	7 , 6, 497-504	1
Mouse cell lines that use heat shock promoters to regulate the expres activator. 1987 , 6, 343-52	sion of tissue plasminogen	10
1417 Tailored removal of flanking homopolymer sequences from cDNA clor	nes. 1987 , 6, 505-13	10
In vitro synthesis of influenza viral RNA: characterization of an isolated supports transcription of influenza viral RNA. 1987 , 101, 837-45	d nuclear system that	27
1415 Products of in vitro cleavage and polyadenylation of simian virus 40 la	te pre-mRNAs. 1987 , 7, 1518-29	71
Detection of luteinizing hormone beta messenger ribonucleic acid (RN 1414 gonadotropes after castration: use of a new in situ hybridization meth complementary RNA probe. 1987 , 1, 926-32		50
1413 Antisense RNA inhibition of endogenous genes. 1987 , 151, 519-30	1	16
1412 Demonstration of tissue-specific gene expression by in situ hybridizati	ion. 1987, 152, 649-61	143
Inhibition of protein synthesis in LLC-PK1 cells increases calcitonin-ind gene transcription and mRNA stability. 1987 , 242, 387-92	uced plasminogen-activator ϵ	64
1410 Ornithine decarboxylase production in vitro by using mouse cDNA. 19 8	87 , 245, 127-32	10
Peptide analysis of collagen produced from cDNA by transcription and 245, 393-8	I translation in vitro. 1987 ,	6
Butyrate stimulates tissue-type plasminogen-activator synthesis in culcells. 1987 , 247, 605-12	tured human endothelial	76
1407 Spatially regulated expression of chorion genes during Drosophila oog	genesis. 1987 , 1, 497-509	52
1406 The use of DNA probes in dental diagnosis and therapy. 1987 , 1, 99-10	8 2	2

1405	Examining the possible molecular origins for enamel protein complexity. 1987 , 1, 298-305	22
1404	Structure and expression of the chicken ferritin H-subunit gene. 1987 , 7, 1751-8	82
1403	Role of AbrB in Spo0A- and Spo0B-dependent utilization of a sporulation promoter in Bacillus subtilis. 1987 , 169, 2223-30	248
1402	Molecular cloning and gene structure of elastins. 1987 , 144, 259-88	2
1401	Molecular biology in Dictyostelium: tools and applications. 1987 , 28, 67-100	199
1400	Relative transcription rates and mRNA levels for the two chains of type I procollagen. 1987 , 144, 74-83	7
1399	Translation of messenger RNA in injected frog oocytes. 1987 , 152, 288-96	42
1398	Subcloning. 1987 , 152, 512-22	7
1397	Determination of the minimum polypeptide lengths of the functionally active sites of human interleukins 1 alpha and 1 beta. 1987 , 84, 4572-6	89
1396	Engineered defective interfering RNAs of Sindbis virus express bacterial chloramphenicol acetyltransferase in avian cells. 1987 , 84, 4811-5	34
1395	Interferon messenger RNA is produced constitutively in the organs of normal individuals. 1987 , 84, 5038-42	108
1394	Human cDNA clones for an alpha subunit of Gi signal-transduction protein. 1987 , 84, 5115-9	85
1393	Self-assembly of proglycinin and hybrid proglycinin synthesized in vitro from cDNA. 1987 , 84, 5525-9	56
1392	Binding of the virion protein mediating alpha gene induction in herpes simplex virus 1-infected cells to its cis site requires cellular proteins. 1987 , 84, 7061-5	200
1391	Accurate 5' splice-site selection in mouse kappa immunoglobulin light chain premessenger RNAs is not cell-type-specific. 1987 , 84, 7928-32	22
1390	Site-specific insertion of DNA into a pseudorabies virus vector. 1987 , 84, 9108-12	57
1389	Cloning, sequencing, and expression of cDNA for human beta-glucuronidase. 1987 , 84, 685-9	154
1388	Ha-ras oncogene expression directed by a milk protein gene promoter: tissue specificity, hormonal regulation, and tumor induction in transgenic mice. 1987 , 84, 1299-303	197

1387	The lethal yellow allele-associated provirus results in the production of chimeric viral-host RNAs. 1987 , 84, 2853-7	4
1386	Tissue-specific and hormonally regulated expression of a rat alpha 2u globulin gene in transgenic mice. 1987 , 7, 3749-58	29
1385	Upstream G gamma-globin and downstream beta-globin sequences required for stage-specific expression in transgenic mice. 1987 , 7, 4024-9	78
1384	Amino acid sequences that determine the nuclear localization of yeast histone 2B. 1987 , 7, 4048-57	200
1383	Recognition of mutant and cryptic 5' splice sites by the U1 small nuclear ribonucleoprotein in vitro. 1987 , 7, 698-707	38
1382	Developmental regulation of SPO13, a gene required for separation of homologous chromosomes at meiosis I. 1987 , 7, 1425-35	110
1381	Saccharomyces cerevisiae positive regulatory gene PET111 encodes a mitochondrial protein that is translated from an mRNA with a long 5' leader. 1987 , 7, 2728-34	55
1380	Isolation and characterization of full-length functional cDNA clones for human carcinoembryonic antigen. 1987 , 7, 3221-30	164
1379	Cyclic AMP regulation of early gene expression in Dictyostelium discoideum: mediation via the cell surface cyclic AMP receptor. 1987 , 7, 458-69	116
1378	Regulation of platelet-derived growth factor gene expression by transforming growth factor beta and phorbol ester in human leukemia cell lines. 1987 , 7, 3656-62	69
1377	The natural 5' splice site of simian virus 40 large T antigen can be improved by increasing the base complementarity to U1 RNA. 1987 , 7, 3018-20	98
1376	Control of hematopoietic cell growth regulators during mouse fetal development. 1987 , 7, 3361-4	44
1375	Type XII collagen: distinct extracellular matrix component discovered by cDNA cloning. 1987 , 84, 6040-4	123
1374	Functional expression of two neuronal nicotinic acetylcholine receptors from cDNA clones identifies a gene family. 1987 , 84, 7763-7	351
1373	Stable and heritable inhibition of the expression of nopaline synthase in tobacco expressing antisense RNA. 1987 , 84, 8439-43	91
1372	Accurate initiation at RNA polymerase II promoters in extracts from Saccharomyces cerevisiae. 1987 , 84, 8839-43	142
1371	Aberrant splicing of proteolipid protein mRNA in the dysmyelinating jimpy mutant mouse. 1987 , 84, 1454-8	171
1370	Deduced primary structure of the beta subunit of brain type II Ca2+/calmodulin-dependent protein kinase determined by molecular cloning. 1987 , 84, 1794-8	232

1369	cDNA cloning and sequence of MAL, a hydrophobic protein associated with human T-cell differentiation. 1987 , 84, 1997-2001	130
1368	A maternal mRNA localized to the animal pole of Xenopus eggs encodes a subunit of mitochondrial ATPase. 1987 , 84, 2798-802	60
1367	Synthesis and protein body deposition of maize 15-kd zein in transgenic tobacco seeds. 1987 , 6, 3213-3221	91
1366	Molecular cloning and characterization of esterase-6, a serine hydrolase of Drosophila. 1987 , 84, 3359-63	78
1365	Interferon-induced transcription of a gene encoding a 15-kDa protein depends on an upstream enhancer element. 1987 , 84, 6394-8	356
1364	Genomic RNAs of influenza viruses are held in a circular conformation in virions and in infected cells by a terminal panhandle. 1987 , 84, 8140-4	239
1363	Analysis of a cDNA clone expressing a human autoimmune antigen: full-length sequence of the U2 small nuclear RNA-associated B" antigen. 1987 , 84, 2421-5	114
1362	Gene expression of the chondroitin sulfate proteoglycan core protein PG19. 1987 , 7, 33-40	22
1361	Metallothionein genes MTa and MTb expressed under distinct quantitative and tissue-specific regulation in sea urchin embryos. 1987 , 7, 48-58	60
1360	Reconstitution of the U1 small nuclear ribonucleoprotein particle. 1987 , 7, 4030-7	82
1359	Tissue-specific activity of the pro-opiomelanocortin gene promoter. 1987 , 7, 4058-64	71
1358	Site-specific demethylation and normal chromatin structure of the human dihydrofolate reductase gene promoter after transfection into CHO cells. 1987 , 7, 2830-7	32
1357	Regulation of murine class I genes by interferons is controlled by regions located both 5' and 3' to the transcription initiation site. 1987 , 84, 3380-4	88
1356	Soluble factors stimulating secretory protein translocation in bacteria and yeast can substitute for each other. 1987 , 84, 3723-7	16
1355	An extrachromosomal form of the Mu transposons of maize. 1987 , 84, 4924-8	61
1354	3'-orf and sor genes of human immunodeficiency virus: in vitro transcription-translation and immunoreactive domains. 1987 , 84, 5429-33	18
1353	Promoter trans-activation of protooncogenes c-fos and c-myc, but not c-Ha-ras, by products of adenovirus early region 1A. 1987 , 84, 6430-3	51
1352	Multiple DNA sequence elements are necessary for the function of an immunoglobulin heavy chain promoter. 1987 , 84, 7634-8	115

1351	Host control of plasmid replication: requirement for the sigma factor sigma 32 in transcription of mini-F replication initiator gene. 1987 , 84, 8849-53	36
1350	Differential expression of alternative 5' untranslated regions in mRNAs encoding rat insulin-like growth factor I. 1987 , 84, 8946-50	233
1349	cDNA cloning and complete sequence of porcine choline acetyltransferase: in vitro translation of the corresponding RNA yields an active protein. 1987 , 84, 9280-4	88
1348	Suppression of endo B cytokeratin by its antisense RNA inhibits the normal coexpression of endo A cytokeratin. 1987 , 84, 1040-4	30
1347	Cosmid vectors for rapid genomic walking, restriction mapping, and gene transfer. 1987 , 84, 2160-4	203
1346	Neural BC1 RNA: cDNA clones reveal nonrepetitive sequence content. 1987 , 84, 2624-8	126
1345	Expression of a full-length cDNA for the human "MDR1" gene confers resistance to colchicine, doxorubicin, and vinblastine. 1987 , 84, 3004-8	946
1344	Developmentally regulated expression of the nerve growth factor receptor gene in the periphery and brain. 1987 , 84, 3060-3	121
1343	Genomic organization of alpha satellite DNA on human chromosome 7: evidence for two distinct alphoid domains on a single chromosome. 1987 , 7, 349-56	222
1342	cis-acting regulatory elements within gag genes of avian retroviruses. 1987 , 7, 388-97	78
1341	Isolation, characterization, and expression of the gene encoding the late histone subtype H1-gamma of the sea urchin Strongylocentrotus purpuratus. 1987 , 7, 478-85	35
1340	Proviral sequences that restrict retroviral expression in mouse embryonal carcinoma cells. 1987 , 7, 3775-84	68
1339	Genetic and biochemical characterization of clathrin-deficient Saccharomyces cerevisiae. 1987 , 7, 3888-98	84
1338	Two lck transcripts containing different 5' untranslated regions are present in T cells. 1987 , 7, 4407-13	61
1337	Regulated expression of a complete human beta-globin gene encoded by a transmissible retrovirus vector. 1987 , 7, 887-97	141
1336	In vitro splicing of kappa immunoglobulin precursor mRNA. 1987 , 7, 1346-51	16
1335	Primary sequence and developmental expression of a novel Drosophila melanogaster src gene. 1987 , 7, 2119-27	94
1334	12-O-tetradecanoyl-phorbol-13-acetate induction of the human collagenase gene is mediated by an inducible enhancer element located in the 5'-flanking region. 1987 , 7, 2256-66	694

1333	In vitro splicing of the terminal intervening sequence of Saccharomyces cerevisiae cytochrome b pre-mRNA. 1987 , 7, 2545-51	51
1332	Selective induction of human heat shock gene transcription by the adenovirus E1A gene products, including the 12S E1A product. 1987 , 7, 2884-90	125
1331	A DNA sequence of 15 base pairs is sufficient to mediate both glucocorticoid and progesterone induction of gene expression. 1987 , 84, 7871-5	313
1330	An enhancer responsible for activating transcription at the midblastula transition in Xenopus development. 1987 , 84, 2331-5	49
1329	The membrane-associated enzyme phosphatidylserine synthase is regulated at the level of mRNA abundance. 1987 , 7, 167-76	120
1328	In vitro splicing pathways of pre-mRNAs containing multiple intervening sequences?. 1987 , 7, 3428-37	38
1327	The heat shock response in HeLa cells is accompanied by elevated expression of the c-fos proto-oncogene. 1987 , 7, 3452-8	148
1326	Growth factor-deprived BALB/c 3T3 murine fibroblasts can enter the S phase after induction of c-myc gene expression. 1987 , 7, 3554-60	44
1325	Expression of transfected vimentin genes in differentiating murine erythroleukemia cells reveals divergent cis-acting regulation of avian and mammalian vimentin sequences. 1987 , 7, 3955-70	26
1324	Alternative splicing of chicken fibronectin in embryos and in normal and transformed cells. 1987 , 7, 4297-307	158
1323	Autogenous regulation of histone mRNA decay by histone proteins in a cell-free system. 1987 , 7, 4345-56	86
1322	Induced heat shock mRNAs escape the nucleocytoplasmic transport block in adenovirus-infected HeLa cells. 1987 , 7, 4505-12	48
1321	Expression of qa-1F activator protein: identification of upstream binding sites in the qa gene cluster and localization of the DNA-binding domain. 1987 , 7, 1256-66	112
1320	Expression of a multidrug-resistance gene in human tumors and tissues. 1987 , 84, 265-9	1301
1319	A cellular enhancer of retrovirus gene expression in embryonal carcinoma cells. 1987 , 84, 3748-52	27
1318	Mutational analysis of potato spindle tuber viroid reveals complex relationships between structure and infectivity. 1987 , 84, 3967-71	48
1317	A human beta-actin expression vector system directs high-level accumulation of antisense transcripts. 1987 , 84, 4831-5	667
1316	The 3' untranslated region of the human interferon-beta mRNA has an inhibitory effect on translation. 1987 , 84, 6030-4	163

1315	Constitutive expression of a gene encoding a polypeptide homologous to biologically active human platelet protein in Rous sarcoma virus-transformed fibroblasts. 1987 , 84, 6715-9	128
1314	An IgE-binding protein with a distinctive repetitive sequence and homology with an IgG receptor. 1987 , 84, 6859-63	94
1313	Transcriptional control of the endogenous MYC protooncogene by antisense RNA. 1987, 84, 7363-7	132
1312	Cloning of the cDNA for the human beta 1-adrenergic receptor. 1987 , 84, 7920-4	528
1311	Expression and rearrangement of the ROS1 gene in human glioblastoma cells. 1987, 84, 9270-4	158
1310	The testis-specific phosphoglycerate kinase gene pgk-2 is a recruited retroposon. 1987 , 7, 3107-12	166
1309	Depolarizing influences regulate preprotachykinin mRNA in sympathetic neurons. 1987 , 84, 5078-81	52
1308	Multiple topogenic sequences in bovine opsin. 1987 , 84, 5783-7	122
1307	Stable expression of transfected Torpedo acetylcholine receptor alpha subunits in mouse fibroblast L cells. 1987 , 84, 5967-71	31
1306	Conservation of ferritin heavy subunit gene structure: implications for the regulation of ferritin gene expression. 1987 , 84, 7438-42	103
1306 1305		103
	gene expression. 1987 , 84, 7438-42	
1305	gene expression. 1987 , 84, 7438-42 Tissue-specific expression of the human type II collagen gene in mice. 1987 , 84, 2803-7 Both conserved signals on mammalian histone pre-mRNAs associate with small nuclear	40
1305	gene expression. 1987, 84, 7438-42 Tissue-specific expression of the human type II collagen gene in mice. 1987, 84, 2803-7 Both conserved signals on mammalian histone pre-mRNAs associate with small nuclear ribonucleoproteins during 3' end formation in vitro. 1987, 7, 1663-72 Cloning and expression of the mouse pgk-1 gene and the nucleotide sequence of its promoter.	40
1305 1304 1303	Tissue-specific expression of the human type II collagen gene in mice. 1987, 84, 2803-7 Both conserved signals on mammalian histone pre-mRNAs associate with small nuclear ribonucleoproteins during 3' end formation in vitro. 1987, 7, 1663-72 Cloning and expression of the mouse pgk-1 gene and the nucleotide sequence of its promoter. 1987, 60, 65-74 The Drosophila homolog of the mouse mammary oncogene int-1 is identical to the segment	40 78 341
1305 1304 1303 1302	Tissue-specific expression of the human type II collagen gene in mice. 1987, 84, 2803-7 Both conserved signals on mammalian histone pre-mRNAs associate with small nuclear ribonucleoproteins during 3' end formation in vitro. 1987, 7, 1663-72 Cloning and expression of the mouse pgk-1 gene and the nucleotide sequence of its promoter. 1987, 60, 65-74 The Drosophila homolog of the mouse mammary oncogene int-1 is identical to the segment polarity gene wingless. 1987, 50, 649-57	40 78 341 789
1305 1304 1303 1302	Tissue-specific expression of the human type II collagen gene in mice. 1987, 84, 2803-7 Both conserved signals on mammalian histone pre-mRNAs associate with small nuclear ribonucleoproteins during 3' end formation in vitro. 1987, 7, 1663-72 Cloning and expression of the mouse pgk-1 gene and the nucleotide sequence of its promoter. 1987, 60, 65-74 The Drosophila homolog of the mouse mammary oncogene int-1 is identical to the segment polarity gene wingless. 1987, 50, 649-57 The rudimentary gene of Drosophila melanogaster encodes four enzymic functions. 1987, 193, 1-13 The normal replication terminus of the Bacillus subtilis chromosome, terC, is dispensable for	40 78 341 789 105

1297	Identification of negative strand and positive strand RNA of canine distemper virus in animal tissues using single stranded RNA probes. <i>Journal of Virological Methods</i> , 1987 , 18, 121-31	2.6	7
1296	Regulation of expression of c-fos and c-myc in rat lymphoma Nb-2 cells. 1987 , 909, 231-6		8
1295	Detection and localization of single base changes by denaturing gradient gel electrophoresis. 1987 , 155, 501-27		661
1294	Transcription termination factor rho is an RNA-DNA helicase. 1987 , 48, 945-52		230
1293	Ascorbic acid and acetylcholine receptor expression. 1987 , 498, 77-89		11
1292	Genes for chromosomal proteins expressed before and after meiosis. 1987 , 513, 102-11		7
1291	Molecular modification of lymphokines by in vitro mutagenesis. 1987 , 507, 22-31		2
1290	Promoter selection in human mitochondria involves binding of a transcription factor to orientation-independent upstream regulatory elements. 1987 , 50, 247-58		219
1289	Model substrates for an RNA enzyme. 1987 , 238, 527-30		279
1288	Nucleotide sequence and in vitro expression of rubella virus 24S subgenomic messenger RNA encoding the structural proteins E1, E2 and C. <i>Nucleic Acids Research</i> , 1987 , 15, 3041-57	20.1	95
1288		20.1	95
	encoding the structural proteins E1, E2 and C. <i>Nucleic Acids Research</i> , 1987 , 15, 3041-57 Selective removal of transcription-blocking DNA damage from the transcribed strand of the	20.1	
1287	encoding the structural proteins E1, E2 and C. <i>Nucleic Acids Research</i> , 1987 , 15, 3041-57 Selective removal of transcription-blocking DNA damage from the transcribed strand of the mammalian DHFR gene. 1987 , 51, 241-9 Recombination at the human alpha-globin gene cluster: sequence features and topological	20.1	1100
1287 1286 1285	encoding the structural proteins E1, E2 and C. <i>Nucleic Acids Research</i> , 1987 , 15, 3041-57 Selective removal of transcription-blocking DNA damage from the transcribed strand of the mammalian DHFR gene. 1987 , 51, 241-9 Recombination at the human alpha-globin gene cluster: sequence features and topological constraints. 1987 , 49, 369-78 Self-cleavage of plus and minus RNAs of a virusoid and a structural model for the active sites. 1987 ,	20.1	1100
1287 1286 1285	encoding the structural proteins E1, E2 and C. Nucleic Acids Research, 1987, 15, 3041-57 Selective removal of transcription-blocking DNA damage from the transcribed strand of the mammalian DHFR gene. 1987, 51, 241-9 Recombination at the human alpha-globin gene cluster: sequence features and topological constraints. 1987, 49, 369-78 Self-cleavage of plus and minus RNAs of a virusoid and a structural model for the active sites. 1987, 49, 211-20	20.1	1100 322 625
1287 1286 1285	encoding the structural proteins E1, E2 and C. <i>Nucleic Acids Research</i> , 1987, 15, 3041-57 Selective removal of transcription-blocking DNA damage from the transcribed strand of the mammalian DHFR gene. 1987, 51, 241-9 Recombination at the human alpha-globin gene cluster: sequence features and topological constraints. 1987, 49, 369-78 Self-cleavage of plus and minus RNAs of a virusoid and a structural model for the active sites. 1987, 49, 211-20 New vectors for rapid sequencing of DNA fragments by chemical degradation. 1987, 51, 247-54	20.1	1100 322 625 22
1287 1286 1285 1284 1283	encoding the structural proteins E1, E2 and C. Nucleic Acids Research, 1987, 15, 3041-57 Selective removal of transcription-blocking DNA damage from the transcribed strand of the mammalian DHFR gene. 1987, 51, 241-9 Recombination at the human alpha-globin gene cluster: sequence features and topological constraints. 1987, 49, 369-78 Self-cleavage of plus and minus RNAs of a virusoid and a structural model for the active sites. 1987, 49, 211-20 New vectors for rapid sequencing of DNA fragments by chemical degradation. 1987, 51, 247-54 Varicella-zoster virus infection of human mononuclear cells. 1987, 7, 117-29 The complete sequence of chick apolipoprotein AI mRNA and its expression in the developing	20.1	1100 322 625 22

1279	Multiple global regulators control HIS4 transcription in yeast. 1987 , 237, 874-80	263
1278	A library of trimethylguanosine-capped small RNAs in Physarum polycephalum. 1987 , 54, 93-103	11
1277	Use of primer-restriction end adapters in cDNA cloning. 1987 , 154, 64-83	19
1276	Nucleotide sequence and expression of the cloned gene of bacteriophage SP6 RNA polymerase. Nucleic Acids Research, 1987, 15, 2653-64	66
1275	Processing of the tobacco etch virus 49K protease requires autoproteolysis. 1987, 160, 355-62	83
1274	Protein encoded by ORF I of cauliflower mosaic virus is part of the viral inclusion body. 1987 , 160, 527-30	23
1273	Expression of a cDNA clone corresponding to the long open reading frame (XBL-I) of the bovine leukemia virus. 1987 , 160, 55-9	13
1272	Plurality of genital human papillomaviruses: characterization of two new types with distinct biological properties. 1987 , 161, 374-84	84
1271	Analysis of the genomic L RNA segment from lymphocytic choriomeningitis virus. 1987 , 161, 448-56	59
1270	Synthesis of the X-protein of hepatitis B virus in vitro and detection of anti-X antibodies in human sera. 1987 , 158, 456-60	42
1269	The effect of multiple dispersed copies of the origin-of-assembly sequence from TMV RNA on the morphology of pseudovirus particles assembled in vitro. 1987 , 158, 473-6	23
1268	Eukaryotic initiation factor 4A stimulates translation in microinjected Xenopus oocytes. 1987 , 121, 58-68	41
1267	Balbiani ring (BR) genes exhibit different patterns of expression during development. 1987 , 121, 130-138	13
1266	Oocyte-specific expression and developmental regulation of ZP3, the sperm receptor of the mouse zona pellucida. 1987 , 121, 568-75	138
1265	A lineage-specific gene encoding a major matrix protein of the sea urchin embryo spicule. I. Authentication of the cloned gene and its developmental expression. 1987 , 120, 499-506	134
1264	The chicken thymidine kinase gene is transcriptionally repressed during terminal differentiation: the associated decline in TK mRNA cannot account fully for the disappearance of TK enzyme activity. 1987 , 122, 439-51	31
1263	The zygotic segmentation mutant tailless alters the blastoderm fate map of the Drosophila embryo. 1987 , 122, 464-70	50
1262	Developmental expression of crystallin genes: in situ hybridization reveals a differential localization of specific mRNAs. 1987 , 123, 338-45	52

1261	Three translationally regulated mRNAs are stored in the cytoplasm of clam oocytes. 1987, 123, 10-6	18
1260	Translation of mouse testis poly(A)+ mRNAs for testis-specific protein, protamine 1, and the precursor for protamine 2. 1987 , 123, 125-35	28
1259	Molecular cloning and differential expression of somatic and testis-specific H2B histone genes during rat spermatogenesis. 1987 , 124, 23-34	90
1258	Establishment of a rat placental cell line expressing characteristics of extraembryonic membranes. 1987 , 124, 134-44	54
1257	Characterization and sequence of follicle cell genes selectively expressed during vitelline membrane formation in Drosophila. 1987 , 124, 441-50	39
1256	Patterns of gene expression during plasmacytoid differentiation of chronic lymphocytic leukaemia cells. 1987 , 215, 127-31	5
1255	Processing of precursor tRNAs in a chloroplast lysate. 1987 , 215, 132-136	31
1254	Expression of functional (Na+ + K+)-ATPase from cloned cDNAs. 1987 , 225, 27-32	145
1253	Simplified in vitro synthesis of mutated RNA molecules. An oligonucleotide promoter determines the initiation site of T7RNA polymerase on ss M13 phage DNA. 1987 , 212, 271-5	9
1252	Platelet-derived growth factor. Phorbol ester induces the expression of the B-chain but not of the A-chain in HEL cells. 1987 , 213, 89-94	17
1251	Synthesis and turnover rates of four rat liver mitochondrial RNA species. 1987 , 213, 144-8	42
1250	Ribosomal protein, histone and calmodulin mRNAs are differently regulated at the translational level during oogenesis of Xenopus laevis. 1987 , 169, 432-41	15
1249	Antagonist effect of RU 486 on transcription of glucocorticoid-regulated genes. 1987 , 173, 425-30	34
1248	Molecular genetics of catecholamines as an approach to the biochemistry of manic-depression. 1987 , 21, 559-68	7
1247	Specific hybridization arrest of dihydrofolate reductase mRNA in vitro using anti-sense RNA or anti-sense oligonucleotides. 1987 , 253, 214-20	42
1246	Cloning, sequencing, and expression of the gene coding for the human platelet alpha 2-adrenergic receptor. 1987 , 238, 650-6	742
1245	The role of human globin gene promoters in the expression of hybrid genes in erythroid and non-erythroid cells. 1987 , 143, 1099-106	12
1244	Translational regulation of the expression of zein cloned in yeast under an inducible GAL promoter. 1987, 146, 809-14	8

1243 Structure and function of interleukins 4 and 5. 1987, 29, 546-51

1242	Synergistic induction of mesoderm by FGF and TGF-beta and the identification of an mRNA coding for FGF in the early Xenopus embryo. 1987 , 51, 869-77	816
1241	High efficiency T7 polymerase synthesis of infectious RNA from cloned brome mosaic virus cdna and effects of 5' extensions on transcript infectivity. 1987 , 158, 259-62	164
1240	Expression in plants of the cloned satellite tobacco necrosis virus genome and of derived insertion mutants. 1987 , 157, 480-7	16
1239	The measles virus matrix gene and gene product defined by in vitro and in vivo expression. 1987 , 157, 497-508	35
1238	Molecular characterization of the genomic S RNA segment from lymphocytic choriomeningitis virus. 1987 , 157, 145-55	99
1237	Assembly of influenza ribonucleoprotein in vitro using recombinant nucleoprotein. 1987, 156, 396-403	50
1236	Coexpression of MMTV/v-Ha-ras and MMTV/c-myc genes in transgenic mice: synergistic action of oncogenes in vivo. 1987 , 49, 465-75	717
1235	The 5'-leader sequence of tobacco mosaic virus RNA enhances the expression of foreign gene transcripts in vitro and in vivo. <i>Nucleic Acids Research</i> , 1987 , 15, 3257-73	371
1234	Expression of ecotropic MuLV in ovaries of SWR/J-RF/J hybrid mice. 1987 , 138, 409-422	8
1233	Preprotachykinin messenger RNA detected by in situ hybridization in striatal neurons of the human brain. 1987 , 410, 83-8	33
1232	A family of lambda phage cDNA cloning vectors, lambda SWAJ, allowing the amplification of RNA sequences. 1987 , 52, 197-206	49
1231	A maternal mRNA localized to the vegetal hemisphere in Xenopus eggs codes for a growth factor related to TGF-beta. 1987 , 51, 861-7	714
1230	Parental legacy determines methylation and expression of an autosomal transgene: a molecular mechanism for parental imprinting. 1987 , 50, 719-27	430
1229	In situ hybridization. 1987 , 1, 195-205	28
1228	The Drosophila PS2 antigen is an invertebrate integrin that, like the fibronectin receptor, becomes localized to muscle attachments. 1987 , 51, 929-40	247
1227	Molecular cloning of the genome of human spumaretrovirus. 1987 , 59, 19-28	55
1226	5' exon requirement for self-splicing of the Tetrahymena thermophila pre-ribosomal RNA and identification of a cryptic 5' splice site in the 3' exon. 1987 , 196, 49-60	40

1225	Developmental expression of the VIP-gene in brain and intestine. 1987, 2, 137-148	69
1224	A replication initiator protein enhances the rate of hybrid formation between a silencer RNA and an activator RNA. 1987 , 51, 455-62	31
1223	Molecular diagnosis of infectious diseases by nucleic acid hybridization. 1987, 1, 3-14	55
1222	Novel mRNA species from a Q-subregion class-I gene of the murine major histocompatibility complex. 1987 , 61, 189-98	7
1221	Regulation of IL 2 expression in mitogen-activated murine T lymphocytes. 1987 , 174, 300-12	15
1220	Camptothecin-induced in vivo topoisomerase I cleavages in the transcriptionally active tyrosine aminotransferase gene. 1987 , 50, 1109-17	136
1219	The immunoglobulin lambda locus in rat consists of two C lambda genes and a single V lambda gene. 1987 , 55, 75-84	22
1218	Members of a nicotinic acetylcholine receptor gene family are expressed in different regions of the mammalian central nervous system. 1987 , 48, 965-73	372
1217	A bacteriophage RNA polymerase transcribes in vitro through a nucleosome core without displacing it. 1987 , 50, 801-8	151
1216	Application of DNA-based diagnosis to patient care: the example of hemophilia A. 1987, 62, 387-404	13
1216 1215	Application of DNA-based diagnosis to patient care: the example of hemophilia A. 1987, 62, 387-404 Lorist2, a cosmid with transcriptional terminators insulating vector genes from interference by promoters within the insert: effect on DNA yield and cloned insert frequency. 1987, 53, 275-81	90
	Lorist2, a cosmid with transcriptional terminators insulating vector genes from interference by	
1215	Lorist2, a cosmid with transcriptional terminators insulating vector genes from interference by promoters within the insert: effect on DNA yield and cloned insert frequency. 1987 , 53, 275-81 Alterations in DNA helix stability due to base modifications can be evaluated using denaturing	90
1215 1214	Lorist2, a cosmid with transcriptional terminators insulating vector genes from interference by promoters within the insert: effect on DNA yield and cloned insert frequency. 1987 , 53, 275-81 Alterations in DNA helix stability due to base modifications can be evaluated using denaturing gradient gel electrophoresis. 1987 , 198, 737-44	90
1215 1214 1213	Lorist2, a cosmid with transcriptional terminators insulating vector genes from interference by promoters within the insert: effect on DNA yield and cloned insert frequency. 1987, 53, 275-81 Alterations in DNA helix stability due to base modifications can be evaluated using denaturing gradient gel electrophoresis. 1987, 198, 737-44 Differential 5S RNA gene expression in vitro. 1987, 51, 733-40	90 63 86
1215 1214 1213 1212	Lorist2, a cosmid with transcriptional terminators insulating vector genes from interference by promoters within the insert: effect on DNA yield and cloned insert frequency. 1987, 53, 275-81 Alterations in DNA helix stability due to base modifications can be evaluated using denaturing gradient gel electrophoresis. 1987, 198, 737-44 Differential 5S RNA gene expression in vitro. 1987, 51, 733-40 The c-myc gene encodes superimposed RNA polymerase II and III promoters. 1987, 51, 1001-8 Interaction of ribosomal proteins L25 from yeast and EL23 from E. coli with yeast 26S and mouse	90 63 86 98
1215 1214 1213 1212	Lorist2, a cosmid with transcriptional terminators insulating vector genes from interference by promoters within the insert: effect on DNA yield and cloned insert frequency. 1987, 53, 275-81 Alterations in DNA helix stability due to base modifications can be evaluated using denaturing gradient gel electrophoresis. 1987, 198, 737-44 Differential 5S RNA gene expression in vitro. 1987, 51, 733-40 The c-myc gene encodes superimposed RNA polymerase II and III promoters. 1987, 51, 1001-8 Interaction of ribosomal proteins L25 from yeast and EL23 from E. coli with yeast 26S and mouse 28S rRNA. 1987, 69, 939-48 Regulation of mRNA accumulation by a human immunodeficiency virus trans-activator protein.	90 63 86 98 29

1207	Sense and antisense transcription of bacteriophage T4 gene 32. Processing and stability of the mRNAs. 1987 , 194, 231-43	42
1206	The A1 (anthocyanin-1) locus in Zea mays encodes dihydroquercetin reductase. 1987 , 52, 7-13	81
1205	Cooperativity of glucocorticoid response elements located far upstream of the tyrosine aminotransferase gene. 1987 , 49, 29-38	717
1204	Expression of mouse-Torpedo acetylcholine receptor subunit chimeras and hybrids in Xenopus oocytes. 1987 , 388, 191-7	22
1203	Characterisation of the 5'-leader sequence of tobacco mosaic virus RNA as a general enhancer of translation in vitro. 1987 , 60, 217-25	97
1202	A solution hybridization assay for the quantitation of prodynorphin mRNA. 1987 , 2, 173-176	11
1201	Molecular characterization of the histone gene family of Caenorhabditis elegans. 1987 , 196, 27-38	31
1200	Endothelial cell tumors develop in transgenic mice carrying polyoma virus middle T oncogene. 1987 , 51, 529-37	130
1199	Antisense RNA injections in fertilized frog eggs reveal an RNA duplex unwinding activity. 1987 , 48, 599-605	301
1198	Structure of the major block of alphoid satellite DNA on the human Y chromosome. 1987 , 195, 457-70	142
1197	Self-splicing of group II introns in vitro: lariat formation and 3' splice site selection in mutant RNAs. 1987 , 51, 753-62	49
1196	Structural analysis of the 5' region of the chromosomal gene for hamster histidyl-tRNA synthetase. 1987, 61, 349-61	11
1195	5' cleavage site in eukaryotic pre-mRNA splicing is determined by the overall 5' splice region, not by the conserved 5' GU. 1987 , 50, 237-46	200
1194	Expression of the proto-oncogene int-1 is restricted to specific neural cells in the developing mouse embryo. 1987 , 50, 79-88	547
1193	Self-cleavage of virusoid RNA is performed by the proposed 55-nucleotide active site. 1987 , 50, 9-16	300
1192	Multiple exon-binding sites in class II self-splicing introns. 1987 , 50, 17-29	219
1191	Nucleosomes inhibit the initiation of transcription but allow chain elongation with the displacement of histones. 1987 , 49, 203-10	505
1190	Preparation of ribonucleic acid probes specific for Bacteroides fragilis. 1987 , 7, 273-8	6

1189	Alternative splicing of E1A transcripts of adenovirus requires appropriate ionic conditions in vitro. 1987 , 50, 31-9	86
1188	Developmental pattern of mouse skeletal myosin heavy chain gene transcripts in vivo and in vitro. 1987 , 49, 121-9	120
1187	Analysis of RNase-A-resistant regions of adenovirus 2 major late precursor-mRNA in splicing extracts reveals an ordered interaction of nuclear components with the substrate RNA. 1987 , 196, 559-73	56
1186	Tissue-specific expression of the mouse Q10 H-2 class-I gene during embryogenesis. 1987 , 61, 145-54	16
1185	Integration and transcription of human papillomavirus type 6 recombinant DNA in mouse cells. 1987 , 8, 335-47	2
1184	Reassembly of active 30S ribosomal subunits with an unmethylated in vitro transcribed 16S rRNA. 1987 , 65, 1022-30	25
1183	Regulation of c-myc RNA and its proteins in Daudi cells by interferon-beta. 1987 , 7, 41-52	9
1182	Human beta-globin gene expression after gene transfer using retroviral vectors. 1987 , 6, 573-82	21
1181	Structure and function of sodium channel. 1987 , 7, 467-97	29
1180	Oligoribonucleotide synthesis using T7 RNA polymerase and synthetic DNA templates. <i>Nucleic Acids Research</i> , 1987 , 15, 8783-98	2021
1180 1179		2021
	Acids Research, 1987, 15, 8783-98 Characterization of the internal initiation of translation on the vesicular stomatitis virus	
1179	Acids Research, 1987, 15, 8783-98 Characterization of the internal initiation of translation on the vesicular stomatitis virus phosphoprotein mRNA. 1987, 26, 8346-50 A solution hybridization assay for ribosomal RNA from bacteria using biotinylated DNA probes and	13
1179 1178	Acids Research, 1987, 15, 8783-98 Characterization of the internal initiation of translation on the vesicular stomatitis virus phosphoprotein mRNA. 1987, 26, 8346-50 A solution hybridization assay for ribosomal RNA from bacteria using biotinylated DNA probes and enzyme-labeled antibody to DNA:RNA. 1987, 1, 177-93 Sequencing of RNA transcripts synthesized in vitro from plasmids containing bacteriophage	13
1179 1178 1177	Characterization of the internal initiation of translation on the vesicular stomatitis virus phosphoprotein mRNA. 1987, 26, 8346-50 A solution hybridization assay for ribosomal RNA from bacteria using biotinylated DNA probes and enzyme-labeled antibody to DNA:RNA. 1987, 1, 177-93 Sequencing of RNA transcripts synthesized in vitro from plasmids containing bacteriophage promoters. 1987, 152, 563-6	13 48 10
1179 1178 1177 1176	Characterization of the internal initiation of translation on the vesicular stomatitis virus phosphoprotein mRNA. 1987, 26, 8346-50 A solution hybridization assay for ribosomal RNA from bacteria using biotinylated DNA probes and enzyme-labeled antibody to DNA:RNA. 1987, 1, 177-93 Sequencing of RNA transcripts synthesized in vitro from plasmids containing bacteriophage promoters. 1987, 152, 563-6 Expression of retroviral vectors in transgenic mice obtained by embryo infection 1987, 6, 383-388	13 48 10 92
1179 1178 1177 1176	Characterization of the internal initiation of translation on the vesicular stomatitis virus phosphoprotein mRNA. 1987, 26, 8346-50 A solution hybridization assay for ribosomal RNA from bacteria using biotinylated DNA probes and enzyme-labeled antibody to DNA:RNA. 1987, 1, 177-93 Sequencing of RNA transcripts synthesized in vitro from plasmids containing bacteriophage promoters. 1987, 152, 563-6 Expression of retroviral vectors in transgenic mice obtained by embryo infection 1987, 6, 383-388 GCN4, a eukaryotic transcriptional activator protein, binds as a dimer to target DNA 1987, 6, 2781-2784 Polymeric immunoglobulin M is secreted by transfectants of non-lymphoid cells in the absence of	13 48 10 92 252

1171	Formation of mRNA 3? termini: stability and dissociation of a complex involving the AAUAAA sequence 1987 , 6, 177-186	48
1170	Isolation and characterization of the gene for myosin light chain two of Drosophila melanogaster. 1987 , 104, 19-28	34
1169	Import of the carboxy-terminal portion of acyl-CoA oxidase into peroxisomes of Candida tropicalis. 1987 , 105, 247-50	45
1168	Functional dissection of the hormone and DNA binding activities of the glucocorticoid receptor 1987 , 6, 1309-1315	206
1167	Multiple c-myb transcript cap sites are variously utilized in cells of mouse haemopoietic origin 1987 , 6, 1643-1651	28
1166	Decapentaplegic transcripts are localized along the dorsal-ventral axis of the Drosophila embryo 1987 , 6, 2785-2791	182
1165	Cloning and expression of the cDNA coding for a human lymphocyte IgE receptor 1987, 6, 109-114	118
1164	Trans-activation of an upstream early gene promoter of bovine papilloma virus-1 by a product of the viral E2 gene 1987 , 6, 145-152	106
1163	Control of replication of plasmid R1: translation of the 7k reading frame in the RepA mRNA leader region counteracts the interaction between CopA RNA and CopT RNA 1987 , 6, 515-522	22
1162	Import of frog prepropeptide GLa into microsomes requires ATP but does not involve docking protein or ribosomes 1987 , 6, 699-703	82
1161	Yeast DNA polymeraseDNA primase complex; cloning of PRI 1, a single essential gene related to DNA primase activity 1987 , 6, 737-742	44
1160	The ATP requiring step in assembly of M13 procoat protein into microsomes is related to preservation of transport competence of the precursor protein 1987 , 6, 1011-1016	54
1159	Amplification of the X-linked Drosophila chorion gene cluster requires a region upstream from the s38 chorion gene 1987 , 6, 1045-1053	46
1158	Control of proliferin gene expression in serum-stimulated mouse cells. 1987 , 7, 2080-6	18
1157	Effects of plasmid propagation of a sporulation promoter on promoter utilization and sporulation in Bacillus subtilis. 1987 , 169, 461-9	35
1156	Activities of the RNAI and RNAII promoters of plasmid pBR322. 1987 , 169, 1217-22	36
1155	Nucleotide sequence of the outB locus of Bacillus subtilis and regulation of its expression. 1987 , 169, 1480-4	17
1154	Identification of the RNA products of the ops gene of Myxococcus xanthus and mapping of ops and tps RNAs. 1987 , 169, 1522-8	11

1153	Identification of the promoter for a peptide antibiotic biosynthesis gene from Bacillus brevis and its regulation in Bacillus subtilis. 1987 , 169, 2215-22	86
1152	Interrupted thymidylate synthase gene of bacteriophages T2 and T6 and other potential self-splicing introns in the T-even bacteriophages. 1987 , 169, 4368-75	6
1151	Analysis of Aleutian disease of mink parvovirus infection using strand-specific hybridization probes. 1987 , 27, 102-11	35
1150	Characterization of cloned measles virus mRNAs by in vitro transcription, translation, and immunoprecipitation. 1987 , 28, 26-39	17
1149	Analysis of the gene and multiple messenger ribonucleic acids (mRNAs) encoding human gastrin-releasing peptide: alternate RNA splicing occurs in neural and endocrine tissue. 1987 , 1, 224-32	48
1148	Two spliceosomes can form simultaneously and independently on synthetic double-intron messenger RNA precursors 1987 , 6, 1747-1755	10
1147	Xfin: an embryonic gene encoding a multifingered protein in Xenopus 1987 , 6, 3065-3070	95
1146	A secretory protease inhibitor requires androgens for its expression in male sex accessory tissues but is expressed constitutively in pancreas 1987 , 6, 3711-3717	43
1145	An efficient ribosomal frame-shifting signal in the polymerase-encoding region of the coronavirus IBV. 1987 , 6, 3779-85	252
1144	A Xenopus laevis gene encodes both homeobox-containing and homeobox-less transcripts 1987 , 6, 4083-4094	44
1143	Cleavage and polyadenylation of messenger RNA precursors in vitro occurs within large and specific 3? processing complexes 1987 , 6, 4159-4168	51
1142	Analysis of mRNA 3? end formation by modification interference: the only modifications which prevent processing lie in AAUAAA and the poly(A) site 1987 , 6, 4177-4184	48
1141	Transfection of the int-1 mammary oncogene in cuboidal RAC mammary cell line results in morphological transformation and tumorigenicity 1987 , 6, 127-131	82
1140	A novel endoribonuclease cleaves at a priming site of mouse mitochondrial DNA replication 1987 , 6, 409-417	175
1139	Localization of the mcf.2 transforming sequence to the X chromosome 1987 , 6, 1301-1307	17
1138	Interaction of the TGGCA-binding protein with upstream sequences is required for efficient transcription of mouse mammary tumor virus 1987 , 6, 1355-1360	114
1137	The BPV1-E2 trans-acting protein can be either an activator or a repressor of the HPV18 regulatory region 1987 , 6, 3391-3397	223
1136	Specific pre-cleavage and post-cleavage complexes involved in the formation of SV40 late mRNA 3? termini in vitro 1987 , 6, 4185-4192	34

1135	Glucocorticoid induction of the rat tryptophan oxygenase gene is mediated by two widely separated glucocorticoid-responsive elements 1987 , 6, 625-630	129
1134	Expression of bacterial chloramphenicol acetyltransferase gene in tobacco plants mediated by TMV-RNA. 1987 , 6, 307-311	170
1133	Altered transcription of a defective measles virus genome derived from a diseased human brain 1987 , 6, 681-688	149
1132	In vivo expression of mRNA for the Ca++-binding protein SPARC (osteonectin) revealed by in situ hybridization. 1987 , 105, 473-82	263
1131	Defective regulation of vasopressin gene expression in Brattleboro rats. 1987, 252, E637-42	10
1130	The accumulation of mature RNA for the Xenopus laevis ribosomal protein L1 is controlled at the level of splicing and turnover of the precursor RNA 1987 , 6, 3493-3498	49
1129	Wound-induced expression of a potato proteinase inhibitor II gene in transgenic tobacco plants. 1987 , 6, 303-306	61
1128	Oocyte-specific transcription of fs(1)K10 : a Drosophila gene affecting dorsal-ventral developmental polarity. 1987 , 6, 801-807	31
1127	Linear oligomeric potato spindle tuber viroid (PSTV) RNAs are accurately processed in vitro to the monomeric circular viroid proper when incubated with a nuclear extract from healthy potato cells. 1987 , 6, 2173-2183	35
1126	The upstream regulatory region of the human papilloma virus-16 contains an E2 protein-independent enhancer which is specific for cervical carcinoma cells and regulated by glucocorticoid hormones 1987 , 6, 3735-3743	181
1125	Processing of the T-DNA of Agrobacterium tumefaciens generates border nicks and linear, single-stranded T-DNA. 1987 , 169, 1046-55	154
1124	In vitro expression of a full-length DNA copy of cowpea mosaic virus B RNA: identification of the B RNA encoded 24-kd protein as a viral protease. 1987 , 6, 549-554	26
1123	The chloroplast glutamate tRNA gene required for Elaminolevulinate synthesis. 1987, 52, 197-210	33
1122	Amelogenin antigenic domain defined by clonal epitope selection. 1987 , 40, 231-7	13
1121	Chromatographic separation of DNA restriction fragments. 1987 , 418, 97-114	23
1120	A procedure for large-scale isolation of RNA-free plasmid and phage DNA without the use of RNase. 1987 , 160, 332-6	17
1119	Quantitative molecular hybridization with unfractionated, solubilized cells using RNA probes and polyacrylamide gel electrophoresis. 1987 , 167, 381-6	28
1118	Detection of hantaviruses with RNA probes generated from recombinant DNA. 1987 , 95, 291-301	14

1117	Hybridization histochemistry. 1987 , 43, 741-50	21
1116	Molecular biological methods in the diagnosis of viral disease. 1987 , 43, 1189-92	3
1115	Organization and differential activation of a gene family encoding the plant defense enzyme chalcone synthase in Phaseolus vulgaris. 1987 , 210, 219-33	202
1114	Direction of transcription affects the replication mode of lambda in an in vitro system. 1987 , 208, 428-35	3
1113	Transcription of the alpha globin gene domain in normal and AEV-transformed chicken erythroblasts: mapping of giant globin-specific RNA including embryonic and adult genes. 1987 , 209, 210-20	21
1112	Regions in the transit peptide of SSU essential for transport into chloroplasts. 1987 , 209, 116-21	54
1111	Characterization of a null-allele for the Gy 4 glycinin gene from soybean. 1987, 208, 107-113	38
1110	Transcript analysis of the plasmid R100 traJ and finP genes. 1987 , 209, 533-44	32
1109	Nucleotide sequence of cDNA clones encoding the complete B3 kDalprecursor protein associated with the photosynthetic oxygen-evolving complex from spinach. 1987 , 207, 288-293	95
1108	The expression of a chimeric soybean beta-tubulin gene in tobacco. 1987 , 207, 328-334	11
1107	Agrobacterium mediated transformation and regeneration of Populus. 1987 , 206, 192-199	238
1106	Secondary structure of the autoregulatory mRNA binding site of ribosomal protein L1. 1987 , 210, 60-8	28
1105	Activation of double-stranded RNA dependent protein kinase by ribosomal RNA precursors. 1987 , 1, 57-60	
1104	Specific binding of globin mRNA and distinct Eglobin mRNA-segments to blotted mRNP proteins. 1987 , 12, 171-172	
1103	Developmental modulation of tubulin protein and mRNA levels during somatic embryogenesis in cultured carrot cells. 1987 , 171, 365-76	45
1102	Expression of growth-associated genes in various tissues of the fetal and adult rat. 1987 , 75, 61-70	9
1101	Ontogenetic development of proenkephalin A and proenkephalin B messenger RNA in fetal pigs. 1987 , 69, 208-12	13
1100	Patch clamp characterization of sodium channels expressed from rat brain cDNA. 1987 , 14, 131-8	160

1099	Construction and characterization of a cloned probe for the detection of Phoma tracheiphila in plant tissues. 1987 , 26, 352-357	21
1098	Phytochrome regulation of mRNA levels of ribulose-1,5-bisphosphate carboxylase in etiolated rye seedlings (Secale cereale). 1987 , 10, 21-33	21
1097	Transcript levels of two adjacent chloroplast genes during mustard (Sinapis alba L.) seedling development are under differential temporal and light control. 1987 , 9, 355-63	37
1096	Import into chloroplasts of a yeast mitochondrial protein directed by ferredoxin and plastocyanin transit peptides. 1987 , 9, 377-88	56
1095	The tomato Cab-4 and Cab-5 genes encode a second type of CAB polypeptides localized in Photosystem II. 1987 , 9, 109-20	86
1094	Transformation of soybean protoplasts from permanent suspension cultures by cocultivation with cells of Agrobacterium tumefaciens. 1987 , 9, 135-45	24
1093	Characterization of a full-length petunia cDNA encoding a polypeptide of the light-harvesting complex associated with photosystem I. 1987 , 10, 127-37	48
1092	The isolation, characterization and sequence of two divergent Eubulin genes from soybean (Glycine max L.). 1987 , 10, 171-84	49
1091	Expression of a gene for a light-harvesting chlorophyll a/b-binding protein in Chlamydomonas reinhardtii: effect of light and acetate. 1987 , 9, 547-63	91
1090	The amino terminal region delimited by Met1 and Met 37 is an integral part of the 32 kDa herbicide binding protein. 1987 , 8, 337-43	15
1089	Human lambda light chain locus: organization and DNA sequences of three genomic J regions. 1987 , 25, 63-70	77
1088	Splenic replication of hepatitis B virus in the chimpanzee chronic carrier. 1987 , 21, 347-59	29
1087	Preproenkephalin mRNA in T-cells, macrophages, and mast cells. 1987, 18, 82-7	60
1086	RNA fingerprinting using a small horizontal agarose gel electrophoresis apparatus. 1987 , 162, 74-9	3
1085	Preparation of single-stranded deoxyribonucleic acid probes using an immobilized template. 1987 , 162, 130-6	2
1084	Normalization of multiple RNA samples using an in vitro-synthesized external standard cRNA. 1987 , 165, 309-19	37
1083	Immunochemical approaches to gene probe assays. 1987 , 161, 387-94	35
1082	Post-transcriptional regulation and DNA undermethylation of intracisternal A particle genes in embryonal carcinoma cell lines. 1987 , 8, 123-33	3

1081	Prognostic implications of expression of the cellular genes myc, fos, Ha-ras and Ki-ras in colon carcinoma. 1987 , 40, 293-9	42
1080	Induction of major histocompatibility class I antigens by interferons in undifferentiated F9 cells. 1987 , 130, 276-83	42
1079	Comparative distribution of mRNAs for glutamic acid decarboxylase, tyrosine hydroxylase, and tachykinins in the basal ganglia: an in situ hybridization study in the rodent brain. 1987 , 262, 125-40	222
1078	Effects of adenine arabinoside on serum and intrahepatic replicative forms of duck hepatitis B virus in chronic infection. 1987 , 7, 24-8	36
1077	Temperature-gradient gel electrophoresis. Thermodynamic analysis of nucleic acids and proteins in purified form and in cellular extracts. 1987 , 26, 235-46	200
1076	The use of Xenopus oocytes for the study of ion channels. 1987 , 22, 317-87	525
1075	Substance P modulates the release of locally synthesized nerve growth factor from rat saphenous nerve neuroma. 1987 , 336, 587-90	15
1074	On the specificity of antisense RNA to arrest in vitro translation of mRNA coding for Drosophila hsp 23. 1987 , 7, 239-46	11
1073	Structure and expression of the knob-associated histidine-rich protein of Plasmodium falciparum. 1987 , 26, 203-14	27
1072	Prealbumin gene expression during mouse development studied by in situ hybridization. 1987 , 22, 1-9	30
1071	Multiple class I molecules generated from single genes by alternative splicing of pre-mRNAs. 1987 , 6, 117-32	18
1070	Polyadenylation of Chinese hamster dihydrofolate reductase genomic genes and minigenes after gene transfer. 1987 , 13, 491-504	25
1069	Sequential expression in the nervous system of c-myb and VIP genes, located in human chromosomal region 6q24. 1987 , 13, 305-13	26
1068	Rodent fibroblast tumours expressing human myc and ras genes: growth, metastasis and endogenous oncogene expression. 1987 , 56, 251-9	166
1067	Herpes simplex virus type-1 can reactivate transcription of latent human immunodeficiency virus. 1987 , 325, 67-70	286
1066	Deregulated c-fos expression interferes with normal bone development in transgenic mice. 1987 , 325, 412-6	328
1065	Use of a cDNA clone to identify a supposed precursor protein containing valosin. 1987 , 325, 542-5	124
1064	The role of small nuclear ribonucleoprotein particles in pre-mRNA splicing. 1987 , 325, 673-8	601

1063	T gamma protein is expressed on murine fetal thymocytes as a disulphide-linked heterodimer. 1987 , 325, 720-3	81
1062	Labelling nucleic acids for hybridization. 1987 , 326, 723-4	10
1061	Oestrogen and glucocorticoid responsive elements are closely related but distinct. 1987 , 329, 734-6	342
1060	Proenkephalin B messenger RNA in porcine tissues: characterization, quantification, and correlation with opioid peptides. 1987 , 48, 586-92	21
1059	Vasoactive intestinal peptide gene: putative mechanism of information storage at the RNA level. 1987 , 48, 1136-41	17
1058	Changes of DNasel Sensitivity of the Fibroin and Sericin Genes during the Silkworm Development. 1987 , 29, 363-372	5
1057	Heat shock 70 gene is differentially expressed in Histoplasma capsulatum strains with different levels of thermotolerance and pathogenicity. 1987 , 1, 151-8	63
1056	cDNA cloning, sequencing and chromosome mapping of a non-erythroid spectrin, human alpha-fodrin. 1987 , 34, 68-78	62
1055	Analysis of alpha-smooth-muscle actin mRNA expression in rat aortic smooth-muscle cells using a specific cDNA probe. 1987 , 34, 201-9	102
1054	Comparison of mouse and human keratin 18: A component of intermediate filaments expressed prior to implantation. 1987 , 33, 61-68	
1053	Tissue-specific expression of porphobilinogen deaminase. Two isoenzymes from a single gene. 1987 , 162, 105-10	164
1052	Molecular cloning and nucleotide sequence of full-length cDNA for sweet potato catalase mRNA. 1987 , 165, 437-42	40
1051	Isolation and characterization of a cDNA clone encoding testis protamine Z1 from the dog-fish Scylliorhinus caniculus. 1987 , 165, 553-7	7
1050	6-Hydroxy-D-nicotine oxidase of Arthrobacter oxidans. Gene structure of the flavoenzyme and its relationship to 6-hydroxy-L-nicotine oxidase. 1987 , 167, 315-20	39
1049	A monoclonal antibody against 2,2,7-trimethylguanosine that reacts with intact, class U, small nuclear ribonucleoproteins as well as with 7-methylguanosine-capped RNAs. 1987 , 168, 461-7	120
1048	Regulation of the ontogeny of rat liver metallothionein mRNA by zinc. 1987 , 166, 527-31	40
1047	Processing of a plant vacuolar protein precursor in vitro. 1987 , 166, 533-8	31
1046	New inducers revealed by the promoter sequence analysis of two interferon-activated human genes. 1987 , 169, 313-21	98

1045	Use of vaccinia virus to express biopharmaceutical products. 1987 , 4, 92-7	7
1044	Differential distribution of villin and villin MRNA in mouse intestinal epithelial cells. 1988 , 39, 51-7	42
1043	cDNAs for canavalin and concanavalin A from Canavalia gladiata seeds. Nucleotide sequence of cDNA for canavalin and RNA blot analysis of canavalin and concanavalin A mRNAs in developing seeds. 1988 , 170, 515-20	19
1042	The human von Willebrand factor gene. Structure of the 5' region. 1988 , 171, 51-7	28
1041	Complex RNA maturation in chloroplasts. The psbB operon from spinach. 1988 , 171, 551-64	204
1040	RNA-binding properties of hnRNP proteins. 1988 , 171, 565-9	23
1039	Secondary structure and expression in vivo and in vitro of messenger RNAs into which upstream AUG codons have been inserted. 1988 , 172, 59-66	14
1038	A homologous in vitro system to analyze transcription of a mouse immunoglobulin mu heavy-chain gene. 1988 , 172, 679-85	6
1037	Regulation of two interferon-inducible human genes by interferon, poly(rI).poly(rC) and viruses. 1988 , 174, 323-9	65
1036	Cloning and expression of a beta tubulin gene of Physarum polycephalum. 1988 , 174, 491-5	10
1035	Studies on the mechanism of translational enhancement by the 5'-leader sequence of tobacco mosaic virus RNA. 1988 , 175, 75-86	54
1034	Cell-free-synthesized interleukin-6 (BSF-2/IFN-beta 2) exhibits hepatocyte-stimulating activity. 1988, 175, 181-6	21
1033	Accumulation of carbamoylphosphate-synthetase and phosphoenolpyruvate-carboxykinase mRNA in embryonic rat hepatocytes. Evidence for translational control during the initial phases of hepatocyte-specific gene expression in vitro. 1988 , 178, 191-6	18
1032	Probing the active site of flavocytochrome b2 by site-directed mutagenesis. 1988 , 178, 329-33	40
1031	Low-density-lipoprotein-receptor mRNA content of fibroblasts from normal and familial hypercholesterolaemic subjects. 1988 , 178, 555-61	7
1030	Production and use of cDNA clones from arabis mosaic virus. 1988 , 113, 483-491	3
1029	Insulin-like growth factor I in the pancreas of normal and diabetic adult rats. 1988 , 132, 569-76	42
1028	Use of cRNA probes for the detection of enteroviruses by molecular hybridization. 1988 , 24, 11-8	35

1027	Modulation of urokinase-type plasminogen activator messenger RNA levels in human synovial fibroblasts by interleukin-1, retinoic acid, and a glucocorticoid. 1988 , 31, 1046-51	31
1026	Two strands of DNA are not equivalent as probes in hybridizations at low stringency. 1988 , 173, 383-6	3
1025	A total extract dot blot hybridization procedure for mRNA quantitation in small samples of tissues or cultured cells. 1988 , 172, 436-43	22
1024	A quantitative method for analyzing specific DNA sequences directly from whole cells. 1988 , 174, 209-14	26
1023	A DNA sequencing strategy. 1988 , 175, 521-4	9
1022	Interleukin 1 alpha acts as an autocrine growth factor for RPMI 1788, an Epstein-Barr virus-transformed human B cell line. 1988 , 18, 1027-31	21
1021	Selective production of interleukin 3 (IL3) and granulocyte-macrophage colony-stimulating factor (GM-CSF) in vitro by murine L3T4+ T cells: lack of spontaneous IL3 and GM-CSF production by Ly-2-/L3T4- lpr subset. 1988 , 18, 1367-72	21
1020	Expression of the Epstein-Barr virus encoded EBNA-1 gene in stably transfected human and murine cell lines. 1988 , 42, 592-8	2
1019	Anemia in a line of transgenic mice carrying a mutant dihydrofolate reductase gene. 1988 , 9, 181-91	2
1018	Induction of angiogenesis in vitro by vanadate, an inhibitor of phosphotyrosine phosphatases. 1988 , 134, 460-6	69
1017	Immunohistochemical and in situ hybridization analysis of the development of the rat somatostatin-containing neocortical neuronal system. 1988 , 269, 448-63	99
1016	Inhibitory effect of flavonoids on DNA-dependent DNA and RNA polymerases. 1988, 44, 882-5	31
1015	Porcine parvovirus: replication in and inhibition of selected cellular functions of swine alveolar macrophages and peripheral blood lymphocytes. 1988 , 101, 105-17	31
1014	In vitro transcription and translation of the psbD gene encoding the D-2 protein of photosystem II in barley. 1988 , 53, 395-409	3
1013	Characterization and in vitro expression of the cytochrome b-559 genes of barley. II. In vitro transcription and translation. 1988 , 53, 233-46	3
1012	Strategies for in situ hybridization. 1988 , 18, 171-6	1
1011	Physiological and genetic modulation of inducible expression of Escherichia coli Egalactosidase in Saccharomyces cerevisiae. 1988 , 28, 160-165	12
1010	The chloroplast-located glutamine synthetase of Phaseolus vulgaris L.: nucleotide sequence, expression in different organs and uptake into isolated chloroplasts. 1988 , 11, 191-202	90

1009	A modified storage protein is synthesized, processed, and degraded in the seeds of transgenic plants. 1988 , 11, 717-29		120
1008	Characterisation of a full-length cDNA clone for pea ferredoxin-NADP(+) reductase. 1988 , 10, 511-20		90
1007	Introns in chloroplast protein-coding genes of land plants. 1988 , 16, 23-39		21
1006	Recent developments in chloroplast protein transport. 1988 , 19, 153-84		17
1005	Restriction fragment polymorphism in the sex-determining region of the Y chromosomal DNA of European wild mice. 1988 , 212, 440-9		17
1004	A consensus transcription termination sequence in the promoter region is necessary for efficient gene expression of the TRP1 gene of Saccharomyces cerevisiae. 1988 , 212, 495-504		15
1003	Analysis of transcription and processing signals in the 5' regions of the two Mycoplasma capricolum rRNA operons. 1988 , 212, 522-30		10
1002	Structure and function of Y chromosomal DNA. II. Analysis of lampbrush loop associated transcripts in nuclei of primary spermatocytes of Drosophila hydei by in situ hybridization using asymmetric RNA probes of four different families of repetitive DNA. 1988 , 96, 159-70		31
1001	Suppressible P-element alleles of the vestigial locus in Drosophila melanogaster. 1988 , 212, 370-374		17
1000	The expression of beta 1 and beta 3 tubulin genes of Drosophila melanogaster is spatially regulated during embryogenesis. 1988 , 211, 8-16		45
999	Regulation of the TRP4 gene of Saccharomyces cerevisiae at the transcriptional level and functional analysis of its promotor. 1988 , 211, 168-75		11
998	Characterization of a polyubiquitin gene from Arabidopsis thaliana. 1988 , 213, 435-43		97
997	Parameters affecting the frequency of kanamycin resistant alfalfa obtained by Agrobacterium tumefaciens mediated transformation. 1988 , 7, 512-6		65
996	Localization of the villin gene on human chromosome 2q35-q36 and on mouse chromosome 1. <i>Human Genetics</i> , 1988 , 78, 130-3	6.3	43
995	An MuLV transmission vector system designed to permit recovery in E. coli of proviral and cellular flanking sequences. 1988 , 1, 221-33		4
994	Cloning of a chromosomal locus (exp) which regulates the expression of several exoprotein genes in Staphylococcus aureus. 1988 , 211, 435-40		128
993	Recent developments in the use of synthetic oligonucleotides for in situ hybridization histochemistry. 1988 , 2, 308-16		43
992	Photocontrol of plastid gene expression. 1988 , 11, 329-338		43

991	Effects of phorbol esters on B-cell gene expression. 1988 , 28, 481-6	6
990	Topology of membrane insertion in vitro and plasma membrane assembly in vivo of the yeast arginine permease. 1988 , 2, 627-35	20
989	Measurement of oestrogen receptor mRNA levels in human breast tumours. 1988 , 58, 600-5	43
988	In situ hybridisation and S1 mapping show that the presence of infiltrating plasma cells is associated with poor prognosis in breast cancer. 1988 , 58, 715-22	11
987	In situ hybridization analysis of keratin gene expression in human ameloblastomas. 1988 , 17, 534-40	9
986	Fibroin Gene Transcription in the Embryonic Stages of the Silkworm, Bombyx mori. 1988 , 30, 293-299	14
985	Lineage-specific expression of a human beta-globin gene in murine bone marrow transplant recipients reconstituted with retrovirus-transduced stem cells. 1988 , 331, 35-41	309
984	Expression of functional potassium channels from Shaker cDNA in Xenopus oocytes. 1988 , 331, 143-5	346
983	Expression of functional interleukin-2 receptors in human light chain/Tac transgenic mice. 1988 , 331, 267-9	67
982	Characterization of ribosomal frameshifting in HIV-1 gag-pol expression. 1988 , 331, 280-3	775
981	Expression of the putative Duchenne muscular dystrophy gene in differentiated myogenic cell cultures and in the brain. 1988 , 331, 635-8	134
980	GAL4 activates transcription in Drosophila. 1988, 332, 853-6	419
979	Self-cleaving viroid and newt RNAs may only be active as dimers. 1988, 334, 265-7	139
978	Identification of a protein encoded by the vpu gene of HIV-1. 1988 , 334, 532-4	279
977	Selective expression of an antigen receptor on CD8-bearing T lymphocytes in transgenic mice. 1988 , 335, 271-4	457
976	The mas oncogene encodes an angiotensin receptor. 1988 , 335, 437-40	357
975	Rings of negatively charged amino acids determine the acetylcholine receptor channel conductance. 1988 , 335, 645-8	736
974	A human immunoglobulin gene reduces the incidence of lymphomas in c-Myc-bearing transgenic mice. 1988 , 336, 446-50	66

(1988-1988)

973	cis-acting sequences responsible for anterior localization of bicoid mRNA in Drosophila embryos. 1988, 336, 595-8	320
972	The role of the leucine zipper in the fos-jun interaction. 1988 , 336, 646-51	791
971	Direct interaction between fos and jun nuclear oncoproteins: role of the 'leucine zipper' domain. 1988, 336, 692-5	420
970	Multiple human tyrosine hydroxylase enzymes, generated through alternative splicing, have different specific activities in Xenopus oocytes. 1988 , 51, 652-5	40
969	DNA supercoiling in vivo. 1988 , 29, 7-15	79
968	cDNA cloning and assignment to chromosome 21 of IFI-78K gene, the human equivalent of murine Mx gene. 1988 , 14, 123-31	55
967	Mapping and characterization of mutations induced by benzo[a]pyrene diol epoxide at dihydrofolate reductase locus in CHO cells. 1988 , 14, 169-83	30
966	Cloning and chromosomal location of human genes inducible by type I interferon. 1988 , 14, 415-26	37
965	The family of mouse phosphoglycerate kinase genes and pseudogenes. 1988, 14, 69-81	44
964	Comparison of four radioactive probes for the diagnosis of potato spindle tuber viroid by nucleic acid spot hybridization. 1988 , 31, 431-442	17
963	Gene expression in amphibian embryogenesis. 1988 , 25 Suppl, 67-74	2
962	Signals important for high-level expression of foreign genes in Autographa californica nuclear polyhedrosis virus expression vectors. 1988 , 167, 56-71	185
961	Filamentous phage morphogenetic signal sequence and orientation of DNA in the virion and gene-V protein complex. 1988 , 167, 166-75	28
960	Subcellular localization of tobacco mosaic virus minus strand RNA in infected protoplasts. 1988 , 167, 194-200	7
959	Identification and characterization of the repetitive DNA element in the genome of insect iridescent virus type 6. 1988 , 167, 485-496	15
958	Regional localization of virus in the central nervous system of mice persistently infected with murine coronavirus JHM. 1988 , 166, 328-38	25
957	Nucleic acid hybridization in plant virus diagnosis and characterization. 1988, 6, 213-218	18
956	The c-fos serum response element responds to protein kinase C-dependent and -independent signals but not to cyclic AMP. 1988 , 2, 394-402	227

955	A highly sensitive Northern blot assay detects multiple proenkephalin A-like mRNAs in human caudate nucleus and pheochromocytoma. 1988 , 8, 255-61	15
954	Angiotensinogen gene expression in extrahepatic rat tissues: application of a solution hybridization assay. 1988 , 338, 327-31	74
953	Identification and sequence of gene dicB: translation of the division inhibitor from an in-phase internal start. <i>Nucleic Acids Research</i> , 1988 , 16, 6327-38	52
952	The NGF-inducible SCG10 mRNA encodes a novel membrane-bound protein present in growth cones and abundant in developing neurons. 1988 , 1, 463-76	219
951	Contrasting interactions between phorbol ester and insulin on the regulation of glycogen synthase activity and p33 mRNA accumulation in rat hepatoma cells. 1988 , 260, 377-87	6
950	Reconstituted U1 small nuclear ribonucleoprotein complex restores 5' splice site cleavage activity. 1988 , 154, 1010-7	1
949	Regulation of murine alpha-, beta major-, and beta minor-globin gene expression. 1988, 150, 204-11	1
948	Expression of the insulinoma gene rig during liver regeneration and in primary cultured hepatocytes. 1988 , 150, 1302-8	10
947	Signal transduction and transcriptional regulation by glucocorticoid receptor-LexA fusion proteins. 1988 , 241, 812-6	255
946	The human alpha-1-antitrypsin-related sequence gene: isolation and investigation of its expression. 1988 , 52, 151-60	22
945	Oncogenes modulate cellular gene expression and repress glucocorticoid regulated gene transcription. 1988 , 29, 457-63	17
944	Analysis of type II collagen RNA localization in chick wing buds by in situ hybridization. 1988 , 125, 51-8	56
943	Accumulation and decay of DG42 gene products follow a gradient pattern during Xenopus embryogenesis. 1988 , 129, 114-23	91
942	Synthesis and turnover of late H2B histone mRNA in developing embryos of the sea urchin, Strongylocentrotus purpuratus. 1988 , 129, 147-58	22
941	Developmental regulation of micro-injected histone genes in sea urchin embryos. 1988, 127, 54-63	52
940	RNA 3' cleavage and polyadenylation in oocytes and unfertilized eggs of Xenopus laevis. 1988 , 125, 237-45	7
939	Post-translational control of ribosomal protein L1 accumulation in Xenopus oocytes. 1988 , 126, 141-9	34
938	Photocrosslinking of proteins to maternal mRNA in Xenopus oocytes. 1988 , 128, 349-58	26

937	Organization and expression of a second chromosome follicle cell gene cluster in Drosophila. 1988 , 127, 248-56	35
936	Localization and expression of U1 RNA in early mouse embryo development. 1988 , 127, 349-61	40
935	Temporal and spatial control of silk gene transcription analyzed by nuclear run-on assays. 1988 , 127, 384-91	28
934	Small B2 RNAs in mouse oocytes, embryos, and somatic tissues. 1988 , 130, 513-23	37
933	Changes in state of adenylation and time course of degradation of maternal mRNAs during oocyte maturation and early embryonic development in the mouse. 1988 , 129, 304-14	266
932	Genes expressed during imaginal disc morphogenesis: IMP-E1, a gene associated with epithelial cell rearrangement. 1988 , 129, 428-38	29
931	Bilateral ablation of frontal cortex reduces concentration of cholecystokinin-like immunoreactivity in rat dorsolateral striatum. 1988 , 452, 113-7	10
930	Expression of c-myc and induction of DNA synthesis by platelet-poor plasma in human diploid fibroblasts. 1988 , 174, 25-33	20
929	Nucleotide sequence of cDNA clones encoding the entire precursor polypeptides for subunits IV and V of the photosystem I reaction center from spinach. 1988 , 237, 218-24	82
928	Functional activity of oligosaccharide-deficient (Na,K)ATPase expressed in Xenopus oocytes. 1988 , 238, 201-4	31
927	Functional expression of cloned cDNA encoding sodium channel III. 1988 , 228, 195-200	130
926	The 5'-CA DNA-sequence preference of daunomycin. 1988 , 227, 103-6	32
925	Location of a region of the muscarinic acetylcholine receptor involved in selective effector coupling. 1988 , 241, 119-25	156
924	A unique mRNA species for a regulatory subunit of cAMP-dependent protein kinase is specifically induced in haploid germ cells. 1988 , 229, 391-4	35
923	Primary structure of porcine muscarinic acetylcholine receptor III and antagonist binding studies. 1988 , 235, 257-61	79
922	Sequences both 5' and 3' to the transcription initiation site contribute to the ability of a mouse H-2 gene to respond to type I interferon. 1988 , 226, 297-302	1
921	A carboxyl-terminal peptide of the DNA-binding protein ICP8 of herpes simplex virus contains a single-stranded DNA-binding site. 1988 , 166, 10-6	14
920	Interferons as gene activators: close linkage of two interferon-activatable murine genes. 1988 , 166, 24-9	26

919	Host cell-dependent homologous interference in lymphocytic choriomeningitis virus infection. 1988 , 166, 133-9	11
918	Formation of transmembraneous hepatitis B e-antigen by cotranslational in vitro processing of the viral precore protein. 1988 , 163, 268-75	120
917	In vitro analysis of tobacco vein mottling virus NIa cistron: evidence for a virus-encoded protease. 1988 , 163, 554-62	77
916	Mechanism of interaction between endogenous ecotropic murine leukemia viruses in (BALB/c X C57BL/6) hybrid cells. 1988 , 162, 1-11	24
915	Time course of virus-specific macromolecular synthesis during rubella virus infection in Vero cells. 1988 , 162, 65-75	54
914	Comparisons of host cell DNA insertions and altered transcription at the site of insertions in few polyhedra bacilovirus mutants. 1988 , 162, 206-20	57
913	Temporal analysis of transcription and replication during acute infection with lymphocytic choriomeningitis virus. 1988 , 162, 260-3	30
912	Regulation of hepatitis B virus S gene promoter in transfected cell lines. 1988, 162, 362-8	27
911	An enhancer element in the short unique region of human cytomegalovirus regulates the production of a group of abundant immediate early transcripts. 1988 , 162, 406-16	107
910	Evidence that immunological variants of p53 represent alternative protein conformations. 1988 , 162, 452-8	27
909	Organization and interviral homologies of the coat protein gene of white clover mosaic virus. 1988 , 162, 459-65	16
908	The duck hepatitis B virus P-gene codes for protein strongly associated with the 5'-end of the viral DNA minus strand. 1988 , 166, 475-85	57
907	Topography of the simian rotavirus nonstructural glycoprotein (NS28) in the endoplasmic reticulum membrane. 1988 , 164, 435-42	54
906	Detection and characterization of subgenomic RNAs in hepatitis A virus particles. 1988 , 165, 419-27	16
905	The P protein and the nonstructural 38K and 29K proteins of Newcastle disease virus are derived from the same open reading frame. 1988 , 164, 256-64	37
904	The instability of a recombinant plasmid, caused by a prokaryotic-like promoter within the eukaryotic insert, can be alleviated by expression of antisense RNA. 1988 , 67, 141-5	14
903	A 64 kd nuclear protein binds to RNA segments that include the AAUAAA polyadenylation motif. 1988 , 52, 221-8	181
902	Most human carcinomas of the exocrine pancreas contain mutant c-K-ras genes. 1988 , 53, 549-54	1839

901	Characterization of genetic markers in the 3' end of the apo B gene and their use in family and population studies. 1988 , 69, 39-49		41
900	The tobacco mosaic virus assembly origin RNA. Functional characteristics defined by directed mutagenesis. 1988 , 203, 531-47		58
899	Differentiation of a precursor cell with the germline context immunoglobulin gene into immunoglobulin-producing cells in vitro. 1988 , 546, 1-8		1
898	Complete nucleotide sequence of human vasoactive intestinal peptide/PHM-27 gene and its inducible promoter. 1988 , 527, 87-102		33
897	Vitamin D-binding protein. Structure and pattern of expression. 1988 , 538, 49-59		8
896	Detection of parvovirus DNA in human serum using biotinylated RNA hybridisation probes. <i>Journal of Virological Methods</i> , 1988 , 19, 279-88	2.6	30
895	A rapid and sensitive solution hybridisation assay for the quantitative determination of specific viral RNA sequences. <i>Journal of Virological Methods</i> , 1988 , 22, 247-54	2.6	2
894	Detection of Chrysanthemum stunt viroid (CSV) using nick translated probes in a dot-blot hybridization assay. <i>Journal of Virological Methods</i> , 1988 , 20, 185-93	2.6	10
893	Polyadenylation of mRNA precursors. 1988 , 950, 1-12		170
892	Cloning of mRNA sequence coding for sex-specific storage protein of Bombyx mori. 1988 , 949, 181-8		22
891	Characterisation of the CDC7 gene product of Saccharomyces cerevisiae as a protein kinase needed for the initiation of mitotic DNA synthesis. 1988 , 951, 335-43		33
890	Immunological evidence for a change in subunits of the acetylcholine receptor in developing and denervated rat muscle. 1988 , 1, 117-25		192
889	Probes for rare mRNAs reveal distributed cell subsets in canary brain. 1988 , 1, 249-61		53
888	Single-step induction of mammary adenocarcinoma in transgenic mice bearing the activated c-neu oncogene. 1988 , 54, 105-15		996
887	A non-AUG translational initiation in c-myc exon 1 generates an N-terminally distinct protein whose synthesis is disrupted in Burkitt's lymphomas. 1988 , 52, 185-95		445
886	Isolation and properties of cDNA clones encoding SRF, a transcription factor that binds to the c-fos serum response element. 1988 , 55, 989-1003		911
885	Structure of the beta subunit of translational initiation factor eIF-2. 1988 , 54, 633-9		133
884	The Toll gene of Drosophila, required for dorsal-ventral embryonic polarity, appears to encode a transmembrane protein. 1988 , 52, 269-79		824

883	Autoregulation of 2 micron circle gene expression provides a model for maintenance of stable plasmid copy levels. 1988 , 52, 27-37	115
882	Analysis of the promoters and transcripts involved in IS10 anti-sense RNA control. 1988 , 72, 219-36	56
881	DNA hybridization for detection of human cytomegalovirus in bronchoalveolar lavage and pharynx biopsy. 1988 , 139, 101-11	4
880	Folding, trimerization, and transport are sequential events in the biogenesis of influenza virus hemagglutinin. 1988 , 53, 197-209	275
879	Efficient in vitro expression of interferon alpha analogs using SP6 polymerase and rabbit reticulocyte lysate. 1988 , 5, 9-15	22
878	3' cleavage and polyadenylation of mRNA precursors in vitro requires a poly(A) polymerase, a cleavage factor, and a snRNP. 1988 , 54, 875-89	202
877	A factor, U2AF, is required for U2 snRNP binding and splicing complex assembly. 1988 , 52, 207-19	497
876	Early events in murine erythroleukemia cells induced to differentiate. Accumulation and gene expression of the transformation-associated cellular protein p53. 1988 , 200, 55-64	38
875	Microinjection of synthetic Xhox-1A homeobox mRNA disrupts somite formation in developing Xenopus embryos. 1988 , 53, 687-97	101
874	Myelin proteolipid protein gene structure and its regulation of expression in normal and jimpy mutant mice. 1988 , 199, 587-96	65
873	Drosophila Adh: a promoter element expands the tissue specificity of an enhancer. 1988 , 53, 451-61	89
872	Topoisomerase I cleavage sites identified and mapped in the chromatin of Dictyostelium ribosomal RNA genes. 1988 , 200, 127-39	40
871	Heat-shock proteins, Hsp84 and Hsp86, of mice and men: two related genes encode formerly identified tumour-specific transplantation antigens. 1988 , 74, 491-501	38
870	[cRNA probes (riboprobes) synthesized in vitro for detecting enterovirus by molecular hybridization]. 1988 , 139, 217-25	8
869	rough, a Drosophila homeobox gene required in photoreceptors R2 and R5 for inductive interactions in the developing eye. 1988 , 55, 771-84	174
868	Bidirectional chain-termination nucleotide sequencing: transposon Tn5seq1 as a mobile source of primer sites. 1988 , 64, 135-45	58
867	Isolation of chicken vitellogenin I and III cDNAs and the developmental regulation of five estrogen-responsive genes in the embryonic liver. 1988 , 2, 116-24	66
866	Increased elastin mRNA levels associated with surgically induced intimal injury. 1988 , 18, 65-78	30

865	Introduction and expression of the interleukin 2 receptor (Tac) gene in hematopoietic stem cells with retrovirus vectors. 1988 , 1, 59-66		1
864	DNA and RNA sequence determination based on phosphorothioate chemistry. 1988 , 240, 1520-2		223
863	Morphine activation of c-fos expression in rat brain. 1988 , 157, 698-704		135
862	Isolation of the human platelet glycoprotein IIb gene and characterization of the 5' flanking region. 1988 , 156, 595-601		57
861	Cloned riboprobe for detection of a mycoplasmalike organism. 1988 , 155, 443-8		10
860	Oestrogen regulates oestrogen receptor mRNA levels in an oestrogen-responsive human breast cancer cell line. 1988 , 155, 1113-8		15
859	Ouabain sensitivity of a chimeric alpha subunit (Torpedo/rat) of the (Na,K)ATPase expressed in Xenopus oocyte. 1988 , 155, 1237-43		19
858	The human gene for von Willebrand factor. Identification of repetitive Alu sequences 5' to the transcription initiation site. 1988 , 153, 1159-66		21
857	Transcripts of the Drosophila blastoderm-specific locus, terminus, are concentrated posteriorly and encode a potential DNA-binding finger. 1988 , 125, 85-95		32
856	Control of the tRNA-tufB operon in Escherichia coli. 2. Mechanisms of the feedback inhibition of tufB expression studied in vivo and in vitro. 1988 , 175, 363-74		7
855	Nucleotide sequence and structure of the sevenless gene of Drosophila melanogaster. 1988 , 2, 620-34		82
854	Mutation of the insulin receptor at tyrosine 960 inhibits signal transmission but does not affect its tyrosine kinase activity. 1988 , 54, 641-9		346
853	Synthesis and secretion of insulin-like growth factor II by a leiomyosarcoma with associated hypoglycemia. 1988 , 319, 1434-40		282
852	A novel effect of EGF on mRNA stability. <i>Nucleic Acids Research</i> , 1988 , 16, 4957-66	0.1	44
851	Separation and characterization of a poly(A) polymerase and a cleavage/specificity factor required for pre-mRNA polyadenylation. 1988 , 52, 731-42		188
850	A continuous cell-free translation system capable of producing polypeptides in high yield. 1988 , 242, 1162-4		528
849	In situ hybridization demonstrates vasopressin gene transcription in hypothalamic neurons of crossbred hypertensive x diabetes insipidus rats. 1988 , 27, 159-67		9
848	Expression of naturally occurring RNA molecules complementary to the murine L27' ribosomal protein mRNA. 1988 , 72, 277-85		7

847	Substance K (NKA) increases tyrosine hydroxylase mRNA in cultured substantia nigra. 1988 , 427, 203-5	16
846	A variation in the structure of the protein-coding region of the human p53 gene. 1988 , 70, 245-52	238
845	RNA synthesis: strategies for the use of bacteriophage RNA polymerases. 1988, 72, 75-89	72
844	A rat brain Na+ channel alpha subunit with novel gating properties. 1988 , 1, 449-61	346
843	Location and Interaction of the Different Types of Zeins in Protein Bodies. 1988, 183, 107-115	4
842	Copper activates metallothionein gene transcription by altering the conformation of a specific DNA binding protein. 1988 , 55, 705-17	353
841	Molecular characterization of Bacillus subtilis levanase and a C-terminal deleted derivative. 1988, 7, 247-257	12
840	Expression and regulation of neuronal acetylcholine receptor mRNA in chick ciliary ganglia. 1988 , 1, 495-502	96
839	HIV expression strategies: ribosomal frameshifting is directed by a short sequence in both mammalian and yeast systems. 1988 , 55, 1159-69	196
838	Cloning and expression of the rat prolactin receptor, a member of the growth hormone/prolactin receptor gene family. 1988 , 53, 69-77	501
837	Localization of calbindin D28 mRNA in rat tissues by in situ hybridization. 1988 , 86, 155-60	39
836	Vacuum blotting: a simple method for transferring DNA from sequencing gels to nylon membranes. 1988 , 74, 347-56	22
835	Four novel U RNAs are encoded by a herpesvirus. 1988 , 54, 599-607	114
834	Varying oncomodulin mRNA abundance in developing placenta and solid tumors. 1988 , 40, 151-60	14
833	A novel strategy for one-step cloning of full-length cDNA and its application to the genome of barley stripe mosaic virus. 1988 , 74, 423-32	28
832	Plastocyanin of Arabidopsis thaliana; isolation and characterization of the gene and chloroplast import of the precursor protein. 1988 , 65, 59-69	54
831	Expression of the gene for preproatriopeptin in the central nervous system of the rat. 1988 , 464, 7-13	26
830	Differential splicing of MAG transcripts during CNS and PNS development. 1988 , 464, 143-55	61

829	Expression of Pea Legumin Sequences in Pea, Nicotiana and Yeast. 1988 , 183, 183-197	11
828	Two new tools: multi-purpose cloning vectors that carry kanamycin or spectinomycin/streptomycin resistance markers. 1988 , 68, 163-5	28
827	Cloning of human GAP-43: growth association and ischemic resurgence. 1988 , 1, 133-9	127
826	Sequence analysis and in vitro expression of a cDNA clone of genome segment 5 from bluetongue virus, serotype 1 from South Africa. 1988 , 11, 227-40	26
825	Differential expression of the human glucocerebrosidase-coding gene. 1988 , 73, 469-78	28
824	Novel eukaryotic expression vectors which permit single-stranded replication in Escherichia coli and in vitro translational analysis of cloned genes. 1988 , 70, 313-9	7
823	Highly preferred targets for retrovirus integration. 1988 , 53, 531-7	250
822	Chapter 4 The molecular genetics of photoreceptor cells. 1988 , 7, 89-112	8
821	Differential gene activation by glucocorticoids and progestins through the hormone regulatory element of mouse mammary tumor virus. 1988 , 53, 371-82	197
820	Probability that the commitment of murine erythroleukemia cell differentiation is determined by the c-myc level. 1988 , 202, 779-86	51
819	Detection of yellow fever virus nucleic acid in infected mosquitoes by RNA:RNA in situ hybridization. 1988 , 2, 331-8	6
818	Measurement of the amount of mRNA for gonadotropins during an estradiol-induced preovulatory-like surge of LH and FSH in ovariectomized ewes. 1988 , 5, 129-39	7
817	A third striated muscle actin gene is expressed during early development in the amphibian Xenopus laevis. 1988 , 202, 67-76	36
816	Kallikrein gene expression in estrogen-induced pituitary tumors. 1988 , 60, 225-32	24
815	Isolation and analysis of the gene encoding peripheral myelin protein zero. 1988, 1, 73-83	265
814	Cloning and functional expression in bacteria of a novel glucose transporter present in liver, intestine, kidney, and beta-pancreatic islet cells. 1988 , 55, 281-90	744
813	Signals for ribosomal frameshifting in the Rous sarcoma virus gag-pol region. 1988 , 55, 447-58	546
812	Effects of altered expression of the neural cell adhesion molecule, N-CAM, on early neural development in Xenopus embryos. 1988 , 1, 545-55	57

811	Preprocholecystokinin mRNA in rat brain: regional expression includes thalamus. 1988 , 464, 247-53	50
810	Neuronal expression of chimeric genes in transgenic mice. 1988 , 1, 311-20	64
809	Single RNA species injected in Xenopus oocyte directs the synthesis of active choline acetyltransferase. 1988 , 427, 107-13	18
808	Two conserved domains of yeast U2 snRNA are separated by 945 nonessential nucleotides. 1988 , 55, 41-8	84
807	Sex-lethal, a Drosophila sex determination switch gene, exhibits sex-specific RNA splicing and sequence similarity to RNA binding proteins. 1988 , 55, 1037-46	431
806	Hepatocyte-specific promoter element HP1 of the Xenopus albumin gene interacts with transcriptional factors of mammalian hepatocytes. 1988 , 202, 307-20	100
805	Synergism of closely adjacent estrogen-responsive elements increases their regulatory potential. 1988 , 201, 537-44	105
804	Nebulin cDNAs detect a 25-kilobase transcript in skeletal muscle and localize to human chromosome 2. 1988 , 2, 1-7	75
803	Small-scale purification of bacteriophage lambda DNA by an airfuge centrifugation step in cesium chloride gradients. 1988 , 5, 80-2	4
802	Saccharomyces cerevisiae protein involved in plasmid maintenance is necessary for mating of MAT alpha cells. 1988 , 204, 593-606	295
801	Changes in the polyadenylation of specific stable RNA during the early development of Xenopus laevis. 1988 , 72, 169-76	76
800	A novel diagnostic method based on DNA strand displacement. 1988 , 2, 15-30	12
799	The neuronal mineralocorticoid receptor as a mediator of glucocorticoid response. 1988, 1, 887-900	501
798	Translational regulation of the spc operon in Escherichia coli. Identification and structural analysis of the target site for S8 repressor protein. 1988 , 204, 309-29	77
797	A rapid and efficient method for targeted random mutagenesis. 1988 , 64, 313-9	9
796	Directed mutagenesis of the bacteriophage P2 ogr gene defines an essential function. 1988 , 73, 327-35	20
795	Sequence requirements for premature termination of transcription in the human c-myc gene. 1988 , 53, 245-56	249
794	Structure and expression of a newt cardio-skeletal myosin gene. Implications for the C value paradox. 1988 , 202, 287-96	19

793	Structure of the mouse nucleolin gene. The complete sequence reveals that each RNA binding domain is encoded by two independent exons. 1988 , 200, 627-38	105
792	Transcription termination in animal viruses and cells. 1988 , 72, 91-104	26
791	Vectors for in vitro synthesis of poly(A)+RNA transcripts. 1988 , 67, 137-40	5
790	An engrailed class homeo box gene in sea urchins. 1988 , 64, 21-31	44
789	Novel method of detecting single base substitutions in RNA molecules by differential melting behavior in solution. 1988 , 3, 217-23	9
788	Structure and expression of the U5 snRNA gene of Arabidopsis thaliana. Conserved upstream sequence elements in plant U-RNA genes. <i>Nucleic Acids Research</i> , 1988 , 16, 10425-40	51
787	Dynamic changes in inhibin messenger RNAs in rat ovarian follicles during the reproductive cycle. 1988 , 239, 1296-9	217
786	A novel gene of HIV-1, vpu, and its 16-kilodalton product. 1988 , 241, 1221-3	412
7 ⁸ 5	Renin gene expression in rat tissues: a new quantitative assay method for rat renin mRNA using synthetic cRNA. 1988 , 10, 345-59	29
7 ⁸ 4	A 13 bp palindrome is a functional estrogen responsive element and interacts specifically with estrogen receptor. <i>Nucleic Acids Research</i> , 1988 , 16, 647-63	374
783	Single subunits of the GABAA receptor form ion channels with properties of the native receptor. 1988 , 242, 577-9	180
782	Translational inactivation of ribosomal protein mRNAs during Xenopus oocyte maturation. 1988 , 2, 598-605	90
781	cAMP acts in synergy with E1A protein to activate transcription of the adenovirus early genes E4 and E1A. 1988 , 2, 1517-28	61
7 ⁸ 0	Measurement of poliovirus RNA polymerase binding to poliovirion and nonviral RNAs using a filter-binding assay. <i>Nucleic Acids Research</i> , 1988 , 16, 10339-52	23
779	Vasopressin gene expression in hypertensive, normotensive, and diabetes insipidus rats. 1988 , 10 Suppl 1, 131-42	1
778	Nucleotide sequence of the bovine gene for follicle-stimulating hormone beta-subunit. 1988 , 7, 227-33	42
777	Organization and nucleotide sequence of the mouse alpha-subunit gene of the pituitary glycoprotein hormones. 1988 , 7, 679-90	51
776	Topogenic analysis of the human immunodeficiency virus type 1 envelope glycoprotein, gp160, in microsomal membranes. 1988 , 107, 1677-87	74

775	Comparison of the fetal and adult functional B cell repertoires by analysis of VH gene family expression. 1988 , 168, 589-603		101
774	Unequal synthesis and differential degradation of alpha and beta spectrin during murine erythroid differentiation. 1988 , 107, 413-26		45
773	The half-life of immunoglobulin mRNA increases during B-cell differentiation: a possible role for targeting to membrane-bound polysomes. 1988 , 2, 1003-11		50
772	Human fibroblast but not lymphoid cells have unusually long polyadenylated interferon-beta 1 mRNAs. 1988 , 8, 179-92		1
771	Antisense RNA in Replication Control of the INC FII Plasmid R1. 1988 , 7, 559-564		
770	Antigen receptor genes in autoimmune B and T cells. 1988 , 74, 45-63		
769	Deletions in the SV40 late polyadenylation region downstream of the AATAAA mediate similar effects on expression in various mammalian cell lines. <i>Nucleic Acids Research</i> , 1988 , 16, 8977-97	20.1	11
768	Abundant 5 kb RNA of human cytomegalovirus without a major translational reading frame. 1988 , 69 (Pt 9), 2251-66		27
767	Tissue-specific expression of the rat beta-casein gene in transgenic mice. <i>Nucleic Acids Research</i> , 1988 , 16, 1027-41	20.1	96
766	Ha-ras and c-myc oncogene expression interferes with morphological and functional differentiation of mammary epithelial cells in single and double transgenic mice. 1988 , 2, 1486-95		77
765	Regulation of acetylcholine receptor transcript expression during development in Xenopus laevis. 1988 , 106, 469-78		89
764	Isolation and characterization of the mouse acetylcholine receptor delta subunit gene: identification of a 148-bp cis-acting region that confers myotube-specific expression. 1988 , 107, 2271-9		59
763	Acute measles in patients with and without neurological involvement: distribution of measles virus antigen and RNA. 1988 , 158, 433-42		140
762	Breast Cancer: Cellular and Molecular Biology. 1988,		4
761	Correct in vivo splicing of the mouse immunoglobulin kappa light-chain pre-mRNA is dependent on 5' splice-site position even in the absence of transcription. 1988 , 2, 1448-59		25
760	Molecular cloning and transcript analysis of fem-3, a sex-determination gene in Caenorhabditis elegans. 1988 , 2, 606-16		63
759	The intron requirement for immunoglobulin gene expression is dependent upon the promoter. <i>Nucleic Acids Research</i> , 1988 , 16, 6713-24	20.1	82
758	Versatile plasmid vectors for the construction, analysis and heat-inducible expression of hybrid genes in eukaryotic cells. <i>Nucleic Acids Research</i> , 1988 , 16, 7748	20.1	13

757	Molecular cloning of chicken metallothionein. Deduction of the complete amino acid sequence and analysis of expression using cloned cDNA. <i>Nucleic Acids Research</i> , 1988 , 16, 537-53	20.1	42
756	Deleted viral RNAs and lymphocytic choriomeningitis virus persistence in vitro. 1988 , 69 (Pt 8), 1893-902	2	15
755	Modification of the leader protein (Lb) of foot-and-mouth disease virus. 1988, 69 (Pt 9), 2327-33		14
754	SEC11 is required for signal peptide processing and yeast cell growth. 1988 , 106, 1035-42		167
753	A growth factor-repressible gene associated with protein kinase C-mediated inhibition of adipocyte differentiation. 1988 , 107, 279-86		71
75 ²	Analysis of Viroid Replication Following Agrobacterium-mediated Inoculation of Non-host Species with Potato Spindle Tuber Viroid cDNA. 1988 , 69, 879-889		16
751	The ribosomal fraction mediates the translational enhancement associated with the 5'-leader of tobacco mosaic virus. <i>Nucleic Acids Research</i> , 1988 , 16, 8675-94	20.1	26
750	In vitro splicing of mRNA precursors: 5' cleavage site can be predicted from the interaction between the 5' splice region and the 5' terminus of U1 snRNA. <i>Nucleic Acids Research</i> , 1988 , 16, 471-86	20.1	32
749	Modulation of hnRNP A1 protein gene expression by epidermal growth factor in Rat-1 cells. <i>Nucleic Acids Research</i> , 1988 , 16, 11663-73	20.1	21
748	Allelic exclusion in transgenic mice carrying mutant human IgM genes. 1988 , 167, 1969-74		42
747	Sequence and developmental expression of mRNA coding for a gap junction protein in Xenopus. 1988 , 107, 1065-73		93
746	Strong transcriptional activation of translocated c-myc genes occurs without a strong nearby enhancer or promoter. <i>Nucleic Acids Research</i> , 1988 , 16, 77-96	20.1	16
745	Erythroid specific activation of the Xenopus laevis adult alpha-globin promoter in transient heterokaryons. <i>Nucleic Acids Research</i> , 1988 , 16, 11027-45	20.1	5
744	Joining of nonhomologous DNA double strand breaks in vitro. <i>Nucleic Acids Research</i> , 1988 , 16, 907-24	20.1	157
743	Plasmid DNA Containing a Copy of RNA3 Can Substitute for RNA3 in Alfalfa Mosaic Virus RNA Inocula. 1988 , 69, 1331-1338		14
742	In vitro transcription and translational efficiency of chimeric SP6 messenger RNAs devoid of 5' vector nucleotides. <i>Nucleic Acids Research</i> , 1988 , 16, 4483-98	20.1	39
741	Overexpression of low density lipoprotein (LDL) receptor eliminates LDL from plasma in transgenic mice. 1988 , 239, 1277-81		106
740	Characterization of a third human thyroid hormone receptor coexpressed with other thyroid hormone receptors in several tissues. 1988 , 2, 1087-92		98

739	Expression of messenger ribonucleic acids encoding a parathyroid hormone-like peptide in normal human and animal tissues with abnormal expression in human parathyroid adenomas. 1988 , 2, 1230-6	182
738	A steroid response element can function in the absence of a distal promoter. 1988 , 2, 1286-93	24
737	Sequences downstream of the glucocorticoid regulatory element mediate cycloheximide inhibition of steroid induced expression from the rat alpha 1-acid glycoprotein promoter: evidence for a labile transcription factor. 1988 , 2, 1343-51	84
736	Human calpactin II (lipocortin I) messenger ribonucleic acid is not induced by glucocorticoids. 1988 , 2, 732-9	66
735	A variant estrogen receptor messenger ribonucleic acid is associated with reduced levels of estrogen binding in human mammary tumors. 1988 , 2, 785-91	91
734	Polycistronic transcripts in trypanosomes and their accumulation during heat shock: evidence for a precursor role in mRNA synthesis. 1988 , 8, 3837-46	181
733	Antisense RNA directed against the 3' noncoding region prevents dormant mRNA activation in mouse oocytes. 1988 , 241, 680-4	157
732	Vasopressin mRNA in the suprachiasmatic nuclei: daily regulation of polyadenylate tail length. 1988 , 241, 342-4	166
731	Platelet-derived growth factor A chain is maternally encoded in Xenopus embryos. 1988 , 241, 1223-5	128
730	Single strands, triple strands, and kinks in H-DNA. 1988 , 241, 1791-6	265
729	Conversion of normal behavior to shiverer by myelin basic protein antisense cDNA in transgenic	188
	mice. 1988 , 241, 593-5	100
728	mice. 1988 , 241, 593-5 Structure of the rat insulin-like growth factor II transcriptional unit: heterogeneous transcripts are generated from two promoters by use of multiple polyadenylation sites and differential ribonucleic acid splicing. 1988 , 2, 1115-26	37
728 727	Structure of the rat insulin-like growth factor II transcriptional unit: heterogeneous transcripts are generated from two promoters by use of multiple polyadenylation sites and differential ribonucleic	
•	Structure of the rat insulin-like growth factor II transcriptional unit: heterogeneous transcripts are generated from two promoters by use of multiple polyadenylation sites and differential ribonucleic acid splicing. 1988 , 2, 1115-26	37
727	Structure of the rat insulin-like growth factor II transcriptional unit: heterogeneous transcripts are generated from two promoters by use of multiple polyadenylation sites and differential ribonucleic acid splicing. 1988, 2, 1115-26 Characterization of complementary deoxyribonucleic acid for precursor of porcine motilin. 1988, 2, 175-80 Mitochondrial import of rat pre-ornithine transcarbamylase: accurate processing of the precursor form is not required for uptake into mitochondria, nor assembly into catalytically active enzyme.	37 27
727 726	Structure of the rat insulin-like growth factor II transcriptional unit: heterogeneous transcripts are generated from two promoters by use of multiple polyadenylation sites and differential ribonucleic acid splicing. 1988, 2, 1115-26 Characterization of complementary deoxyribonucleic acid for precursor of porcine motilin. 1988, 2, 175-80 Mitochondrial import of rat pre-ornithine transcarbamylase: accurate processing of the precursor form is not required for uptake into mitochondria, nor assembly into catalytically active enzyme. 1988, 2, 297-300 A highly conserved, 5' untranslated, inverted repeat sequence is ineffective in translational control	37 27 11
727 726 725	Structure of the rat insulin-like growth factor II transcriptional unit: heterogeneous transcripts are generated from two promoters by use of multiple polyadenylation sites and differential ribonucleic acid splicing. 1988, 2, 1115-26 Characterization of complementary deoxyribonucleic acid for precursor of porcine motilin. 1988, 2, 175-80 Mitochondrial import of rat pre-ornithine transcarbamylase: accurate processing of the precursor form is not required for uptake into mitochondria, nor assembly into catalytically active enzyme. 1988, 2, 297-300 A highly conserved, 5' untranslated, inverted repeat sequence is ineffective in translational control of the alpha 1(I) collagen gene. <i>Nucleic Acids Research</i> , 1988, 16, 9721-36	37 27 11

721	Elevated mRNA levels of major histocompatibility complex class II genes in lymphocytes of autoimmune BB rats. 1988 , 37, 1637-40		3
720	Analysis of gene expression using episomal mouse dihydrofolate reductase minigenes. <i>Nucleic Acids Research</i> , 1988 , 16, 7025-42	20.1	14
719	The UAS of the yeast PGK gene is composed of multiple functional elements. <i>Nucleic Acids Research</i> , 1988 , 16, 8245-60	20.1	57
718	Expression of the mdr (P-glycoprotein) gene in Chinese hamster digestive tracts. 1988 , 80, 269-75		39
717	Inosine incorporation in GC rich RNA probes increases hybridization sequence specificity. <i>Nucleic Acids Research</i> , 1988 , 16, 4162	20.1	2
716	Expression of the E.coli hemolysin secretion gene hlyB involves transcript anti-termination within the hly operon. <i>Nucleic Acids Research</i> , 1988 , 16, 4789-800	20.1	59
715	A new member of the ras gene superfamily identified in a rat liver cell line. <i>Nucleic Acids Research</i> , 1988 , 16, 9979-93	20.1	48
714	An in vitro interaction between the human U3 snRNP and 28S rRNA sequences near the alpha-sarcin site. <i>Nucleic Acids Research</i> , 1988 , 16, 10493-509	20.1	40
713	Duchenne muscular dystrophy gene expression in normal and diseased human muscle. 1988 , 239, 1418	3-20	55
712	Mutational analysis of the core and modulator sequences of the BMV RNA3 subgenomic promoter. <i>Nucleic Acids Research</i> , 1988 , 16, 981-95	20.1	131
711	Destruction of a translationally controlled mRNA in Xenopus oocytes delays progesterone-induced maturation. 1988 , 2, 1296-306		44
710	Expression of the human amylase genes: recent origin of a salivary amylase promoter from an actin pseudogene. <i>Nucleic Acids Research</i> , 1988 , 16, 8261-76	20.1	54
709	In vitro splicing of adenovirus E1A transcripts: characterization of novel reactions and of multiple branch points abnormally far from the 3' splice site. <i>Nucleic Acids Research</i> , 1988 , 16, 2389-409	20.1	45
708	Expression of normal and mutagenized apolipoprotein CII in procaryotic cells. Structure-function relationship. 1988 , 369, 1045-54		4
707	Affinities of ribosomal protein S20 and C-terminal deletion mutants for 16S rRNA and S20 mRNA. <i>Nucleic Acids Research</i> , 1988 , 16, 997-1010	20.1	19
706	Effects of tRNA-intron structure on cleavage of precursor tRNAs by RNase P from Saccharomyces cerevisiae. <i>Nucleic Acids Research</i> , 1988 , 16, 2537-52	20.1	34
705	Molecular consequences of truncations of the first exon for in vitro splicing of yeast actin pre-mRNA. <i>Nucleic Acids Research</i> , 1988 , 16, 7233-9	20.1	12
704	The vasopressin mRNA poly(A) tract is unusually long and increases during stimulation of vasopressin gene expression in vivo. 1988 , 8, 2267-74		151

703	Physical mapping of the Mycoplasma pneumoniae genome. <i>Nucleic Acids Research</i> , 1988 , 16, 8323-36	20.1	57
702	Model for tissue specific Calcitonin/CGRP-I RNA processing from in vitro experiments. <i>Nucleic Acids Research</i> , 1988 , 16, 7867-83	20.1	23
701	Analysis of potential expression of highly related members of the ribosomal protein L32 gene family. <i>Nucleic Acids Research</i> , 1988 , 16, 10751-64	20.1	6
700	Cellular distribution of somatogenic receptors and insulin-like growth factor-I mRNA in the rat liver. 1988, 119, 69-74		24
699	Characterization of response elements for androgens, glucocorticoids and progestins in mouse mammary tumour virus. <i>Nucleic Acids Research</i> , 1988 , 16, 5263-76	20.1	316
698	Mutational analysis of the tobacco mosaic virus 5'-leader for altered ability to enhance translation. <i>Nucleic Acids Research</i> , 1988 , 16, 883-93	20.1	71
697	Interferon-induced nuclear factors that bind a shared promoter element correlate with positive and negative transcriptional control. 1988 , 2, 383-93		479
696	The Drosophila su(Hw) gene, which controls the phenotypic effect of the gypsy transposable element, encodes a putative DNA-binding protein. 1988 , 2, 1205-15		157
695	Identification of the gene coding for the Endo B murine cytokeratin and its methylated, stable inactive state in mouse nonepithelial cells. 1988 , 2, 505-16		63
694	Sequence of human villin: a large duplicated domain homologous with other actin-severing proteins and a unique small carboxy-terminal domain related to villin specificity. 1988 , 107, 1759-66		118
693	A temperature-sensitive mutation of the Schizosaccharomyces pombe gene nuc2+ that encodes a nuclear scaffold-like protein blocks spindle elongation in mitotic anaphase. 1988 , 106, 1171-83		219
692	Selective recovery of foreign gene transcripts as virus-like particles in TMV-infected transgenic tobaccos. <i>Nucleic Acids Research</i> , 1988 , 16, 3127-40	20.1	29
691	Minute virus of mice non-structural protein NS-1 is necessary and sufficient for trans-activation of the viral P39 promoter. 1988 , 69 (Pt 10), 2563-73		95
690	The outB gene of Bacillus subtilis regulates its own transcription. 1988 , 2, 1381-8		4
689	Characterization of products derived from self-splicing of intron al5 alpha which is located in the mitochondrial COX I gene of Saccharomyces cerevisiae. <i>Nucleic Acids Research</i> , 1988 , 16, 3845-61	20.1	7
688	Concentrations of oxytocin-neurophysin prohormone mRNA in corpora lutea of sheep during the oestrous cycle and in early pregnancy. 1988 , 117, 409-14		37
687	Splicing and spliceosome formation of the yeast MATa1 transcript require a minimum distance from the 5' splice site to the internal branch acceptor site. <i>Nucleic Acids Research</i> , 1988 , 16, 9457-75	20.1	12
686	Mechanisms underlying generation of gradients in gene expression within the intestine: an analysis using transgenic mice containing fatty acid binding protein-human growth hormone fusion genes. 1988, 2, 1318-32		144

685	Insertion of a retrotransposon within the 3' end of a mouse gene provides a new functional polyadenylation signal. <i>Nucleic Acids Research</i> , 1988 , 16, 7241-51	13
684	Import pathways of precursor proteins into mitochondria: multiple receptor sites are followed by a common membrane insertion site. 1988 , 107, 2483-90	153
683	Molecular cloning and mechanism of trimethoprim resistance in Haemophilus influenzae. 1988 , 32, 477-84	20
682	Arterial smooth muscle cells in vivo: relationship between actin isoform expression and mitogenesis and their modulation by heparin. 1988 , 107, 1939-45	134
681	N-myc proto-oncogene expression during organogenesis in the developing mouse as revealed by in situ hybridization. 1988 , 107, 1325-35	171
680	Expression of a histone H1-like protein is restricted to early Xenopus development. 1988 , 2, 1284-95	143
679	Pattern of transcription of the homeo gene Hox-3.1 in the mouse embryo. 1988 , 2, 125-35	58
678	Hormone-mediated repression: a negative glucocorticoid response element from the bovine prolactin gene. 1988 , 2, 1144-54	369
677	Sequence of contactin, a 130-kD glycoprotein concentrated in areas of interneuronal contact, defines a new member of the immunoglobulin supergene family in the nervous system. 1988 , 107, 1561-73	245
676	Genomic organization and biosynthesis of secreted and cytoplasmic forms of gelsolin. 1988 , 106, 375-84	152
675	Genomic amplification with transcript sequencing. 1988, 239, 491-4	212
674	Characterization of a component of the yeast secretion machinery: identification of the SEC18 gene product. 1988 , 8, 4098-109	219
673	Both cell substratum regulation and hormonal regulation of milk protein gene expression are exerted primarily at the posttranscriptional level. 1988 , 8, 3183-90	79
672	Cysteine residues in the zinc finger and amino acids adjacent to the finger are necessary for DNA binding by the LAC9 regulatory protein of Kluyveromyces lactis. 1988 , 8, 3726-33	39
671	A histone H1 protein in sea urchins is encoded by a poly(A)+ mRNA. 1988 , 85, 4123-7	27
670	Tissue-specific expression of the rat galanin gene. 1988 , 85, 1065-9	216
669	Acetylcholine receptor-inducing factor from chicken brain increases the level of mRNA encoding the receptor alpha subunit. 1988 , 85, 1983-7	70
668	Location and characterization of two widely separated glucocorticoid response elements in the phosphoenolpyruvate carboxykinase gene. 1988 , 8, 96-104	113

667	Differential regulation of the two glyceraldehyde-3-phosphate dehydrogenase genes during Drosophila development. 1988 , 8, 5200-5	12
666	Amplification and expression of heterologous ornithine decarboxylase in Chinese hamster cells. 1988 , 8, 764-9	16
665	Functional analysis of the long terminal repeats of intracisternal A-particle genes: sequences within the U3 region determine both the efficiency and direction of promoter activity. 1988 , 8, 1093-102	63
664	Molecular localization and developmental expression of the otu locus of Drosophila melanogaster. 1988, 8, 1481-8	20
663	Mapping functional regions of transcription factor TFIIIA. 1988 , 8, 1684-96	185
662	Unusual branch point selection in processing of human growth hormone pre-mRNA. 1988 , 8, 2011-20	68
661	Upstream regulatory region for inducible expression of the chicken skeletal myosin alkali light-chain gene. 1988 , 8, 2581-8	25
660	Use of a cloned multidrug resistance gene for coamplification and overproduction of major excreted protein, a transformation-regulated secreted acid protease. 1988 , 8, 3316-21	49
659	Differential expression of insulin-like growth factor genes in rat central nervous system. 1988 , 85, 265-9	389
658	Analysis of genetic variability and mapping of point mutations in influenza virus by the RNase A mismatch cleavage method. 1988 , 85, 3522-6	42
657	A conserved sequence in the T-cell receptor beta-chain promoter region. 1988 , 85, 3551-4	72
656	Neuroanatomical localization and quantification of amyloid precursor protein mRNA by in situ hybridization in the brains of normal, aneuploid, and lesioned mice. 1988 , 85, 3628-32	70
655	High-frequency mutations in a plasmid-encoded gas vesicle gene in Halobacterium halobium. 1988 , 85, 6861-5	43
654	Two transcripts encode rat cytochrome b5 reductase. 1988 , 85, 7246-50	40
653	Closely linked early and late histone H2B genes are differentially expressed after microinjection into sea urchin zygotes. 1988 , 85, 507-10	30
652	Mapping of brain areas containing RNA homologous to cDNAs encoding the alpha and beta subunits of the rat GABAA gamma-aminobutyrate receptor. 1988 , 85, 7815-9	86
651	Trans-activation of the human immunodeficiency virus long terminal repeat by the hepatitis B virus X protein. 1988 , 85, 8286-90	192
650	Antisense RNA inhibits endogenous gene expression in mouse preimplantation embryos: lack of double-stranded RNA "melting" activity. 1988 , 85, 831-5	48

649	Isolation and structure of a cDNA encoding the B1 (CD20) cell-surface antigen of human B lymphocytes. 1988 , 85, 208-12	181
648	Differentiation of an interleukin 3-dependent precursor B-cell clone into immunoglobulin-producing cells in vitro. 1988 , 85, 4473-7	51
647	Transcriptional activation of HLA-DR alpha by interferon gamma requires a trans-acting protein. 1988 , 85, 4672-6	100
646	A milk protein gene promoter directs the expression of human tissue plasminogen activator cDNA to the mammary gland in transgenic mice. 1988 , 85, 5874-8	146
645	Transgenic mice bearing the human c-myc gene activated by an immunoglobulin enhancer: a pre-B-cell lymphoma model. 1988 , 85, 6047-51	106
644	Mouse lysozyme M gene: isolation, characterization, and expression studies. 1988 , 85, 6232-6	196
643	T-cell receptor alpha-chain variable-region haplotypes of normal and autoimmune laboratory mouse strains. 1988 , 85, 7729-33	49
642	Pituitary-specific expression and glucocorticoid regulation of a proopiomelanocortin fusion gene in transgenic mice. 1988 , 85, 8890-4	91
641	Structure and chromosomal localization of the functional intronless human JUN protooncogene. 1988 , 85, 9148-52	207
640	Transgenic mice containing intestinal fatty acid-binding protein-human growth hormone fusion genes exhibit correct regional and cell-specific expression of the reporter gene in their small intestine. 1988 , 85, 9611-5	155
639	Isolation and characterization of a Xenopus laevis C protein cDNA: structure and expression of a heterogeneous nuclear ribonucleoprotein core protein. 1988 , 85, 9669-73	31
638	Localization of mRNA for low density lipoprotein receptor and a cholesterol synthetic enzyme in rabbit nervous system by in situ hybridization. 1988 , 85, 9821-5	63
637	cDNA cloning of the immunoglobulin heavy chain binding protein. 1988 , 85, 2250-4	67
636	Short donor site sequences inserted within the intron of beta-globin pre-mRNA serve for splicing in vitro. 1988 , 8, 4484-91	46
635	Cell cycle expression of RNA duplex unwindase activity in mammalian cells. 1988, 8, 770-7	121
634	A gene encoding the major beta tubulin of the mitotic spindle in Physarum polycephalum plasmodia. 1988 , 8, 1275-81	32
633	Enforced expression of the c-myc oncogene inhibits cell differentiation by precluding entry into a distinct predifferentiation state in $G0/G1$. 1988 , 8, 1614-24	258
632	Differential stability of c-myc mRNAS in a cell-free system. 1988 , 8, 2860-8	7 2

631	Competition between splicing and polyadenylation reactions determines which adenovirus region E3 mRNAs are synthesized. 1988 , 8, 3291-7	42
630	Analysis of cDNA Clones Encoding the Entire Ferredoxin I Precursor Polypeptide from Spinach. 1988 , 101, 295-300	24
629	Isolation of cDNA clones for mouse cytoskeletal gamma-actin and differential expression of cytoskeletal actin mRNAs in mouse cells. 1988 , 8, 3929-33	34
628	Characterization of the rat mas oncogene and its high-level expression in the hippocampus and cerebral cortex of rat brain. 1988 , 85, 5339-42	91
627	Glucocorticoids facilitate the stable transformation of embryonal rat fibroblasts by a polyomavirus large tumor antigen-deficient mutant. 1988 , 85, 5571-5	4
626	cDNA heterogeneity suggests structural variants related to the high-affinity IgE receptor. 1988 , 85, 5639-43	16
625	Expression of the human beta-globin gene following retroviral-mediated transfer into multipotential hematopoietic progenitors of mice. 1988 , 85, 6062-6	97
624	Galanin is an estrogen-inducible, secretory product of the rat anterior pituitary. 1988 , 85, 7408-12	210
623	Expression of a bovine rhodopsin gene in Xenopus oocytes: demonstration of light-dependent ionic currents. 1988 , 85, 7917-21	78
622	A signal peptide encoded within the precore region of hepatitis B virus directs the secretion of a heterogeneous population of e antigens in Xenopus oocytes. 1988 , 85, 8405-9	131
621	Detailed delineation of an interferon-gamma-responsive element important in human HLA-DRA gene expression in a glioblastoma multiform line. 1988 , 85, 8618-22	94
620	Complete amino acid sequence of human placental protein 14: a progesterone-regulated uterine protein homologous to beta-lactoglobulins. 1988 , 85, 8845-9	144
619	Structural basis of beta-adrenergic receptor subtype specificity studied with chimeric beta 1/beta 2-adrenergic receptors. 1988 , 85, 9494-8	148
618	Inoculation of newborn SWR/J females with an ecotropic murine leukemia virus can produce transgenic mice. 1988 , 85, 1156-60	21
617	Accurate and efficient pre-mRNA splicing in Drosophila cell-free extracts. 1988 , 85, 2904-8	73
616	The S promoter of hepatitis B virus is regulated by positive and negative elements. 1988 , 8, 2449-55	50
615	Regulation of Acyl Carrier Protein Messenger RNA Levels during Seed and Leaf Development. 1988 , 86, 1174-8	29
614	Human hTM alpha gene: expression in muscle and nonmuscle tissue. 1988 , 8, 433-40	64

613	GAL11 protein, an auxiliary transcription activator for genes encoding galactose-metabolizing enzymes in Saccharomyces cerevisiae. 1988 , 8, 4991-9	143
612	Functional interaction between transcriptional elements in the long terminal repeat of reticuloendotheliosis virus: cooperative DNA binding of promoter- and enhancer-specific factors. 1988, 8, 5232-44	17
611	The HAP3 regulatory locus of Saccharomyces cerevisiae encodes divergent overlapping transcripts. 1988 , 8, 655-63	124
610	A cell-specific enhancer of the mouse alpha 1-antitrypsin gene has multiple functional regions and corresponding protein-binding sites. 1988 , 8, 1055-66	83
609	Characterization of the structure and transcriptional patterns of the gene encoding the late histone subtype H1-beta of the sea urchin Strongylocentrotus purpuratus. 1988 , 8, 1842-4	29
608	Nuclear pre-mRNA processing in plants: distinct modes of 3'-splice-site selection in plants and animals. 1988 , 8, 2042-51	111
607	trans splicing in Leishmania enriettii and identification of ribonucleoprotein complexes containing the spliced leader and U2 equivalent RNAs. 1988 , 8, 2597-603	26
606	Sp1, a CAAT-binding factor, and the adenovirus major late promoter transcription factor interact with functional regions of the gamma-fibrinogen promoter. 1988 , 8, 2628-37	64
605	cis-acting translational effects of the 5' noncoding region of c-myc mRNA. 1988 , 8, 2875-83	79
604	Requirement for the simian virus 40 small tumor antigen in tumorigenesis in transgenic mice. 1988 , 8, 3382-90	94
603	Developmental expression of transforming growth factors alpha and beta in mouse fetus. 1988 , 8, 3415-22	247
602	Microtubule-associated protein MAP2 shares a microtubule binding motif with tau protein. 1988 , 242, 936-9	456
601	A single base pair change in proline biosynthesis genes causes osmotic stress tolerance. 1988 , 170, 5943-5	51
600	In vitro synthesis of pp60v-src: myristylation in a cell-free system. 1988 , 8, 4295-301	118
599	Measurement of mRNA by solution hybridization with 32P-labelled single stranded cRNA probe ("SP6 test"). Comparison with a 32P-labelled single stranded cDNA as hybridization probe ("S1 test") for measurement of AVP mRNA. 1988 , 10, 467-83	7
598	Poly(A) shortening and degradation of the 3' A+U-rich sequences of human c-myc mRNA in a cell-free system. 1988 , 8, 1697-708	329
597	Enolase isoenzymes in adult and developing Xenopus laevis and characterization of a cloned enolase sequence. 1988 , 251, 31-9	42
596	Expression of the renin gene in extra-renal tissues of the rat. 1988 , 253, 907-10	95

595	Assembly of a polyadenylation-specific 25S ribonucleoprotein complex in vitro. 1988, 8, 2052-62	47
594	Prolactin regulation of beta-casein gene expression and of a cytosolic 120-kd protein in a cloned mouse mammary epithelial cell line 1988 , 7, 2089-2095	332
593	Measurement of multidrug-resistance messenger RNA in urogenital cancers; elevated expression in renal cell carcinoma is associated with intrinsic drug resistance. 1988 , 139, 862-5	129
592	Application of molecular genetic techniques to the cAMP-dependent protein kinase system. 1988 , 159, 299-311	14
591	Chapter 11 Establishing a Stable Expression System for Studies of Acetylcholine Receptors. 1988 , 33, 219-247	4
590	Chapter 13 Electrical Recordings from Cloned Sodium Channels Expressed in Xenopus Oocytes. 1988, 271-276	3
589	Tissue renin-angiotensin systems aspects of molecular biology and pharmacology. 1988 , 10, 1227-38	2
588	Virulence genes, borders, and overdrive generate single-stranded T-DNA molecules from the A6 Ti plasmid of Agrobacterium tumefaciens. 1988 , 170, 1523-32	84
587	Complex transcription of the Epstein-Barr virus BamHI fragment H rightward open reading frame 1 (BHRF1) in latently and lytically infected B lymphocytes. 1988 , 85, 3678-82	64
586	In vitro assay for protein-protein interaction: carboxyl-terminal 40 residues of simian virus 40 structural protein VP3 contain a determinant for interaction with VP1. 1988 , 85, 6607-11	30
585	Messenger RNA structure and gene regulation at the translational level in Escherichia coli: the case of threonine:tRNAThr ligase. 1988 , 85, 7892-6	53
584	Sodium butyrate increases glucose transporter expression in LLC-PK1 cells. 1988 , 85, 8072-5	13
583	Human and rat mast cell high-affinity immunoglobulin E receptors: characterization of putative alpha-chain gene products. 1988 , 85, 1907-11	104
582	The cell-specific enhancer of the mouse transthyretin (prealbumin) gene binds a common factor at one site and a liver-specific factor(s) at two other sites. 1988 , 8, 81-90	116
581	Interactions between the promoter and first intron are involved in transcriptional control of alpha 1(I) collagen gene expression. 1988 , 8, 4851-7	110
580	Generation of a mutant form of protein synthesis initiation factor eIF-2 lacking the site of phosphorylation by eIF-2 kinases. 1988 , 8, 993-5	105
579	Molecular analysis of hybrid dysgenesis-induced derivatives of a P-element allele at the vg locus. 1988 , 8, 1489-97	26
578	Meiotic expression of human ornithine transcarbamylase in the testes of transgenic mice. 1988 , 8, 1821-5	9

577	Glucocorticoid and developmental regulation of amylase mRNAs in mouse liver cells. 1988, 8, 3857-63	20
576	A viral cleavage site cassette: identification of amino acid sequences required for tobacco etch virus polyprotein processing. 1988 , 85, 3391-5	174
575	DNA polymerase I gene of Saccharomyces cerevisiae: nucleotide sequence, mapping of a temperature-sensitive mutation, and protein homology with other DNA polymerases. 1988 , 85, 3772-6	160
574	Vincristine-resistant erythroleukemia cell line has marked increased sensitivity to hexamethylenebisacetamide-induced differentiation. 1988 , 85, 3835-9	37
573	Quantitative analysis of RNA produced by slow and fast alleles of Adh in Drosophila melanogaster. 1988 , 85, 5161-5	36
572	Tissue-specific expression and cDNA cloning of small nuclear ribonucleoprotein-associated polypeptide N. 1988 , 85, 5296-300	92
571	Mobility of P elements in drosophilids and nondrosophilids. 1988 , 85, 6052-6	97
570	cDNA cloning and expression of murine macrophage colony-stimulating factor from L929 cells. 1988 , 85, 6706-10	117
569	Transient administration of estradiol-17 beta establishes an autoregulatory loop permanently inducing estrogen receptor mRNA. 1988 , 85, 7119-23	60
568	Convulsant-induced increase in transcription factor messenger RNAs in rat brain. 1988 , 85, 7795-9	296
567	Two interferon-induced nuclear factors bind a single promoter element in interferon-stimulated genes. 1988 , 85, 8521-5	198
566	Evidence for expression of the facilitated glucose transporter in rat hepatocytes. 1988 , 85, 9042-6	36
565	Yeast RNase P: catalytic activity and substrate binding are separate functions. 1988, 85, 1379-83	45
564	Influenza virus-susceptible mice carry Mx genes with a large deletion or a nonsense mutation. 1988 , 8, 4518-23	237
563	Gene expression of human DNA polymerase alpha during cell proliferation and the cell cycle. 1988 , 8, 5016-25	141
562	Isolation and characterization of a cDNA that encodes mouse fibroblast tropomyosin isoform 2. 1988 , 8, 5561-5	25
561	Expression of the human beta-globin gene after retroviral transfer into murine erythroleukemia cells and human BFU-E cells. 1988 , 8, 1725-35	60
560	Organization of the murine Mx gene and characterization of its interferon- and virus-inducible promoter. 1988 , 8, 3065-79	217

559	Identification of basal and cyclic AMP regulatory elements in the promoter of the phosphoenolpyruvate carboxykinase gene. 1988 , 8, 3467-75	180
558	Multiple cis-acting sequence elements are required for efficient splicing of simian virus 40 small-t antigen pre-mRNA. 1988 , 8, 3582-90	57
557	Localization of cells synthesizing transforming growth factor-alpha mRNA in the mouse brain. 1988 , 8, 1901-4	164
556	In vitro expression of cauliflower mosaic virus genes. 1988 , 7, 309-317	39
555	Selective suppression of human papillomavirus transcription in non-tumorigenic cells by 5-azacytidine 1988 , 7, 1321-1328	56
554	Processing at immunoglobulin polyadenylation sites in lymphoid cell extracts 1988, 7, 1421-1429	14
553	Two distinct genetic loci regulating class II gene expression are defective in human mutant and patient cell lines 1988 , 7, 1965-1972	25
552	Functional analysis of alternatively spliced tyrosinase gene transcripts 1988 , 7, 2723-2730	203
551	Variants of human tissue-type plasminogen activator that lack specific structural domains of the heavy chain 1988 , 7, 2731-2740	83
550	Rapid turnover of adenovirus E1A is determined through a co-translational mechanism that requires an aminoterminal domain 1988 , 7, 3171-3180	17
549	Villin expression in the visceral endoderm and in the gut anlage during early mouse embryogenesis 1988 , 7, 3321-3329	67
548	Synergistic action of the glucocorticoid receptor with transcription factors 1988 , 7, 3389-3395	262
547	Recombination within the upstream gene of duplicated myelin basic protein genes of myelin deficient shimld mouse results in the production of antisense RNA 1988 , 7, 3407-3412	28
546	Import of honeybee prepromelittin into the endoplasmic reticulum: energy requirements for membrane insertion 1988 , 7, 639-648	57
545	Ribosomal initiation from an ACG codon in the Sendai virus P/C mRNA 1988, 7, 245-251	127
544	Polygene transcripts are precursors to calmodulin mRNAs in trypanosomes 1988 , 7, 455-463	96
543	The structure and expression of a novel gene activated in early mouse embryogenesis 1988 , 7, 673-681	174
542	Expression of the FGF-related proto-oncogene int-2 during gastrulation and neurulation in the mouse 1988 , 7, 691-695	292

541	Multiple RNAs expressed from the int-2 gene in mouse embryonal carcinoma cell lines encode a protein with homology to fibroblast growth factors 1988 , 7, 1013-1022	88
540	Antisense RNA inhibits splicing of pre-mRNA in vitro 1988 , 7, 2523-2532	57
539	The achaete-scute gene complex of Drosophila melanogaster comprises four homologous genes 1988 , 7, 2585-2591	199
538	Male sterility of transgenic mice carrying exogenous mouse interferon-beta gene under the control of the metallothionein enhancer-promoter 1988 , 7, 3757-3762	48
537	Intracellular targeting of isoproteins in muscle cytoarchitecture. 1988, 106, 1161-70	49
536	Control of replication of plasmid R1: kinetics of in vitro interaction between the antisense RNA, CopA, and its target, CopT 1988 , 7, 3279-3288	82
535	Developmental expression of 2ar (osteopontin) and SPARC (osteonectin) RNA as revealed by in situ hybridization. 1988 , 106, 441-50	464
534	Regulation of Rous sarcoma virus RNA splicing and stability. 1988 , 8, 4858-67	140
533	Transcription of unrearranged antigen receptor genes in scid mice 1988, 7, 2019-2024	30
532	Cloning and analysis of the dec-1 female-sterile locus, a gene required for proper assembly of the Drosophila eggshell. 1988 , 2, 341-9	22
531	Alternative primary structures in the transmembrane domain of the chicken erythroid anion transporter. 1988 , 8, 1327-35	67
530	Transcription of genes involved in bacterio-opsin gene expression in mutants of a halophilic archaebacterium. 1988 , 170, 4910-5	22
529	Transcriptional organization of the Escherichia coli hemolysin genes. 1988 , 170, 1622-30	134
528	Transcriptional and translational analyses of recA mutant alleles in Pseudomonas aeruginosa. 1988 , 170, 1637-50	25
527	Genetic organization and transcriptional analysis of a major gene cluster involved in siderophore biosynthesis in Pseudomonas putida WCS358. 1988 , 170, 1812-9	41
526	Gene encoding sigma E is transcribed from a sigma A-like promoter in Bacillus subtilis. 1988 , 170, 3058-64	53
525	Association of the virD2 protein with the 5' end of T strands in Agrobacterium tumefaciens. 1988 , 170, 3367-74	155
524	The role of the polypyrimidine stretch at the SV40 early pre-mRNA 3? splice site in alternative splicing 1988 , 7, 809-817	67

523	Mutational analysis of the 5? non-coding region of human immunodeficiency virus type 1: effects of secondary structure on translation 1988 , 7, 2831-2837	127
522	A factor IX mutation, verified by direct genomic sequencing, causes haemophilia B by a novel mechanism 1988 , 7, 3009-3015	17
521	A synthetic, partial pre-mRNA for ovalbumin primes its own complementary DNA with reverse transcriptase. 1988 , 104, 403-8	1
520	Differential expression of type-specific c-abl mRNAs in mouse tissues and cell lines. 1988 , 8, 4547-51	48
519	Glycine-rich cell wall proteins in bean: gene structure and association of the protein with the vascular system 1988 , 7, 3625-3633	138
518	Human DNA polymerase alpha gene expression is cell proliferation dependent and its primary structure is similar to both prokaryotic and eukaryotic replicative DNA polymerases 1988 , 7, 37-47	298
517	Mutations in the leader sequence and initiation codon of the gene for ribosomal protein S20 (rpsT) affect both translational efficiency and autoregulation. 1988 , 170, 2485-92	32
516	Biochemical and mutational analysis of a plant virus polyprotein cleavage site 1988 , 7, 1281-1287	128
515	Import of proteins into yeast mitochondria: the nuclear MAS2 gene encodes a component of the processing protease that is homologous to the MAS1-encoded subunit 1988 , 7, 3863-3871	109
514	Heat shock but not other stress inducers leads to the disruption of a sub-set of snRNPs and inhibition of in vitro splicing in HeLa cells 1988 , 7, 3509-3518	126
513	Structure of the voltage-dependent potassium channel is highly conserved from Drosophila to vertebrate central nervous systems 1988 , 7, 2457-2463	184
512	Characterization of a second gene involved in bacterio-opsin gene expression in a halophilic archaebacterium. 1988 , 170, 4903-9	34
511	Processing of unstable bacteriophage T4 gene 32 mRNAs into a stable species requires Escherichia coli ribonuclease E 1988 , 7, 3601-3607	107
510	Structure of U2 snRNA genes of Arabidopsis thaliana and their expression in electroporated plant protoplasts. 1988 , 7, 791-799	49
509	The molecular basis of sulfonylurea herbicide resistance in tobacco. 1988 , 7, 1241-1248	197
508	DNA sequences outside the receptor-binding sites differently modulate the responsiveness of the mouse mammary tumour virus promoter to various steroid hormones 1988 , 7, 1403-1410	103
507	Ribosome pausing and stacking during translation of a eukaryotic mRNA 1988 , 7, 3559-3569	322
506	Targeted c-myc gene expression in mammary glands of transgenic mice induces mammary tumours with constitutive milk protein gene transcription 1988 , 7, 169-175	146

505	Both early and late Drosophila chorion gene promoters confer correct temporal, tissue and sex specificity on a reporter Adh gene 1988 , 7, 783-790	13
504	The genomic organization and transcription of the ubiquitin genes of Trypanosoma cruzi 1988 , 7, 1121-1127	99
503	Differential utilization of the same reading frame in a Xenopus homeobox gene encodes two related proteins sharing the same DNA-binding specificity 1988 , 7, 2139-2149	90
502	A variant nuclear protein in dedifferentiated hepatoma cells binds to the same functional sequences in the beta fibrinogen gene promoter as HNF-1 1988 , 7, 2485-2493	96
501	Early increase in histone H1(0) mRNA during differentiation of F9 cells to parietal endoderm 1988 , 7, 3003-3008	63
500	Both immunoglobulin promoter and enhancer sequences are targets for suppression in myeloma-fibroblast hybrid cells 1988 , 7, 3093-3098	24
499	Regulation of the fixA gene and fixBC operon in Bradyrhizobium japonicum. 1988 , 170, 1205-14	50
498	Molecular cloning and preliminary genetic analysis of the men gene cluster of Bacillus subtilis. 1988 , 170, 2735-41	22
497	Genomic amplification with transcript sequencing. 1988 , 239, 491-494	206
496	Molecular organization of the vestigial region in Drosophila melanogaster 1988, 7, 1355-1363	31
495	Divergent mRNA transcription in the chloroplast psbB operon 1988 , 7, 885-891	45
494	Localization of the cis-acting regulatory DNA sequences of the Myxococcus xanthus tps and ops genes. 1988 , 170, 4931-8	15
493	Cloning and expression in Escherichia coli of genes encoding a multiprotein complex involved in secretion of proteins from Staphylococcus aureus. 1988 , 170, 5337-43	16
492	Chimeric single-stranded DNA phage-plasmid cloning vectors. 1988 , 10, 85-102	25
491	Targeting of proteins to the thylakoid lumen by the bipartite transit peptide of the 33 kd oxygen-evolving protein 1989 , 8, 3187-3194	89
490	Somatomedin gene structure and expression. 1989 , 129-140	
489	Use and applications of nucleic acid probes in the clinical laboratory 1989 , 35, 1819-1825	13
488	Vectors for Gene Transfer in Higher Plants. 1989 , 3-34	1

487	A mutation in the insulin receptor gene that impairs transport of the receptor to the plasma membrane and causes insulin-resistant diabetes 1989 , 8, 2509-2517	103
486	In Situ Hybridization: A Methodological Guide. 1989 , 1, 98-126	40
485	The immunoglobulin kappa locus contains a second, stronger B-cell-specific enhancer which is located downstream of the constant region 1989 , 8, 1959-1964	154
484	TPA can overcome the requirement for EIa and together act synergistically in stimulating expression of the adenovirus EIII promoter 1989 , 8, 4239-4250	18
483	Independent removal of two identical or different introns from mRNA precursors in vitro. 1989 , 105, 1014-23	
482	Structure and expression of the cytochrome aa3 regulatory gene ctaA of Bacillus subtilis. 1989 , 171, 4979-86	18
481	Physiological regulation at the level of mRNA: analysis of steady-state levels of specific mRNAs by DNA-excess solution hybridization. 1989 , 256, C457-65	29
480	The cellular response to induction of the p21 c-Ha-ras oncoprotein includes stimulation of jun gene expression 1989 , 8, 815-822	73
479	Vascular expression of a bean cell wall glycine-rich protein-Eglucuronidase gene fusion in transgenic tobacco. 1989 , 8, 1309-1314	47
478	Identification of a novel nicotinic acetylcholine receptor structural subunit expressed in goldfish retina. 1989 , 108, 637-45	31
477	Mapping the double-strand breaks at the mating-type locus in fission yeast by genomic sequencing 1989 , 8, 269-276	51
476	The CArG promoter sequence is necessary for muscle-specific transcription of the cardiac actin gene in Xenopus embryos 1989 , 8, 1153-1161	96
475	Interactions of alpha- and gamma-interferon in the transcriptional regulation of the gene encoding a guanylate-binding protein 1989 , 8, 2009-2014	113
474	Molecular analysis of ref(2)P, a Drosophila gene implicated in sigma rhabdovirus multiplication and necessary for male fertility 1989 , 8, 3437-3446	34
473	The reaction specificities of the thylakoidal processing peptidase and Escherichia coli leader peptidase are identical 1989 , 8, 3917-3921	100
472	The role of ACE3 in Drosophila chorion gene amplification 1989 , 8, 4153-4162	47
471	The XLR gene product defines a novel set of proteins stabilized in the nucleus by zinc ions. 1989 , 108, 779-87	23
470	Transcription events in the origin of replication of plasmid pSC101. 1989 , 171, 6482-92	10

469	Molecular characterization of rat skeletal muscle myosin light chain kinase. 1989, 256, C399-404	16
468	Human chorionic gonadotropin regulates expression of the proenkephalin gene in adult rat Leydig cells. 1989 , 3, 2093-100	21
467	ARPP-21, a cyclic AMP-regulated phosphoprotein enriched in dopamine-innervated brain regions. II. Molecular cloning and nucleotide sequence. 1989 , 9, 3638-44	10
466	Structure and expression of chicken metallothionein. 1989 , 119, 309-18	21
465	A second proteinase encoded by a plant potyvirus genome 1989 , 8, 365-370	174
464	Cloning and sequencing of the cDNA encoding an isoform of microtubule-associated protein tau containing four tandem repeats: differential expression of tau protein mRNAs in human brain 1989 , 8, 393-399	716
463	Molecular analysis of the asense gene, a member of the achaete-scute complex of Drosophila melanogaster, and its novel role in optic lobe development 1989 , 8, 3553-3562	135
462	Three novel functional variants of human U5 small nuclear RNA. 1992 , 12, 734-746	22
461	Use of a multiple S1 nuclease protection assay to monitor changes in RNA levels for type 1 phosphatase and several proto-oncogenes in response to insulin 1992 , 267, 5921-5926	2
460	In situ hybridization detection of gene expression for hepatic metabolic enzymes. 1992 , 50, 802-803	
459	Drosophila transcriptional repressor protein that binds specifically to negative control elements in fat body enhancers. 1992 , 12, 4093-4103	22
458	Mutations in a 19-amino-acid hydrophobic region of the yeast cytochrome c1 presequence prevent sorting to the mitochondrial intermembrane space. 1992 , 12, 4677-4686	13
457	Expression of the woodchuck N-myc2 retroposon in brain and in liver tumors is driven by a cryptic N-myc promoter. 1992 , 12, 5336-5344	15
456	Biochemical and cytological changes associated with expression of deregulated pp60src in Xenopus oocytes. 1992 , 12, 5485-5498	5
455	Rearrangement of upstream regulatory elements leads to ectopic expression of the Drosophila mulleri Adh-2 gene. 1992 , 132, 1071-9	
454	Analysis of Nuclear RNA. 1993 , 235-263	4
453	A transcriptional switch between the Pig-1 and Sgs-4 genes of Drosophila melanogaster. 1993 , 13, 184-195	7
452	Import of In Vitro Synthesised Proteins into Intact Chloroplasts and Isolated Thylakoids from Higher Plants. 1993 , 207-218	

451	Expression by Transgenic Mouse Placenta of a Human Placental Hormone, the Ebubunit of Human Chorionic Gonadotropin. 1993 , 264-272	
450	Laboratory Techniques in the Investigation of Human Papillomavirus Infection. 1993, 65-76	
449	U2 small nuclear RNA 3' end formation is directed by a critical internal structure distinct from the processing site. 1993 , 13, 1119-1129	11
448	cis regulation of the keratin 18 gene in transgenic mice. 1993 , 13, 1815-1823	25
447	Action of spontaneously produced beta interferon in differentiation of embryonal carcinoma cells through an autoinduction mechanism. 1993 , 13, 2846-2857	5
446	Expression of heat shock protein 70 is altered by age and diet at the level of transcription. 1993 , 13, 2909-291	1863
445	Cis- and trans-acting elements involved in amino acid regulation of asparagine synthetase gene expression. 1993 , 13, 3202-3212	29
444	Analyses of plant chromatin and in vivo protein-DNA interactions. 1994 , 459-478	
443	Construction and Expression of Chimeric cDNAs of Na+/K+ and H+/K+-ATPase Bubunits. 1994 , 210-213	
442	Transcriptional Regulation of Hemolysin Genetic Expression: hlyM, a sequence contained in hlyC, modulates hemolysin transcription. 1994 , 379-397	
441	In situ-Hybridisierung. 1994 , 183-214	
440	Responses of Neostriatal Dopaminoceptive Cells to the Ischemic Insult. 1994 , 517-533	
439	In Situ Hybridization for Peptide mRNA. 1994 , 271-282	
438	Xenopus gamma-crystallin gene expression: evidence that the gamma-crystallin gene family is transcribed in lens and nonlens tissues. 1994 , 14, 1355-1363	9
437	Cloning, expression, and chromosomal localization of the 140-kilodalton subunit of replication factor C from mice and humans. 1994 , 14, 1626-1634	16
436	Myogenic differentiation triggered by antisense acidic fibroblast growth factor RNA. 1994 , 14, 4244-4250	6
435	Nucleic Acid Hybridization Techniques and Neurotoxicity Assessment. 1995 , 423-432	
434	Emergence of salivary gland cell lineage diversity suggests a role for androgen-independent epidermal growth factor receptor signaling. 1995 , 108, 2205-2212	3

433	Recombinant Protein Techniques. 1996 , 385-430	
432	Protein Engineering of Albebetin, A de Novo Protein with a Predesigned Three-Dimensional Structure. 1996 , 101-113	
431	Diagnosis of Viral Respiratory Tract Infections. 1996 , 61-82	
430	RNAase protection and primer extension. 1996 , 425-438	1
429	Basic methodology in the molecular characterization of genes. 1996 , 1-7	
428	Recombinant Protein Techniques. 1996 , 325-363	
427	Rapid Identification and Cloning of Sequence-Specific RNA Binding Proteins. 1997, 99-109	1
426	Plasmid-Derived Cloning Vectors. 1998 , 165-179	
425	Methodology for the Study of Metabolism: Cellular and Molecular Techniques. 1998, 41-78	
424	In Vitro Splicing of Pre-mRNA in HeLa Extracts. 1998 , 184-210	
423	Mutations of the CD40 Ligand Gene and Its Effect on CD40 Ligand Expression in Patients With X-Linked Hyper IgM Syndrome. 1998 , 92, 2421-2434	3
422	Cloning Vectors. 1999 , 226-254	
421	Radioactive Labeling of DNA and RNA Probes. 1999 , 114-125	1
420	Enzymes as Molecular Tools. 2017 , 99-128	
419	Synthetic DNA templates for the production of in situ hybridization probes.	
418	Protocols for Northern Analysis of Exosome Substrates and Other Noncoding RNAs. <i>Methods in Molecular Biology</i> , 2020 , 2062, 83-103	1.4
417	Design and Total Chemical Synthesis of a Gene for Bovine Rhodopsin. 1973 , 111-123	
416	Development of Infectious Clone of Virus. 2020 , 449-463	

415	In Situ/Subcellular Localization of Arabinogalactan Protein Expression by Fluorescent In Situ Hybridization (FISH). <i>Methods in Molecular Biology</i> , 2020 , 2149, 403-427	1.4	
414	A missense in HSF2BP causing Primary Ovarian Insufficiency affects meiotic recombination by its novel interactor C19ORF57/MIDAP.		О
413	The Critical Contribution of Pseudouridine to mRNA COVID-19 Vaccines. 2021 , 9, 789427		14
412	Molecular Biology Applications in Cardiovascular Medicine. 2005 , 11-43		
411	Sex Determination of Bloodstains by the Use of a Ribonucleic Acid (RNA) Probe. 1989 , 34, 12743J		
410	"Split-and-Click" sgRNA. <i>Methods in Molecular Biology</i> , 2021 , 2162, 61-78	1.4	
409	Synthesis of bovine growth hormone in primates by using a herpesvirus vector. 1985 , 5, 2796-2803		7
408	Transient expression of human adenosine deaminase cDNAs: identification of a nonfunctional clone resulting from a single amino acid substitution. 1985 , 5, 762-767		18
407	Linker scanning mutagenesis of the 5'-flanking region of the mouse beta-major-globin gene: sequence requirements for transcription in erythroid and nonerythroid cells. 1985 , 5, 1498-1511		77
406	Transcription boundaries of U1 small nuclear RNA. 1985 , 5, 2332-2340		31
405	Virus deletion mutants that affect a 3' splice site in the E3 transcription unit of adenovirus 2. 1985 , 5, 2405-2413		12
404	Characterization of two nonallelic pairs of late histone H2A and H2B genes of the sea urchin: differential regulation in the embryo and tissue-specific expression in the adult. 1986 , 6, 3746-3754		22
403	Cellular promoters incorporated into the adenovirus genome: cell specificity of albumin and immunoglobulin expression. 1986 , 6, 3791-3797		40
402	Microdissection of and microcloning from the short arm of human chromosome 2. 1986 , 6, 3826-3830		13
401	Tripartite sequences within and 3' to the sea urchin H2A histone gene display properties associated with a transcriptional termination process. 1986 , 6, 4008-4018		19
400	Different tissue-specific expression of the amylase gene Amy-1 in mice and rats. 1986 , 6, 4067-4076		9
399	Multiple control elements in the TRP1 promoter of Saccharomyces cerevisiae. 1986 , 6, 4251-4258		32
398	Multiple transcripts from the Antennapedia gene of Drosophila melanogaster. 1986 , 6, 4667-4675		37

397	Transcriptional control of the mouse prealbumin (transthyretin) gene: both promoter sequences and a distinct enhancer are cell specific. 1986 , 6, 4697-4708	74
396	In vitro cleavage of the simian virus 40 early polyadenylation site adjacent to a required downstream TG sequence. 1986 , 6, 4734-4741	24
395	Three tightly linked genes encoding human type I keratins: conservation of sequence in the 5'-untranslated leader and 5'-upstream regions of coexpressed keratin genes. 1986 , 6, 539-548	26
394	The chronic myelocytic cell line K562 contains a breakpoint in bcr and produces a chimeric bcr/c-abl transcript. 1986 , 6, 607-616	54
393	Differential responsiveness of myc- and ras-transfected cells to growth factors: selective stimulation of myc-transfected cells by epidermal growth factor. 1986 , 6, 870-877	59
392	Estrogen regulation of the avian transferrin gene in transgenic mice. 1986 , 6, 1010-1014	12
391	4.5S RNA is encoded by hundreds of tandemly linked genes, has a short half-life, and is hydrogen bonded in vivo to poly(A)-terminated RNAs in the cytoplasm of cultured mouse cells. 1986 , 6, 1508-1519	12
390	Use of a novel S1 nuclease RNA-mapping technique to measure efficiency of transcription termination on polyomavirus DNA. 1986 , 6, 1624-1632	15
389	Tissue localization of Drosophila melanogaster ras transcripts during development. 1986 , 6, 2241-2248	21
388	The AAUAAA sequence is required both for cleavage and for polyadenylation of simian virus 40 pre-mRNA in vitro. 1986 , 6, 2317-2323	89
387	Ribonucleoprotein complex formation during pre-mRNA splicing in vitro. 1986 , 6, 2582-2592	56
386	Analysis of histone gene expression in adult tissues of the sea urchins Strongylocentrotus purpuratus and Lytechinus pictus: tissue-specific expression of sperm histone genes. 1986 , 6, 2602-2612	22
385	Cloning and characterization of a variant surface glycoprotein expression site from Trypanosoma equiperdum. 1986 , 6, 2950-2956	7
384	Beta-adrenergic stimulation of c-fos gene expression in the mouse submandibular gland. 1986 , 6, 2984-2989	10
383	Characterization of an activated human ros gene. 1986 , 6, 3109-3116	44
382	Structure, organization, and sequence of alpha satellite DNA from human chromosome 17: evidence for evolution by unequal crossing-over and an ancestral pentamer repeat shared with the human X chromosome. 1986 , 6, 3156-3165	104
381	Expression of multiple proliferin genes in mouse cells. 1986 , 6, 3283-3286	9
380	The heat shock response in HeLa cells is accompanied by elevated expression of the c-fos proto-oncogene. 1987 , 7, 3452-3458	34

379	Regulation of platelet-derived growth factor gene expression by transforming growth factor beta and phorbol ester in human leukemia cell lines. 1987 , 7, 3656-3662	20
378	Tissue-specific and hormonally regulated expression of a rat alpha 2u globulin gene in transgenic mice. 1987 , 7, 3749-3758	10
377	Expression of transfected vimentin genes in differentiating murine erythroleukemia cells reveals divergent cis-acting regulation of avian and mammalian vimentin sequences. 1987 , 7, 3955-3970	10
376	Reconstitution of the U1 small nuclear ribonucleoprotein particle. 1987 , 7, 4030-4037	50
375	Tissue-specific activity of the pro-opiomelanocortin gene promoter. 1987 , 7, 4058-4064	26
374	Autogenous regulation of histone mRNA decay by histone proteins in a cell-free system. 1987 , 7, 4345-4356	30
373	Two lck transcripts containing different 5' untranslated regions are present in T cells. 1987 , 7, 4407-4413	32
372	In vitro splicing of kappa immunoglobulin precursor mRNA. 1987 , 7, 1346-1351	12
371	Developmental regulation of SPO13, a gene required for separation of homologous chromosomes at meiosis I. 1987 , 7, 1425-1435	83
370	Structure and expression of the chicken ferritin H-subunit gene. 1987 , 7, 1751-1758	26
369	Control of proliferin gene expression in serum-stimulated mouse cells. 1987 , 7, 2080-2086	8
368	In vitro splicing of the terminal intervening sequence of Saccharomyces cerevisiae cytochrome b pre-mRNA. 1987 , 7, 2545-2551	20
367	Site-specific demethylation and normal chromatin structure of the human dihydrofolate reductase gene promoter after transfection into CHO cells. 1987 , 7, 2830-2837	16
366	Selective induction of human heat shock gene transcription by the adenovirus E1A gene products, including the 12S E1A product. 1987 , 7, 2884-2890	48
365	Isolation and characterization of full-length functional cDNA clones for human carcinoembryonic antigen. 1987 , 7, 3221-3230	52
364	Control of hematopoietic cell growth regulators during mouse fetal development. 1987 , 7, 3361-3364	8
363	Differential expression of type-specific c-abl mRNAs in mouse tissues and cell lines. 1988 , 8, 4547-4551	13
362	Interactions between the promoter and first intron are involved in transcriptional control of alpha 1(I) collagen gene expression. 1988 , 8, 4851-4857	43

361	Differential regulation of the two glyceraldehyde-3-phosphate dehydrogenase genes during Drosophila development. 1988 , 8, 5200-5205	12
360	Functional interaction between transcriptional elements in the long terminal repeat of reticuloendotheliosis virus: cooperative DNA binding of promoter- and enhancer-specific factors. 1988, 8, 5232-5244	8
359	Isolation and characterization of a cDNA that encodes mouse fibroblast tropomyosin isoform 2. 1988 , 8, 5561-5565	9
358	Amplification and expression of heterologous ornithine decarboxylase in Chinese hamster cells. 1988 , 8, 764-769	3
357	A cell-specific enhancer of the mouse alpha 1-antitrypsin gene has multiple functional regions and corresponding protein-binding sites. 1988 , 8, 1055-1066	44
356	A gene encoding the major beta tubulin of the mitotic spindle in Physarum polycephalum plasmodia. 1988 , 8, 1275-1281	11
355	Alternative primary structures in the transmembrane domain of the chicken erythroid anion transporter. 1988 , 8, 1327-1335	15
354	Molecular localization and developmental expression of the otu locus of Drosophila melanogaster. 1988 , 8, 1481-1488	9
353	Molecular analysis of hybrid dysgenesis-induced derivatives of a P-element allele at the vg locus. 1988 , 8, 1489-1497	16
352	Cloning of the human keratin 18 gene and its expression in nonepithelial mouse cells. 1988 , 8, 1540-1550	43
351	Expression of the human beta-globin gene after retroviral transfer into murine erythroleukemia cells and human BFU-E cells. 1988 , 8, 1725-1735	19
350	Meiotic expression of human ornithine transcarbamylase in the testes of transgenic mice. 1988 , 8, 1821-1825	4
349	Nuclear pre-mRNA processing in plants: distinct modes of 3'-splice-site selection in plants and animals. 1988 , 8, 2042-2051	64
348	Assembly of a polyadenylation-specific 25S ribonucleoprotein complex in vitro. 1988 , 8, 2052-2062	27
347	The vasopressin mRNA poly(A) tract is unusually long and increases during stimulation of vasopressin gene expression in vivo. 1988 , 8, 2267-2274	36
346	Upstream regulatory region for inducible expression of the chicken skeletal myosin alkali light-chain gene. 1988 , 8, 2581-2588	13
345	Differential stability of c-myc mRNAS in a cell-free system. 1988 , 8, 2860-2868	34
344	Both cell substratum regulation and hormonal regulation of milk protein gene expression are exerted primarily at the posttranscriptional level. 1988 , 8, 3183-3190	25

343	Use of a cloned multidrug resistance gene for coamplification and overproduction of major excreted protein, a transformation-regulated secreted acid protease. 1988 , 8, 3316-3321	11
342	Developmental expression of transforming growth factors alpha and beta in mouse fetus. 1988 , 8, 3415-3422	46
341	Glucocorticoid and developmental regulation of amylase mRNAs in mouse liver cells. 1988, 8, 3857-3863	7
340	Isolation of cDNA clones for mouse cytoskeletal gamma-actin and differential expression of cytoskeletal actin mRNAs in mouse cells. 1988 , 8, 3929-3933	11
339	Expression of a drug resistance gene in human neuroblastoma cell lines: modulation by retinoic acid-induced differentiation. 1989 , 9, 4337-4344	24
338	cis-acting elements and a trans-acting factor affecting alternative splicing of adenovirus L1 transcripts. 1989 , 9, 4364-4371	8
337	Translational control of germ cell-expressed mRNA imposed by alternative splicing: opioid peptide gene expression in rat testis. 1989 , 9, 4381-4389	23
336	A specific 31-nucleotide domain of U1 RNA directly interacts with the 70K small nuclear ribonucleoprotein component. 1989 , 9, 4872-4881	43
335	Detection and characterization of the fibroblast growth factor-related oncoprotein INT-2. 1989 , 9, 4896-4902	24
334	The 5' noncoding region of the human leukemia-associated oncogene BCR/ABL is a potent inhibitor of in vitro translation. 1989 , 9, 5234-5238	13
333	Developmental expression and 5S rRNA-binding activity of Xenopus laevis ribosomal protein L5. 1989 , 9, 5281-5288	25
332	CBP2 protein promotes in vitro excision of a yeast mitochondrial group I intron. 1989 , 9, 5424-5433	33
331	T-kininogen gene expression is induced during aging. 1989 , 9, 5610-5616	12
330	Functional identification of regulatory elements within the promoter region of platelet-derived growth factor 2. 1989 , 9, 396-405	12
329	Selective enhancement of bovine papillomavirus type 1 DNA replication in Xenopus laevis eggs by the E6 gene product. 1989 , 9, 406-414	3
328	Cytochrome oxidase subunit V gene of Neurospora crassa: DNA sequences, chromosomal mapping, and evidence that the cya-4 locus specifies the structural gene for subunit V. 1989 , 9, 566-577	12
327	S-phase-specific transcription regulatory elements are present in a replication-independent testis-specific H2B histone gene. 1989 , 9, 1005-1013	15
326	A majority of mice show long-term expression of a human beta-globin gene after retrovirus transfer into hematopoietic stem cells. 1989 , 9, 1426-1434	36

325	Role of poly(A) polymerase in the cleavage and polyadenylation of mRNA precursor. 1989, 9, 1435-1444	20
324	Interaction between the yeast mitochondrial and nuclear genomes influences the abundance of novel transcripts derived from the spacer region of the nuclear ribosomal DNA repeat. 1989 , 9, 1897-1907	29
323	Differential expression in male and female mouse liver of very similar mRNAs specified by two group 1 major urinary protein genes. 1989 , 9, 2202-2207	8
322	Cloning of the gene coding for human class 1 heparin-binding growth factor and its expression in fetal tissues. 1989 , 9, 2387-2395	16
321	Analysis of pre-rRNAs in heat-shocked HeLa cells allows identification of the upstream termination site of human polymerase I transcription. 1989 , 9, 2500-2512	10
320	A growth factor-responsive gene of murine BALB/c 3T3 cells encodes a protein homologous to human tissue factor. 1989 , 9, 2567-2573	30
319	The U1 RNA-binding site of the U1 small nuclear ribonucleoprotein (snRNP)-associated A protein suggests a similarity with U2 snRNPs. 1989 , 9, 2975-2982	37
318	Dual bidirectional promoters at the mouse dhfr locus: cloning and characterization of two mRNA classes of the divergently transcribed Rep-1 gene. 1989 , 9, 3058-3072	62
317	A double-stranded RNA-inducible fish gene homologous to the murine influenza virus resistance gene Mx. 1989 , 9, 3117-3121	19
316	Cassette mutagenic analysis of the yeast invertase signal peptide: effects on protein translocation. 1989 , 9, 3400-3410	10
315	A U1 small nuclear ribonucleoprotein particle with altered specificity induces alternative splicing of an adenovirus E1A mRNA precursor. 1989 , 9, 3429-3437	14
314	Repair of a synthetic abasic site in DNA in a Xenopus laevis oocyte extract. 1989 , 9, 3750-3757	27
313	Rapid and concerted evolution of repeat units in a balbiani ring gene. 1987 , 117, 43-9	14
312	Characterization of unr; a gene closely linked to N-ras. <i>Nucleic Acids Research</i> , 1990 , 18, 4891-9 20.1	38
311	Identification and characterization of three members of the human SR family of pre-mRNA splicing factors. 1995 , 14, 4336-49	127
310	Rapid inhibition of myogenin-driven acetylcholine receptor subunit gene transcription. 1994 , 13, 634-40	3
309	Influenza virus NS1 protein inhibits pre-mRNA splicing and blocks mRNA nucleocytoplasmic transport. 1994 , 13, 704-12	137
308	Targeted disruption within the CD3 zeta/eta/phi/Oct-1 locus in mouse. 1994 , 13, 784-97	7

307	A dramatic shift in the transmembrane topology of a viral envelope glycoprotein accompanies hepatitis B viral morphogenesis. 1994 , 13, 1048-57	62
306	A novel set of spliceosome-associated proteins and the essential splicing factor PSF bind stably to pre-mRNA prior to catalytic step II of the splicing reaction. 1994 , 13, 3356-67	110
305	The Broad-Complex directly controls a tissue-specific response to the steroid hormone ecdysone at the onset of Drosophila metamorphosis. 1994 , 13, 3505-16	44
304	Evidence that HIV-1 Rev directly promotes the nuclear export of unspliced RNA. 1994 , 13, 4105-12	107
303	Functional expression of a rat homologue of the voltage gated either Igo-go potassium channel reveals differences in selectivity and activation kinetics between the Drosophila channel and its mammalian counterpart. 1994 , 13, 4451-8	79
302	Primary structure and functional expression of a Drosophila cyclic nucleotide-gated channel present in eyes and antennae. 1994 , 13, 5040-50	45
301	Transformation by homeobox genes can be mediated by selective transcriptional repression. 1994 , 13, 5967-76	10
300	A major role for the protein tyrosine kinase JAK1 in the JAK/STAT signal transduction pathway in response to interleukin-6. 1995 , 14, 1421-9	126
299	Two different virus-inducible elements are required for human beta-interferon gene regulation. 1989 , 8, 101-10	79
298	Epstein-Barr virus BZLF1 trans-activator specifically binds to a consensus AP-1 site and is related to c-fos. 1989 , 8, 127-32	195
297	Mapping the double-strand breaks at the mating-type locus in fission yeast by genomic sequencing. 1989 , 8, 269-76	41
296	A second proteinase encoded by a plant potyvirus genome. 1989 , 8, 365-70	77
295	Cloning and sequencing of the cDNA encoding an isoform of microtubule-associated protein tau containing four tandem repeats: differential expression of tau protein mRNAs in human brain. 1989 , 8, 393-9	330
294	Ubiquitous and lymphocyte-specific factors are involved in the induction of the mouse interleukin 2 gene in T lymphocytes. 1989 , 8, 465-73	103
293	In vivo and in vitro expression of U7 snRNA genes: cis- and trans-acting elements required for RNA polymerase II-directed transcription. 1989 , 8, 539-49	16
292	Functional expression in Xenopus oocytes of the strychnine binding 48 kd subunit of the glycine receptor. 1989 , 8, 695-700	37
291	Regulation of tissue-specific alternative splicing: exon-specific cis-elements govern the splicing of leukocyte common antigen pre-mRNA. 1989 , 8, 787-96	69
290	The cellular response to induction of the p21 c-Ha-ras oncoprotein includes stimulation of jun gene expression. 1989 , 8, 815-22	42

289	Expression of a functional monocotyledonous phytochrome in transgenic tobacco. 1989 , 8, 1005-12	46
288	Developmental expression of the protein product of Vg1, a localized maternal mRNA in the frog Xenopus laevis. 1989 , 8, 1057-65	17
287	The CArG promoter sequence is necessary for muscle-specific transcription of the cardiac actin gene in Xenopus embryos. 1989 , 8, 1153-61	61
286	Vascular expression of a bean cell wall glycine-rich protein-beta-glucuronidase gene fusion in transgenic tobacco. 1989 , 8, 1309-14	35
285	The structural and functional organization of the murine HOX gene family resembles that of Drosophila homeotic genes. 1989 , 8, 1497-505	212
284	Two gene members of the murine HOX-5 complex show regional and cell-type specific expression in developing limbs and gonads. 1989 , 8, 1507-15	35
283	The immunoglobulin kappa locus contains a second, stronger B-cell-specific enhancer which is located downstream of the constant region. 1989 , 8, 1959-64	90
282	Interactions of alpha- and gamma-interferon in the transcriptional regulation of the gene encoding a guanylate-binding protein. 1989 , 8, 2009-14	78
281	ATP-dependent import of a lumenal protein by isolated thylakoid vesicles. 1989 , 8, 2251-5	18
280	The adenovirus E1B 55 kd protein influences mRNA transport via an intranuclear effect on RNA metabolism. 1989 , 8, 2329-36	69
279	cDNA clones of the auxin-binding protein from corn coleoptiles (Zea mays L.): isolation and characterization by immunological methods. 1989 , 8, 2463-7	34
278	A mutation in the insulin receptor gene that impairs transport of the receptor to the plasma membrane and causes insulin-resistant diabetes. 1989 , 8, 2509-17	32
277	Reversible abrogation of IL-3 dependence by an inducible H-ras oncogene. 1989 , 8, 2575-81	8
276	Evidence from complementation assays in vitro that U5 snRNP is required for both steps of mRNA splicing. 1989 , 8, 3105-12	16
275	Targeting of proteins to the thylakoid lumen by the bipartite transit peptide of the 33 kd oxygen-evolving protein. 1989 , 8, 3187-94	36
274	Facultative polypeptide translocation allows a single mRNA to encode the secreted and cytosolic forms of plasminogen activators inhibitor 2. 1989 , 8, 3287-94	32
273	MyoD expression in the forming somites is an early response to mesoderm induction in Xenopus embryos. 1989 , 8, 3409-17	88
272	Molecular analysis of ref(2)P, a Drosophila gene implicated in sigma rhabdovirus multiplication and necessary for male fertility. 1989 , 8, 3437-46	22

271	The role of ACE3 in Drosophila chorion gene amplification. 1989 , 8, 4153-62	26
270	TPA can overcome the requirement for EIa and together act synergistically in stimulating expression of the adenovirus EIII promoter. 1989 , 8, 4239-50	11
269	Molecular analysis of the asense gene, a member of the achaete-scute complex of Drosophila melanogaster, and its novel role in optic lobe development. 1989 , 8, 3553-62	55
268	Anion transport in oocytes of Xenopus laevis induced by expression of mouse erythroid band 3 proteinencoding cRNA and of a cRNA derivative obtained by site-directed mutagenesis at the stilbene disulfonate binding site. 1989, 8, 3601-9	21
267	Cloned human snRNP proteins B and B' differ only in their carboxy-terminal part. 1989 , 8, 3853-60	32
266	The reaction specificities of the thylakoidal processing peptidase and Escherichia coli leader peptidase are identical. 1989 , 8, 3917-21	34
265	Nucleo-cytoplasmic transport of U snRNPs: definition of a nuclear location signal in the Sm core domain that binds a transport receptor independently of the m3G cap. 1993 , 12, 573-83	84
264	The low abundance of U7 snRNA is partly determined by its Sm binding site. 1993 , 12, 1229-38	48
263	Influence of the v-Myb transactivation domain on the oncoprotein's transformation specificity. 1993 , 12, 1333-41	4
262	Charged amino acids required for signal transduction by the m3 muscarinic acetylcholine receptor. 1993 , 12, 3809-15	8
261	Complementation of a mutant cell line: central role of the 91 kDa polypeptide of ISGF3 in the interferon-alpha and -gamma signal transduction pathways. 1993 , 12, 4221-8	153
260	A two-step recognition of signal sequences determines the translocation efficiency of proteins. 1996 , 15, 468-78	29
259	Processing of the intron-encoded U16 and U18 snoRNAs: the conserved C and D boxes control both the processing reaction and the stability of the mature snoRNA. 1996 , 15, 1121-31	71
258	Kinase-negative mutants of JAK1 can sustain interferon-gamma-inducible gene expression but not an antiviral state. 1996 , 15, 799-809	54
257	Dominant dwarfism in transgenic rats by targeting human growth hormone (GH) expression to hypothalamic GH-releasing factor neurons. 1996 , 15, 3871-9	14
256	Translational regulation of human p53 gene expression. 1996 , 15, 4392-401	44
255	TNF induces c-fos via a novel pathway requiring conversion of arachidonic acid to a lipoxygenase metabolite. 1991 , 10, 109-15	27
254	Novel downstream elements upregulate transcription initiated from an Epstein-Barr virus latent promoter. 1991 , 10, 143-51	11

253	Molecular analysis of tra-2, a sex determining gene in C.elegans. 1991 , 10, 171-6	24
252	A pause site for RNA polymerase II is associated with termination of transcription. 1991 , 10, 1833-42	67
251	Characterization of the hormone responsive element involved in the regulation of the progesterone receptor gene. 1991 , 10, 1875-83	45
250	Murine genes related to the Drosophila AbdB homeotic genes are sequentially expressed during development of the posterior part of the body. 1991 , 10, 2279-89	84
249	Muscle-specific accumulation of Drosophila myosin heavy chains: a splicing mutation in an alternative exon results in an isoform substitution. 1991 , 10, 2479-88	14
248	Analysis of CpG methylation and genomic footprinting at the tyrosine aminotransferase gene: DNA methylation alone is not sufficient to prevent protein binding in vivo. 1991 , 10, 2559-67	33
247	An intact Box C sequence in the U3 snRNA is required for binding of fibrillarin, the protein common to the major family of nucleolar snRNPs. 1991 , 10, 2645-51	86
246	Transcriptional activation by heterodimers of the achaete-scute and daughterless gene products of Drosophila. 1991 , 10, 2965-73	84
245	Sequence of a functional invertebrate GABAA receptor subunit which can form a chimeric receptor with a vertebrate alpha subunit. 1991 , 10, 3239-45	21
244	Superhelical stress and nucleosome-mediated repression of 5S RNA gene transcription in vitro. 1991 , 10, 3419-28	24
243	Transcription from the adenovirus major late promoter uses redundant activating elements. 1991 , 10, 3439-46	14
242	Homologous mRNA 3' end formation in fission and budding yeast. 1991 , 10, 3503-11	18
241	Mature mRNA 3' end formation stimulates RNA export from the nucleus. 1991 , 10, 3513-22	107
240	Transient and locally restricted expression of the ros1 protooncogene during mouse development. 1991 , 10, 3693-702	27
239	HIV-1 Tat protein promotes formation of more-processive elongation complexes. 1991 , 10, 4189-96	160
238	Depletion of U3 small nucleolar RNA inhibits cleavage in the 5' external transcribed spacer of yeast pre-ribosomal RNA and impairs formation of 18S ribosomal RNA. 1991 , 10, 4231-9	230
237	Human DNA polymerase alpha gene expression is cell proliferation dependent and its primary structure is similar to both prokaryotic and eukaryotic replicative DNA polymerases. 1988 , 7, 37-47	154
236	Targeted c-myc gene expression in mammary glands of transgenic mice induces mammary tumours with constitutive milk protein gene transcription. 1988 , 7, 169-75	50

235	Ribosomal initiation from an ACG codon in the Sendai virus P/C mRNA. 1988, 7, 245-51	89
234	In vitro expression of cauliflower mosaic virus genes. 1988 , 7, 309-17	18
233	Polygene transcripts are precursors to calmodulin mRNAs in trypanosomes. 1988 , 7, 455-63	62
232	Import of honeybee prepromelittin into the endoplasmic reticulum: energy requirements for membrane insertion. 1988 , 7, 639-48	20
231	The structure and expression of a novel gene activated in early mouse embryogenesis. 1988 , 7, 673-81	82
230	Expression of the FGF-related proto-oncogene int-2 during gastrulation and neurulation in the mouse. 1988 , 7, 691-5	65
229	Both early and late Drosophila chorion gene promoters confer correct temporal, tissue and sex specificity on a reporter Adh gene. 1988 , 7, 783-90	16
228	Structure of U2 snRNA genes of Arabidopsis thaliana and their expression in electroporated plant protoplasts. 1988 , 7, 791-9	53
227	The role of the polypyrimidine stretch at the SV40 early pre-mRNA 3' splice site in alternative splicing. 1988 , 7, 809-17	54
226	Divergent mRNA transcription in the chloroplast psbB operon. 1988 , 7, 885-91	32
225	Multiple RNAs expressed from the int-2 gene in mouse embryonal carcinoma cell lines encode a protein with homology to fibroblast growth factors. 1988 , 7, 1013-22	40
224	The genomic organization and transcription of the ubiquitin genes of Trypanosoma cruzi. 1988 , 7, 1121-7	31
223	Two distinct genetic loci regulating class II gene expression are defective in human mutant and patient cell lines. 1988 , 7, 1965-72	29
222	Transcription of unrearranged antigen receptor genes in scid mice. 1988 , 7, 2019-24	8
221	Prolactin regulation of beta-casein gene expression and of a cytosolic 120-kd protein in a cloned mouse mammary epithelial cell line. 1988 , 7, 2089-95	156
220	Differential utilization of the same reading frame in a Xenopus homeobox gene encodes two related proteins sharing the same DNA-binding specificity. 1988 , 7, 2139-49	35
219	Early increase in histone H1(0) mRNA during differentiation of F9 cells to parietal endoderm. 1988 , 7, 3003-8	27
218	A factor IX mutation, verified by direct genomic sequencing, causes haemophilia B by a novel mechanism. 1988 , 7, 3009-15	13

217	Both immunoglobulin promoter and enhancer sequences are targets for suppression in myeloma-fibroblast hybrid cells. 1988 , 7, 3093-8	10
216	Rapid turnover of adenovirus E1A is determined through a co-translational mechanism that requires an aminoterminal domain. 1988 , 7, 3171-80	11
215	Control of replication of plasmid R1: kinetics of in vitro interaction between the antisense RNA, CopA, and its target, CopT. 1988 , 7, 3279-88	50
214	Villin expression in the visceral endoderm and in the gut anlage during early mouse embryogenesis. 1988 , 7, 3321-9	22
213	Synergistic action of the glucocorticoid receptor with transcription factors. 1988 , 7, 3389-95	127
212	Recombination within the upstream gene of duplicated myelin basic protein genes of myelin deficient shimld mouse results in the production of antisense RNA. 1988 , 7, 3407-12	8
211	Heat shock but not other stress inducers leads to the disruption of a sub-set of snRNPs and inhibition of in vitro splicing in HeLa cells. 1988 , 7, 3509-18	80
210	Ribosome pausing and stacking during translation of a eukaryotic mRNA. 1988 , 7, 3559-69	225
209	Processing of unstable bacteriophage T4 gene 32 mRNAs into a stable species requires Escherichia coli ribonuclease E. 1988 , 7, 3601-7	39
208	Glycine-rich cell wall proteins in bean: gene structure and association of the protein with the vascular system. 1988 , 7, 3625-33	95
207	Male sterility of transgenic mice carrying exogenous mouse interferon-beta gene under the control of the metallothionein enhancer-promoter. 1988 , 7, 3757-62	16
206	Import of proteins into yeast mitochondria: the nuclear MAS2 gene encodes a component of the processing protease that is homologous to the MAS1-encoded subunit. 1988 , 7, 3863-71	60
205	Functional analysis of alternatively spliced tyrosinase gene transcripts. 1988, 7, 2723-30	71
204	Variants of human tissue-type plasminogen activator that lack specific structural domains of the heavy chain. 1988 , 7, 2731-40	19
203	Mutational analysis of the 5' non-coding region of human immunodeficiency virus type 1: effects of secondary structure on translation. 1988 , 7, 2831-7	84
202	Structure of the voltage-dependent potassium channel is highly conserved from Drosophila to vertebrate central nervous systems. 1988 , 7, 2457-63	53
201	A variant nuclear protein in dedifferentiated hepatoma cells binds to the same functional sequences in the beta fibrinogen gene promoter as HNF-1. 1988 , 7, 2485-93	66
200	Antisense RNA inhibits splicing of pre-mRNA in vitro. 1988 , 7, 2523-32	30

199	The achaete-scute gene complex of Drosophila melanogaster comprises four homologous genes. 1988 , 7, 2585-91	91
198	Tissue specific trans-acting factor interaction with proximal rat prolactin gene promoter sequences. 1988 , 7, 1721-33	5
197	The molecular basis of sulfonylurea herbicide resistance in tobacco. 1988 , 7, 1241-8	80
196	Biochemical and mutational analysis of a plant virus polyprotein cleavage site. 1988 , 7, 1281-7	58
195	Selective suppression of human papillomavirus transcription in non-tumorigenic cells by 5-azacytidine. 1988 , 7, 1321-8	19
194	Molecular organization of the vestigial region in Drosophila melanogaster. 1988 , 7, 1355-63	16
193	DNA sequences outside the receptor-binding sites differently modulate the responsiveness of the mouse mammary tumour virus promoter to various steroid hormones. 1988 , 7, 1403-10	58
192	Processing at immunoglobulin polyadenylation sites in lymphoid cell extracts. 1988 , 7, 1421-9	5
191	Identification of sequences responsible for positive and negative regulation by E1A in the promoter of H-2Kbm1 class I MHC gene. 1990 , 9, 127-35	22
190	Post-transcriptional events are responsible for low expression of myelin basic protein in myelin deficient mice: role of natural antisense RNA. 1990 , 9, 401-6	14
189	The zebrafish homeobox gene hox-2.2: transcription unit, potential regulatory regions and in situ localization of transcripts. 1990 , 9, 515-24	7
188	Intermediates of recombination during mating type switching in Saccharomyces cerevisiae. 1990 , 9, 663-73	221
187	The predicted amino acid sequence of alpha-internexin is that of a novel neuronal intermediate filament protein. 1990 , 9, 749-55	29
186	Distinct positive and negative elements control the limited hepatocyte and choroid plexus expression of transthyretin in transgenic mice. 1990 , 9, 869-78	44
185	Accumulation of proto-oncogene c-erb-A related transcripts during Xenopus development: association with early acquisition of response to thyroid hormone and estrogen. 1990 , 9, 879-85	9
184	The int-2 gene product acts as an epithelial growth factor in transgenic mice. 1990 , 9, 907-13	73
183	A tripartite HIV-1 tat-env-rev fusion protein. 1990 , 9, 965-70	32
182	Synergistic interaction between interferon-alpha and interferon-gamma through induced synthesis of one subunit of the transcription factor ISGF3. 1990 , 9, 1105-11	93

181	Synergism in ternary complex formation between the dimeric glycoprotein p67SRF, polypeptide p62TCF and the c-fos serum response element. 1990 , 9, 1123-30	73
180	Isolation of a gene encoding a novel chloroplast protein by T-DNA tagging in Arabidopsis thaliana. 1990 , 9, 1337-46	117
179	The role of the delta-lysin gene (hld) in the regulation of virulence genes by the accessory gene regulator (agr) in Staphylococcus aureus. 1990 , 9, 1391-9	132
178	Control of replication of plasmid R1: the duplex between the antisense RNA, CopA, and its target, CopT, is processed specifically in vivo and in vitro by RNase III. 1990 , 9, 2331-40	84
177	Initial steps in protein membrane insertion. Bacteriophage M13 procoat protein binds to the membrane surface by electrostatic interaction. 1990 , 9, 2723-9	20
176	Rescue of the albino phenotype by introduction of a functional tyrosinase gene into mice. 1990 , 9, 2819-26	48
175	Tissue specific and position independent expression of the complete gene domain for chicken lysozyme in transgenic mice. 1990 , 9, 2843-8	104
174	Unusual transcription termination of the ribosomal RNA genes in Ascaris lumbricoides. 1990 , 9, 2849-56	5
173	Protein import into yeast mitochondria is accelerated by the outer membrane protein MAS70. 1990 , 9, 3191-200	83
172	Structural diversity and evolution of human receptor-like protein tyrosine phosphatases. 1990 , 9, 3241-52	131
171	A short cis-acting sequence is required for hepatitis B virus pregenome encapsidation and sufficient for packaging of foreign RNA. 1990 , 9, 3389-96	181
170	A feedback control element near the transcription start site of the maize Shrunken gene determines promoter activity. 1990 , 9, 3447-52	44
169	Identification of barley stripe mosaic virus genes involved in viral RNA replication and systemic movement. 1990 , 9, 3453-7	60
168	Thymic selection defines multiple T cell receptor V beta 'repertoire phenotypes' at the CD4/CD8 subset level. 1990 , 9, 3641-8	8
167	Signal sequence for generation of mRNA 3' end in the Saccharomyces cerevisiae GAL7 gene. 1990 , 9, 3691-7	41
166	Control of replication of plasmid R1: structures and sequences of the antisense RNA, CopA, required for its binding to the target RNA, CopT. 1990 , 9, 3767-75	41
165	Control of replication of plasmid R1: formation of an initial transient complex is rate-limiting for antisense RNAtarget RNA pairing. 1990 , 9, 3777-85	30
164	A 40 kd protein binds specifically to the 5'-untranslated regions of yeast mitochondrial mRNAs. 1990 , 9, 4135-43	13

163	Molecular analysis of an aurea photosynthetic mutant (Su/Su) in tobacco: LHCP depletion leads to pleiotropic mutant phenotypes. 1990 , 9, 4197-203	15
162	Protein secretion in gram-negative bacteria: transport across the outer membrane involves common mechanisms in different bacteria. 1990 , 9, 4323-9	47
161	Distinct sequence elements control the specificity of G protein activation by muscarinic acetylcholine receptor subtypes. 1990 , 9, 4381-90	41
160	Sequence and functional expression of a single alpha subunit of an insect nicotinic acetylcholine receptor. 1990 , 9, 4391-8	25
159	The actions of cyclosporin A and FK506 suggest a novel step in the activation of T lymphocytes. 1990 , 9, 4425-33	106
158	Molecular cloning and expression of glycogen synthase kinase-3/factor A. 1990 , 9, 2431-8	444
157	The Drosophila melanogaster fl(2)d gene is needed for the female-specific splicing of Sex-lethal RNA. 1990 , 9, 2597-602	45
156	Cloning and expression of the cDNA coding for a human lymphocyte IgE receptor. 1987 , 6, 109-14	45
155	Transfection of the int-1 mammary oncogene in cuboidal RAC mammary cell line results in morphological transformation and tumorigenicity. 1987 , 6, 127-31	46
154	Trans-activation of an upstream early gene promoter of bovine papilloma virus-1 by a product of the viral E2 gene. 1987 , 6, 145-52	81
153	Formation of mRNA 3' termini: stability and dissociation of a complex involving the AAUAAA sequence. 1987 , 6, 177-86	46
152	Wound expression of a potato proteinase inhibitor II gene in transgenic tobacco plants. 1987 , 6, 303-6	31
151	Expression of bacterial chloramphenicol acetyltransferase gene in tobacco plants mediated by TMV-RNA. 1987 , 6, 307-11	76
150	Expression of retroviral vectors in transgenic mice obtained by embryo infection. 1987, 6, 383-8	35
149	A novel endoribonuclease cleaves at a priming site of mouse mitochondrial DNA replication. 1987 , 6, 409-17	107
148	Control of replication of plasmid R1: translation of the 7k reading frame in the RepA mRNA leader region counteracts the interaction between CopA RNA and CopT RNA. 1987 , 6, 515-22	12
147	In vitro expression of a full-length DNA copy of cowpea mosaic virus B RNA: identification of the B RNA encoded 24-kd protein as a viral protease. 1987 , 6, 549-54	7
146	Glucocorticoid induction of the rat tryptophan oxygenase gene is mediated by two widely separated glucocorticoid-responsive elements. 1987 , 6, 625-30	68

145	Altered transcription of a defective measles virus genome derived from a diseased human brain. 1987 , 6, 681-8	80
144	Import of frog prepropeptide GLa into microsomes requires ATP but does not involve docking protein or ribosomes. 1987 , 6, 699-703	31
143	Yeast DNA polymeraseDNA primase complex; cloning of PRI 1, a single essential gene related to DNA primase activity. 1987 , 6, 737-42	26
142	Oocyte-specific transcription of fs(1)K10: a Drosophila gene affecting dorsal-ventral developmental polarity. 1987 , 6, 801-7	8
141	The ATP requiring step in assembly of M13 procoat protein into microsomes is related to preservation of transport competence of the precursor protein. 1987 , 6, 1011-6	17
140	Amplification of the X-linked Drosophila chorion gene cluster requires a region upstream from the s38 chorion gene. 1987 , 6, 1045-53	36
139	Multiple c-myb transcript cap sites are variously utilized in cells of mouse haemopoietic origin. 1987 , 6, 1643-51	22
138	RNA 3' processing regulates histone mRNA levels in a mammalian cell cycle mutant. A processing factor becomes limiting in G1-arrested cells. 1987 , 6, 1721-6	74
137	Two spliceosomes can form simultaneously and independently on synthetic double-intron messenger RNA precursors. 1987 , 6, 1747-55	12
136	Differential splicing yields novel adenovirus 5 E1A mRNAs that encode 30 kd and 35 kd proteins. 1987 , 6, 2027-35	62
135	Linear oligomeric potato spindle tuber viroid (PSTV) RNAs are accurately processed in vitro to the monomeric circular viroid proper when incubated with a nuclear extract from healthy potato cells. 1987 , 6, 2173-83	17
134	Activity of two different silencer elements of the chicken lysozyme gene can be compensated by enhancer elements. 1987 , 6, 2297-303	77
133	Chromatin from transcribed genes contains HMG17 only downstream from the starting point of transcription. 1987 , 6, 2393-9	29
132	An ordered pathway of snRNP binding during mammalian pre-mRNA splicing complex assembly. 1987 , 6, 2415-24	149
131	Polymeric immunoglobulin M is secreted by transfectants of non-lymphoid cells in the absence of immunoglobulin J chain. 1987 , 6, 2753-8	38
130	GCN4, a eukaryotic transcriptional activator protein, binds as a dimer to target DNA. 1987 , 6, 2781-4	182
129	Decapentaplegic transcripts are localized along the dorsal-ventral axis of the Drosophila embryo. 1987 , 6, 2785-91	59
128	Xfin: an embryonic gene encoding a multifingered protein in Xenopus. 1987 , 6, 3065-70	52

127	Synthesis and protein body deposition of maize 15-kd zein in transgenic tobacco seeds. 1987, 6, 3213-21	36
126	The BPV1-E2 trans-acting protein can be either an activator or a repressor of the HPV18 regulatory region. 1987 , 6, 3391-7	136
125	The accumulation of mature RNA for the Xenopus laevis ribosomal protein L1 is controlled at the level of splicing and turnover of the precursor RNA. 1987 , 6, 3493-8	34
124	Primary structure and mRNA localization of protein F1, a growth-related protein kinase C substrate associated with synaptic plasticity. 1987 , 6, 3641-6	29
123	A secretory protease inhibitor requires androgens for its expression in male sex accessory tissues but is expressed constitutively in pancreas. 1987 , 6, 3711-7	11
122	The upstream regulatory region of the human papilloma virus-16 contains an E2 protein-independent enhancer which is specific for cervical carcinoma cells and regulated by glucocorticoid hormones. 1987 , 6, 3735-43	82
121	A Xenopus laevis gene encodes both homeobox-containing and homeobox-less transcripts. 1987 , 6, 4083-94	20
120	Cleavage and polyadenylation of messenger RNA precursors in vitro occurs within large and specific 3' processing complexes. 1987 , 6, 4159-68	53
119	Analysis of mRNA 3' end formation by modification interference: the only modifications which prevent processing lie in AAUAAA and the poly(A) site. 1987 , 6, 4177-84	39
118	Specific pre-cleavage and post-cleavage complexes involved in the formation of SV40 late mRNA 3' termini in vitro. 1987 , 6, 4185-92	38
117	Transcription of H-2 and Qa genes in embryonic and adult mice. 1987 , 6, 1265-71	32
116	Localization of the mcf.2 transforming sequence to the X chromosome. 1987 , 6, 1301-7	9
115	Functional dissection of the hormone and DNA binding activities of the glucocorticoid receptor. 1987 , 6, 1309-15	65
114	Interaction of the TGGCA-binding protein with upstream sequences is required for efficient transcription of mouse mammary tumor virus. 1987 , 6, 1355-60	66
113	Levels of nerve growth factor and its mRNA in the central nervous system of the rat correlate with cholinergic innervation. 1985 , 4, 1389-93	144
112	The two intervening sequences of human beta- and gamma-globin pre-mRNAs are excised in a preferred temporal order in vitro. 1985 , 4, 1991-6	15
111	Infectivity studies on different potato spindle tuber viroid (PSTV) RNAs synthesized in vitro with the SP6 transcription system. 1985 , 4, 2191-9	32
110	Cell-type preference of immunoglobulin kappa and lambda gene promoters. 1985 , 4, 2831-8	68

109	Isolation of caudal, a Drosophila homeo box-containing gene with maternal expression, whose transcripts form a concentration gradient at the pre-blastoderm stage. 1985 , 4, 2961-9	61
108	Yeast mRNA initiation sites are determined primarily by specific sequences, not by the distance from the TATA element. 1985 , 4, 3273-80	98
107	Hormonal regulation of cell surface expression of the major histocompatibility antigen H-2Ld in transfected cells. 1985 , 4, 3447-53	6
106	Developmental regulation of a gastrula-specific gene injected into fertilized Xenopus eggs. 1985 , 4, 3463-71	48
105	Purification of a protein required for the splicing of pre-mRNA and its separation from the lariat debranching enzyme. 1985 , 4, 3571-81	34
104	Metal-dependent SV40 viruses containing inducible enhancers from the upstream region of metallothionein genes. 1985 , 4, 3851-9	38
103	The TATA box promoter region of maize Adh1 affects its organ-specific expression. 1992 , 11, 157-66	18
102	Molecular cloning and characterization of an interferon induced human cDNA with sequence homology to a mammalian peptide chain release factor. 1992 , 11, 489-96	11
101	High blood pressure in transgenic mice carrying the rat angiotensinogen gene. 1992 , 11, 821-7	45
100	Alternatively spliced transcripts of the Drosophila tramtrack gene encode zinc finger proteins with distinct DNA binding specificities. 1992 , 11, 1035-44	56
99	Replication control in plasmid R1: duplex formation between the antisense RNA, CopA, and its target, CopT, is not required for inhibition of RepA synthesis. 1992 , 11, 1195-203	22
98	Heterodimerization between light-regulated and ubiquitously expressed Arabidopsis GBF bZIP proteins. 1992 , 11, 1261-73	105
97	Regulation of polyadenylation in human immunodeficiency virus (HIV): contributions of promoter proximity and upstream sequences. 1992 , 11, 1513-24	37
96	Expression of a chimeric ribozyme gene results in endonucleolytic cleavage of target mRNA and a concomitant reduction of gene expression in vivo. 1992 , 11, 1525-30	34
95	Cloning by functional complementation of a mouse cDNA encoding a homologue of CDC25, a Saccharomyces cerevisiae RAS activator. 1992 , 11, 2151-7	75
94	The Caenorhabditis elegans sex determining gene fem-3 is regulated post-transcriptionally. 1992 , 11, 2303-10	29
93	OCH1 encodes a novel membrane bound mannosyltransferase: outer chain elongation of asparagine-linked oligosaccharides. 1992 , 11, 2511-9	100
92	MPI1, an essential gene encoding a mitochondrial membrane protein, is possibly involved in protein import into yeast mitochondria. 1992 , 11, 3619-28	65

91	Muscle-specific expression of SRF-related genes in the early embryo of Xenopus laevis. 1992 , 11, 4981-91	33
90	A novel in vitro transcription-translation system: accurate and efficient synthesis of single proteins from cloned DNA sequences. 1984 , 3, 3143-8	110
89	One adenosine deaminase allele in a patient with severe combined immunodeficiency contains a point mutation abolishing enzyme activity. 1986 , 5, 113-9	19
88	The Antennapedia gene is required and expressed in parasegments 4 and 5 of the Drosophila embryo. 1986 , 5, 135-141	23
87	The organisation and interviral homologies of genes at the 3' end of tobacco rattle virus RNA1. 1986 , 5, 223-9	17
86	A GAL family of upstream activating sequences in yeast: roles in both induction and repression of transcription. 1986 , 5, 603-8	97
85	Cloning and identification of the gene coding for the 140-kd subunit of Drosophila RNA polymerase II. 1986 , 5, 741-6	10
84	Embryonic expression and nuclear localization of Xenopus homeobox (Xhox) gene products. 1986 , 5, 1237-44	34
83	Transcription of the tandem array of ribosomal DNA in Drosophila melanogaster does not terminate at any fixed point. 1986 , 5, 1267-73	45
82	Regulatory elements involved in Drosophila Adh gene expression are conserved in divergent species and separate elements mediate expression in different tissues. 1986 , 5, 1275-89	38
81	Molecular cloning of bovine and chick nerve growth factor (NGF): delineation of conserved and unconserved domains and their relationship to the biological activity and antigenicity of NGF. 1986 , 5, 1489-93	25
80	Primary structure of a developmentally regulated nicotinic acetylcholine receptor protein from Drosophila. 1986 , 5, 1503-8	31
79	The transmembrane segment of the human transferrin receptor functions as a signal peptide. 1986 , 5, 1543-50	61
78	Reinitiation of translocation in the Semliki Forest virus structural polyprotein: identification of the signal for the E1 glycoprotein. 1986 , 5, 1551-60	30
77	Viral-encoded small RNAs in herpes virus saimiri induced tumors. 1986 , 5, 1625-32	35
76	Genetic complementation in the Xenopus oocyte: co-expression of sea urchin histone and U7 RNAs restores 3' processing of H3 pre-mRNA in the oocyte. 1986 , 5, 1675-82	59
75	Full-length von Willebrand factor (vWF) cDNA encodes a highly repetitive protein considerably larger than the mature vWF subunit. 1986 , 5, 1839-47	61
74	Molecular characterisation of a hypervariable region downstream of the human alpha-globin gene cluster. 1986 , 5, 1857-63	69

73	Coordination of murine parotid secretory protein and salivary amylase expression. 1986 , 5, 1891-6	10
72	Replication of in vitro constructed viroid mutants: location of the pathogenicity-modulating domain of citrus exocortis viroid. 1986 , 5, 2051-2055	25
71	The hormone regulatory element of mouse mammary tumour virus mediates progesterone induction. 1986 , 5, 2237-40	134
70	Immunochemical detection of proteins related to the human c-myc exon 1. 1986 , 5, 2241-50	14
69	Molecular cloning and transcriptional analysis of the start gene CDC25 of Saccharomyces cerevisiae. 1986 , 5, 2363-2369	14
68	Alternative processing of H-2Dd pre-mRNAs results in membrane expression of differentially phosphorylated protein products. 1986 , 5, 2477-83	19
67	The mouse glucocorticoid receptor: mapping of functional domains by cloning, sequencing and expression of wild-type and mutant receptor proteins. 1986 , 5, 2513-22	78
66	Endothelial plasminogen activator inhibitor (PAI): a new member of the Serpin gene family. 1986 , 5, 2539-44	67
65	The v-mos and H-ras oncogene expression represses glucocorticoid hormone-dependent transcription from the mouse mammary tumor virus LTR. 1986 , 5, 2609-16	45
64	Accurate in vitro splicing of two pre-mRNA plant introns in a HeLa cell nuclear extract. 1986 , 5, 2749-58	52
63	c-myc and c-fos expression in differentiating mouse primary keratinocytes. 1986 , 5, 2853-7	44
62	Formation of the 3' end on U snRNAs requires at least three sequence elements. 1986 , 5, 2931-7	40
		4 0
61	Molecular analysis of two phytohemagglutinin genes and their expression in Phaseolus vulgaris cv. Pinto, a lectin-deficient cultivar of the bean. 1986 , 5, 3075-82	26
60	Molecular analysis of two phytohemagglutinin genes and their expression in Phaseolus vulgaris cv.	
	Molecular analysis of two phytohemagglutinin genes and their expression in Phaseolus vulgaris cv. Pinto, a lectin-deficient cultivar of the bean. 1986 , 5, 3075-82 A human villin cDNA clone to investigate the differentiation of intestinal and kidney cells in vivo	26
60	Molecular analysis of two phytohemagglutinin genes and their expression in Phaseolus vulgaris cv. Pinto, a lectin-deficient cultivar of the bean. 1986 , 5, 3075-82 A human villin cDNA clone to investigate the differentiation of intestinal and kidney cells in vivo and in culture. 1986 , 5, 3119-24 Alpha 2-macroglobulin gene expression during rat development studied by in situ hybridization.	26
60 59	Molecular analysis of two phytohemagglutinin genes and their expression in Phaseolus vulgaris cv. Pinto, a lectin-deficient cultivar of the bean. 1986, 5, 3075-82 A human villin cDNA clone to investigate the differentiation of intestinal and kidney cells in vivo and in culture. 1986, 5, 3119-24 Alpha 2-macroglobulin gene expression during rat development studied by in situ hybridization. 1986, 5, 3151-6 Upstream sequences required for tissue-specific activation of the cardiac actin gene in Xenopus	26 30 3

55	Effects of disrupting the 21 kDa subunit of complex I from Neurospora crassa. 1999 , 342 Pt 3, 551-4		9
54	Mouse pseudouridine synthase 1: gene structure and alternative splicing of pre-mRNA. 2000 , 352 Pt 2, 465-73		8
53	Expression of H-2 class I genes in murine extra-embryonic tissues. 1988 , 64, 479-85		23
52	Presence of a very small population of Thy-1+, L3T4+ cells producing large amounts of IL-3 in young athymic nude mice. 1989 , 68, 557-63		3
51	Quantification of lupus anti-ribosome P antibodies using a recombinant P2 fusion protein and determination of the predicted amino acid sequence of the autoantigen in patients' mononuclear cells. 1989 , 76, 165-71		18
50	Human acid beta-glucosidase: Northern blot and S1 nuclease analysis of mRNA from HeLa cells and normal and Gaucher disease fibroblasts. <i>American Journal of Human Genetics</i> , 1986 , 39, 763-74	11	24
49	Molecular analysis of a polymorphic domain of alpha satellite from the human X chromosome. <i>American Journal of Human Genetics</i> , 1987 , 41, 391-401	11	13
48	A new hypervariable marker for the human alpha-globin gene cluster. <i>American Journal of Human Genetics</i> , 1988 , 43, 249-56	11	43
47	Characterization of mutations in Gaucher patients by cDNA cloning. <i>American Journal of Human Genetics</i> , 1989 , 44, 365-77	11	56
46	Application of DNA-DNA hybridization of dual labeled probes to the detection of trisomy 21, monosomy 21, and sex determination. <i>American Journal of Human Genetics</i> , 1988 , 43, 502-10	11	7
45	HOXC4, HOXC5, and HOXC6 expression in primary cutaneous lymphoid lesions. High expression of HOXC5 in anaplastic large-cell lymphomas. <i>American Journal of Pathology</i> , 1997 , 151, 1067-74	5.8	12
44	Altered expression of keratinocyte growth factor and its receptor in psoriasis. <i>American Journal of Pathology</i> , 1997 , 151, 1619-28	5.8	75
43	Stage-specific expression of integrin alphaVbeta3 in neuroblastic tumors. <i>American Journal of Pathology</i> , 1996 , 148, 1423-34	5.8	22
42	Up-regulation of urokinase and urokinase receptor genes in malignant astrocytoma. <i>American Journal of Pathology</i> , 1995 , 146, 1150-60	5.8	61
41	Aberrant GAP-43 gene expression in Alzheimer's disease. <i>American Journal of Pathology</i> , 1995 , 147, 934	- 4 .6	44
40	Cellular localization of laminin gene transcripts in normal and fibrotic human liver. <i>American Journal of Pathology</i> , 1989 , 134, 1175-82	5.8	51
39	Evaluation of fibronectin gene expression by in situ hybridization. Differential expression of the fibronectin gene among populations of human alveolar macrophages. <i>American Journal of Pathology</i> , 1988 , 133, 193-203	5.8	28
38	Fibroblast growth factor gene expression in AIDS-Kaposi's sarcoma detected by in situ hybridization. <i>American Journal of Pathology</i> , 1991 , 138, 9-15	5.8	53

37	Expression of mdr-1/P-glycoprotein in human neuroblastoma. <i>American Journal of Pathology</i> , 1991 , 139, 305-15	5.8	27
36	Selective amplification of periportal transitional cells precedes formation of hepatocellular carcinoma in SV40 large tag transgenic mice. <i>American Journal of Pathology</i> , 1991 , 139, 231-41	5.8	27
35	Human immunodeficiency virus-infected multinucleated histiocytes in oropharyngeal lymphoid tissues from two asymptomatic patients. <i>American Journal of Pathology</i> , 1991 , 138, 421-6	5.8	30
34	Nonradioactive RNA in situ hybridization detection of human papillomavirus 16-E7 transcripts in squamous cell carcinomas of the uterine cervix using confocal laser scan microscopy. <i>American Journal of Pathology</i> , 1991 , 139, 1037-45	5.8	31
33	Expression of Epstein-Barr virus genes and of lymphocyte activation molecules in undifferentiated nasopharyngeal carcinomas. <i>American Journal of Pathology</i> , 1992 , 140, 879-87	5.8	96
32	Multiple tumor types appear in a transgenic mouse with the ras oncogene. <i>American Journal of Pathology</i> , 1993 , 142, 1199-207	5.8	38
31	Expression of parathyroidlike protein in normal, proliferative, and neoplastic human breast tissues. <i>American Journal of Pathology</i> , 1993 , 143, 1169-78	5.8	49
30	Expression of cellular retinol- and cellular retinoic acid-binding proteins in the rat cervical epithelium is regulated by endocrine stimuli during normal squamous metaplasia. <i>American Journal of Pathology</i> , 1994 , 144, 148-59	5.8	9
29	All histological types of primary human rhabdomyosarcoma express alpha-cardiac and not alpha-skeletal actin messenger RNA. <i>American Journal of Pathology</i> , 1994 , 144, 836-46	5.8	13
28	The mouse formin (Fmn) gene: abundant circular RNA transcripts and gene-targeted deletion analysis. <i>Molecular Medicine</i> , 1998 , 4, 614-28	6.2	71
27	Diagnosis of Plasmodium falciparum infection by spot hybridization assay: specificity, sensitivity, and field applicability. <i>Bulletin of the World Health Organization</i> , 1986 , 64, 579-85	8.2	7
26	Every enhancer works with every promoter for all the combinations tested: could new regulatory pathways evolve by enhancer shuffling?. <i>Gene Expression</i> , 1991 , 1, 71-81	3.4	30
25	Selection between a natural and a cryptic 5' splice site: a kinetic study of the effect of upstream exon sequences. <i>Gene Expression</i> , 1993 , 3, 83-94	3.4	6
24	Histochemical methods for detecting nitric oxide synthase. <i>The Histochemical Journal</i> , 1995 , 27, 757-69		11
23	COVID-19 mRNA vaccines: platforms and current developments <i>Molecular Therapy</i> , 2022 ,	11.7	6
22	mRNA????????. Scientia Sinica Vitae, 2021 ,	1.4	
21	Elucidation of Gene Expression Patterns in the Craniofacial Tissues of Mouse Embryos by Wholemount In Situ Hybridization <i>Methods in Molecular Biology</i> , 2022 , 2403, 33-42	1.4	
20	Improving the fidelity of uridine analog incorporation during in vitro transcription.		

Transcription In Vitro Using Bacteriophage RNA Polymerases. 875-883

18	RNA molecules lighting up under the microscope. <i>Histochemistry and Cell Biology</i> , 1996 , 106, 151-166	2.4	
17	Transformation-related expression of a low-molecular-mass tropomyosin isoform TM5/TM30nm in transformed rat fibroblastic cell lines. <i>Journal of Cancer Research and Clinical Oncology</i> , 1997 , 123, 331-3	3 1 6	
16	The gene encoding vasoactive intestinal peptide is located on human chromosome 6p216qter. Human Genetics, 1987 , 75, 41-4	6.3	18
15	Developmentally regulated expression of the calcitonin gene related peptide (CGRP) in rat lung endocrine cells. <i>Virchows Archiv B, Cell Pathology Including Molecular Pathology</i> , 1988 , 55, 217-23		12
14	Advances in COVID-19 mRNA vaccine development Signal Transduction and Targeted Therapy, 2022 , 7, 94	21	11
13	A highly sensitive strand-specific multiplex RT-qPCR assay for quantitation of Zika virus replication. Journal of Virological Methods, 2022 , 307, 114556	2.6	1
12	The stability and movement of mRNA in Xenopus oocytes and embryos. 1986 , 97, 197-209		O
11	Anti-sense RNA injections in fertilized eggs as a test for the function of localized mRNAs. 1986 , 97, 211	-221	0
10	The Case for Studying New Viruses of New Hosts. Annual Review of Virology, 2022, 9,	14.6	1
9	Established Protocols for cRNA Expression and Voltage-Clamp Characterization of the P2X7 Receptor in Xenopus laevis Oocytes. <i>Methods in Molecular Biology</i> , 2022 , 157-192	1.4	О
8	N1-methyl-pseudouridine is incorporated with higher fidelity than pseudouridine in synthetic RNAs. 2022 , 12,		1
7	mRNA vaccines in the prevention and treatment of diseases. 2022 , 3,		1
6	Preparation of Synthetic mRNAsDverview and Considerations. 2022 , 181-207		О
5	A critical overview of current progress for COVID-19: development of vaccines, antiviral drugs, and therapeutic antibodies. 2022 , 29,		5
4	Hybridization Chain Reaction Fluorescence In Situ Hybridization (HCR-FISH) in Ambystoma mexicanum Tissue. 2023 , 109-122		Ο
3	Quantification of specific mRNAs by nuclease protection. 2023 , 549-570		0
2	Intracellular Delivery of mRNA for Cell-Selective CRISPR/Cas9 Genome Editing using Lipid Nanoparticles.		O

Non-replicating synthetic mRNA vaccines: A journey through the European (Journal of Immunology) history.

О