

CITATION REPORT

List of articles citing

A General Rate Equation for Nuclear Waste Glass Corrosion

DOI: 10.1557/proc-44-15

Materials Research Society Symposia Proceedings,
1984, 44, 15.

Source: <https://exaly.com/paper-pdf/17356948/citation-report.pdf>

Version: 2024-04-27

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
169	The Effect of Groundwater Flow on Release Rate Behavior of Borosilicate Glass. <i>Materials Research Society Symposia Proceedings</i> , 1984 , 44, 163		1
168	Structural Thermodynamic Model for the Durability and Viscosity of Nuclear Waste Glasses. <i>Materials Research Society Symposia Proceedings</i> , 1987 , 112, 543		9
167	Effects of Surface Area-to-Solution Volume Ratio on Chemical Durability of Nuclear Waste Glasses. <i>Materials Research Society Symposia Proceedings</i> , 1989 , 176, 383		6
166	Mechanistic Effects of Deuteration on the Aqueous Corrosion of Nuclear Waste Glasses. <i>Materials Research Society Symposia Proceedings</i> , 1990 , 212, 49		2
165	Hydrolysis of R7T7 Nuclear Waste Glass in Dilute Media: Mechanisms and Rate as a function of Ph. <i>Materials Research Society Symposia Proceedings</i> , 1990 , 212, 57		53
164	Long-term dissolution rate of nuclear glasses in confined environments: does a residual chemical affinity exist?. 1990 , 25, 3048-3052		13
163	Accelerated Glass Reaction Under PCT Conditions. <i>Materials Research Society Symposia Proceedings</i> , 1992 , 294, 569		12
162	Laboratory Testing of the Corrosion of Waste Glasses in Aqueous Environments - Effects of Experimental Parameters. <i>Materials Research Society Symposia Proceedings</i> , 1993 , 333, 123		
161	Laboratory Testing Of Waste Glass Aqueous Corrosion; Effects Of Experimental Parameters. <i>Materials Research Society Symposia Proceedings</i> , 1993 , 333, 27		17
160	Surface Layer Effects On Waste Glass Corrosion. <i>Materials Research Society Symposia Proceedings</i> , 1993 , 333, 55		11
159	Experimental Investigation of Aqueous Corrosion of R7T7 Nuclear Glass at 90°C in the Presence of Humic Acids: a Kinetic Approach. <i>Materials Research Society Symposia Proceedings</i> , 1993 , 333, 565		3
158	Corrosion Behavior of a Powdered Simulated Nuclear Waste Glass in the Presence of Bentonite. 1994 , 31, 948-959		2
157	Corrosion Behavior of a Powdered Simulated Nuclear Waste Glass Under Anoxic Condition. <i>Materials Research Society Symposia Proceedings</i> , 1994 , 353, 23		3
156	Modeling of Solution Renewal with the Kindis Code: Example of R7T7 Glass Dissolution at 90°C. <i>Materials Research Society Symposia Proceedings</i> , 1994 , 353, 31		4
155	Leaching Behavior and Surface Alteration of Cesium Aluminum Silicate under Static and Dynamic Conditions. 1997 , 34, 269-276		7
154	Source Trends for Performance Assessment of HLW Glass and Spent Fuel as Waste Forms. <i>Materials Research Society Symposia Proceedings</i> , 1997 , 506, 141		3
153	Modeling of Glass Dissolution and Transport With the Code SUGAR. <i>Materials Research Society Symposia Proceedings</i> , 1997 , 506, 253		2

152	Geochemical Modeling of the Interaction of HLW Glass With Boom Clay Media. <i>Materials Research Society Symposia Proceedings, 1997, 506, 399</i>		1
151	Glass Waste Form Performance for Disposal of the Cesium and Strontium Concentrate Resulting From the Partitioning of HLW. <i>Materials Research Society Symposia Proceedings, 1997, 506, 901</i>		2
150	The leaching behavior of borate waste glass SL-1. 1999, 19, 401-407		22
149	Initial and long-term dissolution rates of aluminosilicate glasses enriched with Ti, Zr and Nd. <i>Chemical Geology, 1999, 160, 39-62</i>	4.2	57
148	Protective Effect of the Alteration Gel: A Key Mechanism in the Long-Term Behavior of Nuclear Waste Glass. <i>Materials Research Society Symposia Proceedings, 2000, 663, 1</i>		30
147	Apparent Solubility Limit of Nuclear Glass. <i>Materials Research Society Symposia Proceedings, 2000, 663, 1</i>		12
146	Monte Carlo Modelling of Glass Dissolution: Comparison with Experiments. <i>Materials Research Society Symposia Proceedings, 2000, 663, 1</i>		10
145	Alteration kinetics of a simplified nuclear glass in an aqueous medium: effects of solution chemistry and of protective gel properties on diminishing the alteration rate. <i>Journal of Nuclear Materials, 2000, 280, 216-229</i>	3.3	103
144	Simulated alteration tests on non-radioactive SON 68 nuclear glass in the presence of corrosion products and environmental materials. <i>Journal of Nuclear Materials, 2000, 281, 231-243</i>	3.3	19
143	Basaltic glass: alteration mechanisms and analogy with nuclear waste glasses. <i>Journal of Nuclear Materials, 2000, 282, 40-46</i>	3.3	33
142	Dissolution of lanthanide aluminosilicate oxynitride glasses. <i>Journal of Nuclear Materials, 2000, 277, 57-66</i>	3.3	19
141	Use of orthophosphate complexing agents to investigate mechanisms limiting the alteration kinetics of French SON 68 nuclear glass. <i>Applied Geochemistry, 2000, 15, 1505-1525</i>	3.5	21
140	The kinetics and mechanisms of simulated British Magnox waste glass dissolution as a function of pH, silicic acid activity and time in low temperature aqueous systems. <i>Applied Geochemistry, 2000, 15, 1399-1416</i>	3.5	63
139	The dissolution kinetics of amorphous silica into sodium chloride solutions: effects of temperature and ionic strength. <i>Geochimica Et Cosmochimica Acta, 2000, 64, 4193-4203</i>	5.5	234
138	French SON 68 nuclear glass alteration mechanisms on contact with clay media. <i>Applied Geochemistry, 2001, 16, 861-881</i>	3.5	50
137	The mechanism, rates and consequences of basaltic glass dissolution: I. An experimental study of the dissolution rates of basaltic glass as a function of aqueous Al, Si and oxalic acid concentration at 25°C and pH = 3 and 11. <i>Geochimica Et Cosmochimica Acta, 2001, 65, 3671-3681</i>	5.5	349
136	General kinetic description of multioxide silicate mineral and glass dissolution. <i>Geochimica Et Cosmochimica Acta, 2001, 65, 3703-3719</i>	5.5	368
135	Using stained glass windows to understand the durability of toxic waste matrices. <i>Chemical Geology, 2001, 174, 181-193</i>	4.2	89

134	Dissolution kinetics of basaltic glasses: control by solution chemistry and protective effect of the alteration film. <i>Chemical Geology</i> , 2001 , 176, 235-263	4.2	80
133	Thermochemistry of nuclear waste glasses: application to weathering studies. <i>Journal of Non-Crystalline Solids</i> , 2001 , 289, 135-143	3.9	25
132	The structure of Na ₂ O-Al ₂ O ₃ -B ₂ O ₃ -SiO ₂ glass: impact on sodium ion exchange in H ₂ O and D ₂ O. <i>Journal of Non-Crystalline Solids</i> , 2001 , 296, 10-26	3.9	124
131	SON 68 nuclear glass alteration kinetics between pH 7 and pH 11.5. <i>Journal of Nuclear Materials</i> , 2001 , 295, 83-96	3.3	93
130	Near-field performance assessment for a low-activity waste glass disposal system: laboratory testing to modeling results. <i>Journal of Nuclear Materials</i> , 2001 , 298, 95-111	3.3	41
129	Numerical modelling of glass dissolution: gel layer morphology. <i>Journal of Nuclear Materials</i> , 2001 , 298, 145-149	3.3	21
128	Determination of sorption isotherms for Eu, Th, U and Am on the gel layer of corroded HLW glass. <i>Journal of Nuclear Materials</i> , 2001 , 298, 155-162	3.3	13
127	Leaching and migration of neptunium in a simulated engineered barrier system consisting of HLW glass and compacted bentonite. <i>Journal of Nuclear Materials</i> , 2001 , 298, 168-173	3.3	5
126	In situ testing of the chemical durability of vitrified high-level waste in a Boom Clay formation in Belgium: discussion of recent data and concept of a new test. <i>Journal of Nuclear Materials</i> , 2001 , 298, 86-94	3.3	22
125	First-order dissolution rate law and the role of surface layers in glass performance assessment. <i>Journal of Nuclear Materials</i> , 2001 , 298, 112-124	3.3	198
124	Present understanding of R7T7 glass alteration kinetics and their impact on long-term behavior modeling. <i>Journal of Nuclear Materials</i> , 2001 , 298, 27-36	3.3	98
123	Self-Diffusion of ²² Na and ¹³⁷ Cs in Simulated Nuclear Waste Glass. 2002 , 43, 654-659		11
122	Alteration-Phase formation and Associated Cesium Release During Alteration of R7T7 Waste Glass. <i>Materials Research Society Symposia Proceedings</i> , 2002 , 713, 1		9
121	Origins of Discrepancies Between Kinetic Rate Law Theory and Experiments in the Na ₂ O-B ₂ O ₃ -SiO ₂ System. <i>Materials Research Society Symposia Proceedings</i> , 2002 , 713, 1		6
120	Effect of ZrO ₂ on the glass durability. <i>Materials Research Society Symposia Proceedings</i> , 2002 , 713, 1		7
119	In situ determination of long-term basaltic glass dissolution in the unsaturated zone. <i>Chemical Geology</i> , 2002 , 190, 113-122	4.2	14
118	Nature and role of natural alteration gels formed on the surface of ancient volcanic glasses (Natural analogs of waste containment glasses). <i>Journal of Nuclear Materials</i> , 2003 , 321, 91-109	3.3	126
117	Dissolution of LnYSiAlO glass (Ln=La or Ce) in aqueous media. I. Influence of the pH on hydrolysis mechanisms and kinetics. <i>Journal of Non-Crystalline Solids</i> , 2003 , 332, 115-127	3.9	5

116	Mechanism, rates, and consequences of basaltic glass dissolution: II. An experimental study of the dissolution rates of basaltic glass as a function of pH and temperature. <i>Geochimica Et Cosmochimica Acta</i> , 2003 , 67, 3817-3832	5.5	330
115	Thermodynamic stability of waste glasses compared to leaching behaviour. <i>Applied Geochemistry</i> , 2003 , 18, 1165-1184	3.5	29
114	Status of Studies on HLW Glass Performance for Confirming Its Validity in Assessment. 2004 , 10, 69-84		5
113	Structural properties of a calcium aluminosilicate glass from molecular-dynamics simulations: a finite size effects study. 2004 , 120, 10172-81		83
112	Towards a consistent rate law: glass corrosion kinetics near saturation. 2004 , 236, 579-594		5
111	Corrosion and stability of vitrified material derived from municipal solid waste. 2004 , 236, 381-410		0
110	Corrosion mechanisms of low level vitrified radioactive waste in a loamy soil. <i>Materials Research Society Symposia Proceedings</i> , 2004 , 824, 264		2
109	The effect of fluoride on the dissolution rates of natural glasses at pH 4 and 25°C. <i>Geochimica Et Cosmochimica Acta</i> , 2004 , 68, 4571-4582	5.5	86
108	The dissolution rates of natural glasses as a function of their composition at pH 4 and 10.6, and temperatures from 25 to 74°C. <i>Geochimica Et Cosmochimica Acta</i> , 2004 , 68, 4843-4858	5.5	278
107	Corrosion of alkali-borosilicate waste glass K-26 in non-saturated conditions. <i>Journal of Nuclear Materials</i> , 2005 , 340, 12-24	3.3	41
106	Elemental dissolution study of Pu-bearing borosilicate glasses. <i>Journal of Nuclear Materials</i> , 2005 , 340, 149-162	3.3	34
105	Vitrification of toxic wastes: a brief review. 2006 , 105, 21-31		66
104	Long-term corrosion of two nuclear waste reference glasses (MW and SON68): A kinetic and mineral alteration study. <i>Applied Geochemistry</i> , 2006 , 21, 1152-1168	3.5	105
103	Hydrogen-Bodium interdiffusion in borosilicate glasses investigated from first principles. <i>Journal of Non-Crystalline Solids</i> , 2006 , 352, 3147-3152	3.9	74
102	Contribution of Monte Carlo Modeling to Understanding the Alteration of Nuclear Glasses by Water. 2006 , 153, 285-300		26
101	Aqueous alteration of Japanese simulated waste glass P0798: Effects of alteration-phase formation on alteration rate and cesium retention. <i>Journal of Nuclear Materials</i> , 2006 , 354, 171-184	3.3	34
100	Modelling The Alteration of Son-68 Glass with Nearfield Materials. <i>Materials Research Society Symposia Proceedings</i> , 2006 , 932, 1		3
99	Temperature Dependence of Long-Term Alteration Rate for Aqueous Alteration of P0798 Simulated Waste Glass under Smectite Forming Conditions. <i>Materials Research Society Symposia Proceedings</i> , 2006 , 932, 1		1

98	Solid state diffusion during nuclear glass residual alteration in solution. <i>Journal of Nuclear Materials</i> , 2007 , 362, 466-473	3.3	74
97	Alteration kinetics of the glass-ceramic zirconolite and role of the alteration film [Comparison with the SON68 glass. <i>Journal of Nuclear Materials</i> , 2007 , 366, 277-287	3.3	24
96	Effect of Pb-rich and Fe-rich entities during alteration of a partially vitrified metallurgical waste. <i>Journal of Hazardous Materials</i> , 2007 , 149, 418-31	12.8	23
95	Insight into silicate-glass corrosion mechanisms. <i>Nature Materials</i> , 2008 , 7, 978-83	27	333
94	Aluminoborosilicate waste glass dissolution under alkaline conditions at 40°C: implications for a chemical affinity-based rate equation. 2008 , 5, 73		20
93	An experimental study of the dissolution rates of simulated aluminoborosilicate waste glasses as a function of pH and temperature under dilute conditions. <i>Applied Geochemistry</i> , 2008 , 23, 2559-2573	3.5	64
92	A fractured roman glass block altered for 1800 years in seawater: Analogy with nuclear waste glass in a deep geological repository. <i>Geochimica Et Cosmochimica Acta</i> , 2008 , 72, 5372-5385	5.5	58
91	Theoretical consideration on the application of the Aagaard-Helgeson rate law to the dissolution of silicate minerals and glasses. <i>Chemical Geology</i> , 2008 , 255, 14-24	4.2	55
90	Kinetics of amorphous silica dissolution and the paradox of the silica polymorphs. 2008 , 105, 9903-8		162
89	Impact of Silicon Migration Through Buffer Material on the Lifetime of Vitrified Waste. <i>Materials Research Society Symposia Proceedings</i> , 2009 , 1193, 286		3
88	Measurement of initial dissolution rate of P0798 simulated HLW glass by using micro-reactor flow-through test method. <i>Materials Research Society Symposia Proceedings</i> , 2009 , 1193, 362		1
87	Analytic implementation of the GRAAL model: Application to a R7T7-type glass package in a geological disposal environment. <i>Journal of Nuclear Materials</i> , 2010 , 404, 178-202	3.3	25
86	Aqueous corrosion of borosilicate glass under acidic conditions: A new corrosion mechanism. <i>Journal of Non-Crystalline Solids</i> , 2010 , 356, 1458-1465	3.9	152
85	First investigations of the influence of IVB elements (Ti, Zr, and Hf) on the chemical durability of soda-lime borosilicate glasses. <i>Journal of Non-Crystalline Solids</i> , 2010 , 356, 2315-2322	3.9	42
84	Experimental determination of the effect of the ratio of B/Al on glass dissolution along the nepheline (NaAlSiO ₄)-thalinkoite (NaBSiO ₄) join. <i>Geochimica Et Cosmochimica Acta</i> , 2010 , 74, 2634-2654	5.5	67
83	Long-term modeling of alteration-transport coupling: Application to a fractured Roman glass. <i>Geochimica Et Cosmochimica Acta</i> , 2010 , 74, 2291-2315	5.5	59
82	Elemental and isotopic (²⁹ Si and ¹⁸ O) tracing of glass alteration mechanisms. <i>Geochimica Et Cosmochimica Acta</i> , 2010 , 74, 3412-3431	5.5	88
81	Modern views on desilicification: biosilica and abiotic silica dissolution in natural and artificial environments. <i>Chemical Reviews</i> , 2010 , 110, 4656-89	68.1	176

80	Nuclear Glass Durability: New Insight into Alteration Layer Properties. 2011 , 115, 18696-18706		105
79	The use of natural and archeological analogues for understanding the long-term behavior of nuclear glasses. 2011 , 343, 237-245		47
78	Experimental determination of the role of diffusion on Li isotope fractionation during basaltic glass weathering. <i>Geochimica Et Cosmochimica Acta</i> , 2011 , 75, 3452-3468	5.5	56
77	CO ₂ -Water-Basalt interaction. Numerical simulation of low temperature CO ₂ sequestration into basalts. <i>Geochimica Et Cosmochimica Acta</i> , 2011 , 75, 4728-4751	5.5	78
76	Monte Carlo simulations of the dissolution of borosilicate and aluminoborosilicate glasses in dilute aqueous solutions. <i>Geochimica Et Cosmochimica Acta</i> , 2011 , 75, 5296-5309	5.5	22
75	Development of long-term behavior models for radioactive waste forms. 2011 , 433-454		3
74	Combined Experimental and Computational Approach to Predict the Glass-Water Reaction. 2011 , 176, 22-39		7
73	Kinetics of fly ash leaching in strongly alkaline solutions. 2011 , 46, 590-597		43
72	Corrosion of Glass. 2011 , 399-419		2
71	Dissolution mechanism of the SON68 reference nuclear waste glass: New data in dynamic system in silica saturation conditions. <i>Journal of Nuclear Materials</i> , 2011 , 415, 31-37	3.3	47
70	Corrosion issues of radioactive waste packages in geological disposal systems. 2012 , 939-987		3
69	Forward dissolution rate of silicate glasses of nuclear interest in clay-equilibrated groundwater. <i>Chemical Geology</i> , 2012 , 330-331, 207-217	4.2	60
68	Monte Carlo simulations of the dissolution of borosilicate glasses in near-equilibrium conditions. <i>Journal of Non-Crystalline Solids</i> , 2012 , 358, 1324-1332	3.9	19
67	Effect of clayey groundwater on the dissolution rate of the simulated nuclear waste glass SON68. <i>Journal of Nuclear Materials</i> , 2012 , 420, 508-518	3.3	63
66	Effect of leaching-driven flow on the alteration kinetics of an ideal crack in SON68 glass. <i>Journal of Nuclear Materials</i> , 2012 , 426, 160-172	3.3	10
65	Antagonist effects of calcium on borosilicate glass alteration. <i>Journal of Nuclear Materials</i> , 2013 , 441, 402-410	3.3	58
64	Characterization of the reaction and transport properties of porous rhyolite and its application to the quantitative understanding of the chemical weathering rate. <i>Geochimica Et Cosmochimica Acta</i> , 2013 , 118, 295-311	5.5	18
63	An enhanced resolution of the structural environment of zirconium in borosilicate glasses. <i>Journal of Non-Crystalline Solids</i> , 2013 , 381, 40-47	3.9	24

62	Effect of iron metal and siderite on the durability of simulated archeological glassy material. <i>Corrosion Science</i> , 2013 , 76, 403-414	6.8	31
61	Monte Carlo simulations of the corrosion of aluminoborosilicate glasses. <i>Journal of Non-Crystalline Solids</i> , 2013 , 378, 273-281	3.9	22
60	Impact of iron on nuclear glass alteration in geological repository conditions: A multiscale approach. <i>Applied Geochemistry</i> , 2013 , 31, 159-170	3.5	40
59	Modeling Interfacial Glass-Water Reactions: Recent Advances and Current Limitations. <i>International Journal of Applied Glass Science</i> , 2014 , 5, 421-435	1.8	26
58	Resumption of nuclear glass alteration: State of the art. <i>Journal of Nuclear Materials</i> , 2014 , 448, 348-363	3.3	104
57	About U(t) form of pH-dependence of glass corrosion rates at zero surface to volume ratio. <i>Materials Research Society Symposia Proceedings</i> , 2015 , 1744, 153-161		2
56	Vapor hydration of a simulated borosilicate nuclear waste glass in unsaturated conditions at 50 °C and 90 °C. <i>RSC Advances</i> , 2015 , 5, 64538-64549	3.7	19
55	Monte Carlo simulations of coupled diffusion and surface reactions during the aqueous corrosion of borosilicate glasses. <i>Journal of Non-Crystalline Solids</i> , 2015 , 408, 142-149	3.9	17
54	Impact of iron chelators on short-term dissolution of basaltic glass. <i>Geochimica Et Cosmochimica Acta</i> , 2015 , 162, 83-98	5.5	13
53	Transport- and surface reaction-controlled SON68 glass dissolution at 30°C and 70°C and pH=13.7. <i>Applied Geochemistry</i> , 2015 , 61, 302-311	3.5	13
52	Enhanced dissolution of basaltic glass in brackish waters: Impact on biogeochemical cycles. <i>Earth and Planetary Science Letters</i> , 2015 , 417, 1-8	5.3	19
51	The mechanism of borosilicate glass corrosion revisited. <i>Geochimica Et Cosmochimica Acta</i> , 2015 , 158, 112-129	5.5	112
50	The efficient long-term inhibition of forsterite dissolution by common soil bacteria and fungi at Earth surface conditions. <i>Geochimica Et Cosmochimica Acta</i> , 2015 , 168, 222-235	5.5	26
49	Changes in surface structure of sodium aluminoborosilicate glasses during aqueous corrosion analyzed by using NMR. <i>Journal of Physics and Chemistry of Solids</i> , 2015 , 77, 164-171	3.9	6
48	Effect of natural and synthetic iron corrosion products on silicate glass alteration processes. <i>Geochimica Et Cosmochimica Acta</i> , 2016 , 172, 287-305	5.5	31
47	A Study on the Effect of Electrolyte Concentration on Surface Integrity in Micro Electrochemical Discharge Machining. <i>Procedia CIRP</i> , 2016 , 45, 355-358	1.8	26
46	Investigation of the maximum dissolution rates and temperature dependence of a simulated UK nuclear waste glass in circum-neutral media at 40 and 90°C in a dynamic system. <i>Applied Geochemistry</i> , 2017 , 82, 177-190	3.5	8
45	Modeling Resumption of Glass Alteration Due to Zeolites Precipitation. <i>Procedia Earth and Planetary Science</i> , 2017 , 17, 340-343		9

44	The role of pH in the vapor hydration at 175°C of the French SON68 glass. <i>Applied Geochemistry</i> , 2017 , 76, 22-35	3.5	8
43	Atomistic computer simulations of water interactions and dissolution of inorganic glasses. <i>Npj Materials Degradation</i> , 2017 , 1,	5.7	36
42	Chemical durability of peraluminous glasses for nuclear waste conditioning. <i>Npj Materials Degradation</i> , 2018 , 2,	5.7	18
41	The dissolution behavior of borosilicate glasses in far-from equilibrium conditions. <i>Geochimica Et Cosmochimica Acta</i> , 2018 , 226, 132-148	5.5	32
40	Alteration of vitrified intermediate level nuclear waste in alkaline media: effects of cementitious materials, pH and temperature.. <i>RSC Advances</i> , 2018 , 8, 37665-37680	3.7	3
39	Corrigendum to "The dissolution rates of simulated UK Magnox ThORP blend nuclear waste glass as a function of pH, temperature and waste loading" [Miner. Mag. 79, (2015) 1529-1542]. <i>Mineralogical Magazine</i> , 2018 , 82, 939-942	1.7	4
38	Application of GRAAL model to the resumption of International Simple Glass alteration. <i>Npj Materials Degradation</i> , 2018 , 2,	5.7	12
37	Olivine dissolution rates: A critical review. <i>Chemical Geology</i> , 2018 , 500, 1-19	4.2	56
36	The density-salinity relation of standard seawater. <i>Ocean Science</i> , 2018 , 14, 15-40	4	21
35	Impacts of glass composition, pH, and temperature on glass forward dissolution rate. <i>Npj Materials Degradation</i> , 2018 , 2,	5.7	26
34	Diffusion models for the early-stage SON68 glass dissolution in a hyper-alkaline solution. <i>Applied Geochemistry</i> , 2019 , 111, 104439	3.5	1
33	Hydrothermal synthesis of pollucite with soil and incineration ash for Cs immobilization and its immobilizing mechanism and leaching property. <i>Journal of Radioanalytical and Nuclear Chemistry</i> , 2019 , 319, 1083-1091	1.5	4
32	The Effect of Heavy Ion Irradiation on the Forward Dissolution Rate of Borosilicate Glasses Studied in Situ and Real Time by Fluid-Cell Raman Spectroscopy. <i>Materials</i> , 2019 , 12,	3.5	9
31	Dissolution Kinetics of R-Glass Fibres: Influence of Water Acidity, Temperature, and Stress Corrosion. <i>Fibers</i> , 2019 , 7, 22	3.7	10
30	Real-time in situ observations of reaction and transport phenomena during silicate glass corrosion by fluid-cell Raman spectroscopy. <i>Nature Materials</i> , 2019 , 18, 342-348	2.7	35
29	Numerical Modeling of Leaching of Aluminophosphate Glass in the Batch Mode in the Presence of Bentonite. <i>Radiochemistry</i> , 2019 , 61, 612-618	0.9	3
28	Dissolution of Stone Wool Fibers with Phenol-urea-formaldehyde Binder in a Synthetic Lung Fluid. <i>Chemical Research in Toxicology</i> , 2019 , 32, 2398-2410	4	11
27	Zirconium local environment in simplified nuclear glasses altered in basic, neutral or acidic conditions: Evidence of a double-layered gel. <i>Journal of Non-Crystalline Solids</i> , 2019 , 503-504, 268-278	3.9	6

26	Leaching behaviors and mechanisms of vitrified forms for the low-level radioactive solid wastes. <i>Journal of Hazardous Materials</i> , 2020 , 384, 121296	12.8	14
25	Insights into the mechanisms controlling the residual corrosion rate of borosilicate glasses. <i>Npj Materials Degradation</i> , 2020 , 4,	5.7	9
24	Short communication: The dissolution of UK simulant vitrified high-level-waste in groundwater solutions. <i>Journal of Nuclear Materials</i> , 2020 , 538, 152245	3.3	6
23	Molten salt reactors and electrochemical reprocessing: synthesis and chemical durability of potential waste forms for metal and salt waste streams. <i>International Materials Reviews</i> , 2021 , 66, 339-363	16.1	4
22	Literature mining for alternative cementitious precursors and dissolution rate modeling of glassy phases. <i>Journal of the American Ceramic Society</i> , 2021 , 104, 3042-3057	3.8	3
21	Mechanisms of Glass Corrosion by Aqueous Solutions. 2021 , 647-662		1
20	Recent Advances in Corrosion Science Applicable To Disposal of High-Level Nuclear Waste. <i>Chemical Reviews</i> , 2021 , 121, 12327-12383	68.1	6
19	Surface evolution of aluminosilicate glass fibers during dissolution: Influence of pH, solid-to-solution ratio and organic treatment. <i>Journal of Colloid and Interface Science</i> , 2022 , 606, 1983-1997	9.3	2
18	SCKCEN R&D on the Interaction between Nuclear Waste Glass and Clay Near- and Far-Field Materials. <i>Ceramic Transactions</i> , 103-114	0.1	1
17	GLAMOR IDr How We Achieved a Common Understanding on the Decrease of Glass Dissolution Kinetics. <i>Ceramic Transactions</i> , 115-126	0.1	23
16	Accelerated Weathering of Waste Glass at 90°C with the Pressurized Unsaturated Flow (PUF) Apparatus: Implications for Predicting Glass Corrosion with a Reactive Transport Model. <i>Ceramic Transactions</i> , 141-153	0.1	1
15	Chemical Durability of Glasses. <i>Springer Handbooks</i> , 2019 , 407-438	1.3	1
14	Mass Transfer Phenomena in Nuclear Waste Packages. <i>Advances in Transport Phenomena</i> , 2009 , 31-133		2
13	Weathering of Inorganic Materials: Dating and Other Applications. 1987 , 211-253		10
12	Weathering of ancient and medieval glasses: potential proxy for nuclear fuel waste glasses. A perennial challenge revisited. <i>International Journal of Applied Glass Science</i> , 2018 , 9, 29-41	1.8	3
11	Nuclear Waste Glasses. 2005 ,		2
10	Glass Dissolution Mechanism under Nearly Saturated Conditions: Current State and the Future. <i>Transactions of the Atomic Energy Society of Japan</i> , 2010 , 9, 233-242	0.1	
9	Mass Transfer Mechanism. 2015 , 73-102		

8	The dissolution of stone wool fibers with sugar-based binder and oil in different synthetic lung fluids. <i>Toxicology in Vitro</i> , 2022 , 78, 105270	3.6	1
7	Modelling of Environmental Ageing of Polymers and Polymer Composites-Modular and Multiscale Methods.. <i>Polymers</i> , 2022 , 14,	4.5	6
6	Modular Paradigm for Composites: Modeling Hydrothermal Degradation of Glass Fibers. <i>Fibers</i> , 2021 , 9, 83	3.7	2
5	Forty years of durability assessment of nuclear waste glass by standard methods. <i>Npj Materials Degradation</i> , 2021 , 5,	5.7	2
4	Influence of Environmental Parameters and Fiber Orientation on Dissolution Kinetics of Glass Fibers in Polymer Composites. <i>Journal of Composites Science</i> , 2022 , 6, 210	3	0
3	Investigation of silicic acid saturation and gel formation during ISG leaching: 180 days duration reaction at 90 °C. 2022 , 2315, 012007		
2	Nuclear Waste Vitrification and Chemical Durability. 2022 , 243-263		0
1	Modelling the Alteration of Medieval Stained Glass as a Function of Climate and Pollution: Comparison between Different Methodologies. 2023 , 6, 3074-3088		0