## Multicenter trial of hemodilution in ischemic stroke--ba Scandinavian Stroke Study Group.

Stroke 16, 885-890 DOI: 10.1161/01.str.16.5.885

**Citation Report** 

#	Article	IF	CITATIONS
1	Effect of the acute phase reaction on blood viscosity after infrainguinal arterial bypass. American Journal of Surgery, 1986, 152, 158-164.	0.9	3
2	Cerebral protection. Journal of Neurosurgery, 1986, 65, 579-591.	0.9	60
3	Cerebral borderzone infarcts after phlebotomy. Clinical Neurology and Neurosurgery, 1986, 88, 279-282.	0.6	1
4	Should lumbar puncture be part of the routine evaluation of patients with cerebral ischemia?. Stroke, 1986, 17, 332-333.	1.0	12
5	Headache in lacunar syndromes: a very unusual symptom Stroke, 1986, 17, 777-778.	1.0	7
6	Hypervolemic hemodilution after stroke Stroke, 1986, 17, 777-777.	1.0	7
7	Thrombolysis and Stroke. Archives of Neurology, 1987, 44, 748.	4.9	134
8	Hematocrit and clinical outcome in acute cerebral infarction Stroke, 1987, 18, 1166-1168.	1.0	6
9	Multicenter trial of hemodilution in acute ischemic stroke. I. Results in the total patient population. Scandinavian Stroke Study Group Stroke, 1987, 18, 691-699.	1.0	211
10	The Italian hemodilution trial in acute stroke. Italian Acute Stroke Study Group Stroke, 1987, 18, 670-676.	1.0	18
11	Elevated blood ketone and glucagon levels cannot account for 1,3-butanediol induced cerebral protection in the Levine rat Stroke, 1987, 18, 217-222.	1.0	10
12	Acute stroke therapy trials: an introduction to recurring design issues Stroke, 1987, 18, 524-527.	1.0	35
13	Focal Cerebral Ischemia: Pathophysiologic Mechanisms and Rationale for Future Avenues of Treatment. Mayo Clinic Proceedings, 1987, 62, 35-55.	1.4	84
14	Determination of whole blood apparent viscosity: Experience with a new hemorheologic technique. Journal of Surgical Research, 1988, 45, 238-247.	0.8	2
15	The Barthel ADL Index: A standard measure of physical disability?. International Disability Studies, 1988, 10, 64-67.	0.4	1,250
16	Drug Treatment of Stroke. Drugs, 1988, 35, 468-476.	4.9	4
17	Transcranial Doppler measurements of the middle cerebral artery. Effect of hematocrit Stroke, 1988, 19, 1466-1469.	1.0	165
19	Multicenter trial of hemodilution in acute ischemic stroke. Results of subgroup analyses. Scandinavian Stroke Study Group Stroke, 1988, 19, 464-471.	1.0	102

		CITATION RE	PORT	
#	Article		IF	CITATIONS
20	THE PROGNOSTIC VALUE OF HAEMATOCRIT IN ACUTE STROKE. Age and Ageing, 1988	, 17, 406-409.	0.7	10
21	Acute stroke therapy trials: problems in patient accrual Stroke, 1988, 19, 950-954.		1.0	28
22	Medical Care of the Early Stroke Patient. Clinical Rehabilitation, 1988, 2, 151-160.		1.0	1
23	Hemodilution in acute ischemic stroke Stroke, 1988, 19, 654-654.		1.0	1
24	Randomized clinical trials of hemodilution in acute ischemic stroke. Acta Neurologica S 1989, 80, 22-30.	candinavica,	1.0	23
25	Hemodilution increases cerebral blood flow in acute ischemic stroke Stroke, 1989, 20	, 884-889.	1.0	54
26	Methodological problems in the evaluation of anti-ischemic agents in humans. Europea Neuropsychopharmacology, 1991, 1, 238-241.	IN	0.3	0
27	Beneficial effects of isovolemic hemodilution using a perfluorocarbon emulsion in a stru American Journal of Surgery, 1991, 162, 103-106.	oke model.	0.9	24
29	Thixotropic properties of whole blood in the patients with ischemic stroke and high risk Clinical Hemorheology and Microcirculation, 1991, 11, 635-640.	≀factors.	0.9	0
30	Methodology of Clinical Trials in Acute Cerebral Ischemia. Cerebrovascular Diseases, 19	91, 1, 100-111.	0.8	48
31	Benefit of a stroke unit: a randomized controlled trial Stroke, 1991, 22, 1026-1031.		1.0	443
32	Measurement of Outcome in Stroke Prevention Trials. Cerebrovascular Diseases, 1992	, 2, 23-34.	0.8	44
33	A unified form for neurological scoring of hemispheric stroke with motor impairment 23, 1678-1679.	Stroke, 1992,	1.0	35
34	Custom-tailored hemodilution with albumin and crystalloids in acute ischemic stroke 23, 181-188.	Stroke, 1992,	1.0	101
35	Treatment of acute cerebral hemorrhage with intravenous glycerol. A double-blind, placebo-controlled, randomized trial Stroke, 1992, 23, 967-971.		1.0	136
36	Therapeutic interventions in acute stroke British Journal of Clinical Pharmacology, 199	92, 34, 486-493.	1.1	17
37	Handedness and carotid plaque lesion Stroke, 1992, 23, 1679-1680.		1.0	4
38	A comparison of five stroke scales with measures of disability, handicap, and quality of 1993, 24, 1178-1181.	life Stroke,	1.0	227

#	Article	IF	CITATIONS
39	Treatment of acute cortical infarct with intravenous glycerol. A double-blind, placebo-controlled randomized trial Stroke, 1993, 24, 1119-1124.	1.0	38
40	Compensation in recovery of upper extremity function after stroke: The Copenhagen Stroke Study. Archives of Physical Medicine and Rehabilitation, 1994, 75, 852-857.	0.5	260
41	Recovery of upper extremity function in stroke patients: The Copenhagen stroke study. Archives of Physical Medicine and Rehabilitation, 1994, 75, 394-398.	0.5	849
42	The Relationship between Impairment and Functional Health Scales in the Outcome of Stroke. Cerebrovascular Diseases, 1994, 4, 19-23.	0.8	7
43	Silent infarction in acute stroke patients. Prevalence, localization, risk factors, and clinical significance: the Copenhagen Stroke Study Stroke, 1994, 25, 97-104.	1.0	135
44	Spontaneous Reperfusion of Cerebral Infarcts in Patients With Acute Stroke. Archives of Neurology, 1994, 51, 865.	4.9	80
45	Stroke in patients with diabetes. The Copenhagen Stroke Study Stroke, 1994, 25, 1977-1984.	1.0	347
46	Pattern of activation of the hypothalamic-pituitary-adrenal axis in acute stroke. Relation to acute confusional state, extent of brain damage, and clinical outcome Stroke, 1994, 25, 1105-1108.	1.0	207
47	The influence of age on stroke outcome. The Copenhagen Stroke Study Stroke, 1994, 25, 808-813.	1.0	326
48	Validation of four scales for the acute stage of stroke. Journal of Internal Medicine, 1994, 236, 125-136.	2.7	63
49	Proinflammatory cytokines in serum of patients with acute cerebral ischemia: kinetics of secretion and relation to the extent of brain damage and outcome of disease. Journal of the Neurological Sciences, 1994, 122, 135-139.	0.3	312
50	Effect of blood pressure and diabetes on stroke in progression. Lancet, The, 1994, 344, 156-159.	6.3	327
51	The European Stroke Scale Stroke, 1994, 25, 2215-2219.	1.0	170
52	Ganglioside GM1 in acute ischemic stroke. The SASS Trial Stroke, 1994, 25, 1141-1148.	1.0	53
53	Interconversion of stroke scales. Implications for therapeutic trials Stroke, 1994, 25, 1366-1370.	1.0	16
54	Intracerebral hemorrhage versus infarction: Stroke severity, risk factors, and prognosis. Annals of Neurology, 1995, 38, 45-50.	2.8	158
55	Aphasia in acute stroke: Incidence, determinants, and recovery. Annals of Neurology, 1995, 38, 659-666.	2.8	671
56	Recovery of walking function in stroke patients: The copenhagen stroke study. Archives of Physical Medicine and Rehabilitation, 1995, 76, 27-32.	0.5	909

#	Article	IF	CITATIONS
57	Outcome and time course of recovery in stroke. Part I: Outcome. The Copenhagen stroke study. Archives of Physical Medicine and Rehabilitation, 1995, 76, 399-405.	0.5	478
58	Outcome and time course of recovery in stroke. Part II: Time course of recovery. The copenhagen stroke study. Archives of Physical Medicine and Rehabilitation, 1995, 76, 406-412.	0.5	803
59	The value of intracranial pressure monitoring in acute hemispheric stroke. Neurology, 1996, 47, 393-398.	1.5	203
60	Body temperature in acute stroke: relation to stroke severity, infarct size, mortality, and outcome. Lancet, The, 1996, 347, 422-425.	6.3	851
61	Orientation in the acute and chronic stroke patient: Impact on ADL and social activities. The copenhagen stroke study. Archives of Physical Medicine and Rehabilitation, 1996, 77, 336-339.	0.5	59
62	Ipsilateral pushing in stroke: Incidence, relation to neuropsychological symptoms, and impact on rehabilitation. The Copenhagen stroke study. Archives of Physical Medicine and Rehabilitation, 1996, 77, 25-28.	0.5	160
63	The Copenhagen Stroke Study experience. Journal of Stroke and Cerebrovascular Diseases, 1996, 6, 5-16.	0.7	42
64	Lys-plasminogen as an adjunct to local intra-arterial fibrinolysis for carotid territory stroke: laboratory and clinical findings. Neuroradiology, 1996, 38, 181-185.	1.1	36
65	Endogenous Sex Hormones in Women with Ischemic Stroke. Cerebrovascular Diseases, 1996, 6, 288-293.	0.8	4
66	Prognostic significance of metabolic changes detected by proton magnetic resonance spectroscopy in ischaemic stroke. Journal of Neurology, 1996, 243, 241-247.	1.8	31
67	The Impact of Aphasia on ADL and Social Activities After Stroke: The Copenhagen Stroke Study. Neurorehabilitation and Neural Repair, 1996, 10, 91-96.	1.4	0
68	Frequency, Determinants, and Consequences of Anosognosia in Acute Stroke. Neurorehabilitation and Neural Repair, 1996, 10, 243-250.	1.4	14
69	General Cognitive Function in Acute Stroke: The Copenhagen Stroke Study. Neurorehabilitation and Neural Repair, 1996, 10, 153-158.	1.4	2
70	'Malignant' Middle Cerebral Artery Territory Infarction. Archives of Neurology, 1996, 53, 309.	4.9	1,291
71	Sleep apnea in patients with transient ischemic attack and stroke. Neurology, 1996, 47, 1167-1173.	1.5	252
72	Factors delaying hospital admission in acute stroke. Neurology, 1996, 47, 383-387.	1.5	144
74	Stroke recurrence. Neurology, 1997, 48, 891-895.	1.5	238
75	Barbiturate coma in severe hemispheric stroke. Neurology, 1997, 48, 1608-1613.	1.5	155

#	Article	IF	Citations
76	Cerebral microembolism in patients with stroke or transient ischaemic attack as a risk factor for early recurrence. Journal of Neurology, Neurosurgery and Psychiatry, 1997, 63, 784-787.	0.9	27
77	Brain temperature monitoring and modulation in patients with severe MCA infarction. Neurology, 1997, 48, 762-767.	1.5	195
78	Acute stroke: Prognosis and a prediction of the effect of medical treatment on outcome and health care utilization. Neurology, 1997, 49, 1335-1342.	1.5	47
79	Predictors of Stroke Deterioration. Cerebrovascular Diseases, 1997, 7, 10-13.	0.8	8
80	Dalteparin in Acute Ischemic Cerebrovascular Disease: A Safety Study. Cerebrovascular Diseases, 1997, 7, 28-33.	0.8	6
81	The Sunnaas Index of Activities of Daily Living: Responsiveness and Concurrent Validity in Stroke. Scandinavian Journal of Occupational Therapy, 1997, 4, 31-36.	1.1	13
82	Termination of Acute Stroke Studies Involving Selfotel Treatment. Lancet, The, 1997, 349, 32.	6.3	155
83	Hypercortisolism after stroke — partly cytokine-mediated?. Journal of the Neurological Sciences, 1997, 147, 43-47.	0.3	85
84	Leakage of brain-originated proteins in peripheral blood: temporal profile and diagnostic value in early ischemic stroke. Journal of the Neurological Sciences, 1997, 148, 101-105.	0.3	164
85	Ischemic stroke and n-3 fatty acids. Journal of Stroke and Cerebrovascular Diseases, 1997, 6, 405-409.	0.7	2
86	Intrathecal release of pro- and anti-inflammatory cytokines during stroke. Clinical and Experimental Immunology, 1997, 110, 492-499.	1.1	195
87	GM1 Ganglioside for Acute Ischemic Stroke: Trial Design Issues. Annals of the New York Academy of Sciences, 1998, 845, 391-401.	1.8	17
88	Sexual dysfunction in stroke patients. Acta Neurologica Scandinavica, 1998, 98, 400-405.	1.0	98
89	NÜhtliche Sauerstofftherapie und kognitive Funktion bei bewußtseinsklaren, äeren Patienten mit Hirninfarkt und obstruktiver Schlafapnoe—Eine kontrollierte Studie. Somnologie, 1998, 2, 172-183.	0.9	10
91	Tissue plasminogen activator is elevated in women with ischemic stroke. Journal of Stroke and Cerebrovascular Diseases, 1998, 7, 187-191.	0.7	5
93	An Insertion/Deletion polymorphism in the promoter region of the plasminogen activator inhibitor-1 gene is associated with plasma levels but not with stroke risk in the elderly. Journal of Stroke and Cerebrovascular Diseases, 1998, 7, 385-390.	0.7	6
94	Assessment scales for the evaluation of stroke patients. Journal of Stroke and Cerebrovascular Diseases, 1998, 7, 113-127.	0.7	40
95	INTERVENTIONAL USE OF PLASMINOGEN ACTIVATORS IN CENTRAL NERVOUS SYSTEM DISEASES. Medical Clinics of North America, 1998, 82, 545-568.	1.1	10

		CITATION RE	EPORT	
#	Article		IF	CITATIONS
96	Economic burden of stroke and the evaluation of new therapies. Public Health, 1998, 2	112, 103-112.	1.4	83
97	A Randomized Controlled Trial of Rehabilitation at Home After Stroke in Southwest St Stroke, 1998, 29, 591-597.	ockholm.	1.0	211
98	Frequency and Clinical Determinants of Poststroke Depression. Stroke, 1998, 29, 231	1-2317.	1.0	263
99	Depression After Stroke. Stroke, 1998, 29, 368-372.		1.0	342
100	Moderate Hypothermia in the Treatment of Patients With Severe Middle Cerebral Arte Stroke, 1998, 29, 2461-2466.	ry Infarction.	1.0	661
101	Early Hemicraniectomy in Patients With Complete Middle Cerebral Artery Infarction. S 1888-1893.	troke, 1998, 29,	1.0	694
102	Correlates of Dependent Living3 Months after Ischemic Stroke. Cerebrovascular Disea 259-266.	ses, 1998, 8,	0.8	43
103	Impaired Orientation in Acute Stroke: Frequency, Determinants, and Time-Course of R Cerebrovascular Diseases, 1998, 8, 90-96.	ecovery.	0.8	18
104	Effects of Acupuncture Treatment on Daily Life Activities and Quality of Life. Stroke, 19 2100-2108.	998, 29,	1.0	131
105	Cerebral Effects of a Single Dose of Intravenous Vinpocetine in Chronic Stroke Patient Journal of Neuroimaging, 1998, 8, 197-204.	s: A PET Study.	1.0	38
106	Stroke Unit Versus General Medical Wards, II: Neurological Deficits and Activities of Da Stroke, 1998, 29, 586-590.	aily Living.	1.0	131
107	Clinical Determinants of Poststroke Dementia. Stroke, 1998, 29, 75-81.		1.0	271
108	Microembolic Signals and Risk of Early Recurrence in Patients With Stroke or Transien Attack. Stroke, 1998, 29, 2125-2128.	t Ischemic	1.0	172
109	Outcome of Subacute Stroke Rehabilitation. Stroke, 1998, 29, 779-784.		1.0	168
110	Comparison of the Three Strategies of Verbal Scoring of the Glasgow Coma Scale in Pa Stroke. Cerebrovascular Diseases, 1998, 8, 79-85.	atients with	0.8	21
111	Health-Related Quality of Life Outcomes in Stroke. Neuroepidemiology, 1998, 17, 116	-120.	1.1	31
112	Prognostic Value of Proton Magnetic Resonance Spectroscopy in Ischemic Stroke. Arc Neurology, 1998, 55, 489.	hives of	4.9	68
113	Role of the Parathyroid Gland on Bone Mass and Metabolism in Immobilized Stroke Pa Medical Journal, 1998, 45, 265-270.	tients Kurume	0.0	8

#	Article	IF	CITATIONS
114	Are More Complex Study Designs Needed for Future Acute Stroke Trials?. Cerebrovascular Diseases, 1998, 8, 17-22.	0.8	17
115	Incidence of Space-Occupying Brain Edema following Systemic Thrombolysis of Acute Supratentorial Ischemia. Cerebrovascular Diseases, 1998, 8, 166-171.	0.8	31
116	Epidemiology of Stroke-Related Disability: The Copenhagen Stroke Study. Clinics in Geriatric Medicine, 1999, 15, 785-800.	1.0	48
117	Stroke: Neurologic and Functional Recovery The Copenhagen Stroke Study. Physical Medicine and Rehabilitation Clinics of North America, 1999, 10, 887-906.	0.7	212
118	Intrathecal Expression of Proteins Regulating Apoptosis in Acute Stroke. Stroke, 1999, 30, 321-327.	1.0	79
119	Bihemispheric Contribution to Motor Recovery after Stroke: A Longitudinal Study with Transcranial Doppler Ultrasonography. Cerebrovascular Diseases, 1999, 9, 337-344.	0.8	57
120	Increased IL-1β, IL-8, and IL-17 mRNA Expression in Blood Mononuclear Cells Observed in a Prospective Ischemic Stroke Study. Stroke, 1999, 30, 2174-2179.	1.0	172
121	Poststroke Depression Correlates With Cognitive Impairment and Neurological Deficits. Stroke, 1999, 30, 1875-1880.	1.0	356
122	Night time versus daytime transient ischaemic attack and ischaemic stroke: a prospective study of 110 patients. Journal of Neurology, Neurosurgery and Psychiatry, 1999, 67, 463-467.	0.9	56
123	Prevention of poststroke depression: 1Âyear randomised placebo controlled double blind trial of mianserin with 6Âmonth follow up after therapy. Journal of Neurology, Neurosurgery and Psychiatry, 1999, 66, 490-494.	0.9	102
124	Clinical and radiological determinants of prestroke cognitive decline in a stroke cohort. Journal of Neurology, Neurosurgery and Psychiatry, 1999, 67, 742-748.	0.9	79
125	Post-stroke depression and functional recovery in a population-based stroke register. The Finnstroke study. European Journal of Neurology, 1999, 6, 309-312.	1.7	113
126	Clinical evaluation of the driving ability in stroke patients. Acta Neurologica Scandinavica, 1999, 99, 349-355.	1.0	45
127	Usefulness of Clinical Scores to Predict Outcome in Bacterial Meningitis. Infection, 1999, 27, 239-243.	2.3	15
130	Screening for depressive symptoms in the acute phase of stroke. General Hospital Psychiatry, 1999, 21, 116-121.	1.2	32
131	Masticatory Force and Function in Patients with Hemispheric Brain Infarction and Hemiplegia. Journal of Dental Research, 1999, 78, 1810-1814.	2.5	24
133	Leukocytosis in acute stroke: Relation to initial stroke severity, infarct size, and outcome: The copenhagen stroke study. Journal of Stroke and Cerebrovascular Diseases, 1999, 8, 259-263.	0.7	23
134	What Determines Good Recovery in Patients With the Most Severe Strokes?. Stroke, 1999, 30, 2008-2012.	1.0	153

		CITATION REPO	RT	
#	Article	IF	-	CITATIONS
135	Sleep Apnea in Acute Cerebrovascular Diseases: Final Report on 128 Patients. Sleep, 1999, 22,	217-223. 0	0.6	471
136	Should Stroke Victims Routinely Receive Supplemental Oxygen?. Stroke, 1999, 30, 2033-2037	. 1	.0	292
138	Carpal Tunnel Syndrome Involving Unaffected Limbs of Stroke Patients. Stroke, 1999, 30, 414	-418. 1	.0	27
139	Delayed Increase in Infarct Volume After Cerebral Ischemia. Stroke, 1999, 30, 502-507.	1	.0	91
140	Relation between troponin T concentration and mortality in patients presenting with an acute observational study. BMJ: British Medical Journal, 2000, 320, 1502-1504.	stroke: 2	.4	179
141	Serial Measurement of Vascular Endothelial Growth Factor and Transforming Growth Factor-Î <sup>2</sup> . Serum of Patients With Acute Ischemic Stroke. Stroke, 2000, 31, 1863-1870.	Lin 1	.0	225
142	Decreased Severity of Brain Infarct Can in Part Explain the Decreasing Case Fatality Rate of Stro Stroke, 2000, 31, 651-655.	oke. 1	.0	36
143	Activation of MAP kinase (ERK-1/ERK-2), tyrosine kinase and VEGF in the human brain following ischaemic stroke. NeuroReport, 2000, 11, 2759-2764.	gacute o	9.6	67
144	Valore prognostico della risonanza magnetica spettroscopica protonica nell'ictus ischemico. Th Neuroradiology Journal, 2000, 13, 65-69.	1e 0	9.1	0
145	Resource Utilization and Costs of Stroke Unit Care Integrated in a Care Continuum: A 1-Year Controlled, Prospective, Randomized Study in Elderly Patients. Stroke, 2000, 31, 2569-2577.	1	.0	98
146	Failure to Demonstrate Peri-Infarct Depolarizations by Repetitive MR Diffusion Imaging in Acut Stroke. Stroke, 2000, 31, 2901-2906.	e Human 1.	.0	40
147	Outcome Measures in Acute Stroke Trials. Stroke, 2000, 31, 1429-1438.	1	.0	435
148	Development of an Ischemic Stroke Survival Score. Stroke, 2000, 31, 2414-2420.	1.	.0	29
149	Early serial SPET in acute middle cerebral artery infarction. Nuclear Medicine Communications, 21, 425-429.	2000, 0	0.5	4
150	Functional and Neurological Outcome of Stroke and the Relation to Stroke Severity and Type, Unit Treatment, Body Temperature, Age, and Other Risk Factors: The Copenhagen Stroke Stud in Stroke Rehabilitation, 2000, 6, 1-19.		.0	20
151	Cortisol axis abnormalities early after stroke - relationships to cytokines and leptin. Journal of Internal Medicine, 2000, 247, 179-187.	2	.7	52
152	Beneficial Effect of Intermittent Cyclical Etidronate Therapy in Hemiplegic Patients Following a Acute Stroke. Journal of Bone and Mineral Research, 2000, 15, 2487-2494.	n3	.1	58
153	Neuroprotective Effects of Glycine for Therapy of Acute Ischaemic Stroke. Cerebrovascular Dise 2000, 10, 49-60.	eases, O	9.8	67

.

#	Article	IF	CITATIONS
154	Walking after Stroke: Does It Matter? Changes in Bone Mineral Density Within the First 12 Months after Stroke. A Longitudinal Study. Osteoporosis International, 2000, 11, 381-387.	1.3	146
155	Intrathecal Release of Nitric Oxide and Its Relation to Final Brain Damage in Patients with Stroke. Cerebrovascular Diseases, 2000, 10, 200-206.	0.8	14
156	MRI Pontine Hyperintensity After Supratentorial Ischemic Stroke Relates to Poor Clinical Outcome. Stroke, 2000, 31, 695-700.	1.0	22
157	rtPA intravenous thrombolysis in anterior choroidal artery territory stroke. Neurology, 2000, 54, 666-666.	1.5	11
158	Risk factors and outcome of patients with carotid artery stenosis presenting with lacunar stroke. Neurology, 2000, 54, 660-660.	1.5	153
159	Effect of Acute Stroke Unit Care Integrated With Care Continuum Versus Conventional Treatment: A Randomized 1-Year Study of Elderly Patients. Stroke, 2000, 31, 2578-2584.	1.0	84
161	Feasibility and Safety of Inducing Modest Hypothermia in Awake Patients With Acute Stroke Through Surface Cooling: A Case-Control Study. Stroke, 2000, 31, 2251-2256.	1.0	277
162	Monitoring Intravenous Recombinant Tissue Plasminogen Activator Thrombolysis for Acute Ischemic Stroke With Diffusion and Perfusion MRI. Stroke, 2000, 31, 1318-1328.	1.0	195
163	Intravenous tPA in acute ischemic stroke related to internal carotid artery dissection. Neurology, 2000, 54, 2159-2161.	1.5	101
164	Intravenous Ancrod for Treatment of Acute Ischemic Stroke. JAMA - Journal of the American Medical Association, 2000, 283, 2395.	3.8	262
165	Serum S100 protein as a marker of cerebral damage during cardiac surgery. British Journal of Anaesthesia, 2000, 85, 287-298.	1.5	135
166	Aphasia, Depression, and Non-Verbal Cognitive Impairment in Ischaemic Stroke. Cerebrovascular Diseases, 2000, 10, 455-461.	0.8	345
167	Rehabilitation at home after stroke: a descriptive study of an individualized intervention. Clinical Rehabilitation, 2000, 14, 574-583.	1.0	71
168	First-stroke recovery process: The role of family social support. Archives of Physical Medicine and Rehabilitation, 2000, 81, 881-887.	0.5	175
169	Domains and determinants of quality of life after stroke caused by brain infarction. Archives of Physical Medicine and Rehabilitation, 2000, 81, 1541-1546.	0.5	132
170	Low molecular-weight heparin versus aspirin in patients with acute ischaemic stroke and atrial fibrillation: a double-blind randomised study. Lancet, The, 2000, 355, 1205-1210.	6.3	408
171	Influence of immobilization upon calcium metabolism in the week following hemiplegic stroke. Journal of the Neurological Sciences, 2000, 175, 135-139.	0.3	48
173	Characteristics of 4 stroke scales for the detection of changes in clinical signs in the acute phase of stroke. Journal of Stroke and Cerebrovascular Diseases, 2001, 10, 70-78.	0.7	11

#	Article	IF	CITATIONS
174	A practical stroke severity scale predicts hospital outcomes. Journal of Stroke and Cerebrovascular Diseases, 2001, 10, 231-235.	0.7	15
175	Early infection and prognosis after acute stroke: The Copenhagen Stroke Study. Journal of Stroke and Cerebrovascular Diseases, 2001, 10, 217-221.	0.7	53
176	Twenty-four-hour endothelin-1 secretory pattern in stroke patients. Biomedicine and Pharmacotherapy, 2001, 55, 272-276.	2.5	16
177	Changes in muscle mass, fat mass, and bone mineral content in the legs after stroke: a 1 year prospective study. Bone, 2001, 28, 655-659.	1.4	163
178	Sleep electroencephalogram changes in acute hemispheric stroke. Sleep Medicine, 2001, 2, 185-194.	0.8	80
179	Predicting long-term care institution utilization among post-rehabilitation stroke patients in Taiwan: a medical centre-based study. Disability and Rehabilitation, 2001, 23, 722-730.	0.9	24
180	The Communicative Effectiveness Index: Psychometric properties of a Danish adaptation. Aphasiology, 2001, 15, 787-802.	1.4	17
181	Correlation between Diffusion- and Perfusion-Weighted MRI and Neurological Deficit Measured by the Scandinavian Stroke Scale and Barthel Index in Hyperacute Subcortical Stroke (≩ Hours). Cerebrovascular Diseases, 2001, 12, 203-213.	0.8	34
182	Prophylactic Hyperdynamic Postoperative Fluid Therapy after Aneurysmal Subarachnoid Hemorrhage: A Clinical, Prospective, Randomized, Controlled Study. Neurosurgery, 2001, 49, 593-606.	0.6	234
183	Manual and Oral Apraxia in Acute Stroke, Frequency and Influence on Functional Outcome. American Journal of Physical Medicine and Rehabilitation, 2001, 80, 685-692.	0.7	29
184	Current use of outcome measures for stroke and low back pain rehabilitation in five European countries: first results of the ACROSS project. International Journal of Rehabilitation Research, 2001, 24, 95-101.	0.7	36
185	Serum β2-Microglobulin Reflects Increased Bone Resorption in Immobilized Stroke Patients [RETRACTED]. American Journal of Physical Medicine and Rehabilitation, 2001, 80, 19-24.	0.7	4
186	Prophylactic Hyperdynamic Postoperative Fluid Therapy after Aneurysmal Subarachnoid Hemorrhage: A Clinical, Prospective, Randomized, Controlled Study. Neurosurgery, 2001, 49, 593-606.	0.6	178
187	Early Supported Discharge and Continued Rehabilitation At Home After Stroke. Physical Therapy Reviews, 2001, 6, 119-140.	0.3	4
188	Evaluation of the Secretory Pattern of Plasma Arginine Vasopressin in Stroke Patients. Cerebrovascular Diseases, 2001, 11, 113-118.	0.8	56
189	Prospective Value of Perfusion and X-Ray Attenuation Imaging With Single-Photon Emission and Transmission Computed Tomography in Acute Cerebral Ischemia. Stroke, 2001, 32, 1588-1597.	1.0	21
190	Aptiganel Hydrochloride in Acute Ischemic Stroke. JAMA - Journal of the American Medical Association, 2001, 286, 2673.	3.8	158
191	Vitamin D Deficiency and Risk of Hip Fractures Among Disabled Elderly Stroke Patients. Stroke, 2001, 32, 1673-1677.	1.0	60

#	Article	IF	CITATIONS
192	Thrombolytic therapy for ischemic stroke—A review. Part l—Intravenous thrombolysis. Critical Care Medicine, 2001, 29, 1812-1818.	0.4	76
193	Outcomes of neurocritical care. Current Neurology and Neuroscience Reports, 2001, 1, 593-598.	2.0	4
194	Temporal profile of serum anti-inflammatory and pro-inflammatory interleukins in acute ischemic stroke patients. Neurological Sciences, 2001, 22, 289-296.	0.9	117
195	Functional status of the paretic arm affects the loss of bone mineral in the proximal humerus after stroke: A 1-year prospective study. Calcified Tissue International, 2001, 68, 11-15.	1.5	38
196	New reliable and valid motor assessment scale for stroke patients: Hemiplegic motor behavior tests. Geriatrics and Gerontology International, 2001, 1, 45-51.	0.7	1
197	Early TNF-α levels correlate with ischaemic stroke severity. Acta Neurologica Scandinavica, 2001, 104, 288-295.	1.0	162
198	Early prediction of aphasia outcome in left basal ganglia hemorrhage. Acta Neurologica Scandinavica, 2001, 103, 148-152.	1.0	15
199	Stroke magnetic resonance imaging within 6 hours after onset of hyperacute cerebral ischemia. Annals of Neurology, 2001, 49, 460-469.	2.8	227
200	The Use of Clinical Scales in Depicting Cerebrovascular Complications in Bacterial Meningitis. Journal of Neuroimaging, 2001, 11, 25-29.	1.0	10
201	Poststroke Depression in Acute Phase after Stroke. Cerebrovascular Diseases, 2001, 12, 14-20.	0.8	90
202	Bone Mineral Density in Acute Stroke Patients. Stroke, 2001, 32, 47-51.	1.0	120
203	Diffusion-Weighted Imaging and National Institutes of Health Stroke Scale in the Acute Phase of Posterior-Circulation Stroke. Archives of Neurology, 2001, 58, 621-8.	4.9	113
204	Development of a Novel, Weighted, Quantifiable Stroke Scale. Stroke, 2001, 32, 1800-1807.	1.0	49
205	The Clomethiazole Acute Stroke Study in tissue-type plasminogen activator–treated stroke (CLASS-T). Neurology, 2001, 57, 1199-1205.	1.5	81
206	Protein S-100B: A Serum Marker for Ischemic and Infectious Injury of Cerebral Tissue. Clinical Chemistry and Laboratory Medicine, 2001, 39, 319-23.	1.4	38
207	THE USE OF OUTCOME MEASURES IN PHYSICAL MEDICINE AND REHABILITATION WITHIN EUROPE. Journal of Rehabilitation Medicine, 2001, 33, 273-278.	0.8	128
208	Magnetic Resonance Imaging Correlates of Depression After Ischemic Stroke. Archives of General Psychiatry, 2001, 58, 925.	13.8	175
209	Selegiline Treatment Facilitates Recovery After Stroke. Neurorehabilitation and Neural Repair, 2001, 15, 183-190.	1.4	33

#	Article	IF	CITATIONS
210	Randomized Controlled Trial of Rehabilitation at Home after Stroke: One-Year Follow-Up of Patient Outcome, Resource Use and Cost. Cerebrovascular Diseases, 2001, 12, 131-138.	0.8	83
211	Hemorrhagic Transformation of Ischemic Brain Tissue. Stroke, 2001, 32, 1330-1335.	1.0	508
212	Suboptimum hemicraniectomy as a cause of additional cerebral lesions in patients with malignant infarction of the middle cerebral artery. Journal of Neurosurgery, 2001, 94, 693-696.	0.9	138
213	Insomnia in Ischemic Stroke Patients. Cerebrovascular Diseases, 2002, 14, 90-97.	0.8	203
214	Does Acupuncture Improve Motor Recovery After Stroke?. Stroke, 2002, 33, 2604-2619.	1.0	142
215	Characteristics of Elderly People Readmitted to the Hospital during the First Year after Stroke. Cerebrovascular Diseases, 2002, 14, 169-176.	0.8	19
216	Cognitive Functions and Depression as Predictors of Poor Outcome 15 Months after Stroke. Cerebrovascular Diseases, 2002, 14, 228-233.	0.8	48
217	Sleep-disordered breathing following acute stroke. QJM - Monthly Journal of the Association of Physicians, 2002, 95, 741-747.	0.2	134
218	Prevalence and clinical importance of sleep apnea in the first night after cerebral infarction. Neurology, 2002, 58, 911-916.	1.5	230
219	Functional recovery and instrumental activities of daily living: follow-up 1-year after treatment in a stroke unit. Brain Injury, 2002, 16, 207-216.	0.6	72
220	Prediction of long-term functional outcome after stroke rehabilitation. Clinical Rehabilitation, 2002, 16, 149-159.	1.0	90
221	Admission Body Temperature Predicts Long-Term Mortality After Acute Stroke. Stroke, 2002, 33, 1759-1762.	1.0	261
222	Microalbuminuria in Nondiabetic Patients with Acute Ischemic Stroke: Prevalence, Clinical Correlates, and Prognostic Significance. Cerebrovascular Diseases, 2002, 14, 15-21.	0.8	50
223	Higher Incidence of Falls in Long-Term Stroke Survivors Than in Population Controls. Stroke, 2002, 33, 542-547.	1.0	391
224	Haemodilution for acute ischaemic stroke. , 2002, , CD000103.		34
225	Blood Pressure in Acute Stroke. Cerebrovascular Diseases, 2002, 13, 204-209.	0.8	73
226	Clomethiazole Acute Stroke Study in Ischemic Stroke (CLASS-I). Stroke, 2002, 33, 122-129.	1.0	158
227	Hypercortisolemia in acute stroke is related to the inflammatory response. Journal of the Neurological Sciences, 2002, 196, 27-32.	0.3	79

#	Article	IF	CITATIONS
228	Analysis of hospital charges for cerebral infarction stroke inpatients in Beijing, People's Republic of China. Health Policy, 2002, 59, 243-256.	1.4	37
229	Validity of the Aphasia Item from the Scandinavian Stroke Scale. Cerebrovascular Diseases, 2002, 13, 184-186.	0.8	27
230	Prevalence and Predictors of Upper Airway Obstruction in the First 24 Hours After Acute Stroke. Stroke, 2002, 33, 2037-2042.	1.0	157
231	Computed tomographic and transcranial Doppler sonographic findings in acute and subacute phases of middle cerebral artery strokes. Journal of Clinical Ultrasound, 2002, 30, 33-37.	0.4	6
232	MRT-Diagnostik beim akuten Schlaganfall. Intensivmedizin Und Notfallmedizin, 2002, 39, 171-182.	0.2	1
233	Post-stroke quality of life and depression. Acta Neuropsychiatrica, 2002, 14, 219-225.	1.0	32
234	Post-stroke depression, executive dysfunction and functional outcome. European Journal of Neurology, 2002, 9, 269-275.	1.7	163
235	The Mures-Uzhgorod-Debrecen study: a comparison of hospital stroke services in Central-Eastern Europe. European Journal of Neurology, 2002, 9, 293-296.	1.7	6
236	Incidence and predictors for post-stroke epilepsy. A prospective controlled trial. The Akershus stroke study. European Journal of Neurology, 2002, 9, 365-368.	1.7	46
237	The Effect of Poststroke Depression on Recovery from Stroke. Psychogeriatrics, 2002, 2, 73-84.	0.6	2
238	Early fluoxetine treatment of post-stroke depression. Journal of Neurology, 2003, 250, 347-351.	1.8	156
239	Interleukin-18 in acute ischaemic stroke patients. Neurological Sciences, 2003, 24, 117-124.	0.9	68
240	Neurological and cognitive long-term outcome in patients with cerebral venous sinus thrombosis. Acta Neurologica Scandinavica, 2003, 107, 330-335.	1.0	59
241	Microalbuminuria and hyperthermia independently predict long-term mortality in acute ischemic stroke patients. Acta Neurologica Scandinavica, 2003, 107, 96-101.	1.0	19
242	Quality of life in stroke patients. Acta Neurologica Scandinavica, 2003, 107, 324-329.	1.0	95
243	On the outcome in stroke patients one year later: the role of atrial fibrillation. European Journal of Neurology, 2003, 10, 67-70.	1.7	5
244	MRI correlates of executive dysfunction in patients with ischaemic stroke. European Journal of Neurology, 2003, 10, 625-631.	1.7	92
245	The effect of early aerobic training on independence six months post stroke. Clinical Rehabilitation, 2003, 17, 735-741.	1.0	64

#	Article	IF	CITATIONS
246	A prospective study of predictors of prolonged hospital stay and disability after stroke. Journal of Clinical Neuroscience, 2003, 10, 665-669.	0.8	66
247	Analysis of hospital charges for ischemic stroke in Fukuoka, Japan. Health Policy, 2003, 66, 239-246.	1.4	20
248	The influence of early aerobic training on the functional capacity in patients with cerebrovascular accident at the subacute stage11No commercial party having a direct financial interest in the results of the research supporting this article has or will confer a benefit upon the author(s) or upon any organization with which the author(s) is/are associated Archives of Physical Medicine and Rehabilitation, 2003, 84, 1609-1614.	0.5	79
249	Generalized Anxiety Disorders Three to Four Months after Ischemic Stroke. Cerebrovascular Diseases, 2003, 16, 257-264.	0.8	70
250	Consequences of Mild Stroke in Persons <75 Years – A 1-Year Follow-Up. Cerebrovascular Diseases, 2003, 16, 383-388.	0.8	174
251	Reliability and Validity of the Canadian Neurological Scale in Retrospective Assessment of Initial Stroke Severity. Cerebrovascular Diseases, 2003, 16, 286-291.	0.8	37
252	Alcohol Misuse: A Risk Factor for Putaminal Damage by Ischemic Brain Infarct?. European Neurology, 2003, 50, 69-72.	0.6	3
253	Complaints of Poststroke Insomnia and Its Treatment with Mianserin. Cerebrovascular Diseases, 2003, 15, 56-62.	0.8	104
254	White matter disease and sleep-disordered breathing after acute stroke. Neurology, 2003, 61, 959-963.	1.5	69
255	Clinical Features of MRI-Defined Subcortical Vascular Disease. Alzheimer Disease and Associated Disorders, 2003, 17, 236-242.	0.6	60
256	Mannitol Use in Acute Stroke. Stroke, 2003, 34, 1730-1735.	1.0	53
256 257	Mannitol Use in Acute Stroke. Stroke, 2003, 34, 1730-1735. Poststroke Depression. Stroke, 2003, 34, 138-143.	1.0	53 402
257	Poststroke Depression. Stroke, 2003, 34, 138-143. Administration of Nonionic Iodinated Contrast Medium Does Not Influence the Outcome of Patients	1.0	402
257 258	Poststroke Depression. Stroke, 2003, 34, 138-143. Administration of Nonionic Iodinated Contrast Medium Does Not Influence the Outcome of Patients with Ischemic Brain Infarction. Cerebrovascular Diseases, 2003, 15, 45-50. Patient outcomes and length of stay in a stroke unit offering both acute and rehabilitation services.	1.0 0.8	402 19
257 258 259	Poststroke Depression. Stroke, 2003, 34, 138-143.         Administration of Nonionic Iodinated Contrast Medium Does Not Influence the Outcome of Patients with Ischemic Brain Infarction. Cerebrovascular Diseases, 2003, 15, 45-50.         Patient outcomes and length of stay in a stroke unit offering both acute and rehabilitation services. Medical Journal of Australia, 2003, 178, 333-336.         Study comparing the stroke unit outcome and conventional ward treatment: a randomized study in	1.0 0.8 0.8	402 19 31
257 258 259 260	Poststroke Depression. Stroke, 2003, 34, 138-143.         Administration of Nonionic Iodinated Contrast Medium Does Not Influence the Outcome of Patients with Ischemic Brain Infarction. Cerebrovascular Diseases, 2003, 15, 45-50.         Patient outcomes and length of stay in a stroke unit offering both acute and rehabilitation services. Medical Journal of Australia, 2003, 178, 333-336.         Study comparing the stroke unit outcome and conventional ward treatment: a randomized study in Joinville, Brazil. Arquivos De Neuro-Psiquiatria, 2003, 61, 188-193.         Life satisfaction in spouses of patients with stroke during the first year after stroke. Journal of	1.0 0.8 0.8 0.3	402 19 31 29

#	Article	IF	CITATIONS
264	Poststroke Depression and Lesion Location Revisited. Journal of Neuropsychiatry and Clinical Neurosciences, 2004, 16, 156-162.	0.9	107
266	Predictors of Early Neurological Deterioration after Ischaemic Stroke: A Case-Control Study. Gerontology, 2004, 50, 102-109.	1.4	38
267	Effect of upper airway obstruction in acute stroke on functional outcome at 6 months. Thorax, 2004, 59, 367-371.	2.7	152
268	Poor outcome in primary intracerebral haemorrhage: results of a matched comparison. Postgraduate Medical Journal, 2004, 80, 89-92.	0.9	35
269	Is mild vascular cognitive impairment reversible? Evidence from a study on the effect of carotid endarterectomy. Neurological Research, 2004, 26, 594-597.	0.6	33
270	An Internationally Agreed Definition of Progressing Stroke. Cerebrovascular Diseases, 2004, 18, 256-256.	0.8	20
271	Editorial Comment—Spasticity After Stroke: What's the Catch?. Stroke, 2004, 35, 139-140.	1.0	16
272	Serum Albumin Level as a Predictor of Ischemic Stroke Outcome. Stroke, 2004, 35, e156-8.	1.0	131
273	Hemostatic Function and Progressing Ischemic Stroke. Stroke, 2004, 35, 1421-1425.	1.0	169
<b></b>			
274	Lower Serum Triglyceride Level Is Associated With Increased Stroke Severity. Stroke, 2004, 35, e151-2.	1.0	64
274	Lower Serum Triglyceride Level Is Associated With Increased Stroke Severity. Stroke, 2004, 35, e151-2. Effects of ageing on gastrointestinal motor function. Age and Ageing, 2004, 33, 154-159.	1.0 0.7	64 160
275	Effects of ageing on gastrointestinal motor function. Age and Ageing, 2004, 33, 154-159. Short- and long-term prognosis for very old stroke patients. The Copenhagen Stroke Study. Age and	0.7	160
275 276	Effects of ageing on gastrointestinal motor function. Age and Ageing, 2004, 33, 154-159. Short- and long-term prognosis for very old stroke patients. The Copenhagen Stroke Study. Age and Ageing, 2004, 33, 149-154. Prognostic social factors in the subacute phase after a stroke for the discharge destination from the hospital stroke-unit. A systematic review of the literature. Disability and Rehabilitation, 2004, 26,	0.7 0.7	160 209
275 276 277	Effects of ageing on gastrointestinal motor function. Age and Ageing, 2004, 33, 154-159. Short- and long-term prognosis for very old stroke patients. The Copenhagen Stroke Study. Age and Ageing, 2004, 33, 149-154. Prognostic social factors in the subacute phase after a stroke for the discharge destination from the hospital stroke-unit. A systematic review of the literature. Disability and Rehabilitation, 2004, 26, 191-197. Validity and Reliability of Estimating the Scandinavian Stroke Scale Score from Medical Records.	0.7 0.7 0.9	160 209 56
275 276 277 278	Effects of ageing on gastrointestinal motor function. Age and Ageing, 2004, 33, 154-159. Short- and long-term prognosis for very old stroke patients. The Copenhagen Stroke Study. Age and Ageing, 2004, 33, 149-154. Prognostic social factors in the subacute phase after a stroke for the discharge destination from the hospital stroke-unit. A systematic review of the literature. Disability and Rehabilitation, 2004, 26, 191-197. Validity and Reliability of Estimating the Scandinavian Stroke Scale Score from Medical Records. Cerebrovascular Diseases, 2004, 17, 224-227. Therapeutic effects of Tongxinluo capsule on patients with acute small cerebral infarction and its	0.7 0.7 0.9 0.8	160 209 56 55
275 276 277 278 279	<ul> <li>Effects of ageing on gastrointestinal motor function. Age and Ageing, 2004, 33, 154-159.</li> <li>Short- and long-term prognosis for very old stroke patients. The Copenhagen Stroke Study. Age and Ageing, 2004, 33, 149-154.</li> <li>Prognostic social factors in the subacute phase after a stroke for the discharge destination from the hospital stroke-unit. A systematic review of the literature. Disability and Rehabilitation, 2004, 26, 191-197.</li> <li>Validity and Reliability of Estimating the Scandinavian Stroke Scale Score from Medical Records. Cerebrovascular Diseases, 2004, 17, 224-227.</li> <li>Therapeutic effects of Tongxinluo capsule on patients with acute small cerebral infarction and its influence on SPECT brain perfusion image. Chinese Journal of Integrative Medicine, 2004, 10, 107-111.</li> </ul>	0.7 0.7 0.9 0.8 0.7	160 209 56 55 0

#	Article	IF	CITATIONS
283	Predictive value of white blood cell count on admission for in-hospital mortality in acute stroke patients. Clinical Neurology and Neurosurgery, 2004, 107, 38-43.	0.6	50
285	Stroke in Patients With Diabetes. Journal of Clinical Hypertension, 2004, 6, 62-63.	1.0	21
286	Authors' Reply to the Letter by Barber et al.: An Internationally Agreed Definition of Progressing Stroke. Cerebrovascular Diseases, 2004, 18, 256-257.	0.8	5
287	Effect of upper airway obstruction on blood pressure variability after stroke. Clinical Science, 2004, 107, 75-79.	1.8	20
288	Serial Single-photon Emission Computed Tomographic and Transcranial Doppler Measurements for Evaluation of Vasospasm after Aneurysmal Subarachnoid Hemorrhage. Neurosurgery, 2005, 57, 237-242.	0.6	31
289	Negative Myoglobin Staining in Hemiplegic Muscle of Acute Stroke Patients Predicts Functional Recovery [Retracted]. American Journal of Physical Medicine and Rehabilitation, 2005, 84, 692-698.	0.7	5
290	Risedronate Sodium Therapy for Prevention of Hip Fracture in Men 65 Years or Older After Stroke. Archives of Internal Medicine, 2005, 165, 1743.	4.3	128
291	Low-Dose Vitamin D Prevents Muscular Atrophy and Reduces Falls and Hip Fractures in Women after Stroke: A Randomized Controlled Trial. Cerebrovascular Diseases, 2005, 20, 187-192.	0.8	373
292	Poststroke Epilepsy: Occurrence and Predictors-A Long-term Prospective Controlled Study (Akershus) Tj ETQqO	0 0 rgBT /0	Overlock 10 Tf
293	Frequency and effect of optimal anticoagulation before onset of ischaemic stroke in patients with known atrial fibrillation. Journal of Internal Medicine, 2005, 258, 133-144.	2.7	61
293 294		2.7 3.7	<b>61</b> 65
	known atrial fibrillation. Journal of Internal Medicine, 2005, 258, 133-144. Expression of Basic Fibroblast Growth Factor mRNA and Protein in the Human Brain following		
294	known atrial fibrillation. Journal of Internal Medicine, 2005, 258, 133-144. Expression of Basic Fibroblast Growth Factor mRNA and Protein in the Human Brain following Ischaemic Stroke. Angiogenesis, 2005, 8, 53-62. Stroke and transient ischaemic attack in 18 neurology departments from two Italian Regions: the	3.7	65
294 295	<ul> <li>known atrial fibrillation. Journal of Internal Medicine, 2005, 258, 133-144.</li> <li>Expression of Basic Fibroblast Growth Factor mRNA and Protein in the Human Brain following Ischaemic Stroke. Angiogenesis, 2005, 8, 53-62.</li> <li>Stroke and transient ischaemic attack in 18 neurology departments from two Italian Regions: the SINPAC database. Neurological Sciences, 2005, 26, 208-217.</li> <li>Elevated plasma homocysteine in acute stroke was not associated with severity and outcome:</li> </ul>	3.7 0.9	65 9
294 295 296	<ul> <li>known atrial fibrillation. Journal of Internal Medicine, 2005, 258, 133-144.</li> <li>Expression of Basic Fibroblast Growth Factor mRNA and Protein in the Human Brain following Ischaemic Stroke. Angiogenesis, 2005, 8, 53-62.</li> <li>Stroke and transient ischaemic attack in 18 neurology departments from two Italian Regions: the SINPAC database. Neurological Sciences, 2005, 26, 208-217.</li> <li>Elevated plasma homocysteine in acute stroke was not associated with severity and outcome: stronger association with small artery disease. Neurological Sciences, 2005, 26, 310-318.</li> <li>A Longitudinal Model for Non-Monotonic Clinical Assessment Scale Data. Journal of</li> </ul>	3.7 0.9 0.9	65 9 44
294 295 296 297	<ul> <li>known atrial fibrillation. Journal of Internal Medicine, 2005, 258, 133-144.</li> <li>Expression of Basic Fibroblast Growth Factor mRNA and Protein in the Human Brain following Ischaemic Stroke. Angiogenesis, 2005, 8, 53-62.</li> <li>Stroke and transient ischaemic attack in 18 neurology departments from two Italian Regions: the SINPAC database. Neurological Sciences, 2005, 26, 208-217.</li> <li>Elevated plasma homocysteine in acute stroke was not associated with severity and outcome: stronger association with small artery disease. Neurological Sciences, 2005, 26, 310-318.</li> <li>A Longitudinal Model for Non-Monotonic Clinical Assessment Scale Data. Journal of Pharmacokinetics and Pharmacodynamics, 2005, 32, 795-815.</li> <li>Early cycling test as a predictor of walking performance in stroke patients. Physiotherapy Research</li> </ul>	3.7 0.9 0.9 0.8	65 9 44 7
294 295 296 297 298	<ul> <li>known atrial fibrillation. Journal of Internal Medicine, 2005, 258, 133-144.</li> <li>Expression of Basic Fibroblast Growth Factor mRNA and Protein in the Human Brain following Ischaemic Stroke. Angiogenesis, 2005, 8, 53-62.</li> <li>Stroke and transient ischaemic attack in 18 neurology departments from two Italian Regions: the SINPAC database. Neurological Sciences, 2005, 26, 208-217.</li> <li>Elevated plasma homocysteine in acute stroke was not associated with severity and outcome: stronger association with small artery disease. Neurological Sciences, 2005, 26, 310-318.</li> <li>A Longitudinal Model for Non-Monotonic Clinical Assessment Scale Data. Journal of Pharmacokinetics and Pharmacodynamics, 2005, 32, 795-815.</li> <li>Early cycling test as a predictor of walking performance in stroke patients. Physiotherapy Research Internal carotid artery stent placement without emboli protection: Results and long-term outcome.</li> </ul>	<ul> <li>3.7</li> <li>0.9</li> <li>0.9</li> <li>0.8</li> <li>0.7</li> </ul>	<ul> <li>65</li> <li>9</li> <li>44</li> <li>7</li> <li>5</li> </ul>

#	Article	IF	CITATIONS
302	Risedronate therapy for prevention of hip fracture after stroke in elderly women [RETRACTED]. Neurology, 2005, 64, 811-816.	1.5	82
303	D-Dimer Testing in Ischemic Stroke and Cerebral Sinus and Venous Thrombosis. Seminars in Vascular Medicine, 2005, 05, 379-386.	2.1	11
304	Lacunar Infarcts: Functional and Cognitive Outcomes at Five Years in Relation to MRI Findings. Cerebrovascular Diseases, 2005, 20, 34-40.	0.8	46
305	Assessment of Relations between Clinical Outcome of Ischemic Stroke and Activity of Inflammatory Processes in the Acute Phase Based on Examination of Selected Parameters. European Neurology, 2005, 53, 188-193.	0.6	48
306	Depression–Executive Dysfunction Syndrome in Stroke Patients. American Journal of Geriatric Psychiatry, 2005, 13, 99-107.	0.6	15
307	Systematic review of measures and their concepts used in published studies focusing on rehabilitation in the acute hospital and in early post-acute rehabilitation facilities. Disability and Rehabilitation, 2005, 27, 419-429.	0.9	49
308	Outcome and Use of Health Care in Patients with Moderate Impairment and Stroke in South Madrid and Southwest Stockholm. Journal of Stroke and Cerebrovascular Diseases, 2005, 14, 167-173.	0.7	1
309	Sex Differences in Stroke Survival: 10-Year Follow-up of the Copenhagen Stroke Study Cohort. Journal of Stroke and Cerebrovascular Diseases, 2005, 14, 215-220.	0.7	41
310	Poststroke Epilepsy in the Copenhagen Stroke Study: Incidence and Predictors. Journal of Stroke and Cerebrovascular Diseases, 2005, 14, 210-214.	0.7	86
311	Emotion recognition in stroke patients with left and right hemispheric lesion: Results with a new instrument—the FEEL Test. Brain and Cognition, 2005, 58, 193-201.	0.8	52
312	Predictive value of median-SSEP in early phase of stroke: a comparison in supratentorial infarction and hemorrhage. Clinical Neurology and Neurosurgery, 2005, 107, 475-481.	0.6	12
314	Thromboxane and prostacyclin biosynthesis in patients with acute spontaneous intracerebral hemorrhage. Thrombosis Research, 2005, 115, 367-373.	0.8	16
315	Self-reported urinary incontinence in noninstitutionalized long-term stroke survivors: A population-based study. Archives of Physical Medicine and Rehabilitation, 2005, 86, 416-420.	0.5	57
316	Effects of vinpocetine on the redistribution of cerebral blood flow and glucose metabolism in chronic ischemic stroke patients: a PET study. Journal of the Neurological Sciences, 2005, 229-230, 275-284.	0.3	43
317	Depression Among Caregivers of Stroke Survivors. Stroke, 2005, 36, 639-643.	1.0	188
318	Hypercoagulopathy in Stroke Patients with Nonvalvular Atrial Fibrillation: Hematologic and Cardiologic Investigations. Clinical and Applied Thrombosis/Hemostasis, 2006, 12, 15-20.	0.7	32
319	Intravenous ancrod for acute ischaemic stroke in the European Stroke Treatment with Ancrod Trial: a randomised controlled trial. Lancet, The, 2006, 368, 1871-1878.	6.3	111
320	Level of consciousness as a conditioning factor of F wave generation in stroke patients. Clinical Neurophysiology, 2006, 117, 315-319.	0.7	10

#	Article	IF	CITATIONS
321	Increased plasma fibrinogen predicts one-year mortality in patients with acute ischemic stroke. Journal of the Neurological Sciences, 2006, 246, 13-19.	0.3	64
322	N-terminal proBrain Natriuretic Peptide Levels Predict Short-term Poststroke Survival. Journal of Stroke and Cerebrovascular Diseases, 2006, 15, 121-127.	0.7	28
323	Six-month follow-up study in patients with symptomatic intracranial arterial stenosis. Journal of Clinical Neuroscience, 2006, 13, 913-916.	0.8	8
324	Hemiplegic Limb Synergies in Stroke Patients. American Journal of Physical Medicine and Rehabilitation, 2006, 85, 112-119.	0.7	35
325	Poststroke Depression Incidence and Risk Factors. Journal of Neuroscience Nursing, 2006, 38, 316-327.	0.7	58
327	Subtle cognitive deficits after cerebellar infarcts. European Journal of Neurology, 2006, 13, 161-170.	1.7	125
328	Serum albumin level and nosocomial pneumonia in stroke patients. European Journal of Neurology, 2006, 13, 299-301.	1.7	41
329	The role of P300 in the recovery of post-stroke global aphasia. European Journal of Neurology, 2006, 13, 377-384.	1.7	20
330	The Swedish Malignant Middle cerebral artery Infarction Study: long-term results from a prospective study of hemicraniectomy combined with standardized neurointensive care. Acta Neurologica Scandinavica, 2006, 113, 25-30.	1.0	44
331	Identifying the determinants of 1-year post-stroke outcomes in elderly patients. Acta Neurologica Scandinavica, 2006, 113, 114-120.	1.0	37
332	Assessing the outcome of stroke: a comparison between MRI and clinical stroke scales. Acta Neurologica Scandinavica, 2006, 113, 100-107.	1.0	21
333	A Review of Red Cell Transfusion in the Neurological Intensive Care Unit. Neurocritical Care, 2006, 4, 063-067.	1.2	29
334	Single voxel proton magnetic resonance spectroscopy in post-stroke depression. Psychiatry Research - Neuroimaging, 2006, 148, 111-120.	0.9	69
335	Deviation of eyes and head in acute cerebral stroke. BMC Neurology, 2006, 6, 23.	0.8	65
336	The Danish Prostatic Symptom Score (DAN-PSS-1) questionnaire is reliable in stroke patients. Neurourology and Urodynamics, 2006, 25, 319-323.	0.8	19
337	A Bayesian Decision-Theoretic Dose-Finding Trial. Decision Analysis, 2006, 3, 197-207.	1.2	30
338	Metabolite Profile in Pyramidal Tracts after Ischemic Brain Stroke Assessed by 1H MRS. A Multicenter Study. Neuroradiology Journal, 2006, 19, 699-704.	0.6	4
339	Treatment Effects of Antidepressants in Patients with Post-Stroke Depression: A Meta-Analysis. Annals of Pharmacotherapy, 2006, 40, 2115-2122.	0.9	110

#	Article	IF	CITATIONS
340	Changes in hyaluronan production and metabolism following ischaemic stroke in man. Brain, 2006, 129, 2158-2176.	3.7	127
341	Sleep-Disordered Breathing and Acute Ischemic Stroke. Stroke, 2006, 37, 967-972.	1.0	413
342	Cardiovascular Risk Factors and 5-Year Mortality in the Copenhagen Stroke Study. Cerebrovascular Diseases, 2006, 21, 187-193.	0.8	58
343	Hyperechoic Plaque: An Ultrasound Marker for Osteoporosis in Acute Stroke Patients with Carotid Disease. European Neurology, 2006, 55, 31-36.	0.6	7
344	Serial Measurements of N-Terminal pro-Brain Natriuretic Peptide after Acute Ischemic Stroke. Cerebrovascular Diseases, 2006, 22, 439-444.	0.8	48
345	Can Faith Protect From Emotional Distress After Stroke?. Stroke, 2007, 38, 993-997.	1.0	59
346	A Single Infusion of Zoledronate Prevents Bone Loss After Stroke. Stroke, 2007, 38, 1519-1525.	1.0	53
347	Guidelines for the Early Management of Adults With Ischemic Stroke. Stroke, 2007, 38, 1655-1711.	1.0	2,333
348	APOE does not predict poor outcome 1 year after ischemic stroke. Neurological Research, 2007, 29, 64-69.	0.6	11
349	Sex-Related Time-Dependent Variations in Post-Stroke Survival – Evidence of a Female Stroke Survival Advantage. Neuroepidemiology, 2007, 29, 218-225.	1.1	69
351	Flexible Design and Efficient Implementation of Adaptive Dose-Finding Studies. Journal of Biopharmaceutical Statistics, 2007, 17, 1033-1050.	0.4	17
352	Dynamic changes in corticospinal tracts after stroke detected by fibretracking. Journal of Neurology, Neurosurgery and Psychiatry, 2007, 78, 587-592.	0.9	100
353	IL1RN intron 2 polymorphism caused by variable number tandem repeats is associated with 1-year outcome in patients with ischaemic stroke. Journal of Neurology, Neurosurgery and Psychiatry, 2007, 78, 183-186.	0.9	15
354	Quality of Life 6 Months after Acute Stroke: Impact of Initial Treatment in a Stroke Unit and General Medical Wards. Cerebrovascular Diseases, 2007, 23, 417-423.	0.8	9
355	Development of a Conversion Factor to Facilitate Comparison of National Institute of Health Stroke Scale Scores with Scandinavian Stroke Scale Scores. Cerebrovascular Diseases, 2007, 24, 509-515.	0.8	32
356	Evaluation of Vasomotor Reactivity by Transcranial Doppler Sonography in Patients With Acute Stroke Who Have Symptomatic Intracranial and Extracranial Stenosis. Journal of Ultrasound in Medicine, 2007, 26, 179-185.	0.8	12
357	Muscle strength and muscle training after stroke. Acta Dermato-Venereologica, 2007, 39, 14-20.	0.6	243
358	Outcome Assessment in Randomized Controlled Trials of Stroke Rehabilitation. American Journal of Physical Medicine and Rehabilitation. 2007. 86. 1007-1012.	0.7	31

#	Article	IF	CITATIONS
359	Reduced Poststroke Mortality in Patients With Stroke and Atrial Fibrillation Treated With Anticoagulants. Stroke, 2007, 38, 259-263.	1.0	49
360	Ulnar F wave generation assessed within 3 days after the onset of stroke in patients with relatively preserved level of consciousness. Clinical Neurology and Neurosurgery, 2007, 109, 27-31.	0.6	5
361	Early Recovery and Functional Outcome are Related with Causal Stroke Subtype: Data from the Tinzaparin in Acute Ischemic Stroke Trial. Journal of Stroke and Cerebrovascular Diseases, 2007, 16, 180-184.	0.7	25
362	The PAI-1 4G/5G Gene Polymorphism and Ischemic Stroke: An Association Study and Meta-Analysis. Journal of Stroke and Cerebrovascular Diseases, 2007, 16, 173-179.	0.7	35
363	White Matter Lesions Are Related to Impaired Instrumental Activities of Daily Living Poststroke. Journal of Stroke and Cerebrovascular Diseases, 2007, 16, 251-258.	0.7	34
364	Elevated Troponin Levels Are Associated with Sympathoadrenal Activation in Acute Ischaemic Stroke. Cerebrovascular Diseases, 2007, 23, 260-266.	0.8	133
365	Cardiovascular autonomic function in poststroke patients. Neurology, 2007, 69, 2249-2255.	1.5	119
366	Guidelines for the Early Management of Adults With Ischemic Stroke. Circulation, 2007, 115, e478-534.	1.6	824
367	Beta-blockers reduce the risk of early death in ischemic stroke. Journal of the Neurological Sciences, 2007, 252, 53-56.	0.3	73
368	Stroke severity, early recovery and outcome are each related with clinical classification of stroke: Data from the †Tinzaparin in Acute Ischaemic Stroke Trial' (TAIST). Journal of the Neurological Sciences, 2007, 254, 54-59.	0.3	29
369	Comparison of life satisfaction within couples one year after a partner's stroke. Acta Dermato-Venereologica, 2007, 39, 219-224.	0.6	54
370	Activities of daily living among St Petersburg women after mild stroke. Occupational Therapy International, 2007, 14, 170-182.	0.3	19
371	Hypoalbuminemia in acute ischemic stroke patients: frequency and correlates. European Journal of Clinical Nutrition, 2007, 61, 1318-1322.	1.3	46
372	Expression of Cyclin-Dependent Kinase 5 mRNA and Protein in the Human Brain Following Acute Ischemic Stroke. Brain Pathology, 2007, 17, 11-23.	2.1	51
373	Functioning in everyday life after stroke: a longitudinal study of elderly people receiving rehabilitation at home. Scandinavian Journal of Caring Sciences, 2007, 21, 434-446.	1.0	44
374	The influence of anaemia on stroke prognosis and its relation to N-terminal pro-brain natriuretic peptide. European Journal of Neurology, 2007, 14, 477-482.	1.7	37
375	Infection after acute stroke is associated with poor short-term outcome. Acta Neurologica Scandinavica, 2007, 115, 331-338.	1.0	93
376	Time course of VCAM-1 and ICAM-1 in CSF in patients with basal ganglia haemorrhage. Acta Neurologica Scandinavica, 2007, 116, 49-55.	1.0	17

#	Article	IF	CITATIONS
377	Serotonin 5HT <sub>1A</sub> receptor availability and pathological crying after stroke. Acta Neurologica Scandinavica, 2007, 116, 83-90.	1.0	34
378	The APOE polymorphism and 1-year outcome in ischemic stroke: genotype–gender interaction. Acta Neurologica Scandinavica, 2007, 116, 392-398.	1.0	33
379	Frequency and Significance of Troponin T Elevation in Acute Ischemic Stroke. American Journal of Cardiology, 2007, 99, 108-112.	0.7	148
380	Expression of signaling molecules associated with apoptosis in human ischemic stroke tissue. Cell Biochemistry and Biophysics, 2007, 47, 73-85.	0.9	41
381	Validation of the use of the ROSIER stroke recognition instrument in an Irish emergency department. Irish Journal of Medical Science, 2008, 177, 189-192.	0.8	14
382	Serum lipid levels and 3-month prognosis in Chinese patients with acute stroke. Advances in Therapy, 2008, 25, 329-341.	1.3	38
383	Prevalence of Lower Urinary Tract Symptoms (LUTS) in stroke patients: A crossâ€sectional, clinical survey. Neurourology and Urodynamics, 2008, 27, 763-771.	0.8	68
384	Body Mass Index and Poststroke Mortality. Neuroepidemiology, 2008, 30, 93-100.	1.1	116
385	Safety of low-dose subcutaneous enoxaparin for the prevention of venous thromboembolism after primary intracerebral haemorrhage. Thrombosis Research, 2008, 123, 206-212.	0.8	59
386	Chapter 48 Assessment of a patient with stroke. Handbook of Clinical Neurology / Edited By P J Vinken and G W Bruyn, 2008, 94, 971-1009.	1.0	1
387	Actigraphy – A Useful Tool for Motor Activity Monitoring in Stroke Patients. European Neurology, 2008, 60, 285-291.	0.6	36
388	Blood Pressure in Acute Stroke. Cerebrovascular Diseases, 2008, 26, 210-210.	0.8	2
389	Determinants of Change in Quality of Life from 1 to 6 Months following Acute Stroke. Cerebrovascular Diseases, 2008, 25, 67-73.	0.8	34
390	Acute MRI Changes in Progressive Ischemic Stroke. European Neurology, 2008, 59, 229-236.	0.6	15
391	Bedside Assessment of Swallowing in Stroke: Water Tests Are Not Enough. Topics in Stroke Rehabilitation, 2008, 15, 378-383.	1.0	22
392	An Acute Ischemic Stroke Classification Instrument That Includes CT or MR Angiography: The Boston Acute Stroke Imaging Scale. American Journal of Neuroradiology, 2008, 29, 1111-1117.	1.2	68
393	Quality of Care and Mortality Among Patients With Stroke. Medical Care, 2008, 46, 63-69.	1.1	60
394	Atrial fibrillation in patients with ischemic stroke: A population-based study. Clinical Epidemiology, 2009, 1, 55.	1.5	41

#	Article	IF	CITATIONS
395	Five-Year Survival after First-Ever Ischaemic Stroke Is Worse in Total Anterior Circulation Infarcts: The SINPAC Cohort. Cerebrovascular Diseases, 2009, 27, 29-36.	0.8	14
396	Risk factors for falls in stroke patients during inpatient rehabilitation. Clinical Rehabilitation, 2009, 23, 176-188.	1.0	107
398	Significance of Aphasia after First-Ever Acute Stroke: Impact on Early and Late Outcomes. Neuroepidemiology, 2009, 33, 96-102.	1.1	53
399	The Female Stroke Survival Advantage: Relation to Age. Neuroepidemiology, 2009, 32, 47-52.	1.1	11
400	Usefulness of Natriuretic Peptide Testing for Long-Term Risk Assessment Following Acute Ischemic Stroke. American Journal of Cardiology, 2009, 104, 287-291.	0.7	26
401	COG1410, a novel apolipoproteinâ€E mimetic, improves functional and morphological recovery in a rat model of focal brain ischemia. Journal of Neuroscience Research, 2009, 87, 677-682.	1.3	44
402	Perfusion differences on SPECT and PWI in patients with acute ischemic stroke. Neuroradiology, 2009, 51, 687-695.	1.1	13
403	Fever, hyperglycaemia and swallowing dysfunction management in acute stroke: A cluster randomised controlled trial of knowledge transfer. Implementation Science, 2009, 4, 16.	2.5	31
404	Early CCT signs of supratentorial brain infarction: clinico-radiological correlations. Acta Neurologica Scandinavica, 1997, 96, 317-323.	1.0	21
405	Increased expression of adhesion molecule CD18 (LFA-1β) on the leukocytes of peripheral blood in patients with acute ischemic stroke. Acta Neurologica Scandinavica, 1998, 97, 221-224.	1.0	38
406	Validity of the Danish Prostate Symptom Score questionnaire in stroke. Acta Neurologica Scandinavica, 2009, 120, 411-417.	1.0	18
407	Minimally Invasive Craniopuncture Therapy vs. Conservative Treatment for Spontaneous Intracerebral Hemorrhage: Results from a Randomized Clinical Trial in China. International Journal of Stroke, 2009, 4, 11-16.	2.9	184
408	Association between hyperglycemia, heart failure and mortality in stroke patients. European Journal of Neurology, 2009, 16, 251-256.	1.7	8
409	Cortical Excitability in Chronic Stroke and Modulation by Training: A TMS Study. Neurorehabilitation and Neural Repair, 2009, 23, 486-493.	1.4	56
410	Bone structure and remodelling in stroke patients: Early effects of zoledronate. Bone, 2009, 44, 629-633.	1.4	16
411	Acceptance, effectiveness and safety of continuous positive airway pressure in acute stroke: A pilot study. Respiratory Medicine, 2009, 103, 59-66.	1.3	40
412	Sleep-disordered breathing: Impact on functional outcome of ischemic stroke patients. Sleep Medicine, 2009, 10, 717-719.	0.8	78
413	The influence of anemia on clinical presentation and outcome of patients with first-ever atherosclerosis-related ischemic stroke. Journal of Clinical Neuroscience, 2009, 16, 645-649.	0.8	49

#	Article	IF	Citations
414	Interconversion of the National Institutes of Health Stroke Scale and Scandinavian Stroke Scale in Acute Stroke. Journal of Stroke and Cerebrovascular Diseases, 2009, 18, 466-468.	0.7	78
415	Hemorrhagic and Ischemic Strokes Compared. Stroke, 2009, 40, 2068-2072.	1.0	418
416	Assessment of Depression After Stroke. Stroke, 2009, 40, 523-529.	1.0	231
417	Quality of Care and Length of Hospital Stay Among Patients With Stroke. Medical Care, 2009, 47, 575-582.	1.1	37
418	Altered callosal function in cerebral microangiopathy. Journal of Neurology, 2010, 257, 590-597.	1.8	6
419	Individual, nutritional support prevents undernutrition, increases muscle strength and improves QoL among elderly at nutritional risk hospitalized for acute stroke: A randomized, controlled trial. Clinical Nutrition, 2010, 29, 567-573.	2.3	114
420	Female survival advantage relates to male inferiority rather than female superiority: A hypothesis based on the impact of age and stroke severity on 1-week to 1-year case fatality in 40,155 men and women. Gender Medicine, 2010, 7, 284-295.	1.4	19
421	The Poor Outcome of Ischemic Stroke in Very Old People: A Cohort Study of Its Determinants. Journal of the American Geriatrics Society, 2010, 58, 12-17.	1.3	64
422	Healthâ€related quality of life among Danish patients 3 and 12 months after TIA or mild stroke. Scandinavian Journal of Caring Sciences, 2010, 24, 211-218.	1.0	42
423	Osteoprotegerin concentrations and prognosis in acute ischaemic stroke. Journal of Internal Medicine, 2010, 267, 410-417.	2.7	43
424	Long-Term Oral Anticoagulation Therapy and the Risk of Hip Fracture in Patients with Previous Hemispheric Infarction and Nonrheumatic Atrial Fibrillation. Cerebrovascular Diseases, 2010, 29, 73-78.	0.8	28
425	Medical Prophylaxis following Hospitalization for Ischemic Stroke: Age- and Sex-Related Differences and Relation to Mortality. Cerebrovascular Diseases, 2010, 30, 556-566.	0.8	12
426	Open, Randomized Pilot Study After First Stroke. Stroke, 2010, 41, 1555-1557.	1.0	9
427	The Canadian Neurological Scale and the NIHSS: Development and Validation of a Simple Conversion Model. Cerebrovascular Diseases, 2010, 30, 120-126.	0.8	45
428	Post-stroke depression: Prevalence and relationship with disability in chronic stroke survivors. Annals of Indian Academy of Neurology, 2010, 13, 123.	0.2	82
429	Religious and Spiritual Beliefs in Stroke Rehabilitation. Clinical and Experimental Hypertension, 2010, 32, 329-334.	0.5	14
430	Quality of Life After Stroke in a Rehabilitation Setting. Clinical and Experimental Hypertension, 2010, 32, 426-430.	0.5	13
431	An effective treatment for cerebral hemorrhage: minimally invasive craniopuncture combined with urokinase infusion therapy. Neurological Research, 2010, 32, 371-377.	0.6	63

#	Article	IF	CITATIONS
432	The impact of postadmission glycemia on stroke outcome: Glucose normalisation is associated with better survival. Atherosclerosis, 2010, 211, 584-588.	0.4	19
433	Responsiveness and sensitivity of the Stroke Specific Quality of Life Scale Danish version. Disability and Rehabilitation, 2011, 33, 2425-2433.	0.9	11
434	Troponin I degradation in serum of patients with acute ischemic stroke. Scandinavian Journal of Clinical and Laboratory Investigation, 2011, 71, 74-80.	0.6	4
435	Normalized Muscle Strength, Aerobic Capacity, and Walking Performance in Chronic Stroke: A Population-Based Study on the Potential for Endurance and Resistance Training. Archives of Physical Medicine and Rehabilitation, 2011, 92, 1663-1668.	0.5	55
436	Antioxidant status after an acute stroke and the association with survival in elderly at nutritional risk. European E-journal of Clinical Nutrition and Metabolism, 2011, 6, e135-e141.	0.4	2
437	Clinical Scales to Assess Patients with Stroke. , 2011, , 307-333.		0
438	Infections and Ischemic Stroke Outcome. Neurology Research International, 2011, 2011, 1-8.	0.5	22
439	The SOS Pilot Study: A RCT of Routine Oxygen Supplementation Early after Acute Stroke—Effect on Recovery of Neurological Function at One Week. PLoS ONE, 2011, 6, e19113.	1.1	47
440	Fatty Acid Binding Protein 4 Is Associated with Carotid Atherosclerosis and Outcome in Patients with Acute Ischemic Stroke. PLoS ONE, 2011, 6, e28785.	1.1	56
441	Socioeconomic Differences in Quality of Care and Clinical Outcome After Stroke. Stroke, 2011, 42, 2896-2902.	1.0	80
442	Quality of Care and Patient Outcome in Stroke Units. Medical Care, 2011, 49, 693-700.	1.1	6
443	Levosimendan reduces heart failure after cardiac surgery: A prospective, randomized, placebo-controlled trial*. Critical Care Medicine, 2011, 39, 2263-2270.	0.4	66
444	Validation of a New Language Screening Tool for Patients With Acute Stroke. Stroke, 2011, 42, 1224-1229.	1.0	103
445	Death, dependency and health status 90 days following hospital admission for acute stroke in NSW. Internal Medicine Journal, 2011, 41, 736-743.	0.5	8
446	A study of 90-day outcomes for a cohort of patients admitted to an Australian metropolitan acute stroke unit. Journal of Vascular Nursing, 2011, 29, 3-10.	0.2	1
447	Combined life satisfaction of persons with stroke and their caregivers: associations with caregiver burden and the impact of stroke. Health and Quality of Life Outcomes, 2011, 9, 1.	1.0	215
448	Activated Leukocyte Cell Adhesion Molecule and Prognosis in Acute Ischemic Stroke. Stroke, 2011, 42, 2453-2458.	1.0	26
449	Rivermead Mobility Index Can Be Used to Predict Length of Stay for Elderly Persons, 5 Days After Stroke Onset. Journal of Geriatric Physical Therapy, 2011, 34, 64-71.	0.6	10

#	Article	IF	CITATIONS
450	Clinical Trial Simulations. AAPS Advances in the Pharmaceutical Sciences Series, 2011, , .	0.2	22
451	Is well-being associated with lower urinary tract symptoms in patients with stroke?. Scandinavian Journal of Urology and Nephrology, 2011, 45, 134-142.	1.4	12
452	Physical impairment, depressive symptoms and pre-stroke fatigue are related to fatigue in the acute phase after stroke. Disability and Rehabilitation, 2011, 33, 334-342.	0.9	116
453	Changes in Functioning Between Days 5 and 10 After Stroke in Elderly. Physical and Occupational Therapy in Geriatrics, 2011, 29, 77-89.	0.2	1
454	The Course of Fatigue during the First 18 Months after First-Ever Stroke: A Longitudinal Study. Stroke Research and Treatment, 2012, 2012, 1-8.	0.5	31
455	Shorter Length of Stay in the Stroke Unit: Comparison Between the 1990s and 2000s. Topics in Stroke Rehabilitation, 2012, 19, 172-181.	1.0	12
456	Validation of the Scandinavian Stroke Scale in a Multicultural Population in Brazil. Cerebrovascular Diseases Extra, 2012, 2, 121-126.	0.5	15
457	Highly Sensitive Troponin T in Patients with Acute Ischemic Stroke. European Neurology, 2012, 68, 287-293.	0.6	30
458	Soluble CXCL16 and long-term outcome in acute ischemic stroke. Atherosclerosis, 2012, 220, 244-249.	0.4	32
459	Serum albumin as a determinant of cortisol release in patients with acute ischemic stroke. Atherosclerosis, 2012, 221, 212-214.	0.4	9
460	Beta-blockers use and risk of hyperglycemia in acute stroke patients. Atherosclerosis, 2012, 223, 209-211.	0.4	10
461	Quality of Life after Ischemic Stroke Varies in Western Countries: Data from the Tinzaparin in Acute Ischaemic Stroke Trial (TAIST). Journal of Stroke and Cerebrovascular Diseases, 2012, 21, 587-593.	0.7	12
462	Type of Preadmission Antidiabetic Treatment and Outcome among Patients with Ischemic Stroke: A Nationwide Follow-up Study. Journal of Stroke and Cerebrovascular Diseases, 2012, 21, 717-725.	0.7	18
463	Long-term health states relevant to young persons with stroke living in the community in southern Stockholm – a study of self-rated disability and predicting factors. Disability and Rehabilitation, 2012, 34, 817-823.	0.9	13
464	Association of ischemic stroke to coronary artery disease using computed tomography coronary angiography. International Journal of Cardiology, 2012, 160, 171-174.	0.8	16
465	Differences between younger and older individuals in their use of care and rehabilitation but not in self-perceived global recovery 1year after stroke. Journal of the Neurological Sciences, 2012, 321, 29-34.	0.3	22
466	Stroke patients' functions in personal activities of daily living in relation to sleep and socioâ€demographic and clinical variables in the acute phase after firstâ€ŧime stroke and at six months of followâ€up. Journal of Clinical Nursing, 2012, 21, 1886-1895.	1.4	39
467	Correlation between crossed cerebellar diaschisis and clinical neurological scales. Acta Neurologica Scandinavica, 2012, 125, 373-381.	1.0	33

#	ARTICLE	IF	CITATIONS
468	Is Barthel index a relevant measure for measuring prevalence of urinary incontinence in stroke patients?. Neurourology and Urodynamics, 2012, 31, 44-49.	0.8	4
469	Tools and Early Management of Language and Swallowing Disorders in Acute Stroke Patients. Current Neurology and Neuroscience Reports, 2012, 12, 34-41.	2.0	7
470	Interdisciplinary treatment of unruptured intracranial aneurysms: impact of intraprocedural rupture and ischemia in 563 aneurysms. Journal of Neurology, 2013, 260, 1304-1313.	1.8	25
471	Prestroke Antihypertensive Therapy: Effect on the Outcome. Clinical and Experimental Hypertension, 2013, 35, 141-147.	0.5	7
472	Fatigue in the acute phase after first stroke predicts poorer physical health 18 months later. Neurology, 2013, 81, 1581-1587.	1.5	50
473	The exact science of stroke thrombolysis and the quiet art of patient selection. Brain, 2013, 136, 3528-3553.	3.7	68
474	Post Stroke Use of Selective Serotonin Reuptake Inhibitors and Clinical Outcome Among Patients With Ischemic Stroke. Stroke, 2013, 44, 420-426.	1.0	64
475	Impact of gender–age interaction on the outcome of ischemic stroke in an Italian cohort of patients treated according to a standardized clinical pathway. European Journal of Internal Medicine, 2013, 24, 807-812.	1.0	16
476	Transient Ischemic Attack and Minor Stroke Are the Most Common Manifestations of Acute Cerebrovascular Disease: A Prospective, Population-Based Study – The Aarhus TIA Study. Neuroepidemiology, 2013, 40, 50-55.	1.1	50
477	Unassisted Assessment of Stroke Severity Using Telemedicine. Stroke, 2013, 44, 1249-1255.	1.0	24
478	Pseudoaneurysm of internal carotid artery after carotid body tumor excision. Indian Journal of Radiology and Imaging, 2013, 23, 208.	0.3	8
479	Perceived stress and depression in left and right hemisphere post-stroke patients. Neuropsychological Rehabilitation, 2013, 23, 783-797.	1.0	32
480	Post-Stroke Mortality, Stroke Severity, and Preadmission Antipsychotic Medicine Use – A Population-Based Cohort Study. PLoS ONE, 2014, 9, e84103.	1.1	11
481	Stroke Severity Score based on Six Signs and Symptoms The 6S Score: A Simple Tool for Assessing Stroke Severity and In-hospital Mortality. Journal of Stroke, 2014, 16, 178.	1.4	10
482	Haemodilution for acute ischaemic stroke. The Cochrane Library, 2014, 2014, CD000103.	1.5	28
483	A client-centred ADL intervention: three-month follow-up of a randomized controlled trial. Scandinavian Journal of Occupational Therapy, 2014, 21, 377-391.	1.1	54
484	Preadmission Oral Anticoagulant Treatment and Clinical Outcome Among Patients Hospitalized With Acute Stroke and Atrial Fibrillation. Stroke, 2014, 45, 168-175.	1.0	21
485	External Validation of the Boston Acute Stroke Imaging Scale and M1-BASIS in Thrombolyzed Patients. Stroke, 2014, 45, 2942-2947.	1.0	4

		CITATION RE	EPORT	
#	Article		IF	CITATIONS
486	Processes of Early Stroke Care and Hospital Costs. International Journal of Stroke, 201	4, 9, 777-782.	2.9	12
487	Quantitative Measurement of Physical Activity in Acute Ischemic Stroke and Transient Stroke, 2014, 45, 3649-3655.	Ischemic Attack.	1.0	28
488	Variations in apolipoprotein D and sigma non-opioid intracellular receptor 1 genes with risk, severity and outcome of ischemic stroke. BMC Neurology, 2014, 14, 191.	1 relation to	0.8	7
489	Subjective sleep quality in relation to objective sleep estimates: comparison, gender di changes between the acute phase and the sixâ€month followâ€up after stroke. Journa Nursing, 2014, 70, 639-650.		1.5	19
490	Young individuals with stroke: a cross sectional study of long-term disability associated self-rated global health. BMC Neurology, 2014, 14, 20.	1 with	0.8	19
491	Computed Tomography and Transcranial Doppler Findings in Acute and Subacute Phas Intracerebral Hemorrhagic Stroke. Journal of Neuroimaging, 2014, 24, 124-130.	ses of	1.0	9
492	Motor unit number estimation and quantitative needle electromyography in stroke par of Electromyography and Kinesiology, 2014, 24, 910-916.	tients. Journal	0.7	16
493	Discontinuation of Antiplatelet Treatment and Risk of Recurrent Stroke and All-Cause I Cohort Study. Neuroepidemiology, 2014, 43, 57-64.	Death: A	1.1	11
494	Relationship of EMG/SMG features and muscle strength level: an exploratory study on anterior muscles during plantar-flexion among hemiplegia patients. BioMedical Engine 2014, 13, 5.		1.3	19
495	Impact of Prestroke Selective Serotonin Reuptake Inhibitor Treatment on Stroke Sever Mortality. Stroke, 2014, 45, 2121-2123.	ity and	1.0	36
496	Telephone-based problem-solving intervention for family caregivers of stroke survivors randomized controlled trial Journal of Consulting and Clinical Psychology, 2014, 82, 6	: A 528-643.	1.6	58
497	Scales in the neurointensive care unit. , 0, , 66-78.			0
498	Interventions for cerebellar hemorrhage. , 0, , 363-377.			0
500	A ââ,¬Âclient-centred activities of daily livingââ,¬Â•intervention for persons with str follow-up of a randomized controlled trial. Journal of Rehabilitation Medicine, 2015, 47		0.8	38
501	Buflomedil for acute ischaemic stroke. The Cochrane Library, 2015, 2015, CD009570.		1.5	4
502	Early mortality and functional outcome after acute stroke in Uganda: prospective stud follow-up. SpringerPlus, 2015, 4, 450.	y with 30Âday	1.2	48
503	Aspects correlates with Scandinavian Stroke Scale for predicting early neurological imp Arquivos De Neuro-Psiquiatria, 2015, 73, 450-453.	pairment.	0.3	3
504	Usual Clinical Practice for Early Supported Discharge after Stroke with Continued Reha Home: An Observational Comparative Study. PLoS ONE, 2015, 10, e0133536.	bilitation at	1.1	14

#	Article	IF	CITATIONS
505	Participation in Complex and Social Everyday Activities Six Years after Stroke: Predictors for Return to Pre-Stroke Level. PLoS ONE, 2015, 10, e0144344.	1.1	90
506	Effect of Herbal Prescriptions in Accordance with Pattern Identification in Acute Cerebral Infarction Patients: Based on Fire-Heat Pattern. Evidence-based Complementary and Alternative Medicine, 2015, 2015, 1-8.	0.5	2
507	Constraint-induced aphasia therapy in subacute neurorehabilitation. Aphasiology, 2015, 29, 1152-1163.	1.4	13
508	Handbook of Vocational Rehabilitation and Disability Evaluation. Handbooks in Health, Work, and Disability, 2015, , .	0.0	20
509	Validity of the Modified Charlson Comorbidity Index as Predictor of Short-term Outcome in Older Stroke Patients. Journal of Stroke and Cerebrovascular Diseases, 2015, 24, 330-336.	0.7	20
510	Developing a stroke severity index based on administrative data was feasible using data mining techniques. Journal of Clinical Epidemiology, 2015, 68, 1292-1300.	2.4	111
511	Influence of Interleukin-1 Gene Cluster Polymorphisms on the Susceptibility and Outcomes of Acute Stroke in Egyptian Patients. Cell Biochemistry and Biophysics, 2015, 71, 637-647.	0.9	8
512	Rehabilitation interventions to improve locomotor outcome in chronic stroke survivors: A prospective, repeated-measure study. Neurology India, 2015, 63, 347.	0.2	11
513	Cognitive impairment six months after ischaemic stroke: a profile from the ASPIRE-S study. BMC Neurology, 2015, 15, 31.	0.8	159
514	Occurrence and Predictors of Falls in People With Stroke. Stroke, 2015, 46, 2688-2690.	1.0	45
515	Swallowing Tablets and Capsules Increases the Risk of Penetration and Aspiration in Patients with Stroke-Induced Dysphagia. Dysphagia, 2015, 30, 571-582.	1.0	42
516	Do studies of the weekend effect really allow for differences in illness severity? An analysis of 14 years of stroke admissions. Age and Ageing, 2017, 46, 138-142.	0.7	6
517	Improvement of survival in Polish stroke patients is related to reduced stroke severity and better control of risk factors: the Krakow Stroke Database. Archives of Medical Science, 2016, 3, 552-555.	0.4	7
518	Effect of a 72 Hour Stroke Care Bundle on Early Outcomes after Acute Stroke: A Non Randomised Controlled Study. PLoS ONE, 2016, 11, e0154333.	1.1	10
519	Intensive treadmill training in the acute phase after ischemic stroke. International Journal of Rehabilitation Research, 2016, 39, 145-152.	0.7	18
520	Health outcomes and costs of ischemic stroke patients in Finland. Acta Neurologica Scandinavica, 2016, 134, 42-48.	1.0	4
521	An interdisciplinary visual team in an acute and sub-acute stroke unit: Providing assessment and early rehabilitation. NeuroRehabilitation, 2016, 39, 451-461.	0.5	2
522	Efficacy and feasibility of antidepressant treatment in patients with post-stroke depression. Medicine (United States), 2016, 95, e5349.	0.4	56

#	Article	IF	Citations
523	Bodyweight-supported treadmill training for retraining gait among chronic stroke survivors: A randomized controlled study. Annals of Physical and Rehabilitation Medicine, 2016, 59, 235-241.	1.1	34
524	Poststroke Aphasia Frequency, Recovery, and Outcomes: A Systematic Review and Meta-Analysis. Archives of Physical Medicine and Rehabilitation, 2016, 97, 2188-2201.e8.	0.5	248
525	Pre-hospital Delay as Determinant of Ischemic Stroke Outcome in an Italian Cohort of Patients Not Receiving Thrombolysis. Journal of Stroke and Cerebrovascular Diseases, 2016, 25, 1458-1466.	0.7	10
526	Peculiarities of Neurological Disorders and Study Designs. Frontiers of Neurology and Neuroscience, 2016, 39, 8-23.	3.0	1
527	Is adjunctive treatment with medication of liver-soothing-oriented method beneficial for depression after cerebrovascular accident?. Medicine (United States), 2016, 95, e5208.	0.4	2
528	Longitudinal study on modulated corticospinal excitability throughout recovery in supratentorial stroke. Neuroscience Letters, 2016, 617, 88-93.	1.0	11
529	Costs of informal care in a sample of German geriatric stroke survivors. European Journal of Ageing, 2016, 13, 49-61.	1.2	16
530	Use of Antithrombotic Therapy and Long-Term Clinical Outcome Among Patients Surviving Intracerebral Hemorrhage. Stroke, 2016, 47, 1837-1843.	1.0	57
531	Early warning score predicts acute mortality in stroke patients. Acta Neurologica Scandinavica, 2016, 133, 261-267.	1.0	17
532	Clinical Scales to Assess Patients with Stroke. , 2016, , 308-325.e6.		2
533	Prognostic significance of serum albumin level changes in acute ischemic stroke: the role of biological and analytical variation. Clinical Chemistry and Laboratory Medicine, 2016, 54, 143-50.	1.4	11
534	Stroke rehabilitation at home before and after discharge reduced disability and improved quality of life: a randomised controlled trial. Clinical Rehabilitation, 2016, 30, 225-236.	1.0	68
535	The prognosis of stroke survivors primarily discharged to their homes. Acta Neurologica Scandinavica, 2017, 136, 338-344.	1.0	1
536	Electrical somatosensory stimulation followed by motor training of the paretic upper limb in acute stroke: study protocol for a randomized controlled trial. Trials, 2017, 18, 84.	0.7	11
537	Study of association of severity of sleep disordered breathing and functional outcome in stroke patients. Sleep Medicine, 2017, 34, 50-56.	0.8	24
538	Acute-Phase Fatigue Predicts Limitations with Activities of Daily Living 18 Months after First-Ever Stroke. Journal of Stroke and Cerebrovascular Diseases, 2017, 26, 523-531.	0.7	27
539	Aphasia As a Predictor of Stroke Outcome. Current Neurology and Neuroscience Reports, 2017, 17, 83.	2.0	65
540	Validation of international stroke scales for use by nurses in Greek settings. Topics in Stroke Rehabilitation, 2017, 24, 214-221.	1.0	6

#	Article	IF	CITATIONS
541	Role of Vitamin D in the Outcome of Ischemic Stroke- A Randomized Controlled Trial. Journal of Clinical and Diagnostic Research JCDR, 2017, 11, CC06-CC10.	0.8	26
542	Perceived impact of stroke six years after onset, and changes in impact between one and six years. Journal of Rehabilitation Medicine, 2017, 49, 637-643.	0.8	26
543	Oxygen uptake during functional activities after stroke—Reliability and validity of a portable ergospirometry system. PLoS ONE, 2017, 12, e0186894.	1.1	5
544	Prescription and predictors of post-stroke antidepressant treatment: A population-based study. Acta Neurologica Scandinavica, 2018, 138, 235-244.	1.0	14
545	Long-term performance of instrumental activities of daily living (IADL) in young and middle-aged stroke survivors: Results from SAHLSIS outcome. Scandinavian Journal of Occupational Therapy, 2018, 25, 119-126.	1.1	27
546	Effect of sertraline in the treatment and prevention of poststroke depression. Medicine (United) Tj ETQq1 1 0.78	34314 rgB <sup>-</sup> 0.4	T /Qyerlock 1
547	Predictive values of CSS and NIHSS in the prognosis of patients with acute cerebral infarction. Medicine (United States), 2018, 97, e12419.	0.4	20
548	Transient increase in CSF GAP-43 concentration after ischemic stroke. BMC Neurology, 2018, 18, 202.	0.8	21
549	Does the severity of depressive symptoms after stroke affect long-term survival? An 18-year follow-up. PLoS ONE, 2018, 13, e0209157.	1.1	5
550	Electrical Somatosensory Stimulation in Early Rehabilitation of Arm Paresis After Stroke: A Randomized Controlled Trial. Neurorehabilitation and Neural Repair, 2018, 32, 899-912.	1.4	17
551	Differences in and Determinants of Prehospital Delay Times among Stroke Patients—1994 Versus 2012. Journal of Stroke and Cerebrovascular Diseases, 2018, 27, 2398-2404.	0.7	2
554	Risk factors for post-stroke depression in Sohag University Hospital. Egyptian Journal of Neurology, Psychiatry and Neurosurgery, 2019, 55, .	0.4	7
555	Overview of systematic reviews with meta-analyses on Chinese herbal medicine in stroke management. Advances in Integrative Medicine, 2019, 6, 126-138.	0.4	0
556	Changes in survival and characteristics among older stroke unit patients—1994 versus 2012. Brain and Behavior, 2019, 9, e01175.	1.0	8
557	Clinimetrics: The Scandinavian Stroke Scale. Journal of Physiotherapy, 2020, 66, 132.	0.7	11
558	Central Noradrenergic Agonists in the Treatment of Ischemic Stroke—an Overview. Translational Stroke Research, 2020, 11, 165-184.	2.3	37
559	Predictors for wellbeing and characteristics of mental health after stroke. Journal of Affective Disorders, 2020, 264, 358-364.	2.0	12
560	Healthcare Utilization After Stroke: A 1-Year Prospective Study. Journal of the American Medical Directors Association, 2020, 21, 1684-1688.	1.2	5

#	Article	IF	CITATIONS
561	Acute Neurofilament Light Chain Plasma Levels Correlate With Stroke Severity and Clinical Outcome in Ischemic Stroke Patients. Frontiers in Neurology, 2020, 11, 448.	1.1	45
562	Characterization of the TNF and IL-1 systems in human brain and blood after ischemic stroke. Acta Neuropathologica Communications, 2020, 8, 81.	2.4	54
563	Easily Conducted Tests During the First Week Post-stroke Can Aid the Prediction of Arm Functioning at 6 Months. Frontiers in Neurology, 2019, 10, 1371.	1.1	10
564	Incidence and prognostic factors for recurrence of intracerebral hemorrhage in patients with and without atrial fibrillation: A cohort study. Thrombosis Research, 2020, 191, 1-8.	0.8	9
565	Efficacy of repetitive transcranial magnetic stimulation for post-stroke depression: a systematic review and meta-analysis of randomized clinical trials. Brazilian Journal of Medical and Biological Research, 2021, 54, e10010.	0.7	20
566	Nationwide Trends in Incidence and Mortality of Stroke Among Younger and Older Adults in Denmark. Neurology, 2021, 96, e1711-e1723.	1.5	30
567	Test item priorities for a screening tool to identify cognitive-communication disorder after right hemisphere stroke. Aphasiology, 2022, 36, 669-686.	1.4	1
568	Leukocyte TNFR1 and TNFR2 Expression Contributes to the Peripheral Immune Response in Cases with Ischemic Stroke. Cells, 2021, 10, 861.	1.8	8
569	Cross-cultural translation and adaptation of the Danish version of the Fugl-Meyer assessment for post stroke sensorimotor function. Disability and Rehabilitation, 2021, , 1-8.	0.9	3
570	Post-Stroke Depression and Its Effect on Functional Outcomes during Inpatient Rehabilitation. Journal of Neurosciences in Rural Practice, 2021, 12, 543-549.	0.3	8
571	Stroke Recurrence and Its Relationship With Language Abilities. Journal of Speech, Language, and Hearing Research, 2021, 64, 2022-2037.	0.7	7
572	Effect of Changing Selected body Positions on Oxygen Saturation among Patients with Acute Stroke. Minia Scientific Nursing Journal, 2021, 009, 71-78.	0.0	1
573	Sex differences in independence in activities of daily living early in stroke rehabilitation. Brain and Behavior, 2021, 11, e2223.	1.0	4
574	Neuromuscular Electric Stimulation in Addition to Exercise Therapy in Patients with Lower Extremity Paresis Due to Acute Ischemic Stroke. A proof-of-concept randomised controlled trial. Journal of Stroke and Cerebrovascular Diseases, 2021, 30, 106050.	0.7	2
575	Strokelore: Early Anticoagulation for Large Ischemic Strokes. Journal of Stroke and Cerebrovascular Diseases, 2021, 30, 106085.	0.7	0
576	Clinical Scales to Assess Patients With Stroke. , 2022, , 262-280.e6.		Ο
577	A Novel Scale for Assessment of Stroke Severity at Symptom Onset: Correlation With Neurological Deterioration and Outcome. Frontiers in Neurology, 2020, 11, 602839.	1.1	1
578	What are This Patient's Problems?: A Problem-Based Approach to the General Management of Stroke. , 0, , 537-633.		1

# 579	ARTICLE Microglial Activation, Cytokine Production, and Local Inflammation in Focal Brain Ischemia. , 2003, , 115-145.	IF	CITATIONS
580	Adaptive Bayesian Designs for Dose-Ranging Drug Trials. Lecture Notes in Statistics, 2002, , 99-181.	0.1	56
581	Multicenter Trial of Hemodilution in Acute Ischemic Stroke. , 1987, , 472-486.		9
582	Thrombolytic Therapy in Acute Ischemic Stroke: The Copenhagen Multicenter Study. , 1991, , 247-250.		2
583	The European Cooperative Acute Stroke Study (ECASS). , 1993, , 66-71.		74
584	Moderate Hypothermia and Brain Temperature in Patients with Severe Middle Cerebral Artery Infarction. , 1998, 71, 131-134.		63
585	The Effect of a Single-Dose Intravenous Vinpocetine on Chronic Stroke Patients. A PET Study. , 1998, , 291-306.		1
586	Economic burden of stroke and the evaluation of new therapies. Public Health, 1998, 112, 103-12.	1.4	53
587	Right Hemisphere Strokes. Perspectives of the ASHA Special Interest Groups, 2016, 1, 63-65.	0.4	4
588	Antithrombotic Therapy of Acute Stroke: Thrombolytic Agents. Thrombosis and Haemostasis, 1997, 78, 183-190.	1.8	7
589	A RANDOMIZED CONTROLLED TRIAL OF REHABILITATION AT HOME AFTER STROKE IN SOUTHWEST STOCKHOLM: OUTCOME AT SIX MONTHS. Journal of Rehabilitation Medicine, 2000, 32, 80-86.	1.1	57
590	HEMINEGLECT IN ACUTE STROKE-INCIDENCE AND PROGNOSTIC IMPLICATIONS. American Journal of Physical Medicine and Rehabilitation, 1997, 76, 122-127.	0.7	145
591	VITAMIN K DEFICIENCY AND OSTEOPENIA IN DISUSE-AFFECTED LIMBS OF VITAMIN D-DEFICIENT ELDERLY STROKE PATIENTS1 [RETRACTED]. American Journal of Physical Medicine and Rehabilitation, 1999, 78, 317-322.	0.7	28
592	Prevalence, Comorbid Associations and Prognostic Value of the Hyperdense Middle Cerebral Artery Sign. ISRN Stroke, 2013, 2013, 1-6.	0.8	21
593	Differences in mortality and cardiovascular morbidity during a 3-year follow-up of transient ischemic attacks and minor strokes Stroke, 1989, 20, 340-344.	1.0	15
594	Hemodilution in acute stroke Stroke, 1986, 17, 332-332.	1.0	3
595	Thalamic lesion producing ataxic hemiparesis Stroke, 1988, 19, 1181-1181.	1.0	1
596	Depression-Executive Dysfunction Syndrome in Stroke Patients. American Journal of Geriatric Psychiatry, 2005, 13, 99-107.	0.6	64

		CITATION RE	PORT	
#	Article		IF	CITATIONS
598	Japan Stroke Scale Nosotchu, 1997, 19, 1-5.		0.0	2
599	Curvilinear Relationship Between Age and Post-Stroke Fatigue among Patients in the A following First-Ever Stroke. International Journal of Physical Medicine & Rehabilitation,	cute Phase 2013, 01, .	0.5	9
600	Instrumentos de Avaliação Funcional EspecÃficos Para o Acidente Vascular Cerebra Neurociencias, 2014, 21, 593-599.	. Revista	0.0	5
603	Clinical Evaluation of Stroke. , 2001, , 101-113.			0
604	Thrombotic Cerebrovascular Disease. Handbook of Experimental Pharmacology, 2001,	, 387-421.	0.9	0
605	Reaction of the Stress-Mediating Endocrine System in Response to Acute Brain Ischem	ia. , 2003, , 207-217.		0
606	The Glutamate—Calcium Cascade. , 2003, , 39-93.			0
607	Secondary Neuroprotection. , 2003, , 285-351.			0
608	MRT-Diagnostik beim akuten Schlaganfall. , 2003, , 36-47.			1
609	Autoimmune Mechanisms of Trophic Dysfunction and Ischemic Brain Damage. , 2003,	, 147-182.		0
610	Primary Neuroprotection. , 2003, , 237-284.			1
611	Outcomes of Neurosciences Critical Care. , 2004, , 581-587.			0
612	Modeling and Simulation in the Development of Cardiovascular Agents. AAPS Advance Pharmaceutical Sciences Series, 2011, , 199-226.	s in the	0.2	0
613	Dopplerographic characteristic of extra-and-intracranial hemodynamics of the acute ce infarction. Medical and Health Science Journal, 2011, 6, 23-28.	rebral	0.1	0
614	Instrumentos de Avaliação Funcional EspecÃficos Para o Acidente Vascular Cerebra Neurociencias, 2013, 21, 593-599.	. Revista	0.0	3
615	The Role of Hemodilution in the Management of Cerebral Ischemia. , 1987, , 411-415.			1
617	Struktur und Inhalte des geriatrischen Assessments. , 1992, , 40-92.			0
619	The Relevance of Neurological and Functional Outcome Scales for Acute Stroke Trials.	, 1993, , 217-223.		0

#	Article	IF	Citations
620	Treatment of Acute Ischemic Stroke with Calcium Antagonists. Medical Science Symposia Series, 1993, , 257-263.	0.0	0
621	Documentation and Scores. , 1994, , 46-56.		0
622	Stroke scale comparisons Stroke, 1994, 25, 1885-1886.	1.0	0
623	The Multicenter Acute Stroke Trial (MAST)—Thrombolysis Study: Study Design and Progress Report. , 1995, , 206-213.		1
624	Early Findings of Computed Tomography and Angiography in Acute Stroke and Thrombolytic Therapy. , 1995, , 41-46.		1
625	Clinical Aspects of Stroke and Therapeutic Strategies. , 1997, , 43-66.		0
626	Making a stroke scale in chronic stage: Motor function Nosotchu, 1999, 21, 418-422.	0.0	0
627	2.JSSāï従æ¥ā®é‡ç—‡åº¦ã,¹ã,±ãƒ¼ãƒ«ãïã®æ-"較. Nosotchu, 1999, 21, 402-407.	0.0	0
628	Japan Stroke Scale: Usefulness and notice for clinical use by physician Nosotchu, 1999, 21, 408-412.	0.0	0
629	Revealing and evaluation of clinical symptoms in patients with acute bacterial meningitis. Neurology Bulletin, 1999, XXXI, 17-23.	0.0	0
631	Type 2 diabetes mellitus and the clinical course of acute stroke. Obesity and Metabolism, 2016, 13, 20-24.	0.4	1
632	Standardized Physical Activities Measured with Actical Accelerometers in Patients after Transient Ischemic Attack. Journal of Neurology & Neurophysiology, 2016, 07, .	0.1	0
633	Protein S100B: a potential biomarker for brain damage in paediatric patients with congenital heart disease?. Advances in Tissue Engineering & Regenerative Medicine Open Access, 2018, 4, .	0.1	0
634	Protein S100Î': a potential biomarker that correlates with clinical neurological variables in pediatric patients with congenital heart disease?. MOJ Toxicology, 2018, 4, .	0.2	0
636	CCL26 regulates the proportion of CD4+CD25+FOXP3+�Tregs and the production of inflammatory factors in peripheral blood mononuclear cells following acute ischemic stroke via the STAT5 pathway. Experimental and Therapeutic Medicine, 2020, 20, 3343-3351.	0.8	4
637	The Clinical Efficacy of Clopidogrel Bisulfate Tablets Combined with Olmesartan Medoxomil for Ischemic Stroke with Hypertension and the Effect of Angiotensin II Type 1 Receptor Level on Prognosis. Computational and Mathematical Methods in Medicine, 2021, 2021, 1-8.	0.7	1
640	Neurogenic Fecal Incontinence. , 2007, , 293-305.		0
641	Prognostic value of subacute crossed cerebellar diaschisis: single-photon emission CT study in patients with middle cerebral artery territory infarct. American Journal of Neuroradiology, 2002, 23, 189-93.	1.2	71

#	Article	IF	CITATIONS
642	Prefrontal N-acetylaspartate and poststroke recovery: a longitudinal proton spectroscopy study. American Journal of Neuroradiology, 2007, 28, 470-4.	1.2	17
643	Risks of Stroke Recurrence and Mortality After First and Recurrent Strokes in Denmark. Neurology, 2022, 98, .	1.5	27
644	Mobile Single-Lead Electrocardiogram Technology for Atrial Fibrillation Detection in Acute Ischemic Stroke Patients. Journal of Clinical Medicine, 2022, 11, 665.	1.0	2
645	Inter-rater reliability and agreement of 6 Minute Walk Test and 10 Meter Walk Test at comfortable walk speed in patients with acute stroke. Physiotherapy Theory and Practice, 2023, 39, 1024-1032.	0.6	8
646	Cognitive screen and employment longâ€ŧerm after infratentorial stroke. Acta Neurologica Scandinavica, 2022, 145, 610-618.	1.0	0
647	Ischemic Stroke Severity and Mortality in Patients With and Without Atrial Fibrillation. Journal of the American Heart Association, 2022, 11, e022638.	1.6	16
648	Lys-plasminogen as an adjunct to local intra-arterial fibrinolysis for carotid territory stroke: laboratory and clinical findings. Neuroradiology, 1996, 38, 181-185.	1.1	4
649	Depression symptoms 6Âyears after stroke are associated with higher perceived impact of stroke, limitations in ADL and restricted participation. Scientific Reports, 2022, 12, 7816.	1.6	9
650	Brain–machine Interface (BMI)-based Neurorehabilitation for Post-stroke Upper Limb Paralysis. Keio Journal of Medicine, 2022, 71, 82-92.	0.5	5
651	Long-term immune cell profiling in stroke patients with or without infections. International Journal of Neuroscience, 2024, 134, 197-205.	0.8	0
652	A STUDY ON STROKE-ASSOCIATED PNEUMONIA IN A TERTIARY CARE CENTER AND EFFECT OF SERUM ALBUMIN ON PATIENT OUTCOMES. Asian Journal of Pharmaceutical and Clinical Research, 0, , 107-109.	0.3	0
653	Impact of Inpatient Rehabilitation on Quality of Life Among Stroke Patients. Journal of Neurosciences in Rural Practice, 0, , .	0.3	0
654	Impact of inpatient rehabilitation on quality of life among stroke patients. Journal of Neurosciences in Rural Practice, 0, 13, 800-803.	0.3	2
657	Test-Retest Reliability and Agreement of Single Pulse Transcranial Magnetic Stimulation (TMS) for Measuring Activity in Motor Cortex in Patients With Acute Ischemic Stroke. Neuroscience Insights, 2022, 17, 263310552211450.	0.9	1
658	Labour market participation and retirement after stroke in Denmark: registry based cohort study. BMJ, The, 0, , e072308.	3.0	2
659	Clinical Assessment in the Neurocritical Care Unit. , 2013, , 84-98.e3.		0