

CITATION REPORT

List of articles citing

APACHE II

DOI: 10.1097/00003246-198510000-00009
Critical Care Medicine, 1985, 13, 818-829.

Source: <https://exaly.com/paper-pdf/17487452/citation-report.pdf>

Version: 2024-04-27

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
2257	References. 160-181		
2256	Long-term experience with continuous renal replacement therapy in intensive-care unit acute renal failure. 1991 , 93, 13-6		11
2255	ANEURYSM OF THE EXTRACRANIAL INTERNAL CAROTID ARTERY. REPORT OF A CASE AND DISCUSSION. 1964 , 14, 376-9		17
2254	An assessment of ventilator-associated pneumonias and risk factors identified in the Intensive Care Unit. 2016 , 32, 817-22		2
2253	The progression of Duchenne muscular dystrophy: clinical trial of allopurinol therapy. 1981 , 31, 422-6		13
2252	Relationship between acute physiologic derangement and risk of death. 1985 , 38, 295-300		46
2251	PREDICTION BY APACHE SCORE. 1986 , 328, 286-287		3
2250	Use of APACHE II severity of disease classification to identify intensive-care-unit patients who would not benefit from total parenteral nutrition. 1986 , 1, 1483-7		59
2249	WORD-DEAFNESS REVISITED. 1986 , 327, 1477-1478		
2248	What does the measurement of dietary fibre mean?. 1986 , 1, 1487-8		10
2247	Open Management of the Septic Abdomen. 1986 , 328, 138-139		3
2246	TPN AND APACHE. 1986 , 327, 1478		3
2245	Pulmonary Sequelae and Lung Repair in Survivors of the Adult Respiratory Distress Syndrome. 1986 , 2, 629-665		22
2244	An evaluation of outcome from intensive care in major medical centers. 1986 , 104, 410-8		898
2243	The case for adjusting hospital death rates for severity of illness. 1986 , 5, 148-53		7
2242	Injury severity determination: requirements, approaches, and applications. 1986 , 15, 1427-33		22
2241	Reducing the costs of ICU admission in Canada without diagnosis-related or case-mix groupings. 1986 , 33, 765-72		14

2240	Physiologic Abnormalities and Outcome From Acute Disease. 1986 , 146, 1389	43
2239	Efficacy of short-course antibiotic prophylaxis after penetrating intestinal injury. A prospective randomized trial. 1986 , 121, 23-30	52
2238	Measuring serum cholesterol. 1987 , 257, 1602-3	
2237	Measuring Serum Cholesterol-Reply. 1987 , 257, 1603	
2236	Thickness Unto Death?. 1987 , 257, 1603	
2235	A prospective study of lung water measurements during patient management in an intensive care unit. 1987 , 136, 662-8	575
2234	Identification of low-risk monitor admissions to medical-surgical ICUs. 1987 , 92, 423-8	82
2233	Nosocomial pneumonia in intubated patients given sucralfate as compared with antacids or histamine type 2 blockers. The role of gastric colonization. 1987 , 317, 1376-82	665
2232	Design and conduct of antibiotic trials. A report of the Scientific Studies Committee of the Surgical Infection Society. 1987 , 122, 158-64	22
2231	The treatment of generalized peritonitis by closed postoperative peritoneal lavage. A critical review of the literature. 1987 , 122, 1005-10	29
2230	The effects of vasodilation with prostacyclin on oxygen delivery and uptake in critically ill patients. 1987 , 317, 397-403	514
2229	Adjusted hospital death rates: a potential screen for quality of medical care. 1987 , 77, 1162-6	92
2228	Intensive care for the elderly: outcome of elective and nonelective admissions. 1987 , 35, 312-8	39
2227	Hospital inpatient mortality. Is it a predictor of quality?. 1987 , 317, 1674-80	210
2226	Scoring systems and prehospital care. 1987 , 5, 348-9	
2225	Severity of illness: concepts and measurements. 1987 , 2, 1506-9	82
2224	An automated APACHE II scoring system. 1987 , 3, 14-8	4
2223	Prognosis of noncardiac medical patients receiving mechanical ventilation in a veterans hospital. 1987 , 83, 687-92	31

2222	The Rapid Acute Physiology Score. 1987 , 5, 278-82	86
2221	From Laveran's discovery to DNA probes: new trends in diagnosis of malaria. 1987 , 2, 1509-11	23
2220	Risikobeurteilung bei Intensivpatienten in der perioperativen Phase. 1987 , 243-248	
2219	Predicting the Outcome: A New Crystal Ball?. 1987 , 80, 133-134	1
2218	Academic general internists and managers of teaching hospitals: an agenda for collaboration. 1987 , 2, 204-5	
2217	Failure of critically ill patients to metabolise midazolam. 1987 , 42, 619-26	174
2216	Prolonged paralysis following an infusion of alcuronium in a patient with renal dysfunction. 1987 , 42, 522-5	5
2215	One year's experience with the APACHE II severity of disease classification system in a general intensive care unit. 1987 , 42, 738-44	28
2214	Propofol infusion for sedation in intensive care. 1987 , 42, 929-37	116
2213	Ketamine infusion. Its use as a sedative, inotrope and bronchodilator in a critically ill patient. 1987 , 42, 980-3	47
2212	Nutrition, protein metabolism and fluid balance. 1988 , 2, 625-648	
2211	Survival of intensive care patients. II: Outcome prediction 1 hour after admission. 1988 , 32, 101-7	10
2210	A new intensive care worksheet. 1988 , 5, 27-30	6
2209	Predicting outcome in critical care. 1988 , 35, S34-8	2
2208	Outcome prediction in critically ill patients by means of oxygen consumption index and simplified acute physiology score. 1988 , 14, 44-9	19
2207	A retrospective survey of treatment and mortality in aspiration pneumonia. 1988 , 14, 617-22	44
2206	Sickness scoring and response to treatment as predictors of outcome from critical illness. 1988 , 14, 167-72	54
2205	Predicting outcome among intensive care unit patients using computerised trend analysis of daily Apache II scores corrected for organ system failure. 1988 , 14, 558-66	143

2204	Audit of intensive care: a 30 month experience using the Apache II severity of disease classification system. 1988 , 14, 567-74	31
2203	One year's experience with the APACHE II system in a general intensive care unit. 1988 , 43, 62-3	
2202	A reply. 1988 , 43, 63-63	
2201	The Hartmann procedure. Extended indications in severe intra-abdominal infection. 1988 , 31, 126-9	34
2200	Quality of life following intensive care. 1988 , 3, 218-23	194
2199	An outcome predictive score for sepsis and death following injury. 1988 , 19, 263-6	50
2198	Non-mydratic Polaroid photography in screening for diabetic retinopathy: evaluation in a clinical setting. 1988 , 296, 1029-30	45
2197	Description of Case-Mix Adjusters by the Severity of Illness Working Group of the Society of Hospital Epidemiologists of America (SHEA). 1988 , 9, 309-316	23
2196	Discharge decision-making in a medical intensive care unit. Identifying patients at high risk of unexpected death or unit readmission. 1988 , 84, 863-9	68
2195	Prognostic value of serum osmolality gap in patients with multiple organ failure treated with hemopurification. 1988 , 12, 382-7	7
2194	Newer cephalosporins: lessons to be learned from clinical trials in intraabdominal infections. 1988 , 155, 5-10	3
2193	Comparison of multiple-parameter prognostic systems in acute pancreatitis. 1988 , 156, 492-6	22
2192	Nutritional assessment of intensive-care unit patients. 1988 , 63, 1106-15	55
2191	Effects of prolonged naloxone infusion in septic shock. 1988 , 2, 699-702	32
2190	Prophylaxis of infection by selective decontamination in mechanically ventilated patients. A preliminary report. 1988 , 35 Suppl 2, 97-9	2
2189	Randomised, double-blind, placebo-controlled trial of ditiocarb sodium ('Imuthiol') in human immunodeficiency virus infection. 1988 , 2, 702-6	89
2188	Use of X chromosome inactivation analysis to establish carrier status for X-linked severe combined immunodeficiency. 1988 , 1, 729-32	41
2187	Continuous arteriovenous haemodialysis in critically ill patients. 1988 , 2, 150-2	58

2186	Triple regimen of selective decontamination of the digestive tract, systemic cefotaxime, and microbiological surveillance for prevention of acquired infection in intensive care. 1988 , 1, 785-90	231
2185	Antibody-dependent enhancement of human immunodeficiency virus type 1 infection. 1988 , 1, 790-4	289
2184	Severity of anaemia and operative mortality and morbidity. 1988 , 1, 727-9	261
2183	Daytime variations in energy expenditure in critically ill patients. 1988 , 3, 190-194	1
2182	Predicting the Outcome of Intensive Care Unit Patients. 1988 , 83, 348-356	39
2181	The altered pharmacokinetics and pharmacodynamics of drugs commonly used in critically ill patients. 1988 , 14, 347-73	111
2180	Comparison of Critical Care Provided by Family Physicians and General Internists. 1988 , 260, 354	5
2179	Comparison of Clinical Assessment With APACHE II for Predicting Mortality Risk in Patients Admitted to a Medical Intensive Care Unit. 1988 , 260, 1739	135
2178	Impact of Critical Care Physician Staffing on Patients With Septic Shock in a University Hospital Medical Intensive Care Unit. 1988 , 260, 3446	156
2177	Early fluid requirements in trauma patients. A predictor of pulmonary failure and mortality. 1988 , 123, 1149-57	15
2176	Risk of infection after open fracture of the arm or leg. 1988 , 123, 1320-7	174
2175	Treatment of severe intra-abdominal sepsis and/or necrotic foci by an 'open-abdomen' approach. Zipper and zipper-mesh techniques. 1988 , 123, 152-6	84
2174	In-Hospital Cardiopulmonary Resuscitation. 1988 , 260, 2069	185
2173	Patients' and Families' Preferences for Medical Intensive Care. 1988 , 260, 797	133
2172	Predicting Hospital-Associated Mortality for Medicare Patients. 1988 , 260, 3617	131
2171	Nosocomial Infection and Fatality in Medical and Surgical Intensive Care Unit Patients. 1988 , 148, 1161	181
2170	Noninvasive respiratory care unit. A cost effective solution for the future. 1988 , 93, 390-4	64
2169	A Nurse-Associated Epidemic of Cardiac Arrests in an Intensive Care Unit. 1988 , 259, 689	6

2168	Severity-of-illness measurement: applications in quality assurance and utilization review. 1988 , 45, 339-66	19
2167	Use of fibronectin and somatomedin-C as markers of enteral nutrition support in traumatized patients using a modified amino acid formula. 1988 , 12, 592-6	8
2166	Critical Care Medicine: A Field with Substance and Identity. 1988 , 3, 282-283	1
2165	Defining quality in medical care. 1988 , 7, 49-61	26
2164	Identification of factors associated with the diagnosis of delirium in elderly hospitalized patients. 1988 , 36, 1099-104	83
2163	The open abdomen. The Marlex mesh and zipper technique: a method of managing intraperitoneal infection. 1988 , 68, 25-40	56
2162	Use of scoring systems to assess patients with surgical sepsis. 1988 , 68, 123-45	33
2161	Plasmapheresis: a rational treatment for fulminant acute pancreatitis?. 1988 , 297, 593-4	11
2160	Apolipoprotein B polymorphism and altered apolipoprotein B and low density lipoprotein cholesterol concentrations in Finnish children. 1988 , 296, 169-70	29
2159	Assessing clinical experience in a residency training program. 1988 , 296, 371-6	
2158	Effect of routine administration of analgesia on energy expenditure in critically ill patients. 1988 , 93, 4-10	60
2157	Prognosis of patients receiving intensive care for lifethreatening medical complications of haematological malignancy. 1988 , 296, 1025-9	99
2156	Severity of illness measures: opportunities for clinicians. 1988 , 109, 771-3	5
2155	Is altered cardiac sensation responsible for chest pain in patients with normal coronary arteries? Clinical observation during cardiac catheterisation. 1988 , 296, 170-1	87
2154	Transporting critically ill patients by ambulance: audit by sickness scoring. 1988 , 296, 170	49
2153	Multiple Systems Organ Failure: Epidemiology and Prognosis. 1989 , 5, 221-232	121
2152	European cases of fibrolamellar hepatocellular carcinoma. 1989 , 110, 324	1
2151	Exacerbation of hypercalcemia after needle biopsy of a parathyroid cyst. 1989 , 110, 326-7	5

2150	The histologic diagnosis of myocarditis. 1989 , 110, 321-2	
2149	A subclavian bruit in the thoracic outlet syndrome. 1989 , 110, 323	
2148	Rimantadine and seizures. 1989 , 110, 323-4	1
2147	Can we predict outcome in acute renal failure?. 1989 , 51, 297-300	31
2146	Immunologic thrombocytopenic purpura and human immunodeficiency virus (HIV) in a married heterosexual couple. 1989 , 110, 322-3	1
2145	APACHE: a nonproprietary measure of severity of illness. 1989 , 110, 327-8	5
2144	Large-volume paracentesis in outpatients. 1989 , 110, 325-6	2
2143	Prediction of Outcome From Critical Illness. 1989 , 149, 1083	64
2142	Identifying ICU patients who would not benefit from total parenteral nutrition. 1989 , 13, 535-8	9
2141	Potential effectiveness of comparative casemix-corrected adverse outcome rates as quality monitors in a simulated hospital system. 1989 , 9, 104-15	7
2140	How well can physicians estimate mortality in a medical intensive care unit?. 1989 , 9, 125-32	129
2139	The Relation Between Hospital Experience and In-Hospital Mortality for Patients With AIDS-Related PCP. 1989 , 261, 2975	87
2138	Preliminary study on treatment of septic shock patients with antilipoplysaccharide IgG from blood donors. 1989 , 21, 697-708	34
2137	Netilmicin in the treatment of gram-negative bacteremia: single daily versus multiple daily dosage. 1989 , 159, 931-7	102
2136	Intensive care medicine--a review. 1989 , 65, 875-80	1
2135	Analgesia and sedation in intensive care. 1989 , 63, 196-206	48
2134	The efficacy of the combination of teicoplanin or flucloxacillin with netilmicin in the treatment of Staphylococcus aureus bacteraemia. 1989 , 23, 899-904	6
2133	The association of circulating endotoxin with the development of the adult respiratory distress syndrome. 1989 , 140, 294-301	174

2132	Hypomagnesemia in patients in postoperative intensive care. 1989 , 95, 391-7	190
2131	Hepatic dysfunction in the adult respiratory distress syndrome. 1989 , 95, 871-5	66
2130	Effect on ICU mortality of a full-time critical care specialist. 1989 , 96, 127-9	173
2129	Energy expenditure associated with CPAP and T-piece spontaneous ventilatory trials. Changes following prolonged mechanical ventilation. 1989 , 96, 867-72	14
2128	Platelet-specific alpha-granule proteins and thrombospondin in bronchoalveolar lavage in the adult respiratory distress syndrome. 1989 , 96, 1125-32	43
2127	Economics of prolonged mechanical ventilation. 1989 , 140, S14-8	120
2126	Withholding and withdrawing mechanical ventilation: assessing quality of life. 1989 , 140, S44-6	7
2125	A new scoring system for disease intensity in a surgical intensive care unit. 1989 , 13, 252-8	10
2124	Of mice and men--data capture in the clinical environment. 1989 , 6, 217-22	7
2123	ESTER: an expert system for management of respiratory weaning therapy. 1989 , 36, 559-64	27
2122	Age as an issue in the intensive care patient population. 1989 , 2, 36-39	
2121	Survival compared to the general population and changes in health status among intensive care patients. 1989 , 33, 6-12	45
2120	'No' when the family says 'go': resisting families' requests for futile CPR. 1989 , 18, 898-9	15
2119	A clinical sickness score for the critically ill in Central Africa. 1989 , 15, 467-70	13
2118	Continuous high volume venous-venous haemofiltration in acute renal failure. 1989 , 15, 358-63	92
2117	Comparison of medium and long chain triglyceride metabolism in intensive care patients on parenteral nutrition. 1989 , 15, 250-4	14
2116	Description of various types of intensive and intermediate care units in France. French Multicentric Group of ICU Research. 1989 , 15, 260-5	22
2115	Effect of large volume replacement with balanced electrolyte solutions on extravascular lung water in surgical patients with sepsis syndrome. 1989 , 15, 505-10	23

2114	An analysis of the utilisation of an intensive care unit. 1989 , 15, 511-8	7
2113	Validation of a severity of illness score (APACHE II) in a surgical intensive care unit. 1989 , 15, 519-22	56
2112	Evaluation of pediatric intensive care scoring systems. 1989 , 15, 79-83	11
2111	The effects of secondary transport on critically ill patients. 1989 , 44, 822-7	46
2110	The tumour lysis syndrome. Intensive care aspects of paediatric oncology. 1989 , 44, 133-6	12
2109	Intensive care in the United Kingdom: report from the King's Fund panel. 1989 , 44, 428-31	45
2108	Reversal of prolonged sedation using flumazenil in critically ill patients. 1989 , 44, 603-5	22
2107	School outbreak of gastroenteritis due to atypical rotavirus. 1989 , 2, 737-8	24
2106	APACHE-II score for assessment and monitoring of acute pancreatitis. 1989 , 2, 738	14
2105	Neurologic disorders in a medical intensive care unit: A prospective survey. 1989 , 4, 208-210	19
2104	Post-exposure prophylaxis for hepatitis B: active or passive?. 1989 , 2, 146-8	16
2103	Evaluating institutional performance in AIDS-associated Pneumocystis carinii pneumonia: a risk adjustment approach. 1989 , 42, 421-5	17
2102	ICU in the United Kingdom: report from the King's Fund Panel. 1989 , 5, 76-81	5
2101	Individual outcome prediction models for intensive care units. 1989 , 2, 143-6	71
2100	Continuous mechanical turning of intensive care unit patients shortens length of stay in some diagnostic-related groups. 1989 , 4, 45-53	89
2099	Management of asthma in the community. 1989 , 2, 738	1
2098	Comparison of propofol and midazolam for sedation in critically ill patients. 1989 , 2, 704-9	164
2097	APACHE-II score for assessment and monitoring of acute pancreatitis. 1989 , 2, 201-5	460

2096	Halving of mortality of severe melioidosis by ceftazidime. 1989 , 2, 697-701	233
2095	Differentiation between septic and postburn insulin resistance. 1989 , 38, 983-9	168
2094	Ciprofloxacin in the treatment of legionellosis in critically ill patients including those cases unresponsive to erythromycin. 1989 , 87, 1285-1315	41
2093	Antimicrobial misuse in patients with positive blood cultures. 1989 , 87, 253-9	102
2092	Pre-arrest morbidity and other correlates of survival after in-hospital cardiopulmonary arrest. 1989 , 87, 28-34	272
2091	'By the seat of your pants' or multivariable predictive modelling. 1989 , 21, 83-4	2
2090	Criteria predicting bad outcome before transfer to a critical care unit. 1989 , 4, 78-82	2
2089	Workshop on Mechanical Ventilation. 1989 , 140, S1-S1	5
2088	Quality of Life and Survival Following Intensive Medical Care. 1989 ,	
2087	Abstracts of Communications. 1989 , 48, 151A-171A	
2086	Prognosis in Community-Acquired Pneumonia Requiring Treatment in Hospital: Importance of Predisposing and Complicating Factors, and of Diagnostic Procedures. 1989 , 21, 1-62	24
2085	Prognosis of Critically-ill Patients with Acute Renal Failure: APACHE II Score and Other Predictive Factors. 1989 ,	
2084	Development of a uniform system for mortality review. 1989 , 15, 353-7	
2083	Using severity information for quality assessment: a review of three cases by five severity measures. 1989 , 15, 376-82	5
2082	Isoflurane compared with midazolam for sedation in the intensive care unit. 1989 , 298, 1277-80	122
2081	Section VI - Clinical Studies. 1989 , 1, 634-964	
2080	Diltiazem and thrombocytopenia. 1989 , 110, 327	8
2079	Comparison of ceftriaxone with cefotaxime in serious chest infections. 1989 , 96, 1292-7	27

2078	Metabolic effects of intravenous medium- and long-chain triacylglycerols in critically ill patients. 1989 , 76, 165-70	14
2077	Prognosis of patients with AIDS requiring intensive care. 1989 , 96, 857-61	57
2076	Impact of a comprehensive supportive care team on management of hopelessly ill patients with multiple organ failure. 1989 , 96, 353-6	41
2075	Impact of a clinical pharmacokinetic service on patients treated with aminoglycosides for gram-negative infections. 1989 , 23, 33-8	15
2074	Impact of nutrition status on morbidity and mortality in a select population of geriatric rehabilitation patients. 1990 , 51, 749-58	217
2073	Long term survival after intensive care. 1990 , 301, 1127-30	72
2072	Effective use of regional intensive therapy units. 1990 , 300, 79-81	18
2071	Systemische Candidose bei Intensivpatienten nach Antibiotika-Therapie. 1990 , 33, 37-41	3
2070	Selective decontamination of the digestive tract. 1990 , 300, 469-469	1
2069	Selective decontamination of the digestive tract. 1990 , 300, 468-9	1
2068	Are elderly people less responsive to intensive care?. 1990 , 38, 621-7	69
2067	The principle of parsimony: Glasgow Coma Scale score predicts mortality as well as the APACHE II score for stroke patients. 1990 , 21, 1280-2	29
2066	Hospital characteristics and mortality rates. 1990 , 322, 1471-3	1
2065	Incidence and morbidity of cytomegaloviral infection in patients with mediastinitis following cardiac surgery. 1990 , 97, 18-22	69
2064	APACHE II in surgical lung carcinoma patients. 1990 , 98, 627-30	20
2063	Oxygen transport and oxygen consumption in critically ill patients. 1990 , 98, 687-92	41
2062	Pathologic dependence of oxygen consumption on oxygen delivery in acute respiratory failure secondary to AIDS-related <i>Pneumocystis carinii</i> pneumonia. 1990 , 98, 1463-6	31
2061	Prostacyclin but not phentolamine increases oxygen consumption and skin microvascular blood flow in patients with sepsis and respiratory failure. 1990 , 98, 1467-72	38

2060	The efficacy of an oscillating bed in the prevention of lower respiratory tract infection in critically ill victims of blunt trauma. A prospective study. 1990 , 97, 132-7	140
2059	Einfluß der selektiven Dekontamination auf nosokomiale Infektionen, Erregerspektrum und Antibiotikaresistenz bei langzeitbeatmeten Intensivpatienten. 1990 , 25, 416-423	17
2058	Stability of patient preferences regarding life-sustaining treatments. 1990 , 97, 159-64	114
2057	In Reply. 1990 , 38, 1059-1060	1
2056	Risk factors for wound infections after total knee arthroplasty. 1990 , 131, 905-16	37
2055	Medical futility: its meaning and ethical implications. 1990 , 112, 949-54	710
2054	Are low tidal volumes safe?. 1990 , 97, 430-4	104
2053	Quality of life after intensive care. 1990 , 45, 808-13	67
2052	APACHE II expected outcome calculations are subject to inter-observer variation. 1990 , 45, 888-9	4
2051	Propofol for long-term sedation in the intensive care unit. A comparison with papaveretum and midazolam. 1990 , 45, 366-72	84
2050	Iatrogenic anaemia? A survey of venesection in patients in the intensive therapy unit. 1990 , 45, 396-8	43
2049	Differences in air ambulance patient mix demonstrated by physiologic scoring. 1990 , 19, 552-6	16
2048	Activation and inhibition of fibrinolysis in septic patients in an internal intensive care unit. 1990 , 75, 99-105	66
2047	The application of scoring systems in adult intensive care. 1990 , 4, 253-269	2
2046	Complications of care in a medical intensive care unit. 1990 , 5, 104-9	42
2045	Prospective randomized study of once-daily versus thrice-daily netilmicin regimens in patients with intraabdominal infections. 1990 , 9, 161-8	66
2044	Cardiovascular parameters and scoring systems in the evaluation of response to therapy in sepsis and septic shock. 1990 , 18, 253-62	69
2043	Proposed definitions for diagnosis, severity scoring, stratification, and outcome for trials on intraabdominal infection. Joint Working Party of SIS North America and Europe. 1990 , 14, 148-58	102

2042	European attitudes towards ethical problems in intensive care medicine: results of an ethical questionnaire. 1990 , 16, 256-64	146
2041	Adverse effects of prostacyclin administered directly into patients with combined renal and respiratory failure prior to dialysis. 1990 , 16, 431-5	8
2040	Development of intensive therapy. A UK view for the future. 1990 , 16, 474-6	2
2039	Plasma catecholamine concentration during sedation in ventilated patients requiring intensive therapy. 1990 , 16, 171-4	26
2038	Low mortality associated with low volume pressure limited ventilation with permissive hypercapnia in severe adult respiratory distress syndrome. 1990 , 16, 372-7	703
2037	Tumour lysis syndrome and the anaesthesiologist: intensive care aspects of paediatric oncology. 1990 , 6, 156-61	2
2036	The ordinary-extraordinary distinction reconsidered: a moral context for the proper calculus of benefits and burdens. 1990 , 2, 219-32	2
2035	The use of two nutritional indicators in identifying long bone fracture patients who do and do not develop infections. 1990 , 8, 799-803	27
2034	Unsupervised learning and discriminant analysis applied to identification of high risk postoperative cardiac patients. 1990 , 25, 207-21	13
2033	INTRA-ABDOMINAL PRESSURE AND RENAL FUNCTION AFTER SURGERY TO THE ABDOMINAL AORTA. 1990 , 60, 213-216	33
2032	Digoxin-like immunoreactive substances in the plasma of intensive care unit patients: relationship to organ dysfunction. 1990 , 18, 45-52	8
2031	Epidemic bacteremia due to <i>Acinetobacter baumannii</i> in five intensive care units. 1990 , 132, 723-33	157
2030	Dynamic contrast enhanced computed tomography: a precise technique for identifying and localising pancreatic necrosis. 1990 , 300, 1425-8	80
2029	Teaching status and resource use for patients with acute myocardial infarction: a new look at the indirect costs of graduate medical education. 1990 , 80, 1095-100	14
2028	Continuous enteral feeding: a major cause of pneumonia among ventilated intensive care unit patients. 1990 , 14, 353-6	126
2027	Prevention of bacterial colonization of the respiratory tract and stomach of mechanically ventilated patients by a novel regimen of selective decontamination in combination with initial systemic cefotaxime. 1990 , 26 Suppl A, 59-76	27
2026	Withholding and withdrawal of life support from the critically ill. 1990 , 322, 309-15	434
2025	Do objective estimates of chances for survival influence decisions to withhold or withdraw treatment? The French Multicentric Group of ICU Research. 1990 , 10, 163-71	42

2024	A critical study of the APACHE II scoring system using earlier data collection. 1990 , 7, 16-20	16
2023	Do severity of disease classification tools change patient care?. 1990 , 10, 153-4	
2022	The Relation Between Resource Use and In-hospital Mortality for Patients With Acquired Immunodeficiency Syndrome-Related Pneumocystis carinii Pneumonia. 1990 , 150, 1447	18
2021	Admission Source to the Medical Intensive Care Unit Predicts Hospital Death Independent of APACHE II Score. 1990 , 264, 2389	108
2020	Changes in Sickness at Admission Following the Introduction of the Prospective Payment System. 1990 , 264, 1962	62
2019	APACHE II score does not predict multiple organ failure or mortality in postoperative surgical patients. 1990 , 125, 519-22	101
2018	Comprehensive management of acute necrotizing pancreatitis and pancreatic abscess. 1990 , 125, 1269-74; discussion 1274-5	70
2017	Peritoneal lavage in abdominal sepsis. A controlled clinical study. 1990 , 125, 1132-5	63
2016	Evaluation of the Pediatric Trauma Score. 1990 , 263, 69	52
2015	Physiologic effects and side effects of prostaglandin E1 in the adult respiratory distress syndrome. 1990 , 97, 684-92	21
2014	Improved survival in ARDS patients associated with a reduction in pulmonary capillary wedge pressure. 1990 , 97, 1176-80	232
2013	Predicting death from initial disease severity in very low birthweight infants: a method for comparing the performance of neonatal units. 1990 , 300, 1611-4	64
2012	Circulating interleukin-1 and tumor necrosis factor in septic shock and experimental endotoxin fever. 1990 , 161, 79-84	661
2011	Severity Stratification in Life-threatening Asthma. 1990 , 5, 120-127	5
2010	Predicting Patient Outcome from Intensive Care: A Guide to APACHE, MPM, SAPS, PRISM, and Other Prognostic Scoring Systems. 1990 , 5, 33-52	52
2009	Prevention of stress ulcer bleeding: a review. 1990 , 178, 32-41	20
2008	Microorganisms and diarrhea in enterally fed intensive care unit patients. 1990 , 14, 622-8	32
2007	The Importance of Severity of Illness in Assessing Hospital Mortality. 1990 , 263, 241	78

2006	Illness Severity and Costs of Admissions at Teaching and Nonteaching Hospitals. 1990 , 264, 1426	71
2005	Triage Considerations in Medical Intensive Care. 1990 , 150, 1455	30
2004	What difference do two days make? The inertia of physicians' sequential prognostic judgments for critically ill patients. 1990 , 10, 6-14	20
2003	A randomized, controlled trial of a geriatric assessment unit in a community rehabilitation hospital. 1990 , 322, 1572-8	340
2002	Adult Open Heart Surgery in New York State. 1990 , 264, 2768	296
2001	Scoring and outcome audit systems relevant to emergency medicine. 1990 , 7, 9-15	2
2000	Total parenteral nutrition 1990. A review of its current status in hospitalised patients, and the need for patient-specific feeding. 1990 , 40, 346-63	32
1999	Statistical methods in SUPPORT. 1990 , 43 Suppl, 89S-98S	6
1998	[Resuscitation in the elderly: prognostic factors]. 1990 , 9, 245-8	0
1997	Secondary insults during intrahospital transport of head-injured patients. 1990 , 335, 327-30	213
1996	Background for SUPPORT. 1990 , 43 Suppl, 1S-4S	29
1995	Humanity in intensive care. 1990 , 6, 12-6	11
1994	Interpretation of hospital mortality rates: the current state of the art. 1990 , 65, 1627-9	2
1993	Patient characteristics in SUPPORT: sociodemographics, admission diagnosis, co-morbidities and acute physiology score. 1990 , 43 Suppl, 29S-31S	10
1992	Assessment of prediction of mortality by using the APACHE II scoring system in intensive-care units. 1990 , 65, 1549-57	44
1991	Assessing quality of life and preferences in the seriously ill using utility theory. 1990 , 43 Suppl, 73S-77S	27
1990	Why is mortality persistently high in acute renal failure?. 1990 , 335, 971	20
1989	Audit of transfer of unconscious head-injured patients to a neurosurgical unit. 1990 , 335, 330-4	109

1988	Monoclonal antibody to TNF in severe septic shock. 1990 , 335, 1275-7	158
1987	Study population in SUPPORT: patients (as defined by disease categories and mortality projections), surrogates, and physicians. 1990 , 43 Suppl, 11S-28S	52
1986	Data collection strategies in SUPPORT. 1990 , 43 Suppl, 5S-9S	16
1985	Increased concentrations of plasma lactate predict pathologic dependence of oxygen consumption on oxygen delivery in patients with adult respiratory distress syndrome. 1990 , 5, 81-86	74
1984	Early physiologic predictors of injury severity and death in blunt multiple trauma. 1990 , 125, 498-508	198
1983	Clostridium difficile diarrhea and colonization after treatment with abdominal infection regimens containing clindamycin or metronidazole. 1990 , 159, 212-7	23
1982	Factors influencing the treatment of intra-abdominal abscesses. 1990 , 159, 167-71	47
1981	APACHE II in emergency operations for perforated ulcers. 1990 , 159, 309-13	49
1980	Fluid and ion redistribution in skeletal muscle in an animal sepsis model. 1990 , 25, 599-603	13
1979	Surgical critical care. 1990 , 27, 465-569	2
1978	Once-daily dosing regimen for aminoglycoside plus beta-lactam combination therapy of serious bacterial infections: comparative trial with netilmicin plus ceftriaxone. 1990 , 89, 58-66	144
1977	Economic impact of diagnosis-related groups and severity of illness on reimbursement for central nervous system infections. 1991 , 118, 693-7	10
1976	Conserving resources after carotid endarterectomy: selective use of the intensive care unit. 1991 , 14, 796-800; discussion 800-2	63
1975	Intensive care for the elderly. 1991 , 337, 209-210	3
1974	Control of blood gas measurements in intensive-care units. 1991 , 337, 1580-2	30
1973	Relating patient characteristics at the time of admission to outcomes of hospitalization. 1991 , 44, 1063-9	74
1972	Laboratory data predicts survival post hospitalization. 1991 , 44, 1387-403	2
1971	Intensive care management of community-acquired Klebsiella pneumoniae. 1991 , 85, 11-6	7

1970	PAI and D-D dimer levels are related to severity of injury in trauma patients. 1991 , 5, 253-256	2
1969	Contour-clamped homogeneous electric field gel electrophoresis as a powerful epidemiologic tool in yeast infections. 1991 , 91, 256S-263S	54
1968	Surgical versus percutaneous drainage of intra-abdominal abscesses. 1991 , 161, 593-5	104
1967	Equity and the distribution of UK National Health Service resources. 1991 , 10, 1-19	89
1966	Comparison of length of stay after hernia repair in two Victorian hospitals. Standards Sub-committee of the Victorian State Committee of the Royal Australasian College of Surgeons. 1991 , 61, 276-9	2
1965	A prospective evaluation of the management of bleeding peptic ulcer. 1991 , 61, 187-93	4
1964	Do intensive care nurses consider intensive care less useful than their patients or patient's family?. 1991 , 4, 22-7	
1963	From The Lancet. 1991 , 337, 1582	
1962	Onchocercacidal effects of amocarzine (CGP 6140) in Latin America. 1991 , 337, 583-4	22
1961	Treatment of severe cardiogenic pulmonary edema with continuous positive airway pressure delivered by face mask. 1991 , 325, 1825-30	500
1960	Nitrogen and energy balance in septic and injured intensive care patients: response to parenteral nutrition. 1991 , 10, 258-65	22
1959	Treatment of gram-negative bacteremia and septic shock with HA-1A human monoclonal antibody against endotoxin. A randomized, double-blind, placebo-controlled trial. The HA-1A Sepsis Study Group. 1991 , 324, 429-36	1389
1958	Cortisol response to corticotropin and survival in septic shock. 1991 , 337, 582-3	373
1957	Use of the cell saver during elective abdominal aortic aneurysm surgery--influence on transfusion with bank blood. A retrospective survey. 1991 , 19, 546-50	12
1956	Conventional supportive and possible future therapy in patients affected by GITS. 1992 , 59, 241-300	1
1955	Avoiding futility: Assessment of cancer patients in intensive care units. 1991 , 2, 530-531	1
1954	Pseudomonas immunoglobulin therapy in patients with Pseudomonas sepsis and septic shock. 1991 , 44, 120-35	3
1953	Continuous arteriovenous hemofiltration in the adult respiratory distress syndrome. A randomized trial. 1991 , 93, 94-7	21

1952	Drug dosage during continuous hemofiltration: pharmacokinetics and practical implications. 1991 , 93, 127-30	11
1951	APACHE II scoring in surgical upper gastrointestinal emergencies. 1991 , 9, 156-64	5
1950	Health care rationing and insured access: does the Catholic tradition have anything to say?. 1991 , 58, 50-8	2
1949	APACHE II: prediction of outcome of 451 ICU oncology admissions in a community hospital. 1991 , 2, 571-4	14
1948	Reduced Mortality of Pneumococcal Bacteremia after Early Intensive Care. 1991 , 6, 302-307	11
1947	Surveillance for Quality Assessment: IV. Surveillance Using a Hospital Information System. 1991 , 12, 239-244	18
1946	Moral, Ethical, and Legal Issues in the Intensive Care Unit. 1991 , 6, 175-195	2
1945	Outcome after cardiopulmonary resuscitation in a medical intensive care unit. 1991 , 100, 168-74	90
1944	Need for oxygen consumption measurements. 1991 , 100, 589-90	0
1943	Increased survival of ARDS patients with severe hypoxemia (ECMO criteria). 1991 , 99, 951-5	133
1942	Use of the APACHE II system in surgical lung carcinoma patients. 1991 , 100, 590-1	
1941	Disease severity in the coronary care unit. 1991 , 100, 1637-42	37
1940	Predictors of mortality in older patients following medical intensive care: the importance of functional status. 1991 , 39, 862-8	97
1939	Admission and mid-stay MedisGroups scores as predictors of death within 30 days of hospital admission. 1991 , 81, 74-8	23
1938	Withholding and withdrawing life-sustaining therapy. 1991 , 115, 478-85	120
1937	Improving the quality and utilization of critical care. 1991 , 17, 42-7	12
1936	Epidemiology of Isolation Precautions. 1991 , 12, 303-307	71
1935	The Endstage Renal Disease Severity Index (ESRD-SI). 1991 , 21, 237-43	52

1934	Patterns of resource consumption in medical intensive care. 1991 , 99, 685-9	158
1933	Control of endemic nosocomial legionnaires' disease by using sterile potable water for high risk patients. 1991 , 107, 591-605	56
1932	Excess mortality in critically ill patients with nosocomial bloodstream infections. 1991 , 100, 164-7	179
1931	Common operative problems in hepatobiliary surgery. 1991 , 71, 1363-89	7
1930	Quality assurance in the surgical intensive care unit. Where it came from and where it's going. 1991 , 71, 887-904	7
1929	Value of preoperative physiologic assessment in outcome of patients undergoing major surgical procedures. 1991 , 71, 1141-50	11
1928	Management of intra-abdominal sepsis. 1991 , 71, 1175-85	6
1927	Comparison of Severity of Illness Indicators in an Intensive Care Unit. 1991 , 151, 2201	14
1926	Noninvasive face mask mechanical ventilation in patients with acute hypercapnic respiratory failure. 1991 , 100, 445-54	252
1925	The APACHE III prognostic system. Risk prediction of hospital mortality for critically ill hospitalized adults. 1991 , 100, 1619-36	3035
1924	The effects of inversed ratio ventilation (IRV) on arterial oxygenation during mechanical ventilation in patients with acute respiratory failure. 1991 , 22, 93-101	5
1923	Classification of acute pancreatitis. 1991 , 9, 39-49	4
1922	Surgical audit under scrutiny--a prospective study. 1991 , 160, 299-302	2
1921	Prognostic significance of marked leukocytosis in hospitalized patients. 1991 , 6, 199-203	23
1920	Utilization of hospital resources by alcoholic and nonalcoholic patients: a prospective study. 1991 , 6, 216-22	4
1919	Cluster analysis of clinical data measured in the surgical intensive care unit. 1991 , 35, 157-70	2
1918	Flumazenil in intensive care. The duration of arousal after an assessment dose. 1991 , 46, 413-6	6
1917	Cost of intensive therapy. A description of methodology and initial results. 1991 , 46, 523-30	41

1916	APACHE II and clinical sickness score. 1991 , 46, 988-90	
1915	A comparison of APACHE II and a clinical sickness score. A study of 97 consecutive admissions to a district general hospital intensive care unit. 1991 , 46, 442-6	4
1914	Effect of neurotrauma on hepatic drug clearance. 1991 , 50, 487-97	72
1913	Anaesthetic management of the septic patient. 1991 , 5, 181-214	1
1912	Outcome of intensive therapy. 1991 , 2, 149-154	1
1911	Serum androgens in intensive-care patients: correlations with clinical findings. 1991 , 34, 305-10	58
1910	Mechanical ventilation in medical and neurological diseases: 11 years of experience. 1991 , 229, 117-24	29
1909	Preliminary development of two predictive models for DNR patients in intensive care. 1991 , 23, 140-4	2
1908	A basic program for calculation of APACHE II and Elebute scores and sepsis evaluation in intensive care medicine. 1991 , 21, 143-59	25
1907	Classification of postoperative cardiac patients: comparative evaluation of four algorithms. 1991 , 29, 257-70	5
1906	Variable selection for the classification of postoperative cardiac patients. 1991 , 27, 201-13	7
1905	Combat exposure and the etiology of postdischarge substance abuse problems among Vietnam veterans. 1991 , 4, 251-277	12
1904	Outcome of acute supratentorial cerebral infarction in patients under 60. Development of a prognostic grading system. 1991 , 111, 73-9	48
1903	Supplemental immunoglobulin (ivIgG) treatment in 163 patients with sepsis and septic shock--an observational study as a prerequisite for placebo-controlled clinical trials. 1991 , 19, 216-27	27
1902	Peripheral oxygen availability within skeletal muscle in sepsis and septic shock: comparison to limited infection and cardiogenic shock. 1991 , 19, 317-23	110
1901	Open approach in pancreatic and infected pancreatic necrosis: laparostomies and preplanned revisions. 1991 , 15, 516-20; discussion 520-1	43
1900	Planned reoperations and open management in critical intra-abdominal infections: prospective experience in 52 cases. 1991 , 15, 537-45	122
1899	Management of resources in intensive care. 1991 , 17, 127-8	3

1898	Predicting outcome in intensive therapy units--a comparison of Apache II with subjective assessments. 1991 , 17, 159-63	50
1897	Simplification of the SAPS by selecting independent variables. 1991 , 17, 164-8	7
1896	Outcome prediction of acute renal failure in medical intensive care. 1991 , 17, 19-24	171
1895	Plasma lipid peroxides and antioxidants in human septic shock. 1991 , 17, 40-4	81
1894	The cost of an intensive care unit: a prospective study. 1991 , 17, 204-8	32
1893	Current practice regarding invasive monitoring in intensive care units in Finland. A nationwide study of the uses of arterial, pulmonary artery and central venous catheters and their effect on outcome. The Finnish Intensive Care Study Group. 1991 , 17, 264-71	21
1892	Factors influencing transcutaneous oxygen and carbon dioxide measurements in adult intensive care patients. 1991 , 17, 272-5	22
1891	Delivery dependent oxygen consumption in patients with septic shock: daily variations, relationship with outcome and the sick-euthyroid syndrome. 1991 , 17, 325-32	20
1890	Usefulness of severity indices in intensive care medicine as a predictor of nosocomial infection risk. 1991 , 17, 336-9	26
1889	The P50 is reduced in critically ill patients. 1991 , 17, 355-8	24
1888	Energy expenditure and outcome in patients with multiple organ failure following abdominal surgery. 1991 , 17, 403-9	12
1887	Intraabdominal infections: classification, mortality, scoring and pathophysiology. 1991 , 19, 447-52	43
1886	A data model for intensive care. 1991 , 8, 213-24	5
1885	Predicting outcome in critical care: the current status of the APACHE prognostic scoring system. 1991 , 38, 374-83	98
1884	Measuring the quality of critical care. 1991 , 8, 83-4	
1883	Necrotizing myopathy in critically-ill patients. 1991 , 164, 307-14	126
1882	A review of the pathophysiology, causes and prognosis of acute renal failure in the elderly. 1991 , 1, 77-91	11
1881	Availability, wishful thinking, and physicians' diagnostic judgments for patients with suspected bacteremia. 1991 , 11, 159-68	167

1880	Pneumonia complicating abdominal sepsis. An independent risk factor for mortality. 1991 , 126, 170-5	33
1879	Validity and reliability of a pediatric hematology oncology patient acuity tool. 1991 , 8, 122-30	4
1878	Incidence of Clinically Important Bleeding in Mechanically Ventilated Patients. 1991 , 6, 167-174	38
1877	Pneumocystis carinii pneumonia and respiratory failure in AIDS. Improved outcomes and increased use of intensive care units. 1991 , 143, 251-6	90
1876	Oxygen consumption is independent of changes in oxygen delivery in severe adult respiratory distress syndrome. 1991 , 143, 1267-73	166
1875	Acute poisoning with a glyphosate-surfactant herbicide ('Roundup'): a review of 93 cases. 1991 , 10, 1-8	97
1874	Oral Decontamination and Ventilator-Associated Pneumonia. 1991 , 266, 1511	
1873	Lack of predictive value of the APACHE II score in hypoalbuminemic patients. 1991 , 15, 313-5	19
1872	Substance Use and Abuse. 1991 , 266, 1512	
1871	Effects of high-dose IgG on survival of surgical patients with sepsis scores of 20 or greater. 1991 , 126, 236-40	80
1870	Treatable Abdominal Pathologic Conditions and Unsuspected Malignant Neoplasms at Autopsy in Veterans Who Received Mechanical Ventilation. 1991 , 265, 885	13
1869	Oral Decontamination and Ventilator-Associated Pneumonia-Reply. 1991 , 266, 1512	
1868	A Controlled Clinical Trial of E5 Murine Monoclonal IgM Antibody to Endotoxin in the Treatment of Gram-Negative Sepsis. 1991 , 266, 1097	404
1867	Oropharyngeal Decontamination Decreases Incidence of Ventilator-Associated Pneumonia. 1991 , 265, 2704	166
1866	A prospective randomized study comparing once- versus twice-daily amikacin dosing in critically ill adult and paediatric patients. 1991 , 28, 753-64	107
1865	The prognostic inflammatory and nutritional index in traumatized patients receiving enteral nutrition support. 1991 , 10, 355-63	33
1864	A randomized control trial of right-heart catheterization in critically ill patients. Ontario Intensive Care Study Group. 1991 , 6, 91-5	125
1863	Nasal positive pressure ventilation in patients with acute respiratory failure. Difficult and time-consuming procedure for nurses. 1991 , 100, 775-82	142

1862	Antibiotic prophylaxis of respiratory tract infection in mechanically ventilated patients. A prospective, blinded, randomized trial of the effect of a novel regimen. 1991 , 100, 783-91	75
1861	Identifying patients with high risk of high cost. 1991 , 99, 530-1	14
1860	Acute cardiogenic pulmonary edema treated with mechanical ventilation. Factors determining in-hospital mortality. 1991 , 99, 1220-6	24
1859	Fluid balance during pulmonary edema. Is fluid gain a marker or a cause of poor outcome?. 1991 , 100, 1068-75	190
1858	The do-not-resuscitate order. Ethical and legal imperative or medical decision?. 1991 , 143, 665-74	17
1857	Combined APACHE II score and serum lactate dehydrogenase as predictors of in-hospital mortality caused by first episode <i>Pneumocystis carinii</i> pneumonia in patients with acquired immunodeficiency syndrome. 1991 , 144, 319-23	51
1856	The prognostic use of a lactate infusion in patients with severe hepatorenal failure. 1991 , 13, 111-8	5
1855	Short-term mortality predictions for critically ill hospitalized adults: science and ethics. 1991 , 254, 389-94	193
1854	Determinants of immediate survival among chronic respiratory insufficiency patients admitted to an intensive care unit for acute respiratory failure. A prospective multicenter study. The French Task Group for Acute Respiratory Failure in Chronic Respiratory insufficiency. 1992 , 101, 204-10	52
1853	Physician decisions regarding life support in the intensive care unit. 1992 , 101, 217-24	30
1852	The adult respiratory distress syndrome. A report of survival and modifying factors. 1992 , 101, 1074-9	210
1851	Efficacy of a low dose of cefotaxime in serious chest infections. 1992 , 101, 1393-8	16
1850	Evaluation and first validation study on a simplified drug dosage algorithm for multiple organ failure patients. 1992 , 14, 579-85	7
1849	Anti-endotoxin monoclonal antibodies. 1992 , 326, 1153-7	185
1848	Prophylactic intravenous administration of standard immune globulin as compared with core-lipopolysaccharide immune globulin in patients at high risk of postsurgical infection. 1992 , 327, 234-40	132
1847	Evaluation of new anti-infective drugs for the treatment of intraabdominal infections. Infectious Diseases Society of America and the Food and Drug Administration. 1992 , 15 Suppl 1, S33-42	51
1846	Low Survival Rate After Cardiopulmonary Resuscitation in a County Hospital. 1992 , 152, 2045	17
1845	Effectiveness of a human monoclonal anti-endotoxin antibody (HA-1A) in gram-negative sepsis: relationship to endotoxin and cytokine levels. 1992 , 166, 1367-74	92

1844	A controlled trial of scheduled replacement of central venous and pulmonary-artery catheters. 1992 , 327, 1062-8	347
1843	The Problem of Discrimination in Health Care Priority Setting. 1992 , 268, 1454	36
1842	The intensive care unit in paediatric oncology. 1992 , 67, 294-8	34
1841	Endotoxin concentration in neutropenic patients with suspected gram-negative sepsis: correlation with clinical outcome and determination of anti-endotoxin core antibodies during therapy with polyclonal immunoglobulin M-enriched immunoglobulins. 1992 , 36, 2139-46	68
1840	A controlled trial of selective decontamination of the digestive tract in intensive care and its effect on nosocomial infection. 1992 , 30, 73-87	78
1839	Mortality in Intensive Care Patients With Respiratory Disease. 1992 , 152, 1683	34
1838	Outcome of Cardiopulmonary Resuscitation in the Intensive Care Setting. 1992 , 152, 2305	50
1837	Laparotomy for fulminant pseudomembranous colitis. 1992 , 127, 847-52; discussion 852-3	66
1836	Blood-brain barrier damage in patients with bacterial meningitis: association with tumor necrosis factor-alpha but not interleukin-1 beta. 1992 , 166, 350-8	135
1835	Stratification of Morbidity and Mortality Outcome by Preoperative Risk Factors in Coronary Artery Bypass Patients. 1992 , 267, 2344	486
1834	Endotoxin, TNF-alpha, interleukin-6 and parameters of the cellular immune system in patients with intraabdominal sepsis. 1992 , 24, 361-8	67
1833	.	
1832	Aspergillus flavus wound infection following repair of a ruptured duodenum in a non-immunocompromised host. 1992 , 24, 805-9	9
1831	The Meaning of Correctional Crowding: Steps Toward an Index of Severity. 1992 , 38, 171-188	15
1830	Complement activation and the production of inflammatory mediators during the treatment of severe sepsis in humans. 1992 , 24, 197-204	29
1829	Risk Factors for Epidemic Xanthomonas maltophilia Infection/Colonization in Intensive Care Unit Patients. 1992 , 13, 201-206	67
1828	Metabolism and nutritional frontiers in pediatric surgical patients. 1992 , 72, 1237-66	19
1827	Estimating energy expenditure in traumatic brain injury: comparison of indirect calorimetry with predictive formulas. 1992 , 31, 246-52; discussion 252-3	46

1826	Continuous Arteriovenous Haemodialysis in Severe Combined Renal and Respiratory Failure. 1992 , 10, 262-268	5
1825	Predicting outcome after ICU admission. The art and science of assessing risk. 1992 , 102, 1861-70	76
1824	Methodology for Clinical Investigation of Ventilator-Associated Pneumonia: Epidemiology and Therapeutic Intervention. 1992 , 13, 667-677	1
1823	Tumor necrosis factor soluble receptors circulate during experimental and clinical inflammation and can protect against excessive tumor necrosis factor alpha in vitro and in vivo. 1992 , 89, 4845-9	691
1822	Critically examining intensive care. 1992 , 8, 444-56	4
1821	Problems in assessing the technology of critical care medicine. 1992 , 8, 419-43	15
1820	Epidemiology of intensive care. 1992 , 8, 395-407	28
1819	The use of risk-adjusted complication rates to compare hospitals performing coronary artery bypass surgery or angioplasty. 1992 , 8, 524-38	10
1818	HMO vs fee-for-service care of older persons with acute myocardial infarction. 1992 , 82, 1626-30	48
1817	Reports of Societies. 1992 , 37, 153-159	
1816	A description and clinical assessment of the Computerized Severity Index. 1992 , 18, 44-52	18
1815	Methodology for clinical investigation of ventilator-associated pneumonia. Epidemiology and therapeutic intervention. 1992 , 102, 580S-588S	24
1814	Multisystem organ failure predicts mortality of ICU patients with acute respiratory failure secondary to AIDS-related PCP. 1992 , 102, 1823-8	32
1813	Time course of pulmonary function before admission into ICU. A two-year retrospective study of COLD patients with hypercapnia. 1992 , 102, 1737-41	13
1812	Ruptured abdominal aortic aneurysms: Repair should not be denied. 1992 , 15, 851-859	156
1811	From The Lancet. 1992 , 339, 199	1
1810	Gastric intramucosal pH as a therapeutic index of tissue oxygenation in critically ill patients. 1992 , 339, 195-9	650
1809	A prospective evaluation of the cumulative illness rating scale. 1992 , 4, 171-8	15

1808	Imipenem/cilastatin: a pharmaco-economic appraisal of its use in intra-abdominal infections. 1992 , 1, 443-59	8
1807	Correlation of plasma cytokine elevations with mortality rate in children with sepsis. 1992 , 120, 510-5	135
1806	Generalized inflammation during peritonitis evidenced by intracutaneous E-selectin expression. 1992 , 65, 330-4	18
1805	Epidemiology of <i>Pseudomonas aeruginosa</i> in an intensive care unit using selective decontamination of the digestive tract. 1992 , 20, 199-208	22
1804	Risk factors for surgical wound infection among the elderly. 1992 , 45, 357-64	27
1803	Outcome of recipients of bone marrow transplants who require intensive-care unit support. 1992 , 67, 117-22	162
1802	Contribution of a measure of disease complexity (COMPLEX) to prediction of outcome and charges among hospitalized patients. 1992 , 67, 1140-9	30
1801	Double-blind study of selective decontamination of the digestive tract in intensive care. 1992 , 340, 5-9	217
1800	Gastric intramucosal pH monitoring. 1992 , 339, 1123-4	1
1799	Needs of family members of intensive care unit patients. 1992 , 5, 2-8	107
1798	Improved outcome based on fluid management in critically ill patients requiring pulmonary artery catheterization. 1992 , 145, 990-8	526
1797	Increased serum catalase activity in septic patients with the adult respiratory distress syndrome. 1992 , 146, 985-9	39
1796	Pulsatile hormone secretion during severe sepsis: accuracy of different blood sampling regimens. 1992 , 41, 934-40	62
1795	Scarcity in the intensive care unit: principles of justice for rationing ICU beds. 1992 , 92, 551-5	31
1794	Early surgical debridement of symptomatic pancreatic necrosis is beneficial irrespective of infection. 1992 , 163, 105-9; discussion 109-10	174
1793	An endoscopic retrograde cholangiopancreatography (ERCP)-based algorithm for the management of pancreatic pseudocysts. 1992 , 163, 111-5; discussion 115-6	68
1792	Reduced expression of neutrophil CD11b and CD16 after severe traumatic injury. 1992 , 52, 22-6	50
1791	Derived oxygen saturations are not clinically useful for the calculation of oxygen consumption. 1992 , 20, 460-3	9

1790	Fulminant Community Acquired Infections Admitted to an Intensive Care Unit. 1992,	
1789	Elevated plasma levels of endothelin are associated with the severity of sepsis and presence of shock in contrast to the levels of atrial natriuretic peptide. 1992, 1, 419-23	3
1788	Infections due to beta-lactamase-producing, high-level gentamicin-resistant <i>Enterococcus faecalis</i> . 1992, 116, 285-92	71
1787	Time-dependent error in the APACHE II scoring system. 1992, 20, 63-5	6
1786	Comparison of Methods for Measuring Free Thyroxin in Nonthyroidal Illness. 1992, 38, 720-724	36
1785	Active management of the dying patient. 1992, 157, 701-4	22
1784	[Treatment of peritonitis with staged lavage: prognostic criteria and course of treatment]. 1992, 377, 305-13	22
1783	[Prognostically relevant factors in intra-abdominal infection]. 1992, 377, 237-43	2
1782	Cross-validation performance of mortality prediction models. 1992, 11, 475-89	38
1781	Comparing in-patient classification systems: a problem of non-nested regression models. 1992, 11, 1321-31	6
1780	Comparison of aeromedical crew performance by patient severity and outcome. 1992, 21, 375-8	25
1779	Computers in the ICU: why? What? And so what?. 1992, 9, 199-205	8
1778	Assessing quality of life: the basis for withdrawal of life-supporting treatment?. 1992, 17, 1440-6	3
1777	Colloid solutions in the critically ill. A randomised comparison of albumin and polygeline. 1. Outcome and duration of stay in the intensive care unit. 1992, 47, 3-6	101
1776	Cause of death after critical illness. 1992, 47, 116-9	15
1775	Preparation of the critically ill for interhospital transfer. 1992, 47, 327-31	29
1774	An analogue approach to audit in anaesthesia. 1992, 47, 658-63	2
1773	The Riyadh Intensive Care Program applied to a mortality analysis of a teaching hospital intensive care unit. 1992, 47, 775-80	17

1772	Capnocytophaga canimorus infection and acute renal failure. 1992 , 25, 112-4	7
1771	Part 1: Intensive therapy. 1992 , 6, 182-187	
1770	The relationship between a nutritional index and acute physiology score in critical illness. 1992 , 161, 565-8	6
1769	Clinical audit in intensive care--the Meath Intensive Care Audit. 1992 , 161, 498-500	
1768	Multifactorial index of preoperative risk factors in colon resections. 1992 , 35, 117-22	70
1767	Endotoxin, TNFa und IL-6 bei abdomineller Sepsis. 1992 , 24, 174-179	1
1766	Pre-operative assessment and risk analysis. 1992 , 3, 187-192	
1765	A literature review of recent advances in enteral feeding and the increased understanding of the gut. 1992 , 8, 185-8	10
1764	Validation of logistic regression models used in the assessment of prognosis and the need for surgery in equine colic patients. 1992 , 13, 155-172	16
1763	Anaesthetic technique does not influence postoperative bowel function: a comparison of propofol, nitrous oxide and isoflurane. 1992 , 39, 938-43	26
1762	Audit of critical care: aims, uses, costs and limitations of a Canadian system. 1992 , 39, 260-9	20
1761	Abstracts. 1992 , 39, A3-A151	
1760	Can a clinician predict the technical equipment a patient will need during intensive care unit treatment? An approach to standardize and redesign the intensive care unit workstation. 1992 , 8, 1-6	6
1759	Prevention of nosocomial infection in critically ill patients by selective decontamination of the digestive tract. A randomized, double blind, placebo-controlled study. 1992 , 18, 398-404	123
1758	Isoflurane for prolonged sedation in the intensive care unit; efficacy and safety. 1992 , 18, 415-21	89
1757	Continuous arteriovenous haemofiltration and respiratory function in multiple organ systems failure. 1992 , 18, 334-8	41
1756	Adrenocortical function: an indicator of severity of disease and survival in chronic critically ill patients. 1992 , 18, 93-6	126
1755	Diagnostic bronchoalveolar lavage in patients with pneumonia produces sepsis-like systemic effects. 1992 , 18, 6-10	53

1754	Intestinal permeability in the critically ill. 1992 , 18, 38-41	91
1753	Apache-II-scoring in the liver transplant recipient. 1992 , 18, 60-1	4
1752	Trauma patient scoring. 1992 , 6, 47-66	2
1751	The nursing care recording system. A preliminary study of a system for assessment of nursing care demands in the ICU. 1992 , 36, 610-4	13
1750	A regression-like approach to developing a severity index for EMS patients. 1992 , 22, 123-33	0
1749	Independent validation of APACHE II severity of illness score for predicting mortality in patients with breast cancer admitted to the intensive care unit. 1992 , 70, 497-503	50
1748	Scoring systems. 1993 , 7, 4-8	1
1747	Treatment of <i>Candida albicans</i> fungaemia with fluconazole. 1993 , 26, 133-46	83
1746	Predictions in the intensive care unit--in search of an "unholy grail"!. 1993 , 7, 708-10	2
1745	In-hospital cardiac arrest. 1993 , 22, 113-7	44
1744	Sociodemographic determinants in the hospitalization decision: evaluation of an emergency department interhospital transfer policy. 1993 , 22, 813-8	3
1743	Thyrotropin concentration predicts outcome in critical illness. 1993 , 48, 373-6	54
1742	The resource implications of severe necrotizing pancreatitis treated by necrosectomy. 1993 , 63, 541-4	7
1741	Laboratory methods for detecting disseminated intravascular coagulation (DIC): new aspects. 1993 , 37, 125-30	38
1740	Acute renal failure in the critically ill: management by continuous veno-venous hemodiafiltration. 1993 , 8, 140-4	10
1739	Prevalence and prediction of multiple organ system failure and mortality in acute pancreatitis. 1993 , 8, 145-53	38
1738	Continuum of care trauma outcome evaluation. 1993 , 27, 219-232	2
1737	Prognostic factors in acute pancreatitis. 1993 , 14, 1-8	21

1736	Regional audit of pedestrian accident care. 1993 , 24, 435-7	6
1735	A predictive index for functional decline in hospitalized elderly medical patients. 1993 , 8, 645-52	199
1734	Respiratory rate predicts cardiopulmonary arrest for internal medicine inpatients. 1993 , 8, 354-60	261
1733	Announcement. 1993 , 8, 360-360	
1732	Spectral analysis of heart rate variability in the sepsis syndrome. 1993 , 3, 5-13	118
1731	Correlation of metabolic acidosis with outcome following injury and its value as a scoring tool. 1993 , 17, 575-9	35
1730	Incidence and risk factors of pneumonia acquired in intensive care units. Results from a multicenter prospective study on 996 patients. European Cooperative Group on Nosocomial Pneumonia. 1993 , 19, 256-64	175
1729	Importance of pre-existing co-morbidities for prognosis of septicemia in critically ill patients. 1993 , 19, 265-72	153
1728	Preliminary observations on the neuromuscular abnormalities in patients with organ failure and sepsis. 1993 , 19, 323-8	129
1727	Grading asthma severity: using the APS component of the Apache II system. 1993 , 19, 221-6	9
1726	Parenteral nutrition in the critically ill: use of a medium chain triglyceride emulsion. 1993 , 19, 89-95	46
1725	The use of neuromuscular blocking drugs in the intensive care unit: a US perspective. 1993 , 19 Suppl 2, S40-4	39
1724	Non-invasive modalities of positive pressure ventilation improve the outcome of acute exacerbations in GOLD patients. 1993 , 19, 450-5	177
1723	Pressure support ventilation via face mask in acute respiratory failure in hypercapnic COPD patients. 1993 , 19, 456-61	72
1722	Characterization of intensive care unit patients using a model based on the presence or absence of organ dysfunctions and/or infection: the ODIN model. 1993 , 19, 137-44	249
1721	The effects of norepinephrine on hemodynamics and renal function in severe septic shock states. 1993 , 19, 151-4	169
1720	Comparative study of the efficacy of fluconazole versus amphotericin B/flucytosine in surgical patients with systemic mycoses. 1993 , 21, 376-82	69
1719	Monitoring intensive care unit performance using statistical quality control charts. 1993 , 10, 155-61	8

1718	Enhancement of in vitro bactericidal activity of neutrophils from trauma patients in the presence of granulocyte colony-stimulating factor. 1993 , 12, 121-4	7
1717	Audit of intensive care unit admissions from the operating room. 1993 , 40, 137-41	27
1716	Comparison of APACHE II, Trauma Score, and Injury Severity Score as predictors of outcome in critically injured trauma patients. 1993 , 166, 244-7	69
1715	Prediction of the severity of acute pancreatitis. 1993 , 166, 262-8; discussion 269	82
1714	Nosocomial pneumonia in ventilated patients: a cohort study evaluating attributable mortality and hospital stay. 1993 , 94, 281-8	954
1713	A new clinical prognostic staging system for acute pancreatitis. 1993 , 95, 61-70	26
1712	Fever of nosocomial origin: etiology, risk factors, and outcomes. 1993 , 95, 505-12	51
1711	Paranasal sinusitis: cryptic sepsis after coronary artery bypass operations. 1993 , 55, 706-10	3
1710	Audit in infection control--data analysis and infections in the intensive care unit. 1993 , 24, 291-300	6
1709	Severity of sickness at admission to hospital in Colchester 1985 and 1990. 1993 , 107, 171-5	4
1708	Single-dose pharmacokinetics and safety of HA-1A, a human IgM anti-lipid-A monoclonal antibody, in pediatric patients with sepsis syndrome. 1993 , 122, 974-81	9
1707	Intestinal permeability is increased after major vascular surgery. 1993 , 17, 734-737	70
1706	Monotherapy in serious hospital-acquired infections: a clinical trial of ceftazidime versus imipenem/cilastatin. European Study Group. 1993 , 31, 927-37	56
1705	Pharmacokinetics of cefepime in patients with the sepsis syndrome. 1993 , 32 Suppl B, 117-22	28
1704	Nutritional support of critically ill patients. 1993 , 68, 911-20	38
1703	Once versus thrice daily gentamicin in patients with serious infections. 1993 , 341, 335-9	312
1702	Endotoxemia after major vascular operations. 1993 , 18, 853-857	47
1701	Intoxications aiguës : Évaluation de la gravité 1993 , 2, 185-190	

1700	Oxygen consumption is independent of increases in oxygen delivery by dobutamine in septic patients who have normal or increased plasma lactate. 1993 , 147, 25-31	167
1699	Acute continuous hemodiafiltration: a prospective study of 110 patients and a review of the literature. 1993 , 21, 508-18	53
1698	A prospective comparative study of continuous arteriovenous hemodiafiltration and continuous venovenous hemodiafiltration in critically ill patients. 1993 , 21, 400-4	68
1697	Thermogenic response to total parenteral nutrition in depleted patients with multiple organ failure. 1993 , 12, 253-60	4
1696	Does prediction of outcome alter patient management?. 1993 , 341, 1487-91	113
1695	Physiological scoring systems and audit. 1993 , 341, 1573-4	56
1694	Are both aspirin and heparin justified as adjuncts to thrombolytic therapy for acute myocardial infarction?. 1993 , 341, 1574-7	46
1693	Physiological scoring systems and audit. 1993 , 342, 306-308	6
1692	The CRIB (clinical risk index for babies) score: a tool for assessing initial neonatal risk and comparing performance of neonatal intensive care units. 1993 , 342, 193-198	736
1691	Severity of illness classification for infection control departments: a study in nosocomial pneumonia. 1993 , 21, 117-26	13
1690	Audit of nasogastric feeding practice at two acute hospitals: is early enteral feeding associated with reduced mortality and hospital stay?. 1993 , 6, 477-489	9
1689	Pharmacokinetics and pharmacodynamics in the critically ill patient. 1993 , 23, 1195-230	26
1688	A comparison of conventional dialytic therapy and acute continuous hemodiafiltration in the management of acute renal failure in the critically ill. 1993 , 15, 595-602	47
1687	The Sepsis Syndrome in a Dutch University Hospital. 1993 , 153, 2241	47
1686	Intestinal permeability after severe trauma and hemorrhagic shock is increased without relation to septic complications. 1993 , 128, 453-7	128
1685	Analysis of indications for intensive care unit admission. Clinical efficacy assessment project: American College of Physicians. 1993 , 104, 1806-11	62
1684	Postoperative complications in patients with human immunodeficiency virus disease. Clinical data and a literature review. 1993 , 103, 1800-7	21
1683	[Score systems in emergency medicine]. 1993 , 28, 222-7	4

1682	Identifying elderly patients for early discharge after hospitalization for hip fracture. 1993 , 48, M187-95	22
1681	NITROUS OXIDE ADMINISTRATION VIA OXYGEN THERAPY DEVICES. 1993 , 70, 238	
1680	Endothelin-1 in acute lung injury and the adult respiratory distress syndrome. 1993 , 148, 1646-50	140
1679	Plasmapheresis in the treatment of primary septic shock in humans. 1993 , 25, 757-61	32
1678	Comparison of imipenem/cilastatin with the combination of aztreonam and clindamycin in the treatment of intra-abdominal infections. 1993 , 32, 491-500	21
1677	Postoperative intra-abdominal sepsis requiring reoperation. Value of a predictive index. 1993 , 128, 218-22; discussion 223	40
1676	Serum cortisol and cerebrospinal fluid beta-endorphins in status epilepticus. Their possible relation to prognosis. 1993 , 50, 689-93	28
1675	Intensive care. 1993 , 69, 340-58	
1674	A New Simplified Acute Physiology Score (SAPS II) Based on a European/North American Multicenter Study. 1993 , 270, 2957	3894
1673	The optimal dosage of ceftazidime for severe lower respiratory tract infections. 1993 , 32, 611-22	5
1672	Adult respiratory distress syndrome after attempted strangulation. 1993 , 70, 583-6	0
1671	Hemodynamic assessment in managing the critically ill: is physician confidence warranted?. 1993 , 13, 258-66	45
1670	Ventilator-Associated Pneumonia. 1993 , 270, 1965	361
1669	A clinically based classification system for acute pancreatitis. Summary of the International Symposium on Acute Pancreatitis, Atlanta, Ga, September 11 through 13, 1992. 1993 , 128, 586-90	1922
1668	Selective decontamination of the digestive tract and its role in antimicrobial prophylaxis. 1993 , 31, 813-29	26
1667	Do-Not-Resuscitate Orders in Intensive Care Units. 1993 , 270, 2213	62
1666	Long-term Outcome of Critically Ill Elderly Patients Requiring Intensive Care. 1993 , 269, 3119	175
1665	Adolescent Tobacco Use and Physical Activity-Reply. 1993 , 270, 938	

1664	A Randomized Clinical Trial of the Effect of Deliberate Perioperative Increase of Oxygen Delivery on Mortality in High-Risk Surgical Patients. 1993 , 270, 2699	548
1663	Clinical Utility and Cost-effectiveness of an Air Suspension Bed in the Prevention of Pressure Ulcers. 1993 , 269, 1139	85
1662	Identification of the Critical Oxygen Delivery for Anaerobic Metabolism in Critically Ill Septic and Nonseptic Humans. 1993 , 270, 1724	206
1661	Prognostic scoring systems: facing difficult decisions with objective data. 1993 , 2, 185-91	2
1660	Respiratory Failure in the Elderly. 1993 , 153, 1657	56
1659	Quality assurance in surgical practice. 1993 , 101, 183-191	
1658	Mortality Probability Models (MPM II) Based on an International Cohort of Intensive Care Unit Patients. 1993 , 270, 2478	585
1657	Analysis of vancomycin entry into pulmonary lining fluid by bronchoalveolar lavage in critically ill patients. 1993 , 37, 281-6	263
1656	Intensive Care Society's APACHE II study in Britain and Ireland--I: Variations in case mix of adult admissions to general intensive care units and impact on outcome. 1993 , 307, 972-7	105
1655	Acute renal failure in patients with acute pancreatitis: prevalence, risk factors, and outcome. 1993 ,	1
1654	Cardiopulmonary effects of bronchoalveolar lavage in critically ill patients. 1993 , 104, 1541-7	67
1653	Positive end-expiratory pressure increases the right-to-left shunt in mechanically ventilated patients with patent foramen ovale. 1993 , 119, 887-94	64
1652	Pilot study of cardiopulmonary risk from pentoxifylline in adult respiratory distress syndrome. 1993 , 103, 1017-22	36
1651	Comparative clinical, microbiologic, and economic audit of the use of oral ciprofloxacin and parenteral antimicrobials. 1993 , 27, 785-9	18
1650	Assessment of Urea Appearance Rates and Net Nitrogen Deficits in Patients With Acute Renal Failure Receiving Continuous Venovenous Hemofiltration. 1993 , 3, 67-74	4
1649	Intensive Care Society's APACHE II study in Britain and Ireland--II: Outcome comparisons of intensive care units after adjustment for case mix by the American APACHE II method. 1993 , 307, 977-81	196
1648	Resource utilization in treatment of diabetic ketoacidosis in adults. 1993 , 306, 287-94	33
1647	Age-related variability in the use of cardiovascular imaging procedures. 1993 , 41, 1075-82	19

1646	Hospital Outcomes Project for the Elderly (HOPE): rationale and design for a prospective pooled analysis. 1993 , 41, 258-67	26
1645	Predictors of formal home health care use in elderly patients after hospitalization. 1993 , 41, 961-6	35
1644	Increased whole body protein breakdown predominates over increased whole body protein synthesis in multiple organ failure. 1993 , 84, 655-61	83
1643	Altered leukocyte immunophenotypes in septic shock. Studies of HLA-DR, CD11b, CD14, and IL-2R expression. 1993 , 104, 847-53	122
1642	Hydrocortisone and tumor necrosis factor in severe community-acquired pneumonia. A randomized controlled study. 1993 , 104, 389-92	117
1641	A simple multiple system organ failure scoring system predicts mortality of patients who have sepsis syndrome. 1993 , 104, 230-5	189
1640	LOGISTIC REGRESSION WITH RANDOM COEFFICIENTS. 1993 , 1993, i-50	24
1639	Use of do-not-resuscitate orders in an intensive care setting. 1993 , 104, 1592-6	17
1638	Does implementing pulse oximetry in a critical care unit result in substantial arterial blood gas savings?. 1993 , 104, 542-6	35
1637	Closure of an intermediate care unit. Impact on critical care utilization. 1993 , 104, 876-81	78
1636	Mortality in a public and a private hospital compared: the severity of antecedent disorders in Medicare patients. 1993 , 83, 966-71	15
1635	Effect of air-supported, continuous, postural oscillation on the risk of early ICU pneumonia in nontraumatic critical illness. 1993 , 103, 1543-7	79
1634	Analysis of indications for early discharge from the intensive care unit. Clinical efficacy assessment project: American College of Physicians. 1993 , 104, 1812-7	33
1633	Gastric intramucosal pH. A better predictor of multiorgan dysfunction syndrome and death than oxygen-derived variables in patients with sepsis. 1993 , 104, 225-9	292
1632	Outcome of patients requiring medical ICU admission following bone marrow transplantation. 1993 , 104, 527-31	130
1631	Neurologic disease requiring long-term ventilation. The role of selective decontamination of the digestive tract in preventing nosocomial infection. 1993 , 104, 547-51	13
1630	Fracture Fixation Timing in Critically Ill Patients. 1993 , 8, 243-253	1
1629	Abstracts of Communications. 1993 , 52, 272A-386A	

1628	A controlled trial of a nursing-centered intervention in hospitalized elderly medical patients: the Yale Geriatric Care Program. 1993 , 41, 1353-60	101
1627	Abstracts of Communications. 1993 , 52, 229A-259A	
1626	Systems for comparing actual and predicted mortality rates: characteristics to promote cooperation in improving hospital care. 1993 , 118, 820-2	56
1625	Aminoglycoside volume of distribution and illness severity in critically ill septic patients. 1993 , 21, 172-3	102
1624	References and further reading. 1993 , 594-643	
1623	A new classification of acute pancreatitis. 1993 , 159, 150-1	3
1622	Overview and Outcomes. 1993 , 9, 633-656	6
1621	Intensive care utilisation: the Baragwanath experience. 1993 , 21, 396-9	7
1620	High-dose adrenaline in adult in-hospital asystolic cardiopulmonary resuscitation: a double-blind randomised trial. 1993 , 21, 192-6	40
1619	Quality of life after intensive care. 1993 , 2, 316-20	10
1618	Combined epidural and general anaesthesia versus general anaesthesia for abdominal aortic surgery: a prospective randomised trial. 1993 , 21, 790-4	44
1617	Disease staging--a case-mix system for purchasers?. 1993 , 15, 25-36	9
1616	Has the Prevalence of Handicapped Infants Increased with Improved Survival of the Very Low Birth Weight Infant?. 1993 , 20, 263-277	62
1615	Percutaneous and Surgical Management of Infra-Abdominal Abscess: Complements or Rivals. 1993 , 10, 235-239	
1614	Assessment of Nutritional Status: The Clinician's Perspective. 1993 , 13, 329-352	25
1613	Regionalization and Categorization of Critical Care Services. 1993 , 9, 603-612	17
1612	Applying quantitative methods to the prediction of full functional recovery in adult rehabilitation patients. 1993 , 74, 787-95	25
1611	Statistical Approaches to Development and Validation of Predictive Instruments. 1994 , 10, 19-35	81

1610	The Rationing of Intensive Care. 1994 , 10, 135-143	17
1609	Computer Applications in the Intensive Care Unit. 1994 , 5, 811-827	3
1608	The Case Against Using the Apache System to Predict Intensive Care Unit Outcome in Trauma Patients. 1994 , 10, 117-126	19
1607	Obesity. 1994 , 10, 613-622	27
1606	Emofiltrazione Arterovenosa Continua E Tecniche Derivate. 1994 , 6, 1-12	
1605	Predicting Intensive Care Unit Outcome with Scoring Systems: Underlying Concepts and Principles. 1994 , 10, 1-18	54
1604	Why Severity Models Should be Used with Caution. 1994 , 10, 93-110	68
1603	The Ethical Appropriateness of Using Prognostic Scoring Systems in Clinical Management. 1994 , 10, 229-241	43
1602	Objective Data and Quality Assurance Programs: Current and Future Trends. 1994 , 10, 157-177	12
1601	Outcomes research and otolaryngology. 1994 , 111, 764-9	40
1600	A new method for the estimation of the components of energy expenditure in patients with major trauma. 1994 , 267, E1002-9	6
1599	The outcome of critically ill elderly patients with severe acute renal failure treated by continuous hemodiafiltration. 1994 , 17, 466-472	8
1598	Legionnaires disease outbreak in south western Sydney, 1992: Clinical aspects. 1994 , 160, 274-277	4
1597	Predicting outcome in anaesthesia: understanding statistical methods. 1994 , 22, 447-53	10
1596	Intensive care unit resource utilisation. 1994 , 22, 46-60	11
1595	Factors affecting outcome following cardiopulmonary resuscitation. 1994 , 22, 647-58	25
1594	Errors and Bias in Using Predictive Scoring Systems. 1994 , 10, 53-72	47
1593	Cefepime compared with ceftazidime as initial therapy for serious bacterial infections and sepsis syndrome. 1994 , 38, 415-21	32

1592 Statistical Issues in Collecting Quality of Life Data in Clinical Trials. **1994**, 28, 81-88

1591	Withdrawing Care. 1994 , 271, 1358	45
1590	Modeling the Severity of Illness of ICU Patients. 1994 , 272, 1049	181
1589	A Scoring System for Multiple Organ Dysfunction Syndrome. 1994 , 38-49	14
1588	Predicting stroke outcome: Guy's prognostic score in practice. 1994 , 57, 932-5	16
1587	Penetration of piperacillin-tazobactam into bronchial secretions after multiple doses to intensive care patients. 1994 , 38, 2780-4	17
1586	Bacteriology of selective decontamination: efficacy and rebound colonization. 1994 , 34, 139-48	49
1585	Open vs closed treatment of secondary pancreatic infections. A review of 42 cases. 1994 , 129, 689-93	18
1584	Effect of the dialysis membrane in the treatment of patients with acute renal failure. 1994 , 331, 1338-42	301
1583	Increased release of soluble tumor necrosis factor receptors into blood during clinical sepsis. 1994 , 129, 1330-6; discussion 1336-7	35
1582	Static respiratory compliance in the newborn. I: A clinical and prognostic index for mechanically ventilated infants. 1994 , 70, F11-5	10
1581	Mathematical coupling explains dependence of oxygen consumption on oxygen delivery in ARDS. 1994 , 150, 318-23	75
1580	The stomach is not a source for colonization of the upper respiratory tract and pneumonia in ICU patients. 1994 , 105, 878-84	157
1579	Quality of life after cardiopulmonary resuscitation. 1994 , 106, 524-30	48
1578	Survival after in-hospital cardiopulmonary arrest of noncritically ill patients. A prospective study. 1994 , 106, 872-9	86
1577	Determinants of outcome for patients in the medical intensive care unit requiring abdominal surgery: a prospective, single-center study. 1994 , 106, 1822-8	21
1576	Pharmacoeconomic analysis of cefmenoxime dual individualization in the treatment of nosocomial pneumonia. 1994 , 28, 384-9	36
1575	A prospective study of continuous hemodiafiltration in the management of severe acute renal failure in critically ill surgical patients. 1994 , 16, 759-66	9

1574	Patient characteristics and resource utilisation in paediatric intensive care. 1994 , 71, 291-6	19
1573	Re-evaluation of pneumonia requiring admission to an intensive care unit: a prospective study. 1994 , 49, 71-6	28
1572	The French National Registry of HA-1A (Centoxin) in Septic Shock. 1994 , 154, 2484	31
1571	Bloodstream infections at a Norwegian university hospital, 1974-1979 and 1988-1989: changing etiology, clinical features, and outcome. 1994 , 19, 246-56	102
1570	The Contrasting Effects of Dopamine and Norepinephrine on Systemic and Splanchnic Oxygen Utilization in Hyperdynamic Sepsis. 1994 , 272, 1354	213
1569	The Impact of Serious Illness on Patients' Families. 1994 , 272, 1839	234
1568	Steroids, APACHE II score, and the outcome of abdominal infection. 1994 , 129, 33-7; discussion 37-8	21
1567	Treatment of severe pneumonia in hospitalized patients: results of a multicenter, randomized, double-blind trial comparing intravenous ciprofloxacin with imipenem-cilastatin. The Severe Pneumonia Study Group. 1994 , 38, 547-57	396
1566	Risk factors for gastrointestinal bleeding in critically ill patients. Canadian Critical Care Trials Group. 1994 , 330, 377-81	806
1565	The effect of two nursing interventions on families of ICU patients. 1994 , 3, 414-22	33
1564	[Modification of ventilation and length of stay of traumatized intensive care patients by quality and duration of preclinical management]. 1994 , 29, 278-81	0
1563	Effect of dobutamine on oxygen consumption and gastric mucosal pH in septic patients. 1994 , 150, 324-9	200
1562	Once-daily gentamicin versus once-daily netilmicin in patients with serious infections--a randomized clinical trial. 1994 , 33, 823-35	29
1561	Empirical antibiotic treatment of sepsis in non-neutropenic patients: single agent or combination therapy?. 1994 , 22, 1-3	13
1560	Evaluation of definitions and parameters for sepsis assessment in patients after cardiac surgery. 1994 , 22, 8-17	49
1559	Analysis of total parenteral nutrition utilization in intensive-care patients. 1994 , 16, 225-230	2
1558	Report of the American-European consensus conference on ARDS: definitions, mechanisms, relevant outcomes and clinical trial coordination. The Consensus Committee. 1994 , 20, 225-32	546
1557	The cost of intensive care: a comparison on one unit between 1988 and 1991. 1994 , 20, 542-9	65

1556	Platelet-activating factor and phospholipase A2 in patients with septic shock and trauma. 1994 , 20, 555-61	58
1555	Contribution of non-neurologic disturbances in acute physiology to the prediction of intensive care outcome after head injury or non-traumatic intracranial haemorrhage. 1994 , 20, 562-6	7
1554	Use of antithrombin III in critical patients. 1994 , 20, 577-80	27
1553	Bacteremia, sepsis and shock. 1994 , 20, 92-3	11
1552	Can bacteremia be predicted in surgical intensive care unit patients?. 1994 , 20, 425-30	28
1551	High fat, low carbohydrate, enteral feeding in patients weaning from the ventilator. 1994 , 20, 470-5	40
1550	Difficulties in assessing community-acquired infection as a risk factor for nosocomial infection at an intensive care unit. 1994 , 10, 51-6	1
1549	HA-1A in septic patients with ARDS: results from the pivotal trial. 1994 , 20, 328-34	13
1548	Predicting outcome in ICU patients. 1994 , 20, 390-397	133
1547	Significance of pathologic oxygen supply dependency in critically ill patients: comparison between measured and calculated methods. 1994 , 20, 12-8	76
1546	Pyogenic liver abscess: studies of therapy and analysis of risk factors. 1994 , 18, 852-7; discussion 858	70
1545	Comparison of serum phospholipase A2, polymorphonuclear granulocyte elastase, C-reactive protein and serum amyloid A with the APACHE II score in the prognosis of multiple injured patients. 1994 , 72, 843-9	8
1544	[Prognostic scores in peritonitis: the Mannheim Peritonitis Index or APACHE II?]. 1994 , 379, 347-52	21
1543	How I do it [Necrosectomy in acute pancreatitis. 1994 , 1, 155-158	
1542	[The value of clinical parameters for determining the prognosis of peritonitis--validation of the Mannheim Peritonitis Index]. 1994 , 379, 152-8	15
1541	Soluble fibrin: a predictor for the development and outcome of multiple organ failure. 1994 , 46, 289-94	39
1540	Estimation of severity of illness with APACHE II: age-related implications in cardiac arrest outcomes. 1994 , 27, 189-95	24
1539	A four-parameter linear model for analysing cardiorespiratory data in post-operative cardiac patients. 1994 , 16, 484-91	2

1538	Effects of human growth hormone on fuel utilization and mineral balance in critically ill patients on full intravenous nutritional support. 1994 , 9, 143-50	4
1537	Use of a mean systemic filling pressure analogue during the closed-loop control of fluid replacement in continuous hemodiafiltration. 1994 , 9, 124-33	30
1536	Report of the American-European Consensus conference on acute respiratory distress syndrome: definitions, mechanisms, relevant outcomes, and clinical trial coordination. Consensus Committee. 1994 , 9, 72-81	306
1535	The development of intensive therapy in the UK. 1994 , 5, 115-120	5
1534	A study into the uses and effects of do-not-resuscitate orders in the intensive care units of two teaching hospitals. 1994 , 10, 12-22	14
1533	Modes of mechanical ventilation and weaning. A national survey of Spanish hospitals. The Spanish Lung Failure Collaborative Group. 1994 , 106, 1188-93	291
1532	Indications for surgery in severe acute pancreatitis. 1994 , 15, 83-90	39
1531	National Scientific Medical Meeting 1994 Abstracts. 1994 , 163, 1-50	1
1530	The contribution of open extremity fractures to infection in multiply injured patients. 1994 , 25, 181-3	
1529	The effects of massive transfusion and haptoglobin therapy on hemolysis in trauma patients. 1994 , 24, 785-90	20
1528	Computerized tomographic scan-guided drainage of intra-abdominal abscesses. Preoperative and postoperative modalities in colon and rectal surgery. 1994 , 37, 984-8	74
1527	Pattern of 72-hour intragastric acidity in a homogeneous group of intensive care unit patients. 1994 , 39, 1608-12	6
1526	Treatment of patients with acute myocardial infarction at a Veterans Affairs (VA) hospital and a non-VA hospital. 1994 , 9, 455-8	20
1525	Impact of procedure-related complications on patient outcome on a general medicine service. 1994 , 9, 66-70	14
1524	Reflections. 1994 , 9, 70-70	1
1523	Long-term effects of ethics education on the quality of care for patients who have do-not-resuscitate orders. 1994 , 9, 622-6	33
1522	Differentialtherapie der akut nekrotisierenden Pankreatitis. 1994 , 26, 259-261	6
1521	A Model For Prediction Of Survival In Critically Ill Dogs. 1994 , 4, 85-99	19

1520	Propofol and intralipid cause creaming of serum from critically ill patients. 1994 , 49, 17-20	13
1519	Survival after intensive care. Comparison with a matched normal population as an indicator of effectiveness. 1994 , 49, 933-5	38
1518	Right ventricular function and oxygen transport patterns in patients with acute respiratory distress syndrome. 1994 , 49, 1039-45	11
1517	A changing role for intensive therapy: is there a case for high dependency care?. 1994 , 49, 666-70	43
1516	Local serum application: restoration of sufficient host defense in human peritonitis. 1994 , 24, 28-35	17
1515	Prediction of outcome from intensive care after gastroenterologic emergency. 1994 , 38, 587-93	7
1514	The American-European Consensus Conference on ARDS. Definitions, mechanisms, relevant outcomes, and clinical trial coordination. 1994 , 149, 818-24	5187
1513	Ciprofloxacin i.v.. 1994 ,	
1512	Determinants of long-term renal allograft survival. 1994 , 8, 93-113	37
1511	The use of position during critical illness: current practice and review of the literature. 1994 , 7, 16-21	24
1510	Metabolic and thermogenic response to continuous and cyclic total parenteral nutrition in traumatised and infected patients. 1994 , 13, 291-301	11
1509	The measurement of injury severity. 1994 , 32, 13-8	9
1508	Relaparotomies after ruptured abdominal aortic aneurysm repair. 1994 , 8, 342-5	5
1507	Severity scoring for triage decisions. 1994 , 3, 205-210	
1506	Hepatic resections for primary liver cancer. 1994 , 33 Suppl, S18-23	15
1505	Randomized clinical trial of pressure-controlled inverse ratio ventilation and extracorporeal CO ₂ removal for adult respiratory distress syndrome. 1994 , 149, 295-305	774
1504	Impact of patient incompetence on decisions to use or withhold life-sustaining treatment. 1994 , 97, 235-41	48
1503	The incidence and effect on outcome of hypoxemia in hospitalized medical patients. 1994 , 97, 38-46	45

1502	A multicenter review of the treatment of major truncal necrotizing infections with and without hyperbaric oxygen therapy. 1994 , 167, 485-9	157
1501	A randomized trial comparing fluconazole with amphotericin B for the treatment of candidemia in patients without neutropenia. Candidemia Study Group and the National Institute. 1994 , 331, 1325-30	862
1500	Using administrative data to describe casemix: a comparison with the medical record. 1994 , 47, 1027-32	137
1499	Identification of futility in intensive care. 1994 , 344, 1203-6	107
1498	Haemodialysis membranes. 1994 , 344, 1362; author reply 1363	5
1497	Biocompatible membranes in acute renal failure: prospective case-controlled study. 1994 , 344, 570-2	261
1496	Blood transfusion as a cause of leucocytosis in critically ill patients. 1994 , 344, 855-6	34
1495	Molecular epidemiology of gastric colonization by <i>Enterococcus faecalis</i> in a surgical intensive care unit. 1994 , 19, 197-202	8
1494	Changes in plasma concentrations of vasoactive neuropeptides in patients with sepsis and septic shock. 1994 , 56, 75-81	4
1493	Outcomes of endoscopy procedures: struggling towards definitions. 1994 , 40, 514-8	94
1492	Elevation of systemic oxygen delivery in the treatment of critically ill patients. 1994 , 330, 1717-22	1282
1491	Predicting outcome in icu patients: Disease specific severity scores. 1994 , 3, 183-189	
1490	Scoring systems and the measurement of icu cost effectiveness. 1994 , 3, 215-221	8
1489	Outcome prediction systems based on organ failures. 1994 , 3, 195-199	1
1488	Scoring systems: Managerial and economic implications for health care. 1994 , 3, 211-213	
1487	Critique of existing scoring systems: Admission scores. 1994 , 3, 173-175	3
1486	Outcome scoring in critically ill patients. 1994 , 3, 177-181	1
1485	Carotid endarterectomy--is intensive care unit care necessary?. 1994 , 20, 403-9; discussion 409-10	36

1484	Individual outcome prediction: The case for and against. 1994 , 3, 223-227	1
1483	Experience with enteral nutrition in a hospital population of acutely ill patients. 1994 , 94, 414-9	12
1482	Traitement du portage nasal de Staphylococcus aureus par la mupirocine nasale et prévention des infections acquises en réanimation. Etude multicentrique contrôlée. 1994 , 24, 1229-1239	16
1481	Effects of offering advance directives on quality adjusted life expectancy and psychological well-being among ill adults. 1994 , 47, 761-72	6
1480	ED length-of-stay and illness severity in dizzy and chest-pain patients. 1994 , 12, 421-4	20
1479	Correlation of the RTS (Revised Trauma Score) and RAPS (Rapid Acute Physiology Score) in rotor-wing prehospital care. 1994 , 13, 91-5	6
1478	Cancer critical care: past, present, and future. 1994 , 10, 146-55	7
1477	Facteurs pronostiques chez les malades de réanimation. 1994 , 3, 143-152	6
1476	Is the acute physiology and chronic health evaluation (APACHE) scale agist? Therapeutic implications in older patients. 1994 , 5, 153-5	4
1475	Colonization in patients receiving and not receiving topical antimicrobial prophylaxis. 1994 , 150, 1332-40	51
1474	Abstracts of Communications. 1994 , 53, 35A-71A	1
1473	Mucociliary transport in ICU patients. 1994 , 105, 237-41	740
1472	Mortality Attributable to Nosocomial Infections in the ICU. 1994 , 15, 428-434	60
1471	The relationship between disease and function and perceived health in very frail elders. 1994 , 42, 374-80	64
1470	Reducing hospital costs for the geriatric patient admitted from the emergency department: a randomized trial. 1994 , 42, 1045-9	49
1469	Influence of diagnostic classification on outcomes and charges in geriatric assessment and rehabilitation. 1994 , 42, 11-5	13
1468	Critical care for the elderly patient. 1994 , 74, 187-97	14
1467	Emergency triage to intensive care: can we use prognosis and patient preferences?. 1994 , 42, 1277-81	12

1466	Differences in the treatment of patients with acute myocardial infarction according to patient age. 1994 , 42, 826-32	20
1465	Novel therapies for acute respiratory failure. 1994 , 41, 1325-63	18
1464	The role of selective digestive tract decontamination on mortality and respiratory tract infections. A meta-analysis. 1994 , 105, 1101-8	161
1463	The cost of pressure area management in an intensive care unit. 1994 , 3, 33-35	35
1462	The value of the Uniform Clinical Data Set System (UCDSS) in a hospital setting. 1994 , 20, 140-51	3
1461	Cleveland health quality choice: a model for collaborative community-based outcomes assessment. 1994 , 20, 425-42	75
1460	Prophylaxis for stress-related gastric hemorrhage in the medical intensive care unit. A randomized, controlled, single-blind study. 1994 , 121, 568-75	143
1459	Nosocomial pneumonia in mechanically ventilated patients receiving antacid, ranitidine, or sucralfate as prophylaxis for stress ulcer. A randomized controlled trial. 1994 , 120, 653-62	212
1458	The role of renal function in outcome-prediction models. 1994 , 1, 274-80	2
1457	Early sepsis treatment with immunoglobulins after cardiac surgery in score-identified high-risk patients. 1994 , 105, 76-82	45
1456	An evaluation of factors influencing Bayesian learning systems. 1994 , 1, 272-84	6
1455	Measuring Illness Severity in Newborn Intensive Care. 1994 , 9, 20-33	37
1454	A Prediction Rule For Mortality in the Medical Intensive Care Unit Based on Early Acute Organ-System Failure. 1994 , 9, 172-178	3
1453	Familial primary pulmonary hypertension. 1994 , 105, 135-165	20
1452	Serum aldosterone concentrations and urine output in oliguric intensive care unit patients receiving low-dose dopamine. 1994 , 28, 837-41	12
1451	Severe exacerbations of chronic obstructive pulmonary disease treated with BiPAP by nasal mask. 1994 , 61, 310-6	37
1450	Slow hemodialysis performed during the day in managing renal failure in critically ill patients. 1994 , 67, 36-41	15
1449	Vitamin A is excreted in the urine during acute infection. 1994 , 60, 388-92	201

1448	Comparing hospitals that perform coronary artery bypass surgery: the effect of outcome measures and data sources. 1994 , 84, 1609-14		62
1447	Epidemic Clostridium difficile-Associated Diarrhea: Role of Second- and Third-Generation Cephalosporins. 1994 , 15, 88-94		62
1446	Health outcomes of post-hospital in-home team care: secondary analysis of a Swedish trial. 1995 , 43, 301-7		21
1445	Nosocomial Outbreak Caused by a Multiresistant Clone of Acinetobacter baumannii: Results of the Case-Control and Molecular Epidemiologic Investigations. 1995 , 16, 92-97		74
1444	Predictive ability of acute physiology and chronic health evaluation II scoring applied to human immunodeficiency virus-positive patients. <i>Critical Care Medicine</i> , 1995 , 23, 848-53	1.4	38
1443	Acute Physiology and Chronic Health Evaluation II scoring system in acute myocardial infarction: a prospective validation study. <i>Critical Care Medicine</i> , 1995 , 23, 854-9	1.4	25
1442	Evaluation of predictive ability of APACHE II system and hospital outcome in Canadian intensive care unit patients. <i>Critical Care Medicine</i> , 1995 , 23, 1177-83	1.4	117
1441	Cytokine kinetics (TNF-alpha, IL-1 beta, IL-6) during continuous hemofiltration: a laboratory and clinical study. 1995 , 116, 62-75		44
1440	Outcome of renal transplant recipients in the ICU. 1995 , 107, 1402-5		43
1439	The effect of late-onset ventilator-associated pneumonia in determining patient mortality. 1995 , 108, 1655-62		343
1438	Mechanical ventilation with or without 7-day circuit changes. A randomized controlled trial. 1995 , 123, 168-74		124
1437	Comparison of the Infusion Requirements and Recovery Profiles of Vecuronium and Cisatracurium 51W89 in Intensive Care Unit Patients. 1995 , 81, 3-12		1
1436	Does Acute Physiologic and Chronic Health Evaluation (APACHE II) Scoring Predict Need for Prolonged Support After Coronary Revascularization?. 1995 , 81, 24-29		
1435	Is there a relationship between the volume of work carried out in intensive care and its outcome?. 1995 , 11, 762-9		38
1434	Outcome of intensive care in patients with HIV infection. 1995 , 107, 506-10		79
1433	Comparison of the infusion requirements and recovery profiles of vecuronium and cisatracurium 51W89 in intensive care unit patients. 1995 , 81, 3-12		89
1432	Serum anticholinergic activity in hospitalized older persons with delirium: a preliminary study. 1995 , 43, 491-5		83
1431	Does Acute Physiologic and Chronic Health Evaluation (APACHE II) scoring predict need for prolonged support after coronary revascularization?. 1995 , 81, 24-9		7

1430	Phospholipase A2 from plasma of patients with septic shock is associated with high-density lipoproteins and C3 anaphylatoxin: some implications for its functional role. 1995 , 306 (Pt 1), 167-75	36
1429	Candidemia in non-neutropenic patients with an intravenous hyperalimentation catheter: good prognosis of <i>Candida parapsilosis</i> infection. 1995 , 69, 969-74	8
1428	Efficacy of inhaled nitric oxide in patients with severe ARDS. 1995 , 107, 1107-15	213
1427	Pressure ulcers in the nursing home. 1995 , 123, 433-42	121
1426	Patterns of cytokine expression in community-acquired pneumonia. 1995 , 107, 1342-9	119
1425	Comparison of two predictive models for prognosis in critically ill patients in a Veteran's Affairs Medical Center coronary care unit. 1995 , 108, 1333-7	5
1424	Hemodynamic correlates of outcome in patients undergoing orthotopic liver transplantation. Evidence for early postoperative myocardial depression. 1995 , 107, 218-24	81
1423	Initial treatment of sepsis in non-neutropenic patients: ceftazidime alone versus 'best guess' combined antibiotic therapy. 1995 , 41, 306-15	9
1422	High-risk surgical acute renal failure treated by continuous arteriovenous hemodiafiltration: metabolic control and outcome in sixty patients. 1995 , 70, 185-92	19
1421	The influence of continuous hemofiltration on cytokine elimination and the cardiovascular stability in the early phase of sepsis. 1995 , 116, 99-103	13
1420	Treatment of sepsis-associated severe acute renal failure with continuous hemodiafiltration: clinical experience and comparison with conventional dialysis. 1995 , 13, 246-54	45
1419	Enterococci resistant to multiple antimicrobial agents, including vancomycin. Establishment of endemicity in a university medical center. 1995 , 123, 250-9	327
1418	Predicting future functional status for seriously ill hospitalized adults. The SUPPORT prognostic model. 1995 , 122, 342-50	95
1417	Colonization and infection with <i>Enterococcus faecalis</i> in intensive care units: the role of antimicrobial agents. 1995 , 39, 2783-6	25
1416	Incidence, Severity, and Mortality of Acute Respiratory Failure in Berlin, Germany. 1995 , 151, 1121-1125	1
1415	Casemix, resource use and geriatric medicine in England and Wales. 1995 , 24, 1-4	12
1414	Informatics: essential infrastructure for quality assessment and improvement in nursing. 1995 , 2, 169-82	14
1413	Temperature-induced down-regulation of the glucocorticoid receptor in peripheral blood mononuclear leucocyte in patients with sepsis or septic shock. 1995 , 43, 197-203	67

1412	Platelet activation and interaction with leucocytes in patients with sepsis or multiple organ failure. 1995 , 25, 843-51	156
1411	Peroxides in human leucocytes in acute septic shock: a preliminary study of acute phase changes and mortality. 1995 , 25, 777-83	11
1410	CME: Education and self-assessment. 1995 , 6, 129-134	
1409	Case mix adjustment in comparative audit. 1995 , 1, 105-11	7
1408	Beta-carbolines in chronic alcoholics undergoing elective tumor resection. 1995 , 19, 969-76	27
1407	Development of a colic severity score for predicting the outcome of equine colic. 1995 , 24, 97-101	76
1406	Clinical application of differential ventilation with selective positive end-expiratory pressure in adult respiratory distress syndrome. 1995 , 39, 307-11	4
1405	Life and death decisions in the intensive care unit. 1995 , 76, 2171-5	5
1404	An automated patient registration and treatment randomization system. 1995 , 19, 445-56	11
1403	Allocation of intensive care resources. 1995 , 257, 73-6	
1402	[The current and future age structure of women in our society]. 1995 , 257, 76-82	1
1401	Withholding and withdrawing life-sustaining therapy in a Canadian intensive care unit. 1995 , 42, 186-91	671
1400	Inhibition of tumor necrosis factor production and ICAM-1 expression by pentoxifylline: beneficial effects in sepsis syndrome. 1995 , 195, 297-307	27
1399	Monocyte production of nitric oxide (NO) in severe acute pancreatitis. 1995 , 2, 255-260	
1398	The predictive value of four scoring systems in liver transplant recipients. 1995 , 21, 32-7	21
1397	Pronounced elevation in circulating calcitonin in critical care patients is related to the severity of illness and survival. 1995 , 21, 63-6	31
1396	Double-blind randomized study of 1 g versus 2 g intravenous ceftriaxone daily in the therapy of community-acquired infections. 1995 , 14, 851-5	15
1395	Pharmacokinetics and pharmacodynamics of propofol/alfentanil infusions for sedation in ICU patients. 1995 , 21, 981-8	38

1394	Deterioration of respiratory function after intra-hospital transport of critically ill surgical patients. 1995 , 21, 784-9	86
1393	Organ function during early acute renal failure does not predict survival in long-term intensive care. 1995 , 21, 797-801	7
1392	Epidemiologic aspects and results of applying the TRISS methodology in a Spanish trauma intensive care unit (TICU). 1995 , 21, 729-36	15
1391	Outcome prediction for individual intensive care patients: useful, misused, or abused?. 1995 , 21, 770-6	143
1390	Systemic inflammatory response syndrome, sepsis, severe sepsis and septic shock: incidence, morbidities and outcomes in surgical ICU patients. 1995 , 21, 302-9	251
1389	The use of propofol for sedation of critically ill patients undergoing haemodiafiltration. 1995 , 21, 342-7	21
1388	Evaluation of severity scoring systems in ICUs--translation, conversion and definition ambiguities as a source of inter-observer variability in Apache II, SAPS and OSF. 1995 , 21, 356-60	70
1387	Ultrastructure and mucociliary transport of bronchial respiratory epithelium in intubated patients. 1995 , 21, 482-9	31
1386	Quality of life after intensive care with the sickness impact profile. 1995 , 21, 422-8	74
1385	Severity of multiple organ failure (MOF) but not of sepsis correlates with irreversible platelet degranulation. 1995 , 23, 16-23	25
1384	The economics and cost-effectiveness of critical care medicine. 1995 , 21, 952-61	129
1383	Treatment of surgical and non-surgical septic multiorgan failure with bicarbonate hemodialysis and sequential hemofiltration. 1995 , 21, 104-11	24
1382	Autonomic control of the heart and peripheral vessels in human septic shock. 1995 , 21, 112-9	78
1381	Variation in air medical outcomes by crew composition: a two-year follow-up. 1995 , 25, 187-92	28
1380	Impact of therapeutic endoscopy on the treatment of bleeding duodenal ulcers: 1980-1990. 1995 , 19, 89-94; discussion 94-5	10
1379	An assessment of the consistency of ASA physical status classification allocation. 1995 , 50, 195-9	253
1378	Health and activity after intensive care. 1995 , 50, 1017-21	18
1377	Relationship of admission thyroid function tests to outcome in critical illness. 1995 , 50, 1022-5	25

1376	Consistency of the ASA classification. 1995 , 50, 826	1
1375	The Riyadh Intensive Care Program mortality prediction algorithm assessed in 617 intensive care patients in Glasgow. 1995 , 50, 103-7	10
1374	HDU care and estimated risks of hospital mortality. 1995 , 50, 657-8	1
1373	Delirium and other cognitive impairment in older adults in an emergency department. 1995 , 25, 751-5	132
1372	Xanthomonas maltophilia and Pseudomonas cepacia in lower respiratory tracts of patients in critical care units. 1995 , 31, 89-92	33
1371	Comparison of a disease-specific and a generic severity of illness measure for patients with community-acquired pneumonia. 1995 , 10, 359-68	107
1370	In-hospital complications among survivors of admission for congestive heart failure, chronic obstructive pulmonary disease, or diabetes mellitus. 1995 , 10, 307-14	17
1369	Rapid classification of positive blood cultures: validation and modification of a prediction model. 1995 , 10, 82-8	10
1368	Diagnostische Standards bei akuter Pankreatitis. 1995 , 27, 189-192	
1367	Quantitative and qualitative methods. 1995 , 18, 77-87	95
1366	Continuous oscillation: outcome in critically ill patients. 1995 , 10, 97-103	46
1365	Meropenem versus imipenem/cilastatin in the treatment of intra-abdominal infections. 1995 , 35, 139-48	61
1364	Severity and predicted outcome of postoperative Pseudomonas aeruginosa infections. 1995 , 25, 672-8	1
1363	Comparison between continuous venovenous and intermittent hemodialysis in acute renal failure. 1995 , 116, 34-7	2
1362	Prognostic importance of vital organ dysfunction in sepsis. 1995 , 116, 16-21	
1361	Antithrombin III deficiency during continuous venovenous hemodialysis. 1995 , 116, 154-8	14
1360	Design Problems in Clinical Sepsis Trials. 1995 , 20, 59-66	2
1359	Sepsis: Current Definitions and Stratification Systems. 1995 , 20, 1-7	

1358	Functional abilities of elderly survivors of intensive care. 1995 , 95, 712-712	18
1357	The Medical Emergency Team. 1995 , 23, 183-6	406
1356	Critical Care Information Systems: Essential Infrastructure for Critical Care Nursing Practice. 1995 , 7, 191-202	4
1355	Correction of splanchnic oxygen deficit in the intensive care unit: dopexamine and colloid versus placebo. 1995 , 23, 178-82	27
1354	Is there a role for selective decontamination of the digestive tract in primarily infected patients in the ICU?. 1995 , 23, 168-74	14
1353	Seventy-Nine New Drugs and Vaccines Are Being Developed for Infectious Diseases. 1995 , 16, 209-209	
1352	Successful treatment of carbimazole-induced agranulocytosis and severe sepsis with granulocyte macrophage colony stimulating factor. 1995 , 23, 510-2	3
1351	Low gastric intramucosal pH: incidence and significance in intensive care patients. 1995 , 23, 315-21	18
1350	The use of "quality-adjusted life years" (QALYs) to evaluate treatment in intensive care. 1995 , 23, 322-31	38
1349	Nosocomial acquisition of multiresistant <i>Acinetobacter baumannii</i> : risk factors and prognosis. 1995 , 20, 790-6	191
1348	Facilities and usage of general intensive care in Yorkshire. A need for high-dependency units. 1995 , 6, 260-265	3
1347	Plasma levels of cytokines in primary septic shock in humans: correlation with disease severity. 1995 , 172, 296-301	194
1346	Validation of a Bacteremia Prediction Model. 1995 , 16, 203-209	13
1345	Comparison of APACHE III, II and the Glasgow Coma Scale for prediction of mortality in a neurosurgical intensive care unit. 1995 , 6, 9-14	4
1344	Interleukin-6 and interleukin-8 extraction during continuous venovenous hemodiafiltration in septic acute renal failure. 1995 , 17, 457-66	49
1343	Calculation of plasma bicarbonate concentration versus measurement of serum CO ₂ content. pK _a revisited. 1995 , 6, 15-20	5
1342	Use of APACHE II classification to evaluate outcome and response to therapy in acute renal failure patients in a surgical intensive care unit. 1995 , 17, 731-42	20
1341	Intestinal amino acid content in critically ill patients. 1995 , 19, 272-8	25

1340	Increased production of nitric oxide in patients infected with the European variant of hantavirus. 1995 , 27, 453-6	39
1339	Epidemiology and mortality risk of vancomycin-resistant enterococcal bloodstream infections. 1995 , 172, 993-1000	267
1338	The Apache II scoring system in neurosurgical patients: a comparison with simple Glasgow coma scoring. 1995 , 9, 179-87	13
1337	William Harvey, 1 April 1578. 1995 , 71, 221-221	
1336	Pilot clinical trial of an anti-TNF α monoclonal antibody for the treatment of septic shock. 1995 , 6, 52-56	4
1335	Profile of serum cholinesterase in systemic sepsis syndrome (septic shock) in intensive care unit patients. 1995 , 33, 11-4	11
1334	Utility of routine chest radiographs in the surgical intensive care unit. A prospective study. 1995 , 130, 764-8	52
1333	A progressive care programme for prolonged ventilatory failure: analysis of outcome. 1995 , 75, 399-404	16
1332	Cost and Outcome of Intensive Care for Patients With AIDS, Pneumocystis carinii Pneumonia, and Severe Respiratory Failure. 1995 , 273, 230	59
1331	High alcohol intake as a risk and prognostic factor for community-acquired pneumonia. 1995 , 155, 1649-54	127
1330	Leukocyte Activation in the Peripheral Blood of Patients With Cirrhosis of the Liver and SIRS. 1995 , 274, 58	86
1329	Comparison of APACHE II and III scoring systems for mortality prediction in critical surgical illness. 1995 , 130, 77-82	63
1328	A Controlled Trial to Improve Care for Seriously Ill Hospitalized Patients. 1995 , 274, 1591	1817
1327	Lymphatic release of cytokines during acute lung injury complicating severe pancreatitis. 1995 , 152, 1527-33	75
1326	Persistent elevation of inflammatory cytokines predicts a poor outcome in ARDS. Plasma IL-1 beta and IL-6 levels are consistent and efficient predictors of outcome over time. 1995 , 107, 1062-73	604
1325	Predicting death after CPR. Experience at a nonteaching community hospital with a full-time critical care staff. 1995 , 108, 1009-17	56
1324	Right ventricular function and plasma atrial natriuretic peptide levels during fiberbronchoscopic alveolar lavage in critically ill, mechanically ventilated patients. 1995 , 108, 1030-5	13
1323	Bronchoscopic or blind sampling techniques for the diagnosis of ventilator-associated pneumonia. 1995 , 152, 1982-91	789

1322	Pharmacokinetics of trimethoprim-sulfamethoxazole in critically ill and non-critically ill AIDS patients. 1995 , 39, 28-33	40
1321	.	8
1320	Effect of the dialysis membrane in acute renal failure. 1995 , 332, 961-2	7
1319	Intravascular catheter exchange and duration of candidemia. NIAID Mycoses Study Group and the Candidemia Study Group. 1995 , 21, 994-6	212
1318	Incidence, severity, and mortality of acute respiratory failure in Berlin, Germany. 1995 , 151, 1121-5	122
1317	A prospective study of continuous venovenous hemodiafiltration in critically ill patients with acute renal failure. 1995 , 10, 187-92	9
1316	The Edinburgh Cardiac Surgery Score survival prediction in the long-stay ICU cardiac surgical patient. 1995 , 9, 419-25	12
1315	Acute lung injury in fulminant hepatic failure following paracetamol poisoning. 1995 , 50, 399-402	68
1314	Prognostic Stratification in Critically Ill Patients With Acute Renal Failure Requiring Dialysis. 1995 , 155, 1505	240
1313	Multiple Organ Dysfunction Syndrome (MODS). 1995 , 122-138	19
1312	Impact of Continued Geriatric Outpatient Management on Health Outcomes of Older Veterans. 1995 , 155, 1313	43
1311	Physiological classification and stratification of illness severity of posttrauma 'sepsis' patients as a basis for randomization of clinical trials. 1995 , 2, 177-188	4
1310	Antibiotic monotherapy with meropenem in the surgical management of intra-abdominal infections. 1995 , 36 Suppl A, 179-89	48
1309	Medical practice profiling: concepts and caveats. 1995 , 52, 223-51	11
1308	Interleukin-10 and the monocyte/macrophage-induced inflammatory response in septic shock. 1995 , 171, 472-5	71
1307	A randomized, double-blind, placebo-controlled trial of selective digestive decontamination in a medical-surgical intensive care unit. 1995 , 20, 861-7	86
1306	Prophylaxis of alcohol withdrawal syndrome in alcohol-dependent patients admitted to the intensive care unit after tumour resection. 1995 , 75, 734-9	75
1305	Inflammatory response in peritoneal exudate and plasma of patients undergoing planned relaparotomy for severe secondary peritonitis. 1995 , 130, 1314-9; discussion 1319-20	87

1304	Lipopolysaccharide toxicity-regulating proteins in bacteremia. 1995 , 171, 1250-7	109
1303	Potentially Ineffective Care. 1995 , 274, 1544	67
1302	Non-invasive mechanical ventilation in acute respiratory failure due to chronic obstructive pulmonary disease: correlates for success. 1995 , 50, 755-7	216
1301	High dependency units in the UK: variable size, variable character, few in number. 1995 , 71, 217-21	12
1300	Determinants of the length of stay in intensive care and in hospital after coronary artery surgery. 1995 , 73, 92-8	35
1299	Role of quantitative cultures of endotracheal aspirates in the diagnosis of nosocomial pneumonia. 1995 , 152, 241-6	123
1298	Volumetric control of continuous haemodialysis in multiple organ failure. 1995 , 72, 42-5	2
1297	Illness Presentation in Elderly Patients. 1995 , 155, 1060	117
1296	A randomized trial of care in a hospital medical unit especially designed to improve the functional outcomes of acutely ill older patients. 1995 , 332, 1338-44	655
1295	Randomized, prospective trial of noninvasive positive pressure ventilation in acute respiratory failure. 1995 , 151, 1799-806	689
1294	The aetiology of severe community-acquired pneumonia and its impact on initial, empiric, antimicrobial chemotherapy. 1995 , 89, 187-92	76
1293	Outcome of amputations in patients with major burns. 1995 , 21, 526-9	20
1292	Fatal pancreatitis as a complication of therapy for HIV infection. 1995 , 13, 633-7	12
1291	Predictive validity of the Nursing Severity Index in patients with musculoskeletal disease. Nurses of University Hospitals of Cleveland. 1995 , 48, 179-88	10
1290	Autoperception and satisfaction with health: two medical care markers in elderly hospitalized patients. Quality of life as an outcome estimate of clinical practice. 1995 , 48, 1031-40	2
1289	Use of the APACHE II scoring system to determine mortality of gynecologic oncology patients in the intensive care unit. 1995 , 85, 53-6	28
1288	Cytokines, soluble thrombomodulin and disseminated intravascular coagulation in patients with systemic inflammatory response syndrome. 1995 , 80, 519-26	45
1287	Is the choice of membrane important for patients with acute renal failure requiring hemodialysis?. 1995 , 19, 391-4	39

1286	The value of polymorphonuclear elastase in adult respiratory distress syndrome. 1995 , 236, 119-27	4
1285	Effect of single intravenous doses of histamine ₂ -receptor antagonists on volume and pH of gastric acid secretions in critically ill patients. 1995 , 56, 756-768	2
1284	The effectiveness of gastric pH control with bolus famotidine versus cimetidine for stress ulcer prophylaxis in a surgical intensive care unit. 1995 , 56, 530-541	1
1283	Acute pancreatitis in HIV-seropositive patients: a case control study of 44 patients. 1995 , 98, 243-8	50
1282	Surgery and the release of a neutrophil Fc gamma receptor. 1995 , 170, 277-84	18
1281	Peter B. Samuels Award. Ruptured abdominal aortic aneurysm repair: the financial analysis. 1995 , 170, 91-6	43
1280	Beneficial effects of the "open lung approach" with low distending pressures in acute respiratory distress syndrome. A prospective randomized study on mechanical ventilation. 1995 , 152, 1835-46	499
1279	Circulating ICAM-1 is increased in septic shock. 1995 , 151, 1420-7	107
1278	A comparison of four methods of weaning patients from mechanical ventilation. Spanish Lung Failure Collaborative Group. 1995 , 332, 345-50	1074
1277	Hypothermia during elective abdominal aortic aneurysm repair: the high price of avoidable morbidity. 1995 , 21, 392-400; discussion 400-2	122
1276	Continuous aspiration of subglottic secretions in preventing ventilator-associated pneumonia. 1995 , 122, 179-86	369
1275	Short- and long-term prognosis for middle-aged and elderly patients hospitalized with community-acquired pneumonia: impact of nutritional and inflammatory factors. 1995 , 27, 32-7	69
1274	Bloodstream Infections Associated With a Needleless Intravenous Infusion System in Patients Receiving Home Infusion Therapy. 1995 , 273, 1862	71
1273	Severity of disease score as a predictor of mortality after caval filter insertion. 1995 , 6, 715-9	6
1272	The relationship between antecedent antibiotic use and resistance to extended-spectrum cephalosporins in group I beta-lactamase-producing organisms. 1995 , 21, 1107-13	123
1271	Epidemiology, therapy and costs of nosocomial infection. 1995 , 7, 128-40	11
1270	The added costs of depression to medical care. 1995 , 7, 284-91	14
1269	The use of pharmaceuticals in critical care. The importance of outcome prediction models. 1995 , 7, 388-92	1

1268	Clinical Trial of 24 Hours' Treatment with Glutathione Precursors in Acute Pancreatitis. 1995 , 10, 147-57	9
1267	Necrotizing fasciitis: an indication for hyperbaric oxygenation therapy?. 1995 , 118, 873-8	117
1266	Acuity scores as predictors of cost-related outcomes of neonatal intensive care. 1995 , 126, 88-93	5
1265	Des « conduites ^ tenir ^ une d'cision m'dicale rationalis'e. 1995 , 4, 667-672	0
1264	[Severity scores underestimate the seriousness of acute renal failure after emergency surgery]. 1995 , 14, 478-83	2
1263	Clinical studies on the use of antibiotic- and antiseptic-bonded catheters to prevent catheter-related infection. 1995 , 283, 208-14	4
1262	Clinical and financial outcomes of lateral rotation low air-loss therapy in patients in the intensive care unit. 1995 , 24, 315-20	12
1261	The identification of ICU-specific outcome predictors: a comparison of medical, surgical, and cardiothoracic ICUs from a single institution. 1995 , 24, 60-6	14
1260	Definition and classification of peritonitis. 1995 , 25, 7-12	3
1259	Pronostic des p'fitionites. 1995 , 25, 20-37	1
1258	One-year mortality prognosis in heart failure: a neural network approach based on echocardiographic data. 1995 , 26, 1586-93	34
1257	Interventions in clinical acute renal failure: what are the data?. 1995 , 26, 565-76	104
1256	Outcome Prediction in Patients with Fournier's Gangrene. 1995 , 154, 89-92	245
1255	ICU scoring systems do not allow prediction of patient outcomes or comparison of ICU performance. 1996 , 12, 515-23	27
1254	ICU scoring systems allow prediction of patient outcomes and comparison of ICU performance. 1996 , 12, 503-14	38
1253	Prognosis of patients with acute renal failure in the intensive-care unit: a tale of two eras. 1996 , 71, 117-26	152
1252	The language of death: euthanatos et mors--the science of uncertainty. 1996 , 12, 1-14	6
1251	Cost effectiveness in the intensive care unit. 1996 , 76, 175-200	23

1250	Changes in forgoing life-sustaining treatments in the United States: concern for the future. 1996 , 71, 512-6	18
1249	Vascular surgery--comparing outcomes. 1996 , 23, 5-17	50
1248	Relationships between periodontal disease and bacterial pneumonia. 1996 , 67, 1114-22	189
1247	Outcomes following acute exacerbation of severe chronic obstructive lung disease. The SUPPORT investigators (Study to Understand Prognoses and Preferences for Outcomes and Risks of Treatments). 1996 , 154, 959-67	1066
1246	Elevated plasma levels of tumor necrosis factor (TNF)-alpha, soluble TNF receptors, interleukin (IL)-6, and IL-10 in patients with hemorrhagic fever with renal syndrome. 1996 , 173, 38-43	152
1245	Mortality of nosocomial pneumonia in ventilated patients: influence of diagnostic tools. 1996 , 154, 116-23	125
1244	The unassisted respiratory rate-tidal volume ratio accurately predicts weaning outcome. 1996 , 101, 61-7	129
1243	Comparison of once-daily versus pharmacokinetic dosing of aminoglycosides in elderly patients. 1996 , 101, 177-83	48
1242	Choices of seriously ill patients about cardiopulmonary resuscitation: correlates and outcomes. SUPPORT Investigators. Study to Understand Prognoses and Preferences for Outcomes and Risks of Treatments. 1996 , 100, 128-37	197
1241	Use of growth hormone for postoperative respiratory failure. 1996 , 171, 576-80	37
1240	Making peer review statistically accountable. 1996 , 171, 441-4	3
1239	Prediction of survival of critically ill patients by admission comorbidity. 1996 , 49, 743-7	136
1238	Severe Legionnaire's disease requiring intensive care treatment. 1996 , 49, 196-201	7
1237	Effect of anaemia and cardiovascular disease on surgical mortality and morbidity. 1996 , 348, 1055-60	799
1236	Prediction of outcome in critically ill patients using artificial neural network synthesised by genetic algorithm. 1996 , 347, 1146-50	182
1235	Use of air enema radiography to assess depth of ulceration during acute attacks of ulcerative colitis. 1996 , 347, 1731-5	28
1234	Neuropsychologic and functional recovery from severe carbon monoxide poisoning without hyperbaric oxygen therapy. 1996 , 27, 736-40	25
1233	The impact of a high dependency unit continuing education program on nursing practice and patient outcomes. 1996 , 9, 138-47, 149	15

1232	Solute control by extracorporeal therapies in acute renal failure. 1996 , 28, S21-S27	11
1231	Intentional drug overdose: predictors of clinical course in the intensive care unit. 1996 , 25, 246-52	19
1230	Do-not-resuscitate practices in the chronically critically ill. 1996 , 25, 310-7	11
1229	Time to resolution of morbidity: an endpoint for assessing the clinical cure of community-acquired pneumonia. 1996 , 90, 587-92	27
1228	[Severity of illness explains the inadequacy between diagnosis-related groups and intensive care patients. Groupe GHM]. 1996 , 15, 1041-7	0
1227	Cancer and comorbidity in older patients: a descriptive profile. 1996 , 6, 399-412	170
1226	Scoring systems in air medical transport: a primer. 1996 , 15, 184-90	1
1225	Noninvasive positive-pressure ventilation in patients with acute respiratory failure. 1996 , 17, 513-53	92
1224	ASA classification and perioperative variables as predictors of postoperative outcome. 1996 , 77, 217-22	701
1223	Interactions between neutrophils and cytokines in blood and alveolar spaces during ARDS. 1996 , 154, 594-601	186
1222	Effect on the duration of mechanical ventilation of identifying patients capable of breathing spontaneously. 1996 , 335, 1864-9	1078
1221	Clinical presentation and prognostic factors in sodium monofluoroacetate intoxication. 1996 , 34, 707-12	22
1220	Identifying the general ward patient at high risk of cardiac arrest. 1996 , 7, 242-242	10
1219	Balloons, Beds, and Breakdown: Effects of Low-Air Loss Therapy on the Development of Pressure Ulcers in Cardiovascular Surgical Patients with Intra-aortic Balloon Pump Support. 1996 , 8, 423-440	29
1218	OSHA Loses Respirator Case. 1996 , 17, 285-285	
1217	Staged abdominal repair in critical illness. 1996 , 24, 368-74	13
1216	Management in the ICU: Structure and the Avoidance of Risk. 1996 , 2, 31-34	
1215	Gram-negative bacteremia in open-heart-surgery patients traced to probable tap-water contamination of pressure-monitoring equipment. 1996 , 17, 281-5	16

1214	Adjuvante Therapie der Peritonitis und ihren septischen Verlaufsformen mit Taurolidin – eine prospektive randomisierte Untersuchung. 1996 , 12, 358-362	5
1213	Reliability of Carbohydrate-Deficient Transferrin to Detect Chronic Alcohol Misuse in Carcinoma Patients. 1996 , 2, 156-162	16
1212	A method for predicting the utilization of medical technology in neonatal care. 1996 , 3, 273-278	4
1211	Acinetobacter spp. as nosocomial pathogens: microbiological, clinical, and epidemiological features. 1996 , 9, 148-65	1230
1210	Adequacy of Dialysis in the Acute Renal Failure of the Critically ILL: The Case for Continuous Therapies. 1996 , 19, 129-142	20
1209	Bedeutung erhöhter TNF-Rezeptorspiegel bei herzchirurgischen Risikopatienten. 1996 , 23, 29-34	1
1208	Program assessment through outcomes analysis: efficacy of a comprehensive supportive care team for end-of-life care. 1996 , 7, 159-67	12
1207	Judging hospitals by severity-adjusted mortality rates: the influence of the severity-adjustment method. 1996 , 86, 1379-87	124
1206	Pharmacodynamics and pharmacokinetics of milrinone administration to increase oxygen delivery in critically ill patients. 1996 , 109, 1291-301	35
1205	The effects of neuromuscular paralysis on systemic and splanchnic oxygen utilization in mechanically ventilated patients. 1996 , 109, 1038-42	48
1204	Risk Factors to Predict Renal Failure and Death in the Medical Intensive Care Unit. 1996 , 11, 114-119	3
1203	The Relationship of the ACCP/SCCM Consensus Conference Classification of Sepsis to Mortality and Multiorgan Dysfunction among Medical ICU Patients. 1996 , 11, 326-334	3
1202	[Sepsis score in surgical intensive care medicine]. 1996 , 31, 556-62	0
1201	Risk Factors for Mortality Associated with Enterococcal Bloodstream Infections. 1996 , 17, 576-580	72
1200	Noninvasive positive pressure ventilation in status asthmaticus. 1996 , 110, 767-74	249
1199	Noninvasive positive pressure ventilation via face mask. First-line intervention in patients with acute hypercapnic and hypoxemic respiratory failure. 1996 , 109, 179-93	392
1198	The development and evaluation of a paramedic-staffed mobile intensive care unit for inter-facility patient transport. 1996 , 11, 37-43	11
1197	Prognostic factors in acute renal failure due to sepsis. Results of a prospective multicentre study. The French Study Group on Acute Renal Failure. 1996 , 11, 293-9	270

1196	Hospital-acquired pressure ulcers and risk of death. 1996 , 44, 1435-40		145
1195	Seriously ill hospitalized adults: do we spend less on older patients? Support Investigators. Study to Understand Prognoses and Preference for Outcomes and Risks of Treatments. 1996 , 44, 1043-8		81
1194	Risk Factors for Ventilator-Associated Pneumonia in Surgical Intensive-Care-Unit Patients. 1996 , 17, 374-376		33
1193	Critical care of the patient with hematologic malignancy. 1996 , 7, 65-78		5
1192	Use of post-hospital care by Medicare patients. 1996 , 44, 242-50		59
1191	The Role of Understaffing in Central Venous Catheter-Associated Bloodstream Infections. 1996 , 17, 150-158		167
1190	Do rehabilitative nursing homes improve the outcomes of care?. 1996 , 44, 545-54		78
1189	Gram-Negative Bacteremia in Open-Heart-Surgery Patients Traced to Probable Tap-Water Contamination of Pressure-Monitoring Equipment. 1996 , 17, 281-285		31
1188	A comparison of the Acute Physiology and Chronic Health Evaluation (APACHE) II score and the Trauma-Injury Severity Score (TRISS) for outcome assessment in intensive care unit trauma patients. <i>Critical Care Medicine</i> , 1996 , 24, 1642-8	1.4	61
1187	Evaluation of the use of cefuroxime and cefuroxime axetil in an intravenous-oral stepdown program. 1996 , 30, 337-42		15
1186	Factors associated with do-not-resuscitate orders: patients' preferences, prognoses, and physicians' judgments. SUPPORT Investigators. Study to Understand Prognoses and Preferences for Outcomes and Risks of Treatment. 1996 , 125, 284-93		200
1185	Transcranial Doppler and systemic hemodynamic studies in septic shock. 1996 , 18, 313-8		12
1184	The Role of Understaffing in Central Venous Catheter-Associated Bloodstream Infection. 1996 , 17, 150-158		281
1183	Blood purification procedures for acute renal failure: convenient strategy related to clinical conditions. 1996 , 14, 242-8		5
1182	Prognostic factors in acute renal failure due to sepsis. Results of a prospective multicentre study. 1996 ,		
1181	Noninvasive mechanical ventilation improves the immediate and long-term outcome of COPD patients with acute respiratory failure. 1996 , 9, 422-30		72
1180	Noninvasive mechanical ventilation in acute respiratory failure. 1996 , 9, 795-807		44
1179	Acute exacerbations in patients with COPD: predictors of need for mechanical ventilation. 1996 , 9, 1487-93		56

1178	Preventing complications of mechanical ventilation: permissive hypercapnia. 1996 , 7, 473-81; quiz 639-41	6
1177	Bloodstream Infections With Vancomycin-Resistant Enterococci. 1996 , 156, 1458	46
1176	Proceedings of the Anaesthetic Research Society. 1996 , 77, 281P-292P	
1175	Predicting ICU length of stay following single lung transplantation. 1996 , 110, 1014-7	38
1174	Predicting death from pneumonia. 1996 , 51, 970	6
1173	A double-blind, prospective, randomized study of glutamine-enriched compared with standard peptide-based feeding in critically ill patients. 1996 , 64, 615-21	76
1172	Beta-carbolines in chronic alcoholics following trauma. 1996 , 1, 93-103	21
1171	Risk-adjusted control charts for health care assessment. 1996 , 67, 45-60	16
1170	Utilization of acute inpatient services for alcohol detoxification. 1996 , 23, 366-74	5
1169	How severity measures rate hospitalized patients. 1996 , 11, 303-11	36
1168	Variations in the management of acute myocardial infarction. Importance of clinical measures of disease severity. 1996 , 11, 334-41	2
1167	Race, resource use, and survival in seriously ill hospitalized adults. The SUPPORT Investigators. 1996 , 11, 387-96	80
1166	Using severity measures to predict the likelihood of death for pneumonia inpatients. 1996 , 11, 23-31	24
1165	Preventable deaths among major trauma patients in Mersey Region, North Wales and the Isle of Man. 1996 , 27, 189-92	26
1164	Effects of pancreatic duct ligation and aging on acute taurocholate-induced pancreatitis. Experiments in the perfused pancreas in rats. 1996 , 19, 117-27	7
1163	The operations management role in hospital strategic planning. 1996 , 14, 137-156	52
1162	Critical illness polyneuropathy in multiple organ dysfunction syndrome and weaning from the ventilator. 1996 , 22, 856-61	155
1161	A comparison of the adrenocortical response during septic shock and after complete recovery. 1996 , 22, 894-9	127

1160	Diagnostic and therapeutic implications of transesophageal echocardiography in medical ICU patients with unexplained shock, hypoxemia, or suspected endocarditis. 1996 , 22, 916-22	85
1159	Evaluation of trauma care: validation of the TRISS method in an Italian ICU. 1996 , 22, 941-6	12
1158	Survival and quality of life after intensive care. 1996 , 22, 947-53	52
1157	Efficacy of metronidazole lavage in treatment of intraperitoneal sepsis. A prospective study. 1996 , 41, 1313-8	14
1156	Predominant pathogens found in the European Prevalence of Infection in Intensive Care Study. 1996 , 15, 281-5	185
1155	Validation of a quality of life questionnaire for critically ill patients. 1996 , 22, 1034-42	468
1154	Clinical consequences of the implementation of a weaning protocol. 1996 , 22, 1052-6	88
1153	Intercurrent complications in chronic alcoholic men admitted to the intensive care unit following trauma. 1996 , 22, 286-93	107
1152	The acute respiratory distress syndrome: definitions, severity and clinical outcome. An analysis of 101 clinical investigations. 1996 , 22, 519-29	205
1151	Outcome prediction for patients with cirrhosis of the liver in a medical ICU: a comparison of the APACHE scores and liver-specific scoringsystems. 1996 , 22, 559-63	75
1150	Application of the APACHE III prognostic system in Brazilian intensive care units: a prospective multicenter study. 1996 , 22, 564-70	71
1149	Relations between the selenium status and the low T3 syndrome after major trauma. 1996 , 22, 575-81	31
1148	Scoring system for nosocomial pneumonia in ICUs. 1996 , 22, 1155-61	27
1147	Evaluation by polymerase chain reaction of cytomegalovirus reactivation in intensive care patients under mechanical ventilation. 1996 , 22, 1244-9	39
1146	Serum and erythrocyte magnesium in critically ill patients. 1996 , 22, 724-7	39
1145	Response to nitric oxide inhalation in early acute lung injury. 1996 , 22, 728-34	35
1144	Weaning and extubation in the intensive care unit. Clinical or index-driven approach?. 1996 , 22, 752-9	35
1143	A predictive model for the treatment approach to community-acquired pneumonia in patients needing ICU admission. 1996 , 22, 1294-300	44

1142	The intensive care management, mortality and prognostic indicators in severe community-acquired pneumococcal pneumonia. 1996 , 22, 1301-6	31
1141	Outcome of ICU treatment in invasive aspergillosis. 1996 , 22, 1315-22	41
1140	The performance of SAPS II in a cohort of patients admitted to 99 Italian ICUs: results from GiViTI. Gruppo Italiano per la Valutazione degli interventi in Terapia Intensiva. 1996 , 22, 1368-78	102
1139	Measuring health and health state preferences among critically ill patients. 1996 , 22, 1379-84	53
1138	Meningococcal disease: a comparison of eight severity scores in 125 children. 1996 , 22, 1433-41	32
1137	Hemostatic abnormalities and the severity of illness in patients at the onset of clinically defined sepsis. Possible indication of the degree of endothelial cell activation?. 1996 , 22, 631-6	45
1136	Effects of extreme lateral posture on hemodynamics and plasma atrial natriuretic peptide levels in critically ill patients. 1996 , 22, 651-5	31
1135	The effect of casemix adjustment on mortality as predicted by APACHE II. 1996 , 22, 415-9	55
1134	Elevated serum bleomycin-detectable iron concentrations in patients with sepsis syndrome. 1996 , 22, 226-9	29
1133	A randomized study comparing fluconazole with amphotericin B/5-flucytosine for the treatment of systemic Candida infections in intensive care patients. 1996 , 24, 426-32	88
1132	Pulmonary oedema, pneumonia and mortality in submersion victims; a retrospective study in 125 patients. 1996 , 22, 101-7	63
1131	Event-related potentials--neurophysiological tools for predicting emergence and early outcome from traumatic coma. 1996 , 22, 39-46	139
1130	Evaluation of the Glasgow Coma Scale score in critically ill infectious disease patients. 1996 , 24, 297-300	12
1129	Evaluation of prognostic score based on the Japanese criteria for the severity of acute pancreatitis. Part II. Prospective study. 1996 , 3, 216-219	
1128	Strategy for treatment of acute necrotizing pancreatitis: Importance of continuous regional arterial infusion of protease inhibitor and antibiotics in the early phase. 1996 , 3, 220-226	
1127	The surgical approach to severe acute pancreatitis. 1996 , 3, 241-246	1
1126	Necrotizing pancreatitis: Indications for surgery and surgical techniques. 1996 , 3, 247-252	4
1125	Risk factors, Helicobacter pylori and a role for laparoscopic treatment of perforated peptic ulcer?. 1996 , 11, 93-6	3

1124	Measuring the effects of casemix on outcomes. 1996 , 2, 111-21	8
1123	Effect of parenteral l-glutamine on muscle in the very severely ill. 1996 , 12, 316-320	1
1122	The effect of air fluidised bed therapy on hypermetabolism in intensive care unit patients. 1996 , 12, 200-6	0
1121	Pulmonary lactate release in patients with sepsis and the adult respiratory distress syndrome. 1996 , 11, 2-8	55
1120	How valid is emergency liver transplantation for acute liver necrosis in patients with multiple-organ failure?. 1996 , 2, 1-7	23
1119	Prospective study comparing the efficacy of prophylactic parenteral antimicrobials, with or without enteral decontamination, in patients with acute liver failure. 1996 , 2, 8-13	67
1118	An expert system based on causal knowledge: validation on post-cardiosurgical patients. 1996 , 41, 19-37	3
1117	The lung cancer in the elderly: the surgical approach. 1996 , 22 Suppl 1, 515-22	
1116	Intensive care unit admission following successful cardiopulmonary resuscitation: resource utilization, functional status and long-term survival. 1996 , 31, 235-42	19
1115	[Revision of diffuse peritonitis: planned versus on demand]. 1996 , 381, 343-7	7
1114	Influence of age, comorbidity, type of operation and other variables on lethality and duration of post-operative hospital stay in patients with peptic ulcer. An analysis of 303 surgically treated patients. 1996 , 381, 201-6	2
1113	What changes drug metabolism in critically ill patients?--II Serum inhibits the metabolism of midazolam in human microsomes. 1996 , 51, 11-5	17
1112	Mortality predicted by APACHE II. The effect of changes in physiological values and post-ICU hospital mortality. 1996 , 51, 719-23	28
1111	The prognostic value of serial measurements of serum albumin concentration in patients admitted to an intensive care unit. 1996 , 51, 724-7	65
1110	Creatinine and urea clearance during continuous veno-venous haemofiltration in critically ill patients. 1996 , 51, 551-3	4
1109	Appropriateness of hospitalization of patients with community-acquired pneumonia. 1996 , 27, 176-83	20
1108	Effect of Subcutaneous Tunneling on Internal Jugular Catheter-Related Sepsis in Critically Ill Patients. 1996 , 276, 1416	82
1107	Intravenous meropenem versus imipenem/cilastatin in the treatment of serious bacterial infections in hospitalized patients. Meropenem Serious Infection Study Group. 1996 , 38, 523-37	74

1106	Plasma lactate as a predictor of early childhood neurodevelopmental outcome of neonates with severe hypoxaemia requiring extracorporeal membrane oxygenation. 1996 , 74, F47-50	17
1105	Molecular mechanisms of drug metabolism in the critically ill. 1996 , 77, 32-49	52
1104	Investigation of a multiyear multiple critical care unit outbreak due to relatively drug-sensitive <i>Acinetobacter baumannii</i> : risk factors and attributable mortality. 1996 , 174, 1279-87	64
1103	Evaluation of outcome for intubated patients with pneumonia due to <i>Pseudomonas aeruginosa</i> . 1996 , 23, 973-8	157
1102	Resuscitation decisions in the elderly: a discussion of current thinking. 1996 , 22, 286-91	16
1101	Acute pancreatitis: assessment and management. 1996 , 72, 277-83	3
1100	Gastric intramural pH in mechanically ventilated patients. 1996 , 51, 606-10	5
1099	AIDS in a Medical Intensive Care Unit. 1996 , 276, 1240	25
1098	Influence of multiple organ dysfunction syndrome on duration of critical illness and hospitalization. 1996 , 131, 1318-23; discussion 1324	30
1097	The Spectrum of Septic Encephalopathy. 1996 , 275, 470	200
1096	The Effect of Acute Renal Failure on Mortality. 1996 , 275, 1489	820
1095	Prognosis in intra-abdominal infections. Multivariate analysis on 604 patients. 1996 , 131, 641-5	144
1094	Precipitating Factors for Delirium in Hospitalized Elderly Persons. 1996 , 275, 852	755
1093	Development of multiple organ dysfunction syndrome in critically ill patients with perforated viscus. Predictive value of APACHE severity scoring. 1996 , 131, 37-43	36
1092	ICU admission criteria for patients with self-poisoning; reduction of admissions is possible. 1996 , 7, 236-241	
1091	Risk factors for pneumonia, and colonization of respiratory tract and stomach in mechanically ventilated ICU patients. 1996 , 154, 1339-46	147
1090	Pneumonia in intubated patients: role of respiratory airway care. 1996 , 154, 111-5	390
1089	Comparison of the pharmacodynamics and pharmacokinetics of an infusion of cis-atracurium (51W89) or atracurium in critically ill patients undergoing mechanical ventilation in an intensive therapy unit. 1996 , 76, 382-8	42

1088	Biapenem versus imipenem/cilastatin in the treatment of complicated intra-abdominal infections: report from a Swedish Study Group. 1996 , 28, 507-12	26
1087	Acute renal failure in polytraumatized patients: prediction of outcome. 1996 , 18, 607-13	3
1086	Prevention of pressure sores in acute respiratory failure: a randomised controlled trial. 1996 , 7, 228-235	20
1085	Participation of nurses in decision making for seriously ill adults. 1996 , 5, 199-219	34
1084	Intermittent enteral feeding: the influence on respiratory and digestive tract colonization in mechanically ventilated intensive-care-unit patients. 1996 , 154, 394-9	105
1083	Sequential changes in insulin-like growth factor 1, plasma proteins, and total body protein in severe sepsis and multiple injury. 1996 , 20, 363-70	52
1082	The potential role of Clostridium perfringens alpha toxin in the pathogenesis of acute pancreatitis. 1996 , 49, 500-3	9
1081	Intraabdominal abscesses: image-guided diagnosis and therapy. 1996 , 23, 28-36	76
1080	Validity of prediction scores in acute renal failure due to polytrauma. 1996 , 18, 615-20	7
1079	Impact of the nutritional regimen on protein catabolism and nitrogen balance in patients with acute renal failure. 1996 , 20, 56-62	84
1078	Phenytoin protein binding and dosage requirements during acute and convalescent phases following brain injury. 1996 , 30, 443-8	19
1077	Neuron-specific enolase as an aid to outcome prediction in head injury. 1996 , 10, 471-6	127
1076	Relative contribution of endothelial cell and polymorphonuclear neutrophil activation in their interactions in systemic inflammatory response syndrome. 1996 , 131, 1148-53; discussion 1153-4	18
1075	Emergence of antibiotic-resistant bacteria in cases of peritonitis after intraabdominal surgery affects the efficacy of empirical antimicrobial therapy. 1996 , 23, 486-94	245
1074	Yearbook of Intensive Care and Emergency Medicine. 1996 ,	1
1073	Nosocomial Pneumonia and Mortality Among Patients in Intensive Care Units. 1996 , 275, 866	238
1072	The Low Frequency of Futility in an Adult Intensive Care Unit Setting. 1996 , 156, 100	29
1071	Who Decides?. 1996 , 156, 785	43

1070	Euthanasia: the intensive care unit. 1996 , 52, 289-95	2
1069	Klebsiella bacteraemia: community versus nosocomial infection. 1996 , 89, 933-41	79
1068	The accuracy of elevated concentrations of endotoxin in bronchoalveolar lavage fluid for the rapid diagnosis of gram-negative pneumonia. 1996 , 154, 1020-8	38
1067	Update on invasive candidiasis. 1997 , 37, 349-400	12
1066	Ventilator-associated pneumonia due to Pseudomonas aeruginosa. 1996 , 109, 1019-29	295
1065	Delta APACHE II for predicting course and outcome of nosocomial Staphylococcus aureus bacteremia and its relation to host defense. 1996 , 173, 914-9	48
1064	Efficacy and safety of once-daily amikacin in combination with ceftazidime in critically ill adults with severe gram-negative infections. 1996 , 8, 457-64	7
1063	Effectiveness of nitric oxide inhalation in septic ARDS. 1996 , 109, 486-93	112
1062	Predicting eventual success or failure to wean in patients receiving long-term mechanical ventilation. 1996 , 110, 1018-24	49
1061	Variations in the use of do-not-resuscitate orders in ICUS. Findings from a national study. 1996 , 110, 1332-9	55
1060	A comparison of severity of illness scoring systems for critically ill obstetric patients. 1996 , 110, 1299-304	113
1059	Predicting in-hospital mortality for stroke patients: results differ across severity-measurement methods. 1996 , 16, 348-56	35
1058	Assessment of involuntary muscle function in patients after critical injury or severe sepsis. 1996 , 20, 332-7	22
1057	Acute renal failure in patients with kidney transplant: continuous versus intermittent renal replacement therapy. 1996 , 18, 461-70	3
1056	Outcome of Marrow Transplantation Recipients Requiring Intensive Care. 1996 , 17, 359-363	5
1055	Community-acquired aspiration pneumonia in intensive care units. Epidemiological and prognosis data. 1997 , 156, 1922-9	63
1054	Soluble E-selectin levels in sepsis and critical illness. Correlation with infection and hemodynamic dysfunction. 1997 , 156, 431-7	86
1053	Mechanical ventilation with or without daily changes of in-line suction catheters. 1997 , 156, 466-72	100

1052	Cytokine profile and correlation to the APACHE III and MPM II scores in patients with sepsis. 1997 , 156, 825-32	93
1051	The somatotrophic axis in critical illness: effect of continuous growth hormone (GH)-releasing hormone and GH-releasing peptide-2 infusion. 1997 , 82, 590-9	104
1050	A prospective comparative study of moderate versus high protein intake for critically ill patients with acute renal failure. 1997 , 19, 111-20	41
1049	The systemic inflammatory response in the development of ventilator-associated pneumonia. 1997 , 156, 1105-13	85
1048	Hospital outcome of ICU patients in multi-organ failure. 1997 , 8, 132-135	2
1047	Acute renal failure in recipients of organ transplantation and nontransplantation patients: comparison of characteristics and mortality. 1997 , 19, 461-73	13
1046	Nosocomial bacteremia in critically ill patients: a multicenter study evaluating epidemiology and prognosis. Spanish Collaborative Group for Infections in Intensive Care Units of Sociedad Espanola de Medicina Intensiva y Unidades Coronarias (SEMIUC). 1997 , 24, 387-95	182
1045	Comparison of mortality risk: a score for very low birthweight infants. 1997 , 76, F146-50; discussion F150-1	23
1044	Indications for antibiotic use in ICU patients: a one-year prospective surveillance. 1997 , 39, 527-35	120
1043	Is experience a good teacher? How interns and attending physicians understand patients' choices for end-of-life care. SUPPORT Investigators. Study to Understand Prognoses and Preferences for Outcomes and Risks of Treatments. 1997 , 17, 217-27	45
1042	The effect of ICU sedation guidelines and pharmacist interventions on clinical outcomes and drug cost. 1997 , 31, 689-95	148
1041	Adult Bacteremic Pneumococcal Pneumonia in a Community Teaching Hospital, 1992-1996n. 1997 , 157, 1965	63
1040	A multi-centre study to compare meropenem and cefotaxime and metronidazole in the treatment of hospitalized patients with serious infections. 1997 , 39, 631-8	25
1039	Respiratory Distress and Sudden Death Associated with Receipt of a Peripheral Parenteral Nutrition Admixture. 1997 , 18, 814-817	5
1038	Screening for delirium: a means to improved outcome in hospitalized elderly patients. 1997 , 7, 235-256	6
1037	Relationship of Preoperative Antiendotoxin Core Antibodies and Adverse Outcomes Following Cardiac Surgery. 1997 , 277, 646	87
1036	A randomized, double-blind clinical trial comparing cefepime plus metronidazole with imipenem-cilastatin in the treatment of complicated intra-abdominal infections. Cefepime Intra-abdominal Infection Study Group. 1997 , 132, 1294-302	99
1035	Price of Adaptation/Allostatic Load and Its Health Consequences. 1997 , 157, 2259	684

1034	Twelfth rib resection. Preferred therapy for subphrenic abscess in selected surgical patients. 1997 , 132, 1203-6	15
1033	Role of hemophagocytic histiocytosis in the etiology of thrombocytopenia in patients with sepsis syndrome or septic shock. 1997 , 25, 1159-64	70
1032	Comparison of early IgM-enriched immunoglobulin vs polyvalent IgG administration in score-identified postcardiac surgical patients at high risk for sepsis. 1997 , 111, 419-26	70
1031	The impact of gender on outcome from mechanical ventilation. 1997 , 111, 434-41	66
1030	Prone positioning and low-volume pressure-limited ventilation improve survival in patients with severe ARDS. 1997 , 111, 1008-17	142
1029	A citywide analysis of the utilization of common laboratory tests and imaging procedures in ICUs. 1997 , 111, 1030-8	5
1028	Do-not-resuscitate decisions in the medical ICU: comparing physician and nurse opinions. 1997 , 111, 1106-11	34
1027	Infections and the inflammatory response in acute respiratory distress syndrome. 1997 , 111, 1306-21	221
1026	A rapid qualitative assay to detect circulating endotoxin can predict the development of multiorgan dysfunction. 1997 , 112, 173-80	11
1025	Is the duration of mechanical ventilation predictable?. 1997 , 112, 745-51	54
1024	Predictors of outcome in cardiac surgical patients with prolonged intensive care stay. 1997 , 112, 1035-42	90
1023	Risk factors for infection by <i>Acinetobacter baumannii</i> in intubated patients with nosocomial pneumonia. 1997 , 112, 1050-4	107
1022	Comparison of a lactate-versus acetate-based hemofiltration replacement fluid in patients with acute renal failure. 1997 , 19, 155-64	31
1021	Light versus heavy sedation after cardiac surgery: myocardial ischemia and the stress response. Maritime Heart Centre and Dalhousie University. 1997 , 85, 971-8	8
1020	The Effect of Nasal Continuous Positive Airway Pressure on Plasma Endothelin-1 Concentrations in Patients with Severe Cardiogenic Pulmonary Edema. 1997 , 84, 1091-1096	25
1019	Light Versus Heavy Sedation After Cardiac Surgery. 1997 , 85, 971-978	36
1018	Pleural effusions in the medical ICU: prevalence, causes, and clinical implications. 1997 , 111, 1018-23	164
1017	What is outcomes research and what can it tell us?. 1997 , 20, 243-64	9

1016	Major trauma care in north-east Italy. Injury pattern and audit. 1997 , 8, 116-121	2
1015	Assessing ICU quality of care in 1997: a North American perspective. 1997 , 8, 76-80	
1014	Patient and relative satisfaction with intensive care. Importance of duration and quality of life. 1997 , 8, 63-68	3
1013	Nosocomial Infection in an Intensive-Care Unit: Identification of Risk Factors. 1997 , 18, 825-830	14
1012	Prevention of nosocomial infection in mechanically ventilated patients: selective digestive decontamination versus sucralfate. 1997 , 8, 228-235	22
1011	Characteristics of thoracic duct lymph in multiple organ dysfunction syndrome. 1997 , 132, 13-8	24
1010	Temporal hemodynamic effects of permissive hypercapnia associated with ideal PEEP in ARDS. 1997 , 156, 1458-66	113
1009	Scheduled change of antibiotic classes: a strategy to decrease the incidence of ventilator-associated pneumonia. 1997 , 156, 1040-8	259
1008	Clinically recognized cardiac dysfunction: an independent determinant of mortality among critically ill patients. Is there a role for serial measurement of cardiac troponin I?. 1997 , 111, 1340-7	74
1007	Phospholipase A2 in Surgical Intensive Care Patients. 1997 , 24, 187-199	1
1006	Usefulness of quantitative cultures of BAL fluid for diagnosing nosocomial pneumonia in ventilated patients. 1997 , 111, 411-8	61
1005	Hemodynamic effects of plasma exchange in septic patients: preliminary report. 1997 , 15, 45-53	20
1004	Hypoenergetic nutrition support in hospitalized obese patients: a simplified method for clinical application. 1997 , 66, 546-50	164
1003	Correspondence. 1997 , 52, 603-615	
1002	Risk Factors Associated with Isolation of <i>Stenotrophomonas</i> (<i>Xanthomonas</i>) <i>maltophilia</i> in Clinical Specimens. 1997 , 18, 316-321	55
1001	Neutralizing ageism in critical care via outcomes research. 1997 , 8, 597-608	8
1000	Manganese Superoxide Dismutase. 1997 , 15, 78-82	10
999	Comparison of Thyroid Hormone and Cortisol Measurements with APACHE II and TISS Scoring Systems as Predictors of Mortality in the Medical Intensive Care Unit. 1997 , 12, 12-17	8

998	Serum ferritin as a predictor of the acute respiratory distress syndrome. 1997 , 155, 21-5	70
997	Human and financial costs of noninvasive mechanical ventilation in patients affected by COPD and acute respiratory failure. 1997 , 111, 1631-8	146
996	Patient transport from intensive care increases the risk of developing ventilator-associated pneumonia. 1997 , 112, 765-73	195
995	Assessment of the prognosis of coronary patients: performance and customization of generic severity indexes. 1997 , 111, 1666-71	8
994	Liver function and splanchnic ischemia in critically ill patients. 1997 , 111, 180-7	76
993	The effect of surgical ICU triage patterns on differing severity adjusted outcomes in France and the United States. 1997 , 14, 83-8	4
992	Continuously nebulized albuterol in severe exacerbations of asthma in adults: a case-controlled study. 1997 , 34, 521-30	4
991	Outcomes for older men and women with congestive heart failure. 1997 , 45, 276-80	87
990	Do acute care for elders units increase hospital costs? A cost analysis using the hospital perspective. 1997 , 45, 729-34	60
989	Efficiency and rationality in the planning of health care for people with AIDS: an application of the balance of care approach. North-East Italian Group for Planning of AIDS Health Care. 1997 , 11, 809-16	10
988	The effect of nasal continuous positive airway pressure on plasma endothelin-1 concentrations in patients with severe cardiogenic pulmonary edema. 1997 , 84, 1091-6	26
987	The impact of nosocomial infections on patient outcomes following cardiac surgery. 1997 , 112, 666-75	227
986	From the Bench to the Bedside: The Future of Sepsis Research. 1997 , 111, 744-753	64
985	Nosocomial Infection in an Intensive-Care Unit Identification of Risk Factors. 1997 , 18, 825-830	39
984	Patient preferences for communication with physicians about end-of-life decisions. SUPPORT Investigators. Study to Understand Prognoses and Preference for Outcomes and Risks of Treatment. 1997 , 127, 1-12	320
983	Prediction of outcome from intensive care: a prospective cohort study comparing Acute Physiology and Chronic Health Evaluation II and III prognostic systems in a United Kingdom intensive care unit. <i>Critical Care Medicine</i> , 1997 , 25, 9-15	1.4 106
982	Increased mortality of older patients with acute respiratory distress syndrome. 1997 , 111, 1334-9	64
981	Protective effect of intravenously administered cefuroxime against nosocomial pneumonia in patients with structural coma. 1997 , 155, 1729-34	285

980	Effect of acute phase response on phenytoin metabolism in neurotrauma patients. 1997 , 37, 129-39	24
979	Imipenem/cilastatin (1.5 g daily) versus meropenem (3.0 g daily) in patients with intra-abdominal infections: results of a prospective, randomized, multicentre trial. 1997 , 29, 503-8	36
978	Impact of inhaled nitric oxide on cardiopulmonary performance and outcome of ARDS patients: a literature review. 1997 , 8, 27-32	1
977	Reporting standards for transjugular intrahepatic portosystemic shunts. Technology Assessment Committee of the SCVIR. 1997 , 8, 289-97	38
976	Intensive care in Australia and New Zealand. No nonsense "down under". 1997 , 13, 299-316	8
975	Screening for asymptomatic deep vein thrombosis in surgical intensive care patients. 1997 , 26, 764-9	55
974	Surgical complication outcome (SCOUT) score: a new method to evaluate quality of care in vascular surgery. 1997 , 25, 1007-14; discussion 1014-5	43
973	International comparisons of critical care outcome and resource consumption. 1997 , 13, 389-407	56
972	Predicting survival in the intensive care unit. 1997 , 34, 525-599	14
971	Prevention of central venous catheter-related bloodstream infection by use of an antiseptic-impregnated catheter. A randomized, controlled trial. 1997 , 127, 257-66	580
970	The Role of TIPS in Variceal Bleeding. 1997 , 8, 108-111	2
969	Thrombocytopenia in the sepsis syndrome: role of hemophagocytosis and macrophage colony-stimulating factor. 1997 , 103, 114-20	226
968	The informed consent process in older patients who developed delirium: a clinical epidemiologic study. 1997 , 103, 410-8	34
967	Predictors of survival and the role of gender in postoperative myocardial infarction. 1997 , 103, 357-62	19
966	The influence of ischemic bowel wall damage on translocation, inflammatory response, and clinical course. 1997 , 174, 39-44	7
965	Identifying risk factors for and preventing hip fractures in elderly patients. 1997 , 66, 688-93	3
964	Admission to an intensive care unit after transvenous implantable cardioverter defibrillator implantation: analysis of risk factors. 1997 , 5, 216-9	
963	Intensive care management of varicella pneumonia. 1997 , 91, 207-12	18

962	Successful use of nasal BiPAP in three patients previously requiring intubation and mechanical ventilation. 1997 , 15, 785-8	5
961	Association of serum albumin and mortality risk. 1997 , 50, 693-703	424
960	Proportion of hospital deaths associated with adverse events. 1997 , 50, 1319-26	36
959	Influence of continuous hemofiltration on the hemodynamics of trauma patients. 1997 , 122, 902-8	18
958	Prognostic indicators in acute pancreatitis: CT vs APACHE II. 1997 , 52, 842-8	50
957	Longitudinal changes of biochemical parameters in muscle during critical illness. 1997 , 46, 756-62	85
956	Mortality among appropriately referred patients refused admission to intensive-care units. 1997 , 350, 7-11	165
955	Cytokines clearance during venovenous hemofiltration in the trauma patient. 1997 , 30, 483-8	58
954	Outcomes research primer. 1997 , 117, 380-7	16
953	Continuous haemofiltration and haemodiafiltration for acute renal failure in severely burned patients. 1997 , 23, 160-5	55
952	A comparison of patients' communication-related responses during intubation and after extubation. 1997 , 26, 363-71	22
951	Estimating the risks of cardiac surgery. 1997 , 166, 397-8	1
950	Trattamento Emodialitico Dell'insufficienza Renale Acuta. 1997 , 9, 5-8	
949	Evaluating a Home Palliative Care Service: Development of Indicators for a Continuous Quality Improvement Program. 1997 , 13, 34-42	16
948	Acute renal failure, critical illness and the artificial kidney: can we predict outcome?. 1997 , 15, 346-53	6
947	[Predictive value of the measurement of iodothyronines in the prognosis of patients with severe nonthyroidal illness]. 1997 , 43, 114-8	4
946	Significance of CT Severity Index in Acute Pancreatitis. 1997 , 36, 295	
945	Respiratory Distress and Sudden Death Associated with Receipt of a Peripheral Parenteral Nutrition Admixture. 1997 , 18, 814-817	23

944	Inhibition of the Defense System Stimulating Interleukin-12 Interferon- γ Pathway During Critical Illness. 1997 , 89, 1612-1620	93
943	A retrospective analysis of nitric oxide inhalation in patients with severe acute lung injury in Sweden and Norway 1991-1994. 1997 , 41, 1238-46	10
942	A survey of the ASA physical status classification: significant variation in allocation among Finnish anaesthesiologists. 1997 , 41, 629-32	98
941	Quality assurance in intensive care medicine: Implications for the high-risk patient. 1997 , 41, 9-16	
940	Why do patients die on general wards after discharge from intensive care units?. 1997 , 52, 9-14	53
939	Cardiopulmonary resuscitation: a retrospective review. 1997 , 52, 324-7	16
938	Outcome of intensive care in the elderly. 1997 , 52, 1130-6	49
937	Prognostic scoring systems to predict outcome in peritonitis and intra-abdominal sepsis. 1997 , 84, 1532-1534	101
936	Preferences for cardiopulmonary resuscitation. 1997 , 29, 229-35	9
935	Comparison of acute physiology and chronic health evaluation III and II for prediction of mortality in multiple organ failure patients treated by plasma exchange. 1997 , 1, 195-8	1
934	Six-month outcome of critically ill patients given glutamine-supplemented parenteral nutrition. 1997 , 13, 295-302	34
933	A 10-year survey of nutritional support in a surgical ICU: 1986-1995. 1997 , 13, 870-7	80
932	Dependency scoring in a critical care area: a direct nursing assessment method. 1997 , 13, 282-8	4
931	Heat shock protein (HSP70) expression in septic patients. 1997 , 12, 188-92	37
930	DATA COLLECTION AND ANALYSIS IN THE ICU. 1997 , 15, 879-897	1
929	Septic shock in patients with the acquired immunodeficiency syndrome. 1997 , 23, 1018-23	29
928	The ability of the Simplified Acute Physiology Score (SAPS II) to predict outcome in coronary care patients. 1997 , 23, 1056-61	39
927	Effects of early treatment with immunoglobulin on critical illness polyneuropathy following multiple organ failure and gram-negative sepsis. 1997 , 23, 1144-9	127

926	Health status prediction in critically ill children: a pilot study introducing Standardized Health Ratios. 1997 , 6, 192-9	7
925	Polyvalent Immunoglobulin. 1997 , 1, 15-16	
924	Critical care management of the obstetric patient. 1997 , 44, 325-9	111
923	[Selenium administration in sepsis patients]. 1997 , 92 Suppl 3, 12-4	10
922	Low Serum Pancreatitis-Associated Protein Does not Exclude Complications in Mild Acute Pancreatitis. 1997 , 3, 30-33	1
921	POSSUM and APACHE II scores do not predict the outcome of ruptured infrarenal aortic aneurysms. 1997 , 11, 155-8	46
920	[Prognostic scores in intensive care]. 1997 , 46, 471-80	24
919	[Long-term monitoring by score systems in intensive care medicine]. 1997 , 38, 841-9	2
918	Natural course of acute pancreatitis. 1997 , 21, 130-5	394
917	Safety of a low-dosage Filgrastim (rhG-CSF) treatment in non-neutropenic surgical intensive care patients with an inflammatory process. 1997 , 23, 16-22	42
916	Candidemia in non-neutropenic critically ill patients: analysis of prognostic factors and assessment of systemic antifungal therapy. Study Group of Fungal Infection in the ICU. 1997 , 23, 23-30	195
915	Comparison of the APACHE III, APACHE II and Glasgow Coma Scale in acute head injury for prediction of mortality and functional outcome. 1997 , 23, 77-84	77
914	Outcome prediction in intensive care: results of a prospective, multicentre, Portuguese study. 1997 , 23, 177-86	123
913	A model of gastric emptying using paracetamol absorption in intensive care patients. 1997 , 23, 256-60	145
912	Cytokine removal and cardiovascular hemodynamics in septic patients with continuous venovenous hemofiltration. 1997 , 23, 288-96	206
911	Epidemiology of invasive mycosis in ICU patients: a prospective multicenter study in 435 non-neutropenic patients. Paul-Ehrlich Society for Chemotherapy, Divisions of Mycology and Pneumonia Research. 1997 , 23, 317-25	147
910	Platelet function in septic multiple organ dysfunction syndrome. 1997 , 23, 379-85	177
909	Use of 2% propofol to produce diurnal sedation in critically ill patients. 1997 , 23, 428-34	25

908	Assessing the efficiency of the admission process to a critical care unit: does the literature allow the use of benchmarking?. 1997 , 23, 574-80	23
907	Validation of the simplified therapeutic intervention scoring system on an independent database. 1997 , 23, 640-4	60
906	A new method of accurately identifying costs of individual patients in intensive care: the initial results. 1997 , 23, 645-50	76
905	Nine equivalents of nursing manpower use score (NEMS). 1997 , 23, 760-5	213
904	High survival rate in 122 ARDS patients managed according to a clinical algorithm including extracorporeal membrane oxygenation. 1997 , 23, 819-35	243
903	Pharmacokinetics of piperacillin and tazobactam in critically ill patients with renal failure, treated with continuous veno-venous hemofiltration (CVVH). 1997 , 23, 873-7	49
902	Hemofiltration increases IL-6 clearance in early systemic inflammatory response syndrome but does not alter IL-6 and TNF alpha plasma concentrations. 1997 , 23, 878-84	116
901	Propofol in patients needing long-term sedation in intensive care: an assessment of the development of tolerance. A pilot study. 1997 , 23, 969-74	54
900	A dose-response study of phenylephrine in critically ill, septic surgical patients. 1997 , 51, 461-5	52
899	Measuring Prognosis and Case Mix in Hospitalized Elders: The Importance of Functional Status. 1997 , 12, 203-208	4
898	Health Status Assessment: Completing the Clinical Database. 1997 , 12, 254-255	1
897	Computed tomography-guided percutaneous abscess drainage in intestinal disease: factors associated with outcome. 1997 , 40, 1009-13	41
896	Prospective, randomised, multicentre study of meropenem versus imipenem/cilastatin as empiric monotherapy in severe nosocomial infections. 1997 , 16, 789-96	46
895	Central venous catheter-related sepsis in a cohort of 366 hospitalised patients. 1997 , 16, 203-9	71
894	Intensive care and the elderly. 1997 , 25, 101-10	2
893	Measuring prognosis and case mix in hospitalized elders. The importance of functional status. 1997 , 12, 203-8	236
892	Health status assessment. Completing the clinical database. 1997 , 12, 254-5	16
891	Enteral nutrition is superior to parenteral nutrition in severe acute pancreatitis: Results of a randomized prospective trial. 1997 , 84, 1665-1669	25

890	Thyrotrophin and prolactin release in prolonged critical illness: dynamics of spontaneous secretion and effects of growth hormone-secretagogues. 1997 , 47, 599-612	114
889	Serum levels of parathyroid hormone are related to the mortality and severity of illness in patients in the emergency department. 1997 , 27, 977-81	48
888	Rationale and technical constraints of a tertiary liver transplantation. 1997 , 3, 624-7	3
887	ECarbolines in alcohol-dependent intensive care patients during prophylactics and therapy of alcohol withdrawal syndrome. 1998 , 3, 281-94	10
886	Evaluation of the uniformity of fit of general outcome prediction models. 1998 , 24, 40-7	76
885	Implementation of a clinical practice guideline for stress ulcer prophylaxis increases appropriateness and decreases cost of care. 1998 , 24, 217-23	55
884	Antithrombin III (ATIII) replacement therapy in patients with sepsis and/or postsurgical complications: a controlled double-blind, randomized, multicenter study. 1998 , 24, 336-42	190
883	Sequential production of leukaemia inhibitory factor by blood cell culture in patients with ARDS. 1998 , 24, 366-8	3
882	Antithrombin III in patients with severe sepsis. A randomized, placebo-controlled, double-blind multicenter trial plus a meta-analysis on all randomized, placebo-controlled, double-blind trials with antithrombin III in severe sepsis. 1998 , 24, 663-72	290
881	Effect of L-NAME, an inhibitor of nitric oxide synthesis, on plasma levels of IL-6, IL-8, TNF alpha and nitrite/nitrate in human septic shock. 1998 , 24, 673-9	30
880	Proxy-perceived prior health status and hospital outcome among the critically ill: is there any relationship?. 1998 , 24, 691-8	22
879	The use of intensive care information systems alters outcome prediction. 1998 , 24, 953-8	72
878	The relation between TISS and real paediatric ICU costs: a case study with generalizable methodology. 1998 , 24, 1062-9	20
877	Changes in plasma erythropoietin and interleukin-6 concentrations in patients with septic shock after hemoperfusion with polymyxin B-immobilized fiber. 1998 , 24, 1272-6	37
876	Added value of CT criteria compared to the clinical SAP score in patients with acute pancreatitis. 1998 , 23, 622-6	32
875	A severity score for spontaneous canine acute pancreatitis. 1998 , 76, 804-8	30
874	Treatment of refractory status epilepticus with propofol: clinical and pharmacokinetic findings. 1998 , 39, 18-26	190
873	Nonconvulsive status epilepticus in the critically ill elderly. 1998 , 39, 1194-202	206

872	Quality-oriented financing in intensive care medicine. 1998 , 42, 191-200	
871	Effect of an endotoxin-removing column containing immobilized polymyxin B fiber in a patient with septic shock from gram-positive infection. 1998 , 42, 590-3	17
870	Elevated methemoglobin in patients with sepsis. 1998 , 42, 713-6	33
869	Prognostic factors in elective aortic reconstructive surgery. 1998 , 68, 16-20	10
868	Multiple laparotomies for severe intra-abdominal infection. 1998 , 68, 139-42	9
867	Is excess intensive care mortality in the United Kingdom concealed by ICU mortality prediction models?. 1998 , 53, 89-90	2
866	Admission of bone marrow transplant recipients to the intensive care unit: outcome, survival and prognostic factors. 1998 , 21, 697-704	113
865	Intravenous amiodarone for acute heart rate control in the critically ill patient with atrial tachyarrhythmias. 1998 , 81, 594-8	169
864	Editorial Board. 1998 , 35, i	5
863	Management of complications of pancreatitis. 1998 , 35, 13-98	23
862	Hypothermia in critically ill trauma patients. 1998 , 29, 605-8	34
861	Determinants of psychotropic drug usage in a general intensive care unit. 1998 , 20, 371-6	4
860	ICU protocol may affect the outcome of non-elective abdominal aortic aneurysm repair. 1998 , 16, 356-61	20
859	Influence of arginine, omega-3 fatty acids and nucleotide-supplemented enteral support on systemic inflammatory response syndrome and multiple organ failure in patients after severe trauma. 1998 , 14, 165-72	120
858	Assessment of long-term psychological well-being following intensive care. 1998 , 14, 108-16	48
857	The physiologic basis for anticytokine clinical trials in the treatment of sepsis. 1998 , 186, 337-50	59
856	Biology and treatment of peritonitis: the historic development of current concepts. 1998 , 186, 475-84	3
855	The evolution and maturation of laparoscopic cholecystectomy in an academic practice. 1998 , 186, 554-60; discussion 560-1	32

854	Fulminant acute pancreatitis and infected necrosis: results of open management of the abdomen and "planned" reoperations. 1998 , 187, 255-62	61
853	APACHE II score: a useful tool for risk assessment and an aid to decision-making in emergency operation for bleeding gastric ulcer. 1998 , 187, 287-94	21
852	An approach to the treatment of severe adult respiratory failure. 1998 , 13, 26-36	29
851	Factors predictive of referral to psychiatric hospital among general hospital psychiatric consultations. 1998 , 97, 47-54	5
850	Bacteraemia in the adult intensive care unit of a teaching hospital in Nottingham, UK, 1985-1996. 1998 , 17, 377-84	16
849	Vergleich der Scoresysteme APACHE II und III, SAPS II und MPM II bei Patienten einer interdisziplinären Intensivstation. 1998 , 35, 691-698	
848	Akutes Lungen- und Nierenversagen bei Hochrisiko-Patienten nach kardio-pulmonalem Bypass: Therapeutischer Effekt von Xanthinen. 1998 , 12, 87-93	
847	Management of abdominal sepsis. 1998 , 383, 35-43	29
846	[Value of the Hannover Intensive Score (HIS) in internal medicine intensive care]. 1998 , 93, 524-32	1
845	[Outcome of intensive care]. 1998 , 93, 91-8	6
844	[Validation of the acute physiology and chronic health evaluation (APACHE) III scoring system and comparison with APACHE II in German intensive care units]. 1998 , 47, 30-8	8
843	[Scores for multiple organ dysfunction and multiple organ failure]. 1998 , 39, 502-8	13
842	[Clinical effects of supplemental enteral nutrition solution in severe polytrauma]. 1998 , 101, 105-14	11
841	Patterns of neurophysiological abnormality in prolonged critical illness. 1998 , 24, 801-7	128
840	Predictors of respiratory function deterioration after transfer of critically ill patients. 1998 , 24, 1157-62	34
839	Impact of acute renal failure on mortality in end-stage liver disease with or without transplantation. 1998 , 54, 518-24	162
838	Quantification of creatinine kinetic parameters in patients with acute renal failure. 1998 , 54, 554-60	33
837	The relation between health status changes and patient satisfaction in older hospitalized medical patients. 1998 , 13, 223-9	68

836	Does delirium contribute to poor hospital outcomes? A three-site epidemiologic study. 1998 , 13, 234-42	545
835	A simple and early prognostic index for acute renal failure patients requiring renal replacement therapy. 1998 , 22, 273-8	13
834	Enhanced enteral nutrition in head injury: effect on the efficacy of nutritional delivery, nitrogen balance, gastric residuals and risk of pneumonia. 1998 , 11, 391-401	10
833	Regional anaesthesia with a subarachnoid microcatheter for caesarean section in a parturient with aortic stenosis. 1998 , 53, 169-73	36
832	Requirements for muscle relaxation in Friedreich's ataxia. 1998 , 53, 177-80	14
831	Intensive care services; a crisis of increasing expressed demand. 1998 , 53, 113-20	28
830	Blood transfusion facilitating difficult weaning from the ventilator. 1998 , 53, 181-4	74
829	Rescue from neutropenic fever and a bamboo pole. 1998 , 53, 173-6	
828	Cerebral infarct following central venous cannulation. 1998 , 53, 186-91	23
827	Bilateral lingual nerve injury following the use of the laryngeal mask airway. 1998 , 53, 184-6	35
826	Acupuncture in the management of chronic pain. 1998 , 53, 593-5	35
825	Pouch of Douglas block for laparoscopic sterilisation. 1998 , 53, 598-603	11
824	The recognition of critical incidents: quantification of monitor effectiveness. 1998 , 53, 595-8	11
823	Occupancy of a teaching hospital adult intensive care unit by high dependency patients. 1998 , 53, 589-92	14
822	The impact of a high-dependency unit on the workload of an intensive care unit. 1998 , 53, 841-7	32
821	APACHE II, data accuracy and outcome prediction. 1998 , 53, 937-43	48
820	The effect of lead time bias on severity of illness scoring, mortality prediction and standardised mortality ratio in intensive care--a pilot study. 1998 , 53, 1045-53	67
819	Severity of illness scoring systems and performance appraisal. 1998 , 53, 1185-94	35

818	Reasons for withdrawing treatment in patients receiving intensive care. 1998 , 53, 523-8	44
817	A comparative analysis of lipid-complexed and liposomal amphotericin B preparations in haematological oncology. 1998 , 103, 198-204	34
816	Effects of granulocyte colony-stimulating factor (G-CSF) treatment on granulocyte function and receptor expression in patients with ventilator-dependent pneumonia. 1998 , 112, 334-40	18
815	Levels of soluble Fc gammaRIII correlate with disease severity in sepsis. 1998 , 114, 220-7	23
814	Are circulating neutrophils intravascularly activated in patients with anti-neutrophil cytoplasmic antibody (ANCA)-associated vasculitides?. 1998 , 114, 491-9	37
813	Parathyroid hormone and ionized calcium levels are related to the severity of illness and survival in critically ill patients. 1998 , 28, 898-903	70
812	Neurological and circulatory outcomes of cardiopulmonary resuscitation in progress: influence of pre-arrest and arrest factors. 1998 , 36, 45-9	14
811	Effects of hemoperfusion with polymyxin B-immobilized fibre on serum neopterin and soluble interleukin-2 receptor concentrations in patients with septic shock. 1998 , 37, 241-7	16
810	Effect of hemoperfusion with polymyxin B-immobilized fiber on plasma endothelin-1 and endothelin-1 mRNA in monocytes from patients with sepsis. 1998 , 32, 953-61	23
809	Double-blind randomised controlled trial of monoclonal antibody to human tumour necrosis factor in treatment of septic shock. 1998 , 351, 929-933	599
808	Factors related to the emotional responses of intubated patients to being unable to speak. 1998 , 27, 245-52	90
807	Factors influencing intensive care unit survival for critically ill elderly patients. 1998 , 27, 337-43	26
806	Changing bacterial ecology during a five-year period of selective intestinal decontamination. 1998 , 39, 195-206	105
805	Use of a mixture of medium-chain triglycerides and longchain triglycerides versus long-chain triglycerides in critically ill surgical patients: a randomized prospective double-blind study. 1998 , 17, 23-9	24
804	Effect of growth hormone therapy in burn patients on conservative treatment. 1998 , 24, 733-8	64
803	Ventilation in a Birmingham intensive care unit 1993-1995: outcome for patients with chronic obstructive pulmonary disease. 1998 , 92, 156-61	36
802	. 1998 , 13, 338-339	
801	[Pressure-controlled mechanical ventilation: a simplified titration method of the extrinsic positive expiratory pressure]. 1998 , 17, 1114-21	

800	[Toward a medical approach to the evaluation of activity in a physician-staffed mobile intensive care unit]. 1998 , 17, 1217-24	1
799	Twenty-four-hour urinary free cortisol in patients with acquired immunodeficiency syndrome. 1998 , 47, 690-4	9
798	Retroperitoneal necrotizing fasciitis in a 4-year-old girl. 1998 , 33, 778-80	8
797	Acute biliary pancreatitis: The roles of endoscopic ultrasonography and endoscopic retrograde cholangiopancreatography. 1998 , 124, 14-21	53
796	Plasma levels of high-energy compounds compared with severity of illness in critically ill patients in the intensive care unit. 1998 , 124, 65-72	30
795	Mediastinitis after cardiovascular operations: a case-control study of risk factors. 1998 , 65, 36-40	146
794	Euthyroid sick syndrome, associated endocrine abnormalities, and outcome in elderly patients undergoing emergency operation. 1998 , 123, 560-7	52
793	Normothermia is protective during infrarenal aortic surgery. 1998 , 28, 984-92; discussion 992-4	27
792	A comparison of sucralfate and ranitidine for the prevention of upper gastrointestinal bleeding in patients requiring mechanical ventilation. Canadian Critical Care Trials Group. 1998 , 338, 791-7	683
791	An evidence-based approach to pressure- and volume-limited ventilation strategies. 1998 , 14, 373-85	3
790	Principles of disease management in neonatology. 1998 , 45, 651-72	2
789	[Influence of nosocomial infection on mortality in an intensive care unit]. 1998 , 12, 23-8	5
788	Predictive model for the diagnosis of intraabdominal abscess. 1998 , 5, 473-9	4
787	Percutaneous catheter-directed debridement of infected pancreatic necrosis: results in 20 patients. 1998 , 9, 565-71	101
786	Value of early blood Th-1 cytokine determination in predicting severity of acute pancreatitis. 1998 , 33, 554-60	30
785	Use of otoacoustic emissions to screen for hearing loss in critically ill patients. 1998 , 37, 344-52	2
784	Economic analysis of fluconazole versus amphotericin B for the treatment of candidemia in non-neutropenic patients. 1998 , 13, 509-18	17
783	Current Disease Management Strategies in the Treatment of Serious Infections. 1998 , 15, 9-17	4

782	Endogenous mediators in sepsis and septic shock. 1998 , 33, 55-131	22
781	Measuring Delirium Severity in Older General Hospital Inpatients Without Dementia: The Delirium Severity Scale. 1998 , 6, 296-307	1
780	Early postoperative glucose control predicts nosocomial infection rate in diabetic patients. 1998 , 22, 77-81	491
779	Impact of nosocomial pneumonia on the outcome of mechanically-ventilated patients. 1998 , 2, 19-23	14
778	Serum Calcitonin Precursors in Sepsis and Systemic Inflammation. 1998 , 83, 3296-3301	58
777	Clinical predictors easily obtained at presentation predict resource utilization in unstable angina. 1998 , 136, 373-81	16
776	Role of transesophageal echocardiography in the assessment of patients with blunt chest trauma: correlation of echocardiographic findings with the electrocardiogram and creatine kinase monoclonal antibody measurements. 1998 , 135, 476-81	66
775	How you look determines what you find: severity of illness and variation in blood transfusion for hip fracture. 1998 , 105, 198-206	19
774	A randomized comparison of the safety and efficacy of once-daily gentamicin or thrice-daily gentamicin in combination with ticarcillin-clavulanate. 1998 , 105, 182-91	34
773	A comparison of generalist and pulmonologist care for patients hospitalized with severe chronic obstructive pulmonary disease: resource intensity, hospital costs, and survival. SUPPORT Investigators. Study to Understand Prognoses and Preferences for Outcomes and Risks of Treatment. 1998 , 105, 366-72	47
772	Trovaflaxacin in the treatment of intra-abdominal infections: results of a double-blind, multicenter comparison with imipenem/cilastatin. Trovaflaxacin Surgical Group. 1998 , 176, 535-615	30
771	Decreased mortality from necrotizing pancreatitis. 1998 , 176, 648-53	25
770	Effectiveness and cost of selective decontamination of the digestive tract in critically ill intubated patients. A randomized, double-blind, placebo-controlled, multicenter trial. 1998 , 158, 908-16	152
769	Effect of adverse drug reactions on length of stay in intensive care units. 1998 , 15, 353-60	18
768	Nosocomial <i>Acinetobacter baumannii</i> infections: microbiological and clinical epidemiology. 1998 , 129, 182-9	147
767	Anaesthesia, Pain, Intensive Care and Emergency Medicine - A.P.I.C.E.. 1998 ,	
766	Ventilator-associated pneumonia caused by potentially drug-resistant bacteria. 1998 , 157, 531-9	749
765	Effect of beta-blockade on mortality among high-risk and low-risk patients after myocardial infarction. 1998 , 339, 489-97	765

764	Effect of a protective-ventilation strategy on mortality in the acute respiratory distress syndrome. 1998 , 338, 347-54	3183
763	Cross-colonisation with <i>Pseudomonas aeruginosa</i> of patients in an intensive care unit. 1998 , 53, 1053-8	83
762	Examination of disease severity in systemic vasculitis from the novel perspective of damage using the vasculitis damage index (VDI). 1998 , 37, 57-63	65
761	Intensive Care Society Spring Scientific Meeting. Blackpool, May 14-16, 1998. Abstracts. 1998 , 81, 804P-824P	0
760	Risk factors for early recurrent <i>Clostridium difficile</i> -associated diarrhea. 1998 , 26, 954-9	69
759	Risk factors and outcome of nosocomial infections: results of a matched case-control study of ICU patients. 1998 , 157, 1151-8	182
758	Compared with parenteral nutrition, enteral feeding attenuates the acute phase response and improves disease severity in acute pancreatitis. 1998 , 42, 431-5	646
757	Assessment of Clinical Palliative Care Trigger Status vs Actual Needs Among Critically Ill Patients and Their Family Members.. 2022 , 5, e2144093	1
756	Incidence and Risk Factors of Ventilator-Associated Pneumonia among Patients with Delirium in the Intensive Care Unit: A Prospective Observational Study.. 2022 , 2022, 4826933	
755	Clinical profile and recovery pattern of dysphagia in the COVID-19 patient: A prospective observational cohort within NSW.. 2022 ,	1
754	Premorbid functional status as an outcome predictor in intensive care patients aged over 85 years.. 2022 , 22, 38	1
753	Prevalence of delirium and predictors of longer intensive care unit stay: A prospective analysis of 207 mechanical ventilated patients. 2022 ,	
752	Better COVID-19 Intensive Care Unit survival in females, independent of age, disease severity, comorbidities, and treatment.. 2022 , 12, 734	1
751	Physical Restraint and Associated Factors in Adult Patients in Intensive Care Units: A Cross-sectional Study in North of Iran. 2022 , 26, 192-198	
750	Temperature Profile and Adverse Outcomes After Discharge From the Intensive Care Unit.. 2022 , 31, e1-e9	1
749	Risk factors for polymyxin B-associated acute kidney injury.. 2022 ,	2
748	The value of bioactive adrenomedullin and dipeptidyl peptidase 3 to predict short-term unfavourable outcomes after cardiac surgery: A prospective cohort study.. 2022 , 39,	0
747	Deep sedation predicts pressure injury in patients admitted to intensive care units.. 2022 ,	1

- 746 A novel predictive model for hospital survival in critically ill dialysis-dependent Acute Kidney Injury(AKI-D) patients: A retrospective single-center exploratory study. 10.34067/KID.0007272021 1
- 745 The prediction power of machine learning on estimating the sepsis mortality in the intensive care unit. **2022**, 28, 100861 1
- 744 Unusual Case of Acute Pulmonary Edema Treated by Non Invasive Ventilation: A 30 Years Ago [Old Case] **2022**, 287-303
- 743 Superiority of Simplified Acute Physiologic Score II Compared with Acute Physiologic and Chronic Health Evaluation II and Sequential Organ Failure Assessment Scores for Predicting 48-Hour Mortality in Patients Receiving Continuous Kidney Replacement Therapy.. **2022**, 1-8
- 742 Severity of thermal burn injury is associated with systemic neutrophil activation.. **2022**, 12, 1654 2
- 741 An Interesting Case of Serratia Endocarditis in a Patient With Chronic Myeloid Leukemia.. **2022**, 14, e21238 0
- 740 Development and Validation of a Novel Prognostic Score Based on Thrombotic and Inflammatory Biomarkers for Predicting 28-Day Adverse Outcomes in Patients with Acute Pancreatitis.. **2022**, 15, 395-408 1
- 739 Outcomes of Herpes Simplex Virus Pneumonitis in Critically Ill Patients.. **2022**, 14, 0
- 738 Predictors of admission to intensive care unit among systemic lupus erythematosus patients: prospective study. **2022**, 49,
- 737 Gender- and age-based differences in outcomes of mechanically ventilated ICU patients: a Chinese multicentre retrospective study.. **2022**, 22, 18 0
- 736 Cytokine Hemoadsorption as Rescue Therapy for Critically Ill Patients With SARS-CoV-2 Pneumonia With Severe Respiratory Failure and Hypercytokinemia.. **2021**, 8, 779038 2
- 735 A Thrombomodulin Promoter Gene Polymorphism, rs2239562, Influences Both Susceptibility to and Outcome of Sepsis.. **2021**, 8, 762198 1
- 734 Blood caspase-8 concentrations and mortality among septic patients.. **2022**, 46, 8-13
- 733 PTSD symptoms after respiratory and cardiovascular emergencies predict risk of hospital readmission: a prospective cohort study.. **2022**,
- 732 Clinical Characteristics of Mechanically Ventilated Patients Treated in Non-ICU Settings in a Rural Area of Japan.. **2022**, 14, e20931
- 731 Development and validation of simplified machine learning algorithms to predict prognosis of hospitalized COVID-19 patients: a multi-center, retrospective study.. **2021**, 1
- 730 Are Baseline Levels of Gas6 and Soluble Mer Predictors of Mortality and Organ Damage in Patients with Sepsis? The Need-Speed Trial Database.. **2022**, 10, 1
- 729 Predictive ability of the sequential organ failure assessment score for in-hospital mortality in patients with cardiac critical illnesses: a nationwide observational study.. **2022**, 0

728	Inflammation-Induced Coagulopathy Substantially Differs Between COVID-19 and Septic Shock: A Prospective Observational Study.. 2021 , 8, 780750	1
727	Low Levels of Granulocytic Myeloid-Derived Suppressor Cells May Be a Good Marker of Survival in the Follow-Up of Patients With Severe COVID-19.. 2021 , 12, 801410	1
726	Early recognition of sepsis-induced coagulopathy using the C2PAC index: a ratio of soluble type C lectin-like receptor 2 (sCLEC-2) level and platelet count.. 2022 , 1-10	1
725	Interplay between mineral bone disorder and cardiac damage in acute kidney injury: from Ca mishandling and preventive role of Klotho in mice to its potential mortality prediction in human.. 2022 ,	0
724	Clinical Profile and Outcome of Diabetic Ketoacidosis in Type 1 and Type 2 Diabetes: A Comparative Study. 32, 21-28	
723	Liberation from Invasive Mechanical Ventilation with Continued Receipt of Vasopressor Infusions.. 2022 ,	1
722	Ceftolozane-tazobactam versus colistin for the treatment of infections due to drug-resistant <i>Pseudomonas aeruginosa</i> . A multicenter cohort study.. 2022 ,	0
721	Peritonitis secundarias del adulto. 2022 , 48, 1-18	
720	Developing machine learning models for prediction of mortality in the medical intensive care unit.. 2022 , 216, 106663	1
719	An increase in skin blood flow induced by fluid challenge is associated with an increase in oxygen consumption in patients with circulatory shock.. 2022 , 69, 153984	0
718	Performance of renal Doppler to predict the occurrence of acute kidney injury in patients without acute kidney injury at admission.. 2022 , 69, 153983	
717	Clinical Characteristics and Outcomes of COVID-19 Acute Respiratory Distress Syndrome Patients Requiring Invasive Mechanical Ventilation in a Lower Middle-Income Country.. 2022 , 8, 23-32	1
716	Peritoniti secondarie negli adulti. 2022 , 27, 1-16	
715	Transportability and Implementation Challenges of Early Warning Scores for Septic Shock in the ICU: A Perspective on the TREWScore.. 2021 , 8, 793815	
714	Comparison of the CIPHER prognostic model with the existing scores in predicting severe maternal outcomes during intensive care unit admission.. 2022 ,	
713	Efforts to improve sleep quality in a medical intensive care unit: effect of a protocol of non-pharmacological interventions.. 2022 , 1	1
712	Nutritional management of ICU patients receiving mechanical ventilation: A retrospective cohort study using a medical claims database. 2022 ,	0
711	Short- and long-term outcomes of intensive care patients with acute kidney disease.. 2022 , 44, 101291	1

- 710 Posterior Reversible Encephalopathy in Sepsis-Associated Encephalopathy: Experience from a Single Center.. **2022**, 1 0
- 709 Antibiotic Prophylaxis and Incidence of Infection with External Ventricular Drains and Intra-Cranial Pressure Monitors.. **2022**,
- 708 DDX3X mRNA Expression in T Cells Is Associated with the Severity and Mortality of Septic Patients.. **2022**, 2022, 5176915
- 707 Use of Modified Balthazar Grades for the Early Prediction of Acute Pancreatitis Severity in the Emergency Department.. **2022**, 15, 1111-1119 0
- 706 Mortality and its risk factors in critically ill patients with connective tissue diseases: A meta-analysis.. **2022**, 1
- 705 Corticosteroid-Binding Globulin Deficiency Independently Predicts Mortality in Septic Shock.. **2022**,
- 704 The Psychological Impact on Relatives of Critically Ill Patients: The Influence of Visiting Hours.. **2022**, 4, e0625
- 703 Serum osmolarity does not predict mortality in patients with respiratory failure.. **2022**, 101, e28840 0
- 702 Steps to recovery: Body weight-supported treadmill training for critically ill patients: A randomized controlled trial.. **2022**, 69, 154000 2
- 701 A Review of Prognosis Model Associated With Cardiogenic Shock After Acute Myocardial Infarction.. **2021**, 8, 754303 1
- 700 Prognostic scores and early management of septic patients in the emergency department of a secondary hospital: results of a retrospective study. **2021**, 21, 152 0
- 699 Fournier Syndrome. **2022**, 1-23
- 698 Influencing factors for tracheostomy in patients with acute traumatic C3-C5 spinal cord injury and acute respiratory failure.. **2021**, 85,
- 697 Peritonitis. **2022**, 301-310
- 696 Two Cases of Thyrotoxicosis and Euglycemic Diabetic Ketoacidosis Under Sodium-glucose Transport Protein 2 Inhibitor Treatment.. **2022**, 1
- 695 Value of Neutrophil:Lymphocyte Ratio Combined with Sequential Organ Failure Assessment Score in Assessing the Prognosis of Sepsis Patients.. **2022**, 15, 1901-1908 1
- 694 Usefulness of severity scales for cardiogenic shock in-hospital mortality. Proposal for a new prognostic model.. **2022**,
- 693 Risk Factors and Outcome Variables of Cardiorenal Syndrome Type 1 in Acute Myocardial Infarction Patients.. **2022**, 15, 1565-1573

692	Association Between Perioperative Medication Use and Postoperative Delirium and Cognition in Older Adults Undergoing Elective Noncardiac Surgery.. 2022,	2
691	Pulmonary tuberculosis in intensive care setting, with a focus on the use of severity scores, a multinational collaborative systematic review.. 2022,	0
690	The predictive value of the Oxford Acute Severity of Illness Score for clinical outcomes in patients with acute kidney injury.. 2022, 44, 320-328	0
689	Mortality Among Hospitalized Patients With Pleural Effusions. A Multicenter, Observational, Prospective Study.. 2022, 9, 828783	1
688	Fatores de Risco para Reintubaç�o Relacionados � Insufici�ncia de Vias N�o Afeas Ap�s Transplante de F�gado em Unidade de Terapia Intensiva: Estudo Observacional. 2022, 25,	
687	Epidemiology of constipation in critically ill patients and its impact on in-hospital mortality: a retrospective observational study.. 2022, 1	1
686	The effect of oral care using honey as an additional topical agent on oral health status of intubated patients in the intensive care unit. 2022,	
685	Prognostic Value of the Neurological Pupil Index in Patients With Acute Subarachnoid Hemorrhage.. 2022,	
684	A high neutrophil to lymphocyte ratio at ICU admission is associated with nutritional risk in COVID-19 patients.. 2021,	1
683	Comparison of Mortality Prediction Scores in Intermediate-Care Patients with Liver Cirrhosis at a German university transplant Center; a prospective study.. 2022,	0
682	Risk Factors for Reintubation Related to Non-Airway Failure After Liver Transplantation in Intensive Care Unit: Observational Study. 2022, 25,	
681	Circulating Chemerin and Its Kinetics May Be a Useful Diagnostic and Prognostic Biomarker in Critically Ill Patients with Sepsis: A Prospective Study.. 2022, 12,	2
680	Evaluation of the Potential Risk of Mortality from SARS-CoV-2 Infection in Hospitalized Patients According to the Charlson Comorbidity Index.. 2022, 10,	1
679	Effects of Melatonin and Propolis Supplementation on Inflammation, Oxidative Stress, and Clinical Outcomes in Patients with Primary Pneumosepsis: A Randomized Controlled Clinical Trial.. 2022,	2
678	Severe maternal morbidity: admission shift from intensive care unit to obstetric high-dependency unit.. 2022, 22, 140	0
677	ADENI-UCI study: Analysis of non-income decisions in ICU as a measure of limitation of life support treatments.. 2022,	
676	Comparative analysis of explainable machine learning prediction models for hospital mortality.. 2022, 22, 53	1
675	Monitoring multistage multivariate therapeutic processes using risk-adjusted model-based group multivariate EWMA control chart.	0

- 674 Not All Fluid Collections Are Created Equal: Clinical Course and Outcomes of Pancreatic Pseudocysts and Acute Peripancreatic Fluid Collections Requiring Intervention.. **2022**, 31348221078955
- 673 Association between septic patient mortality and blood survivin concentrations. **2022**,
- 672 High mortality rate of septic patients with high blood granzyme B concentrations.. **2022**, 103, 115694
- 671 High serum nitrates levels in non-survivor COVID-19 patients.. **2022**, 46, 132-139 ○
- 670 Sustained elevation of soluble B- and T- lymphocyte attenuator predicts long-term mortality in patients with bacteremia and sepsis.. **2022**, 17, e0265818 ○
- 669 Artificial intelligence in perioperative medicine - a narrative review.. **2022**, ○
- 668 Worse pre-admission quality of life is a strong predictor of mortality in critically ill patients. **2022**, 68, 19-29
- 667 Pharmacokinetics of piperacillin and tazobactam in critically ill patients treated with continuous kidney replacement therapy: A mini-review and population pharmacokinetic analysis.. **2022**, 1
- 666 Combined Use of Presepsin and (1,3)- β -D-glucan as Biomarkers for Diagnosing Sepsis and Monitoring the Effectiveness of Treatment in Critically Ill Patients.. **2022**, 8, ○
- 665 [Functional recovery at discharge and at three months after a multicomponent physical exercise intervention in elderly subjects hospitalized in an Acute Geriatric Unit].. **2022**,
- 664 Severe pneumonia in patients with systemic lupus erythematosus admitted to the intensive care unit.. **2022**, 1 ○
- 663 Prognostic Value of Mid-Regional Proadrenomedullin Sampled at Presentation and after 72 Hours in Septic Patients Presenting to the Emergency Department: An Observational Two-Center Study.. **2022**, 10, ○
- 662 Evaluating frailty may complement APACHE II in estimating mortality in elderly patients admitted to the ICU after digestive surgery.. **2022**,
- 661 Assessment of a cellular host response test to risk-stratify suspected COVID-19 patients in the Emergency Department setting.. **2022**, 17, e0264220 1
- 660 Outcomes of Operative and Non-Operative Management in Blunt Thoracic Aortic Injury.. **2022**, ○
- 659 Risk factors for mortality from sepsis in an intensive care unit in Ecuador: A prospective study.. **2022**, 101, ○
- 658 Assessment of APACHE II Score to Predict ICU Outcomes of Patients with AKI: A Single-center Experience from Haryana, North India.. **2022**, 26, 276-281 ○
- 657 Ultraprotective versus apneic ventilation in acute respiratory distress syndrome patients with extracorporeal membrane oxygenation: a physiological study.. **2022**, 10, 12 1

656	Development and validation of a nomogram for early assessment the severity of acute pancreatitis.. 2022 , 1-6	0
655	Early supplemental parenteral nutrition for the achievement of nutritional goals in subarachnoid hemorrhage patients: An observational cohort study.. 2022 , 17, e0265729	1
654	The feasibility of multiple units of convalescent plasma in mechanically ventilated patients with COVID-19: A pilot study.. 2022 , 103423	
653	Mortality Predictive Value of APACHE II and SOFA Scores in COVID-19 Patients in the Intensive Care Unit.. 2022 , 2022, 5129314	5
652	Ceftolozane/tazobactam versus colistin in the treatment of ventilator-associated pneumonia due to extensively drug-resistant Pseudomonas aeruginosa.. 2022 , 12, 4455	1
651	Laparoscopic Cholecystectomy Versus Percutaneous Cholecystostomy: Suitability of APACHE-II Score, ASA Grade, and Tokyo Guidelines 18 Grade as Predictors of Outcome in Patients With Acute Cholecystitis.. 2022 ,	0
650	Association of Sequential Organ Failure Assessment (SOFA) components with mortality.. 2022 ,	1
649	Elevated Serum Triglyceride Levels in Acute Pancreatitis: A Parameter to be Measured and Considered Early.. 2022 , 1	0
648	A Multicenter Evaluation of the Seraph 100 Microbind Affinity Blood Filter for the Treatment of Severe COVID-19.. 2022 , 4, e0662	1
647	Guessing Game of Patient Outcomes in the Renally Injured Critically Ill: Is There a Perfect Score?. 2022 , 26, 253-255	
646	Efficacy and Safety of Neostigmine Adjunctive Therapy in Patients With Sepsis or Septic Shock: A Randomized Controlled Trial.. 2022 , 13, 855764	
645	Māori Health Outcomes in Intensive Care Following Cardiac Surgery in Aotearoa New Zealand.. 2022 ,	
644	Accuracy evaluation of mainstream and sidestream end-tidal carbon dioxide monitoring during noninvasive ventilation: a randomized crossover trial (MASCAT-NIV trial).. 2022 , 10, 17	
643	Tracheostomy Is Associated With a Decrease in Delirium and Sedation for Intubated COVID-19 Patients.. 2022 ,	
642	COVID-19-associated pulmonary aspergillosis (CAPA): Risk factors and development of a predictive score for critically ill COVID-19 patients.. 2022 ,	1
641	Resistin production does not affect outcomes in a mouse model of acute surgical sepsis.. 2022 , 17, e0265241	0
640	Naloxegol to Prevent Constipation in ICU Adults Receiving Opioids: A Randomized Double-Blind Placebo-Controlled Pilot Trial.. 2022 , 2022, 7541378	
639	ICU-Associated Gram-Negative Bloodstream Infection: Risk Factors Affecting the Outcome Following the Emergence of Colistin-Resistant Isolates in a Regional Greek Hospital.. 2022 , 11,	1

- 638 Seizures and risks for recurrence in critically ill patients: an observational cohort study.. **2022**, 1 ○
- 637 Organization, feasibility and patient appreciation of a follow-up consultation in surgical critically ill patients with favorable baseline quality of life and prolonged ICU-stay: a pilot study.. **2022**, 1-11 ○
- 636 Time limit to rescue intestine with viability at risk caused by blood flow disruption in patients presenting with acute abdomen.. **2022**, 1 ○
- 635 The validity, reliability and feasibility of four instruments for assessing the consciousness of stroke patients in a neurological intensive care unit compared.. **2022**, 22, 102 ○
- 634 Establishment of Early Multi-Indicator Prediction Models of Moderately Severe Acute Pancreatitis and Severe Acute Pancreatitis.. **2022**, 2022, 5142473 ○
- 633 Phosphatase alkaline levels are not associated with poor outcomes in subarachnoid hemorrhage patients.. **2022**, 215, 107185 ○
- 632 Risk Factors and Protective Factors against Ventilator-Associated Pneumonia-A Single-Center Mixed Prospective and Retrospective Cohort Study.. **2022**, 12, 1
- 631 The Necessity of Individualized Treatment for Sepsis-Associated Disseminated Intravascular Coagulation by Infected Organ.. **2022**, 14, 133-140 ○
- 630 Percutaneous dilatational tracheostomy with single use bronchoscopes versus reusable bronchoscopes - a prospective randomized trial (TraSUB).. **2022**, 22, 90 1
- 629 PGI score: prospective validation and correlation with SOFA, SAPS-II, and APACHE-II scores for predicting outcomes in acute aluminum phosphide poisoning.. **2022**, 11, 361-366 ○
- 628 Tissue-Type Plasminogen Activator-Inhibitor Complex as an Early Predictor of Septic Shock: A Retrospective, Single-Center Study.. **2022**, 2022, 9364037 ○
- 627 Incidence, characteristics and risk factors of medical device-related pressure injuries: An observational cohort study. **2021**, 103180 ○
- 626 Identification of factors affecting meropenem pharmacokinetics in critically ill patients: Impact of inflammation on clearance.. **2021**, 2
- 625 Randomized controlled trial of early endoscopy for upper gastrointestinal bleeding in acute coronary syndrome patients.. **2022**, 12, 5798 ○
- 624 Hypertriglyceridemia-induced Acute Pancreatitis: A Case Report. **2022**, 9, 16-18 ○
- 623 Blood Bcl-2 levels to predict the mortality of septic patients.. **2022**, ○
- 622 Determinants of Undertaking Coronary Angiography and Adverse Prognostic Predictors Among Patients Presenting With Out-of-Hospital Cardiac Arrest and a Shockable Rhythm.. **2022**, ○
- 621 Enteral nutrition is associated with high rates of pneumonia in intensive care unit (ICU) patients with acute pancreatitis.. **2022**, 69, 154012 ○

620	Predictive value of the APACHE II score in cardiogenic shock patients treated with a percutaneous left ventricular assist device.. 2022 , 40, 101013	1
619	Predicting the Risk of Death for Sepsis Based on Within-Class Mixup and Lightgbm. 2021 ,	
618	Extracorporeal Membrane Oxygenation in Immunocompromised Patients With Acute Respiratory Distress Syndrome-A Retrospective Cohort Study.. 2021 , 8, 755147	
617	The impact of relative hypotension on acute kidney injury progression after cardiac surgery: a multicenter retrospective cohort study.. 2021 , 11, 178	0
616	Detection of influenza and non-influenza respiratory viruses in lower respiratory tract specimens among hospitalized adult patients and analysis of the clinical outcome.. 2021 ,	0
615	Implementation of the Surgical Apgar Score in Laboratory Animal Science: A Showcase Pilot Study in a Porcine Model and a Review of the Literature.. 2021 , 1-11	
614	Vegetation Size, Multiplicity, and Position in Patients with Infective Endocarditis.. 2021 ,	0
613	Moving average as a method of assessing risk of pressure injury using the COMHON index (Conscious level, Mobility, Hemodynamic, Oxygenation, Nutrition) for patients in intensive care units.. 2021 ,	0
612	Trends in Mortality after Intensive Care of Patients with Aneurysmal Subarachnoid Hemorrhage in Finland in 2003-2019: A Finnish Intensive Care Consortium study.. 2021 , 1	0
611	Mortality prediction of patients with spontaneous intracerebral hemorrhage by serum soluble Fas Ligand concentrations.. 2021 ,	0
610	Depressive symptoms following traumatic brain injury are associated with resting-state functional connectivity. 1-8	0
609	Which scoring system is effective in predicting mortality in patients with Crimean Congo hemorrhagic fever? A validation study. 2021 , 1-8	
608	Ischemic Pancreatitis Is an Important Cause of Acute Pancreatitis in the Intensive Care Unit.. 2021 ,	
607	Significance of the Modified NUTRIC Score for Predicting Clinical Outcomes in Patients with Severe Community-Acquired Pneumonia.. 2021 , 14,	3
606	Association between serum concentrations of anti-apoptotic B-cell lymphoma-2 protein and traumatic brain injury mortality. 2021 ,	
605	Novel clinical risk scoring model for predicting mortality in patients with necrotizing fasciitis: The MNF scoring system.. 2021 , 100, e28219	0
604	COVID-19 Prognostic Models: A Pro-con Debate for Machine Learning vs. Traditional Statistics.. 2021 , 3, 637944	0
603	Early goal directed therapy versus a protocolized resuscitation care in early management of septic shock. 2022 , 38, 58-63	

602	A multifaceted stewardship intervention helps curb steroid overprescribing in hospitalized patients with acute exacerbations of COPD. 2021,	0
601	Decoding accelerometry for classification and prediction of critically ill patients with severe brain injury. 2021, 11, 23654	0
600	Early Multicenter Experience With Imipenem-Cilastatin-Relebactam for Multidrug-Resistant Gram-Negative Infections.. 2021, 8, ofab554	5
599	Systemic erythematosus lupus and pregnancy outcomes in a Colombian cohort. 2021, 9612033211061478	2
598	Efficacy of Ceftazidime-Avibactam Versus Polymyxin B and Risk Factors Affecting Clinical Outcomes in Patients With Carbapenem-Resistant Infections a Retrospective Study.. 2021, 12, 780940	1
597	Predicting acute respiratory distress syndrome in influenza pneumonia patients using delta mean platelet volume. 2021, 21, 405	0
596	Impairment of antigen-presenting function of peripheral \square T cells in patients with sepsis.. 2021,	1
595	Effects of nutritional support combined with insulin therapy on serum proteins, inflammatory factors, pentraxin-3, and serum amylase levels in patients with diabetic ketoacidosis complicated with acute pancreatitis.. 2021, 100, e27920	0
594	Multicenter Cohort Study of Ceftaroline Versus Daptomycin for Treatment of Methicillin-Resistant Bloodstream Infection.. 2022, 9, ofab606	1
593	Better prognostic ability of NEWS2, SOFA and SAPS-II in septic patients.. 2021,	0
592	Socioeconomic Burden of Bloodstream Infections Caused by Carbapenem-Resistant .. 2021, 14, 5385-5393	2
591	Factors Affecting the Relationship Between Stress and Anxiety in Critically Ill Patients: A Partial Least Squares Structural Equation Modeling Approach. 2021, 10547738211062346	
590	Prevalence of Vitamin D Deficiency and Associated Factors in Critically Ill Patients: A Multicenter Observational Study.. 2021, 8, 768804	1
589	Renal Resistive Index on Intensive Care Unit Admission Correlates With Tissue Hypoperfusion Indices and Predicts Clinical Outcome. 2021, 57,	1
588	Association between Neurologic Outcomes and Changes of Muscle Mass Measured by Brain Computed Tomography in Neurocritically Ill Patients.. 2021, 11,	
587	Emergency department interventions and their effect on delirium's natural course: The folly may be in the foley. 2019, 12, 280	2
586	Ventilator Associated Pneumonia in an Intensive Care Unit. 2022, 12, 44-55	
585	Lessening Organ dysfunction with VITamin C (LOVIT): statistical analysis plan.. 2022,	0

- 584 The association of timing of pharmacological prophylaxis and venous thromboembolism in patients with moderate-to-severe traumatic brain injury: A retrospective cohort study. **2022**, 17, 102 ○
- 583 Coronary Artery Calcifications Are Associated With More Severe Multiorgan Failure in Patients With Severe Coronavirus Disease 2019 Infection: Longitudinal Results of the Maastricht Intensive Care COVID Cohort.. **2022**, ○
- 582 The Pharmacogenetics of Opiates and Its Impact on Delirium in Mechanically Ventilated Adults: A Pilot Study. 875512252210851
- 581 Diarrhea during critical illness: a multicenter cohort study.. **2022**, 48, 570 ○
- 580 The effect of treatment and clinical course during Emergency Department stay on severity scoring and predicted mortality risk in Intensive Care patients.. **2022**, 26, 112 ○
- 579 Rethinking the Ban-culture—Clinical Impact of Respiratory Culturing in Patients with Low Pretest Probability of Ventilator-associated Pneumonia. ○
- 578 Machine Learning to Predict Vasopressin Responsiveness in Patients with Septic Shock.. **2022**, 1
- 577 Older adults with severe coronavirus disease 2019 admitted to intensive care unit: prevalence, characteristics and risk factors for mortality.. **2022**, 2
- 576 A Novel Risk Prediction Model for Severe Acute Kidney Injury in Intensive Care Unit Patients Receiving Fluid Resuscitation.. **2022**, 9, 840611
- 575 Mesenchymal Stromal Cell Therapy for Acute Respiratory Distress Syndrome due to COVID-19. **2022**, ○
- 574 Increased Production of Interleukin-10 and Tumor Necrosis Factor-Alpha in Stimulated Peripheral Blood Mononuclear Cells after Inhibition of S100A12. **2022**, 44, 1701-1712
- 573 Data_Sheet_1.PDF. **2018**,
- 572 Image_1.TIF. **2019**,
- 571 Data_Sheet_1.docx. **2020**,
- 570 Data_Sheet_2.docx. **2020**,
- 569 Data_Sheet_3.docx. **2020**,
- 568 Resting respiration rate predicts all-cause mortality in older outpatients.. **2022**, 1
- 567 Predicting success of direct endoscopic necrosectomy with lumen-apposing metal stents for pancreatic walled-off necrosis.. **2022**, ○

- 566 Learning to predict in-hospital mortality risk in the intensive care unit with attention-based temporal convolution network.. **2022**, 22, 119 ○
- 565 A Machine Learning Pipeline for Mortality Prediction in the ICU. **2022**, 2, ○
- 564 Risk Factors associated with Unplanned Removal of Nasogastric Tubes in Neurocritical Patients. **2022**, 34, 158
- 563 Fournier Syndrome. **2022**, 641-663
- 562 Comparison of elevated cardiac troponin I with SAPS-II and APACHE-II score in predicting outcome of severe intoxications. **2022**, 66, 248 ○
- 561 SURGICAL TREATMENT OF ACUTE SMALL BOWEL OBSTRUCTION: INDICATIONS ASSOCIATED WITH STRANGULATION AND EARLY MORTALITY AFTER SURGERY. PRELIMINARY DATA FROM A RETROSPECTIVE STUDY. **2022**, 11-18
- 560 A Novel Risk-Prediction Scoring System for Sepsis among Patients with Acute Pancreatitis: A Retrospective Analysis of a Large Clinical Database. **2022**, 2022, 1-11
- 559 El volumen corriente intermedio es una opción aceptable para pacientes ventilados con ARDS. **2022**, ○
- 558 One-year healthcare costs of patients with spontaneous intracerebral hemorrhage treated in the intensive care unit. 239698732210947 1
- 557 Internal Validation of the Predictive Performance of Models Based on Three ED and ICU Scoring Systems to Predict Inhospital Mortality for Intensive Care Patients Referred from the Emergency Department.. **2022**, 2022, 3964063 1
- 556 Predicting and Estimating Burn Outcomes: An Institutional Analysis of 4622 cases.. **2022**,
- 555 Complement Activation in Patients With Heat-Related Illnesses: Soluble CD59 Is a Novel Biomarker Indicating Severity of Heat-Related Illnesses.. **2022**, 4, e0678 ○
- 554 The PANDORA Study: Prevalence and Outcome of Acute Hypoxemic Respiratory Failure in the Pre-COVID-19 Era.. **2022**, 4, e0684 ○
- 553 The thrombodynamic ratio as a predictor of 28-day mortality in sepsis patients.. **2022**, 531, 399-405
- 552 Left ventricular ejection fraction correlation with stroke volume as estimated by Doppler echocardiography in cardiogenic shock: A retrospective observational study. **2022**,
- 551 Mortality prediction of patients in intensive care units using machine learning algorithms based on electronic health records.. **2022**, 12, 7180 ○
- 550 Demystifying the Black Box: The Importance of Interpretability of Predictive Models in Neurocritical Care.. **2022**, 1 ○
- 549 Association of APACHE-II Scores With 30-Day Mortality After Tracheostomy: A Retrospective Study.. **2022**,

548	Relationship between preoperative anxiety and onset of delirium after cardiovascular surgery in elderly patients: focus on personality and coping process.. 2022,	0
547	Association between neutrophil-to-lymphocyte ratio in the first seven days of sepsis and mortality.. 2022, 40, 235-240	0
546	Attributable Mortality of Ventilator-associated Pneumonia Among COVID-19 Patients.. 2022,	2
545	Factors associated with the frequency of respiratory rate measurement by hospital nurses: a multicentre cross-sectional study.. 2022, 31, 495-501	0
544	Novel Glycemic Index Based on Continuous Glucose Monitoring to Predict Poor Clinical Outcomes in Critically Ill Patients: A Pilot Study. 2022, 13,	1
543	The presence of a urinary catheter is an important predictor of in-hospital mortality in internal medicine patients.. 2022,	0
542	Clinical Characteristics Associated with Bacterial Bloodstream Coinfection in COVID-19.. 2022, 1	0
541	Nutritional status and feeding regimen of critically ill patients in General Hospital of Agriculture in Hanoi, Vietnam.. 2022, 2601060221100673	
540	ICU tracheotomies in patients with COVID-19: a lesson learned for future viral pandemic.. 2022,	
539	Passive motion of the lower extremities in sedated and ventilated patients in the ICU - a systematic review of early effects and replicability of Interventions.. 2022, 17, e0267255	0
538	Dynamic Bayesian network for predicting physiological changes, organ dysfunctions and mortality risk in critical trauma patients.. 2022, 22, 119	
537	Impact of a Rapid Molecular Test for Klebsiella pneumoniae Carbapenemase and Ceftazidime-Avibactam Use on Outcomes after Bacteremia Caused by Carbapenem-Resistant Enterobacterales.. 2022,	3
536	The impact of frailty on death, discharge destination and modelling accuracy in patients receiving organ support on the intensive care unit. 175114372210962	
535	Does poor methodological quality of prediction modeling studies translate to poor model performance? An illustration in traumatic brain injury.. 2022, 6, 8	0
534	Comparison of deep vein thrombosis risks in acute respiratory distress syndrome caused by COVID-19 and bacterial pneumonia: a retrospective cohort study.. 2022, 20, 27	0
533	Machine Learning Models for Early Prediction of Sepsis on Large Healthcare Datasets. 2022, 11, 1507	0
532	Data for validation and adjustment of APACHE II score in cardiogenic shock patients treated with a percutaneous left ventricular assist device.. 2022, 42, 108199	
531	Human versus equine intramuscular antitoxin, with or without human intrathecal antitoxin, for the treatment of adults with tetanus: a 2 x 2 factorial randomised controlled trial.. 2022, 10, e862-e872	1

- 530 Factores de Riesgo de Reintubaci3n Relacionados con Insuficiencia no Relacionada con las V3as Respiratorias Despu3 de un Trasplante de H3gado en la Unidad de Cuidados Intensivos: Estudio Observacional. **2022**, 25,
- 529 The Changes of Thyroid Function and Related Factors in Critical Patients without Thyroid Illness in ICU: A Retrospective Cross-Sectional Study. Volume 18, 571-578
- 528 Incidence, Risk Factors and Outcomes of Sepsis in Critically Ill Post-craniotomy Patients: A Single-Center Prospective Cohort Study. **2022**, 10, 1
- 527 Intensive Care Unit- Acquired Weakness and Hospital Functional Mobility Outcomes Following Invasive Mechanical Ventilation in Patients with COVID-19: A Single-Centre Prospective Cohort Study.. **2022**, 8850666221100498 1
- 526 Survival and recovery modeling of acute kidney injury in critically ill adults. **2022**, 10, 205031212210993
- 525 Nutritional Indicators and Illness. **2022**, 1-14
- 524 Nutritional Status of Intensive Care Unit Patients According to the Referral to the Nutrition Support Team and Compliance with the Recommendations. **2022**, 27, 121
- 523 Trajectories of protein intake and 28-day mortality in critically ill patients: A secondary analysis of a cluster-randomized controlled trial. **2022**,
- 522 Nutritional Risk Assessment Scores Effectively Predict Mortality in Critically Ill Patients with Severe COVID-19. **2022**, 14, 2105 1
- 521 Investigation of predictors of bleeding complications in COVID-19 using rotational thromboelastometry (ROTEM (R)): A retrospective study. **2022**, 5,
- 520 The Association of the Medical Research Council Scale and Quantitative Computerized Dynamometry in Patients After Critical Illness: An Exploratory Study. **2022**, Publish Ahead of Print, 0
- 519 Preoperative frailty based on laboratory data and postoperative health outcomes in patients undergoing coronary artery bypass graft surgery. **2022**, 56, 1-7 1
- 518 Coagulation influencing liberation from respiratory support in patients with coronavirus disease 2019: a retrospective, observational study. **2022**, 0
- 517 Associated Mortality Risk of Proton Pump Inhibitor Therapy for the Prevention of Stress Ulceration in Intensive Care Unit Patients. **26**, Publish Ahead of Print, 0
- 516 Mortalidad en pacientes con demencia que cursaron internaci3n en unidades de cuidados cr3ticos. **2022**, 0
- 515 GROWTH DIFFERENTIATION FACTOR-15 CORRELATES WITH MORTALITY AND SEVERITY IN SEVERE BURNS. **26**, Publish Ahead of Print,
- 514 Prevalence and outcome of sepsis in respiratory intensive care unit. **2022**, 16,
- 513 An3lisis de los factores implicados en la evoluci3n de los pacientes mayores de 80 a3os, ingresados en la unidad de cuidados intensivos: ¿debemos cambiar nuestro proceder?. **2022**, 0

512	The Predictive Value of Vital Signs for Morbidity in Pregnancy: Evaluating and Optimizing Maternal Early Warning Systems.	
511	Statistical methods for validation of predictive models.	0
510	Epidemiology of Candidemia and Fluconazole Resistance in an ICU before and during the COVID-19 Pandemic Era. 2022 , 11, 771	2
509	Identification of cardiovascular and molecular prognostic factors for the morbidity and mortality in COVID-19-sepsis (ICROVID): Protocol for a prospective multi-centre cohort study. 2022 , 17, e0269247	
508	Exact Shapley values for local and model-true explanations of decision tree ensembles. 2022 , 100345	0
507	Age-related differences in the survival benefit of the administration of antithrombin, recombinant human thrombomodulin, or their combination in sepsis. 2022 , 12,	1
506	A systematic review of the effect of early mobilization on length of stay for adults in the intensive care unit.	0
505	????????????????????10????????????(Clinical characteristics of patients who were transferred to our tertiary care center for an emergency due to severe postpartum hemorrhage: a retrospective observational study). 2022 , 33, 246-254	
504	Red blood cell distribution width as prognostic factor in sepsis: A new use for a classical parameter. 2022 , 71, 154069	0
503	Statins and Risk of Thrombosis in Critically ill Patients with COVID-19: A Multicenter Cohort Study. 2022 , 28, 107602962211038	0
502	Aberrant blood cell division cycle 42 expression and its correlation with disease severity, inflammation and mortality risk in patients with acute pancreatitis. 2022 , 24,	0
501	Dynamic blood oxygen indices in mechanically ventilated COVID-19 patients with acute hypoxic respiratory failure: A cohort study. 2022 , 17, e0269471	
500	Explainable Machine Learning-Based Risk Prediction Model for In-Hospital Mortality after Continuous Renal Replacement Therapy Initiation. 2022 , 12, 1496	0
499	Predict models for prolonged ICU stay using APACHE II, APACHE III and SAPS II scores: A Japanese multicenter retrospective cohort study. 2022 , 17, e0269737	0
498	Development of Machine-Learning Model to Predict COVID-19 Mortality: Application of Ensemble Model and Regarding Feature Impacts. 2022 , 12, 1464	1
497	Redefining critical illness. 2022 , 28, 1141-1148	5
496	Clinical and Microbiological Characteristics of Bacteremic Pneumonia Caused by <i>Klebsiella pneumoniae</i> . 12,	1
495	New Perspectives on Antimicrobial Agents: Imipenem-Relebactam.	0

494	Bloodstream Infections Caused by Carbapenem-Resistant Pathogens in Intensive Care Units: Risk Factors Analysis and Proposal of a Prognostic Score. 2022 , 11, 718	1
493	Effect of Fluid Bolus Administration on Cardiovascular Collapse Among Critically Ill Patients Undergoing Tracheal Intubation.	5
492	Intravenous Vitamin C in Adults with Sepsis in the Intensive Care Unit. 2022 , 386, 2387-2398	11
491	Systematic review and meta-analysis of the correlation between bispectral index (BIS) and clinical sedation scales: towards defining the role of BIS in critically ill patients.	0
490	Anti-seizure medication treatment and outcomes in acute ischemic stroke patients undergoing continuous EEG monitoring.	
489	Evaluation of the Effectiveness of Glasgow Coma Scale and Parameters in the Decision Phase of Rapid Sequence Intubation in Altered Mental Status Developing During the Emergency Room Follow-up of Non-Traumatic Patients.	
488	Utilization and outcomes of tracheostomies in the intensive care unit in Iceland in 2007-2020: A descriptive study.	
487	Association between blood caspase-8 levels and mortality of patients with malignant middle cerebral artery infarction. 2022 , 46, 305-311	
486	Polymyxin B/Tigecycline Combination vs. Polymyxin B or Tigecycline Alone for the Treatment of Hospital-Acquired Pneumonia Caused by Carbapenem-Resistant Enterobacteriaceae or Carbapenem-Resistant Acinetobacter baumannii. 9,	1
485	Subjective Assessment of Motor Function by the Bedside Nurses in Mechanically Ventilated Surgical Intensive Care Unit Patients Predicts Tracheostomy. 088506662211078	
484	Revisiting the Ranson score in acute pancreatitis: is the drop in hematocrit a worrisome sign?.	
483	The frailty, outcomes, recovery and care steps of critically ill patients (FORECAST) study: pilot study results. 2022 , 10,	0
482	Acute methanol poisoning with bilateral diffuse cerebral hemorrhage: A case report. 2022 , 10, 6571-6579	
481	Impact of intraabdominal hypertension on kidney failure in critically ill patients: A post-hoc database analysis. 2022 , 71, 154078	0
480	Impact of mechanical ventilation time on functional capacity and muscular strength of patients under intensive care. 35,	
479	Development and validation of a novel method for converting the Japan Coma Scale to Glasgow Coma Scale. 2022 ,	1
478	Clinical profile, etiology, and outcome of acute pancreatitis: Experience at a tertiary care center. 2022 , 21, 118	0
477	Development of an Interpretable, Multivariable, Machine Learning Model for Clinical Decision Support on Mortality Prediction of People Admitted to Intensive Care Units.	

- 476 Effect of hyperglycaemia on outcome of critically ill patients with and without diabetes mellitus admitted to medical intensive care unit. **2022**, 11, 157
- 475 Predicting mortality in ICU Patients with heart failure using interpretable machine learning model (Preprint). ○
- 474 Comparison of Apache IV Vs Apache II Scoring System in Predicting the Clinical Outcomes of patients in Intensive Care Unit. **2022**, 170-172
- 473 High blood Fas concentrations in non-survivor patients with traumatic brain injury.
- 472 65/m mit Sepsis auf der Intensivstation.
- 471 Does Monitoring Total and Free Polymyxin B Plasma Concentrations Predict Polymyxin B-Induced Nephrotoxicity? A Retrospective Study in Critically Ill Patients. ○
- 470 Clinical applications of machine learning in the survival prediction and classification of sepsis: coagulation and heparin usage matter. **2022**, 20, ○
- 469 Negative predictive value of procalcitonin to rule out bacterial respiratory co-infection in critical covid-19 patients. **2022**, ○
- 468 A nationwide study on characteristics and outcome of cancer patients with sepsis requiring intensive care. 1-9
- 467 Development and validation of a deep learning model to predict the survival of patients in ICU. ○
- 466 Risk of polymyxin B-induced acute kidney injury with a non-adjusted dose versus adjusted dose based on renal function.
- 465 Anti-endotoxin antibodies consumption in cardiovascular collapse: Pathophysiological concerns. **2022**,
- 464 Which model is superior in predicting ICU survival: artificial intelligence versus conventional approaches. **2022**, 22, ○
- 463 Clinical Efficacy Protocol of Yinhuapinggan Granules: A Randomized, Double-Blind, Parallel, and Controlled Clinical Trial Program for the Intervention of Community-Acquired Drug-Resistant Bacterial Pneumonia as a Complementary Therapy. 13,
- 462 Development and Validation of Simplified Delirium Prediction Model in Intensive Care Unit. 13,
- 461 Association of Histones With Coagulofibrinolytic Responses and Organ Dysfunction in Adult Post-cardiac Arrest Syndrome. 9, ○
- 460 ICU Rehabilitation. **2022**, 2, 1-7
- 459 The leap to ordinal: Detailed functional prognosis after traumatic brain injury with a flexible modelling approach. **2022**, 17, e0270973

458	Sequential Organ Failure Assessment (SOFA) Score and Mortality Prediction in Patients With Severe Respiratory Distress Secondary to COVID-19. 2022,	1
457	Comparison of Sequential Dalbavancin to Standard-of-Care Treatment for Staphylococcus aureus Bloodstream Infections.	0
456	Prognosis in acute pancreatitis associated with HIV infection. 2022,	
455	Effect of Ketamine on Vasopressor Needs in Mechanically Ventilated Patients: A Retrospective Study. 2022, 1,	
454	Assessment of Antibiotic Pharmacokinetics, Molecular Biomarkers and Clinical Status in Critically Ill Adults Diagnosed with Community-Acquired Pneumonia and Receiving Intravenous Piperacillin/Tazobactam and Hydrocortisone over the First Five Days of Intensive Care: An Observational Study (STROBE Compliant). 2022, 11, 4140	0
453	Prediction of postoperative cardiac events in multiple surgical cohorts using a multimodal and integrative decision support system. 2022, 12,	
452	Prognostic value of serum ammonia in critical patients with non-hepatic disease: A prospective, observational, multicenter study. 2022,	
451	Performance of NUTRIC score to predict 28-day mortality in critically ill patients after replacing APACHE II with SAPS 3. 2022, 17, e0270455	
450	Population Pharmacokinetics of Temocillin Administered by Continuous Infusion in Patients with Septic Shock Associated with Intra-Abdominal Infection and Ascitic Fluid Effusion. 2022, 11, 898	1
449	Resistin Concentration in Early Sepsis and All-Cause Mortality at a Safety-Net Hospital in Riverside County. Volume 15, 3925-3940	
448	Early Versus Usual Palliative Care Consultation in the Intensive Care Unit. 104990912211157	0
447	Role of the intensive care in allogeneic hematopoietic stem cell transplantation. 2022, 67, 216-239	1
446	Effect of inotropic agents on oxygenation and cerebral perfusion in acute brain injury. 13,	0
445	Polytrauma scoring revisited: prognostic validity and usability in daily clinical practice.	0
444	Brain Tissue Oxygenation-Guided Therapy and Outcome in Traumatic Brain Injury: A Single-Center Matched Cohort Study. 2022, 12, 887	0
443	Comparison of mortality and clinical failure rates between vancomycin and teicoplanin in patients with methicillin-resistant Staphylococcus aureus pneumonia. 2022, 22,	0
442	Patient-centered outcomes at hospital discharge in mechanically ventilated COVID-19 patients in Kobe, Japan: A single-center retrospective cohort study. 2022,	0
441	Clinical Characteristics and Outcomes of Critically Ill Patients with 1, 2 and 3 doses of Vaccination against COVID-19 in Australia.	1

440	Incidence and risk factors of nasogastric feeding intolerance in moderately-severe to severe acute pancreatitis. 2022 , 22,	1
439	Multi-center validation of machine learning model for preoperative prediction of postoperative mortality. 2022 , 5,	0
438	Clinical Impact of COVID-19 on Multi-Drug-Resistant Gram-Negative Bacilli Bloodstream Infections in an Intensive Care Unit Setting: Two Pandemics Compared. 2022 , 11, 926	5
437	Prediction of Mortality and Major Adverse Kidney Events in Critically Ill Patients With Acute Kidney Injury. 2022 ,	0
436	Response. 2022 , 96, 385-386	
435	Adding the analysis or discussion to the APACHE II score may clearly explain the predictive risk associated with upper gastrointestinal bleeding via the Re.Co.De score. 2022 , 96, 385	0
434	In-hospital mortality of critically ill patients with interactions of acute kidney injury and acute respiratory failure in the resource-limited settings: Results from SEA-AKI study. 2022 , 71, 154103	
433	Development of a machine learning model for the prediction of the short-term mortality in patients in the intensive care unit. 2022 , 71, 154106	
432	Predicting Unplanned Intensive Care Unit Admission for Trauma Patients: The CRASH Score. 2022 , 279, 505-510	
431	APACHE II Scoring System on a General Intensive Care Unit: Audit of Daily APACHE II Scores and 6-Month Survival of 691 Patients Admitted to a General Intensive Care Unit between May 1990 and December 1991. 1994 , 87, 73-77	1
430	Direct Peritoneal Resuscitation for Trauma. 2022 ,	
429	Multivariate Prognostic Model for Predicting the Outcome of Critically Ill Patients Using the Aromatic Metabolites Detected by Gas Chromatography-Mass Spectrometry. 2022 , 27, 4784	2
428	Risk Factors for Mortality in Hospitalized Patients with <i>Stenotrophomonas maltophilia</i> Bacteremia. Volume 15, 3881-3886	1
427	Prior influenza vaccine is not a risk factor for bacterial coinfection in patients admitted to the ICU due to severe influenza. 2022 , 46, 436-445	
426	Prospective, multi-site study of patient outcomes after implementation of the TREWS machine learning-based early warning system for sepsis. 2022 , 28, 1455-1460	2
425	Factors driving provider adoption of the TREWS machine learning-based early warning system and its effects on sepsis treatment timing. 2022 , 28, 1447-1454	0
424	Continuous Catheter Drainage of <i>Streptococcus Pneumoniae</i> Pericardial Effusion. 1992 , 85, 762-763	
423	The Very Old Critically Ill Patients Risk Scores for the Very Old, Achievable?. 2022 , 267-274	

- 422 A Refused ICU Medical Prediction Model based on Time Series State Monitoring. **2022**,
- 421 Comparison of modified Glasgow-Imrie, Ranson, and Apache II scoring systems in predicting the severity of acute pancreatitis. **2022**, 94, 1-7
- 420 Better prognostic ability of NEWS2, SOFA and SAPS-II in septic patients. **2022**,
- 419 Measuring Epidemiologic Effects of Enterococcal Bacteremia and Outcomes From a Nationwide Inpatient Sample Database. **2022**,
- 418 In Vivo and Ex Vivo Mitochondrial Function in COVID-19 Patients on the Intensive Care Unit. **2022**, 10, 1746 ○
- 417 White blood cell count trajectory and mortality in septic shock: a historical cohort study. ○
- 416 Association between blood caspase-9 concentrations and septic patient prognosis.
- 415 Skeletal Muscles of Patients Infected with SARS-CoV-2 Develop Severe Myofiber Damage upon One Week of Admission on the Intensive Care Unit. **2022**, 12, 7310 ○
- 414 Research trends and global productivity on mechanical ventilation with the impact of COVID-19: a bibliometric analysis in the period 1980-2021. **2022**, 5, 1051-1061 3
- 413 Development of a Delirium Risk Predication Model among ICU Patients in Oman. **2022**, 2022, 1-6
- 412 Comparison of lactate/albumin ratio to lactate and lactate clearance for predicting outcomes in patients with septic shock admitted to intensive care unit: an observational study. **2022**, 12, 1 ○
- 411 A Nomogram for Predicting Patients with Severe Heatstroke. Publish Ahead of Print, ○
- 410 LIVER FUNCTION TESTS(LFT) PROFILE IN INTENSIVE CARE UNIT PATIENTS : A PROSPECTIVE OBSERVATIONAL STUDY. **2022**, 43-44
- 409 Timing of Exposure to ICU Diaries and Its Impact on Mental Health, Memories, and Quality of Life: A Double-Blind Randomized Control Trial. **2022**, 4, e0742 ○
- 408 PCR-based diagnosis of respiratory virus in postsurgical septic patients: A preliminary study before SARS-CoV-2 pandemic. **2022**, 101, e29902
- 407 Extracorporeal membrane oxygenation versus conventional rewarming for severe hypothermia in an urban emergency department.
- 406 UTILITY OF APACHEII, SAPS II, AND SOFA SCORES AS INDICATORS OF SEVERITY OF SEPSIS AND PREDICTORS OF MORTALITY IN A TERTIARY CARE HOSPITAL. 132-136
- 405 Development and validation of outcome prediction models for acute kidney injury patients undergoing continuous renal replacement therapy. 9,

- 404 Bioelectrical impedance analysis versus physician adjustment in acute kidney injury patients to reduce intradialytic hypotension: A randomized controlled trial. **2022**, 80, 104311
- 403 A Randomized Controlled Trial of Colistin Combined with Sulbactam: 9 g per Day versus 12 g per Day in the Treatment of Extensively Drug-Resistant *Acinetobacter baumannii* Pneumonia: An Interim Analysis. **2022**, 11, 1112
- 402 Comparison of different clinical risk scores to predict long-term survival and neurological outcome in adults after cardiac arrest: results from a prospective cohort study. **2022**, 12, ○
- 401 Evaluating the effect of age on postoperative and clinical outcomes in patients admitted to the intensive care unit after gastrointestinal cancer surgery. **2022**,
- 400 The Low Expression of Fc-Gamma Receptor III (CD16) and High Expression of Fc-Gamma Receptor I (CD64) on Neutrophil Granulocytes Mark Severe COVID-19 Pneumonia. **2022**, 12, 2010
- 399 Modelling kidney outcomes based on MELD eras - impact of MELD score in renal endpoints after liver transplantation. **2022**, 23,
- 398 Potential clinical impact of metagenomic next-generation sequencing of plasma for cervical spine injury with sepsis in intensive care unit: A retrospective study. 12,
- 397 Prognostic Value of Albumin-to-Fibrinogen Ratio for 28-Day Mortality among Patients with Sepsis from Various Infection Sites. **2022**, 2022, 1-9 1
- 396 Revised Clinical Practice Guidelines of the Korean Pancreatobiliary Association for Acute Pancreatitis. **2022**, ○
- 395 Ceftazidime/Avibactam-Based Versus Polymyxin B-Based Therapeutic Regimens for the Treatment of Carbapenem-Resistant *Klebsiella pneumoniae* Infection in Critically Ill Patients: A Retrospective Cohort Study. ○
- 394 A systematic review of radiomics in pancreatitis: applying the evidence level rating tool for promoting clinical transferability. **2022**, 13, ○
- 393 Use of dexmedetomidine in patients with sepsis: a systematic review and meta-analysis of randomized-controlled trials. **2022**, 12, ○
- 392 Associations between parenteral energy/amino acids and clinical outcomes in long-term fasting ICU patients: A retrospective cohort study using a medical claims database.
- 391 Changes in vitamin D metabolites at the time of critical illness and six months later - a prospective observational study.
- 390 Comparison of mainstream end tidal carbon dioxide on Y-piece side versus patient side of heat and moisture exchanger filters in critically ill adult patients: a prospective observational study.
- 389 Epicardial adipose tissue volume and CT-attenuation as prognostic factors for pulmonary embolism and mortality in critically ill patients affected by COVID-19. ○
- 388 Identification of patient population benefiting from anticoagulant therapy for sepsis-related coagulopathy based on the disseminated intravascular coagulation diagnostic criteria: a retrospective database study.
- 387 Nephrotoxicity of Vancomycin in Combination with Beta-lactam Agents: Ceftolozane-tazobactam vs. Piperacillin-tazobactam. ○

- 386 Machine learning for predicting acute hypotension: A systematic review. **9**, 0
- 385 Clinical prediction models in hospitalized patients with COVID-19: A multicenter cohort study. **2022**, 106954 0
- 384 Incidence and risk factors of COVID-19 associated pneumothorax. **2022**, 17, e0271964 1
- 383 Development of new equations predicting the mortality risk of patients with continuous renal replacement therapy. 10.34067/KID.0000862022
- 382 Explainable Artificial Intelligence Helps in Understanding the Effect of Fibronectin on Survival of Sepsis. **2022**, 11, 2433 1
- 381 Combining attention with spectrum to handle missing values on time series data without imputation. **2022**, 609, 1271-1287
- 380 Combination of norepinephrine with phenylephrine versus norepinephrine with vasopressin in critically ill patients with septic shock: A retrospective study. **2022**, 72, 154121 0
- 379 REDESIGNED NURSING PRACTICE: A CASE MANAGEMENT MODEL FOR CRITICAL CARE. **1992**, 27, 119-128 3
- 378 High-Dose Intravenous Hydroxocobalamin (Vitamin B12) in Septic Shock: A Double-Blind, Allocation-Concealed, Placebo-Controlled Single-Center Pilot Randomized Controlled Trial (The IV-HOCSS Trial). **2022**, 0
- 377 Decreased Monocyte HLA-DR Expression in Patients with Sepsis and Acute Kidney Injury. **2022**, 58, 1198 0
- 376 The safety and efficacy of push dose vasopressors in critically ill adults. **2022**, 61, 137-142 0
- 375 Long-term cognitive performance and its relation to anti-inflammatory therapy in a cohort of survivors of severe COVID-19. **2022**, 25, 100513 1
- 374 Does carbapenem-resistant enterobacteriaceae infection drive venous thromboembolism in patients admitted to intensive care units receiving prophylactic anticoagulants?. **2022**, 13, 139 0
- 373 Research Progress in Severity and Prognosis Evaluation Indicators of Acute Pancreatitis. **2022**, 12, 6659-6670 0
- 372 Development of the AAST Disease Severity Stratification System. **2022**, 29-41 0
- 371 Evaluation of time to death after admission to an intensive care unit and factors associated with mortality: A retrospective longitudinal study. **2022**, 12, 121 0
- 370 Methylprednisolone pulse therapy for critically ill patients with coronavirus disease 2019: A single-center retrospective observational study. **2022**, 9, 0
- 369 The APACHE II Scoring Systems and the ICU. **2022**, 1-14 0

368	Identification of Patient Population Benefiting from Anticoagulant Therapy for Sepsis-Related Coagulopathy Based on the Disseminated Intravascular Coagulation Diagnostic Criteria: A Retrospective Database Study.	0
367	Dynamic prediction of mortality in COVID-19 patients in the intensive care unit: A retrospective multi-center cohort study. 2022 , 6, 100071	0
366	EventScore: An Automated Real-time Early Warning Score for Clinical Events. 2022 ,	0
365	Investigation of inflammation-related parameters in patients with candidemia hospitalized in the intensive care unit: A retrospective cohort study. 2022 , 105, 003685042211240	0
364	Metformin-associated lactic acidosis and factors associated with 30-day mortality. 2022 , 17, e0273678	0
363	Prognostic Value of C-Reactive Protein and Albumin in Neurocritically Ill Patients with Acute Stroke. 2022 , 11, 5067	1
362	Evaluating the usefulness of the estimated glomerular filtration rate for determination of imipenem dosage in critically ill patients. 2022 , 112,	0
361	Gut microbiota on admission as predictive biomarker for acute necrotizing pancreatitis. 13,	0
360	Pneumonia and Related Conditions in Critically Ill Patients Insights from Basic and Experimental Studies. 2022 , 23, 9896	0
359	Comparative Outcomes of Candida auris Bloodstream Infections: A Multicenter Retrospective Case-Control Study.	1
358	Identification of early predictors for infected necrosis in acute pancreatitis. 2022 , 22,	0
357	Development and validation of the MMCD score to predict kidney replacement therapy in COVID-19 patients. 2022 , 20,	0
356	Resuscitation Fluids for Patients at High Risk of Multiple Organ Dysfunction Syndromes: A Systematic Review and Meta-analysis. 2022 , 32, 251-259	0
355	Critical care hepatology: definitions, incidence, prognosis and role of liver failure in critically ill patients. 2022 , 26,	1
354	Characteristics and predictors of ICU-mortality in critically ill patients with hyperlactatemia requiring CRRT: A retrospective cohort study. 039139882211267	0
353	Síndrome post-cuidados intensivos al mes del alta hospitalaria de pacientes críticos supervivientes a COVID 19. 2022 ,	0
352	Immunomodulation by Hemoadsorption Changes in Hepatic Biotransformation Capacity in Sepsis and Septic Shock: A Prospective Study. 2022 , 10, 2340	0
351	The Predictive Value of Systemic Immune Inflammation Index in Patients Hospitalized in the Intensive Care Unit. 2022 , 18, 364-369	0

350	Predictive outcomes of APACHE II and expanded SAPS II mortality scoring Systems in Coronary Care Unit. 2022 ,	0
349	Outcomes of patients with acute respiratory failure on veno-venous extracorporeal membrane oxygenation requiring additional circulatory support by veno-venoarterial extracorporeal membrane oxygenation. 9,	0
348	Persistent Depletion of Neuroprotective Factors Accompanies Neuroinflammatory, Neurodegenerative, and Vascular Remodeling Spectra in Serum Three Months after Non-Emergent Cardiac Surgery. 2022 , 10, 2364	0
347	A Rapid Prognostic Score Based on Bedside Arterial Blood Gas Analysis (ABG) Established for Predicting 60-Day Adverse Outcomes in Patients with Acute Pancreatitis in the Emergency Department. Volume 15, 5337-5346	0
346	Functional trajectories associated with acute illness and hospitalization in oldest old patients: Impact on mortality. 13,	0
345	DFV890: a new oral NLRP3 inhibitor tested in an early phase 2a randomised clinical trial in patients with COVID-19 pneumonia and impaired respiratory function.	0
344	Explainable time-series deep learning models for the prediction of mortality, prolonged length of stay and 30-day readmission in intensive care patients. 9,	0
343	Association between ICU admission during off-hours and in-hospital mortality: a multicenter registry in Japan. 2022 , 10,	1
342	Value, time and outcomes of elevated lactate levels in adult patients on extracorporeal membrane oxygenation. 026765912211301	0
341	High-Sensitivity Troponin I is an Indicator of Poor Prognosis in Patients with Severe COVID-19 Related Pneumonia. Volume 15, 7113-7121	0
340	Sequential estimation of the national early warning score-2 and SERUM PRESEPSIN might discriminate sepsis patients who were vulnerable to death in surgical ICU. 2022 , 38, 535-541	0
339	Association between caloric adequacy and short-term clinical outcomes in critically ill patients using a weight-based equation: Secondary analysis of a cluster-randomized controlled trial. 9,	0
338	T lymphocyte subtyping: an early warning and a potential prognostic indicator of active cytomegalovirus infection in sepsis patients.	0
337	Steering Away from Current Amoxicillin Dose Reductions in Hospitalized Patients with Impaired Kidney Function to Avoid Subtherapeutic Drug Exposure. 2022 , 11, 1190	0
336	Prediction of Survival Time after Terminal Extubation: the Balance between Critical Care Unit Utilization and Hospice Medicine in the COVID-19 Pandemic Era.	0
335	Association of Subjective Global Assessment with outcomes in the intensive care unit: A retrospective cohort study.	1
334	Acupuncture Enhances Gastrointestinal Motility and Improves Autonomic Nervous Function in Patients with Septic Gastrointestinal Dysfunction. 2022 , 2022, 1-8	1
333	Association between High-Sensitivity Cardiac Troponin I and Clinical Prognosis of Neurosurgical and Neurocritically Ill Patients. 2022 , 12, 2259	0

- 332 Augmented renal clearance in the ICU: estimation, incidence, risk factors and consequences: a retrospective observational study. **2022**, 12, 1
- 331 Impact of a Nurse-Driven Patient Empowerment Intervention on the Reduction in Patients' Anxiety and Depression During ICU Discharge: A Randomized Clinical Trial. Publish Ahead of Print, 0
- 330 Sepsis in Intensive Care Unit: Which Score Predicts Better about Outcome?. **2022**, 26, 1072-1073 0
- 329 Early administration of hydrocortisone, vitamin C, and thiamine in adult patients with septic shock: a randomized controlled clinical trial. **2022**, 26, 0
- 328 The prognostic value of early measures of the ventilatory ratio in the ARDS ROSE trial. **2022**, 26, 0
- 327 Elevated serum ferritin levels are associated with severity and prognosis of severe acute pancreatitis: a preliminary cohort study. **2022**, 22, 0
- 326 An AI based digital-twin for prioritising pneumonia patient treatment. 095441192211234 0
- 325 Development and validation of a predictive model for the early occurrence of acute kidney injury in patients with acute pancreatitis. 0
- 324 Risk stratification of patients with acute respiratory distress syndrome complicated with sepsis using lactate trajectories. **2022**, 22, 0
- 323 Effectiveness and Safety of Beta-Lactam Antibiotics with and without Therapeutic Drug Monitoring in Patients with Pseudomonas aeruginosa Pneumonia or Bloodstream Infection. 0
- 322 Opportunistic Candida Infections in Critical COVID-19 Patients. **2022**, 71, 411-419 1
- 321 The importance of viruses in ventilator-associated pneumonia. 1-6 0
- 320 Combination of the BISAP Score and miR-155 is Applied in Predicting the Severity of Acute Pancreatitis. Volume 15, 7467-7474 0
- 319 Plasma Mitochondrial DNA and Necroptosis as Prognostic Indicators in Critically Ill Patients with Sepsis. **2022**, 10, 2386 0
- 318 Kalsiyum, D vitamini ve paratiroid hormon düzeylerinin kritik hastaların prognozuna etkisi. **2022**, 47, 1129-1136 0
- 317 Respiratory Subsets in Patients with Moderate to Severe Acute Respiratory Distress Syndrome for Early Prediction of Death. **2022**, 11, 5724 0
- 316 Impact of Comorbidities on the Cause of Death by Necrotizing Soft Tissue Infections. **2022**, 23, 729-739 1
- 315 Multilayer dynamic ensemble model for intensive care unit mortality prediction of neonate patients. **2022**, 104216 0

- 314 Association of Incident Delirium With Short-term Mortality in Adults With Critical Illness Receiving Mechanical Ventilation. **2022**, 5, e2235339 ○
- 313 Incidence, Associated Factors, and Outcome of Delirium among Patients Admitted to ICUs in Oman. **2022**, 2022, 1-8 ○
- 312 A NOVEL CLASSIFICATION SYSTEM FOR WALLED-OFF NECROSIS: A STEP TOWARD STANDARDIZED NOMENCLATURE AND RISK STRATIFICATION FRAMEWORK. **2022**, ○
- 311 Association between postoperative delirium and heart rate variability in the intensive care unit and readmissions and mortality in elderly patients with cardiovascular surgery. ○
- 310 Oropharyngeal and intestinal concentrations of opportunistic pathogens are independently associated with death of SARS-CoV-2 critically ill adults. **2022**, 26, 1
- 309 Decision support system and outcome prediction in a cohort of patients with necrotizing soft-tissue infections. **2022**, 167, 104878 ○
- 308 Optimizing risk factors influence Intensive Care stay after Hyperthermic Intraperitoneal Chemotherapy? An observational cohort study. **2022**, 33, 100653 ○
- 307 Residual persistence of cytotoxicity lymphocytes and regulatory T cells in patients with severe coronavirus disease 2019 over a 1-year recovery process. **2022**, 9, ○
- 306 Response to Letter to the Editor: Japan Coma Scale and the Disorientation of the Nervous System. **2022**, ○
- 305 Nutritional Indicators and Illness. **2022**, 993-1006 ○
- 304 Continuous Prediction of Acute Kidney Injury from Patients with Sepsis in ICU Settings: A Sequential Transduction Model Based on Attention. **2022**, ○
- 303 Concomitant elevated serum levels of tenascin, MMP-9 and YKL-40, suggest ongoing remodeling of the heart up to 3 months after cardiac surgery after normalization of the revascularization markers. **2022**, 27, ○
- 302 Incidence of Fungal Infections Including Mucormycosis in Respiratory Intensive Care. ○
- 301 Evaluation of factors associated with selection for coronary angiography and in-hospital mortality among patients presenting with out-of-hospital cardiac arrest without ST-segment elevation. ○
- 300 Effect of Air Transport Delay on Mortality in Critical Illness: A Population-Based Cohort Study. **2022**, ○
- 299 Serum Lactate Dehydrogenase Is a Sensitive Predictor of Systemic Complications of Acute Pancreatitis. **2022**, 2022, 1-6 ○
- 298 Laparoscopic versus open emergent colectomy for ischemic colitis: a propensity score-matched comparison. **2022**, 17, ○
- 297 Emergency digital cholangioscope-assisted one-stage bedside endoscopic stone removal combined with biliary drainage for severe acute cholangitis in intensive care unit: experience from a tertiary Chinese academic hospital. ○

296	Long-Term Survival and Quality of Life in Non-Surgical Adult Patients Supported with Veno-Arterial Extracorporeal Oxygenation. 2022 , 11, 6452	○
295	Effect of Acute Rehabilitation Treatment for Patients with Severe COVID-19. 2022 ,	○
294	Serial Measurements of Protein Biomarkers in Sepsis-Induced Acute Respiratory Distress Syndrome. 2022 , 4, e0780	○
293	Early Postoperative Organ Dysfunction is Highly Associated with the Mortality Risk of Patients with Type A Aortic Dissection.	○
292	Post-intensive care syndrome one month after discharge in surviving critically ill COVID-19 patients. 2022 ,	○
291	Assessing the Anti-inflammatory Effects of Bacopa-Derived Bioactive Compounds Using Network Pharmacology and In Vitro Studies.	○
290	Predicting medical events and ICU requirements using a multimodal multiobjective transformer network. 153537022211265	○
289	Intravenous Amino Acids may Mediate the Adverse Effect of Early Parenteral Nutrition on Mortality in Critically Ill Patients Requiring Mechanical Ventilation: A Post Hoc Analysis of the NEED trial.	○
288	Ventilatory Parameters in Obstetric Patients with COVID-19 and Impact of Delivery: A Multicenter Prospective Cohort Study. 2022 ,	○
287	Association of low mixed venous oxygen saturations during early ICU stay with increased 30-day and 1-year mortality after cardiac surgery: a single-center retrospective study. 2022 , 22,	○
286	Predictors of poor outcome in critically ill patients with COVID-19 pneumonia treated with extracorporeal membrane oxygenation. 026765912211314	○
285	Acute pancreatitis caused by hypertriglyceridemia.	○
284	Association of Serum Magnesium and Risk of Morbidity and Mortality in ICU-Admitted Patients Based on COVID-19 Infection Classification. 2022 , 17,	○
283	Post-intensive care syndrome in out-of-hospital cardiac arrest patients: A prospective observational cohort study. 2022 , 17, e0276011	○
282	Continuous Piperacillin-Tazobactam Infusion Improves Clinical Outcomes in Critically Ill Patients with Sepsis: A Retrospective, Single-Centre Study. 2022 , 11, 1508	○
281	Hemoadsorption in the critically ill: Final results of the International CytoSorb Registry. 2022 , 17, e0274315	1
280	A burden of fluid, sodium, and chloride due to intravenous fluid therapy in patients with respiratory support: a post-hoc analysis of a multicenter cohort study. 2022 , 12,	○
279	Admission Lactate Concentration, Base Excess, and Alactic Base Excess Predict the 28-Day Inward Mortality in Shock Patients. 2022 , 11, 6125	○

- 278 Development and Validation of a Prognostic Model and Bedside Score for the Neurological Outcome in Children with Tuberculous Meningitis. **2022**, 0
- 277 Early glycaemic variability increases 28-day mortality and prolongs intensive care unit stay in critically ill patients with pneumonia. **2022**, 54, 2736-2743 0
- 276 The Added Value of Serum Random Cortisol and Thyroid Function Tests as Mortality Predictors for Critically Ill Patients: A Prospective Cohort Study. **2022**, 11, 5929 0
- 275 Illness wellness scale: novel grading system for performance status of patients under surgical care. 0
- 274 Accuracy of clinicians' ability to predict the need for renal replacement therapy: a prospective multicenter study. **2022**, 12, 0
- 273 DeepMPM: a mortality risk prediction model using longitudinal EHR data. **2022**, 23, 0
- 272 Efficacy of tocilizumab therapy in severe COVID-19 pneumonia patients and determination of the prognostic factors affecting 30 days mortality. 0
- 271 Impact of ventilator settings during venovenous extracorporeal membrane oxygenation on clinical outcomes in influenza-associated acute respiratory distress syndrome: a multicenter retrospective cohort study. 10, e14140 0
- 270 Effect of Selective Decontamination of the Digestive Tract on Hospital Mortality in Critically Ill Patients Receiving Mechanical Ventilation. 6
- 269 Clinical significance of reactive thrombocytosis in the course of acute pancreatitis. 0
- 268 Sex differences in aged 80 and over hospitalized patients with community-acquired UTI: A prospective observational study. **2022**, 8, e11131 0
- 267 The Prognostic Accuracy Evaluation of mNUTRIC, APACHE II, SOFA, and SAPS 2 Scores for Mortality Prediction in Patients with Sepsis. **2022**, 2022, 1-7 0
- 266 Fulfillment of Patient Expectations after Acute Respiratory Failure: A Multicenter Prospective Cohort Study. 0
- 265 Different epidemiology of bloodstream infections in COVID-19 compared to non-COVID-19 critically ill patients: a descriptive analysis of the Eurobact II study. **2022**, 26, 2
- 264 Administration of recombinant human thrombopoietin is associated with alleviated thrombocytopenia in adult intensive care unit patients with pneumonia: A single-center retrospective study. 13, 1
- 263 Validation of Two Revised, Simplified Criteria for Assessing Sepsis-Associated Disseminated Intravascular Coagulation in ICU Patients with Sepsis-3: A Retrospective Study. 0
- 262 Amino acid profiling to predict prognosis in patients with heart failure: an expert review. 0
- 261 Association between septic patient mortality and blood survivin concentrations. **2022**, 0

- 260 Retrospective Study of Indications and Outcomes of Open Abdomen with Negative Pressure Wound Therapy Technique for Abdominal Sepsis in a Tertiary Referral Centre. **2022**, 11, 1498 ○
- 259 Burden and mortality of sepsis and septic shock at a high-volume, single-center in Vietnam: a retrospective study. ○
- 258 Predicting COVID-19 prognosis in the ICU remained challenging: external validation in a multinational regional cohort. **2022**, ○
- 257 Comparison of Risk Models in the Prediction of 30-Day Mortality in Acute Myocardial Infarction-Associated Cardiogenic Shock. **2022**, 100116 ○
- 256 Prognostic scores for prediction of maternal near miss and maternal death after admission to an intensive care unit: A narrative review. 1-15 ○
- 255 Right ventricular function as a predictor of short-term mortality in patients with sepsis and septic shock: an observational study. **2022**, 74, ○
- 254 Dexmedetomidine and Propofol Sedation in Critically Ill Patients and Dose Associated 90-day Mortality: A Secondary Cohort Analysis of a Randomized Controlled Trial (SPICE-III). ○
- 253 Association between shared decision-making during family meetings and surrogates' trust in their ICU physician. **2022**, ○
- 252 Outcomes of PD for AKI treatment during COVID-19 in New York City: A multicenter study. 089686082211305 ○
- 251 Circadian Rhythmicity of Vital Signs at Intensive Care Unit Discharge and Outcome of Traumatic Brain Injury. **2022**, 31, 472-482 ○
- 250 Trajectories of Palliative Care Needs in the ICU and Long-Term Psychological Distress Symptoms. Publish Ahead of Print, ○
- 249 Scoring systems in critically ill: Which one to use in cancer patients?. 11, 364-374 ○
- 248 Incidence, risk and impact of unplanned ICU readmission on patient outcomes and resource utilisation in tertiary level ICUs in Nepal: A cohort study. 7, 272 ○
- 247 Influence of Venoarterial Extracorporeal Membrane Oxygenation Integrated Hemoadsorption on the Early Reversal of Multiorgan and Microcirculatory Dysfunction and Outcome of Refractory Cardiogenic Shock. **2022**, 11, 6517 ○
- 246 Serum inflammatory and brain injury biomarkers in COVID-19 patients admitted to intensive care unit: A pilot study. **2022**, 100434 1
- 245 Upper limb function of individuals hospitalized in intensive care: A 6-month cohort study. **2023**, 57, 283-289 ○
- 244 The clinical and paraclinical effectiveness of four-hour infusion vs. half-hour infusion of high-dose ampicillin-sulbactam in treatment of critically ill patients with sepsis or septic shock: An assessor-blinded randomized clinical trial. **2023**, 73, 154170 ○
- 243 AI and Dynamic Prediction of Deterioration in Covid-19. **2022**, 257-277 ○

- 242 Variability of Steroid Prescription for COVID-19 Associated Pneumonia in Real-Life, Non-Trial Settings. **2022**, 8, 259-265 ○
- 241 Aetiology, Clinical Presentation and Outcome in Patients with Community-Acquired Pneumonia Requiring Hospitalisation: A Prospective Study. **2022**, 62, 117-125 ○
- 240 A simple core dataset for triglyceride-induced acute pancreatitis. 1-26 ○
- 239 Low levels of hemoglobin associate with critical illness and predict disease course in patients with ANCA-associated renal vasculitis. **2022**, 12, ○
- 238 Impact of secondary sepsis on mortality in adult intensive care unit patients. **2022**, 103345 ○
- 237 Risk factors for mechanical ventilation and ECMO in COVID-19 patients admitted to the ICU: A multicenter retrospective observational study. **2022**, 17, e0277641 ○
- 236 RELSAA multidimensional procedure for the comparative assessment of well-being and the quantitative determination of severity in experimental procedures. 9, ○
- 235 A pilot study for treatment of severe COVID-19 pneumonia by aerosolized formulation of convalescent human immune plasma exosomes (ChipEXO) 13, ○
- 234 Extracorporeal membrane oxygenation utilization in burn patients with severe acute respiratory distress syndrome. **2022**, ○
- 233 Occupational therapist-guided cognitive interventions in critically ill patients: a feasibility randomized controlled trial. ○
- 232 External Validation of Mortality Prediction Models for Critical Illness Reveals Preserved Discrimination but Poor Calibration. Publish Ahead of Print, ○
- 231 Intermediate tidal volume is an acceptable option for ventilated patients with acute respiratory distress syndrome. **2022**, 46, 609-618 ○
- 230 Results of the 2018 Japan Society for Blood Purification in Critical Care survey: current status and outcomes. **2022**, 8, ○
- 229 Black and White Patients with Staphylococcus aureus Bacteremia have Similar Outcomes but Different Risk Factors. 1
- 228 Sex differences among patients presenting to hospital with out-of-hospital cardiac arrest and shockable rhythm. ○
- 227 Fatal Rickettsia Japonica Infection Complicating Disseminated Intravascular Coagulation in Yichang, China. Volume 15, 6613-6623 ○
- 226 Effects of Dexmedetomidine on Systemic Inflammation and Postoperative Complications in Laparoscopic Pancreaticoduodenectomy: A Double-blind Randomized Controlled Trial. ○
- 225 Anti-endotoxin antibodies consumption in cardiovascular collapse: Pathophysiological concerns. **2022**, ○

224	Integrated machine learning approaches for flow cytometric quantification of myeloid-derived suppressor cells in acute sepsis. 13,	0
223	Impact of Subsyndromal Delirium Occurrence and Its Trajectory during ICU Stay. 2022 , 11, 6797	0
222	Comparison of Performance of APACHE II and SOFA Scoring Systems in Critically Ill Patients Admitted to Intensive Care Unit. 2022 , 61, 69-74	0
221	Aetiology and Predictors of Outcome in Patients Presenting with Acute Respiratory Failure Requiring Mechanical Ventilation in a Medical Intensive Care Unit. 2022 , 61, 7-11	0
220	Relationship between serum lactate dehydrogenase and mortality after cardiac arrest: A retrospective cohort study. 2022 , 101, e31499	1
219	Role of CD8+ T cell exhaustion in the progression and prognosis of acute respiratory distress syndrome induced by sepsis: a prospective observational study. 2022 , 22,	0
218	Acute Pancreatitis: Management of Complicating Infection. 2000 , 66, 145-152	2
217	Serum Aromatic Microbial Metabolites as Biological Markers in Intensive Care. 2022 , 1-24	0
216	Are admission laboratory values in isolation meaningful for predicting surgical outcome in patients with perforated peptic ulcers?. 2023 , 11, 62-68	0
215	Incidence and Risk Factors of Feeding Intolerance in Adult Patients Given Enteral Nutrition Therapy After Liver Transplant. 2023 , 38, 47-58	0
214	Acute lung injury and recovery in patients with refractory VT/VF cardiac arrest treated with prolonged CPR and veno-arterial extracorporeal membrane oxygenation. 2023 , 182, 109651	0
213	Intestinal Mucosal Injury in Critically Ill Surgical Patients Preliminary Observations. 1999 , 65, 19-21	0
212	Winner of the Best Paper Award from the Gold Medal Forum: Clinical Characteristics and Antibiotic Utilization in Surgical Patients with Clostridium difficile-Associated Diarrhea. 1999 , 65, 507-512	14
211	Trends in Nosocomial Pneumonia in Surgical Patients as We Approach the 21st Century: A Prospective Analysis. 1999 , 65, 706-710	3
210	Surgical Infection and the Aging Population. 2001 , 67, 827-833	5
209	Scores in der Intensivmedizin. 2022 , 1-14	0
208	A study of microalbuminuria in sepsis with reference to acute physiology and chronic health evaluation II score in patients admitted to a medical intensive care unit. 2022 , 0	0
207	The Nursing Home Severity Index and Application to Pressure Injury Risk: A Measure Development and Validation Study (Preprint).	0

206	The effect of oral care using honey as an additional topical agent on oral health status of intubated patients in the intensive care unit. 2022 , 33, 225-232	0
205	A study protocol of external validation of eight COVID-19 prognostic models for predicting mortality risk in older populations in a hospital, primary care, and nursing home setting.	0
204	Age adjusted Charlson comorbidity index (a-CCI) AS a tool to predict 30-day post-operative outcome in general surgery patients.	0
203	Long-Term Outcomes of Patients with Stroke Predicted by Clinicians to have no Chance of Meaningful Recovery: A Japanese Cohort Study.	0
202	Clinical Trajectory and Predictors of Intensive Care Unit Mortality Among Nonalcoholic Fatty Liver Disease Patients: A Retrospective CaseControl Study. 2022 ,	0
201	Clinical impact of physician staffing transition in intensive care units: a retrospective observational study. 2022 , 22,	0
200	Characteristics and Outcomes of Critically Ill Pregnant/Postpartum Women with COVID-19 Pneumonia in Western Balkans, The Republic of Srpska Report. 2022 , 58, 1730	0
199	A high-protein peptide-based enteral formula improves diarrhea in tube-fed patients: A prospective multicenter study. 026010602211369	0
198	Gram-negative bacteremia in solid organ transplant recipients: Clinical characteristics and outcomes as compared to immunocompetent non-transplant recipients. 2022 , 24,	3
197	Diagnosis, severity stratification and management of adult acute pancreatitisCurrent evidence and controversies. 14, 1179-1197	1
196	Malnutrition markers as negative clinical outcome predictors in patients of mixed intensive care unit. 2022 , 2, 38-49	0
195	Using Second Measurement of De Ritis Ratio to Improve Mortality Prediction in Adult Trauma Patients in Intensive Care Unit. 2022 , 12, 2930	0
194	Mobilisation of critically ill patients receiving norepinephrine: a retrospective cohort study. 2022 , 26,	0
193	Latent class analysis of imaging and clinical respiratory parameters from patients with COVID-19-related ARDS identifies recruitment subphenotypes. 2022 , 26,	0
192	The Effect of a Three-Level Remote Alliance on Critical Care in Grassroot Areas: A Multi-Center, Retrospective Study. Volume 15, 2809-2815	0
191	Impact of bedside ultrasound to reduce the incidence of acute renal injury in high-risk surgical patients: a randomized clinical trial.	0
190	Impaired pulmonary and muscle function during moderate exercise in female patients recovered from SARS-CoV-2. 2022 , 12,	0
189	Investigating the potential of a prematurely aged immune phenotype in severely injured patients as predictor of risk of sepsis. 2022 , 19,	0

188	Improving risk prediction model quality in the critically ill: data linkage study. 2022 , 10, 1-192	○
187	Surgical Apgar score as a predictor of outcomes in patients following laparotomy at Mulago National Referral Hospital, Uganda: a prospective cohort study. 2022 , 22,	○
186	Influence of Nutritional Parameters on the Evolution, Severity and Prognosis of Critically Ill Patients with COVID-19. 2022 , 14, 5363	1
185	Colistin Monotherapy versus Combination Therapy for Carbapenem-Resistant Organisms.	1
184	Impact of Falls Within 3 Months on the Short-Term Prognoses of Elderly Patients in Intensive Care Units: A Retrospective Cohort Study Using Stabilized Inverse Probability Treatment Weighting. Volume 17, 1779-1792	○
183	Machine Learning Model Development and Validation for Predicting Outcome in Stage 4 Solid Cancer Patients with Septic Shock Visiting the Emergency Department: A Multi-Center, Prospective Cohort Study. 2022 , 11, 7231	○
182	Impact of chronic graft-versus-host-disease on intensive care outcome in allogeneic hematopoietic stem cell recipients.	○
181	Prognosticating mortality of primary cardiogenic shock requiring extracorporeal life support: the RESCUE score. 2022 , 101554	○
180	Multi-institutional search for patient factors associated with adverse events following tracheotomy. 2022 , 103773	○
179	Comparison of ultrasound with computed tomography to measure skeletal muscle mass in critically ill patients: A prospective study protocol. 2022 , 101, e31921	○
178	A new modified obstetric early warning score for prognostication of severe maternal morbidity. 2022 , 22,	○
177	Evaluation of procalcitonin elevation during ICU stay and its relationship with mortality in ICU patients for COVID-19 with respiratory involvement. A multicenter prospective cohort study. 9,	○
176	Detailed Analysis of Primary Non-invasive Respiratory Support and Outcomes of Subjects With COVID-19 Acute Hypoxaemic Respiratory Failure. 2022 ,	○
175	Right ventricular echocardiographic parameters and prediction of stroke volume in ischemic cardiogenic shock: A retrospective study. 2022 , 154219	○
174	The Importance of Pore-Forming Toxins in Multiple Organ Injury and Dysfunction. 2022 , 10, 3256	○
173	Clinical and chest computed tomography features associated with severe Chlamydia psittaci pneumonia diagnosed by metagenomic next-generation sequencing: A multicenter, retrospective, observational study. 2022 , 101, e32117	○
172	Effect of CytoSorb Coupled with Hemodialysis on Interleukin-6 and Hemodynamic Parameters in Patients with Systemic Inflammatory Response Syndrome: A Retrospective Cohort Study. 2022 , 11, 7500	○
171	Nrf2 Deficiency Exacerbated CLP-Induced Pulmonary Injury and Inflammation through Autophagy- and NF- κ B/PPAR ϵ -Mediated Macrophage Polarization. 2022 , 11, 3927	○

- 170 Activin A level is associated with physical function in critically ill patients. **2022**, ○
- 169 A study of the risk factors for phlebitis in patients stratified using the acute physiology and chronic health evaluation II score and admitted to the intensive care unit: A post hoc analysis of the AMOR-VENUS study. **9**, ○
- 168 Standard dosing of enoxaparin versus unfractionated heparin in critically ill patient with COVID-19: a multicenter propensity-score matched study. **2022**, **20**, ○
- 167 Risk factors for hospital-acquired infections during the SARS-CoV-2 pandemic. **2022**, ○
- 166 Risk Models to Predict Mortality in Burn Patients: A Systematic Review and Meta-analysis. **2022**, **10**, e4694 ○
- 165 Effectiveness and safety of early insulin glargine administration in combination with continuous intravenous insulin infusion in the management of diabetic ketoacidosis: A randomized controlled trial. ○
- 164 Entering the new digital era of intensive care medicine: an overview of interdisciplinary approaches to use artificial intelligence for patients benefit. **2023**, **2**, e0014 ○
- 163 The Norton scale is an important predictor of in-hospital mortality in internal medicine patients. ○
- 162 Serial Increases in Human Leukocyte Antigen-DR Expression and Decreases in Interleukin-10 Expression in Alveolar Monocytes of Survivors of Pneumonia-Related Acute Respiratory Distress Syndrome. **2022**, **11**, 1793 ○
- 161 Procalcitonin to reduce exposure to antibiotics and individualise treatment in hospitalised old patients with pneumonia: a randomised study. **2022**, **22**, ○
- 160 A Predictive Model for Dysphagia after Ventilator Liberation in Severe Pneumonia Patients Receiving Tracheostomy: A Single-Center, Observational Study. **2022**, **11**, 7391 ○
- 159 The Excess Financial Burden of Multidrug Resistance in Severe Gram-negative Infections in Singaporean Hospitals. **2012**, **41**, 189-193 ○
- 158 Parenteral supplementation with EPA/DHA omega-3 fatty acids improves recovery prognosis in critically ill patients. **2022**, ○
- 157 Prediction of survival time after terminal extubation: the balance between critical care unit utilization and hospice medicine in the COVID-19 pandemic era. **2023**, **28**, ○
- 156 Blood soluble Fas concentrations and ischemic stroke patient mortality. **1-5** ○
- 155 Association between early nutrition support and 28-day mortality in critically ill patients: the FRANS prospective nutrition cohort study. **2023**, **27**, ○
- 154 Resting Energy Expenditure in the Critically Ill and Healthy Elderly: A Retrospective Matched Cohort Study. **2023**, **15**, 303 ○
- 153 Randomized Controlled Study of Self-Managed Music-Guided Exercise Intervention Following Intensive Care. Publish Ahead of Print, ○

- 152 Factors Influencing Pre-Cardiopulmonary Arrest Signs among Post-General Surgery Patients in Critical Care Service System. **2023**, 20, 876 ○
- 151 Development of a risk prediction model for subsequent infection after colonization with carbapenem-resistant Enterobacterales: a retrospective cohort study. ○
- 150 The modified Glasgow prognostic score (MGPS) and the mortality prediction model II (MPM II) can predict mortality in patients with breast cancer admitted to intensive care: A retrospective cohort study. **2023**, 7, 6-10 ○
- 149 Severity scores for status epilepticus in the ICU: systemic illness also matters. **2023**, 27, ○
- 148 Clinical characteristics and clinical outcome of community clusters with SARS-CoV-2 infection. 10, ○
- 147 Soluble Fibrin-monomeric Complexes and D-dimers as Indicators of Acute Pancreatitis Severity. **2023**, 3-4, 26-32 ○
- 146 Distinct patterns of serum and urine macrophage migration inhibitory factor kinetics predict death in sepsis: a prospective, observational clinical study. **2023**, 13, ○
- 145 The volume of infusion fluids correlates with treatment outcomes in critically ill trauma patients. 9, ○
- 144 Characteristics, ICU Interventions, and Clinical Outcomes of Patients With Palliative Care Triggers in a Mixed Community-Based Intensive Care Unit. 082585972211453 ○
- 143 Daily variation in physical activity during mechanical ventilation and stay in the Intensive Care Unit. ○
- 142 SAPS2, APACHE2, SOFA, and Core-10-TISS upon admission as risk indicators for ICU-acquired infections: a retrospective cohort study. ○
- 141 Mortality rate in patients with SAR-COV-2 infection treated with extracorporeal membrane oxygenator: A systematic review and meta-analysis. **2023**, 58, 204-209 ○
- 140 Developing and evaluating a machine-learning-based algorithm to predict the incidence and severity of ARDS with continuous non-invasive parameters from ordinary monitors and ventilators. **2023**, 230, 107328 ○
- 139 Use of Deep Learning for Continuous Prediction of Mortality for All Admissions in Intensive Care Units. **2023**, 28, 639-648 ○
- 138 Alactic base excess is an independent predictor of death in sepsis: A propensity score analysis. **2023**, 74, 154248 ○
- 137 Validity, inter-rater reliability, and feasibility of the Chelsea Physical Assessment Tool for assessing physical function in post-acute COVID-19 patients: A cross-sectional study. **2022**, 1-13 ○
- 136 Poor Accuracy of Manually Derived Head Computed Tomography Parameters in Predicting Intracranial Hypertension After Nontraumatic Intracranial Hemorrhage. ○
- 135 Development and Trends in Artificial Intelligence in Critical Care Medicine: A Bibliometric Analysis of Related Research over the Period of 2010-2021. **2023**, 13, 50 ○

- 134 Evaluation of the effectiveness of the modified nutrition risk in the critically ill (mNUTRIC) score in critically ill patients affected by COVID-19 admitted to the intensive care unit (ICU). **2022**, 8, ○
- 133 Observations of nemaline bodies in muscle biopsies of critically ill patients infected with SARS-CoV-2. ○
- 132 Are the conventional scoring systems efficient in predicting mortality of acute mesenteric ischemia?: Mortality estimation in patients with AMI. **2022**, 101, e32619 ○
- 131 Management of Acute and Chronic Pancreatitis. ○
- 130 Intensive care nurse-led point of care ultrasound in the assessment and management of the critically ill COVID -19 patient: A single centre case series. ○
- 129 Clinical characteristics of patients with snow sports trauma transported to a trauma care center: A retrospective observational study. **2022**, ○
- 128 Off-label drug use in an adult intensive care unit of a Brazilian hospital. 58, ○
- 127 Prediction and Implications of Edoxaban-Associated Bleeding in Patients after Critical Illness. **2023**, 12, 860 ○
- 126 The Impact of the Society of Critical Care Medicine's Flagship Journal: Critical Care Medicine: Reflections of Critical Care Pioneers. **2023**, 51, 164-181 ○
- 125 Rox Index Dynamics According to High Flow Nasal Cannula Success in Intensive Care Unit Patients with Covid-19-Related Acute Respiratory Failure. ○
- 124 Dynamic activity in cis-regulatory elements of leukocytes identifies transcription factor activation and stratifies COVID-19 severity in ICU patients. **2023**, 100935 ○
- 123 Clinical relevance of timing of assessment of ICU mortality in patients with moderate-to-severe Acute Respiratory Distress Syndrome. **2023**, 13, ○
- 122 Long-Term Outcomes among Patients with Prolonged Disorders of Consciousness. **2023**, 13, 194 ○
- 121 Combining Phenylalanine and Leucine Levels Predicts 30-Day Mortality in Critically Ill Patients Better than Traditional Risk Factors with Multicenter Validation. **2023**, 15, 649 ○
- 120 Platelet-to-White Blood Cell Ratio as a Predictor of Mortality in Patients with Severe COVID-19 Pneumonia: A Retrospective Cohort Study. Volume 16, 445-455 ○
- 119 Prone position, time to reach nutrition target, and energy/protein achievement rate on the seventh day of intensive care unit stay in patients with COVID-19: A cohort study. ○
- 118 Machine Learning-Based Mortality Prediction Model for Critically Ill Cancer Patients Admitted to the Intensive Care Unit (CanICU). **2023**, 15, 569 ○
- 117 Ascorbic Acid in Sepsis and Septic Shock. ○

- 116 Relationship Between Skeletal Muscle Quality and Hospital-Acquired Disability in Patients With Sepsis Admitted to the ICU: A Pilot Study. **2023**, 5, e0835 ○
- 115 Cytokine Levels and Severity of Illness Scoring Systems to Predict Mortality in COVID-19 Infection. **2023**, 11, 387 ○
- 114 Prognostic significance of the angiotensin-converting enzyme 2 for early prediction of septic shock in severe sepsis patients. ○
- 113 Alterations in Serum Concentration of Soluble CD163 within Five Study Days from ICU Admission Are Associated with In-Hospital Mortality of Septic Patients: A Preliminary Study. **2023**, 20, 2263 ○
- 112 Clinical characteristics and outcomes of extracorporeal membrane oxygenation used in a non-cardiac surgical intensive care unit: Siriraj experiences and literature review. **2023**, ○
- 111 The use of mesenchymal stem cells in the treatment of severe forms of new coronavirus infection COVID-19: a prospective observational study. **2023**, 71-82 ○
- 110 The Impact of Gender on the Postoperative Consumption of Intensive and Intermediate Care Resources. **2023**, 13, 215824402311530 ○
- 109 Outcome predictors and patient progress following delivery in pregnant and postpartum patients with severe COVID-19 pneumonitis in intensive care units in Israel (OB-COVICU): a nationwide cohort study. **2023**, ○
- 108 Serum Aromatic Microbial Metabolites as Biological Markers in Intensive Care. **2023**, 245-268 ○
- 107 To Establish an Early Prediction Model for Acute Respiratory Distress Syndrome in Severe Acute Pancreatitis Using Machine Learning Algorithm. **2023**, 12, 1718 ○
- 106 Upraising *Stenotrophomonas maltophilia* in Critically Ill Patients: A New Enemy?. **2023**, 13, 1106 ○
- 105 Outcomes of corticosteroid treatment in critical ill adult patients with respiratory viruses-related community acquired pneumonia: a propensity-matched case control study. **2023**, ○
- 104 High Mobility Group Box 1 (HMGB1): Potential Target in Sepsis-Associated Encephalopathy. **2023**, 12, 1088 ○
- 103 A study protocol of external validation of eight COVID-19 prognostic models for predicting mortality risk in older populations in a hospital, primary care, and nursing home setting. **2023**, 7, ○
- 102 Serum Metabolomic Profiles in Critically Ill Patients with Shock on Admission to the Intensive Care Unit. **2023**, 13, 523 ○
- 101 The International Society for Heart and Lung Transplantation/Heart Failure Society of America Guideline on Acute Mechanical Circulatory Support. **2023**, 42, e1-e64 ○
- 100 Wavelet based ensemble models for early mortality prediction using imbalance ICU big data. **2023**, 28, 100374 ○
- 99 Application of urinary biomarkers for diagnosing acute kidney injury in critically ill patients without baseline renal function data. **2023**, 77, 154312 ○

- 98 Diagnosing sepsis in the ICU: Comparison of a gene expression signature to pre-existing biomarkers. **2023**, 76, 154286 ○
- 97 An appraisal of clinical and hematological parameters linked to recurrence in surgically drained primary psoas abscesses. A retrospective comparative study. ○
- 96 Lower mean phosphate independently predicts mortality in critically ill patients: Results from a prospective cohort study. **2023**, 75, 154273 ○
- 95 Quality of life and mortality in older adults with sepsis after one-year follow up: A prospective cohort study demonstrating the significant impact of frailty. **2023**, 60, 74-80 ○
- 94 Characteristics and risk factors for extrapancreatic infection in patients with moderate or severe acute pancreatitis. **2023**, 9, e13131 ○
- 93 Mortality prediction among ICU inpatients based on MIMIC-III database results from the conditional medical generative adversarial network. **2023**, 9, e13200 ○
- 92 The Relationship between Delirium and Statin Use According to Disease Severity in Patients in the Intensive Care Unit. **2023**, 21, 179-187 ○
- 91 Machine Learning for Early Outcome Prediction in Septic Patients in the Emergency Department. **2023**, 16, 76 ○
- 90 Novel predictors of mortality in emergency bowel surgery: a single-centre cohort study. **2023**, 78, 561-570 ○
- 89 Increased ICU mortality in septic shock patients with hypo- or hyper- serum osmolarity: A retrospective study. 10, ○
- 88 Prognostic Value of the Radiographic Assessment of Lung Edema Score in Mechanically Ventilated ICU Patients. **2023**, 12, 1252 ○
- 87 The International Society for Heart and Lung Transplantation/Heart Failure Society of America Guideline on Acute Mechanical Circulatory Support. **2023**, 29, 304-374 ○
- 86 Effect of physical and occupational therapy on delirium duration in older emergency department patients who are hospitalized. **2023**, 4, 1
- 85 Validation of the Acute Physiology and Chronic Health Evaluation (APACHE) II Score in COVID-19 Patients Admitted to the Intensive Care Unit in Times of Resource Scarcity. **2023**, ○
- 84 Dose-response relationship between diarrhea quantity and mortality in critical care patients: A retrospective cohort study. **2023**, 18, e0280806 ○
- 83 Serum Fas levels during first week of sepsis are associated with severity and mortality. **2023**, 23, 181-185 ○
- 82 Death Comes But Why: An Interpretable Illness Severity Predictions in ICU. **2023**, 60-75 ○
- 81 Machine learning determination of motivators of terminal extubation during the transition to end-of-life care in intensive care unit. **2023**, 13, ○

80	Comparison of the cytokine adsorption ability in continuous renal replacement therapy using polyethyleneimine-coated or polymethylmethacrylate hemofilters: a pilot single-center open-label randomized control trial.	0
79	Undernutrition Scored Using the CONUT Score with Hypoglycemic Status in ICU-Admitted Elderly Patients with Sepsis Shows Increased ICU Mortality. 2023 , 13, 762	1
78	Prognostic value of different cut-off points of the NRS-2002 tool to identify nutritional risk in critically ill patients: a longitudinal study. 1-9	0
77	High-Flow Nasal Cannula Oxygen Therapy versus Non-Invasive Ventilation in AIDS Patients with Acute Respiratory Failure: A Randomized Controlled Trial. 2023 , 12, 1679	0
76	Pulmonary Infections and Outcomes in AIDS Patients with Respiratory Failure: A 10-Year Retrospective Review. Volume 16, 1049-1059	0
75	Effective peer review audit and identification of the surgeon outlier.	0
74	Associations of body mass index with severe outcomes of COVID-19 among critically ill elderly patients: A prospective study. 10,	0
73	A Comparison of ICU Mortality Scoring Systems Applied to COVID-19. 2023 ,	0
72	Factors predicting mortality in patients with alcoholic liver cirrhosis visiting the emergency department. 2023 , 102, e33074	0
71	DIAGNOSTIC ACCURACY OF RAPID EMERGENCY MEDICINE SCORE (REMS) AS A PROGNOSTIC MARKER AND ITS COMPARISON WITH TRADITIONAL SCORING SYSTEMS IN TRAUMA. 2023 , 100-103	0
70	Diagnosis and Monitoring of Sepsis. 2023 , 55-64	0
69	The ROX index (Index combining the respiratory rate with oxygenation) is a prognostic factor for acute respiratory distress syndrome. 2023 , 18, e0282241	0
68	Demographics, Mechanism of Injury and Outcomes for Acute Upper and Lower Cervical Spinal Cord Injuries [An Analysis of 470 Patients in the Prospective, Multicenter North American Clinical Trials Network (NACTN) Registry.	0
67	Incidence, risk and impact of ICU readmission on patient outcomes and resource utilisation in tertiary level ICUs in Nepal: A cohort study. 7, 272	0
66	Clinical characteristics and prognosis of pregnancy-related acute kidney injury: a case series study.	0
65	Interpretable and explainable machine learning: A methods-centric overview with concrete examples.	0
64	Study of non-thyroidal illness syndrome and its recovery in critically ill patients at a tertiary care centre in South India. 2023 , 27, 50	0
63	Dysphagia in adult intensive care patients: Results of a prospective, multicentre binational point prevalence study. 2023 ,	0

- 62 *Stenotrophomonas maltophilia* pneumonia in critical COVID-19 patients. **2023**, 13, ○
- 61 Predicting Persistent Acute Respiratory Failure in Acute Pancreatitis: The Accuracy of Two Lung Injury Indices. ○
- 60 Hemorrhage, Disseminated Intravascular Coagulopathy, and Thrombosis Complications Among Critically Ill Patients with COVID-19: An International COVID-19 Critical Care Consortium Study*. **2023**, 51, 619-631 1
- 59 High Plasma tPAPAI-1C Levels May Be Related to a Poor Prognosis in Patients with Severe or Critical COVID-19: A Single-Center Retrospective Study. **2023**, 12, 2019 ○
- 58 Sepsis-related coagulopathy treatment based on the disseminated intravascular coagulation diagnostic criteria: a post-hoc analysis of a prospective multicenter observational study. **2023**, 11, ○
- 57 Effect of Laryngoscope Blade Size on First Pass Success of Tracheal Intubation in Critically Ill Adults. **2023**, 5, e0855 ○
- 56 Development and Validation of an Explainable Deep Learning Model to Predict Adverse Event During Hospital Admission in Patients with Sepsis. **2022**, ○
- 55 Comparing Patients With Isolated Seizures and Status Epilepticus in Intensive Care Units. **2023**, 100, e1763-e1775 ○
- 54 Elevated soluble fas blood concentrations in patients dying from spontaneous intracerebral hemorrhage. 12, 63-70 ○
- 53 Hypercoagulability status, operative mortality, and long-term survival in patients operated on for mesenteric venous thrombosis. **2023**, ○
- 52 A first-level customization study of SAPS II with Norwegian Intensive Care and Pandemic Registry (NIPaR) data. ○
- 51 Association of social support before ICU admission with post-discharge mental health symptoms in ICU patients: A prospective cohort study. ○
- 50 Safety and Efficacy of Different Anticoagulant Doses for Patients with COVID-19 in the ICU: A Systematic Review and Meta-Analysis. **2023**, 12, 2222 ○
- 49 Daily combined measurement of platelet count and presepsin concentration can predict in-hospital death of patients with severe coronavirus disease 2019 (COVID-19). ○
- 48 Verifying the Japanese version of the Healthy Aging Brain Care Monitor self-report tool for evaluating postintensive care syndrome. **2023**, ○
- 47 Prognostic value of the qSOFA in patients with acute exacerbation of idiopathic pulmonary fibrosis. **2023**, 61, 339-346 ○
- 46 Epidemiology and Management of Heart Failure in the Medicine Department of Tombouctou Hospital. **2023**, 13, 105-113 ○
- 45 THYROID FUNCTION ABNORMALITIES IN PATIENTS ADMITTED IN MEDICAL INTENSIVE CARE UNIT. 92-95 ○

- 44 Prediction of Acid-Base and Potassium Imbalances in Intensive Care Patients Using Machine Learning Techniques. **2023**, 13, 1171 ○
- 43 Novel CABIN score outperforms other prognostic models in predicting in-hospital mortality after salvage transjugular intrahepatic portosystemic shunting. 14, 34-45 ○
- 42 Predicting outcomes of continuous renal replacement therapy using body composition monitoring: a deep-learning approach. **2023**, 13, ○
- 41 Association of Sublingual Microcirculation Parameters and Capillary Refill Time in the Early Phase of ICU Admission. Publish Ahead of Print, ○
- 40 The APACHE II Scoring Systems and the ICU. **2023**, 1073-1086 ○
- 39 Clinical Assessment in the Neurocritical Care Unit. **2013**, 84-98.e3 ○
- 38 Predictive factors and clinical impact of ICU-acquired weakness on functional disability in mechanically ventilated patients with COVID-19. **2023**, 60, 139-145 ○
- 37 Effect of clove mouthwash on the incidence of ventilator-associated pneumonia in intensive care unit patients: a comparative randomized triple-blind clinical trial. ○
- 36 Role of Changes in Driving Pressure and Mechanical Power in Predicting Mortality in Patients with Acute Respiratory Distress Syndrome. **2023**, 13, 1226 ○
- 35 Pancreatic Disorders. **2013**, 356-360.e2 ○
- 34 Intrapulmonary and Intracardiac Shunts in Adult COVID-19 Versus Non-COVID Acute Respiratory Distress Syndrome ICU Patients Using Echocardiography and Contrast Bubble Studies (COVID-Shunt Study): A Prospective, Observational Cohort Study. Publish Ahead of Print, ○
- 33 Predictors of Activities of Daily Living in Intensive Care Unit Survivors: A Propensity Score Matching Analysis. **2023**, 8, n/a ○
- 32 Dynamic nature and prognostic value of the neutrophil-to-lymphocyte ratio in critically ill patients with acute kidney injury on continuous renal replacement therapy: A multicenter cohort study. 10, ○
- 31 Consistently low levels of histidine-rich glycoprotein as a new prognostic biomarker for sepsis: A multicenter prospective observational study. **2023**, 18, e0283426 ○
- 30 The NUTRIC Score as a Tool to Predict Mortality and Increased Resource Utilization in Intensive Care Patients with Sepsis. **2023**, 15, 1648 ○
- 29 Clinical Characteristics and Prognosis of Life-Threatening Acute Myocardial Infarction in Patients Transferred to an Emergency Medical Care Center. **2023**, 64, 164-171 ○
- 28 Evaluation of the delirium preventive effect of dual orexin receptor antagonist (DORA) in critically ill adult patients requiring ventilation with tracheal intubation at an advanced emergency center: A single-center, retrospective, observational study. **2023**, ○
- 27 Development and validation of a prediction model for the early occurrence of acute kidney injury in patients with acute pancreatitis. **2023**, 45, ○

- 26 Modified SCOPE (mSCOPE) Score as a Tool to Predict Mortality in COVID-19 Critically Ill Patients. **2023**, 13, 628 ○
- 25 Interhospital Transfer delays care for spinal cord injury patients: A Report from the North American Clinical Trials Network for Spinal Cord Injury. ○
- 24 The Effect of Continuous Versus Periodic Vital Sign Monitoring on Disease Severity of Patients with an Unplanned ICU Transfer. **2023**, 47, ○
- 23 Changes in trace elements and metallothioneins levels and their relationship with clinical, biochemical, and inflammatory parameters in patients with COVID-19 during the early ICU phase. ○
- 22 Targeted Antibiotics for Lower Respiratory Tract Infection with *Corynebacterium striatum*. Volume 16, 2019-2028 ○
- 21 Mechanical power and 30-day mortality in mechanically ventilated, critically ill patients with and without Coronavirus Disease-2019: a hospital registry study. **2023**, 11, ○
- 20 Interpretable Mortality Prediction Model for ICU Patients with Pneumonia: Using Shapley Additive Explanation Method (Preprint). ○
- 19 Validation of the prognostic scoring system for in-hospital mortality prediction in cardiogenic shock patients requiring veno-arterial extracorporeal membrane oxygenation. 021849232311673 ○
- 18 Performance of the CURB65, NEWS2, qSOFA, SOFA, REDS, ISARIC 4C, PRIEST and the Novel COVID-19 Severity Scores, Used to Risk-Stratify Emergency Department Patients with COVID-19, on Mortality: An Observational Cohort Study. **2023**, 3, 555-566 ○
- 17 Delirium incidence, predictors and outcomes in the intensive care unit: A prospective cohort study. ○
- 16 Modeling the impacts of assumptions and nonpulmonary factors on the performance and reliability of indices of oxygenation. ○
- 15 Effect of Early Administration of Vasopressin on New-Onset Arrhythmia Development in Patients With Septic Shock: A Retrospective, Observational Cohort Study. 106002802210955 ○
- 14 COVID-19 related ICU admissions in paediatric and young adult patients in Australia: a national case series 2020-2022. **2023**, 100763 ○
- 13 Dexamethasone Modulates the Cytokine Response but Not COVID-19-Induced Coagulopathy in Critically Ill. **2023**, 24, 7278 ○
- 12 Prevalence and independent predictors of in-hospital stroke among patients who developed acute alteration of consciousness in the medical intensive care unit: A retrospective case-control study. 19-24 ○
- 11 Índice de choque elevado como factor de riesgo de progresión de la disfunción orgánica: cohorte prospectiva. **2023**, 37, 106-112 ○
- 10 Automated APACHE II and SOFA score calculation using real-world electronic medical record data in a single center. ○
- 9 Statistical Analysis Plan for the Replacing Protein via Enteral Nutrition in a Stepwise Approach in Critically Ill Patients (REPLENISH): A Randomized Clinical Trial. ○

- 8 Subjective and objective survival prediction in mechanically ventilated critically ill patients: a prospective cohort study. **2023**, 27,
- 7 Do Probiotics Aid in the Recovery of Gastrointestinal Motility After Surgery for Gastro-duodenal Perforation Peritonitis?.
- 6 Normal high-sensitivity cardiac troponin for ruling-out inpatient mortality in acute COVID-19. **2023**, 18, e0284523
- 5 Predictive Modeling Using Artificial Intelligence and Machine Learning Algorithms on Electronic Health Record Data. **2023**,
- 4 Visceral obesity measured using computed tomography scans: No significant association with mortality in critically ill patients. **2023**, 77, 154316
- 3 ??????????????????????. **2023**, 30, 163-169
- 2 Hypertriglyceridemia as a risk factor for complications of acute pancreatitis and the development of a severity prediction model. **2023**,
- 1 Clinical and economic outcomes associated with intravenous albumin fluid use in the intensive care unit: a retrospective cohort study. 1-8