

CITATION REPORT

List of articles citing

The conversion of procyanidins and prodelphinidins to cyanidin and delphinidin

DOI: 10.1016/s0031-9422(00)94533-3
Phytochemistry, 1985, 25, 223-230.

Source: <https://exaly.com/paper-pdf/17517767/citation-report.pdf>

Version: 2024-04-27

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

| # | Paper | IF | Citations |
|------|---|----|-----------|
| 1414 | PROANTHOCYANIDINS IN NEEDLES FROM SIX GENERA OF THE TAXODIACEAE. 1986 , 73, 1555-1562 | | 13 |
| 1413 | Polyphenols and chemical defence of the leaves of <i>Quercus robur</i> . <i>Phytochemistry</i> , 1987 , 26, 3191-3195 | 4 | 65 |
| 1412 | Determination of gallotannin with rhodanine. 1988 , 169, 363-9 | | 182 |
| 1411 | Interactions of Starch and Other Polysaccharides with Condensed Tannins in Hot Water Extracts of Ponderosa Pine Bark. 1988 , 8, 111-120 | | 12 |
| 1410 | Flavans and proanthocyanidins. 1988 , 21-62 | | 48 |
| 1409 | Tannins. 1989 , 1, 389-419 | | 67 |
| 1408 | Key Reactions in Developing Uses for Condensed Tannins: An Overview. 1989 , 299-304 | | 2 |
| 1407 | Choosing appropriate methods and standards for assaying tannin. 1989 , 15, 1795-810 | | 245 |
| 1406 | Identification of proanthocyanidin polymers as the piscicidal constituents of <i>Mammea siamensis</i> , <i>Polygonum stagninum</i> and <i>Diospyros diepenhorstii</i> . <i>Phytochemistry</i> , 1989 , 28, 1827-1830 | 4 | 17 |
| 1405 | Phenotypic differences in anthocyanin accumulation among clonally related cultured cells of carrot. 1990 , 22, 213-222 | | 13 |
| 1404 | Chlorogenic acids and purine alkaloids contents of <i>Maté</i> (<i>Ilex paraguariensis</i>) leaf and beverage. 1990 , 35, 13-21 | | 96 |
| 1403 | The antinutritive effect of proanthocyanidin-rich and proanthocyanidin-free hulls from field beans on digestion of nutrients and metabolisable energy in intact and caecectomised cockerels. 1991 , 34, 147-161 | | 17 |
| 1402 | Tannins in wet-processed coffee beans and coffee pulp. 1991 , 40, 191-200 | | 25 |
| 1401 | Comparison of extraction methods and assay procedures for the determination of the apparent tannin content of common beans. 1991 , 56, 291-301 | | 24 |
| 1400 | Procyanidin dimers and trimers from grape seeds. <i>Phytochemistry</i> , 1991 , 30, 1259-1264 | 4 | 288 |
| 1399 | Experience early in life affects voluntary intake of blackbrush by goats. 1991 , 17, 431-50 | | 126 |
| 1398 | Methods and pitfalls of extracting condensed tannins and other phenolics from plants: Insights from investigations on <i>Eucalyptus</i> leaves. 1991 , 17, 123-34 | | 109 |

| | | |
|------|---|------|
| 1397 | The inhibitory effects of hull polysaccharides and tannins of field beans (<i>Vicia faba</i> L.) on the digestion of amino acids, starch and lipid and on digestive enzyme activities in young chicks. 1991 , 65, 199-216 | 132 |
| 1396 | The effect of proanthocyanidin-rich hulls and proanthocyanidin extracts from bean (<i>Vicia faba</i> L.) hulls on nutrient digestibility and digestive enzyme activities in young chicks. 1992 , 67, 57-65 | 19 |
| 1395 | The use of purified condensed tannin as a reference in determining its influence on rumen fermentation. 1992 , 101, 381-5 | 19 |
| 1394 | Quantitative Methods for the Estimation of Tannins in Plant Tissues. 1992 , 259-280 | 41 |
| 1393 | Condensed tannin levels and resistance of groundnuts (<i>Arachis hypogaea</i>) against <i>Aphis craccivora</i> . <i>Phytochemistry</i> , 1992 , 31, 3795-3800 | 4 53 |
| 1392 | Phenolics and in-vitro degradability of protein and fibre in West African Browse. 1992 , 58, 21-28 | 75 |
| 1391 | Determination of extractable and bound condensed tannin concentrations in forage plants, protein concentrate meals and cereal grains. 1992 , 58, 321-329 | 566 |
| 1390 | Gravimetric determination of tannins and their correlations with chemical and protein precipitation methods. 1993 , 61, 161-165 | 649 |
| 1389 | Behaviour of tannic acid from various commercial sources towards redox, metal complexing and protein precipitation assays of tannins. 1993 , 62, 295-299 | 31 |
| 1388 | Condensed tannin and gossypol concentrations in cottonseed and in processed cottonseed meal. 1993 , 63, 7-15 | 20 |
| 1387 | Changes with maturity in fibre composition and levels of extractable polyphenols in Greek browse: Effects on in vitro gas production and in sacco dry matter degradation. 1993 , 63, 237-244 | 56 |
| 1386 | Localization of proanthocyanidins using in situ-hydrolysis with sulfuric acid. 1993 , 68, 161-5 | 17 |
| 1385 | Tannins in feedstuffs for simple-stomached animals. 1993 , 6, 209-36 | 136 |
| 1384 | Identifying problematic remains of ancient plant foods: a comparison of the role of chemical, histological and morphological criteria. 1993 , 25, 94-121 | 45 |
| 1383 | The influence of proanthocyanidin-rich bean hulls and level of dietary protein on energy metabolizability and nutrient digestibility by adult cockerels. 1993 , 70, 355-67 | 8 |
| 1382 | Assay and digestion of ¹⁴ C-labelled condensed tannins in the gastrointestinal tract of sheep. 1994 , 72, 467-77 | 156 |
| 1381 | IDENTIFICATION OF PROANTHOCYANIDINS IN BEER AND THEIR DIRECT MEASUREMENT WITH A DUAL ELECTRODE ELECTROCHEMICAL DETECTOR. 1994 , 100, 409-416 | 58 |
| 1380 | Interspecies differences and variability with time of protein precipitation activity of extractable tannins, crude protein, ash, and dry matter content of leaves from 13 species of Nepalese fodder trees. 1994 , 20, 3149-62 | 18 |

| | | | |
|------|---|---|-----|
| 1379 | Effects of CO-mediated changes in paper birch and white pine chemistry on gypsy moth performance. 1994 , 98, 133-138 | | 87 |
| 1378 | Pigmentation patterns of modern rose mutants throw light on the flavonoid pathway in <i>Rosa x hybrida</i> . <i>Phytochemistry</i> , 1994 , 36, 1189-1196 | 4 | 10 |
| 1377 | Comparative polyphenolic productions in <i>Crataegus monogyna</i> callus cultures. <i>Phytochemistry</i> , 1994 , 37, 1273-1276 | 4 | 15 |
| 1376 | Cell wall composition of grape berry skins. <i>Phytochemistry</i> , 1994 , 35, 1241-1243 | 4 | 66 |
| 1375 | A comparison of the hplc, mass spectra, and acid degradation of theafulvins from black tea and proanthocyanidin polymers from wine and cider. 1994 , 64, 231-238 | | 16 |
| 1374 | Analysis of proanthocyanidins in coffee pulp. 1994 , 65, 157-162 | | 17 |
| 1373 | The value of figs to a hind-gut fermenting frugivore: a nutritional analysis. 1994 , 22, 137-151 | | 76 |
| 1372 | Effects of foliar phenolics and ascorbic acid on performance of the gypsy moth (<i>Lymantria dispar</i>). 1994 , 22, 341-351 | | 22 |
| 1371 | Assay of condensed tannins or flavonoid oligomers and related flavonoids in plants. 1994 , 234, 429-37 | | 56 |
| 1370 | Factors Affecting the Deamination of Forage Proteins by Ruminant Microorganisms. 1994 , 5, 101-112 | | 3 |
| 1369 | Assessment of phenolics-related antinutritive effects in Mediterranean browse: a comparison between the use of the in vitro gas production technique with or without insoluble polyvinylpyrrolidone or nylon bag. 1994 , 49, 133-149 | | 49 |
| 1368 | The in vitro gas production technique: an investigation on its potential use with insoluble polyvinylpyrrolidone for the assessment of phenolics-related antinutritive factors in browse species. 1994 , 47, 305-320 | | 34 |
| 1367 | Proteins in white wine, I: Procyanidin occurrence in soluble proteins and insoluble protein hazes and its relationship to protein instability. 1995 , 1, 86-93 | | 41 |
| 1366 | Use of Porter's reagents for the characterisation of thearubigins and other non-proanthocyanidins. 1995 , 68, 33-38 | | 10 |
| 1365 | Acacia saligna as a fodder tree for desert livestock and the interaction of its tannins with fibre fractions. 1995 , 68, 65-71 | | 68 |
| 1364 | Determination of condensed tannins in complexes with fibre and proteins. 1995 , 69, 129-132 | | 21 |
| 1363 | Effect of bound condensed tannin from cottonseed upon in situ protein solubility and dry matter digestion in the rumen. 1995 , 69, 311-319 | | 10 |
| 1362 | In vitro effects of and interactions between tannins and saponins and fate of tannins in the rumen. 1995 , 69, 481-493 | | 182 |

| | | |
|------|--|------|
| 1361 | Degradation of condensed tannins by rumen microbes exposed to quebracho tannins (QT) in rumen simulation technique (RUSITEC) and effects of QT on fermentative processes in the RUSITEC. 1995 , 69, 495-500 | 99 |
| 1360 | Variation in condensed tannin concentration of a temperate grass (<i>Holcus lanatus</i>) in relation to season and reproductive development. 1995 , 21, 1103-12 | 18 |
| 1359 | Anthocyanin pathway in rice (<i>Oryza sativa</i> L): identification of a mutant showing dominant inhibition of anthocyanins in leaf and accumulation of proanthocyanidins in pericarp. 1995 , 91, 301-12 | 60 |
| 1358 | Intraspecific variation in aspen phytochemistry: effects on performance of gypsy moths and forest tent caterpillars. 1995 , 103, 79-88 | 160 |
| 1357 | Myrmecophytic <i>Cecropia</i> : antiherbivore defenses under different nutrient treatments. 1995 , 104, 189-206 | 80 |
| 1356 | Elevated atmospheric CO ₂ : effects on phytochemistry, insect performance and insect-parasitoid interactions. 1995 , 1, 173-182 | 115 |
| 1355 | Nature of the condensed tannins present in the dietary fibre fractions in foods. 1995 , 53, 357-362 | 16 |
| 1354 | Quantitative determination of tannin and protein in the precipitates by high-performance liquid chromatography. <i>Phytochemistry</i> , 1995 , 40, 1503-1505 | 4 36 |
| 1353 | Distribution of alkaloids and tannins in the Crassulaceae. 1995 , 23, 157-165 | 30 |
| 1352 | Relationships between in vitro gas production characteristics and composition of tree leaf fodders from bolivia, west africa and colombia. 1995 , 1995, 115-115 | |
| 1351 | Some problems in fiber determination of a tannin-rich forage (<i>Acacia saligna</i> leaves) and their implications in in vivo studies. 1995 , 55, 67-76 | 62 |
| 1350 | Evaluation of assays for phenolic compounds on the basis of in vitro gas production by rumen micro-organisms. 1995 , 56, 195-206 | 12 |
| 1349 | Formation of complexes between polyvinyl pyrrolidones or polyethylene glycols and tannins, and their implication in gas production and true digestibility in in vitro techniques. 1995 , 73, 897-913 | 380 |
| 1348 | Decline in gypsy moth (<i>Lymantria dispar</i>) performance in an elevated CO atmosphere depends upon host plant species. 1996 , 108, 113-120 | 65 |
| 1347 | Disparate determinants of summer and winter diet selection of a generalist herbivore, <i>Ochotona princeps</i> . 1996 , 108, 467-478 | 57 |
| 1346 | Clonal variation in foliar chemistry of quaking aspen (<i>Populus tremuloides</i> Michx.). 1996 , 24, 357-364 | 83 |
| 1345 | Solid-state ¹³ C NMR investigations of insoluble deposits in aromatic bitters. 1996 , 203, 287-292 | 6 |
| 1344 | Preservation of salicaceae leaves for phytochemical analyses: Further assessment. 1996 , 22, 765-71 | 36 |

| | | |
|------|--|-------|
| 1343 | Angiotensin converting enzyme (ACE) inhibitory flavonoids from <i>Erythroxylum laurifolium</i> . 1996 , 2, 313-7 | 26 |
| 1342 | Proanthocyanidin polymers with antisecretory activity and proanthocyanidin oligomers from <i>Guazuma ulmifolia</i> bark. <i>Phytochemistry</i> , 1996 , 42, 109-119 | 4 43 |
| 1341 | Prorobinetinidins from <i>Stryphnodendron adstringens</i> . <i>Phytochemistry</i> , 1996 , 42, 857-862 | 4 43 |
| 1340 | Polymeric proanthocyanidins from grape skins. <i>Phytochemistry</i> , 1996 , 43, 509-512 | 4 413 |
| 1339 | Catechin, proanthocyanidin and lignin contents of loblolly pine (<i>Pinus taeda</i>) needles after chronic exposure to ozone. 1996 , 132, 483-92 | 57 |
| 1338 | Polyphenols and Colour of Douglas Fir Heartwood. 1997 , 51, 291-295 | 28 |
| 1337 | Sinapine Leakage for Detection of Seed Quality in Brassica. 1997 , 537-545 | 1 |
| 1336 | ¹³ C nuclear magnetic resonance spectroscopy with cross-polarization and magic-angle spinning investigation of the proximate-analysis fractions used to assess litter quality in decomposition studies. 1997 , 75, 1601-1613 | 243 |
| 1335 | Factors influencing forage preference of bushbuck and boer goats for Subtropical Thicket plants. 1997 , 14, 49-55 | 4 |
| 1334 | EFFECTS OF CO ₂ AND NO ₃ ⁻ AVAILABILITY ON DECIDUOUS TREES: PHYTOCHEMISTRY AND INSECT PERFORMANCE. 1997 , 78, 215-230 | 99 |
| 1333 | Haze and cloud in apple juices. 1997 , 37, 75-91 | 54 |
| 1332 | Procyanidin Contributions to Haze Formation in Anaerobically Produced Apple Juice. 1997 , 30, 594-601 | 9 |
| 1331 | Indigenous browse leaves as supplements to dual purpose goats in central Tanzania. 1997 , 47, 245-252 | 10 |
| 1330 | Nutritive evaluation of some browse species. 1997 , 67, 181-195 | 71 |
| 1329 | GRANIVORY AND PLANT SELECTION BY DESERT GERBILS OF DIFFERENT BODY SIZE. 1997 , 78, 2218-2229 | 24 |
| 1328 | Relationships between preference, rumen degradability, gas production and chemical composition of browses. 1997 , 39, 129-144 | 32 |
| 1327 | Utilization of browse supplements with varying tannin levels by Ethiopian Menz sheep: 1. Intake, digestibility and live weight changes. 1997 , 39, 145-159 | 20 |
| 1326 | Antinutritional factors in anasazi and other pinto beans (<i>Phaseolus vulgaris</i> L.). 1997 , 51, 85-98 | 9 |

| | | | |
|------|--|---|-----|
| 1325 | Biosynthesis of flavan-3-ols by leaf extracts of <i>Onobrychis viciifolia</i> . <i>Phytochemistry</i> , 1997 , 44, 425-432 | 4 | 28 |
| 1324 | Extractable and non-extractable proanthocyanidins in barks. <i>Phytochemistry</i> , 1997 , 45, 405-410 | 4 | 100 |
| 1323 | Preliminary evaluation of potential fodder quality in a range of <i>Leucaena</i> species. 1998 , 40, 177-198 | | 3 |
| 1322 | Enriched atmospheric CO ₂ and defoliation: effects on tree chemistry and insect performance. 1998 , 4, 419-430 | | 75 |
| 1321 | Models of suppressive effect of tannins. Analysis of the suppressive effect of tannins on ruminal degradation by compartmental models. 1998 , 71, 251-267 | | 28 |
| 1320 | Effect of feeding graded levels of <i>Leucaena leucocephala</i> , <i>Leucaena pallida</i> , <i>Sesbania sesban</i> and <i>Chamaecytisus palmensis</i> supplements to teff straw given to Ethiopian highland sheep. 1998 , 72, 355-366 | | 25 |
| 1319 | Effect of <i>Leucaena</i> and <i>Sesbania</i> supplementation on body growth and scrotal circumference of Ethiopian highland sheep and goats fed teff straw basal diet. 1998 , 54, 173-181 | | 19 |
| 1318 | Adaptation of cattle to tannins: role of proline-rich proteins in oak-fed cattle. 1998 , 67, 277-281 | | 31 |
| 1317 | Effect of <i>Acacia saligna</i> with and without administration of polyethylene glycol on dietary intake in desert sheep. 1998 , 67, 491-498 | | 14 |
| 1316 | Consequences of clonal variation in aspen phytochemistry for late season folivores. 1998 , 5, 508-516 | | 36 |
| 1315 | Prediction of Phenolics and Tannins in Forage Legumes by near Infrared Reflectance. 1998 , 6, 175-181 | | 30 |
| 1314 | [15] Size separation of condensed tannins by normal-phase high-performance liquid chromatography. 1999 , 299, 178-184 | | 90 |
| 1313 | Limitation of the butanol/hydrochloric acid iron assay for bound condensed tannins. 1999 , 66, 129-133 | | 35 |
| 1312 | Influence of leaf chemistry of <i>Lotus corniculatus</i> (Fabaceae) on larval development of <i>Polyommatus icarus</i> (Lepidoptera, Lycaenidae): effects of elevated CO ₂ and plant genotype. 1999 , 13, 801-810 | | 52 |
| 1311 | Phenolic compounds and kernel characteristics of Zimbabwean sorghums. 1999 , 79, 1003-1010 | | 52 |
| 1310 | A systems approach to comparing indigenous and scientific knowledge: consistency and discriminatory power of indigenous and laboratory assessment of the nutritive value of tree fodder. 1999 , 62, 87-103 | | 38 |
| 1309 | Composition and degradability of different fractions of <i>Calliandra</i> leaves, pods and seeds. 1999 , 77, 181-199 | | 9 |
| 1308 | The basis of indigenous knowledge of tree fodder quality and its implications for improving the use of tree fodder in developing countries. 1999 , 81, 119-131 | | 28 |

| | | |
|------|---|-----|
| 1307 | Morphological fractions of maize stover harvested at different stages of grain maturity and nutritive value of different fractions of the stover. 1999 , 81, 1-16 | 41 |
| 1306 | The use of tannins as silage additives: effects on silage composition and mobile bag disappearance of dry matter and protein. 1999 , 82, 243-259 | 65 |
| 1305 | Proanthocyanidin-rich extract from grape seeds attenuates the development of aortic atherosclerosis in cholesterol-fed rabbits. 1999 , 142, 139-49 | 291 |
| 1304 | Meat production in developing countries. 1999 , 58, 371-6 | 13 |
| 1303 | Effects of feeding quebracho tannin diets, with or without a dietary modifier, on rumen function in sheep. 1999 , 69, 265-274 | 13 |
| 1302 | Proanthocyanidins and tannin-like compounds: nature, occurrence, dietary intake and effects on nutrition and health. 2000 , 80, 1094-1117 | 910 |
| 1301 | The effect of drying treatment on the fodder quality and tannin content of two provenances of <i>Calliandra calothyrsus</i> Meissner. 2000 , 80, 1461-1468 | 44 |
| 1300 | Effect of chemical conditioning on the milling of high-tannin sorghum. 2000 , 80, 2216-2222 | 17 |
| 1299 | The effects of sorghum proanthocyanidins on digestive enzyme activity in vitro and in the digestive tract of chicken. 2000 , 80, 2223-2231 | 19 |
| 1298 | Influence of carbon dioxide enrichment, ozone and nitrogen fertilization on cotton (<i>Gossypium hirsutum</i> L.) leaf and root composition. 2000 , 23, 573-583 | 36 |
| 1297 | Characterization of proanthocyanidins from grape seeds. 2000 , 71, 162-75 | 156 |
| 1296 | Within- and between-year variation in early season phytochemistry of quaking aspen (<i>Populus tremuloides</i> Michx.) clones. 2000 , 28, 197-208 | 49 |
| 1295 | Carbon dioxide enrichment and nitrogen fertilization effects on cotton (<i>Gossypium hirsutum</i> L.) plant residue chemistry and decomposition. 2000 , 220, 89-98 | 13 |
| 1294 | The potential of some neotropical <i>Albizia</i> species and close relatives as fodder resources. 2000 , 49, 17-30 | 3 |
| 1293 | Effect of Chemical Treatments on Polyphenols and Malt Quality in Sorghum. 2000 , 31, 295-302 | 69 |
| 1292 | Effect of polyethylene glycol on in vitro degradability of nitrogen and microbial protein synthesis from tannin-rich browse and herbaceous legumes. 2000 , 84, 73-83 | 94 |
| 1291 | Analysis of procyanidins. 2000 , 21, 497-570 | 24 |
| 1290 | Nutritive evaluation of some <i>Acacia</i> tree leaves from Kenya. 2000 , 85, 89-98 | 75 |

| | | |
|------|---|-----|
| 1289 | Supplementation of graded levels of <i>Desmodium intortum</i> hay to sheep feeding on maize stover harvested at three stages of maturity. 2000 , 85, 239-257 | 29 |
| 1288 | Characterisation of tannins and in vitro protein digestibility of several <i>Lotus corniculatus</i> varieties. 2000 , 87, 41-56 | 69 |
| 1287 | Phenolic compounds and antioxidant activities of buckwheat (<i>Fagopyrum esculentum</i> Moench) hulls and flour. 2000 , 72, 35-42 | 594 |
| 1286 | Effects of phytochemical variation in quaking aspen <i>Populus tremuloides</i> clones on gypsy moth <i>Lymantria dispar</i> performance in the field and laboratory. 2000 , 25, 197-207 | 86 |
| 1285 | Phenolic compounds in berries of black, red, green, and white currants (<i>Ribes</i> sp.). 2001 , 3, 981-93 | 82 |
| 1284 | Estimation of procyanidin chain length. 2001 , 335, 82-94 | 13 |
| 1283 | Acides gras et polyphénols des graines d' <i>Ononis natrix</i> L. (Fabaceae) de la région d'Agadir, Maroc. 2001 , 148, 333-340 | 3 |
| 1282 | Analysis of hydrolysable tannins. 2001 , 91, 3-20 | 245 |
| 1281 | Method of polyethylene glycol application to tannin-containing browses to improve microbial fermentation and efficiency of microbial protein synthesis from tannin-containing browses. 2001 , 92, 51-57 | 40 |
| 1280 | Consequences of elevated carbon dioxide and ozone for foliar chemical composition and dynamics in trembling aspen (<i>Populus tremuloides</i>) and paper birch (<i>Betula papyrifera</i>). 2001 , 115, 395-404 | 100 |
| 1279 | Tannins--a dietary problem for hand-reared grey partridge <i>Perdix perdix</i> after release?. 2001 , 130, 237-48 | 6 |
| 1278 | Influence of balsam poplar tannin fractions on carbon and nitrogen dynamics in Alaskan taiga floodplain soils. 2001 , 33, 1827-1839 | 220 |
| 1277 | Nutritive value and antinutritional factors in different varieties of <i>Sesbania</i> seeds and their morphological fractions. 2001 , 73, 421-431 | 37 |
| 1276 | Environmental control and intersite variations of phenolics in <i>Betula nana</i> in tundra ecosystems. 2001 , 151, 227-236 | 60 |
| 1275 | Chemistry and decomposition of litter from <i>Populus tremuloides</i> Michaux grown at elevated atmospheric CO ₂ and varying N availability. 2001 , 7, 65-74 | 33 |
| 1274 | Proanthocyanidins of mountain birch leaves: quantification and properties. 2001 , 12, 128-33 | 71 |
| 1273 | Identification of gas-producing components in different varieties of <i>Phaseolus vulgaris</i> by in vitro fermentation. 2001 , 81, 543-550 | 21 |
| 1272 | Effect of replacing a rice bran/soya bean concentrate with Jackfruit (<i>Artocarpus heterophyllus</i>) or Flemingia (<i>Flemingia macrophylla</i>) foliage on the performance of growing goats. 2001 , 72, 253-262 | 11 |

| | | |
|------|---|-----|
| 1271 | Co ₂ and O ₃ Effects on Paper Birch (<i>Betulaceae:Betula papyrifera</i>) Phytochemistry and Whitemarked Tussock Moth (<i>Lymantriidae:Orgyia leucostigma</i>) Performance. 2001 , 30, 1119-1126 | 37 |
| 1270 | Secondary Plant Compounds in Seedling and Mature Aspen (<i>Populus tremuloides</i>) in Yellowstone National Park, Wyoming. 2001 , 145, 299-308 | 24 |
| 1269 | Differential expression of two distinct phenylalanine ammonia-lyase genes in condensed tannin-accumulating and lignifying cells of quaking aspen. 2002 , 130, 796-807 | 129 |
| 1268 | Influence of atmospheric carbon dioxide enrichment on induced response and growth compensation after herbivore damage in <i>Lotus corniculatus</i> . 2002 , 27, 271-278 | 23 |
| 1267 | Effects of Paper Birch Condensed Tannin on Whitemarked Tussock Moth (<i>Lepidoptera: Lymantriidae</i>) Performance. 2002 , 31, 10-14 | 30 |
| 1266 | Elevated-CO ₂ -Induced Changes in the Chemistry of Quaking Aspen (<i>Populus tremuloides</i> Michaux) Leaf Litter: Subsequent Mass Loss and Microbial Response in a Stream Ecosystem. 2002 , 21, 16-27 | 38 |
| 1265 | IN SITU DEVELOPMENT OF A SATYRID BUTTERFLY ON CALCAREOUS GRASSLAND EXPOSED TO ELEVATED CARBON DIOXIDE. 2002 , 83, 1399-1411 | 19 |
| 1264 | A modified dot-blot method of protein determination applied in the tannin-protein precipitation assay to facilitate the evaluation of tannin activity in animal feeds. 2002 , 87, 421-6 | 19 |
| 1263 | Antioxidant Activity of Pea (<i>Pisum sativum</i> L.) Seed Coat Acetone Extract. 2002 , 35, 158-164 | 55 |
| 1262 | Partitioning of energy and degradability of browse plants in vitro and the implications of blocking the effects of tannin by the addition of polyethylene glycol. 2002 , 95, 93-104 | 21 |
| 1261 | In vitro rumen degradability of crude protein in seeds from four <i>Sesbania</i> spp. and the effects of treatments designed to reduce the levels of antinutrients in the seeds. 2002 , 95, 49-62 | 11 |
| 1260 | Condensed tannin content of several shrub species from a mountain area in northern Spain, and its relationship to various indicators of nutritive value. 2002 , 95, 215-226 | 73 |
| 1259 | Foliar pathogen and insect herbivore effects on two landslide tree species in Puerto Rico. 2002 , 169, 231-242 | 33 |
| 1258 | Effects of genotype and nutrient availability on phytochemistry of trembling aspen (<i>Populus tremuloides</i> Michx.) during leaf senescence. 2002 , 30, 297-307 | 80 |
| 1257 | Predictability of keeping quality of strawberry batches. 2002 , 26, 35-47 | 13 |
| 1256 | Phenological influences on the utilization of woody plants by eland in semi-arid shrubland. 2002 , 40, 65-75 | 14 |
| 1255 | Response of quaking aspen genotypes to enriched CO ₂ : foliar chemistry and tussock moth performance. 2002 , 4, 315-323 | 26 |
| 1254 | Molecular analysis of herbivore-induced condensed tannin synthesis: cloning and expression of dihydroflavonol reductase from trembling aspen (<i>Populus tremuloides</i>). 2002 , 32, 701-12 | 161 |

| | | |
|------|--|-------|
| 1253 | Effect of soaking and ionising radiation on various antinutritional factors of seeds from different species of an unconventional legume, <i>Sesbania</i> and a common legume, green gram (<i>Vigna radiata</i>). 2002 , 79, 273-281 | 47 |
| 1252 | Antioxidants from the bark of <i>Burkea africana</i> , an African medicinal plant. 2002 , 16, 148-53 | 36 |
| 1251 | Effects of <i>Rosa canina</i> fruit extract on neutrophil respiratory burst. 2002 , 16, 157-61 | 72 |
| 1250 | Chemical analysis of <i>Ginkgo biloba</i> leaves and extracts. 2002 , 967, 21-55 | 375 |
| 1249 | Effects of season and breed on browse species intake rates and diet selection by goats in the False Thornveld of the Eastern Cape, South Africa. 2003 , 47, 17-30 | 59 |
| 1248 | Phenolics, fibre, alkaloids, saponins, and cyanogenic glycosides in a seasonal cloud forest in India. 2003 , 31, 1221-1246 | 35 |
| 1247 | Elicitation of soluble phenolics in date palm (<i>Phoenix dactylifera</i>) callus by <i>Fusarium oxysporum</i> f. sp. <i>albedinis</i> culture medium. 2003 , 49, 41-47 | 49 |
| 1246 | Nutrient availability and the effect of increasing UV-B radiation on secondary plant compounds in Scots pine. 2003 , 49, 49-60 | 84 |
| 1245 | Cationic composition and the tannin content of five gums from Venezuelan Mimosaceae species. 2003 , 17, 251-253 | 5 |
| 1244 | Effect of grain pre-treatment on different extractable phenolic groups in cereals and legumes commonly consumed in Tanzania. 2003 , 83, 980-986 | 57 |
| 1243 | Characterization of thermally assisted hydrolysis and methylation products of polyphenols from modern and archaeological vine derivatives using gas chromatography-mass spectrometry. 2003 , 493, 137-157 | 58 |
| 1242 | New perspectives on proanthocyanidin biochemistry and molecular regulation. <i>Phytochemistry</i> , 2003 , 64, 367-83 | 4 184 |
| 1241 | Resource allocation in different parts of juvenile mountain birch plants: effect of nitrogen supply on seedling phenolics and growth. 2003 , 118, 114-126 | 32 |
| 1240 | Testing the defence trade-off hypothesis: how contents of nutrients and secondary compounds affect fruit removal. 2003 , 102, 318-328 | 79 |
| 1239 | In vitro quality assessment of two tropical shrub legumes in relation to their extractable tannins contents. 2003 , 87, 109-15 | 10 |
| 1238 | Ozone exposure over two growing seasons alters root-to-shoot ratio and chemical composition of birch (<i>Betula pendula</i> Roth). 2003 , 9, 1363-1377 | 67 |
| 1237 | Responses of trembling aspen (<i>Populus tremuloides</i>) phytochemistry and aspen blotch leafminer (<i>Phyllonorycter tremuloidiella</i>) performance to elevated levels of atmospheric CO ₂ and O ₃ . 2003 , 5, 17-26 | 49 |
| 1236 | INSECT HERBIVORY INCREASES LITTER QUALITY AND DECOMPOSITION: AN EXTENSION OF THE ACCELERATION HYPOTHESIS. 2003 , 84, 2867-2876 | 157 |

| | | |
|------|---|-----|
| 1235 | Yield and nutritive quality of sericea lespedeza (<i>Lespedeza cuneata</i>) and little bluestem (<i>Schizachyrium scoparium</i>) exposed to ground-level ozone. 2003 , 122, 313-22 | 31 |
| 1234 | Effect of different doses of quebracho tannins extract on rumen fermentation in ewes. 2003 , 109, 65-78 | 62 |
| 1233 | Bite diameter selection by thicket browsers: the effect of body size and plant morphology on forage intake and quality. 2003 , 181, 51-65 | 57 |
| 1232 | Effects of a caffeine-free <i>Cola nitida</i> nuts extract on elastase/alpha-1-proteinase inhibitor balance. 2003 , 89, 143-50 | 13 |
| 1231 | Altered growth and fine root chemistry of <i>Betula papyrifera</i> and <i>Acer saccharum</i> under elevated CO ₂ . 2003 , 33, 842-846 | 7 |
| 1230 | Analysis of Proanthocyanidins in Grape Seed Extracts, Health Foods and Grape Seed Oils. 2003 , 49, 45-54 | 97 |
| 1229 | Cottonwood Leaf Beetle (Coleoptera: Chrysomelidae) Performance in Relation to Variable Phytochemistry in Juvenile Aspen (<i>Populus tremuloides</i> Michx.). 2004 , 33, 1505-1511 | 38 |
| 1228 | Inhibitory effects of polyphenols in leaves of <i>Artemisia princeps</i> PAMP on protein fragmentation by Cu(II)-H ₂ O ₂ in vitro. 2004 , 7, 52-4 | 13 |
| 1227 | Effect of growing site, sampling date, wood location in trunk and drying method on concentration of soluble proanthocyanidins in <i>Betula pendula</i> wood, with special reference to wood colour. 2004 , 19, 234-240 | 9 |
| 1226 | Genetically based trait in a dominant tree affects ecosystem processes. 2004 , 7, 127-134 | 291 |
| 1225 | Leaf chemistry of woody plants in relation to season, canopy retention and goat browsing in a semiarid subtropical savanna. 2004 , 29, 278-286 | 48 |
| 1224 | Decomposition of <i>Betula papyrifera</i> leaf litter under the independent and interactive effects of elevated CO ₂ and O ₃ . 2004 , 10, 1666-1677 | 39 |
| 1223 | Gypsy moth feeding in the canopy of a CO ₂ -enriched mature forest. 2004 , 10, 1899-1908 | 38 |
| 1222 | POLYPHENOLICS EXTRACTS FROM LEGUME SEEDS: CORRELATIONS BETWEEN TOTAL ANTIOXIDANT ACTIVITY, TOTAL PHENOLICS CONTENT, TANNINS CONTENT AND ASTRINGENCY. 2004 , 11, 278-286 | 107 |
| 1221 | Variation in birch bark secondary chemistry between and within clones: implications for herbivory by hares. 2004 , 104, 316-326 | 51 |
| 1220 | Carbon and nitrogen dynamics in a forest soil amended with purified tannins from different plant species. 2004 , 36, 309-321 | 115 |
| 1219 | Fertility and pH effects on polyphenol and condensed tannin concentrations in foliage and roots. 2004 , 262, 95-109 | 79 |
| 1218 | Seasonal dynamics in the concentrations of macronutrients and organic constituents in green and senesced leaves of three agroforestry species in southern Ethiopia. 2004 , 267, 297-307 | 14 |

| | | | |
|------|--|---|-----|
| 1217 | Phenolic antioxidants in beans and their effects on inhibition of radical-induced DNA damage. 2004 , 81, 691-696 | | 30 |
| 1216 | Leaf litter chemistry controls on decomposition of Pacific Northwest trees and woody shrubs. 2004 , 34, 2131-2147 | | 64 |
| 1215 | BEAVERS AS MOLECULAR GENETICISTS: A GENETIC BASIS TO THE FORAGING OF AN ECOSYSTEM ENGINEER. 2004 , 85, 603-608 | | 99 |
| 1214 | The toxicology and safety of apple polyphenol extract. 2004 , 42, 959-67 | | 120 |
| 1213 | Variation of sorghum phenolic compounds during the preparation of opaque beer. 2005 , 40, 1207-1213 | | 24 |
| 1212 | Differential distribution of leaf chemistry in eucalypt seedlings due to variation in whole-plant nutrient availability. <i>Phytochemistry</i> , 2005 , 66, 215-21 | 4 | 23 |
| 1211 | Occurrence and biological significance of proanthocyanidins in the American diet. <i>Phytochemistry</i> , 2005 , 66, 2264-80 | 4 | 294 |
| 1210 | Testing for direct anthelmintic effects of bioactive forages against <i>Trichostrongylus colubriformis</i> in grazing sheep. 2005 , 127, 233-43 | | 43 |
| 1209 | Phenols, proanthocyanidins, flavones and flavonols in some plant materials and their antioxidant activities. 2005 , 89, 191-198 | | 664 |
| 1208 | Investigation of the topical application of procyanidin oligomers from apples to identify their potential use as a hair-growing agent. 2005 , 4, 245-9 | | 20 |
| 1207 | Importance of species interactions to community heritability: a genetic basis to trophic-level interactions. 2006 , 9, 78-85 | | 118 |
| 1206 | A genetic similarity rule determines arthropod community structure. 2006 , 15, 1379-91 | | 99 |
| 1205 | Phenolic compounds in seedlings of <i>Betula pubescens</i> and <i>B. pendula</i> are affected by enhanced UVB radiation and different nitrogen regimens during early ontogeny. 2005 , 11, 1180-1194 | | 40 |
| 1204 | Accumulation of phenolic compounds in birch leaves is changed by elevated carbon dioxide and ozone. 2005 , 11, 1305-1324 | | 89 |
| 1203 | ANTIOXIDATIVE EFFECTS OF POLYPHENOLS FROM LEAVES OF <i>ARTEMISIA PRINCEPS</i> PAMP. ON LIPID PEROXIDATION IN VITRO. 2005 , 29, 305-312 | | 16 |
| 1202 | ANTIOXIDANT ACTIVITY OF ALMOND SEED EXTRACT AND ITS FRACTIONS. 2005 , 12, 344-358 | | 88 |
| 1201 | The interaction of plant genotype and herbivory decelerate leaf litter decomposition and alter nutrient dynamics. 2005 , 110, 133-145 | | 136 |
| 1200 | The consequences of short-term grazing of bioactive forages on established adult and incoming larvae populations of <i>Teladorsagia circumcincta</i> in lambs. 2005 , 35, 329-35 | | 39 |

| | | |
|------|---|-----|
| 1199 | Protective effect of dietary azuki bean (<i>Vigna angularis</i>) seed coats against renal interstitial fibrosis of rats induced by cisplatin. 2005 , 21, 504-11 | 20 |
| 1198 | Carcass and meat quality of lambs fed fresh sulla (<i>Hedysarum coronarium</i> L.) with or without polyethylene glycol or concentrate. 2005 , 59, 281-288 | 71 |
| 1197 | Comparison of biological and chemical methods, and internal and external standards, for assaying tannins in Spanish shrub species. 2005 , 85, 583-590 | 28 |
| 1196 | Effects of nutrient variability on the genetic-based resistance of <i>Eucalyptus globulus</i> to a mammalian herbivore and on plant defensive chemistry. 2005 , 142, 597-605 | 46 |
| 1195 | Induced resistance in the indeterminate growth of aspen (<i>Populus tremuloides</i>). 2005 , 145, 298-306 | 75 |
| 1194 | Acacia karroo responses to early dormant season defoliation and debarking by goats in a semi-arid subtropical savanna. 2005 , 179, 193-206 | 31 |
| 1193 | Inheritance of resistance to mammalian herbivores and of plant defensive chemistry in an <i>Eucalyptus</i> species. 2005 , 31, 357-75 | 21 |
| 1192 | Inheritance of resistance to mammalian herbivores and of plant defensive chemistry in a <i>Eucalyptus</i> species. 2005 , 31, 519-37 | 10 |
| 1191 | Variation in birch (<i>Betula pendula</i>) shoot secondary chemistry due to genotype, environment, and ontogeny. 2005 , 31, 697-717 | 51 |
| 1190 | Preformed and induced chemical resistance of tea leaf against <i>Exobasidium vexans</i> infection. 2005 , 31, 1315-24 | 32 |
| 1189 | Divergence in structure and activity of phenolic defenses in young leaves of two co-occurring <i>Inga</i> species. 2005 , 31, 2563-80 | 36 |
| 1188 | Extraction of condensed tannins from cervid feed and feces and quantification using a radial diffusion assay. 2005 , 31, 2761-73 | 10 |
| 1187 | Inducing condensed tannin production in <i>Colophospermum mopane</i> : Absence of response to soil N and P fertility and physical damage. 2005 , 273, 203-209 | 14 |
| 1186 | Effect of tannins in the rumen microbial growth measured by ³² P incorporation. 2005 , 2005, 138-138 | |
| 1185 | Variation in precaecal amino acid and energy digestibility between pea (<i>Pisum sativum</i>) cultivars determined using a linear regression approach. 2005 , 46, 325-32 | 23 |
| 1184 | Analysis of Polyphenols from Hop Bract Region Using CCC. 2005 , 28, 1971-1983 | 17 |
| 1183 | TRANSPARENT TESTA10 encodes a laccase-like enzyme involved in oxidative polymerization of flavonoids in <i>Arabidopsis</i> seed coat. 2005 , 17, 2966-80 | 298 |
| 1182 | Host plant genetics affect hidden ecological players: links among <i>Populus</i> , condensed tannins, and fungal endophyte infection. 2005 , 83, 356-361 | 93 |

| | | |
|------|---|-----|
| 1181 | Molecular Biology and Biochemistry of Induced Insect Defense in Populus. 2005 , 39, 119-143 | 6 |
| 1180 | Analysis of grape and wine tannins: Methods, applications and challenges. 2005 , 11, 205-214 | 77 |
| 1179 | NONADDITIVE EFFECTS OF MIXING COTTONWOOD GENOTYPES ON LITTER DECOMPOSITION AND NUTRIENT DYNAMICS. 2005 , 86, 2834-2840 | 110 |
| 1178 | Acid Butanol Assay for Proanthocyanidins (Condensed Tannins). 2005 , 107-114 | 11 |
| 1177 | Antioxidative effects of polyphenols in leaves of <i>Houttuynia cordata</i> on protein fragmentation by copper-hydrogen peroxide in vitro. 2005 , 8, 266-8 | 34 |
| 1176 | Medicinal use of <i>Cochlospermum tinctorium</i> in Mali Anti-ulcer-, radical scavenging- and immunomodulating activities of polymers in the aqueous extract of the roots. 2005 , 96, 255-69 | 77 |
| 1175 | Rapid chemical responses of <i>Acacia karroo</i> to early dormant season defoliation in a semi-arid subtropical savanna. 2005 , 62, 225-233 | 4 |
| 1174 | Phytochemical changes in leaves of subtropical grasses and fynbos shrubs at elevated atmospheric CO ₂ concentrations. 2005 , 47, 181-192 | 15 |
| 1173 | Changes in the concentrations of phenolics and photosynthates in Scots pine (<i>Pinus sylvestris</i> L.) seedlings exposed to nickel and copper. 2005 , 137, 603-9 | 42 |
| 1172 | Do all tannins have similar nutritional effects? A comparison of three Brazilian fodder legumes. 2005 , 119, 345-361 | 32 |
| 1171 | Polyphenolics and tannins effect on in vitro digestibility of selected <i>Acacia</i> species leaves. 2005 , 119, 129-142 | 84 |
| 1170 | Assessment of the digestibility of some Mediterranean shrubs by in vitro techniques. 2005 , 119, 323-331 | 29 |
| 1169 | The browsing dromedary camel: I. Behaviour, plant preference and quality of forage selected. 2005 , 121, 297-308 | 22 |
| 1168 | Influence of sorghum inclusion level on performance of growing local Mukota, Large White and their F1 crossbred pigs in Zimbabwe. 2005 , 122, 321-329 | 7 |
| 1167 | The effect of calcium hydroxide treatment on the nutritive and feeding value of <i>Albizia procera</i> for growing goats. 2005 , 122, 135-148 | 7 |
| 1166 | The influence of tannin, pectin and polyethylene glycol on attachment of ¹⁵ N-labelled rumen microorganisms to cellulose. 2005 , 122, 41-57 | 30 |
| 1165 | Wood ash treatment, a cost-effective way to deactivate tannins in <i>Acacia cyanophylla</i> Lindl. foliage and to improve digestion by Barbarine sheep. 2005 , 122, 93-108 | 16 |
| 1164 | In vitro gas production and its relationship to in situ disappearance and chemical composition of some Mediterranean browse species. 2005 , 123-124, 303-311 | 16 |

| | | |
|------|--|-----|
| 1163 | Effect of polyethylene glycol on gas production parameters and nitrogen disappearance of some tree forages. 2005 , 123-124, 351-364 | 35 |
| 1162 | Ruminal fermentation and degradability of sorghum cultivar whole crop, and grains, using an in vitro gas production technique. 2005 , 123-124, 329-339 | 10 |
| 1161 | Methane production from in vitro rumen incubations with <i>Lotus pedunculatus</i> and <i>Medicago sativa</i> , and effects of extractable condensed tannin fractions on methanogenesis. 2005 , 123-124, 403-419 | 279 |
| 1160 | Impact of season of harvest on in vitro gas production and dry matter degradability of <i>Acacia saligna</i> leaves with inoculum from three ruminant species. 2005 , 123-124, 67-79 | 28 |
| 1159 | Chemical changes to leaf litter from trees grown under elevated CO ₂ and the implications for microbial utilization in a stream ecosystem. 2005 , 62, 185-194 | 24 |
| 1158 | Updated knowledge about the presence of phenolic compounds in wine. 2005 , 45, 85-118 | 257 |
| 1157 | A bootstrap procedure to select hyperspectral wavebands related to tannin content. 2006 , 27, 1413-1424 | 19 |
| 1156 | Tri-trophic effects of plant defenses: chickadees consume caterpillars based on host leaf chemistry. 2006 , 114, 507-517 | 27 |
| 1155 | Quantification of condensed tannins by precipitation with methyl cellulose: development and validation of an optimised tool for grape and wine analysis. 2006 , 12, 39-49 | 204 |
| 1154 | Measurement of soluble protein degradation in the rumen. 2006 , 126, 1-21 | 46 |
| 1153 | Feed blocks as a supplement for goat kids grazing natural Tunisian rangeland during the dry season. 2006 , 126, 31-41 | 5 |
| 1152 | Effect of feed block supply on the ruminal ecosystem of goats grazing shrub land in Tunisia. 2006 , 127, 1-12 | 3 |
| 1151 | Nutritive evaluations of some browse tree foliages during the dry season: Secondary compounds, feed intake and in vivo digestibility in sheep and goats. 2006 , 127, 251-267 | 73 |
| 1150 | Effects of invasive scotch broom on soil properties in a Pacific coastal prairie soil. 2006 , 32, 149-152 | 50 |
| 1149 | Parent material and fire as principle drivers of foliage quality in woody plants. 2006 , 231, 178-183 | 19 |
| 1148 | Degradation of procyanidins by <i>Aspergillus fumigatus</i> : identification of a novel aromatic ring cleavage product. 2006 , 88, 1899-908 | 23 |
| 1147 | Analytical approach and effects of condensed tannins in carob pods (<i>Ceratonia siliqua</i>) on feed intake, digestive and metabolic responses of kids. 2006 , 99, 29-38 | 33 |
| 1146 | Chemical and biological assays for quantification of major plant secondary metabolites. 2006 , 34, 235-249 | 2 |

| | | |
|------|---|-----|
| 1145 | The effect of chicory (<i>Cichorium intybus</i>) and sulla (<i>Hedysarum coronarium</i>) on larval development and mucosal cell responses of growing lambs challenged with <i>Teladorsagia circumcincta</i> . 2006 , 132, 419-26 | 33 |
| 1144 | Quantitative analysis of polymeric proanthocyanidins in birch leaves with normal-phase HPLC. 2006 , 17, 149-56 | 35 |
| 1143 | Competition- and resource-mediated tradeoffs between growth and defensive chemistry in trembling aspen (<i>Populus tremuloides</i>). 2006 , 169, 561-70 | 117 |
| 1142 | Litter quality, stream characteristics and litter diversity influence decomposition rates and macroinvertebrates. 2006 , 51, 605-617 | 163 |
| 1141 | Relationship between polyphenolic composition and some sensory properties in red wines using multiway analyses. 2006 , 563, 126-136 | 113 |
| 1140 | Fermentation and enzyme treatment of tannin sorghum gruels: effects on phenolic compounds, phytate and in vitro accessible iron. 2006 , 94, 369-376 | 98 |
| 1139 | Extraction of active ingredients from green tea (<i>Camellia sinensis</i>): Extraction efficiency of major catechins and caffeine. 2006 , 96, 597-605 | 294 |
| 1138 | Phenolics in cereals, fruits and vegetables: occurrence, extraction and analysis. 2006 , 41, 1523-42 | 815 |
| 1137 | Quantitative determination of procyanidins in hawthorn fruits. 2006 , 40, 79-81 | 3 |
| 1136 | Age-related shifts in leaf chemistry of clonal aspen (<i>Populus tremuloides</i>). 2006 , 32, 1415-29 | 135 |
| 1135 | Effects of elevated carbon dioxide and ozone on foliar proanthocyanidins in <i>Betula platyphylla</i> , <i>Betula ermanii</i> , and <i>Fagus crenata</i> seedlings. 2006 , 32, 1445-58 | 16 |
| 1134 | Developmental trajectories in cottonwood phytochemistry. 2006 , 32, 2269-85 | 63 |
| 1133 | Intraspecific competition, growth, chemistry, and susceptibility to voles in seedlings of <i>Betula pendula</i> . 2006 , 32, 2287-301 | 3 |
| 1132 | Fate of tannins in Corsican pine litter. 2006 , 32, 2709-19 | 17 |
| 1131 | Preliminary characterisation of the blue-green pigment tharennine from the marine tythropelagic diatom <i>Haslea ostrearia</i> (Gaillon/Bory) Simonsen. 2006 , 18, 757-767 | 38 |
| 1130 | Genetic Identity of <i>Populus tremuloides</i> Litter Influences Decomposition and Nutrient Release in a Mixed Forest Stand. 2006 , 9, 528-537 | 143 |
| 1129 | Flavonoid diversity and biosynthesis in seed of <i>Arabidopsis thaliana</i> . 2006 , 224, 96-107 | 205 |
| 1128 | Genotype and environment determine allocation to and costs of resistance in quaking aspen. 2006 , 148, 293-303 | 123 |

| | | |
|------|---|-----|
| 1127 | Response of soil C and N transformations to tannin fractions originating from Scots pine and Norway spruce needles. 2006 , 38, 1364-1374 | 55 |
| 1126 | Sorghum and millet phenols and antioxidants. 2006 , 44, 236-251 | 437 |
| 1125 | Effect of adding an anaerobic fungal culture isolated from a wild blue bull (<i>Boselophus tragocamelus</i>) to rumen fluid from buffaloes on in vitro fibrolytic enzyme activity, fermentation and degradation of tannins and tannin-containing Kachnar tree (<i>Bauhinia variegata</i>) leaves and wheat straw. 2006 , 86, 258-270 | 11 |
| 1124 | A new technology for extraction and purification of proanthocyanidins derived from sea buckthorn bark. 2006 , 86, 486-492 | 12 |
| 1123 | Forage quality and tannin concentration and composition of a collection of the tropical shrub legume <i>Flemingia macrophylla</i> . 2006 , 86, 1023-1031 | 13 |
| 1122 | Effect of food processing of pearl millet (<i>Pennisetum glaucum</i>) IKMP-5 on the level of phenolics, phytate, iron and zinc. 2006 , 86, 1391-1398 | 36 |
| 1121 | Nutritional chemistry of foods eaten by gorillas in Bwindi Impenetrable National Park, Uganda. 2006 , 68, 675-91 | 51 |
| 1120 | Soil N and P affected reflectance signatures of individual <i>Colophospermum mopane</i> leaves. 2006 , 51, 103-113 | 1 |
| 1119 | Genetics, environment, and their interaction determine efficacy of chemical defense in trembling aspen. 2007 , 88, 729-39 | 99 |
| 1118 | The transcriptional response of hybrid poplar (<i>Populus trichocarpa</i> x <i>P. deltoides</i>) to infection by <i>Melampsora medusae</i> leaf rust involves induction of flavonoid pathway genes leading to the accumulation of proanthocyanidins. 2007 , 20, 816-31 | 170 |
| 1117 | Aqueous extract of peanut skin and its main constituent procyanidin A1 suppress serum IgE and IgG1 levels in mice-immunized with ovalbumin. 2007 , 30, 922-7 | 29 |
| 1116 | The use of chicory for parasite control in organic ewes and their lambs. 2007 , 134, 299-307 | 34 |
| 1115 | Effect of tannin levels in sorghum silage and concentrate supplementation on apparent digestibility and methane emission in beef cattle. 2007 , 135, 236-248 | 62 |
| 1114 | Safety evaluation of polyphenols extracted from hop bracts. 2007 , 45, 1383-92 | 16 |
| 1113 | The hypolipidaemic activity of aqueous <i>Erica multiflora</i> flowers extract in Triton WR-1339 induced hyperlipidaemic rats: a comparison with fenofibrate. 2007 , 109, 156-60 | 48 |
| 1112 | Intramuscular fatty acid composition of lambs given a tanniferous diet with or without polyethylene glycol supplementation. 2007 , 76, 739-45 | 50 |
| 1111 | Poplar defense against insect herbivores This review is one of a selection of papers published in the Special Issue on Poplar Research in Canada.. 2007 , 85, 1111-1126 | 53 |
| 1110 | Les communautés végétales sont biochimiquement organisées. 2007 , 154, 573-595 | 3 |

| | | |
|------|---|-----|
| 1109 | Peanut allergen Ara h 1 interacts with proanthocyanidins into higher molecular weight complexes. 2007 , 55, 8772-8 | 18 |
| 1108 | Within-species variation in foliar chemistry influences leaf-litter decomposition in a Utah river. 2007 , 26, 426-438 | 93 |
| 1107 | Energy metabolisability and digestibility of amino acids by broilers fed on malted sorghum sprouts supplemented with polyethylene glycol, charcoal, phytase and xylanase. 2007 , 48, 55-63 | 13 |
| 1106 | Antioxidant activity of Sicilian pistachio (<i>Pistacia vera</i> L. var. Bronte) nut extract and its bioactive components. 2007 , 55, 643-8 | 110 |
| 1105 | Tannins. 2007 , 67-81 | 8 |
| 1104 | Preparation and Characterization of Sweetpotato Peels for use as Dietary Fiber Enhancement in Space Foods. 2007 , | 0 |
| 1103 | Detection and Quantification of Engineered Proanthocyanidins in Transgenic Plants. 2007 , 2, 1934578X0700201 | |
| 1102 | Antigenotoxic activities of crude extracts from <i>Acacia salicina</i> leaves. 2007 , 48, 58-66 | 21 |
| 1101 | Characterization of antioxidant compounds of red and white rice and changes in total antioxidant capacity during processing. 2007 , 51, 1006-19 | 127 |
| 1100 | Direct and indirect anthelmintic effects of condensed tannins in sheep. 2007 , 144, 125-31 | 39 |
| 1099 | Novel transgenic rice overexpressing anthocyanidin synthase accumulates a mixture of flavonoids leading to an increased antioxidant potential. 2007 , 9, 95-111 | 93 |
| 1098 | The antioxidant and free radical scavenging activities of processed cowpea (<i>Vigna unguiculata</i> (L.) Walp.) seed extracts. 2007 , 101, 10-19 | 304 |
| 1097 | Phenolic composition of <i>Flacourtia indica</i> , <i>Opuntia megacantha</i> and <i>Sclerocarya birrea</i> . 2007 , 103, 82-87 | 90 |
| 1096 | A-type procyanidins from <i>Litchi chinensis</i> pericarp with antioxidant activity. 2007 , 105, 1446-1451 | 81 |
| 1095 | Genetic-based plant resistance and susceptibility traits to herbivory influence needle and root litter nutrient dynamics. 2007 , 95, 1181-1194 | 44 |
| 1094 | Plant genetics predicts intra-annual variation in phytochemistry and arthropod community structure. 2007 , 16, 5057-69 | 70 |
| 1093 | Potential physical and chemical barriers to infection by the burrowing nematode <i>Radopholus similis</i> in roots of susceptible and resistant banana (<i>Musa</i> spp.). 2007 , 56, 878-890 | 59 |
| 1092 | Feeding value of supplemented diet with black tea by-product silage: Effect of polyethylene glycol addition to the diet on digestibility of protein fractions in goats. 2007 , 53, 131-137 | 6 |

| | | |
|------|--|----|
| 1091 | ANTIOXIDANT ACTIVITY OF EXTRACTS OF MALLOWUS PHILIPPINENSIS FRUIT AND BARK. 2007 , 14, 280-297 | 13 |
| 1090 | Bitter problems in ecological feeding experiments: Commercial tannin preparations and common methods for tannin quantifications. 2007 , 35, 257-262 | 33 |
| 1089 | Effects of <i>Acacia nilotica</i> , <i>A. polyacantha</i> and <i>Leucaena leucocephala</i> leaf meal supplementation on performance of Small East African goats fed native pasture hay basal forages. 2007 , 70, 165-173 | 27 |
| 1088 | Effects of resource availability on condensed tannins and nitrogen in two <i>Quercus</i> species differing in leaf life span. 2007 , 64, 439-445 | 8 |
| 1087 | Influence of wood origin in the polyphenolic composition of a Spanish red wine aging in bottle, after storage in barrels of Spanish, French and American oak wood. 2007 , 224, 695-705 | 29 |
| 1086 | Characterization of proanthocyanidin in hot water extract isolated from <i>Pinus radiata</i> bark. 2007 , 41, 235-247 | 59 |
| 1085 | Phenolic compounds in Norway spruce as affected by boron nutrition at the end of the growing season. 2007 , 292, 13-23 | 22 |
| 1084 | Effects of elevated CO ₂ and O ₃ on leaf litter phenolics and subsequent performance of litter-feeding soil macrofauna. 2007 , 292, 25-43 | 40 |
| 1083 | Resistance and tolerance in <i>Populus tremuloides</i> : genetic variation, costs, and environmental dependency. 2007 , 21, 829-847 | 97 |
| 1082 | Browse quality in quaking Aspen (<i>Populus tremuloides</i>): effects of genotype, nutrients, defoliation, and coppicing. 2007 , 33, 1049-64 | 35 |
| 1081 | Stability of genetic-based defensive chemistry across life stages in a <i>Eucalyptus</i> species. 2007 , 33, 1876-84 | 24 |
| 1080 | Rapid shifts in the chemical composition of aspen forests: an introduced herbivore as an agent of natural selection. 2007 , 9, 715-722 | 48 |
| 1079 | Phenolics during early development of <i>Betula pubescens</i> seedlings: inhibition of phenylalanine ammonia lyase. 2007 , 21, 263-272 | 15 |
| 1078 | Restoration of secondary metabolism in birch seedlings relieved from PAL-inhibitor. 2007 , 21, 273-281 | 12 |
| 1077 | Ecological role of reindeer summer browsing in the mountain birch (<i>Betula pubescens</i> ssp. <i>czerepanovii</i>) forests: effects on plant defense, litter decomposition, and soil nutrient cycling. 2007 , 151, 486-98 | 49 |
| 1076 | Carbon-based secondary metabolites and internal nitrogen pools in <i>Populus nigra</i> under Free Air CO ₂ Enrichment (FACE) and nitrogen fertilisation. 2008 , 304, 45-57 | 54 |
| 1075 | Effect of polyethylene glycol 4000 supplementation on the performance of indigenous Pedi goats fed different levels of <i>Acacia nilotica</i> leaf meal and ad libitum Buffalo grass hay. 2008 , 40, 229-38 | 6 |
| 1074 | Concentrations of foliar quercetin in natural populations of white birch (<i>Betula pubescens</i>) increase with latitude. 2008 , 34, 1382-91 | 44 |

| | | |
|------|--|-----|
| 1073 | Influence of grape variety and their phenolic composition on vasorelaxing activity of young red wines. 2008 , 227, 1641-1650 | 12 |
| 1072 | Independent, Interactive, and Species-Specific Responses of Leaf Litter Decomposition to Elevated CO ₂ and O ₃ in a Northern Hardwood Forest. 2008 , 11, 505-519 | 50 |
| 1071 | Analysis and decomposition of condensed tannins in tree leaves. 2008 , 6, 71-75 | 11 |
| 1070 | Effects of elevated CO ₂ and temperature on secondary compounds in the needles of Scots pine (<i>Pinus sylvestris</i> L.). 2008 , 22, 121-135 | 33 |
| 1069 | Differential effects of sugar maple, red oak, and hemlock tannins on carbon and nitrogen cycling in temperate forest soils. 2008 , 155, 583-92 | 43 |
| 1068 | Analysis of proanthocyanidins. 2008 , 52, 1381-98 | 179 |
| 1067 | Legumes as a source of natural antioxidants. 2008 , 110, 865-878 | 149 |
| 1066 | Food preferences of wild mountain gorillas. 2008 , 70, 927-38 | 84 |
| 1065 | Phenolic profiles of andean mashua (<i>Tropaeolum tuberosum</i> Ruiz & Pav[on]) tubers: Identification by HPLC-DAD and evaluation of their antioxidant activity. 2008 , 106, 1285-1298 | 53 |
| 1064 | Content and mean polymerization degree of procyanidins in extracts obtained from clear and cloudy apple juices. 2008 , 3, 234-43 | 20 |
| 1063 | A new source of proanthocyanidins with antiarthritic activity: purple marshlocks (<i>Comarum palustre</i> L.) rhizome and roots. 2008 , 421, 211-3 | 6 |
| 1062 | RELATION BETWEEN SENSORY ASTRINGENCY OF EXTRACTS FROM SELECTED TANNIN-RICH FOODS AND THEIR ANTIOXIDANT ACTIVITY. 2008 , 15, 28-41 | 6 |
| 1061 | Effect of polyphenol-containing azuki bean (<i>Vigna angularis</i>) extract on blood pressure elevation and macrophage infiltration in the heart and kidney of spontaneously hypertensive rats. 2008 , 35, 43-9 | 36 |
| 1060 | Effects of variable phytochemistry and budbreak phenology on defoliation of aspen during a forest tent caterpillar outbreak. 2008 , 10, 399-410 | 43 |
| 1059 | Phenolic content and profiles of selected wild fruits of Zimbabwe: <i>Ximenia caffra</i> , <i>Artobotrys brachypetalus</i> and <i>Syzygium cordatum</i> . 2008 , 43, 1333-1337 | 15 |
| 1058 | Heat production and energy balance of sheep and goats fed sole diets of <i>Acacia saligna</i> and <i>Medicago sativa</i> . 2008 , 75, 199-203 | 11 |
| 1057 | Nitrogen retards and oxygen accelerates colour darkening in faba bean (<i>Vicia faba</i> L.) during storage. 2008 , 47, 113-118 | 27 |
| 1056 | Kinetic study of anthocyanins, vitamin C, and antioxidant capacity in strawberry juices treated by high-intensity pulsed electric fields. 2008 , 56, 8387-93 | 35 |

| | | |
|------|--|-----|
| 1055 | Metabolizable energy in different shea nut (<i>Vitellaria paradoxa</i>) meal samples for broiler chickens. 2008 , 87, 694-9 | 4 |
| 1054 | Effect of feeding forest foliages, rice straw and concentrate-based total mixed ration on nutrient utilization and growth in mithun (<i>Bos frontalis</i>). 2008 , 117, 263-269 | 3 |
| 1053 | Effect of processing on antioxidant contents in selected dry beans (<i>Phaseolus</i> spp. L.). 2008 , 41, 1541-1547 | 131 |
| 1052 | Effects of water, grass and N on responses of <i>Acacia karroo</i> seedlings to early wet season simulated browsing: Leaf N, fibre and tannin concentrations. 2008 , 72, 1666-1674 | 8 |
| 1051 | Characterization of <i>Quercus persica</i> , <i>Quercus infectoria</i> and <i>Quercus libani</i> as ruminant feeds. 2008 , 140, 78-89 | 19 |
| 1050 | In vitro screening of plant extracts to enhance the efficiency of utilization of energy and nitrogen in ruminant diets. 2008 , 145, 229-244 | 33 |
| 1049 | Effect of different drying procedures on the nutritive value of olive (<i>Olea europaea</i> var. <i>europaea</i>) leaves for ruminants. 2008 , 142, 317-329 | 26 |
| 1048 | Effect of <i>Acacia molissima</i> tannin extract on the control of gastrointestinal parasites in sheep. 2008 , 147, 172-181 | 26 |
| 1047 | Assessment of the content of phenolics and antioxidant actions of the Rubiaceae, Ebenaceae, Celastraceae, Erythroxylaceae and Sterculaceae families of Mauritian endemic plants. 2008 , 22, 45-56 | 33 |
| 1046 | Low concentration of condensed tannins from catechu significantly inhibits fatty acid synthase and growth of MCF-7 cells. 2008 , 371, 654-8 | 29 |
| 1045 | Updated methodology to determine antioxidant capacity in plant foods, oils and beverages: Extraction, measurement and expression of results. 2008 , 41, 274-285 | 426 |
| 1044 | Optimization of color and antioxidant activity of peach and nectarine puree: scale-up study from pilot to industrial plant. 2008 , 56, 7091-9 | 18 |
| 1043 | Fractionation and structural characterization of polyphenolic antioxidants from seed shells of Japanese horse chestnut (<i>Aesculus turbinata</i> BLUME). 2008 , 56, 12046-51 | 22 |
| 1042 | Nutritional and Anti-nutritional Components in <i>Sesbania aculeata</i> and <i>Kochia indica</i> at Different Harvest Times. 2008 , 34, 33-37 | 2 |
| 1041 | Simulated Environmental Change Has Contrasting Effects on Defensive Compound Concentration in Three Alpine Plant Species. 2008 , 40, 709-715 | 11 |
| 1040 | Growth performance of broiler chickens fed diets containing shea nut (<i>Vitellaria paradoxa</i> , Gaertn.) meal fermented with <i>Aspergillus niger</i> . 2008 , 87, 1773-8 | 15 |
| 1039 | Effects of fungal (<i>Aspergillus niger</i> or <i>Ceriporiopsis subvermispora</i>) fermentation on the nutritive value of shea nut (<i>Vitellaria paradoxa</i>) meal for broiler chicks. 2008 , 49, 360-7 | 6 |
| 1038 | Characterization of dihydroflavonol 4-reductases for recombinant plant pigment biosynthesis applications. 2008 , 26, 243-251 | 12 |

| | | |
|------|--|----|
| 1037 | Fermentation patterns and nutrient contents of forb-containing silages and their effects on microbial fermentation in the artificial rumen system RUSITEC. 2008 , 146, 333-341 | 8 |
| 1036 | The effect of dietary sainfoin (<i>Onobrychis viciifolia</i>) on local cellular responses to <i>Trichostrongylus colubriformis</i> in sheep. 2008 , 135, 1117-24 | 26 |
| 1035 | Effect of site, harvesting stage, and genotype on environmental staining in faba bean (<i>Vicia faba</i> L.). 2008 , 59, 365 | 1 |
| 1034 | Analysis of polyphenol antioxidants in fortified foods and supplements. 2008 , 175-194 | 3 |
| 1033 | Occurrence of Condensed Tannins in Wheat and Feasibility for Reducing Pasture Bloat. 2008 , 48, 2470-2480 | 11 |
| 1032 | Efeitos de dietas contendo <i>Leucaena leucocephala</i> e <i>Saccharomyces cerevisiae</i> sobre a fermentação ruminal e a emissão de gás metano em bovinos. 2008 , 37, 1509-1516 | 12 |
| 1031 | Antioxidant activity of phenolic fractions of <i>Mallotus philippinensis</i> bark extract. 2009 , 27, 109-117 | 18 |
| 1030 | A comparative analysis of phenylpropanoid metabolism, N utilization, and carbon partitioning in fast- and slow-growing <i>Populus</i> hybrid clones. 2009 , 60, 3443-52 | 34 |
| 1029 | Food choices of the mountain gorilla in Bwindi Impenetrable National Park, Uganda: the influence of nutrients, phenolics and availability. 2009 , 25, 123-134 | 13 |
| 1028 | Metabolic engineering and potential functions of proanthocyanidins in poplar. 2009 , 4, 790-2 | 22 |
| 1027 | Preingestive Detection of Tannins by <i>Choristoneura fumiferana</i> (Lepidoptera: Tortricidae). 2009 , 102, 717-726 | 7 |
| 1026 | The adsorption of sulfur dispersing agents on sulfur and nickel sulfide concentrate surfaces. 2009 , 22, 445-450 | 7 |
| 1025 | Glycosylation-mediated phenylpropanoid partitioning in <i>Populus tremuloides</i> cell cultures. 2009 , 9, 151 | 14 |
| 1024 | Growth-defense tradeoffs differ by gender in dioecious trembling aspen (<i>Populus tremuloides</i>). 2009 , 37, 567-573 | 11 |
| 1023 | Changes of main secondary metabolites in leaves of <i>Ginkgo biloba</i> in response to ozone fumigation. 2009 , 21, 199-203 | 34 |
| 1022 | Condensed tannins in the diets of primates: a matter of methods?. 2009 , 71, 70-6 | 22 |
| 1021 | Evaluating the nutritive values and in vitro degradability characteristics of leaves, seeds and seedpods from <i>Moringa stenopetala</i> . 2009 , 89, 281-287 | 21 |
| 1020 | Molecular identification of 1-Cys peroxiredoxin and anthocyanidin/flavonol 3-O-galactosyltransferase from proanthocyanidin-rich young fruits of persimmon (<i>Diospyros kaki</i> Thunb.). 2009 , 230, 841-55 | 36 |

| | | |
|------|--|----|
| 1019 | The Influence of Chemistry, Production and Community Composition on Leaf Litter Decomposition Under Elevated Atmospheric CO ₂ and Tropospheric O ₃ in a Northern Hardwood Ecosystem. 2009 , 12, 401-416 | 31 |
| 1018 | Genetic mosaics of ecosystem functioning across aspen-dominated landscapes. 2009 , 160, 119-27 | 55 |
| 1017 | Identification of the degradation products of proanthocyanidines in root rhizomes of the marsh cinquefoil. 2009 , 43, 406-407 | 0 |
| 1016 | The significance of host-fungus combinations in ectomycorrhizal symbioses for the chemical quality of willow foliage. 2009 , 323, 213-224 | 29 |
| 1015 | The effect of nutrient supply and light intensity on tannins and mycorrhizal colonisation in Dutch heathland ecosystems. 2009 , 201, 661-675 | 26 |
| 1014 | Performance and secondary chemistry of two hybrid aspen (<i>Populus tremula</i> L. x <i>Populus tremuloides</i> Michx.) clones in long-term elevated ozone exposure. 2009 , 35, 664-78 | 23 |
| 1013 | Plant genotypic diversity and environmental stress interact to negatively affect arthropod community diversity. 2009 , 3, 249-258 | 21 |
| 1012 | Inheritance of seed condensed tannins and their relationship with seed-coat color and pattern genes in common bean (<i>Phaseolus vulgaris</i> L.). 2009 , 119, 131-42 | 51 |
| 1011 | The promoter of the <i>Arabidopsis thaliana</i> BAN gene is active in proanthocyanidin-accumulating cells of the <i>Brassica napus</i> seed coat. 2009 , 28, 601-17 | 37 |
| 1010 | Fruit and fibre: the nutritional value of figs for a small tropical ruminant, the blue duiker (<i>Cephalophus monticola</i>). 2009 , 47, 556-566 | 7 |
| 1009 | Investigations on the digestibility and metabolizability of the major nutrients and energy of maize leaves and barnyard grass in grass carp (<i>Ctenopharyngodon idella</i>). 2009 , 16, 313-326 | 16 |
| 1008 | Study on chemical composition, antioxidant and anti-inflammatory activities of hot water extract from <i>Picea mariana</i> bark and its proanthocyanidin-rich fractions. 2009 , 113, 897-902 | 79 |
| 1007 | Phenolic profiles and antioxidative effects of hawthorn cell suspensions, fresh fruits, and medicinal dried parts. 2009 , 115, 897-903 | 70 |
| 1006 | Efficiency of <i>Sesbania sesban</i> and <i>Acacia angustissima</i> in limiting methanogenesis and increasing ruminally available nitrogen in a tropical grass-based diet depends on accession. 2009 , 49, 145 | 8 |
| 1005 | Phylogenetic and trait similarity to a native species predict herbivory on non-native oaks. 2009 , 106, 18097-102178 | |
| 1004 | Effect of different organic farming methods on the phenolic composition of sea buckthorn berries. 2009 , 57, 1940-7 | 12 |
| 1003 | Structure, Organoleptic Properties, Quantification Methods, and Stability of Phenolic Compounds in Beer. 2009 , 26, 1-84 | 78 |
| 1002 | Burgundy red wines: Representation of potential for aging. 2009 , 20, 505-513 | 28 |

| | | |
|------|--|-----|
| 1001 | Comparative study of commercially available cocoa products in terms of their bioactive composition. 2009 , 42, 707-716 | 128 |
| 1000 | Effect of enset (<i>Ensete ventricosum</i>) leaf supplementation on feed intake, digestibility, nitrogen utilization and body weight gain of sheep fed untreated or urea and calcium oxide-treated wheat straw. 2009 , 122, 134-142 | 8 |
| 999 | Effects of inclusion of whole-crop pea silages differing in their tannin content on the performance of dairy cows fed high or low protein concentrates. 2009 , 124, 306-313 | 5 |
| 998 | Faba bean (<i>Vicia faba</i> L.) seeds darken rapidly and phenolic content falls when stored at higher temperature, moisture and light intensity. 2009 , 42, 1703-1711 | 42 |
| 997 | Anti-inflammatory and phytochemical properties of twelve medicinal plants used for treating gastro-intestinal ailments in South Africa. 2009 , 123, 237-43 | 63 |
| 996 | Nutritional characterization of <i>Mucuna pruriens</i> . 2009 , 148, 34-50 | 18 |
| 995 | Nutritional characterization of <i>Mucuna pruriens</i> : 3. Effect of replacing soybean meal with <i>Mucuna</i> on intake, digestibility, N balance and microbial protein synthesis in sheep. 2009 , 148, 107-123 | 18 |
| 994 | Investigations on the nutrient and antinutrient content of typical plants used as fish feed in small scale aquaculture in the mountainous regions of Northern Vietnam. 2009 , 149, 162-178 | 21 |
| 993 | Chemical composition and nutritional evaluation of various foliages consumed by mithun (<i>Bos frontalis</i>). 2009 , 150, 223-229 | 7 |
| 992 | Fermentative characteristics and aerobic stability of sorghum silages containing different tannin levels. 2009 , 154, 1-8 | 11 |
| 991 | Nutritive value of some non-conventional feed resources of Ethiopia determined by chemical analyses and an in vitro gas method. 2009 , 154, 204-217 | 59 |
| 990 | Hepatoprotective potential of extracts from seeds of <i>Areca catechu</i> and nutgalls of <i>Quercus infectoria</i> . 2009 , 14, 4987-5000 | 43 |
| 989 | Engineering Flax with the GT Family 1 <i>Solanum soganandinum</i> Glycosyltransferase SsGT1 Confers Increased Resistance to <i>Fusarium</i> Infection. 2009 , 57, 6698-705 | 54 |
| 988 | High contents of nonextractable polyphenols in fruits suggest that polyphenol contents of plant foods have been underestimated. 2009 , 57, 7298-303 | 138 |
| 987 | Screening of antimutagenicity via antioxidant activity in different extracts from the flowers of <i>Phlomis crinita</i> Cav. ssp <i>mauritanica</i> munby from the center of Tunisia. 2009 , 32, 283-92 | 10 |
| 986 | Determination of an antioxidant capacity index by immobilized tyrosinase bioreactor. 2009 , 57, 5178-86 | 8 |
| 985 | Proanthocyanidin from blueberry leaves suppresses expression of subgenomic hepatitis C virus RNA. 2009 , 284, 21165-76 | 85 |
| 984 | Binding of <i>Neisseria meningitidis</i> pili to berry polyphenolic fractions. 2009 , 57, 3120-7 | 19 |

| | | |
|-----|--|-------|
| 983 | Indigenous knowledge of fodder tree selectivity by local goats in the mid-hills of Nepal. 2009 , 3, 241-255 | 5 |
| 982 | In vitro gas production of leaves from fodder trees and shrubs from mid-hills of Nepal using cow, sheep and goat rumen liquor. 2010 , 148, 445-451 | 2 |
| 981 | Physical properties and bioactive constituents of powdered mixtures and drinks prepared with cocoa and various sweeteners. 2010 , 58, 7187-95 | 20 |
| 980 | A new perspective on the use of plant secondary metabolites to inhibit methanogenesis in the rumen. <i>Phytochemistry</i> , 2010 , 71, 1198-222 | 4 248 |
| 979 | Neighbour identity hardly affects litter-mixture effects on decomposition rates of New Zealand forest species. 2010 , 162, 479-89 | 32 |
| 978 | Fruit size, crop mass, and plant height explain differential fruit choice of primates and birds. 2010 , 164, 151-61 | 49 |
| 977 | Thiolysis-HPLC analysis of proanthocyanidins in health foods and their materials. 2010 , 4, 334-340 | 1 |
| 976 | Preparation of an acid butanol standard from fresh apples. 2010 , 36, 453-60 | 28 |
| 975 | Higher allocation to low cost chemical defenses in invasive species of Hawaii. 2010 , 36, 1255-70 | 32 |
| 974 | New oligomeric proanthocyanidins from <i>Alhagi pseudalhagi</i> . 2010 , 46, 352-356 | 6 |
| 973 | Chemical composition and in sacco degradability of four varieties of cassava leaves grown in Southwestern Nigeria in the rumen of sheep. 2010 , 42, 1385-93 | 4 |
| 972 | Variation in protein complexation capacity among and within six plant species across a boreal forest chronosequence. 2010 , 211, 253-266 | 13 |
| 971 | RNAi-mediated suppression of isoprene emission in poplar transiently impacts phenolic metabolism under high temperature and high light intensities: a transcriptomic and metabolomic analysis. 2010 , 74, 61-75 | 57 |
| 970 | Effects of litters with different concentrations of phenolics on the competition between <i>Calluna vulgaris</i> and <i>Deschampsia flexuosa</i> . 2010 , 327, 131-141 | 18 |
| 969 | Decomposition and element concentrations of silver birch leaf litter as affected by boron status of litter and soil. 2010 , 329, 195-208 | 9 |
| 968 | Decomposition and element concentrations of Norway spruce needle litter with differing B, N, or P status. 2010 , 330, 225-238 | 10 |
| 967 | Soil carbon and nitrogen mineralization following deposition of insect frass and greenfall from forests under elevated CO ₂ and O ₃ . 2010 , 336, 75-85 | 21 |
| 966 | Goat Production and Fodder Leaves Offered by Local Villagers in the Mid-Hills of Nepal. 2010 , 38, 625-637 | 3 |

- 965 A study of biodiversity of flavonoid content in the rice caryopsis evidencing simultaneous accumulation of anthocyanins and proanthocyanidins in a black-grained genotype. **2010**, 51, 28-34 74
- 964 Analysis of polyphenols in cereals may be improved performing acidic hydrolysis: A study in wheat flour and wheat bran and cereals of the diet. **2010**, 51, 313-318 79
- 963 Tree species-mediated spatial patchiness of the composition of microbial community and physicochemical properties in the topsoils of a tropical montane forest. **2010**, 42, 1588-1595 75
- 962 Investigating phenotypic structures and allelochemical compounds of the fruits of *Momordica charantia* L. genotypes as sources of resistance against *Bactrocera cucurbitae* (Coquillett) (Diptera: Tephritidae). **2010**, 29, 884-890 16
- 961 Phenological and chemical differences among hybrid poplar clones (Salicaceae) varying in resistance to *Cryptorhynchus lapathi* (L.) (Coleoptera: Curculionidae). **2010**, 38, 29-48 3
- 960 The dynamics of phenolic concentration in some pasture species and implications for animal husbandry. **2010**, 90, 1452-9 19
- 959 Optimum extraction process of polyphenols from *Bridelia grandis* stem bark using experimental design. **2010**, 33, 1692-7 10
- 958 Nonextractable polyphenols, usually ignored, are the major part of dietary polyphenols: a study on the Spanish diet. **2010**, 54, 1646-58 122
- 957 Flavan-3-ol contents, anti-oxidative and α -glucosidase inhibitory activities of *Cynomorium songaricum*. **2010**, 118, 116-119 42
- 956 The effect of grape seed extract or *Cistus ladanifer* L. on muscle volatile compounds of lambs fed dehydrated lucerne supplemented with oil. **2010**, 119, 1339-1345 29
- 955 Oxygen species scavenger activities and phenolic contents of four West African plants. **2010**, 118, 430-435 8
- 954 Heat treatment of Chinese quince polyphenols increases rat plasma levels of protocatechuic and vanillic acids. **2010**, 118, 757-763 15
- 953 Extraction, distribution and characterisation of phenolic compounds and oil in grapeseeds. **2010**, 122, 688-694 30
- 952 Phenolic composition, antioxidant and acetylcholinesterase inhibitory activities of *Sclerocarya birrea* and *Harphephyllum caffrum* (Anacardiaceae) extracts. **2010**, 123, 69-76 99
- 951 Effects of simulated browsing on growth and leaf chemical properties in *Colophospermum mopane* saplings. **2010**, 48, 190-196 28
- 950 Maternal effects in an insect herbivore as a mechanism to adapt to host plant phenology. **2010**, 24, 1103-1109 39
- 949 Do elevated atmospheric CO₂ and O₃ affect food quality and performance of folivorous insects on silver birch?. **2010**, 16, 918-935 21
- 948 Interspecific variation in susceptibility to fungal pathogens in seeds of 10 tree species in the neotropical genus *Cecropia*. **2010**, 98, 147-155 45

| | | |
|-----|--|------|
| 947 | Effects of genotype, elevated CO ₂ and elevated O ₃ on aspen phytochemistry and aspen leaf beetle <i>Chrysomela crotchi</i> performance. 2010 , 12, 267 | 13 |
| 946 | A new dominant <i>Arabidopsis</i> transparent testa mutant, sk21-D, and modulation of seed flavonoid biosynthesis by KAN4. 2010 , 8, 979-93 | 15 |
| 945 | Assessment of the content of phenolics and antioxidant action of inflorescences and leaves of selected species from the genus <i>Sorbus</i> sensu stricto. 2010 , 15, 8769-83 | 21 |
| 944 | Physiological Effects of Smoke Exposure on Deciduous and Conifer Tree Species. 2010 , 2010, 1-7 | 9 |
| 943 | Efficacy of condensed tannin presents in acacia extract on the control of <i>Trichostrongylus colubriformis</i> in sheep. 2010 , 40, 1360-1365 | 9 |
| 942 | Determination of the polyphenol contents in Macedonian grapes and wines by standardized spectrophotometric methods. 2010 , 75, 45-59 | 59 |
| 941 | Plant phenolics: extraction, analysis and their antioxidant and anticancer properties. 2010 , 15, 7313-52 | 2100 |
| 940 | High molecular weight persimmon (<i>Diospyros kaki</i> L.) proanthocyanidin: a highly galloylated, A-linked tannin with an unusual flavonol terminal unit, myricetin. 2010 , 58, 9033-42 | 119 |
| 939 | Anti-inflammatory, anticholinesterase, antioxidant and phytochemical properties of medicinal plants used for pain-related ailments in South Africa. 2010 , 127, 235-41 | 102 |
| 938 | Antioxidant, toxicological and antiproliferative properties of Canadian polyphenolic extracts on normal and psoriatic keratinocytes. 2010 , 132, 251-8 | 43 |
| 937 | Effects of feeding different levels of dried cassava leaves (<i>Manihot esculenta</i> , Crantz) based concentrates with <i>Panicum maximum</i> basal on the performance of growing West African Dwarf goats. 2010 , 129, 24-30 | 18 |
| 936 | Cafeteria trials to determine relative preference of six desert trees and shrubs by sheep and goats. 2010 , 132, 19-25 | 11 |
| 935 | Evaluation of antioxidant capacity, genotoxicity and polyphenol content of non conventional foods: Prosopis flour. 2010 , 43, 1505-1510 | 53 |
| 934 | The hidden face of food phenolic composition. 2010 , 501, 16-22 | 68 |
| 933 | Effect of season on chemical composition and in situ degradability in cows and in adapted and unadapted goats of three Mexican browse species. 2010 , 155, 206-212 | 8 |
| 932 | In vitro ruminal fermentation kinetics and energy utilization of three Mexican tree fodder species during the rainy and dry period. 2010 , 160, 110-120 | 9 |
| 931 | Chemistry of Wine. 2010 , 1119-1172 | 21 |
| 930 | Phenolic compounds in cherry (<i>Prunus avium</i>) heartwood with a view to their use in cooperage. 2010 , 58, 4907-14 | 50 |

| | | |
|-----|---|-----|
| 929 | Phenolic characterization of malbec wines from mendoza province (Argentina). 2010 , 58, 2388-97 | 52 |
| 928 | Caution against Determining Tannins in Soil using the Protein Precipitable Phenolics Assay. 2011 , 42, 1862-1869 | 1 |
| 927 | Effect of toasting intensity at cooperage on phenolic compounds in acacia (<i>Robinia pseudoacacia</i>) heartwood. 2011 , 59, 3135-45 | 35 |
| 926 | Ripening-induced changes in grape skin proanthocyanidins modify their interaction with cell walls. 2011 , 59, 2696-707 | 89 |
| 925 | Chemical characterization of a procyanidin-rich extract from sorghum bran and its effect on oxidative stress and tumor inhibition in vivo. 2011 , 59, 8609-15 | 44 |
| 924 | Metabolites in contact with the rat digestive tract after ingestion of a phenolic-rich dietary fiber matrix. 2011 , 59, 5955-63 | 41 |
| 923 | Genetically-based trait variation within a foundation tree species influences a dominant bark lichen. 2011 , 4, 103-109 | 15 |
| 922 | Evaluation of physicochemical characteristics of pomegranate (<i>Punica granatum</i> L.) fruit during ripening. 2011 , 66, 121-129 | 55 |
| 921 | Correlations between phenolic content and antioxidant properties in twenty-four plant species of traditional ethnoveterinary use in the Mediterranean area. 2011 , 49, 240-7 | 165 |
| 920 | Analysis of nonextractable phenolic compounds in foods: the current state of the art. 2011 , 59, 12713-24 | 127 |
| 919 | Phenolic composition of Malbec grape skins and seeds from Valle de Uco (Mendoza, Argentina) during ripening. Effect of cluster thinning. 2011 , 59, 6120-36 | 50 |
| 918 | Studies on Folk Medicinal Fern: An Example of 蕲苏布 2011 , 285-304 | 2 |
| 917 | Purification and characterization of polyphenols from chestnut astringent skin. 2011 , 59, 8646-54 | 19 |
| 916 | A comparative study of growth performance and antioxidant status of rabbits when fed with or without chestnut tannins under high ambient temperature. 2011 , 164, 89-95 | 28 |
| 915 | Ruminal degradability, digestibility, energy content, and influence on nitrogen turnover of various Mediterranean by-products in fat-tailed Awassi sheep. 2011 , 163, 99-110 | 29 |
| 914 | Chemical composition of dietary fiber and polyphenols of five different varieties of wine grape pomace skins. 2011 , 44, 2712-2720 | 205 |
| 913 | Field screening for genetic-based susceptibility to mammalian browsing. 2011 , 262, 1500-1506 | 6 |
| 912 | High molecular weight persimmon tannin ameliorates cognition deficits and attenuates oxidative damage in senescent mice induced by D-galactose. 2011 , 49, 1728-36 | 54 |

| | | |
|-----|--|----|
| 911 | Polyphenol contents and radical scavenging capacities of red maple (<i>Acer rubrum</i> L.) extracts. 2011 , 49, 2180-8 | 54 |
| 910 | Anti-inflammatory, antioxidant, anti-tyrosinase and phenolic contents of four <i>Podocarpus</i> species used in traditional medicine in South Africa. 2011 , 136, 496-503 | 51 |
| 909 | A comparative study of the antimicrobial and phytochemical properties between outdoor grown and micropropagated <i>Tulbaghia violacea</i> Harv. plants. 2011 , 134, 775-80 | 58 |
| 908 | Antimicrobial properties and phenolic contents of medicinal plants used by the Venda people for conditions related to venereal diseases. 2011 , 135, 330-7 | 90 |
| 907 | A chemical perspective on the evolution of variation in <i>Eucalyptus globulus</i> . 2011 , 13, 305-318 | 22 |
| 906 | Modification of milk fatty acid composition by feeding forages and agro-industrial byproducts from dry areas to Awassi sheep. 2011 , 94, 4657-68 | 53 |
| 905 | Effects of chestnut tannins and coconut oil on growth performance, methane emission, ruminal fermentation, and microbial populations in sheep. 2011 , 94, 6069-77 | 67 |
| 904 | Hybridization among foundation tree species influences the structure of associated understory plant communities. 2011 , 89, 165-174 | 20 |
| 903 | Protective effect of red-stemmed type of <i>Ipomoea aquatica</i> Forsk against CCl ₄ -induced oxidative damage in mice. 2011 , 57, 306-10 | 3 |
| 902 | Lower P contents and more widespread terpene presence in old Bornean than in young Hawaiian tropical plant species guilds. 2011 , 2, art45 | 10 |
| 901 | Chemical composition and nutritive value of four varieties of cassava leaves grown in South-Western Nigeria. 2011 , 95, 583-90 | 9 |
| 900 | Nutritional and anti-nutritional compositions of defatted Nebraska hybrid hazelnut meal. 2011 , 46, 2022-2029 | 17 |
| 899 | The <i>Arabidopsis</i> tt19-4 mutant differentially accumulates proanthocyanidin and anthocyanin through a 3' amino acid substitution in glutathione S-transferase. 2011 , 34, 374-88 | 35 |
| 898 | The sucrose transporter family in <i>Populus</i> : the importance of a tonoplast PtaSUT4 to biomass and carbon partitioning. 2011 , 65, 757-70 | 99 |
| 897 | Changes in the structural composition and reactivity of <i>Acer rubrum</i> leaf litter tannins exposed to warming and altered precipitation: climatic stress-induced tannins are more reactive. 2011 , 191, 132-145 | 79 |
| 896 | Soil microbial communities adapt to genetic variation in leaf litter inputs. 2011 , 120, 1696-1704 | 51 |
| 895 | Antioxidant activity of small grain cereals caused by phenolics and lipid soluble antioxidants. 2011 , 54, 417-424 | 83 |
| 894 | Seasonal variation in antimicrobial and phytochemical properties of frequently used medicinal bulbous plants from South Africa. 2011 , 77, 387-396 | 68 |

| | | | |
|-----|---|---|-----|
| 893 | Antifungal, acetylcholinesterase inhibition, antioxidant and phytochemical properties of three <i>Barleria</i> species. 2011 , 77, 435-445 | | 21 |
| 892 | Tannin rich peanut skins lack anthelmintic properties. 2011 , 96, 195-200 | | 5 |
| 891 | Nutritional composition of lentil straw, vetch hay, olive leaves, and saltbush leaves and their digestibility as measured in fat-tailed sheep. 2011 , 96, 126-135 | | 21 |
| 890 | Growth performance and carcass characteristics of Awassi lambs fed diets containing carob pods (<i>Ceratonia siliqua</i> L.). 2011 , 96, 149-154 | | 20 |
| 889 | Tannins in plant-herbivore interactions. <i>Phytochemistry</i> , 2011 , 72, 1551-65 | 4 | 459 |
| 888 | Differential phenolic profiles in six African savanna woody species in relation to antiherbivore defense. <i>Phytochemistry</i> , 2011 , 72, 1796-803 | 4 | 29 |
| 887 | Effects of concentrate and <i>Acacia cyanophylla</i> foliage supplementation on nitrogen balance and milk production of grazing ewes. 2011 , 139, 264-270 | | 7 |
| 886 | Transmission of self-medicative behaviour from mother to offspring in sheep. 2011 , 82, 219-227 | | 13 |
| 885 | Grain yield and quality characteristics of different genotypes of winter pea in comparison to spring pea for organic farming in pure and mixed stands. 2011 , 1, 187-202 | | 12 |
| 884 | Qualitative variation in proanthocyanidin composition of <i>Populus</i> species and hybrids: genetics is the key. 2011 , 37, 57-70 | | 40 |
| 883 | The influence of condensed tannin structure on rate of microbial mineralization and reactivity to chemical assays. 2011 , 37, 311-9 | | 25 |
| 882 | Comparative nutrient utilization, growth, and rumen enzyme profile of mithun (<i>Bos frontalis</i>) and Tho-tho cattle (<i>Bos indicus</i>) fed on tree-leaves-based ration. 2011 , 43, 209-14 | | 6 |
| 881 | Production of tannase from wood-degrading fungus using as substrate plant residues: purification and characterization. 2011 , 27, 2325-2333 | | 10 |
| 880 | Secondary metabolites and nutrients of woody plants in relation to browsing intensity in African savannas. 2011 , 167, 1063-73 | | 38 |
| 879 | Forest gene diversity is correlated with the composition and function of soil microbial communities. 2011 , 53, 35-46 | | 45 |
| 878 | Intake and relative palatability indices of acacia species fed to sheep and goats. 2011 , 81, 31-35 | | 8 |
| 877 | Different response of two reindeer forage plants to enhanced UV-B radiation: modification of the phenolic composition. 2011 , 34, 411-420 | | 6 |
| 876 | Exploitation of dietary tannins to improve rumen metabolism and ruminant nutrition. 2011 , 91, 24-37 | | 358 |

| | | |
|-----|--|-----|
| 875 | Protein-precipitating capacity of bearberry-leaf (<i>Arctostaphylos uva-ursi</i> L. Sprengel) polyphenolics. 2011 , 124, 1507-1513 | 9 |
| 874 | Extractable antioxidants and non-extractable phenolics in the total antioxidant activity of selected plum cultivars (<i>Prunus domestica</i> L.): Evolution during on-tree ripening. 2011 , 125, 29-34 | 46 |
| 873 | Copigmentation between malvidin-3-glucoside and some wine constituents and its importance to colour expression in red wine. 2011 , 125, 106-115 | 67 |
| 872 | Characterisation of genuine and derived cranberry proanthocyanidins by LCESI-MS. 2011 , 128, 802-810 | 43 |
| 871 | Comparative study of polyphenols and caffeine in different coffee varieties affected by the degree of roasting. 2011 , 129, 991-1000 | 176 |
| 870 | Protein-binding and antioxidant potential of phenolics of mangosteen fruit (<i>Garcinia mangostana</i>). 2011 , 128, 292-8 | 44 |
| 869 | Significance of phenolic compounds in tropical forages for the ruminal bypass of polyunsaturated fatty acids and the appearance of biohydrogenation intermediates as examined in vitro. 2011 , 51, 1127 | 40 |
| 868 | Effects of feeding green forage of sulla (<i>Hedysarum coronarium</i> L.) on lamb growth and carcass and meat quality. 2011 , 5, 148-54 | 12 |
| 867 | Procyanidins from wild grape (<i>Vitis amurensis</i>) seeds regulate ARE-mediated enzyme expression via Nrf2 coupled with p38 and PI3K/Akt pathway in HepG2 cells. 2012 , 13, 801-18 | 46 |
| 866 | Ileal digestibility of amino acids for zero-tannin faba bean (<i>Vicia faba</i> L.) fed to broiler chicks. 2012 , 91, 439-43 | 24 |
| 865 | In cafeteria trials with tannin rich plants, tannins do not modify foliage preference of goats with browsing experience. 2012 , 24, 332-343 | 15 |
| 864 | Optimization of Microwave-Assisted Extracting of Proanthocyanidins from Purple Cabbage and Evaluation of Antioxidant Activity In Vitro. 2012 , 490-495, 3500-3504 | 3 |
| 863 | Modulation of doxorubicin-induced oxidative stress by a grape (<i>Vitis vinifera</i> L.) seed extract in normal and tumor cells. 2012 , 15, 639-45 | 9 |
| 862 | Modulation of anti-oxidation ability by proanthocyanidins during germination of <i>Arabidopsis thaliana</i> seeds. 2012 , 5, 472-81 | 40 |
| 861 | . 2012 , | 8 |
| 860 | Novel Approach for Screening Natural Plant Ingredients for Development of Nutraceutical Bone Health Supplements. 2012 , 73-94 | |
| 859 | Aqueous extracts of <i>Lippia turbinata</i> and <i>Aloysia citriodora</i> (Verbenaceae): assessment of antioxidant capacity and DNA damage. 2012 , 31, 192-202 | 21 |
| 858 | Proanthocyanidins inhibit seed germination by maintaining a high level of abscisic acid in <i>Arabidopsis thaliana</i> . 2012 , 54, 663-73 | 56 |

| | | |
|-----|---|-----|
| 857 | Malolactic fermentation and secondary metabolite production by <i>Oenococcus oeni</i> strains in low pH wines. 2012 , 77, M579-85 | 14 |
| 856 | Plant phenolics and their potential role in mitigating iron overload disorder in wild animals. 2012 , 43, S74-82 | 12 |
| 855 | Engineering flax plants to increase their antioxidant capacity and improve oil composition and stability. 2012 , 60, 5003-12 | 25 |
| 854 | Arthropod community similarity in clonal stands of aspen: A test of the genetic similarity rule. 2012 , 19, 48-58 | 4 |
| 853 | Effect of ripening stage on physicochemical properties and antioxidant profiles of a promising table fruit <i>Bear-jujube</i> (<i>Zizyphus jujuba</i> Mill.). 2012 , 148, 177-184 | 53 |
| 852 | Localization of phenolics in phloem parenchyma cells of Norway spruce (<i>Picea abies</i>). 2012 , 13, 2707-13 | 39 |
| 851 | Relative importance of genetic, ontogenetic, induction, and seasonal variation in producing a multivariate defense phenotype in a foundation tree species. 2012 , 170, 695-707 | 65 |
| 850 | Simulated moose (<i>Alces alces</i> L.) browsing increases accumulation of secondary metabolites in bilberry (<i>Vaccinium myrtillus</i> L.) along gradients of habitat productivity and solar radiation. 2012 , 38, 1225-34 | 9 |
| 849 | High molecular weight persimmon tannin is a potent hypolipidemic in high-cholesterol diet fed rats. 2012 , 48, 970-977 | 43 |
| 848 | Innovative formulations of chocolates enriched with plant polyphenols from <i>Rubus idaeus</i> L. leaves and characterization of their physical, bioactive and sensory properties. 2012 , 48, 820-830 | 40 |
| 847 | Chemical characterization of <i>Acacia nilotica</i> tree parts. 2012 , 9, 33-39 | 1 |
| 846 | Differentiation of black raspberry fruits according to species and geographic origins by genomic analysis and ¹ H-NMR-based metabolic profiling. 2012 , 55, 633-642 | 5 |
| 845 | Cytotoxicity effects of various <i>Juglans regia</i> (walnut) leaf extracts in human cancer cell lines. 2012 , 50, 1416-22 | 28 |
| 844 | The bioactive potential of red raspberry (<i>Rubus idaeus</i> L.) leaves in exhibiting cytotoxic and cytoprotective activity on human laryngeal carcinoma and colon adenocarcinoma. 2012 , 15, 258-68 | 38 |
| 843 | Genotype and soil nutrient environment influence aspen litter chemistry and in-stream decomposition. 2012 , 31, 1244-1253 | 29 |
| 842 | Gene expression and metabolite profiling of developing highbush blueberry fruit indicates transcriptional regulation of flavonoid metabolism and activation of abscisic acid metabolism. 2012 , 158, 200-24 | 186 |
| 841 | In vitro protein degradation of 38 sainfoin accessions and its relationship to tannin content by different assays. 2012 , 60, 5071-5 | 7 |
| 840 | Tissue-specific and developmental modifications of grape cell walls influence the adsorption of proanthocyanidins. 2012 , 60, 9249-60 | 65 |

- 839 Effects of phenolic compounds in three oak species on in vitro gas production using inoculums of two breeds of indigenous Iranian goats. **2012**, 176, 26-31 2
- 838 Anti-nutrient components and metabolites with health implications in seeds of 10 common bean (*Phaseolus vulgaris* L. and *Phaseolus lunatus* L.) landraces cultivated in southern Italy. **2012**, 26, 72-80 33
- 837 Influence of chestnut tannins on welfare, carcass characteristics, meat quality, and lipid oxidation in rabbits under high ambient temperature. **2012**, 90, 164-9 30
- 836 Effect of tanniniferous *Terminalia chebula* extract on rumen biohydrogenation, Δ^9 -desaturase activity, CLA content and fatty acid composition in longissimus dorsi muscle of kids. **2012**, 90, 558-63 34
- 835 Identification of A-series oligomeric procyanidins from pericarp of *Litchi chinensis* by FT-ICR-MS and LC-MS. **2012**, 135, 31-38 70
- 834 *Picea mariana* bark: a new source of trans-resveratrol and other bioactive polyphenols. **2012**, 135, 1173-82 41
- 833 Colloidal silver complex as an alternative to sulphur dioxide in winemaking. **2012**, 23, 73-81 43
- 832 High molecular weight persimmon tannin is a potent antioxidant both ex vivo and in vivo. **2012**, 45, 26-30 57
- 831 Impact of phenolic and polysaccharidic composition on commercial value of Argentinean Malbec and Cabernet Sauvignon wines. **2012**, 45, 402-414 56
- 830 Antioxidant and acetylcholinesterase-inhibitory properties of long-term stored medicinal plants. **2012**, 12, 87 44
- 829 Improved procedure to determine non-extractable polymeric proanthocyanidins in plant foods. **2012**, 63, 936-9 55
- 828 Phenolic compounds: from plants to foods. **2012**, 11, 153-177 250
- 827 Atmospheric change alters performance of an invasive forest insect. **2012**, 18, 3543-3557 30
- 826 Supercritical extraction from vinification residues: fatty acids, Tocopherol, and phenolic compounds in the oil seeds from different varieties of grape. **2012**, 2012, 790486 28
- 825 Dietary Tannins on Microbial Ecology of the Gastrointestinal Tract in Ruminants. **2012**, 237-262 23
- 824 Interactions between polyphenols and macromolecules: quantification methods and mechanisms. **2012**, 52, 213-48 450
- 823 Role of phenolics as antioxidants, biomolecule protectors and as anti-diabetic factors--evaluation on bark and empty pods of *Acacia auriculiformis*. **2012**, 5, 757-65 21
- 822 Pharmacological properties and protein binding capacity of phenolic extracts of some Venda medicinal plants used against cough and fever. **2012**, 143, 185-93 53

| | | |
|-----|--|----|
| 821 | Effect of feeding pistachio by-products silage supplemented with polyethylene glycol and urea on Holstein dairy cows performance in early lactation. 2012 , 148, 208-213 | 17 |
| 820 | Growth performance and nutrient utilisation in crossbred calves experimentally infected with <i>F. gigantica</i> and/or supplemented with deoiled mahua (<i>Bassia latifolia</i>) seed cake. 2012 , 149, 109-117 | 2 |
| 819 | Assessment of the role of meta-topolins on in vitro produced phenolics and acclimatization competence of micropropagated Williams banana. 2012 , 34, 2265-2273 | 53 |
| 818 | Bioactive and Sensory Properties of Herbal Spirit Enriched with Cocoa (<i>Theobroma cacao</i> L.) Polyphenolics. 2012 , 5, 2908-2920 | 8 |
| 817 | Bioactive compounds and phenolic-linked functionality of powdered tropical fruit residues. 2012 , 18, 539-47 | 66 |
| 816 | Analysis Methods of Proanthocyanidins. 2012 , 247-274 | 11 |
| 815 | Pressurized Fluid Extraction and Analysis of Bioactive Compounds in Birch Bark. 2012 , 259-285 | |
| 814 | Chemical characterization and in vitro biological activity of four tropical legumes, <i>Stylobium aterrimum</i> L., <i>Stylobium deeringianum</i> , <i>Leucaena leucocephala</i> , and <i>Mimosa caesalpiniaefolia</i> , as compared with a tropical grass, <i>Cynodon</i> spp. for the use in ruminant diets. 2012 , 57, 255-264 | 4 |
| 813 | Effect of NPK fertilizer on chemical composition of pumpkin (<i>Cucurbita pepo</i> Linn.) seeds. 2012 , 2012, 808196 | 9 |
| 812 | Efeito da pimenta rosa associada a diversas dosagens de antibióticos em frangos de corte. 2012 , 42, 1503-1509 | 9 |
| 811 | Acetylcholinesterase inhibition, antioxidant, antiinflammatory, antimicrobial and phytochemical properties of <i>Huernia hystrix</i> . 2012 , 26, 639-45 | 10 |
| 810 | In vitro plant regeneration, secondary metabolite production and antioxidant activity of micropropagated <i>Aloe arborescens</i> Mill. 2012 , 111, 345-358 | 87 |
| 809 | Antioxidant and cytoprotective effects of oligomeric and polymeric procyanidin fractions from defatted grape seed in PC12 cells. 2012 , 15, 490-4 | 13 |
| 808 | Profiling of phenolic compounds and antioxidant activity of dry extracts from the selected <i>Sorbus</i> species. 2012 , 17, 3093-113 | 46 |
| 807 | Stimulatory role of smoke water and karrikinolide on the photosynthetic pigment and phenolic contents of micropropagated Williams bananas. 2012 , 67, 271-279 | 25 |
| 806 | Genotypic differences and prior defoliation affect re-growth and phytochemistry after coppicing in <i>Populus tremuloides</i> . 2012 , 38, 306-14 | 9 |
| 805 | Polymeric proanthocyanidins from Sicilian pistachio (<i>Pistacia vera</i> L.) nut extract inhibit lipopolysaccharide-induced inflammatory response in RAW 264.7 cells. 2012 , 51, 353-63 | 49 |
| 804 | The predictability of traits and ecological interactions on 17 different crosses of hybrid oaks. 2012 , 169, 489-97 | 9 |

| | | |
|-----|---|------|
| 803 | Variation in herbivory-induced responses within successively flushing <i>Quercus serrata</i> seedlings under different nutrient conditions. 2012 , 17, 175-183 | 4 |
| 802 | Isoprene emission-free poplars--a chance to reduce the impact from poplar plantations on the atmosphere. 2012 , 194, 70-82 | 43 |
| 801 | Nutritional composition and antioxidant activity in hazelnut shells from US-grown cultivars. 2012 , 47, 940-946 | 20 |
| 800 | Mammalian herbivores reveal marked genetic divergence among populations of an endangered plant species. 2012 , 121, 268-276 | 8 |
| 799 | Characterization of a highly polymeric proanthocyanidin fraction from persimmon pulp with strong Chinese cobra PLA2 inhibition effects. 2012 , 83, 153-60 | 26 |
| 798 | Antioxidant properties and phytochemical composition of China-grown pomegranate seeds. 2012 , 132, 1457-1464 | 94 |
| 797 | An in vitro nutritive evaluation of olive tree (<i>Olea europaea</i>) pruning residues as affected by cutting regimen. 2012 , 103, 234-8 | 3 |
| 796 | Chemical properties of plant litter in response to elevation: subarctic vegetation challenges phenolic allocation theories. 2012 , 26, 1090-1099 | 36 |
| 795 | Estimating direct resistance in willows against a major insect pest, <i>Phratora vulgatissima</i> , by comparing life history traits. 2012 , 144, 93-100 | 17 |
| 794 | Amino acid profile of salivary proteins and plasmatic trace mineral response to dietary condensed tannins in free-ranging zebu cattle (<i>Bos indicus</i>) as a marker of habitat degradation. 2012 , 144, 275-280 | 13 |
| 793 | Diet selection of Nguni goats in relation to season, chemistry and physical properties of browse in sub-humid subtropical savanna. 2012 , 102, 163-171 | 29 |
| 792 | Effects of feeding carob pods (<i>Ceratonia siliqua</i> L.) on nursing performance of Awassi ewes and their lambs. 2012 , 105, 9-15 | 17 |
| 791 | Proanthocyanidin diversity in the EU 'HealthyHay' sainfoin (<i>Onobrychis viciifolia</i>) germplasm collection. <i>Phytochemistry</i> , 2012 , 77, 197-208 | 4 38 |
| 790 | The quantification of condensed tannins in African savanna tree species. 2012 , 5, 329-334 | 27 |
| 789 | Phenolic characterisation of red wines from different grape varieties cultivated in Mendoza province (Argentina). 2012 , 92, 704-18 | 60 |
| 788 | Comparative study of cytotoxic and cytoprotective activities of cocoa products affected by their cocoa solids content and bioactive composition. 2012 , 234, 173-186 | 5 |
| 787 | Atmospheric change alters foliar quality of host trees and performance of two outbreak insect species. 2012 , 168, 863-76 | 42 |
| 786 | Rumen microbial variation and nutrient utilisation in mithun (<i>Bos frontalis</i>) under different feeding regimes. 2013 , 97, 297-304 | 4 |

| | | |
|-----|---|----|
| 785 | Composition of ethanolic extracts of wood and bark from <i>Acer saccharum</i> and <i>Betula alleghaniensis</i> trees of different vigor classes. 2013 , 41, 179-187 | 23 |
| 784 | Effect of plant sterols and tannins on <i>Phytophthora ramorum</i> growth and sporulation. 2013 , 39, 733-43 | 17 |
| 783 | Effects of diet on casein and fatty acid profiles of milk from goats differing in genotype for β 1-casein synthesis. 2013 , 237, 951-963 | 9 |
| 782 | Long-term effects of boron and copper on phenolics and monoterpenes in Scots pine (<i>Pinus sylvestris</i> L.) needles. 2013 , 373, 485-499 | 7 |
| 781 | Effects of condensed tannins in conifer leaves on the composition and activity of the soil microbial community in a tropical montane forest. 2013 , 365, 157-170 | 52 |
| 780 | Nutritive evaluation of some native range plants and their nutritional and anti-nutritional components. 2013 , 41, 427-431 | 3 |
| 779 | Rapid phytochemical analysis of birch (<i>Betula</i>) and poplar (<i>Populus</i>) foliage by near-infrared reflectance spectroscopy. 2013 , 405, 1333-44 | 31 |
| 778 | Pharmacological properties and in vitro shoot production of <i>Barleria argillicola</i> A critically endangered South African species. 2013 , 85, 87-93 | 3 |
| 777 | Comparative study of chemical and phenolic compositions of two species of jaboticaba: <i>Myrciaria jaboticaba</i> (Vell.) Berg and <i>Myrciaria cauliflora</i> (Mart.) O. Berg. 2013 , 54, 468-477 | 72 |
| 776 | Depolymerization of cranberry procyanidins using (+)-catechin, (-)-epicatechin, and (-)-epigallocatechin gallate as chain breakers. 2013 , 141, 488-94 | 29 |
| 775 | Nutritive value of botanical fractions of <i>Moringa oleifera</i> and <i>Moringa stenopetala</i> grown in the mid-Rift Valley of southern Ethiopia. 2013 , 87, 1147-1155 | 12 |
| 774 | Feeding potential of cassava (<i>Manihot esculenta</i> Crantz) peels ensiled with <i>Leucaena leucocephala</i> and <i>Gliricidia sepium</i> assessed with West African dwarf goats. 2013 , 45, 1363-8 | 7 |
| 773 | α -Amylase inhibitory activity from nut seed skin polyphenols. 1. Purification and characterization of almond seed skin polyphenols. 2013 , 61, 4570-6 | 40 |
| 772 | Condensed conifer tannins as antifungal agents in liquid culture. 2013 , 67, 825-832 | 31 |
| 771 | Biological activities of the extracts from wild growing <i>Origanum vulgare</i> L. 2013 , 33, 498-504 | 38 |
| 770 | Phytochemical and antioxidant properties of unconventional leafy vegetables consumed in southern Africa. 2013 , 84, 65-71 | 45 |
| 769 | Jaboticaba (<i>Myrciaria jaboticaba</i> (Vell.) Berg), a Brazilian grape-like fruit, improves plasma lipid profile in streptozotocin-mediated oxidative stress in diabetic rats. 2013 , 54, 650-659 | 69 |
| 768 | Impact of spouted bed drying on bioactive compounds, antimicrobial and antioxidant activities of commercial frozen pulp of camu-camu (<i>Myrciaria dubia</i> Mc. Vaugh). 2013 , 54, 495-500 | 58 |

| | | |
|-----|--|----|
| 767 | Contribution of browse to ruminant nutrition across three agro-ecological zones of Burkina Faso. 2013 , 95, 55-64 | 15 |
| 766 | Gypsy moth caterpillar feeding has only a marginal impact on phenolic compounds in old-growth black poplar. 2013 , 39, 1301-12 | 26 |
| 765 | Characterization of phenolics, in vitro reducing capacity and anti-glycation activity of red grape skins recovered from winemaking by-products. 2013 , 140, 263-8 | 48 |
| 764 | Pulsed electric fields processing effects on quality and health-related constituents of plant-based foods. 2013 , 29, 98-107 | 83 |
| 763 | Deciduous sapling responses to season and large herbivores in a semi-arid African savanna. 2013 , 38, 548-556 | 16 |
| 762 | Effects of processing on phytochemical profiles and biological activities for production of sorghum tea. 2013 , 53, 678-685 | 44 |
| 761 | Pink discoloration of canned pears: role of procyanidin chemical depolymerization and procyanidin/cell wall interactions. 2013 , 61, 6679-92 | 22 |
| 760 | Phenolic compound composition in immature seeds of fava bean (<i>Vicia faba</i> L.) varieties cultivated in Chile. 2013 , 31, 1-6 | 48 |
| 759 | Transgenerational effects of herbivory in a group of long-lived tree species: maternal damage reduces offspring allocation to resistance traits, but not growth. 2013 , 101, 1062-1073 | 21 |
| 758 | Host plant-mycorrhizal fungus combination drives resource allocation in willow: Evidence for complex species interaction from a simple experiment. 2013 , 20, 112-121 | 11 |
| 757 | Contrasting rRNA gene abundance patterns for aquatic fungi and bacteria in response to leaf-litter chemistry. 2013 , 32, 663-672 | 25 |
| 756 | Automated and standard extraction of antioxidant phenolic compounds of <i>Hyssopus officinalis</i> L. ssp. <i>angustifolius</i> . 2013 , 43, 427-433 | 22 |
| 755 | Does large herbivore removal affect secondary metabolites, nutrients and shoot length in woody species in semi-arid savannas?. 2013 , 88, 4-8 | 17 |
| 754 | Nutritional benefits of <i>Crematogaster mimosae</i> ants and <i>Acacia drepanolobium</i> gum for patas monkeys and vervets in Laikipia, Kenya. 2013 , 150, 286-300 | 19 |
| 753 | Chemical composition of cupuassu (<i>Theobroma grandiflorum</i>) and cocoa (<i>Theobroma cacao</i>) liquors and their effects on streptozotocin-induced diabetic rats. 2013 , 51, 929-935 | 29 |
| 752 | The longevity of Norway spruce responses to boron fertilisation. 2013 , 307, 90-100 | 3 |
| 751 | The influence of dried fruits enrichment on sensory properties of bitter and milk chocolates and bioactive content of their extracts affected by different solvents. 2013 , 53, 360-369 | 20 |
| 750 | Influence of fresh forage-based diets and β -casein (CSN1S1) genotype on nutrient intake and productive, metabolic, and hormonal responses in milking goats. 2013 , 96, 2107-2117 | 11 |

| | | |
|-----|--|-----|
| 749 | Tannin structural elucidation and quantitative ¹³ C NMR analysis. 1. Model compounds. 2013 , 61, 9307-15 | 41 |
| 748 | Dissecting the stress metabolic alterations in in vitro <i>Cyrtanthus</i> regenerants. 2013 , 65, 102-10 | 27 |
| 747 | Effects of chestnut tannins on performance and antioxidative status of transition dairy cows. 2013 , 96, 5901-7 | 48 |
| 746 | Oligomeric procyanidins of lotus seedpod inhibits the formation of advanced glycation end-products by scavenging reactive carbonyls. 2013 , 138, 1493-502 | 48 |
| 745 | Protective effects of Merlot red wine extract and its major polyphenols in PC12 cells under oxidative stress conditions. 2013 , 78, H112-8 | 11 |
| 744 | Acetone enhances the direct analysis of procyanidin- and prodelphinidin-based condensed tannins in lotus species by the butanol-HCl-iron assay. 2013 , 61, 2669-78 | 97 |
| 743 | Antioxidant activity of methanol extract of <i>Helichrysum foetidum</i> Moench. 2013 , 27, 1484-7 | 6 |
| 742 | Techniques for analysis of plant phenolic compounds. 2013 , 18, 2328-75 | 595 |
| 741 | Genetic reduction of antinutrients in common bean (<i>Phaseolus vulgaris</i> L.) seed, increases nutrients and in vitro iron bioavailability without depressing main agronomic traits. 2013 , 141, 27-37 | 33 |
| 740 | Performance of an herbivorous leaf beetle (<i>Phratora vulgatissima</i>) on <i>Salix</i> F2 hybrids: the importance of phenolics. 2013 , 39, 516-24 | 13 |
| 739 | Study of nutraceutical, nutricosmetics and cosmeceutical potentials of polyphenolic bark extracts from Canadian forest species. 2013 , 1, 158-167 | 44 |
| 738 | Foliar chemistry and standing folivory of early and late-successional species in a Bornean rainforest. 2013 , 6, 245-256 | 9 |
| 737 | Tannin structural elucidation and quantitative ¹³ C NMR analysis. 2. Hydrolyzable tannins and proanthocyanidins. 2013 , 61, 9316-24 | 48 |
| 736 | Antibacterial, anti-glucosidase, and antioxidant activities of selected highland ferns of Malaysia. 2013 , 54, 55 | 19 |
| 735 | Phenolic responses of mountain crowberry (<i>Empetrum nigrum</i> ssp. <i>hermaphroditum</i>) to global climate change are compound specific and depend on grazing by reindeer (<i>Rangifer tarandus</i>). 2013 , 39, 1390-9 | 16 |
| 734 | Chemical, Functional and Sensory Properties of Carob Juice. 2013 , 36, 238-244 | 12 |
| 733 | Summer diet selection of dairy goats grazing in a Mediterranean shrubland and the quality of secreted fat. 2013 , 113, 437-445 | 15 |
| 732 | Fate of phytochemicals during malting and fermentation of type III tannin sorghum and impact on product biofunctionality. 2013 , 61, 1935-42 | 22 |

| | | |
|-----|---|----|
| 731 | A new quercetin glycoside and other phenolic compounds from the genus <i>Filipendula</i> . 2013 , 49, 610-616 | 24 |
| 730 | Hair growth activity of <i>Crataegus pinnatifida</i> on C57BL/6 mouse model. 2013 , 27, 1352-7 | 17 |
| 729 | Effects of season, browse species and polyethylene glycol addition on gas production kinetics of forages in the subhumid subtropical savannah, South Africa. 2013 , 93, 1338-48 | 9 |
| 728 | Dietary quebracho tannins are not absorbed, but increase the antioxidant capacity of liver and plasma in sheep. 2013 , 110, 632-9 | 61 |
| 727 | Phenolic Contents and Antioxidant Potential of <i>Crataegus</i> Fruits Grown in Tunisia as Determined by DPPH, FRAP, and β -Carotene/Linoleic Acid Assay. 2013 , 2013, 1-6 | 12 |
| 726 | Effectiveness of green tea in a randomized human cohort: relevance to diabetes and its complications. 2013 , 2013, 412379 | 41 |
| 725 | Wild leafy vegetables consumed in Buhera District of Zimbabwe and their phenolic compounds content. 2013 , 52, 178-89 | 8 |
| 724 | Effects of different tannin-rich extracts and rapeseed tannin monomers on methane formation and microbial protein synthesis in vitro. 2013 , 7, 1796-805 | 31 |
| 723 | Supplementing lactating dairy cows fed high-quality pasture with black wattle (<i>Acacia mearnsii</i>) tannin. 2013 , 7, 1789-95 | 14 |
| 722 | Effect of sorghum tannins in sheep fed with high-concentrate diets. 2013 , 65, 1759-1766 | 5 |
| 721 | 4-Dimethylaminocinnamaldehyde (DMAC) Method for Determination of Total Proanthocyanidin Content in Grain Legumes. 2013 , 60, 301-309 | 5 |
| 720 | Determination of Total Anthocyanin and Proanthocyanidin Contents in Black Soybeans (<i>Glycine max</i> (L.) Merr.) Cultivated in Japan. 2013 , 60, 595-600 | |
| 719 | Amino acids and energy utilization in zero-tannin faba bean and co-fermented wheat and corn dried distillers grains with solubles fed to growing pigs. 2013 , 91, 1728-35 | 8 |
| 718 | Bioactivity of Nonedible Parts of <i>Punica granatum</i> L.: A Potential Source of Functional Ingredients. 2013 , 2013, 602312 | 24 |
| 717 | Contents of extractable and non-extractable polyphenols in the leaves of blueberry. 2013 , 31, 275-282 | 17 |
| 716 | Evaluation of the effects of tropical tanniferous plants on rumen microbiota using qRT PCR and DGGE analysis. 2013 , 58, 106-116 | 8 |
| 715 | Chemical composition and in sacco ruminal degradation of tropical trees rich in condensed tannins. 2013 , 58, 176-192 | 12 |
| 714 | Positive effects of plant genotypic and species diversity on anti-herbivore defenses in a tropical tree species. 2014 , 9, e105438 | 46 |

| | | |
|-----|--|----|
| 713 | Does propolis contain tannins?. 2014 , 2014, 613647 | 10 |
| 712 | Phenolic Composition and Antioxidant and Antimicrobial Activities of Extracts Obtained from <i>Crataegus azarolus</i> L. var. <i>aronia</i> (Willd.) Batt. Ovaries Calli. 2014 , 2014, 1-11 | 18 |
| 711 | A significant inhibitory effect on advanced glycation end product formation by catechin as the major metabolite of lotus seedpod oligomeric procyanidins. 2014 , 6, 3230-44 | 17 |
| 710 | Agronomic Management under Organic Farming May Affect the Bioactive Compounds of Lentil (<i>Lens culinaris</i> L.) and Grass Pea (<i>Lathyrus communis</i> L.)?. 2014 , 6, 1059-1075 | 3 |
| 709 | Percentual de suplementação de fonte taninifera na ração concentrada de caprinos jovens sobre o desempenho e carga parasitária. 2014 , 44, 1100-1105 | 2 |
| 708 | Sinergia entre aditivo vegetal e níveis crescentes de promotores de crescimento sobre o desempenho produtivo e morfometria intestinal de frangos de corte. 2014 , 44, 340-345 | 1 |
| 707 | Aspen (<i>Populus tremuloides</i> Michx.) intake and preference by mammalian herbivores: the role of plant secondary compounds and nutritional context. 2014 , 40, 1135-45 | 16 |
| 706 | Diet selection of goats depends on season: roles of plant physical and chemical traits. 2014 , 31, 209-214 | 10 |
| 705 | In Vitro Activity of <i>Pithecellobium Dulce</i> and <i>Lysiloma Acapulcensis</i> on Exogenous Development Stages of Sheep Gastrointestinal Strongyles. 2014 , 13, 3104 | 13 |
| 704 | Antioxidant Capacity and Proanthocyanidin Composition of the Bark of <i>Metasequoia glyptostroboides</i> . 2014 , 2014, 136203 | 4 |
| 703 | Flavan-3-ols in Norway spruce: biosynthesis, accumulation, and function in response to attack by the bark beetle-associated fungus <i>Ceratocystis polonica</i> . 2014 , 164, 2107-22 | 56 |
| 702 | Species-specific defence responses facilitate conspecifics and inhibit heterospecifics in above-belowground herbivore interactions. 2014 , 5, 4851 | 39 |
| 701 | Antioxidant and antimicrobial properties of wine byproducts and their potential uses in the food industry. 2014 , 62, 12595-602 | 74 |
| 700 | Analytical Methods for Determination of Polyphenols in Beer. 2014 , 289-299 | 8 |
| 699 | Herbivore-mediated material fluxes in a northern deciduous forest under elevated carbon dioxide and ozone concentrations. 2014 , 204, 397-407 | 17 |
| 698 | Condensed tannin accumulation and nitrogen fixation potential of <i>Onobrychis viciifolia</i> Scop. grown in a Mediterranean environment. 2014 , 94, 639-45 | 7 |
| 697 | Fruit wastes fermentation for phenolic antioxidants production and their application in manufacture of edible coatings and films. 2014 , 54, 303-11 | 23 |
| 696 | Characterization of proanthocyanidin metabolism in pea (<i>Pisum sativum</i>) seeds. 2014 , 14, 238 | 20 |

- 695 Metabolic profiling reveals altered sugar and secondary metabolism in response to UGPase overexpression in *Populus*. **2014**, 14, 265 38
- 694 Calibration of a hand-held instrument for measuring condensed tannin concentration based on UV- and red-excited fluorescence. **2014**, 31, 55-58 7
- 693 Evaluation of the variations in secondary metabolite concentrations of *leymus chinensis* seedlings. **2014**, 60, 75-84 4
- 692 Effect of Polyethylene Glycol on in Vitro Gas Production Kinetics of *Prosopis Cineraria* Leaves at Different Growth Stages. **2014**, 13, 3175 9
- 691 Stress-responsive hydroxycinnamate glycosyltransferase modulates phenylpropanoid metabolism in *Populus*. **2014**, 65, 4191-200 19
- 690 Fire severity alters plant regeneration patterns and defense against herbivores in mixed aspen forests. **2014**, 123, 1479-1488 33
- 689 Energy and amino acid digestibility of camelina cake fed to growing pigs. **2014**, 193, 93-101 22
- 688 Ethanol production from xerophilic and salt-resistant *Tamarix jordanis* biomass. **2014**, 61, 73-81 18
- 687 Use of winemaking by-products as an ingredient for tomato puree: the effect of particle size on product quality. **2014**, 152, 162-8 40
- 686 Tannins in forage plants and their role in animal husbandry and environmental sustainability: a review. **2014**, 69, 32-48 94
- 685 Fourier Transform Infrared Spectroscopy for Antioxidant Capacity Determination in Colored Glutinous Rice. **2014**, 7, 389-399 18
- 684 Nutrient and secondary metabolite concentrations in a savanna are independently affected by large herbivores and shoot growth rate. **2014**, 215, 73-82 17
- 683 Protective ability of phenolics from white grape vinification by-products against structural damage of bovine serum albumin induced by glycation. **2014**, 156, 220-6 37
- 682 Transgenic upregulation of the condensed tannin pathway in poplar leads to a dramatic shift in leaf palatability for two tree-feeding Lepidoptera. **2014**, 40, 150-8 33
- 681 Analysis of TGG1 function in *Arabis alpina*. **2014**, 14, 16 15
- 680 Root chemistry in *Populus tremuloides*: effects of soil nutrients, defoliation, and genotype. **2014**, 40, 31-8 10
- 679 Atmospheric change alters frass quality of forest canopy herbivores. **2014**, 8, 33-47 12
- 678 Tree genotype and genetically based growth traits structure twig endophyte communities. **2014**, 101, 467-78 44

| | | |
|-----|---|----|
| 677 | Cytotoxic effects of procyanidins from <i>Castanea mollissima</i> Bl. shell on human hepatoma G2 cells in vitro. 2014 , 64, 166-76 | 19 |
| 676 | Plant traits predict inter- and intraspecific variation in susceptibility to herbivory in a hyperdiverse Neotropical rain forest tree community. 2014 , 102, 939-952 | 46 |
| 675 | Orange peel pretreatment in a novel lab-scale direct steam-injection apparatus for ethanol production. 2014 , 61, 146-156 | 40 |
| 674 | Seasonal changes in the concentrations of plant secondary metabolites and their effects on food selection by <i>Microtus oeconomus</i> . 2014 , 79, 215-220 | 7 |
| 673 | Variable patterns of inheritance of ecologically important plant secondary metabolites in an inter-specific eucalypt hybrid. 2014 , 318, 71-77 | 4 |
| 672 | Membrane performance and application of ultrafiltration and nanofiltration to ethanol/water extract of <i>Eucalyptus</i> bark. 2014 , 132, 234-243 | 25 |
| 671 | Identification of tannin-degrading microorganisms in the gut of plateau pikas (<i>Ochotona curzoniae</i>) and root voles (<i>Microtus oeconomus</i>). 2014 , 63, 1-9 | 8 |
| 670 | Formulating blackberry leaf mixtures for preparation of infusions with plant derived sources of sweeteners. 2014 , 151, 385-93 | 5 |
| 669 | Changes in antioxidant activity during the ripening of jujube (<i>Ziziphus mauritiana</i> Lamk). 2014 , 150, 448-56 | 50 |
| 668 | Factors affecting skin tannin extractability in ripening grapes. 2014 , 62, 1130-41 | 68 |
| 667 | Polymerization of proanthocyanidins catalyzed by polyphenol oxidase from lotus seedpod. 2014 , 238, 727-739 | 8 |
| 666 | Chemical Properties, Bioavailability, and Metabolomics of Fruit Proanthocyanidins. 2014 , 339-351 | 4 |
| 665 | Effects of Processing on Phenolic Phytochemicals in Cereals and Legumes. 2014 , 59, 64-70 | 27 |
| 664 | Vertical stratification of the nutritional value of fruit: macronutrients and condensed tannins. 2014 , 76, 1207-32 | 22 |
| 663 | Imaging spectroscopy links aspen genotype with below-ground processes at landscape scales. 2014 , 369, 20130194 | 52 |
| 662 | Phytochemical attributes of four conventionally extracted medicinal plants and cytotoxic evaluation of their extracts on human laryngeal carcinoma (HEp2) cells. 2014 , 17, 206-17 | 19 |
| 661 | Autophagic cell death of human hepatoma G2 cells mediated by procyanidins from <i>Castanea mollissima</i> Bl. Shell-induced reactive oxygen species generation. 2014 , 224, 13-23 | 15 |
| 660 | Non-Extractable Polyphenols in Plant Foods: Nature, Isolation, and Analysis. 2014 , 203-218 | 6 |

- 659 Can we measure condensed tannins from tannin-protein complexes? A case study with acid-butanol assay in boreal forest soil organic layer. **2014**, 64, 40-45 5
- 658 Antioxidant defense and hepatoprotection by procyanidins from almond (*Prunus amygdalus*) skins. **2014**, 62, 8668-78 23
- 657 Long-term effects of drenches with condensed tannins from *Acacia mearnsii* on goats naturally infected with gastrointestinal nematodes. **2014**, 205, 725-9 9
- 656 Bactericidal activities of GM flax seedcake extract on pathogenic bacteria clinical strains. **2014**, 14, 70 17
- 655 Characterization of an apple TT2-type R2R3 MYB transcription factor functionally similar to the poplar proanthocyanidin regulator PtMYB134. **2014**, 240, 497-511 51
- 654 The effect of supplementing leaves of four tannin-rich plant species with polyethylene glycol on digestibility and zootechnical performance of zebu bulls (*Bos indicus*). **2014**, 98, 417-23 11
- 653 Leaf chemistry as a predictor of primate biomass and the mediating role of food selection: a case study in a folivorous lemur (*Propithecus verreauxi*). **2014**, 76, 563-75 10
- 652 Growth of sheep fed tannin-rich *Albizia gummifera* with or without polyethylene glycol. **2014**, 46, 1113-8 8
- 651 Light Availability Influences Growth-Defense Trade-Offs in Big-Leaf Mahogany (*Swietenia macrophylla* King). **2014**, 46, 591-597 14
- 650 *Sericea Lespedeza* has no anticoccidial effect when included in the diet of chickens infected with three species of *Eimeria*. **2014**, 202, 265-9 3
- 649 Carbon-nitrogen ratio and in vitro assimilate partitioning patterns in *Cyrtanthus guthrieae* L. **2014**, 74, 246-54 6
- 648 Evaluation of tannins interactions in grape (*Vitis vinifera* L.) skins. **2014**, 159, 323-7 8
- 647 Preparation and characterisation of peanut seed skin polyphenols. **2014**, 151, 15-20 27
- 646 Dried camu-camu (*Myrciaria dubia* H.B.K. McVaugh) industrial residue: A bioactive-rich Amazonian powder with functional attributes. **2014**, 62, 934-940 40
- 645 Anthocyanins, proanthocyanidins and total phenolics in four cultivars of aronia: Antioxidant and enzyme inhibitory effects. **2014**, 7, 746-752 65
- 644 A screening study of leaf terpene emissions of 43 rainforest species in Danum Valley Conservation Area (Borneo) and their relationships with chemical and morphological leaf traits. **2014**, 148, 307-317 9
- 643 Effect of limited water availability on foliar plant secondary metabolites of two *Eucalyptus* species. **2014**, 105, 55-64 49
- 642 Functional properties and stability of spray-dried pigments from Bordo grape (*Vitis labrusca*) winemaking pomace. **2014**, 164, 380-6 69

| | | |
|-----|---|----|
| 641 | Physicochemical and nutritional properties of pigmented rice subjected to different degrees of milling. 2014 , 35, 10-17 | 41 |
| 640 | Fruit pomace and waste frying oil as sustainable resources for the bioproduction of medium-chain-length polyhydroxyalkanoates. 2014 , 71, 42-52 | 80 |
| 639 | Digestion, ruminal fermentation and microbial nitrogen supply in sheep fed soybean meal treated with <i>Cistus ladanifer</i> L. tannins. 2014 , 119, 57-64 | 19 |
| 638 | Diverse Ecological Roles of Plant Tannins: Plant Defense and Beyond. 2014 , 115-142 | 21 |
| 637 | Strategies in the Analysis of Plant Flavonoids. 2014 , 1-25 | |
| 636 | Responses of beech and spruce foliage to elevated carbon dioxide, increased nitrogen deposition and soil type. 2015 , 7, | 4 |
| 635 | Yeast-induced changes in the concentration and structure of oligomeric proanthocyanidins during simulated wine fermentation. 2015 , 21, 404-410 | 5 |
| 634 | Near infrared reflectance spectroscopy (NIRS) analyses of nutrient composition and condensed tannin concentrations in carolina willow (<i>Salix caroliniana</i>). 2015 , 34, 576-82 | 3 |
| 633 | Methods to determine effects of cranberry proanthocyanidins on extraintestinal infections: Relevance for urinary tract health. 2015 , 59, 1292-306 | 34 |
| 632 | Plant herbivory responses through changes in leaf quality have no effect on subsequent leaf-litter decomposition in a neotropical rain forest tree community. 2015 , 207, 817-29 | 19 |
| 631 | Nutrient and plant secondary compound composition and iron-binding capacity in leaves and green stems of commonly used plant browse (Carolina willow; <i>Salix caroliniana</i>) fed to zoo-managed browsing herbivores. 2015 , 34, 565-75 | 3 |
| 630 | The effect of canola meal tannins on the intestinal absorption capacity of broilers using a D-xylose test. 2015 , 99, 1084-93 | 10 |
| 629 | Condensed tannins increase nitrogen recovery by trees following insect defoliation. 2015 , 208, 410-20 | 43 |
| 628 | Assessing Silage Quality. 2015 , 141-198 | 11 |
| 627 | Study of Polyphenol Content and Antioxidant Capacity of <i>Myrianthus Arboreus</i> (Cecropiaceae) Root Bark Extracts. 2015 , 4, 410-26 | 40 |
| 626 | The Influence of Seasonal Frugivory on Nutrient and Energy Intake in Wild Western Gorillas. 2015 , 10, e0129254 | 26 |
| 625 | Genotypic Tannin Levels in <i>Populus tremula</i> Impact the Way Nitrogen Enrichment Affects Growth and Allocation Responses for Some Traits and Not for Others. 2015 , 10, e0140971 | 14 |
| 624 | Anaerobic degradation of tannins in <i>Acacia nilotica</i> pods by <i>Enterococcus faecalis</i> in co-culture with ruminal microbiota. 2015 , 61, 31-3 | 3 |

| | | |
|-----|--|-----|
| 623 | Effect of Tannin and Species Variation on In vitro Digestibility, Gas, and Methane Production of Tropical Browse Plants. 2015 , 28, 188-99 | 47 |
| 622 | Contrasting effects of plant species traits and moisture on the decomposition of multiple litter fractions. 2015 , 179, 573-84 | 10 |
| 621 | Extreme defoliation reduces tree growth but not C and N storage in a winter-deciduous species. 2015 , 115, 1093-103 | 47 |
| 620 | Evaluation of direct phloroglucinolysis and colorimetric depolymerization assays and their applicability for determining condensed tannins in grape marc. 2015 , 63, 9954-62 | 16 |
| 619 | Of plants and pikas: evidence for a climate-mediated decline in forage and cache quality. 2015 , 8, 781-794 | 13 |
| 618 | Bioactives from Side Streams of Wine Processing. 2015 , 337-345 | 2 |
| 617 | Phenolic compounds from cambuci (<i>Campomanesia phaea</i> O. Berg) fruit attenuate glucose intolerance and adipose tissue inflammation induced by a high-fat, high-sucrose diet. 2015 , 69, 170-178 | 24 |
| 616 | Overall dietary polyphenol intake in a bowl of strawberries: The influence of <i>Fragaria</i> spp. in nutritional studies. 2015 , 18, 1057-1069 | 17 |
| 615 | Effects of dietary pomegranate seed pulp on oxidative stability of kid meat. 2015 , 104, 14-9 | 17 |
| 614 | Effects of supplementing cassava peels with cassava leaves and cowpea haulms on the performance, intake, digestibility and nitrogen utilization of West African Dwarf goats. 2015 , 47, 123-9 | 3 |
| 613 | Poliphenolic-rich extracts from cocoa (<i>Theobroma cacao</i> L.) and cupuassu (<i>Theobroma grandiflorum</i> Willd. Ex Spreng. K. Shum) liquors: A comparison of metabolic effects in high-fat fed rats. 2015 , 3, 20-28 | 15 |
| 612 | Mammal Browsers and Rainfall Affect Acacia Leaf Nutrient Content, Defense, and Growth in South African Savannas. 2015 , 47, 190-200 | 17 |
| 611 | Comparison Between Sensory and Nephelometric Evaluations of Tannin Fractions Obtained by Ultrafiltration of Red Wines. 2015 , 8, 33-43 | 4 |
| 610 | Water fraction of edible medicinal fern <i>Stenochlaena palustris</i> is a potent α -glucosidase inhibitor with concurrent antioxidant activity. 2015 , 186, 26-31 | 19 |
| 609 | Sicilian pistachio (<i>Pistacia vera</i> L.) nut inhibits expression and release of inflammatory mediators and reverts the increase of paracellular permeability in IL-1 β -exposed human intestinal epithelial cells. 2015 , 54, 811-21 | 34 |
| 608 | Effect of processing methods on compositional evaluation of underutilized legume, <i>Parkia roxburghii</i> G. Don (yongchak) seeds. 2015 , 52, 6157-69 | 16 |
| 607 | The MYB182 protein down-regulates proanthocyanidin and anthocyanin biosynthesis in poplar by repressing both structural and regulatory flavonoid genes. 2015 , 167, 693-710 | 115 |
| 606 | Robust Ultraviolet-Visible (UV-Vis) Partial Least-Squares (PLS) Models for Tannin Quantification in Red Wine. 2015 , 63, 1088-1098 | 23 |

| | | |
|-----|---|----|
| 605 | Modified tannin extracted from black wattle tree as an environmentally friendly antifouling pigment. 2015 , 65, 506-514 | 38 |
| 604 | Effects of nitrate and fumarate in tree leaves-based diets on nutrient utilization, rumen fermentation, microbial protein supply and blood profiles in sheep. 2015 , 172, 5-15 | 12 |
| 603 | Pomegranate seed pulp as a novel replacement of dietary cereal grains for kids. 2015 , 123, 238-245 | 22 |
| 602 | Eckol Improves Growth, Enzyme Activities, and Secondary Metabolite Content in Maize (<i>Zea mays</i> cv. Border King). 2015 , 34, 410-416 | 25 |
| 601 | Use of <i>Rosmarinus officinalis</i> in sheep diet formulations: Effects on ruminal fermentation, microbial numbers and in situ degradability. 2015 , 126, 10-18 | 10 |
| 600 | <i>Melilotus albus</i> and <i>Dorycnium herbaceum</i> extracts as source of phenolic compounds and their antimicrobial, antibiofilm, and antioxidant potentials. 2015 , 23, 417-424 | 34 |
| 599 | Silencing of <i>MusaANR1</i> gene reduces proanthocyanidin content in transgenic banana plants. 2015 , 121, 693-702 | 5 |
| 598 | Down-regulation of gibberellic acid in poplar has negligible effects on host-plant suitability and insect pest response. 2015 , 9, 85-95 | 2 |
| 597 | Nutritional and antinutritional attributes of faba bean (<i>Vicia faba</i> L.) germplasms growing in Bihar, India. 2015 , 21, 159-62 | 18 |
| 596 | Polyphenols, methylxanthines, and antioxidant capacity of chocolates produced in Serbia. 2015 , 41, 137-143 | 60 |
| 595 | In vitro antioxidant activities of proanthocyanidins extracted from the lotus seedpod and ameliorative effects on learning and memory impairment in scopolamine-induced amnesia mice. 2015 , 24, 1487-1494 | 11 |
| 594 | Influence of Genotype, Environment, and Gypsy Moth Herbivory on Local and Systemic Chemical Defenses in Trembling Aspen (<i>Populus tremuloides</i>). 2015 , 41, 651-61 | 28 |
| 593 | Phenolic compounds from cagaita (<i>Eugenia dysenterica</i> DC.) fruit prevent body weight and fat mass gain induced by a high-fat, high-sucrose diet. 2015 , 77, 177-185 | 24 |
| 592 | Evaluation of several tropical tree leaves for methane production potential, degradability and rumen fermentation in vitro. 2015 , 180, 98-105 | 34 |
| 591 | Effect of feeding cactus-legume silages on nitrogen retention, digestibility and microbial protein synthesis in goats. 2015 , 206, 1-7 | 16 |
| 590 | Nutritive value and polyphenol content of pomegranate seed pulp ensiled with different tannin-inactivating agents. 2015 , 207, 262-266 | 8 |
| 589 | Hydrolysis enhances bioavailability of proanthocyanidin-derived metabolites and improves β cell function in glucose intolerant rats. 2015 , 26, 850-9 | 13 |
| 588 | Rapid Fingerprint Analysis of Plant Extracts for Ellagitannins, Gallic Acid, and Quinic Acid Derivatives and Quercetin-, Kaempferol- and Myricetin-Based Flavonol Glycosides by UPLC-QqQ-MS/MS. 2015 , 63, 4068-79 | 59 |

| | | |
|-----|---|----|
| 587 | Antioxidative potential of different coffee substitute brews affected by milk addition. 2015 , 241, 115-125 | 5 |
| 586 | Transition from in vitro to an ex vitro environment: is the metabolism altered?. 2015 , 51, 166-173 | 5 |
| 585 | Natural phenolic antioxidants in bioanalytical chemistry: state of the art and prospects of development. 2015 , 84, 194-224 | 40 |
| 584 | Macromolecular antioxidants or non-extractable polyphenols in fruit and vegetables: Intake in four European countries. 2015 , 74, 315-323 | 77 |
| 583 | Characterisation of anthocyanins and proanthocyanidins of adzuki bean extracts and their antioxidant activity. 2015 , 14, 692-701 | 45 |
| 582 | The Impact of Hot Air Drying on the Physical-Chemical Characteristics, Bioactive Compounds and Antioxidant Activity of Acerola (<i>Malpighia emarginata</i>) Residue. 2015 , 39, 131-141 | 45 |
| 581 | Analysis of accumulation patterns and preliminary study on the condensation mechanism of proanthocyanidins in the tea plant [<i>Camellia sinensis</i>]. 2015 , 5, 8742 | 45 |
| 580 | Inhibitory effect of lotus seedpod oligomeric procyanidins on advanced glycation end product formation in a lactose/lysine model system. 2015 , 18, 68-76 | 15 |
| 579 | A tannin-blocking agent does not modify the preference of sheep towards tannin-containing plants. 2015 , 145, 106-11 | 4 |
| 578 | Rapid characterisation of grape seed extracts by a novel HPLC method on a diol stationary phase. 2015 , 15, 225-232 | 15 |
| 577 | Carob seed peel as natural antioxidant in minced and refrigerated (4°C) Atlantic horse mackerel (<i>Trachurus trachurus</i>). 2015 , 64, 650-656 | 25 |
| 576 | Separation and characterization of polyphenolics from underutilized byproducts of fruit production (<i>Choerospondias axillaris</i> peels): inhibitory activity of proanthocyanidins against glycolysis enzymes. 2015 , 6, 3693-701 | 24 |
| 575 | Seasonal variations in diet selection of Nguni goats: effects of physical and chemical traits of browse. 2015 , 32, 193-201 | 14 |
| 574 | Decreased phenolic defence in dwarf birch (<i>Betula nana</i>) after warming in subarctic tundra. 2015 , 38, 1993-2005 | 15 |
| 573 | Structure and Antioxidant Activities of Proanthocyanidins from Elephant Apple (<i>Dillenia indica</i> Linn.). 2015 , 80, C2191-9 | 38 |
| 572 | Obtainment and characterization of a potential functional ingredient from olive. 2015 , 66, 749-54 | 7 |
| 571 | Pomegranate seed pulp, pistachio hulls, and tomato pomace as replacement of wheat bran increased milk conjugated linoleic acid concentrations without adverse effects on ruminal fermentation and performance of Saanen dairy goats. 2015 , 210, 46-55 | 24 |
| 570 | Dietary pomegranate seed pulp increases conjugated-linoleic and -linolenic acids in muscle and adipose tissues of kid. 2015 , 209, 79-89 | 14 |

| | | |
|-----|---|-----|
| 569 | Antimicrobial and antibiofilm activities of secondary metabolites from <i>Vinca minor</i> L.. 2015 , 51, 572-578 | 5 |
| 568 | Tracking the variation of small-batch micro-oxygenated wines using phenolic, anthocyanin and colorimetric determinations. 2015 , 26, 251-269 | |
| 567 | Natural phenolics greatly increase flax (<i>Linum usitatissimum</i>) oil stability. 2015 , 15, 62 | 29 |
| 566 | Effects of <i>Sulla forage</i> (<i>Sulla coronarium</i> L.) on the oxidative status and milk polyphenol content in goats. 2015 , 98, 37-46 | 40 |
| 565 | Growth performance, carcass and meat quality of lambs supplemented with increasing levels of a tanniferous bush (<i>Cistus ladanifer</i> L.) and vegetable oils. 2015 , 100, 275-82 | 68 |
| 564 | Effect of feeding deoiled mahua (<i>Bassia latifolia</i>) seed cake on the growth performance, digestibility and balance of nutrients in cross-bred calves during pre-patent period of <i>Fasciola gigantica</i> infection. 2015 , 99, 299-307 | 2 |
| 563 | Free and conjugated phenolic compounds and their antioxidant activities in regular and non-darkening cranberry bean (<i>Phaseolus vulgaris</i> L.) seed coats. 2015 , 18, 1047-1056 | 37 |
| 562 | Gamma-irradiation induced changes in microbiological status, phenolic profile and antioxidant activity of peanut skin. 2015 , 12, 129-143 | 82 |
| 561 | Seasonal variations in nutrients and secondary metabolites in semi-arid savannas depend on year and species. 2015 , 114, 54-61 | 11 |
| 560 | Seed production temperature regulation of primary dormancy occurs through control of seed coat phenylpropanoid metabolism. 2015 , 205, 642-52 | 64 |
| 559 | Effects of processing sorghum and millets on their phenolic phytochemicals and the implications of this to the health-enhancing properties of sorghum and millet food and beverage products. 2015 , 95, 225-37 | 104 |
| 558 | Fruit candies enriched with grape skin powders: physicochemical properties. 2015 , 62, 569-575 | 50 |
| 557 | Roles of conjugated double bonds in electron-donating capacity of sorghum grains. 2016 , 11, 2146-2156 | |
| 556 | Comparison of Proanthocyanidins with Different Polymerisation Degrees among Berry Skins of Bhiraz Cabernet Sauvignon and Marselan 2016 , 35, | 1 |
| 555 | Study of associative effects of date palm leaves mixed with <i>Aristida pungens</i> and <i>Astragalus gombiformis</i> on the aptitudes of ruminal microbiota in small ruminants. 2016 , 15, 2424-2433 | 2 |
| 554 | Effects of tanniferous browse plant supplementation on the nutrient digestibility and growth of Djallonk rams. 2016 , 7, 122-127 | 1 |
| 553 | Stand Composition, Tree Proximity and Size Have Minimal Effects on Leaf Function of Coexisting Aspen and Subalpine Fir. 2016 , 11, e0154395 | 3 |
| 552 | Mangosteen peel can reduce methane production and rumen biohydrogenation in vitro. 2016 , 46, 419 | 6 |

- 551 Antimicrobial Activity, Phenolic Content, and Cytotoxicity of Medicinal Plant Extracts Used for Treating Dermatological Diseases and Wound Healing in KwaZulu-Natal, South Africa. **2016**, 7, 320 18
- 550 Exploiting Phenylpropanoid Derivatives to Enhance the Nutraceutical Values of Cereals and Legumes. **2016**, 7, 763 20
- 549 Alternative Growth and Defensive Strategies Reveal Potential and Gender Specific Trade-Offs in Dioecious Plants *Salix paraplesia* to Nutrient Availability. **2016**, 7, 1064 12
- 548 Down-Regulation of β -Like Endo- β 1,4-Glucanase Genes Impacts Carbon Partitioning, Mycorrhizal Colonization and Biomass Production in. **2016**, 7, 1455 17
- 547 Phenolic Profile and Antioxidant Potential of Leaves from Selected *Cotoneaster Medik. Species*. **2016**, 21, 18
- 546 Hepato-protective effects and chemical constituents of a bioactive fraction of the traditional compound medicine-Gurigumu-7. **2016**, 16, 179 5
- 545 Spectroscopic determination of ecologically relevant plant secondary metabolites. **2016**, 7, 1402-1412 64
- 544 Plant genotype influences aquatic-terrestrial ecosystem linkages through timing and composition of insect emergence. **2016**, 7, e01331 12
- 543 Potential of *Cistus ladanifer* L. (rockrose) in small ruminant diets Effect of season and plant age on chemical composition, in vitro digestibility and antioxidant activity. **2016**, 71, 437-447 20
- 542 Flavan-3-ols and Condensed Tannin. **2016**, 117-126 1
- 541 Effects of ewes grazing sulla or ryegrass pasture for different daily durations on forage intake, milk production and fatty acid composition of cheese. **2016**, 10, 2074-2082 17
- 540 Ethanol, feed components and fungal biomass production from field bean (*Vicia faba var. equina*) seeds in an integrated process. **2016**, 216, 69-76 19
- 539 Effects of pretreatments on anthocyanin composition, phenolics contents and antioxidant capacities during fermentation of hawthorn (*Crataegus pinnatifida*) drink. **2016**, 212, 87-95 29
- 538 Extracts of *Agrimonia eupatoria* L. as sources of biologically active compounds and evaluation of their antioxidant, antimicrobial, and antibiofilm activities. **2016**, 24, 539-547 35
- 537 Updating the research on prodelphinidins from dietary sources. **2016**, 85, 170-181 13
- 536 Dynamics of Biologically Active Compound Contents from *Betula pendula* Leaves During Early Leaf Development. **2016**, 52, 193-198 5
- 535 Apple peel flavonoids as natural antioxidants for vegetable juice applications. **2016**, 242, 1459-1469 10
- 534 Quantitative and qualitative shifts in defensive metabolites define chemical defense investment during leaf development in *Inga*, a genus of tropical trees. **2016**, 6, 478-92 35

| | | |
|-----|--|----|
| 533 | The revisited levels of free and bound phenolics in rice: Effects of the extraction procedure. 2016 , 208, 116-23 | 43 |
| 532 | Proanthocyanidins accelerate the germination of cucumber (<i>Cucumis sativus</i> L.) seeds. 2016 , 59, 143-151 | 4 |
| 531 | Concentrations of oligomers and polymers of proanthocyanidins in red and purple rice bran and their relationships to total phenolics, flavonoids, antioxidant capacity and whole grain color. 2016 , 208, 279-87 | 39 |
| 530 | Phytochemicals, Monosaccharides and Elemental Composition of the Non-Pomace Constituent of Organic and Conventional Grape Juices (<i>Vitis labrusca</i> L.): Effect of Drying on the Bioactive Content. 2016 , 71, 422-428 | 14 |
| 529 | Salmon carcasses influence genetic linkages between forests and streams. 2016 , 73, 910-920 | 5 |
| 528 | A fast and simple LC-MS-based characterization of the flavonoid biosynthesis pathway for few seed(ling)s. 2016 , 16, 190 | 9 |
| 527 | Global gene expression and secondary metabolite changes in <i>Arabidopsis thaliana</i> ABI4 over-expression lines. 2016 , 94, 615-634 | 1 |
| 526 | Drying and Preservation of Polyphenols. 2016 , 281-302 | |
| 525 | Analysis and Characterization of Polyphenol Extracts. 2016 , 193-220 | |
| 524 | Azuki bean (<i>Vigna angularis</i>) extract reduces oxidative stress and stimulates autophagy in the kidneys of streptozotocin-induced early diabetic rats. 2016 , 94, 1298-1303 | 16 |
| 523 | Phenolic compounds, antioxidant, and antibacterial properties of pomace extracts from four Virginia-grown grape varieties. 2016 , 4, 125-33 | 82 |
| 522 | In situ, in vitro and in vivo nutritive value assessment of Barberry leaf as a roughage for goat feeding. 2016 , 141, 94-98 | 12 |
| 521 | Nutritional value of raw and micronised field beans (<i>Vicia faba</i> L. var. minor) with and without enzyme supplementation containing tannase for growing chickens. 2016 , 70, 350-63 | 12 |
| 520 | Persimmon-Tannin, an α -Amylase Inhibitor, Retards Carbohydrate Absorption in Rats. 2016 , 62, 192-7 | 4 |
| 519 | Tree genotype influences ectomycorrhizal fungal community structure: Ecological and evolutionary implications. 2016 , 24, 124-134 | 24 |
| 518 | Phylogeny Explains Variation in The Root Chemistry of Eucalyptus Species. 2016 , 42, 1086-1097 | 16 |
| 517 | Supplemental nutrients increase the consumption of chemically defended shrubs by free-ranging herbivores. 2016 , 235, 119-126 | 3 |
| 516 | Ruminal methanogenesis and biohydrogenation reduction potential of papaya (<i>Carica papaya</i>) leaf: an in vitro study. 2016 , 15, 157-165 | 8 |

| | | |
|-----|--|----|
| 515 | Aspen phenylpropanoid genes' expression levels correlate with genets' tannin richness and vary both in responses to soil nitrogen and associations with phenolic profiles. 2017 , 37, 270-279 | 10 |
| 514 | Dhurrin metabolism in the developing grain of <i>Sorghum bicolor</i> (L.) Moench investigated by metabolite profiling and novel clustering analyses of time-resolved transcriptomic data. 2016 , 17, 1021 | 37 |
| 513 | Effects of elevation and nitrogen and phosphorus fertilization on plant defence compounds in subarctic tundra heath vegetation. 2016 , 30, 314-325 | 40 |
| 512 | Phytochemical traits underlie genotypic variation in susceptibility of quaking aspen (<i>Populus tremuloides</i>) to browsing by a keystone forest ungulate. 2016 , 104, 850-863 | 12 |
| 511 | Disentangling the Litter Quality and Soil Microbial Contribution to Leaf and Fine Root Litter Decomposition Responses to Reduced Rainfall. 2016 , 19, 490-503 | 33 |
| 510 | Structural and nutritional characterization of macromolecular complexes in new bioenergy feedstock by infrared radiation with advanced molecular spectroscopy and spectral chemometrics. 2016 , 51, 822-838 | 9 |
| 509 | Extraction of cocoa proanthocyanidins and their fractionation by sequential centrifugal partition chromatography and gel permeation chromatography. 2016 , 408, 5905-5914 | 17 |
| 508 | Effect of tanniferous food from <i>Bauhinia pulchella</i> on pasture contamination with gastrointestinal nematodes from goats. 2016 , 9, 102 | 9 |
| 507 | Characterization and preparation of oligomeric procyanidins from <i>Litchi chinensis</i> pericarp. 2016 , 112, 168-74 | 28 |
| 506 | Growth and chemical responses of trembling aspen to simulated browsing and ungulate saliva. 2016 , 9, 474-484 | 8 |
| 505 | Do enzymatic or non-enzymatic pathways drive the postharvest darkening phenomenon in carioca bean tegument?. 2016 , 69, 593-600 | 12 |
| 504 | Chemical perspective and criticism on selected analytical methods used to estimate the total content of phenolic compounds in food matrices. 2016 , 80, 266-279 | 86 |
| 503 | Structure-reactivity relationships between the fluorescent chromophores and antioxidant activity of grain and sweet sorghum seeds. 2016 , 4, 811-817 | 4 |
| 502 | Effects of chestnut tannins on the meat quality, welfare, and antioxidant status of heat-stressed lambs. 2016 , 116, 236-42 | 28 |
| 501 | Determining Factors of Lipophilic Micronutrient Bioaccessibility in Several Leafy Vegetables. 2016 , 64, 1695-701 | 20 |
| 500 | Relationship between milk odd and branched-chain fatty acids and urinary purine derivatives in dairy cows supplemented with quebracho tannins: a study to test milk fatty acids as predictors of rumen microbial protein synthesis. 2016 , 214, 22-33 | 12 |
| 499 | Heterozygosity, gender, and the growth-defense trade-off in quaking aspen. 2016 , 181, 381-90 | 15 |
| 498 | Extractives in Douglas-fir forestry residue and considerations for biofuel production. 2016 , 15, 985-1008 | 9 |

| | | |
|-----|--|----|
| 497 | The Influence of Time and Plant Species on the Composition of the Decomposing Bacterial Community in a Stream Ecosystem. 2016 , 71, 825-34 | 15 |
| 496 | Influence of Degree-of-Polymerization and Linkage on the Quantification of Proanthocyanidins using 4-Dimethylaminocinnamaldehyde (DMAC) Assay. 2016 , 64, 2190-9 | 28 |
| 495 | Effects of zinc on Scots pine (<i>Pinus sylvestris</i> L.) seedlings grown in hydroculture. 2016 , 102, 1-9 | 23 |
| 494 | Enhancing growth, phytochemical constituents and aphid resistance capacity in cabbage with foliar application of eckol—a biologically active phenolic molecule from brown seaweed. 2016 , 33, 273-9 | 27 |
| 493 | Novel proanthocyanidin dimer analogues with the C-ring-opened diaryl-propan-2-gallate structural unit and enhanced antioxidant activities. 2016 , 21, 290-300 | 8 |
| 492 | Recovery of polyphenols from red grape pomace and assessment of their antioxidant and anti-cholesterol activities. 2016 , 33, 338-44 | 51 |
| 491 | Condensed tannins in extracts from European medicinal plants and herbal products. 2016 , 121, 225-231 | 26 |
| 490 | Combined effect of prefermentative cold soak and SO ₂ additions in Barbera D'Asti and Malbec wines: Anthocyanin composition, chromatic and sensory properties. 2016 , 66, 134-142 | 16 |
| 489 | Response to dietary tannin challenges in view of the browser/grazer dichotomy in an Ethiopian setting: Bonga sheep versus Kaffa goats. 2016 , 48, 125-31 | 12 |
| 488 | Physicochemical variability of cambuci fruit (<i>Campomanesia phaea</i>) from the same orchard, from different locations and at different ripening stages. 2017 , 97, 526-535 | 10 |
| 487 | Characterization of Date (Deglet Nour) Seed Free and Bound Polyphenols by High-Performance Liquid Chromatography-Mass Spectrometry. 2017 , 82, 333-340 | 14 |
| 486 | Carob pods (<i>Ceratonia siliqua</i> L.) improve growth performance, antioxidant status and caecal characteristics in growing rabbits. 2017 , 101, 1307-1315 | 12 |
| 485 | Masquelier's grape seed extract: from basic flavonoid research to a well-characterized food supplement with health benefits. 2017 , 16, 5 | 29 |
| 484 | Macromolecular Antioxidants and Dietary Fiber in Edible Seaweeds. 2017 , 82, 289-295 | 36 |
| 483 | A water availability gradient reveals the deficit level required to affect traits in potted juvenile <i>Eucalyptus globulus</i> . 2017 , 119, 1043-1052 | 5 |
| 482 | Does the Growth Differentiation Balance Hypothesis Explain Allocation to Secondary Metabolites in <i>Combretum apiculatum</i> , an African Savanna Woody Species?. 2017 , 43, 153-163 | 15 |
| 481 | Soluble and bound phenolic contents and antioxidant capacity of tef injera as affected by traditional fermentation. 2017 , 58, 52-59 | 33 |
| 480 | Feeding value of field beans (<i>Vicia faba</i> L. var. <i>minor</i>) with and without enzyme containing tannase, pectinase and xylanase activities for broilers. 2017 , 71, 150-164 | 15 |

| | | |
|-----|---|----|
| 479 | Correlation between Antimicrobial, Antioxidant Activity, and Polyphenols of Alkalized/Nonalkalized Cocoa Powders. 2017 , 82, 1020-1027 | 44 |
| 478 | Determination of chemical composition, mineral content, antioxidant capacity and rumen degradability in various varieties of wasted date palm. 2017 , 16, 507-514 | 3 |
| 477 | Antioxidant Extracts from Acorns (<i>Quercus ilex</i> L.) Effectively Protect Ready-to-Eat (RTE) Chicken Patties Irrespective of Packaging Atmosphere. 2017 , 82, 622-631 | 25 |
| 476 | Effect of the A-Type Linkage on the Pharmacokinetics and Intestinal Metabolism of Litchi Pericarp Oligomeric Procyanidins. 2017 , 65, 1893-1899 | 10 |
| 475 | Response of phenolic metabolism to cadmium and phenanthrene and its influence on pollutant translocations in the mangrove plant <i>Aegiceras corniculatum</i> (L.) Blanco (Ac). 2017 , 141, 290-297 | 19 |
| 474 | Exploring the biological activity of condensed tannins and nutritional value of tree and shrub leaves from native species of the Argentinean Dry Chaco. 2017 , 97, 5021-5027 | 12 |
| 473 | Spectrophotometric Analysis of Phenolic Compounds in Grapes and Wines. 2017 , 65, 4009-4026 | 62 |
| 472 | The transcription factor MYB115 contributes to the regulation of proanthocyanidin biosynthesis and enhances fungal resistance in poplar. 2017 , 215, 351-367 | 52 |
| 471 | Effect of dietary quebracho tannin extract on milk fatty acid composition in cows. 2017 , 100, 6229-6238 | 18 |
| 470 | Effect of polyethylene glycol 4000 supplementation on the performance of yearling male Pedi goats fed dietary mixture levels of <i>Acacia karroo</i> leaf meal and <i>Setaria verticillata</i> grass hay. 2017 , 49, 1051-1057 | 2 |
| 469 | Efficient approach for the extraction of proanthocyanidins from <i>Cinnamomum longepaniculatum</i> leaves using ultrasonic irradiation and an evaluation of their inhibition activity on digestive enzymes and antioxidant activity in vitro. 2017 , 40, 3100-3113 | 20 |
| 468 | Effects of Spray-Drying Parameters on In Vitro Functional Properties of Camu-Camu (<i>Myrciaria dubia</i> Mc. Vaugh): A Typical Amazonian Fruit. 2017 , 82, 1083-1091 | 14 |
| 467 | Comparison of phenolic compound accumulation profiles in eight evergreen woody core eudicots indicating the diverse ecological adaptability of <i>Camellia sinensis</i> . 2017 , 219, 200-206 | 10 |
| 466 | Functional properties of encapsulated Cagaita (<i>Eugenia dysenterica</i> DC.) fruit extract. 2017 , 18, 15-21 | 21 |
| 465 | In vitro larvicidal effect of a hydroalcoholic extract from <i>Acacia cochliacantha</i> leaf against ruminant parasitic nematodes. 2017 , 41, 227-232 | 14 |
| 464 | Comparison of nutritional quality and sensory acceptability of biscuits obtained from native, fermented, and malted pearl millet (<i>Pennisetum glaucum</i>) flour. 2017 , 232, 210-217 | 58 |
| 463 | Antiplatelet Aggregation Activity of Walnut Hull Extract via Suppression of Reactive Oxygen Species Generation and Caspase Activation. 2017 , 10, 193-203 | 19 |
| 462 | Estimation of the Mean Degree of Polymerization of Condensed Tannins from the Kernel and Shell of <i>Carya illinoensis</i> by HPLC/MS and Spectrophotometric Methods. 2017 , 10, 3023-3031 | 9 |

| | | |
|-----|--|----|
| 461 | Leaf habit does not determine the investment in both physical and chemical defences and pair-wise correlations between these defensive traits. 2017 , 19, 354-359 | 5 |
| 460 | <i>Punica granatum</i> L. mesocarp suppresses advanced glycation end products (AGEs)- and H ₂ O ₂ -induced oxidative stress and pro-inflammatory biomarkers. 2017 , 29, 115-126 | 11 |
| 459 | Bioprospecting on invasive plant species to prevent seed dispersal. 2017 , 7, 13799 | 5 |
| 458 | Comparative suppressing effects of black and green teas on the formation of advanced glycation end products (AGEs) and AGE-induced oxidative stress. 2017 , 8, 4194-4209 | 19 |
| 457 | Tannins in Fruits and Vegetables: Chemistry and Biological Functions. 2017 , 221-268 | 7 |
| 456 | Grape Bagasse: A Potential Source of Phenolic Compounds. 2017 , 1055-1066 | |
| 455 | An improved butanol-HCl assay for quantification of water-soluble, acetone:methanol-soluble, and insoluble proanthocyanidins (condensed tannins). 2017 , 13, 63 | 19 |
| 454 | Effect of clarified Brazilian native fruit juices on postprandial glycemia in healthy subjects. 2017 , 100, 196-203 | 21 |
| 453 | Flow properties and chemical composition of carob (<i>Ceratonia siliqua</i> L.) flours as related to particle size and seed presence. 2017 , 100, 211-218 | 23 |
| 452 | Regulatory-associated protein of TOR (RAPTOR) alters the hormonal and metabolic composition of <i>Arabidopsis</i> seeds, controlling seed morphology, viability and germination potential. 2017 , 92, 525-545 | 42 |
| 451 | <i>Terminalia catappa</i> : Chemical composition, in vitro and in vivo effects on <i>Haemonchus contortus</i> . 2017 , 246, 118-123 | 10 |
| 450 | White grape pomace extracts, obtained by a sequential enzymatic plus ethanol-based extraction, exert antioxidant, anti-tyrosinase and anti-inflammatory activities. 2017 , 39, 51-58 | 38 |
| 449 | Integrated process for the production of natural extracts from black spruce bark. 2017 , 108, 348-354 | 9 |
| 448 | Plant Community Chemical Composition Influences Trembling Aspen (<i>Populus tremuloides</i>) Intake by Sheep. 2017 , 43, 817-830 | 1 |
| 447 | Vernal freeze damage and genetic variation alter tree growth, chemistry, and insect interactions. 2017 , 40, 2743-2753 | 10 |
| 446 | Multiple photostabilization actions of heartwood extract from <i>Acacia confusa</i> . 2017 , 51, 1133-1153 | 15 |
| 445 | Outbreak of <i>Drepanopeziza</i> fungus in aspen forests and variation in stand susceptibility: leaf functional traits, compensatory growth and phenology. 2017 , 37, 1198-1207 | 8 |
| 444 | In vitro nematocidal activity of plant species possessing alkaloids and tannins. 2017 , 3, 1334295 | 3 |

| | | |
|-----|---|----|
| 443 | QTL mapping and molecular characterization of the classical D locus controlling seed and flower color in <i>Linum usitatissimum</i> (flax). 2017 , 7, 15751 | 9 |
| 442 | Carob seed germ meal as a partial soybean meal replacement in the diets of red hybrid tilapia. 2017 , 43, 337-343 | 7 |
| 441 | Effects of Elevated Atmospheric Carbon Dioxide and Tropospheric Ozone on Phytochemical Composition of Trembling Aspen (<i>Populus tremuloides</i>) and Paper Birch (<i>Betula papyrifera</i>). 2017 , 43, 26-38 | 18 |
| 440 | Nutritional and Metabolic Characteristics of Brassica carinata Co-products from Biofuel Processing in Dairy Cows. 2017 , 65, 5994-6001 | 13 |
| 439 | Growth, nitrogen and tannins of semi-arid savanna saplings in response to herbivory and water. 2017 , 137, 21-29 | 7 |
| 438 | Effect of dietary Quebracho tannin extract on feed intake, digestibility, excretion of urinary purine derivatives and milk production in dairy cows. 2017 , 71, 37-53 | 31 |
| 437 | Silencing of BnTT1 family genes affects seed flavonoid biosynthesis and alters seed fatty acid composition in Brassica napus. 2017 , 254, 32-47 | 20 |
| 436 | Genotypic variability in <i>Populus tremula</i> L. affects how anthropogenic nitrogen enrichment influences litter decomposition. 2017 , 410, 467-481 | 7 |
| 435 | Nutraceutical effect of free condensed tannins of <i>Lysiloma acapulcensis</i> (Kunth) benth on parasite infection and performance of Pelibuey sheep. 2017 , 49, 55-61 | 10 |
| 434 | It is about time: genetic variation in the timing of leaf-litter inputs influences aquatic ecosystems. 2017 , 62, 356-365 | 8 |
| 433 | The influence of plant polyphenols from oil palm (<i>Elaeis guineensis</i> Jacq.) leaf extract on fermentation characteristics, biohydrogenation of C18 PUFA, and microbial populations in rumen of goats: in vitro study. 2017 , 67, 76-84 | 0 |
| 432 | Ungulate herbivory alters leaf functional traits and recruitment of regenerating aspen. 2017 , 37, 402-413 | 15 |
| 431 | Incorporated Amylase and starch in an edible chitosan-procyanidin complex film increased the release amount of procyanidins. 2017 , 7, 56771-56778 | 9 |
| 430 | Effects of dietary tannins on total and extractable nutrients from manure. 2017 , 95, 3654-3665 | 2 |
| 429 | Climate Influences the Content and Chemical Composition of Foliar Tannins in Green and Senesced Tissues of. 2017 , 8, 423 | 32 |
| 428 | Optimization of Bioactive Polyphenols Extraction from <i>Picea Mariana</i> Bark. 2017 , 22, | 10 |
| 427 | Antiamylase, Anticholinesterases, Antiglycation, and Glycation Reversing Potential of Bark and Leaf of Ceylon Cinnamon (<i>Blume</i>) In Vitro. 2017 , 2017, 5076029 | 14 |
| 426 | Species diversity and chemical properties of litter influence non-additive effects of litter mixtures on soil carbon and nitrogen cycling. 2017 , 12, e0180422 | 5 |

| | | | |
|-----|---|----|---|
| 425 | Phytochemical and biological analyses of <i>Citharexylum spinosum</i> . 2017 , 9, 173-184 | 2 | |
| 424 | Bromatological analysis, phytochemical and antioxidant potential of carnauba (<i>Copernicia prunifera</i> (Mill.) H.E. Moore) fruit. 2017 , 11, 353-361 | 1 | |
| 423 | Flavonoid Phenolics in Red Winemaking. 2017 , | 5 | |
| 422 | Novel Approach to the Development of Functional Goat's Milk-Based Beverages Using Medicinal Plant Extracts in Combination with High Intensity Ultrasound Treatment. 2017 , 55, 484-495 | 4 | |
| 421 | Anti-nutrient analysis of 30 Bambara groundnut (<i>Vigna subterranea</i>) accessions in South Africa. 2018 , 32, 208-224 | 12 | |
| 420 | Comparative transcriptomic analysis of white and red Chinese bayberry (<i>Myrica rubra</i>) fruits reveals flavonoid biosynthesis regulation. 2018 , 235, 9-20 | 15 | |
| 419 | Biodegradation characteristics and nutrient availability of newly developed carinata seeds in comparison with canola seeds in dairy cattle. 2018 , 240, 88-101 | 2 | |
| 418 | A novel polyphenolic prebiotic and probiotic formulation have synergistic effects on the gut microbiota influencing <i>Drosophila melanogaster</i> physiology. 2018 , 46, 441-455 | 26 | |
| 417 | Phenolic-rich jaboticaba (<i>Plinia jaboticaba</i> (Vell.) Berg) extracts prevent high-fat-sucrose diet-induced obesity in C57BL/6 mice. 2018 , 107, 48-60 | 32 | |
| 416 | Phytochemical analysis of salal berry (<i>Gaultheria shallon</i> Pursh.), a traditionally-consumed fruit from western North America with exceptionally high proanthocyanidin content. <i>Phytochemistry</i> , 2018 , 147, 203-210 | 4 | 7 |
| 415 | Supplementation with dry <i>Mimosa caesalpinifolia</i> leaves can reduce the <i>Haemonchus contortus</i> worm burden of goats. 2018 , 252, 47-51 | 10 | |
| 414 | Anthelmintic effects of indigenous multipurpose fodder tree extracts against <i>Haemonchus contortus</i> . 2018 , 50, 727-732 | 0 | |
| 413 | Alpha-amylase, α -glucosidase and lipase inhibiting activities of polyphenol-rich extracts from six common bean cultivars of Southern Italy, before and after cooking. 2018 , 69, 824-834 | 18 | |
| 412 | Characteristics of proanthocyanidins in leaves of <i>Chamaecyparis obtusa</i> var. <i>formosana</i> as strong α -glucosidase inhibitors. 2018 , 98, 3806-3814 | 10 | |
| 411 | Comprehensive Characterization of Extractable and Nonextractable Phenolic Compounds by High-Performance Liquid Chromatography-Electrospray Ionization-Quadrupole Time-of-Flight of a Grape/Pomegranate Pomace Dietary Supplement. 2018 , 66, 661-673 | 36 | |
| 410 | Serum lipid, enzyme, and hematological responses of broilers fed <i>Acacia angustissima</i> leaf meal-based diets. 2018 , 50, 665-670 | 1 | |
| 409 | Structural profile of soluble and bound phenolic compounds in teff (<i>Eragrostis tef</i>) reveals abundance of distinctly different flavones in white and brown varieties. 2018 , 263, 265-274 | 36 | |
| 408 | Changes in anthocyanin profile, color, and antioxidant capacity of hawthorn wine (<i>Crataegus pinnatifida</i>) during storage by pretreatments. 2018 , 95, 179-186 | 14 | |

| | | |
|-----|---|----|
| 407 | Nutritional composition of the diet of the northern yellow-cheeked crested gibbon (<i>Nomascus annamensis</i>) in northeastern Cambodia. 2018 , 59, 339-346 | 0 |
| 406 | The solution to an unresolved problem: Newly synthesised nanocollagen for the preservation of leather. 2018 , 33, 1-9 | 3 |
| 405 | In vitro microbial protein synthesis, ruminal degradation and post-ruminal digestibility of crude protein of dairy rations containing Quebracho tannin extract. 2018 , 102, e77-e86 | 9 |
| 404 | Carbon allocation and partitioning in <i>Populus tremuloides</i> are modulated by ectomycorrhizal fungi under phosphorus limitation. 2018 , 38, 52-65 | 9 |
| 403 | Cooking quality properties and free and bound phenolics content of brown, black, and red rice grains stored at different temperatures for six months. 2018 , 242, 427-434 | 44 |
| 402 | Reshaped fecal gut microbiota composition by the intake of high molecular weight persimmon tannin in normal and high-cholesterol diet-fed rats. 2018 , 9, 541-551 | 21 |
| 401 | Evidence for the role and fate of water-insoluble condensed tannins in the short-term reduction of carbon loss during litter decay. 2018 , 137, 127-141 | 5 |
| 400 | Phytochemical Profiles, Antioxidant and Antimicrobial with Antibiofilm Activities of Wild Growing <i>Potentilla visianii</i> Extracts. 2018 , 13, 1934578X1801300 | 1 |
| 399 | Evaluation of the phytochemical composition, antimicrobial and anti-radical activities of <i>Mitracarpus scaber</i> (Rubiaceae). 2018 , 12, 493-499 | 3 |
| 398 | Study of soil respiration and fruit quality of table grape (<i>Vitis vinifera</i> L.) in response to different soil water content in a greenhouse. 2018 , 49, 2689-2699 | 2 |
| 397 | Effects of cooking bananas on their antioxidant components. 2018 , 345-350 | |
| 396 | Traits related to bruchid resistance and its parasitoid in vetch seeds. 2018 , 214, 1 | 2 |
| 395 | Component composition, in vitro gas and methane production profiles of fruit by-products and leaves of root crops. 2018 , 156, 949-958 | 3 |
| 394 | Determination of Flavonoid and Proanthocyanidin Profile of Hungarian Sour Cherry. 2018 , 23, | 19 |
| 393 | Temporal patterns of ungulate herbivory and phenology of aspen regeneration and defense. 2018 , 188, 707-719 | 3 |
| 392 | The Rhizobia- Symbioses: Deeply Specific and Widely Diverse. 2018 , 9, 2055 | 21 |
| 391 | In vitro antioxidant capacity and free radical scavenging evaluation of standardized extract of <i>Costus afer</i> leaf. 2018 , 7, 266-272 | 23 |
| 390 | Preparation of acacia tannin loaded lipid microparticles by solid-in-oil-in-water and melt dispersion methods, their characterization and evaluation of their effect on ruminal gas production In Vitro. 2018 , 13, e0206241 | 10 |

| | | |
|-----|---|----|
| 389 | Clonal Saplings of Trembling Aspen Do Not Coordinate Defense Induction. 2018 , 44, 1045-1050 | 4 |
| 388 | Phytochemical Characterization, In Vitro Antioxidant Activity, and Quantitative Analysis by Micellar Electrokinetic Chromatography of Hawthorn (<i>Crataegus pubescens</i>) Fruit. 2018 , 2018, 1-11 | 10 |
| 387 | Phenolic Compositions and Antioxidant Activities Differ Significantly among Sorghum Grains with Different Applications. 2018 , 23, | 45 |
| 386 | Root condensed tannins vary over time, but are unrelated to leaf tannins. 2018 , 10, ply044 | 7 |
| 385 | Increasing Yield and Antioxidative Performance of Litchi Pericarp Procyanidins in Baked Food by Ultrasound-Assisted Extraction Coupled with Enzymatic Treatment. 2018 , 23, | 8 |
| 384 | Fruit peels as sources of non-extractable polyphenols or macromolecular antioxidants: Analysis and nutritional implications. 2018 , 111, 148-152 | 50 |
| 383 | Nutritional state and secondary compounds influence trembling aspen (<i>Populus tremuloides</i>) intake by lambs. 2018 , 206, 39-51 | 2 |
| 382 | Effect of Fruits and Soybean Oil on Finishing Lamb Performance and Meat Characteristics. 2018 , 2018, 9486258 | 6 |
| 381 | Effects of long-term nitrogen and phosphorus addition on plant defence compounds in a freshwater wetland. 2018 , 94, 1-6 | 19 |
| 380 | A bio-guided approach for the development of a chestnut-based proanthocyanidin-enriched nutraceutical with potential anti-gastritis properties. 2018 , 134, 145-155 | 12 |
| 379 | Green synthesis of safe zero valent iron nanoparticles by leaf extract as an effective agent for reducing excessive iron in iron-overloaded mice, a thalassemia model.. 2018 , 8, 26144-26155 | 46 |
| 378 | Genotypic variation in plant traits shapes herbivorous insect and ant communities on a foundation tree species. 2018 , 13, e0200954 | 20 |
| 377 | Phytochemicals and antidiabetic activity of <i>Eusideroxylon zwageri</i> stem bark collected from East Kalimantan, Indonesia. 2018 , 144, 012030 | 0 |
| 376 | Influence of landscape and collection period on yield, nutritive value and in vitro digestibility of <i>Quercus rugosa</i> leaf litter and its potential use as sheep feed. 2018 , 166, 73-77 | 0 |
| 375 | Antioxidant Properties of Polyphenolic Extracts from , , and Bark. 2018 , 7, | 11 |
| 374 | Spray-dried polyphenolic extract from Italian black rice (<i>Oryza sativa</i> L., var. <i>Artemide</i>) as new ingredient for bakery products. 2018 , 269, 603-609 | 32 |
| 373 | In vitro assessment of ruminal fermentation, digestibility and methane production of three species of <i>Desmanthus</i> for application in northern Australian grazing systems. 2018 , 69, 797 | 17 |
| 372 | Efficacy of Proanthocyanidins from Root Extract in Reducing Viability While Preserving Oral Commensal. 2018 , 11, | 14 |

| | | |
|-----|--|----|
| 371 | Impact of dehydration on retention of bioactive profile and biological activities of different grape (<i>Vitis vinifera</i> L.) pomace varieties. 2018 , 244, 116-127 | 13 |
| 370 | Effects of feeding <i>Lespedeza cuneata</i> pellets with <i>Medicago sativa</i> hay to sheep: Nutritional impact, characterization and degradation of condensed tannin during digestion. 2018 , 245, 41-47 | 8 |
| 369 | Effects of grazing management in brachiaria grass-forage peanut pastures on canopy structure and forage intake1. 2018 , 96, 3837-3849 | 21 |
| 368 | Seasonal regulation of condensed tannin consumption by free-ranging goats in a semi-arid savanna. 2018 , 13, e0189626 | 4 |
| 367 | Phenolic Substances in Beer: Structural Diversity, Reactive Potential and Relevance for Brewing Process and Beer Quality. 2018 , 17, 953-988 | 56 |
| 366 | Linking tree genetics and stream consumers: isotopic tracers elucidate controls on carbon and nitrogen assimilation. 2018 , 99, 1759-1770 | 17 |
| 365 | Intake, digestibility, rumen protein synthesis, and growth performance of Malawi Zebu steers fed diets containing rangeland-based protein sources. 2019 , 51, 199-204 | 1 |
| 364 | Chemical defense over decadal scales: Ontogenetic allocation trajectories and consequences for fitness in a foundation tree species. 2019 , 33, 2105-2115 | 16 |
| 363 | Anti-oxidant activity, alpha-amylase inhibition and toxicity of leaf extracts of cultivated <i>Rapanea melanophloeos</i> (L.) Mez (cape beech). 2019 , 126, 261-264 | 2 |
| 362 | Genetic variation in tree leaf chemistry predicts the abundance and activity of autotrophic soil microorganisms. 2019 , 10, e02795 | 3 |
| 361 | Antidiabetic, anti-inflammatory, anticholinesterase and cytotoxicity determination of two <i>Carpobrotus</i> species. 2019 , 125, 142-148 | 5 |
| 360 | Plant defence allocation patterns following an increasing water level gradient in a freshwater wetland. 2019 , 107, 105542 | 8 |
| 359 | State of antioxidant systems and phenolic compounds production in <i>Hypericum perforatum</i> L. hairy roots. 2019 , 41, 1 | 7 |
| 358 | Effects of feeding increasing levels of grape (<i>Vitis vinifera</i> cv. Pinotage) pomace on lamb shelf-life and eating quality. 2019 , 157, 107887 | 13 |
| 357 | Effect of grazing cows in an intensive silvopastoral system with <i>Leucaena leucocephala</i> on Panela cheese properties: yield, composition, fatty acid profile and sensory acceptability. 2019 , 90, 1303-1312 | 0 |
| 356 | Nutrients and Antinutrients Seed Content in Common Bean (<i>Phaseolus vulgaris</i> L.) Lines Carrying Mutations Affecting Seed Composition. 2019 , 9, 317 | 7 |
| 355 | Effect of grape (<i>Vitis vinifera</i> L. cv. Pinotage) pomace supplementation on nutrient utilization in finisher lambs. 2019 , 179, 48-55 | 3 |
| 354 | Chemical composition and in vitro digestibility of alternative feed resources for ruminants in Mediterranean climates: olive cake and cactus cladodes. 2019 , 157, 260-271 | 7 |

| | | |
|-----|--|----|
| 353 | Characterisation of high molecular weight hop proanthocyanidins using Analytical Ultracentrifugation. 2019 , 9, 12650 | |
| 352 | Carcass and meat quality attributes of Malawi Zebu steers fed <i>Vachellia polyacantha</i> leaves or <i>Adansonia digitata</i> seed as alternative protein sources to <i>Glycine max.</i> 2019 , 49, 395 | 5 |
| 351 | Phytochemical Evaluation, Antimicrobial and Anticancer Properties of New <i>D</i> ligo Grapes[] Supplement. 2019 , 14, 1934578X1986037 | |
| 350 | Comparative analysis and physio-biochemical screening of an ex-situ fig (<i>Ficus carica</i> L.) collection. 2019 , 60, 671-683 | 16 |
| 349 | Slow starch digestion in the rice cooked with adzuki bean: Contribution of procyanidins and the oxidation products. 2019 , 119, 187-195 | 8 |
| 348 | Effects of tannins and saponins contained in foliage of <i>Gliricidia sepium</i> and pods of <i>Enterolobium cyclocarpum</i> on fermentation, methane emissions and rumen microbial population in crossbred heifers. 2019 , 251, 1-11 | 28 |
| 347 | Phenolic Content and Antioxidant Activity in Germplasm from Different Environments. 2019 , 24, | 8 |
| 346 | Linking plant genes to insect communities: Identifying the genetic bases of plant traits and community composition. 2019 , 28, 4404-4421 | 15 |
| 345 | Herbivore resistance in congeneric and sympatric <i>Nothofagus</i> species is not related to leaf habit. 2019 , 106, 788-797 | 5 |
| 344 | Inoculation and N Fertilization Affect the Dry Matter, N Fixation, and Bioactive Compounds in <i>Sulla</i> Leaves. 2019 , 9, 289 | 2 |
| 343 | Methanogenic potential of tropical feeds rich in hydrolyzable tannins ^{1,2} . 2019 , 97, 2700-2710 | 12 |
| 342 | Effect of tannin extracts on protein degradation during ensiling of ryegrass or lucerne. 2019 , 74, 284-296 | 2 |
| 341 | Immuno-physiological and antioxidant responses of Siberian sturgeon (<i>Acipenser baerii</i>) fed with different levels of olive pomace. 2019 , 45, 1419-1429 | 8 |
| 340 | The impacts of season and livestock management strategy on the quality of diets selected by goats and sheep in the semi-arid rangelands of Namaqualand, South Africa. 2019 , 36, 105-114 | 6 |
| 339 | Food Preservative Capabilities of Grape (<i>Vitis vinifera</i>) and Clementine Mandarin (<i>Citrus reticulata</i>) By-products Extracts in South Africa. 2019 , 11, 1746 | 13 |
| 338 | Herbal feed additives containing essential oil: 1. Impact on the nutritional worth of complete feed in vitro. 2019 , 51, 1909-1917 | 7 |
| 337 | Adulteration of commercial grape seed extracts and other proanthocyanidins (PACs)-rich herbal extracts: Multi-compound HPLC profile patterns provide key to detection. 2019 , 134, 389-403 | 3 |
| 336 | Condensed tannins are inducible antioxidants and protect hybrid poplar against oxidative stress. 2019 , 39, 345-355 | 33 |

| | | |
|-----|--|----|
| 335 | Guaraní (Paullinia cupana) catechins and procyanidins: Gastrointestinal/colonic bioaccessibility, Caco-2 cell permeability and the impact of macronutrients. 2019 , 55, 352-361 | 18 |
| 334 | Characterization of bioactive compounds in the biomass of black locust, poplar and willow. 2019 , 33, 1235-1263 | 27 |
| 333 | Characterization by HPLC-ESI-MS of native and oxidized procyanidins from litchi (Litchi chinensis) pericarp. 2019 , 291, 126-131 | 11 |
| 332 | Phytochemical and antioxidant studies of Cleome heratensis (Capparaceae) plant extracts. 2019 , 6, | 8 |
| 331 | Caesalpinia coriaria fruits and leaves extracts possess in vitro ovidical activity against Haemonchus contortus and Haemonchus placei. 2019 , 6, | 1 |
| 330 | Molecular weight of condensed tannins of some tropical feed-leaves and their effect on in vitro gas and methane production. 2019 , 59, 2154 | 6 |
| 329 | Inhibitory Effect of Condensed Tannins from Banana Pulp on Cholesterol Esterase and Mechanisms of Interaction. 2019 , 67, 14066-14073 | 7 |
| 328 | Optimizing Water-Based Extraction of Bioactive Principles of Hawthorn: From Experimental Laboratory Research to Homemade Preparations. 2019 , 24, | 7 |
| 327 | Grape pomace (Vitis vinifera L. cv. Pinotage) supplementation in lamb diets: Effects on growth performance, carcass and meat quality. 2019 , 147, 6-12 | 26 |
| 326 | Analysis of condensed tannins in Populus spp. using reversed phase UPLC-PDA(-)-esi-MS following thiolytic depolymerisation. 2019 , 30, 257-267 | 6 |
| 325 | Proteolysis and in situ ruminal degradation of lucerne ensiled with Cistus ladanifer tannins. 2019 , 74, 78-85 | 7 |
| 324 | Effects of olive pomace on growth performance, digestibility, body composition and fatty acid profile in yearling Siberian sturgeon, Acipenser baerii (Brandt 1896). 2019 , 25, 333-342 | 10 |
| 323 | Forest diversity effects on insect herbivores: do leaf traits matter?. 2019 , 221, 2250-2260 | 36 |
| 322 | Regulation by biotic stress of tannins biosynthesis in Quercus ilex: Crosstalk between defoliation and Phytophthora cinnamomi infection. 2019 , 165, 319-329 | 15 |
| 321 | Nutraceutical content and free radical scavenging capacity of brinjal (Solanum melongena L.) genotypes. 2019 , 244, 294-303 | 2 |
| 320 | Nutrient compositions and in vitro methane production profiles of leaves and whole pods of twelve tropical multipurpose tree species cultivated in Ethiopia. 2019 , 93, 135-147 | 14 |
| 319 | Astringency, bitterness and color changes in dry red wines before and during oak barrel aging: An updated phenolic perspective review. 2019 , 59, 1840-1867 | 29 |
| 318 | Genetic down-regulation of gibberellin results in semi-dwarf poplar but few non-target effects on chemical resistance and tolerance to defoliation. 2019 , 12, 124-136 | 5 |

| | | |
|-----|---|----|
| 317 | Chemical characterisation of <i>Moringa oleifera</i> (MO) leaves and the apparent digestibility of MO leaf meal-based diets offered to three chicken strains. 2019 , 93, 149-160 | 5 |
| 316 | Health promoting properties of blueberries: a review. 2020 , 60, 181-200 | 34 |
| 315 | <i>Erythrina variegata</i> quality in the Cauto Valley, Cuba. 2020 , 94, 1209-1218 | 1 |
| 314 | Effects of dietary inclusion of dried <i>Kochia indica</i> Wight tree foliages on growth performance and nutrient digestibility of growing rabbits. 2020 , 94, 1219-1228 | 3 |
| 313 | Effect of age of regrowth, chemical composition and secondary metabolites on the digestibility of <i>Leucaena leucocephala</i> in the Cauto Valley, Cuba. 2020 , 94, 1247-1253 | 4 |
| 312 | Productive performance, rumen fermentation and carcass yield of goats supplemented with cascalote fruit (<i>Caesalpinia coriaria</i> J. Wild.). 2020 , 94, 1381-1391 | 5 |
| 311 | Procyanidins in rice cooked with adzuki bean and their contribution to the reduction of nitrite to nitric oxide (NO) in artificial gastric juice. 2020 , 71, 63-73 | 1 |
| 310 | Screening of tree leaves for bioactive components and their impact on in vitro fermentability and methane production from total mixed ration. 2020 , 94, 1455-1468 | 4 |
| 309 | Valorisation of Mango Peels: Extraction of Pectin and Antioxidant and Antifungal Polyphenols. 2020 , 11, 89-98 | 17 |
| 308 | Native legume species as potential fodder crops in the mediterranean renosterveld shrubland, South Africa. 2020 , 173, 104015 | 4 |
| 307 | Inclusion of the aerial part and condensed tannin extract from <i>Cistus ladanifer</i> L. in lamb diets - Effects on growth performance, carcass and meat quality and fatty acid composition of intramuscular and subcutaneous fat. 2020 , 160, 107945 | 12 |
| 306 | Rapid microwave-assisted Porter method for determination of proanthocyanidins. 2020 , 31, 215-220 | 1 |
| 305 | Direct versus Sequential Analysis of Procyanidin- and Prodelphinidin-Based Condensed Tannins by the HCl-Butanol-Acetone-Iron Assay. 2020 , 68, 2906-2916 | 3 |
| 304 | Influence of feeding fruit by-products as alternative dietary fibre sources to wheat bran on beef production and quality of Angus steers. 2020 , 161, 107969 | 17 |
| 303 | Water stress rather than N addition mitigates impacts of elevated O on foliar chemical profiles in poplar saplings. 2020 , 707, 135935 | 8 |
| 302 | Diversity Screening of Fig (<i>Ficus Carica</i> L.) Germplasm through Integration of Morpho-agronomic and Biochemical Traits. 2020 , 20, 939-958 | 9 |
| 301 | Mitigating the anti-nutritional effect of polyphenols on in vitro digestibility and fermentation characteristics of browse species in north western Ethiopia. 2020 , 52, 1287-1298 | 3 |
| 300 | Assessment of Morphological Traits and Fruit Metabolites in Eleven Fig Varieties (<i>Ficus Carica</i> L.). 2020 , 20, 8-28 | 13 |

| | | |
|-----|--|----|
| 299 | Effect of woody plant expansion on decomposition of fine root mixtures in a grass-dominated temperate wetland. 2020 , 28, 191-197 | |
| 298 | Effect of complete feed block with tree leaves rich in hydrolysable and condensed tannins on nutrient utilization, rumen fermentation and growth performance of lambs. 2020 , 104, 101-108 | 1 |
| 297 | Dietary citrus pulp and grape pomace as potential natural preservatives for extending beef shelf life. 2020 , 162, 108029 | 17 |
| 296 | Replacing urea with nitrate as a non-protein nitrogen source increases lambs' growth and reduces methane production, whereas acacia tannin has no effect. 2020 , 259, 114360 | 9 |
| 295 | 1-Methylcyclopropene on Fruit Quality of Se-Enriched Grape (<i>Vitis vinifera</i> L.) during Shelf Life Period. 2020 , 10, 1411 | 2 |
| 294 | Procyanidin-Rich Extract from Grape Seeds as a Putative Tool against. 2020 , 9, | 9 |
| 293 | Defoliation-induced compensatory transpiration is compromised in -RNAi. 2020 , 4, e00268 | 0 |
| 292 | The nutritional value of tropical legume forages fed to ruminants as affected by their growth habit and fed form: A systematic review. 2020 , 269, 114641 | 14 |
| 291 | Effect of heat processing methods on the protein molecular structure, physicochemical, and nutritional characteristics of faba bean (low and normal tannin) grown in western Canada. 2020 , 269, 114681 | 5 |
| 290 | Optimization of anthocyanidins conversion using chokeberry pomace rich in polymeric proanthocyanidins and cellular antioxidant activity analysis. 2020 , 133, 109889 | 12 |
| 289 | The PHENOLEO project or how to separate and add-value to phenolic compounds present in rapeseed and sunflower meals. 2020 , 27, 61 | 5 |
| 288 | Supplementing Northern Australian Beef Cattle with Tropical Legume Reduces In-Vivo Methane Emissions. 2020 , 10, | 10 |
| 287 | A handbook for the standardised sampling of plant functional traits in disturbance-prone ecosystems, with a focus on open ecosystems. 2020 , 68, 473 | 12 |
| 286 | Tuning of Proanthocyanidin Extract's Composition through Quaternary Eutectic Solvents Extraction. 2020 , 9, | 2 |
| 285 | Growth and functional traits of <i>Julbernardia globiflora</i> (Benth) resprouts and seedlings in response to fire frequency and herbivory in miombo woodlands. 2020 , 135, 476-483 | 1 |
| 284 | MYB134-RNAi poplar plants show reduced tannin synthesis in leaves but not roots, and increased susceptibility to oxidative stress. 2020 , 71, 6601-6611 | 2 |
| 283 | Effect of (<i>Leucaena leucocephala</i>) Leaves as Tannin Source on Rumen Microbial Enzyme Activities and In Vitro Gas Production Kinetics. 2020 , 478, 012088 | 2 |
| 282 | Optimization for quantification of sorghum tannins by Ferric ammonium citrate assay. 2020 , 3, 146-153 | 2 |

| | | |
|-----|---|----|
| 281 | Antioxidant Activity of Flavonoid Rich Fraction of <i>Ligaria cuneifolia</i> (Loranthaceae). 2020 , 17, e2000302 | 4 |
| 280 | Chemical plasticity in the fine root construct of <i>Quercus</i> spp. varies with root order and drought. 2020 , 228, 1835-1851 | 7 |
| 279 | Non-Extractable Polyphenols from Food By-Products: Current Knowledge on Recovery, Characterisation, and Potential Applications. 2020 , 8, 925 | 10 |
| 278 | Water-Based Extraction of Bioactive Principles from Blackcurrant Leaves and : A Comparative Study. 2020 , 9, | 5 |
| 277 | Separation of proanthocyanidin polymers from American cranberries and predictive modeling of depolymerization using response surface methodology. 2020 , 44, e14765 | |
| 276 | Changes in Feed Proanthocyanidin Profiles during Silage Production and Digestion by Lamb. 2020 , 25, | 2 |
| 275 | In vitro gas production kinetics as influenced by the combination of <i>Leucaenaleucocephala</i> , <i>Swietenia mahagoni</i> , and <i>Artocarpus heterophyllus</i> as a tannin source. 2020 , 465, 012036 | |
| 274 | Growth performance, carcass and blood traits, immunity, jejunal morphology and meat quality of heat-stressed broiler chickens fed urea-treated pomegranate (<i>Punica granatum</i> L.) peel. 2020 , 267, 114553 | 8 |
| 273 | Biorefinery of high polymerization degree proanthocyanidins in the context of circular economy. 2020 , 151, 112450 | 12 |
| 272 | Valorization of <i>Flourensia cernua</i> DC as source of antioxidants and antifungal bioactives. 2020 , 152, 112422 | 2 |
| 271 | Fermentation profile and hygienic quality of rehydrated corn grains treated with condensed tannins from quebracho plant extract. 2020 , 267, 114559 | 1 |
| 270 | Antitherbivore chemicals in emerging and previous-year foliage of balsam fir saplings responding to prior simulated browsing. 2020 , 221, 487-500 | 0 |
| 269 | The effects of tannin extract and linseed oil on yield, physicochemical characteristics and fatty acid profile of ewe milk. 2020 , 73, 656-666 | 2 |
| 268 | Cell Wall Acetylation in Hybrid Aspen Affects Field Performance, Foliar Phenolic Composition and Resistance to Biological Stress Factors in a Construct-Dependent Fashion. 2020 , 11, 651 | 5 |
| 267 | Oxidative Status of Goats with Different CSN1S1 Genotypes Fed with Fresh and Dry Forages. 2020 , 9, | 3 |
| 266 | Bioactive Components and Antioxidant Activity Distribution in Pearling Fractions of Different Greek Barley Cultivars. 2020 , 9, | 6 |
| 265 | Multivariate Cherry Quality Assessment Using Morphological, Biochemical and Volatile Compound Traits. 2020 , 20, S1328-S1347 | 3 |
| 264 | Stability of 3-deoxyanthocyanin pigment structure relative to anthocyanins from grains under microwave assisted extraction. 2020 , 333, 127494 | 12 |

| | | |
|-----|--|----|
| 263 | Effect of the addition of <i>Enterolobium cyclocarpum</i> pods and <i>Gliricidia sepium</i> forage to <i>Brachiaria brizantha</i> on dry matter degradation, volatile fatty acid concentration, and in vitro methane production. 2020 , 52, 2787-2798 | 2 |
| 262 | Decreasing dietary diversity following habitat loss: the case of the thin-spined porcupine in the Atlantic forest. 2020 , 100, 473-484 | 0 |
| 261 | Bio-Protection as an Alternative to Sulphites: Impact on Chemical and Microbial Characteristics of Red Wines. 2020 , 11, 1308 | 10 |
| 260 | LC-MS Profile, Gastrointestinal and Gut Microbiota Stability and Antioxidant Activity of Herb Metabolites: A Comparative Study with Subterranean Organs. 2020 , 9, | 19 |
| 259 | Decomposition of leaf litter mixtures across biomes: The role of litter identity, diversity and soil fauna. 2020 , 108, 2283-2297 | 17 |
| 258 | Neuroprotective effects of <i>Fraxinus angustifolia</i> Vahl. bark extract against Alzheimer's disease. 2020 , 109, 101848 | 2 |
| 257 | Nutrient strategies of the Sichuan snub-nosed monkey (<i>Rhinopithecus roxellana</i>) when confronted with a shortage of food resources in the Qinling Mountains, China. 2020 , 22, e00963 | |
| 256 | Plant sex influences aquatic-terrestrial interactions. 2020 , 11, e02994 | 4 |
| 255 | Evaluation of the Nutritive Value and the Fatty Acid, Phenol, Tannin and Terpenoid Contents of Nine Pastures in an Alpine District during the Summer Season. 2020 , 10, 42 | 2 |
| 254 | Aphid Gall Interactions with Forest Tree Genotypes Influence Leaf Litter Decomposition in Streams. 2020 , 11, 182 | 3 |
| 253 | Contribution to understanding the color development on wood surfaces treated with iron salts by a combination of analytical methods. 2020 , 40, 223-234 | 4 |
| 252 | Effect of soybean meal treatment with <i>Cistus ladanifer</i> condensed tannins in growth performance, carcass and meat quality of lambs. 2020 , 236, 104021 | 8 |
| 251 | Polyethylene glycol inactivates red grape pomace condensed tannins for broiler chickens. 2020 , 61, 566-573 | 6 |
| 250 | Distinct defensive activity of phenolics and phenylpropanoid pathway genes in different cotton varieties toward chewing pests. 2020 , 15, 1747689 | 10 |
| 249 | Growing up aspen: ontogeny and trade-offs shape growth, defence and reproduction in a foundation species. 2021 , 127, 505-517 | 10 |
| 248 | Structural characterization of native and oxidized procyanidins (condensed tannins) from coffee pulp (<i>Coffea arabica</i>) using phloroglucinolysis and thioglycolysis-HPLC-ESI-MS. 2021 , 340, 127830 | 11 |
| 247 | Spatial, genetic and biotic factors shape within-crown leaf trait variation and herbivore performance in a foundation tree species. 2021 , 35, 54-66 | 2 |
| 246 | Phytochemicals content, screening and antioxidant/pro-oxidant activities of <i>Carapa procera</i> (barks) (<i>Meliaceae</i>). 2021 , 137, 369-376 | 5 |

| | | |
|-----|--|----|
| 245 | Sustainable utilization of Aloe vera waste in the diet of lactating cows for improvement of milk production performance and reduction of carbon footprint. 2021 , 288, 125118 | 7 |
| 244 | Nutrient profiles and pelleting effect of different blended co-products for dairy cows. 2021 , 272, 114740 | |
| 243 | Black rice (<i>Oryza sativa</i> L.) processing: Evaluation of physicochemical properties, in vitro starch digestibility, and phenolic functions linked to type 2 diabetes. 2021 , 141, 109898 | 11 |
| 242 | Comparative compositional analysis of cassava brown streak disease resistant 4046 cassava and its non-transgenic parental cultivar. 2021 , 12, 158-169 | 1 |
| 241 | Comparison of <i>Acacia mearnsii</i> and <i>Medicago sativa</i> as substitutes for <i>Glycine max</i> in cattle finisher diets: Effects on beef production and quality. 2021 , 11, e00673 | 0 |
| 240 | Ovulation and ovulation rate in ewes under grazing conditions: factors affecting the response to short-term supplementation. 2021 , 15, 100100 | 0 |
| 239 | Resistance of <i>Phaseolus vulgaris</i> genotypes to <i>Zabrotes subfasciatus</i> (Coleoptera: Chrysomelidae: Bruchinae): categories and mechanisms. 2021 , 41, 1611-1621 | 1 |
| 238 | Growth performance and carcass characteristics of finishing male lambs fed barberry pomace-containing diets. 2021 , 32, 178-184 | 2 |
| 237 | Effect of dietary supplementation of <i>Embllica officinalis</i> fruit pomace on methane emission, ruminal fermentation, nutrient utilization, and milk production performance in buffaloes. 2021 , 28, 18120-18133 | 3 |
| 236 | Comparative effects of feeding citrus pulp and grape pomace on nutrient digestibility and utilization in steers. 2021 , 15, 100020 | 4 |
| 235 | Developments in extraction, purification, and structural elucidation of proanthocyanidins (2000-2019). 2021 , 68, 347-391 | 4 |
| 234 | Potential nutritive value of <i>Anagyris foetida</i> shrub for goats. 2021 , 95, 191-200 | 0 |
| 233 | Physicochemical characterization of oil, antioxidant potential, and phenolic profile of seeds isolated from Tunisian pomegranate (<i>Punica granatum</i> L.) cultivars. 2021 , 86, 852-859 | 2 |
| 232 | A Review on Stems Composition and Their Impact on Wine Quality. 2021 , 26, | 7 |
| 231 | Salivary Protein-Tannin Interaction: The Binding behind Astringency. | 2 |
| 230 | Differential responses of litter decomposition in the air and on the soil surface to shrub encroachment in a graminoid-dominated temperate wetland. 2021 , 462, 477-488 | 3 |
| 229 | Trait plasticity and trade-offs shape intra-specific variation in competitive response in a foundation tree species. 2021 , 230, 710-719 | 5 |
| 228 | Condensed tannins in the diet of folivorous diademed sifakas and the gap between crude and available protein. 2021 , 83, e23239 | 1 |

- 227 Root Secondary Metabolites in *Populus tremuloides*: Effects of Simulated Climate Warming, Defoliation, and Genotype. **2021**, 47, 313-321 2
- 226 Research progress on analysis methods of procyanidins. **2021**, 705, 012006
- 225 Phenolic compounds from jaboticaba (*Plinia jaboticaba* (Vell.) Berg) ameliorate intestinal inflammation and associated endotoxemia in obesity. **2021**, 141, 110139 6
- 224 Allelopathic Effects of Three Herb Species on *Phytophthora cinnamomi*, a Pathogen Causing Severe Oak Decline in Mediterranean Wood Pastures. **2021**, 12, 285 3
- 223 Insight into rice (*Oryza sativa* L.) cooking: Phenolic composition, inhibition of α -amylase and α -glucosidase, and starch physicochemical and functional properties. **2021**, 40, 100917 7
- 222 Challenges in Analyzing Bioactive Proanthocyanidins. **2021**, 131-175
- 221 Decrypting bacterial polyphenol metabolism in an anoxic wetland soil. **2021**, 12, 2466 8
- 220 Survey of Phenolic Acids, Flavonoids and In Vitro Antioxidant Potency Between Fig Peels and Pulp: Chemical and Chemometric Approach. **2021**, 26, 8
- 219 Drying methodology effect on the phenolic content, antioxidant activity of *Myrtus communis* L. leaves ethanol extracts and soybean oil oxidative stability. **2021**, 15, 31 3
- 218 Palisadegrass pastures with or without nitrogen or mixed with forage peanut grazed to a similar target canopy height. 2. Effects on animal performance, forage intake and digestion, and nitrogen metabolism. **2021**, 76, 413-426 3
- 217 European aspen with high compared to low constitutive tannin defenses grow taller in response to anthropogenic nitrogen enrichment. **2021**, 487, 118985 2
- 216 Biochemical responses of *Moringa oleifera* Lam. plants to graded moisture deficit. **2021**, 138, 41-49 2
- 215 Nonlinear responses of foliar phenylpropanoids to increasing O₃ exposure: Ecological implications in a *Populus* model system. **2021**, 767, 144358 6
- 214 Diversity of Italian red wines: A study by enological parameters, color, and phenolic indices. **2021**, 143, 110277 3
- 213 Temporal Variations in Chemical Composition, In Vitro Digestibility, and Metabolizable Energy of Plant Species Browsed by Goats in Southern Mediterranean Forest Rangeland. **2021**, 11, 6
- 212 Red alder defense mechanisms against western tent caterpillar defoliation. **2021**, 51, 627-637 2
- 211 The Alcoholic Bark Extract of *Terminalia Arjuna* Exhibits Cytotoxic and Cytostatic Activity on Jurkat Leukemia Cells. **2021**, 1, 56-66 1
- 210 Partial Substitution of Maize for Sorghum With or Without Supplemental Hydrolysable Tannins on Digestibility and Postprandial Glycemia in Adult Dogs. **2021**, 8, 667411

| | | |
|-----|---|----|
| 209 | A poplar B-box protein PtrBBX23 modulates the accumulation of anthocyanins and proanthocyanidins in response to high light. 2021 , 44, 3015-3033 | 3 |
| 208 | Factors Affecting Foliar Oregonin and Condensed Tannin in Red Alder (<i>Alnus rubra</i> Bong.): Phytochemicals Implicated In Defense Against Western Tent Caterpillar (<i>Malacosoma californicum</i> Packard). 2021 , 47, 680-688 | 0 |
| 207 | Pre-Treatment with Grape Seed Extract Reduces Inflammatory Response and Oxidative Stress Induced by Infection in Human Gastric Epithelial Cells. 2021 , 10, | 2 |
| 206 | Genotypic and Environmental Effect on the Concentration of Phytochemical Contents of Lentil (<i>Lens culinaris</i> L.). 2021 , 11, 1154 | 3 |
| 205 | Effects of Water Stress on the Phenolic Compounds of Merlot Grapes in a Semi-Arid Mediterranean Climate. 2021 , 7, 161 | 1 |
| 204 | The Effect of Green Tea (<i>Camellia sinensis</i>) Leaf Powder on Growth Performance, Selected Hematological Indices, Carcass Characteristics and Meat Quality Parameters of Jumbo Quail. 2021 , 13, 7080 | 4 |
| 203 | Green <i>Roccella phycopsis</i> Ach. mediated silver nanoparticles: synthesis, characterization, phenolic content, antioxidant, antibacterial and anti-acetylcholinesterase capacities. 2021 , 44, 2257-2268 | 1 |
| 202 | Comparison of Phenolic Contents and Scavenging Activities of Miang Extracts Derived from Filamentous and Non-Filamentous Fungi-Based Fermentation Processes. 2021 , 10, | 4 |
| 201 | Reactivity of flavanols: Their fate in physical food processing and recent advances in their analysis by depolymerization. 2021 , 20, 4841-4880 | 10 |
| 200 | Evaluation of the potential of total proanthocyanidin content in feces as an intake biomarker. 2021 , 145, 110390 | 2 |
| 199 | Chemical Identification of Specialized Metabolites from <i>Sulla</i> (L.) Collected in Southern Italy. 2021 , 26, | 3 |
| 198 | Tree species mixing affects soil microbial functioning indirectly via root and litter traits and soil parameters in European forests. 2021 , 35, 2190 | 5 |
| 197 | Beavers, Bugs and Chemistry: A Mammalian Herbivore Changes Chemistry Composition and Arthropod Communities in Foundation Tree Species. 2021 , 12, 877 | 2 |
| 196 | Methane emissions and $\delta^{13}\text{C}$ composition from beef steers consuming increasing proportions of sericea lespedeza hay on bermudagrass hay diets. 2021 , 99, | 0 |
| 195 | Benefits of Polyphenols and Methylxanthines from Cocoa Beans on Dietary Metabolic Disorders. 2021 , 10, | 1 |
| 194 | Dietary inclusion of mature lemon grass and curry leaves affects nutrient utilization, methane reduction and meat quality in finisher lambs. 2021 , 278, 114979 | 2 |
| 193 | Sorghum in foods: Functionality and potential in innovative products. 2021 , 1-17 | 3 |
| 192 | Evaluation of yield formation and nutritive value of forage legumes and herbs with potential for diverse grasslands due to their concentration in plant specialized metabolites. 2021 , 128, 126307 | 2 |

| | | |
|-----|--|----|
| 191 | Multi-response Optimization of a Solvent System for the Extraction of Antioxidants Polyphenols from Jambolan Fruit (<i>Syzygium cumini</i> (L.) Skeels). 1 | 2 |
| 190 | Effects of different processing methods on bioactive substances and antioxidation properties of <i>Lycium barbarum</i> (goji berry) from China. 2021 , 42, 101048 | 2 |
| 189 | The Response of Critical Microbial Taxa to Litter Micro-Nutrients and Macro-Chemistry Determined the Agricultural Soil Priming Intensity After Afforestation. 2021 , 12, 730117 | 0 |
| 188 | Metabolites of Procyanidins From Pericarp With Xanthine Oxidase Inhibitory Effect and Antioxidant Activity. 2021 , 8, 676346 | 1 |
| 187 | Apparent digestibility and nutritional composition of <i>Leucaena leucocephala</i> (Lam) leaf meal incorporated in the diets of Black Australorp and Potchefstroom Koekoek chicken breeds. 2021 , 53, 458 | 0 |
| 186 | Response to Climate Change: Evaluation of Methane Emissions in Northern Australian Beef Cattle on a High Quality Diet Supplemented with Using Open-Circuit Respiration Chambers and GreenFeed Emission Monitoring Systems. 2021 , 10, | 1 |
| 185 | Exogenous Abscisic Acid Mediates Berry Quality Improvement by Altered Endogenous Plant Hormones Level in "Ruiduhongyu" Grapevine. 2021 , 12, 739964 | 1 |
| 184 | Anti-degranulation and bile acid-binding activity of extracts from fruits and agro-industrial by-products. 2021 , 43, 101244 | |
| 183 | Effect of tannins on microwave-assisted extractability and color properties of sorghum 3-deoxyanthocyanins. 2021 , 148, 110612 | 2 |
| 182 | Antioxidant action and enzyme activity modulation by bioaccessible polyphenols from jambolan (<i>Syzygium cumini</i> (L.) Skeels). 2021 , 363, 130353 | 3 |
| 181 | Biopreservative efficacy of grape (<i>Vitis vinifera</i>) and clementine mandarin orange (<i>Citrus reticulata</i>) by-product extracts in raw ground beef patties. 2021 , 181, 108609 | 3 |
| 180 | Novel procyanidins-loaded chitosan-graft-polyvinyl alcohol film with sustained antibacterial activity for food packaging. 2021 , 365, 130534 | 11 |
| 179 | Comparing Chemical Composition and Phenolic Compounds of Some Herbals as Potential Feed Additives in Ruminant Nutrition. 2021 , 1389-1394 | |
| 178 | Wood tannins: structure, production, and analysis. 2021 , 85-121 | 0 |
| 177 | Influence of dietary phytogetic feed additives on lactation performance, methane emissions and health status of Murrah buffaloes (<i>Bubalus bubalis</i>). 2021 , 101, 4390-4397 | 0 |
| 176 | Patriarchal Chimpanzees, Matriarchal Bonobos: Potential Ecological Causes of a Pan Dichotomy. 2011 , 469-501 | 1 |
| 175 | Structure and Chemical Properties of the Condensed Tannins. 1992 , 245-258 | 21 |
| 174 | Sequential Extraction of Condensed Tannins from Pine Litter at Different Stages of Decomposition. 1992 , 597-608 | 5 |

| | | |
|-----|---|----|
| 173 | Effect of Condensed Tannins in the Diets of Major Crop Insect. 1999 , 867-881 | 5 |
| 172 | Reactions at the Interflavanoid Bond of Proanthocyanidins. 1989 , 265-283 | 13 |
| 171 | <i>Onobrychis viciifolia</i> Scop. (Sainfoin): In Vitro Culture and the Production of Condensed Tannins. 1993 , 269-286 | 1 |
| 170 | Biflavonoids and Proanthocyanidins. 1989 , 571-651 | 11 |
| 169 | Condensed Tannins. 1989 , 651-690 | 18 |
| 168 | Endophyte-Mediated Biocontrol of Herbaceous and Non-herbaceous Plants. 2014 , 335-369 | 5 |
| 167 | Identification and Importance of Polyphenolic Compounds in Crop Residues. 1989 , 88-109 | 7 |
| 166 | Chemical, Protein Precipitation and Bioassays for Tannins, Tannin Levels and Activity in Unconventional Feeds, and Effects and Fate of Tannins. 2003 , 1-42 | 2 |
| 165 | Coffee Pulp Polyphenols: An Overview. 2000 , 507-515 | 1 |
| 164 | To compete or defend: linking functional trait variation with life-history tradeoffs in a foundation tree species. 2020 , 192, 893-907 | 6 |
| 163 | Tannins and Lignins. 1991 , 355-388 | 91 |
| 162 | Contribution of amylose-procyanidin complexes to slower starch digestion of red-colored rice prepared by cooking with adzuki bean. 2020 , 71, 715-725 | 6 |
| 161 | Defoliation-induced compensatory transpiration is compromised in SUT4-RNAi <i>Populus</i> . | 1 |
| 160 | Decoupling the direct and indirect effects of climate on plant litter decomposition: Accounting for stress-induced modifications in plant chemistry. 2018 , 24, 1428-1451 | 48 |
| 159 | Biological degradation of tannins in sericea lespedeza (<i>Lespedeza cuneata</i>) by the white rot fungi <i>Ceriporiopsis subvermispora</i> and <i>Cyathus stercoreus</i> analyzed by solid-state ¹³ C nuclear magnetic resonance spectroscopy. 1996 , 62, 3600-4 | 52 |
| 158 | Dietary Fiber-Associated Compounds. 2001 , 404-422 | 1 |
| 157 | Flavan-3-Ols and Proanthocyanidins. 2012 , 317-348 | 5 |
| 156 | Extraction of Polyphenols in Hop Bract Part Discharged from Beer Breweries. 2006 , 39, 956-962 | 5 |

| | | |
|-----|---|----|
| 155 | Study on Anti-Nutritional Compounds in Seeds of Brassica napus. 2013 , 02, 56-61 | 1 |
| 154 | Evidence for a trade-off strategy in stone oak (<i>Lithocarpus</i>) seeds between physical and chemical defense highlights fiber as an important antifeedant. 2012 , 7, e32890 | 23 |
| 153 | <i>Lactobacillus casei</i> -01 facilitates the ameliorative effects of proanthocyanidins extracted from lotus seedpod on learning and memory impairment in scopolamine-induced amnesia mice. 2014 , 9, e112773 | 28 |
| 152 | In vitro anti-radical and anti-salmonella activities of <i>sarcocephalus latifolius</i> , <i>lannea barteri</i> , <i>uvaria chamae</i> , <i>parkia biglobosa</i> and <i>khaya senegalensis</i> . 2018 , 7, | 0 |
| 151 | Study of Total Phenolic and Flavonoid Content, Antioxidant Activity and Antimicrobial Properties of Medicinal Plants. 2014 , 1, | 33 |
| 150 | Response of fruit quality of table grape (<i>Vitis vinifera</i> L.) to foliar selenium fertilizer under different cultivation microclimates. 2019 , 84, 332-342 | 1 |
| 149 | Investigation of Grape Seed Proanthocyanidins. Achievements and Perspectives. 2007 , 2, 36-50 | 6 |
| 148 | Highly Concentrated Multifunctional Silver Nanoparticle Fabrication through Green Reduction of Silver Ions in Terms of Mechanics and Therapeutic Potentials. 2019 , 19, 2140-2153 | 3 |
| 147 | Nutrient Composition and Tannin Contents of Forage Sorghum, Cowpea, Lablab and Mucuna Hays Grown in Limpopo Province of South Africa. 2012 , 6, 256-262 | 9 |
| 146 | Nutritional Value of Cork Oak Acorn (<i>Quercus suber</i> L.)As an Energy Source for Growing Goats. 2006 , 2, 32-37 | 9 |
| 145 | Effects of Selected Legume Species and Forage Sorghum Hay Grown in Limpopo Province on Voluntary Intake and Relative Palatability Indices of Pedi Goats. 2011 , 6, 1249-1255 | 3 |
| 144 | Evaluation of Nutritive Value of <i>Albizia gummifera</i> Foliages as Fodder Source for Livestock in Agrisilvipastoral System. 2011 , 6, 389-399 | 2 |
| 143 | The Effects of Dietary Raw and Heat-Treated Cowpea (<i>Vigna unguiculata</i>) on Growth and Intestinal Histomorphometry of Pigs. 2007 , 8, 74-80 | 3 |
| 142 | Studies on Physico-Chemical Properties and Bioactive Compounds of Six Pomegranate Cultivars Grown in Iran. 2010 , 8, 112-117 | 31 |
| 141 | Polyphenol contents and antioxidant activities of extracts from flowers of two <i>Crataegus azarolus</i> L. varieties. 2009 , 12, 660-8 | 21 |
| 140 | Determination of Polyphenols Content in Carob Pulp from Wild and Domesticated Moroccan Trees. 2016 , 07, 1937-1951 | 4 |
| 139 | Structural Elucidation of Condensed Tannin from <i>Picea mariana</i> Bark. 2013 , 04, 1-8 | 11 |
| 138 | Antioxidant Activity of Cosmetic Formulations Based on Novel Extracts from Seeds of Brazilian <i>Araucaria angustifolia</i> (Bertoll) Kuntze. 2014 , 04, 190-202 | 6 |

| | | |
|-----|---|----|
| 137 | Geographical and within-population variation of constitutive chemical defences in a Mediterranean oak (<i>Quercus ilex</i>). 2020 , 29, e011 | 2 |
| 136 | Chemical composition and digestibility of some browse plant species collected from Algerian arid rangelands. 2012 , 10, 88 | 26 |
| 135 | Characterization of starch and gum arabic-maltodextrin microparticles encapsulating acacia tannin extract and evaluation of their potential use in ruminant nutrition. 2019 , 32, 977-987 | 8 |
| 134 | Effects of tropical high tannin non legume and low tannin legume browse mixtures on fermentation parameters and methanogenesis using gas production technique. 2012 , 25, 1404-10 | 12 |
| 133 | Changes in nutrients and decay rate of leaf litter exposed to elevated O concentration in urban area. 2018 , 6, e4453 | 4 |
| 132 | Drying of Acerola (<i>Malpighia emarginata</i> D. C.) by-Product: Evolution of Active Compounds in Function of Time. 2021 , 64, | |
| 131 | PuC3H35 confers drought tolerance by enhancing lignin and proanthocyanidin biosynthesis in the roots of <i>Populus ussuriensis</i> . 2022 , 233, 390-408 | 4 |
| 130 | Extraction and Chemical Characterization of Functional Phenols and Proteins from Coffee () By-Products. 2021 , 11, | 4 |
| 129 | Characterization, Density and In Vitro Controlled Release Properties of Mimosa () Tannin Encapsulated in Palm and Sunflower Oils. 2021 , 11, | 0 |
| 128 | Nutritional quality of <i>Calobota sericea</i> fodders. A preliminary assessment. 1-4 | 1 |
| 127 | Chemoprevention with a tea from hawthorn () leaves and flowers attenuates colitis in rats by reducing inflammation and oxidative stress. 2021 , 12, 100139 | 3 |
| 126 | The effect of birdsfoot trefoil (<i>Lotus corniculatus</i>) and white clover (<i>Trifolium repens</i>) in mixed pasture swards on incoming and established nematode infections in young lambs. 2000 , 41, 351-61 | 8 |
| 125 | References. 2003 , 95-96 | |
| 124 | The effect of nutrient supply and light intensity on tannins and mycorrhizal colonisation in Dutch heathland ecosystems. 2008 , 297-311 | |
| 123 | Utilizaçã de pimenta rosa como um aditivo natural na dieta sobre o desempenho de frangos de corte. 2014 , 15, 28-38 | 1 |
| 122 | Analytical Methods: An Overview. 1989 , 197-202 | 1 |
| 121 | Geochemistry of Tannin: Methods and Applications. 1999 , 853-865 | |
| 120 | Antioxidant Properties of Different Parts of Red and Black Adzuki Beans. 2015 , 44, 1150-1156 | 1 |

- 119 Growth performance, nutrient utilization, and feed efficiency in broilers fed *Tithonia diversifolia* leaf meal as substitute of conventional feed ingredients in Mizoram. **2016**, 9, 444-9 1
- 118 Adverse Effects of Tannin Contained in *Mimosa pudica* Root Extract. **2016**, 16, 477-483 3
- 117 The use of polyethylene glycol to reduce the anti-nutritional effects of tannins in *Cistus ladanifer* L.. **2018**, 27, e04S 1
- 116 Synergistic antibacterial activity of *Curcuma longa* L. and *Urtica dioica* L. extracts and preservatives. **2019**, 107-116 1
- 115 Influence of supplementing Guinea grass with differently processed African yam bean on gas production and in vitro digestibility. **2020**, 49, 1
- 114 Response of aspen genotypes to browsing damage is not influenced by soil community diversity. **2020**, 452, 153-170 1
- 113 Effect of Acacia purified tannins extract and polyethylene glycol treatment on in vitro ruminal fermentation pattern and methane production. 50-62 1
- 112 Strategies in the Analysis of Plant Flavonoids: An Update. 1-40 1
- 111 Relationships between in vitro gas production characteristics and composition of tree leaf fodders from bolivia, west africa and colombia. **1995**, 1995, 115-115 1
- 110 Severe simulated herbivory constrains *Sclerocarya birrea* saplings regardless of resource availability. **2021**, 46, 475-485 1
- 109 CHEMICAL COMPONENTS OF *COMARUM PALUSTRE* L. AND THEIR BIOLOGICAL ACTIVITY. 126-140 1
- 108 Acid Butanol Assay to Determine Bulk Concentrations of Condensed Tannins. **2020**, 169-177 2
- 107 Edad de rebrote de *Erythrina americana* Miller y concentraci3n de compuestos fen3licos en el follaje. **2020**, 26, 1
- 106 Performance, Carcass Traits and Blood Parameters of Broiler Chickens Fed Roasted and Boiled Bambara Groundnut (*Vigna subterranea* (L.) Verdc.). **2020**, 14, 153-160 1
- 105 Effects of dietary *Mitracarpus scaber* leaves extract on growth, physiological, antioxidants, and mucosal immune profiles of North African catfish, *Clarias gariepinus*, and resistance against *Edwardsiella tarda* infection. **2021**, 53, 541 0
- 104 Metabolites of Prickly Rose: Chemodiversity and Digestive-Enzyme-Inhibiting Potential of and the Main Ellagitannin Rugosin D. **2021**, 10, 0
- 103 Vertical profiles of leaf photosynthesis and leaf traits and soil nutrients in two tropical rainforests in French Guiana before and after a 3-year nitrogen and phosphorus addition experiment. **2022**, 14, 5-18 0
- 102 Mutation of CESA1 phosphorylation site influences pectin synthesis and methylesterification with a role in seed development.. **2022**, 270, 153631 1

| | | |
|-----|---|---|
| 101 | Forage Availability and Quality, and Feeding Behaviour of Indigenous Goats Grazing in a Mediterranean Silvopastoral System. 2022 , 2, 74-89 | 1 |
| 100 | Solid-liquid extraction of bioactive compounds from <i>Spondias mombin</i> L. by-products: optimization and identification of phenolic profile. 1 | 0 |
| 99 | Nutraceutical and preservative potential of <i>Acacia mearnsii</i> and <i>Acacia dealbata</i> leaves for ruminant production and product quality enhancement. 1-14 | 1 |
| 98 | Impact of Dietary Phytogetic Composite Feed Additives on Immune Response, Antioxidant Status, Methane Production, Growth Performance and Nutrient Utilization of Buffalo (<i>B. indicus</i>) Calves.. 2022 , 11, | 2 |
| 97 | Antioxidant potential of the Caatinga flora. 2022 , 100240 | 1 |
| 96 | Citrus Biowastes: Applications in Production and Quality Enhancement of Food from Animal Sources. 2022 , 133-177 | |
| 95 | Thermal degradation kinetics of myrtle leaves ethanol extract (<i>Myrtus communis</i> L.): effect on phenolic compounds content and antioxidant activity. 1 | |
| 94 | Effects of Graded Levels of Mimosa (<i>Mimosa</i>) Tannin Purified with Organic Solvents on Gas, Methane, and In Vitro Organic Matter Digestibility of Hay.. 2022 , 12, | 1 |
| 93 | Effects of soaking and thermal treatment on nutritional quality of three varieties of common beans (<i>Phaseolus vulgaris</i> L.) from Madagascar. | |
| 92 | Arsenic intake-induced gastric toxicity is blocked by grape skin extract by modulating inflammation and oxidative stress in a mouse model.. 2022 , 233, 113305 | 2 |
| 91 | Do Pollination and Pollen Sources Affect Fig Seed Set and Quality? First Attempt Using Chemical and Vibrational Fingerprints Coupled with Chemometrics. 2022 , 2022, 1-13 | 1 |
| 90 | Effect of tannin extract associated with two levels of non-protein nitrogen in the supplement on performance, ruminal parameters, and microbial diversity of grazing Nellore cattle during the growing phase at dry season. 2022 , 286, 115269 | 1 |
| 89 | Short communication: Feed conversion efficiency of male and female Awassi lambs fed on dried olive (<i>Olea europaea</i>) leaves. 2022 , 20, e06SC02 | |
| 88 | Potential valorization of polyphenols from olive mill wastewater on sheep rumen function. 1 | 1 |
| 87 | Novel upconversion fluorescence sensor for the detection and imaging of procyanidins in foods by NaYF ₄ :Yb/Tm@NaYF ₄ :Yb-Cit-CD. 2022 , 104557 | 0 |
| 86 | Advantages of MW-assisted water extraction, combined with steam explosion, of black alder bark in terms of isolating valuable compounds and energy efficiency. 2022 , 181, 114832 | 1 |
| 85 | Impact of Eutectic Solvents Utilization in the Microwave Assisted Extraction of Proanthocyanidins from Grape Pomace.. 2021 , 27, | 0 |
| 84 | Interactive effects of biotic stressors and provenance on chemical defence induction by holm oak (<i>Quercus ilex</i>). 2022 , 36, 227-240 | 0 |

- 83 Kinetic Study of Fungal Growth of Several Tanninolytic Strains Using Coffee Pulp Procyanidins. **2022**, 8, 17 ○
- 82 Polyploidy and growth-defense tradeoffs in natural populations of western quaking Aspen.. **2022**, 48, 431 ○
- 81 Image_1.pdf. **2018**,
- 80 Table_1.xlsx. **2018**,
- 79 Data_Sheet_1.PDF. **2020**,
- 78 Presentation_1.pptx. **2020**,
- 77 Table_1.xlsx. **2020**,
- 76 Phenolic Profile and Antioxidant, Antibacterial, and Antiproliferative Activity of L. Male Flowers.. **2022**, 27, 4
- 75 Protocol for assessing soybean antibiosis to *Chloridea virescens*.
- 74 Phenolic profiling and antioxidant evaluation of extracts from Southern African indigenous fruits byproducts. **2022**, 111388 ○
- 73 Genotypic variation rather than ploidy level determines functional trait expression in a foundation tree species in the presence and absence of environmental stress. ○
- 72 Conversion of condensed tannin from chokeberry to cyanidin: evaluation of antioxidant activity and gut microbiota regulation. **2022**, 111456 ○
- 71 Novel Zero Headspace Solid-Liquid Extraction for the Recovery of Polyphenolic Fractions from Grape Pomace. **2022**, 10, 1112 ○
- 70 Genetic divergence along a climate gradient shapes chemical plasticity of a foundation tree species to both changing climate and herbivore damage. ○
- 69 Similarities and differences of *Vicia sativa* subsp. *sativa* and *macrocarpa* for seed yield and quality. **2022**,
- 68 Tonoplast Sucrose Trafficking Modulates Starch Utilization and Water Deficit Behavior in Poplar Leaves.. ○
- 67 Microwave-Assisted Water Extraction of Aspen (*Populus tremula*) and Pine (*Pinus sylvestris* L.) Barks as a Tool for Their Valorization. **2022**, 11, 1544 ○
- 66 New insights into non-extractable phenolic compounds analysis. **2022**, 157, 111487 2

| | | |
|----|--|---|
| 65 | Species-Level Differences in Osmoprotectants and Antioxidants Contribute to Stress Tolerance of <i>Quercus robur</i> L., and <i>Q. cerris</i> L. Seedlings under Water Deficit and High Temperatures. 2022 , 11, 1744 | 3 |
| 64 | Analysis of Genotypic and Environmental Effects on Biomass Yield, Nutritional and Antinutritional Factors in Common Vetch. 2022 , 12, 1678 | 2 |
| 63 | Potential mechanism of <i>Jatropha gossypifolia</i> phenolic derivatives in enhancing insulin-signalling cascades GLUT 4, IR and GSK-3 in streptozotocin nicotinamide induced type II diabetic in wistar rat model. 2022 , 34, 102223 | 0 |
| 62 | Nutritive Value of <i>Cistus ladanifer</i> L. for Ruminants: Seasonal Variation of Chemical Composition, Digestibility, and Antioxidant Activity of Its Morphological Fractions. 2022 , 2, 308-320 | |
| 61 | Bazı türlerin Rumen Fermentasyon Özellikleri In Vitro Koşullarda Konsantre Yem ve Polietilen Glikol çözümleri ile değerlendirilmiştir. | |
| 60 | No evidence for the simultaneous induction of structural and chemical defences in spiny southern African savanna trees. | 1 |
| 59 | Stable isotopes provide evidence that condensed tannins from <i>sericea lespedeza</i> are degraded by ruminal microbes. 2022 , 12, | 0 |
| 58 | Effects of replacing <i>Brachiaria</i> hay with either <i>Desmodium intortum</i> or dairy concentrate on animal performance and enteric methane emissions of low-yielding dairy cows. 3, | |
| 57 | Cellular antioxidant and viability efficacy of <i>Harpephyllum caffrum</i> peel and <i>Syzygium guineense</i> seed extracts. 2022 , 49, 101934 | 0 |
| 56 | Ectomycorrhizal Fungi Modulate Biochemical Response against Powdery Mildew Disease in <i>Quercus robur</i> L.. 2022 , 13, 1491 | 1 |
| 55 | Standardization of proanthocyanidin extract mean degree of polymerization using eutectic solvents. 2023 , 115, 104887 | 0 |
| 54 | Bioactive compounds from <i>Taraxacum officinale</i> extracts obtained by optimized ultrasound-assisted extraction. 2022 , 169-187 | 0 |
| 53 | Separation, purification, analyses, and preservation of polyphenols. 2022 , 247-270 | 0 |
| 52 | Circum-Arctic distribution of chemical anti-herbivore compounds suggests biome-wide trade-off in defence strategies in Arctic shrubs. | 1 |
| 51 | Effects of Polyethylene Glycol (PEG 6000) and Bentonite Clay Incorporation in Selected Local Browsers Based Diets on the Performance of Small East African Goats. | 0 |
| 50 | Ruminal fermentation and methane production in vitro, milk production, nutrient utilization, blood profile, and immune responses of lactating goats fed polyphenolic and saponin-rich plant extracts. | 0 |
| 49 | Trade-off between plant resistance and tolerance to herbivory: Mechanical defenses outweigh chemical defenses. | 0 |
| 48 | Feeding Dairy Ewes with Fresh or Dehydrated <i>Sulla</i> (<i>Sulla coronarium</i> L.) Forage. 2. Effects on Cheese Enrichment in Bioactive Molecules. 2022 , 12, 2462 | 1 |

- 47 In vitro determination of anti-lipidemic, anti-inflammatory, and anti-oxidant properties and proximate composition of range of millet types and sorghum varieties in Sri Lanka. 6, 0
- 46 Changes in Proanthocyanidin Content during the Processing of Umeshu, a Spirit-Based Liqueur of Japanese Apricot (*Prunus mume* Sieb. et Zucc.) Fruit. 0
- 45 Feeding Dairy Ewes with Fresh or Dehydrated Sulla (*Sulla coronarium* L.) Forage. 1. Effects on Feed Utilization, Milk Production, and Oxidative Status. **2022**, 12, 2317 2
- 44 Nematicidal Potential of Sulla (*Hedysarum coronarium* L.) against the Root-Knot Nematode *Meloidogyne incognita*. **2022**, 11, 2550 0
- 43 Productivity of beef cattle grazing *Brachiaria brizantha* cv. Marandu with and without nitrogen fertilizer application or mixed pastures with the legume *Desmodium ovalifolium*. 0
- 42 CO₂-fertilisation enhances resilience to browsing in the recruitment phase of an encroaching savanna tree. 0
- 41 Disentangling leaf structural and material properties in relation to their anatomical and chemical compositional traits in oaks (*Quercus*L.). 0
- 40 *Plagioderma versicolora* feeding induces systemic and sexually differential defense responses in poplars. 0
- 39 Characterisation and Quantification of Condensed Tannins in Rapeseed Hulls and Meals by Depolymerization Methods. **2022**, 105004 0
- 38 Meat production, quality, and oxidative shelf-life of *Haemonchus*-parasitised and non-parasitised lambs fed incremental levels of *sericea lespedeza* substituted for lucerne. **2023**, 195, 109009 0
- 37 Effects of litter chemical traits and species richness on soil carbon cycling changed over time. 10, 0
- 36 Nutritional evaluation of top foliages for livestock feeding in semi arid region of India. **2020**, 89, 0
- 35 Effect of herbal feed additives containing saponins on rumen fermentation pattern. **2022**, 90, 237-243 0
- 34 Biochemical responses in cotton as diagnostic parameter for resistance against cotton leaf curl virus (CLCuV). 0
- 33 Antioxidants in Animal Nutrition: UHPLC-ESI-QqTOF Analysis and Effects on In Vitro Rumen Fermentation of Oak Leaf Extracts. **2022**, 11, 2366 2
- 32 Activity of low-molecular weight components of *Larix sibirica* antioxidant system under exposure to technogenic pollution. **2022**, 31, 1492-1505 0
- 31 The D165H Polymorphism of QiMYB-like-1 Is Linked to Interactions between Tannin Accumulation, Herbivory and Biogeographical Determinants of *Quercus ilex*. **2023**, 24, 151 0
- 30 A Joint Approach of Morphological and UHPLC-HRMS Analyses to Throw Light on the Autochthonous Verdole Chestnut for Nutraceutical Innovation of Its Waste. **2022**, 27, 8924 0

- 29 Micromorphology and Chemical Studies on *Anacardium occidentale* L. Stem Bark as an Herbal Medicine. **2023**, 12, 7 ○
- 28 Ectomycorrhizal Fungi Modulate Pedunculate Oak Heat Stress Responses through the Alternation of Polyamines, Phenolics, and Osmotica Content. **2022**, 11, 3360 1
- 27 Morpho-physiological and biochemical responses of cotton (*Gossypium hirsutum* L.) genotypes upon sucking insect-pest infestations. **2022**, 28, 2023-2039 ○
- 26 Potential contribution of *Sulla spinosissima* (L.) and *Sulla pallida* (Desf.) as a forage crop for arid pastures rehabilitation. ○
- 25 Assessment of potential of some tannins and saponins containing herbs on digestibility of nutrients, fermentation kinetics and enteric methane production under different feeding systems: An in vitro study. **2018**, 88, 443-452 ○
- 24 Assessment of phytochemical constituents, fatty acids profile and in vitro antioxidant activity in soapnut shell powder. **2018**, 88, 700-705 ○
- 23 Effect of supplementation of saponin containing herbs on in vitro methane production under different feeding systems. **2019**, 89, ○
- 22 Legume Grains as an Alternative to Soybean Meal in the Diet of Intensively Reared Dairy Ewes. **2023**, 15, 1028 ○
- 21 Fluorogenic properties of 4-dimethylaminocinnamaldehyde (DMACA) enable high resolution imaging of cell-wall-bound proanthocyanidins in plant root tissues. 13, ○
- 20 Accumulation of Anthocyanins in Detached Leaves of *Kalanchoe blossfeldiana*: Relevance to the Effect of Methyl Jasmonate on This Process. **2023**, 24, 626 ○
- 19 Influences of Varieties and Storage on Flavanol and Procyanidin Levels in Apple Dried Fruits. **2019**, 45, 175-180 ○
- 18 A Chemical Explanation for Variations in Antioxidant Capacity across *Camellia sinensis* L. Cultivars. **2023**, 14, 249 ○
- 17 Agronomic, Physicochemical, Aromatic and Sensory Characterization of Four Sweet Cherry Accessions of the Campania Region. **2023**, 12, 610 1
- 16 Flavonoids and related privileged scaffolds as potential urease inhibitors: a review. **2023**, 13, 3210-3233 ○
- 15 Characterization of Lupin Cultivars Based on Phenotypical, Molecular and Metabolomic Analyses. **2023**, 13, 370 ○
- 14 An R2R3 MYB gene GhMYB3 functions in drought stress by negatively regulating stomata movement and ROS accumulation. **2023**, 197, 107648 ○
- 13 Effects of substituting sericea lespedeza for lucerne on nutrient digestibility and utilization in feedlot lambs. **2023**, 222, 106955 ○
- 12 Non-Extractable Polyphenols Should be Systematically Included in Polyphenol Analysis. **2023**, 193-238 ○

- 11 Highly Efficient Production of Dihydroflavonol 4-Reductases in Tobacco Cells and Refinement of the BuOH-HCl Enzymatic Assay. **2023**, 281-300 ○
- 10 Phenotypic Variation in Phytochemical Defense of Trembling Aspen in Western North America: Genetics, Development, and Geography. ○
- 9 Effects of Sulla Flexuosa Hay as Alternative Feed Resource on Goat's Milk Production and Quality. **2023**, 13, 709 ○
- 8 Molecular studies of rust on European aspen suggest an autochthonous relationship shaped by genotype. 14, ○
- 7 Phytochemicals Recovery from Grape Pomace: Extraction Improvement and Chemometric Study. **2023**, 12, 959 ○
- 6 Exploring the Potential of Vine Shoots as a Source of Valuable Extracts and Stable Lignin Nanoparticles for Multiple Applications. **2023**, 24, 5165 ○
- 5 Overexpression of the Wheat TaPsb28 Gene Enhances Drought Tolerance in Transgenic Arabidopsis. **2023**, 24, 5226 ○
- 4 Coupling Hydrophilic Interaction Chromatography and Reverse-Phase Chromatography for Improved Direct Analysis of Grape Seed Proanthocyanidins. **2023**, 12, 1319 ○
- 3 Effects of polyethylene glycol (PEG 6000) and bentonite clay incorporation in selected local browse-based diets on the performance of Small East African goats. **2023**, 55, ○
- 2 The second revision for Plant Growth Regulation (GROW-D-23-00091) sex-specific resource allocation in juvenile and adult salix myrtillacea. ○
- 1 In vitro assessment of antioxidant capacity and phenolic contents of some lentil (*Lens culinaris* L.) cultivars commonly consumed in Algeria. ○