

# CITATION REPORT

List of articles citing

Association of rheumatoid arthritis and primary osteoarthritis with changes in the glycosylation pattern of total serum IgG

DOI: 10.1038/316452a0  
Nature, 1985, 316, 452-7.

**Source:** <https://exaly.com/paper-pdf/17542923/citation-report.pdf>

**Version:** 2024-04-26

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

| #    | Paper   | IF | Citations |
|------|---|----|-----------|
| 1085 | Notes and News. <b>1985</b> , 326, 342-344  |    | 1         |
| 1084 | In vitro studies on the Fc-receptor function of mononuclear phagocytes in rheumatoid arthritis: relation between the Fc-receptor blockade and the concanavalin A-binding capacity of autologous immunoglobulin G. <b>1986</b> , 6, 442-56 |    | 18        |
| 1083 | Chapter 1 Structure and function of antibodies. <b>1987</b> , 17, 1-50  |    | 17        |
| 1082 | Isolation and analysis of complement activating aggregates from synovial fluid of patients with rheumatoid arthritis using monoclonal anti-C3d antibodies. <b>1987</b> , 46, 55-64  |    | 16        |
| 1081 | A method for the rapid assignment of <sup>1</sup> H NMR spectra of oligosaccharides using homonuclear Hartmann-Hahn spectroscopy. <b>1987</b> , 84, 1202-5  |    | 22        |
| 1080 | Rheumatoid arthritis: a disturbance in copper homeostasis. <b>1987</b> , 22, 245-9  |    | 14        |
| 1079 | Human serum sialo transferrins in diseases. <b>1987</b> , 165, 141-5  |    | 52        |
| 1078 | Structures of the sugar chains of mouse immunoglobulin G. <b>1987</b> , 257, 387-94   |    | 68        |
| 1077 | The spontaneous ability of normal human IgG to inhibit the Fc receptors of normal human monocytes is related to their binding capacity to lectins. <b>1987</b> , 45, 1-16   |    | 19        |
| 1076 | Reduced B-cell galactosyltransferase activity in rheumatoid arthritis. <b>1987</b> , 2, 1486-8  |    | 105       |
| 1075 | The human thymus contains a novel population of B lymphocytes. <b>1987</b> , 2, 1488-91   |    | 165       |
| 1074 | Deglycosylation studies on tracheal mucin glycoproteins. <b>1987</b> , 26, 5315-22  |    | 52        |
| 1073 | Tissue-specific N-glycosylation, site-specific oligosaccharide patterns and lentil lectin recognition of rat Thy-1.. <b>1987</b> , 6, 1233-1244   |    | 173       |
| 1072 | The role of autoantigen in autoimmunity. <b>1987</b> , 16, 259-63   |    | 11        |
| 1071 | Systematic fractionation of oligosaccharides of human immunoglobulin G by serial affinity chromatography on immobilized lectin columns. <b>1987</b> , 164, 374-81   |    | 99        |
| 1070 | Immunogenicity and antigenicity of immunoglobulins: detection of human immunoglobulin light-chain carbohydrate, using concanavalin A. <b>1987</b> , 915, 314-20   |    | 6         |
| 1069 | Free radicals, immunoglobulins and complement as mediators of inflammation. <b>1988</b> , 2, 211-32   |    | 9         |

|      |   |          |
|------|---|----------|
| 1068 | Abnormal glycosylation of serum IgG from patients with chronic inflammatory diseases. <b>1988</b> , 31, 333-8   | 148      |
| 1067 | Variety and microheterogeneity in the carbohydrate chains of glycoproteins. <b>1988</b> , 20, 479-91  | 29       |
| 1066 | Microheterogeneity of human serum transferrin: a biological phenomenon studied by isoelectric focusing in immobilized pH gradients. <b>1988</b> , 9, 589-98   | 116      |
| 1065 | IgA With altered carbohydrate structure as a tumor-associated marker in serum of cancer patients. <b>1988</b> , 2, 225-234  | 1        |
| 1064 | Rheumatoid factors in immune complexes of patients with rheumatoid arthritis. <b>1988</b> , 10, 215-30  | 38       |
| 1063 | The role of IgG glycoforms in the pathogenesis of rheumatoid arthritis. <b>1988</b> , 10, 231-49  | 91       |
| 1062 | Evidence that the phagocytosis mediated by the peanut agglutinin-like activity of IgG(Fc) receptors of human monocytes is selectively modulated by estradiol and natural estrogens. <b>1988</b> , 8, 495-502                            | 3        |
| 1061 | Difference between rheumatoid factors and normal immunoglobulins revealed by the monomolecular layer technique. <b>1988</b> , 105, 682-685  |          |
| 1060 | Rheumatoid arthritis, mycobacterial antigens and agalactosyl IgG. <b>1988</b> , 28, 487-93  | 33       |
| 1059 | Neural adhesion molecule L1 as a member of the immunoglobulin superfamily with binding domains similar to fibronectin. <i>Nature</i> , <b>1988</b> , 334, 701-3   | 50.4 603 |
| 1058 | Mycobacteria and autoimmunity. <b>1988</b> , 9, 178-82  | 118      |
| 1057 | Structural characterization of glycoproteins. <b>1988</b> , 443, 267-84   | 15       |
| 1056 | The load of genetic and partially genetic diseases in man. II. Some selected common multifactorial diseases: estimates of population prevalence and of detriment in terms of years of lost and impaired life. <b>1988</b> , 196, 259-92 | 23       |
| 1055 | Analysis of IgG glycopeptides by alkaline borate gel filtration chromatography. <b>1988</b> , 955, 143-53   | 9        |
| 1054 | T-cell antigen receptor studies in mice expressing the lpr genetic defect. <b>1988</b> , 115, 393-402   | 1        |
| 1053 | Glycosyl-phosphatidylinositol moiety that anchors <i>Trypanosoma brucei</i> variant surface glycoprotein to the membrane. <b>1988</b> , 239, 753-9  | 668      |
| 1052 | Glycobiology. <b>1988</b> , 57, 785-838   | 1101     |
| 1051 | Galactosylation of IgG associated oligosaccharides: reduction in patients with adult and juvenile onset rheumatoid arthritis and relation to disease activity. <b>1988</b> , 1, 966-9   | 178      |

|      |  |     |
|------|--|-----|
| 1050 | IgG as antigen in human rheumatoid disease. <b>1988</b> , 75, 133-9  | 2   |
| 1049 | Site-specific immobilization of antibodies by their oligosaccharide moieties to new hydrazide derivatized solid supports. <b>1988</b> , 112, 113-20              | 105 |
| 1048 | Galactosylation of IgG associated oligosaccharides. <b>1988</b> , 2, 288   | 4   |
| 1047 | The role of antigen in autoimmune responses with special reference to changes in carbohydrate structure of IgG in rheumatoid arthritis. <b>1988</b> , 1, 499-506 | 19  |
| 1046 | Galactose residues in chronic inflammatory disease. <b>1988</b> , 1, 418   | 3   |
| 1045 | Introduction. <b>1988</b> , 1, 497-498   |     |
| 1044 | Alterations in carbohydrate composition of serum IgG from patients with rheumatoid arthritis and from pregnant women. <b>1988</b> , 47, 91-5                     | 61  |
| 1043 | Effect of polymorph derived oxidants on IgG in relation to rheumatoid factor binding. <b>1988</b> , 75, 148-56   | 7   |
| 1042 | Oxygen free radicals denature human IgG and increase its reactivity with rheumatoid factor antibody. <b>1988</b> , 75, 140-7                                     | 12  |
| 1041 | Age-related galactosylation of the N-linked oligosaccharides of human serum IgG. <b>1988</b> , 167, 1731-6   | 252 |
| 1040 | Rheumatoid arthritis as a glycosylation disorder. <b>1988</b> , 27 Suppl 2, 162-9  | 24  |
| 1039 | A monoclonal antibody raised by immunising mice with group A streptococci binds to agalactosyl IgG from rheumatoid arthritis. <b>1988</b> , 47, 247-50           | 37  |
| 1038 | A possible immunochemical explanation for pregnancy associated remissions in rheumatoid arthritis?. <b>1988</b> , 47, 89-90                                      | 9   |
| 1037 | Role of activated macrophages in the immunopathology of tuberculosis. <b>1988</b> , 44, 611-23   | 42  |
| 1036 | Autoimmune Rheumatic Disorders in Childhood A Comparison with Adult-onset Disease. <b>1989</b> ,   |     |
| 1035 | Aberrant lectin-binding activity of immunoglobulin G in serum from rheumatoid arthritis patients.. <b>1989</b> , 35, 1638-1643                                   | 15  |
| 1034 | Rheumatoid factor has increased reactivity with IgG from synovial fluids of patients with rheumatoid arthritis and osteoarthritis. <b>1989</b> , 28, 233-8       | 4   |
| 1033 | ANAEMIA IN RHEUMATOID ARTHRITIS THE SIZE OF THE PROBLEM. <b>1989</b> , 28, 432-435   |     |

|      |  |     |
|------|--|-----|
| 1032 | BRITISH SOCIETY FOR RHEUMATOLOGY SPRING MEETING. <b>1989</b> , 28, 430-432   |     |
| 1031 | Seronegative rheumatoid arthritis, rheumatoid factor cross reactive idiotype expression, and hidden rheumatoid factors. <b>1989</b> , 48, 488-95   | 14  |
| 1030 | A lectin-immunofluorometric assay using an immobilized <i>Bandeiraea simplicifolia</i> II lectin for the determination of galactosylation variants of glycoproteins. <b>1989</b> , 177, 383-7  | 6   |
| 1029 | Interleukin-1-inhibitory IgG in sera from some patients with rheumatoid arthritis. <b>1989</b> , 32, 1528-38   | 33  |
| 1028 | Structural study of the carbohydrate moieties of two human immunoglobulin subclasses (IgG2 and IgG4). <b>1989</b> , 6, 57-66   | 18  |
| 1027 | Lymphocyte stimulation by cell wall constituents. <b>1989</b> , 9, 229-32  | 1   |
| 1026 | Elevated IgG antibody levels to the mycobacterial 65-kDa heat shock protein are characteristic of patients with rheumatoid arthritis. <b>1989</b> , 30, 519-27   | 98  |
| 1025 | A comparative analysis of disease-associated changes in the galactosylation of serum IgG. <b>1989</b> , 2, 101-14  | 193 |
| 1024 | The ability of normal human monocytes to phagocytose IgG-coated red blood cells is related to the number of accessible galactosyl and mannosyl residues in the Fc domain of the anti-red blood cell IgG antibody molecules. <b>1989</b> , 119, 231-9 | 11  |
| 1023 | Clonal analysis of the glycosylation of immunoglobulin G secreted by murine hybridomas. <b>1989</b> , 28, 1377-84  | 68  |
| 1022 | Abnormally-fucosylated serum haptoglobins in patients with inflammatory joint disease. <b>1989</b> , 184, 251-8  | 47  |
| 1021 | The effects of oxygen free radicals on the carbohydrate moiety of IgG. <b>1989</b> , 245, 95-9   | 20  |
| 1020 | Rheumatoid factor and Fc signaling: a tale of two Cinderellas. <b>1989</b> , 52, 133-46  | 20  |
| 1019 | Antibody-dependent cytotoxicity mediated by natural killer cells is enhanced by castanospermine-induced alterations of IgG glycosylation. <b>1989</b> , 26, 1113-23  | 58  |
| 1018 | Aglycosylation of human IgG1 and IgG3 monoclonal antibodies can eliminate recognition by human cells expressing Fc gamma RI and/or Fc gamma RII receptors. <b>1989</b> , 259, 347-53   | 170 |
| 1017 | A comparative study of the N-linked oligosaccharide structures of human IgG subclass proteins. <b>1990</b> , 268, 529-37   | 146 |
| 1016 | Reversible and irreversible cross-linking of immunoglobulin heavy chains through their carbohydrate residues. <b>1990</b> , 267, 585-91  | 11  |
| 1015 | Do carbohydrate antigens stimulate human T cells? Review article. <b>1990</b> , 98, 1-8  | 25  |

|      |  |        |
|------|--|--------|
| 1014 | Two-dimensional electrophoresis of synovial tissue, synovial fluid and serum in patients with rheumatoid arthritis and related diseases. <b>1990</b> , 10, 177-83                                    | 14     |
| 1013 | Pregnancy-associated changes in oligomannose oligosaccharides of human and bovine uromodulin (Tamm-Horsfall glycoprotein). <b>1990</b> , 7, 609-24   | 18     |
| 1012 | Mycobacteria and rheumatoid arthritis. <b>1990</b> , 33, 431-5   | 29     |
| 1011 | Importance of the IgG isotype, not the state of glycosylation, in determining human rheumatoid factor binding. <b>1990</b> , 33, 800-9   | 24     |
| 1010 | Polymorphism and expression of the galactosyltransferase-associated protein kinase gene in normal individuals and galactosylation-defective rheumatoid arthritis patients. <b>1990</b> , 33, 1655-64 | 20     |
| 1009 | Glycosylation of IgG, immune complexes and IgG subclasses in the MRL-lpr/lpr mouse model of rheumatoid arthritis. <b>1990</b> , 20, 2229-33  | 66     |
| 1008 | Site-directed immobilization of proteins. <b>1990</b> , 510, 293-302   | 76     |
| 1007 | Molecular Structure of Human IgG Subclasses. <b>1990</b> , 15-30   | 7      |
| 1006 | The Role of Tumour Necrosis Factor in the Pathogenesis of Tuberculosis and Leprosy, and the Relationship between Tissue-Damaging Pathology and Production of Agalactosyl IgG. <b>1990</b> , 168-176  | 3      |
| 1005 | Specificity of rheumatoid factors in relation to the disease state in rheumatoid arthritis. <b>1990</b> , 49, 757-62   | 11     |
| 1004 | Terminal N-acetylglucosamine in chronic synovitis. <b>1990</b> , 29, 25-31   | 8      |
| 1003 | Agalactosyl IgG, antibodies to heat shock proteins, and acute rheumatic fever. <b>1990</b> , 49, 383-6   | 14     |
| 1002 | Heterogeneity of N-linked sugar chains of apolipoprotein B-100 in Watanabe heritable hyperlipidemic and fasting rabbits. <b>1990</b> , 10, 386-93  | 7      |
| 1001 | Function and pathology of the sugar chains of human immunoglobulin G. <i>Glycobiology</i> , <b>1990</b> , 1, 5-8   | 5.8 36 |
| 1000 | Agalactosyl IgG in inflammatory bowel disease: correlation with C-reactive protein. <b>1990</b> , 31, 431-4  | 88     |
| 999  | Rheumatoid factor and human disease. <b>1990</b> , 10, 137-141   | 1      |
| 998  | Rheumatoid arthritis. Pathophysiology and implications for therapy. <b>1990</b> , 322, 1277-89   | 1429   |
| 997  | Analysis of glycosylation changes in IgG using lectins. <b>1990</b> , 131, 127-36  | 74     |

|     |   |     |
|-----|---|-----|
| 996 | Glycosphingolipid-binding specificity of the mannose-binding protein from human sera. <b>1990</b> , 283, 217-22   | 16  |
| 995 | A protein structural change in aglycosylated IgG3 correlates with loss of huFc gamma R1 and huFc gamma R111 binding and/or activation. <b>1990</b> , 27, 1145-53  | 120 |
| 994 | Galactose-containing epitopes on the surface of IgG model immune complexes are accessible for specific binding with the high molecular weight ligand, Ricinus agglutinin, in solution-light-scattering studies. <b>1991</b> , 28, 1105-11 |     |
| 993 | IgG galactosylation--its biological significance and pathology. <b>1991</b> , 28, 1333-40   | 37  |
| 992 | Diversification of the IgG molecule by oligosaccharides. <b>1991</b> , 28, 1369-78  | 61  |
| 991 | Abnormalities in the glycosylation of IgG in spouses of patients with rheumatoid arthritis. A family study. <b>1991</b> , 4, 907-14   | 13  |
| 990 | Structural study of the sugar moieties of monoclonal antibodies secreted by human-mouse hybridoma. <b>1991</b> , 291, 339-48  | 42  |
| 989 | Genomic structure and expression of human beta-1,4-galactosyltransferase. <b>1991</b> , 176, 1269-76  | 48  |
| 988 | Hypogalactosylation of immunoglobulin G sugar chains and elevated serum interleukin 6 in Castleman's disease. <b>1991</b> , 197, 221-8  | 29  |
| 987 | Changes in IgG glycoform levels are associated with remission of arthritis during pregnancy. <b>1991</b> , 4, 779-94  | 180 |
| 986 | Rheumatoid arthritis in the elderly. <b>1991</b> , 39, 284-94   | 24  |
| 985 | Were lectins primitive Fc receptors?. <b>1991</b> , 27, 183-90  | 3   |
| 984 | Comparison of the performance of immunosorbents prepared by site-directed or random coupling of monoclonal antibodies. <b>1991</b> , 558, 55-70   | 26  |
| 983 | Cytokines and the Koch phenomenon. <b>1991</b> , 72, 13-20  | 84  |
| 982 | Hybrid myeloma cells which secrete heterodimeric IgG: a model to study the N-linked glycan. <b>1991</b> , 69 ( Pt 3), 151-7   |     |
| 981 | Is there a role for mycobacteria in the etiopathogenesis of rheumatoid arthritis?. <b>1991</b> , 121, 137-54  | 13  |
| 980 | The conformational effects of N-glycosylation on the tailpiece from serum IgM. <b>1991</b> , 198, 131-9   | 94  |
| 979 | Improving on BCG. <b>1991</b> , 99, 103-13  | 24  |

|     |   |     |
|-----|---|-----|
| 978 | Lectin-carbohydrate interactions in immunoregulation. <b>1991</b> , 23, 631-40  | 21  |
| 977 | Fucosyltransferases: Differential plasma and tissue alterations in hepatocellular carcinoma and cirrhosis. <b>1991</b> , 13, 683-688  | 97  |
| 976 | The role of oil and agalactosyl IgG in the induction of arthritis in rodent models. <b>1991</b> , 21, 1027-32   | 55  |
| 975 | Framework peptides from kappa IIIb rheumatoid factor light chains with binding activity for aggregated IgG. <b>1991</b> , 21, 1837-41   | 16  |
| 974 | Molecular pathology of drug-disease interactions in chronic autoimmune inflammatory diseases. <b>1991</b> , 1, 3-36   | 18  |
| 973 | Structures of asparagine-linked oligosaccharides from hen egg-yolk antibody (IgY). Occurrence of unusual glucosylated oligo-mannose type oligosaccharides in a mature glycoprotein. <b>1991</b> , 8, 400-13 | 54  |
| 972 | Heat-shock proteins and autoimmunity in humans. <b>1991</b> , 13, 81-98   | 20  |
| 971 | Oligosaccharides, just the icing on the protein or are they of functional relevance?. <b>1991</b> , 30, 196-9   | 5   |
| 970 | Reduction in IgG galactose in juvenile and adult onset rheumatoid arthritis measured by a lectin binding method and its relation to rheumatoid factor. <b>1991</b> , 50, 607-10                             | 20  |
| 969 | Modulation of pristane-induced arthritis by mycobacterial antigens. <b>1991</b> , 11, 35-43   | 19  |
| 968 | Rheumatology. <b>1991</b> , 67, 114-39  |     |
| 967 | Different culture methods lead to differences in glycosylation of a murine IgG monoclonal antibody. <b>1992</b> , 285 ( Pt 3), 839-45   | 126 |
| 966 | Second Jenner international glycoimmunology meeting. <b>1992</b> , 51, 1269-85  | 2   |
| 965 | Detection of Mycobacterium tuberculosis antigen in synovial fluid of patients with rheumatoid arthritis. <b>1992</b> , 31, 615-8  | 5   |
| 964 | Regulation of antibody production mediated by Fc gamma receptors, IgG binding factors, and IgG Fc-binding autoantibodies. <b>1992</b> , 27, 191-225   | 16  |
| 963 | Relationship between interleukin 6, agalactosyl IgG and pristane-induced arthritis. <b>1992</b> , 11, 247-54  | 26  |
| 962 | Mapping rheumatoid factor binding sites using genetically engineered, chimeric IgG antibodies. <b>1992</b> , 11, 245-52   | 10  |
| 961 | Association of N-glycosylation of apolipoprotein B-100 with plasma cholesterol levels in Watanabe heritable hyperlipidemic rabbits. <b>1992</b> , 93, 229-35  | 3   |



|     |   |     |
|-----|---|-----|
| 960 | Purification and characterization of RHP (factor H) and study of its interactions with the first component of complement. <b>1992</b> , 29, 957-64                                  | 6   |
| 959 | Therapeutic approach with IVIG in patients affected by connective tissue disease. <b>1992</b> , 13, 339-347   | 1   |
| 958 | Galactose terminating oligosaccharides of IgG in patients with primary Sjögrenß syndrome. <b>1992</b> , 5, 393-400  | 29  |
| 957 | N-glycosylation of serum proteins in disease and its investigation using lectins. <b>1992</b> , 208, 149-71   | 203 |
| 956 | Abnormal galactosylation of serum IgG in patients with systemic lupus erythematosus and members of families with high frequency of autoimmune diseases. <b>1992</b> , 12, 191-4     | 40  |
| 955 | The immunogenetics of rheumatoid arthritis. <b>1992</b> , 14, 59-78   | 48  |
| 954 | Separation and analysis of the glycoform populations of ribonuclease B using capillary electrophoresis. <b>1992</b> , 9, 86-91  | 71  |
| 953 | Genetically-engineered antibodies: tools for the study of diverse properties of the antibody molecule. <b>1992</b> , 130, 87-107  | 11  |
| 952 | Slow bacterial infections or autoimmunity?. <b>1992</b> , 13, 160-4   | 90  |
| 951 | The selective protection afforded by ebselen against lipid peroxidation in an ROS-dependent model of inflammation. <b>1992</b> , 36, 107-11   | 23  |
| 950 | Objectives and outcome of running an early inflammatory arthritis clinic. <b>1992</b> , 6, 261-83   | 2   |
| 949 | The search for laboratory measures of outcome in rheumatoid arthritis. <b>1992</b> , 6, 69-93   | 7   |
| 948 | Structures and functions of the sugar chains of glycoproteins. <b>1992</b> , 209, 483-501   | 335 |
| 947 | Molecular integrity of monoclonal antibodies produced by hybridoma cells in batch culture and in continuous-flow culture with integrated product recovery. <b>1993</b> , 42, 974-86 | 27  |
| 946 | Antibody variable region glycosylation: biochemical and clinical effects. <b>1993</b> , 15, 259-73  | 21  |
| 945 | Comparative studies of asparagine-linked sugar chains of immunoglobulin G from eleven mammalian species. <b>1993</b> , 106, 949-54  | 17  |
| 944 | T cell repertoire and autoimmune diseases. <b>1993</b> , 12, 149-67   | 15  |
| 943 | The glycosylation of haptoglobin in rheumatoid arthritis. <b>1993</b> , 220, 107-14   | 42  |

- 942 Control of IgG/Fc glycosylation: a comparison of oligosaccharides from chimeric human/mouse and mouse subclass immunoglobulin Gs. **1993**, 30, 741-8 64
- 941 Human IgG preparations isolated by ion-exchange or protein G affinity chromatography differ in their glycosylation profiles. **1993**, 166, 27-33 25
- 940 Preparation and biological evaluation of radiolabelled antibodies with selected carbohydrate modifications. **1993**, 20, 453-9
- 939 Lectins as Indicators of Disease-Associated Glycoforms. **1993**, 158-174 5
- 938 Comparison of the N- and O-linked glycopeptides of lymph node cells from C57 BL/6 lpr/lpr and C57 BL/6 mice. **1992**, 14, 45-56
- 937 Three-dimensional structure of a human immunoglobulin with a hinge deletion. **1993**, 90, 4271-5 103
- 936 Clinical aspects of glycoprotein biosynthesis. **1993**, 30, 65-151 37
- 935 Beta haemolytic streptococci and reactive arthritis in adults. **1993**, 52, 475-82 46
- 934 Role of protein glycosylation in immune regulation. **1993**, 52 Suppl 1, S22-9 15
- 933 Defective galactosylation and clearance of IgA1 molecules as a possible etiopathogenic factor in IgA nephropathy. **1993**, 104, 172-82 171
- 932 Free radicals in inflammation: second messengers and mediators of tissue destruction. **1993**, 49, 506-22 269
- 931 Rheumatoid factor: primary or secondary event in the pathogenesis of RA?. **1993**, 102, 209-15 7
- 930 IgG3 reactive rheumatoid factor in rheumatoid arthritis: etiologic and pathogenic considerations. **1994**, 19, 199-210 12
- 929 Differential B lymphocyte galactosyltransferase activity in the MRL mouse model of rheumatoid arthritis. **1994**, 17, 157-63 15
- 928 Early agalactosylation of IgG is associated with a more progressive disease course in patients with rheumatoid arthritis: results of a follow-up study. **1994**, 33, 36-43 71
- 927 Two-dimensional cryostat section electrophoresis: a novel method and its application to the diseased synovial membrane. *The Histochemical Journal*, **1994**, 26, 804-816 3
- 926 Occurrence of deficient galactosylation of serum IgG prior to the onset of rheumatoid arthritis. **1994**, 13, 217-220 21
- 925 Coprecipitating IgG asymmetric antibodies: A possible role for Fab glycosylation, and speculations on their formation and functions in disease. **1994**, 1, 59-66 10

|     |   |     |
|-----|---|-----|
| 924 | Changes in the glycosylation of IgG in the collagen-induced model of arthritis. <b>1994</b> , 1, 105-110  | 2   |
| 923 | Oligosaccharide structures of immunoglobulin G from two patients with carbohydrate-deficient glycoprotein syndrome. <b>1994</b> , 1, 247-252  | 6   |
| 922 | Examination of complex oligosaccharides by matrix-assisted laser desorption/ionization mass spectrometry on time-of-flight and magnetic sector instruments. <b>1994</b> , 29, 753-766                               | 105 |
| 921 | Capillary electrophoresis of ANTS labelled oligosaccharide ladders and complex carbohydrates. <b>1994</b> , 350, 415-425  | 38  |
| 920 | Glycoconjugates in autoimmunity. <b>1994</b> , 1197, 237-55   | 14  |
| 919 | Glycoconjugates in autoimmunity. <b>1994</b> , 1197, 237-255  | 12  |
| 918 | Glomerulopathy induced by IgG3 anti-trinitrophenyl monoclonal cryoglobulins derived from non-autoimmune mice. <b>1994</b> , 45, 962-71  | 15  |
| 917 | The binding of synovial tissue-derived human monoclonal immunoglobulin M rheumatoid factor to immunoglobulin G preparations of differing galactose content. <b>1994</b> , 40, 135-43                                | 61  |
| 916 | The acute phase response: general aspects. <b>1994</b> , 8, 513-30  | 75  |
| 915 | Affinity chromatography of oligosaccharides on Psathyrella velutina lectin column. <b>1994</b> , 247, 228-37  | 8   |
| 914 | Linear IgA disease and pregnancy. <b>1994</b> , 30, 407-11  | 41  |
| 913 | Carbohydrate-mediated recognition of a circulating placental alkaline phosphatase-immunoglobulin M complex. <b>1994</b> , 230, 9-19   | 5   |
| 912 | Relation of N-glycosylation of apolipoprotein B-100 to cellular metabolism of low density lipoprotein. <b>1994</b> , 108, 91-102  | 4   |
| 911 | Effect of altered CH2-associated carbohydrate structure on the functional properties and in vivo fate of chimeric mouse-human immunoglobulin G1. <b>1994</b> , 180, 1087-96   | 172 |
| 910 | Structural analysis of the N-glycans from human immunoglobulin A1: comparison of normal human serum immunoglobulin A1 with that isolated from patients with rheumatoid arthritis. <b>1994</b> , 299 ( Pt 1), 261-75 | 90  |
| 909 | Glycosylation of Immunoglobulins. <b>1994</b> , 1, 169-172  | 1   |
| 908 | Agalactosyl glycoforms of IgG autoantibodies are pathogenic. <b>1994</b> , 91, 6123-7   | 233 |
| 907 | Human serum amyloid P component is an invariant constituent of amyloid deposits and has a uniquely homogeneous glycostructure. <b>1994</b> , 91, 5602-6   | 178 |

|     |   |        |
|-----|---|--------|
| 906 | Alterations in the IgA carbohydrate chains influence the cellular distribution of IgA1. <b>1995</b> , 111, 66-71; discussion 71-2   | 34     |
| 905 | Glycobiology: "towards understanding the function of sugars". <b>1995</b> , 23, 1-25  | 155    |
| 904 | In pursuit of the optimal fed-batch process for monoclonal antibody production. <b>1995</b> , 11, 1-13  | 203    |
| 903 | Distinct oligosaccharide content of rheumatoid arthritis-derived immune complexes. <b>1995</b> , 38, 744-9  | 14     |
| 902 | Detection of immunoglobulin G glycosylation changes in patients with rheumatoid arthritis by means of isoelectric focusing and lectin-affinoblotting. <b>1995</b> , 16, 811-2                           | 8      |
| 901 | Rheumatoid factor avidity in patients with rheumatoid arthritis: identification of pathogenic RFs which correlate with disease parameters and with the gal(0) glycoform of IgG. <b>1995</b> , 15, 250-7 | 24     |
| 900 | Evaluation of beta 1,4-galactosyltransferase in rheumatoid arthritis and its role in the glycosylation network associated with this disease. <b>1995</b> , 12, 206-10                                   | 16     |
| 899 | Autoreactivity to mouse C1q in a murine model of SLE. <b>1995</b> , 15, 117-20  | 19     |
| 898 | Glycosylation of IgG during potentially arthritogenic lentiviral infections. <b>1995</b> , 14, 243-8  | 15     |
| 897 | Agalactosyl IgG and mannose-binding proteins: biochemical nicety or pathophysiological paradigm?. <b>1995</b> , 1, 207-8  | 7      |
| 896 | Glycosylation changes of IgG associated with rheumatoid arthritis can activate complement via the mannose-binding protein. <b>1995</b> , 1, 237-43  | 642    |
| 895 | Complement-immunoglobulin interactions. <i>Current Opinion in Immunology</i> , <b>1995</b> , 7, 41-7  | 7.8 59 |
| 894 | The superficial basal lamina of ciliary processes: binding studies with IgG-immunogold and ferritins. <b>1995</b> , 279, 365-9  |        |
| 893 | Synthesis of neoglycoproteins using oligosaccharide-transfer activity with endo-beta-N-acetylglucosaminidase. <b>1995</b> , 270, 3094-9   | 86     |
| 892 | Neonatal myasthenia gravis and the role of agalactosyl IgG. <b>1995</b> , 21, 131-5   | 6      |
| 891 | Agalactosyl IgG and antibody specificity in rheumatoid arthritis, tuberculosis, systemic lupus erythematosus and myasthenia gravis. <b>1995</b> , 22, 107-11  | 27     |
| 890 | Does it take sugar? A clinical role for measuring the glycosylation of IgG?. <b>1995</b> , 54, 689-91   | 3      |
| 889 | Cobra venom factor immunoconjugates: effects of carbohydrate-directed versus amino group-directed conjugation. <b>1995</b> , 6, 367-72  | 9      |

|     |  |           |
|-----|--|-----------|
| 888 | Short communication: selective placental transport of maternal IgG to the fetus. <b>1995</b> , 16, 749-56  | 41        |
| 887 | The effect of the removal of sialic acid, galactose and total carbohydrate on the functional activity of Campath-1H. <b>1995</b> , 32, 1311-8                    | 245       |
| 886 | Binding of human IgM from a rheumatoid factor to IgG of 12 animal species. <b>1995</b> , 112, 683-8  | 4         |
| 885 | Characterization of changes in the glycosylation pattern of recombinant proteins from BHK-21 cells due to different culture conditions. <b>1995</b> , 42, 117-31 | 86        |
| 884 | Anti-collagen antibodies and immune complexes in equine joint diseases. <b>1995</b> , 45, 19-30  | 12        |
| 883 | Rheumatoid factor, anti-heat shock protein (65 kDa) antibodies and anti-nuclear antibodies in equine joint diseases. <b>1995</b> , 27, 288-95                    | 8         |
| 882 | Tuberculose et auto-immunité: en sommes-nous?. <b>1996</b> , 7, 133-136  | 9         |
| 881 | Glycobiology: Toward Understanding the Function of Sugars. <i>Chemical Reviews</i> , <b>1996</b> , 96, 683-720   | 68.1 2497 |
| 880 | A new bioluminescent assay for studies of protein G and protein A binding to IgG and IgM. <b>1996</b> , 32, 7-13   | 12        |
| 879 | Analysis of different glycosylation states in IgG subclasses. <b>1996</b> , 252, 147-58  | 19        |
| 878 | Glycosylation and Placental Transport of Immunoglobulin G.. <b>1996</b> , 21, 57-63  | 49        |
| 877 | Glycobiology: a Quantum Leap in Carbohydrate Chemistry. <b>1996</b> , 2, 153-202   | 2         |
| 876 | Chapter 5 Rheumatoid arthritis and serum IgG. <b>1996</b> , 30, 277-289  | 2         |
| 875 | Chapter 6 Glycoproteins in inflammatory bowel disease. <b>1996</b> , 30, 291-298   | 4         |
| 874 | Site-specific glycosylation of human immunoglobulin G is altered in four rheumatoid arthritis patients. <b>1996</b> , 314 ( Pt 2), 621-30                        | 122       |
| 873 | Structure and function of IgE myeloma protein VL from an atopic patient. <b>1996</b> , 110, 143-8  | 6         |
| 872 | The Serum Level of Agalactosyl IgG in Rheumatoid Arthritis Patients Treated with Methotrexate. <b>1996</b> , 9, 19-22  |           |
| 871 | Glycosylation of Antibody Molecules: Structural and Functional Significance. <b>1996</b> , 65, 111-128   | 16        |

|     |  |     |     |
|-----|--|-----|-----|
| 870 | Agalactosyl IgG and materno-fetal transmission of autoimmune neonatal lupus. <b>1996</b> , 16, 89-94   |     | 8   |
| 869 | On the interaction between agalactosyl IgG and Fc gamma receptors. <b>1996</b> , 26, 1404-7  |     | 28  |
| 868 | Immunoglobulin G galactosylation deficiency determined by isoelectric focusing and lectin affino blotting in differential diagnosis of rheumatoid arthritis. <b>1996</b> , 17, 533-4   |     | 6   |
| 867 | A rapid high-resolution high-performance liquid chromatographic method for separating glycan mixtures and analyzing oligosaccharide profiles. <b>1996</b> , 240, 210-26  |     | 478 |
| 866 | Analysis of murine IgG isotype galactosylation in collagen-induced arthritis. <b>1996</b> , 44, 381-7  |     | 10  |
| 865 | The relationship between exposed galactose and N-acetylglucosamine residues on IgG in rheumatoid arthritis (RA), juvenile chronic arthritis (JCA) and Sjögren's syndrome (SS). <i>Clinical and Experimental Immunology</i> , <b>1996</b> , 105, 99-103 | 6.2 | 50  |
| 864 | Differential clearance of glycoforms of IgG in normal and autoimmune-prone mice. <i>Clinical and Experimental Immunology</i> , <b>1996</b> , 106, 259-64   | 6.2 | 54  |
| 863 | Agalactosyl IgG and beta-1,4-galactosyltransferase gene expression in rheumatoid arthritis patients and in the arthritis-prone MRL lpr/lpr mouse. <i>Immunology</i> , <b>1996</b> , 87, 654-9  | 7.8 | 20  |
| 862 | Crystallization of a complex between the Fab fragment of a human immunoglobulin M (IgM) rheumatoid factor (RF-AN) and the Fc fragment of human IgG4. <i>Immunology</i> , <b>1996</b> , 88, 636-41  | 7.8 | 28  |
| 861 | Raised levels of agalactosyl IgG in childhood tuberculosis. <b>1996</b> , 90, 167-8  |     | 5   |
| 860 | Changes in agalactosyl IgG levels correlate with radiological progression in early rheumatoid arthritis. <b>1996</b> , 28, 265-9   |     | 20  |
| 859 | Polyethylene glycol precipitates of serum contain a large proportion of uncomplexed immunoglobulins and C3. <b>1996</b> , 25, 91-101   |     | 12  |
| 858 | HPLC Strategies for Profiling and Sequencing Oligosaccharides. <b>1997</b> , 199-234   |     | 7   |
| 857 | Post-partum flare in MRL-lpr/lpr mice is associated with a parallel increase of N-acetylglucosamine on serum IgG. <b>1997</b> , 36, 174-7  |     | 12  |
| 856 | Rheumatoid factors: where are we now?. <b>1997</b> , 56, 285-6   |     | 16  |
| 855 | Glycosylation: heterogeneity and the 3D structure of proteins. <b>1997</b> , 32, 1-100   |     | 338 |
| 854 | Generation and characterization of mouse monoclonal antibodies specific for N-linked neutral oligosaccharides of glycoproteins. <b>1997</b> , 342, 48-57   |     | 16  |
| 853 | A detailed lectin analysis of IgG glycosylation, demonstrating disease specific changes in terminal galactose and N-acetylglucosamine. <b>1997</b> , 10, 77-85   |     | 70  |

|     |   |        |
|-----|---|--------|
| 852 | Variations in oligosaccharide-protein interactions in immunoglobulin G determine the site-specific glycosylation profiles and modulate the dynamic motion of the Fc oligosaccharides. <b>1997</b> , 36, 1370-80 | 178    |
| 851 | Structural differences among serum IgA proteins of chimpanzee, rhesus monkey and rat origin. <b>1997</b> , 34, 557-65   | 2      |
| 850 | Species-specific beta-N-acetylgalactosamylation of serum IgG proteins. <b>1997</b> , 1334, 207-13   | 4      |
| 849 | Glycobiology and medicine: an introduction. <b>1997</b> , 90, 260-4   | 8      |
| 848 | Heterogeneity of carbohydrate moieties of IgA1 molecules from IgA nephropathy patients and normal individuals. <b>1997</b> , 3, 85-89   | 10     |
| 847 | Structural heterogeneity of glycans in IgA molecules: Implications for IgA nephropathy. <b>1997</b> , 3, s653-s657  | 8      |
| 846 | On-line post-capillary affinity detection of immunoglobulin G subclasses and monoclonal antibody variants for capillary electrophoresis. <b>1997</b> , 790, 207-14  | 12     |
| 845 | Galactose-deficient IgA1 in sera of IgA nephropathy patients is present in complexes with IgG. <b>1997</b> , 52, 509-16   | 225    |
| 844 | Differential glycosylation of Bence Jones protein and kidney impairment in patients with plasma cell dyscrasia. <b>1997</b> , 129, 217-23   | 11     |
| 843 | Beta-N-acetylhexosaminidase: a target for the design of antifungal agents. <b>1997</b> , 76, 187-218  | 73     |
| 842 | Effect of glycosylation on antibody function: implications for genetic engineering. <b>1997</b> , 15, 26-32   | 274    |
| 841 | Growth retardation and early death of beta-1,4-galactosyltransferase knockout mice with augmented proliferation and abnormal differentiation of epithelial cells. <b>1997</b> , 16, 1850-7                      | 216    |
| 840 | Structural changes of immunoglobulin G oligosaccharides with age in healthy human serum. <b>1997</b> , 14, 401-5  | 122    |
| 839 | The glycosylation pattern of humanized IgG1 antibody (D1.3) expressed in CHO cells. <b>1997</b> , 14, 201-7   | 30     |
| 838 | Purification of anti-chymotrypsin antibodies for the preparation of a bioaffinity matrix with oriented chymotrypsin as immobilized ligand. <b>1997</b> , 689, 273-9   | 11     |
| 837 | Pristane-induced arthritis is CD4+ T-cell dependent. <i>Immunology</i> , <b>1997</b> , 90, 81-6   | 7.8 31 |
| 836 | Flow cytometric detection of the Golgi apparatus using antibodies to glycosyltransferases. <b>1997</b> , 28, 50-57  | 6      |
| 835 | Characterization of monoclonal antibody glycosylation: comparison of expression systems and identification of terminal alpha-linked galactose. <b>1997</b> , 247, 102-10  | 130    |

|     |   |        |
|-----|---|--------|
| 834 | Sialyl Lewis(x) expression on IgG in rheumatoid arthritis and other arthritic conditions: a preliminary study. <b>1998</b> , 15, 1149-54  | 10     |
| 833 | Structural changes in the oligosaccharide moiety of human IgG with aging. <b>1998</b> , 15, 683-9   | 78     |
| 832 | HPLC method for the determination of Fuc to Asn-linked GlcNAc fucosyltransferases. <b>1998</b> , 15, 89-91  | 15     |
| 831 | A retrospective and prospective view of glycopathology. <b>1998</b> , 15, 323-31  | 51     |
| 830 | Detection of disease-specific augmentation of abnormal immunoglobulin G in sera of patients with rheumatoid arthritis. <b>1998</b> , 15, 929-34   | 6      |
| 829 | Dynamics of the carbohydrate chains attached to the Fc portion of immunoglobulin G as studied by NMR spectroscopy assisted by selective <sup>13</sup> C labeling of the glycans. <b>1998</b> , 12, 385-94 | 53     |
| 828 | Quantitation of the oligosaccharides of human serum IgG from patients with rheumatoid arthritis: a critical evaluation of different methods. <b>1998</b> , 213, 113-30                                    | 72     |
| 827 | Genetic control of susceptibility to collagen-induced arthritis in T cell receptor beta-chain transgenic mice. <b>1998</b> , 41, 256-62   | 37     |
| 826 | Evaluating candidate autoantigens in rheumatoid arthritis. <b>1998</b> , 20, 23-39  | 17     |
| 825 | Rheumatoid factors. <b>1998</b> , 18, 89-96   |        |
| 824 | The role of glycosylation in autoimmune disease. <b>1998</b> , 27, 239-53   | 36     |
| 823 | Changes in the galactose content of IgG during humoral immune responses. <b>1998</b> , 28, 25-30  | 20     |
| 822 | Dissolved oxygen concentration in serum-free continuous culture affects N-linked glycosylation of a monoclonal antibody. <b>1998</b> , 62, 55-71  | 129    |
| 821 | The structure of a human rheumatoid factor bound to IgG Fc. <i>Advances in Experimental Medicine and Biology</i> , <b>1998</b> , 435, 41-50   | 3.6 12 |
| 820 | Glycoproteins and their relationship to human disease. <b>1998</b> , 161, 36-78   | 125    |
| 819 | The glycosylation and structure of human serum IgA1, Fab, and Fc regions and the role of N-glycosylation on Fcγ receptor interactions. <b>1998</b> , 273, 2260-72   | 316    |
| 818 | The p68 autoantigen characteristic of rheumatoid arthritis is reactive with carbohydrate epitope specific autoantibodies. <b>1998</b> , 57, 220-5   | 21     |
| 817 | Increased sialylation of oligosaccharides on IgG paraproteins--a potential new tumour marker in multiple myeloma. <b>1998</b> , 51, 825-30  | 21     |



|     |  |     |     |
|-----|--|-----|-----|
| 816 | Fucosylation and galactosylation of IgG heavy chains differ between acute and remission phases of juvenile chronic arthritis. <b>1998</b> , 36, 99-102   |     | 40  |
| 815 | A longitudinal study of glycosylation of a human IgG3 paraprotein in a patient with multiple myeloma. <i>Advances in Experimental Medicine and Biology</i> , <b>1998</b> , 435, 95-103             | 3.6 | 5   |
| 814 | Glycosylation differences between the normal and pathogenic prion protein isoforms. <b>1999</b> , 96, 13044-9  |     | 233 |
| 813 | Comparison of intact antibody structures and the implications for effector function. <b>1999</b> , 72, 191-208   |     | 31  |
| 812 | Oriented immobilization of biologically active proteins as a tool for revealing protein interactions and function. <b>1999</b> , 722, 11-31  |     | 261 |
| 811 | Galactosylation of serum IgG and autoantibodies in murine models of autoimmune haemolytic anaemia. <i>Clinical and Experimental Immunology</i> , <b>1999</b> , 117, 449-54                         | 6.2 | 7   |
| 810 | The specificity of synovial IgM rheumatoid factors (RF) for genetically engineered IgG antibodies is not affected by the method used to immortalize RF-producing B cells. <b>1999</b> , 49, 106-11 |     | 2   |
| 809 | The effect on immunoglobulin glycosylation of altering in vivo production of immunoglobulin G. <i>Immunology</i> , <b>1999</b> , 98, 475-80  | 7.8 | 3   |
| 808 | Fucosylation of IgG heavy chains is increased in rheumatoid arthritis. <b>1999</b> , 32, 605-8   |     | 63  |
| 807 | Screening neutral and acidic IgG N-glycans by high density electrophoresis. <b>1999</b> , 16, 283-90   |     | 5   |
| 806 | Carbohydrate analysis of a chimeric recombinant monoclonal antibody by capillary electrophoresis with laser-induced fluorescence detection. <b>1999</b> , 71, 5185-92                              |     | 125 |
| 805 | Agalactosyl IgG is elevated in patients with active spondyloarthropathy. <b>1999</b> , 18, 171-6   |     | 23  |
| 804 | HIV infection and oligosaccharides: a novel approach to preventing HIV infection and the onset of AIDS. <b>1999</b> , 5, 190-195   |     | 2   |
| 803 | Sugar printing rheumatic diseases: a potential method for disease differentiation using immunoglobulin G oligosaccharides. <b>1999</b> , 42, 1682-90   |     | 68  |
| 802 | Glycosylation and rheumatic disease. <b>1999</b> , 1455, 219-29  |     | 67  |
| 801 | Interaction of a lectin from <i>Psathyrella velutina</i> mushroom with N-acetylneuraminic acid. <b>1999</b> , 448, 75-80   |     | 31  |
| 800 | A convenient microscale colorimetric method for terminal galactose on immunoglobulins. <b>1999</b> , 261, 196-201  |     | 2   |
| 799 | N-Glycosylation of a mouse IgG expressed in transgenic tobacco plants. <i>Glycobiology</i> , <b>1999</b> , 9, 365-72   | 5.8 | 183 |

|     |  |     |      |
|-----|--|-----|------|
| 798 | Autoantibody activity of IgG rheumatoid factor increases with decreasing levels of galactosylation and sialylation. <b>2000</b> , 128, 621-8   |     | 86   |
| 797 | Stabilization of human recombinant erythropoietin through interactions with the highly branched N-glycans. <b>2000</b> , 128, 731-7  |     | 38   |
| 796 | Metabolic shifts do not influence the glycosylation patterns of a recombinant fusion protein expressed in BHK cells. <b>2000</b> , 69, 129-39  |     | 15   |
| 795 | The association of variant mannose-binding lectin genotypes with radiographic outcome in rheumatoid arthritis. <b>2000</b> , 43, 515-21  |     | 93   |
| 794 | IgG glycosylation status as a clinical predictor of rheumatoid arthritis: comment on the article by Kim and Weisman. <b>2000</b> , 43, 2617-8  |     | 1    |
| 793 | The structure and origin of rheumatoid factors. <b>2000</b> , 21, 177-83   |     | 78   |
| 792 | Comparisons of the glycosylation of a monoclonal antibody produced under nominally identical cell culture conditions in two different bioreactors. <b>2000</b> , 16, 462-70  |     | 65   |
| 791 | Analysis of agalacto-IgG in rheumatoid arthritis using surface plasmon resonance. <b>2000</b> , 17, 323-9  |     | 18   |
| 790 | A journey to the world of glycobiology. <b>2000</b> , 17, 443-64   |     | 74   |
| 789 | In vivo trafficking and catabolism of IgG1 antibodies with Fc associated carbohydrates of differing structure. <i>Glycobiology</i> , <b>2000</b> , 10, 1347-55   | 5.8 | 91   |
| 788 | The effect of lactation in the post-partum arthritis of MRL-lpr/fasmice. <b>2000</b> , 39, 646-51  |     | 9    |
| 787 | Pairing of oligosaccharides in the Fc region of immunoglobulin G. <b>2000</b> , 473, 349-57  |     | 69   |
| 786 | Species-specific variation in glycosylation of IgG: evidence for the species-specific sialylation and branch-specific galactosylation and importance for engineering recombinant glycoprotein therapeutics. <i>Glycobiology</i> , <b>2000</b> , 10, 477-86 | 5.8 | 375  |
| 785 | Glycoengineering of therapeutic glycoproteins: in vitro galactosylation and sialylation of glycoproteins with terminal N-acetylglucosamine and galactose residues. <b>2001</b> , 40, 8868-76   |     | 108  |
| 784 | Glycosylation and the immune system. <b>2001</b> , 291, 2370-6   |     | 1289 |
| 783 | Abnormal IgG galactosylation and arthritis in MRL-Fas(lpr) or MRL-FasL(gld) mice are under the control of the MRL genetic background. <b>2001</b> , 507, 210-4   |     | 12   |
| 782 | Neuraminidase treatment abrogates the binding abnormality of IgA1 from IgA nephropathy patients and the differential charge distribution of its alpha-heavy chains. <b>2001</b> , 89, 422-5  |     | 7    |
| 781 | Role of galactosylation in the renal pathogenicity of murine immunoglobulin G3 monoclonal cryoglobulins. <b>2001</b> , 97, 3537-43   |     | 19   |

|     |   |        |
|-----|---|--------|
| 780 | An experimental model of cryoglobulin-associated vasculitis in mice. <b>2001</b> , 23, 315-29   | 6      |
| 779 | Rapid analysis of amino sugars by microchip electrophoresis with laser-induced fluorescence detection. <b>2001</b> , 22, 4023-31  | 38     |
| 778 | A high-performance liquid chromatography based strategy for rapid, sensitive sequencing of N-linked oligosaccharide modifications to proteins in sodium dodecyl sulphate polyacrylamide electrophoresis gel bands. <b>2001</b> , 1, 285-94  | 107    |
| 777 | EndoS, a novel secreted protein from <i>Streptococcus pyogenes</i> with endoglycosidase activity on human IgG. <b>2001</b> , 20, 3046-55  | 261    |
| 776 | Rapid and simple preparation of N-linked oligosaccharides by cellulose-column chromatography. <b>2001</b> , 332, 381-8  | 51     |
| 775 | Production and molecular characterization of clinical phase i anti-melanoma mouse IgG3 monoclonal antibody R24. <b>2001</b> , 17, 809-21  | 10     |
| 774 | Abnormal IgG galactosylation in MRL-lpr/lpr mice: pathogenic role in the development of arthritis. <b>2001</b> , 51, 909-15   | 19     |
| 773 | Genetic remodeling of protein glycosylation in vivo induces autoimmune disease. <b>2001</b> , 98, 1142-7  | 172    |
| 772 | CE in Biotechnology: Practical Applications for Protein and Peptide Analyses. <b>2001</b> ,   | 1      |
| 771 | Diagnosis and therapy of rheumatoid arthritis in the future. <b>2001</b> , 11, 286-91   | 2      |
| 770 | The history of glycobiology in Japan. <i>Glycobiology</i> , <b>2001</b> , 11, 99R-105R  | 5.8 9  |
| 769 | Characterization of human apolipoprotein B100 oligosaccharides in LDL subfractions derived from normal and hyperlipidemic plasma: deficiency of alpha-N-acetylneuraminyl-lactosyl-ceramide in light and small dense LDL particles. <i>Glycobiology</i> , <b>2001</b> , 11, 791-802                  | 5.8 22 |
| 768 | Analysis of Protein Therapeutics by Capillary Electrophoresis. <b>2001</b> , 75-89  | 7      |
| 767 | <i>Psathyrella velutina</i> Mushroom Lectin Exhibits High Affinity toward Sialoglycoproteins Possessing Terminal N-Acetylneuraminic Acid alpha 2,3-Linked to Penultimate Galactose Residues of Trisialyl N-Glycans. Comparison with other sialic acid-specific lectins. <b>2002</b> , 277, 24916-25 | 34     |
| 766 | Chaperone-like functions of high-mannose type and complex-type N-glycans and their molecular basis. <b>2002</b> , 132, 803-11   | 42     |
| 765 | Level of galactosylation determines cryoglobulin activity of murine IgG3 monoclonal rheumatoid factor. <b>2002</b> , 99, 2922-8   | 26     |
| 764 | The carbohydrate moiety of serum IgM from Atlantic cod ( <i>Gadus morhua</i> L.). <b>2002</b> , 12, 209-27  | 16     |
| 763 | Myeloma expression systems. <b>2002</b> , 261, 1-20   | 56     |

|     |  |     |      |
|-----|--|-----|------|
| 762 | Binding of rheumatoid and lupus synovial fluids and sera-derived human IgG rheumatoid factor to degalactosylated IgG. <b>2002</b> , 33, 541-4  |     | 20   |
| 761 | Analysis of glycoproteins and the oligosaccharides thereof by high-performance capillary electrophoresis-significance in regulatory studies on biopharmaceutical products. <b>2002</b> , 16, 103-15  |     | 34   |
| 760 | A study of immunoglobulin G glycosylation in monoclonal and polyclonal species by electrospray and matrix-assisted laser desorption/ionization mass spectrometry. <b>2002</b> , 305, 16-31   |     | 44   |
| 759 | Precursor ion scanning for detection and structural characterization of heterogeneous glycopeptide mixtures. <b>2002</b> , 13, 1065-77   |     | 76   |
| 758 | Hypogalactosylation of serum IgG in patients with ANCA-associated systemic vasculitis. <i>Clinical and Experimental Immunology</i> , <b>2002</b> , 129, 183-90   | 6.2 | 70   |
| 757 | Targeting glycosylation as a therapeutic approach. <b>2002</b> , 1, 65-75  |     | 348  |
| 756 | Hyperosmotic stress and elevated pCO <sub>2</sub> alter monoclonal antibody charge distribution and monosaccharide content. <b>2002</b> , 18, 346-53   |     | 46   |
| 755 | Lack of fucose on human IgG1 N-linked oligosaccharide improves binding to human Fcγ <sub>3</sub> RIII and antibody-dependent cellular toxicity. <b>2002</b> , 277, 26733-40  |     | 1279 |
| 754 | Structural studies on IgG oligosaccharides of patients with primary Sjögren's syndrome. <b>2002</b> , 19, 23-31  |     | 12   |
| 753 | Cell surface expression of C1qRP/CD93 is stabilized by O-glycosylation. <b>2003</b> , 196, 512-22  |     | 29   |
| 752 | Effects of buffering conditions and culture pH on production rates and glycosylation of clinical phase I anti-melanoma mouse IgG3 monoclonal antibody R24. <b>2003</b> , 83, 321-34  |     | 78   |
| 751 | Site-specific glycosylation of an aglycosylated human IgG1-Fc antibody protein generates neoglycoproteins with enhanced function. <b>2003</b> , 10, 807-14   |     | 48   |
| 750 | Microanalysis of N-linked oligosaccharides in a glycoprotein by capillary liquid chromatography/mass spectrometry and liquid chromatography/tandem mass spectrometry. <b>2003</b> , 316, 15-22   |     | 59   |
| 749 | Monoclonal C5-1 antibody produced in transgenic alfalfa plants exhibits a N-glycosylation that is homogenous and suitable for glyco-engineering into human-compatible structures. <b>2003</b> , 1, 451-62                                      |     | 57   |
| 748 | Hypogalactosylation of serum IgG in patients with coeliac disease. <i>Clinical and Experimental Immunology</i> , <b>2003</b> , 133, 422-9  | 6.2 | 13   |
| 747 | The absence of fucose but not the presence of galactose or bisecting N-acetylglucosamine of human IgG1 complex-type oligosaccharides shows the critical role of enhancing antibody-dependent cellular cytotoxicity. <b>2003</b> , 278, 3466-73 |     | 1018 |
| 746 | A genetic approach to Mammalian glycan function. <b>2003</b> , 72, 643-91  |     | 515  |
| 745 | Reactivity of agalactosyl IgG with rheumatoid factor. <b>2003</b> , 334, 217-23  |     | 19   |

|     |  |     |     |
|-----|--|-----|-----|
| 744 | Galactosyltransferase--still up and running. <b>2003</b> , 85, 261-74  |     | 18  |
| 743 | Extracellular enzymes with immunomodulating activities: variations on a theme in <i>Streptococcus pyogenes</i> . <b>2003</b> , 71, 2983-92   |     | 67  |
| 742 | Detailed glycan analysis of serum glycoproteins of patients with congenital disorders of glycosylation indicates the specific defective glycan processing step and provides an insight into pathogenesis. <i>Glycobiology</i> , <b>2003</b> , 13, 601-22 | 5.8 | 125 |
| 741 | Free secretory component from cystic fibrosis sputa displays the cystic fibrosis glycosylation phenotype. <b>2004</b> , 169, 399-406   |     | 12  |
| 740 | The effect of TNF-alpha on glycosylation pathways in bovine synoviocytes. <b>2004</b> , 82, 559-68   |     | 34  |
| 739 | Analysis of the oligosaccharide chain of human serum immunoglobulin G in patients with localized or metastatic cancer. <b>2004</b> , 66, 365-70  |     | 26  |
| 738 | The glycosylation of human serum IgD and IgE and the accessibility of identified oligomannose structures for interaction with mannan-binding lectin. <i>Journal of Immunology</i> , <b>2004</b> , 173, 6831-40   | 5.3 | 87  |
| 737 | A novel secreted endoglycosidase from <i>Enterococcus faecalis</i> with activity on human immunoglobulin G and ribonuclease B. <b>2004</b> , 279, 22558-70   |     | 63  |
| 736 | Rheumatoid factor isotypes and anti-agalactosyl IgG antibodies in systemic sclerosis. <b>2004</b> , 151, 803-8   |     | 13  |
| 735 | Noninvasive diagnosis of liver cirrhosis using DNA sequencer-based total serum protein glycomics. <b>2004</b> , 10, 429-34   |     | 359 |
| 734 | Change in relative mobility of M protein following neuraminidase treatment in patients with multiple myeloma and monoclonal gammopathy of undetermined significance. <b>2004</b> , 18, 182-6   |     |     |
| 733 | Localization of the O-glycosylated sites in peptides by fixed-charge derivatization with a phosphonium group. <b>2004</b> , 76, 4320-4   |     | 18  |
| 732 | Temperature-dependent isologous Fab-Fab interaction that mediates cryocrystallization of a monoclonal immunoglobulin G. <b>2004</b> , 41, 1211-5   |     | 18  |
| 731 | The third chains of living organisms--a trail of glycobiology that started from the third floor of building 4 in NIH. <b>2004</b> , 426, 107-21  |     | 10  |
| 730 | Diagnostic value of antiagalactosyl IgG antibodies in rheumatoid arthritis. <b>2004</b> , 23, 218-22   |     | 28  |
| 729 | Analysis of N- and O-linked glycans of glycoproteins. <b>2005</b> ,  |     |     |
| 728 | Repeated immunization induces the increase in fucose content on antigen-specific IgG N-linked oligosaccharides. <b>2005</b> , 38, 149-53   |     | 27  |
| 727 | Influence of culture conditions on the N-glycosylation of a monoclonal antibody specific for recombinant hepatitis B surface antigen. <b>2005</b> , 41, 67-76  |     | 19  |

|     |  |     |      |
|-----|--|-----|------|
| 726 | Anti-agalactosyl immunoglobulin G antibodies in localized scleroderma. <b>2005</b> , 44, 817-20  |     | 9    |
| 725 | Serum levels of anti-agalactosyl IgG antibodies in mixed connective tissue disease. <b>2005</b> , 152, 806-7   |     | 2    |
| 724 | Proteomics in rheumatology: a new direction for old diseases. <b>2005</b> , 35, 67-76  |     | 16   |
| 723 | Comprehensive assessment of N-glycans derived from a murine monoclonal antibody: a case for multimethodological approach. <b>2005</b> , 26, 2034-46  |     | 68   |
| 722 | High-throughput protein glycomics: combined use of chemoselective glycoblotting and MALDI-TOF/TOF mass spectrometry. <b>2004</b> , 44, 91-6  |     | 152  |
| 721 | In vitro galactosylation of human IgG at 1 kg scale using recombinant galactosyltransferase. <b>2005</b> , 92, 831-42  |     | 47   |
| 720 | High-Throughput Protein Glycomics: Combined Use of Chemoselective Glycoblotting and MALDI-TOF/TOF Mass Spectrometry. <b>2005</b> , 117, 93-98  |     | 28   |
| 719 | Versatile glycoblotting nanoparticles for high-throughput protein glycomics. <b>2005</b> , 11, 3825-34   |     | 30   |
| 718 | A critical role for sialylation in cryoglobulin activity of murine IgG3 monoclonal antibodies. <i>Journal of Immunology</i> , <b>2005</b> , 175, 1056-61   | 5.3 | 20   |
| 717 | Human immunoglobulin glycosylation and the lectin pathway of complement activation. <i>Advances in Experimental Medicine and Biology</i> , <b>2005</b> , 564, 27-43                                | 3.6 | 15   |
| 716 | Heterogeneity of IgG glycosylation in adult periodontal disease. <b>2005</b> , 84, 897-901   |     | 24   |
| 715 | Human anti-immunoglobulin antibodies interfering in immunometric assays. <b>2005</b> , 65, 349-64  |     | 13   |
| 714 | A longitudinal study of the relationship between galactosylation degree of IgG and rheumatoid factor titer and avidity during long-term immunization of rabbits with BSA. <b>2005</b> , 38, 409-16 |     | 4    |
| 713 | Rheumatoid factor on a daily basis. <b>2005</b> , 38, 11-6   |     | 56   |
| 712 | The role of the complement and the Fc gamma R system in the pathogenesis of arthritis. <b>2005</b> , 7, 129-35   |     | 32   |
| 711 | Antibody-induced arthritis: disease mechanisms and genes involved at the effector phase of arthritis. <b>2006</b> , 8, 223   |     | 97   |
| 710 | Structure and function of the long pentraxin PTX3 glycosidic moiety: fine-tuning of the interaction with C1q and complement activation. <b>2006</b> , 45, 11540-51                                 |     | 100  |
| 709 | Anti-inflammatory activity of immunoglobulin G resulting from Fc sialylation. <b>2006</b> , 313, 670-3   |     | 1331 |

|     |  |     |      |
|-----|--|-----|------|
| 708 | Immunology. Sugar determines antibody activity. <b>2006</b> , 313, 627-8   |     | 71   |
| 707 | Proteomic analysis of serum associated fucosylated glycoproteins in the development of primary hepatocellular carcinoma. <b>2006</b> , 5, 308-15   |     | 174  |
| 706 | Interrogation of N-Linked oligosaccharides using infrared multiphoton dissociation in FT-ICR mass spectrometry. <b>2006</b> , 78, 4990-7   |     | 56   |
| 705 | Method for investigation of oligosaccharides from glycopeptides: direct determination of glycosylation sites in proteins. <b>2006</b> , 78, 2977-84  |     | 34   |
| 704 | Mass spectrometric approach for screening modifications of total serum N-glycome in human diseases: application to cirrhosis. <i>Glycobiology</i> , <b>2006</b> , 16, 281-93                                     | 5.8 | 66   |
| 703 | Glycosylation in cellular mechanisms of health and disease. <b>2006</b> , 126, 855-67  |     | 1981 |
| 702 | Glycoform-dependent conformational alteration of the Fc region of human immunoglobulin G1 as revealed by NMR spectroscopy. <b>2006</b> , 1760, 693-700   |     | 162  |
| 701 | Differential glycosylation of polyclonal IgG, IgG-Fc and IgG-Fab isolated from the sera of patients with ANCA-associated systemic vasculitis. <b>2006</b> , 1760, 669-77   |     | 144  |
| 700 | Beta-propeller crystal structure of Psathyrella velutina lectin: an integrin-like fungal protein interacting with monosaccharides and calcium. <b>2006</b> , 357, 1575-91  |     | 74   |
| 699 | Glycobiology. <b>2006</b> ,  |     |      |
| 698 | The identification and characterization of xenoantigenic nonhuman carbohydrate sequences in membrane proteins from porcine kidney. <b>2006</b> , 6, 1133-42  |     | 29   |
| 697 | The use of mass spectrometry for the proteomic analysis of glycosylation. <b>2006</b> , 6, 3993-4015   |     | 195  |
| 696 | From glycomics to functional glycomics of sugar chains: Identification of target proteins with functional changes using gene targeting mice and knock down cells of FUT8 as examples. <b>2006</b> , 1764, 1881-9 |     | 22   |
| 695 | Galactosylation of IgG from rheumatoid arthritis (RA) patients--changes during therapy. <b>2006</b> , 23, 463-71   |     | 62   |
| 694 | Electric charge and sugar chains of immunoglobulin G in systemic lupus erythematosus. <b>2006</b> , 10, 25-32  |     | 2    |
| 693 | Abnormal glycosylation of serum IgG in patients with IgA nephropathy. <b>2006</b> , 10, 180-5  |     | 8    |
| 692 | Molecular and cellular basis for pathogenicity of autoantibodies: lessons from murine monoclonal autoantibodies. <b>2006</b> , 28, 175-84  |     | 74   |
| 691 | Mannan binding lectin and its interaction with immunoglobulins in health and in disease. <b>2006</b> , 106, 103-10   |     | 123  |

|     |  |     |     |
|-----|--|-----|-----|
| 690 | Glycan analysis of monoclonal antibodies secreted in deposition disorders indicates that subsets of plasma cells differentially process IgG glycans. <b>2006</b> , 54, 3433-40                             |     | 49  |
| 689 | Identification of disialic acid-containing glycoproteins in mouse serum: a novel modification of immunoglobulin light chains, vitronectin, and plasminogen. <i>Glycobiology</i> , <b>2006</b> , 16, 651-65 | 5.8 | 20  |
| 688 | Deagalactosylated and/or denatured IgA, but not native IgA in any form, bind to mannose-binding lectin. <i>Journal of Immunology</i> , <b>2006</b> , 177, 1737-45  | 5.3 | 19  |
| 687 | Glycobiology Protocols. <b>2006</b> ,  |     | 1   |
| 686 | Human follicular lymphoma cells contain oligomannose glycans in the antigen-binding site of the B-cell receptor. <b>2007</b> , 282, 7405-15  |     | 103 |
| 685 | Analysis of N-glycan in serum glycoproteins from db/db mice and humans with type 2 diabetes. <b>2007</b> , 293, E1069-77   |     | 55  |
| 684 | Clinical laboratory testing in human medicine based on the detection of glycoconjugates. <b>2007</b> , 7, 397-416  |     | 12  |
| 683 | Glycoprotein Glycan Structures. <b>2007</b> , 39-72  |     | 9   |
| 682 | Ovarian cancer is associated with changes in glycosylation in both acute-phase proteins and IgG. <i>Glycobiology</i> , <b>2007</b> , 17, 1344-56   | 5.8 | 321 |
| 681 | Mast cells contribute to initiation of autoantibody-mediated arthritis via IL-1. <b>2007</b> , 104, 2325-30  |     | 144 |
| 680 | Quantitative glycomics of human whole serum glycoproteins based on the standardized protocol for liberating N-glycans. <b>2007</b> , 6, 1437-45  |     | 97  |
| 679 | Voltammetric sensing of sugar by an electrode covered with wheat germ agglutinin/chitin film. <b>2007</b> , 71, 1637-41  |     | 5   |
| 678 | The impact of glycosylation on the biological function and structure of human immunoglobulins. <b>2007</b> , 25, 21-50   |     | 975 |
| 677 | Structural comparison of fucosylated and nonfucosylated Fc fragments of human immunoglobulin G1. <b>2007</b> , 368, 767-79   |     | 237 |
| 676 | Antibody Structures. <b>2007</b> , 745-763   |     | 12  |
| 675 | Glycopolymers. <b>2007</b> , 453-476   |     | 0   |
| 674 | Human immunoglobulin G2 (IgG2) and IgG4, but not IgG1 or IgG3, protect mice against <i>Cryptococcus neoformans</i> infection. <b>2007</b> , 75, 1424-35  |     | 67  |
| 673 | Direct identification of nonreducing GlcNAc residues on N-glycans of glycoproteins using a novel chemoenzymatic method. <b>2007</b> , 18, 806-14   |     | 50  |



672 Therapeutic Antibodies. **2007**, 643-662

671 Human IgG Glycosylation in Inflammation and Inflammatory Disease. **2007**, 373-392 1

670 Glycosylation of an immunoglobulin produced from a murine hybridoma cell line: the effect of culture mode and the anti-apoptotic gene, bcl-2. **2007**, 97, 156-69 32

669 Genetically determined high serum levels of mannose-binding lectin and agalactosyl IgG are associated with ischemic heart disease in rheumatoid arthritis. **2007**, 56, 21-9 52

668 Endoglycosidase treatment abrogates IgG arthritogenicity: importance of IgG glycosylation in arthritis. **2007**, 37, 2973-82 91

667 Simultaneous profiling of N-glycans and proteins from human serum using a parallel-column system directly coupled to mass spectrometry. **2007**, 850, 109-19 23

666 Detection of altered N-glycan profiles in whole serum from rheumatoid arthritis patients. **2007**, 853, 133-7 34

665 A rapid mass spectrometric strategy for the characterization of N- and O-glycan chains in the diagnosis of defects in glycan biosynthesis. **2007**, 7, 1800-13 45

664 Glycosylation profiling of immunoglobulin G (IgG) subclasses from human serum. **2007**, 7, 4070-81 204

663 Commercial interest grows in glycan analysis. **2007**, 25, 145-6 16

662 Efficacy of RhD monoclonal antibodies in clinical trials as replacement therapy for prophylactic anti-D immunoglobulin: more questions than answers. **2007**, 93, 99-111 70

661 Anaesthesia and rheumatoid arthritis. **1993**, 48, 989-97 26

660 The action of TNFalpha and TGFbeta include specific alterations of the glycosylation of bovine and human chondrocytes. **2007**, 1773, 264-72 16

659 Structural alterations in outer arms of IgG oligosaccharides in patients with Werner syndrome. **2007**, 42, 545-53 4

658 Differences in the glycosylation profile of a monoclonal antibody produced by hybridomas cultured in serum-supplemented, serum-free or chemically defined media. **2007**, 47, 113-24 38

657 Analysis of immunoglobulin glycosylation by LC-ESI-MS of glycopeptides and oligosaccharides. **2008**, 8, 2858-71 267

656 Evaluation of the serum N-linked glycome for the diagnosis of cancer and chronic inflammation. **2008**, 8, 3284-93 264

655 Heterogeneity of monoclonal antibodies. **2008**, 97, 2426-47 341

|     |  |     |     |
|-----|--|-----|-----|
| 654 | N-glycan analysis by CGE-LIF: profiling influenza A virus hemagglutinin N-glycosylation during vaccine production. <b>2008</b> , 29, 4203-14   |     | 79  |
| 653 | Initiation of the alternative pathway of murine complement by immune complexes is dependent on N-glycans in IgG antibodies. <b>2008</b> , 58, 3081-9   |     | 68  |
| 652 | Simultaneous glycosylation analysis of human serum glycoproteins by high-performance liquid chromatography/tandem mass spectrometry. <b>2008</b> , 869, 20-30  |     | 27  |
| 651 | Comparative RP-HPLC for rapid identification of glycopeptides and application in off-line LC-MALDI-MS analysis. <b>2008</b> , 343, 758-68  |     | 6   |
| 650 | HPLC-based analysis of serum N-glycans on a 96-well plate platform with dedicated database software. <b>2008</b> , 376, 1-12   |     | 402 |
| 649 | Mammalian glycosylation in immunity. <b>2008</b> , 8, 874-87   |     | 510 |
| 648 | Evidence that the Fc region of autologous rabbit IgG isolated before and after hyperimmunization is structurally different: recognition by rheumatoid factor and monoclonal antibodies. <i>Clinical and Experimental Immunology</i> , <b>1990</b> , 81, 286-92 | 6.2 | 4   |
| 647 | Lymphocytes from patients with rheumatoid arthritis produce agalactosylated IgG in vitro. <i>Clinical and Experimental Immunology</i> , <b>1992</b> , 88, 420-3  | 6.2 | 26  |
| 646 | Agalactosyl IgG in pristane-induced arthritis. Pregnancy affects the incidence and severity of arthritis and the glycosylation status of IgG. <i>Clinical and Experimental Immunology</i> , <b>1992</b> , 89, 434-8  | 6.2 | 31  |
| 645 | Comparison between the protective effects of mycobacterial 65-kD heat shock protein and ovomucoid in pristane-induced arthritis: relationship with agalactosyl IgG. <i>Clinical and Experimental Immunology</i> , <b>1993</b> , 94, 247-51                     | 6.2 | 6   |
| 644 | Adjuvant arthritis is associated with changes in the glycosylation of serum IgG1 and IgG2b. <i>Clinical and Experimental Immunology</i> , <b>1993</b> , 94, 452-8  | 6.2 | 6   |
| 643 | IgG glycosylation in autoimmune-prone strains of mice. <i>Clinical and Experimental Immunology</i> , <b>1994</b> , 95, 103-7   | 6.2 | 18  |
| 642 | Alteration of N-glycans related to articular cartilage deterioration after anterior cruciate ligament transection in rabbits. <b>2008</b> , 16, 772-8  |     | 16  |
| 641 | Affinity Chromatography. <b>2008</b> , 741-765   |     |     |
| 640 | Molecular Biomethods Handbook. <b>2008</b> ,   |     | 10  |
| 639 | Immune regulation by B cells and antibodies a view towards the clinic. <b>2008</b> , 98, 1-38  |     | 17  |
| 638 | The crystal structure of the pathogenic collagen type II-specific mouse monoclonal antibody CIIC1 Fab: structure to function analysis. <b>2008</b> , 45, 2196-204  |     | 12  |
| 637 | Chapter 2 Human Total Serum N-Glycome. <b>2008</b> , 51-85   |     | 29  |

|     |   |     |     |
|-----|---|-----|-----|
| 636 | Increased levels of galactose-deficient anti-Gal immunoglobulin G in the sera of hepatitis C virus-infected individuals with fibrosis and cirrhosis. <b>2008</b> , 82, 1259-70        |     | 95  |
| 635 | Glycoengineering of human IgG1-Fc through combined yeast expression and in vitro chemoenzymatic glycosylation. <b>2008</b> , 47, 10294-304  |     | 84  |
| 634 | IgG oligosaccharide alterations are a novel diagnostic marker for disease activity and the clinical course of inflammatory bowel disease. <b>2008</b> , 103, 1173-81                  |     | 59  |
| 633 | Structural glycobiology: a game of snakes and ladders. <i>Glycobiology</i> , <b>2008</b> , 18, 426-40   | 5.8 | 124 |
| 632 | Impact of a three amino acid deletion in the CH2 domain of murine IgG1 on Fc-associated effector functions. <i>Journal of Immunology</i> , <b>2008</b> , 181, 4107-12                 | 5.3 | 19  |
| 631 | Sialic acid residues are essential for the anaphylactic activity of murine IgG1 antibodies. <i>Journal of Immunology</i> , <b>2008</b> , 181, 8308-14                                 | 5.3 | 10  |
| 630 | Crucial role of aspartic acid at position 265 in the CH2 domain for murine IgG2a and IgG2b Fc-associated effector functions. <i>Journal of Immunology</i> , <b>2008</b> , 181, 6664-9 | 5.3 | 68  |
| 629 | Targeting Complement in Rheumatoid Arthritis. <b>2008</b> , 4, 235-245  |     | 2   |
| 628 | Glycosylation changes on serum glycoproteins in ovarian cancer may contribute to disease pathogenesis. <b>2008</b> , 25, 219-32   |     | 135 |
| 627 | Human IgG/Fc gamma R interactions are modulated by streptococcal IgG glycan hydrolysis. <b>2008</b> , 3, e1413  |     | 82  |
| 626 | Glycosylation of serum proteins in inflammatory diseases. <b>2008</b> , 25, 267-78  |     | 183 |
| 625 | Disease related glycosylation changes and biomarker discovery: challenges and possibilities in an emerging field. Editorial. <b>2008</b> , 25, 189-92                                 |     | 4   |
| 624 | Quantifying anti-cyclic citrullinated peptide titres: clinical utility and association with tobacco exposure in patients with rheumatoid arthritis. <b>2009</b> , 68, 201-8           |     | 46  |
| 623 | The antibody paradigm: present and future development as a scaffold for biopharmaceutical drugs. <b>2010</b> , 26, 1-42   |     | 13  |
| 622 | Glycosylation profiles of epitope-specific anti-beta-amyloid antibodies revealed by liquid chromatography-mass spectrometry. <i>Glycobiology</i> , <b>2009</b> , 19, 958-70           | 5.8 | 12  |
| 621 | GlycoFibroTest is a highly performant liver fibrosis biomarker derived from DNA sequencer-based serum protein glycomics. <b>2009</b> , 8, 986-94                                      |     | 96  |
| 620 | N-glycan profiles as tools in diagnosis of hepatocellular carcinoma and prediction of healthy human ageing. <b>2009</b> , 130, 92-7   |     | 41  |
| 619 | Analysis of gamma-globulin mobility on routine clinical CE equipment: exploring its molecular basis and potential clinical utility. <b>2009</b> , 30, 2617-23                         |     | 12  |

|     |   |     |     |
|-----|---|-----|-----|
| 618 | A multipurpose capacitive biosensor for assay and quality control of human immunoglobulin G. <b>2009</b> , 104, 312-20  |     | 33  |
| 617 | Glycoprofiling of the Human Salivary Proteome. <b>2009</b> , 5, 52-68   |     | 36  |
| 616 | IgG glycosylation analysis. <b>2009</b> , 9, 882-913  |     | 254 |
| 615 | A close look at human IgG sialylation and subclass distribution after lectin fractionation. <b>2009</b> , 9, 4143-53  |     | 84  |
| 614 | The other side of immunoglobulin G: suppressor of inflammation. <i>Clinical and Experimental Immunology</i> , <b>2010</b> , 160, 161-7                                    | 6.2 | 55  |
| 613 | Quantitative site-specific analysis of protein glycosylation by LC-MS using different glycopeptide-enrichment strategies. <b>2009</b> , 395, 178-88                       |     | 96  |
| 612 | Serum protein N-glycans profiling for the discovery of potential biomarkers for nonalcoholic steatohepatitis. <b>2009</b> , 8, 463-70                                     |     | 44  |
| 611 | Site-specific glycoprofiling of N-linked glycopeptides using MALDI-TOF MS: strong correlation between signal strength and glycoform quantities. <b>2009</b> , 81, 3933-43 |     | 93  |
| 610 | A proteomic reference map for pig serum proteins as a prerequisite for diagnostic applications. <b>2009</b> , 86, 362-7   |     | 48  |
| 609 | Anti-carbohydrate antibodies of normal sera: findings, surprises and challenges. <b>2009</b> , 46, 3037-49  |     | 143 |
| 608 | Regulated glycosylation patterns of IgG during alloimmune responses against human platelet antigens. <b>2009</b> , 8, 450-6   |     | 91  |
| 607 | Mass spectrometry of proteins and peptides: methods and protocols. Preface. <b>2009</b> , 492, v  |     | 6   |
| 606 | Reversible changes in serum immunoglobulin galactosylation during the immune response and treatment of inflammatory autoimmune arthritis. <b>2009</b> , 68, 1360-5        |     | 39  |
| 605 | Glycosylation of Therapeutic IgGs. 67-89  |     | 9   |
| 604 | The crystal structure of rabbit IgG-Fc. <b>2009</b> , 417, 77-83  |     | 24  |
| 603 | Glycan labeling strategies and their use in identification and quantification. <b>2010</b> , 397, 3457-81   |     | 346 |
| 602 | Glycosylation pattern of humanized IgG-like bispecific antibody produced by recombinant CHO cells. <b>2010</b> , 85, 535-42   |     | 23  |
| 601 | Stable-isotope-assisted NMR approaches to glycoproteins using immunoglobulin G as a model system. <b>2010</b> , 56, 346-59  |     | 44  |

|     |   |     |
|-----|---|-----|
| 600 | Anti-agalactosyl IgG antibodies in Thai patients with rheumatoid arthritis, systemic lupus erythematosus, and systemic sclerosis. <b>2010</b> , 29, 241-6   | 4   |
| 599 | Anti-agalactosyl IgG antibody in ankylosing spondylitis and psoriatic arthritis. <b>2010</b> , 29, 875-81   | 7   |
| 598 | Effects of the Sri Lankan medicinal plant, <i>Salacia reticulata</i> , in rheumatoid arthritis. <b>2010</b> , 5, 89-96  | 8   |
| 597 | Challenges in Computational Analysis of Mass Spectrometry Data for Proteomics. <b>2010</b> , 25, 107-123  | 22  |
| 596 | Mechanisms involved in antibody- and complement-mediated allograft rejection. <b>2010</b> , 47, 25-44   | 39  |
| 595 | Increased concentration of two different advanced glycation end-products detected by enzyme immunoassays with new monoclonal antibodies in sera of patients with rheumatoid arthritis. <b>2010</b> , 11, 83 | 18  |
| 594 | Agalactosyl IgG: an aid to differential diagnosis in early synovitis. <b>1991</b> , 34, 1425-9  | 68  |
| 593 | Glycan profiling of anti-citrullinated protein antibodies isolated from human serum and synovial fluid. <b>2010</b> , 62, 1620-9  | 148 |
| 592 | Aberrant IgG galactosylation precedes disease onset, correlates with disease activity, and is prevalent in autoantibodies in rheumatoid arthritis. <b>2010</b> , 62, 2239-48                                | 163 |
| 591 | Platform technology to identify potential disease markers and establish heritability and environmental determinants of the human serum N-glycome. <b>2010</b> , 345, 1280-2                                 | 9   |
| 590 | IgG transmitted from allergic mothers decreases allergic sensitization in breastfed offspring. <b>2010</b> , 8, 9   | 25  |
| 589 | Characterizing protein glycosylation sites through higher-energy C-trap dissociation. <b>2010</b> , 24, 1217-25   | 101 |
| 588 | Antibody-mediated modulation of immune responses. <b>2010</b> , 236, 265-75   | 217 |
| 587 | Decreased levels of bisecting GlcNAc glycoforms of IgG are associated with human longevity. <b>2010</b> , 5, e12566   | 88  |
| 586 | Glycomics: Relevance for Personalized Medicine. <b>2010</b> , 8, 49-63  |     |
| 585 | Intramolecular glycan-protein interactions in glycoproteins. <b>2010</b> , 478, 365-88  | 23  |
| 584 | Mechanisms of action of intravenous immunoglobulins. <b>2010</b> , 6, 425-34  | 45  |
| 583 | Identification of N-glycosylation changes in the CSF and serum in patients with schizophrenia. <b>2010</b> , 9, 4476-89   | 72  |

|     |  |     |     |
|-----|--|-----|-----|
| 582 | Quantitation of saccharide compositions of O-glycans by mass spectrometry of glycopeptides and its application to rheumatoid arthritis. <b>2010</b> , 9, 1367-73                           |     | 55  |
| 581 | Naturally occurring glycan forms of human immunoglobulins G1 and G2. <b>2010</b> , 47, 2074-82   |     | 102 |
| 580 | Complex genetic regulation of protein glycosylation. <b>2010</b> , 6, 329-35   |     | 53  |
| 579 | Immunoglobulin G glycopeptide profiling by matrix-assisted laser desorption ionization Fourier transform ion cyclotron resonance mass spectrometry. <b>2010</b> , 82, 1073-81              |     | 98  |
| 578 | Optical tomographic imaging discriminates between disease-modifying anti-rheumatic drug (DMARD) and non-DMARD efficacy in collagen antibody-induced arthritis. <b>2010</b> , 12, R105      |     | 47  |
| 577 | Mass spectrometric determination of IgG subclass-specific glycosylation profiles in siblings discordant for myositis syndromes. <b>2011</b> , 10, 2969-78                                  |     | 30  |
| 576 | High throughput isolation and glycosylation analysis of IgG-variability and heritability of the IgG glycome in three isolated human populations. <b>2011</b> , 10, M111.010090             |     | 324 |
| 575 | Impact of differential glycosylation on IgG activity. <i>Advances in Experimental Medicine and Biology</i> , <b>2011</b> , 780, 113-24   | 3.6 | 64  |
| 574 | Crossroads between Innate and Adaptive Immunity III. <i>Advances in Experimental Medicine and Biology</i> , <b>2011</b> ,  | 3.6 | 3   |
| 573 | The Role of Glycosylation in Therapeutic Antibodies. <b>2011</b> , 251-292   |     | 6   |
| 572 | Glycobiology in the field of gerontology (glycogerontology). <i>Advances in Experimental Medicine and Biology</i> , <b>2011</b> , 705, 411-29  | 3.6 | 1   |
| 571 | Development of quantitative plasma N-glycoproteomics using label-free 2-D LC-MALDI MS and its applicability for biomarker discovery in hepatocellular carcinoma. <b>2011</b> , 74, 2159-68 |     | 37  |
| 570 | Cell Surface Glycans at SLE [Changes During Cells Death, Utilization for Disease Detection and Molecular Mechanism Underlying Their Modification. <b>2011</b> ,                            |     |     |
| 569 | Discovering new clinical markers in the field of glycomics. <b>2011</b> , 39, 327-30   |     | 11  |
| 568 | Glycoproteins and Antibodies: Solution NMR Studies. <b>2011</b> ,  |     | 1   |
| 567 | NMR analysis demonstrates immunoglobulin G N-glycans are accessible and dynamic. <b>2011</b> , 7, 147-53   |     | 138 |
| 566 | Rapid LC-MS screening for IgG Fc modifications and allelic variants in blood. <b>2011</b> , 49, 338-52   |     | 30  |
| 565 | Endometrial secretions: creating a stimulatory microenvironment within the human early placenta and implications for the aetiopathogenesis of preeclampsia. <b>2011</b> , 89, 118-25       |     | 48  |

|     |  |     |     |
|-----|--|-----|-----|
| 564 | NMR detection and characterization of sialylated glycoproteins and cell surface polysaccharides. <b>2011</b> , 51, 163-71  |     | 12  |
| 563 | Antibody-mediated sialidase activity in blood serum of patients with multiple myeloma. <b>2011</b> , 24, 576-84  |     | 11  |
| 562 | Selective enrichment of glycopeptides for mass spectrometry analysis using C18 fractionation and titanium dioxide chromatography. <b>2011</b> , 34, 2745-50  |     | 20  |
| 561 | Sialylation levels of anti-proteinase 3 antibodies are associated with the activity of granulomatosis with polyangiitis (Wegener's). <b>2011</b> , 63, 2105-15   |     | 70  |
| 560 | Alterations of high-mannose type N-glycosylation in human and mouse osteoarthritis cartilage. <b>2011</b> , 63, 3428-38  |     | 31  |
| 559 | Differential toxicity profile of ricin isoforms correlates with their glycosylation levels. <b>2011</b> , 282, 56-67   |     | 21  |
| 558 | Fc-glycosylation of IgG1 is modulated by B-cell stimuli. <b>2011</b> , 10, M110.004655   |     | 110 |
| 557 | Glycoimmunology. <b>2011</b> , 181-203   |     |     |
| 556 | Function and 3D structure of the N-glycans on glycoproteins. <i>International Journal of Molecular Sciences</i> , <b>2012</b> , 13, 8398-429   | 6.3 | 82  |
| 555 | Sialylation determines the nephritogenicity of IgG3 cryoglobulins. <b>2012</b> , 23, 1869-78   |     | 25  |
| 554 | Changes in antigen-specific IgG1 Fc N-glycosylation upon influenza and tetanus vaccination. <b>2012</b> , 11, M111.014563  |     | 88  |
| 553 | Quantitative evaluation of fucose reducing effects in a humanized antibody on Fcγ receptor binding and antibody-dependent cell-mediated cytotoxicity activities. <i>MAbs</i> , <b>2012</b> , 4, 326-40 | 6.6 | 92  |
| 552 | Glycosylation of human milk lactoferrin exhibits dynamic changes during early lactation enhancing its role in pathogenic bacteria-host interactions. <b>2012</b> , 11, M111.015248                     |     | 113 |
| 551 | IgG glycosylation changes and MBL2 polymorphisms: associations with markers of systemic inflammation and joint destruction in rheumatoid arthritis. <b>2012</b> , 39, 463-9                            |     | 31  |
| 550 | Application of Quality by Design Paradigm to the Manufacture of Protein Therapeutics. <b>2012</b> ,  |     | 2   |
| 549 | - Plasma Fractionation and Plasma Protein Products. <b>2012</b> , 34-61  |     |     |
| 548 | Recent advances in technology supporting biopharmaceutical production from mammalian cells. <b>2012</b> , 96, 885-94   |     | 142 |
| 547 | Determination of cathepsin V activity and intracellular trafficking by N-glycosylation. <b>2012</b> , 586, 3601-7  |     | 37  |

|     |   |     |
|-----|---|-----|
| 546 | The immunoglobulin, IgG Fc receptor and complement triangle in autoimmune diseases. <b>2012</b> , 217, 1067-79  | 107 |
| 545 | NMR characterization of immunoglobulin G Fc glycan motion on enzymatic sialylation. <b>2012</b> , 51, 4618-26   | 95  |
| 544 | Alternative glycosylation modulates function of IgG and other proteins - implications on evolution and disease. <b>2012</b> , 1820, 1318-26   | 93  |
| 543 | Multiple juvenile idiopathic arthritis subtypes demonstrate proinflammatory IgG glycosylation. <b>2012</b> , 64, 3025-33  | 21  |
| 542 | Anti-proliferative effects of Salacia reticulata leaves hot-water extract on interleukin-1 $\beta$ activated cells derived from the synovium of rheumatoid arthritis model mice. <b>2012</b> , 5, 198 | 3   |
| 541 | Association of MIF-173G/C and MBL2 codon 54 gene polymorphisms with rheumatoid arthritis: a meta-analysis. <b>2012</b> , 73, 966-71   | 15  |
| 540 | Tolerance induction with T cell-dependent protein antigens induces regulatory sialylated IgGs. <b>2012</b> , 129, 1647-55.e13   | 84  |
| 539 | Voltammetric determination of Os(VI)-modified oligosaccharides at nanomolar level. <b>2012</b> , 88, 8-14   | 15  |
| 538 | Examination of glycan profiles from IgG-depleted human immunoglobulins facilitated by microscale affinity chromatography. <b>2012</b> , 84, 3269-77   | 11  |
| 537 | Hypogalactosylation of serum N-glycans fails to predict clinical response to methotrexate and TNF inhibition in rheumatoid arthritis. <b>2012</b> , 14, R43   | 21  |
| 536 | Aleuria Aurantia Lectin (AAL)-reactive immunoglobulin G rapidly appears in sera of animals following antigen exposure. <b>2012</b> , 7, e44422  | 12  |
| 535 | Multiple mechanisms of immune suppression by B lymphocytes. <b>2012</b> , 18, 123-37  | 99  |
| 534 | MALDI-TOF-MS analysis of sialylated glycans and glycopeptides using 4-chloro- $\beta$ -cyanocinnamic acid matrix. <b>2012</b> , 12, 1337-48   | 48  |
| 533 | Meta-analysis of pain relief effects by laser irradiation on joint areas. <b>2012</b> , 30, 405-17  | 85  |
| 532 | The role of sialic acid as a modulator of the anti-inflammatory activity of IgG. <b>2012</b> , 34, 443-53   | 94  |
| 531 | Fc specific IgG glycosylation profiling by robust nano-reverse phase HPLC-MS using a sheath-flow ESI sprayer interface. <b>2012</b> , 75, 1318-29   | 96  |
| 530 | Human IgG Fc-glycosylation profiling reveals associations with age, sex, female sex hormones and thyroid cancer. <b>2012</b> , 75, 2824-34  | 94  |
| 529 | Serum protein N-glycosylation in paediatric non-alcoholic fatty liver disease. <b>2012</b> , 7, 165-73  | 12  |



|     |   |     |
|-----|---|-----|
| 528 | Influence of variable domain glycosylation on anti-neutrophil cytoplasmic autoantibodies and anti-glomerular basement membrane autoantibodies. <b>2012</b> , 13, 10       | 16  |
| 527 | Immunoglobulin G Fc N-glycan profiling in patients with gastric cancer by LC-ESI-MS: relation to tumor progression and survival. <b>2012</b> , 29, 57-66                  | 75  |
| 526 | Change in IgG1 Fc N-linked glycosylation in human lung cancer: age- and sex-related diagnostic potential. <b>2013</b> , 34, 2407-16                                       | 23  |
| 525 | High-throughput IgG Fc N-glycosylation profiling by mass spectrometry of glycopeptides. <b>2013</b> , 12, 821-31  | 128 |
| 524 | IgG-Fc N-glycosylation at Asn297 and IgA O-glycosylation in the hinge region in health and disease. <b>2013</b> , 30, 735-45  | 27  |
| 523 | The carbohydrate switch between pathogenic and immunosuppressive antigen-specific antibodies. <b>2013</b> , 22, 511-4   | 50  |
| 522 | Crystal Structures of Human IgG-Fc Fragments and Their Complexes with Fc Receptors. <b>2013</b> , 61-83   |     |
| 521 | Molecular and Cellular Pathways Involved in the Anti-inflammatory Activity of IgG. <b>2013</b> , 113-138  | 0   |
| 520 | Example of the Pathogenic Potential of Two Sets of Autoantibodies: Anti-RBC and IgG3 RF Cryoglobulins. <b>2013</b> , 139-157  |     |
| 519 | Cross-Talk Between Antibodies, IgG Fc Receptors, and the Complement System. <b>2013</b> , 159-187   |     |
| 518 | Molecular and Cellular Mechanisms of Antibody Activity. <b>2013</b> ,   | 1   |
| 517 | [Glycosylation of autoantibodies in autoimmune diseases]. <b>2013</b> , 34, 746-53  | 2   |
| 516 | Arginine modifications by methylglyoxal: discovery in a recombinant monoclonal antibody and contribution to acidic species. <b>2013</b> , 85, 11401-9                     | 47  |
| 515 | Glycosylation status of serum in inflammatory arthritis in response to anti-TNF treatment. <b>2013</b> , 52, 1572-82  | 35  |
| 514 | High-throughput work flow for IgG Fc-glycosylation analysis of biotechnological samples. <b>2013</b> , 432, 82-9  | 60  |
| 513 | Molecular basis for downregulation of C5a-mediated inflammation by IgG1 immune complexes in allergy and asthma. <b>2013</b> , 13, 596-606                                 | 13  |
| 512 | Association between galactosylation of immunoglobulin G and improvement of rheumatoid arthritis during pregnancy is independent of sialylation. <b>2013</b> , 12, 4522-31 | 117 |
| 511 | Galactosylation of IgG1 modulates FcRIIB-mediated inhibition of murine autoimmune hemolytic anemia. <b>2013</b> , 47, 104-10  | 17  |

|     |  |     |
|-----|--|-----|
| 510 | Novel recombinant human lactoferrin: differential activation of oxidative stress related gene expression. <b>2013</b> , 168, 666-75  | 40  |
| 509 | Comparison of the Fc glycosylation of fetal and maternal immunoglobulin G. <b>2013</b> , 30, 147-57  | 53  |
| 508 | Intravenous immunoglobulin therapy: how does IgG modulate the immune system?. <b>2013</b> , 13, 176-89   | 549 |
| 507 | Coupling porous sheathless interface MS with transient-ITP in neutral capillaries for improved sensitivity in glycopeptide analysis. <b>2013</b> , 34, 383-7                         | 37  |
| 506 | Obstacles to ideal anti-HIV antibody-dependent cellular cytotoxicity responses. <b>2013</b> , 31, 5506-17  | 17  |
| 505 | Nanoscale reversed-phase liquid chromatography-mass spectrometry of permethylated N-glycans. <b>2013</b> , 405, 2469-80  | 25  |
| 504 | The impact of cell adaptation to serum-free conditions on the glycosylation profile of a monoclonal antibody produced by Chinese hamster ovary cells. <b>2013</b> , 30, 563-72       | 15  |
| 503 | N-glycomic biomarkers of biological aging and longevity: a link with inflammaging. <b>2013</b> , 12, 685-98  | 151 |
| 502 | BAD-lectins: boronic acid-decorated lectins with enhanced binding affinity for the selective enrichment of glycoproteins. <b>2013</b> , 85, 8268-76                                  | 29  |
| 501 | Multiplexed surrogate analysis of glycotransferase activity in whole biospecimens. <b>2013</b> , 85, 2927-36   | 15  |
| 500 | Recognition of bisecting N-acetylglucosamine: structural basis for asymmetric interaction with the mouse lectin dendritic cell inhibitory receptor 2. <b>2013</b> , 288, 33598-33610 | 37  |
| 499 | Applying quality by design to glycoprotein therapeutics: experimental and computational efforts of process control. <b>2013</b> , 1, 51-69   | 19  |
| 498 | Loci associated with N-glycosylation of human immunoglobulin G show pleiotropy with autoimmune diseases and haematological cancers. <b>2013</b> , 9, e1003225                        | 242 |
| 497 | Antibody Glycosylation and Inflammation. <b>2013</b> , 2, 392-414  | 74  |
| 496 | Sweets are good for you: fine tuning antibodies via glycosylation. <b>2013</b> , 65, 2541-4  | 3   |
| 495 | Lectin-reactive anti-IgA1 in patients with Crohn's disease: correlation with clinical phenotypes. <b>2013</b> , 19, 2796-800   | 1   |
| 494 | T cell-independent B cell activation induces immunosuppressive sialylated IgG antibodies. <b>2013</b> , 123, 3788-96   | 92  |
| 493 | Specific glycoforms of MUC5AC and endorepellin accurately distinguish mucinous from nonmucinous pancreatic cysts. <b>2013</b> , 12, 2724-34  | 30  |

|     |   |     |     |
|-----|---|-----|-----|
| 492 | Glycosylation in a mammalian expression system is critical for the production of functionally active leukocyte immunoglobulin-like receptor A3 protein. <b>2013</b> , 288, 32873-85                           |     | 12  |
| 491 | Dominant suppression of inflammation by glycan-hydrolyzed IgG. <b>2013</b> , 110, 10252-7   |     | 14  |
| 490 | Current methods for the analysis of human milk oligosaccharides (HMOs) and their novel applications. <b>2013</b> , 124-147  |     | 2   |
| 489 | Host mucin glycosylation plays a role in bacterial adhesion in lungs of individuals with cystic fibrosis. <b>2013</b> , 7, 553-76   |     | 37  |
| 488 | Enrichment strategies in glycomics-based lung cancer biomarker development. <b>2013</b> , 7, 664-76   |     | 29  |
| 487 | Glycoproteomic analysis of antibodies. <b>2013</b> , 12, 856-65   |     | 124 |
| 486 | Developments in the identification of glycan biomarkers for the detection of cancer. <b>2013</b> , 12, 846-55   |     | 110 |
| 485 | Blood plasma IgG Fc glycans are significantly altered in Alzheimer's disease and progressive mild cognitive impairment. <b>2014</b> , 38, 567-79  |     | 52  |
| 484 | Lectin-based immunoassay for aberrant IgG glycosylation as the biomarker for Crohn's disease. <b>2013</b> , 19, 321-31  |     | 25  |
| 483 | Targeted biomarker discovery by high throughput glycosylation profiling of human plasma alpha1-antitrypsin and immunoglobulin A. <b>2013</b> , 8, e73082  |     | 37  |
| 482 | Serum IgG galactosylation in psoriatic arthritis patients undergoing a biological treatment. A preliminary report. <b>2014</b> , 6, 369-376   |     | 1   |
| 481 | Role of sialylation in the anti-inflammatory activity of intravenous immunoglobulin - F(ab) <sub>2</sub> versus Fc sialylation. <i>Clinical and Experimental Immunology</i> , <b>2014</b> , 178 Suppl 1, 97-9 | 6.2 | 39  |
| 480 | High-throughput glycosylation analysis of therapeutic immunoglobulin G by capillary gel electrophoresis using a DNA analyzer. <i>MABs</i> , <b>2014</b> , 6, 185-96   | 6.6 | 48  |
| 479 | The serum glycome to discriminate between early-stage epithelial ovarian cancer and benign ovarian diseases. <b>2014</b> , 2014, 238197   |     | 21  |
| 478 | Twin studies on the effect of genetic factors on serum agalactosyl immunoglobulin G levels. <b>2014</b> , 2, 213-216  |     | 5   |
| 477 | Immunoglobulin G (IgG) Fab glycosylation analysis using a new mass spectrometric high-throughput profiling method reveals pregnancy-associated changes. <b>2014</b> , 13, 3029-39                             |     | 155 |
| 476 | Autoimmunity: break-through in the diagnosis and treatment of immune-mediated inflammatory diseases. <b>2014</b> , 162, 150-62  |     | 3   |
| 475 | Comparative performance of four methods for high-throughput glycosylation analysis of immunoglobulin G in genetic and epidemiological research. <b>2014</b> , 13, 1598-610                                    |     | 120 |

|     |   |      |     |
|-----|---|------|-----|
| 474 | Low anti-RhD IgG-Fc-fucosylation in pregnancy: a new variable predicting severity in haemolytic disease of the fetus and newborn. <b>2014</b> , 166, 936-45                   |      | 77  |
| 473 | How undifferentiated arthritis evolves into chronic arthritis. <b>2014</b> , 28, 551-64   |      | 2   |
| 472 | IgG subclasses and allotypes: from structure to effector functions. <i>Frontiers in Immunology</i> , <b>2014</b> , 5, 520 8.4   | 1181 |     |
| 471 | Glycosylation as a marker for inflammatory arthritis. <b>2014</b> , 14, 17-28   |      | 55  |
| 470 | Antibody Glycosylation. <b>2014</b> , 179-194   |      | 2   |
| 469 | Journeys in science: glycobiology and other paths. <b>2014</b> , 83, 1-44   |      | 7   |
| 468 | Sweetened antibodies against humoral autoimmunity: sialylated antibodies are required for IVIg-mediated therapy. <b>2014</b> , 44, 1276-80                                    |      | 1   |
| 467 | IgG-effector functions: "the good, the bad and the ugly". <b>2014</b> , 160, 139-44   |      | 54  |
| 466 | Autoantibody-mediated bone loss. <b>2014</b> , 12, 17-21  |      | 14  |
| 465 | Impact of autoantibody glycosylation in autoimmune diseases. <b>2014</b> , 13, 742-50   |      | 72  |
| 464 | A prominent lack of IgG1-Fc fucosylation of platelet alloantibodies in pregnancy. <b>2014</b> , 123, 471-80   |      | 135 |
| 463 | The pathogenic potential of autoreactive antibodies in rheumatoid arthritis. <b>2014</b> , 36, 313-25   |      | 22  |
| 462 | Lack of galactosylation enhances the pathogenic activity of IgG1 but Not IgG2a anti-erythrocyte autoantibodies. <i>Journal of Immunology</i> , <b>2014</b> , 192, 581-8       | 5-3  | 19  |
| 461 | Association of serum IgG N-glycome and transforming growth factor- $\beta$ with hepatitis B virus e antigen seroconversion during entecavir therapy. <b>2014</b> , 111, 121-8 |      | 10  |
| 460 | Discovery of a chemical modification by citric acid in a recombinant monoclonal antibody. <b>2014</b> , 86, 8932-6  |      | 22  |
| 459 | Effects of galactosylation in immunoglobulin G from all-atom molecular dynamics simulations. <b>2014</b> , 118, 9844-51   |      | 7   |
| 458 | The role of glycosylation in IBD. <b>2014</b> , 11, 588-600   |      | 93  |
| 457 | Fc glycan-modulated immunoglobulin G effector functions. <b>2014</b> , 34 Suppl 1, S51-5  |      | 41  |

|     |   |          |
|-----|---|----------|
| 456 | Total plasma N-glycome changes during pregnancy. <b>2014</b> , 13, 1657-68  | 43       |
| 455 | Glycosylation of Acute Phase Proteins: A Promising Disease Biomarker. <b>2014</b> , 84, 865-874   | 6        |
| 454 | Glycosylation of Antibody Molecules. <b>2014</b> , 171-200  | 1        |
| 453 | Filariasis asymptotically infected donors have lower levels of disialylated IgG compared to endemic normals. <b>2014</b> , 36, 713-20   | 10       |
| 452 | Regulatory functions of B cells in allergic diseases. <b>2014</b> , 69, 1454-63   | 54       |
| 451 | Restricted motion of the conserved immunoglobulin G1 N-glycan is essential for efficient FcR3 binding. <b>2014</b> , 22, 1478-88  | 52       |
| 450 | Comparison of the glycosylation of in vitro generated polyclonal human IgG and therapeutic immunoglobulins. <b>2014</b> , 57, 255-62  | 14       |
| 449 | The association between galactosylation of immunoglobulin G and body mass index. <b>2014</b> , 48, 20-5   | 33       |
| 448 | N-glycosylation is required for secretion and enzymatic activity of human hyaluronidase1. <b>2014</b> , 4, 554-9  | 31       |
| 447 | Immunoglobulin G1 Fc domain motions: implications for Fc engineering. <b>2014</b> , 426, 1799-811   | 54       |
| 446 | High Yield Expression of Recombinant Human Proteins with the Transient Transfection of HEK293 Cells in Suspension. <b>2015</b> , e53568   | 40       |
| 445 | Human IgG4: a structural perspective. <b>2015</b> , 268, 139-59   | 86       |
| 444 | Structural analysis of Fc/FcR complexes: a blueprint for antibody design. <b>2015</b> , 268, 201-21   | 43       |
| 443 | Serum N-Glycans: A New Diagnostic Biomarker for Light Chain Multiple Myeloma. <b>2015</b> , 10, e0127022  | 17       |
| 442 | Skewed Fc glycosylation profiles of anti-proteinase 3 immunoglobulin G1 autoantibodies from granulomatosis with polyangiitis patients show low levels of bisection, galactosylation, and sialylation. <b>2015</b> , 14, 1657-65 | 39       |
| 441 | Serum N-Glycome Characterization in Patients with Resectable Periampullary Adenocarcinoma. <b>2015</b> , 14, 5144-56  | 9        |
| 440 | Pro-inflammatory pattern of IgG1 Fc glycosylation in multiple sclerosis cerebrospinal fluid. <b>2015</b> , 12, 235  | 65       |
| 439 | Electrochemistry of nonconjugated proteins and glycoproteins. Toward sensors for biomedicine and glycomics. <i>Chemical Reviews</i> , <b>2015</b> , 115, 2045-108   | 68.1 223 |

|     |  |     |     |
|-----|--|-----|-----|
| 438 | Glycomic signatures on serum IgGs for prediction of postvaccination response. <i>Scientific Reports</i> , <b>2015</b> , 5, 7648  | 4.9 | 11  |
| 437 | Quantitative analysis of immunoglobulin subclasses and subclass specific glycosylation by LC-MS-MRM in liver disease. <b>2015</b> , 116, 24-33   |     | 50  |
| 436 | The Serum Immunoglobulin G Glycosylation Signature of Gastric Cancer. <b>2015</b> , 6, 1-9   |     | 37  |
| 435 | Glycans in the immune system and The Altered Glycan Theory of Autoimmunity: a critical review. <b>2015</b> , 57, 1-13  |     | 274 |
| 434 | Comparison of methods for the analysis of therapeutic immunoglobulin G Fc-glycosylation profiles--part 1: separation-based methods. <i>MABs</i> , <b>2015</b> , 7, 167-79  | 6.6 | 123 |
| 433 | Measuring decreased serum IgG sialylation: a novel clinical biomarker of lupus. <b>2015</b> , 24, 948-54   |     | 10  |
| 432 | Intravenous immunoglobulins (IVIg) in systemic sclerosis: a challenging yet promising future. <b>2015</b> , 61, 326-37   |     | 26  |
| 431 | The glycan role in the glycopeptide immunogenicity revealed by atomistic simulations and spectroscopic experiments on the multiple sclerosis biomarker CSF114(Glc). <i>Scientific Reports</i> , <b>2015</b> , 5, 9200  | 4.9 | 10  |
| 430 | Comparison of orthogonal chromatographic and lectin-affinity microarray methods for glycan profiling of a therapeutic monoclonal antibody. <b>2015</b> , 997, 162-78   |     | 19  |
| 429 | Controlled tetra-Fc sialylation of IVIg results in a drug candidate with consistent enhanced anti-inflammatory activity. <b>2015</b> , 112, E1297-306  |     | 144 |
| 428 | A perspective on the structure and receptor binding properties of immunoglobulin G Fc. <b>2015</b> , 54, 2931-42   |     | 40  |
| 427 | Molecular properties of human IgG subclasses and their implications for designing therapeutic monoclonal antibodies against infectious diseases. <b>2015</b> , 67, 171-82  |     | 194 |
| 426 | IgM and IgA rheumatoid factors purified from rheumatoid arthritis sera boost the Fc receptor- and complement-dependent effector functions of the disease-specific anti-citrullinated protein autoantibodies. <i>Journal of Immunology</i> , <b>2015</b> , 194, 3664-74 | 5.3 | 78  |
| 425 | Benchmarking of commercially available CHO cell culture media for antibody production. <b>2015</b> , 99, 4645-57   |     | 84  |
| 424 | Glycoproteins: Chemical Features and Biological Roles. <b>2015</b> , 3-33  |     |     |
| 423 | Deuterated hydrazino-s-triazine as highly-efficient labelling reagent for glycan relative quantification analysis using electrospray ionization mass spectrometry. <b>2015</b> , 5, 79317-79322  |     | 3   |
| 422 | Hydrazino-s-triazine based labelling reagents for highly sensitive glycan analysis via liquid chromatography-electrospray mass spectrometry. <b>2015</b> , 144, 992-7  |     | 17  |
| 421 | Fc glycans of therapeutic antibodies as critical quality attributes. <i>Glycobiology</i> , <b>2015</b> , 25, 1325-34   | 5.8 | 257 |

|     |   |     |
|-----|---|-----|
| 420 | An integrated approach to analyze EG2-hFc monoclonal antibody N-glycosylation by MALDI-MS. <b>2015</b> , 93, 754-763  | 9   |
| 419 | Aberrant serum immunoglobulin G glycosylation in chronic hepatitis B is associated with histological liver damage and reversible by antiviral therapy. <b>2015</b> , 211, 115-24                                  | 27  |
| 418 | Differential N-Glycosylation Patterns in Lung Adenocarcinoma Tissue. <b>2015</b> , 14, 4538-49  | 42  |
| 417 | Magnetic nanoparticles coated with maltose-functionalized polyethyleneimine for highly efficient enrichment of N-glycopeptides. <b>2015</b> , 1425, 213-20  | 34  |
| 416 | Microscale purification of antigen-specific antibodies. <b>2015</b> , 425, 27-36  | 15  |
| 415 | Applications of Multiple Reaction Monitoring to Clinical Glycomics. <b>2015</b> , 78, 335-342   | 27  |
| 414 | Site-specific antibody-drug conjugates: the nexus of bioorthogonal chemistry, protein engineering, and drug development. <b>2015</b> , 26, 176-92   | 369 |
| 413 | Anti-citrullinated protein antibodies acquire a pro-inflammatory Fc glycosylation phenotype prior to the onset of rheumatoid arthritis. <b>2015</b> , 74, 234-41  | 174 |
| 412 | Post-translational structural modifications of immunoglobulin G and their effect on biological activity. <b>2015</b> , 407, 79-94   | 57  |
| 411 | IgM rheumatoid factor amplifies the inflammatory response of macrophages induced by the rheumatoid arthritis-specific immune complexes containing anticitrullinated protein antibodies. <b>2015</b> , 74, 1425-31 | 74  |
| 410 | Immune Responses to Viral Infection. <b>2016</b> , 321-350  |     |
| 409 | Alteration of matrix metalloproteinase-3 O-glycan structure as a biomarker for disease activity of rheumatoid arthritis. <b>2016</b> , 18, 112  | 11  |
| 408 | The Association Between Glycosylation of Immunoglobulin G and Hypertension: A Multiple Ethnic Cross-Sectional Study. <b>2016</b> , 95, e3379  | 69  |
| 407 | Distribution of IgG galactosylation as a promising biomarker for cancer screening in multiple cancer types. <b>2016</b> , 26, 963-6   | 67  |
| 406 | IgG1 Fc N-glycan galactosylation as a biomarker for immune activation. <i>Scientific Reports</i> , <b>2016</b> , 6, 282074.9  | 49  |
| 405 | Altered glycosylation, expression of serum haptoglobin and alpha-1-antitrypsin in chronic hepatitis C, hepatitis C induced liver cirrhosis and hepatocellular carcinoma patients. <b>2016</b> , 33, 209-18        | 21  |
| 404 | IgG Glycome in Colorectal Cancer. <b>2016</b> , 22, 3078-86   | 85  |
| 403 | Immune recruitment or suppression by glycan engineering of endogenous and therapeutic antibodies. <b>2016</b> , 1860, 1655-68   | 35  |

|     |   |     |     |
|-----|---|-----|-----|
| 402 | Rapid and improved characterization of therapeutic antibodies and antibody related products using IdeS digestion and subunit analysis. <i>Analyst, The</i> , <b>2016</b> , 141, 3114-25 | 5   | 70  |
| 401 | Generation of a Mutant Mucor hiemalis Endoglycosidase That Acts on Core-fucosylated N-Glycans. <b>2016</b> , 291, 23305-23317   |     | 15  |
| 400 | Microbiomic and Posttranslational Modifications as Preludes to Autoimmune Diseases. <b>2016</b> , 22, 746-757   |     | 38  |
| 399 | Insight into rheumatological cause and effect through the use of Mendelian randomization. <b>2016</b> , 12, 486-96  |     | 28  |
| 398 | The immunoglobulin G1 N-glycan composition affects binding to each low affinity Fc $\gamma$ receptor. <i>MAbs</i> , <b>2016</b> , 8, 1512-1524  | 6.6 | 105 |
| 397 | Role of aberrant IgG glycosylation in the pathogenesis of inflammatory bowel disease. <b>2016</b> , 10, 384-90  |     | 17  |
| 396 | Changes in total plasma and serum N-glycome composition and patient-controlled analgesia after major abdominal surgery. <i>Scientific Reports</i> , <b>2016</b> , 6, 31234              | 4.9 | 22  |
| 395 | Sialylation converts arthritogenic IgG into inhibitors of collagen-induced arthritis. <b>2016</b> , 7, 11205  |     | 106 |
| 394 | Disease-specific IgG Fc N-glycosylation as personalized biomarkers to differentiate gastric cancer from benign gastric diseases. <i>Scientific Reports</i> , <b>2016</b> , 6, 25957     | 4.9 | 25  |
| 393 | Modulating Antibody Functionality in Infectious Disease and Vaccination. <b>2016</b> , 22, 969-982  |     | 54  |
| 392 | Effects of allergic diseases and age on the composition of serum IgG glycome in children. <i>Scientific Reports</i> , <b>2016</b> , 6, 33198  | 4.9 | 21  |
| 391 | Mapping autoantigen epitopes: molecular insights into autoantibody-associated disorders of the nervous system. <b>2016</b> , 13, 219  |     | 29  |
| 390 | Immunoglobulin Glycosylation Effects in Allergy and Immunity. <b>2016</b> , 16, 79  |     | 26  |
| 389 | Glycan Node Analysis: A Bottom-up Approach to Glycomics. <b>2016</b> ,  |     | 12  |
| 388 | Fab glycosylation of immunoglobulin G does not associate with improvement of rheumatoid arthritis during pregnancy. <b>2016</b> , 18, 274   |     | 21  |
| 387 | Mutations in the Fc-region of IgG from synovial fluids of patients with rheumatoid arthritis. <b>2016</b> , 3, 1221232  |     | 1   |
| 386 | Profiling IgG N-glycans as potential biomarker of chronological and biological ages: A community-based study in a Han Chinese population. <b>2016</b> , 95, e4112                       |     | 68  |
| 385 | An encodable lanthanide binding tag with reduced size and flexibility for measuring residual dipolar couplings and pseudocontact shifts in large proteins. <b>2016</b> , 64, 75-85      |     | 13  |



|     |  |     |    |
|-----|--|-----|----|
| 384 | Sweet but dangerous - the role of immunoglobulin G glycosylation in autoimmunity and inflammation. <b>2016</b> , 25, 934-42                                    | 45  |    |
| 383 | The promise of protein glycosylation for personalised medicine. <b>2016</b> , 1860, 1583-95  | 60  |    |
| 382 | Serum Glycans as Risk Markers for Non-Small Cell Lung Cancer. <b>2016</b> , 9, 317-23  | 11  |    |
| 381 | Changes of glycosylation of IgG in rheumatoid arthritis patients treated with methotrexate. <b>2016</b> , 61, 193-197  | 30  |    |
| 380 | Abnormal galactosylation of immunoglobulin G in cerebrospinal fluid of multiple sclerosis patients. <b>2016</b> , 22, 1794-1803                                | 11  |    |
| 379 | Protein-Specific Differential Glycosylation of Immunoglobulins in Serum of Ovarian Cancer Patients. <b>2016</b> , 15, 1002-10                                  | 43  |    |
| 378 | Advances in recombinant antibody manufacturing. <b>2016</b> , 100, 3451-61   | 233 |    |
| 377 | Enhanced binding of antibodies generated during chronic HIV infection to mucus component MUC16. <b>2016</b> , 9, 1549-1558                                     | 41  |    |
| 376 | Glycoproteomic studies of IgE from a novel hyper IgE syndrome linked to PGM3 mutation. <b>2016</b> , 33, 447-56  | 25  |    |
| 375 | Human plasma protein N-glycosylation. <b>2016</b> , 33, 309-43   | 212 |    |
| 374 | Alteration of serum N-glycan profile in patients with autoimmune pancreatitis. <b>2016</b> , 16, 44-51   | 7   |    |
| 373 | Mechanisms of disease: The human N-glycome. <b>2016</b> , 1860, 1574-82  | 115 |    |
| 372 | Loci associated with N-glycosylation of human IgG are not associated with rheumatoid arthritis: a Mendelian randomisation study. <b>2016</b> , 75, 317-20      | 10  |    |
| 371 | Glycosylation Profile of IgG in Moderate Kidney Dysfunction. <b>2016</b> , 27, 933-41  | 39  |    |
| 370 | Sialylated IgG-Fc: a novel biomarker of chronic inflammatory demyelinating polyneuropathy. <b>2016</b> , 87, 275-9   | 24  |    |
| 369 | A super hydrophilic silsesquioxane-based composite for highly selective adsorption of glycoproteins. <b>2017</b> , 184, 1037-1044                              | 26  |    |
| 368 | Antibody Glycosylation Predicts Relapse in Autoimmune Vasculitis. <i>EBioMedicine</i> , <b>2017</b> , 17, 15   | 8.8 | 1  |
| 367 | Galactosylation and Sialylation Levels of IgG Predict Relapse in Patients With PR3-ANCA Associated Vasculitis. <i>EBioMedicine</i> , <b>2017</b> , 17, 108-118 | 8.8 | 55 |

|     |   |     |     |
|-----|---|-----|-----|
| 366 | Defining the proteomic landscape of rheumatoid arthritis: progress and prospective clinical applications. <b>2017</b> , 14, 431-444   |     | 10  |
| 365 | Characterization of IgG glycosylation in rheumatoid arthritis patients by MALDI-TOF-MS and capillary electrophoresis. <b>2017</b> , 409, 3731-3739                                    |     | 24  |
| 364 | Sialic acid linkage-specific permethylation for improved profiling of protein glycosylation by MALDI-TOF MS. <b>2017</b> , 981, 53-61   |     | 21  |
| 363 | Sialic acid linkage differentiation of glycopeptides using capillary electrophoresis - electrospray ionization - mass spectrometry. <i>Scientific Reports</i> , <b>2017</b> , 7, 3733 | 4-9 | 58  |
| 362 | Impact of IgG Fc-Oligosaccharides on Recombinant Monoclonal Antibody Structure, Stability, Safety, and Efficacy. <b>2017</b> , 33, 1173-1181  |     | 19  |
| 361 | The Immunoregulatory Roles of Antibody Glycosylation. <b>2017</b> , 38, 358-372   |     | 162 |
| 360 | A novel pathogenesis of inflammatory bowel disease from the perspective of glyco-immunology. <b>2017</b> , 161, 409-415   |     | 6   |
| 359 | Subclass-specific IgG glycosylation is associated with markers of inflammation and metabolic health. <i>Scientific Reports</i> , <b>2017</b> , 7, 12325                               | 4-9 | 74  |
| 358 | Differential antibody glycosylation in autoimmunity: sweet biomarker or modulator of disease activity?. <b>2017</b> , 13, 621-630   |     | 89  |
| 357 | A method to identify trace sulfated IgG N-glycans as biomarkers for rheumatoid arthritis. <b>2017</b> , 8, 631  |     | 67  |
| 356 | Opportunities to exploit antibody glycosylation in vaccination. <b>2017</b> , 12, 325-328   |     | 2   |
| 355 | Mangiferin positively regulates osteoblast differentiation and suppresses osteoclast differentiation. <b>2017</b> , 16, 1328-1332   |     | 12  |
| 354 | IgG subclass and vaccination stimulus determine changes in antigen specific antibody glycosylation in mice. <b>2017</b> , 47, 2070-2079   |     | 23  |
| 353 | Deciphering the Past Climate and Monsoon Variability from Lake Sediment Archives of India: A Review. <b>2017</b> , 3, 11-23   |     | 2   |
| 352 | Network inference from glycoproteomics data reveals new reactions in the IgG glycosylation pathway. <b>2017</b> , 8, 1483   |     | 26  |
| 351 | IgG glycan patterns are associated with type 2 diabetes in independent European populations. <b>2017</b> , 1861, 2240-2249  |     | 64  |
| 350 | Glycosylation of IgG-Fc: a molecular perspective. <b>2017</b> , 29, 311-317   |     | 34  |
| 349 | Ubiquitous Importance of Protein Glycosylation. <b>2017</b> , 1503, 1-12  |     | 17  |

|     |   |     |      |
|-----|---|-----|------|
| 348 | The Use of Multiple Reaction Monitoring on QQQ-MS for the Analysis of Protein- and Site-Specific Glycosylation Patterns in Serum. <b>2017</b> , 1503, 63-82                 |     | 5    |
| 347 | Biological roles of glycans. <i>Glycobiology</i> , <b>2017</b> , 27, 3-49   | 5.8 | 1039 |
| 346 | Sialic acid level is significantly elevated in IgM enriched protein fraction in sera of cancer patients. <b>2017</b> , 38, 127-139  |     | 2    |
| 345 | Regulation of antibody effector functions through IgG Fc N-glycosylation. <b>2017</b> , 74, 837-847   |     | 47   |
| 344 | High-throughput characterization of the functional impact of IgG Fc glycan aberrancy in juvenile idiopathic arthritis. <i>Glycobiology</i> , <b>2017</b> , 27, 1099-1108    | 5.8 | 16   |
| 343 | Mechanisms of Autoantibody-Induced Pathology. <i>Frontiers in Immunology</i> , <b>2017</b> , 8, 603   | 8.4 | 218  |
| 342 | The Glycosylation of Mouse Immunoglobulin G (IgG)-Fragment Crystallizable Differs Between IgG Subclasses and Strains. <i>Frontiers in Immunology</i> , <b>2017</b> , 8, 608 | 8.4 | 32   |
| 341 | Discovery of rare, diagnostic Yb8/9 elements in diverse human populations. <b>2017</b> , 8, 9   |     | 8    |
| 340 | Kinetics of N-Glycan Release from Human Immunoglobulin G (IgG) by PNGase F: All Glycans Are Not Created Equal. <b>2017</b> , 28, 150-157                                    |     | 13   |
| 339 | Estrogens regulate glycosylation of IgG in women and men. <b>2017</b> , 2, e89703   |     | 64   |
| 338 | Analytical comparability study of recombinant monoclonal antibody therapeutics. <i>MAbs</i> , <b>2018</b> , 10, 513-588   |     | 31   |
| 337 | Low amounts of bisecting glycans characterize cerebrospinal fluid-borne IgG. <b>2018</b> , 320, 19-24   |     | 4    |
| 336 | Serum sialylation changes in cancer. <b>2018</b> , 35, 139-160  |     | 75   |
| 335 | ACPA IgG galactosylation associates with disease activity in pregnant patients with rheumatoid arthritis. <b>2018</b> , 77, 1130-1136                                       |     | 22   |
| 334 | Profiling and genetic control of the murine immunoglobulin G glycome. <b>2018</b> , 14, 516-524   |     | 35   |
| 333 | Sample handling of gastric tissue and O-glycan alterations in paired gastric cancer and non-tumorigenic tissues. <i>Scientific Reports</i> , <b>2018</b> , 8, 242           | 4.9 | 9    |
| 332 | Specific Isolation of Glycoproteins with Mesoporous Zirconia-Polyoxometalate Hybrid. <b>2018</b> , 18, e1700381   |     | 4    |
| 331 | The B cell response to citrullinated antigens in the development of rheumatoid arthritis. <b>2018</b> , 14, 157-169   |     | 52   |

|     |   |     |    |
|-----|---|-----|----|
| 330 | Effluent and serum protein N-glycosylation is associated with inflammation and peritoneal membrane transport characteristics in peritoneal dialysis patients. <i>Scientific Reports</i> , <b>2018</b> , 8, 979                      | 4.9 | 9  |
| 329 | Hypogalactosylation of immunoglobulin G in rheumatoid arthritis: relationship to HLA-DRB1 shared epitope, anticitrullinated protein antibodies, rheumatoid factor, and correlation with inflammatory activity. <b>2018</b> , 20, 44 |     | 10 |
| 328 | Characterization of IgG N-glycome profile in colorectal cancer progression by MALDI-TOF-MS. <b>2018</b> , 181, 225-237  |     | 19 |
| 327 | Low galactosylation of IgG associates with higher risk for future diagnosis of rheumatoid arthritis during 10 years of follow-up. <b>2018</b> , 1864, 2034-2039   |     | 44 |
| 326 | Glycomics meets artificial intelligence - Potential of glycan analysis for identification of seropositive and seronegative rheumatoid arthritis patients revealed. <b>2018</b> , 481, 49-55   |     | 15 |
| 325 | Technical Basis for Nuclear Magnetic Resonance Approach for Glycoproteins. <b>2018</b> , 415-438  |     | 7  |
| 324 | Serum glycosylation characterization of osteonecrosis of the femoral head by mass spectrometry. <b>2018</b> , 24, 178-187   |     | 2  |
| 323 | Glycobiology of Aging. <b>2018</b> , 90, 505-526  |     | 12 |
| 322 | Pyridine boronic acid-polyoxometalate based porous hybrid for efficient depletion of high abundant glycoproteins in plasma. <b>2018</b> , 6, 8196-8203  |     | 7  |
| 321 | Changes in canine serum N-glycosylation as a result of infection with the heartworm parasite <i>Dirofilaria immitis</i> . <i>Scientific Reports</i> , <b>2018</b> , 8, 16625  | 4.9 | 1  |
| 320 | Analyzing protein glycosylation using UHPLC: a review. <b>2018</b> , 10, 1691-1703  |     | 10 |
| 319 | Predicting the HILIC Retention Behavior of the N-Linked Glycopeptides Produced by Trypsin Digestion of Immunoglobulin Gs (IgGs). <b>2018</b> , 29, 98-104   |     | 5  |
| 318 | Site-Specific N-Glycan Characterization of Grass Carp Serum IgM. <i>Frontiers in Immunology</i> , <b>2018</b> , 9, 2645   | 8.4 | 8  |
| 317 | Structure and Dynamics of Immunoglobulin G Glycoproteins. <i>Advances in Experimental Medicine and Biology</i> , <b>2018</b> , 1104, 219-235  | 3.6 | 7  |
| 316 | Glycobiophysics. <i>Advances in Experimental Medicine and Biology</i> , <b>2018</b> ,   | 3.6 |    |
| 315 | Multiple Roles of Glycans in Hematological Malignancies. <i>Frontiers in Oncology</i> , <b>2018</b> , 8, 364  | 5.3 | 14 |
| 314 | Tertiary Lymphoid Structures: Autoimmunity Goes Local. <i>Frontiers in Immunology</i> , <b>2018</b> , 9, 1952   | 8.4 | 73 |
| 313 | CD16a with oligomannose-type -glycans is the only "low-affinity" Fc $\gamma$ receptor that binds the IgG crystallizable fragment with high affinity. <b>2018</b> , 293, 16842-16850   |     | 21 |

|     |  |     |     |
|-----|--|-----|-----|
| 312 | Endoglycosidase S Enables a Highly Simplified Clinical Chemistry Procedure for Direct Assessment of Serum IgG Undergalactosylation in Chronic Inflammatory Disease. <b>2018</b> , 17, 2508-2517  |     | 11  |
| 311 | The changes of immunoglobulin G N-glycosylation in blood lipids and dyslipidaemia. <b>2018</b> , 16, 235   |     | 36  |
| 310 | Development of glycosynthases with broad glycan specificity for the efficient glyco-remodeling of antibodies. <b>2018</b> , 54, 6161-6164  |     | 21  |
| 309 | J. Heyrovsk $\ddot{y}$ Oscillographic Polarography. Roots of Present Chronopotentiometric Analysis of Biomacromolecules. <b>2018</b> , 30, 1259-1270   |     | 10  |
| 308 | Slowly progressive retinitis pigmentosa caused by two novel mutations in the MAK gene. <b>2018</b> , 39, 508-511   |     | 2   |
| 307 | Immunoglobulin G glycosylation in aging and diseases. <b>2018</b> , 333, 65-79   |     | 158 |
| 306 | Streptococcal Endo- $\beta$ -Acetylglucosaminidase Suppresses Antibody-Mediated Inflammation. <i>Frontiers in Immunology</i> , <b>2018</b> , 9, 1623   | 8.4 | 9   |
| 305 | Complement and Immunoglobulin Biology Leading to Clinical Translation. <b>2018</b> , 261-284.e6  |     |     |
| 304 | Genome-Wide Association Study on Immunoglobulin G Glycosylation Patterns. <i>Frontiers in Immunology</i> , <b>2018</b> , 9, 277  | 8.4 | 36  |
| 303 | Novel Concepts of Altered Immunoglobulin G Galactosylation in Autoimmune Diseases. <i>Frontiers in Immunology</i> , <b>2018</b> , 9, 553   | 8.4 | 46  |
| 302 | Complement in the Initiation and Evolution of Rheumatoid Arthritis. <i>Frontiers in Immunology</i> , <b>2018</b> , 9, 1057   | 8.4 | 59  |
| 301 | Immunoglobulin G Fragment Crystallizable Glycosylation After Hematopoietic Stem Cell Transplantation Is Dissimilar to Donor Profiles. <i>Frontiers in Immunology</i> , <b>2018</b> , 9, 1238   | 8.4 | 6   |
| 300 | Serum Protein -Glycosylation Changes with Rheumatoid Arthritis Disease Activity during and after Pregnancy. <b>2017</b> , 4, 241   |     | 32  |
| 299 | IgG Antibody 3D Structures and Dynamics. <b>2018</b> , 7,  |     | 23  |
| 298 | Antibody Fucosylation Lowers the Fc $\beta$ 11a/CD16a Affinity by Limiting the Conformations Sampled by the N162-Glycan. <b>2018</b> , 13, 2179-2189   |     | 38  |
| 297 | Sialylated Autoantigen-Reactive IgG Antibodies Attenuate Disease Development in Autoimmune Mouse Models of Lupus Nephritis and Rheumatoid Arthritis. <i>Frontiers in Immunology</i> , <b>2018</b> , 9, 1183                            | 8.4 | 32  |
| 296 | Estrogen induces St6gal1 expression and increases IgG sialylation in mice and patients with rheumatoid arthritis: a potential explanation for the increased risk of rheumatoid arthritis in postmenopausal women. <b>2018</b> , 20, 84 |     | 47  |
| 295 | Altered Fc galactosylation in IgG is a potential serum marker for chronic lung disease. <b>2018</b> , 4,   |     | 6   |

|     |   |     |    |
|-----|---|-----|----|
| 294 | The association between subclass-specific IgG Fc N-glycosylation profiles and hypertension in the Uygur, Kazak, Kirgiz, and Tajik populations. <b>2018</b> , 32, 555-563                            |     | 29 |
| 293 | Polyoxometalate-Coated Magnetic Nanospheres for Highly Selective Isolation of Immunoglobulin G. <b>2018</b> , 10, 21876-21882   |     | 14 |
| 292 | Glycan-Directed Grafting-from Polymerization of Immunoglobulin G: Site-Selectively Modified IgG-Polymer Conjugates with Preserved Biological Activity. <b>2018</b> , 19, 3086-3095                  |     | 5  |
| 291 | Changes in N-glycans of IgG4 and its relationship with the existence of hypocomplementemia and individual organ involvement in patients with IgG4-related disease. <b>2018</b> , 13, e0196163       |     | 10 |
| 290 | Metabolomic and glycomic findings in posttraumatic stress disorder. <b>2019</b> , 88, 181-193   |     | 23 |
| 289 | Straightforward and Highly Efficient Strategy for Hepatocellular Carcinoma Glycoprotein Biomarker Discovery Using a Nonglycopeptide-Based Mass Spectrometry Pipeline. <b>2019</b> , 91, 12435-12443 |     | 6  |
| 288 | DMSA-Functionalized Mesoporous Alumina with a High Capacity for Selective Isolation of Immunoglobulin G. <b>2019</b> , 11, 36286-36295  |     | 12 |
| 287 | Primary Human Natural Killer Cells Retain Proinflammatory IgG1 at the Cell Surface and Express CD16a Glycoforms with Donor-dependent Variability. <b>2019</b> , 18, 2178-2190                       |     | 13 |
| 286 | Glycoscience: Basic Science to Applications. <b>2019</b> ,  |     | 3  |
| 285 | Biomarkers of Human Aging. <b>2019</b> ,  |     | 5  |
| 284 | The Impact of Immunoglobulin G1 Fc Sialylation on Backbone Amide H/D Exchange. <b>2019</b> , 8,   |     | 9  |
| 283 | Distribution of abnormal IgG glycosylation patterns from rheumatoid arthritis and osteoarthritis patients by MALDI-TOF-MS. <i>Analyst, The</i> , <b>2019</b> , 144, 2042-2051                       | 5   | 15 |
| 282 | Multi-isotype Glycoproteomic Characterization of Serum Antibody Heavy Chains Reveals Isotype- and Subclass-Specific -Glycosylation Profiles. <b>2019</b> , 18, 686-703                              |     | 27 |
| 281 | Exploring Cerebrospinal Fluid IgG N-Glycosylation as Potential Biomarker for Amyotrophic Lateral Sclerosis. <b>2019</b> , 56, 5729-5739   |     | 10 |
| 280 | Breaking the Glyco-Code of HIV Persistence and Immunopathogenesis. <b>2019</b> , 16, 151-168  |     | 16 |
| 279 | Immunoglobulins G from patients with ANCA-associated vasculitis are atypically glycosylated in both the Fc and Fab regions and the relation to disease activity. <b>2019</b> , 14, e0213215         |     | 17 |
| 278 | Diagnostic Significance of Serum IgG Galactosylation in CA19-9-Negative Pancreatic Carcinoma Patients. <i>Frontiers in Oncology</i> , <b>2019</b> , 9, 114  | 5-3 | 6  |
| 277 | Measurement of Neutral and Sialylated IgG N-Glycome at Asn-297 by CE-LIF to Assess Hypogalactosylation in Rheumatoid Arthritis. <b>2019</b> , 1972, 77-93   |     | 5  |

|     |   |     |     |
|-----|---|-----|-----|
| 276 | Glycosylation-dependent antitumor therapeutic monoclonal antibodies. <b>2019</b> , 163, 471-485   |     | 1   |
| 275 | Extra-Neutralizing FcR-Mediated Antibody Functions for a Universal Influenza Vaccine. <i>Frontiers in Immunology</i> , <b>2019</b> , 10, 440  | 8.4 | 29  |
| 274 | Anti-inflammatory Activity of IgG-Fc. <b>2019</b> , 423, 35-62  |     | 1   |
| 273 | Intense Physical Exercise Induces an Anti-inflammatory Change in IgG N-Glycosylation Profile. <b>2019</b> , 10, 1522  |     | 14  |
| 272 | Autoantibodies as Diagnostic Markers and Mediator of Joint Inflammation in Arthritis. <b>2019</b> , 2019, 6363086   |     | 14  |
| 271 | Response to immune complex vaccine in chronic hepatitis B patients is associated with lower baseline level of serum IgG galactosylation. <b>2019</b> , 98, e16208   |     | 4   |
| 270 | Profiling the N-Glycan Composition of IgG with Lectins and Capillary Nanogel Electrophoresis. <b>2019</b> , 91, 1375-1383   |     | 22  |
| 269 | Hydrophilic interaction chromatography for the analysis of biopharmaceutical drugs and therapeutic peptides: A review based on the separation characteristics of the hydrophilic interaction chromatography phases. <b>2019</b> , 42, 130-213 |     | 37  |
| 268 | Sialylation is involved in cell fate decision during development, reprogramming and cancer progression. <b>2019</b> , 10, 550-565   |     | 52  |
| 267 | High accuracy differentiating autoimmune pancreatitis from pancreatic ductal adenocarcinoma by immunoglobulin G glycosylation. <b>2019</b> , 16, 1  |     | 17  |
| 266 | Unique patterns of glycosylation in immunoglobulin subclass G4-related disease and primary sclerosing cholangitis. <b>2019</b> , 34, 1878-1886  |     | 19  |
| 265 | IgG Fc N-glycosylation: Alterations in neurologic diseases and potential therapeutic target?. <b>2019</b> , 96, 14-23   |     | 16  |
| 264 | Sequence-to-structure dependence of isolated IgG Fc complex biantennary N-glycans: a molecular dynamics study. <i>Glycobiology</i> , <b>2019</b> , 29, 94-103   | 5.8 | 30  |
| 263 | Structure, heterogeneity and developability assessment of therapeutic antibodies. <i>MAbs</i> , <b>2019</b> , 11, 239-264   |     | 103 |
| 262 | High-throughput Serum -Glycomics: Method Comparison and Application to Study Rheumatoid Arthritis and Pregnancy-associated Changes. <b>2019</b> , 18, 3-15  |     | 44  |
| 261 | Immunoglobulin G galactosylation levels are decreased in systemic sclerosis patients and differ according to disease subclassification. <b>2020</b> , 49, 146-153   |     | 4   |
| 260 | On enzymatic remodeling of IgG glycosylation; unique tools with broad applications. <i>Glycobiology</i> , <b>2020</b> , 30, 254-267   | 5.8 | 16  |
| 259 | Protein Glycosylation as a Diagnostic and Prognostic Marker of Chronic Inflammatory Gastrointestinal and Liver Diseases. <b>2020</b> , 158, 95-110  |     | 47  |

|     |  |      |    |
|-----|--|------|----|
| 258 | Considerations for the Design of Antibody-Based Therapeutics. <b>2020</b> , 109, 74-103  |      | 67 |
| 257 | Possible role of $\beta$ -galactosidase in rheumatoid arthritis. <b>2020</b> , 30, 671-680   |      | 5  |
| 256 | Monitoring of immunoglobulin N- and O-glycosylation in health and disease. <i>Glycobiology</i> , <b>2020</b> , 30, 226-240   | 3.80 | 41 |
| 255 | The history of IgG glycosylation and where we are now. <i>Glycobiology</i> , <b>2020</b> , 30, 202-213   | 5.8  | 41 |
| 254 | A synopsis of recent developments defining how N-glycosylation impacts immunoglobulin G structure and function. <i>Glycobiology</i> , <b>2020</b> , 30, 214-225  | 5.8  | 25 |
| 253 | Disease-Specific IgG Fc Glycosylation Ratios as Personalized Biomarkers to Differentiate Non-Small Cell Lung Cancer from Benign Lung Diseases. <b>2020</b> , 14, e1900016  |      | 2  |
| 252 | Glycosylation deficiency of lipopolysaccharide-binding protein and corticosteroid-binding globulin associated with activity and response to treatment for rheumatoid arthritis. <b>2020</b> , 18, 8                  |      | 5  |
| 251 | Absolute quantitation of high abundant Fc-glycopeptides from human serum IgG-1. <b>2020</b> , 1102, 130-139  |      | 5  |
| 250 | Comprehensive analysis of human IgG Fc N-glycopeptides and construction of a screening model for colorectal cancer. <b>2020</b> , 213, 103616  |      | 8  |
| 249 | Effect of galactose side-chain on the self-assembly of xyloglucan macromolecule. <b>2020</b> , 246, 116577   |      | 9  |
| 248 | Editorial: Structure, Isotypes, Targets, and Post-translational Modifications of Immunoglobulins and Their Role in Infection, Inflammation and Autoimmunity. <i>Frontiers in Immunology</i> , <b>2020</b> , 11, 1761 | 8.4  | 0  |
| 247 | Sialylated Immunoglobulins for the Treatment of Immuno-Inflammatory Diseases. <i>International Journal of Molecular Sciences</i> , <b>2020</b> , 21,   | 6.3  | 11 |
| 246 | Changes in subclass-specific IgG Fc glycosylation associated with the postnatal maturation of the murine immune system. <i>Scientific Reports</i> , <b>2020</b> , 10, 15243  | 4.9  | 2  |
| 245 | Site-selective mapping of metastable states using electron-beam induced luminescence microscopy. <i>Scientific Reports</i> , <b>2020</b> , 10, 15650   | 4.9  | 4  |
| 244 | A site-specific map of the human plasma glycome and its age and gender-associated alterations. <i>Scientific Reports</i> , <b>2020</b> , 10, 17505   | 4.9  | 7  |
| 243 | On-Tissue Derivatization with Girard $\beta$ Reagent P Enhances N-Glycan Signals for Formalin-Fixed Paraffin-Embedded Tissue Sections in MALDI Mass Spectrometry Imaging. <b>2020</b> , 92, 13361-13368              |      | 18 |
| 242 | Roles of glycoprotein glycosylation in the pathogenesis of an endemic osteoarthritis, Kashin-Beck disease, and effectiveness evaluation of sodium hyaluronate treatment. <b>2020</b> , 50, 1028-1037                 |      | 0  |
| 241 | Reverse expression of $\alpha$ ,6-sialic acid ratios on IgG, IgM, and IgG/IgM autoantibodies correlates with mouse arthritis and rheumatoid arthritis disease activity. <b>2020</b> , 83, 1079-1086                  |      | 2  |



|     |   |      |    |
|-----|---|------|----|
| 240 | Sialylation of immunoglobulin E is a determinant of allergic pathogenicity. <i>Nature</i> , <b>2020</b> , 582, 265-270  | 50.4 | 47 |
| 239 | Mass spectrometry for the identification and analysis of highly complex glycosylation of therapeutic or pathogenic proteins. <b>2020</b> , 17, 275-296  |      | 4  |
| 238 | Abberant Immunoglobulin G Glycosylation in Rheumatoid Arthritis by LTQ-ESI-MS. <i>International Journal of Molecular Sciences</i> , <b>2020</b> , 21,   | 6.3  | 15 |
| 237 | Associations between the serum levels of PFOS/PFOA and IgG N-glycosylation in adult or children. <b>2020</b> , 265, 114285  |      | 3  |
| 236 | IgG Glycosylation Profile and the Glycan Score Are Associated with Type 2 Diabetes in Independent Chinese Populations: A Case-Control Study. <b>2020</b> , 2020, 5041346  |      | 5  |
| 235 | Facile synthesis of hydrophilic magnetic graphene nanocomposites via dopamine self-polymerization and Michael addition for selective enrichment of N-linked glycopeptides. <i>Scientific Reports</i> , <b>2020</b> , 10, 71 | 4.9  | 8  |
| 234 | Anti-D monoclonal antibodies from 23 human and rodent cell lines display diverse IgG Fc-glycosylation profiles that determine their clinical efficacy. <i>Scientific Reports</i> , <b>2020</b> , 10, 1464                   | 4.9  | 7  |
| 233 | IgG-Fc glycosylation before and after rituximab treatment in immune thrombocytopenia. <i>Scientific Reports</i> , <b>2020</b> , 10, 3051  | 4.9  | 6  |
| 232 | Abnormal Galactosylated-Glycans recognized by <i>Bandeiraea Simplicifolia</i> Lectin I in saliva of patients with breast Cancer. <b>2020</b> , 37, 373-394  |      | 8  |
| 231 | High-resolution 3-D crustal shear-wave velocity model reveals structural and seismicity segmentation of the central-southern Tanlu Fault zone, eastern China. <b>2020</b> , 778, 228372                                     |      | 8  |
| 230 | Glycosylation of immunoglobulin G is regulated by a large network of genes pleiotropic with inflammatory diseases. <b>2020</b> , 6, eaax0301  |      | 38 |
| 229 | Fcγ receptors in autoimmunity and end-organ damage. <b>2021</b> , 179-195   |      |    |
| 228 | More comprehensive standards for monitoring glycosylation. <b>2021</b> , 612, 113896  |      | 0  |
| 227 | Glycosylation of Anti-Thyroglobulin IgG1 and IgG4 Subclasses in Thyroid Diseases. <b>2021</b> , 10, 114-124   |      | 3  |
| 226 | N-glycans as functional effectors of genetic and epigenetic disease risk. <b>2021</b> , 79, 100891  |      | 13 |
| 225 | Progress in research into the role of abnormal glycosylation modification in tumor immunity. <b>2021</b> , 229, 8-17  |      | 4  |
| 224 | IgG N-glycans. <b>2021</b> , 105, 1-47  |      | 3  |
| 223 | Relative Quantification of Phosphorylated and Glycosylated Peptides from the Same Sample Using Isobaric Chemical Labelling with a Two-Step Enrichment Strategy. <b>2021</b> , 2228, 185-203                                 |      | 1  |

|     |   |       |
|-----|---|-------|
| 222 | NMR assignments of the N-glycans of the Fc fragment of mouse immunoglobulin G2b glycoprotein. <b>2021</b> , 15, 187-192   | 2     |
| 221 | Systems Glycobiology: Immunoglobulin G Glycans as Biomarkers and Functional Effectors in Aging and Diseases. <b>2021</b> , 439-478  | 1     |
| 220 | Beyond Titer: Expanding the Scope of Clinical Autoantibody Testing.. <b>2022</b> , 7, 99-113  |       |
| 219 | Human IgG Glycosylation in Inflammation and Inflammatory Disease. <b>2021</b> , 215-232   | 3     |
| 218 | Variation of IgG N-linked glycosylation profile in diabetic retinopathy. <b>2021</b> , 13, 672-680  | 3     |
| 217 | Altered immunoglobulin G glycosylation in patients with isolated hyperprolactinaemia. <b>2021</b> , 16, e0247805  | 1     |
| 216 | Tear N-glycomics in vernal and atopic keratoconjunctivitis. <b>2021</b> , 76, 2500-2509   | 2     |
| 215 | Interlaboratory evaluation of plasma N-glycan antennary fucosylation as a clinical biomarker for HNF1A-MODY using liquid chromatography methods. <b>2021</b> , 38, 375-386    | 2     |
| 214 | Revealing the changes of IgG subclass-specific N-glycosylation in colorectal cancer progression by high-throughput assay. <b>2021</b> , 15, e2000022                          | 1     |
| 213 | Interferons and other cytokines, genetics and beyond in COVID-19 and autoimmunity. <b>2021</b> , 58, 134-140  | 2     |
| 212 | Glycans in Immunologic Health and Disease. <b>2021</b> , 39, 511-536  | 5     |
| 211 | Viral Rebound Kinetics Correlate with Distinct HIV Antibody Features. <b>2021</b> , 12,   | 4     |
| 210 | A Rapidly Aging World in the 21st Century: Hopes from Glycomics and Unraveling the Biomarkers of Aging with the Sugar Code. <b>2021</b> , 25, 242-248                         | 1     |
| 209 | Antibody glycosylation in autoimmune diseases. <b>2021</b> , 20, 102804   | 7     |
| 208 | Characteristics of purified Anti- $\alpha$ GPI IgG N-glycosylation associate with thrombotic, obstetric, and catastrophic antiphospholipid syndrome. <b>2021</b> ,            | 1     |
| 207 | Aberrant Immunoglobulin G Glycosylation in Multiple Sclerosis. <b>2021</b> , 1  | 4     |
| 206 | Glycosylation Biomarkers Associated with Age-Related Diseases and Current Methods for Glycan Analysis. <i>International Journal of Molecular Sciences</i> , <b>2021</b> , 22, | 6.3 3 |
| 205 | Metabolic labeling of glycans with isotopic glucose for quantitative glycomics in yeast. <b>2021</b> , 621, 114152  | 4     |

|     |   |     |    |
|-----|---|-----|----|
| 204 | The glyco-redox interplay: Principles and consequences on the role of reactive oxygen species during protein glycosylation. <b>2021</b> , 42, 101888  |     | 6  |
| 203 | Preparation and biological activities of anti-HER2 monoclonal antibodies with multibranched complex-type N-glycans. <i>Glycobiology</i> , <b>2021</b> , 31, 1401-1414                                 | 5.8 |    |
| 202 | Fc Galactosylation Promotes Hexamerization of Human IgG1, Leading to Enhanced Classical Complement Activation. <i>Journal of Immunology</i> , <b>2021</b> , 207, 1545-1554                            | 5.3 | 11 |
| 201 | Set Up for Failure: Pre-Existing Autoantibodies in Lung Transplant. <i>Frontiers in Immunology</i> , <b>2021</b> , 12, 711102   | 8.4 | 1  |
| 200 | Glycan biomarkers of autoimmunity and bile acid-associated alterations of the human glycome: Primary biliary cirrhosis and primary sclerosing cholangitis-specific glycans. <b>2021</b> , 230, 108825 |     | 0  |
| 199 | Targeting immunosuppressor cells with nanoparticles in autoimmunity: How far have we come to?. <b>2021</b> , 368, 104412  |     | 1  |
| 198 | Application of Nanomaterials to Separation of Glycosylated Proteins. <b>2021</b> , 179-296  |     |    |
| 197 | Detection of fucosylated haptoglobin using the 10-7G antibody as a biomarker for evaluating endoscopic remission in ulcerative colitis. <b>2021</b> , 27, 162-175                                     |     | 3  |
| 196 | The therapeutic potential of sialylated Fc domains of human IgG. <i>MAbs</i> , <b>2021</b> , 13, 1953220  | 6.6 | 1  |
| 195 | Antibody-Mediated Arthritis and New Therapeutic Avenues. 407-426  |     | 2  |
| 194 | Characterization of Monoclonal Antibody Variants and Glycosylation. 145-167   |     | 1  |
| 193 | Antibody Glycosylation. <b>2009</b> , 79-108  |     | 1  |
| 192 | HIV Glycomics and Glycoproteomics. <b>2014</b> , 1-25   |     | 1  |
| 191 | Lectin-Carbohydrate Interactions in Disease. <i>Advances in Experimental Medicine and Biology</i> , <b>1995</b> , 147-152   |     | 5  |
| 190 | Agalactosylation by reactive oxygen species and Fc related changes to function. <i>Advances in Experimental Medicine and Biology</i> , <b>1995</b> , 376, 161-70                                      | 3.6 | 2  |
| 189 | Abnormalities in the glycosylation of IgG and its clinical utility. <i>Advances in Experimental Medicine and Biology</i> , <b>1995</b> , 376, 179-83  | 3.6 | 2  |
| 188 | Beta 1,4-galactosyltransferase variations in rheumatoid arthritis. <i>Advances in Experimental Medicine and Biology</i> , <b>1995</b> , 376, 185-92   | 3.6 | 10 |
| 187 | Significance and molecular basis for IgG glycosylation changes in rheumatoid arthritis. <i>Advances in Experimental Medicine and Biology</i> , <b>1995</b> , 376, 193-204                             | 3.6 | 10 |

|     |  |     |    |
|-----|--|-----|----|
| 186 | Murine $\beta$ ,4-Galactosyltransferase. <i>Advances in Experimental Medicine and Biology</i> , <b>1995</b> , 95-104   | 3.6 | 4  |
| 185 | Glycosylation and rheumatic disease. <i>Advances in Experimental Medicine and Biology</i> , <b>1998</b> , 435, 163-73  | 3.6 | 3  |
| 184 | Assigning glycosylation sites and microheterogeneities in glycoproteins by liquid chromatography/tandem mass spectrometry. <b>2009</b> , 492, 161-80                   |     | 5  |
| 183 | IgG Glycans as a Biomarker of Biological Age. <b>2019</b> , 81-99  |     | 5  |
| 182 | Immunotherapy for leprosy and tuberculosis. <b>1989</b> , 33, 415-48   |     | 1  |
| 181 | Immunostimulation with peptidoglycan or its synthetic derivatives. <b>1988</b> , 32, 305-28  |     | 18 |
| 180 | Structural Studies on the Glycophospholipid Membrane Anchor of Trypanosoma Brucei Variant Surface Glycoprotein. <b>1987</b> , 19-28                                    |     | 1  |
| 179 | A cartilage-mimicking T-cell epitope on a 65K mycobacterial heat-shock protein: adjuvant arthritis as a model for human rheumatoid arthritis. <b>1989</b> , 145, 27-43 |     | 65 |
| 178 | Structures and functions of the sugar chains of glycoproteins. <b>1993</b> , 207-225   |     | 3  |
| 177 | Glycoproteomics in Health and Disease. <b>2010</b> , 1-38  |     | 1  |
| 176 | Oxyradicals, inflammation and drugs acting on oxyradical production. <b>1989</b> , 187-206   |     | 1  |
| 175 | The role of IgA in the immunopathogenesis of rheumatoid arthritis. <b>1988</b> , 122-142   |     | 2  |
| 174 | Adjuvant Arthritis. <b>1994</b> , 201-216  |     | 6  |
| 173 | Introduction. <b>1989</b> , 1-2  |     | 1  |
| 172 | The Role of Antigen in Autoimmune Responses with Special Reference to Changes in Carbohydrate Structure of IgG in Rheumatoid Arthritis. <b>1989</b> , 3-10             |     | 1  |
| 171 | Effect of high-dose intravenous immunoglobulin in rheumatoid arthritis. <b>1991</b> , 283-295  |     | 1  |
| 170 | Immunoglobulins: Structure, Function, and Genes. <b>1987</b> , 49-140  |     | 3  |
| 169 | The carbohydrate structures of a mouse monoclonal IgG antibody OKT3. <b>1990</b> , 265, 20195-20201  |     | 15 |

|     |  |     |
|-----|--|-----|
| 168 | Modification of glycoproteins by N-acetylglucosaminyltransferase V is greatly influenced by accessibility of the enzyme to oligosaccharide acceptors.. <b>1994</b> , 269, 23456-23464      | 29  |
| 167 | Carbohydrate binding specificity of immobilized Psathyrella velutina lectin.. <b>1992</b> , 267, 707-713   | 30  |
| 166 | Deglycosylation of fibrinogen accelerates polymerization and increases lateral aggregation of fibrin fibers.. <b>1988</b> , 263, 15056-15063   | 80  |
| 165 | Structural heterogeneity of sugar chains in immunoglobulin G. Conformation of immunoglobulin G molecule and substrate specificities of glycosyltransferases.. <b>1990</b> , 265, 6009-6018 | 79  |
| 164 | The polypeptide of immunoglobulin G influences its galactosylation in vivo.. <b>1990</b> , 265, 5833-5839  | 13  |
| 163 | Multiple Reaction Monitoring for the Quantitation of Serum Protein Glycosylation Profiles: Application to Ovarian Cancer. <b>2018</b> , 17, 222-233  | 25  |
| 162 | CHAPTER 9:Quantifying Carbohydrate Motions Through Solution Measurements: Applications to Immunoglobulin G Fc. 208-227   | 1   |
| 161 | Chapter 3:Changes in Serum N-Glycosylation Profiles: Functional Significance and Potential for Diagnostics. <b>2011</b> , 57-93  | 15  |
| 160 | Immunoglobulin G complexes without sialic acids enhance osteoclastogenesis but do not affect arthritis-mediated bone loss. <b>2021</b> , 93, e13009  | 4   |
| 159 | Secretory immunoglobulin A carries oligosaccharide receptors for Escherichia coli type 1 fimbrial lectin. <b>1990</b> , 58, 3073-7   | 231 |
| 158 | Differences in IgG Fc Glycosylation Are Associated with Outcome of Pediatric Meningococcal Sepsis. <b>2018</b> , 9,  | 9   |
| 157 | Antibody-dependent and -independent mechanisms of inflammatory arthritis. <b>2019</b> , 4,   | 21  |
| 156 | Changes in normal glycosylation mechanisms in autoimmune rheumatic disease. <b>1992</b> , 89, 1021-31  | 84  |
| 155 | Sialylation of IgG Fc domain impairs complement-dependent cytotoxicity. <b>2015</b> , 125, 4160-70   | 158 |
| 154 | Monoclonal Antibody Production: The Report and Recommendations of ECVAM Workshop 231,2. <b>1997</b> , 25, 121-135  | 30  |
| 153 | Anti-rhesus D prophylaxis in pregnant women is based on sialylated IgG antibodies. <b>2013</b> , 2, 169  | 12  |
| 152 | Self-organized criticality theory of autoimmunity. <b>2009</b> , 4, e8382  | 27  |
| 151 | Glycans in sera of amyotrophic lateral sclerosis patients and their role in killing neuronal cells. <b>2012</b> , 7, e35772  | 27  |

|     |   |       |
|-----|---|-------|
| 150 | Improved method for drawing of a glycan map, and the first page of glycan atlas, which is a compilation of glycan maps for a whole organism. <b>2014</b> , 9, e102219                                       | 16    |
| 149 | Changes to serum sample tube and processing methodology does not cause Intra-Individual [corrected] variation in automated whole serum N-glycan profiling in health and disease. <b>2015</b> , 10, e0123028 | 12    |
| 148 | A recombinant fungal lectin for labeling truncated glycans on human cancer cells. <b>2015</b> , 10, e0128190  | 20    |
| 147 | Biochemical Characterization of Human Anti-Hepatitis B Monoclonal Antibody Produced in the Microalgae <i>Phaeodactylum tricornutum</i> . <b>2015</b> , 10, e0139282   | 30    |
| 146 | Comparison of Fc N-Glycosylation of Pharmaceutical Products of Intravenous Immunoglobulin G. <b>2015</b> , 10, e0139828   | 11    |
| 145 | Glycoproteins in circulating immune complexes are biomarkers of patients with Indian PKDL: A study from endemic districts of West Bengal, India. <b>2018</b> , 13, e0192302                                 | 8     |
| 144 | Antigen-Specific Antibody Glycosylation Is Regulated via Vaccination. <b>2016</b> , 12, e1005456  | 88    |
| 143 | Glycosylation of circulating IgA in patients with IgA nephropathy modulates proliferation and apoptosis of mesangial cells. <b>2001</b> , 12, 1862-1871   | 96    |
| 142 | Effects of estradiol on biological age measured using the glycan age index. <b>2020</b> , 12, 19756-19765   | 7     |
| 141 | Identification of novel plasma glycosylation-associated markers of aging. <b>2016</b> , 7, 7455-68  | 26    |
| 140 | Fractionation of Fab glycosylated immunoglobulin G with concanavalin A chromatography unveils new structural properties of the molecule. <b>2016</b> , 7, 31166-76  | 3     |
| 139 | Low prevalence of rheumatoid arthritis among patients with pre-existing type 2 diabetes mellitus. <b>2018</b> , 6, 399  | 6     |
| 138 | Mannose binding lectin in sera and synovial fluids of patients with rheumatoid arthritis. <b>2003</b> , 22, 159-163   | 1     |
| 137 | Rheumatoid Arthritis in the View of Osteoimmunology. <b>2020</b> , 11,  | 17    |
| 136 | Antibody glycosylation as a potential biomarker for chronic inflammatory autoimmune diseases. <b>2016</b> , 03, 280-291   | 3     |
| 135 | ???. <b>2008</b> , 20, 97-116   | 4     |
| 134 | B cells with regulatory properties in transplantation tolerance. <b>2015</b> , 5, 196-208   | 17    |
| 133 | Immunoglobulin G Glycosylation Changes in Aging and Other Inflammatory Conditions. <i>Experientia Supplementum (2012)</i> , <b>2021</b> , 112, 303-340  | 2.2 1 |

|     |  |     |   |
|-----|--|-----|---|
| 132 | Genetic Regulation of Immunoglobulin G Glycosylation. <i>Experientia Supplementum (2012)</i> , <b>2021</b> , 112, 259-287  | 2.2 | 1 |
| 131 | Importance and Monitoring of Therapeutic Immunoglobulin G Glycosylation. <i>Experientia Supplementum (2012)</i> , <b>2021</b> , 112, 481-517                       | 2.2 | 1 |
| 130 | Estrogen-Driven Changes in Immunoglobulin G Fc Glycosylation. <i>Experientia Supplementum (2012)</i> , <b>2021</b> , 112, 341-361                                  | 2.2 | 1 |
| 129 | GlycoStore: A Platform for H/UPLC and Capillary Electrophoresis Glycan Data. <b>2022</b> , 2370, 25-40   |     | 1 |
| 128 | Suppression of Dendritic Cell Maturation by Kefir Peptides Alleviates Collagen-Induced Arthritis in Mice. <b>2021</b> , 12, 721594                                 |     | 0 |
| 127 | MHC haplotype and B cell autoimmunity: Correlation with pathogenic IgG autoantibody subclasses and Fc glycosylation patterns. <b>2021</b> ,                        |     | 0 |
| 126 | Building a better antibody through the Fc: advances and challenges in harnessing antibody Fc effector functions for antiviral protection. <b>2021</b> , 1-17       |     | 3 |
| 125 | Immunoglobulin Glycosylation - An Unexploited Potential for Immunomodulatory Strategies in Farm Animals. <i>Frontiers in Immunology</i> , <b>2021</b> , 12, 753294 | 8.4 | 0 |
| 124 | Longitudinal Pathogenic Properties and -Glycosylation Profile of Antibodies from Patients with Pemphigus after Corticosteroid Treatment. <b>2021</b> , 9,          |     | 0 |
| 123 | Exploring Functions for Glycosylation in Host Defence using Novel Oligosaccharide Sequencing Technology. <b>2000</b> , 321-339                                     |     |   |
| 122 | Glycoproteomics: High-Throughput Sequencing of Oligosaccharide Modifications to Proteins. <b>2001</b> , 207-228  |     |   |
| 121 | Immunoglobulin synthesis and secretion. <b>2003</b> , 12-28  |     |   |
| 120 | Autoimmunity [Rheumatoid Arthritis. <b>2005</b> , 481-493  |     |   |
| 119 | Function and pathology of the sugar chains of human immunoglobulin G. <b>1989</b> , 145, 224-35; discussion 235-40   |     |   |
| 118 | The use of synthetic peptides in the delineation of immunoglobulin antigenic epitopes and Fc effector functions. <b>1986</b> , 119, 226-44                         |     | 1 |
| 117 | Significance of carbohydrate components of cell surfaces. <b>1987</b> , 129, 43-58   |     | 2 |
| 116 | The role of oligosaccharides in modifying protein function. <b>1989</b> , 145, 241-55; discussion 255-6  |     | 4 |
| 115 | Complement in Rheumatoid Arthritis. <b>2009</b> , 191-199  |     |   |

- 114 The use of 2-dimensional mapping in medical research. **2009**, 21, 87-94
- 113 Antibodies and B Lymphocytes.
- 112 Characteristics of B Cells and B Cell Responses in Aged Individuals. **2012**, 55-84
- 111 Rheumatoid Arthritis and IgG as Biomarker. **2014**, 1-5
- 110 Autoimmunerkrankungen. **1989**, 267-286
- 109 Immune Disorders with Ocular Involvement. **1989**, 145-166
- 108 Chapter 3 Choice of Affinity Ligands (Affinants). **1993**, 31-111
- 107 Biomarkers of Musculoskeletal Disorders. **1993**, 547-564
- 106 Chapter 1 The covalent structure of proteins. **1997**, 1-97
- 105 Inflammatory Diseases. **1997**, 127-131
- 104 A Study of Human Immunoglobulin (IgG and IgE) Glycosylation by Interaction with Lectins. **1997**, 221-233
- 103 Potential Immunotherapy for Tuberculosis and Future Potential for HIV. **1997**, 375-393
- 102 Use of Complex Carbohydrates as Targets and Ligands for Imaging. **1997**, 103-134
- 101 Branching Out: Constructing The Antennae Of N-Linked Sugars. **1998**, 213-279
- 100 Sugars and Proteins: Getting It Together. **1998**, 1-48
- 99 Rheumatoid Arthritis and IgG as Biomarker. **2015**, 1297-1301
- 98 Humoral Pathogenesis. **2016**, 159-184
- 97 Endoglycosidase S enables a highly simplified clinical chemistry assay procedure for direct assessment of serum IgG undergalactosylation in chronic inflammatory disease.



- 96 Sequence-to-structure dependence of isolated IgG Fc complex biantennary N-glycans: A molecular dynamics study.
- 95 Life-Style Related Disease and Aging. **2019**, 269-288
- 94 Prospects for the use of sialylated immunoglobulins in the treatment of different diseases. **2020**, 5, 112-118 ○
- 93 Glycosylation Patterns of a rec-Fusion Protein Expressed in BHK Cells at Different Metabolic States. **1999**, 241-243
- 92 Roles for Glycosylation in Receptor-Ligand Interactions in the Immune System. **2005**, 31-42
- 91 Enzymatic Synthesis of Neo-N-glycans. 129-171
- 90 The Genetics of Rheumatic Disease in Man. **1987**, 13, 487-510 17
- 89 Tissue-specific N-glycosylation, site-specific oligosaccharide patterns and lentil lectin recognition of rat Thy-1. **1987**, 6, 1233-44 49
- 88 Glycobiology: The function of sugar in the IgG molecule. **1995**, 187 ( Pt 2), 279-92 17
- 87 The role of the carbohydrate chains in complement (C3) fixation by solid-phase-bound human IgA. *Immunology*, **1994**, 82, 321-7 7.8 47
- 86 Reduced galactosyltransferase mRNA levels are associated with the agalactosyl IgG found in arthritis-prone MRL-lpr/lpr strain mice. *Immunology*, **1994**, 83, 484-8 7.8 8
- 85 A longitudinal study of per cent agalactosyl IgG in tuberculosis patients receiving chemotherapy, with or without immunotherapy. *Immunology*, **1994**, 81, 149-54 7.8 25
- 84 The stimulation of IgM rheumatoid factor from human B lymphocytes by rheumatoid arthritis complement-activating immune complexes. *Clinical and Experimental Immunology*, **1988**, 71, 275-80 6.2 5
- 83 HLA-DR-associated isotype-specific regulation of antibody levels to mycobacteria in rheumatoid arthritis. *Clinical and Experimental Immunology*, **1988**, 72, 26-31 6.2 25
- 82 A transient rise in agalactosyl IgG correlating with free interleukin 2 receptors, during episodes of erythema nodosum leprosum. *Clinical and Experimental Immunology*, **1989**, 76, 343-7 6.2 40
- 81 Increased concanavalin A-binding capacity of immunoglobulin G purified from sera of patients with rheumatoid arthritis. *Clinical and Experimental Immunology*, **1987**, 68, 543-51 6.2 13
- 80 Glycosylation of Antigen-Specific Antibodies: Perspectives on Immunoglobulin G Glycosylation in Vaccination and Immunotherapy. *Experientia Supplementum (2012)*, **2021**, 112, 565-587 2.2 ○
- 79 Lectin and Liquid Chromatography-Based Methods for Immunoglobulin (G) Glycosylation Analysis. *Experientia Supplementum (2012)*, **2021**, 112, 29-72 2.2

|    |   |     |   |
|----|---|-----|---|
| 78 | Sweet Rules: Linking Glycosylation to Antibody Function. <i>Experientia Supplementum (2012)</i> , <b>2021</b> , 112, 365-393  | 2.2 | 0 |
| 77 | Glycosylation in Autoimmune Diseases. <i>Advances in Experimental Medicine and Biology</i> , <b>2021</b> , 1325, 205-218  | 4   |   |
| 76 | Immunoglobulin G Glycosylation in Diseases. <i>Experientia Supplementum (2012)</i> , <b>2021</b> , 112, 395-431   | 2.2 | 0 |
| 75 | Antibody glycosylation directs innate and adaptive immune collaboration.. <i>Current Opinion in Immunology</i> , <b>2021</b> , 74, 125-132  | 7.8 | 1 |
| 74 | Non-targeted characterization of attributes affecting antibody-FcR11a V158 (CD16a) binding via online affinity chromatography-mass spectrometry.. <i>MAbs</i> , <b>2022</b> , 14, 2004982   | 6.6 | 0 |
| 73 | Enhanced Immunomodulatory Effect of Intravenous Immunoglobulin by Fc Galactosylation and Nonfucosylation.. <i>Frontiers in Immunology</i> , <b>2022</b> , 13, 818382  | 8.4 | 1 |
| 72 | Identification of -glycan positional isomers by combining IMS and vibrational fingerprinting of structurally determinant CID fragments.. <i>Analyst, The</i> , <b>2022</b> ,  | 5   | 2 |
| 71 | Divergent Golgi Trafficking Limits B cell-Mediated IgG Sialylation.   |     |   |
| 70 | A Transient Expression System with Stably Integrated CRISPR-dCas9 Fusions for Regulation of Genes Involved in Immunoglobulin G Glycosylation.. <i>CRISPR Journal</i> , <b>2022</b> ,  | 2.5 | 0 |
| 69 | The Alterations of Serum IgG Fucosylation as a Potential Additional New Diagnostic Marker in Advanced Endometriosis.. <i>Journal of Inflammation Research</i> , <b>2022</b> , 15, 251-266   | 4.8 | 1 |
| 68 | The role of IgG N-galactosylation in Spondyloarthritis. <i>Translational Metabolic Syndrome Research</i> , <b>2022</b> ,  | 0.3 |   |
| 67 | IgG3 donor-specific antibodies with a proinflammatory glycosylation profile may be associated with the risk of antibody-mediated rejection after kidney transplantation. <i>American Journal of Transplantation</i> , <b>2021</b> ,                       | 8.7 | 0 |
| 66 | Two-dimensional cryostat section electrophoresis: a novel method and its application to the diseased synovial membrane. <i>The Histochemical Journal</i> , <b>1994</b> , 26, 804-16   |     |   |
| 65 | Changes of IgG -Glycosylation in Thyroid Autoimmunity: The Modulatory Effect of Methimazole in GravesPDisease and the Association With the Severity of Inflammation in HashimotoB Thyroiditis.. <i>Frontiers in Immunology</i> , <b>2022</b> , 13, 841710 | 8.4 | 0 |
| 64 | Sialylation as an Important Regulator of Antibody Function.. <i>Frontiers in Immunology</i> , <b>2022</b> , 13, 818736  | 8.4 | 1 |
| 63 | Developments and Perspectives in High-Throughput Protein Glycomics: Enabling the Analysis of Thousands of Samples.. <i>Glycobiology</i> , <b>2022</b> ,   | 5.8 | 1 |
| 62 | Presentation_1.PDF. <b>2018</b> ,   |     |   |
| 61 | Presentation_1.PDF. <b>2018</b> ,   |     |   |

60 Table\_1.XLSX. 2018,

59 Data\_Sheet\_1.doc. 2018,

58 Image\_1.jpeg. 2018,

57 Image\_2.jpeg. 2018,

56 Image\_3.jpeg. 2018,

55 Image\_4.jpeg. 2018,

54 Image\_5.jpeg. 2018,

53 Image\_6.jpeg. 2018,

52 Table\_1.PDF. 2018,

51 Table\_10.PDF. 2018,

50 Table\_11.PDF. 2018,

49 Table\_12.PDF. 2018,

48 Table\_13.PDF. 2018,

47 Table\_2.PDF. 2018,

46 Table\_3.PDF. 2018,

45 Table\_4.PDF. 2018,

44 Table\_5.PDF. 2018,

43 Table\_6.PDF. 2018,

42 Table\_7.PDF. 2018,

41 Table\_8.PDF. 2018,

40 Table\_9.PDF. 2018,

39 Image\_1.PDF. 2018,

38 Table\_1.XLSX. 2018,

37 Image\_1.TIF. 2019,

36 Table\_1.docx. 2019,

35 The psoriasis glycome: differential expression of cholesterol particle glycans and IgA glycans linked to disease severity.. *Journal of Investigative Dermatology*, 2022, 4.3

34 Circulating Glycan Monosaccharide Composite-Based Biomarker Diagnoses Colorectal Cancer at Early Stages and Predicts Prognosis.. *Frontiers in Oncology*, 2022, 12, 852044 5.3 0

33 Immunoglobulin G N-glycan Biomarkers for Autoimmune Diseases: Current State and a Glycoinformatics Perspective.. *International Journal of Molecular Sciences*, 2022, 23, 6.3 0

32 Protein N-glycosylation aberrations and glycoproteomic network alterations in osteoarthritis and osteoarthritis with type 2 diabetes.. *Scientific Reports*, 2022, 12, 6977 4.9 0

31 Genome-Wide Mapping of Plasma IgG N-Glycan Quantitative Trait Loci Identifies a Potentially Causal Association between IgG N-Glycans and Rheumatoid Arthritis.. *Journal of Immunology*, 2022, 5.3 0

30 The Role of IgG Fc Region N-Glycosylation in the Pathomechanism of Rheumatoid Arthritis. *International Journal of Molecular Sciences*, 2022, 23, 5828 6.3 2

29 Re-mining serum proteomics data reveals extensive post-translational modifications upon Zika and dengue infection.

28 Lyme Disease IgG N-linked Glycans Contrast the Canonical Inflammatory Signature.

27 Divergent Golgi trafficking limits B cell-mediated IgG sialylation. *Journal of Leukocyte Biology*, 6.5 0

26 Immunoassay for quantification of antigen-specific IgG fucosylation. *EBioMedicine*, 2022, 81, 104109 8.8 0

25 GANAB and N-Glycans Substrates Are Relevant in Human Physiology, Polycystic Pathology and Multiple Sclerosis: A Review. *International Journal of Molecular Sciences*, 2022, 23, 7373 6.3

|    |   |      |    |
|----|---|------|----|
| 24 | High-Throughput Glycomic Methods. <i>Chemical Reviews</i> ,   | 68.1 | 1  |
| 23 | Harnessing IgG Fc glycosylation for clinical benefit. <i>Current Opinion in Immunology</i> , <b>2022</b> , 77, 102231   | 7.8  | 0  |
| 22 | Association of immunoglobulin G N-glycosylation with carotid atherosclerotic plaque phenotypes and actual clinical cardiovascular events: a study protocol for a longitudinal prospective cohort study. <i>BMJ Open</i> , <b>2022</b> , 12, e058922 | 3    |    |
| 21 | Tinker, tailor, soldier, cell; the role of C-Type lectins in the defense and promotion of disease.  |      |    |
| 20 | Distinct Longitudinal Changes in Immunoglobulin G N-Glycosylation Associate with Therapy Response in Chronic Inflammatory Diseases. <b>2022</b> , 23, 8473  |      |    |
| 19 | Baseline IgG-Fc N-glycosylation profile is associated with long-term outcome in a cohort of early inflammatory arthritis patients. <b>2022</b> , 24,  |      | 1  |
| 18 | Acute lyme disease IgG N-linked glycans contrast the canonical inflammatory signature. 13,  |      | 0  |
| 17 | Disease mechanisms in preclinical rheumatoid arthritis: A narrative review. 9,  |      | 2  |
| 16 | Immunoglobulin G glycans [Biomarkers and molecular effectors of aging. <b>2022</b> , 535, 30-45   |      |    |
| 15 | Glucose metabolism and glycosylation link the gut microbiota to autoimmune diseases. 13,  |      | 0  |
| 14 | Serum IgG N-glycans enable early detection and early relapse prediction of colorectal cancer.   |      | 0  |
| 13 | IgG subclass and Fc glycosylation shifts are linked to the transition from pre- to inflammatory autoimmune conditions. 13,  |      | 0  |
| 12 | Generation and Characterization of Native and Sialic Acid-Deficient IgE. <b>2022</b> , 23, 13455  |      | 0  |
| 11 | Serum glycomic profile as a predictive biomarker of recurrence in patients with differentiated thyroid cancer.  |      | 0  |
| 10 | Risk-Based Control Strategies of Recombinant Monoclonal Antibody Charge Variants. <b>2022</b> , 11, 73  |      | 0  |
| 9  | Glycobiology of rheumatic diseases. <b>2023</b> , 19, 28-43   |      | 0  |
| 8  | Implications of Post-Translational Modifications in Autoimmunity with Emphasis on Citrullination, Homocitrullination and Acetylation for the Pathogenesis, Diagnosis and Prognosis of Rheumatoid Arthritis. <b>2022</b> , 23, 15803                 |      | 0  |
| 7  | Effect of C2-Associated Carbohydrate Structure on Ig Effector Function: Studies with Chimeric Mouse-Human IgG1 Antibodies in Glycosylation Mutants of Chinese Hamster Ovary Cells. <b>1998</b> , 160, 3393-3402                                     |      | 22 |

- 6 Binding and Uptake of Agalactosyl IgG by Mannose Receptor on Macrophages and Dendritic Cells. **1999**, 163, 5427-5434 15
- 5 Heightened Pro-inflammatory Glycosylation of *Borrelia burgdorferi* IgG Antibodies in Synovial Fluid in Patients with Antibiotic-Refractory Lyme Arthritis. 0
- 4 Integrative proteomics and N-glycoproteomics analyses of rheumatoid arthritis synovia reveal immune-associated glycopeptides. **2023**, 100540 0
- 3 Re-mining serum proteomics data reveals extensive post-translational modifications upon Zika and dengue infection. 0
- 2 Comparative analysis of transferrin and IgG N-glycosylation in two human populations. **2023**, 6, 0
- 1 Control of lupus activity during pregnancy via the engagement of IgG sialylation: novel crosstalk between IgG sialylation and pDC functions. 0