

CITATION REPORT

List of articles citing

High-performance electrophoresis

DOI: 10.1016/s0021-9673(01)95485-8
Journal of Chromatography A, 1985, 347, 191-198.

Source: <https://exaly.com/paper-pdf/17571061/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
1346	DOP-PCR amplification of whole genomic DNA and microchip-based capillary electrophoresis. 2001 , 163, 211-9		3
1345	Factors controlling electroosmotic flow in open-tubular capillaries in electrokinetic chromatography. 1986 , 9, 666-670		71
1344	Carrier-free zone electrophoresis, displacement electrophoresis and isoelectric focusing in a high-performance electrophoresis apparatus. <i>Journal of Chromatography A</i> , 1987 , 403, 47-61	4.5	401
1343	Isotachophoretic determination of chromium(VI) at low parts per billion concentrations. <i>Journal of Chromatography A</i> , 1987 , 390, 111-20	4.5	13
1342	Capillary isoelectric focusing. <i>Journal of Chromatography A</i> , 1987 , 389, 75-86	4.5	33
1341	Theoretical and experimental study of high-performance electrophoretic mobilization of isoelectrically focused protein zones. <i>Journal of Chromatography A</i> , 1987 , 387, 127-38	4.5	159
1340	Control of electroosmosis in coated quartz capillaries. 1987 , 115, 46-55		98
1339	High-performance capillary electrophoresis using open tubes and gels. 1987 , 24, 15-24		196
1338	Liquid phase separation methods: HPLC, FFF, electrophoresis. 1987 , 24, 58-76		22
1337	High voltage capillary zone electrophoresis: Operating parameters effects on electroosmotic flows and electrophoretic mobilities. 1987 , 24, 527-532		151
1336	Application of high-performance chromatographic and electrophoretic methods to the purification and characterization of glucose oxidase and catalase from <i>Penicillium chrysogenum</i> . <i>Journal of Chromatography A</i> , 1987 , 397, 239-49	4.5	23
1335	Effect of buffer pH and peptide composition on the selectivity of peptide separations by capillary zone electrophoresis. 1988 , 173, 265-70		114
1334	The history of the development of electrophoresis in Uppsala. <i>Electrophoresis</i> , 1988 , 9, 3-15	3.6	23
1333	Separation and detection of DNA by capillary electrophoresis. <i>Journal of Chromatography A</i> , 1988 , 458, 303-12	4.5	63
1332	Capillary electrophoresis. 1988 , 242, 224-8		274
1331	Microcolumn separations and the analysis of single cells. 1989 , 246, 57-63		280
1330	Capillary zone electrophoresis separation of recombinant human interleukin-3 and related proteins. 1989 , 19, 201-7		4

1329	Fast and high resolution analysis of human serum transferrin by high performance isoelectric focusing in capillaries. <i>Electrophoresis</i> , 1989 , 10, 23-9	3.6	162
1328	Simultaneous determination of reducing monosaccharides by capillary zone electrophoresis as the borate complexes of N-2-pyridylglycamines. 1989 , 176, 72-7		230
1327	Capillary zone electrophoretic separations of proteins in polyethylene glycol-modified capillaries. <i>Journal of Chromatography A</i> , 1989 , 471, 429-436	4.5	241
1326	Indirect fluorimetric detection and quantification in capillary zone electrophoresis of inorganic anions and nucleotides. <i>Journal of Chromatography A</i> , 1989 , 480, 169-178	4.5	100
1325	Capillary electrophoresis of proteins in buffers containing high concentrations of zwitterionic salts. <i>Journal of Chromatography A</i> , 1989 , 480, 301-10	4.5	261
1324	Factors affecting free zone electrophoresis and isoelectric focusing in capillary electrophoresis. <i>Journal of Chromatography A</i> , 1989 , 480, 311-319	4.5	227
1323	Performance of carbohydrate-modified fused-silica capillaries for the separation of proteins by zone electrophoresis. <i>Journal of Chromatography A</i> , 1989 , 480, 339-49	4.5	120
1322	Characterization of human growth hormone by capillary electrophoresis. <i>Journal of Chromatography A</i> , 1989 , 480, 379-91	4.5	103
1321	Capillary electrophoresis-electrospray ionization-mass spectrometry. <i>Journal of Chromatography A</i> , 1989 , 474, 21-37	4.5	59
1320	High-performance capillary electrophoresis in the biological sciences. 1989 , 492, 585-614		255
1319	High-Performance Electrophoresis Including Separation of Nucleic Acids and their Degradation Products. Interplay Between Theory and Practical Experiments. 1990 , 9, 319-330		8
1318	Kapillarelektrophorese. 1990 , 38, 3-12		4
1317	Capillary electrophoresis of proteins under alkaline conditions. <i>Journal of Chromatography A</i> , 1990 , 516, 123-31	4.5	89
1316	Capillary electrophoresis. 1990 , 30, 546-554		23
1315	Zone broadening in electrophoresis with special reference to high-performance electrophoresis in capillaries: an interplay between theory and practice. <i>Electrophoresis</i> , 1990 , 11, 665-90	3.6	206
1314	Recent advances in capillary electrophoresis of proteins, peptides and amino acids. <i>Electrophoresis</i> , 1990 , 11, 735-49	3.6	148
1313	Separation of cationic proteins via charge reversal in capillary electrophoresis. <i>Electrophoresis</i> , 1990 , 11, 769-73	3.6	143
1312	Influence of polymer coating of capillary surfaces on migration behavior in micellar electrokinetic capillary chromatography. 1990 , 13, 145-147		51

1311	Non-ideal behavior in analyte velocity modulation capillary electrophoresis. 1990 , 13, 587-589		2
1310	Production of polyacrylamide gel filled capillaries for capillary gel electrophoresis (CGE): Influence of capillary surface pretreatment on performance and stability. 1990 , 13, 624-627		75
1309	Capillary electrokinetic separations: Influence of mobile phase composition on performance. 1990 , 13, 679-682		35
1308	Capillary zone electrophoresis of dilute samples with isotachophoretic preconcentration. 1990 , 2, 127-131		50
1307	Capillary electrophoresis applied to the analysis of pharmaceutical compounds. 1990 , 2, 166-175		63
1306	Analysis of oligonucleotides by capillary gel electrophoresis. <i>Journal of Chromatography A</i> , 1990 , 507, 113-23	4.5	94
1305	On-line coupling of capillary isotachopheresis with capillary zone electrophoresis. <i>Journal of Chromatography A</i> , 1990 , 498, 191-204	4.5	175
1304	Analysis of the components of Paeonia radix by capillary zone electrophoresis. <i>Journal of Chromatography A</i> , 1990 , 515, 653-658	4.5	16
1303	Identification of aprotinin degradation products by the use of high-performance capillary electrophoresis, high-pressure liquid chromatography and mass spectrometry. <i>Journal of Chromatography A</i> , 1990 , 516, 175-84	4.5	18
1302	Influence of buffer concentration, capillary internal diameter and forced convection on resolution in capillary zone electrophoresis. <i>Journal of Chromatography A</i> , 1990 , 516, 223-231	4.5	48
1301	Micellar electrokinetic chromatography employing sodium alkyl sulfates and Brij 35 . <i>Journal of Chromatography A</i> , 1990 , 517, 549-555	4.5	58
1300	Indirect fluorometric detection of tryptic digests separated by capillary zone electrophoresis. 1990 , 28, 15-8		30
1299	Characterization of protein behavior in high-performance capillary electrophoresis using a novel capillary system. 1990 , 185, 51-6		113
1298	Laser-Based Fluorimetric Detection Schemes for the Analysis of Proteins by Capillary Zone Electrophoresis. 1991 , 14, 869-893		76
1297	Performance of Uncoated and Coated Capillaries in Free Zone Electrophoresis and Isoelectric Focusing of Proteins. 1991 , 14, 895-906		22
1296	Axial-Beam Absorption Detection for Capillary Electrophoresis with a Conventional Light Source. 1991 , 45, 1199-1203		26
1295	Capillary electrophoresis analysis of concanavalin A and its succinyl derivative. 1991 , 9, 835-41		2
1294	Capillary zone electrophoresis: its applicability and potential in biochemical analysis. 1991 , 569, 63-122		77

1293	Determination of cytosine-beta-D-arabinoside in plasma using capillary electrophoresis. 1991 , 568, 117-24	49
1292	Peptide mapping through the coupling of capillary electrophoresis and high-performance liquid chromatography: map prediction of the tryptic digest of myoglobin. 1991 , 572, 51-8	35
1291	Field-amplified polarity-switching sample injection in high-performance capillary electrophoresis. <i>Journal of Chromatography A</i> , 1991 , 559, 153-161	4.5 108
1290	Reproducibility and quantitation of separation for ribonucleoside triphosphates and deoxyribonucleoside triphosphates by capillary zone electrophoresis. <i>Journal of Chromatography A</i> , 1991 , 559, 247-256	4.5 32
1289	Free solution capillary electrophoresis of proteins using untreated fused-silica capillaries. <i>Journal of Chromatography A</i> , 1991 , 559, 317-24	4.5 42
1288	Capillary zone electrophoresis of proteins with hydrophilic fused-silica capillaries. <i>Journal of Chromatography A</i> , 1991 , 559, 367-383	4.5 131
1287	High-performance capillary electrophoresis of proteins from the fluid lining of the lungs of rats exposed to perfluoroisobutylene. <i>Journal of Chromatography A</i> , 1991 , 559, 411-29	4.5 19
1286	High-performance capillary electrophoresis of histones. <i>Journal of Chromatography A</i> , 1991 , 559, 431-434.5	4.5 19
1285	Rapid protein analysis by capillary electrophoresis. <i>Journal of Chromatography A</i> , 1991 , 559, 445-453	4.5 83
1284	Characterization of polyethylene glycol modified proteins using charge-reversed capillary electrophoresis. <i>Journal of Chromatography A</i> , 1991 , 559, 467-477	4.5 23
1283	Optimizing separation parameters in capillary isoelectric focusing. <i>Journal of Chromatography A</i> , 1991 , 559, 479-488	4.5 109
1282	Optimization of resolution in capillary zone electrophoresis: combined effect of applied voltage and buffer concentration. <i>Journal of Chromatography A</i> , 1991 , 588, 315-20	4.5 38
1281	Electroosmotically driven electrochromatography of anions having similar electrophoretic mobilities by ion pairing. <i>Journal of Chromatography A</i> , 1991 , 557, 125-136	4.5 46
1280	High-performance displacement electrophoresis in 0.025- to 0.050-mm capillaries coated with a polymer to suppress adsorption and electroendosmosis. <i>Journal of Chromatography A</i> , 1991 , 550, 811-822.5	4.5 59
1279	Selection of the background electrolyte composition with respect to electromigration dispersion and detection of weakly absorbing substances in capillary zone electrophoresis. <i>Journal of Chromatography A</i> , 1991 , 545, 239-248	4.5 61
1278	Step change of co-ion, a new option in capillary zone electrophoresis. <i>Journal of Chromatography A</i> , 1991 , 545, 331-336	4.5 16
1277	Analysis of endoproteinase Arg C action on adrenocorticotrophic hormone by capillary electrophoresis and reversed-phase high-performance liquid chromatography. <i>Journal of Chromatography A</i> , 1991 , 543, 451-61	4.5 29
1276	The effect of electric field strength, buffer type and concentration on separation parameters in capillary zone electrophoresis. 1991 , 32, 155-161	149

1275	Poly(methylglutamate)-coated surfaces in HPLC and CE. 1991 , 32, 171-178		38
1274	Axial-beam absorbance detection for capillary electrophoresis. <i>Journal of Chromatography A</i> , 1991 , 550, 831-837	4.5	28
1273	Improved capillary zone electrophoretic separation of basic proteins, using a fluorosurfactant buffer additive. <i>Journal of Chromatography A</i> , 1991 , 547, 544-550	4.5	113
1272	Advances in capillary electrophoresis: the challenges to liquid chromatography and conventional electrophoresis. <i>Analytica Chimica Acta</i> , 1991 , 250, 45-60	6.6	16
1271	Pressure refilled polyacrylamide columns for the separation of oligonucleotides by capillary electrophoresis. <i>Electrophoresis</i> , 1991 , 12, 1056-8	3.6	44
1270	Capillary electrophoresis of DNA in agarose solutions at 40 degrees C. <i>Electrophoresis</i> , 1991 , 12, 1059-61	3.6	81
1269	Preparation of polyacrylamide gel-filled capillaries for capillary electrophoresis. 1991 , 3, 155-159		39
1268	Free solution capillary electrophoresis of basic proteins in uncoated fused silica capillary tubing. 1991 , 3, 241-248		75
1267	Capillary electrophoresis with surface coated capillaries. 1991 , 3, 491-495		60
1266	Impact of wall modifications on protein elution in high performance capillary zone electrophoresis. 1991 , 14, 65-67		32
1265	Investigation of the relationship between migration time and pKa in capillary electrochromatography. 1991 , 14, 561-563		4
1264	A new approach to dynamic deactivation in capillary zone electrophoresis. 1991 , 14, 738-740		37
1263	Analysis of peptides and proteins by capillary electrophoresis/mass spectrometry using acidic buffers and coated capillaries. 1991 , 5, 484-90		62
1262	Stable Phases for Capillary Electrophoresis. 1991 , 14, 907-921		41
1261	Applications of Enzyme Biotechnology. 1991 ,		
1260	Chapter 1 Introduction. 1992 , 52, 1-30		1
1259	Chapter 7 Applications. 1992 , 52, 377-540		
1258	New developments in protein isolation, purification, and characterization. 1992 , 10, 71-84		

1257	Characterization of Humanized Anti-Tac Monoclonal Antibody by Traditional Separation Techniques and Capillary Electrophoresis. 1992 , 15, 1081-1097		25
1256	High-performance capillary electrophoresis of core histones and their acetylated modified derivatives. 1992 , 283 (Pt 2), 467-71		62
1255	Chapter 4 Column Technology. 1992 , 155-200		
1254	Chapter 6 Special Systems and Methods. 1992 , 52, 295-375		
1253	Size-Selective Capillary Electrophoresis (SSCE) Separation of DNA Fragments. 1992 , 15, 1063-1080		44
1252	Effect of buffer constituents on the determination of therapeutic proteins by capillary electrophoresis. <i>Journal of Chromatography A</i> , 1992 , 608, 197-204	4-5	44
1251	Performance of isoelectric focusing in uncoated and commercially available coated capillaries. 1992 , 4, 205-212		23
1250	Micellar Electrokinetic Capillary Chromatography: Basic Considerations and Current Trends. 1992 , 15, 927-960		57
1249	Protein Analyses by Capillary Electrophoresis. 1992 , 273-300		1
1248	Isoelectric focusing by free solution capillary electrophoresis. 1992 , 206, 84-90		78
1247	An integral probe for capillary zone electrophoresis/continuous-flow fast atom bombardment mass spectrometry. 1992 , 3, 198-206		23
1246	Optimization of capillary zone electrophoresis/electrospray ionization parameters for the mass spectrometry and tandem mass spectrometry analysis of peptides. 1992 , 3, 289-300		108
1245	Capillary electrophoresis. 1992 , 3, 59-64		11
1244	Radial pH distribution during capillary electrophoresis with electroosmotic flow. <i>Journal of Chromatography A</i> , 1992 , 589, 315-319	4-5	14
1243	Bonded-phase capillaries and the separation of inorganic ions by high-voltage capillary electrophoresis. <i>Journal of Chromatography A</i> , 1992 , 602, 227-234	4-5	59
1242	Chiral separation by analytical electromigration methods. <i>Journal of Chromatography A</i> , 1992 , 609, 1-17	4-5	92
1241	DNA electrophoresis in uncross-linked polyacrylamide solution, studied by epifluorescence microscopy. <i>Journal of Chromatography A</i> , 1992 , 596, 141-9	4-5	17
1240	Prediction of migration behavior of oligonucleotides in capillary gel electrophoresis. <i>Journal of Chromatography A</i> , 1992 , 593, 297-303	4-5	46

1239	Capillary modification and evaluation using streaming potential and frontal chromatography for protein analysis in capillary electrophoresis. <i>Journal of Chromatography A</i> , 1992 , 594, 325-334	4.5	32
1238	Optimization of indirect photomeric detection of anions in high-performance capillary electrophoresis. <i>Journal of Chromatography A</i> , 1992 , 625, 341-348	4.5	29
1237	Separation of phenylenediamine isomers by capillary zone electrophoresis. <i>Journal of Chromatography A</i> , 1992 , 625, 387-391	4.5	12
1236	Synthesis and evaluation of epoxy polymer coatings for the analysis of proteins by capillary zone electrophoresis. <i>Journal of Chromatography A</i> , 1992 , 599, 227-237	4.5	75
1235	Simple multi-point detection method for high-performance capillary electrophoresis. <i>Journal of Chromatography A</i> , 1992 , 604, 85-89	4.5	22
1234	Improvements in the method developed for performing isoelectric focusing in uncoated capillaries. <i>Journal of Chromatography A</i> , 1992 , 606, 291-296	4.5	44
1233	On-column transient and coupled column isotachophoretic preconcentration of protein samples in capillary zone electrophoresis. <i>Journal of Chromatography A</i> , 1992 , 608, 3-12	4.5	247
1232	Capillary electrophoresis of hemoglobins and globin chains. <i>Journal of Chromatography A</i> , 1992 , 608, 225-37	4.5	73
1231	Chiral separations of basic drugs and quantitation of bupivacaine enantiomers in serum by capillary electrophoresis with modified cyclodextrin buffers. <i>Journal of Chromatography A</i> , 1992 , 608, 265-74	4.5	122
1230	Sodium dodecyl sulfate-capillary gel electrophoresis of proteins using non-cross-linked polyacrylamide. <i>Journal of Chromatography A</i> , 1992 , 608, 349-56	4.5	83
1229	Monitoring of benzylpenicillin decomposition in gastric contents by capillary zone electrophoresis. 1992 , 583, 105-10		8
1228	Characterization of plasma apolipoproteins by capillary electrophoresis. 1992 , 583, 111-5		26
1227	Separation of the Isoforms of a Monoclonal Antibody by Gel Isoelectric Focusing, High Performance Liquid Chromatography and Capillary Isoelectric Focusing. 1992 , 15, 207-219		26
1226	The influence of surface treatments on the electroosmotic flow in micellar electrokinetic capillary chromatography. 1992 , 33, 303-308		13
1225	Analytical and micropreparative separation of peptides by capillary zone electrophoresis using discontinuous buffer systems. <i>Journal of Chromatography A</i> , 1992 , 623, 345-55	4.5	105
1224	Rapid isoelectric focusing of proteins in hydrolytically stable capillaries. <i>Journal of Chromatography A</i> , 1992 , 623, 357-65	4.5	11
1223	Membrane fraction collection for capillary electrophoresis. <i>Journal of Chromatography A</i> , 1992 , 608, 109-116	4.5	23
1222	Influence of pH on the migration properties of oligonucleotides in capillary gel electrophoresis. <i>Journal of Chromatography A</i> , 1992 , 608, 175-9	4.5	17

1221	Separation of phosphorylated histone H1 variants by high-performance capillary electrophoresis. <i>Journal of Chromatography A</i> , 1992 , 608, 211-6	4.5	38
1220	Improvement in the method of sample stacking for gravity injection in capillary zone electrophoresis. 1992 , 202, 306-9		103
1219	Preparative capillary electrophoresis based on adsorption of the solutes (proteins) onto a moving blotting membrane as they migrate out of the capillary. 1992 , 201, 211-5		36
1218	High-resolution capillary electrophoretic analysis of DNA in free solution. <i>Electrophoresis</i> , 1992 , 13, 18-31	3.6	73
1217	Stability of capillary gels for automated sequencing of DNA. <i>Electrophoresis</i> , 1992 , 13, 475-83	3.6	72
1216	Identification of peaks in capillary zone electrophoresis based on actual mobilities. <i>Electrophoresis</i> , 1992 , 13, 677-82	3.6	26
1215	Capillary electrophoresis of macromolecules in MyrupyMolutions: facts and misfacts. <i>Electrophoresis</i> , 1992 , 13, 690-7	3.6	67
1214	Examination of variables affecting the performance of isoelectric focusing in uncoated capillaries. 1992 , 4, 29-33		22
1213	Evaluation of surface-bonded polyethylene glycol and polyethylene imine in capillary electrophoresis. 1992 , 4, 135-143		35
1212	High efficiency cross-linked polyacrylamide coating for capillary electrophoresis of proteins. 1992 , 4, 233-238		59
1211	Separations of proteins and proteolytic digests of proteins by capillary electrophoresis on superox-coated open tubular columns. 1992 , 4, 411-417		10
1210	Preparation of polyacrylamide gel-filled capillaries by photopolymerization for capillary electrophoresis. 1992 , 4, 439-448		9
1209	Coupled fused silica capillaries for rapid capillary zone electrophoresis of proteins. 1992 , 15, 289-292		21
1208	CZE separations of basic proteins at low pH in fused silica capillaries with surfaces modified by silane derivatization and/or adsorption of polar polymers. 1992 , 15, 452-457		59
1207	Capillary zone electrophoresis of biological substances with surface-modified fused silica capillaries with switchable electroosmotic flow. 1992 , 15, 573-578		44
1206	Kapillarelektrophorese: Methoden und Möglichkeiten. 1993 , 105, 659-680		23
1205	A new type of pH- and detergent-stable coating for elimination of electroendosmosis and adsorption in (capillary) electrophoresis. <i>Electrophoresis</i> , 1993 , 14, 390-5	3.6	153
1204	Capillary zone electrophoresis of biological substances with fused silica capillaries having zero or constant electroosmotic flow. <i>Electrophoresis</i> , 1993 , 14, 396-406	3.6	74

1203	Trace analysis of proteins by capillary zone electrophoresis with on-column transient isotachophoretic preconcentration. <i>Electrophoresis</i> , 1993 , 14, 417-28	3.6	156
1202	The characterization of snake venoms using capillary electrophoresis in conjunction with electrospray mass spectrometry: Black Mambas. <i>Electrophoresis</i> , 1993 , 14, 458-68	3.6	23
1201	Determination of the isoelectric points of low and high molecular mass ampholytes by capillary electrophoresis. <i>Electrophoresis</i> , 1993 , 14, 475-9	3.6	8
1200	Capillary electrophoresis of DNA restriction fragments with solutions of entangled polymers. <i>Electrophoresis</i> , 1993 , 14, 515-22	3.6	94
1199	Simple method for the preparation of highly efficient polymer-coated capillary electrophoresis columns. 1993 , 5, 119-125		32
1198	Polymeric hollow fibers for capillary electrophoresis. 1993 , 5, 245-253		20
1197	Capillary zone electrophoresis using a hollow polypropylene fiber. 1993 , 16, 62-64		27
1196	Derivatized cyclodextrins for the separation of enantiomers in capillary electrophoresis. 1993 , 16, 525-529		104
1195	Capillary gel electrophoresis of biopolymers. 1993 , 12, 195-202		20
1194	Separation of polymyxins by micellar electrokinetic capillary chromatography. <i>Journal of Chromatography A</i> , 1993 , 628, 309-315	4.5	48
1193	Polymer- and surfactant-coated capillaries for isoelectric focusing. <i>Journal of Chromatography A</i> , 1993 , 632, 185-93	4.5	49
1192	Capillary electrophoresis with on-line sample pretreatment for the analysis of biological samples with direct injection. <i>Journal of Chromatography A</i> , 1993 , 641, 375-381	4.5	60
1191	Chiral separations using dextran and bovine serum albumin as run buffer additives in affinity capillary electrophoresis. <i>Journal of Chromatography A</i> , 1993 , 648, 475-480	4.5	65
1190	Capillary electrophoretic protein separations in polyacrylamide-coated silica capillaries and buffers containing ionic surfactants. <i>Journal of Chromatography A</i> , 1993 , 630, 337-344	4.5	42
1189	Separation of DNA fragments by capillary electrophoresis using replaceable linear polyacrylamide matrices. <i>Journal of Chromatography A</i> , 1993 , 652, 57-66	4.5	99
1188	Capillary electrophoresis of abnormal hemoglobins associated with alpha-thalasseмии. <i>Journal of Chromatography A</i> , 1993 , 652, 119-29	4.5	56
1187	Effect of detergents on the electrophoretic behaviour of plasma apolipoproteins in capillary electrophoresis. <i>Journal of Chromatography A</i> , 1993 , 652, 131-8	4.5	40
1186	Characterization and performance of a neutral hydrophilic coating for the capillary electrophoretic separation of biopolymers. <i>Journal of Chromatography A</i> , 1993 , 652, 149-59	4.5	166

1185	Chiral separation of Eblockers by high-performance capillary electrophoresis based on non-immobilized cellulase as enantioselective protein. <i>Journal of Chromatography A</i> , 1993 , 638, 263-267	4-5	298
1184	Selectivity of the separation of DNA fragments by capillary zone electrophoresis in low-melting-point agarose sol. <i>Journal of Chromatography A</i> , 1993 , 638, 283-292	4-5	27
1183	Separation of basic proteins by capillary electrophoresis using cross-linked polyacrylamide-coated capillaries and cationic buffer additives. <i>Journal of Chromatography A</i> , 1993 , 655, 63-72	4-5	43
1182	Effect of organic solvents on solute migration and separation in capillary zone electrophoresis. 1993 , 35, 497-502		63
1181	Charged and uncharged cyclodextrins as chiral selectors in capillary electrophoresis. 1993 , 37, 475-481		189
1180	Manipulation of electroosmotic flow in capillary electrophoresis. <i>Journal of Chromatography A</i> , 1993 , 636, 21-9	4-5	58
1179	Separation of diastereomeric derivatives of enantiomers by capillary zone electrophoresis with a polymer network: Use of polyvinylpyrrolidone as buffer additive. <i>Journal of Chromatography A</i> , 1993 , 639, 375-378	4-5	43
1178	Chiral separations using an immobilized protein-dextran polymer network in affinity capillary electrophoresis. <i>Journal of Chromatography A</i> , 1993 , 652, 247-252	4-5	52
1177	High-resolution separation of DNA restriction fragments by capillary electrophoresis in cellulose derivative solutions. <i>Journal of Chromatography A</i> , 1993 , 653, 329-35	4-5	107
1176	Characterization of quartz capillaries for capillary electrophoresis. <i>Journal of Chromatography A</i> , 1993 , 652, 309-316	4-5	43
1175	Prospects of dissolved albumin as a chiral selector in capillary zone electrophoresis. <i>Journal of Chromatography A</i> , 1993 , 638, 255-261	4-5	75
1174	Electrophoretic Selectivity as a Function of Operating Parameters in Free-Solution Capillary Electrophoretic Separation of Dipeptides. 1993 , 16, 3609-3622		14
1173	Optimization of Resolution in Capillary Zone Electrophoresis: Effect of Solute Mobility and Buffer pH. 1993 , 16, 3591-3607		13
1172	Studies of Migration Time Reproducibility of Capillary Electrophoretic Protein Separations. 1993 , 16, 51-68		44
1171	Separation of DNA Fragments by High-Performance Liquid Chromatography and Capillary Electrophoresis. 1993 , 16, 955-965		7
1170	Separation of DNA Restriction Fragments using Capillary Electrophoresis. 1993 , 16, 1941-1962		24
1169	Micellar Electrokinetic Chromatographic Separation of Basic Polypeptides with Equal Mass to Charge Ratio Using Dynamically Modified Silica Capillaries. 1993 , 16, 2961-2975		13
1168	Egg White Protein Separation Development: Effect of Buffers and Untreated Fused Silica vs. Neutral Covalently Bonded Columns. 1993 , 16, 2025-2038		10

1167	Capillary electrophoresis (CE) of proteins with scanning detection. 1993 , 21, 19S		
1166	Preparation of highly condensed polyacrylamide gel-filled capillaries with low detection background. <i>Journal of Chromatography A</i> , 1994 , 685, 121-129	4-5	11
1165	Evaluation of a neutral hydrophilic coated capillary for capillary zone electrophoretic separation of proteins. <i>Journal of Chromatography A</i> , 1994 , 685, 313-320	4-5	7
1164	Factors affecting the capillary electrophoresis of ricin, a toxic glycoprotein. <i>Journal of Chromatography A</i> , 1994 , 670, 199-208	4-5	21
1163	Chiral separations of basic and acidic compounds in modified capillaries using cyclodextrin-modified capillary zone electrophoresis. <i>Journal of Chromatography A</i> , 1994 , 666, 351-365	4-5	51
1162	Prevention of protein adsorption on surfaces by polyethylene oxide-polypropylene oxide-polyethylene oxide triblock copolymers in capillary electrophoresis. <i>Journal of Chromatography A</i> , 1994 , 659, 427-434	4-5	56
1161	Evaluation of a novel hydrophilic derivatized capillary for protein analysis by capillary electrophoresis-electrospray mass spectrometry. <i>Journal of Chromatography A</i> , 1994 , 680, 363-73	4-5	20
1160	Behaviour of substituted aminomethylphenol dyes in capillary isoelectric focusing with electroosmotic zone displacement. <i>Journal of Chromatography A</i> , 1994 , 680, 549-559	4-5	37
1159	Separation of aromatic acids by reversed electroosmotic flow capillary electrophoresis. <i>Journal of Chromatography A</i> , 1994 , 663, 239-243	4-5	18
1158	On-column ITP focusing in CZE for the quantitation of low-molecular-weight basic solutes in biological samples. 1994 , 6, 107-113		17
1157	Chitosan coated capillary with reversed electroosmotic flow in capillary electrophoresis for the separation of basic drugs and proteins. 1994 , 6, 403-407		30
1156	High-resolution separation of oligonucleotides and DNA sequencing reaction products by capillary electrophoresis with linear polyacrylamide and laser-induced fluorescence detection. 1994 , 6, 539-543		12
1155	Self-assembled alkylsilane monolayers for the preparation of stable and efficient coatings in capillary electrophoresis. 1994 , 6, 571-576		19
1154	Polyacrylamide-modified polypropylene hollow fibers for capillary electrophoresis. 1994 , 6, 581-589		20
1153	Determination of the purity of synthetic peptides by capillary electrophoresis, high performance liquid chromatography, and laser desorption mass spectrometry. 1994 , 17, 102-103		5
1152	Capillary electrophoresis in non-crosslinked polyacrylamide columns containing hydrophobic additives. 1994 , 17, 107-108		5
1151	Use of zwitterionic buffer additives to improve the separation of proteins in capillary zone electrophoresis. 1994 , 17, 749-752		9
1150	Resolution of the branched forms of oligosaccharides by high-performance capillary electrophoresis. 1994 , 258, 1-9		56

1149	Characterization of proteins by capillary electrophoresis in fused-silica columns: review on serum protein analysis and application to immunoassays. <i>Electrophoresis</i> , 1994 , 15, 13-21	3.6	80
1148	Electrophoretic mobilities of the complexes between sodium dodecyl sulfate and various peptides or proteins determined by free solution electrophoresis using coated capillaries. <i>Electrophoresis</i> , 1994 , 15, 1141-6	3.6	19
1147	Consequences of a maximum existing in the dependence of separation selectivity on concentration of cyclodextrin added as chiral selector in capillary zone electrophoresis. <i>Electrophoresis</i> , 1994 , 15, 1523-36	3.6	20
1146	Capillary zone electrophoresis with indirect photometric detection in the visible range. <i>Electrophoresis</i> , 1994 , 15, 1526-30	3.6	23
1145	Size-dependent separation of proteins in the presence of sodium dodecyl sulfate and dextran in capillary electrophoresis: effect of molecular weight of dextran. <i>Electrophoresis</i> , 1994 , 15, 1531-4	3.6	24
1144	A transient entanglement coupling mechanism for DNA separation by capillary electrophoresis in ultradilute polymer solutions. <i>Electrophoresis</i> , 1994 , 15, 597-615	3.6	194
1143	UV-transparent, replaceable agarose gels for molecular-sieve (capillary) electrophoresis of proteins and nucleic acids. 1994 , 8, 73-6		30
1142	Capillary zone electrophoresis in pharmaceutical and biomedical analysis. 1994 , 12, 579-611		60
1141	Simple approach to eliminating disturbances in isoelectric focusing caused by the presence of salts. <i>Journal of Chromatography A</i> , 1994 , 684, 143-148	4.5	15
1140	High-performance capillary electrophoretic analysis of inflammatory cytokines in human biopsies. 1994 , 656, 259-66		29
1139	Dependence of electroosmotic flow in capillary electrophoresis on Group I and II metal ions. 1994 , 657, 401-7		25
1138	Capillary zone electrophoresis of peptides: prediction of the electrophoretic mobility and resolution. 1994 , 656, 87-97		38
1137	Analysis of nitrate and nitrite in water and urine by capillary zone electrophoresis. 1994 , 657, 419-23		40
1136	Purity control of different bee venom melittin preparations by capillary zone electrophoresis. 1994 , 658, 397-403		7
1135	Enhanced albumin protein separations and protein-drug binding constant measurements using anti-inflammatory drugs as run buffer additives in affinity capillary electrophoresis. 1994 , 661, 335-40		33
1134	Capillary zone electrophoresis in polymer networks of polymerase chain reaction-amplified oligonucleotides: the case of congenital adrenal hyperplasia. 1994 , 657, 201-5		17
1133	Synthesis and evaluation of anionic polymer-coated capillaries with pH-independent electroosmotic flows for capillary electrophoresis. <i>Journal of Chromatography A</i> , 1994 , 685, 303-312	4.5	39
1132	Improved sensitivity by on-line isotachophoretic preconcentration in the capillary zone electrophoretic determination of peptide-like solutes. <i>Journal of Chromatography A</i> , 1994 , 687, 155-166	4.5	24

1131	Preparation of highly condensed polyacrylamide gel-filled capillaries. <i>Journal of Chromatography A</i> , 1994 , 680, 63-71	4.5	10
1130	Use of cyclodextrins and cyclodextrin derivatives in high-performance liquid chromatography and capillary electrophoresis. <i>Journal of Chromatography A</i> , 1994 , 668, 509-517	4.5	63
1129	Studies on the determination of inorganic anions by capillary electrophoresis. <i>Journal of Chromatography A</i> , 1994 , 671, 437-443	4.5	47
1128	Capillary electrophoresis of nicotinamide adenine dinucleotide and nicotinamide adenine dinucleotide phosphate derivatives in coated tubular columns. <i>Journal of Chromatography A</i> , 1994 , 670, 215-221	4.5	10
1127	Capillary zone electrophoresis with laser-induced fluorescence detection for analysis of methylmalonic acid and other short-chain dicarboxylic acids derivatized with 1-pyrenyldiazomethane. <i>Journal of Chromatography A</i> , 1994 , 669, 185-193	4.5	17
1126	Optical resolution by electrokinetic chromatography using ovomucoid as a pseudo-stationary phase. <i>Journal of Chromatography A</i> , 1994 , 666, 193-201	4.5	55
1125	New approaches to concentration on a microliter scale of dilute samples, particularly biopolymers with special reference to analysis of peptides and proteins by capillary electrophoresis II. Applications. <i>Journal of Chromatography A</i> , 1994 , 676, 421-430	4.5	34
1124	Capillary zone electrophoresis of basic proteins with chitosan as a capillary modifier. <i>Journal of Chromatography A</i> , 1994 , 663, 97-104	4.5	74
1123	Capillary electrophoresis, combined with an on-line micro post-column enzyme assay. <i>Journal of Chromatography A</i> , 1994 , 662, 375-381	4.5	34
1122	High-performance capillary electrophoresis of SDS-proteins using pullulan solution as separation matrix. <i>Journal of Chromatography A</i> , 1994 , 672, 213-8	4.5	54
1121	Capillary gel electrophoresis of oligonucleotides: prediction of migration times using base-specific migration coefficients. <i>Journal of Chromatography A</i> , 1994 , 680, 479-89	4.5	18
1120	Electrophoresis of proteins in uncoated capillaries with amines and amino sugars as electrolyte additives. <i>Journal of Chromatography A</i> , 1994 , 661, 305-313	4.5	64
1119	Preparation and characterization of a stable polyacrylamide sieving matrix-filled capillary for high-performance capillary electrophoresis. <i>Journal of Chromatography A</i> , 1994 , 661, 315-21	4.5	23
1118	Use of capillary electrophoresis-electrospray ionization mass spectrometry in the analysis of synthetic peptides. <i>Journal of Chromatography A</i> , 1994 , 675, 219-25	4.5	18
1117	Isoelectric focusing of proteins in capillary electrophoresis with pressure-driven mobilization. 1994 , 39, 543-548		40
1116	Micro enzymatic assay coupled to capillary electrophoresis via liquid junction. 1994 , 39, 271-278		16
1115	Use of Taylor-Aris dispersion for measurement of a solute diffusion coefficient in thin capillaries. 1994 , 266, 773-6		145
1114	Simultaneous detection of delta F508, G542X, N1303K and 1717-1G-->A mutations in cystic fibrosis by capillary electrophoresis in polymer networks. 1994 , 229, 181-9		18

1113	Performance of Zwitterionic and Cationic Fluorosurfactants as Buffer Additives for Capillary Electrophoresis of Proteins. 1994 , 17, 3831-3846		28
1112	Ultra-high-speed DNA fragment separations using microfabricated capillary array electrophoresis chips. 1994 , 91, 11348-52		517
1111	Capillary Electrophoresis Separation Techniques and Mechanisms in Dilute Polymer Matrices. 1995 , 42, 5-9		6
1110	Evaluation of a spatial scanning laser fluorometric detector for capillary electrophoresis: Application to studies of band migration and dispersion. 1995 , 7, 593-601		10
1109	Dye-ligand affinity chromatography on continuous beds. 1995 , 9, 80-4		18
1108	High-performance capillary electrophoretic separation of proteins and peptides using a bonded hydrophilic phase capillary. <i>Electrophoresis</i> , 1995 , 16, 625-9	3.6	6
1107	N,N,N,N-tetramethyl-1,3-butanediamine as effective running electrolyte additive for efficient electrophoretic separation of basic proteins in bare fused-silica capillaries. <i>Electrophoresis</i> , 1995 , 16, 630-5	3.6	29
1106	Capillary electrophoretic separations of biotechnology-derived proteins in E. coli fermentation broth. <i>Electrophoresis</i> , 1995 , 16, 642-6	3.6	17
1105	Analysis of recombinant human tumor necrosis factor beta by capillary electrophoresis. <i>Electrophoresis</i> , 1995 , 16, 647-53	3.6	21
1104	Separation and quantitation of reverse transcriptase polymerase chain reaction fragments of basic fibroblast growth factor by capillary electrophoresis in polymer networks. <i>Electrophoresis</i> , 1995 , 16, 780-3	3.6	15
1103	The use of coated and uncoated capillaries for the electrophoretic separation of DNA in dilute polymer solutions. <i>Electrophoresis</i> , 1995 , 16, 64-74	3.6	74
1102	Highly sensitive chiral analysis in on-line combined chiral and achiral media by capillary zone electrophoresis. <i>Electrophoresis</i> , 1995 , 16, 968-73	3.6	34
1101	Single strand conformational polymorphism using capillary electrophoresis with two-dye laser-induced fluorescence detection. <i>Electrophoresis</i> , 1995 , 16, 1429-36	3.6	73
1100	Influence of electrolyte composition on the effective electric field strength in capillary zone electrophoresis. <i>Electrophoresis</i> , 1995 , 16, 1441-4	3.6	11
1099	Probing the inner surface of a capillary with the atomic force microscope. <i>Electrophoresis</i> , 1995 , 16, 1445-50		22
1098	Chemical stability of polyacrylamide-coating on fused silica capillary. <i>Electrophoresis</i> , 1995 , 16, 1451-6	3.6	26
1097	A new mode of size-dependent separation of proteins by capillary electrophoresis in presence of sodium dodecyl sulfate and concentrated oligomeric dextran. <i>Electrophoresis</i> , 1995 , 16, 1463-7	3.6	13
1096	Sodium dodecyl sulfate-gel electrophoresis of proteins employing short capillaries. <i>Electrophoresis</i> , 1995 , 16, 1468-73	3.6	16

1095	Fluorescence-labeled peptides as isoelectric point (pI) markers in capillary isoelectric focusing with fluorescence detection. <i>Electrophoresis</i> , 1995 , 16, 1479-84	3.6	28
1094	Separation of tryptophan-derivative enantiomers with iron-free human serum transferrin by capillary zone electrophoresis. <i>Electrophoresis</i> , 1995 , 16, 1510-8	3.6	29
1093	Liposome capillary electrophoresis for analysis of interactions between lipid bilayers and solutes. <i>Electrophoresis</i> , 1995 , 16, 1519-23	3.6	85
1092	New types of separation matrices for electrophoresis. <i>Electrophoresis</i> , 1995 , 16, 1815-29	3.6	35
1091	Effective ion-pairing for the separation of basic proteins in capillary electrophoresis. <i>Electrophoresis</i> , 1995 , 16, 1917-21	3.6	17
1090	Dynamic control to improve the separation performance in capillary electrophoresis. <i>Electrophoresis</i> , 1995 , 16, 2069-73	3.6	8
1089	Viscous effects in capillary electrophoresis: theory and experiment. <i>Electrophoresis</i> , 1995 , 16, 2074-85	3.6	13
1088	Capillary isoelectric focusing: a routine method for protein analysis?. <i>Electrophoresis</i> , 1995 , 16, 2121-6	3.6	37
1087	An improvement of restriction analysis of bacteriophage DNA using capillary electrophoresis in agarose solution. <i>Electrophoresis</i> , 1995 , 16, 366-76	3.6	24
1086	Sequence dependent migration behavior of double-stranded DNA in capillary electrophoresis. <i>Electrophoresis</i> , 1995 , 16, 377-88	3.6	39
1085	Hydrolytically stable cellulose-derivative coatings for capillary electrophoresis of peptides, proteins and glycoconjugates. <i>Electrophoresis</i> , 1995 , 16, 396-401	3.6	44
1084	Application of capillary electrophoresis to amino acid sequencing of peptide. <i>Electrophoresis</i> , 1995 , 16, 510-5	3.6	10
1083	Performance of amino-silylated fused-silica capillaries for the separation of enkephalin-related peptides by capillary zone electrophoresis and micellar electrokinetic chromatography. <i>Electrophoresis</i> , 1995 , 16, 557-63	3.6	30
1082	Capillary electroseparations of enkephalin-related peptides and protein kinase A peptide substrates. <i>Electrophoresis</i> , 1995 , 16, 564-73	3.6	15
1081	Capillary electrophoretic resolution of phosphorylated peptide isomers using micellar solutions and coated capillaries. <i>Electrophoresis</i> , 1995 , 16, 574-9	3.6	19
1080	Fast, high-resolution (capillary) electrophoresis in buffers designed for high field strengths. <i>Electrophoresis</i> , 1995 , 16, 584-94	3.6	79
1079	Charge and size effects in the capillary zone electrophoresis of nuclease A and its variants. <i>Electrophoresis</i> , 1995 , 16, 595-603	3.6	10
1078	Fused-silica capillaries with surface-bound dextran layer crosslinked with diepoxypolyethylene glycol for capillary electrophoresis of biological substances at reduced electroosmotic flow. <i>Electrophoresis</i> , 1995 , 16, 617-24	3.6	31

1077	Use of cyclodextrins in capillary electrophoresis for the chiral resolution of some 2-arylpropionic acid non-steroidal anti-inflammatory drugs. <i>Journal of Chromatography A</i> , 1995 , 694, 297-305	4.5	112
1076	Capillary electrophoresis of proteins and nucleic acids in gels and entangled polymer solutions. <i>Journal of Chromatography A</i> , 1995 , 698, 19-31	4.5	67
1075	Enantiomeric resolution of anionic R/S-1,1'-binaphthyl-2,2'-diyl hydrogen phosphate by capillary electrophoresis using anionic cyclodextrin derivatives as chiral selectors. <i>Journal of Chromatography A</i> , 1995 , 704, 234-237	4.5	74
1074	Performance of a physically adsorbed high-molecular-mass polyethyleneimine layer as coating for the separation of basic proteins and peptides by capillary electrophoresis. <i>Journal of Chromatography A</i> , 1995 , 708, 356-361	4.5	140
1073	Capillary electrophoretic separation of proteins using stable, hydrophilic poly(acryloylaminoethoxyethanol)-coated columns. <i>Journal of Chromatography A</i> , 1995 , 717, 1-13	4.5	68
1072	Preparation and stability tests for polyacrylamide-coated capillaries for capillary electrophoresis. <i>Journal of Chromatography A</i> , 1995 , 716, 27-33	4.5	48
1071	Capillary electrochromatography of small molecules in polyacrylamide gels with electroosmotic flow. <i>Journal of Chromatography A</i> , 1995 , 716, 107-113	4.5	94
1070	Poly(ethyleneoxide) for high-resolution and high-speed separation of DNA by capillary electrophoresis. 1995 , 669, 113-23		89
1069	Enantiomeric separation of denopamine by capillary electrophoresis and high-performance liquid chromatography using cyclodextrins. 1995 , 13, 1483-92		16
1068	Capillary electrophoresis of S. nuclease mutants. <i>Journal of Chromatography A</i> , 1995 , 705, 135-54	4.5	49
1067	Optimization of enantiomeric separations in capillary electrophoresis by reversal of the migration order and using different derivatized cyclodextrins. <i>Journal of Chromatography A</i> , 1995 , 697, 561-570	4.5	88
1066	Injection bias of DNA fragments in capillary electrophoresis with sieving. <i>Journal of Chromatography A</i> , 1995 , 698, 375-83	4.5	23
1065	Capillary zone electrophoretic separation of proteins using a column coated with epoxy polymer. <i>Journal of Chromatography A</i> , 1995 , 694, 498-506	4.5	27
1064	Improving the UV detection sensitivity of condensed polyacrylamide gel-filled capillaries using non-flow buffer-filled capillaries as a detection cell. <i>Journal of Chromatography A</i> , 1995 , 700, 35-42	4.5	6
1063	Cellulose acetate-coated fused-silica capillaries for the separation of proteins by capillary zone electrophoresis. <i>Journal of Chromatography A</i> , 1995 , 695, 287-296	4.5	59
1062	Wall adsorption in capillary electrophoresis experimental study and computer simulation. <i>Journal of Chromatography A</i> , 1995 , 699, 297-313	4.5	67
1061	Advances in affinity electrophoresis. <i>Journal of Chromatography A</i> , 1995 , 698, 89-105	4.5	20
1060	CAG triplet analysis in families with androgen insensitivity syndrome by capillary electrophoresis in polymer networks. <i>Journal of Chromatography A</i> , 1995 , 706, 463-8	4.5	15

1059	Effects of alkylamines on electroosmotic flow and protein migration behaviour in capillary electrophoresis. <i>Journal of Chromatography A</i> , 1995 , 709, 127-134	4.5	47
1058	Capillary and rotating-tube isoelectric focusing of a transmembrane protein, the human red cell glucose transporter. <i>Journal of Chromatography A</i> , 1995 , 711, 217-22	4.5	12
1057	Analysis of inositol phosphates and derivatives using capillary zone electrophoresis-mass spectrometry. <i>Journal of Chromatography A</i> , 1995 , 712, 235-243	4.5	15
1056	Performance of an electrospray-interfaced thermospray ion source in hyphenated techniques. <i>Journal of Chromatography A</i> , 1995 , 712, 211-218	4.5	9
1055	Intrinsic isotachophoretic preconcentration in capillary gel electrophoresis of DNA restriction fragments. <i>Journal of Chromatography A</i> , 1995 , 717, 139-147	4.5	33
1054	Precision in capillary electrophoresis with respect to quantitative analysis of suramin. <i>Journal of Chromatography A</i> , 1995 , 717, 191-202	4.5	12
1053	Improvement in the determination of food additive dyestuffs by capillary electrophoresis using Cyclodextrin. <i>Journal of Chromatography A</i> , 1995 , 715, 179-188	4.5	41
1052	Gene dosage in capillary electrophoresis: pre-natal diagnosis of Down's syndrome. <i>Journal of Chromatography A</i> , 1995 , 718, 405-12	4.5	26
1051	Capillary electrophoretic separation of basic drugs using surface-modified C8 capillaries and derivatized cyclodextrins as structural/chiral selectors. 1995 , 40, 697-704		21
1050	New approaches in the design of capillary electrophoresis experiments.. <i>Seibutsu Butsuri Kagaku</i> , 1995 , 39, 105-118		6
1049	Chapter 8 High Performance Capillary Electrophoresis of Carbohydrates and Glycoconjugates. 1995 , 58, 267-360		30
1048	Optimization of Excitation and Detection Geometry for Multiplexed Capillary Array Electrophoresis of DNA Fragments. 1995 , 49, 605-609		32
1047	Rapid Normal Raman Spectroscopy of Sub-Ppm Oxy-Anion Solutions: The Role of Electrophoretic Preconcentration. 1995 , 49, 1183-1188		31
1046	DNA Separations by Slab Gel, and Capillary Electrophoresis: Theory and Practice. 1995 , 24, 1-118		49
1045	Integrated microdevice for DNA restriction fragment analysis. 1996 , 68, 720-3		279
1044	Grafting Poly(ethylene glycol) Epoxide to Amino-Derivatized Quartz: Effect of Temperature and pH on Grafting Density. 1996 , 68, 3751-7		82
1043	Interaction between an Anionic Polysaccharide and an Oppositely Charged Surfactant. Quasi Elastic Light Scattering, Size Exclusion Chromatography, and Capillary Electrophoresis Study of the Sodium Hyaluronate/Tetradecyltrimethylammonium Bromide/Sodium Chloride/Water System. 1996 , 12, 4628-4637		10
1042	Capillary isoelectric focusing. 1996 , 270, 358-74		16

1041	Real-time fluorescence imaging of isotachophoretic preconcentration for capillary electrophoresis. 1996 , 68, 2766-70	32
1040	Binding Properties of Near-IR Dyes to Proteins and Separation of the Dye/Protein Complexes Using Capillary Electrophoresis with Laser-Induced Fluorescence Detection. 1996 , 50, 1196-1202	30
1039	Mutable positive and negative surface charges on a capillary wall: exploiting the Immobiline chemistry. 1996 , 32, 109-24	14
1038	Characterization of the Cationic Surfactant Induced Reversal of Electroosmotic Flow in Capillary Electrophoresis. 1996 , 68, 300-305	144
1037	Near-infrared, laser-induced fluorescence detection for DNA sequencing applications. 1996 , 2, 1129-1139	19
1036	Synthesis and characterization of capillary columns coated with glycoside-bearing polymer. 1996 , 68, 2731-6	54
1035	Rapid DNA sequencing of more than 1000 bases per run by capillary electrophoresis using replaceable linear polyacrylamide solutions. 1996 , 68, 3305-13	181
1034	Affinity Capillary Electrophoresis-Mass Spectrometry for Screening Combinatorial Libraries. 1996 , 118, 7827-7835	157
1033	Capillary electrophoresis with polymer matrices: DNA and protein separation and analysis. 1996 , 271, 293-319	11
1032	Capillary electrophoretic separation in open and coated tubes with special reference to proteins. 1996 , 270, 296-319	7
1031	Chapter 2 Column technologies for capillary electrophoresis. 1996 , 2, 23-80	1
1030	The role of surfactants in capillary electroosmosis and electrophoresis. 1996 , 31, 2363-2379	
1029	DNA sequencing by capillary electrophoresis using short oligonucleotide primer libraries. 1996 , 20, 1058-64, 1066-9	15
1028	Chapter 10 Separation of nucleic acids and oligonucleotides and sequencing of DNA Fragments by capillary electrophoresis. 1996 , 387-424	3
1027	Dextran and dextrin as chiral selectors in capillary zone electrophoresis. 1996 , 42, 617-630	82
1026	Use of methylamino- β -cyclodextrin in capillary electrophoresis. Resolution of acidic and basic enantiomers. 1996 , 43, 247-253	49
1025	Non-bonded poly(ethylene oxide) polymer-coated column for protein separation by capillary electrophoresis. <i>Journal of Chromatography A</i> , 1996 , 731, 273-282	4.5 151
1024	Enantiomer separation of drugs by electrokinetic chromatography. <i>Journal of Chromatography A</i> , 1996 , 735, 57-76	4.5 123

1023	Hydrolytically stable amino-silica glass coating material for manipulation of the electroosmotic flow in capillary electrophoresis. <i>Journal of Chromatography A</i> , 1996 , 744, 17-29	4.5	41
1022	Fluorescence-based polymerase chain reaction-single-strand conformation polymorphism analysis of p53 gene by capillary electrophoresis. <i>Journal of Chromatography A</i> , 1996 , 744, 311-20	4.5	36
1021	Oligonucleotide analysis by capillary polymer sieving electrophoresis using acryloylaminoethoxyethanol-coated capillaries. <i>Journal of Chromatography A</i> , 1996 , 744, 347-54	4.5	20
1020	Examination of capillary zone electrophoresis, capillary isoelectric focusing and sodium dodecyl sulfate capillary electrophoresis for the analysis of recombinant tissue plasminogen activator. <i>Journal of Chromatography A</i> , 1996 , 744, 155-65	4.5	45
1019	Analysis of heparin-like pharmaceuticals by capillary zone electrophoresis and isotachopheresis. <i>Electrophoresis</i> , 1996 , 17, 125-9	3.6	11
1018	Ultrafast high resolution separation of large DNA fragments by pulsed-field capillary electrophoresis. <i>Electrophoresis</i> , 1996 , 17, 152-60	3.6	38
1017	Capillary zone electrophoresis and micellar electrokinetic chromatography, with taurodeoxycholate as micellar agent, of protein kinase A peptide substrates. <i>Electrophoresis</i> , 1996 , 17, 161-7	3.6	5
1016	Comparative analysis of somatostatin analog peptides by capillary electrophoresis and micellar elektrokinetic chromatography. <i>Electrophoresis</i> , 1996 , 17, 758-61	3.6	4
1015	Calculation of modified capacity factor in micellar electrokinetic chromatography. <i>Electrophoresis</i> , 1996 , 17, 762-5	3.6	7
1014	Capillary-zone electrophoresis in agarose gels using absorption imaging detection. <i>Electrophoresis</i> , 1996 , 17, 766-70	3.6	13
1013	Polyacrylamide solutions for DNA sequencing by capillary electrophoresis: mesh sizes, separation and dispersion. <i>Electrophoresis</i> , 1996 , 17, 1103-9	3.6	81
1012	Fluorescence resonance energy transfer visualization of DNA aggregates formed during electrophoretic separations in ultradilute hydroxyethylcellulose. <i>Electrophoresis</i> , 1996 , 17, 1110-4	3.6	8
1011	Vancomycin as a chiral selector in capillary electrophoresis: an appraisal of advantages and limitations. <i>Electrophoresis</i> , 1996 , 17, 1214-21	3.6	47
1010	Analysis of macromolecular branched chain polypeptides by capillary electrophoresis and micellar elektrokinetic chromatography. <i>Electrophoresis</i> , 1996 , 17, 1357-60	3.6	6
1009	High-performance field inversion capillary electrophoresis of 0.1-23 kbp DNA fragments with low-gelling, replaceable agarose gels. <i>Electrophoresis</i> , 1996 , 17, 1443-50	3.6	18
1008	Electrophoresis of DNA in novel thermoreversible matrices. <i>Electrophoresis</i> , 1996 , 17, 1460-9	3.6	49
1007	High-resolution capillary array electrophoretic sizing of multiplexed short tandem repeat loci using energy-transfer fluorescent primers. <i>Electrophoresis</i> , 1996 , 17, 1485-90	3.6	49
1006	Quantitation of glycated hemoglobins in human adult blood by capillary isoelectric focusing. <i>Electrophoresis</i> , 1996 , 17, 1590-6	3.6	41

1005	Analysis of interaction between cadmium and metallothionein isoforms by capillary zone electrophoresis. <i>Electrophoresis</i> , 1996 , 17, 1602-6	3.6	12
1004	Use of wide-bore capillaries in constant denaturant capillary electrophoresis. <i>Electrophoresis</i> , 1996 , 17, 1884-9	3.6	14
1003	Determination of peptide dissociation constants and Stokes radius at different protonation stages by capillary electrophoresis. <i>Electrophoresis</i> , 1996 , 17, 1925-30	3.6	28
1002	Stereoselective interaction of drug enantiomers with human serum transferrin in capillary zone electrophoresis. <i>Electrophoresis</i> , 1996 , 17, 1950-3	3.6	22
1001	Separation of aracytidine and cytidine by capillary electrophoretic techniques. <i>Electrophoresis</i> , 1996 , 17, 1954-8	3.6	7
1000	Fast electrophoretic separation of sulfur- and selenium-containing amino acid enantiomers with vancomycin as a chiral selector in coated capillaries. 1996 , 19, 137-142		39
999	Separation of enantiomers using vancomycin in a countercurrent process by suppression of electroosmosis. 1996 , 8, 77-83		82
998	Capillary electrophoresis in organic polymer capillaries. 1996 , 8, 479-484		36
997	Optimization of separation conditions in the size-selective capillary electrophoretic separation of DNA fragments. 1996 , 8, 485-494		7
996	Quantitative competitive polymerase chain reaction: analysis of amplified products of the HIV-1 gag gene by capillary electrophoresis with laser-induced fluorescence detection. 1996 , 236, 146-52		33
995	Highly efficient protein separations in high-performance capillary electrophoresis, using hydrophilic coatings on polysiloxane-bonded columns. 1996 , 677, 77-84		13
994	Measurement of adenosine by capillary zone electrophoresis with on-column isotachophoretic preconcentration. 1996 , 676, 19-28		27
993	Use of capillary zone electrophoresis for analysis of imidodipeptides in urine of prolidase-deficient patients. 1996 , 683, 97-107		18
992	Indirect ultraviolet detection of biologically relevant organic acids by capillary electrophoresis. 1996 , 679, 49-59		35
991	Selectivity change in the separation of proteins and peptides by capillary electrophoresis using high-molecular-mass polyethyleneimine. 1996 , 681, 21-7		47
990	Design and optimization of a capillary electrophoretic mobility shift assay involving trp repressor-DNA complexes. 1996 , 683, 77-84		33
989	Probing soft polymeric coatings of a capillary by atomic force microscopy. 1996 , 683, 3-13		39
988	Comparison of the Hummel-Dreyer method in high-performance liquid chromatography and capillary electrophoresis conditions for study of the interaction of (RS)-, (R)- and (S)-carvedilol with isolated plasma proteins. 1996 , 682, 349-57		34

987	Micellar electrokinetic chromatography in zero-electroosmotic flow environment. 1996 , 683, 29-35		33
986	Epoxy resin coatings for capillary zone electrophoretic separation of basic proteins. <i>Journal of Chromatography A</i> , 1996 , 723, 157-167	4.5	17
985	Separation of basic proteins by capillary zone electrophoresis with coatings of a copolymer of vinylpyrrolidone and vinylimidazole. <i>Journal of Chromatography A</i> , 1996 , 730, 289-295	4.5	29
984	Capillary electrophoretic analyses of drugs in body fluids: sample pretreatment and methods for direct injection of biofluids. <i>Journal of Chromatography A</i> , 1996 , 735, 29-42	4.5	108
983	Capillary isoelectric focusing as a tool in the examination of antibodies, peptides and proteins of pharmaceutical interest. <i>Journal of Chromatography A</i> , 1996 , 735, 165-90	4.5	63
982	Coated versus fused-silica capillaries for the separation of inorganic and organic cations by capillary zone electrophoresis. <i>Journal of Chromatography A</i> , 1996 , 736, 265-272	4.5	11
981	Dispersion effects accompanying pressurized zone mobilisation in capillary isoelectric focusing of proteins. <i>Journal of Chromatography A</i> , 1996 , 738, 123-128	4.5	31
980	Poly(ethylene-propylene glycol)-modified fused-silica columns for capillary electrophoresis using epoxy resin as intermediate coating. <i>Journal of Chromatography A</i> , 1996 , 741, 115-122	4.5	31
979	Capillary electrophoresis of glycosylated proteins performed on a conventional capillary gas chromatographic column. <i>Journal of Chromatography A</i> , 1996 , 741, 139-45	4.5	9
978	Separation of basic proteins in free solution capillary electrophoresis: effect of additive, temperature and voltage. <i>Journal of Chromatography A</i> , 1996 , 742, 257-266	4.5	77
977	Investigation of chiral resolution using displacement interactions with polymer networks in capillary affinity zone electrophoresis. <i>Journal of Chromatography A</i> , 1996 , 745, 1-8	4.5	24
976	Adsorption of proteins to fused-silica capillaries as probed by atomic force microscopy. <i>Journal of Chromatography A</i> , 1996 , 756, 233-243	4.5	33
975	Identification of metallothionein isoforms with capillary zone electrophoresis using a polyacrylamide-coated tube. 1996 , 685, 353-9		21
974	Preparation of linear polyacrylamide gel step gradients for capillary electrophoresis. <i>Journal of Chromatography A</i> , 1996 , 756, 245-253	4.5	6
973	Chapter 3 Electrokinetic chromatography. 1996 , 81-178		6
972	Analysis of Serum Proteins by Micellar Electrokinetic Capillary Chromatography. Application to a Drug Carrier Evaluation. 1996 , 19, 3333-3353		7
971	Poly(diallyldimethylammonium chloride) as a Cationic Coating for Capillary Electrophoresis. 1997 , 35, 126-130		51
970	Mutational spectrometry without phenotypic selection: human mitochondrial DNA. 1997 , 25, 685-93		57

969	Separations in Capillary electrophoresis. 1997 , 154-184	1
968	Instrumentation for Capillary Electrophoresis. 1997 , 185-213	
967	DNA typing in thirty seconds with a microfabricated device. 1997 , 94, 10273-8	132
966	Free Solution Capillary Electrophoretic Separation of Basic Proteins and Drugs Using Cationic Polymer Coated Capillaries. 1997 , 20, 707-718	19
965	Electrophoretic Separation and High-Sensitivity Detection of Dyestuff-Labeled Proteins Using an Untreated Fused-Silica Capillary and Sodium Dodecyl Sulfate-Containing Buffer for Migration and Labeling.. 1997 , 13, 565-570	1
964	Stretching of Long DNA under Alternating Current Electric Fields in a Concentrated Polymer Solution. 1997 , 29, 1040-1043	25
963	Determination of effective mobilities and chiral separation selectivities from partially separated enantiomer peaks in a racemic mixture using pressure-mediated capillary electrophoresis. 1997 , 69, 4410-8	12
962	Generating Electrospray from Microchip Devices Using Electroosmotic Pumping. 1997 , 69, 1174-1178	364
961	2-Methyl-3-oxo-4-phenyl-2,3-dihydrofuran-2-yl acetate: a fluorogenic reagent for detection and analysis of primary amines. 1997 , 69, 2806-11	16
960	Gathering of Charged Colloidal Particles near a Like-Charged Glass Plate. 1997 , 119, 3592-3595	24
959	Fully automated DNA reaction and analysis in a fluidic capillary instrument. 1997 , 69, 848-55	81
958	Characterization of the microdialysis junction interface for capillary electrophoresis/microelectrospray ionization mass spectrometry. 1997 , 69, 2154-8	61
957	Predicting Peak Symmetry in Capillary Zone Electrophoresis: The Concept of the Peak Shape Diagram. 1997 , 69, 1557-1563	87
956	Electrokinetic Focusing in Microfabricated Channel Structures. 1997 , 69, 3212-3217	139
955	High-Resolution Separation of DNA Restriction Fragments Using Capillary Electrophoresis with Near-IR, Diode-Based, Laser-Induced Fluorescence Detection. 1997 , 69, 1256-1261	43
954	End-label free-solution electrophoresis of the low molecular weight heparins. 1997 , 69, 3199-204	19
953	A Micromethod for Concentration and Desalting Utilizing a Hollow Fiber, with Special Reference to Capillary Electrophoresis. 1997 , 69, 1585-1592	38
952	Capillary electrophoresis of supercoiled and linear DNA in dilute hydroxyethyl cellulose solution. 1997 , 69, 1192-6	33

951	Rapid SDS-Gel capillary electrophoresis for the analysis of recombinant NADP(+)-dependent formate dehydrogenase during expression in <i>Escherichia coli</i> cells and its purification. 1997 , 58, 187-95		12
950	Cross-Linked Polymer Coatings for Capillary Electrophoresis and Application to Analysis of Basic Proteins, Acidic Proteins, and Inorganic Ions. 1997 , 69, 2798-2805		93
949	Capillary Electrochromatography with Predetermined Selectivity Obtained through Molecular Imprinting. 1997 , 69, 1179-1183		347
948	Surface-Initiated Radical Polymerization on Porous Silica. 1997 , 69, 4577-4580		164
947	Chapter 9 Capillary electrophoresis: Principles and applications. 1997 , 367-394		3
946	Noncovalent polycationic coatings for capillaries in capillary electrophoresis of proteins. 1997 , 69, 1370-9		188
945	Short tandem repeat typing by capillary array electrophoresis: comparison of sizing accuracy and precision using different buffer systems. 1997 , 41, 1-9		32
944	Identification of Cationic Herbicides in Deionized Water, Municipal Tap Water, and River Water by Capillary Isotachopheresis/On-Line Raman Spectroscopy. 1997 , 51, 1394-1399		20
943	Suppression of electroosmotic flow and prevention of wall adsorption in capillary zone electrophoresis using zwitterionic surfactants. 1997 , 69, 3435-41		108
942	Capillary electrophoresis of DNA fragments in 9 to 20% uncrosslinked polyacrylamide gels: unique separating capacity hypothetically related to maintenance of random-coil DNA conformation independently of gel concentration. 1997 , 35, 175-84		5
941	C677T mutation of methylenetetrahydrofolate reductase gene determined in blood or plasma by multiple-injection capillary electrophoresis and laser-induced fluorescence detection. 1997 , 43, 267-272		37
940	Strategies to improve performance of capillary isoelectric focusing. <i>Journal of Chromatography A</i> , 1997 , 772, 145-160	4-5	52
939	Capillary zone electrophoresis with fluid-impervious polymer tubing inside a fused-silica capillary. <i>Journal of Chromatography A</i> , 1997 , 788, 155-64	4-5	51
938	Selectivity in capillary electrophoresis: the use of proteins. <i>Journal of Chromatography A</i> , 1997 , 792, 349-63	4-5	71
937	Reduction of wall adsorption in capillary zone electrophoresis of a basic single-chain antibody fragment by a cationic polymeric buffer additive. 1997 , 69, 192-6		19
936	Macroporous Polyacrylamide/Poly(ethylene glycol) Matrixes as Stationary Phases in Capillary Electrochromatography. 1997 , 69, 4499-4507		312
935	Capillary zone electrophoresis for the study of the binding of antithrombin to low-affinity heparin. 1997 , 14, 859-62		16
934	Separation of DNA fragments by cross-linked polymer coating capillary electrophoresis with non-gel sieving matrix. 1997 , 2, 363-367		2

933	Capillary electrophoretic separation of toxic drugs using a polyacrylamide-coated capillary. 1997 , 46, 309-314		35
932	Uranium speciation in biological medium by means of capillary electrophoresis and time-resolved laser-induced fluorescence. 1997 , 226, 145-148		28
931	Current trends in capillary isoelectric focusing of proteins. 1997 , 699, 91-104		45
930	Optimization of the capillary zone electrophoresis loading limit and resolution of proteins, using triethylamine, ammonium formate and acidic pH. 1997 , 691, 67-75		7
929	Separation of components of human globulins by capillary zone electrophoresis using a linear polyacrylamide-coated capillary. 1997 , 697, 217-22		10
928	Sol-gel chemistry-based Ucon-coated columns for capillary electrophoresis. 1997 , 695, 3-13		73
927	Capillary electrophoresis procedures for serum protein analysis: comparison with established techniques. 1997 , 699, 257-68		21
926	Examination of band dispersion during size-selective capillary electrophoresis separations of DNA fragments. 1997 , 695, 103-11		11
925	Temporal analysis of DNA restriction digests by capillary electrophoresis. 1997 , 697, 181-8		12
924	Buffer additives other than the surfactant sodium dodecyl sulfate for protein separations by capillary electrophoresis. 1997 , 699, 221-56		80
923	Sequencing in nanofabricated arrays: a feasibility study. <i>Electrophoresis</i> , 1997 , 18, 17-22	3.6	23
922	Protein and peptide analysis by capillary zone electrophoresis and micellar electrokinetic chromatography. <i>Electrophoresis</i> , 1997 , 18, 74-81	3.6	38
921	Size-based separation of polyelectrolytes by capillary zone electrophoresis: migration regimes and selectivity of poly(styrenesulphonates) in solutions of derivatized cellulose. <i>Electrophoresis</i> , 1997 , 18, 98-103	3.6	20
920	Versatile low-viscosity sieving matrices for nondenaturing DNA separations using capillary array electrophoresis. <i>Electrophoresis</i> , 1997 , 18, 104-11	3.6	85
919	Analysis of toxic drugs by capillary electrophoresis using polyacrylamide-coated columns. <i>Electrophoresis</i> , 1997 , 18, 284-6	3.6	10
918	Effect of zwitterionic surfactants on the separation of proteins by capillary electrophoresis. <i>Electrophoresis</i> , 1997 , 18, 732-5	3.6	29
917	Capillary electrophoretic separation of tricyclic antidepressants using charged carboxymethyl-beta-cyclodextrin as a buffer additive. <i>Electrophoresis</i> , 1997 , 18, 736-44	3.6	19
916	Three approaches to enantiomer separation of beta-adrenergic antagonists by capillary electrochromatography. <i>Electrophoresis</i> , 1997 , 18, 884-90	3.6	116

915	Electrokinetic chromatography employing an anionic and a cationic beta-cyclodextrin derivative. <i>Electrophoresis</i> , 1997 , 18, 897-904	3.6	46
914	Enantiomer separation of denopamine by capillary electrophoresis with charged and uncharged cyclodextrins. <i>Electrophoresis</i> , 1997 , 18, 1007-12	3.6	17
913	Separation of human plasma/serum proteins by capillary isoelectric focusing in the absence of denaturing agents. <i>Electrophoresis</i> , 1997 , 18, 1159-65	3.6	27
912	Microsatellite-based cancer detection using capillary array electrophoresis and energy-transfer fluorescent primers. <i>Electrophoresis</i> , 1997 , 18, 1742-9	3.6	65
911	Determination of serum corticosteroids by mixed micellar electrokinetic capillary chromatography with sodium dodecyl sulfate and sodium cholate. <i>Electrophoresis</i> , 1997 , 18, 1861-4	3.6	29
910	Reorientation of large DNA molecules in concentrated polyacrylamide solution during crossed-field electrophoresis. <i>Electrophoresis</i> , 1997 , 18, 1912-5	3.6	13
909	Sodium dodecyl sulfate-polymer capillary electrophoresis for the analysis of cell culture proteins. <i>Electrophoresis</i> , 1997 , 18, 2019-23	3.6	6
908	Capillary electrophoretic separation of structurally similar solutes in noncross-linked poly(acrylamide-co-N-isopropylacrylamide) solution. <i>Electrophoresis</i> , 1997 , 18, 2030-5	3.6	3
907	Capillary isoelectric focusing. <i>Electrophoresis</i> , 1997 , 18, 2134-44	3.6	108
906	Capillary electrophoresis based immunoassays: a critical review. <i>Electrophoresis</i> , 1997 , 18, 2184-93	3.6	98
905	Polymeric separation media for capillary electrophoresis of nucleic acids. <i>Electrophoresis</i> , 1997 , 18, 2243-54	3.6	65
904	Capillary zone electrophoresis of proteins. <i>Electrophoresis</i> , 1997 , 18, 2353-61	3.6	65
903	Separation of basic proteins and peptides by capillary electrophoresis using a cationic surfactant. 1997 , 20, 575-580		24
902	Effect of sialic acid residues of human alpha 1-acid glycoprotein on stereoselectivity in basic drug-protein binding. 1997 , 9, 291-6		37
901	Enantiomeric resolution by capillary zone electrophoresis: Use of pepsin for separation of chiral compounds of pharmaceutical interest. 1997 , 9, 9-14		33
900	Polymethacryloxypropylhydrosiloxane deactivation as pretreatment of polymer-coated fused silica columns for capillary electrophoresis. 1997 , 9, 73-80		10
899	The free solution mobility of DNA. 1997 , 42, 687-703		242
898	Analysis of single-strand conformation polymorphism by capillary electrophoresis with laser-induced fluorescence detection using short-chain polyacrylamide as sieving medium. 1997 , 245, 79-84		58

897	Affinity capillary electrophoresis: a sensitive tool for the study of molecular interactions and its use in microscale analyses. 1997 , 251, 1-16		108
896	Capillary electrophoretic separation of acidic and basic proteins in the presence of cationic and anionic fluorosurfactants. <i>Journal of Chromatography A</i> , 1997 , 757, 255-262	4.5	34
895	Development of a high-performance capillary isoelectric focusing technique with application to studies of microheterogeneity in chicken conalbumin. <i>Journal of Chromatography A</i> , 1997 , 757, 247-53	4.5	27
894	Electroosmotic flow mobilities in open and packed capillaries with spermine and other amine flow modifiers. <i>Journal of Chromatography A</i> , 1997 , 768, 3-8	4.5	15
893	Development of a capillary electrophoretic method for the separation and determination of trace inorganic and organomercury species utilizing the formation of highly absorbing water soluble dithizone sulphonate complexes. <i>Journal of Chromatography A</i> , 1997 , 765, 345-352	4.5	36
892	Complete resolution of imidodipeptide mixtures in urine of prolidase-deficient patients using micellar electrokinetic chromatography. <i>Journal of Chromatography A</i> , 1997 , 768, 57-66	4.5	16
891	Capillary isoelectric focusing with anionic coated capillaries. <i>Journal of Chromatography A</i> , 1997 , 767, 231-239	4.5	9
890	Preparation of continuous beds for electrochromatography and reversed-phase liquid chromatography of low-molecular-mass compounds. <i>Journal of Chromatography A</i> , 1997 , 767, 33-41	4.5	154
889	Enantioseparation in capillary electrophoresis using 2-hydroxypropyltrimethylammonium salt of β -cyclodextrin as a chiral selector. <i>Journal of Chromatography A</i> , 1997 , 771, 259-266	4.5	62
888	Electromigration behaviour of DNA molecules at the free electrolyte/polymer solution interface. <i>Journal of Chromatography A</i> , 1997 , 772, 243-253	4.5	12
887	System peaks in capillary zone electrophoresis. <i>Journal of Chromatography A</i> , 1997 , 772, 73-79	4.5	45
886	On-line isotachopheresis/capillary zone electrophoresis versus sample self stacking capillary zone electrophoresis. <i>Journal of Chromatography A</i> , 1997 , 772, 283-295	4.5	81
885	Enantiomeric resolution study by capillary electrophoresis. <i>Journal of Chromatography A</i> , 1997 , 772, 185-194	4.5	69
884	Theoretical aspects on the regulation of electroosmotic flow in capillary electrophoresis by adding charged amphiphiles. <i>Journal of Chromatography A</i> , 1997 , 776, 311-318	4.5	6
883	Comparison of polymer coatings of capillaries for capillary electrophoresis with respect to their applicability to molecular imprinting and electrochromatography. <i>Journal of Chromatography A</i> , 1997 , 781, 43-53	4.5	125
882	Quaternary structural analysis of nucleoside diphosphate kinases using capillary electrophoresis. <i>Journal of Chromatography A</i> , 1997 , 781, 251-61	4.5	9
881	Method for detection of epsilon-secondary structure in the precore region of human hepatitis B virus DNA using a fluorescence-based polymerase chain reaction-single-strand-conformation polymorphism technique with capillary electrophoresis. <i>Journal of Chromatography A</i> , 1997 , 781, 307-14	4.5	8
880	Effects of electroosmotic flow on zone mobilization in capillary isoelectric focusing. <i>Journal of Chromatography A</i> , 1997 , 781, 113-8	4.5	19

879	DNA fragment analysis by capillary polymer sieving electrophoresis using poly(acryloylaminoethoxyethanol)-coated capillaries. <i>Journal of Chromatography A</i> , 1997 , 781, 335-345	4.5	7
878	Protein band spreading in capillary zone electrophoresis effects of sample zone length and presence of polymer. <i>Journal of Chromatography A</i> , 1997 , 781, 277-86	4.5	13
877	Characterization of dextrans by size-exclusion chromatography on unmodified silica gel columns, with light-scattering detection, and capillary electrophoresis with laser-induced fluorescence detection. <i>Journal of Chromatography A</i> , 1997 , 790, 93-100	4.5	16
876	Electroosmotic flow suppressing additives for capillary zone electrophoresis in a hydrodynamically closed separation system. <i>Journal of Chromatography A</i> , 1997 , 792, 483-94	4.5	59
875	Rapid high-performance isoelectric focusing of monoclonal antibodies in uncoated fused-silica capillaries. <i>Journal of Chromatography A</i> , 1997 , 790, 215-23	4.5	20
874	Capillary electrophoresis determination of methylmercury in fish and crab meat after extraction as the dithizone sulphonate complex. <i>Journal of Chromatography A</i> , 1997 , 791, 333-338	4.5	55
873	Characterization of cellulose derivatives and their migration behavior in capillary electrophoresis. 1998 , 312, 45-52		16
872	Free-solution electrophoresis of DNA. <i>Journal of Chromatography A</i> , 1998 , 806, 113-121	4.5	84
871	Separation of enantiomers of drugs by capillary electrophoresis. V. Hydroxypropyl-alpha-cyclodextrin as chiral solvating agent. <i>Journal of Chromatography A</i> , 1998 , 793, 153-64	4.5	41
870	Chiral capillary electrophoresis-electrospray mass spectrometry coupling using vancomycin as chiral selector. <i>Journal of Chromatography A</i> , 1998 , 800, 69-76	4.5	121
869	Cyclodextrin aided separation of peptides and proteins by capillary zone electrophoresis. <i>Journal of Chromatography A</i> , 1998 , 796, 367-73	4.5	20
868	Chiral capillary electrophoresis-electrospray mass spectrometry coupling with charged cyclodextrin derivatives as chiral selectors. <i>Journal of Chromatography A</i> , 1998 , 800, 77-82	4.5	67
867	Separation of synthetic inorganic polymers of condensed phosphates by capillary gel electrophoresis with indirect photometric detection. <i>Journal of Chromatography A</i> , 1998 , 802, 159-165	4.5	16
866	Moving chemical reaction boundary and isoelectric focusing: I. Conditional equations for Svensson-Miselius differential equation of solute concentration distribution in idealized isoelectric focusing at steady state. <i>Journal of Chromatography A</i> , 1998 , 813, 153-171	4.5	47
865	Capillary isotachopheresis with fiber-optic Raman spectroscopic detection. Performance and application to ribonucleotides. <i>Journal of Chromatography A</i> , 1998 , 805, 269-75	4.5	19
864	Cellobiohydrolase I as a chiral additive in capillary electrophoresis and liquid chromatography. <i>Journal of Chromatography A</i> , 1998 , 807, 297-305	4.5	39
863	Characterization of poly(dimethylacrylamide) and the combination of poly(vinyl alcohol) and cetyltrimethylammonium bromide as dynamic electroosmotic flow suppression agents in capillary electrophoresis. <i>Journal of Chromatography A</i> , 1998 , 817, 15-23	4.5	14
862	Treatments of fused-silica capillaries and their influence on the electrophoretic characteristics of these columns before and after coating. <i>Journal of Chromatography A</i> , 1998 , 823, 561-571	4.5	38

861	Peptide purity and counter ion determination of bradykinin by high-performance liquid chromatography and capillary electrophoresis. <i>Journal of Chromatography A</i> , 1998 , 817, 215-222	4.5	27
860	Capillary electrophoretic study of the complex formation between DNA and cationic surfactants. <i>Journal of Chromatography A</i> , 1998 , 817, 263-71	4.5	19
859	Chiral separations by capillary zone electrophoresis with the use of cyanoethylated- β -cyclodextrin as chiral selector. <i>Journal of Chromatography A</i> , 1998 , 817, 91-104	4.5	20
858	Asymmetry of protein peaks in capillary zone electrophoresis: effect of starting zone length and presence of polymer. <i>Journal of Chromatography A</i> , 1998 , 817, 253-62	4.5	13
857	Electrophoretic stereoisomer separation of aspartyl dipeptides and tripeptides in untreated fused-silica and polyacrylamide-coated capillaries using charged cyclodextrins. <i>Journal of Chromatography A</i> , 1998 , 822, 137-145	4.5	48
856	Microfabrication Technology for the Production of Capillary Array Electrophoresis Chips. 1998 , 1, 7-26		101
855	High-speed separation of linear and supercoiled DNA by capillary electrophoresis. Buffer, entangling polymer, and electric field effects. 1998 , 70, 574-9		33
854	Isotachophoretic focusing of strong electrolytes on the background of carrier ampholytes. <i>Journal of Chromatography A</i> , 1998 , 798, 223-232	4.5	4
853	Analysis of nucleotides by capillary electrophoresis. <i>Journal of Chromatography A</i> , 1998 , 828, 317-36	4.5	69
852	Complex formation between DNA and cationic surfactant. 1998 , 249, 216-225		51
851	A novel method for measurement of α -amylase activity in rice koji by capillary isoelectric focusing. 1998 , 85, 451-453		6
850	Degenerate oligonucleotide primed-polymerase chain reaction and capillary electrophoretic analysis of human DNA on microchip-based devices. 1998 , 257, 101-6		107
849	Quantitative analysis of modified antisense oligonucleotides in biological fluids using cationic nanoparticles for solid-phase extraction. 1998 , 262, 177-84		9
848	Determination of L-ascorbic acid and total ascorbic acid in vascular and nonvascular plants by capillary zone electrophoresis. 1998 , 265, 275-81		28
847	Analysis of multiplexed short tandem repeat (STR) systems using capillary array electrophoresis. <i>Electrophoresis</i> , 1998 , 19, 101-7	3.6	47
846	Separation of 4-color DNA sequencing extension products in noncovalently coated capillaries using low viscosity polymer solutions. <i>Electrophoresis</i> , 1998 , 19, 224-30	3.6	179
845	Fast detection of a (CA) ₁₈ microsatellite repeat in the IgE receptor gene by capillary electrophoresis with laser-induced fluorescence detection. <i>Electrophoresis</i> , 1998 , 19, 249-55	3.6	14
844	Capillary electrophoresis of peptides and proteins in fused-silica capillaries coated with derivatized polystyrene nanoparticles. <i>Electrophoresis</i> , 1998 , 19, 262-9	3.6	76

843	Stereoselective interaction of drug enantiomers with human serum transferrin in capillary zone electrophoresis (II). <i>Electrophoresis</i> , 1998 , 19, 282-7	3.6	25
842	Dual chiral recognition system involving cyclodextrin derivatives in capillary electrophoresis II. Enhancement of enantioselectivity. <i>Electrophoresis</i> , 1998 , 19, 738-44	3.6	38
841	Correlation of plasma protein separation patterns obtained by two-dimensional polyacrylamide gel electrophoresis and by capillary electrophoresis. <i>Electrophoresis</i> , 1998 , 19, 1319-24	3.6	8
840	Recent developments in DNA electrophoretic separations. <i>Electrophoresis</i> , 1998 , 19, 1525-41	3.6	49
839	Parallelism between width and asymmetry of peaks of rigid, spherical particles in capillary zone electrophoresis using polymer solutions. <i>Electrophoresis</i> , 1998 , 19, 1620-4	3.6	4
838	Surface modification based on Si-O and Si-C sublayers and a series of N-substituted acrylamide top-layers for capillary electrophoresis. <i>Electrophoresis</i> , 1998 , 19, 1677-82	3.6	76
837	Predictive model for capillary electrophoretic peptide mobility in 2,2,2-trifluoroethanol-water solution. <i>Electrophoresis</i> , 1998 , 19, 1728-32	3.6	11
836	Pressure-assisted and pressure-programmed capillary electrophoresis/electrospray ionization time of flight-mass spectrometry for the analysis of peptide mixtures. <i>Electrophoresis</i> , 1998 , 19, 2200-6	3.6	25
835	The pH dependence of predictive models relating electrophoretic mobility to peptide chemico-physical properties in capillary zone electrophoresis. <i>Electrophoresis</i> , 1998 , 19, 2273-7	3.6	30
834	Capillary zone electrophoresis of proteins with fused-silica capillaries having polymers and surfactants adsorbed onto surfactant moieties previously covalently bound to the capillary column surface. <i>Electrophoresis</i> , 1998 , 19, 2278-84	3.6	15
833	Cyclodextrins as selectivity enhancers in capillary zone electrophoresis of proteins. <i>Electrophoresis</i> , 1998 , 19, 2285-9	3.6	7
832	Assay of trypsin activity by capillary isoelectric focusing with laser-induced fluorescence detection. <i>Electrophoresis</i> , 1998 , 19, 2296-300	3.6	24
831	Mechanistic insights derived from retardation and peak broadening of particles up to 200 nm in diameter in electrophoresis in semidilute polyacrylamide solutions. <i>Electrophoresis</i> , 1998 , 19, 2423-31	3.6	7
830	Capillary affinity chromatography and affinity capillary electrophoresis of heparin binding proteins. <i>Electrophoresis</i> , 1998 , 19, 2650-3	3.6	17
829	Strategies for capillary electrophoresis: method development and validation for pharmaceutical and biological applications. <i>Electrophoresis</i> , 1998 , 19, 2695-752	3.6	174
828	Capillary electrophoresis and capillary chromatography: theoretical analogies and practical differences. 1998 , 12, 120-1		8
827	Drug analysis by capillary electrophoretic methods. 1998 , 12, 126-7		16
826	Wall coating for DNA sequencing and fragment analysis by capillary electrophoresis. 1998 , 10, 175-184		25

825	Microcapillary electrophoresis devices fabricated using polymeric substrates and X-ray lithography. 1998 , 10, 413-422	61
824	High-performance capillary electrophoretic determination of glutathione in human lymphocytes. 1998 , 10, 503-509	9
823	Polypropylene hollow fibers modified with PMMA for capillary electrophoresis. 1998 , 10, 605-609	9
822	Combined Effects of Molecular Size and Electroosmotic Flow on the Capillary Electrophoretic Behaviour of Humic Substances. 1998 , 26, 186-190	10
821	Rapid and reproducible capillary electrophoretic separation of double-stranded DNA fragments in a simple methyl cellulosic sieving system. 1998 , 47, 125-134	7
820	Capillary zone electrophoretic separation of basic proteins and drugs using guaran as a buffer modifier. 1998 , 47, 219-224	7
819	Characterization of humic-like substances in airborne particulate matter by capillary electrophoresis. 1998 , 47, 619-624	33
818	Electrophoresis of long DNA molecules in linear polyacrylamide solutions. 1998 , 71, 113-23	47
817	Protein analysis by membrane preconcentration-capillary electrophoresis: systematic evaluation of parameters affecting preconcentration and separation. 1998 , 713, 301-11	41
816	Separation and quantitation of azimilide and its putative metabolites by capillary electrophoresis. 1998 , 720, 129-40	3
815	Complexation between Amylodextrin Oligomers and Selected Pharmaceuticals Measured through Capillary Electrophoresis. 1998 , 70, 3590-7	19
814	Metallothionein isoforms from horse, rabbit and rat separated by capillary zone electrophoresis at low pH. <i>Talanta</i> , 1998 , 46, 291-300	6.2 9
813	Multiple sample PCR amplification and electrophoretic analysis on a microchip. 1998 , 70, 5172-6	212
812	Microchip device for cell lysis, multiplex PCR amplification, and electrophoretic sizing. 1998 , 70, 158-62	375
811	Base stacking: pH-mediated on-column sample concentration for capillary DNA sequencing. 1998 , 70, 3605-11	98
810	Automated particle electrophoresis: modeling and control of adverse chamber surface properties. 1998 , 70, 2268-79	6
809	Dispersion Sources for Compact Geometries on Microchips. 1998 , 70, 3781-3789	167
808	Pump Based on Thermal Expansion of a Liquid for Delivery of a Pulse-Free Flow Particularly for Capillary Chromatography and Other Microvolume Applications. 1998 , 70, 366-372	16

807	Analysis of recombinant human platelet-derived growth factor by reversed-charge capillary zone electrophoresis. 1998 , 70, 3809-17	6
806	Evaluation of association constants between drug enantiomers and human alpha 1-acid glycoprotein by applying a partial-filling technique in affinity capillary electrophoresis. 1998 , 70, 1425-30	76
805	High-Resolution Studies of Hyaluronic Acid Mixtures through Capillary Gel Electrophoresis. 1998 , 70, 568-73	45
804	Polyacrylamide-Coated Capillaries Probed by Atomic Force Microscopy: Correlation between Surface Topography and Electrophoretic Performance. 1998 , 70, 3458-3462	48
803	Surface-confined living radical polymerization for coatings in capillary electrophoresis. 1998 , 70, 4023-9	120
802	Stable cationic capillary coating with successive multiple ionic polymer layers for capillary electrophoresis. 1998 , 70, 5272-7	225
801	Stable capillary coating with successive multiple ionic polymer layers. 1998 , 70, 2254-60	183
800	DNA sequencing on microfabricated electrophoretic devices. 1998 , 70, 2303-10	203
799	Quantitation of phosphorothioate oligonucleotides in human blood plasma using a nanoparticle-based method for solid-phase extraction. 1998 , 70, 2197-204	34
798	Strategies for Electromigration Separations of Biologically Relevant Compounds. 1998 , 60, 53-93	1
797	Common Pitfalls in CE and HPLC. 1998 , 1013-1091	
796	The physiologic concentration of inositol 1,4,5-trisphosphate in the oocytes of <i>Xenopus laevis</i> . 1998 , 273, 28657-62	39
795	Intracellular metabolism of a 2MO-methyl-stabilized ribozyme after uptake by DOTAP transfection or as free ribozyme. A study by capillary electrophoresis. 1998 , 26, 4241-8	13
794	Application of an Electroosmotic Flow Gradient in Capillary Zone Electrophoresis Separations. 1998 , 21, 2957-2976	3
793	Evaluation of a sheath flow cuvette for postcolumn fluorescence derivatization of DNA fragments separated by capillary electrophoresis. 1998 , 70, 182-6	15
792	Integrated capillary electrophoresis using glass and plastic chips for multiplexed DNA analysis. 1998 , 3515, 94	7
791	High-throughput genetic analysis using microfabricated 96-sample capillary array electrophoresis microplates. 1998 , 95, 2256-61	225
790	Separation Behavior of Biological Constituents Having cis-Diol Groups through Interactions with Phenylboronic Acid Sites Introduced on the Inner Wall of a Fused-Silica Capillary. 1998 , 71, 2831-2836	10

789	Simultaneous determination of methylenetetrahydrofolate reductase C677T and factor V G1691A genotypes by mutagenically separated PCR and multiple-injection capillary electrophoresis. 1998 , 44, 264-269		35
788	Molecular Diagnostics on Microfabricated Electrophoretic Devices: From Slab Gel- to Capillary- to Microchip-based Assays for T- and B-Cell Lymphoproliferative Disorders. 1999 , 45, 1906-1917		64
787	Separation of Arsenic and Selenium Species by Capillary Zone Electrophoresis in a Coated Capillary. 1999 , 82, 1587-1593		8
786	Plastic Microchip Electrophoresis for Analysis of PCR Products of Hepatitis C Virus. 1999 , 45, 1938-1943		62
785	Micromachining in plastics using X-ray lithography for the fabrication of microelectrophoresis devices. 1999 , 121, 13-21		60
784	Toward real-world sequencing by microdevice electrophoresis. 1999 , 9, 853-8		46
783	A MODEL SYSTEM FOR PROTEIN-PORPHYRIN BINDING CONSTANT MEASUREMENT USING CAPILLARY ELECTROPHORESIS. 1999 , 22, 2167-2175		4
782	Direct assay of nonopioid analgesics and their metabolites in human urine by capillary electrophoresis and capillary electrophoresis-mass spectrometry. 1999 , 721, 109-25		45
781	High-performance ultrathin layer agarose gel electrophoresis. 1999 , 18, 694-702		10
780	Capillary electrophoresis of inorganic anions. <i>Journal of Chromatography A</i> , 1999 , 834, 133-78	4.5	119
779	Capillary electrophoresis using diol-bonded fused-silica capillaries. <i>Journal of Chromatography A</i> , 1999 , 830, 415-22	4.5	27
778	Surface deactivation in protein and peptide analysis by capillary electrophoresis. <i>Analytica Chimica Acta</i> , 1999 , 383, 1-26	6.6	123
777	Recent advances in the capillary electrophoresis of recombinant glycoproteins. <i>Analytica Chimica Acta</i> , 1999 , 383, 137-156	6.6	43
776	Demonstration of a separations-based fiberoptic sensor for bioanalysis. <i>Analytica Chimica Acta</i> , 1999 , 399, 201-212	6.6	1
775	Preparation of linear polyacrylamide-coated capillaries: Study of the polymerization process and its effect on capillary electrophoresis performance. <i>Journal of Chromatography A</i> , 1999 , 830, 423-438	4.5	49
774	pH-Dependent reversal of the chiral recognition of tripeptide enantiomers by carboxymethyl- β -cyclodextrin. <i>Journal of Chromatography A</i> , 1999 , 833, 261-266	4.5	49
773	Analysis of orotic acid in human urine by on-line combination of capillary isotachopheresis and zone electrophoresis. <i>Journal of Chromatography A</i> , 1999 , 838, 213-21	4.5	45
772	Isotachopheresis in zone electrophoresis. <i>Journal of Chromatography A</i> , 1999 , 838, 55-70	4.5	109

771	Capillary zone electrophoresis of rigid submicron-sized particles in polyacrylamide. Solution selectivity, peak spreading and resolution. <i>Journal of Chromatography A</i> , 1999 , 848, 443-55	4.5	12
770	Highly alkaline electrolyte for single-stranded DNA separations by electrophoresis in bare silica capillaries. <i>Journal of Chromatography A</i> , 1999 , 853, 371-9	4.5	29
769	Effect of linear polymer additives on the electroosmotic characteristics of agarose gels in ultrathin-layer electrophoresis. <i>Journal of Chromatography A</i> , 1999 , 853, 511-8	4.5	17
768	Direct determination of small cations in proteinaceous samples using a flow injection-capillary electrophoresis system. <i>Journal of Chromatography A</i> , 1999 , 857, 321-6	4.5	20
767	Separation of enantiomers on a chiral stationary phase based on ovoglycoprotein. VII. Comparison of chiral recognition ability of ovoglycoprotein from chicken and Japanese quail egg whites. <i>Journal of Chromatography A</i> , 1999 , 858, 155-65	4.5	17
766	Poly(vinylamine)-coated capillaries with reversed electroosmotic flow for the separation of organic anions. <i>Journal of Chromatography A</i> , 1999 , 836, 81-91	4.5	12
765	Modification of the electrokinetic properties of reversible electrophoresis gels for the separation and preparation of DNA. Addition of linear polymers. 1999 , 82, 57-76		4
764	On-line microdialysis-electrospray mass spectrometry for automated desalting of small-volume peptide samples. 1999 , 49, S28-S34		3
763	Microfluidic devices for DNA analysis. 1999 , 17, 315-9		34
762	Determination of the enantiomeric purity of S-ropivacaine by capillary electrophoresis with methyl-beta-cyclodextrin as chiral selector using conventional and complete filling techniques. 1999 , 9, 17-24		17
761	Application of constant denaturant capillary electrophoresis (CDCE) to mutation detection in humans. 1999 , 14, 221-7		14
760	Two-color multiplexed analysis of eight short tandem repeat loci with an electrophoretic microdevice. 1999 , 270, 148-52		55
759	Characterization of recombinant human monoclonal tissue necrosis factor-alpha antibody using cation-exchange HPLC and capillary isoelectric focusing. 1999 , 275, 98-108		82
758	Applications of short-chain polydimethylacrylamide as sieving medium for the electrophoretic separation of DNA fragments and mutation analysis in uncoated capillaries. 1999 , 276, 188-94		51
757	Teicoplanin-Based Enantiomeric Separations in CZE Using a Partial Filling Technique. 1999 , 22, 315-321		13
756	Determination of association constants between enantiomers of orciprenaline and methyl-beta-cyclodextrin as chiral selector by capillary zone electrophoresis using a partial filling technique. <i>Electrophoresis</i> , 1999 , 20, 180-8	3.6	25
755	Simultaneous separation and enantioresolution of racemic local anesthetic drugs by capillary zone electrophoresis with Tween 20 and methyl-beta-cyclodextrin as selectors, employing a double plug technique. <i>Electrophoresis</i> , 1999 , 20, 204-11	3.6	13
754	Preparation of capillary columns coated with linear polymer containing hydrophobic and charged groups for capillary electrochromatography. <i>Electrophoresis</i> , 1999 , 20, 24-30	3.6	29

753	Polymer solution-filled column for the analysis of antisense phosphorothioates by capillary electrophoresis. <i>Electrophoresis</i> , 1999 , 20, 547-54	3.6	13
752	Study of enantioselective interactions between chiral drugs and serum albumin by capillary electrophoresis. <i>Electrophoresis</i> , 1999 , 20, 1869-77	3.6	49
751	Enantioseparation of thalidomide and its hydroxylated metabolites using capillary electrophoresis with various cyclodextrins and their combinations as chiral buffer additives. <i>Electrophoresis</i> , 1999 , 20, 2425-31	3.6	40
750	Capillary zone electrophoresis of proteins in semidilute polymer solutions: inter- and intra-polymer predictability of size-dependent retardation. <i>Electrophoresis</i> , 1999 , 20, 2884-90	3.6	5
749	Free solution mobility of oligomeric DNA. 1999 , 49, 209-214		34
748	Electrohydrodynamic instabilities and segregation of polysaccharides in capillary polymer solution electrophoresis. 1999 , 49, 515-524		5
747	Enantiomeric resolution of some nonsteroidal antiinflammatory and anticoagulant drugs using β -cyclodextrins by capillary electrophoresis. 1999 , 11, 56-62		33
746	Separation of enantiomers on a chiral stationary phase based on ovoglycoprotein. IV. Effect of sialic acid and galactose on chiral discrimination. 1999 , 11, 426-431		3
745	Enantioseparations with the macrocyclic antibiotic ristocetin A using a countercurrent process in CE. 1999 , 11, 663-8		17
744	Use of coated capillaries for nonaqueous capillary electrophoresis. 1999 , 11, 209-213		17
743	Plexiglas column coatings for capillary electrophoresis of biomolecules. 1999 , 11, 325-329		9
742	Temperature effect on the separation of DNA fragments by capillary electrophoresis in hydroxyethyl cellulose solution. 1999 , 11, 461-470		2
741	Separations of DNA fragments with a coated 25- μ m capillary coupled to a 25- μ m high open channel. 1999 , 11, 567-575		2
740	Characterization of lidocaine and its metabolites in human plasma using capillary electrophoresis. 1999 , 11, 620-626		6
739	Assessment of alginic acid molecular weight and chemical composition through capillary electrophoresis. 1999 , 71, 2373-8		21
738	Capillary Modification by Noncovalent Polycation Adsorption: Effects of Polymer Molecular Weight and Adsorption Ionic Strength. 1999 , 71, 3463-3468		77
737	SEPARATION BEHAVIOR OF AVIDIN AND RELATED SUBSTANCES USING A COMBINATION OF ZWITTERIONIC SURFACTANT AND C8 PHASE CAPILLARY. 1999 , 22, 3139-3150		2
736	Ups and downs of protein crystallization: studies of protein crystals by high-performance capillary electrophoresis. 1999 , 1426, 401-8		2

735	Capillary isoelectric focusing with whole column imaging detection for analysis of proteins and peptides. 1999 , 39, 93-110	64
734	DNA sequencing by capillary electrophoresis (review). 1999 , 41, 103-19	66
733	Adaptation of capillary isoelectric focusing to microchannels on a glass chip. 1999 , 71, 678-86	142
732	Microfabricated devices for capillary electrophoresis-electrospray mass spectrometry. 1999 , 71, 3258-64	211
731	Microfabricated filters for microfluidic analytical systems. 1999 , 71, 1464-8	65
730	Periodicity of DNA Motions during Field Inversion Electrophoresis in Dilute Hydroxyethyl Cellulose Visualized by High-Speed Video Fluorescence Microscopy. 1999 , 32, 3678-3684	13
729	Acousto-optical deflection-based laser beam scanning for fluorescence detection on multichannel electrophoretic microchips. 1999 , 71, 5309-14	59
728	Comparative Conformational Dynamics of Supercoiled Plasmids and Linear DNA during Capillary Electrophoresis. 1999 , 32, 4625-4630	7
727	Electrophoretic Migration of Submicron Polystyrene Latex Spheres in Solutions of Linear Polyacrylamide. 1999 , 32, 2617-2628	16
726	Single-molecule detection of DNA separations in microfabricated capillary electrophoresis chips employing focused molecular streams. 1999 , 71, 5137-45	113
725	Microfabricated porous membrane structure for sample concentration and electrophoretic analysis. 1999 , 71, 1815-9	228
724	Interaction of chemically modified antisense oligonucleotides with sense DNA: a label-free interaction study with reflectometric interference spectroscopy. 1999 , 71, 2850-7	36
723	Extension of External Voltage Control of Electroosmosis to High-pH Buffers. 1999 , 71, 3793-8	21
722	Optimization of high-speed DNA sequencing on microfabricated capillary electrophoresis channels. 1999 , 71, 566-73	194
721	Radial capillary array electrophoresis microplate and scanner for high-performance nucleic acid analysis. 1999 , 71, 5354-61	244
720	An Affinity Capillary Electrophoresis for the Detection of Gene Mutation Using Immobilized Oligonucleotides-Polyacrylamide Conjugate.. 1999 , 15, 389-392	9
719	Properties of a Simple Polymer Chain in a Narrow Capillary: Dimensional Monte Carlo Study. 1999 , 22, 91-121	5
718	An Affinity Capillary Electrophoresis for the Separation of Sequence Isomers of Oligonucleotide. 2000 , 29, 106-107	10

7 ¹⁷	Capillary electrophoresis of DNA in uncrosslinked polymer solutions: evidence for a new mechanism of DNA separation. 1996 , 52, 259-70		13
7 ¹⁶	A transmission imaging spectrograph and microfabricated channel system for DNA analysis. <i>Electrophoresis</i> , 2000 , 21, 135-49	3.6	45
7 ¹⁵	Fast separation of oligonucleotide and triplet repeat DNA on a microfabricated capillary electrophoresis device and capillary electrophoresis. <i>Electrophoresis</i> , 2000 , 21, 176-80	3.6	43
7 ¹⁴	DNA sequencing by capillary array electrophoresis and microfabricated array systems. <i>Electrophoresis</i> , 2000 , 21, 55-65	3.6	108
7 ¹³	New adsorbed coatings for capillary electrophoresis. <i>Electrophoresis</i> , 2000 , 21, 909-16	3.6	124
7 ¹²	Separation efficiency in protein zone electrophoresis performed in capillaries of different diameters. <i>Electrophoresis</i> , 2000 , 21, 985-92	3.6	10
7 ¹¹	Separation of polymerase chain reaction amplified bird genes by capillary electrophoresis. <i>Electrophoresis</i> , 2000 , 21, 1336-40	3.6	
7 ¹⁰	Affinity capillary electrophoretic studies of complexation between dextrin oligomers and polyiodides. <i>Electrophoresis</i> , 2000 , 21, 1513-20	3.6	9
7 ⁰⁹	A new adsorbed coating for DNA fragment analysis by capillary electrophoresis. <i>Electrophoresis</i> , 2000 , 21, 1521-6	3.6	49
7 ⁰⁸	Cellulases from the fungi <i>Phanerochaete chrysosporium</i> and <i>Trichoderma reesei</i> as chiral selectors in capillary electrophoresis: applications with displacer plugs and sample preconcentration. <i>Electrophoresis</i> , 2000 , 21, 1587-96	3.6	16
7 ⁰⁷	Preparation and characterization of calixarene-coated capillaries for capillary electrophoresis. <i>Electrophoresis</i> , 2000 , 21, 1620-4	3.6	30
7 ⁰⁶	Modification of capillaries coupled to micro-flow nebulizers: a new strategy for on-line interference removal in inductively coupled plasma mass spectrometry. 2000 , 35, 891-6		9
7 ⁰⁵	PCR amplification and analysis of simple sequence length polymorphisms in mouse DNA using a single microchip device. 2000 , 277, 157-60		35
7 ⁰⁴	A decade of capillary electrophoresis. <i>Electrophoresis</i> , 2000 , 21, 1921-39	3.6	94
7 ⁰³	Synthesis of fluorescently labeled alkylated DNA adduct standards and separation by capillary electrophoresis. <i>Electrophoresis</i> , 2000 , 21, 2086-91	3.6	5
7 ⁰²	High speed single nucleotide polymorphism typing of a hereditary haemochromatosis mutation with capillary array electrophoresis microplates. <i>Electrophoresis</i> , 2000 , 21, 2352-8	3.6	44
7 ⁰¹	Sample self-stacking in capillary zone electrophoresis: behavior of samples containing multiple major coionic components. <i>Electrophoresis</i> , 2000 , 21, 2797-808	3.6	60
7 ⁰⁰	Transient isotachopheresis for sensitivity enhancement in capillary electrophoresis-mass spectrometry for peptide analysis. <i>Electrophoresis</i> , 2000 , 21, 2859-65	3.6	61

699	A new easy-to-prepare homogeneous continuous electrochromatographic bed for enantiomer recognition. <i>Electrophoresis</i> , 2000 , 21, 3116-25	3.6	86
698	Investigation of the stereoselective in vitro biotransformation of thalidomide using a dual cyclodextrin system in capillary electrophoresis. <i>Electrophoresis</i> , 2000 , 21, 3270-9	3.6	21
697	Capillary zone electrophoresis of sub-microm-sized particles in electrolyte solutions of various ionic strengths: size-dependent electrophoretic migration and separation efficiency. <i>Electrophoresis</i> , 2000 , 21, 3583-92	3.6	51
696	Ultrathin-layer gel electrophoresis of biopolymers. <i>Electrophoresis</i> , 2000 , 21, 3952-64	3.6	25
695	Electrophoretic separation of proteins on microchips. 2000 , 12, 407-411		17
694	Quantitative studies on the adsorption of proteins to the bare silica wall in capillary electrophoresis. II. Effects of adsorbed, neutral polymers on quenching the interaction. <i>Journal of Chromatography A</i> , 2000 , 874, 293-303	4.5	95
693	Modified capillary electrophoresis system for peptide, protein and double-stranded DNA analysis. <i>Journal of Chromatography A</i> , 2000 , 879, 189-96	4.5	13
692	Steroid profiles determined by capillary electrochromatography, laser-induced fluorescence detection and electrospray-mass spectrometry. <i>Journal of Chromatography A</i> , 2000 , 887, 379-91	4.5	58
691	Separation of proteins by sodium dodecylsulfate capillary electrophoresis in hydroxypropylcellulose sieving matrix with laser-induced fluorescence detection. <i>Journal of Chromatography A</i> , 2000 , 894, 291-6	4.5	42
690	Rapid analysis of covalently and non-covalently fluorophore-labeled proteins using ultra-thin-layer sodium dodecylsulfate gel electrophoresis. <i>Journal of Chromatography A</i> , 2000 , 894, 329-35	4.5	8
689	Capillary zone electrophoresis in phosphate buffer--known or unknown?. <i>Journal of Chromatography A</i> , 2000 , 894, 89-93	4.5	25
688	Moderation of the electroosmotic flow in capillary electrophoresis by chemical modification of the capillary surface with tentacle-like oligourethanes. <i>Journal of Chromatography A</i> , 2000 , 894, 79-88	4.5	21
687	Allylamine-beta-cyclodextrin copolymer. A novel chiral selector for capillary electrophoresis. <i>Journal of Chromatography A</i> , 2000 , 894, 95-103	4.5	10
686	Preparation and evaluation of an imidazole-coated capillary column for the electrophoretic separation of aromatic acids. <i>Journal of Chromatography A</i> , 2000 , 897, 383-92	4.5	19
685	Capillary array scanner for time-resolved detection and identification of fluorescently labelled DNA fragments. <i>Journal of Chromatography A</i> , 2000 , 871, 299-310	4.5	25
684	Comparative studies on the analysis of glycosylation heterogeneity of sialic acid-containing glycoproteins using capillary electrophoresis. <i>Journal of Chromatography A</i> , 2000 , 866, 261-71	4.5	51
683	Influence of pH*-value of methanolic electrolytes on electroosmotic flow in hydrophilic coated capillaries. <i>Journal of Chromatography A</i> , 2000 , 868, 63-71	4.5	34
682	Enantiomer separation of drugs by capillary electrophoresis using proteins as chiral selectors. <i>Journal of Chromatography A</i> , 2000 , 875, 235-54	4.5	143

681	Hydrophobic-phase-modified fused-silica columns for capillary electrophoresis. <i>Journal of Chromatography A</i> , 2000 , 871, 279-87	4-5	7
680	Enantiomeric separation by capillary electrophoresis with an electroosmotic flow-controlled capillary. <i>Journal of Chromatography A</i> , 2000 , 875, 315-22	4-5	16
679	Monolithic integrated microfluidic DNA amplification and capillary electrophoresis analysis system. 2000 , 63, 138-146		252
678	High-throughput single-strand conformation polymorphism analysis by capillary electrophoresis. 2000 , 741, 115-28		40
677	Rapid identification of metallothionein isoforms in liver cytosol fraction by capillary zone electrophoresis using EDTA. 2000 , 742, 193-8		9
676	Time-of-flight mass spectrometry as a tool for speciation analysis. 2000 , 55, 767-778		32
675	Microchip electrophoresis: a method for high-speed SNP detection. 2000 , 28, E43		64
674	Study of the LMW glutenin composition of some old Hungarian wheat cultivars using capillary electrophoresis. 2000 , 28, 417-424		2
673	Capillary electrophoresis of DNA fragments with replaceable low-gelling agarose gels. 2001 , 162, 279-90		
672	Capillary Electrophoresis of Nucleic Acids. 2000 ,		3
671	Capillary Zone Electrophoresis: Methods Development. 2000 , 73-138		6
670	Automated parallel DNA sequencing on multiple channel microchips. 2000 , 97, 5369-74		111
669	Capillary electrophoresis of compounds of biological interest. 2000 , 237-262		
668	DNA analysis under highly denaturing conditions in bare fused silica capillaries. 2001 , 162, 239-58		1
667	ADVANTAGES AND LIMITATIONS OF DERIVATIZATION OF PEPTIDES FOR IMPROVED PERFORMANCE AND DETECTABILITY IN CAPILLARY ISOELECTRIC FOCUSING (CIEF). 2000 , 23, 1775-1807		22
666	Single strand conformation polymorphism analysis of K-ras gene mutations by capillary electrophoresis with laser-induced fluorescence (LIF) detector. 2000 , 301, 205-11		9
665	A microdevice with integrated liquid junction for facile peptide and protein analysis by capillary electrophoresis/electrospray mass spectrometry. 2000 , 72, 1015-22		153
664	Electrophoresis of DNA and other polyelectrolytes: Physical mechanisms. 2000 , 72, 813-872		608

663	Introduction. 2000 , 1-23	
662	Capillary Zone Electrophoresis. 2000 , 25-71	14
661	Sieving matrix selection. 2001 , 162, 167-87	
660	Capillary coatings. Choices for capillary electrophoresis of DNA. 2001 , 162, 125-38	2
659	Effective capillary electrophoresis-based heteroduplex analysis through optimization of surface coating and polymer networks. 2000 , 72, 5483-92	35
658	Eight hundred-base sequencing in a microfabricated electrophoretic device. 2000 , 72, 3388-91	95
657	Rapid simultaneous multielemental speciation by capillary electrophoresis coupled to inductively coupled plasma time-of-flight mass spectrometry. 2000 , 15, 1063-1067	43
656	SEPARATION OF PROTEINS BY CAPILLARY ELECTROPHORESIS USING AN EPOXY BASED HYDROPHILIC COATING. 2000 , 23, 61-78	9
655	Size-dependent electrophoretic migration and separation of liposomes by capillary zone electrophoresis in electrolyte solutions of various ionic strengths. 2000 , 72, 5955-60	50
654	Electroosmotically induced hydraulic pumping on microchips: differential ion transport. 2000 , 72, 2285-91	102
653	Determination of biophysical parameters of polypeptide retro-inverso isomers and their analogues by capillary electrophoresis. 2000 , 72, 1964-72	29
652	Irreversible Adsorption of Lysozyme to Polishing Marks on Silica. 2000 , 16, 7279-7284	19
651	Automated ultra-thin-layer SDS gel electrophoresis of proteins using noncovalent fluorescent labeling. 2000 , 72, 2519-25	36
650	Simultaneous separation of cationic and anionic proteins using zwitterionic surfactants in capillary electrophoresis. 2000 , 72, 2280-4	70
649	Optimization of high-performance DNA sequencing on short microfabricated electrophoretic devices. 2000 , 72, 3129-37	75
648	On-line concentration and separation of proteins by capillary electrophoresis using polymer solutions. 2000 , 72, 4805-11	72
647	Accuracy in the determination of isoelectric points of some proteins and a peptide by capillary isoelectric focusing: utility of synthetic peptides as isoelectric point markers. 2000 , 72, 4747-57	52
646	Turn geometry for minimizing band broadening in microfabricated capillary electrophoresis channels. 2000 , 72, 3030-7	159

645	Electroosmotic flow control of fluids on a capillary electrophoresis microdevice using an applied external voltage. 2000 , 72, 1088-92	87
644	Single-molecule DNA amplification and analysis in an integrated microfluidic device. 2001 , 73, 565-70	369
643	Synergistic chiral separations using the glycopeptides ristocetin A and vancomycin. 2001 , 48, 163-74	14
642	Electrokinetic Effects in Poly(ethylene glycol)-Coated Capillaries Induced by Specific Adsorption of Cations. 2001 , 17, 4962-4966	21
641	Protein analysis by capillary zone electrophoresis utilizing a trifunctional diamine for silica coating. 2001 , 73, 3862-8	34
640	Electrophoretic Nuclear Magnetic Resonance Studies of Mixed Anionic/Nonionic Surfactant Micelles. 2001 , 17, 7178-7181	24
639	Flow cytometry of Escherichia coli on microfluidic devices. 2001 , 73, 5334-8	205
638	Influence of End-Grafted Polyelectrolytes on Electro-Osmosis along Charged Surfaces. 2001 , 17, 705-715	48
637	Microfabricated polycarbonate CE devices for DNA analysis. 2001 , 73, 4196-201	176
636	High-throughput microfabricated CE/ESI-MS: automated sampling from a microwell plate. 2001 , 73, 2675-81	97
635	Shear-induced degradation of linear polyacrylamide solutions during pre-electrophoretic loading. 2001 , 73, 3035-44	27
634	High-pressure gel loader for capillary array electrophoresis microchannel plates. 2001 , 31, 1150-2, 1154	30
633	Capillary Electrophoresis-based Heteroduplex Analysis with a Universal Heteroduplex Generator for Detection of Point Mutations Associated with Rifampin Resistance in Tuberculosis. 2001 , 47, 1195-1203	27
632	Genotyping Energy-Transfer-Cassette-labeled Short-Tandem-Repeat Amplicons with Capillary Array Electrophoresis Microchannel Plates. 2001 , 47, 1614-1621	40
631	Microfabricated Electrophoresis Chips on Quartz Substrates and Their Applications on DNA Analysis. 2001 , 48, 1123-1128	2
630	Identifying the orientation of DNA fragment in recombinant plasmid by capillary electrophoresis with a non-gel sieving solution. 2001 , 17, 1253-6	3
629	Improvement of a capillary electrophoresis-chemiluminescence detection system for using a polyacrylamide-coated capillary. 2001 , 17, 345-7	20
628	Separation of metal ions by capillary electrophoresis--diversity, advantages, and drawbacks of detection methods. 2001 , 370, 316-31	34

627	Multiple-channel microchips for high-throughput DNA analysis by capillary electrophoresis. 2001 , 371, 137-45		16
626	Chiral separation of newly synthesized arylpropionic acids by capillary electrophoresis using cyclodextrins or a glycopeptide antibiotic as chiral selectors. 2001 , 54, 87-92		9
625	Sugar-lectin interactions investigated through affinity capillary electrophoresis. 2001 , 752, 207-16		28
624	Improved capillary electrophoresis conditions for the separation of kinase substrates by the laser micropipet system. 2001 , 757, 79-88		19
623	Separation of DNA fragments and single strand conformation polymorphism analysis in bare capillaries using poly(acrylamide-dimethylacrylamide) as a separation medium. 2001 , 761, 139-45		9
622	Molecular weight analysis of polycations by capillary electrophoresis in a solution of neutral polymers. 2001 , 42, 5915-5920		14
621	Separation of catecholamines by capillary electrophoresis using in-run modified surfaces and covalently bonded surface coatings in capillaries. 2001 , 13, 126-133		9
620	Pharmaceutical-induced cell apoptosis characterized by capillary zone electrophoresis. 2001 , 297, 10-4		3
619	Discrimination between peak spreading in capillary zone electrophoresis of proteins due to interaction with the capillary wall and due to protein microheterogeneity. <i>Electrophoresis</i> , 2001 , 22, 66-70 ⁶		15
618	Towards dynamic coating of glass microchip chambers for amplifying DNA via the polymerase chain reaction. <i>Electrophoresis</i> , 2001 , 22, 334-40	3.6	86
617	Separation of multicomponent mixtures of 2,4-dinitrophenyl labelled amino acids and their enantiomers by capillary zone electrophoresis. <i>Electrophoresis</i> , 2001 , 22, 470-7	3.6	22
616	The state of the art of dynamic coatings. <i>Electrophoresis</i> , 2001 , 22, 603-11	3.6	204
615	Stationary phases for capillary electrophoresis and capillary electrochromatography. <i>Electrophoresis</i> , 2001 , 22, 612-28	3.6	87
614	Polymer wall coatings for capillary electrophoresis. <i>Electrophoresis</i> , 2001 , 22, 644-55	3.6	419
613	Rapid capillary coating by epoxy-poly-(dimethylacrylamide): performance in capillary zone electrophoresis of protein and polystyrene carboxylate. <i>Electrophoresis</i> , 2001 , 22, 656-9	3.6	32
612	Directed control of electroosmotic flow in nonaqueous electrolytes using poly(ethylene glycol) coated capillaries. <i>Electrophoresis</i> , 2001 , 22, 666-72	3.6	35
611	DNA sequencing by capillary electrophoresis using copolymers of acrylamide and N,N-dimethylacrylamide. <i>Electrophoresis</i> , 2001 , 22, 729-36	3.6	34
610	A new strategy for optimizing sensitivity, speed, and resolution in capillary electrophoretic separation of DNA. <i>Electrophoresis</i> , 2001 , 22, 763-70	3.6	34

609	Determination of carbamazepine and carbamazepine-10,11-epoxide in human serum and plasma by micellar electrokinetic capillary chromatography in the absence of electroosmosis. <i>Electrophoresis</i> , 2001 , 22, 1345-55	3.6	22
608	Separation of dipeptide and tripeptide enantiomers in capillary electrophoresis using carboxymethyl-beta-cyclodextrin and succinyl-beta-cyclodextrin: influence of the amino acid sequence, nature of the cyclodextrin and pH. <i>Electrophoresis</i> , 2001 , 22, 1385-93	3.6	47
607	Fast DNA sequencing up to 1,000 bases by capillary electrophoresis using poly(N,N-dimethylacrylamide) as a separation medium. <i>Electrophoresis</i> , 2001 , 22, 1987-96	3.6	29
606	Three-dimensional observation of electrophoretic migration of dsDNA in semidilute hydroxyethylcellulose solution. <i>Electrophoresis</i> , 2001 , 22, 2433-41	3.6	11
605	Capillary electrophoresis of RNA in dilute and semidilute polymer solutions. <i>Electrophoresis</i> , 2001 , 22, 2442-7	3.6	36
604	Separation of lidocaine and its metabolites by capillary electrophoresis using volatile aqueous and nonaqueous electrolyte systems. <i>Electrophoresis</i> , 2001 , 22, 2495-502	3.6	10
603	Recent developments in chiral capillary electrophoresis and applications of this technique to pharmaceutical and biomedical analysis. <i>Electrophoresis</i> , 2001 , 22, 3107-30	3.6	178
602	Separation of basic drug enantiomers by capillary electrophoresis using ovoglycoprotein as a chiral selector: comparison of chiral resolution ability of ovoglycoprotein and completely deglycosylated ovoglycoprotein. <i>Electrophoresis</i> , 2001 , 22, 3251-6	3.6	12
601	Separation of basic drug enantiomers by capillary zone electrophoresis using glucuronyl glucosyl beta-cyclodextrin as a chiral selector. <i>Electrophoresis</i> , 2001 , 22, 3382-8	3.6	9
600	Assessment of the capillary zone electrophoretic behavior of proteins in the presence of electroosmotic modifiers: protein-polyamine interaction studied using a polyacrylamide-coated capillary. <i>Electrophoresis</i> , 2001 , 22, 3389-94	3.6	6
599	Capillary sodium dodecyl sulfate-DALT electrophoresis of proteins in a single human cancer cell. <i>Electrophoresis</i> , 2001 , 22, 3677-82	3.6	57
598	Separation of double-stranded DNA fragments by capillary electrophoresis in interpenetrating networks of polyacrylamide and polyvinylpyrrolidone. <i>Electrophoresis</i> , 2001 , 22, 3688-98	3.6	30
597	Cross-linked poly(vinyl alcohol) as permanent hydrophilic column coating for capillary electrophoresis. <i>Electrophoresis</i> , 2001 , 22, 3813-8	3.6	114
596	High-performance genetic analysis using microfabricated capillary array electrophoresis microplates. <i>Electrophoresis</i> , 2001 , 22, 3845-56	3.6	80
595	Field-effect flow control in a polydimethylsiloxane-based microfluidic system. <i>Electrophoresis</i> , 2001 , 22, 3902-7	3.6	48
594	A method for UV-bonding in the fabrication of glass electrophoretic microchips. <i>Electrophoresis</i> , 2001 , 22, 3924-9	3.6	56
593	Chiral analysis of UV nonabsorbing compounds by capillary electrophoresis using macrocyclic antibiotics: 1. Separation of aspartic and glutamic acid enantiomers. <i>Electrophoresis</i> , 2001 , 22, 2129-35	3.6	40
592	Enantioseparation of S-carboxymethylcysteine and N-acetamidocarboxymethylcysteine by capillary electrophoresis using vancomycin. 2001 , 24, 789-794		7

591	DNA sequencing by capillary electrophoresis using mixtures of polyacrylamide and poly(N,N-dimethylacrylamide). <i>Journal of Chromatography A</i> , 2001 , 915, 231-9	4.5	24
590	On-line sample concentration in micellar electrokinetic chromatography with cationic micelles in a coated capillary. <i>Journal of Chromatography A</i> , 2001 , 912, 343-52	4.5	39
589	Bonded dimethylacrylamide as a permanent coating for capillary electrophoresis. <i>Journal of Chromatography A</i> , 2001 , 924, 59-70	4.5	57
588	Non-aqueous capillary electrophoretic separation of enantiomeric amines with (-)-2,3:4,6-di-O-isopropylidene-2-keto-L-gulonic acid as chiral counter ion. <i>Journal of Chromatography A</i> , 2001 , 922, 303-11	4.5	38
587	Use of a partial filling technique and reverse migrating micelles in the study of N-methylcarbamate pesticides by micellar electrokinetic chromatography-electrospray ionization mass spectrometry. <i>Journal of Chromatography A</i> , 2001 , 927, 191-202	4.5	49
586	On-line capillary electrophoresis with mass spectrometry detection for the analysis of carbohydrates after derivatization with 8-aminonaphthalene-1,3,6-trisulfonic acid. <i>Journal of Chromatography A</i> , 2001 , 934, 75-85	4.5	47
585	Polyacrylamides as hydrophilic selectors in non-aqueous capillary electrophoresis. <i>Journal of Chromatography A</i> , 2001 , 905, 291-7	4.5	14
584	Mixed triblock copolymers used as DNA separation medium in capillary electrophoresis. <i>Journal of Chromatography A</i> , 2001 , 909, 271-8	4.5	14
583	Characterisation of retention in micellar high-performance liquid chromatography, in micellar electrokinetic chromatography and in micellar electrokinetic chromatography with reduced flow. <i>Journal of Chromatography A</i> , 2001 , 914, 233-44	4.5	17
582	Determination of 5-fluorouracil and 5-fluoro-2-deoxyuridine-5-monophosphate in pancreatic cancer cell line and other biological materials using capillary electrophoresis. <i>Journal of Chromatography A</i> , 2001 , 916, 215-24	4.5	32
581	Role of biantennary glycans and genetic variants of human alpha1-acid glycoprotein in enantioselective binding of basic drugs as studied by high performance frontal analysis/capillary electrophoresis. 2001 , 18, 389-93		13
580	Recent Advances in Capillary Isoelectric Focusing. <i>Chromatographia CE Series</i> , 2001 , 45-58		1
579	Electroosmotic effects in the determination of ion mobilities of carrier-free radionuclides in free aqueous electrolyte solutions. 2001 , 89, 537-542		3
578	IMPROVED PEPTIDE MAPPING BY CAPILLARY ZONE ELECTROPHORESIS USING TRIETHYLENETETRAMINE PHOSPHATE BUFFER AS THE ELECTROLYTE SOLUTION. 2001 , 24, 2785-2800		4
577	Capillary Electrophoresis of Nucleic Acids. 2001 ,		15
576	High-performance multiplex SNP analysis of three hemochromatosis-related mutations with capillary array electrophoresis microplates. 2001 , 11, 413-21		65
575	SSCP analysis by capillary electrophoresis with laser-induced fluorescence detector. 2001 , 163, 127-34		
574	High resolution analysis of point mutations by constant denaturant capillary electrophoresis (CDCE). 2001 , 163, 57-72		11

573	Ultra-fast DNA separations using capillary electrophoresis. 2001 , 163, 19-39	
572	DNA sequencing in noncovalently coated capillaries using low viscosity polymer solutions. 2001 , 163, 309-15	4
571	CAPILLARY ZONE ELECTROPHORETIC SEPARATION OF PROTEINS USING COATED CAPILLARIES. 2002 , 25, 1171-1185	5
570	Electrophoretic Light Scattering. 2002 , 289-343	1
569	Tripeptide interference with human immunodeficiency virus type 1 morphogenesis. 2002 , 46, 3597-605	27
568	SEPARATION OF FOUR BASIC PROTEINS IN THE MIXTURE BY CAPILLARY ELECTROPHORESIS WITH A NEW CHEMICAL MODIFICATION COLUMN. 2002 , 35, 397-411	0
567	High throughput DNA sequencing with a microfabricated 96-lane capillary array electrophoresis bioprocessor. 2002 , 99, 574-9	224
566	Coupling of optical characterization with particle and network synthesis for biomedical applications. 2002 , 7, 498-506	3
565	Microfabricated 384-lane capillary array electrophoresis bioanalyzer for ultrahigh-throughput genetic analysis. 2002 , 74, 5076-83	249
564	Examination of theoretical models in external voltage control of capillary electrophoresis. 2002 , 74, 1249-55	10
563	Microchip bioprocessor for integrated nanovolume sample purification and DNA sequencing. 2002 , 74, 5092-8	100
562	Electrophoretic injection within microdevices. 2002 , 74, 1952-61	29
561	Use of surface-modified capillaries in the separation and characterization of metallothionein isoforms by capillary electrophoresis inductively coupled plasma mass spectrometry. 2002 , 74, 626-31	49
560	Fluorescence-labeled peptide pI markers for capillary isoelectric focusing. 2002 , 74, 1046-53	58
559	A protein-encapsulation technique by the sol-gel method for the preparation of monolithic columns for capillary electrochromatography. 2002 , 74, 1915-21	156
558	In vitro biotransformation of (R)- and (S)-thalidomide: application of circular dichroism spectroscopy to the stereochemical characterization of the hydroxylated metabolites. 2002 , 74, 3726-35	47
557	SHORT, HIGHLY CROSS-LINKED, POLYMER BASED, MONOLITHIC COLUMN FOR CAPILLARY ELECTROCHROMATOGRAPHY. 2002 , 25, 2965-2976	6
556	Integrated microfluidic electrophoresis system for analysis of genetic materials using signal amplification methods. 2002 , 74, 725-33	40

555	Chapter 20 Analysis of glycoproteins and their glycopeptide and glycan fragments by electrophoresis and capillary electrophoresis. 2002 , 691-785		4
554	DNA kinetics in microfabricated devices.		
553	Protein domain of chicken alpha(1)-acid glycoprotein is responsible for chiral recognition. 2002 , 295, 587-90		26
552	Metallothioneins from horse kidney studied by separation with capillary zone electrophoresis below and above the isoelectric points. <i>Talanta</i> , 2002 , 57, 707-20	6.2	11
551	Recent results of biotransformation of drugs: investigation of the in vitro biotransformation of thalidomide using a dual cyclodextrin system in capillary electrophoresis. 2002 , 57, 551-4		14
550	Modification of capillary electrophoresis capillaries by poly(hydroxyethyl methacrylate), poly(diethylene glycol monomethacrylate) and poly(triethylene glycol monomethacrylate). <i>Electrophoresis</i> , 2002 , 23, 528-35	3.6	11
549	High-speed analysis of multiplexed short tandem repeats with an electrophoretic microdevice. <i>Electrophoresis</i> , 2002 , 23, 719-26	3.6	40
548	Immunoassay of serum alpha(1)-antitrypsin by affinity-probe capillary isoelectric focusing using a fluorescence-labeled recombinant antibody fragment. <i>Electrophoresis</i> , 2002 , 23, 909-17	3.6	24
547	Mapping of stereoselective recognition sites on human serum transferrin by capillary electrophoresis and molecular modelling. <i>Electrophoresis</i> , 2002 , 23, 964-71	3.6	14
546	Capillary electrochromatography with monolithic stationary phases: 1. Preparation of sulfonated stearyl acrylate monoliths and their electrochromatographic characterization with neutral and charged solutes. <i>Electrophoresis</i> , 2002 , 23, 2938-48	3.6	112
545	Capillary sodium dodecyl sulfate-DALT electrophoresis with laser-induced fluorescence detection for size-based analysis of proteins in human colon cancer cells. <i>Electrophoresis</i> , 2002 , 23, 3136-42	3.6	59
544	Ionenes acting as pseudostationary phases in capillary electrokinetic chromatography. 2002 , 25, 1027-1034		12
543	Separation of dipeptide and tripeptide enantiomers in capillary electrophoresis by the cationic cyclodextrin derivative 2-hydroxypropyltrimethyl-ammonium- β -cyclodextrin and by neutral β -cyclodextrin derivatives at alkaline pH. 2002 , 25, 1147-1154		26
542	Starburst dendrimers as macromolecular pore-templates for stationary phases in capillary chromatography. 2002 , 25, 1252-1256		13
541	Employment of detergent-tag/solute interactions in capillary electrophoresis of neutral polysaccharides. 2002 , 16, 134-40		5
540	Ethylbenzene-modified fused-silica columns for capillary electrophoresis. 2002 , 56, 175-180		1
539	Comparison of selectivity between HPLC and micellar electrokinetic chromatography. 2002 , 56, S95-S102		5
538	A signal process method for DNA segments separation in micro-channel electrophoresis. 2002 , 17, 619-23		12

537	Quantitative capillary electrophoresis assay for the proteolytic stability of luteinizing hormone-releasing hormones. 2002 , 769, 235-42		6
536	Electrophoresis using ultra-high voltages. 2002 , 779, 163-71		6
535	An experimental design methodology applied to the enantioseparation of a non-steroidal anti-inflammatory drug candidate. 2002 , 29, 989-97		36
534	New silanization coating for DNA fragment analysis by capillary electrophoresis. 2002 , 40, 1405-1420		3
533	Cycloaliphatic epoxy resin coating for capillary electrophoresis. <i>Journal of Chromatography A</i> , 2002 , 952, 267-74	4-5	7
532	Capillary electrophoretic separations of proteins using carrier ampholytes. <i>Journal of Chromatography A</i> , 2002 , 959, 289-98	4-5	23
531	Copolymer solutions as separation media for DNA capillary electrophoresis. <i>Journal of Chromatography A</i> , 2002 , 966, 1-13	4-5	46
530	Stable homogeneous gel for molecular-sieving of DNA fragments in capillary electrophoresis. <i>Journal of Chromatography A</i> , 2002 , 960, 221-7	4-5	19
529	Methacrylate monolithic columns of 320 microm I.D. for capillary liquid chromatography. <i>Journal of Chromatography A</i> , 2002 , 946, 99-106	4-5	94
528	Protein separation and surfactant control of electroosmotic flow in poly(dimethylsiloxane)-coated capillaries and microchips. <i>Journal of Chromatography A</i> , 2002 , 947, 277-86	4-5	79
527	Electroosmotic flow controllable coating on a capillary surface by a sol-gel process for capillary electrophoresis. <i>Journal of Chromatography A</i> , 2002 , 952, 255-66	4-5	21
526	Performance of metal complex substituted polysiloxanes in capillary electrophoresis and capillary electrochromatography. <i>Journal of Chromatography A</i> , 2002 , 967, 289-301	4-5	3
525	Evidence for oligomerization of metallothioneins in their functional state. <i>Journal of Chromatography A</i> , 2002 , 979, 249-54	4-5	21
524	Electroosmotic flow variations caused by the volatility of buffer components: diagnosis and therapy. <i>Journal of Chromatography A</i> , 2002 , 979, 97-103	4-5	5
523	On-line drug-metabolism system using microsomes encapsulated in a capillary by the sol-gel method and integrated into capillary electrophoresis. 2002 , 308, 278-84		40
522	Hydroxyethylcellulose as an effective polymer network for DNA analysis in uncoated glass microchips: optimization and application to mutation detection via heteroduplex analysis. 2002 , 309, 212-23		44
521	Simultaneous iso-electric focusing of proteins in a micro-fabricated capillary coated with hydrophobic and hydrophilic plasma polymerized films. 2003 , 3, 495-499		24
520	Cinnamic acid polymer-based monolithic column for capillary electrochromatography. 2003 , 57, 819-823		4

519	Biopolymer-coated fused silica capillaries for high magnitude cathodic or anodic electro-osmotic flows in capillary electrophoresis. 2003 , 57, S187-S193		6
518	Fabrication of on-chip microcapillary using photosensitive glass. 2003 , 9, 541-545		6
517	Separation of twenty underivatized essential amino acids by capillary zone electrophoresis with contactless conductivity detection. <i>Electrophoresis</i> , 2003 , 24, 671-7	3.6	115
516	Investigation of the separability of thaumatin by capillary electrophoresis. 2003 , 26, 727-733		10
515	Enantioseparation of dansyl amino acids on terguride-based chiral selectors. Part I: Capillary electrophoretic separation. 2003 , 26, 851-856		9
514	Separation of bacteria by capillary electrophoresis. 2003 , 26, 1045-1049		78
513	Separation of aromatic sulphonic acids by CZE in coated and non-coated capillaries. 2003 , 26, 1035-1044		6
512	Capillary electrochromatographic separation of ionizable compounds with a molecular imprinted monolithic cationic exchange column. 2003 , 26, 555-561		30
511	Exploration of the electrophoretic behaviour of borane cluster anions and of the capability of capillary electrophoresis to separate them chirally. <i>Journal of Chromatography A</i> , 2003 , 984, 121-34	4.5	17
510	Separation of mixtures of acidic and basic peptides at neutral pH. <i>Journal of Chromatography A</i> , 2003 , 1004, 61-70	4.5	9
509	Migration time and peak area artifacts caused by systemic effects in voltage controlled capillary electrophoresis. <i>Journal of Chromatography A</i> , 2003 , 1004, 91-8	4.5	13
508	Novel polyamine coating providing non-covalent deactivation and reversed electroosmotic flow of fused-silica capillaries for capillary electrophoresis. <i>Journal of Chromatography A</i> , 2003 , 1003, 217-21	4.5	77
507	Comparison of the electrophoretic separation of proteins in capillaries with different inner diameter. <i>Journal of Chromatography A</i> , 2003 , 1013, 233-8	4.5	7
506	Large volume sample stacking in capillary electrophoresis of weakly acidic compounds using coated capillaries at high pH. <i>Analytica Chimica Acta</i> , 2003 , 491, 173-179	6.6	34
505	Inner surface properties of capillaries for electrophoresis. 2003 , 22, 588-604		35
504	Investigation of chromatographic performances and binding characteristics of BSA-encapsulated capillary column prepared by the sol-gel method. 2003 , 30, 1845-50		49
503	Simultaneous enantioselective separation of azelastine and three of its metabolites for the investigation of the enantiomeric metabolism in rats. I. Liquid chromatography-ionspray tandem mass spectrometry and electrokinetic capillary chromatography. 2003 , 793, 389-404		16
502	Simultaneous genotyping of multiplex single nucleotide polymorphisms of the K-ras gene with a home-made kit. 2003 , 795, 55-60		5

501	New physically adsorbed polymer coating for reproducible separations of basic and acidic proteins by capillary electrophoresis. <i>Journal of Chromatography A</i> , 2003 , 1012, 95-101	4.5	67
500	Integrated hydrogenated amorphous Si photodiode detector for microfluidic bioanalytical devices. 2003 , 75, 5300-5		135
499	Gel and polymer-solution mediated separation of biopolymers by capillary electrophoresis. 2003 , 41, 449-59		23
498	Electrokinetic stretching of tethered DNA. 2003 , 85, 2539-46		55
497	Chiral Separations. 2003 ,		1
496	Capillary electrophoretic study on pH dependence of enantioselective disopyramide binding to genetic variants of human alpha1-acid glycoprotein. <i>Analyst, The</i> , 2003 , 128, 1023-7	5	15
495	Dependence of the mobility of tracer ions in aqueous perchlorate solutions on the hydrogen ion concentration. 2003 , 5, 117-126		4
494	Programmable modification of cell adhesion and zeta potential in silica microchips. 2003 , 3, 5-10		63
493	Complex formation of Tb ³⁺ with glycolate, D-gluconate and D-sosaccharinate in neutral aqueous perchlorate solutions. 2003 , 91, 599-602		6
492	Chiral separations by capillary electrophoresis using proteins as chiral selectors. 2004 , 243, 291-305		
491	Microfabricated capillary array electrophoresis. 2003 , 231-247		
490	Design and fabrication of an integrated microsystem for microcapillary electrophoresis. 2003 , 13, 914-921		25
489	Enantioseparation of Quaternary Amino Amides by Capillary Electrophoresis with Human Serum Albumin. 2003 , 36, 1451-1462		0
488	Monolithic Continuous Beds Prepared from Water-Soluble Acrylamide-Based Monomers. 2003 , 67, 143-172		3
487	Capillary Electrochromatography. 2003 , 67, 489-559		6
486	Oligodeoxynucleotide-modified capillary for electrophoretic separation of single-stranded DNAs with a single-base difference. 2003 , 19, 73-7		13
485	Capillary Electrophoresis. 2003 ,		
484	Microelectrophoresis devices for DNA sequencing. 2004 ,		

483	Integrated genetic analysis microsystems. 2004 , 37, R245-R261		68
482	Capillary electrophoresis in the analysis and monitoring of biotechnological processes. 2004 , 276, 77-120		6
481	Surfactant-based methods for prevention of protein adsorption in capillary electrophoresis. 2004 , 276, 1-14		3
480	Electrokinetically driven active micro-mixers utilizing zeta potential variation induced by field effect. 2004 , 14, 1390-1398		79
479	Chapter 9 Capillary zone electrophoresis. 2004 , 369-402		
478	Capillary Electrophoresis of Proteins and Peptides. 2004 ,		8
477	Advanced Capillary and Microchip Electrophoretic Techniques for Proteomics. 2004 , 1, 325-347		6
476	l-3,4-Dihydroxyphenyl alanine-extradial cleavage is followed by intramolecular cyclization in lincomycin biosynthesis. 2004 , 271, 3678-83		32
475	Development of a new method for the separation of vanadium species and chloride interference removal using modified silica capillaries-DIN-ICP-MS. 2004 , 76, 161-171		14
474	Applications of homemade kit in mutation detection of genes. 2004 , 47, 166		
473	Molecularly imprinted polymer for theophylline retention and molecular recognition properties in capillary electrochromatography. 2004 , 9, 359-365		2
472	Comparative study for separation of aquatic humic substances by capillary zone electrophoresis using uncoated, polymer coated and gel-filled capillaries. <i>Journal of Chromatography A</i> , 2004 , 1023, 129-142		16
471	Influence of ignored and well-known zone distortions on the separation performance of proteins in capillary free zone electrophoresis with special reference to analysis in polyacrylamide-coated fused silica capillaries in various buffers. <i>Journal of Chromatography A</i> , 2004 , 1053, 201-216	4.5	
470	Micro- and nanofluidics for DNA analysis. 2004 , 378, 1678-92		256
469	Detection of K-ras exon 1 mutations by constant denaturant capillary electrophoresis. 2004 , 18, 538-41		13
468	Capillary electrophoresis-mass spectrometry of basic proteins using a new physically adsorbed polymer coating. Some applications in food analysis. <i>Electrophoresis</i> , 2004 , 25, 2056-64	3.6	91
467	Determination of protein-ligand affinity constants from direct migration time in capillary electrophoresis. <i>Electrophoresis</i> , 2004 , 25, 1829-36	3.6	40
466	Importance of the counterion in optimization of a borate electrolyte system for analyses of anions in samples with complex matrices performed by capillary zone electrophoresis. <i>Electrophoresis</i> , 2004 , 25, 3406-15	3.6	20

465	Wall coating for capillary electrophoresis on microchips. <i>Electrophoresis</i> , 2004 , 25, 3589-601	3.6	122
464	DNA sequencing and genotyping in miniaturized electrophoresis systems. <i>Electrophoresis</i> , 2004 , 25, 3564-88		95
463	On experimental aspects of electrophoretic NMR. 2004 , 22A, 61-68		31
462	Topographical properties of polymer films deposited in capillaries for electrophoretic separations of large organic molecules. 2004 , 27, 1121-9		8
461	Single-step quantitation of DNA in microchip electrophoresis with linear imaging UV detection and fluorescence detection through comigration with a digest. <i>Journal of Chromatography A</i> , 2004 , 1051, 147-53	4.5	15
460	Capillary electrochromatography with polymeric continuous beds synthesized via free radical polymerization in aqueous media using derivatized cyclodextrins as solubilizing agents. <i>Journal of Chromatography A</i> , 2004 , 1044, 211-22	4.5	25
459	Spectroscopic analysis of durable 2,3-epoxy-1-propanol plasma polymerized films. 2004 , 243, 29-35		2
458	Capillary electrophoresis-based analysis of phospholipid and glycosaminoglycan binding by human beta2-glycoprotein I. <i>Journal of Chromatography A</i> , 2004 , 1059, 215-22	4.5	16
457	Determination of the net charge (valence) of a protein: a fundamental but elusive parameter. 2004 , 325, 1-20		61
456	Determination of protein charge by capillary zone electrophoresis. 2004 , 333, 225-9		25
455	Study of polydimethylacrylamide- and polydiethylacrylamide-adsorbed coatings on fused silica capillaries and their application in genetic analysis. <i>Analytica Chimica Acta</i> , 2004 , 507, 179-184	6.6	20
454	Enantiomeric separations of some acidic compounds with cationic cyclodextrin by capillary electrophoresis. <i>Analytica Chimica Acta</i> , 2004 , 517, 95-101	6.6	20
453	Integrated optical-fiber capillary electrophoresis microchips with novel spin-on-glass surface modification. 2004 , 20, 83-90		36
452	Preparation and Evaluation of a Series of Reversed-Phase Monolithic Columns for Capillary Electrochromatography. 2004 , 37, 2363-2377		2
451	Study of Various Treatments to Isolate Low Levels of Cider Proteins to Be Analyzed by Capillary Sieving Electrophoresis. 2004 , 27, 1523-1539		9
450	Porous polymer monolith assisted electrospray. 2004 , 76, 6456-60		50
449	Sparsely cross-linked "nanogel" matrixes as fluid, mechanically stabilized polymer networks for high-throughput microchannel DNA sequencing. 2004 , 76, 5249-56		39
448	Small-Angle Neutron Scattering, Electron Paramagnetic Resonance, Electrophoretic NMR, and Time-Resolved Fluorescence Quenching Studies of Sodium Dodecyl Sulfate and Tetra(ethylene oxide) Dodecyl Ether Mixed Surfactant Micelles. 2004 , 108, 1351-1356		20

447	An etched porous interface for on-line capillary electrophoresis-based two-dimensional separation system. 2004 , 76, 6506-12		37
446	Surfactant/Nonionic polymer interaction. A NMR diffusometry and NMR electrophoretic investigation. 2004 , 20, 1138-43		64
445	Two-dimensional protein separation with advanced sample and buffer isolation using microfluidic valves. 2004 , 76, 4426-31		132
444	Continuous beds (monoliths): stationary phases for liquid chromatography formed using the hydrophobic interaction-based phase separation mechanism. 2004 , 59, 1-48		38
443	Integrated portable genetic analysis microsystem for pathogen/infectious disease detection. 2004 , 76, 3162-70		246
442	Fluorescent-based single-strand conformation polymorphism/heteroduplex capillary electrophoretic mutation analysis of the P53 gene. 2004 , 20, 1001-5		6
441	Electrophoresis with Polarized Fluorescence Detection. Application to Capillary Fluorescence Rejection. 2005 , 52, 759-764		1
440	Synthesis of DNA conjugate by mechanochemical solid-state polymerization and its affinity separation of oligonucleotides having single-base difference by capillary electrophoresis. 2005 , 53, 863-5		10
439	Separation of DNA in a versatile microchip. 2005 , 107, 975-979		9
438	On-line capillary isoelectric focusing-mass spectrometry for quantitative analysis of peptides and proteins. 2005 , 37, 423-8		52
437	Separation of DNA with hydroxypropylmethyl cellulose and poly(ethylene oxide) by capillary gel electrophoresis. 2005 , 80, 121-125		3
436	Separation of humic acids using capillary isoelectric focusing. 2005 , 79, 49-54		6
435	Effect of the glass surface modification on the strength of methacrylate monolith attachment. <i>Journal of Chromatography A</i> , 2005 , 1065, 51-8	4.5	40
434	Preparation and evaluation of poly(polyethylene glycol methyl ether acrylate-co-polyethylene glycol diacrylate) monolith for protein analysis. <i>Journal of Chromatography A</i> , 2005 , 1079, 382-91	4.5	46
433	Electrophoretic separation of aniline derivatives using fused silica capillaries coated with acid treated single-walled carbon nanotubes. <i>Journal of Chromatography A</i> , 2005 , 1074, 187-94	4.5	68
432	Chiral separation of dansyl amino acids by PDMS microchip gel monolithic column electrochromatography with β -cyclodextrin bonded in polyacrylamide. <i>Analytica Chimica Acta</i> , 2005 , 551, 1-8	6.6	46
431	Analysis of ethyl glucuronide in human serum by capillary electrophoresis with sample self-stacking and indirect detection. <i>Journal of Chromatography A</i> , 2005 , 1081, 2-8	4.5	43
430	Electrophoretic separation of DNA using a new matrix in uncoated capillaries. <i>Journal of Chromatography A</i> , 2005 , 1083, 173-8	4.5	18

429	Different methods for surface modification of hydrophilic particulates with polymers. 2005 , 266, 18-31		31
428	Preparation and Porous Property of C14-Monolithic Column for Capillary Electrochromatography. 2005 , 61, 55-60		5
427	Separation of Basic Proteins in Bare Fused-Silica Capillaries with Diethylentriamine Phosphate Buffer as the Background Electrolyte Solution. 2005 , 62, s43-s50		15
426	Combining capillary electrophoresis with mass spectrometry for applications in proteomics. <i>Electrophoresis</i> , 2005 , 26, 1291-305	3.6	168
425	Chiral recognition ability of an (S)-naproxen- imprinted monolith by capillary electrochromatography. <i>Electrophoresis</i> , 2005 , 26, 804-11	3.6	52
424	High-throughput single-strand conformation polymorphism analysis on a microfabricated capillary array electrophoresis device. <i>Electrophoresis</i> , 2005 , 26, 1834-42	3.6	40
423	Capillary zone electrophoresis of amino acids on a hybrid poly(dimethylsiloxane)-glass chip. <i>Electrophoresis</i> , 2005 , 26, 1849-60	3.6	24
422	Isoelectric focusing in cyclic olefin copolymer microfluidic channels coated by polyacrylamide using a UV photografting method. <i>Electrophoresis</i> , 2005 , 26, 1800-6	3.6	85
421	Noncovalent coatings for the separation of synthetic polypeptides by nonaqueous capillary electrophoresis. <i>Electrophoresis</i> , 2005 , 26, 2187-97	3.6	21
420	Comprehensive assessment of N-glycans derived from a murine monoclonal antibody: a case for multimethodological approach. <i>Electrophoresis</i> , 2005 , 26, 2034-46	3.6	68
419	Electroosmotic flow suppression in capillary electrophoresis: chemisorption of trimethoxy silane-modified polydimethylacrylamide. <i>Electrophoresis</i> , 2005 , 26, 1913-9	3.6	44
418	Detection of the R553X DNA single point mutation related to cystic fibrosis by a "chiral box" D-lysine-peptide nucleic acid probe by capillary electrophoresis. <i>Electrophoresis</i> , 2005 , 26, 4310-6	3.6	26
417	On-line isotachophoretic preconcentration and gel electrophoretic separation of sodium dodecyl sulfate-proteins on a microchip. <i>Electrophoresis</i> , 2005 , 26, 2254-60	3.6	63
416	System zones in capillary zone electrophoresis: moving boundaries caused by freely migrating hydroxide ions. <i>Electrophoresis</i> , 2005 , 26, 1869-73	3.6	6
415	Separation of hyaluronic acid by ultrahigh-voltage capillary gel electrophoresis. <i>Electrophoresis</i> , 2005 , 26, 2027-33	3.6	16
414	Investigation of the effect of ionic strength of Tris-acetate background electrolyte on electrophoretic mobilities of mono-, di-, and trivalent organic anions by capillary electrophoresis. <i>Electrophoresis</i> , 2005 , 26, 3221-31	3.6	39
413	Utilizing the pH hysteresis effect for versatile and simple electrophoretic analysis of proteins in bare fused-silica capillaries. <i>Electrophoresis</i> , 2005 , 26, 4043-9	3.6	16
412	Effects of the limited analyte solubility on its mobility and zone shape: electrophoretic behavior of sanguinarine and chelerythrine around pH 7. <i>Electrophoresis</i> , 2005 , 26, 3265-72	3.6	7

411	On the surface modification of microchannels for microcapillary electrophoresis chips. <i>Electrophoresis</i> , 2005 , 26, 4616-24	3.6	35
410	Determination of dissociation constants of compounds with potential cognition enhancing activity by capillary zone electrophoresis. <i>Electrophoresis</i> , 2005 , 26, 4429-39	3.6	16
409	Rapid identification of pathogenic bacteria by capillary electrophoretic analysis of rRNA genes. 2005 , 28, 513-21		7
408	Influence of steric hindrance on enantioseparation of Dns-amino acids and pesticides on terguride based chiral selectors in capillary electrophoresis. 2005 , 28, 673-7		7
407	Preparation and characterization of C16 monolithic columns for capillary electrochromatography. 2005 , 28, 217-24		13
406	Molecularly imprinted polymers as tools for the screening of felodipine from dihydropyridine calcium antagonists by pressurized capillary electrochromatography. 2005 , 382, 51-8		23
405	Microfluidic genetic analysis with an integrated a-Si:H detector. 2005 , 7, 147-52		46
404	Porous polymer monolith assisted electrospray from a glass microdevice. 2005 , 19, 3279-86		14
403	9 Capillary isoelectric focusing. 2005 , 7, 181-210		4
402	High throughput system for DNA sequencing. 2005 , 76, 074301		4
401	Integrated Genetic Analysis Microsystems. 2005 , 30, 207-233		15
400	Integrated microsystem for dielectrophoretic cell concentration and genetic detection. 2005 , 5, 1053-8		55
399	Charge on Poly(ethylene imine): Comparing Electrophoretic NMR Measurements and pH Titrations. 2005 , 38, 3539-3542		35
398	Isoelectric focusing in a poly(dimethylsiloxane) microfluidic chip. 2005 , 77, 1303-9		113
397	Microfluidic device for electric field-driven single-cell capture and activation. 2005 , 77, 6935-41		55
396	Preconcentration of proteins on microfluidic devices using porous silica membranes. 2005 , 77, 57-63		179
395	Protein charge determination. 2005 , Chapter 2, Unit 2.10		5
394	Million-fold preconcentration of proteins and peptides by nanofluidic filter. 2005 , 77, 4293-9		506

393	Chapter 3 Peptide and protein separations by capillary electrophoresis and electrochromatography. 2005 , 46, 149-252		3
392	Nuclear magnetic resonance and small-angle neutron scattering studies of anionic surfactants with macrocounterions: tetramethylammonium dodecyl sulfate. 2005 , 109, 15775-9		26
391	Control of electroosmotic flow by polymer coating: effects of the electrical double layer. 2006 , 22, 7096-100		37
390	Electrophoretic NMR studies of polymer and surfactant systems. 2006 , 35, 134-45		26
389	Comprehensive protein profiling by multiplexed capillary zone electrophoresis using cross-linked polyacrylamide coated capillaries. 2006 , 5, 323-9		14
388	Intrinsic charge ladders of a monoclonal antibody in hydroxypropylcellulose-coated capillaries. <i>Analyst, The</i> , 2006 , 131, 1034-43	5	13
387	An optimized microchip electrophoresis system for mutation detection by tandem SSCP and heteroduplex analysis for p53 gene exons 5-9. <i>Electrophoresis</i> , 2006 , 27, 3823-35	3.6	24
386	Two-dimensional microcolumn separation platform for proteomics consisting of on-line coupled capillary isoelectric focusing and capillary electrochromatography. 1. Evaluation of the capillary-based two-dimensional platform with proteins, peptides, and human serum. 2006 , 5, 2001-8		56
385	ESI-MS compatible permanent coating of glass surfaces using poly(ethylene glycol)-terminated alkoxy silanes for capillary zone electrophoretic protein separations. 2006 , 78, 4326-33		28
384	High-speed, whole-column fluorescence imaging detection for isoelectric focusing on a microchip using an organic light emitting diode as light source. 2006 , 78, 5845-50		50
383	Solid-support sample loading for DNA sequencing. 2006 , 78, 3632-7		14
382	Aptamer-based detection and quantitative analysis of ricin using affinity probe capillary electrophoresis. 2006 , 78, 3758-64		58
381	Preparation and evaluation of stable coating for capillary electrophoresis using coupled chitosan as coated modifier. <i>Talanta</i> , 2006 , 69, 463-8	6.2	41
380	General Aspects of Instrumentation. 233-262		
379	. 2006 ,		23
378	Development of a MEMS-fabricated SU-8 device for 2D separations. 2006 ,		
377	Capillary Electrophoresis of Proteins and Glycoproteins. 2006 ,		
376	Coupling fluorescence correlation spectroscopy with microchip electrophoresis to determine the effective surface charge of water-soluble quantum dots. 2006 , 2, 534-8		31

375	Rapid and high-throughput forensic short tandem repeat typing using a 96-lane microfabricated capillary array electrophoresis microdevice. 2006 , 51, 740-7		49
374	A need for caution in the use of frontal analysis continuous capillary electrophoresis for the determination of ligand binding data. 2006 , 349, 285-91		16
373	Immunoassay of P-glycoprotein on single cell by capillary electrophoresis with laser induced fluorescence detection. <i>Analytica Chimica Acta</i> , 2006 , 556, 340-346	6.6	23
372	Quantitative determination of oxidized carbon nanotube probes in yeast by capillary electrophoresis with laser-induced fluorescence detection. <i>Analytica Chimica Acta</i> , 2006 , 580, 194-9	6.6	8
371	Maskless liquid-crystal-display projection photolithography for improved design flexibility of cellular micropatterns. 2006 , 27, 3005-9		58
370	Microdevice DNA forensics by the simple tandem repeat method. <i>Journal of Chromatography A</i> , 2006 , 1111, 206-13	4.5	10
369	Investigation of chiral recognition mechanism on chicken alpha(1)-acid glycoprotein using separation system. <i>Journal of Chromatography A</i> , 2006 , 1106, 124-30	4.5	20
368	Suppression of electroosmotic flow and its application to determination of electrophoretic mobilities in a poly(vinylpyrrolidone)-coated capillary. <i>Journal of Chromatography A</i> , 2006 , 1106, 52-5	4.5	49
367	Simultaneous analysis of microsatellite instability and loss of heterozygosity by capillary electrophoresis with a homemade kit. 2006 , 834, 122-7		5
366	Novel adsorptive polyamine coating for enhanced capillary electrophoresis of basic proteins and peptides. 2006 , 838, 113-21		43
365	Comparisons between capillary zone electrophoresis and real-time PCR for quantification of circulating DNA levels in human sera. 2006 , 838, 122-8		8
364	Capillary isoelectric focusing of proteins and microorganisms in dynamically modified fused silica with UV detection. 2006 , 841, 152-9		61
363	Influence of segmenting fluids on efficiency, crossing point and fluorescence level in real time quantitative PCR. 2006 , 8, 59-64		12
362	pH effect on dynamic coating for capillary electrophoresis of DNA. 2006 , 385, 730-6		7
361	Analysis of oxidized multi-walled carbon nanotubes in single K562 cells by capillary electrophoresis with laser-induced fluorescence. 2007 , 387, 119-26		14
360	Methylation analysis of hMLH1 gene promoter by a bisulfite-sensitive single-strand conformation polymorphism-capillary electrophoresis method. 2006 , 20, 815-20		11
359	Why are proteins charged? Networks of charge-charge interactions in proteins measured by charge ladders and capillary electrophoresis. 2006 , 45, 3022-60		200
358	Capillary electrophoresis at the omics level: towards systems biology. <i>Electrophoresis</i> , 2006 , 27, 97-110	3.6	34

357	CE-LIF coupled with flow cytometry for high-throughput quantitation of fluorophores in single intact cells. <i>Electrophoresis</i> , 2006 , 27, 3452-9	3.6	10
356	Capillary electrophoresis of proteins 2003-2005. <i>Electrophoresis</i> , 2006 , 27, 126-41	3.6	126
355	A new quasi-interpenetrating network formed by poly(N-acryloyl-tris-(hydroxymethyl)aminomethane and polyvinylpyrrolidone: separation matrix for double-stranded DNA and single-stranded DNA fragments by capillary electrophoresis with UV detection. <i>Electrophoresis</i> , 2006 , 27, 1749-57	3.6	11
354	A new type of migrating zone boundary in electrophoresis: 2. Transient sample zone shapes. <i>Electrophoresis</i> , 2006 , 27, 519-25	3.6	9
353	Rapid detection of <i>Staphylococcus aureus</i> by a combination of monoclonal antibody-coated latex and capillary electrophoresis. <i>Electrophoresis</i> , 2006 , 27, 1784-9	3.6	19
352	Parallel analysis of biomolecules on a microfabricated capillary array chip. <i>Electrophoresis</i> , 2006 , 27, 1084-92	3.6	41
351	A new type of migrating zone boundary in electrophoresis: 3. The hybrid boundary and stacking criteria. <i>Electrophoresis</i> , 2006 , 27, 962-7	3.6	13
350	Surface treatment and characterization: perspectives to electrophoresis and lab-on-chips. <i>Electrophoresis</i> , 2006 , 27, 584-610	3.6	84
349	Micellar electrokinetic chromatography of fluorescently labeled proteins on poly(dimethylsiloxane)-based microchips. <i>Electrophoresis</i> , 2006 , 27, 2933-9	3.6	21
348	Permanent surface modification of polymeric capillary electrophoresis microchips for protein and peptide analysis. <i>Electrophoresis</i> , 2006 , 27, 3533-46	3.6	93
347	Capillary electrophoresis-based separation techniques for the analysis of proteins. <i>Electrophoresis</i> , 2006 , 27, 3503-22	3.6	67
346	Effects of lactate and acetate on the determination of serum ethyl glucuronide by CZE. <i>Electrophoresis</i> , 2006 , 27, 4772-8	3.6	12
345	Genetic mutation analysis by CE with LIF detection using inverse-flow derivatization of DNA fragments. <i>Electrophoresis</i> , 2006 , 27, 3846-55	3.6	13
344	(S)-Ibuprofen-imprinted polymers incorporating gamma-methacryloxypropyl-trimethoxysilane for CEC separation of ibuprofen enantiomers. <i>Electrophoresis</i> , 2006 , 27, 4351-8	3.6	34
343	Penicillin G acylase as chiral selector in CE using a pullulan-coated capillary. <i>Electrophoresis</i> , 2006 , 27, 4746-54	3.6	13
342	A robust cross-linked polyacrylamide coating for microchip electrophoresis of dsDNA fragments. <i>Electrophoresis</i> , 2006 , 27, 3764-71	3.6	16
341	CE to monitor endotoxins by protein complexation. <i>Electrophoresis</i> , 2006 , 27, 4188-95	3.6	9
340	Scale-up development of high-performance polymer matrix for DNA sequencing analysis. <i>Electrophoresis</i> , 2006 , 27, 3712-23	3.6	6

339	CZE of human alpha-1-acid glycoprotein for qualitative and quantitative comparison of samples from different pathological conditions. <i>Electrophoresis</i> , 2006 , 27, 4205-14	3.6	35
338	Determination of trace cationic impurities in butylmethylimidazolium-based ionic liquids: from transient to comprehensive single-capillary counterflow isotachopheresis-zone electrophoresis. <i>Electrophoresis</i> , 2006 , 27, 4859-71	3.6	32
337	Integrated isotachopheretic preconcentration with zone electrophoresis separation on a quartz microchip for UV detection of flavonoids. <i>Electrophoresis</i> , 2006 , 27, 4904-9	3.6	27
336	What is the future of electrophoresis in large-scale genomic sequencing?. <i>Electrophoresis</i> , 2006 , 27, 3689-702	3.6	31
335	Further Study on Separation of DNA Fragments by Capillary Electrophoresis by Quasi-interpenetrating Network of Polyacrylamide and Polyvinylpyrrolidone with UV Detection. 2006 , 24, 1766-1772		3
334	A study of surface modification and anchoring techniques used in the preparation of monolithic microcolumns in fused silica capillaries. 2006 , 29, 14-24		75
333	Capillary electrophoresis of double-stranded DNA fragments using a new fluorescence intercalating dye EvaGreen. 2006 , 29, 1275-80		24
332	Universal method for synthesis of artificial gel antibodies by the imprinting approach combined with a unique electrophoresis technique for detection of minute structural differences of proteins, viruses, and cells (bacteria): Ia. gel antibodies against proteins (transferrins). 2006 , 29, 2802-9		16
331	Universal method for synthesis of artificial gel antibodies by the imprinting approach combined with a unique electrophoresis technique for detection of minute structural differences of proteins, viruses, and cells (bacteria): II. Gel antibodies against virus (Semliki Forest Virus). 2006 , 29, 2810-5		17
330	The use of derivatized cyclodextrins as solubilizing agents in the preparation of macroporous polymers employed as amphiphilic continuous beds in capillary electrochromatography. 2006 , 29, 2816-26		12
329	Role of chemical structure in molecular recognition by transferrin. 2006 , 19, 270-4		6
328	Warum sind Proteine geladen? Netzwerke aus Ladungs-Ladungs-Wechselwirkungen in Proteinen, analysiert Ber Ladungsleitern und Kapillarelektrophorese. 2006 , 118, 3090-3131		17
327	Fluid Flow in Nanometer Scale Channels: Effects of Polymer Coating. 2006 , 587		
326	In-plane vortex flow in microchannels generated by electroosmosis with patterned surface charge. 2006 , 16, 17-26		15
325	Measurements of the fluid and particle mobilities in strong electric fields. 2006 , 18, 123301		11
324	Imaging cross-section of DNA electrophoresis in a microfabricated glass device with CLSM. 2006 , 4307-9		1
323	Scattering Light Noise Research on Laser-Induced Fluorescence detection for capillary electrophoresis. 2006 ,		
322	Microfabricated bioprocessor for integrated nanoliter-scale Sanger DNA sequencing. 2006 , 103, 7240-5		221

321	Microchip capillary electrophoresis for point-of-care analysis of lithium. 2007 , 53, 117-23		45
320	Compatibility of Segmenting Fluids in Continuous-Flow Microfluidic PCR. 2007 , 1, 241-245		1
319	Microfluidics: Fundamentals and Engineering Concepts. 2007 , 1-58		6
318	High resolution detection system of capillary electrophoresis. 2007 ,		1
317	Chapter 2 Chip Capillary Electrophoresis and Total Genetic Analysis Systems. 2007 , 2, 45-95		2
316	Capillary electrophoresis for studying drug-DNA interactions. 2007 , 42, 141-9		23
315	"Click" modification of silica surfaces and glass microfluidic channels. 2007 , 79, 1661-7		120
314	On-chip pumping for pressure mobilization of the focused zones following microchip isoelectric focusing. 2007 , 7, 112-8		25
313	Polymer entrapment in polymerized silicate for preparing highly stable capillary coatings for CE and CE-MS. 2007 , 79, 7838-44		21
312	Inline injection microdevice for attomole-scale sanger DNA sequencing. 2007 , 79, 4499-506		34
311	Microfluidic Technologies for Miniaturized Analysis Systems. 2007 ,		56
310	Microfabricated two-dimensional electrophoresis device for differential protein expression profiling. 2007 , 79, 7360-6		57
309	Adsorption-resistant acrylic copolymer for prototyping of microfluidic devices for proteins and peptides. 2007 , 79, 1926-31		30
308	Modulation of electroosmotic flow by neutral polymers. 2007 , 23, 5810-6		29
307	Electrophoresis in Microfluidic Systems. 2007 , 393-438		3
306	Universal method for synthesis of artificial gel antibodies by the imprinting approach combined with a unique electrophoresis technique for detection of minute structural differences of proteins, viruses and cells (bacteria). Ib. Gel antibodies against proteins (hemoglobins). <i>Electrophoresis</i> , 2007 , 28, 2345-50	3.6	24
305	Site-specific protein immobilization in a microfluidic chip channel via an IEF-gelation process. <i>Electrophoresis</i> , 2007 , 28, 1587-94	3.6	4
304	Dual-opposite-injection CZE: theoretical aspects and application to organic and pharmaceutical compounds. <i>Electrophoresis</i> , 2007 , 28, 697-711	3.6	15

303	Quantification of busserelin in a pharmaceutical product by multiple-injection CZE. <i>Electrophoresis</i> , 2007 , 28, 1548-56	3.6	18
302	On-column capture of a specific protein separated by SDS-CGE using an immunological reaction on magnetic beads. <i>Electrophoresis</i> , 2007 , 28, 2262-6	3.6	4
301	Microfluidic chip-based cell electrophoresis with multipoint laser-induced fluorescence detection system. <i>Electrophoresis</i> , 2007 , 28, 4741-7	3.6	11
300	Quantitative evaluation of the interaction between netropsin and double stranded oligodeoxynucleotides by microfabricated capillary array electrophoresis. 2007 , 30, 1544-8		5
299	Ketopinic acid and diisopropylidene ketogulonic acid as chiral ion-pair selectors in capillary electrophoresis. Enantiomeric impurity analysis of S-timolol and 1R,2S-ephedrine. <i>Journal of Chromatography A</i> , 2007 , 1141, 287-94	4.5	29
298	Selective sampling of multiply phosphorylated peptides by capillary electrophoresis for electrospray ionization mass spectrometry analysis. <i>Journal of Chromatography A</i> , 2007 , 1156, 101-10	4.5	19
297	Mathematical model for DNA separation by capillary electrophoresis in entangled polymer solutions. <i>Journal of Chromatography A</i> , 2007 , 1142, 222-30	4.5	11
296	Comparison of different capillary isoelectric focusing methods--use of "narrow pH cuts" of carrier ampholytes as original tools to improve resolution. <i>Journal of Chromatography A</i> , 2007 , 1155, 230-6	4.5	29
295	Selective sample treatment using molecularly imprinted polymers. <i>Journal of Chromatography A</i> , 2007 , 1152, 41-53	4.5	207
294	Effects of capillary coating and beta-cyclodextrin additive to the background electrolyte on separation of sulphonated azodyes by capillary zone electrophoresis. <i>Journal of Chromatography A</i> , 2007 , 1149, 358-67	4.5	16
293	Separation and determination of amino acids by micellar electrokinetic chromatography coupling with novel multiphoton excited fluorescence detection. <i>Journal of Chromatography A</i> , 2007 , 1162, 149-53	4.5	8
292	On-line pre-concentration and UV determination of DNA fragments by dynamic coating capillary electrophoresis and its application to detection of genetically modified oilseed rape based on PCR. 2007 , 86, 17-22		10
291	AC electroosmotic generated in-plane microvortices for stationary or continuous fluid mixing. 2007 , 125, 326-336		43
290	Forensic DNA analysis on microfluidic devices: a review. 2007 , 52, 784-99		139
289	Fourier analysis to measure diffusion coefficients and resolve mixtures on a continuous electrophoresis chip. 2007 , 79, 8222-31		12
288	Quantification of single-stranded nucleic acid and oligonucleotide interactions with metal ions by affinity capillary electrophoresis: part I. 2007 , 12, 194-203		14
287	Studies on the analytical performance of a non-covalent coating with N,N-didodecyl-N,N-dimethylammonium bromide for separation of basic proteins by capillary electrophoresis in acidic buffers in 25- and 50-microm capillaries. 2008 , 390, 667-78		19
286	Semi-crosslinked polyacrylamides as high-resolution and dynamic self-coating sieving matrices for protein capillary electrophoresis. 2008 , 53, 2953-2957		1

285	Capillary electrophoretic chiral separation of Cinchona alkaloids using a cyclodextrin selector. 2008 , 31, 1130-6		27
284	Synthesis of a polyrotaxane-based macroporous polymer as stationary phase for capillary electrochromatography via host-guest complexation of N,N Methylene dianilinediacrylamide with statistically methylated beta-cyclodextrin. 2008 , 31, 1519-28		9
283	Robust open tubular layer of S-ketoprofen imprinted polymer for chiral LC separation. 2008 , 31, 2962-70		29
282	Capillary electrophoresis of some free fatty acids using partially aqueous electrolyte systems and indirect UV detection. Application to the analysis of oleic and linoleic acids in peanut breeding lines. 2008 , 31, 2667-76		16
281	Recent innovations in protein separation on microchips by electrophoretic methods. <i>Electrophoresis</i> , 2008 , 29, 157-78	3.6	46
280	Nanoscale actuation of electrokinetic flows on thermoreversible surfaces. <i>Electrophoresis</i> , 2008 , 29, 1245-52	3.6	21
279	Chemical cytometry on microfluidic chips. <i>Electrophoresis</i> , 2008 , 29, 1775-86	3.6	20
278	A well-defined diblock copolymer of poly-(ethylene oxide)-block-poly (4-vinylpyridine) for separation of basic proteins by capillary zone electrophoresis. <i>Electrophoresis</i> , 2008 , 29, 2812-9	3.6	27
277	Simultaneous separation of basic and acidic proteins using 1-butyl-3-methylimidazolium-based ion liquid as dynamic coating and background electrolyte in capillary electrophoresis. <i>Electrophoresis</i> , 2008 , 29, 2356-62	3.6	53
276	Influence of polyelectrolyte coating conditions on capillary coating stability and separation efficiency in capillary electrophoresis. <i>Electrophoresis</i> , 2008 , 29, 3013-23	3.6	55
275	Quantification of single-stranded nucleic acid and oligonucleotide interactions with metal ions by affinity capillary electrophoresis--Part II. <i>Electrophoresis</i> , 2008 , 29, 3342-8	3.6	8
274	Transverse imaging and simulation of dsDNA electrophoresis in microfabricated glass channels. <i>Electrophoresis</i> , 2008 , 29, 4768-74	3.6	
273	Focusing and stabilization of bis-intercalating dye-DNA complexes for high-sensitive CE-LIF DNA analysis. <i>Electrophoresis</i> , 2008 , 29, 4454-62	3.6	22
272	Large-scale microfabricated channel plates for high-throughput, fully automated DNA sequencing. <i>Electrophoresis</i> , 2008 , 29, 4723-32	3.6	6
271	Polymer systems designed specifically for DNA sequencing by microchip electrophoresis: a comparison with commercially available materials. <i>Electrophoresis</i> , 2008 , 29, 4652-62	3.6	17
270	Celebrating the 80th birthday of professor Stellan Hjertñ. <i>Electrophoresis</i> , 2008 , 29, 1591-2	3.6	
269	Sensitive and robust electrophoretic NMR: instrumentation and experiments. 2008 , 192, 69-77		37
268	Rigorous estimation of effective protein charge from experimental electrophoretic mobilities for proteomics analysis using microchip electrophoresis. 2008 , 318, 191-198		14

267	Determination of binding constants by analogous procedures in size exclusion chromatography and capillary electrophoresis. 2008 , 383, 1-17		35
266	Utilisation of pH stacking in conjunction with a highly absorbing chromophore, 5-aminofluorescein, to improve the sensitivity of capillary electrophoresis for carbohydrate analysis. <i>Journal of Chromatography A</i> , 2008 , 1200, 84-91	4.5	35
265	Fast and easy coating for capillary electrophoresis based on a physically adsorbed cationic copolymer. <i>Journal of Chromatography A</i> , 2008 , 1204, 104-9	4.5	29
264	Simplified transient isotachopheresis/capillary gel electrophoresis method for highly sensitive analysis of polymerase chain reaction samples on a microchip with laser-induced fluorescence detection. <i>Journal of Chromatography A</i> , 2008 , 1214, 165-70	4.5	24
263	Hybridization Assay by Time-Resolved Capillary Gel Electrophoresis with a Lanthanide Chelate. 2008 , 67, 715-721		2
262	A forensic laboratory tests the Berkeley microfabricated capillary array electrophoresis device. 2008 , 53, 828-37		26
261	Factors affecting the behavior and effectiveness of phospholipid bilayer coatings for capillary electrophoretic separations of basic proteins. 2008 , 80, 1806-12		49
260	Capillary electrophoresis. Methods and protocols. Preface. 2008 , 384, vii-ix		16
259	Integrated microfluidic bioprocessor for single-cell gene expression analysis. 2008 , 105, 20173-8		196
258	Rapid and variable-volume sample loading in sieving electrophoresis microchips using negative pressure combined with electrokinetic force. 2008 , 8, 1137-44		17
257	Kinetic and thermodynamic characterization of telomeric G-quadruplex by nonequilibrium capillary electrophoresis: application to G-quadruplex/duplex competition. 2008 , 80, 6935-41		10
256	In-capillary protein enrichment and removal of nonbuffering salts using capillary electrophoresis with discontinuous buffers. 2008 , 80, 8598-604		18
255	Factors Affecting the Performance of Capillary Isoelectric Focusing in Dynamically Coated Capillaries Using Polyethylene Oxide Polymer. 2008 , 41, 1914-1931		8
254	Microfluidics for Biological Applications. 2009 ,		3
253	Electrical Characterisation and Dynamics of Transport. 2009 , 639-742		
252	Fabrication and fluorescence imaging of human low-density lipoprotein coatings for highly efficient capillary electrophoresis separation of basic proteins. <i>Electrophoresis</i> , 2009 , 30, 1362-71	3.6	5
251	Long open tubular molecule imprinted polymer capillary columns with excellent separation efficiencies in chiral and non-chiral separation by capillary electrochromatography. <i>Electrophoresis</i> , 2009 , 30, 1603-7	3.6	49
250	The EOF of polymer solutions. <i>Electrophoresis</i> , 2009 , 30, 921-9	3.6	68

249	System effects in sample self-stacking CZE: single analyte peak splitting of salt-containing samples. <i>Electrophoresis</i> , 2009 , 30, 866-74	3.6	21
248	Recent advances in IEF in capillary tubes and microchips. <i>Electrophoresis</i> , 2009 , 30, 11-28	3.6	68
247	An N-methylpolyvinylpyridinium cationic polymer for capillary coating in electrophoresis of proteins and peptides. <i>Electrophoresis</i> , 2009 , 30, 2313-20	3.6	16
246	Influence of polyelectrolyte capillary coating conditions on protein analysis in CE. <i>Electrophoresis</i> , 2009 , 30, 1888-98	3.6	33
245	Poly(2-ethyl-2-oxazoline) as a sieving matrix for SDS-CE. <i>Electrophoresis</i> , 2009 , 30, 4059-62	3.6	3
244	Effects of embedded sub-micron pillar arrays in microfluidic channels on large DNA electrophoresis. <i>Electrophoresis</i> , 2009 , 30, 3242-9	3.6	18
243	DNA sequencing by CE. <i>Electrophoresis</i> , 2009 , 30 Suppl 1, S196-202	3.6	59
242	Postcolumn derivatization of proteins in capillary sieving electrophoresis/laser-induced fluorescence detection. <i>Electrophoresis</i> , 2009 , 30, 3780-5	3.6	9
241	On-chip coupling of free-solution transient ITP and CGE for highly efficient separation of dsDNA with variable sample loading amounts. <i>Electrophoresis</i> , 2009 , 30, 4300-5	3.6	12
240	Electrophoretic exclusion for the selective transport of small molecules. <i>Electrophoresis</i> , 2009 , 30, 3786-92	3.6	15
239	Covalent modification of fused silica capillaries with quaternized polyamines to achieve robust and stable anodic electroosmotic flow. 2009 , 32, 446-56		10
238	Poly(N,N-dimethylacrylamide-co-4-(ethyl)-morpholine methacrylamide) copolymer as coating for CE. 2009 , 32, 605-12		18
237	Open tubular layer of S-ofloxacin imprinted polymer fabricated in silica capillary for chiral CEC separation. 2009 , 32, 996-1001		40
236	Surface molecular property modifications for poly(dimethylsiloxane) (PDMS) based microfluidic devices. 2009 , 7, 291-306		367
235	Calibration-free concentration determination of charged colloidal nanoparticles and determination of effective charges by capillary isotachopheresis. 2009 , 395, 1681-91		32
234	Preparation of an open-tubular capillary column with a monolithic layer of S-ketoprofen imprinted and 4-styrenesulfonic acid incorporated polymer and its enhanced chiral separation performance in capillary electrochromatography. <i>Journal of Chromatography A</i> , 2009 , 1216, 2947-52	4.5	68
233	Surface modification in microsystems and nanosystems. 2009 , 64, 233-254		93
232	Effect of the matrix on DNA electrophoretic mobility. <i>Journal of Chromatography A</i> , 2009 , 1216, 1917-294.5		79

231	Rapid and efficient isotachophoretic preconcentration in free solution coupled with gel electrophoresis separation on a microchip using a negative pressure sampling technique. <i>Journal of Chromatography A</i> , 2009 , 1216, 4510-6	4.5	16
230	General approach for certain quantitative calculations for instance of the variance of reversible adsorption to the capillary wall in CE. 2009 , 81, 343-8		1
229	Integrated sample cleanup-capillary electrophoresis microchip for high-performance short tandem repeat genetic analysis. 2009 , 81, 210-7		56
228	Field-Effect Control of Electroosmotic Pumping Using Porous Silicon/Silicon Nitride Membranes. 2009 , 18, 1173-1183		7
227	Surface modification of PDMS by gradient-induced migration of embedded Pluronic. 2009 , 9, 1500-3		54
226	Sodium dodecyl sulfate polyacrylamide slab gel electrophoresis and hydroxyethyl cellulose gel capillary electrophoresis of luminescent lanthanide chelate-labeled proteins with time-resolved detection. 2009 , 25, 327-32		16
225	High-speed analysis of proteins by microchip isoelectric focusing with linear-imaging UV detection. 2009 , 25, 979-84		6
224	Chiral Separations Using Proteins and Peptides as Chiral Selectors. 2009 , 139-161		0
223	Relevance and use of capillary coatings in capillary electrophoresis-mass spectrometry. 2010 , 396, 297-314		149
222	High-Speed Analyzing PCR Products of <i>M. tuberculosis</i> Genome Stained by Ethidium Bromide on Microchip Gel Electrophoresis. 2010 , 20, 921-924		
221	Study on steady-state kinetics of nucleotide analogues incorporation by non-gel CE. <i>Electrophoresis</i> , 2010 , 31, 507-11	3.6	3
220	Preparation of open tubular molecule imprinted polymer capillary columns with various templates by a generalized procedure and their chiral and non-chiral separation performance in CEC. <i>Electrophoresis</i> , 2010 , 31, 1019-28	3.6	42
219	Capillary modified with covalently attached coating for enhanced CE separation of biopolymers. <i>Electrophoresis</i> , 2010 , 31, 630-3	3.6	15
218	A new electrophoretic focusing principle: focusing of nonamphoteric weak ionogenic analytes using inverse electromigration dispersion profiles. <i>Electrophoresis</i> , 2010 , 31, 886-92	3.6	7
217	Acetic acid denaturing pulsed field capillary electrophoresis for RNA separation. <i>Electrophoresis</i> , 2010 , 31, 3531-6	3.6	15
216	Precautions to improve the accuracy of quantitative determinations of biomarkers in clinical diagnostics. <i>Electrophoresis</i> , 2010 , 31, 2722-9	3.6	4
215	Polyacrylamide grafted on multi-walled carbon nanotubes for open-tubular capillary electrochromatography: comparison with silica hydride and polyacrylate phase matrices. <i>Electrophoresis</i> , 2010 , 31, 3937-48	3.6	72
214	The influence of polymer concentration, applied voltage, modulation depth and pulse frequency on DNA separation by pulsed field CE. 2010 , 33, 2811-7		11

213	Poly(N-vinylimidazole)-grafted capillary for electrophoresis prepared by surface-initiated atom transfer radical polymerization. 2010 , 33, 2804-10		15
212	Chiral analysis of pharmaceuticals by capillary electrophoresis using antibiotics as chiral selectors. 2010 , 53, 1170-9		68
211	Design and evaluation of capillary electrophoresis in dynamically coated capillaries coupled with chemiluminescence detection. <i>Analytica Chimica Acta</i> , 2010 , 680, 48-53	6.6	12
210	Connections between structure and performance of four cationic copolymers used as physically adsorbed coatings in capillary electrophoresis. <i>Journal of Chromatography A</i> , 2010 , 1217, 7586-92	4.5	10
209	Precise Prediction of DNA Sizes with Transient Isotachopheresis-Capillary Gel Electrophoresis Analysis on a Microchip. <i>Chinese Journal of Analytical Chemistry</i> , 2010 , 38, 15-20	1.6	5
208	A Highly Sensitive Integrated a-Si:H Fluorescence Detector for Microfluidic Devices. 2010 , 1245, 1		
207	Band-broadening suppressed effect in long turned geometry channel and high-sensitive analysis of DNA sample by using floating electrokinetic supercharging on a microchip. 2010 , 4, 14108		7
206	Physical forms of MIPs. 2012 , 325, 29-82		11
205	Investigation of the pH gradient formation and cathodic drift in microchip isoelectric focusing with imaged UV detection. <i>Electrophoresis</i> , 2010 , 31, 3558-65	3.6	10
204	The Electroosmotic Flow (EOF). 2010 , 583, 121-34		12
203	Microengineering in Biotechnology. 2010 ,		3
202	Surfactant bilayer coatings in narrow-bore capillaries in capillary electrophoresis. <i>Analyst, The</i> , 2010 , 135, 2688-93	5	17
201	DNA electrophoresis in microfabricated devices. 2010 , 82, 2903-2947		139
200	Biased reptation model with electroosmosis for DNA electrophoresis in microchannels with a sub-micron pillar array. 2011 , 21, 085031		5
199	Microchip Electrophoresis Using Linear-Imaging UV Detector. 2011 , 60, 725-734		
198	Qualitative and Quantitative Determination of Oligonucleotides by Non-Gel Capillary Electrophoresis. 2011 , 73, 579-582		2
197	Examination of Template Structural Effects on CEC Chiral Separation Performance of Molecule Imprinted Polymers Made by a Generalized Preparation Protocol. 2011 , 73, 517-525		21
196	Integrated microfluidic preconcentrator and immunobiosensor. 2011 , 11, 537-544		9

195	Improvement of reproducibility and sensitivity of CE analysis by using the capillary coated dynamically with carboxymethyl chitosan. 2011 , 399, 2821-9		20
194	Separation of long DNA fragments by inversion field capillary electrophoresis. 2011 , 401, 1661-7		9
193	Physisorbed surface coatings for poly(dimethylsiloxane) and quartz microfluidic devices. 2011 , 401, 2113-22		42
192	Determination of the spectrum of low molecular mass organic acids in urine by capillary electrophoresis with contactless conductivity and ultraviolet photometric detection--an efficient tool for monitoring of inborn metabolic disorders. <i>Analytica Chimica Acta</i> , 2011 , 685, 84-90	6.6	72
191	RNA separation by in-capillary denaturing polymer electrophoresis with 1,2,5-thiadiazole as an additive. 2011 , 34, 2901-5		5
190	Buffers to suppress sodium dodecyl sulfate adsorption to polyethylene oxide for protein separation on capillary polymer electrophoresis. <i>Electrophoresis</i> , 2011 , 32, 448-54	3.6	4
189	Effects of ionic strength, temperature and conformation on affinity interactions of E ₁ glycoprotein I monitored by capillary electrophoresis. <i>Electrophoresis</i> , 2011 , 32, 728-37	3.6	9
188	A novel cationic triblock copolymer as noncovalent coating for the separation of proteins by CE. <i>Electrophoresis</i> , 2011 , 32, 2874-83	3.6	9
187	Quantitative evaluation of lectin-reactive glycoforms of E ₁ -acid glycoprotein using lectin affinity capillary electrophoresis with fluorescence detection. <i>Electrophoresis</i> , 2011 , 32, 2188-93	3.6	5
186	Rapid, highly efficient extraction and purification of membrane proteins using a microfluidic continuous-flow based aqueous two-phase system. <i>Journal of Chromatography A</i> , 2011 , 1218, 171-7	4.5	59
185	Prediction of DNA separation by capillary electrophoresis with polymer additives. 2011 , 49, 310-5		3
184	Heterogeneous Integration of a LASER Induced Fluorescence Detection Device for Point-of-Care Microfluidic Biochemical Analysis. 2012 , 1426, 211-222		
183	Capillary Electrophoresis. 2012 , 141-165		3
182	Dynamically formed admicelle layer to control the amplitude of cathodic electroosmotic flow. <i>Journal of Chromatography A</i> , 2012 , 1256, 271-5	4.5	7
181	N-glycan profiling by microchip electrophoresis to differentiate disease states related to esophageal adenocarcinoma. 2012 , 84, 3621-7		40
180	Protein separation by capillary gel electrophoresis: a review. <i>Analytica Chimica Acta</i> , 2012 , 709, 21-31	6.6	127
179	Latest improvements in CIEF: from proteins to microorganisms. 2012 , 12, 2927-36		32
178	Towards a fully integrated laser-induced fluorescence detection device for point-of-care bioanalysis. 2012 ,		1

177	A chemometric approach for the elucidation of the parameter impact in the hyphenation of field-enhanced sample injection and sweeping in capillary electrophoresis. <i>Electrophoresis</i> , 2012 , 33, 1169-81	3.6	16
176	High-performance capillary electrophoretic separation of double-stranded oligonucleotides using a poly-(ethylpyrrolidine methacrylate-co-methylmethacrylate)-coated capillary. <i>Electrophoresis</i> , 2012 , 33, 1205-14	3.6	13
175	Estimation of the amount of α -glycoprotein I adsorbed at the inner surface of fused silica capillaries after acidic, neutral and alkaline pretreatment. <i>Electrophoresis</i> , 2012 , 33, 1695-702	3.6	3
174	Is pulsed electric field still effective for RNA separation in capillary electrophoresis?. <i>Journal of Chromatography A</i> , 2012 , 1229, 274-9	4.5	10
173	Study of the effect of electric field and electroneutrality on transport of biomolecules in microreactors. 2012 , 12, 279-294		6
172	Capillary Electrophoresis of Biomolecules. 2013 ,		11
171	Rapid separation of synthetic oligonucleotides on polymer modified capillary surfaces using short-end injection capillary electrophoresis in free solution. <i>Analyst, The</i> , 2013 , 138, 6954-61	5	1
170	Thymidine-based amphiphiles and their bonding to DNA. 2013 , 37, 1122		4
169	Highly sensitive analysis of four hemeproteins by dynamically-coated capillary electrophoresis with chemiluminescence detector using an off-column coaxial flow interface. <i>Analyst, The</i> , 2013 , 138, 2269-78 ⁵		17
168	Adamantyl-group containing mixed-mode acrylamide-based continuous beds for capillary electrochromatography. Part I: study of a synthesis procedure including solubilization of N-adamantyl-acrylamide via complex formation with a water-soluble cyclodextrin. <i>Journal of Chromatography A</i> , 2013 , 1286, 183-91	4.5	9
167	Highly charged polyelectrolyte coatings to prevent adsorption during protein and peptide analysis in capillary electrophoresis. 2013 , 984, 191-206		5
166	The apparent hydrodynamic slip of polymer solutions and its implications in electrokinetics. <i>Electrophoresis</i> , 2013 , 34, 622-30	3.6	15
165	Chiral separations by capillary electrophoresis using proteins as chiral selectors. 2013 , 970, 377-92		2
164	Isoelectric focusing in continuously tapered fused silica capillary prepared by etching with supercritical water. 2013 , 85, 4296-300		12
163	Determination of Polymer Molecular Weight and Gyration Radius of DNA by Capillary Electrophoresis. 2013 , 46, 776-789		
162	Surface coatings for microfluidic-based biomedical devices. 2013 , 63-99		5
161	- Principles, Practice, and Evolution of Capillary Electrophoresis as a Tool for Forensic DNA Analysis. 2013 , 148-179		
160	Recent developments in liquid chromatography and capillary electrophoresis for the analysis of glycoprotein glycans. 2013 , 29, 1117-28		26

159	A Contact Angle Study of the Interaction between Embedded Amphiphilic Molecules and the PDMS Matrix in an Aqueous Environment. 2014 , 5, 515-527		6
158	Surface Modification of PDMS in Microfluidic Devices. 2014 , 141-150		
157	Photopolymerization of acrylamide as a new functionalization way of silica monoliths for hydrophilic interaction chromatography and coated silica capillaries for capillary electrophoresis. <i>Journal of Chromatography A</i> , 2014 , 1326, 89-95	4-5	34
156	Electromigration behavior of nucleic acids in capillary electrophoresis under pulsed-field conditions. <i>Journal of Chromatography A</i> , 2014 , 1331, 100-7	4-5	13
155	Rapid determination of globin chains in red blood cells by capillary electrophoresis using INSTCoated fused-silica capillary. 2014 , 37, 1026-32		29
154	Determination and quantification of Escherichia coli by capillary electrophoresis. <i>Analyst, The</i> , 2014 , 139, 6113-7	5	11
153	Polymer sieving matrices in microanalytical electrophoresis. <i>Analyst, The</i> , 2014 , 139, 5635-54	5	24
152	In situ synthesis of protein-resistant poly(oligo(ethylene glycol)methacrylate) films in capillary for protein separation. 2014 , 4, 4883		9
151	Capillary electrophoresis of a wide range of DNA fragments in a mixed solution of hydroxyethyl cellulose. 2014 , 6, 2473-2477		9
150	On-chip protein isoelectric focusing using a photoimmobilized pH gradient. 2014 , 37, 3174-80		4
149	Insight into the stability of poly(diallyldimethylammoniumchloride) and polybrene poly cationic coatings in capillary electrophoresis. <i>Journal of Chromatography A</i> , 2014 , 1365, 226-33	4-5	41
148	Stepwise elution method in micellar electrokinetic chromatography via sequential use of lithium perfluorooctadecyl sulfonate and lithium dodecyl sulfate. <i>Journal of Chromatography A</i> , 2014 , 1358, 26148 ⁵		1
147	Stable neutral double hydrophilic block copolymer capillary coating for capillary electrophoretic separations. <i>Electrophoresis</i> , 2014 , 35, 1106-13	3.6	19
146	Heterogeneously integrated laser-induced fluorescence detection devices: Integration of an excitation source. 2014 , 53, 06JL02		6
145	Quantification of periodontal pathogens cell counts by capillary electrophoresis. <i>Journal of Chromatography A</i> , 2014 , 1361, 286-90	4-5	15
144	Capillary Electrophoresis of Nucleic Acids. 2015 , 1-26		
143	Capillary Gel Electrophoresis. 2015 , 555-580		1
142	Chip-Based Capillary Electrophoresis1. 2015 , 707-729		1

141	Analysis of small interfering RNA by capillary electrophoresis in hydroxyethylcellulose solutions. <i>Electrophoresis</i> , 2015 , 36, 1651-7	3.6	5
140	Polyethylene Oxide (PEO) and Polyethylene Glycol (PEG) Polymer Sieving Matrix for RNA Capillary Electrophoresis. 2015 , 10, e0123406		4
139	Capillary electrophoresis applied to DNA: determining and harnessing sequence and structure to advance bioanalyses (2009-2014). 2015 , 407, 6923-38		48
138	Interfacing microchip isoelectric focusing with on-chip electrospray ionization mass spectrometry. <i>Journal of Chromatography A</i> , 2015 , 1398, 121-6	4.5	12
137	Long-term analyses in automated electrophoretic analyzer in hydrodynamically closed separation system. <i>Journal of Chromatography A</i> , 2015 , 1392, 110-7	4.5	1
136	Analysis of doxorubicin distribution in MCF-7 cells treated with drug-loaded nanoparticles by combination of two fluorescence-based techniques, confocal spectral imaging and capillary electrophoresis. 2015 , 407, 3425-35		11
135	On-line capillary isoelectric focusing hyphenated to native electrospray ionization mass spectrometry for the characterization of interferon- β variants. <i>Analyst, The</i> , 2015 , 140, 543-50	5	16
134	Facile real-time evaluation of the stability of surface charge under regular shear stress by pulsed streaming potential measurement. 2015 , 5, 78519-78525		5
133	Swelling enhanced remanent magnetization of hydrogels cross-linked with magnetic nanoparticles. 2015 , 31, 442-50		9
132	Troubleshooting Data Collection. 2015 , 183-210		1
131	Assessing Stability, Durability, and Protein Adsorption Behavior of Hydrophilic Silane Coatings in Glass Microchannels. 2016 , 7,		2
130	Application of isotachopheresis in commercial capillary electrophoresis instrument using C(4) D and UV detection. <i>Electrophoresis</i> , 2016 , 37, 2384-92	3.6	9
129	High-performance detection of somatic D-loop mutation in urothelial cell carcinoma patients by polymorphism ratio sequencing. 2016 , 94, 1015-24		5
128	Statically Adsorbed Coatings for High Separation Efficiency and Resolution in CE-MS Peptide Analysis: Strategies and Implementation. 2016 , 1483, 53-75		1
127	Racemic drug resolution: a comprehensive guide. 2016 , 8, 7567-7586		49
126	A fully automated linear polyacrylamide coating and regeneration method for capillary electrophoresis of proteins. <i>Electrophoresis</i> , 2016 , 37, 3154-3159	3.6	23
125	Analysis of Somatropin by Double-Injection Capillary-Zone Electrophoresis in Polybrene/Chondroitin Sulfate A Double-Coated Capillaries. 2016 , 1466, 93-105		
124	Self-aligning subatmospheric hybrid liquid junction electrospray interface for capillary electrophoresis. <i>Electrophoresis</i> , 2016 , 37, 414-7	3.6	14

123	Stability and effectiveness of linear polyacrylamide capillary coating to suppress EOF in acidic media in the presence of surfactants, ionic liquids and organic modifiers. <i>Talanta</i> , 2016 , 150, 546-52	6.2	5
122	Capillary electrophoresis of RNA in hydroxyethylcellulose polymer with various molecular weights. 2016 , 1011, 114-20		7
121	Analysis of the inhibition of nucleic acid dyes on polymerase chain reaction by capillary electrophoresis. 2016 , 8, 2330-2334		5
120	The development of a portable buoyancy-driven PCR system and its evaluation by capillary electrophoresis. 2016 , 230, 779-784		37
119	Wall modified photonic crystal fibre capillaries as porous layer open tubular columns for in-capillary micro-extraction and capillary chromatography. <i>Analytica Chimica Acta</i> , 2016 , 905, 1-7	6.6	22
118	Thermally-initiated free radical polymerization for reproducible production of stable linear polyacrylamide coated capillaries, and their application to proteomic analysis using capillary zone electrophoresis-mass spectrometry. <i>Talanta</i> , 2016 , 146, 839-43	6.2	52
117	A simple, openable and electroosmotic flow-free PMMA chip for electrophoretic titration of moving reaction boundary. 2017 , 132, 20-27		
116	An overview to nano-scale analytical techniques: Nano-liquid chromatography and capillary electrochromatography. <i>Electrophoresis</i> , 2017 , 38, 1822-1829	3.6	33
115	The Optimization of Electrophoresis on a Glass Microfluidic Chip and its Application in Forensic Science. 2017 , 62, 1603-1612		8
114	Recent advances in protein analysis by capillary and microchip electrophoresis. <i>Analyst, The</i> , 2017 , 142, 1847-1866	5	85
113	Noncapillary Electrophoresis. 2017 , 1-41		
112	Molecular sieving polymer for DNA/RNA separation in capillary electrophoresis. 2017 , 31, 1744094		1
111	Recent advances in column coatings for capillary electrophoresis of proteins. 2017 , 90, 38-44		81
110	Automated coating procedures to produce poly(ethylene glycol) brushes in fused-silica capillaries. 2017 , 40, 779-788		10
109	Number of theoretical plates achievable by a toroidal capillary electrophoresis system. 2017 , 40, 4619-4627		6
108	New Approach to the Formation of Physically Adsorbed Capillary Coatings Consisting of Hyperbranched Poly(Ethylene Imine) with a Maltose Shell to Enhance the Separation of Catecholamines and Proteins in CE. 2017 , 80, 1683-1693		6
107	Surface-Confined Aqueous Reversible Addition-Fragmentation Chain Transfer (SCRAFT) Polymerization Method for Preparation of Coated Capillary Leads to over 10 000 Peptides Identified from 25 ng HeLa Digest by Using Capillary Zone Electrophoresis-Tandem Mass Spectrometry. 2017 , 89, 6774-6780		21
106	Separation of Small DNAs by Gel Electrophoresis in a Fused Silica Capillary Coated with a Negatively Charged Copolymer. 2017 , 4, 28		0

105	Supercritical water-treated fused silica capillaries in analytical separations: Status review. <i>Journal of Chromatography A</i> , 2018 , 1539, 1-11	4.5	8
104	Advanced Short Tandem Repeat Genotyping for Forensic Human Identification. 2018 , 509-529		0
103	Miniaturized gel electrophoresis system for fast separation of nucleic acids. 2018 , 254, 153-158		13
102	Electrophoresis: Principles of Capillary Electrophoresis. 2018 , 328-328		
101	Optimization of a capillary zone electrophoresis-contactless conductivity detection method for the determination of nisin. <i>Electrophoresis</i> , 2018 , 39, 2425-2430	3.6	4
100	Investigation of a side reaction occurring during N-linked glycan labeling by cationic tags. <i>Journal of Chromatography A</i> , 2018 , 1570, 67-74	4.5	8
99	Capillary zone electrophoresis-mass spectrometry for bottom-up proteomics. 2018 , 108, 23-37		31
98	Column Technology for Capillary Electromigration Methods. 2018 , 45-68		
97	Capillary Gel and Sieving Electrophoresis. 2018 , 143-165		2
96	Capillary Isoelectric Focusing. 2018 , 167-187		3
95	Covalent Coatings of Quartz Capillaries for the Electrophoretic Determination of Biologically Active Analytes. 2019 , 74, 729-737		2
94	All-in-one microfluidic device for on-site diagnosis of pathogens based on an integrated continuous flow PCR and electrophoresis biochip. 2019 , 19, 2663-2668		35
93	Electroosmotic flow velocity in DNA modified nanochannels. 2019 , 553, 31-39		9
92	High-performance capillary electrophoresis for food quality evaluation. 2019 , 301-377		4
91	An Integrated Approach to Plant Biology via Multi-Analogous Methods. 2019 , 57-126		
90	Microfabricated liquid junction hybrid capillary electrophoresis-mass spectrometry interface for fully automated operation. <i>Electrophoresis</i> , 2019 , 40, 2263-2270	3.6	12
89	8. Electrophoretic NMR (eNMR). 2019 , 266-302		
88	Hydrophilicity modification of MCM-41 with polyethylene glycol and supported ruthenium for benzene hydrogenation to cyclohexene. 2019 , 26, 765-773		2

87	An automated system for CE-MALDI and on-target digestion under a fluorocarbon lid applied on spermatophore proteins from <i>Pieris napi</i> . 2019 , 1104, 228-233		5
86	Multi-cationic aminopyrene-based labeling tags for oligosaccharide analysis by capillary electrophoresis-mass spectrometry. <i>Analytica Chimica Acta</i> , 2020 , 1095, 226-232	6.6	7
85	Selective extraction of cocaine from biological samples with a miniaturized monolithic molecularly imprinted polymer and on-line analysis in nano-liquid chromatography. <i>Analytica Chimica Acta</i> , 2020 , 1096, 89-99	6.6	24
84	Chromatographic nano-column technology and its application in beverage analysis. 2020 , 549-584		1
83	An electroosmotic flow-free two-direction migration strategy enables fast affinity capillary electrophoresis to study the weak interactions between basic peptides and RNA. 2020 , 12, 5833-5838		3
82	Capillary zone electrophoresis of proteins applying ionic liquids for dynamic coating and as background electrolyte component. <i>Electrophoresis</i> , 2020 , 41, 2083	3.6	0
81	Fundamentals of Electrophoresis. 2020 , 21-88		
80	. 2020 ,		1
79	Characterization of multi-cationic aminopyrene-based tag for oligosaccharide labeling by capillary electrophoresis with laser-induced fluorescence detection. <i>Electrophoresis</i> , 2021 , 42, 1333-1339	3.6	0
78	Analysis of intact proteins with capillary zone electrophoresis coupled to mass spectrometry using uncoated and coated capillaries. <i>Journal of Chromatography A</i> , 2021 , 1654, 462448	4.5	3
77	Using capillary electrophoresis to characterize the hydrodynamic and electrostatic properties of DNA in solutions containing various monovalent cations. <i>Electrophoresis</i> , 2021 ,	3.6	
76	Ligand fishing via a monolithic column coated with white blood cell membranes: A useful technique for screening active compounds in <i>Atractylodes lancea</i> . <i>Journal of Chromatography A</i> , 2021 , 1656, 462544	4.5	1
75	Surface coatings for microfluidic biomedical devices. 2021 , 79-123		
74	Capillary Electrophoresis. 2021 , 290-308		
73	Capillary Electrophoresis in Polymer Analysis. 2000 , 189-217		16
72	Hydrophilic Polymer Coatings for Control of Electroosmosis and Wetting. 1988 , 111-118		3
71	Capillary electrophoresis of proteins. 1995 , 7, 301-27		2
70	Basic Principles and Modes of Capillary Electrophoresis. 2001 , 21-58		8

69	Capillary electrophoresis of gene mutation. 2008 , 384, 441-55	4
68	Adsorbed cationic polymer coatings for enhanced capillary electrophoresis/mass spectrometry of proteins. 2008 , 384, 631-46	4
67	Carbon nanotubes as intracellular carriers for multidrug resistant cells studied by capillary electrophoresis-laser-induced fluorescence. 2010 , 625, 153-68	7
66	Extracellular Polysaccharides in Microbial Biofilm and Their Influence on the Electrophoretic Properties of Microbial Cells. 2011 , 105-126	1
65	Rapid analysis of PCR components and products by acidic non-gel capillary electrophoresis. 1993 , 67, 117-24	2
64	Developments in Capillary Coating and DNA Separation Matrices. <i>Chromatographia CE Series</i> , 1997 , 135-173	2
63	Principles of Electromigration Techniques. 2013 , 5-26	9
62	Protein analysis by capillary electrophoresis. 1997 , 173-197	2
61	Single Cell Lysis on Microfluidic Devices. 2001 , 301-302	3
60	Parallel DNA Sequencing on Microfabricated Electrophoresis Chips. 2000 , 477-480	2
59	Pharmaceutical and Biomedical Applications of Capillary Electrophoresis. 1994 , 3-40	1
58	Factors Affecting the Performance of Capillary Electrophoresis Separations: Joule Heating, Electroosmosis, and Zone Dispersion. 1992 , 3-43	20
57	Quantitative Aspects of Capillary Electrophoresis Analysis. 1992 , 87-108	4
56	Isoelectric Focusing in Capillaries. 1992 , 191-214	19
55	Separation of Small Molecules by High-Performance Capillary Electrophoresis. 1992 , 301-341	3
54	FACTORS AFFECTING PLATE HEIGHT IN HIGH PERFORMANCE ZONAL CAPILLARY ELECTROPHORESES (HPZCE). 1989 , 468-478	9
53	Introduction. 1993 , 1-15	3
52	Basic Concepts. 1993 , 17-43	2

- 51 Capillary Zone Electrophoresis. **1993**, 45-80 42
- 50 Analytical capillary isotachopheresis of total plasma lipoproteins: a new tool to identify atherogenic low density lipoproteins. **1999**, 40, 170-177 21
- 49 Capillary Electrophoresis Measurements of Electrophoretic Mobility for Colloidal Particles of Biological Interest. **1998**, 64, 2572-7 41
- 48 Direct coupling of immobilized metal ion affinity chromatography and capillary isoelectric focusing in a single capillary. **2015**, 59, 7-17 4
- 47 Capillary Electrophoresis with Nanoparticle Matrix for DNA Analysis. *Bulletin of the Korean Chemical Society*, **2006**, 27, 133-136 1.2 2
- 46 Analysis of Broad-Range DNA Fragments with Yttrium Oxide or Ytterbium Oxide Nanoparticle/Polymer Sieving Matrix Using High-Performance Capillary Electrophoresis. *Bulletin of the Korean Chemical Society*, **2009**, 30, 297-301 1.2 1
- 45 An Integrated System for Gene Detection Using Cycling Probe Technology. **2000**, 423-426
- 44 The Short History of CE. *Chromatographia CE Series*, **2000**, 6-8
- 43 Basic Principles of CE. *Chromatographia CE Series*, **2000**, 9-15
- 42 Glass-Silicon Bonding Technology with Feed-Through Electrodes for Micro Capillary Electrophoresis. **2001**, 1138-1141
- 41 Capillary Coatings for Protein Analysis. **2001**, 61-78
- 40 Quantitation of Viral Load. **2001**, 237-260
- 39 Capillary Isoelectric Focusing. **2003**,
- 38 Capillary Gel Electrophoresis and Related Microseparation Techniques. **2003**,
- 37 Micromonoliths and Microfabricated Molecularly Imprinted Polymers. **2004**, 491-515
- 36 Capillary Electrophoresis. **2004**, 553-578
- 35 DNA Sequencing Studies by Capillary Electrophoresis. **2005**, 478-485
- 34 Silica Capillaries. **2005**, 1548-1550

33 Ultrathin-Layer Gel Electrophoresis. **2005**, 1725-1728

32 Concept and applications of microchip electrophoresis system MCE-202 "MultiNA"-Norovirus detection and identification of meat species-. *Seibutsu Butsuri Kagaku*, **2008**, 52, 167-171

31 Precise Prediction of Deoxyribonucleic Acid sizes with Transient Isotachophoreis-Capillary Gel Electrophoresis Analysis on a Microchip. *Chinese Journal of Analytical Chemistry*, **2010**, 38, 15-20

1.6

30 Electrophoresis. **2012**, 287-305

29 High Performance Capillary Electrophoresis of Proteins and Peptides: A Minireview. **1991**, 233-250

28 High Resolution Full-Range (pI = 2.5 to 10.0) Isoelectric Focusing of Proteins and Peptides in Capillary Electrophoresis. **1993**, 333-341

27 Development of Separation Strategies for Proteins by Capillary Electrophoresis. **1993**, 323-332

26 Literaturverzeichnis. **1994**, 193-198

25 Kapillarelektrophorese. *Analytiker-Taschenbuch*, **1995**, 23-81

1

24 Literaturverzeichnis. **1995**, 234-240

23 Literature Index. **1996**, 203-207

22 2.5 Kapillarelektrophorese der Proteine. **1996**, 129-134

21 Column technology. **1997**, 56-70

20 Analysis of Oligonucleotides and Antisense DNA Analogs. *Chromatographia CE Series*, **1997**, 177-194

19 Capillary Electrophoresis for Quantitative Genetic Analysis. **1998**, 79-96

18 Capillary Electrophoretic Separation of DNA Fragments. **1998**, 170-192

17 Polymeric Microfluidics: Fabricated and Modified Using Plasmas. **2016**, 1112-1124

16 Construction of a General Platform for Capillary Electrophoresis. *Springer Theses*, **2018**, 31-61

0.1

15	CHAPTER 11:Capillary ElectrophoresisMass Spectrometry for Lipid Analysis. <i>New Developments in Mass Spectrometry</i> , 2018 , 225-254	2.3	1
14	Technique development of high-throughput and high-sensitivity sample preparation and separation for proteomics. <i>Bioanalysis</i> , 2022 , 14, 101-111	2.1	1
13	Emerging on-chip electrokinetic based technologies for purification of circulating cancer biomarkers towards liquid biopsy: A review. <i>Electrophoresis</i> , 2021 , 43, 288	3.6	1
12	Separation matrix and column technology. 2022 , 57-128		
11	Liquid phase separation techniques for the characterization of monoclonal antibodies and bioconjugates. <i>Journal of Chromatography Open</i> , 2022 , 100034		
10	Separation of Intact Proteins by Capillary Electrophoresis. <i>Analyst, The</i> ,	5	1
9	Sensitive monitoring of 3-hydroxybutyrate as an indicator of human fasting by capillary electrophoresis in a PAMAMPS coated capillary. <i>Talanta</i> , 2022 , 247, 123582	6.2	0
8	Low-molecular-mass colored compounds for fine tracing of pH gradient on broad and narrow scale in isoelectric focusing. <i>Analytica Chimica Acta</i> , 2022 , 1221, 340035	6.6	0
7	Determination of human insulin and its six therapeutic analogues by capillary electrophoresis □ mass spectrometry. <i>Journal of Chromatography A</i> , 2022 , 1678, 463351	4.5	0
6	Microfabricated Liquid Junction Capillary ElectrophoresisMass Spectrometry Interface. 2022 , 61-68		0
5	Analysis of Drug Interactions with Serum Proteins and Related Binding Agents by Affinity Capillary Electrophoresis: A Review.		0
4	Surface sampling capillary electrophoresis mass spectrometry for direct chemical characterization of tissue and blood samples.		0
3	Zero-Degree Celsius Capillary Electrophoresis Electrospray Ionization for Hydrogen Exchange Mass Spectrometry.		1
2	Capillary isoelectric focusing □The role of markers of isoelectric point and recent applications in the field. 2023 , 162, 117018		0
1	Unidirectional drying of a suspension of diffusiophoretic colloids under gravity. 2023 , 13, 9247-9259		0