

Pharmacology of spinal adrenergic systems which mod

Pharmacology Biochemistry and Behavior

22, 845-858

DOI: 10.1016/0091-3057(85)90537-4

Citation Report

#	ARTICLE	IF	CITATIONS
1	Opioid, cholinergic and $\hat{1}\pm$ -adrenergic influences on the modulation of nociception from the lateral reticular nucleus of the rat. <i>Brain Research</i> , 1986, 384, 282-293.	1.1	48
2	ROLE OF SPINAL NORADRENERGIC SYSTEM IN TRANSMISSION OF PAIN IN PATIENTS WITH SPINAL CORD INJURY. <i>Lancet, The</i> , 1986, 328, 1249-1250.	6.3	102
3	Characterization of [3H]Rauwolscine binding to alpha2-adrenoceptor sites in the lumbar spinal cord of the cat: Comparison to such binding sites in the cat frontal cerebral cortex. <i>Brain Research</i> , 1986, 368, 87-100.	1.1	11
4	Analgesia induced by isolated bovine chromaffin cells implanted in rat spinal cord.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1986, 83, 7522-7526.	3.3	91
5	Evaluation of the Toxicity of Subarachnoid Clonidine, Guanfacine, and a Substance P-Antagonist on Rat Spinal Cord and Nerve Roots. <i>Anesthesia and Analgesia</i> , 1986, 65, 1303-1311.	1.1	61
6	Effect of Epidural Clonidine on Spinal Cord Blood Flow and Regional and Central Hemodynamics in Pigs. <i>Anesthesia and Analgesia</i> , 1986, 65, 1312-1318.	1.1	44
7	Antinociceptive activity of beta-adrenoceptor agonists in the hot plate test in mice. <i>Psychopharmacology</i> , 1986, 88, 527-8.	1.5	20
8	Cerebrospinal Fluid and Plasma Concentrations of Clonidine in Pigs after Epidural, Intravenous and Intramuscular Administration. <i>Upsala Journal of Medical Sciences</i> , 1986, 91, 311-315.	0.4	8
9	Release of substance P from the cat spinal cord.. <i>Journal of Physiology</i> , 1987, 391, 141-167.	1.3	349
10	Antinociceptive Effects and Spinal Cord Tissue Concentrations after Intrathecal Injection of Guanfacine or Clonidine into Rats. <i>Anesthesia and Analgesia</i> , 1987, 66, 317-324.	1.1	38
11	Morphological and Functional Correlates of Chromaffin Cell Transplants in CNS Pain Modulatory Regions. <i>Annals of the New York Academy of Sciences</i> , 1987, 495, 306-333.	1.8	139
12	Stereospecific potentiation of opiate analgesia by cocaine: predominant role of noradrenaline. <i>Pain</i> , 1987, 28, 129-138.	2.0	45
13	$\hat{1}\pm$ -Adrenoceptor modulation of nociception in rat spinal cord: location, effects and interactions with morphine. <i>European Journal of Pharmacology</i> , 1987, 138, 169-177.	1.7	179
14	Prolonged spinal analgesia in the rat with the $\hat{1}\pm$ -adrenoceptor agonist oxymetazoline. <i>European Journal of Pharmacology</i> , 1987, 140, 25-32.	1.7	16
15	Effect of 6-hydroxydopamine-induced lesions to ascending and descending noradrenergic pathways on morphine analgesia. <i>Brain Research</i> , 1987, 419, 156-165.	1.1	32
16	On the relationship between chronic pain and depression when there is no organic lesion. <i>Pain</i> , 1987, 31, 1-21.	2.0	130
17	Intrathecal 6-hydroxydopamine or cervical spinal hemisection reduces norepinephrine content, but not the density of $\hat{1}\pm$ -adrenoceptors, in the cat lumbar spinal enlargement. <i>Neuroscience</i> , 1987, 21, 377-384.	1.1	14
18	Complex temporal changes in 5-hydroxytryptamine synthesis in the central nervous system induced by experimental polyarthritis in the rat. <i>Pain</i> , 1987, 28, 223-238.	2.0	43

#	ARTICLE	IF	CITATIONS
19	Alterations in nociception following adrenal medullary transplants into the rat periaqueductal gray. <i>Experimental Brain Research</i> , 1987, 67, 373-9.	0.7	28
20	Epinephrine and norepinephrine modulate neuronal responses to excitatory amino acids and agonists in frog spinal cord. <i>Synapse</i> , 1987, 1, 202-207.	0.6	17
21	Monoamine and opioid interactions in spinal analgesia and tolerance. <i>Pharmacology Biochemistry and Behavior</i> , 1987, 26, 445-451.	1.3	41
22	Determination of cross tolerance in rat spinal cord using intrathecal infusion via sequential mini-osmotic pumps. <i>Pharmacology Biochemistry and Behavior</i> , 1987, 26, 131-139.	1.3	42
24	Spinal opiates: a review of their effect on spinal function with emphasis on pain processing. <i>Acta Anaesthesiologica Scandinavica</i> , 1987, 31, 25-37.	0.7	69
25	Intrathecal noradrenaline has a dose-dependent inhibitory or facilitatory effect on the flexion reflex in the rat. <i>Acta Physiologica Scandinavica</i> , 1987, 130, 507-511.	2.3	15
26	The use of receptor-selective agents as analgesics in the spinal cord: Trends and possibilities. <i>Journal of Pain and Symptom Management</i> , 1987, 2, 129-138.	0.6	5
27	Inhibition of Cyclic AMP Production by $\alpha$ -Adrenoceptor Stimulation in the Guinea Pig Spinal Cord Slices. <i>Basic and Clinical Pharmacology and Toxicology</i> , 1988, 63, 178-182.	0.0	14
28	Association of pain relief with drug side effects in postherpetic neuralgia: A single-dose study of clonidine, codeine, ibuprofen, and placebo. <i>Clinical Pharmacology and Therapeutics</i> , 1988, 43, 363-371.	2.3	236
29	Intrathecal oxymetazoline produces analgesia via spinal $\alpha$ -adrenoceptors and potentiates spinal morphine. <i>European Journal of Pharmacology</i> , 1988, 148, 371-380.	1.7	29
30	Role of G-proteins and adenylate cyclase in antinociception produced by intrathecal purines. <i>European Journal of Pharmacology</i> , 1988, 156, 25-34.	1.7	20
31	Pertussis toxin inhibits antinociception produced by intrathecal injection of morphine, noradrenaline and baclofen. <i>European Journal of Pharmacology</i> , 1988, 146, 65-72.	1.7	75
32	Brainstem and spinal pathways mediating descending inhibition from the medullary lateral reticular nucleus in the rat. <i>Brain Research</i> , 1988, 440, 109-122.	1.1	51
33	Receptors in the Dorsal Horn and Intrathecal Drug Administration. <i>Annals of the New York Academy of Sciences</i> , 1988, 531, 90-107.	1.8	6
34	Intraspinal Analgesic Infusion by Implanted Pump. <i>Annals of the New York Academy of Sciences</i> , 1988, 531, 108-122.	1.8	30
35	A double-blind comparison between epidural morphine and epidural clonidine in patients with chronic non-cancer pain. <i>Pain</i> , 1988, 34, 123-128.	2.0	117
36	Chapter 27 Pharmacologic evidence for the modulation of nociception by noradrenergic neurons. <i>Progress in Brain Research</i> , 1988, 77, 357-370.	0.9	114
37	Chapter 28 Sites of action of opiates in production of analgesia. <i>Progress in Brain Research</i> , 1988, 77, 371-394.	0.9	121

#	ARTICLE	IF	CITATIONS
38	Differential effects of morphine and clonidine on visceral and cutaneous spinal nociceptive transmission in the rat. <i>Journal of Neurophysiology</i> , 1989, 62, 220-230.	0.9	71
39	The synergistic effect of concurrent spinal and supraspinal opiate agonisms is reduced by both nociceptive and morphine pretreatment. <i>Pharmacology Biochemistry and Behavior</i> , 1989, 34, 265-273.	1.3	15
40	Interactions between noradrenergic and cholinergic mechanisms involved in spinal nociceptive processing. <i>Acta Anaesthesiologica Scandinavica</i> , 1989, 33, 39-47.	0.7	105
41	Effect of clofelin on neuronal spike activity in the midbrain and posterior horn of the spinal cord. <i>Bulletin of Experimental Biology and Medicine</i> , 1989, 108, 1144-1147.	0.3	0
42	$\beta$ 2-Adrenoceptors Mediate Inhibition of Cyclic AMP Production in the Spinal Cord After Stimulation of Cyclic AMP with Forskolin but Not After Stimulation with Capsaicin or Vasoactive Intestinal Peptide. <i>Journal of Neurochemistry</i> , 1989, 52, 761-767.	2.1	10
43	The role of purines in nociception. <i>Neuroscience</i> , 1989, 32, 557-569.	1.1	197
44	Differential effects of prazosin and yohimbine on fentanyl-induced muscular rigidity in rats. <i>Neuropharmacology</i> , 1989, 28, 1163-1168.	2.0	16
45	SURGICAL STRESS: THE ROLE OF PAIN AND ANALGESIA. <i>British Journal of Anaesthesia</i> , 1989, 63, 189-195.	1.5	463
46	Differential mechanisms mediating $\beta$ 2-endorphin- and morphine-induced analgesia in mice. <i>European Journal of Pharmacology</i> , 1989, 168, 61-70.	1.7	88
47	Comparison of the antinociceptive effect of morphine and glutamate at coincidental sites in the periaqueductal gray and medial medulla in rats. <i>Brain Research</i> , 1989, 476, 1-9.	1.1	101
48	Behavioral and autonomic correlates of the tactile evoked allodynia produced by spinal glycine inhibition: effects of modulatory receptor systems and excitatory amino acid antagonists. <i>Pain</i> , 1989, 37, 111-123.	2.0	625
49	Sufentanil, Morphine, Met-enkephalin, and $\kappa$ -Agonist (U-50,488H) Inhibit Substance P Release from Primary Sensory Neurons. <i>Anesthesiology</i> , 1989, 70, 672-677.	1.3	66
50	Epidural Droperidol and Morphine for Postoperative Pain. <i>Anesthesia and Analgesia</i> , 1990, 70, 583-588.	1.1	44
51	Functional Supersensitivity of Antinociceptive Spinal Cord $\beta$ 2-Adrenoceptors, Induced by Depletion of Endogenous Noradrenaline, is Associated with an Enhanced Sensitivity for Guanine Nucleotide Regulation of $\kappa$ -Clonidine Binding. <i>Basic and Clinical Pharmacology and Toxicology</i> , 1990, 66, 109-114.	0.0	3
52	Demonstration of intrathecal and systemic morphine and ST-91 effects on fed canine upper gut motility. <i>Digestive Diseases and Sciences</i> , 1990, 35, 1249-1256.	1.1	10
53	Spinal administration of receptor-selective drugs as analgesics: New horizons. <i>Journal of Pain and Symptom Management</i> , 1990, 5, 204-213.	0.6	33
54	Host-graft relationships of isolated bovine chromaffin cells in rat periaqueductal grey. <i>Journal of Neurocytology</i> , 1990, 19, 697-707.	1.6	22
55	Demonstration of two separate descending noradrenergic pathways to the rat spinal cord: Evidence for an intragriseal trajectory of locus coeruleus axons in the superficial layers of the dorsal horn. <i>Journal of Comparative Neurology</i> , 1990, 291, 553-582.	0.9	165

#	ARTICLE	IF	CITATIONS
56	Long-term changes in purposive and reflexive responses to nociceptive stimulation following anterolateral chordotomy. <i>Journal of Neuroscience</i> , 1990, 10, 2077-2095.	1.7	76
57	Nerve Blocks in the Critical Care Environment. <i>Critical Care Clinics</i> , 1990, 6, 343-367.	1.0	6
58	Long-term pain relief produced by intrathecal morphine infusion in 53 patients. <i>Journal of Neurosurgery</i> , 1990, 72, 200-209.	0.9	201
59	The role of descending noradrenergic systems in regulation of nociception: the effects of intrathecally administered $\alpha_1$ -adrenoceptor antagonists and clonidine. <i>Pain</i> , 1990, 43, 113-120.	2.0	35
60	Effect of intrathecal tizanidine on antinociception and blood pressure in the rat. <i>Pain</i> , 1990, 40, 333-338.	2.0	30
61	Spinal dynorphin A ( $\alpha$ -17): Possible mediator of antianalgesic action. <i>Neuropharmacology</i> , 1990, 29, 609-617.	2.0	75
62	Antinociceptive interactions between intrathecally administered $\alpha_1$ noradrenergic agonists and $^{25}$ -N-ethylcarbamamide adenosine. <i>Brain Research</i> , 1990, 519, 287-293.	1.1	30
63	Antagonism of stimulation-produced antinociception from ventrolateral pontine sites by intrathecal administration of $\alpha_1$ -adrenergic antagonists and naloxone. <i>Brain Research</i> , 1990, 530, 20-34.	1.1	54
64	Objective assessment of clonidine analgesia in man and influence of naloxone. <i>Life Sciences</i> , 1990, 46, 991-998.	2.0	17
65	Spinal antinociceptive synergy between clonidine and morphine, U69593, and DPDPE: Isobolographic analysis. <i>Life Sciences</i> , 1990, 47, PL71-PL76.	2.0	59
66	Distribution of neuropeptide Y in the spinal cords of cat, dog, rat, man and pig. <i>Regulatory Peptides</i> , 1990, 29, 81-92.	1.9	11
67	The effects of medetomidine, an $\alpha_2$ -adrenoceptor agonist, and cocaine on the tooth pulp-evoked jaw-opening reflex in cat. <i>Pharmacology Biochemistry and Behavior</i> , 1991, 38, 287-292.	1.3	7
68	Involvement of supraspinal and spinal segmental alpha-2-adrenergic mechanisms in the medetomidine-induced antinociception. <i>Neuroscience</i> , 1991, 44, 705-714.	1.1	94
69	The analgesic action of dexmedetomidine – a novel $\alpha_2$ -adrenoceptor agonist – in healthy volunteers. <i>Pain</i> , 1991, 46, 281-285.	2.0	175
70	Topical application of clonidine relieves hyperalgesia in patients with sympathetically maintained pain. <i>Pain</i> , 1991, 47, 309-317.	2.0	339
71	Central analgesic mechanisms: A review of opioid receptor physiopharmacology and related antinociceptive systems. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 1991, 5, 268-277.	0.6	11
72	Antinociceptive properties of intrathecal dexmedetomidine in rats. <i>European Journal of Pharmacology</i> , 1991, 192, 221-225.	1.7	60
73	Antinociception in bulboreticular neurons of the rat produced by spinally administered medetomidine, an $\alpha_2$ -adrenoceptor agonist. <i>European Journal of Pharmacology</i> , 1991, 204, 9-14.	1.7	12

#	ARTICLE	IF	CITATIONS
74	Cannabinoid-induced antinociception is mediated by a spinal $\alpha_2$ -noradrenergic mechanism. Brain Research, 1991, 559, 309-314.	1.1	110
75	Antinociception and cardiovascular responses produced by intravenous morphine: the role of vagal afferents. Brain Research, 1991, 543, 256-270.	1.1	69
76	Iontophoretic analysis of the pharmacologic mechanisms responsible for initiation and modulation of trigeminal motoneuronal discharge evoked by intra-oral afferent stimulation. Brain Research, 1991, 549, 66-77.	1.1	27
77	FLQPRF-amide modulates $\alpha_2$ -adrenergic antinociception in the rat dorsal horn in vivo. Brain Research, 1991, 562, 327-328.	1.1	28
78	Role of Signal Transduction in Anesthetic Action.. Annals of the New York Academy of Sciences, 1991, 625, 409-422.	1.8	22
79	Intrathecal administration of clonidine suppresses autotomy, a behavioral sign of chronic pain in rats after sciatic nerve section. Neuroscience Letters, 1991, 133, 199-202.	1.0	44
80	Modulation of Locomotor Patterns and Spasticity with Clonidine in Spinal Cord Injured Patients. Canadian Journal of Neurological Sciences, 1991, 18, 321-332.	0.3	87
81	Effect of Intravenously Administered Dexmedetomidine on Pain After Laparoscopic Tubal Ligation. Anesthesia and Analgesia, 1991, 73, 112-118.	1.1	138
83	Descending systems activated by morphine (ICV) inhibit kainic acid (IT)-induced behavior. Pharmacology Biochemistry and Behavior, 1991, 39, 155-159.	1.3	5
84	Rat Spinal Cord $\alpha_2$ -Adrenoceptors are of the $\alpha_2A$ -Subtype: Comparison with $\alpha_2A$ - and $\alpha_2B$ -Adrenoceptors in Rat Spleen, Cerebral Cortex and Kidney Using <sup>3</sup> H- $\alpha_2$ -Ligand Binding. Basic and Clinical Pharmacology and Toxicology, 1991, 69, 341-350.	0.0	75
85	Antiemetic prophylaxis with promethazine or droperidol in paediatric outpatient strabismus surgery. Canadian Journal of Anaesthesia, 1991, 38, 54-60.	0.7	31
86	Alpha-2 agonists and anaesthesia. Canadian Journal of Anaesthesia, 1991, 38, 809-813.	0.7	13
87	Role of adrenoceptors in the potentiation of opioid antinociception by ephedrine and phenylpropanolamine in mice. Psychopharmacology, 1991, 105, 563-567.	1.5	11
88	Descending noradrenergic influences on pain. Progress in Brain Research, 1991, 88, 381-394.	0.9	258
89	Pharmacologic Management of Spinal Spasticity. Neurorehabilitation and Neural Repair, 1991, 5, S15-S20.	1.4	0
90	Supraspinal and spinal monoamine-modified function and the expression of opioid antinociception. Journal of Psychopharmacology, 1991, 5, 352-359.	2.0	8
91	EXTRADURAL CLONIDINE INFUSIONS FOR ANALGESIA AFTER TOTAL HIP REPLACEMENT. British Journal of Anaesthesia, 1992, 68, 338-343.	1.5	53
92	A Comparison of Two Epidural $\alpha_2$ -Agonists, Guanfacine and Clonidine, in Regard to Duration of Antinociception, and Ventilatory and Hemodynamic Effects in Goats. Anesthesia and Analgesia, 1992, 74, 712-718.	1.1	17

#	ARTICLE	IF	CITATIONS
93	Pharmacological Studies on Lappaconitine: Possible Interaction with Endogenous Noradrenergic and Serotonergic Pathways to Induce Antinociception.. The Japanese Journal of Pharmacology, 1992, 58, 251-257.	1.2	26
94	Antinociception induced by electrical stimulation of spinally projecting noradrenergic neurons in the A7 catecholamine cell group of the rat. Pain, 1992, 48, 449-461.	2.0	104
96	Octreotide: a potent new non-opiate analgesic for intrathecal infusion. Pain, 1992, 49, 13-19.	2.0	118
97	The depressive effect of intrathecal clonidine on the spinal flexor reflex is enhanced after sciatic nerve section in rats. Pain, 1992, 51, 145-151.	2.0	47
98	Evidence for the involvement of the $\mu$ but not $\delta$ opioid receptor subtype in the synergistic interaction between opioid and $\alpha$ 2 adrenergic antinociception in the rat spinal cord. Neuroscience Letters, 1992, 139, 65-68.	1.0	44
99	Relationship between autotomy behaviour and spinal cord monoaminergic levels in rats. Pain, 1992, 48, 429-437.	2.0	17
100	Clinical interactions with alpha-2-adrenergic agonists in anesthetic practice. Journal of Clinical Anesthesia, 1992, 4, 164-172.	0.7	25
101	Transdermal clonidine versus placebo in painful diabetic neuropathy. Pain, 1992, 48, 403-408.	2.0	85
102	Cerebrospinal fluid kinetics of epidural clonidine in man. Pain, 1992, 49, 361-367.	2.0	32
103	Desipramine potentiates spinal antinociception by 5-hydroxytryptamine, morphine and adenosine. Pain, 1992, 50, 113-118.	2.0	30
104	Is nociceptor activation by alpha-1 adrenoreceptors the culprit in sympathetically maintained pain?. APS Journal, 1992, 1, 3-11.	0.2	42
105	Further pharmacological characterization of [3H]idazoxan binding sites in rat brain: evidence for predominant labeling of $\alpha$ 2-adrenergic receptors. Brain Research, 1992, 582, 261-267.	1.1	17
106	Morphine induces an increase in extracellular serotonin in the rat diencephalon. Brain Research, 1992, 599, 277-282.	1.1	33
107	Effects of lesions of locus coeruleus/subcoeruleus on diffuse noxious inhibitory controls in the rat. Brain Research, 1992, 571, 140-144.	1.1	39
108	Intrathecal oxymetazoline does not produce neurotoxicity in the spinal cord of the rat. Brain Research, 1992, 599, 73-82.	1.1	4
109	Potent antinociceptive effects of clonidine systemically administered in an experimental model of clinical pain, the arthritic rat. Brain Research, 1992, 593, 7-13.	1.1	36
110	Evidence that an $\alpha$ 2A-adrenoceptor subtype mediates antinociception in mice. European Journal of Pharmacology, 1992, 215, 355-356.	1.7	47
111	The effect of intrathecally administered imiloxan and WB4101: possible role of $\alpha$ 2-adrenoceptor subtypes in the spinal cord. European Journal of Pharmacology, 1992, 219, 465-468.	1.7	62

#	ARTICLE	IF	CITATIONS
112	The antinociceptive actions of dexmedetomidine on dorsal horn neuronal responses in the anaesthetized rat. <i>European Journal of Pharmacology</i> , 1992, 215, 127-133.	1.7	88
113	Short-Term Immunosuppression Enhances Long-Term Survival of Bovine Chromaffin Cell Xenografts in Rat Cns. <i>Cell Transplantation</i> , 1992, 1, 33-41.	1.2	53
114	Pharmacological Studies on Lappanconitine: Possible Interaction with Endogenous Noradrenergic and Serotonergic Pathways to Induce Antinociception. <i>The Japanese Journal of Pharmacology</i> , 1992, 58, 251-257.	1.2	8
115	Pharmacokinetic-pharmacodynamic modeling of the effects of clonidine on pain threshold, blood pressure, and salivary flow. <i>European Journal of Clinical Pharmacology</i> , 1992, 42, 655-61.	0.8	20
116	L'application péridurale d'opiacés dans le traitement de la douleur aiguë ou chronique: le point de la situation. <i>Douleur Et Analgesie</i> , 1992, 5, 43-47.	0.2	0
117	Roles of gender and gonadectomy in pilocarpine and clonidine analgesia in rats. <i>Pharmacology Biochemistry and Behavior</i> , 1992, 41, 153-158.	1.3	46
118	Antinociceptive properties of tiletamine-zolazepam improved by addition of xylazine or butorphanol. <i>Pharmacology Biochemistry and Behavior</i> , 1992, 43, 1129-1133.	1.3	20
119	Sympathetic mechanisms in post-operative pain. <i>Canadian Journal of Anaesthesia</i> , 1992, 39, 523-527.	0.7	33
120	Interactions between Substance P and Norepinephrine in the Regulation of Nociception in Mouse Spinal Cord. <i>Basic and Clinical Pharmacology and Toxicology</i> , 1992, 70, 397-401.	0.0	9
121	Noradrenergic modulation of noxious heat-evoked fos-like immunoreactivity in the dorsal horn of the rat sacral spinal cord. <i>Journal of Comparative Neurology</i> , 1992, 325, 435-445.	0.9	36
122	Normal distribution of alpha-1-adrenoceptors in the rat spinal cord and its modification after noradrenergic denervation: A quantitative autoradiographic study. <i>Journal of Neuroscience Research</i> , 1993, 34, 44-53.	1.3	45
123	Alpha-2-adrenergic agents in anaesthesia. <i>Acta Anaesthesiologica Scandinavica</i> , 1993, 37, 433-448.	0.7	134
124	Pharmacokinetics and pharmacodynamics of medullar agents. <i>Bailliere's Clinical Anaesthesiology</i> , 1993, 7, 597-614.	0.2	21
125	The rostroventromedial medulla is not involved in $\alpha_2$ -adrenoceptor-mediated antinociception in the rat. <i>Neuropharmacology</i> , 1993, 32, 1411-1418.	2.0	15
126	Monoaminergic control of the release of calcitonin gene-related peptide- and substance P-like materials from rat spinal cord slices. <i>Neuropharmacology</i> , 1993, 32, 633-640.	2.0	57
127	Neither cholecystokinin nor galanin modulate intrathecal clonidine-induced depression of the nociceptive flexor reflex in the rat. <i>Brain Research</i> , 1993, 621, 267-271.	1.1	5
128	The function of noradrenergic neurons in mediating antinociception induced by electrical stimulation of the locus coeruleus in two different sources of Sprague-Dawley rats. <i>Brain Research</i> , 1993, 626, 127-135.	1.1	129
129	Pre-emptive administration of clonidine prevents development of hyperalgesia to mechanical stimuli in a model of mononeuropathy in the rat. <i>Brain Research</i> , 1993, 632, 16-20.	1.1	24



#	ARTICLE	IF	CITATIONS
130	Intrathecal 5-methoxy-N, N-dimethyltryptamine in mice modulates 5-HT1 and 5-HT3 receptors. <i>European Journal of Pharmacology</i> , 1993, 249, 151-160.	1.7	12
131	The effect of intrathecal guanfacine and clonidine on the flexor reflex in rats with intact and sectioned sciatic nerves. <i>European Journal of Pharmacology</i> , 1993, 235, 161-164.	1.7	9
132	Noradrenergic and opioid systems interact to alter the detection of noxious thermal stimuli and facial scratching in monkeys. <i>Pain</i> , 1993, 55, 63-70.	2.0	9
133	Evidence for nonsynaptic serotonergic and noradrenergic innervation of the rat dorsal horn and possible involvement of neuron-glia interactions. <i>Neuroscience</i> , 1993, 52, 143-157.	1.1	226
134	Antinociception induced by alpha-2-adrenoceptor agonists, with special emphasis on medetomidine studies. <i>Progress in Neurobiology</i> , 1993, 40, 691-709.	2.8	124
135	Release of calcitonin gene-related peptide (CGRP), substance P (SP), and vasoactive intestinal polypeptide (VIP) from rat spinal cord: Modulation by agonists. <i>Peptides</i> , 1993, 14, 371-378.	1.2	84
136	Antinociception Following Implantation of AtT-20 and Genetically Modified AtT-20/hENK Cells in Rat Spinal Cord. <i>Journal of Neural Transplantation &amp; Plasticity</i> , 1993, 4, 15-26.	0.7	17
137	Implantation of AtT-20 or genetically modified AtT-20/hENK cells in mouse spinal cord induced antinociception and opioid tolerance. <i>Journal of Neuroscience</i> , 1994, 14, 4806-4814.	1.7	53
138	Co-administration of pethidine and clonidine: a spinal anaesthetic technique for total hip replacement. <i>British Journal of Anaesthesia</i> , 1994, 73, 628-633.	1.5	17
139	Extradural clonidine—the need for well designed controlled trials. <i>British Journal of Anaesthesia</i> , 1994, 72, 255-257.	1.5	6
140	Pharmacology and Toxicology of Chronically Infused Epidural Clonidine-HCl in Dogs. <i>Toxicological Sciences</i> , 1994, 23, 319-335.	1.4	2
141	Normal distribution of alpha 2-adrenoceptors in the rat spinal cord and its modification after noradrenergic denervation: A quantitative autoradiographic study. <i>Journal of Neuroscience Research</i> , 1994, 39, 319-329.	1.3	65
142	Atipamezole, an alpha2 antagonist, augments opiate-induced muscle rigidity in the rat. <i>Pharmacology Biochemistry and Behavior</i> , 1994, 49, 523-529.	1.3	11
143	[D-Pen2-D-Pen5]enkephalin, a delta opioid agonist, given intracerebroventricularly in the mouse produces antinociception through mediation of spinal GABA receptors. <i>Pharmacology Biochemistry and Behavior</i> , 1994, 49, 675-682.	1.3	19
144	The effect of clonidine on intra-operative requirements of fentanyl during combined epidural/general anaesthesia. <i>Anaesthesia</i> , 1994, 49, 999-1002.	1.8	20
145	The Analgesic Effects of Administering Fentanyl or Medetomidine in the Lumbosacral Epidural Space of Cats. <i>Veterinary Surgery</i> , 1994, 23, 143-148.	0.5	49
146	Antagonism of clonidine antinociception by buspirone and 1-(2-pyrimidinyl)-piperazine. <i>European Journal of Pharmacology</i> , 1994, 259, 75-78.	1.7	7
147	The spinal analgesic role of $\alpha_2$ -adrenoceptor subtypes in rats after peripheral nerve section. <i>European Journal of Pharmacology</i> , 1994, 260, 227-232.	1.7	17

#	ARTICLE	IF	CITATIONS
148	Mydriatic and antinociceptive effects of intrathecal dexmedetomidine in conscious rats. <i>European Journal of Pharmacology</i> , 1994, 253, 61-66.	1.7	15
149	Alpha2-adrenoceptors vs. imidazoline receptors: Implications for analgesia and other non-cardiovascular therapeutic uses. <i>Life Sciences</i> , 1994, 56, 63-74.	2.0	2
150	Decreased spinal morphine/clonidine antinociceptive synergism in morphine-tolerant mice. <i>Life Sciences</i> , 1994, 56, PL115-PL122.	2.0	12
151	Characterization of the foot withdrawal response to noxious radiant heat in the rat. <i>Pain</i> , 1994, 59, 85-94.	2.0	90
152	Dissociation of the $\hat{1}\pm$ 2-adrenergic antinociception from sedation following microinjection of medetomidine into the locus coeruleus in rats. <i>Pain</i> , 1994, 57, 207-215.	2.0	50
153	Participation of opioid and monoaminergic mechanisms on the antinociceptive effect induced by tricyclic antidepressants in two behavioural pain tests in mice. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 1994, 18, 1073-1092.	2.5	79
154	The effects of intrathecal morphine and clonidine on the prevention and reversal of spinal cord hyperexcitability following sciatic nerve section in the rat. <i>Pain</i> , 1994, 58, 245-252.	2.0	32
155	Antinociception following implantation of mouse B16 melanoma cells in mouse and rat spinal cord. <i>Pain</i> , 1994, 56, 203-210.	2.0	20
156	Alpha-2 agonists and analgesia. <i>Expert Opinion on Investigational Drugs</i> , 1994, 3, 1005-1010.	1.9	21
157	Serotonin and pain: evidence that activation of 5-HT <sub>1A</sub> receptors does not elicit antinociception against noxious thermal, mechanical and chemical stimuli in mice. <i>Pain</i> , 1994, 58, 45-61.	2.0	73
159	Oral tramadol, a $\hat{1}\frac{1}{4}$ -opioid agonist and monoamine reuptake-blocker, and morphine for strong cancer-related pain. <i>Annals of Oncology</i> , 1994, 5, 141-146.	0.6	108
160	Spinal Potentiation and Supraspinal Additivity in the Antinociceptive Interaction Between Systemically Administered $\hat{2}$ -Adrenoceptor Agonist and Cocaine in the Rat. <i>Anesthesia and Analgesia</i> , 1994, 79, 261-266.	1.1	21
161	Hemodynamic and Analgesic Effects of Clonidine Added Repetitively to Continuous Epidural and Spinal Blocks. <i>Anesthesia and Analgesia</i> , 1995, 80, 322-327.	1.1	6
162	Hemodynamic and Analgesic Effects of Clonidine Added Repetitively to Continuous Epidural and Spinal Blocks. <i>Anesthesia and Analgesia</i> , 1995, 80, 322-327.	1.1	97
163	Computer-controlled Epidural Infusion to Targeted Cerebrospinal Fluid Concentrations in Humans. <i>Anesthesiology</i> , 1995, 83, 33-47.	1.3	28
164	Cardiopulmonary and Analgesic Effects of Epidural Lidocaine, Alfentanil, and Xylazine in Pigs Anesthetized With Isoflurane. <i>Veterinary Surgery</i> , 1995, 24, 73-77.	0.5	10
165	Interactions between the lipophilic opioid sufentanil and clonidine in rats after spinal application. <i>Acta Anaesthesiologica Scandinavica</i> , 1995, 39, 527-534.	0.7	16
166	Oral clonidine relieved postoperative pain after pheochromocytoma resection. <i>Journal of Anesthesia</i> , 1995, 9, 289-291.	0.7	1

#	ARTICLE	IF	CITATIONS
167	Spinal opioid systems in inflammation. <i>Inflammation Research</i> , 1995, 44, 231-241.	1.6	62
168	Dopaminergic control of transmission from group II muscle afferents to spinal neurones in the cat and guinea-pig. <i>Experimental Brain Research</i> , 1995, 105, 39-47.	0.7	16
169	Correspondence. <i>Anaesthesia</i> , 1995, 50, 657-668.	1.8	1
170	Spinal GABA receptors mediate brain delta opioid analgesia in Swiss Webster mice. <i>Pharmacology Biochemistry and Behavior</i> , 1995, 51, 655-659.	1.3	21
171	Deep Brain Stimulation for the Relief of Chronic Pain. <i>Neurosurgery Clinics of North America</i> , 1995, 6, 135-144.	0.8	28
172	New molecules in analgesia. <i>British Journal of Anaesthesia</i> , 1995, 75, 145-156.	1.5	42
173	Inhibition by 5-hydroxytryptamine and noradrenaline in substantia gelatinosa of guinea-pig spinal trigeminal nucleus. <i>Journal of Physiology</i> , 1995, 485, 113-120.	1.3	74
174	Effect of adrenaline on plasma concentrations of fentanyl during epidural anaesthesia for caesarean section. <i>International Journal of Obstetric Anesthesia</i> , 1995, 4, 225-229.	0.2	4
175	Central neural organization and control of sympathetic nervous system in mammals. <i>Progress in Neurobiology</i> , 1995, 47, 157-233.	2.8	159
176	Can the $\alpha_2$ -adrenoceptor agonist-mediated suppression of nocifensive reflex responses be due to action on motoneurons or peripheral nociceptors?. <i>Neuroscience Letters</i> , 1995, 196, 29-32.	1.0	9
177	Caffeine antinociception in the rat hot-plate and formalin tests and locomotor stimulation: involvement of noradrenergic mechanisms. <i>Pain</i> , 1995, 61, 203-213.	2.0	47
178	Epidural clonidine analgesia for intractable cancer pain. <i>Pain</i> , 1995, 61, 391-399.	2.0	420
179	Peripheral nociceptive effects of $\alpha_2$ -adrenergic receptor agonists in the rat. <i>Neuroscience</i> , 1995, 66, 427-432.	1.1	120
180	CRH and the noradrenergic system mediate the antinociceptive effect of central interleukin-1 in the rat. <i>Brain Research Bulletin</i> , 1995, 36, 113-117.	1.4	30
181	Transdermal clonidine compared to placebo in painful diabetic neuropathy using a two-stage enriched enrollment™ design. <i>Pain</i> , 1995, 60, 267-274.	2.0	166
182	The effect of xylazine epidural anaesthesia on blood gas and acid-base parameters in rams. <i>British Veterinary Journal</i> , 1995, 151, 579-585.	0.5	32
183	The role of $\alpha_2$ -adrenoceptors of the medullary lateral reticular nucleus in spinal antinociception in rats. <i>Brain Research Bulletin</i> , 1995, 37, 633-638.	1.4	16
184	Effect of administration of high dose intrathecal clonidine or morphine prior to sciatic nerve section on c-Fos expression in rat lumbar spinal cord. <i>Neuroscience</i> , 1995, 68, 1219-1227.	1.1	19

#	ARTICLE	IF	CITATIONS
185	The antinociceptive action of an $\alpha_2$ -adrenoceptor agonist in the spinal dorsal horn is due to a direct spinal action and not to activation of Descending Inhibition. <i>Brain Research Bulletin</i> , 1995, 37, 581-587.	1.4	26
186	$\alpha_2$ -Adrenoceptor and opioid receptor modulation of clonidine-induced antinociception. <i>British Journal of Pharmacology</i> , 1996, 119, 551-554.	2.7	47
187	Regional study of spinal alpha 2-adrenoceptor densities after intraspinal noradrenergic-rich implants on adult rats bearing complete spinal cord transection or selective chemical noradrenergic denervation. <i>Neuroscience Letters</i> , 1996, 208, 89-92.	1.0	11
188	A double-blind randomised comparison of the effects of epidural clonidine, lignocaine and the combination of clonidine and lignocaine in patients with chronic pain. <i>Pain</i> , 1996, 64, 337-343.	2.0	42
189	Different roles of $\alpha_2$ -adrenoceptors of the medulla versus the spinal cord in modulation of mustard oil-induced central hyperalgesia in rats. <i>European Journal of Pharmacology</i> , 1996, 297, 19-26.	1.7	25
190	Antinociceptive effects of oral clonidine and S12813-4 in acute colon inflammation in rats. <i>European Journal of Pharmacology</i> , 1996, 308, 251-259.	1.7	16
191	Effects of clonidine on a C-fibre reflex in the rat. <i>European Journal of Pharmacology</i> , 1996, 313, 51-62.	1.7	4
192	Effects of intrathecal vs. systemic clonidine in treating chronic allodynia-like response in spinally injured rats. <i>Brain Research</i> , 1996, 736, 28-34.	1.1	44
193	Dexmedetomidine Injection into the Locus Ceruleus Produces Antinociception. <i>Anesthesiology</i> , 1996, 84, 873-881..	1.3	277
194	Endogenous monoamines inhibit glutamate transmission in the spinal trigeminal nucleus of the guinea pig. <i>Journal of Physiology</i> , 1996, 491, 177-185.	1.3	77
195	Clonidine, but Not Morphine, Delays the Development of Thermal Hyperesthesia Induced by Sciatic Nerve Constriction Injury in the Rat. <i>Anesthesiology</i> , 1996, 85, 835-845.	1.3	20
196	Intrathecal Clonidine and Tizanidine in Conscious Dogs. <i>Anesthesia and Analgesia</i> , 1996, 82, 627-635.	1.1	3
197	Epidurale und intrathekale Anwendung von alpha2-Adrenozeptor-Agonisten zur postoperativen Analgesie. <i>Schmerz</i> , 1996, 10, 57-64.	2.7	10
198	$\alpha_2$ -Adrenozeptoragonisten zur Therapie chronischer Schmerzen. <i>Schmerz</i> , 1996, 10, 65-70.	2.7	2
199	Spinal cholinergic and monoamine receptors mediate the antinociceptive effect of morphine microinjected in the periaqueductal gray on the rat tail, but not the feet. <i>Brain Research</i> , 1996, 722, 95-108.	1.1	49
200	Effects of spinal naloxone and naltrindole on the antinociceptive action of intrathecally administered dexmedetomidine. <i>Journal of Anesthesia</i> , 1996, 10, 194-198.	0.7	4
201	Contribution of monoaminergic modulation to the analgesic effect of tramadol. <i>British Journal of Clinical Pharmacology</i> , 1996, 41, 7-12.	1.1	202
202	Intrathecal Clonidine and Tizanidine in Conscious Dogs. <i>Anesthesia and Analgesia</i> , 1996, 82, 627-635.	1.1	26

#	ARTICLE	IF	CITATIONS
203	Lumbar Epidural Analgesia for Labor and Vaginal Delivery. <i>Gynecologic and Obstetric Investigation</i> , 1997, 44, 73-81.	0.7	6
204	The spinal form of spasticity. <i>Journal of Back and Musculoskeletal Rehabilitation</i> , 1997, 9, 255-263.	0.4	0
205	Epidural Epinephrine and Clonidine. <i>Anesthesiology</i> , 1997, 87, 785-794.	1.3	102
206	Substitution of a mutant $\alpha_2$ -adrenergic receptor via "hit and run" gene targeting reveals the role of this subtype in sedative, analgesic, and anesthetic-sparing responses in vivo. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1997, 94, 9950-9955.	3.3	319
207	The Role of Descending Noradrenergic and Serotonergic Pathways in the Modulation of Nociception: Focus on Receptor Multiplicity. <i>Handbook of Experimental Pharmacology</i> , 1997, , 385-446.	0.9	32
208	The Pharmacology of Pain. <i>Handbook of Experimental Pharmacology</i> , 1997, , .	0.9	32
209	Intraspinal therapy in the management of refractory cancer pain. <i>Techniques in Regional Anesthesia and Pain Management</i> , 1997, 1, 38-46.	0.2	1
210	Implication of $\alpha_1$ - and $\alpha_2$ -adrenergic receptors in the antinociceptive effect of tricyclic antidepressants. <i>European Neuropsychopharmacology</i> , 1997, 7, 139-145.	0.3	30
211	Locus Coeruleus Stimulation Modulates the Nociceptive Response in Parafascicular Neurons: An Analysis of Descending and Ascending Pathways. <i>Brain Research Bulletin</i> , 1997, 42, 273-278.	1.4	32
212	Current Research in Anesthesia and Trends in Clinical Applications. , 1997, , 397-408.		2
213	Physiological Identification of Pontomedullary Serotonergic Neurons in the Rat. <i>Journal of Neurophysiology</i> , 1997, 77, 1087-1098.	0.9	135
214	The $\alpha_2$ -Adrenergic Receptor Subtype Mediates Spinal Analgesia Evoked by $\alpha_2$ -Agonists and Is Necessary for Spinal Adrenergic-Opioid Synergy. <i>Journal of Neuroscience</i> , 1997, 17, 7157-7165.	1.7	233
215	The analgesic tramadol has minimal effect on gastrointestinal motor function. <i>British Journal of Clinical Pharmacology</i> , 1997, 43, 71-75.	1.1	15
216	The effect of epidural xylazine on halothane minimum alveolar concentration in ponies. <i>Journal of Veterinary Pharmacology and Therapeutics</i> , 1997, 20, 246-248.	0.6	14
217	Characterization of $\alpha_2$ -adrenoceptors mediating contraction of dog saphenous vein: identity with the human $\alpha_2A$ subtype. <i>British Journal of Pharmacology</i> , 1997, 121, 1721-1729.	2.7	36
218	Effect of acute and chronic tramadol on [ $^3$ H]-5-HT uptake in rat cortical synaptosomes. <i>British Journal of Pharmacology</i> , 1997, 122, 302-306.	2.7	46
219	$\alpha_2$ adrenergic agonists. <i>Current Anaesthesia and Critical Care</i> , 1997, 8, 31-35.	0.3	3
220	ADVANCES IN PAIN RESEARCH. <i>Anesthesiology Clinics</i> , 1997, 15, 229-234.	1.4	22

#	ARTICLE	IF	CITATIONS
221	Insulin-Dependent Attenuation in $\hat{1}\pm 2$ -Adrenoreceptor-Mediated Nociception in Experimental Diabetes. <i>Pharmacology Biochemistry and Behavior</i> , 1997, 56, 15-20.	1.3	12
222	Alpha-Adrenozeptor-Agonisten zur Therapie chronischer Schmerzen. <i>Schmerz</i> , 1997, 11, 339-3344.	2.7	4
223	Involvement of protein kinase c in responses of rat dorsal horn neurons to mechanical stimuli and periaqueductal gray descending inhibition. <i>Experimental Brain Research</i> , 1997, 114, 561-570.	0.7	31
224	Depression of NMDA receptor-mediated synaptic transmission by four $\hat{1}\pm 2$ adrenoceptor agonists on the in vitro rat spinal cord preparation. <i>British Journal of Pharmacology</i> , 1998, 124, 507-512.	2.7	28
225	Antinociception produced by microinjection of morphine in the rat periaqueductal gray is enhanced in the foot, but not the tail, by intrathecal injection of $\hat{1}\pm 1$ -adrenoceptor antagonists. <i>Brain Research</i> , 1998, 790, 14-24.	1.1	38
226	Effects of noradrenergic agonists on superficial dorsal horn neurons in the cat spinal cord. <i>Brain Research</i> , 1998, 798, 55-66.	1.1	2
227	Enhanced Antinociception of Clonidine in Spontaneously Hypertensive Rats Involves a Presynaptic Noradrenergic Mechanism. <i>Pharmacology Biochemistry and Behavior</i> , 1998, 59, 109-114.	1.3	7
228	Central noradrenergic mediation of nitrous oxide-induced analgesia in rats. <i>Canadian Journal of Anaesthesia</i> , 1998, 45, 1123-1129.	0.7	24
229	The effect of noradrenaline, angiotensin II and vasopressin on blood flow and sensitivity to heat in capsaicin-treated skin. <i>Clinical Autonomic Research</i> , 1998, 8, 87-93.	1.4	22
230	Complex regional pain syndromes—reflex sympathetic dystrophy and causalgia. <i>Current Review of Pain</i> , 1998, 2, 242-253.	0.8	5
232	Antinociceptive effects of monoamine reuptake inhibitors administered alone or in combination with mu opioid agonists in rhesus monkeys. <i>Psychopharmacology</i> , 1998, 135, 99-106.	1.5	46
233	Affinity of detomidine, medetomidine and xylazine for alpha $\hat{2}$ adrenergic receptor subtypes. <i>Journal of Veterinary Pharmacology and Therapeutics</i> , 1998, 21, 107-111.	0.6	42
234	Transgenic studies of pain. <i>Pain</i> , 1998, 77, 107-128.	2.0	102
236	Pharmacological evidence for different alpha 2-adrenergic receptor sites mediating analgesia and sedation in the rat. <i>British Journal of Anaesthesia</i> , 1998, 81, 208-215.	1.5	110
237	The Effects of the alpha2-Adrenergic Agonist, Dexmedetomidine, in the Spinal Nerve Ligation Model of Neuropathic Pain in Rats. <i>Anesthesia and Analgesia</i> , 1998, 86, 355-360.	1.1	14
238	Intravenous Regional Clonidine in the Management of Sympathetically Maintained Pain. <i>Anesthesiology</i> , 1998, 89, 527-530.	1.3	33
239	The Effects of the alpha2-Adrenergic Agonist, Dexmedetomidine, in the Spinal Nerve Ligation Model of Neuropathic Pain in Rats. <i>Anesthesia and Analgesia</i> , 1998, 86, 355-360.	1.1	59
240	Differential Distribution of $\hat{1}\pm 2A$ and $\hat{1}\pm 2C$ Adrenergic Receptor Immunoreactivity in the Rat Spinal Cord. <i>Journal of Neuroscience</i> , 1998, 18, 5928-5937.	1.7	211

#	ARTICLE	IF	CITATIONS
241	Role of the Nucleus Raphe Magnus in Antinociception Produced by ABT-594: Immediate Early Gene Responses Possibly Linked to Neuronal Nicotinic Acetylcholine Receptors on Serotonergic Neurons. <i>Journal of Neuroscience</i> , 1998, 18, 5426-5432.	1.7	101
242	Intrathecal Drug Therapy. <i>Physical Medicine and Rehabilitation Clinics of North America</i> , 1999, 10, 385-401.	0.7	9
243	Thermal and mechanical antinociceptive action of spinal vs peripherally administered clonidine in the rat inflamed knee joint model. <i>British Journal of Anaesthesia</i> , 1999, 83, 436-441.	1.5	40
244	Low-dose clonidine infusion during labour. <i>British Journal of Anaesthesia</i> , 1999, 83, 257-261.	1.5	23
245	Effects of Ethanol and Ethanol Withdrawal on Nociception in Rats. <i>Alcoholism: Clinical and Experimental Research</i> , 1999, 23, 328-333.	1.4	86
246	Treatment options in postherpetic neuralgia. <i>Acta Neurologica Scandinavica</i> , 1999, 100, 25-35.	1.0	72
247	Effect of tramadol and morphine on pain and gastrointestinal motor function in patients with chronic pancreatitis. <i>Digestive Diseases and Sciences</i> , 1999, 44, 1107-1116.	1.1	122
248	Baclofen and antidepressant - induced antinociception in formalin test: possible GABA B mechanism involvement. <i>Psychopharmacology</i> , 1999, 142, 426-431.	1.5	23
249	Subarachnoid techniques for cancer pain therapy: When, why, and how?. <i>Current Review of Pain</i> , 1999, 3, 198-205.	0.8	11
250	The antinociceptive effect of the $\mu$ -opioid fentanyl is reduced in the presence of the $\beta$ -adrenergic antagonist idazoxan in inflammation. <i>Brain Research</i> , 1999, 840, 106-114.	1.1	21
251	The involvement of opioidergic and noradrenergic mechanisms in nefopam antinociception. <i>European Journal of Pharmacology</i> , 1999, 365, 149-157.	1.7	44
252	The Atypical Neuroleptics Clozapine and Olanzapine Differ Regarding Their Antinociceptive Mechanisms and Potency. <i>Pharmacology Biochemistry and Behavior</i> , 1999, 64, 75-80.	1.3	63
253	Effects of Subarachnoid Xylazine and Medetomidine on Haemodynamics and ECG in Goats. <i>Transboundary and Emerging Diseases</i> , 1999, 46, 271-275.	0.6	13
254	Differential effects of neurotoxic destruction of descending noradrenergic pathways on acute and persistent nociceptive processing. <i>Pain</i> , 1999, 80, 57-65.	2.0	87
255	Gestational and ovarian sex steroid antinociception: relevance of uterine afferent and spinal $\beta$ -noradrenergic activity. <i>Pain</i> , 1999, 83, 359-368.	2.0	32
256	Effects of peripheral nerve injury on alpha-2A and alpha-2C adrenergic receptor immunoreactivity in the rat spinal cord. <i>Neuroscience</i> , 1999, 93, 1399-1407.	1.1	91
257	c-Fos expression in the myenteric plexus, spinal cord and brainstem following injection of formalin in the rat colonic wall. <i>Journal of the Autonomic Nervous System</i> , 1999, 77, 140-151.	1.9	37
258	Effect of acute and chronic tramadol on [ $^3$ H]-norepinephrine-uptake in rat cortical synaptosomes. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 1999, 23, 485-496.	2.5	21

#	ARTICLE	IF	CITATIONS
259	The Antiallodynic Effects of Intrathecal Cholinesterase Inhibitors in a Rat Model of Neuropathic Pain. <i>Anesthesiology</i> , 1999, 90, 492-499.	1.3	68
260	Antinociceptive and Hemodynamic Effects of a Novel $\hat{1}\pm 2$ -Adrenergic Agonist, MPV-2426, in Sheep. <i>Anesthesiology</i> , 1999, 91, 1425-1425.	1.3	27
261	Distribution of $\hat{1}\pm 2$ -adrenoceptor mRNAs in the rat lumbar spinal cord in normal and axotomized rats. <i>NeuroReport</i> , 1999, 10, 2835-2839.	0.6	56
262	Intrathecal Clonidine Alleviates Allodynia in Neuropathic Rats. <i>Anesthesiology</i> , 1999, 90, 509-514.	1.3	113
263	The analgesic potential of intraventricular polymer-encapsulated adrenal chromaffin cells in a rodent model of chronic neuropathic pain. <i>Experimental and Clinical Psychopharmacology</i> , 2000, 8, 524-538.	1.3	8
264	Initial Characterization of the Transplant of Immortalized Chromaffin Cells for the Attenuation of Chronic Neuropathic Pain. <i>Cell Transplantation</i> , 2000, 9, 637-656.	1.2	35
265	Attenuation of Ascending Nociceptive Signals to the Rostroventromedial Medulla Induced by a Novel $\hat{1}\pm 2$ -Adrenoceptor Agonist, MPV-2426, following Intrathecal Application in Neuropathic Rats. <i>Anesthesiology</i> , 2000, 92, 1082-1092.	1.3	28
266	Effects of Relaxation and Stress on the Capsaicin-Induced Local Inflammatory Response. <i>Psychosomatic Medicine</i> , 2000, 62, 524-534.	1.3	42
267	Antinociception by Epidural and Systemic $\hat{1}\pm 2$ -Adrenoceptor Agonists and Their Binding Affinity in Rat Spinal Cord and Brain. <i>Anesthesia and Analgesia</i> , 2000, 90, 400.	1.1	71
268	Selective and segmentally restricted antinociception induced by MPV-2426, a novel $\alpha$ -2-adrenoceptor agonist, following intrathecal administration in the rat. <i>Acta Anaesthesiologica Scandinavica</i> , 2000, 44, 1077-1082.	0.7	9
269	Effects of $\alpha$ adrenoceptor antagonists, prazosin and yohimbine, on intrathecal lidocaine-induced antinociception in mice. <i>Acta Anaesthesiologica Scandinavica</i> , 2000, 44, 1083-1086.	0.7	5
270	Tramadol relieves thermal hyperalgesia in rats with chronic constriction injury of the sciatic nerve. <i>Fundamental and Clinical Pharmacology</i> , 2000, 14, 335-340.	1.0	28
271	Physiologic and biochemical effects of subarachnoidally administered xylazine and medetomidine in goats. <i>Small Ruminant Research</i> , 2000, 38, 217-228.	0.6	34
272	Brain-derived TNF $\hat{1}\pm$ : involvement in neuroplastic changes implicated in the conscious perception of persistent pain. <i>Brain Research</i> , 2000, 859, 113-122.	1.1	105
273	S-nitroso-l-cysteine releases norepinephrine in rat spinal synaptosomes. <i>Brain Research</i> , 2000, 872, 301-307.	1.1	19
274	Potentiated Opioid Analgesia in Norepinephrine Transporter Knock-Out Mice. <i>Journal of Neuroscience</i> , 2000, 20, 9040-9045.	1.7	106
275	Supraspinal, Not Spinal, $\hat{1}\pm 2$ Adrenoceptors Are Involved in the Anesthetic-Sparing and Hemodynamic-Stabilizing Effects of Systemic Clonidine in Rats. <i>Anesthesia and Analgesia</i> , 2000, 90, 722-726.	1.1	11
276	Antinociception by Epidural and Systemic $\hat{1}\pm 2$ -Adrenoceptor Agonists and Their Binding Affinity in Rat Spinal Cord and Brain. <i>Anesthesia and Analgesia</i> , 2000, 90, 400-407.	1.1	96



#	ARTICLE	IF	CITATIONS
277	Î±2-Adrenergic agonists as analgesic agents. Expert Opinion on Therapeutic Patents, 2000, 10, 1741-1748.	2.4	3
278	Duration of nonresponse to noxious stimulation after intramuscular administration of butorphanol, medetomidine, or a butorphanol-medetomidine combination during isoflurane administration in dogs. American Journal of Veterinary Research, 2000, 61, 42-47.	0.3	47
279	Hypertensive Crisis and Myocardial Infarction following Massive Clonidine Overdose. Annals of Pharmacotherapy, 2000, 34, 611-615.	0.9	39
280	Transplants of Adrenal Medullary Chromaffin Cells Reduce Forelimb and Hindlimb Allodynia in a Rodent Model of Chronic Central Pain after Spinal Cord Hemisection Injury. Experimental Neurology, 2000, 164, 426-437.	2.0	61
281	Prolonged ovarian sex steroid treatment of male rats produces antinociception: identification of sex-based divergent analgesic mechanisms. Pain, 2000, 85, 273-281.	2.0	110
282	Intrathecal S-nitroso-N-acetylpenicillamine and l-cysteine attenuate nerve injury-induced allodynia through noradrenergic activation in rats. Neuroscience, 2000, 101, 759-765.	1.1	31
283	Effect of Î±-adrenoceptor agents on imipramine-induced antinociception in nerve-ligated mice. European Neuropsychopharmacology, 2001, 11, 99-104.	0.3	6
285	UPDATE ON PAIN MANAGEMENT FOR ADVANCED GENITOURINARY CANCER. Journal of Urology, 2001, 165, 1849-1858.	0.2	9
286	GABAA and 5-HT3 Receptors Are Involved in Dorsal Root Reflexes: Possible Role in Periaqueductal Gray Descending Inhibition. Journal of Neurophysiology, 2001, 86, 49-58.	0.9	47
287	Efeito da clonidina associada à bupivacaína a 0,5% hiperbárica na anestesia subaracnóidea. Revista Brasileira De Anestesiologia, 2001, 51, 483-492.	0.6	8
288	Nociceptive Responsiveness During Slow-Wave Sleep and Waking in the Rat. Sleep, 2001, 24, 32-38.	0.6	28
289	Dexmedetomidine. Current Opinion in Critical Care, 2001, 7, 221-226.	1.6	225
290	Transgenic models of Î±2-adrenergic receptor subtype function. , 2001, 142, 161-185.		41
291	The Meissner Corpuscle Revised: A Multiafferented Mechanoreceptor with Nociceptor Immunochemical Properties. Journal of Neuroscience, 2001, 21, 7236-7246.	1.7	155
292	Effect of dexmedetomidine, an Î±2 -adrenoceptor agonist, on human pupillary reflexes during general anaesthesia. British Journal of Clinical Pharmacology, 2001, 51, 27-33.	1.1	49
293	Effects of intrathecal morphine, baclofen, clonidine and R-PIA on the acute allodynia-like behaviours after spinal cord ischaemia in rats. European Journal of Pain, 2001, 5, 1-10.	1.4	29
294	Contribution of Î±2 receptor subtypes to nerve injury-induced pain and its regulation by dexmedetomidine. British Journal of Pharmacology, 2001, 132, 1827-1836.	2.7	88
295	A role for spinal, but not supraspinal, Î±2 adrenergic receptors in the actions of imiprogan, a powerful, non-opioid analgesic. Brain Research, 2001, 923, 12-19.	1.1	14

#	ARTICLE	IF	CITATIONS
296	5-HT receptor subtypes involved in the spinal antinociceptive effect of acetaminophen in rats. <i>European Journal of Pharmacology</i> , 2001, 432, 1-7.	1.7	60
297	Physiological significance of $\alpha_2$ -adrenergic receptor subtype diversity: one receptor is not enough. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2002, 283, R287-R295.	0.9	271
298	Inhibition of Glutamatergic Synaptic Input to Spinal Lamina II $\alpha$ Neurons by Presynaptic $\alpha_2$ -Adrenergic Receptors. <i>Journal of Neurophysiology</i> , 2002, 87, 1938-1947.	0.9	108
299	Nicotinic Acetylcholine Receptor Regulation of Spinal Norepinephrine Release. <i>Anesthesiology</i> , 2002, 96, 1450-1456.	1.3	57
300	Electrophysiologic characterization of the antinociceptive actions of S18616, a novel and potent $\alpha_2$ -adrenoceptor agonist, after acute and persistent pain states. <i>Journal of Pain</i> , 2002, 3, 234-243.	0.7	10
301	IN VIVO MODELS OF INTERSTITIAL CYSTITIS. <i>Journal of Urology</i> , 2002, 167, 694-702.	0.2	108
302	Norepinephrine Content And Adrenoceptor Function In The Bladder Of Cats With Feline Interstitial Cystitis. <i>Journal of Urology</i> , 2002, 167, 1876-1880.	0.2	51
303	External and internal influences on disease risk in cats. <i>Journal of the American Veterinary Medical Association</i> , 2002, 220, 994-1002.	0.2	125
304	Continuous intraventricular clonidine infusion in controlled morphine withdrawal – case report. <i>Pain</i> , 2002, 98, 335-338.	2.0	8
305	Enhanced reduction in hyperalgesia by combined administration of clonidine and TENS. <i>Pain</i> , 2002, 100, 183-190.	2.0	29
306	An investigation of neurones that possess the $\alpha_2$ -adrenergic receptor in the rat dorsal horn. <i>Neuroscience</i> , 2002, 115, 31-40.	1.1	28
307	Descending control of pain. <i>Progress in Neurobiology</i> , 2002, 66, 355-474.	2.8	2,526
308	Expression of $\alpha_2$ -adrenergic receptor subtypes in prenatal rat spinal cord. <i>Developmental Brain Research</i> , 2002, 133, 93-104.	2.1	14
309	Suckling-induced activation of neural c-fos expression at lower thoracic rat spinal cord segments. <i>Brain Research</i> , 2002, 954, 100-114.	1.1	17
310	Tumor necrosis factor expressed by primary hippocampal neurons and SH-SY5Y cells is regulated by $\alpha_2$ -adrenergic receptor activation. <i>Journal of Neuroscience Research</i> , 2002, 67, 264-274.	1.3	33
311	Blood pressure changes after intrathecal co-administration of calcium channel blockers with morphine or clonidine at the spinal level. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2002, 366, 270-275.	1.4	13
312	Intrathecal Clonidine in the Treatment of Intractable Pain: A Phase I/II Study. <i>Pain Medicine</i> , 2002, 3, 85-91.	0.9	77
313	Brain afferents to the medullary dorsal reticular nucleus: a retrograde and anterograde tracing study in the rat. <i>European Journal of Neuroscience</i> , 2002, 16, 81-95.	1.2	48

#	ARTICLE	IF	CITATIONS
314	Comparison of lidocaine, xylazine, and lidocaine+xylazine for caudal epidural analgesia in cattle. <i>Veterinary Anaesthesia and Analgesia</i> , 2002, 29, 64-68.	0.3	44
315	Clonidine for treatment of postoperative pain: a dose-finding study. <i>European Journal of Pain</i> , 2002, 6, 35-42.	1.4	68
316	Moxonidine, a Mixed $\alpha$ 2-Adrenergic and Imidazoline Receptor Agonist, Identifies a Novel Adrenergic Target for Spinal Analgesia. <i>Annals of the New York Academy of Sciences</i> , 2003, 1009, 378-385.	1.8	12
317	The interaction of tetrahydroisoquinoline derivatives with antinociceptive action of morphine and oxotremorine in mice. <i>Journal of Neural Transmission</i> , 2003, 110, 1205-1213.	1.4	3
318	A comparison of two subarachnoid $\hat{1}\pm 2$ -agonists, xylazine and clonidine, with respect to duration of antinociception, and hemodynamic effects in goats. <i>Small Ruminant Research</i> , 2003, 47, 103-111.	0.6	13
319	Influence of Yohimbine and Atipamezole on Haemodynamics and ECG after Lumbosacral Subarachnoid Administration of Medetomidine in Goats. <i>Transboundary and Emerging Diseases</i> , 2003, 50, 424-431.	0.6	2
320	Long-term outcomes during treatment of chronic pain with intrathecal clonidine or clonidine/opioid combinations. <i>Journal of Pain and Symptom Management</i> , 2003, 26, 668-677.	0.6	95
321	Axon terminals possessing the $\hat{1}\pm 2c$ -adrenergic receptor in the rat dorsal horn are predominantly excitatory. <i>Brain Research</i> , 2003, 965, 269-273.	1.1	16
322	Effects of intrathecally administered dexmedetomidine, MPV-2426 and tizanidine on EMG in rats. <i>Acta Anaesthesiologica Scandinavica</i> , 2003, 47, 347-354.	0.7	20
323	Perineal analgesic actions of epidural clonidine in cattle. <i>Veterinary Anaesthesia and Analgesia</i> , 2003, 30, 63-70.	0.3	13
324	Analgesic and systemic effects of ketamine, xylazine, and lidocaine after subarachnoid administration in goats. <i>American Journal of Veterinary Research</i> , 2003, 64, 51-56.	0.3	34
325	Spinal 5-HT <sub>2</sub> and 5-HT <sub>3</sub> receptors mediate low, but not high, frequency TENS-induced antihyperalgesia in rats. <i>Pain</i> , 2003, 105, 205-213.	2.0	115
326	$\hat{1}\pm 2$ Adrenoceptor-mediated Presynaptic Inhibition of Primary Afferent Glutamatergic Transmission in Rat Substantia Gelatinosa Neurons. <i>Anesthesiology</i> , 2003, 98, 682-689.	1.3	166
327	Neurokinin-1 Projection Cells in the Rat Dorsal Horn Receive Synaptic Contacts from Axons That Possess $\hat{1}\pm 2C$ -Adrenergic Receptors. <i>Journal of Neuroscience</i> , 2003, 23, 6837-6846.	1.7	42
328	Efeitos da administraço epidural de amitraz, xilazina ou dimetil sulfxido em vacas. <i>Arquivo Brasileiro De Medicina Veterinaria E Zootecnia</i> , 2004, 56, 723-732.	0.1	3
329	Alpha2-adrenergic receptor subtype specificity of intrathecally administered tizanidine used for analgesia for neuropathic pain. <i>Journal of Neurosurgery</i> , 2004, 101, 641-647.	0.9	19
330	Role of $\hat{1}\pm 2$ -blockade in anaesthesia and postoperative pain management after hysterectomy. <i>British Journal of Anaesthesia</i> , 2004, 93, 799-805.	1.5	117
331	Role of serotonin and noradrenaline in stress urinary incontinence. <i>BJU International</i> , 2004, 94, 23-30.	1.3	36

#	ARTICLE	IF	CITATIONS
332	Management of neuropathic pain following treatment for breast cancer in the absence of recurrence: A challenge for the radiation oncologist. <i>Journal of Medical Imaging and Radiation Oncology</i> , 2004, 48, 459-465.	0.6	3
333	$\hat{1}\pm 2$ -Adrenoceptors and 5-HT receptors mediate the antinociceptive effect of new pyrazolines, but not of dipyrone. <i>European Journal of Pharmacology</i> , 2004, 496, 93-97.	1.7	59
334	Clonidine and guanfacine-induced antinociception in visceral pain: possible role of $\hat{1}\pm 2/12$ binding sites. <i>European Journal of Pharmacology</i> , 2004, 501, 95-101.	1.7	18
336	A preclinical post laminectomy rat model mimics the human post laminectomy syndrome. <i>Journal of Neuroscience Methods</i> , 2004, 137, 283-289.	1.3	27
337	Spinal cord lesion after long-term intrathecal clonidine and bupivacaine treatment for the management of intractable pain. <i>Pain</i> , 2004, 109, 189-194.	2.0	31
338	Surgery on the affected upper extremity of patients with a history of complex regional pain syndrome: The use of intravenous regional anesthesia with clonidine. <i>Journal of Clinical Anesthesia</i> , 2004, 16, 517-522.	0.7	38
339	Substance P release in the cat spinal cord upon afferent C-fibre stimulation is not attenuated by clonidine at analgesic doses. <i>Neuroscience Letters</i> , 2004, 361, 216-219.	1.0	3
340	Efficacy of Duloxetine, a Potent and Balanced Serotonin-Norepinephrine Reuptake Inhibitor in Persistent Pain Models in Rats. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2004, 311, 576-584.	1.3	267
341	Isoflurane sparing action of epidurally administered xylazine hydrochloride in anesthetized dogs. <i>American Journal of Veterinary Research</i> , 2004, 65, 854-859.	0.3	16
342	Preventing the Development of Complex Regional Pain Syndrome after Surgery. <i>Anesthesiology</i> , 2004, 101, 1215-1224.	1.3	104
343	Developmental Age Influences the Effect of Epidural Dexmedetomidine on Inflammatory Hyperalgesia in Rat Pups. <i>Anesthesiology</i> , 2005, 102, 1226-1234.	1.3	74
344	Medetomidine with Ketamine and Bupivacaine for Epidural Analgesia in Buffaloes. <i>Veterinary Research Communications</i> , 2005, 29, 1-18.	0.6	13
345	Medetomidine and dexmedetomidine: a review of cardiovascular effects and antinociceptive properties in the dog. <i>Veterinary Anaesthesia and Analgesia</i> , 2005, 32, 117-127.	0.3	304
346	Synergistic and additive interactions of the cannabinoid agonist CP55,940 with $\hat{1}\frac{1}{4}$ opioid receptor and $\hat{1}\pm 2$ -adrenoceptor agonists in acute pain models in mice. <i>British Journal of Pharmacology</i> , 2005, 144, 875-884.	2.7	84
347	Effects of xylazine, lignocaine and their combination for lumbar epidural analgesia in water buffalo calves ( <i>Bubalus bubalis</i> ). <i>Journal of the South African Veterinary Association</i> , 2005, 76, 151-8.	0.2	7
348	The Dual Transporter Inhibitor Duloxetine: A Review of its Preclinical Pharmacology, Pharmacokinetic Profile, and Clinical Results in Depression. <i>Current Pharmaceutical Design</i> , 2005, 11, 1475-1493.	0.9	145
349	The G Protein-Coupled Receptors Handbook. <i>Contemporary Clinical Neuroscience</i> , 2005, , .	0.3	5
351	Beta Blockers as Analgesic Adjuvants. <i>Journal of Neuropathic Pain &amp; Symptom Palliation</i> , 2005, 1, 21-24.	0.1	0

#	ARTICLE	IF	CITATIONS
352	Effect of romifidine on the nociceptive withdrawal reflex and temporal summation in conscious horses. <i>American Journal of Veterinary Research</i> , 2005, 66, 1992-1998.	0.3	30
353	The Neuro-Urological Connection. <i>European Urology Supplements</i> , 2005, 4, 18-28.	0.1	28
354	Neuraxial infusions. <i>Techniques in Regional Anesthesia and Pain Management</i> , 2005, 9, 152-160.	0.2	4
355	Î±2-Adrenergic Receptors Are Present in Normal Human Conjunctiva. <i>Current Eye Research</i> , 2005, 30, 1121-1129.	0.7	7
356	Intrinsic neural circuits between dorsal midbrain neurons that control fear-induced responses and seizure activity and nuclei of the pain inhibitory system elaborating postictal antinociceptive processes: a functional neuroanatomical and neuropharmacological study. <i>Experimental Neurology</i> , 2005, 191, 225-242.	2.0	56
357	Transcutaneous electrical nerve stimulation activates peripherally located alpha-2A adrenergic receptors. <i>Pain</i> , 2005, 115, 364-373.	2.0	77
358	Anti-allodynic efficacy of the Î±-conopeptide, Xen2174, in rats with neuropathic pain. <i>Pain</i> , 2005, 118, 112-124.	2.0	78
359	The effects of Î±2-adrenoceptor agents on anti-hyperalgesic effects of carbamazepine and oxcarbazepine in a rat model of inflammatory pain. <i>Pain</i> , 2006, 125, 10-19.	2.0	26
360	Noradrenergic pain modulation. <i>Progress in Neurobiology</i> , 2006, 80, 53-83.	2.8	470
361	Activation of Î±2-adrenoceptors in the trigeminal region produces sex-specific modulation of nociception in the rat. <i>Neuroscience</i> , 2006, 142, 1255-1262.	1.1	36
362	Use of dexmedetomidine in children after cardiac and thoracic surgery*. <i>Pediatric Critical Care Medicine</i> , 2006, 7, 126-131.	0.2	182
363	Effect of low-dose dexmedetomidine or clonidine on the characteristics of bupivacaine spinal block. <i>Acta Anaesthesiologica Scandinavica</i> , 2006, 50, 222-227.	0.7	388
364	Intraspinal Therapy for the Treatment of Chronic Pain: A Review of the Literature Between 1990 and 2005 and Suggested Protocol for Its Rational and Safe Use. <i>Neuromodulation</i> , 2006, 9, 290-308.	0.4	20
365	Antinociceptive Properties of Fadolmidine (MPVâ€2426), a Novel Î±2â€Adrenoceptor Agonist. <i>CNS Neuroscience &amp; Therapeutics</i> , 2004, 10, 117-126.	4.0	23
366	Clinical evaluation of clonidine added to lidocaine solution for subarachnoid analgesia in sheep. <i>Journal of Veterinary Pharmacology and Therapeutics</i> , 2006, 29, 113-119.	0.6	7
367	Xylazine, Ketamine and their Combination for Lumbar Epidural Analgesia in Water Buffalo Calves ( <i>Bubalus bubalis</i> ). <i>Transboundary and Emerging Diseases</i> , 2006, 53, 423-431.	0.6	14
368	Duloxetine in diabetic neuropathy. <i>Expert Opinion on Pharmacotherapy</i> , 2006, 7, 215-223.	0.9	27
369	Role of the Cannabinoid System in Pain Control and Therapeutic Implications for the Management of Acute and Chronic Pain Episodes. <i>Current Neuropharmacology</i> , 2006, 4, 239-257.	1.4	216

#	ARTICLE	IF	CITATIONS
370	Chapter 13 Descending inhibitory systems. Handbook of Clinical Neurology / Edited By P J Vinken and G W Bruyn, 2006, 81, 179-192.	1.0	67
372	Therapie chronischer Tumorschmerzen. Visceral Medicine, 2007, 23, 30-37.	0.5	0
373	The Involvement of Peripheral $\hat{1}\pm 2$ -Adrenoceptors in the Antihyperalgesic Effect of Oxcarbazepine in a Rat Model of Inflammatory Pain. Anesthesia and Analgesia, 2007, 105, 1474-1481.	1.1	9
374	Antinociception mediated by $\hat{1}\pm 2$ -adrenergic activation involves increasing tumor necrosis factor $\hat{1}\pm$ (TNF $\hat{1}\pm$ ) expression and restoring TNF $\hat{1}\pm$ and $\hat{1}\pm 2$ -adrenergic inhibition of norepinephrine release. Neuropharmacology, 2007, 52, 576-589.	2.0	18
375	Recent advances in nonopioid analgesics for acute pain management. Techniques in Regional Anesthesia and Pain Management, 2007, 11, 19-26.	0.2	8
376	Noradrenergic pathology and pain. , 0, , 385-407.		1
377	Useful adjuvants for postoperative pain management. Bailliere's Best Practice and Research in Clinical Anaesthesiology, 2007, 21, 31-49.	1.7	74
378	Glossopharyngeal neuralgia with cardiac syncope: an idiopathic case treated with carbamazepine and duloxetine. European Journal of Neurology, 2008, 15, e38-e39.	1.7	14
379	Action of dexmedetomidine on the substantia gelatinosa neurons of the rat spinal cord. European Journal of Neuroscience, 2008, 27, 3182-3190.	1.2	88
380	Antinociception occurs with a reversal in $\hat{1}\pm 2$ -adrenoceptor regulation of TNF production by peripheral monocytes/macrophages from pro- to anti-inflammatory. European Journal of Pharmacology, 2008, 588, 217-231.	1.7	33
381	Role of $\hat{1}\pm 2$ -adrenoceptors in enhancement of antinociceptive effect in diabetic mice. European Journal of Pharmacology, 2008, 592, 62-66.	1.7	35
382	In vitro and in vivo profiling of fadolmidine, a novel potent $\hat{1}\pm 2$ -adrenoceptor agonist with local mode of action. European Journal of Pharmacology, 2008, 599, 65-71.	1.7	22
383	Inhibition of opioid release in the rat spinal cord by $\hat{1}\pm 2$ C adrenergic receptors. Neuropharmacology, 2008, 54, 944-953.	2.0	20
384	Sex-specific modulation of spinal nociception by $\hat{1}\pm 2$ -adrenoceptors: Differential regulation by estrogen and testosterone. Neuroscience, 2008, 153, 1268-1277.	1.1	34
385	Electroacupuncture-induced analgesia in a rat model of ankle sprain pain is mediated by spinal $\hat{1}\pm$ -adrenoceptors. Pain, 2008, 135, 11-19.	2.0	49
386	A Clinical Approach to Complex Regional Pain Syndrome. Clinics in Podiatric Medicine and Surgery, 2008, 25, 361-380.	0.2	4
387	Update on tizanidine for muscle spasticity and emerging indications. Expert Opinion on Pharmacotherapy, 2008, 9, 2209-2215.	0.9	72
388	Factors Affecting the Distribution of Neural Blockade by Local Anesthetics in Epidural Anesthesia and a Comparison of Lumbar Versus Thoracic Epidural Anesthesia. Anesthesia and Analgesia, 2008, 107, 708-721.	1.1	91

#	ARTICLE	IF	CITATIONS
389	The efficacy and neurotoxicity of dexmedetomidine administered via the epidural route. <i>European Journal of Anaesthesiology</i> , 2008, 25, 403-409.	0.7	110
390	Effect of Adding Dexmedetomidine versus Fentanyl to Intrathecal Bupivacaine on Spinal Block Characteristics in Gynecological Procedures: A Double Blind Controlled Study. <i>American Journal of Applied Sciences</i> , 2009, 6, 882-887.	0.1	76
391	Intrathecal Non-Opioid Analgesics for the Control of Pain. , 2009, , 467-481.		2
392	Differential Analgesic Effects of a Mu-Opioid Peptide, [Dmt <sup>1</sup> ]DALDA, and Morphine. <i>Pharmacology</i> , 2009, 83, 33-37.	0.9	6
393	The Antinociceptive Effects of Intravenous Dexmedetomidine in Colorectal Distension-Induced Visceral Pain in Rats: The Role of Opioid Receptors. <i>Anesthesia and Analgesia</i> , 2009, 109, 616-622.	1.1	32
394	Direct excitation of spinal GABAergic interneurons by noradrenaline. <i>Pain</i> , 2009, 145, 204-210.	2.0	71
395	α <sub>2</sub> -Agonists as analgesic agents. <i>Medicinal Research Reviews</i> , 2009, 29, 339-368.	5.0	49
396	Pharmacological profile of intrathecal fadolmidine, a α <sub>2</sub> -adrenoceptor agonist, in rodent models. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2009, 380, 539-550.	1.4	12
397	Comparison of the effects of the alpha-2 agonists detomidine, romifidine and xylazine on nociceptive withdrawal reflex and temporal summation in horses. <i>Veterinary Anaesthesia and Analgesia</i> , 2009, 36, 384-395.	0.3	66
398	Absence of Histological Changes after the Administration of a Continuous Intrathecal Clonidine in Wistar rats. <i>Pain Practice</i> , 2009, 9, 122-129.	0.9	21
399	Determination of Adrenergic and Imidazoline Receptor Involvement in Augmentation of Morphine and Oxycodone Analgesia by Clonidine and BMS182874. <i>Pharmacology</i> , 2009, 83, 45-58.	0.9	25
400	From Fibrositis to Functional Somatic Syndromes to a Bell-Shaped Curve of Pain and Sensory Sensitivity: Evolution of a Clinical Construct. <i>Rheumatic Disease Clinics of North America</i> , 2009, 35, 233-251.	0.8	68
401	Comparative effects of ultra-short-acting β <sub>1</sub> -blockers on voltage-gated tetrodotoxin-resistant Na <sup>+</sup> channels in rat sensory neurons. <i>European Journal of Anaesthesiology</i> , 2009, 26, 196-200.	0.7	19
402	Impact of influenza A/pH1N1 2009 in Canada and elsewhere*. <i>Pediatric Critical Care Medicine</i> , 2010, 11, 637-638.	0.2	0
403	Mortality, morbidity, and pediatric critical care*. <i>Pediatric Critical Care Medicine</i> , 2010, 11, 630-631.	0.2	3
404	Intracranial pressure: A role for a surrogate measurement?*. <i>Pediatric Critical Care Medicine</i> , 2010, 11, 636-637.	0.2	0
405	Population Pharmacokinetics of Dexmedetomidine in Infants After Open Heart Surgery. <i>Anesthesia and Analgesia</i> , 2010, 110, 1383-1392.	1.1	67
406	Dexmedetomidine and pulmonary artery pressure in the pediatric cardiac surgery patient—A new insight*. <i>Pediatric Critical Care Medicine</i> , 2010, 11, 634-635.	0.2	2

#	ARTICLE	IF	CITATIONS
407	Effects of a continuous low-dose clonidine epidural regimen on pain, satisfaction and adverse events during labour: a randomized, double-blind, placebo-controlled trial. <i>European Journal of Anaesthesiology</i> , 2010, 27, 441-447.	0.7	28
408	Pathophysiology of disinhibition of complement activation*. <i>Pediatric Critical Care Medicine</i> , 2010, 11, 631-632.	0.2	0
409	Is electric impedance tomography the white knight for acute respiratory distress syndrome?*. <i>Pediatric Critical Care Medicine</i> , 2010, 11, 639-640.	0.2	0
410	Pulling the triggers on adverse events in the pediatric intensive care unit*. <i>Pediatric Critical Care Medicine</i> , 2010, 11, 632-633.	0.2	1
411	Tapentadol: a novel analgesic for treating moderate to severe pain. <i>Future Prescriber</i> , 2010, 11, 6-10.	0.1	2
412	Treatments for neuropathic pain differentially affect delayed matching accuracy by macaques: Effects of amitriptyline and gabapentin. <i>Pain</i> , 2010, 148, 446-453.	2.0	7
414	DNIC-mediated analgesia produced by a supramaximal electrical or a high-dose formalin conditioning stimulus: roles of opioid and $\beta$ -adrenoceptor receptors. <i>Journal of Biomedical Science</i> , 2010, 17, 19.	2.6	35
415	Recurrent Cellulitis Associated with Long-Term Intrathecal Opioid Infusion Therapy: A Case Report and Review of the Literature. <i>Pain Medicine</i> , 2010, 11, 972-976.	0.9	10
416	High concentrations of dexmedetomidine inhibit compound action potentials in frog sciatic nerves without $\alpha$ -adrenoceptor activation. <i>British Journal of Pharmacology</i> , 2010, 160, 1662-1676.	2.7	86
417	Dexmedetomidine: pediatric pharmacology, clinical uses and safety. <i>Expert Opinion on Drug Safety</i> , 2011, 10, 55-66.	1.0	78
418	The epidural trial. <i>Techniques in Regional Anesthesia and Pain Management</i> , 2011, 15, 150-154.	0.2	0
419	Rostroventral medulla-mediated biphasic modulation of the rat cardiosomatic motor reflex. <i>Neuroscience</i> , 2011, 185, 174-182.	1.1	6
420	Buspirone and 1-(2-pyrimidinyl)-piperazine attenuate xylazine-induced antinociception in the mouse. <i>Journal of Pharmacy and Pharmacology</i> , 2011, 46, 931-932.	1.2	0
421	Mu-opioid and noradrenergic $\beta$ -adrenoceptor contributions to the effects of tapentadol on spinal electrophysiological measures of nociception in nerve-injured rats. <i>Pain</i> , 2011, 152, 131-139.	2.0	72
422	Esmolol modulates inhibitory neurotransmission in the substantia gelatinosa of the spinal trigeminal nucleus of the rat. <i>BMC Anesthesiology</i> , 2011, 11, 15.	0.7	15
424	Evaluation of Antinociceptive and Neurotoxic Effects of Intrathecal Dexmedetomidine in Rats. <i>Balkan Medical Journal</i> , 2012, 29, 354-357.	0.3	8
425	The Perception and Endogenous Modulation of Pain. <i>Scientifica</i> , 2012, 2012, 1-25.	0.6	53
426	Intrathecal Clonidine in the Neonatal Rat. <i>Anesthesia and Analgesia</i> , 2012, 115, 450-460.	1.1	44



#	ARTICLE	IF	CITATIONS
427	Effects of dexmedetomidine on conditioned pain modulation in humans. <i>European Journal of Pain</i> , 2012, 16, 1137-1147.	1.4	36
428	Neuromuscular electrostimulation techniques: historical aspects and current possibilities in treatment of pain and muscle wasting. <i>Clinical Nephrology</i> , 2012, , .	0.4	32
429	Pain Processing in the Human Nervous System. <i>Primary Care - Clinics in Office Practice</i> , 2012, 39, 561-571.	0.7	236
430	Medical management of acute pain in patients with chronic pain. <i>Expert Review of Neurotherapeutics</i> , 2012, 12, 1325-1338.	1.4	12
431	Successful Treatment of Intractable Low Back and Pelvic Pain Caused by Advanced Prostate Cancer with Intrathecal Clonidine and Baclofen Infusion. <i>Journal of Pain &amp; Relief</i> , 2012, 01, .	0.1	0
432	Intrathecal Drug Administration for the Treatment of Cancer and Non-Cancer Chronic Pain. , 0, , .		0
433	Mu, Delta, and Kappa opioid receptor agonists induce peripheral antinociception by activation of endogenous noradrenergic system. <i>Journal of Neuroscience Research</i> , 2012, 90, 1654-1661.	1.3	18
434	Severe Hypertension Following Accidental Clonidine Overdose During the Refilling of an Implanted Intrathecal Drug Delivery System. <i>Neuromodulation</i> , 2012, 15, 31-34.	0.4	23
435	An Opposite-Direction Modulation of the COMT Val158Met Polymorphism on the Clinical Response to Intrathecal Morphine and Triptans. <i>Journal of Pain</i> , 2013, 14, 1097-1106.	0.7	45
436	Exploration of supraspinal mechanisms in effects of spinal cord stimulation: Role of the locus coeruleus. <i>Neuroscience</i> , 2013, 253, 426-434.	1.1	52
437	Cost-Effectiveness of Interventional Techniques. , 2013, , 697-709.		3
438	Sex, Pain, and Opioids: Interdependent Influences of Sex and Pain Modality on Dynorphin-Mediated Antinociception in Rats. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2013, 344, 522-530.	1.3	25
439	Intracerebroventricular Application of Dexmedetomidine Produces Antinociception and Does not Cause Neurotoxicity in Rats. <i>Balkan Medical Journal</i> , 2013, 30, 355-361.	0.3	3
440	Neuropathic and inflammatory pain are modulated by tuberoinfundibular peptide of 39 residues. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, 13156-13161.	3.3	24
441	CB1 and CB2 Cannabinoid Receptor Agonists Induce Peripheral Antinociception by Activation of the Endogenous Noradrenergic System. <i>Anesthesia and Analgesia</i> , 2013, 116, 463-472.	1.1	57
442	Differential Involvement of Central and Peripheral $\alpha_2$ Adrenoreceptors in the Antinociception Induced by Aerobic and Resistance Exercise. <i>Anesthesia and Analgesia</i> , 2013, 116, 703-711.	1.1	22
443	A comparative study of magnesium sulfate vs dexmedetomidine as an adjunct to epidural bupivacaine. <i>Journal of Anaesthesiology Clinical Pharmacology</i> , 2014, 30, 538.	0.2	28
444	Alfa2 Antagonistlerin Kullanimi Ruminantlarda Kullanilan $\alpha_2$ Antagonistlerin Bir Derleme. <i>Kafkas Universitesi Veteriner Fakultesi Dergisi</i> , 2014, , .	0.0	2

#	ARTICLE	IF	CITATIONS
445	Central noradrenergic mechanisms and the acute stress response during painful stimulation. <i>Journal of Psychopharmacology</i> , 2014, 28, 1135-1142.	2.0	13
446	Antinociceptive effects of three escalating dexmedetomidine and lignocaine constant rate infusions in conscious horses. <i>Veterinary Journal</i> , 2014, 202, 489-497.	0.6	23
447	Evaluation of bupivacaine-clonidine combination for unilateral spinal anesthesia in lower limb below-knee orthopedic surgery. <i>Saudi Journal of Anaesthesia</i> , 2014, 8, 384.	0.2	4
448	Insights into the pathogenesis and treatment of painful diabetic neuropathy. <i>Handbook of Clinical Neurology</i> / Edited By P J Vinken and G W Bruyn, 2014, 126, 559-578.	1.0	25
449	Opioid attentional bias and cue-elicited craving predict future risk of prescription opioid misuse among chronic pain patients. <i>Drug and Alcohol Dependence</i> , 2014, 144, 283-287.	1.6	44
450	Treating chronic pain: the need for non-opioid options. <i>Expert Review of Clinical Pharmacology</i> , 2014, 7, 545-550.	1.3	22
451	Opioid and noradrenergic contributions of tapentadol in experimental neuropathic pain. <i>Neuroscience Letters</i> , 2014, 562, 91-96.	1.0	29
452	A Phase II/III, Multicenter, Safety, Efficacy, and Pharmacokinetic Study of Dexmedetomidine in Preterm and Term Neonates. <i>Journal of Pediatrics</i> , 2014, 164, 276-282.e3.	0.9	126
454	Intrathecal Clonidine via Lumbar Puncture Decreases Blood Pressure in Patients With Poorly Controlled Hypertension. <i>Neuromodulation</i> , 2015, 18, 499-507.	0.4	3
455	Noradrenaline-mediated facilitation of inhibitory synaptic transmission in the dorsal horn of the rat spinal cord involves interlaminar communications. <i>European Journal of Neuroscience</i> , 2015, 42, 2654-2665.	1.2	10
456	The search for novel analgesics: targets and mechanisms. <i>F1000prime Reports</i> , 2015, 7, 56.	5.9	83
457	Effects of $\alpha_2$ -adrenoceptor agonist dexmedetomidine on respiratory rhythm generation of newborn rats. <i>Neuroscience Letters</i> , 2015, 597, 117-120.	1.0	12
458	Involvement of opioidergic and serotonergic systems in the analgesic activity of <i>Cissus quadrangularis</i> L. stem extract in mice. <i>Journal of Basic and Clinical Physiology and Pharmacology</i> , 2015, 26, 35-41.	0.7	4
459	Microinjection of orexin-A into the rat locus coeruleus nucleus induces analgesia via cannabinoid type-1 receptors. <i>Brain Research</i> , 2015, 1624, 424-432.	1.1	22
460	Physiologic and biochemical effects of electroacupuncture combined with intramuscular administration of dexmedetomidine to provide analgesia in goats. <i>American Journal of Veterinary Research</i> , 2016, 77, 252-259.	0.3	21
461	Nicotinic and muscarinic cholinergic receptors are recruited by acetylcholine-mediated neurotransmission within the locus coeruleus during the organisation of post-ictal antinociception. <i>Brain Research Bulletin</i> , 2016, 127, 74-83.	1.4	5
463	Neurobiology of fibromyalgia and chronic widespread pain. <i>Neuroscience</i> , 2016, 338, 114-129.	1.1	444
464	Dose-dependent antinociceptive and sedative effects of epidural romifidine in cattle. <i>Veterinary Record</i> , 2016, 178, 140-140.	0.2	7

#	ARTICLE	IF	CITATIONS
465	Sustained Suppression of Hyperalgesia during Latent Sensitization by $\hat{A}$ -, $\hat{A}$ -, and $\hat{A}$ -opioid receptors and $\hat{A}2A$ Adrenergic Receptors: Role of Constitutive Activity. <i>Journal of Neuroscience</i> , 2016, 36, 204-221.	1.7	54
466	Cortical and subcortical modulation of pain. <i>Pain Management</i> , 2016, 6, 111-120.	0.7	41
467	Central Sensitization and Neuropathic Features of Ongoing Pain in a Rat Model of Advanced Osteoarthritis. <i>Journal of Pain</i> , 2016, 17, 374-382.	0.7	75
468	The Polyanalgesic Consensus Conference (PACC): Recommendations on Intrathecal Drug Infusion Systems Best Practices and Guidelines. <i>Neuromodulation</i> , 2017, 20, 96-132.	0.4	241
469	Comparative antinociceptive and sedative effects of epidural romifidine and detomidine in buffalo ( <i>Bubalus bubalis</i> ). <i>Veterinary Record</i> , 2017, 181, 20-20.	0.2	6
470	Noradrenergic inhibition of spinal hyperexcitation elicited by cutaneous cold stimuli in rats with oxaliplatin-induced allodynia: electrophysiological and behavioral assessments. <i>Journal of Physiological Sciences</i> , 2017, 67, 431-438.	0.9	16
471	Basic/Translational Development of Forthcoming Opioid- and Nonopioid-Targeted Pain Therapeutics. <i>Anesthesia and Analgesia</i> , 2017, 125, 1714-1732.	1.1	34
472	Secreted Phospholipases A2 from Animal Venoms in Pain and Analgesia. <i>Toxins</i> , 2017, 9, 406.	1.5	55
473	Evaluation of sedative and antinociceptive effects of dexmedetomidine, midazolam and dexmedetomidine+midazolam in tegus ( <i>Salvator merianae</i> ). <i>Veterinary Anaesthesia and Analgesia</i> , 2018, 45, 320-328.	0.3	20
474	The Neurotoxin DSP-4 Induces Hyperalgesia in Rats that is Accompanied by Spinal Oxidative Stress and Cytokine Production. <i>Neuroscience</i> , 2018, 376, 13-23.	1.1	4
475	Post-Operative Cognitive Dysfunction: An exploration of the inflammatory hypothesis and novel therapies. <i>Neuroscience and Biobehavioral Reviews</i> , 2018, 84, 116-133.	2.9	210
476	Corticotropin-Releasing Factor in the Brain and Blocking Spinal Descending Signals Induce Hyperalgesia in the Latent Sensitization Model of Chronic Pain. <i>Neuroscience</i> , 2018, 381, 149-158.	1.1	21
477	Neuroprotective effect of duloxetine in a mouse model of diabetic neuropathy: Role of glia suppressing mechanisms. <i>Life Sciences</i> , 2018, 205, 113-124.	2.0	37
478	The $\hat{7}$ nicotinic acetylcholine receptor positive allosteric modulator prevents lipopolysaccharide-induced allodynia, hyperalgesia and TNF- $\hat{1}$ in the hippocampus in mice. <i>Pharmacological Reports</i> , 2019, 71, 1168-1176.	1.5	15
479	Cellular Mechanisms for Antinociception Produced by Oxytocin and Orexins in the Rat Spinal Lamina II Comparison with Those of Other Endogenous Pain Modulators. <i>Pharmaceuticals</i> , 2019, 12, 136.	1.7	9
480	High-resolution detection of ATP release from single cultured mouse dorsal horn spinal cord glial cells and its modulation by noradrenaline. <i>Purinergic Signalling</i> , 2019, 15, 403-420.	1.1	4
481	The Involvement of Descending Pain Inhibitory System in Electroacupuncture-Induced Analgesia. <i>Frontiers in Integrative Neuroscience</i> , 2019, 13, 38.	1.0	37
482	Alternatives to Opioid Analgesia in Small Animal Anesthesia. <i>Veterinary Clinics of North America - Small Animal Practice</i> , 2019, 49, 1013-1027.	0.5	16

#	ARTICLE	IF	CITATIONS
483	Molecular structure, electronic properties and drug-likeness of xylazine by quantum methods and qsar analysis. SN Applied Sciences, 2020, 2, 1.	1.5	2
484	Pharmacodynamics of intrathecal and epidural fadolmidine, an $\alpha_2$ -adrenoceptor agonist, after bolus and infusion in dogs—comparison with clonidine. Naunyn-Schmiedeberg's Archives of Pharmacology, 2020, 393, 1459-1473.	1.4	3
485	The Pharmacokinetics of Medetomidine Administered Subcutaneously during Isoflurane Anaesthesia in Sprague-Dawley Rats. Animals, 2020, 10, 1050.	1.0	9
486	$\alpha_2$ -Adrenoceptor agonist induces peripheral antinociception via the endocannabinoid system. Pharmacological Reports, 2020, 72, 96-103.	1.5	2
487	5-HT <sub>1A</sub> Serotonergic, $\alpha_1$ -Adrenergic and Opioidergic Receptors Mediate the Analgesic Efficacy of Vortioxetine in Mice. Molecules, 2021, 26, 3242.	1.7	6
488	Monoaminergic and Opioidergic Modulation of Brainstem Circuits: New Insights Into the Clinical Challenges of Pain Treatment?. Frontiers in Pain Research, 2021, 2, 696515.	0.9	10
489	Effects of fadolmidine, an $\alpha_2$ -adrenoceptor agonist, as an adjuvant to spinal bupivacaine on antinociception and motor function in rats and dogs. Pharmacology Research and Perspectives, 2021, 9, e00830.	1.1	0
490	Descending Modulation of Pain. , 2009, , 307-335.		4
491	The Effects of Intrathecally Administered Opioid and Adrenergic Agents on Spinal Function. , 1986, , 505-539.		4
492	Anatomy of Headache. Headache, 2015, , 1-29.	0.2	7
493	Pharmacological Studies of Nociceptive Systems Using the C-Fos Immunohistochemical Technique: An Indicator of Noxiously Activated Spinal Neurones. Handbook of Experimental Pharmacology, 1997, , 235-279.	0.9	30
494	Opioid Analgesics. Handbook of Experimental Pharmacology, 1996, , 197-232.	0.9	2
495	The Spinal Actions of Opioids. Handbook of Experimental Pharmacology, 1993, , 53-90.	0.9	35
496	Alpha <sub>2</sub> -adrenoceptors vs. imidazoline receptors: implications for $\alpha_2$ -mediated analgesia and other non-cardiovascular therapeutic uses. Life Sciences, 1995, 56, 63-74.	2.0	34
497	Central pharmacology of nociceptive transmission. , 2006, , 371-414.		44
498	Epidural Analgesia and Hindlimb Lameness. , 2003, , 764-769.		1
499	Disulfiram administration affects substance P-like immunoreactive and monoaminergic neural systems in rodent brain.. Journal of Biological Chemistry, 1990, 265, 264-273.	1.6	32
500	UPDATE ON PAIN MANAGEMENT FOR ADVANCED GENITOURINARY CANCER. Journal of Urology, 2001, 165, 1849-1858.	0.2	3

#	ARTICLE	IF	CITATIONS
501	IN VIVO MODELS OF INTERSTITIAL CYSTITIS. <i>Journal of Urology</i> , 2002, 167, 694-702.	0.2	58
502	The analgesic tramadol has minimal effect on gastrointestinal motor function. <i>British Journal of Clinical Pharmacology</i> , 1997, 43, 71-75.	1.1	98
503	Avaliaço dos efeitos do amitraz por via epidural em vacas. <i>Brazilian Journal of Veterinary Research and Animal Science</i> , 2005, 42, 419.	0.2	2
504	Beta Blockers as Analgesic Adjuvants. , 0, .		1
505	Adrenergic receptors inhibit TRPV1 activity in the dorsal root ganglion neurons of rats. <i>PLoS ONE</i> , 2018, 13, e0191032.	1.1	22
506	EPIDURAL ADMINISTRATION OF ROMIFIDINE FOR SURGICAL ANALGESIA OF BUFFALOES UNDERGOING STANDING FLANK AND UDDER SURGERY. <i>Kafrelsheikh Veterinary Medical Journal</i> , 2009, 7, 288-313.	0.4	1
507	Current and Future Issues in the Development of Spinal Agents for the Management of Pain. <i>Current Neuropharmacology</i> , 2017, 15, 232-259.	1.4	57
508	Effect of intravenous esmolol on analgesic requirements in laparoscopic cholecystectomy. <i>Journal of Anaesthesiology Clinical Pharmacology</i> , 2015, 31, 375.	0.2	11
509	Duloxetine-induced hypertensive urgency in type 2 diabetes mellitus with diabetic neuropathy. <i>Indian Journal of Pharmacology</i> , 2020, 52, 213.	0.4	4
510	Participation of the descending noradrenergic inhibitory system in the anti-hyperalgesic effect of acetaminophen in a rat model of inflammation. <i>Life Sciences</i> , 2021, 286, 120030.	2.0	2
511	Beeinflussung der spinalen Schmerzleitung durch Nicht-Opioide. , 2000, , 85-88.		0
512	Electrophysiological characteristics of injured peripheral nerves. , 2002, , 3-22.		3
514	Whose game is it anyway?. , 2002, , 140-151.		0
515	Spinal $\beta$ -Adrenergic Agonists for Intractable Cancer Pain. , 2003, , 824-835.		0
516	Spinal $\beta$ -Adrenergic Agonists for Intractable Cancer Pain. , 2003, , .		0
517	Sites of Analgesic Action. , 2003, , .		0
518	Intraspinal Therapy. , 2006, , 417-427.		0
519	Farmacologa central de la transmissin nociceptiva. , 2007, , 379-423.		0

#	ARTICLE	IF	CITATIONS
520	The interaction of morphine and selective serotonin reuptake inhibitors on mechanical allodynia in rats with a spinal nerve ligation. Daehan Macwi'gwa Haghoeji, 2008, 55, 87.	0.2	2
521	Opioidergic Transmission in the Dorsal Horn. , 2009, , 139-173.		1
523	Effects of Adding Dexmedetomidine to Amitriptyline on Sciatic Nerve Blockage in Rats. Medicine Science, 2013, 2, 807.	0.0	0
524	Intrathecal Substance P Produces a Long-Term Inhibition of the Spinal Analgesic Effect of Noradrenaline. , 1987, , 246-248.		0
525	Pharmacologic Aspects of Local Anesthetic Use. Anesthesiology Clinics, 1990, 8, 1-25.	1.4	1
527	Nonsurgical Management of Traumatic Trigeminal Neuralgias and Sensory Neuropathies. Oral and Maxillofacial Surgery Clinics of North America, 1992, 4, 375-392.	0.4	9
528	Î±-Adrenergic Agonists in Pain Therapy. , 1993, , 140-150.		0
529	Nabilon. , 1993, , 1057-1220.		0
530	The Spinal Route of Analgesia: Opioids and Future Options. Developments in Critical Care Medicine and Anesthesiology, 1994, , 195-226.	0.1	2
531	Zusammenfassung: Spinale Schmerzverarbeitung. , 1996, , 124-174.		1
532	Intrathecal Dexmedetomidine or Meperidine for Post-spinal Shivering. International Journal of Anesthetics and Anesthesiology, 2014, 1, .	0.1	1
533	Cost-Effectiveness of Interventional Techniques. , 2015, , 495-507.		0
534	Dorsolumbar Epidural Analgesia in Water Buffalo: Anaesthetic Assessment and Anatomical Studies. Alexandria Journal of Veterinary Sciences, 2015, 45, 63.	0.0	0
535	Herz-Kreislauf-System. , 2015, , 127-175.		0
536	A comparative study of intrathecal bupivacaine and bupivacaine with different doses of clonidine in lower limb surgeries. Anesthesia: Essays and Researches, 2018, 12, 412.	0.2	6
537	Herz-Kreislauf-System. , 2018, , 145-201.		0
538	Medications in Intrathecal Pumps. , 2019, , 287-292.		0
539	Is spinal dexmedetomidine aggravating hypotension after tourniquet deflation?. Anesthesia: Essays and Researches, 2020, 14, 521.	0.2	0

#	ARTICLE	IF	CITATIONS
540	Perioperative Pain Management. , 2020, , 31-72.		1
541	Kahweol, a natural diterpene from coffee, induces peripheral antinociception by endocannabinoid system activation. Brazilian Journal of Medical and Biological Research, 2021, 54, e11071.	0.7	1
543	Role of Heteromeric GPCR Interactions in Pain/Analgesia. Contemporary Clinical Neuroscience, 2005, , 349-362.	0.3	0
544	Mecanismos Neurocognitivos de la motivaci3n en el entrenamiento f3sico. Revista De Investigaci3n E Innovaci3n En Ciencias De La Salud, 2020, 2, 82-97.	0.2	0
545	A review of the physiological effects of alpha2-agonists related to the clinical use of medetomidine in small animal practice. Canadian Veterinary Journal, 2003, 44, 885-97.	0.0	315
546	A romifidine and morphine combination for epidural analgesia of the flank in cattle. Canadian Veterinary Journal, 2004, 45, 917-23.	0.0	26
547	Caudal epidural analgesia in cattle using xylazine. Canadian Journal of Veterinary Research, 1989, 53, 486-9.	1.1	33
548	Review of duloxetine in the management of diabetic peripheral neuropathic pain. Vascular Health and Risk Management, 2007, 3, 833-44.	1.0	38
551	An overview of pathways encoding nociception. Clinical and Experimental Rheumatology, 2017, 35 Suppl 107, 40-46.	0.4	24
552	Effect of Exercises on Central and Endocrine System for Pain Modulation in Primary Dysmenorrhea. Journal of Lifestyle Medicine, 2022, 12, 15-25.	0.3	12
553	Herz-Kreislauf-System. , 2022, , 181-246.		0
556	Opioid and nonopioid conditional analgesia: the role of spinal opioid, noradrenergic, and serotonergic systems. Behavioral Neuroscience, 1991, 105, 687-98.	0.6	13
557	The differential contribution of spinopetal projections to increases in vocalization and motor reflex thresholds generated by the microinjection of morphine into the periaqueductal gray. Behavioral Neuroscience, 1996, 110, 368-88.	0.6	11
558	Intrathecal Drug Delivery: Advances and Applications in the Management of Chronic Pain Patient. Frontiers in Pain Research, 0, 3, .	0.9	12
560	Diffuse noxious inhibitory controls and conditioned pain modulation: a shared neurobiology within the descending pain inhibitory system?. Pain, 2023, 164, 463-468.	2.0	10
561	Comparative Study of the Sedative and Anti-nociceptive Effects of Sacrococcygeal Epidural Administration of Romifidine, Lidocaine, and Romifidine/Lidocaine in the Dromedary Camel. Frontiers in Veterinary Science, 0, 9, .	0.9	1
562	Work Addiction. Studies in Neuroscience, Psychology and Behavioral Economics, 2022, , 213-240.	0.1	4
563	Inventory for Early Screening of Work Addiction-Related Behaviors in High School and Undergraduate Students. , 2022, , 3157-3198.		0

#	ARTICLE	IF	CITATIONS
564	Comparative evaluation of sedative and anti-nociceptive effects of epidural romifidine, romifidine+lidocaine, and lidocaine in donkeys ( <i>Equus asinus</i> ). <i>Frontiers in Veterinary Science</i> , 0, 9, .	0.9	1
565	Comparing the anti-nociceptive, sedative and clinicophysiological effects of epidural detomidine, detomidine+lidocaine and lidocaine in donkeys. <i>Veterinary Record</i> , 0, , .	0.2	0