

A proposed neural pathway for vocalization in South Af

Physiology Comparative Physiology A: Neuroethology, Sensory,
157, 749-761

DOI: 10.1007/bf01350072

Citation Report

#	ARTICLE	IF	CITATIONS
1	The ontogeny of androgen receptors in the CNS of <i>Xenopus laevis</i> frogs. <i>Developmental Brain Research</i> , 1986, 26, 193-200.	1.7	24
2	Neuroeffectors for vocalization in <i>Xenopus laevis</i> : Hormonal regulation of sexual dimorphism. <i>Journal of Neurobiology</i> , 1986, 17, 231-248.	3.6	80
3	The sexually dimorphic larynx of <i>Xenopus laevis</i> : Development and androgen regulation. <i>American Journal of Anatomy</i> , 1986, 177, 457-472.	1.0	108
4	Androgen-induced alterations in vocalizations of female <i>Xenopus laevis</i> : modifiability and constraints. <i>Journal of Comparative Physiology A: Neuroethology, Sensory, Neural, and Behavioral Physiology</i> , 1986, 158, 517-527.	1.6	55
5	Steroid Effects on Excitable Membranes. <i>Current Topics in Membranes and Transport</i> , 1987, 31, 141-190.	0.6	4
6	Vocalizations by a sexually dimorphic isolated larynx: peripheral constraints on behavioral expression. <i>Journal of Neuroscience</i> , 1987, 7, 3191-3197.	3.6	94
7	Acoustic communication in the poison-arrow frog <i>Phylllobates tricolor</i> : advertisement calls and their effects on behavior and metabolic brain activity of recipients. <i>Journal of Comparative Physiology A: Neuroethology, Sensory, Neural, and Behavioral Physiology</i> , 1987, 160, 693-702.	1.6	12
8	Neurogenesis in the vocalization pathway of <i>Xenopus laevis</i> . <i>Journal of Comparative Neurology</i> , 1987, 257, 614-627.	1.6	25
9	Cobaltic lysine study of the morphology and distribution of the cranial nerve efferent neurons (motoneurons and preganglionic parasympathetic neurons) and rostral spinal motoneurons in the Japanese toad. <i>Journal of Comparative Neurology</i> , 1987, 259, 400-423.	1.6	42
10	Sex differences in the motor nucleus of cranial nerve IX-X in <i>Xenopus laevis</i> : A quantitative Golgi study. <i>Journal of Neurobiology</i> , 1988, 19, 413-429.	3.6	51
11	Electrophysiology and dye-coupling are sexually dimorphic characteristics of individual laryngeal muscle fibers in <i>Xenopus laevis</i> . <i>Journal of Neuroscience</i> , 1988, 8, 2422-2429.	3.6	38
12	Sexually dimorphic laryngeal morphology in <i>Rana pipiens</i> . <i>Journal of Morphology</i> , 1989, 201, 293-299.	1.2	23
13	Anuran mating calling circuits: Inhibition by prostaglandin. <i>Hormones and Behavior</i> , 1989, 23, 361-367.	2.1	15
14	Mating call phonotaxis in female American toad: Lesions of anterior preoptic nucleus. <i>Hormones and Behavior</i> , 1989, 23, 1-9.	2.1	13
15	Pattern of [¹⁴ C]2-deoxyglucose concentration associated with potentiation of reproductive behavior by prostaglandin E ₂ . <i>Behavioral Neuroscience</i> , 1989, 103, 1028-1034.	1.2	4
16	Projections of the parabrachial nucleus in the pigeon (<i>Columba livia</i>). <i>Journal of Comparative Neurology</i> , 1990, 293, 499-523.	1.6	104
17	Sexual Selection and the Nervous System. <i>BioScience</i> , 1990, 40, 275-283.	4.9	13
18	Call and skin glands secretion induced by stimulation of midbrain in urodele (<i>Andrias davidianus</i>). <i>Brain Research</i> , 1990, 528, 159-161.	2.2	6

#	ARTICLE	IF	CITATIONS
19	Molecular cloning of androgen receptors from divergent species with a polymerase chain reaction technique: Complete cDNA sequence of the mouse androgen receptor and isolation of androgen receptor cDNA probes from dog, guinea pig and clawed frog. <i>Biochemical and Biophysical Research Communications</i> , 1990, 171, 697-704.	2.1	94
20	Thyrotropin-releasing hormone facilitates display of reproductive behavior and locomotor behavior in an amphibian. <i>Hormones and Behavior</i> , 1991, 25, 128-136.	2.1	13
21	Androgen receptor expression and sexual differentiation of effectors for courtship song in <i>Xenopus laevis</i> . <i>Seminars in Neuroscience</i> , 1991, 3, 469-480.	2.2	14
22	Auditory and endocrine inputs to forebrain centers in anuran amphibians. <i>Ethology Ecology and Evolution</i> , 1992, 4, 75-87.	1.4	6
23	Acoustic communication in the fire-bellied toad: an integrative neurobiological approach. <i>Ethology Ecology and Evolution</i> , 1992, 4, 63-74.	1.4	19
24	Opening and Closing a Hormone-Regulated Period for the Development of Courtship Song.. <i>Annals of the New York Academy of Sciences</i> , 1992, 662, 178-188.	3.8	6
25	Neural correlates of frog calling: production by two semi-independent generators. <i>Behavioural Brain Research</i> , 1992, 50, 17-30.	2.2	53
26	Sexual differences in hormonal control of release calls in bullfrogs. <i>Hormones and Behavior</i> , 1992, 26, 522-535.	2.1	43
27	Central Projections of the Vagus Nerve in <i>Chelon labrosus</i> Risso (Teleostei, O. Perciformes). <i>Brain, Behavior and Evolution</i> , 1992, 40, 297-310.	1.7	17
28	Testicular masculinization of vocal behavior in juvenile female <i>Xenopus laevis</i> reveals sensitive periods for song duration, rate, and frequency spectra. <i>Journal of Comparative Physiology A: Neuroethology, Sensory, Neural, and Behavioral Physiology</i> , 1992, 171, 343-50.	1.6	32
29	Sexual dimorphism in the vasotocin system of the bullfrog (<i>Rana catesbeiana</i>). <i>Journal of Comparative Neurology</i> , 1992, 325, 313-325.	1.6	90
30	Laryngeal muscle and motor neuron plasticity in <i>Xenopus laevis</i> : Testicular masculinization of a developing neuromuscular system. <i>Journal of Neurobiology</i> , 1993, 24, 1615-1625.	3.6	36
31	Sound production evoked by electrical stimulation of the forebrain in the oyster toadfish. <i>Journal of Comparative Physiology A: Neuroethology, Sensory, Neural, and Behavioral Physiology</i> , 1994, 174, 173-85.	1.6	37
32	The Limbic System of Tetrapods: A Comparative Analysis of Cortical and Amygdalar Populations. <i>Brain, Behavior and Evolution</i> , 1995, 46, 224-234.	1.7	292
33	Autoradiographic localization of dihydrotestosterone and testosterone concentrating neurons in the brain of the oyster toadfish. <i>Brain Research</i> , 1996, 709, 65-80.	2.2	31
34	Nonsequential developmental trajectories lead to dimorphic vocal circuitry for males with alternative reproductive tactics. <i>Journal of Neurobiology</i> , 1996, 30, 493-504.	3.6	61
35	Phenotypic Specification of Hindbrain Rhombomeres and the Origins of Rhythmic Circuits in Vertebrates. <i>Brain, Behavior and Evolution</i> , 1997, 50, 3-16.	1.7	97
36	Endocrinology of sound production in fishes. <i>Marine and Freshwater Behaviour and Physiology</i> , 1997, 29, 23-45.	0.9	18

#	ARTICLE	IF	CITATIONS
37	Androgen Mitigates Axotomy-Induced Decreases in Calbindin Expression in Motor Neurons. <i>Journal of Neuroscience</i> , 1997, 17, 7396-7403.	3.6	20
38	Projections of the dorsomedial nucleus of the intercollicular complex (DM) in relation to respiratory-vocal nuclei in the brainstem of pigeon (<i>Columba livia</i>) and zebra finch (<i>Taeniopygia</i>) Tj ETQq1 1 0.784314 rgBT /00orlock	1.6	114
39	Basal ganglia organization in amphibians: Afferent connections to the striatum and the nucleus accumbens. <i>Journal of Comparative Neurology</i> , 1997, 378, 16-49.	1.6	114
40	Basal ganglia organization in amphibians: Efferent connections of the striatum and the nucleus accumbens. <i>Journal of Comparative Neurology</i> , 1997, 380, 23-50.	1.6	99
41	Basal ganglia organization in amphibians: Chemoarchitecture. <i>Journal of Comparative Neurology</i> , 1998, 392, 285-312.	1.6	143
42	The Origins of Cerebral Asymmetry: A Review of Evidence of Behavioural and Brain Lateralization in Fishes, Reptiles and Amphibians. <i>Neuroscience and Biobehavioral Reviews</i> , 1998, 22, 411-426.	6.1	447
43	Anurans. , 1998, , 1151-1314.		48
45	Acoustic Communication in Fishes and Frogs. <i>Springer Handbook of Auditory Research</i> , 1999, , 363-411.	0.7	84
46	Generating Sexually Differentiated Vocal Patterns: Laryngeal Nerve and EMG Recordings from Vocalizing Male and Female African Clawed Frogs (<i>Xenopus laevis</i>). <i>Journal of Neuroscience</i> , 2000, 20, 1559-1567.	3.6	64
47	Social Signals Influence Hormones Independently of Calling Behavior in the Treefrog (<i>Hyla cinerea</i>). <i>Hormones and Behavior</i> , 2000, 38, 201-209.	2.1	80
48	Expression of androgen receptor mRNA in the brain of Gekko gecko: Implications for understanding the role of androgens in controlling auditory and vocal processes. <i>Journal of Comparative Neurology</i> , 2001, 438, 136-147.	1.6	26
49	Hormonal Regulation of Motor Output in Amphibians. , 2002, , 445-X.		6
50	Vocal acoustic circuitry and descending vocal pathways in teleost fish: Convergence with terrestrial vertebrates reveals conserved traits. <i>Journal of Comparative Neurology</i> , 2002, 448, 298-322.	1.6	160
51	Vocal circuitry in <i>Xenopus laevis</i> : Telencephalon to laryngeal motor neurons. <i>Journal of Comparative Neurology</i> , 2003, 464, 115-130.	1.6	45
52	Hormonal Mechanisms in Acoustic Communication. , 2003, , 275-323.		7
53	Functional Specialization of Male and Female Vocal Motoneurons. <i>Journal of Neuroscience</i> , 2003, 23, 11568-11576.	3.6	29
54	Social Modulation of Androgens in Vertebrates: Mechanisms and Function. <i>Advances in the Study of Behavior</i> , 2004, 34, 165-239.	1.6	151
55	The vertebrate social behavior network: Evolutionary themes and variations. <i>Hormones and Behavior</i> , 2005, 48, 11-22.	2.1	677

#	ARTICLE	IF	CITATIONS
56	Call Production and Neural Basis of Vocalization. , 2007, , 87-112.		8
57	Xenopus Vocalizations Are Controlled by a Sexually Differentiated Hindbrain Central Pattern Generator. <i>Journal of Neuroscience</i> , 2007, 27, 1485-1497.	3.6	63
58	Direct action of gonadotropin in brain integrates behavioral and reproductive functions. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007, 104, 2477-2482.	7.1	58
59	Breathing and calling: Neuronal networks in the <i>Xenopus laevis</i> hindbrain. <i>Journal of Comparative Neurology</i> , 2007, 501, 303-315.	1.6	43
60	Homogeneity of intrinsic properties of sexually dimorphic vocal motoneurons in male and female zebra finches. <i>Journal of Comparative Neurology</i> , 2007, 502, 157-169.	1.6	9
61	Central pattern generators for social vocalization: Androgen-dependent neurophysiological mechanisms. <i>Hormones and Behavior</i> , 2008, 53, 659-672.	2.1	68
62	Sexually differentiated central pattern generators in <i>Xenopus laevis</i> . <i>Trends in Neurosciences</i> , 2008, 31, 296-302.	8.6	12
63	Regulation of Respiratory and Vocal Motor Pools in the Isolated Brain of <i>Xenopus laevis</i> . <i>Journal of Neuroscience</i> , 2008, 28, 612-621.	3.6	40
64	Temperature-Dependent Regulation of Vocal Pattern Generator. <i>Journal of Neurophysiology</i> , 2008, 100, 3134-3143.	1.8	26
65	Hormones and acoustic communication in anuran amphibians. <i>Integrative and Comparative Biology</i> , 2009, 49, 452-470.	2.0	36
66	NMDAR-Dependent Control of Call Duration in <i>Xenopus laevis</i> . <i>Journal of Neurophysiology</i> , 2010, 103, 3501-3515.	1.8	21
67	An environmentally relevant endocrine-disrupting antiandrogen, vinclozolin, affects calling behavior of male <i>Xenopus laevis</i> . <i>Hormones and Behavior</i> , 2010, 58, 653-659.	2.1	38
68	Vocal Pathway Degradation in Gonadectomized <i>Xenopus laevis</i> Adults. <i>Journal of Neurophysiology</i> , 2011, 105, 601-614.	1.8	13
69	Effects of environmentally relevant concentrations of the xeno-androgen, methylidihydrotestosterone, on male and female mating behavior in <i>Xenopus laevis</i> . <i>Chemosphere</i> , 2012, 87, 1246-1253.	8.2	31
70	Corticosterone suppresses vasotocin-enhanced clasping behavior in male rough-skinned newts by novel mechanisms interfering with V1a receptor availability and receptor-mediated endocytosis. <i>Hormones and Behavior</i> , 2015, 69, 39-49.	2.1	10
71	Evolution of vocal patterns: tuning hindbrain circuits during species divergence. <i>Journal of Experimental Biology</i> , 2017, 220, 856-867.	1.7	15
72	Acoustic signalling for mate attraction in crickets: Abdominal ganglia control the timing of the calling song pattern. <i>Behavioural Brain Research</i> , 2016, 309, 51-66.	2.2	22
73	The influence of low-dose cadmium on the laryngeal microstructure and ultrastructure of <i>Pelophylax nigromaculata</i> . <i>Environmental Science and Pollution Research</i> , 2016, 23, 17322-17331.	5.3	3

#	ARTICLE	IF	CITATIONS
74	Testing the evolutionary conservation of vocal motoneurons in vertebrates. <i>Respiratory Physiology and Neurobiology</i> , 2016, 224, 2-10.	1.6	23
75	Motor Neurons Tune Premotor Activity in a Vertebrate Central Pattern Generator. <i>Journal of Neuroscience</i> , 2017, 37, 3264-3275.	3.6	17
76	Premotor Neuron Divergence Reflects Vocal Evolution. <i>Journal of Neuroscience</i> , 2018, 38, 5325-5337.	3.6	34
77	Variation of fitness and reproductive strategy in male <i>Bufo raddei</i> under environmental heavy metal pollution. <i>Ecotoxicology and Environmental Safety</i> , 2018, 164, 253-260.	6.0	11
78	Inspiring song: The role of respiratory circuitry in the evolution of vertebrate vocal behavior. <i>Developmental Neurobiology</i> , 2020, 80, 31-41.	3.0	9
79	Vocal production in anurans. , 2021, , 59-79.		1
80	Cell Generation, Migration, Death, and Growth in Neural Systems Mediating Social Behavior. <i>Advances in Comparative and Environmental Physiology</i> , 1989, , 239-267.	0.5	11
81	Hormonal Regulation of Motor Systems: How Androgens Control Amplexus (Clasping) in Male Frogs. <i>Research Notes in Neural Computing</i> , 1991, , 369-379.	0.1	5
82	Hormones and Vocal Systems: Insights from <i>Xenopus</i> . , 2017, , 131-144.		3
83	Lateralization of neural control for vocalization by the frog (<i>Rana pipiens</i>). <i>Cognitive, Affective and Behavioral Neuroscience</i> , 1993, 21, 243-248.	1.3	107