

Atypical hyperplastic lesions of the female breast. A lon

Cancer

55, 2698-2708

DOI: [10.1002/1097-0142\(19850601\)55:11<2698::aid-cnrcr2820551127>3.0.co;2-a](https://doi.org/10.1002/1097-0142(19850601)55:11<2698::aid-cnrcr2820551127>3.0.co;2-a)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Nonpalpable breast cancer: Needle-localized biopsy for diagnosis and considerations for treatment. American Journal of Surgery, 1986, 151, 599-602.	0.9	39
2	Coronary arteriography and angioplasty. American Journal of Surgery, 1986, 151, 602.	0.9	0
3	Precursors of gastric cancer. American Journal of Surgery, 1986, 151, 602.	0.9	0
4	Colon and rectal surgery. American Journal of Surgery, 1986, 151, 602-611.	0.9	0
5	Nutritional and endocrine factors in reproductive organ cancers: Opportunities for primary prevention. Journal of Chronic Diseases, 1986, 39, 1031-1050.	1.3	15
6	Cancer risk assessment in benign breast biopsies. Human Pathology, 1986, 17, 871-874.	1.1	76
7	The dense mammogram. American Journal of Roentgenology, 1986, 147, 487-489.	1.0	26
8	Effect of a Low-Fat Diet on Hormone Levels in Women With Cystic Breast Disease. II. Serum Radioimmunoassayable Prolactin and Growth Hormone and Bioactive Lactogenic Hormones <xref ref-type="fn" rid="FN2">2</xref>. Journal of the National Cancer Institute, 1987, , .	3.0	8
10	Effect of a Low-Fat Diet on Hormone Levels in Women With Cystic Breast Disease. I. Serum Steroids and Gonadotropins <xref ref-type="fn" rid="FN2">2</xref>. Journal of the National Cancer Institute, 1987, , .	3.0	52
11	Southwestern Internal Medicine Conference: Breast Diseases and the Internist. American Journal of the Medical Sciences, 1987, 293, 332-347.	0.4	0
12	On The Epidemiology of Oral Contraceptives and Disease. Advances in Cancer Research, 1987, 49, 285-401.	1.9	145
13	BREAST CANCER RISK ASSOCIATED WITH PROLIFERATIVE DISEASE, AGE AT FIRST BIRTH, AND A FAMILY HISTORY OF BREAST CANCER1. American Journal of Epidemiology, 1987, 125, 769-779.	1.6	177
14	Expression of Tumor-Associated Antigen (DF3) in Atypical Hyperplasias and In Situ Carcinomas of the Human Breast. Journal of the National Cancer Institute, 0, , .	3.0	9
15	Prevalence of benign, atypical, and malignant breast lesions in populations at different risk for breast cancer. A forensic autopsy study. Cancer, 1987, 60, 2751-2760.	2.0	154
16	A comparison of serum and breast duct fluid-immunoassayable prolactin and growth hormone with bioassayable lactogenic hormones in healthy women and patients with cystic breast disease. Cancer, 1987, 60, 2761-2765.	2.0	21
17	Feulgen DNA content and mitotic activity in proliferative breast disease. A comparison with ductal carcinoma in situ. Histopathology, 1987, 11, 1307-1319.	1.6	23
18	Proliferative disease and atypia in biopsies performed for nonpalpable lesions detected mammographically. Cancer, 1988, 61, 2077-2082.	2.0	59
19	A nationwide study of breast disease. Cancer, 1988, 61, 2547-2551.	2.0	3

#	ARTICLE	IF	CITATIONS
20	Image cytometric classification of premalignant breast disease in fine needle aspirates. <i>Cancer</i> , 1988, 62, 114-124.	2.0	40
21	Morphometric evaluation of microvessels surrounding hyperplastic and neoplastic mammary lesions. <i>Breast Cancer Research and Treatment</i> , 1988, 11, 241-248.	1.1	55
22	Histopathologic risk factors for breast cancer in women with benign breast disease. <i>Journal of Surgical Oncology</i> , 1988, 4, 213-217.	1.4	21
23	Optimal preservation of p21ras immunoreactivity and morphology in paraffin-embedded tissue. <i>Journal of Pathology</i> , 1988, 155, 185-190.	2.1	8
24	Ductal involvement by cells of atypical lobular hyperplasia in the breast: A long-term follow-up study of cancer risk. <i>Human Pathology</i> , 1988, 19, 201-207.	1.1	85
25	PATHOLOGICAL ASPECTS OF BREAST CANCER SCREENING. <i>ANZ Journal of Surgery</i> , 1988, 58, 355-363.	0.3	5
26	CEA and HMFG in Hyperplastic and Malignant Lesions of the Breast. <i>Pathology Research and Practice</i> , 1988, 183, 271-276.	1.0	13
27	Cytophotometric DNA analysis of esophageal dysplasia and carcinoma induced in rats by N-methyl-N-amyl nitrosamine. <i>European Journal of Cancer & Clinical Oncology</i> , 1988, 24, 643-651.	0.9	16
28	A PROSPECTIVE STUDY OF THE DEVELOPMENT OF BREAST CANCER IN 16,692 WOMEN WITH BENIGN BREAST DISEASE. <i>American Journal of Epidemiology</i> , 1988, 128, 467-477.	1.6	305
29	Histopathology of breast cancer in young women in relation to use of oral contraceptives.. <i>Journal of Clinical Pathology</i> , 1989, 42, 387-390.	1.0	12
30	Cigarette smoking and benign proliferative epithelial disorders of the breast in women: a case-control study.. <i>Journal of Epidemiology and Community Health</i> , 1989, 43, 362-368.	2.0	10
31	<i>Fine-Needle Aspiration of Mammary Lobular Carcinoma </i> In Situ <i>and Atypical Lobular Hyperplasia</i>. <i>American Journal of Clinical Pathology</i> , 1989, 92, 22-26.	0.4	50
32	Benign breast disease: The cost of the service and the cost to the patient. <i>World Journal of Surgery</i> , 1989, 13, 669-673.	0.8	11
33	Alcohol consumption and risk of benign proliferative epithelial disorders of the breast in women. <i>International Journal of Cancer</i> , 1989, 43, 631-636.	2.3	24
34	Breast cancer risk: A review of definitions and assessments of risk. <i>Journal of Surgical Oncology</i> , 1989, 41, 42-46.	0.8	7
35	Influence of exogenous estrogens, proliferative breast disease, and other variables on breast cancer risk. <i>Cancer</i> , 1989, 63, 948-957.	2.0	138
36	Invasive breast cancer risk in women with sclerosing adenosis. <i>Cancer</i> , 1989, 64, 1977-1983.	2.0	169
37	The expression of the neu oncogene product in breast lesions and in normal fetal and adult human tissues. <i>Histopathology</i> , 1989, 15, 351-362.	1.6	105

#	ARTICLE	IF	CITATIONS
38	Clear cell metaplasia of the breast: A lesion showing eccrine differentiation. <i>Histopathology</i> , 1989, 15, 85-92.	1.6	14
39	The biologic significance of cytologic atypia in progestogen-treated endometrial hyperplasia. <i>American Journal of Obstetrics and Gynecology</i> , 1989, 160, 126-131.	0.7	214
40	Tn epitope (N-acetyl-d-galactosamine \pm -O -serine/threonine) density in primary breast carcinoma: A functional predictor of aggressiveness. <i>Molecular Immunology</i> , 1989, 26, 1-5.	1.0	91
41	Natural History of In Situ Breast Cancer in a Defined Population. <i>Annals of Surgery</i> , 1989, 210, 653-657.	2.1	35
42	Science in Pictures. <i>Interdisciplinary Science Reviews</i> , 1989, 14, 374-383.	1.0	2
43	Juvenile Papillomatosis of the Breast: A Follow-Up Study of 41 Patients Having Biopsies Before 1979. <i>American Journal of Clinical Pathology</i> , 1990, 93, 599-603.	0.4	64
44	Steroid Receptors in Benign Mastectomy Tissue. <i>American Journal of Clinical Pathology</i> , 1990, 94, 14-17.	0.4	24
45	A Practical Approach to the Handling of Surgical Breast Specimens. <i>Laboratory Medicine</i> , 1990, 21, 147-151.	0.8	0
46	DIET AND HISTOLOGIC TYPES OF BENIGN BREAST DISEASE DEFINED BY SUBSEQUENT RISK OF BREAST CANCER. <i>American Journal of Epidemiology</i> , 1990, 131, 263-270.	1.6	45
47	Premalignant Conditions and Markers of Elevated Risk in the Breast and Their Management. <i>Surgical Clinics of North America</i> , 1990, 70, 831-851.	0.5	29
48	Preliminary results for shear wave speed of sound and attenuation coefficients from excised specimens of human breast tissue. <i>Ultrasonic Imaging</i> , 1990, 12, 99-118.	1.4	8
49	A comparison of the results of long-term follow-up for atypical intraductal hyperplasia and intraductal hyperplasia of the breast. <i>Cancer</i> , 1990, 65, 518-529.	2.0	360
50	Anatomic markers of human premalignancy and risk of breast cancer. <i>Cancer</i> , 1990, 66, 1326-1335.	2.0	214
51	Medical and legal implications of screening and follow-up procedures for breast cancer. <i>Cancer</i> , 1990, 66, 1351-1362.	2.0	37
52	Radiographic microcalcification and parenchymal pattern as indicators of histologic "high-risk" benign breast disease. <i>Cancer</i> , 1990, 66, 1721-1725.	2.0	43
53	Expression of Two Antigens Defined by Monoclonal Antibodies in Normal, Benign and Malignant Human Mammary Tissues. <i>Tumori</i> , 1990, 76, 525-529.	0.6	4
54	The relationship of "high risk" mammographic patterns to histological risk factors for development of cancer in the human breast. <i>British Journal of Radiology</i> , 1990, 63, 845-849.	1.0	25
55	Fibroadenosis of the breast does not require excision biopsy.. <i>Postgraduate Medical Journal</i> , 1990, 66, 650-653.	0.9	0

#	ARTICLE	IF	CITATIONS
56	Preliminary Results for Shear Wave Speed of Sound and Attenuation Coefficients from Excised Specimens of Human Breast Tissue. <i>Ultrasonic Imaging</i> , 1990, 12, 99-118.	1.4	8
57	Risk of breast cancer subsequent to proven gross cystic disease. <i>European Journal of Cancer & Clinical Oncology</i> , 1990, 26, 555-557.	0.9	49
58	Breast cancer detection: Experience in a suburban community. <i>American Journal of Obstetrics and Gynecology</i> , 1990, 162, 1393-1397.	0.7	4
59	Cellular ras Protooncogene Expression in Human Mammary Explant Cultures.. <i>Annals of the New York Academy of Sciences</i> , 1990, 586, 230-237.	1.8	10
60	Relationship of Benign Breast Disease to Breast Cancer. <i>Annals of the New York Academy of Sciences</i> , 1990, 586, 266-271.	1.8	13
61	Lobular neoplasia of the breast: Higher risk for subsequent invasive cancer predicted by more extensive disease. <i>Human Pathology</i> , 1991, 22, 1232-1239.	1.1	417
62	Comparative Features of Carcinoma <i>In Situ</i> and Atypical Ductal Hyperplasia of the Breast on cFine-Needle Aspiration Biopsy Specimens. <i>American Journal of Clinical Pathology</i> , 1991, 96, 654-659.	0.4	54
63	The correlation between the immunohistochemical expression of DF3 antigen and serum CA15-3 in breast cancer patients. <i>The Japanese Journal of Surgery</i> , 1991, 21, 129-137.	0.2	11
64	Parity factors and prevalence of fibrocystic breast change in a forensic autopsy series. <i>British Journal of Cancer</i> , 1991, 63, 1005-1009.	2.9	3
65	Benign breast disease and breast cancer: A case-control study in a cohort in italy. <i>International Journal of Cancer</i> , 1991, 47, 703-706.	2.3	92
66	Differential expression of isopeptide bonds N ^ε -(¹³ -glutamyl) lysine in benign and malignant human breast lesions: An immunohistochemical study. <i>International Journal of Cancer</i> , 1991, 48, 215-220.	2.3	14
67	Associations between breast cancer, plasma triglycerides, and cholesterol. <i>Nutrition and Cancer</i> , 1991, 15, 205-215.	0.9	42
68	Proliferative breast disease: diagnosis and implications. <i>Science</i> , 1991, 253, 915-916.	6.0	15
69	A Prospective Study of Benign Breast Disease and the Risk of Breast Cancer. <i>JAMA - Journal of the American Medical Association</i> , 1992, 267, 941.	3.8	388
70	Atypical Hyperplasia: A Morphologic Risk Factor for Subsequent Development of Invasive Breast Carcinoma. <i>Cancer Investigation</i> , 1992, 10, 433-441.	0.6	12
71	Prospects for the Prevention of Breast Cancer. <i>Annual Review of Medicine</i> , 1992, 43, 181-194.	5.0	3
72	The Genetic Epidemiology of Second Primary Breast Cancer*. <i>American Journal of Epidemiology</i> , 1992, 136, 937-948.	1.6	84
73	Breast Cancer Incidence in Women with Abnormal Cytology in Nipple Aspirates of Breast Fluid. <i>American Journal of Epidemiology</i> , 1992, 135, 130-141.	1.6	156

#	ARTICLE	IF	CITATIONS
75	The clinical significance of mammary epithelial hyperplasia. <i>Breast</i> , 1992, 1, 3-7.	0.9	15
76	Relationship Between Mammographic and Histological Risk Factors for Breast Cancer. <i>Journal of the National Cancer Institute</i> , 1992, 84, 1170-1179.	3.0	152
77	Immunohistochemical analysis of the distribution of a breast tumor associated antigen recognized by a monoclonal antibody. <i>Pathology Research and Practice</i> , 1992, 188, 1002-1008.	1.0	2
78	Informational needs of individuals and families with hereditary cancers. <i>Seminars in Oncology Nursing</i> , 1992, 8, 288-292.	0.7	23
79	Combined histologic and cytologic criteria for the diagnosis of mammary atypical ductal hyperplasia. <i>Human Pathology</i> , 1992, 23, 1095-1097.	1.1	367
80	Overexpression of HER-2/neu and its relationship with other prognostic factors change during the progression of in situ to invasive breast cancer. <i>Human Pathology</i> , 1992, 23, 974-979.	1.1	376
81	Carotenoids, retinol, and vitamin E and risk of proliferative benign breast disease and breast cancer. <i>Cancer Causes and Control</i> , 1992, 3, 503-512.	0.8	100
82	Atypical hyperplasia and breast cancer risk: a critique. <i>Cancer Causes and Control</i> , 1992, 3, 517-525.	0.8	21
83	Breast cancer risk analysis: A genetic epidemiology service for families. <i>Journal of Genetic Counseling</i> , 1992, 1, 155-167.	0.9	11
84	Pre-cancerous breast lesions: Implications for breast cancer prevention trials. <i>International Journal of Radiation Oncology Biology Physics</i> , 1992, 23, 1071-1078.	0.4	29
85	Epithelial Hyperplasia of the Breast: Comparison of Incidence between Cases of Breast Carcinoma and Control Autopsy Specimens with Immunohistochemical Observation of Blood Group Antigens. <i>Pathology International</i> , 1992, 42, 193-200.	0.6	2
86	Molecular and endocrine biomarkers in non-involved breasts: Relevance to cancer chemoprevention. <i>Journal of Cellular Biochemistry</i> , 1992, 50, 161-169.	1.2	21
87	Indicators of increased breast cancer risk in humans. <i>Journal of Cellular Biochemistry</i> , 1992, 50, 175-182.	1.2	30
88	Genetic predisposition to breast cancer. <i>Cancer</i> , 1992, 70, 1747-1754.	2.0	32
89	Breast cancer risk associated with proliferative breast disease and atypical hyperplasia. <i>Cancer</i> , 1993, 71, 1258-1265.	2.0	477
90	The increasing prevalence of benign proliferative breast lesions in Japanese women. <i>Cancer</i> , 1993, 71, 2528-2531.	2.0	15
91	Proliferative breast "disease": An unresolved diagnostic dilemma. <i>Cancer</i> , 1993, 71, 3798-3807.	2.0	49
92	Prognostic significance of benign proliferative breast disease. <i>Cancer</i> , 1993, 71, 3896-3907.	2.0	140

#	ARTICLE	IF	CITATIONS
93	Reproducibility and validity of pathologic classifications of benign breast disease and implications for clinical applications. <i>Cancer</i> , 1993, 71, 3908-3913.	2.0	53
94	Proliferative and nonproliferative breast disease in atomic bomb survivors. Results of a histopathologic review of autopsy breast tissue. <i>Cancer</i> , 1993, 72, 1657-1665.	2.0	21
95	Parvovirus H-1 inhibits growth of short-term tumor-derived but not normal mammary tissue cultures. <i>International Journal of Cancer</i> , 1993, 55, 672-677.	2.3	35
96	Can FNA biopsy separate atypical hyperplasia, carcinoma in situ, and invasive carcinoma of the breast?: Cytomorphologic criteria and limitations in diagnosis. <i>Diagnostic Cytopathology</i> , 1993, 9, 713-728.	0.5	82
97	Benign breast disease and cancer risk. <i>Critical Reviews in Oncology/Hematology</i> , 1993, 15, 221-242.	2.0	7
98	Anatomic indicators (histologic and cytologic) of increased breast cancer risk. <i>Breast Cancer Research and Treatment</i> , 1993, 28, 157-166.	1.1	83
99	Benign Breast Disease as a Breast Cancer Risk in Japanese Women. <i>Japanese Journal of Cancer Research</i> , 1993, 84, 938-944.	1.7	9
100	Precursor lesions of breast carcinoma. <i>Breast</i> , 1993, 2, 220-223.	0.9	8
101	Clinical, radiographic, and pathologic correlation of atypical hyperplasia, ductal carcinoma in situ, and ductal carcinoma in situ with micro-invasion. <i>Breast</i> , 1993, 2, 21-26.	0.9	6
102	Atypia in breast fine-needle aspiration smears correlates poorly with the presence of a prognostically significant proliferative lesion of ductal epithelium. <i>Human Pathology</i> , 1993, 24, 630-635.	1.1	48
103	Nutritional Profile of Women with Fibrocystic Breast Disease. <i>International Journal of Epidemiology</i> , 1993, 22, 989-999.	0.9	13
104	Breast Cancer in Men. <i>Epidemiologic Reviews</i> , 1993, 15, 220-231.	1.3	111
105	Benign Breast Diseases, Carcinoma In Situ, and Breast Cancer Risk. <i>Epidemiologic Reviews</i> , 1993, 15, 177-187.	1.3	83
106	Nipple Aspirate Fluid in Epidemiologic Studies of Breast Disease. <i>Epidemiologic Reviews</i> , 1993, 15, 188-195.	1.3	74
107	Juvenile Papillomatosis of the Breast: A Benign Proliferative Lesion of Uncertain Precancerous Potential. <i>Surgical Oncology Clinics of North America</i> , 1993, 2, 35-43.	0.6	0
108	Hormone replacement therapy and breast cancer. <i>Medical Journal of Australia</i> , 1993, 158, 436-436.	0.8	3
109	Duct Carcinoma In Situ. <i>Surgical Oncology Clinics of North America</i> , 1993, 2, 75-91.	0.6	33
110	Prophylactic Mastectomy. <i>Surgical Oncology Clinics of North America</i> , 1993, 2, 145-154.	0.6	1

#	ARTICLE	IF	CITATIONS
111	Ductal carcinoma in situ: the mammographer's perspective.. American Journal of Roentgenology, 1994, 162, 585-591.	1.0	76
112	Evaluation and management of high risk and premalignant lesions of the breast. World Journal of Surgery, 1994, 18, 32-38.	0.8	36
113	Molecular genetic studies of early breast cancer evolution. Breast Cancer Research and Treatment, 1994, 32, 5-12.	1.1	111
114	Is the fine-needle aspiration biopsy diagnosis of proliferative breast disease feasible?. Diagnostic Cytopathology, 1994, 11, 301-306.	0.5	21
115	Apocrine Adenosis Within A Radial Scar: A Case of False Positive Breast Cytodiagnosis. Cytopathology, 1994, 5, 123-128.	0.4	20
116	Immunohistochemical expression of the mutant p53 protein and nuclear DNA content during the transition from benign to malignant breast disease. Human Pathology, 1994, 25, 1228-1233.	1.1	52
117	Fine-needle aspiration cytology of ductal hyperplasia with and without atypia and ductal carcinoma in situ. Human Pathology, 1994, 25, 485-492.	1.1	87
118	Epithelial proliferative lesions and carcinomas in fibroadenomas of the breast. Breast Cancer, 1994, 1, 131-137.	1.3	6
119	The Cytopathology of Proliferative Breast Disease:<i>Comparison With Features of Ductal Carcinoma In Situ</i>. American Journal of Clinical Pathology, 1995, 103, 438-442.	0.4	31
120	Continued local recurrence of carcinoma 15â€“25 years after a diagnosis of low grade ductal carcinoma in situ of the breast treated only by biopsy. Cancer, 1995, 76, 1197-1200.	2.0	409
121	Epidemiologic and genetic follo-up study of 544 Minnesota breast cancer families: Design and methods. Genetic Epidemiology, 1995, 12, 417-429.	0.6	36
122	The use of thallium-201 in the preoperative detection of breast cancer: an adjunct to mammography and ultrasonography. European Journal of Nuclear Medicine and Molecular Imaging, 1995, 22, 1110-1117.	2.2	27
123	Ductal carcinoma in situ: Assessment of necrosis and nuclear morphology and their association with biological markers. Journal of Pathology, 1995, 176, 333-341.	2.1	49
124	Gd-DTPA Enhanced Dynamic IVIRI of the Breast Cancer. Journal of the Korean Radiological Society, 1995, 32, 173.	0.0	0
125	Pathologic analysis of the national surgical adjuvant breast project (NSABP) B-17 trial. Unanswered questions remaining unanswered considering current concepts of ductal carcinoma in situ. Cancer, 1995, 75, 1219-1222.	2.0	87
127	THE WOMAN AT HIGH RISK FOR BREAST CANCER. Surgical Clinics of North America, 1996, 76, 221-230.	0.5	14
128	Objective Quantitative Grading.. Annals of the New York Academy of Sciences, 1996, 784, 395-402.	1.8	1
129	Atypical ductal hyperplasia, ductal carcinoma in situ and in situ atypical apocrine proliferations of the breast. Current Diagnostic Pathology, 1996, 3, 235-242.	0.4	2

#	ARTICLE	IF	CITATIONS
130	Microcalcification clustering parameters in breast disease: a morphometric analysis of radiographs of excision specimens. <i>British Journal of Radiology</i> , 1996, 69, 326-334.	1.0	5
131	Laser Capture Microdissection. <i>Science</i> , 1996, 274, 998-1001.	6.0	2,352
132	Surgical biopsy findings in patients with atypical hyperplasia diagnosed by stereotaxic core needle biopsy. <i>Annals of Surgical Oncology</i> , 1996, 3, 483-488.	0.7	35
133	bcl-2 expression in the spectrum of preinvasive breast lesions. , 1996, 77, 499-506.		62
134	Atypical apocrine adenosis of the breast: A clinicopathologic study of 37 patients with 8.7-year follow-up. , 1996, 77, 2529-2537.		85
135	Subsequent breast carcinoma risk after biopsy with atypia in a breast papilloma. , 1996, 78, 258-266.		233
136	Lobular neoplasia: Long term risk of breast cancer and relation to other factors. , 1996, 78, 1024-1034.		140
137	Pathologic findings from the National Surgical Adjuvant Breast Project (NSABP) protocol B-17: Five-year observations concerning lobular carcinoma in situ. , 1996, 78, 1403-1416.		130
138	Risk biomarkers and current strategies for cancer chemoprevention. <i>Journal of Cellular Biochemistry</i> , 1996, 63, 1-14.	1.2	138
139	Lobular carcinoma in situ of the breast. , 1996, 12, 314-320.		26
140	Mammary Intraductal Carcinoma: Issues of Interdisciplinary Concern. <i>Breast Journal</i> , 1996, 2, 35-37.	0.4	1
141	Differential expression of gp200-MR6 molecule in benign hyperplasia and down-regulation in invasive carcinoma of the breast. <i>British Journal of Cancer</i> , 1996, 74, 1005-1011.	2.9	15
142	Mutation of the TP53 gene and allelic imbalance at chromosome 17p13 in ductal carcinoma in situ. <i>British Journal of Cancer</i> , 1996, 74, 1578-1585.	2.9	19
143	Cancerization of Small Ectatic Ducts of the Breast by Ductal Carcinoma In Situ Cells With Apocrine Snouts: <i>A Lesion Associated With Tubular Carcinoma</i>. <i>American Journal of Clinical Pathology</i> , 1997, 107, 561-566.	0.4	120
144	Epidemiology of Benign Breast Disease, with Special Attention to Histologic Types. <i>Epidemiologic Reviews</i> , 1997, 19, 310-327.	1.3	104
145	Microsatellite alterations indicating monoclonality in atypical hyperplasias associated with breast cancer. <i>Human Pathology</i> , 1997, 28, 214-219.	1.1	40
146	Loss of heterozygosity on chromosome 11 q 13 in lobular lesions of the breast using tissue microdissection and polymerase chain reaction. <i>Human Pathology</i> , 1997, 28, 277-282.	1.1	60
147	New protein and PCR markers RAK for diagnosis, prognosis and surgery guidance for breast cancer. <i>Cancer Letters</i> , 1997, 112, 93-101.	3.2	8

#	ARTICLE	IF	CITATIONS
148	BREAST CANCER: CURRENT ISSUES IN DIAGNOSIS AND TREATMENT. ANZ Journal of Surgery, 1997, 67, 47-58.	0.3	14
149	Mammary Intraepithelial Neoplasia: A Translational Classification System for the Intraductal Epithelial Proliferations. Breast Journal, 1997, 3, 48-58.	0.4	34
150	Chemoprevention of Breast Cancer. Breast Journal, 1997, 3, 220-226.	0.4	4
151	Breast Cancer Risk Assessment and Counseling: A Clinician's Guide. Breast Journal, 1997, 3, 311-316.	0.4	2
152	Prophylactic Mastectomy. Breast Journal, 1997, 3, 372-379.	0.4	12
153	Appropriate management of atypical ductal hyperplasia diagnosed by stereotactic core needle breast biopsy. Annals of Surgical Oncology, 1997, 4, 283-286.	0.7	67
155	A review on family history of breast cancer: screening and counseling proposals for women with familial (non-hereditary) breast cancer. Patient Education and Counseling, 1997, 32, 117-127.	1.0	9
156	THE SPECTRUM OF 67-kD LAMININ RECEPTOR EXPRESSION IN BREAST CARCINOMA PROGRESSION. , 1997, 182, 36-44.		49
157	Can nonproliferative breast disease and proliferative breast disease without atypia be Distinguished by fine-needle aspiration cytology?. , 1997, 81, 22-28.		18
158	Fine-needle aspiration Is limited in the classification of benign breast diseases. Diagnostic Cytopathology, 1998, 18, 56-61.	0.5	21
159	Interobserver variability in the classification of proliferative breast lesions by fine-needle aspiration: Results of the Papanicolaou Society of Cytopathology study. Diagnostic Cytopathology, 1998, 18, 150-165.	0.5	74
160	Thrombin receptor overexpression in malignant and physiological invasion processes. Nature Medicine, 1998, 4, 909-914.	15.2	414
161	Breast carcinoma detection in women age 35 years and younger. , 1998, 84, 163-168.		15
162	Hyperplastic Ductal and Lobular Lesions and Carcinomas In Situ of the Breast: Reproducibility of Current Diagnostic Criteria Among Community- and Academic-Based Pathologists. Breast Journal, 1998, 4, 230-237.	0.4	26
163	Numerical Abnormalities of Chromosomes 7, 18, and X in Precancerous Breast Disease Defined by Fluorescent In Situ Hybridization. Breast Journal, 1998, 4, 252-257.	0.4	6
164	The presence of proliferative breast disease with atypia does not significantly influence outcome in early-stage invasive breast cancer treated with conservative surgery and radiation. International Journal of Radiation Oncology Biology Physics, 1998, 42, 105-115.	0.4	12
165	Intraductal proliferations of the breast: A review of histologic criteria for atypical intraductal hyperplasia and ductal carcinoma in situ, including apocrine and papillary lesions. Annals of Diagnostic Pathology, 1998, 2, 135-145.	0.6	19
166	Ductal carcinoma in situ of the breast. Human Pathology, 1998, 29, 1329-1330.	1.1	0

#	ARTICLE	IF	CITATIONS
167	MODELS FOR EARLY CHEMOPREVENTION TRIALS IN BREAST CANCER. Hematology/Oncology Clinics of North America, 1998, 12, 993-1017.	0.9	43
168	Analysis of Loss of Heterozygosity in 399 Premalignant Breast Lesions at 15 Genetic Loci. Journal of the National Cancer Institute, 1998, 90, 697-703.	3.0	299
169	Heterogeneity in Breast Cancer and the Problem of Relevance of Findings. Analytical Cellular Pathology, 1999, 19, 53-58.	2.1	27
170	Lobular carcinoma in situ at percutaneous breast biopsy: surgical biopsy findings.. American Journal of Roentgenology, 1999, 173, 291-299.	1.0	192
171	Atypical ductal hyperplasia: histologic underestimation of carcinoma in tissue harvested from impalpable breast lesions using 11-gauge stereotactically guided directional vacuum-assisted biopsy.. American Journal of Roentgenology, 1999, 172, 1405-1407.	1.0	186
172	Radial Scars in Benign Breast-Biopsy Specimens and the Risk of Breast Cancer. New England Journal of Medicine, 1999, 340, 430-436.	13.9	321
173	Tumor suppressor genes in breast cancer.. Endocrine-Related Cancer, 1999, 6, 405-419.	1.6	31
174	Atypical lobular hyperplasia and lobular carcinoma in situ: surgical and molecular pathology. Histopathology, 1999, 35, 195-200.	1.6	45
175	Misconception About Mammary Intraepithelial Neoplasia (MIN). Breast Journal, 1999, 5, 73-74.	0.4	2
176	Risk of Breast Cancer in Japanese Women with Benign Breast Disease. Japanese Journal of Cancer Research, 1999, 90, 600-606.	1.7	11
177	The relationship between diet and breast cancer in men (United States). Cancer Causes and Control, 1999, 10, 107-113.	0.8	34
179	Atypical cystic lobules: an early stage in the formation of low-grade ductal carcinoma in situ. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 1999, 435, 413-421.	1.4	99
180	Nipple aspirate fluid in relation to breast cancer. Breast, 1999, 8, 169-174.	0.9	7
181	The evaluation of high risk and pre-invasive breast lesions and the decision process for follow up and surgical intervention. Surgical Oncology, 1999, 8, 55-65.	0.8	17
182	Estrogen replacement therapy in women with a history of proliferative breast disease. , 1999, 85, 1277-1283.		69
183	American Joint Committee on Cancer Prognostic Factors Consensus Conference. , 1999, 86, 2436-2446.		146
184	Aberrant expression of muc1 mucin in ductal hyperplasia and ductal carcinoma in situ of the breast. , 1999, 84, 466-469.		38
185	Molecular and anatomic considerations in the pathogenesis of breast cancer. Radiation Oncology Investigations, 1999, 7, 1-12.	1.3	11

#	ARTICLE	IF	CITATIONS
186	Benign, Preinvasive and Invasive Ductal Breast Lesions. A Comparative Study with Quantitative Techniques: Morphometry, Image- and Flow Cytometry. <i>Pathology Research and Practice</i> , 1999, 195, 741-746.	1.0	13
187	Perspectives on Cancer Chemoprevention Research and Drug Development. <i>Advances in Cancer Research</i> , 1999, 78, 199-334.	1.9	234
188	Breast cancer screening, diagnosis, and treatment. <i>Disease-a-Month</i> , 1999, 45, 333-405.	0.4	6
189	The Gynaecologist and the Breast. <i>Journal of Obstetrics and Gynaecology Canada</i> , 1999, 21, 1215-1220.	0.1	0
190	When should tamoxifen be offered for breast cancer prevention?. <i>Postgraduate Medicine</i> , 1999, 105, 61-78.	0.9	0
191	17-Beta-Hydroxysteroid Dehydrogenase in Human Breast and Endometrial Carcinoma. <i>Oncology</i> , 2000, 59, 5-12.	0.9	40
192	Mammographic densities and the prevalence and incidence of histological types of benign breast disease. <i>European Journal of Cancer Prevention</i> , 2000, 9, 15-24.	0.6	79
193	P53 mutations analysis in benign and malignant breast lesions: Using needle rinses from fine-needle aspirations. , 2000, 22, 268-274.		13
194	Benign Breast Tissue Sampling for Prevention Studies. <i>Breast Journal</i> , 2000, 6, 215-219.	0.4	7
195	Neoplastic and Malignant Lesions Involving or Arising in a Radial Scar: A Clinicopathologic Analysis of 17 Cases. <i>Breast Journal</i> , 2000, 6, 96-102.	0.4	41
196	Cytokeratin 5/6 immunohistochemistry assists the differential diagnosis of atypical proliferations of the breast. <i>Histopathology</i> , 2000, 37, 232-240.	1.6	195
197	Part III. The pathobiology of ductal carcinoma in situ. <i>Current Problems in Cancer</i> , 2000, 24, 126-141.	1.0	0
198	Clinicopathological characteristics of atypical cystic duct (ACD) of the breast: Assessment of ACD as a precancerous lesion. <i>Pathology International</i> , 2000, 50, 793-800.	0.6	34
199	Historical and epidemiologic background of human premalignant breast disease. <i>Journal of Mammary Gland Biology and Neoplasia</i> , 2000, 5, 341-349.	1.0	18
200	Biological features of premalignant disease in the human breast. , 2000, 5, 351-364.		47
201	The basic pathology of human breast cancer. <i>Journal of Mammary Gland Biology and Neoplasia</i> , 2000, 5, 139-163.	1.0	46
202	Ductal intraepithelial neoplasia (Idh, aidh and dcis). <i>Breast Cancer</i> , 2000, 7, 315-320.	1.3	13
203	Cytomorphometric differentiation of intraductal proliferative breast lesions. <i>Breast Cancer</i> , 2000, 7, 43-47.	1.3	9

#	ARTICLE	IF	CITATIONS
204	Current National Health Insurance Coverage Policies for Breast and Ovarian Cancer Prophylactic Surgery. <i>Annals of Surgical Oncology</i> , 2000, 7, 325-332.	0.7	27
205	Heterogeneous Chromosomal Aberrations in Intraductal Breast Lesions Adjacent to Invasive Carcinoma. <i>Analytical Cellular Pathology</i> , 2000, 20, 17-24.	2.1	33
206	Fine-Needle Aspiration Cytology of In Situ Epithelial Cell Proliferation in the Breast. <i>Pathology Patterns Reviews</i> , 2000, 113, S38-S48.	0.4	6
207	Current Issues in Breast Cytopathology. <i>Pathology Patterns Reviews</i> , 2000, 113, S49-S75.	0.4	4
209	Mammary Gland. , 2000, , 55-86.		1
210	Immunohistochemical Analysis of Ki-67, p53, p21, and p27 in Benign and Malignant Apocrine Lesions of the Breast: Its Correlation to Histologic Findings in 43 Cases. <i>Modern Pathology</i> , 2000, 13, 13-18.	2.9	69
211	Risk factors for benign proliferative breast disease. <i>International Journal of Epidemiology</i> , 2000, 29, 637-644.	0.9	62
212	Mammographic screening of the high-risk woman. <i>American Journal of Surgery</i> , 2000, 180, 288-289.	0.9	26
213	Dermatologic diseases of the breast and nipple. <i>Journal of the American Academy of Dermatology</i> , 2000, 43, 733-754.	0.6	87
214	Lobular Carcinoma In situ on Core Biopsy—What is the Clinical Significance?. <i>Clinical Radiology</i> , 2001, 56, 216-220.	0.5	70
215	Atypical ductal hyperplasia and ductal carcinoma in situ of the breast associated with perineural invasion. <i>Human Pathology</i> , 2001, 32, 785-790.	1.1	26
216	Cyclin D1 in breast premalignancy and early breast cancer: implications for prevention and treatment. <i>Cancer Letters</i> , 2001, 162, 3-17.	3.2	33
218	Histological and biological evolution of human premalignant breast disease.. <i>Endocrine-Related Cancer</i> , 2001, 8, 47-61.	1.6	308
219	Genetic Instability Promotes the Acquisition of Chromosomal Imbalances in T1b and T1c Breast Adenocarcinomas. <i>Analytical Cellular Pathology</i> , 2001, 22, 123-131.	2.1	12
220	Disparate E-cadherin mutations in LCIS and associated invasive breast carcinomas. <i>Journal of Clinical Pathology</i> , 2001, 54, 91-97.	2.1	38
221	Juvenile papillomatosis of the breast in a 9-year-old girl. <i>Pediatric Surgery International</i> , 2001, 17, 206-208.	0.6	11
222	Well differentiated clinging carcinoma and atypical ductal hyperplasia are synonymous. <i>Breast Cancer</i> , 2001, 8, 283-284.	1.3	4
223	Image-guided breast biopsy. <i>Journal of Surgical Oncology</i> , 2001, 20, 197-204.	1.4	8

#	ARTICLE	IF	CITATIONS
224	No elevation in long-term breast carcinoma risk for women with fibroadenomas that contain atypical hyperplasia. <i>Cancer</i> , 2001, 92, 30-36.	2.0	76
225	Improved accuracy in differentiating malignant from benign mammographic abnormalities. <i>Cancer</i> , 2001, 92, 471-478.	2.0	14
226	Clinicopathologic implications of E-cadherin reactivity in patients with lobular carcinoma in situ of the breast. <i>Cancer</i> , 2001, 92, 738-747.	2.0	63
227	The spectrum of cytologic features in nonproliferative breast lesions. <i>Cancer</i> , 2001, 93, 140-145.	2.0	10
228	Downregulation of Gelsolin Correlates with the Progression to Breast Carcinoma. <i>Breast Cancer Research and Treatment</i> , 2001, 65, 11-21.	1.1	78
229	Effects of mammographic density and benign breast disease on breast cancer risk (United States). <i>Cancer Causes and Control</i> , 2001, 12, 103-110.	0.8	94
230	Ductal intraepithelial neoplasia of the breast. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2001, 438, 221-227.	1.4	32
231	Expression of EGFR Family and Steroid Hormone Receptors in Ductal Carcinoma in situ of the Breast. <i>Ultrastructural Pathology</i> , 2001, 25, 349-356.	0.4	12
232	Atypical Ductal Hyperplasia in Breast Core Needle Biopsies. <i>American Journal of Clinical Pathology</i> , 2001, 116, 92-96.	0.4	74
233	Pathologic Features of Breast Cancers in Women With Previous Benign Breast Disease. <i>American Journal of Clinical Pathology</i> , 2001, 115, 362-369.	0.4	26
234	Atypical Lobular Hyperplasia or Lobular Carcinoma in Situ at Core-Needle Breast Biopsy. <i>Radiology</i> , 2001, 218, 503-509.	3.6	134
235	Biopsy of Amorphous Breast Calcifications: Pathologic Outcome and Yield at Stereotactic Biopsy. <i>Radiology</i> , 2001, 221, 495-503.	3.6	128
236	Atypical Ductal Hyperplasia: Can Some Lesions Be Defined as Probably Benign after Stereotactic 11-gauge Vacuum-assisted Biopsy, Eliminating the Recommendation for Surgical Excision?. <i>Radiology</i> , 2002, 224, 548-554.	3.6	194
237	Molecular and Biologic Markers of Premalignant Lesions of Human Breast. <i>Advances in Anatomic Pathology</i> , 2002, 9, 185-197.	2.4	48
238	Chemoprevention. , 2002, , 374-388.		2
239	Atypical ductal hyperplasia of the breast diagnosed by 11-gauge directional vacuum-assisted biopsy. <i>American Journal of Surgery</i> , 2002, 184, 534-537.	0.9	39
241	Is cancer really a "local" cellular clonal disease?. <i>Medical Hypotheses</i> , 2002, 59, 560-565.	0.8	11
242	Benign breast disease. <i>Obstetrics and Gynecology Clinics of North America</i> , 2002, 29, 1-20.	0.7	32

#	ARTICLE	IF	CITATIONS
243	Family history of breast cancer, age and benign breast disease. <i>International Journal of Cancer</i> , 2002, 100, 375-378.	2.3	36
244	Expression of c-kit protein in proliferative lesions of human breast: sexual difference and close association with phosphotyrosine status. <i>Journal of Cancer Research and Clinical Oncology</i> , 2002, 128, 239-246.	1.2	35
246	Loss of Co-ordinate Expression of Progesterone Receptors A and B is an Early Event in Breast Carcinogenesis. <i>Breast Cancer Research and Treatment</i> , 2002, 72, 163-172.	1.1	218
247	Accuracy of 11-Gauge Vacuum-Assisted Core Biopsy of Mammographic Breast Lesions. <i>Annals of Surgical Oncology</i> , 2003, 10, 43-47.	0.7	79
248	Central atypical papillomas of the breast: a clinicopathological study of 119 cases. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2003, 443, 609-617.	1.4	81
249	Atypical Ductal Hyperplasia of the Breast in Young Women: Two Case Reports. <i>Asian Journal of Surgery</i> , 2003, 26, 37-39.	0.2	3
250	Relation between the rate of tumour cell proliferation and latency time in radiation associated breast cancer. <i>BMC Cancer</i> , 2003, 3, 11.	1.1	8
251	Epithelial lesions in prophylactic mastectomy specimens from women with BRCA mutations. <i>Cancer</i> , 2003, 97, 1601-1608.	2.0	90
252	Breast cancer as a model of realistic challenges in pharmacogenomics. <i>Clinical Biochemistry</i> , 2003, 36, 89-94.	0.8	6
253	The Significance of Atypical Lobular Hyperplasia at Percutaneous Breast Biopsy. <i>Breast Journal</i> , 2003, 9, 10-12.	0.4	61
254	Comparative genomic hybridization analysis of bilateral hyperplasia of usual type of the breast. <i>Journal of Pathology</i> , 2003, 199, 152-156.	2.1	40
255	Histopathologic Analysis of Atypical Lesions in Image-Guided Core Breast Biopsies. <i>Modern Pathology</i> , 2003, 16, 154-160.	2.9	65
256	Advances in breast cancer detection and management. <i>Medical Clinics of North America</i> , 2003, 87, 997-1028.	1.1	22
257	Management of the high-risk patient. <i>Surgical Clinics of North America</i> , 2003, 83, 733-751.	0.5	13
258	Ductal lavage: clinical utility and future promise. <i>Surgical Clinics of North America</i> , 2003, 83, 753-769.	0.5	7
259	Atypical lobular hyperplasia as a unilateral predictor of breast cancer risk: a retrospective cohort study. <i>Lancet, The</i> , 2003, 361, 125-129.	6.3	321
260	In-situ lobular neoplasia: time for an awakening. <i>Lancet, The</i> , 2003, 361, 96.	6.3	30
261	Clinicopathologic analysis of breast lesions associated with multiple papillomas. <i>Human Pathology</i> , 2003, 34, 234-239.	1.1	70

#	ARTICLE	IF	CITATIONS
262	The diagnosis and management of pre-invasive breast disease: another point of view. <i>Breast Cancer Research</i> , 2003, 6, E3; discussion E4.	2.2	4
263	The diagnosis and management of pre-invasive breast disease: Pathological diagnosis “ problems with existing classifications. <i>Breast Cancer Research</i> , 2003, 5, 269.	2.2	41
264	The diagnosis and management of pre-invasive breast disease: Pathology of atypical lobular hyperplasia and lobular carcinoma in situ. <i>Breast Cancer Research</i> , 2003, 5, 258-62.	2.2	106
265	The diagnosis and management of pre-invasive breast disease: Ductal carcinoma in situ (DCIS) and atypical ductal hyperplasia (ADH) “ current definitions and classification. <i>Breast Cancer Research</i> , 2003, 5, 254-7.	2.2	112
266	MRI of Occult Breast Carcinoma in a High-Risk Population. <i>American Journal of Roentgenology</i> , 2003, 181, 619-626.	1.0	322
267	High Prevalence of Premalignant Lesions in Prophylactically Removed Breasts From Women at Hereditary Risk for Breast Cancer. <i>Journal of Clinical Oncology</i> , 2003, 21, 41-45.	0.8	136
268	Atypical Ductal Hyperplasia Diagnosis by Directional Vacuum-Assisted Stereotactic Biopsy of Breast Microcalcifications. <i>American Journal of Clinical Pathology</i> , 2003, 119, 248-253.	0.4	106
269	Atypical Ductal Hyperplasia on Core Biopsy. , 2003, 8, 245-248.		1
270	Atypical Ductal Hyperplasia on Core Biopsy. , 2003, 8, 245-248.		0
271	Columnar Cell Lesions of the Breast. <i>Advances in Anatomic Pathology</i> , 2003, 10, 113-124.	2.4	237
272	Benign Breast Disease and Breast Cancer Risk. <i>American Journal of Surgical Pathology</i> , 2003, 27, 836-841.	2.1	74
273	Percutaneous Biopsy of Benign Breast Masses. <i>Problems in General Surgery</i> , 2003, 20, 66-76.	0.2	1
276	Are Solitary Breast Papillomas Entirely Benign?. <i>Archives of Surgery (Chicago, Ill: 1920)</i> , 2003, 138, 1330.	1.5	31
278	Lobulocentricity of Breast Hypersecretory Hyperplasia With Cytologic Atypia. <i>American Journal of Clinical Pathology</i> , 2004, 122, 714-720.	0.4	14
279	Lower-Category Benign Breast Disease and the Risk of Invasive Breast Cancer. <i>Journal of the National Cancer Institute</i> , 2004, 96, 616-620.	3.0	95
280	Genomic approaches in cancer biology. <i>Surgery</i> , 2004, 136, 511-518.	1.0	4
281	Breast magnetic resonance image screening and ductal lavage in women at high genetic risk for breast carcinoma. <i>Cancer</i> , 2004, 100, 479-489.	2.0	77
282	Short-term morbidity of the upper limb after sentinel lymph node biopsy or axillary lymph node dissection for Stage I or II breast carcinoma. <i>Cancer</i> , 2004, 100, 654-655.	2.0	6

#	ARTICLE	IF	CITATIONS
284	Fourteen-gauge needle core biopsy of mammographically evident radial scars. <i>Cancer</i> , 2004, 100, 652-653.	2.0	16
286	Lobular neoplasia on core-needle biopsy? Clinical significance. <i>Cancer</i> , 2004, 101, 242-250.	2.0	124
287	Ductal lavage and its histopathologic basis: A cautionary tale. <i>Diagnostic Cytopathology</i> , 2004, 30, 166-171.	0.5	13
288	Cytology of ductal lavage fluid of the breast. <i>Diagnostic Cytopathology</i> , 2004, 30, 143-150.	0.5	29
289	Chromosome 17p13.2 transfer reverts transformation phenotypes and fas-mediated apoptosis in breast epithelial cells. <i>Molecular Carcinogenesis</i> , 2004, 39, 234-246.	1.3	1
290	Pathology of high-risk breast lesions and ductal carcinoma in situ. <i>Radiologic Clinics of North America</i> , 2004, 42, 821-830.	0.9	31
291	Image-guided breast biopsy and management of high-risk lesions. <i>Radiologic Clinics of North America</i> , 2004, 42, 935-946.	0.9	91
292	Ductal approaches to assessment and management of women at high risk for developing breast cancer. <i>Breast Cancer Research</i> , 2004, 6, 75-81.	2.2	30
293	Adverse effects of screening mammography. <i>Radiologic Clinics of North America</i> , 2004, 42, 807-819.	0.9	30
294	Columnar cell lesions of the breast: pathological features and clinical significance. <i>Current Diagnostic Pathology</i> , 2004, 10, 193-203.	0.4	11
295	Usual and atypical ductal hyperplasia—members of the same family?. <i>Current Diagnostic Pathology</i> , 2004, 10, 175-182.	0.4	2
296	Current comprehensive assessment and management of women at increased risk for breast cancer. <i>American Journal of Surgery</i> , 2004, 187, 349-362.	0.9	44
297	Epithelial proliferations of ductal type. <i>Seminars in Diagnostic Pathology</i> , 2004, 21, 10-17.	1.0	15
298	Diagnostic Markers That Distinguish Colon and Ovarian Adenocarcinomas: Identification by Genomic, Proteomic, and Tissue Array Profiling. <i>Advances in Anatomic Pathology</i> , 2004, 11, 108-110.	2.4	0
299	Precision in Gynecologic Cytologic Interpretation. A Study from the College of American Pathologists Interlaboratory Comparison Program in Cervicovaginal Cytology. <i>Advances in Anatomic Pathology</i> , 2004, 11, 108.	2.4	0
300	Atypical Lobular Hyperplasia as a Unilateral Predictor of Breast Cancer Risk: A Retrospective Cohort Study. <i>Advances in Anatomic Pathology</i> , 2004, 11, 110-111.	2.4	1
301	Columnar Cell Lesions of the Breast: The Missing Link in Breast Cancer Progression?. <i>American Journal of Surgical Pathology</i> , 2005, 29, 734-746.	2.1	256
302	Follow-up Surgical Excision Is Indicated When Breast Core Needle Biopsies Show Atypical Lobular Hyperplasia or Lobular Carcinoma In Situ. <i>American Journal of Surgical Pathology</i> , 2005, 29, 534-543.	2.1	179

#	ARTICLE	IF	CITATIONS
303	Premalignant and In Situ Breast Disease: Biology and Clinical Implications. <i>Annals of Internal Medicine</i> , 2005, 143, 446.	2.0	156
304	Lobular carcinoma in situ and invasive lobular cancer of the breast. <i>Current Opinion in Obstetrics and Gynecology</i> , 2005, 17, 55-60.	0.9	35
305	Breast pathology practice: most common problems in a consultation service. <i>Histopathology</i> , 2005, 47, 445-457.	1.6	44
306	Modelling glandular epithelial cancers in three-dimensional cultures. <i>Nature Reviews Cancer</i> , 2005, 5, 675-688.	12.8	929
307	Screening Mammography. <i>Imaging Decisions (Berlin, Germany)</i> , 2005, 9, 23-34.	0.2	1
308	Histopathological findings in surgical specimens obtained from reduction mammoplasties. <i>Breast</i> , 2005, 14, 242-248.	0.9	29
309	Bilateral atypical ductal hyperplasia, an incidental finding in gynaecomastia—Case report and literature review. <i>Breast</i> , 2005, 14, 317-321.	0.9	20
310	Breast cancer risk associated with estrogen receptor expression in epithelial hyperplasia lacking atypia and adjacent lobular units. <i>International Journal of Cancer</i> , 2005, 113, 857-859.	2.3	15
311	The natural history of low-grade ductal carcinoma in situ of the breast in women treated by biopsy only revealed over 30 years of long-term follow-up. <i>Cancer</i> , 2005, 103, 2481-2484.	2.0	419
312	Microdochestomy for single-duct discharge from the nipple. <i>British Journal of Surgery</i> , 2005, 75, 700-701.	0.1	37
313	Preoperative cytology and mammography in patients with single-duct nipple discharge treated by surgery. <i>British Journal of Surgery</i> , 2005, 77, 1211-1212.	0.1	32
314	Microdochestomy for discharge from a single lactiferous duct. <i>British Journal of Surgery</i> , 2005, 77, 1213-1214.	0.1	11
315	Diagnostic and therapeutic aspects of fine-wire localization biopsy for impalpable breast cancer. <i>British Journal of Surgery</i> , 2005, 79, 1038-1041.	0.1	26
316	Biomarker profile and genetic abnormalities in lobular carcinoma in situ. <i>Breast Cancer Research and Treatment</i> , 2005, 90, 249-256.	1.1	46
317	Lobulitis is a frequent finding in prophylactically removed breast tissue from women at hereditary high risk of breast cancer. <i>Journal of Pathology</i> , 2005, 206, 220-223.	2.1	32
318	Breast-tissue sampling for risk assessment and prevention. <i>Endocrine-Related Cancer</i> , 2005, 12, 185-213.	1.6	95
320	Risk of subsequent invasive breast carcinoma after in situ breast carcinoma in a population covered by national mammographic screening. <i>British Journal of Cancer</i> , 2005, 92, 162-166.	2.9	18
321	What Is Atypical Lobular Hyperplasia and What Does It Mean for the Patient?. <i>Journal of Clinical Oncology</i> , 2005, 23, 5432-5433.	0.8	14

#	ARTICLE	IF	CITATIONS
322	Papilomatosis juvenil de la mama. Enfermedad del Â«queso suizoÂ». Clinica E Investigacion En Ginecologia Y Obstetricia, 2005, 32, 132-135.	0.1	1
325	CpG Island Hypermethylation in Breast Cancer Progression and Metastasis. , 2005, , 81-132.		1
326	Benign Breast Disease and the Risk of Breast Cancer. New England Journal of Medicine, 2005, 353, 229-237.	13.9	785
327	Cytomorphology as a Risk Predictor: Experience with Fine Needle Aspiration Biopsy, Nipple Fluid Aspiration, and Ductal Lavage. Clinics in Laboratory Medicine, 2005, 25, 827-843.	0.7	15
328	Pathologic Evolution of Preinvasive Breast Cancer: The Atypical Hyperplasias. , 2005, , 77-84.		0
329	Columnar Cell Lesions and Flat Epithelial Atypia of the Breast. Seminars in Breast Disease, 2005, 8, 100-111.	0.0	11
330	Hormones, receptors, and growth in hyperplastic enlarged lobular units: early potential precursors of breast cancer. Breast Cancer Research, 2005, 8, R6.	2.2	96
331	Nipple aspiration and ductal lavage in women with a germline BRCA1 or BRCA2 mutation. Breast Cancer Research, 2005, 7, R1122-31.	2.2	23
332	Benign breast disease, recent alcohol consumption, and risk of breast cancer: a nested caseâ€“control study. Breast Cancer Research, 2005, 7, R555-62.	2.2	17
333	The intraductal approach to the breast: raison d'Ãatre. Breast Cancer Research, 2006, 8, 206.	2.2	37
335	1â€“8 Benign Breast Disease and the Risk of Breast Cancer. Breast Diseases, 2006, 17, 39-40.	0.0	0
336	1â€“9 Breast Cancer Screening in Women Aged 80 and Older: Results From a National Survey. Breast Diseases, 2006, 17, 40-42.	0.0	0
337	The significance of surgical margins for patients with atypical ductal hyperplasia. American Journal of Surgery, 2006, 192, 499-501.	0.9	17
338	The management of lobular carcinoma in situ (LCIS). Is LCIS the same as ductal carcinoma in situ (DCIS)?. European Journal of Cancer, 2006, 42, 2205-2211.	1.3	81
339	Numerous high-risk epithelial lesions in familial breast cancer. European Journal of Cancer, 2006, 42, 2492-2498.	1.3	26
340	Mammographic Density: Use in Risk Assessment and as a Biomarker in Prevention Trials ,. Journal of Nutrition, 2006, 136, 2705S-2708S.	1.3	13
341	Management Issues in Breast Lesions Diagnosed by Fine-Needle Aspiration and Percutaneous Core Breast Biopsy. Pathology Patterns Reviews, 2006, 125, S124-S134.	0.4	5
343	An Analysis of Breast Cancer Risk in Women With Single, Multiple, and Atypical Papilloma. American Journal of Surgical Pathology, 2006, 30, 665-672.	2.1	181

#	ARTICLE	IF	CITATIONS
344	The Evolution of Lobular Neoplasia. <i>Advances in Anatomic Pathology</i> , 2006, 13, 157-165.	2.4	15
345	Papillary Lesions of the Breast. <i>Breast Journal</i> , 2006, 12, 237-251.	0.4	55
346	New development in intracrinology of breast carcinoma. <i>Breast Cancer</i> , 2006, 13, 129-136.	1.3	86
347	The natural history of ductal carcinoma in situ of the breast: a review. <i>Breast Cancer Research and Treatment</i> , 2006, 97, 135-144.	1.1	318
348	Comparison of cytomorphology in specimens obtained by random periareolar fine needle aspiration and ductal lavage from women at high risk for development of breast cancer. <i>Breast Cancer Research and Treatment</i> , 2006, 97, 191-197.	1.1	25
349	Discrepancies in the diagnosis of intraductal proliferative lesions of the breast and its management implications: results of a multinational survey. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2006, 449, 609-616.	1.4	37
351	Atypical ductal hyperplasia of the breast: The controversial management of a borderline lesion: Experience of 47 cases diagnosed at vacuum-assisted biopsy. <i>Breast</i> , 2006, 15, 196-202.	0.9	28
352	Impact of concurrent proliferative high-risk lesions on the risk of ipsilateral breast carcinoma recurrence and contralateral breast carcinoma development in patients with ductal carcinoma in situ treated with breast-conserving therapy. <i>Cancer</i> , 2006, 106, 42-50.	2.0	24
353	Interdependence of radial scar and proliferative disease with respect to invasive breast carcinoma risk in patients with benign breast biopsies. <i>Cancer</i> , 2006, 106, 1453-1461.	2.0	99
354	Excellent survival, cancer type, and Nottingham grade after atypical lobular hyperplasia on initial breast biopsy. <i>Cancer</i> , 2006, 107, 1227-1233.	2.0	36
355	The influence of family history on breast cancer risk in women with biopsy-confirmed benign breast disease. <i>Cancer</i> , 2006, 107, 1240-1247.	2.0	77
356	Low prevalence of (pre) malignant lesions in the breast and high prevalence in the ovary and Fallopian tube in women at hereditary high risk of breast and ovarian cancer. <i>International Journal of Cancer</i> , 2006, 119, 1412-1418.	2.3	33
357	Synchronous, bilateral mastectomy. <i>Journal of Surgical Oncology</i> , 1995, 59, 75-79.	0.8	9
358	Lobular Neoplasia at 11-Gauge Vacuum-Assisted Stereotactic Biopsy: Correlation with Surgical Excisional Biopsy and Mammographic Follow-Up. <i>American Journal of Roentgenology</i> , 2006, 187, 949-954.	1.0	90
359	Papillary Lesions of the Breast at Percutaneous Core-Needle Biopsy. <i>Radiology</i> , 2006, 238, 801-808.	3.6	185
360	Non-operative breast pathology: lobular neoplasia. <i>Journal of Clinical Pathology</i> , 2006, 60, 1321-1327.	1.0	32
361	Benign Breast Diseases: Classification, Diagnosis, and Management. <i>Oncologist</i> , 2006, 11, 435-449.	1.9	284
362	Underestimation of Atypical Ductal Hyperplasia at MRI-Guided 9-Gauge Vacuum-Assisted Breast Biopsy. <i>American Journal of Roentgenology</i> , 2007, 188, 684-690.	1.0	116

#	ARTICLE	IF	CITATIONS
363	Stratification of Breast Cancer Risk in Women With Atypia: A Mayo Cohort Study. <i>Journal of Clinical Oncology</i> , 2007, 25, 2671-2677.	0.8	226
364	Benign Breast Biopsy Diagnosis and Subsequent Risk of Breast Cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2007, 16, 467-472.	1.1	57
366	Lobular in situ neoplasia and columnar cell lesions: diagnosis in breast core biopsies and implications for management. <i>Pathology</i> , 2007, 39, 208-216.	0.3	30
367	High-Risk Benign Breast Lesions: Current Strategies in Management. <i>Cancer Control</i> , 2007, 14, 321-329.	0.7	25
368	The Clinical Significance of Lobular Neoplasia on Breast Core Biopsy. <i>American Journal of Surgical Pathology</i> , 2007, 31, 717-723.	2.1	74
369	Genomics and premalignant breast lesions: clues to the development and progression of lobular breast cancer. <i>Breast Cancer Research</i> , 2007, 9, 215.	2.2	24
372	Alterations of Gene Expression in the Development of Early Hyperplastic Precursors of Breast Cancer. <i>American Journal of Pathology</i> , 2007, 171, 252-262.	1.9	75
373	A role for biomarkers in the screening and diagnosis of breast cancer in younger women. <i>Expert Review of Molecular Diagnostics</i> , 2007, 7, 533-544.	1.5	16
374	Magnitude and laterality of breast cancer risk according to histologic type of atypical hyperplasia. <i>Cancer</i> , 2007, 109, 180-187.	2.0	136
375	Should all patients undergoing breast conserving therapy for DCIS receive radiation therapy?. <i>Journal of Surgical Oncology</i> , 2007, 95, 605-609.	0.8	23
376	Pathology and breast screening. <i>Histopathology</i> , 1990, 16, 109-118.	1.6	38
377	COX-2 expression in lobular in situ neoplasia of the breast: correlation with histopathological grading system according to the Tavassoli classification. <i>Histopathology</i> , 2007, 51, 33-39.	1.6	11
378	Columnar cell lesions of the breast. <i>Histopathology</i> , 2008, 52, 11-19.	1.6	48
379	Breast Cancer Incidence in a Cohort of Women with Benign Breast Disease from a Multiethnic, Primary Health Care Population. <i>Breast Journal</i> , 2007, 13, 115-121.	0.4	59
380	Management of lobular neoplasia diagnosed by core needle biopsy: Study of 52 biopsies with follow-up surgical excision. <i>Breast</i> , 2007, 16, 533-539.	0.9	48
381	Atypical Ductal Hyperplasia: Improved Accuracy with the 11-Gauge Vacuum-Assisted versus the 14-Gauge Core Biopsy Needle. <i>Annals of Surgical Oncology</i> , 2007, 14, 2497-2501.	0.7	63
382	A case of solitary intraductal papilloma of the breast coexisting with ductal carcinoma in situ (DCIS). <i>Journal of Medical Ultrasonics (2001)</i> , 2007, 34, 49-52.	0.6	1
383	Epithelial atypia in biopsies performed for microcalcifications. Practical considerations about 2,833 serially sectioned surgical biopsies with a long follow-up. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2007, 451, 1-10.	1.4	61

#	ARTICLE	IF	CITATIONS
384	Flat DIN 1 (flat epithelial atypia) on core needle biopsy: 63 cases identified retrospectively among 1,751 core biopsies performed over an 8-year period (1992-1999). <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2007, 451, 883-891.	1.4	86
385	Benign breast disease heterogeneity: association with histopathology, age, and ethnicity. <i>Breast Cancer Research and Treatment</i> , 2008, 111, 289-296.	1.1	16
386	Oestrogen producing enzymes and mammary carcinogenesis: a review. <i>Breast Cancer Research and Treatment</i> , 2008, 111, 191-202.	1.1	71
387	Lobular and ductal intraepithelial neoplasia. <i>Der Pathologe</i> , 2008, 29, 107-111.	0.7	19
388	Lobular neoplasia on core needle biopsy does not require excision. <i>Cancer</i> , 2008, 112, 2152-2158.	2.0	104
389	Histologic associations and long-term cancer risk in columnar cell lesions of the breast. <i>Cancer</i> , 2008, 113, 2415-2421.	2.0	88
390	Atypical Ductal Hyperplasia at Margin of Breast Biopsy-Is Re-Excision Indicated?. <i>Annals of Surgical Oncology</i> , 2008, 15, 843-847.	0.7	19
391	Is Surgical Excision Necessary for Focal Atypical Ductal Hyperplasia Found at Stereotactic Vacuum-Assisted Breast Biopsy?. <i>Annals of Surgical Oncology</i> , 2008, 15, 3232-3238.	0.7	37
392	The Role of Mammary Ductoscopy in Breast Cancer: a Review of the Literature. <i>Annals of Surgical Oncology</i> , 2008, 15, 3350-3360.	0.7	27
393	Can mammographic findings help discriminate between atypical ductal hyperplasia and ductal carcinoma in situ after needle core biopsy?. <i>Breast</i> , 2008, 17, 282-288.	0.9	28
394	A Bayesian derived network of breast pathology co-occurrence. <i>Journal of Biomedical Informatics</i> , 2008, 41, 242-250.	2.5	22
395	Modeling Morphogenesis and Oncogenesis in Three-Dimensional Breast Epithelial Cultures. <i>Annual Review of Pathology: Mechanisms of Disease</i> , 2008, 3, 313-339.	9.6	113
397	Is surgical biopsy mandatory in case of atypical ductal hyperplasia on 11-gauge core needle biopsy? a retrospective study of 300 patients. <i>American Journal of Surgery</i> , 2008, 196, 339-345.	0.9	91
398	Predicting cancer on excision of atypical ductal hyperplasia. <i>American Journal of Surgery</i> , 2008, 195, 358-362.	0.9	30
399	Converting evidence to practice: A guide for the clinical application of MRI for the screening and management of breast cancer. <i>European Journal of Cancer</i> , 2008, 44, 2742-2752.	1.3	20
400	Assessment of the Accuracy of the Gail Model in Women With Atypical Hyperplasia. <i>Journal of Clinical Oncology</i> , 2008, 26, 5374-5379.	0.8	94
401	Epithelial Atypia: A Marker Risk of Concomitant or Subsequent Breast Carcinoma?. <i>Journal of Clinical Oncology</i> , 2008, 26, 4514-4515.	0.8	2
403	Breast cancer in situ. From pre-malignant lesion of uncertain significance to well-defined non-invasive malignant lesion. The Danish Breast Cancer Cooperative Group Register 1977-2007 revisited. <i>Acta Oncologica</i> , 2008, 47, 765-771.	0.8	8

#	ARTICLE	IF	CITATIONS
404	Association Between Cyclooxygenase-2 Expression in Atypical Hyperplasia and Risk of Breast Cancer. <i>Journal of the National Cancer Institute</i> , 2008, 100, 421-427.	3.0	57
405	Ductal Carcinoma <i>in situ</i> and the Emergence of Diversity during Breast Cancer Evolution. <i>Clinical Cancer Research</i> , 2008, 14, 370-378.	3.2	262
406	Ductal Carcinoma <i>in Situ</i> of the Breast: 11 Reasons to Consider Treatment with Excision Alone. <i>Women's Health</i> , 2008, 4, 565-577.	0.7	16
407	Lobular Neoplasia at Percutaneous Breast Biopsy: Variables Associated with Carcinoma at Surgical Excision. <i>American Journal of Roentgenology</i> , 2008, 190, 637-641.	1.0	121
408	Classification of simulated hyperplastic stages in the breast ducts based on ultrasound RF echo. <i>IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control</i> , 2008, 55, 50-63.	1.7	3
409	Evidence of chromosomal alterations in pure usual ductal hyperplasia as a breast carcinoma precursor. <i>Oncology Reports</i> , 0, , .	1.2	5
410	Differences in Breast Cancer Risk Between Atypical Lobular Hyperplasia and Atypical Ductal Hyperplasia. <i>Advances in Anatomic Pathology</i> , 2008, 15, 119-120.	2.4	0
411	Lobular carcinoma in situ. <i>European Journal of Cancer Prevention</i> , 2008, 17, 312-316.	0.6	16
413	Ductal Lavage of Cancerous and Unaffected Breasts. <i>Acta Cytologica</i> , 2009, 53, 410-415.	0.7	7
414	Rates of Atypical Ductal Hyperplasia Have Declined with Less Use of Postmenopausal Hormone Treatment: Findings from the Breast Cancer Surveillance Consortium. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009, 18, 2822-2828.	1.1	25
415	Atypical Ductal Hyperplasia Diagnosed at Sonographically Guided 14-Gauge Core Needle Biopsy of Breast Mass. <i>American Journal of Roentgenology</i> , 2009, 192, 1135-1141.	1.0	37
416	Frequency and Upgrade Rates of Atypical Ductal Hyperplasia Diagnosed at Stereotactic Vacuum-Assisted Breast Biopsy: 9-Versus 11-Gauge. <i>American Journal of Roentgenology</i> , 2009, 192, 229-234.	1.0	99
417	Extent and Histologic Pattern of Atypical Ductal Hyperplasia Present on Core Needle Biopsy Specimens of the Breast Can Predict Ductal Carcinoma <i>In Situ</i> in Subsequent Excision. <i>American Journal of Clinical Pathology</i> , 2009, 131, 112-121.	0.4	89
419	Benign breast lesions at risk of developing cancer—A challenging problem in breast cancer screening programs. <i>Cancer</i> , 2009, 115, 499-507.	2.0	17
420	Lobule type and subsequent breast cancer risk: Results from the Nurses' Health Studies. <i>Cancer</i> , 2009, 115, 1404-1411.	2.0	51
421	Protein phosphatase 2A subunit gene haplotypes and proliferative breast disease modify breast cancer risk. <i>Cancer</i> , 2010, 116, 8-19.	2.0	21
422	Breast fine-needle aspiration samples reported as "proliferative breast lesion": Clinical utility of the subcategory "proliferative breast lesion with atypia". <i>Cancer Cytopathology</i> , 2009, 117, 137-147.	1.4	11
423	Does the new automated HALO nipple aspiration fluid system really deliver as promised? The answer is "No, but": A literature review of the role of breast fluid cytology in cancer risk assessment. <i>Diagnostic Cytopathology</i> , 2009, 37, 699-704.	0.5	1

#	ARTICLE	IF	CITATIONS
424	A cluster of microcalcifications: women with high risk for breast cancer versus other women. <i>Breast Cancer</i> , 2009, 16, 307-314.	1.3	6
425	Refining risk assessment in women with atypical hyperplasia. <i>Current Breast Cancer Reports</i> , 2009, 1, 167-174.	0.5	1
427	Caveolin-1 expression in human breast lobular cancer progression. <i>Modern Pathology</i> , 2009, 22, 71-78.	2.9	14
428	Pathology of B3 lesions of the breast. <i>Diagnostic Histopathology</i> , 2009, 15, 459-469.	0.2	6
429	Obesity is associated with atypia in breast ductal lavage of women with proliferative breast disease. <i>Cancer Epidemiology</i> , 2009, 33, 242-248.	0.8	1
430	High Risk Indicators: Microscopic Lesions, Personal and Family History, Assessment, and Management. , 2009, , 1495-1508.		0
431	Noninvasive Imaging of Breast Cancer. <i>Biotechnology and Biotechnological Equipment</i> , 2009, 23, 1453-1461.	0.5	1
433	Is excisional biopsy indicated for patients with lobular neoplasia diagnosed on percutaneous core needle biopsy of the breast?. <i>American Journal of Surgery</i> , 2009, 198, 792-797.	0.9	13
434	Lobular Carcinoma in Situ, Classical Type and Unusual Variants. <i>Surgical Pathology Clinics</i> , 2009, 2, 273-299.	0.7	7
435	Predictive factors for breast cancer in patients diagnosed atypical ductal hyperplasia at core needle biopsy. <i>World Journal of Surgical Oncology</i> , 2009, 7, 77.	0.8	44
436	Human mammary cancer progression model recapitulates methylation events associated with breast premalignancy. <i>Breast Cancer Research</i> , 2009, 11, R87.	2.2	29
437	The rationale and potential of cancer chemoprevention with special emphasis on breast cancer. <i>European Journal of Cancer</i> , 2009, 45, 346-354.	1.3	7
438	Flat Epithelial Atypia of the Breast. <i>Surgical Pathology Clinics</i> , 2009, 2, 263-272.	0.7	1
439	Lobular Neoplasia on Core Needle Biopsy Does Not Require Excision. <i>Breast Diseases</i> , 2009, 20, 148-149.	0.0	0
440	Potential Role of Tissue Microarrays for the Study of Biomarker Expression in Benign Breast Disease and Normal Breast Tissue. <i>Applied Immunohistochemistry and Molecular Morphology</i> , 2009, 17, 438-441.	0.6	8
441	Patterns of Lobular Carcinoma In Situ and Their Diagnostic Mimics in Core Needle Biopsies. , 2009, 14, 141-146.		4
442	Pre-operative diagnosis of breast cancer in screening: problems and pitfalls. <i>Pathology</i> , 2009, 41, 3-17.	0.3	18
443	Comparative Immunohistochemical Study of MUC1 and Carbohydrate Antigens in Breast Benign Disease and Normal Mammary Gland. <i>Applied Immunohistochemistry and Molecular Morphology</i> , 2010, 18, 41-50.	0.6	15

#	ARTICLE	IF	CITATIONS
444	Lobular neoplasia. <i>Diagnostic Histopathology</i> , 2010, 16, 337-344.	0.2	3
445	Status of Intraductal Therapy for Ductal Carcinoma in Situ. <i>Current Breast Cancer Reports</i> , 2010, 2, 75-82.	0.5	27
446	B3 breast lesions determined by vacuum-assisted biopsy: how to reduce the frequency of benign excision biopsies. <i>Radiologia Medica</i> , 2010, 115, 1246-1257.	4.7	13
447	Ki67: a time-varying biomarker of risk of breast cancer in atypical hyperplasia. <i>Breast Cancer Research and Treatment</i> , 2010, 121, 431-437.	1.1	63
448	Diagnostic value of vacuum-assisted breast biopsy for breast carcinoma: a meta-analysis and systematic review. <i>Breast Cancer Research and Treatment</i> , 2010, 120, 469-479.	1.1	70
449	A multi-center prospective cohort study of benign breast disease and risk of subsequent breast cancer. <i>Cancer Causes and Control</i> , 2010, 21, 821-828.	0.8	97
450	Evaluation of a breast cancer risk prediction model expanded to include category of prior benign breast disease lesion. <i>Cancer</i> , 2010, 116, 4944-4953.	2.0	39
451	Flat Epithelial Atypia and Atypical Ductal Hyperplasia: Carcinoma Underestimation Rate. <i>Breast Journal</i> , 2010, 16, 55-59.	0.4	57
452	Clinical Implications of Subcategorizing BI-RADS 4 Breast Lesions associated with Microcalcification: A Radiology-Pathology Correlation Study. <i>Breast Journal</i> , 2010, 16, 28-31.	0.4	33
453	Breast cancer precursors revisited: molecular features and progression pathways. <i>Histopathology</i> , 2010, 57, 171-192.	1.6	286
454	Human 21T breast epithelial cell lines mimic breast cancer progression in vivo and in vitro and show stage-specific gene expression patterns. <i>Laboratory Investigation</i> , 2010, 90, 1247-1258.	1.7	28
455	Pathology: ductal carcinoma in situ and lesions of uncertain malignant potential. , 0, , 127-145.		0
456	Management of in situ lobular neoplasia detected on needle core biopsy of breast. <i>Journal of Clinical Pathology</i> , 2010, 63, 987-993.	1.0	25
457	Evaluation of the Tyrer-Cuzick (International Breast Cancer Intervention Study) Model for Breast Cancer Risk Prediction in Women With Atypical Hyperplasia. <i>Journal of Clinical Oncology</i> , 2010, 28, 3591-3596.	0.8	103
458	Clinical Importance of Histologic Grading of Lobular Carcinoma In Situ in Breast Core Needle Biopsy Specimens. <i>American Journal of Clinical Pathology</i> , 2010, 133, 767-771.	0.4	18
459	B3 Lesions: Radiological Assessment and Multi-Disciplinary Aspects. <i>Breast Care</i> , 2010, 5, 209-217.	0.8	17
460	Application of Screening Principles to the Reconstructed Breast. <i>Journal of Clinical Oncology</i> , 2010, 28, 173-180.	0.8	55
461	Prevalence and Classification of Spontaneous Mammary Intraepithelial Lesions in Dogs Without Clinical Mammary Disease. <i>Veterinary Pathology</i> , 2010, 47, 275-284.	0.8	26

#	ARTICLE	IF	CITATIONS
462	Incidental Minimal Atypical Lobular Hyperplasia on Core Needle Biopsy. <i>American Journal of Surgical Pathology</i> , 2010, 34, 822-828.	2.1	49
463	Risk of Upgrade of Atypical Ductal Hyperplasia after Stereotactic Breast Biopsy: Effects of Number of Foci and Complete Removal of Calcifications. <i>Radiology</i> , 2010, 255, 723-730.	3.6	112
464	Lobular neoplasia: morphology, biological potential and management in core biopsies. <i>Modern Pathology</i> , 2010, 23, S14-S25.	2.9	60
465	Ductal carcinoma in situ (DCIS): pathological features, differential diagnosis, prognostic factors and specimen evaluation. <i>Modern Pathology</i> , 2010, 23, S8-S13.	2.9	90
466	Intraductal proliferative lesions of the breast: morphology, associated risk and molecular biology. <i>Modern Pathology</i> , 2010, 23, S1-S7.	2.9	87
467	Comment analyser un compte rendu anatomopathologique de biopsie dirigée du sein?. <i>Imagerie De La Femme</i> , 2010, 20, 1-7.	0.0	3
468	Breast Cancer Screening With Imaging: Recommendations From the Society of Breast Imaging and the ACR on the Use of Mammography, Breast MRI, Breast Ultrasound, and Other Technologies for the Detection of Clinically Occult Breast Cancer. <i>Journal of the American College of Radiology</i> , 2010, 7, 18-27.	0.9	667
469	Controversies on the Management of High-Risk Lesions at Core Biopsy from a Radiology/Pathology Perspective. <i>Radiologic Clinics of North America</i> , 2010, 48, 999-1012.	0.9	47
470	The Use of Breast Imaging to Screen Women at High Risk for Cancer. <i>Radiologic Clinics of North America</i> , 2010, 48, 859-878.	0.9	80
471	Clinician's Guide to Imaging and Pathologic Findings in Benign Breast Disease. <i>Mayo Clinic Proceedings</i> , 2010, 85, 274-279.	1.4	21
472	Preinvasive Breast Cancer. <i>Annual Review of Pathology: Mechanisms of Disease</i> , 2010, 5, 193-221.	9.6	85
475	Carcinoma within solitary ductal papilloma of the breast. <i>European Journal of Surgical Oncology</i> , 2010, 36, 384-386.	0.5	10
476	The rate of imaging-histologic discordance of benign breast disease: a multidisciplinary approach to the management of discordance at a large university-based hospital. <i>American Journal of Surgery</i> , 2010, 199, 319-323.	0.9	22
477	Lobular carcinoma in situ/atypical lobular hyperplasia on breast needle biopsies: does it warrant surgical excisional biopsy? A study of 27 cases. <i>Annals of Diagnostic Pathology</i> , 2010, 14, 251-255.	0.6	23
478	Emerging Raman Applications and Techniques in Biomedical and Pharmaceutical Fields. <i>Biological and Medical Physics Series</i> , 2010, , .	0.3	45
479	Columnar cell lesions and subsequent breast cancer risk: a nested case-control study. <i>Breast Cancer Research</i> , 2010, 12, R61.	2.2	46
480	Atypical ductal hyperplasia: interobserver and intraobserver variability. <i>Modern Pathology</i> , 2011, 24, 917-923.	2.9	106
481	Principles of Anticancer Drug Development. , 2011, , .		0

#	ARTICLE	IF	CITATIONS
482	Breast Cancer and its Precursor Lesions. , 2011, , .		1
483	Management of lobular carcinoma in-situ and atypical lobular hyperplasia of the breastâ€“A review. European Journal of Surgical Oncology, 2011, 37, 279-289.	0.5	101
484	Long term follow-up and risk of breast cancer after a radial scar or complex sclerosing lesion has been identified in a benign open breast biopsy. European Journal of Surgical Oncology, 2011, 37, 709-713.	0.5	25
485	Atypical ductal hyperplasia on vacuum-assisted breast biopsy: suspicion for ductal carcinoma in situ can stratify patients at high risk for upgradeâ†. Human Pathology, 2011, 42, 41-50.	1.1	59
486	Biologic characteristics of premalignant breast disease. Cancer Biomarkers, 2011, 9, 177-192.	0.8	15
487	A Context-Specific Role for Retinoblastoma Protein-Dependent Negative Growth Control in Suppressing Mammary Tumorigenesis. PLoS ONE, 2011, 6, e16434.	1.1	5
488	Borderline Breast Lesions. Advances in Anatomic Pathology, 2011, 18, 190-198.	2.4	56
489	Breast Cancer Incidence in Adolescent Males Undergoing Subcutaneous Mastectomy for Gynecomastia: Is Pathologic Examination Justified? A Retrospective and Literature Review. Plastic and Reconstructive Surgery, 2011, 127, 1-7.	0.7	44
490	Controversies in Pathology in Early-Stage Breast Cancer. Seminars in Radiation Oncology, 2011, 21, 20-25.	1.0	8
491	Postbiopsy Management. Seminars in Roentgenology, 2011, 46, 40-50.	0.2	0
492	Lobular neoplasia: frequency and association with other breast lesions. Diagnostic Pathology, 2011, 6, 74.	0.9	13
493	Factors associated with upgrading to malignancy at surgery of atypical ductal hyperplasia diagnosed on core biopsy. Breast, 2011, 20, 50-55.	0.9	66
494	Atypical Ductal Hyperplasia in Directional Vacuum-Assisted Biopsy of Breast Microcalcifications: Considerations for Surgical Excision. Annals of Surgical Oncology, 2011, 18, 752-761.	0.7	98
495	Amplification of the prolactin receptor gene in mammary lobular neoplasia. Breast Cancer Research and Treatment, 2011, 128, 31-40.	1.1	14
496	Expression of IGF1R in normal breast tissue and subsequent risk of breast cancer. Breast Cancer Research and Treatment, 2011, 128, 243-250.	1.1	49
497	The influence of family history and histological stratification on breast cancer risk in women with benign breast disease: a meta-analysis. Journal of Cancer Research and Clinical Oncology, 2011, 137, 1053-1060.	1.2	44
499	Low-grade and high-grade invasive ductal carcinomas of the breast follow divergent routes of progression. Clinical Oncology and Cancer Research, 2011, 8, 123-127.	0.1	0
500	The molecular pathology of breast cancer progression. Journal of Pathology, 2011, 223, 308-318.	2.1	315

#	ARTICLE	IF	CITATIONS
501	Radiologic findings of lobular carcinoma in situ: Mammography and ultrasonography. <i>Journal of Clinical Ultrasound</i> , 2011, 39, 59-63.	0.4	15
502	Atypical Ductal Hyperplasia Diagnosed at 11-Gauge Vacuum-Assisted Breast Biopsy Performed on Suspicious Clustered Microcalcifications: Could Patients Without Residual Microcalcifications Be Managed Conservatively?. <i>American Journal of Roentgenology</i> , 2011, 197, 1012-1018.	1.0	34
503	A Multistage Association Study Identifies a Breast Cancer Genetic Locus at <i>NCOA7</i> . <i>Cancer Research</i> , 2011, 71, 3881-3888.	0.4	18
504	Estrogen Metabolism and Exposure in a Genotypic-Phenotypic Model for Breast Cancer Risk Prediction. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011, 20, 1502-1515.	1.1	26
505	Benign Breast Diseases. <i>Clinical Obstetrics and Gynecology</i> , 2011, 54, 110-124.	0.6	36
506	Estrogen Receptor Expression in Atypical Hyperplasia: Lack of Association with Breast Cancer. <i>Cancer Prevention Research</i> , 2011, 4, 435-444.	0.7	23
507	Evaluation of scoring system in cytological diagnosis and management of breast lesion with review of literature. <i>Indian Journal of Cancer</i> , 2011, 48, 240.	0.2	17
508	Intraductal Proliferative Lesions of the Breast—Terminology and Biology Matter: Premalignant Lesions or Preinvasive Cancer?. <i>International Journal of Surgical Oncology</i> , 2012, 2012, 1-9.	0.3	10
509	Pathologic Findings of Follow-up Surgical Excision for Lobular Neoplasia on Breast Core Biopsy Performed for Calcification. <i>American Journal of Clinical Pathology</i> , 2012, 138, 72-78.	0.4	39
510	Surgical Outcome of Biopsy-Proven Lobular Neoplasia: Is There Any Difference Between Lobular Carcinoma In Situ and Atypical Lobular Hyperplasia?. <i>American Journal of Roentgenology</i> , 2012, 198, 288-291.	1.0	32
511	Variations in Physician Recommendations for Surgery After Diagnosis of a High-Risk Lesion on Breast Core Needle Biopsy. <i>American Journal of Roentgenology</i> , 2012, 198, 256-263.	1.0	33
512	Is Excisional Biopsy Required After a Breast Core Biopsy Yields Lobular Neoplasia?. <i>American Journal of Roentgenology</i> , 2012, 199, 929-935.	1.0	57
513	Atypical Ductal Hyperplasia at the Margin of Lumpectomy Performed for Early Stage Breast Cancer: Is there Enough Evidence to Formulate Guidelines?. <i>International Journal of Surgical Oncology</i> , 2012, 2012, 1-5.	0.3	7
514	Intakes of Alcohol and Folate During Adolescence and Risk of Proliferative Benign Breast Disease. <i>Pediatrics</i> , 2012, 129, e1192-e1198.	1.0	34
515	Diagnosis and Management of High-Risk Breast Lesions: Aristotle's Dilemma. <i>American Journal of Roentgenology</i> , 2012, 198, 246-248.	1.0	10
516	Histopathology of Ductal Carcinoma in Situ (DCIS) of the Breast. <i>Current Cancer Therapy Reviews</i> , 2012, 8, 162-171.	0.2	0
517	Current issues in diagnostic breast pathology. <i>Journal of Clinical Pathology</i> , 2012, 65, 771-785.	1.0	27
518	The role of chemoprevention in modifying the risk of breast cancer in women with atypical breast lesions. <i>Breast Cancer Research and Treatment</i> , 2012, 136, 627-633.	1.1	115

#	ARTICLE	IF	CITATIONS
519	Folate and breast cancer: what about high-risk women?. <i>Cancer Causes and Control</i> , 2012, 23, 1405-1420.	0.8	23
520	Breast-specific Gamma Imaging in the Detection of Atypical Ductal Hyperplasia and Lobular Neoplasia. <i>Academic Radiology</i> , 2012, 19, 661-666.	1.3	12
521	Reproducibility of breast biopsy. <i>European Journal of Radiology</i> , 2012, 81, S95-S96.	1.2	0
522	Risk of Locoregional Recurrence in Patients With False-Negative Frozen Section or Close Margins of Retroareolar Specimen in Nipple-Sparing Mastectomy. <i>Annals of Surgical Oncology</i> , 2012, 19, 4117-4123.	0.7	57
523	The Significance of Lobular Carcinoma In Situ and Atypical Lobular Hyperplasia of the Breast. <i>Annals of Surgical Oncology</i> , 2012, 19, 4124-4128.	0.7	40
524	Atypical Ductal Hyperplasia on Core Biopsy: An Automatic Trigger for Excisional Biopsy?. <i>Annals of Surgical Oncology</i> , 2012, 19, 3264-3269.	0.7	86
525	Underestimation of cancer in case of diagnosis of atypical ductal hyperplasia (ADH) by vacuum assisted core needle biopsy. <i>Reports of Practical Oncology and Radiotherapy</i> , 2012, 17, 129-133.	0.3	12
526	Histological and Immunohistochemical Identification of Atypical Ductal Mammary Hyperplasia as a Preneoplastic Marker in Dogs. <i>Veterinary Pathology</i> , 2012, 49, 322-329.	0.8	12
527	Imaging Features and Management of High-Risk Lesions on Contrast-Enhanced Dynamic Breast MRI. <i>American Journal of Roentgenology</i> , 2012, 198, 249-255.	1.0	50
528	Cancer as a disease of tissue pattern formation. <i>Progress in Histochemistry and Cytochemistry</i> , 2012, 47, 175-207.	5.1	12
529	Lobular In-Situ Neoplasia on Breast Core Needle Biopsy: Imaging Indication and Pathologic Extent Can Identify Which Patients Require Excisional Biopsy. <i>Annals of Surgical Oncology</i> , 2012, 19, 914-921.	0.7	114
530	Clinicopathologic characteristics of carcinomas that develop after a biopsy containing columnar cell lesions. <i>Cancer</i> , 2012, 118, 2372-2377.	2.0	25
531	Pure flat epithelial atypia is uncommon in subsequent breast excisions for atypical epithelial proliferation. <i>Cancer Science</i> , 2012, 103, 1580-1585.	1.7	11
532	Breast Cancer Metastasis and Drug Resistance. , 2013, , .		12
533	Hiperplasia ductal atípica de mama: correlación de la biopsia percutánea y los resultados de la biopsia quirúrgica. <i>Clinica E Investigacion En Ginecologia Y Obstetricia</i> , 2013, 40, 58-61.	0.1	2
534	Benigne proliferative Erkrankungen. , 2013, , 33-72.		0
535	Benign Breast Disease, Mammographic Breast Density, and the Risk of Breast Cancer. <i>Journal of the National Cancer Institute</i> , 2013, 105, 1043-1049.	3.0	99
536	Intraepitheliale Neoplasien. , 2013, , 93-124.		0

#	ARTICLE	IF	CITATIONS
537	Alcohol Intake Between Menarche and First Pregnancy: A Prospective Study of Breast Cancer Risk. <i>Journal of the National Cancer Institute</i> , 2013, 105, 1571-1578.	3.0	72
538	Surgical Management of High-Risk Breast Lesions. <i>Surgical Clinics of North America</i> , 2013, 93, 329-340.	0.5	46
539	Radial scars and subsequent breast cancer risk: results from the Nurses' Health Studies. <i>Breast Cancer Research and Treatment</i> , 2013, 139, 277-285.	1.1	40
540	Assessment of DNA methylation status in early stages of breast cancer development. <i>British Journal of Cancer</i> , 2013, 108, 2033-2038.	2.9	75
541	A Brief Overview of the WHO Classification of Breast Tumors, 4th Edition, Focusing on Issues and Updates from the 3rd Edition. <i>Breast Care</i> , 2013, 8, 149-154.	0.8	280
542	Clinical outcomes of 1,578 Chinese patients with breast benign diseases after ultrasound-guided vacuum-assisted excision: recurrence and the risk factors. <i>American Journal of Surgery</i> , 2013, 205, 39-44.	0.9	18
543	Blurry Boundaries: Do Epithelial Borderline Lesions of the Breast and Ductal Carcinoma In Situ Have Similar Rates of Subsequent Invasive Cancer?. <i>Annals of Surgical Oncology</i> , 2013, 20, 1302-1310.	0.7	7
544	Evaluation of the Kinetic Properties of Background Parenchymal Enhancement throughout the Phases of the Menstrual Cycle. <i>Radiology</i> , 2013, 268, 356-365.	3.6	40
545	Classic lobular neoplasia on core biopsy: a clinical and radio-pathologic correlation study with follow-up excision biopsy. <i>Modern Pathology</i> , 2013, 26, 762-771.	2.9	57
547	Progression of Early Breast Cancer to an Invasive Phenotype. , 2013, , 143-159.		2
548	Ductal Carcinoma In Situ of the Breast: Current Concepts and Future Directions. <i>Archives of Pathology and Laboratory Medicine</i> , 2013, 137, 462-466.	1.2	61
549	Classic lobular carcinoma in situ and atypical lobular hyperplasia at percutaneous breast core biopsy. <i>Cancer</i> , 2013, 119, 1073-1079.	2.0	112
550	Borderline Atypical Ductal Hyperplasia/Low-grade Ductal Carcinoma In Situ on Breast Needle Core Biopsy Should Be Managed Conservatively. <i>American Journal of Surgical Pathology</i> , 2013, 37, 913-923.	2.1	27
551	Lobular Neoplasia of the Breast Revisited With Emphasis on the Role of E-Cadherin Immunohistochemistry. <i>American Journal of Surgical Pathology</i> , 2013, 37, e1-e11.	2.1	137
552	References and Recommended Reading. , 2014, , .		0
553	References and Recommended Reading. , 2014, , .		0
554	Adverse Histopathology and Imaging Findings in Reduction Mammoplasty Day-surgery Patients. <i>Scandinavian Journal of Surgery</i> , 2014, 103, 209-214.	1.3	6
555	Understanding the Premalignant Potential of Atypical Hyperplasia through Its Natural History: A Longitudinal Cohort Study. <i>Cancer Prevention Research</i> , 2014, 7, 211-217.	0.7	192

#	ARTICLE	IF	CITATIONS
556	Histopathologic findings in breast reduction specimens. <i>Journal of Plastic Surgery and Hand Surgery</i> , 2014, 48, 122-125.	0.4	9
557	Benign Breast Diseases. , 2014, , .		5
558	Mucinous breast carcinoma with a lobular neoplasia component: A subset with aberrant expression of cell adhesion and polarity molecules and lack of neuroendocrine differentiation. <i>Pathology International</i> , 2014, 64, 217-223.	0.6	3
559	Stage of Breast Cancer Progression Influences Cellular Response to Activation of the WNT/Planar Cell Polarity Pathway. <i>Scientific Reports</i> , 2014, 4, 6315.	1.6	32
560	Intranodal Papillary Epithelial Proliferations. <i>American Journal of Surgical Pathology</i> , 2014, 38, 383-388.	2.1	14
561	Diagnosis and Management of Benign, Atypical, and Indeterminate Breast Lesions Detected on Core Needle Biopsy. <i>Mayo Clinic Proceedings</i> , 2014, 89, 536-547.	1.4	71
562	Management of patients diagnosed with atypical ductal hyperplasia by vacuum-assisted core biopsy: a prospective assessment of the guidelines used at our institution. <i>American Journal of Surgery</i> , 2014, 208, 260-267.	0.9	28
563	Impact of atypical hyperplasia at margins of breast-conserving surgery on the recurrence of breast cancer. <i>Journal of Cancer Research and Clinical Oncology</i> , 2014, 140, 599-605.	1.2	7
565	Mitigating Overdiagnosis and Overtreatment in Breast Cancer: What Is the Role of the Pathologist?. <i>Archives of Pathology and Laboratory Medicine</i> , 2014, 138, 1428-1431.	1.2	6
566	Breast Papilloma without Atypia and Risk of Breast Carcinoma. <i>Breast Journal</i> , 2014, 20, 525-533.	0.4	14
567	Most lobular carcinoma in situ and atypical lobular hyperplasia diagnosed on core needle biopsy can be managed clinically with radiologic follow-up in a multidisciplinary setting. <i>Cancer Medicine</i> , 2014, 3, 492-499.	1.3	60
568	Revising the role of the androgen receptor in breast cancer. <i>Journal of Molecular Endocrinology</i> , 2014, 52, R257-R265.	1.1	72
569	Tug-of-war between driver and passenger mutations in cancer and other adaptive processes. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, 15138-15143.	3.3	138
570	Inter-observer variability between general pathologists and a specialist in breast pathology in the diagnosis of lobular neoplasia, columnar cell lesions, atypical ductal hyperplasia and ductal carcinoma in situ of the breast. <i>Diagnostic Pathology</i> , 2014, 9, 121.	0.9	88
571	Breast cancer risk accumulation starts early: prevention must also. <i>Breast Cancer Research and Treatment</i> , 2014, 145, 567-579.	1.1	100
572	Wide local extension and higher proliferation indices are characteristic features of symptomatic lobular neoplasias (<sc>LN</sc>s) and <sc>LN</sc>s with an early invasive component. <i>Histopathology</i> , 2014, 64, 994-1003.	1.6	1
573	Atypical apocrine adenosis diagnosed on breast core biopsy: implications for management. <i>Human Pathology</i> , 2014, 45, 2130-2135.	1.1	24
574	Lobular Neoplasia. <i>Surgical Oncology Clinics of North America</i> , 2014, 23, 487-503.	0.6	27

#	ARTICLE	IF	CITATIONS
575	When is excision necessary for atypical lobular hyperplasia and lobular carcinoma <i>in situ</i> ?. Breast Cancer Management, 2014, 3, 145-153.	0.2	0
576	Exploring the pathological changes in mastectomies for breast cancer. Egyptian Journal of Pathology, 2015, 35, 111-118.	0.0	2
577	Can the breast screening appointment be used to provide risk assessment and prevention advice?. Breast Cancer Research, 2015, 17, 84.	2.2	30
578	Assessment of Breast Specimens With or Without Calcifications in Diagnosing Malignant and Atypia for Mammographic Breast Microcalcifications Without Mass. Medicine (United States), 2015, 94, e1832.	0.4	6
579	Inter-Institutional Pathology Consultation: The Importance of Breast Pathology Subspecialization in a Setting of Tertiary Cancer Center. Breast Journal, 2015, 21, 337-344.	0.4	12
580	Borderline Breast Lesions Detected by Breast Cancer Screening. Nihon Nyugan Kenshin Gakkaishi (Journal of Japan Association of Breast Cancer Screening), 2015, 24, 342-345.	0.0	0
581	The Status of STAT3 and STAT5 in Human Breast Atypical Ductal Hyperplasia. PLoS ONE, 2015, 10, e0132214.	1.1	6
582	Continued observation of the natural history of low-grade ductal carcinoma in situ reaffirms proclivity for local recurrence even after more than 30 years of follow-up. Modern Pathology, 2015, 28, 662-669.	2.9	106
583	Management of the High-Risk Breast Lesion. , 2015, , 93-112.		0
584	Benign Lesions of the Breast. , 2015, , 197-239.		0
585	Current management of lesions associated with an increased risk of breast cancer. Nature Reviews Clinical Oncology, 2015, 12, 227-238.	12.5	110
586	Breast cancer risk associated with benign breast disease: systematic review and meta-analysis. Breast Cancer Research and Treatment, 2015, 149, 569-575.	1.1	140
587	Development of a Novel Approach for Breast Cancer Prediction and Early Detection Using Minimally Invasive Procedures and Molecular Analysis: How Cytomorphology Became a Breast Cancer Risk Predictor. Breast Journal, 2015, 21, 82-96.	0.4	6
588	Atypical Hyperplasia of the Breast – Risk Assessment and Management Options. New England Journal of Medicine, 2015, 372, 78-89.	13.9	281
589	Links between Alcohol Consumption and Breast Cancer: A Look at the Evidence. Women's Health, 2015, 11, 65-77.	0.7	124
590	Risk profile of breast cancer following atypical hyperplasia detected through organized screening. Breast, 2015, 24, 208-212.	0.9	12
591	The Effect of an Evidence-Based Medicine Curriculum on Breast Cancer Knowledge and Satisfaction of Surgical Residents. Journal of Surgical Education, 2015, 72, 717-725.	1.2	3
592	Nomogram to predict the likelihood of upgrade of atypical ductal hyperplasia diagnosed on a core needle biopsy in mammographically detected lesions. Histopathology, 2015, 67, 106-120.	1.6	37

#	ARTICLE	IF	CITATIONS
593	Significance of Rat Mammary Tumors for Human Risk Assessment. <i>Toxicologic Pathology</i> , 2015, 43, 145-170.	0.9	65
594	Breast cancer risk after diagnosis by screening mammography of nonproliferative or proliferative benign breast disease: a study from a population-based screening program. <i>Breast Cancer Research and Treatment</i> , 2015, 149, 237-244.	1.1	57
595	Pleomorphic Lobular Carcinoma In Situ: Radiologic and Pathologic Features and Clinical Management. <i>Annals of Surgical Oncology</i> , 2015, 22, 4263-4269.	0.7	67
596	The Outpatient Breast Clinic. , 2015, , .		2
597	Proliferative epithelial disease identified in nipple aspirate fluid and risk of developing breast cancer: a systematic review. <i>Current Medical Research and Opinion</i> , 2015, 31, 253-262.	0.9	9
598	Pathological Findings in Gynecomastia. <i>Annals of Plastic Surgery</i> , 2015, 74, 163-166.	0.5	26
599	Breast Cancer Risk and Follow-up Recommendations for Young Women Diagnosed with Atypical Hyperplasia and Lobular Carcinoma In Situ (LCIS). <i>Annals of Surgical Oncology</i> , 2015, 22, 3346-3349.	0.7	22
601	Predictors of Underestimation of Malignancy after Image-Guided Core Needle Biopsy Diagnosis of Flat Epithelial Atypia or Atypical Ductal Hyperplasia. <i>Breast Journal</i> , 2015, 21, 224-232.	0.4	26
602	Breast Density and Benign Breast Disease: Risk Assessment to Identify Women at High Risk of Breast Cancer. <i>Journal of Clinical Oncology</i> , 2015, 33, 3137-3143.	0.8	170
603	Lobular Carcinoma in Situ: A 29-Year Longitudinal Experience Evaluating Clinicopathologic Features and Breast Cancer Risk. <i>Journal of Clinical Oncology</i> , 2015, 33, 3945-3952.	0.8	153
604	Towards Large-Scale Histopathological Image Analysis: Hashing-Based Image Retrieval. <i>IEEE Transactions on Medical Imaging</i> , 2015, 34, 496-506.	5.4	182
605	Update on Management Implications of Breast Core Biopsy Diagnoses. <i>AJSP Review and Reports</i> , 2016, 21, 24-27.	0.0	0
606	Expression of Stem Cells Marker ALDH1 in Premalignant Lesions, Cancer, Benign Hyperplasia and Normal Duct of Human Breast. <i>Advances in Cancer Prevention</i> , 2016, 01, .	0.2	0
607	Assessing the Relationship of Mammographic Breast Density and Proliferative Breast Disease. <i>Breast Journal</i> , 2016, 22, 541-546.	0.4	5
608	Breast cancer risk by extent and type of atypical hyperplasia: An update from the Nurses' Health Studies. <i>Cancer</i> , 2016, 122, 515-520.	2.0	54
609	Addressing inherited predisposition for breast cancer in transplant recipients. <i>Journal of Surgical Oncology</i> , 2016, 113, 605-608.	0.8	1
610	Atypical epithelial hyperplasia of the breast: state of the art. <i>Expert Review of Anticancer Therapy</i> , 2016, 16, 943-953.	1.1	10
611	The transcriptional regulator TBX3 promotes progression from non-invasive to invasive breast cancer. <i>BMC Cancer</i> , 2016, 16, 671.	1.1	23

#	ARTICLE	IF	CITATIONS
612	Pathologic High-risk Lesions, Diagnosis and Management. <i>Clinical Obstetrics and Gynecology</i> , 2016, 59, 727-732.	0.6	9
613	Benign Breast Diseases: Evaluation and Management. <i>Clinical Obstetrics and Gynecology</i> , 2016, 59, 710-726.	0.6	32
614	Diagnosis of Columnar Cell Lesions and Atypical Ductal Hyperplasia by Ultrasound-Guided Core Biopsy: Findings Associated with Underestimation of Breast Carcinoma. <i>Ultrasound in Medicine and Biology</i> , 2016, 42, 1457-1463.	0.7	8
615	Long term clinical follow-up of atypical ductal hyperplasia and lobular carcinoma in situ in breast core needle biopsies. <i>Pathology</i> , 2016, 48, 25-29.	0.3	33
616	Surgical Outcomes of Lobular Neoplasia Diagnosed in Core Biopsy: Prospective Study of 316 Cases. <i>Clinical Breast Cancer</i> , 2016, 16, 507-513.	1.1	42
617	Core Breast Biopsies Showing Lobular Carcinoma In Situ Should Be Excised and Surveillance Is Reasonable for Atypical Lobular Hyperplasia. <i>American Journal of Roentgenology</i> , 2016, 207, 1132-1145.	1.0	34
618	A prospective study of endometriosis and risk of benign breast disease. <i>Breast Cancer Research and Treatment</i> , 2016, 159, 545-552.	1.1	8
619	When pathological and radiological correlation is achieved, excision of fibroadenoma with lobular neoplasia on core biopsy is not warranted. <i>Breast</i> , 2016, 30, 125-129.	0.9	6
620	Lobular neoplasia diagnosed on breast Core biopsy: frequency of carcinoma on excision and implications for management. <i>Annals of Diagnostic Pathology</i> , 2016, 25, 20-25.	0.6	10
621	Reply to breast cancer risk by the extent and type of atypical hyperplasia. <i>Cancer</i> , 2016, 122, 3088-3089.	2.0	3
622	Recommendations for excision following core needle biopsy of the breast: a contemporary evaluation of the literature. <i>Histopathology</i> , 2016, 68, 138-151.	1.6	46
623	Extent of atypical hyperplasia stratifies breast cancer risk in 2 independent cohorts of women. <i>Cancer</i> , 2016, 122, 2971-2978.	2.0	48
624	Clinical and Radiologic Follow-up Study for Biopsy Diagnosis of Radial Scar/Radial Sclerosing Lesion without Other Atypia. <i>Breast Journal</i> , 2016, 22, 637-644.	0.4	21
627	Breast cancer epidemic in the early twenty-first century: evaluation of risk factors, cumulative questionnaires and recommendations for preventive measures. <i>Tumor Biology</i> , 2016, 37, 12941-12957.	0.8	108
628	Genomic Changes in Normal Breast Tissue in Women at Normal Risk or at High Risk for Breast Cancer. <i>Breast Cancer: Basic and Clinical Research</i> , 2016, 10, BCBCR.S39384.	0.6	32
629	Estrogen Receptor and Cytokeratin 5 Are Reliable Markers to Separate Usual Ductal Hyperplasia From Atypical Ductal Hyperplasia and Low-Grade Ductal Carcinoma In Situ. <i>Archives of Pathology and Laboratory Medicine</i> , 2016, 140, 686-689.	1.2	24
630	Clinicopathologic features of breast cancers that develop in women with previous benign breast disease. <i>Cancer</i> , 2016, 122, 378-385.	2.0	31
632	The risk of upgrade for atypical ductal hyperplasia detected on magnetic resonance imaging-guided biopsy: a study of 100 cases from four academic institutions. <i>Histopathology</i> , 2016, 68, 713-721.	1.6	26

#	ARTICLE	IF	CITATIONS
633	Management of atypical lobular hyperplasia, atypical ductal hyperplasia, and lobular carcinoma in situ. Expert Review of Anticancer Therapy, 2016, 16, 335-346.	1.1	24
634	The Management of Breast Cancer Detected by Reduction Mammoplasty. Clinics in Plastic Surgery, 2016, 43, 341-347.	0.7	15
635	Mutation Profiling of Usual Ductal Hyperplasia of the Breast Reveals Activating Mutations Predominantly at Different Levels of the PI3K/AKT/mTOR Pathway. American Journal of Pathology, 2016, 186, 15-23.	1.9	20
636	Lesions of uncertain malignant potential in the breast (B3): what do we know?. Clinical Radiology, 2016, 71, 134-140.	0.5	15
637	Surgical excision outcome after radial scar without atypical proliferative lesion on breast core needle biopsy: a single institutional analysis. Annals of Diagnostic Pathology, 2016, 21, 35-38.	0.6	14
638	Pathologic findings of follow-up surgical excision for radial scar on breast core needle biopsy. Human Pathology, 2016, 48, 76-80.	1.1	33
639	The Proliferative Activity of Mammary Epithelial Cells in Normal Tissue Predicts Breast Cancer Risk in Premenopausal Women. Cancer Research, 2016, 76, 1926-1934.	0.4	43
641	Breast Cancer Detection by Preoperative Imaging in Reduction Mammoplasty Patients: A Single Center Study of 918 Patients. World Journal of Surgery, 2017, 41, 2013-2019.	0.8	7
642	Value of breast MRI for patients with a biopsy showing atypical ductal hyperplasia (ADH). Journal of Magnetic Resonance Imaging, 2017, 46, 1738-1747.	1.9	23
643	Breast Density Legislation and Clinical Evidence. Radiologic Clinics of North America, 2017, 55, 513-526.	0.9	23
644	Characteristics of a Breast Pathology Consultation Practice. Archives of Pathology and Laboratory Medicine, 2017, 141, 578-584.	1.2	5
645	Biomarkers expression in benign breast diseases and risk of subsequent breast cancer: a case-control study. Cancer Medicine, 2017, 6, 1482-1489.	1.3	13
646	MRI surveillance for women with dense breasts and a previous breast cancer and/or high risk lesion. Breast, 2017, 34, 77-82.	0.9	19
647	Mammographic breast density and risk of breast cancer in women with atypical hyperplasia: an observational cohort study from the Mayo Clinic Benign Breast Disease (BBD) cohort. BMC Cancer, 2017, 17, 84.	1.1	23
648	Aromatase expression in atypical ductal hyperplasia in women. Breast Cancer Research and Treatment, 2017, 163, 623-629.	1.1	5
649	Risk Factors That Increase Risk of Estrogen Receptor-Positive and -Negative Breast Cancer. Journal of the National Cancer Institute, 2017, 109, djw276.	3.0	55
650	Breast Cancer Risk and Progressive Histology in Serial Benign Biopsies. Journal of the National Cancer Institute, 2017, 109, .	3.0	10
651	Reduction mammoplasty in patients with history of breast cancer: The incidence of occult cancer and high-risk lesions. Breast, 2017, 35, 157-161.	0.9	7

#	ARTICLE	IF	CITATIONS
652	Reviewing the Evidence to Guide Clinical Care. <i>Annals of Plastic Surgery</i> , 2017, 79, 410-414.	0.5	5
653	Premalignant and Pre-invasive Lesions of the Breast. , 2017, , 103-120.		2
654	Should we routinely analyze reduction mammoplasty specimens?. <i>Journal of Plastic, Reconstructive and Aesthetic Surgery</i> , 2017, 70, 196-202.	0.5	19
655	Clinical and pathological assessment of high-risk ductal and lobular breast lesions: What surgeons must know. <i>European Journal of Surgical Oncology</i> , 2017, 43, 278-284.	0.5	5
656	Atypical Ductal Hyperplasia Bordering on Ductal Carcinoma In Situ. <i>International Journal of Surgical Pathology</i> , 2017, 25, 100-107.	0.4	31
657	Pathology and Molecular Pathology of Breast Cancer. , 2017, , 173-231.		1
658	Subsequent Breast Cancer Risk Following Diagnosis of Atypical Ductal Hyperplasia on Needle Biopsy. <i>JAMA Oncology</i> , 2017, 3, 36.	3.4	57
659	Hyperplasie lobulaire atypique et carcinome lobulaire in situ: description, corrélations radio-histologiques et conduite à tenir. <i>Imagerie De La Femme</i> , 2017, 27, 181-189.	0.0	0
660	The Pathologic Finding of Combined Lobular Carcinoma in Situ and Invasive Lobular Cancer May Indicate more than Just a High-Risk Marker Role of Lobular Carcinoma in Situ. <i>American Surgeon</i> , 2017, 83, 482-485.	0.4	3
661	Evaluation of Masood's and Modified Masood's Scoring Systems in the Cytological Diagnosis of Palpable Breast Lump Aspirates. <i>Journal of Clinical and Diagnostic Research JCDR</i> , 2017, 11, EC06-EC10.	0.8	3
662	Vacuum assisted breast biopsy (VAB) excision of subcentimeter microcalcifications as an alternative to open biopsy for atypical ductal hyperplasia. <i>British Journal of Radiology</i> , 2018, 91, 20180003.	1.0	23
663	Assessing intraductal proliferations in breast core needle biopsies. <i>Diagnostic Histopathology</i> , 2018, 24, 49-57.	0.2	3
664	Current Management of High-Risk Breast Lesions. <i>Current Radiology Reports</i> , 2018, 6, 1.	0.4	1
665	Etiology and Management of Benign Breast Disease. , 2018, , 79-92.e5.		7
666	Benign, High-Risk, and Premalignant Lesions of the Breast. , 2018, , 116-129.e3.		5
667	In Situ Carcinomas of the Breast. , 2018, , 130-144.e4.		0
668	Epidemiology of Breast Cancer. , 2018, , 207-218.e4.		4
669	Primary Prevention of Breast Cancer. , 2018, , 219-236.e3.		2

#	ARTICLE	IF	CITATIONS
670	Risk Factors for Breast Carcinoma in Women With Proliferative Breast Disease. , 2018, , 264-271.e2.		1
671	Ductal Carcinoma in Situ of the Breast. , 2018, , 562-575.e4.		3
672	Pathology of High-Risk Breast Lesions. , 2018, , 103-114.		0
673	Observation versus excision of lobular neoplasia on core needle biopsy of the breast. Breast Cancer Research and Treatment, 2018, 168, 649-654.	1.1	32
674	Breast cancer risk associated with atypical hyperplasia and lobular carcinoma in situ initially diagnosed on coreâ€needle biopsy. Cancer, 2018, 124, 459-465.	2.0	25
675	Molecular profile of atypical hyperplasia of the breast. Breast Cancer Research and Treatment, 2018, 167, 9-29.	1.1	18
676	Active surveillance of women diagnosed with atypical ductal hyperplasia on core needle biopsy may spare many women potentially unnecessary surgery, but at the risk of undertreatment for a minority: 10-year surgical outcomes of 114 consecutive cases from a single center. Modern Pathology, 2018, 31, 395-405.	2.9	11
677	Isolated Atypical Lobular Hyperplasia Diagnosed on Breast Biopsy: Low Upgrade Rate on Subsequent Excision With Long-Term Follow-up. Archives of Pathology and Laboratory Medicine, 2018, 142, 391-395.	1.2	16
678	Core Needle Biopsy of the Breast. Surgical Pathology Clinics, 2018, 11, 1-16.	0.7	37
679	Lobular Carcinoma In Situ. Surgical Pathology Clinics, 2018, 11, 123-145.	0.7	58
680	Factors affecting the under-diagnosis of atypical ductal hyperplasia diagnosed by core needle biopsies â€ A 10-year retrospective study and review of the literature. International Journal of Surgery, 2018, 49, 27-31.	1.1	21
681	High-Risk Breast Lesions. , 2018, , .		0
682	Atypical Breast Proliferative Lesions and Benign Breast Disease. , 2018, , .		0
683	Atypical Ductal Lesions of the Breast: Criteria, Significance, and Laboratory Updates. Archives of Pathology and Laboratory Medicine, 2018, 142, 1182-1185.	1.2	8
684	Patient-friendly pathology reports for patients with breast atypias. Breast Journal, 2018, 24, 855-857.	0.4	3
685	Breast cancer risk in premalignant lesions: osteopontin splice variants indicate prognosis. British Journal of Cancer, 2018, 119, 1259-1266.	2.9	22
686	High-Risk (B3) Lesions. , 2018, , 169-184.		0
687	High-Risk Breast Lesions and Current Management. Seminars in Roentgenology, 2018, 53, 252-260.	0.2	9

#	ARTICLE	IF	CITATIONS
688	Breast Cancer Screening and Optimizing Recommendations. <i>Seminars in Roentgenology</i> , 2018, 53, 280-293.	0.2	2
689	Atypical ductal hyperplasia: update on diagnosis, management, and molecular landscape. <i>Breast Cancer Research</i> , 2018, 20, 39.	2.2	38
691	Breast Atypia as a Biomarker of Risk. <i>Current Breast Cancer Reports</i> , 2019, 11, 95-99.	0.5	3
692	Benign breast conditions: An eight-year single-centre histopathological review of women presenting with mass lesions at the Korle-Bu Teaching Hospital, Ghana. <i>Annals of Diagnostic Pathology</i> , 2019, 42, 33-38.	0.6	3
693	A whole slide image-based machine learning approach to predict ductal carcinoma in situ (DCIS) recurrence risk. <i>Breast Cancer Research</i> , 2019, 21, 83.	2.2	39
694	Diagnostic terminology used to describe atypia on breast core needle biopsy: correlation with excision and upgrade rates. <i>Diagnostic Pathology</i> , 2019, 14, 69.	0.9	4
695	Vibration characteristics study of micro-cantilever plate with a tip mass. <i>Journal of Physics: Conference Series</i> , 2019, 1311, 012017.	0.3	0
696	The Immune Microenvironment of Breast Cancer Progression. <i>Cancers</i> , 2019, 11, 1375.	1.7	68
697	Risk of Contralateral Breast Cancer in Women with Ductal Carcinoma In Situ Associated with Synchronous Ipsilateral Lobular Carcinoma In Situ. <i>Annals of Surgical Oncology</i> , 2019, 26, 4317-4325.	0.7	6
698	Ductal Carcinoma in Situ: Current Concepts in Biology, Imaging, and Treatment. <i>Journal of Breast Imaging</i> , 2019, 1, 166-176.	0.5	29
699	Sonoelastographic Features of High-Risk Breast Lesions and Ductal Carcinoma in situ – a Pilot Study. <i>Acta Clinica Croatica</i> , 2019, 58, 13-22.	0.1	3
700	Diagnostic upgrade of atypical ductal hyperplasia of the breast based on evaluation of histopathological features and calcification on core needle biopsy. <i>Histopathology</i> , 2019, 75, 320-328.	1.6	15
701	Atypical ductal hyperplasia is a multipotent precursor of breast carcinoma. <i>Journal of Pathology</i> , 2019, 248, 326-338.	2.1	21
703	Population-Based Assessment of the Association Between Magnetic Resonance Imaging Background Parenchymal Enhancement and Future Primary Breast Cancer Risk. <i>Journal of Clinical Oncology</i> , 2019, 37, 954-963.	0.8	65
704	Benign breast disease increases breast cancer risk independent of underlying familial risk profile: Findings from a Prospective Family Study Cohort. <i>International Journal of Cancer</i> , 2019, 145, 370-379.	2.3	9
705	Prostate and Breast Pathology: Similarities and Differences. , 2019, , 155-170.		1
706	Systematic analysis of breast atypical hyperplasia-associated hub genes and pathways based on text mining. <i>European Journal of Cancer Prevention</i> , 2019, 28, 507-514.	0.6	4
707	Pathology of Breast Cancer. , 2019, , 125-150.		0

#	ARTICLE	IF	CITATIONS
708	Clinical, imaging, and intervention factors associated with the upgrade of isolated flat epithelial atypia. <i>Clinical Imaging</i> , 2019, 54, 21-24.	0.8	9
709	Co-existing malignant lesions in atypical ductal hyperplasia – Pathology, probability, predictors and prognosis. <i>Asian Journal of Surgery</i> , 2020, 43, 240-243.	0.2	1
710	Assessment and management of B3 breast lesions with atypia: a focused review. <i>Climacteric</i> , 2020, 23, 17-23.	1.1	3
711	Pathology of breast cancer in the last half century. <i>Human Pathology</i> , 2020, 95, 137-148.	1.1	27
712	Upgrade Rate of Percutaneously Diagnosed Pure Atypical Ductal Hyperplasia: Systematic Review and Meta-Analysis of 6458 Lesions. <i>Radiology</i> , 2020, 294, 76-86.	3.6	60
713	Atypical Ductal Hyperplasia and Lobular Neoplasia: Update and Easing of Guidelines. <i>American Journal of Roentgenology</i> , 2020, 214, 265-275.	1.0	27
714	Do Body Mass Index and Breast Density Impact Cancer Risk Among Women with Lobular Carcinoma In Situ?. <i>Annals of Surgical Oncology</i> , 2020, 27, 1844-1851.	0.7	10
715	Atypical Ductal Hyperplasia and Those Bordering on Ductal Carcinoma In Situ Should Be Included in the Active Surveillance Clinical Trials. <i>American Journal of Clinical Pathology</i> , 2020, 153, 131-138.	0.4	11
716	The Evolution of Our Understanding of the Biology of Cancer Is the Key to Avoiding Overdiagnosis and Overtreatment. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020, 29, 2463-2474.	1.1	10
717	Preneoplasia of the Breast and Molecular Landscape. <i>Archives of Medical Research</i> , 2020, 51, 845-850.	1.5	3
718	Lobular intraepithelial neoplasia: Outcomes and optimal management. <i>Breast Journal</i> , 2020, 26, 2383-2390.	0.4	4
719	Management of women at increased risk for breast cancer secondary to high-risk proliferative lesions and family history of the disease. <i>Breast Journal</i> , 2020, 26, 1543-1548.	0.4	3
720	Atypical Ductal Hyperplasia on Ultrasonography-Guided Vacuum-Assisted Biopsy of the Breast. <i>Ultrasound Quarterly</i> , 2020, 36, 192-198.	0.3	3
721	Differences in breast cancer risk after benign breast disease by type of screening diagnosis. <i>Breast</i> , 2020, 54, 343-348.	0.9	12
722	Role of vacuum assisted excision in minimising overtreatment of ductal atypias. <i>European Journal of Radiology</i> , 2020, 131, 109258.	1.2	13
723	Atypical ductal hyperplasia bordering on DCIS on core biopsy is associated with higher risk of upgrade than conventional atypical ductal hyperplasia. <i>Breast Cancer Research and Treatment</i> , 2020, 184, 873-880.	1.1	8
724	Lobular neoplasia occult on conventional imaging and diagnosed on MRI-guided biopsy: can we estimate upgrade on surgical pathology?. <i>Breast Cancer Research and Treatment</i> , 2020, 184, 881-890.	1.1	7
725	Pitfalls and controversies in pathology impacting breast cancer management. <i>Expert Review of Anticancer Therapy</i> , 2020, 20, 205-219.	1.1	4

#	ARTICLE	IF	CITATIONS
726	Atypical ductal hyperplasia: breast DCE-MRI can be used to reduce unnecessary open surgical excision. <i>European Radiology</i> , 2020, 30, 4069-4081.	2.3	11
727	<i>Breast Pathology.</i> , 2020, , 921-1047.		0
728	Label-Free Identification of Early Stages of Breast Ductal Carcinoma via Multiphoton Microscopy. <i>Scanning</i> , 2020, 2020, 1-8.	0.7	7
729	Performance of a clinical and imaging-based multivariate model as decision support tool to help save unnecessary surgeries for high-risk breast lesions. <i>Breast Cancer Research and Treatment</i> , 2021, 185, 479-494.	1.1	1
730	Management of high-risk breast lesions diagnosed on core biopsies and experiences from prospective high-risk breast lesion conferences at an academic institution. <i>Breast Cancer Research and Treatment</i> , 2021, 185, 573-581.	1.1	15
731	Diagnostic Accuracy of Nipple Aspirate Fluid Cytology in Asymptomatic Patients: A Meta-analysis and Systematic Review of the Literature. <i>Annals of Surgical Oncology</i> , 2021, 28, 3751-3760.	0.7	5
732	Upgrade at excisional biopsy after a core needle biopsy diagnosis of classic lobular carcinoma in situ. <i>Surgery</i> , 2021, 169, 644-648.	1.0	9
733	Incidental Pathologic Findings in Young Adult Reduction Mammoplasty. <i>Plastic and Reconstructive Surgery</i> , 2021, 147, 391-400.	0.7	5
734	Risk factors for breast cancer development by tumor characteristics among women with benign breast disease. <i>Breast Cancer Research</i> , 2021, 23, 34.	2.2	14
735	Contemporary management of atypical breast lesions identified on percutaneous biopsy: a narrative review. <i>Annals of Breast Surgery</i> , 0, 5, 9-9.	0.8	6
736	Developing and validating an individualized breast cancer risk prediction model for women attending breast cancer screening. <i>PLoS ONE</i> , 2021, 16, e0248930.	1.1	7
737	Type of Architecture, Presence of Punctate Necrosis, and Extent of Involvement in Atypical Ductal Hyperplasia Can Predict the Diagnosis of Breast Carcinoma on Excision: A Clinicopathologic Study of 143 Cases. <i>International Journal of Surgical Pathology</i> , 2021, 29, 716-721.	0.4	2
738	High-risk lesions of the breast: concurrent diagnostic tools and management recommendations. <i>Insights Into Imaging</i> , 2021, 12, 63.	1.6	37
739	Physical activity and risk of benign proliferative epithelial disorders of the breast, in the Women's Health Initiative. <i>International Journal of Epidemiology</i> , 2022, 50, 1948-1958.	0.9	1
740	Associations of reproductive breast cancer risk factors with breast tissue composition. <i>Breast Cancer Research</i> , 2021, 23, 70.	2.2	7
743	<i>Benigne und maligne Tumoren der Mamma.</i> , 2006, , 689-731.		1
744	Breast Cancer Prevention. <i>Cancer Treatment and Research</i> , 2008, 141, 149-164.	0.2	27
745	The Epidemiology of Breast Cancer in Women. <i>CPOBGYN Clinical Perspectives in Obstetrics and Gynecology</i> , 1994, , 39-51.	0.1	1

#	ARTICLE	IF	CITATIONS
746	Management of High-Risk Lesions. , 2013, , 69-80.		1
747	Selecting the Right Targets for Cancer Therapy. , 2004, , 3-49.		1
748	Clinical Approaches to Discovering and Testing New Breast Cancer Prevention Drugs. , 2005, , 213-237.		5
749	Atypical Lobular Hyperplasia and Lobular Carcinoma In Situ. , 2016, , 561-593.		1
750	Raman Spectroscopy for Early Cancer Detection, Diagnosis and Elucidation of Disease-Specific Biochemical Changes. Biological and Medical Physics Series, 2010, , 315-346.	0.3	5
751	Mamma. , 1997, , 133-368.		7
752	Experimental Strategies for Studying the Development of Breast Cancer with Special Reference to Steroid Hormones, Growth Factors and Oncogenes. , 1986, , 5-26.		6
753	Anatomic Markers of Human Mammary Premalignancy and Incipient Breast Cancer. Recent Results in Cancer Research, 1988, 106, 65-72.	1.8	2
754	The Estrogen Receptor-Promotion Hypothesis of Human Mammary Preneoplasia. , 1988, , 251-266.		1
756	The Molecular Evolution of Breast Cancer Precursors and Risk Indicators. , 2011, , 89-117.		4
757	Familial and Genetic Factors – New Evidence. , 1989, , 27-39.		6
758	Relationship to Previous Breast Disease. , 1989, , 47-56.		4
761	Etiology and Management of Benign Breast Disease. , 2009, , 87-106.		1
762	Lobular Neoplasia and Invasive Lobular Carcinoma. , 2012, , 380-411.		2
763	Pathologic Considerations in the High-Risk Breast Patient. Clinics in Plastic Surgery, 1988, 15, 655-665.	0.7	2
764	Syringocystadenoma Papilliferum of the Male Breast. American Journal of Dermatopathology, 1998, 20, 422-424.	0.3	22
765	Columnar Alteration With Prominent Apical Snouts and Secretions. American Journal of Surgical Pathology, 1998, 22, 1521-1527.	2.1	209
766	Use of Keratin 34 ^Î E12 as an Adjunct in the Diagnosis of Mammary Intraepithelial Neoplasia-Ductal Type – Benign and Malignant Intraductal Proliferations. American Journal of Surgical Pathology, 1999, 23, 1048.	2.1	91

#	ARTICLE	IF	CITATIONS
767	Risk for Subsequent Development of Breast Cancer. American Journal of Surgical Pathology, 2003, 27, 268-271.	2.1	2
768	Risk for Subsequent Development of Breast Cancer. American Journal of Surgical Pathology, 2003, 27, 271-274.	2.1	11
769	Association of Breast Cancer with the Finding of Atypical Ductal Hyperplasia at Core Breast Biopsy. Annals of Surgery, 1997, 225, 726-733.	2.1	93
770	Image-Guided Core-Needle Breast Biopsy Is an Accurate Technique to Evaluate Patients With Nonpalpable Imaging Abnormalities. Annals of Surgery, 1998, 227, 932-939.	2.1	106
771	Office Management of Benign Breast Disease. Clinical Obstetrics and Gynecology, 1999, 42, 234-248.	0.6	6
772	Accumulation of Chromosomal Imbalances From Intraductal Proliferative Lesions to Adjacent In Situ and Invasive Ductal Breast Cancer. Diagnostic Molecular Pathology, 2000, 9, 14-19.	2.1	71
773	Title is missing!. Applied Immunohistochemistry & Molecular Morphology, 2000, 8, 98-103.	2.0	1
774	Detection of monoclonal microsatellite alterations in atypical breast hyperplasia.. Journal of Clinical Investigation, 1996, 98, 1095-1100.	3.9	29
775	Atypical ductal hyperplasia diagnosis by directional vacuum-assisted stereotactic biopsy of breast microcalcifications. Considerations for surgical excision. American Journal of Clinical Pathology, 2003, 119, 248-53.	0.4	40
776	Risk of second breast cancers after lobular carcinoma in situ according to hormone receptor status. PLoS ONE, 2017, 12, e0176417.	1.1	7
778	'No Pink Ribbons': How Women's Lived Experiences With Breast Atypia Inform Decisions Involving Risk-Reducing Medications. Journal of Patient-centered Research and Reviews, 2018, 5, 158-166.	0.6	1
779	C-Erb-b2 Oncogene Expression in Intraductal Proliferative Lesions of the Breast. Bosnian Journal of Basic Medical Sciences, 2012, 12, 41.	0.6	2
780	Treatment and survival outcomes of lobular carcinoma <i>in situ</i> of the breast: a SEER population based study. Oncotarget, 2017, 8, 103047-103054.	0.8	11
781	Benign breast disease: The relationship between its histological features and risk factors for breast cancer. Pathology, 1991, 23, 286-290.	0.3	9
782	Novel Molecular Markers of Malignancy in Histologically Normal and Benign Breast. Pathology Research International, 2011, 2011, 1-18.	1.4	11
783	Quantitative nucleic features are effective for discrimination of intraductal proliferative lesions of the breast. Journal of Pathology Informatics, 2016, 7, 1.	0.8	19
784	NDER: A novel web application using annotated whole slide images for rapid improvements in human pattern recognition. Journal of Pathology Informatics, 2016, 7, 31.	0.8	5
785	Factors that impact the upgrading of atypical ductal hyperplasia. Diagnostic and Interventional Radiology, 2012, 19, 91-6.	0.7	17

#	ARTICLE	IF	CITATIONS
786	The breast: tissue changes and cancer risk. Medical Journal of Australia, 1988, 149, 424-426.	0.8	4
787	Prophylactic Mastectomy. Archives of Pathology and Laboratory Medicine, 2000, 124, 378-381.	1.2	44
788	Atypical Lobular Hyperplasia of the Breast. Archives of Pathology and Laboratory Medicine, 2000, 124, 463-464.	1.2	8
789	Is Surgical Excision Necessary for the Management of Atypical Lobular Hyperplasia and Lobular Carcinoma In Situ Diagnosed on Core Needle Biopsy?: A Report of 38 Cases and Review of the Literature. Archives of Pathology and Laboratory Medicine, 2008, 132, 979-983.	1.2	81
790	Current Concepts in Diagnosis, Molecular Features, and Management of Lobular Carcinoma In Situ of the Breast With a Discussion of Morphologic Variants. Archives of Pathology and Laboratory Medicine, 2017, 141, 1668-1678.	1.2	28
791	Fusion of FNA-cytology and Gene-expression Data Using Dempster-Shafer Theory of Evidence to Predict Breast Cancer Tumors. Bioinformatics, 2006, 1, 170-175.	0.2	9
792	Association of CYP1A1 A4889G and T6235C polymorphisms with the risk of sporadic breast cancer in Brazilian women. Clinics, 2015, 70, 680-685.	0.6	14
793	Breast Cancer Epidemiology, Treatment, and Prevention. , 2000, , 871-883.		4
794	The Hyperplasia-to-Carcinoma Sequence in the Breast. Applied Immunohistochemistry and Molecular Morphology, 2000, 8, 98-103.	0.6	2
796	A Case of Breast Carcinoma Arising around the Scar of Excisional Biopsy for Mastopathy. Nihon Gekakei Rengo Gakkaishi (Journal of Japanese College of Surgeons), 2002, 27, 246-248.	0.0	0
798	Mucocele-like Lesions. , 2004, , 101-106.		0
799	Risk Assessment in Benign Breast Disease. , 2004, , 138-145.		0
800	Columnar Cell Lesions. , 2004, , 107-119.		0
801	Histological risk factors, prognostic indicators. , 2005, , 254-265.		0
802	Premalignant and borderline lesions. , 2005, , 266-285.		0
803	The role of aromatase and other oestrogen producing enzymes in mammary carcinogenesis. Cancer Metastasis - Biology and Treatment, 2007, , 151-170.	0.1	0
804	Selecting the Right Targets for Cancer Therapy. , 2008, , 1-26.		1
805	Linear and branching calcifications. , 2008, , 137-150.		0

#	ARTICLE	IF	CITATIONS
806	Breast Disorders. , 2008, , 213-249.		0
807	Cytopathology of the Breast. , 2009, , 675-695.		0
808	Risk Factors for Breast Carcinoma in Women with Proliferative Breast Disease. , 2009, , 477-484.		1
809	Intraepithelial neoplasia of the breast. , 2009, , 170-216.		0
810	Benign, High-Risk, and Premalignant Lesions of the Breast. , 2009, , 169-188.		0
811	Evolution of the Surgical Management of Breast Cancer. , 2009, , 717-735.		0
812	In Situ Carcinomas of the Breast. , 2009, , 211-229.		0
813	Benigne Brusterkrankungen. , 2009, , 579-598.		0
814	Lobular Neoplasia of the Breast: An Update. Archives of Pathology and Laboratory Medicine, 2009, 133, 1116-1120.	1.2	17
815	High Risk Indicators: Microscopic Lesions, Personal and Family History, Assessment, and Management. , 2010, , 39-60.		0
816	Risk Lesions of the Breast: Usual Ductal Hyperplasia, Atypical Ductal Hyperplasia, Lobular Neoplasia, and the Spectrum of Columnar Cell Alterations. , 2010, , 613-622.		0
817	Lobular Carcinoma in Situ. , 2010, , 181-199.		0
818	Breast: Ductal Carcinoma In Situ (DCIS). , 2011, , 421-436.		0
820	Cancer Chemoprevention. , 2011, , 463-481.		0
821	L'volution dans le temps des mthodes diagnostiques et des thories sur la carcinogse. , 2011, , 3-41.		0
822	Atypical Ductal Hyperplasia (ADH): Can the Sonoelastography Predict the Upgrade of ADH to Malignancy?. Journal of the Korean Society of Radiology, 2011, 64, 383.	0.1	0
824	5 Breast Imaging. , 2011, , 61-88.		0
826	Maladies non cancreuses du sein. , 2011, , 3-17.		2

#	ARTICLE	IF	CITATIONS
827	Atypical papillary lesions after core needle biopsy and subsequent breast carcinoma. Asian Biomedicine, 2011, 5, 243-248.	0.2	0
828	Fibrocystic Change and Usual Epithelial Hyperplasia of Ductal Type. , 2012, , 324-346.		1
829	The Ratio of Atypical Ductal Hyperplasia Foci to Core Numbers in Needle Biopsy: A Practical Index Predicting Breast Cancer in Subsequent Excision. Korean Journal of Pathology, 2012, 46, 15.	1.2	1
830	High Risk Breast Lesions and Pathologic Evaluation. , 2013, , 61-67.		0
831	Current and Future Direction in Basic and Translational Research. , 2013, , 169-184.		0
832	Cytology of Epithelial Proliferative Lesions and High-Grade Ductal Carcinoma In Situ. , 2013, , 83-102.		0
833	Acquis et limites dans les l'Ã©sions frontiÃ©res. , 2013, , 66-71.		0
834	Ductal Carcinoma In Situ of the Breast. , 2014, , 269-311.		1
835	High Risk Lesions. , 2014, , 249-267.		0
836	Columnar Cell Lesions. , 2014, , 195-214.		1
838	Risk Assessment in Benign Breast Lesions. , 2014, , 269-287.		0
839	Epithelial Proliferative Lesions. , 2014, , 155-194.		0
840	Pathology of Breast Cancer Detected by Imaging Techniques. , 1987, , 3-10.		0
841	A Review of the Role of Immune Reactants in Patients with High-Risk Breast Carcinoma. , 1989, , 295-311.		0
842	Differential Expression of DF3 Antigen between Papillary Carcinomas and Benign Papillary Lesions of the Breast. , 1989, , 183-192.		0
843	Breast Cancer Risk and Chemoprevention. , 1989, , 27-41.		0
845	Genetic Epidemiology of Cancer and Predisposing Lesions. , 1991, , 57-65.		2
846	Concepts of Preneoplasia for the Goal of Cancer Prevention. , 1992, , 3-13.		0

#	ARTICLE	IF	CITATIONS
847	Benign Breast Disease: Links to Risk of Cancer. , 1992, , 181-193.		1
848	Chemopreventive Modulation of Human Mammary Carcinogenesis by Bioactive Lipids. , 1993, , 439-446.		1
849	Non-Invasive Breast Cancer: An Important Screening Problem. , 1993, , 65-77.		0
850	Consideraciones clínicas y terapéuticas de las enfermedades benignas de la mama. Revista Colombiana De Obstetricia Y Ginecología, 1994, 45, 191-198.	0.2	0
851	Atypical and Malignant Breast Pathology. , 2015, , 551-571.		0
853	Changing Paradigms in Breast Carcinoma: A Review. Journal of Medical Sciences and Health, 2015, 01, 1-8.	0.1	0
854	Pathology of Breast Cancer. , 2016, , 241-266.		0
855	Atypical Ductal Hyperplasia. , 2016, , 168-175.		0
856	Epithelial Hyperplasia. , 2016, , 134-139.		0
857	Intraductal Proliferations (DCIS, ADH, and UDH). , 2016, , 337-375.		0
858	Atypical Lobular Hyperplasia. , 2016, , 176-181.		0
859	The So Called Pre-Neoplastic Lesions and Carcinoma In Situ. , 2016, , 21-46.		0
860	Premalignant and Malignant Breast Pathology. , 2016, , 179-194.		0
861	PROSPECTIVE STUDY OF HISTOLOGICAL PROLIFERATIVE CHANGES IN ADJACENT AREAS OF BREAST CANCER. Journal of Evidence Based Medicine and Healthcare, 2016, 3, 4881-4885.	0.0	2
862	Diagnostic Evaluation of Usual Ductal Hyperplasia and Atypical Ductal Hyperplasia. , 2018, , 205-225.		0
863	Lobular Carcinoma In Situ: Risk Factor or Cancer Precursor?. , 2018, , 21-36.		0
864	Advanced Screening Options and Surveillance in Women with Atypical Breast Lesions. , 2018, , 115-128.		0
865	The Role of Chemoprevention in the Prevention of Breast Cancer. , 2018, , 129-145.		0

#	ARTICLE	IF	CITATIONS
866	Breast Cancer Risk Prediction in Women with Atypical Breast Lesions. , 2018, , 103-113.		1
867	Morphological and Molecular Approaches to Breast Cancer Risk Assessment. , 2018, , 81-91.		0
868	Cytological scoring of breast lesions and comparison with histopathological findings. Journal of Cytology, 2018, 35, 217.	0.2	2
869	Epithelial Hyperplasia. , 2018, , 47-69.		0
870	Preinvasive Breast Lesions: Detection and Management. , 2019, , 383-395.		0
871	Pathology of Breast Cancer. , 2019, , 201-220.		2
873	Atypical Ductal Hyperplasia: Factors predicting upstaging to carcinoma. Archives of Surgery and Clinical Research, 2020, 4, 011-017.	0.0	0
874	Premalignant Breast Disease: Anatomic Lesions and Hormonal Associations. , 2005, , 121-129.		0
878	Benigne Brusterkrankungen. , 2005, , 511-525.		1
879	Pathology of Incipient Neoplasia. , 2005, , 69-96.		8
880	Lobulocentricity of breast hypersecretory hyperplasia with cytologic atypia: infrequent association with carcinoma in situ. American Journal of Clinical Pathology, 2004, 122, 714-20.	0.4	5
882	The breast. , 0, , 571-687.		1
883	Loss of heterozygosity and microsatellite instability in breast hyperplasia. No obligate correlation of these genetic alterations with subsequent malignancy. American Journal of Pathology, 1997, 150, 1925-32.	1.9	41
884	Expression of the G2-M checkpoint regulators cyclin B1 and cdc2 in nonmalignant and malignant human breast lesions: immunocytochemical and quantitative image analyses. American Journal of Pathology, 1997, 150, 15-23.	1.9	95
885	Analysis of loss of heterozygosity on chromosome 11q13 in atypical ductal hyperplasia and in situ carcinoma of the breast. American Journal of Pathology, 1997, 150, 297-303.	1.9	50
886	Direct action of estrogen on sequence of progression of human preneoplastic breast disease. American Journal of Pathology, 1998, 152, 1129-32.	1.9	31
887	MCF10AT: a model for the evolution of cancer from proliferative breast disease. American Journal of Pathology, 1996, 148, 313-9.	1.9	231
888	The morphologic effects of synthetic reproductive steroids on the mammary gland of rhesus monkeys. Mestranol, ethynerone, mestranol-ethynerone, chloroethynyl norgestrel-mestranol, and anagestone acetate-mestranol combinations. American Journal of Pathology, 1988, 131, 213-34.	1.9	11

#	ARTICLE	IF	CITATIONS
889	The Wilms' tumor suppressor WT1 inhibits malignant progression of neoplastigenic mammary epithelial cells. <i>Anticancer Research</i> , 2008, 28, 2155-60.	0.5	4
890	P53 Expression in benign Breast Disease Development: A Systematic Review. <i>Asian Pacific Journal of Cancer Prevention</i> , 2020, 21, 2485-2491.	0.5	0
891	P53 Expression in benign Breast Disease Development: A Systematic Review. <i>Asian Pacific Journal of Cancer Prevention</i> , 2020, 21, 2485-2491.	0.5	1
892	â€œBorderlineâ€ epithelial lesions of the breast: what have we learned in the past three decades?. <i>Pathologica</i> , 2021, 113, 354-359.	1.3	3
893	Preneoplastic Low-Risk Mammary Ductal Lesions (Atypical Ductal Hyperplasia and Ductal Carcinoma In) Tj ETQq0 0,0,rgBT /Oylock 10	1.7	3
894	Cumulative Advanced Breast Cancer Risk Prediction Model Developed in a Screening Mammography Population. <i>Journal of the National Cancer Institute</i> , 2022, 114, 676-685.	3.0	18
895	Oncological Safety of Autologous Fat Grafting in Breast Reconstruction: A Meta-analysis Based on Matched Cohort Studies. <i>Aesthetic Plastic Surgery</i> , 2022, 46, 1189-1200.	0.5	6
896	Breast screening atypia and subsequent development of cancer: protocol for an observational analysis of the Sloane database in England (Sloane atypia cohort study). <i>BMJ Open</i> , 2022, 12, e058050.	0.8	4
897	Atypical Ductal Hyperplasia-Ductal Carcinoma In Situ Spectrum: Diagnostic Considerations and Treatment Impact in the Era of Deescalation. <i>Surgical Pathology Clinics</i> , 2022, 15, 95-103.	0.7	4
900	Atypical Ductal Hyperplasia of the Breast on Core Needle Biopsy: Risk of Malignant Upgrade On Surgical Excision. <i>Journal of Breast Cancer</i> , 2022, 25, 37.	0.8	5
902	Atypical Hyperplasia Found Incidentally during Routine Breast Reduction Mammoplasty: Incidence and Management. <i>Plastic and Reconstructive Surgery - Global Open</i> , 2022, 10, e4141.	0.3	0
903	The morphologic spectrum of lobular carcinoma in situ (LCIS) observations on clinical significance, management implications and diagnostic pitfalls of classic, florid and pleomorphic LCIS. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2022, 481, 823-837.	1.4	6
907	Association of Screening With Digital Breast Tomosynthesis vs Digital Mammography With Risk of Interval Invasive and Advanced Breast Cancer. <i>JAMA - Journal of the American Medical Association</i> , 2022, 327, 2220.	3.8	25
908	Canine and feline in situ mammary carcinoma: A comparative review. <i>Veterinary Pathology</i> , 2022, 59, 894-902.	0.8	4
909	PATHOLOGY OF BENIGN AND MALIGNANT BREAST DISORDERS. <i>Radiologic Clinics of North America</i> , 1995, 33, 1067-1080.	0.9	35
910	Safety of de-escalation of surgical intervention for atypical ductal hyperplasia on percutaneous biopsy: One size does not fit all. <i>American Journal of Surgery</i> , 2023, 225, 21-25.	0.9	4
912	High-Risk Lesions of the Breast: Diagnosis and Management. <i>Medical Radiology</i> , 2022, , 337-357.	0.0	0
913	Lobular Neoplasia. <i>Surgical Clinics of North America</i> , 2022, 102, 947-963.	0.5	4

#	ARTICLE	IF	CITATIONS
914	CARE OF THE BREAST AND SUPPORT OF BREAST-FEEDING. Primary Care - Clinics in Office Practice, 1997, 24, 147-160.	0.7	7
915	Intraductal Proliferations (DCIS, ADH, and UDH). , 2022, , 351-389.		0
916	Atypical Lobular Hyperplasia and Lobular Carcinoma In Situ. , 2022, , 615-654.		0
917	Reliability of CD44, CD24, and ALDH1A1 immunohistochemical staining: Pathologist assessment compared to quantitative image analysis. Frontiers in Medicine, 0, 9, .	1.2	1
918	Update on lobular lesions of the breast. Histopathology, 2023, 82, 36-52.	1.6	4
919	Atypical breast lesions: a challenging pathological diagnosis and an uncertain malignant potential. Diagnostic Histopathology, 2023, , .	0.2	0
920	Inter-observer agreement in the diagnosis of breast atypical ductal hyperplasia: A systematic review. Breast Disease, 2023, 41, 545-550.	0.4	0
921	Disruption of lineage integrity as a precursor to breast tumor initiation. Trends in Cell Biology, 2023, , .	3.6	2
922	Cumulative 6-Year Risk of Screen-Detected Ductal Carcinoma In Situ by Screening Frequency. JAMA Network Open, 2023, 6, e230166.	2.8	0
923	Is Surgical Excision of Focal Atypical Ductal Hyperplasia Warranted? Experience at a Tertiary Care Center. Annals of Surgical Oncology, 2023, 30, 4087-4094.	0.7	2
924	Special Studies. , 2013, , 279-304.		0
925	Intraductal and Intralobular Proliferations. , 2013, , 121-146.		1
926	Associations of alcohol consumption with breast tissue composition. Breast Cancer Research, 2023, 25, .	2.2	1
933	Cytology of Epithelial Proliferative Lesions and High-Grade Ductal Carcinoma In Situ. , 2023, , 81-95.		1