

Ischemic brain edema following occlusion of the middle
time courses of the brain water, sodium and potassium
permeability to ¹²⁵I-albumin.

Stroke

16, 101-109

DOI: [10.1161/01.str.16.1.101](https://doi.org/10.1161/01.str.16.1.101)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Ischemic brain edema following occlusion of the middle cerebral artery in the rat. II: Alteration of the eicosanoid synthesis profile of brain microvessels.. Stroke, 1985, 16, 110-113.	1.0	65
2	Chapter 13 Cation shifts and excitotoxins in Alzheimer and Huntington disease and experimental brain damage. Progress in Brain Research, 1986, 70, 213-226.	0.9	16
3	Tissue Na, K, and Ca Changes in Regional Cerebral Ischemia: Their Measurement and Interpretation. Central Nervous System Trauma: Journal of the American Paralysis Association, 1986, 3, 215-234.	0.7	19
4	Time-course of changes in water, sodium, potassium and calcium contents of various brain regions in rats after systemic kainic acid administration. Acta Neuropathologica, 1986, 70, 169-176.	3.9	17
5	Enhancement of ATPase Activity by a Lipid Peroxide of Arachidonic Acid in Rat Brain Microvessels. Journal of Neurochemistry, 1986, 46, 235-242.	2.1	50
6	The Post-Injury Responses in Trauma and Ischemia: Secondary Injury or Protective Mechanisms?. Central Nervous System Trauma: Journal of the American Paralysis Association, 1987, 4, 27-51.	0.7	55
7	Acute effect of angiographic contrast medium on cortical specific gravity after middle cerebral artery occlusion in rats.. Stroke, 1987, 18, 924-926.	1.0	0
8	Identification and quantitative analysis of hydroxy-eicosatetraenoic acids in rat brains exposed to regional ischemia.. Stroke, 1987, 18, 490-494.	1.0	36
9	Transport of sodium from blood to brain in ischemic brain edema.. Stroke, 1987, 18, 150-157.	1.0	46
10	Regional brain sodium, potassium, and water changes in the rat middle cerebral artery occlusion model of ischemia.. Stroke, 1987, 18, 751-759.	1.0	147
11	Greater disturbance of water and ion homeostasis in the periphery of experimental focal cerebral ischemia. Experimental Neurology, 1987, 96, 118-126.	2.0	24
12	Neuropeptides and Arachidonate Cascade in the Central Nervous System. Frontiers of Hormone Research, 1987, 15, 299-323.	1.0	5
13	Photochemically induced cerebral infarction. Acta Neuropathologica, 1987, 72, 326-334.	3.9	131
14	Correlation of morphologic brain lesions with physiologic alterations and blood-brain barrier impairment in 3-intropropionic acid toxicity in rats. Acta Neuropathologica, 1987, 74, 67-74.	3.9	68
15	Role of peroxides in the cerebral transmembrane ion fluxes and their relevance to ischemic brain edema. Bioelectrochemistry, 1987, 18, 307-324.	1.0	1
16	Reduction of Cerebrospinal Fluid Pressure by Hypocapnia: Changes in Cerebral Blood Volume, Cerebrospinal Fluid Volume, and Brain Tissue Water and Electrolytes. Journal of Cerebral Blood Flow and Metabolism, 1987, 7, 471-479.	2.4	40
17	A UNIFYING CONCEPT ON THE PATHOGENESIS OF BRAIN OEDEMAS. Neuropathology and Applied Neurobiology, 1987, 13, 161-176.	1.8	31
18	Blood-brain barrier disruption and exacerbation of ischemic brain edema after restoration of blood flow in experimental focal cerebral ischemia. Acta Neuropathologica, 1988, 76, 62-70.	3.9	96

#	ARTICLE	IF	CITATIONS
19	Sodium-MR-imaging of the brain: initial clinical results. <i>Neuroradiology</i> , 1988, 30, 399-407.	1.1	18
20	Quantitation of Photochemically Induced Focal Cerebral Ischemia in the Rat. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1988, 8, 89-95.	2.4	88
21	The Quantification of Cerebral Infarction following Focal Ischemia in the Rat: Influence of Strain, Arterial Pressure, Blood Glucose Concentration, and Age. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1988, 8, 449-461.	2.4	364
22	Xanthine and Uric Acid Levels in Rat Brain Following Focal Ischemia. <i>Journal of Neurochemistry</i> , 1988, 51, 1882-1885.	2.1	52
23	Is Ca ²⁺ -activated potassium efflux involved in the formation of ischemic brain edema?. <i>Brain Research</i> , 1988, 460, 376-378.	1.1	11
24	Temporal Evolution of Regional Energy Metabolism following Focal Cerebral Ischemia in the Rat. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1988, 8, 462-473.	2.4	55
25	Traumatic Brain Injury in the Rat: Effects on Lipid Metabolism, Tissue Magnesium, and Water Content. <i>Journal of Neurotrauma</i> , 1988, 5, 105-119.	1.7	22
26	Ischemic cortical lesions after permanent occlusion of individual middle cerebral artery branches in rats.. <i>Stroke</i> , 1988, 19, 870-877.	1.0	56
27	Ischemic Brain Edema. <i>Mikrozirkulation in Forschung Und Klinik</i> , 1989, 13, 38-53.	0.1	2
28	Blindness in eclampsia: CT and MR imaging.. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 1989, 52, 899-902.	0.9	74
29	The role of free radicals and eicosanoids in the pathogenetic mechanism underlying ischemic brain edema. <i>Molecular and Chemical Neuropathology</i> , 1989, 10, 101-133.	1.0	35
30	Morphological consequences of early reperfusion following thrombotic or mechanical occlusion of the rat middle cerebral artery. <i>Acta Neuropathologica</i> , 1989, 78, 605-614.	3.9	47
31	Allopurinol inhibits uric acid accumulation in the rat brain following focal cerebral ischemia. <i>Brain Research</i> , 1989, 499, 367-370.	1.1	30
32	A critical evaluation of urinary immunoreactive thrombane: feasibility of its determination as a potential vascular risk indicator. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 1989, 993, 259-265.	1.1	7
33	Rat striatal cation shifts reflecting hypoxic-ischemic damage can be predicted by on-line impedance measurements.. <i>Stroke</i> , 1989, 20, 1377-1382.	1.0	19
34	Interrelationship of brain edema, motor deficits, and memory impairment in rats exposed to focal ischemia.. <i>Stroke</i> , 1989, 20, 513-518.	1.0	54
35	Blood-brain barrier sodium transport limits development of brain edema during partial ischemia in gerbils.. <i>Stroke</i> , 1989, 20, 1253-1259.	1.0	50
36	Effect of enhanced capillary activity on the blood-brain barrier during focal cerebral ischemia in cats.. <i>Stroke</i> , 1989, 20, 1260-1266.	1.0	24

#	ARTICLE	IF	CITATIONS
37	Hemodilution and hypertension effects on cerebral hemorrhage in cerebral ischemia in rats.. Stroke, 1990, 21, 1333-1339.	1.0	36
38	Effect of ischemia induced by middle cerebral artery occlusion on superoxide dismutase activity in rat brain.. Stroke, 1990, 21, 1613-1617.	1.0	34
39	Hypervolemic-Hemodilution and Hypertension During Temporary Middle Cerebral Artery Occlusion in Rats: The Effect on Blood-Brain Barrier Permeability. Canadian Journal of Neurological Sciences, 1990, 17, 372-377.	0.3	20
40	Reduction of Functional Capillary Density in Human Brain after Stroke. Journal of Cerebral Blood Flow and Metabolism, 1990, 10, 317-326.	2.4	52
41	Comparison of crystalloids and colloids for hemodilution in a model of focal cerebral ischemia. Journal of Neurosurgery, 1990, 73, 576-584.	0.9	52
42	Brain edema and cerebrovascular permeability during cerebral ischemia in rats.. Stroke, 1990, 21, 582-588.	1.0	168
43	Experimental Studies with Isradipine in Stroke. Drugs, 1990, 40, 44-51.	4.9	11
44	Suppressive effect of E-64c on ischemic degradation of cerebral proteins following occlusion of the middle cerebral artery in rats. Brain Research, 1990, 526, 177-179.	1.1	61
45	GM1 ganglioside reduces edema and monoaminergic neuronal changes following experimental focal ischemia in rat brain. Brain Research, 1990, 524, 313-315.	1.1	9
46	Evaluation of ^{99m} Tc-hexamethylpropyleneamine oxime cerebral blood flow mapping after acute focal ischemia in rats.. Stroke, 1991, 22, 1284-1290.	1.0	20
47	The Brain in Shock. Chest, 1991, 100, 205S-208S.	0.4	4
48	Diffusion/perfusion MR imaging of acute cerebral ischemia. Magnetic Resonance in Medicine, 1991, 19, 311-315.	1.9	147
49	Delayed institution of hypertension during focal cerebral ischemia: effect on brain edema. Acta Neuropathologica, 1991, 81, 339-344.	3.9	12
50	Edema, cation content, and ATPase activity after middle cerebral artery occlusion in rats.. Stroke, 1992, 23, 1331-1336.	1.0	88
51	Changes of superoxide dismutase activity and ascorbic acid in focal cerebral ischaemia in rats. Neurological Research, 1992, 14, 26-30.	0.6	10
52	T2- and diffusion-weighted magnetic resonance imaging of a focal ischemic lesion in rat brain.. Stroke, 1992, 23, 576-582.	1.0	91
53	Vascularization of fetal neocortical grafts implanted in brain infarcts in spontaneously hypertensive rats. Neuroscience, 1992, 51, 673-682.	1.1	27
54	Modification of voltage-dependent Na ⁺ current by triphenyltin, an environmental pollutant, in isolated mammalian brain neurons. Brain Research, 1992, 583, 93-99.	1.1	10

#	ARTICLE	IF	CITATIONS
55	Blockade of nitric oxide formation by mitigates ischemic brain edema and subsequent cerebral infarction in rats. <i>Neuroscience Letters</i> , 1992, 147, 159-162.	1.0	147
56	Transfer of ¹²⁵ I-Albumin from Blood to Brain in Newborn Rats and the Effect of Hyperbilirubinemia on the Transfer. <i>Neonatology</i> , 1992, 62, 47-54.	0.9	16
57	Transfer of Bilirubin Covalently Bound to ¹²⁵ I-Albumin from Blood to Brain in the Gunn Rat Newborn. <i>Neonatology</i> , 1992, 62, 416-423.	0.9	5
58	Intravenous Fluid Therapy in Neurologic Injury. <i>Critical Care Clinics</i> , 1992, 8, 367-408.	1.0	24
59	Genetic hypertension and increased susceptibility to cerebral ischemia. <i>Neuroscience and Biobehavioral Reviews</i> , 1992, 16, 219-233.	2.9	131
60	Immunosuppression by whole-body irradiation and its effect on oedema in experimental cerebral ischaemia. <i>Acta Neurologica Scandinavica</i> , 1992, 86, 256-259.	1.0	15
61	Cortical focal stroke model to evaluate neuroprotective action of drugs. <i>Drug Development Research</i> , 1992, 27, 307-327.	1.4	1
62	Cerebral lactate production and blood flow in acute stroke. <i>Journal of Magnetic Resonance Imaging</i> , 1992, 2, 511-517.	1.9	43
63	Sequential changes on ²³ Na MRI after cerebral infarction. <i>Neuroradiology</i> , 1993, 35, 416-419.	1.1	20
64	Imaging Ischemic Tissue at Risk of Infarction during Stroke. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1993, 13, 755-762.	2.4	37
65	Relationship between blood flow and blood-brain barrier permeability of sodium and albumin in focal ischaemia of rats: A triple tracer autoradiographic study. <i>Acta Neurochirurgica</i> , 1993, 120, 72-80.	0.9	9
66	Cell-permeant Ca ²⁺ chelators reduce early excitotoxic and ischemic neuronal injury in vitro and in vivo. <i>Neuron</i> , 1993, 11, 221-235.	3.8	215
67	Contributions of ions and albumin to the formation and resolution of ischemic brain edema. <i>Journal of Neurosurgery</i> , 1993, 78, 257-266.	0.9	147
68	Echo-planar perfusion-sensitive MR imaging of acute cerebral ischemia.. <i>Radiology</i> , 1993, 188, 711-717.	3.6	133
69	Middle cerebral artery occlusion increases cerebral capillary permeability. <i>Neurological Research</i> , 1993, 15, 232-236.	0.6	12
70	Tissue factor contributes to microvascular defects after focal cerebral ischemia.. <i>Stroke</i> , 1993, 24, 847-853.	1.0	106
71	Beneficial Effect of Prolonged Administration of Albumin on Ischemic Cerebral Edema and Infarction after Occlusion of Middle Cerebral Artery in Rats. <i>Neurosurgery</i> , 1993, 33, 293-300.	0.6	38
72	Variable restriction of albumin diffusion across inflamed cerebral microvessels of the anaesthetized rat.. <i>Journal of Physiology</i> , 1994, 475, 147-157.	1.3	34

#	ARTICLE	IF	CITATIONS
73	Reperfusion-induced injury to the blood-brain barrier after middle cerebral artery occlusion in rats.. Stroke, 1994, 25, 1658-1664.	1.0	301
74	The therapeutic value of naloxone and manitol in experimental focal cerebral ischemia. Research in Experimental Medicine, 1994, 194, 277-285.	0.7	8
75	Interstitial and tissue cations and electrical potential after experimental spinal cord injury. Experimental Brain Research, 1994, 100, 369-375.	0.7	20
76	Interstitial and tissue cations and electrical potential after experimental spinal cord injury. Experimental Brain Research, 1994, 79, 369-375.	0.7	1
77	Mechanism of Action and Persistence of Neuroprotection by Cell-Permeant Ca ²⁺ Chelators. Journal of Cerebral Blood Flow and Metabolism, 1994, 14, 911-923.	2.4	71
78	Diffusion-Weighted Magnetic Resonance Imaging of Acute Focal Cerebral Ischemia: Comparison of Signal Intensity with Changes in Brain Water and Na ⁺ ,K ⁺ -ATPase Activity. Journal of Cerebral Blood Flow and Metabolism, 1994, 14, 332-336.	2.4	207
79	Blood-Brain Barrier Permeability and Brain Concentration of Sodium, Potassium, and Chloride during Focal Ischemia. Journal of Cerebral Blood Flow and Metabolism, 1994, 14, 29-37.	2.4	141
80	Experimental intracerebral hemorrhage: relationship between brain edema, blood flow, and blood-brain barrier permeability in rats. Journal of Neurosurgery, 1994, 81, 93-102.	0.9	368
81	Stability of thrombosis induced by electrocoagulation of rat middle cerebral artery.. Stroke, 1994, 25, 2241-2245.	1.0	8
82	Time-course of neuropeptide changes in peri-ischemic zone and amygdala following focal ischemia in rats. Journal of Comparative Neurology, 1995, 360, 101-120.	0.9	35
83	Nitric oxide synthase in cerebral ischemia. Molecular and Chemical Neuropathology, 1995, 26, 107-157.	1.0	47
84	Contribution of Cerebral Edema to the Neuronal Salvage Elicited by Stimulation of Cerebellar Fastigial Nucleus after Occlusion of the Middle Cerebral Artery in Rat. Journal of Cerebral Blood Flow and Metabolism, 1995, 15, 172-174.	2.4	66
85	Rapid measurement of somatosensory evoked potential response to cerebral artery occlusion. Medical and Biological Engineering and Computing, 1995, 33, 396-402.	1.6	2
86	Post-ischemic administration of HU-211, a novel non-competitive NMDA antagonist, protects against blood-brain barrier disruption in photochemical cortical infarction in rats: a quantitative study. Brain Research, 1995, 702, 266-270.	1.1	31
87	Focal Cerebral Ischemia during Anesthesia with Etomidate, Isoflurane or, Thiopental. Neurosurgery, 1995, 37, 742-749.	0.6	102
88	Immunolocalization of Endothelin in the Traumatized Spinal Cord: Relationship to Blood-Brain Barrier Breakdown. Journal of Neurotrauma, 1995, 12, 257-268.	1.7	52
89	Intrathecal administration of endothelin-1 in the rat: impact on spinal cord blood flow and the blood-spinal cord barrier. Neuroscience Letters, 1995, 192, 173-176.	1.0	29
90	CT and MRI diagnosis of cerebrovascular disease: Going beyond the pixels. Seminars in Ultrasound, CT and MRI, 1995, 16, 212-236.	0.7	6

#	ARTICLE	IF	CITATIONS
91	Radioiodinated diacylglycerol analogue: a potential imaging agent for single-photon emission tomographic investigations of cerebral ischaemia. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 1996, 23, 280-289.	2.2	2
93	Acute Stroke Diagnosis with Magnetic Resonance Imaging. <i>Methods in Neurosciences</i> , 1996, 30, 209-242.	0.5	0
94	Surgical resection of brain metastases from lung cancer. <i>Acta Neurochirurgica</i> , 1996, 138, 382-389.	0.9	50
95	Na ⁺ -K ⁺ -Cl ⁻ cotransport system in brain capillary endothelial cells: Response to endothelin and hypoxia. <i>Neurochemical Research</i> , 1996, 21, 1259-1266.	1.6	15
96	Quantitative evaluation of blood-brain barrier permeability following middle cerebral artery occlusion in rats. <i>Brain Research</i> , 1996, 739, 88-96.	1.1	489
97	CT and MRI of stroke. <i>Journal of Magnetic Resonance Imaging</i> , 1996, 6, 833-845.	1.9	42
98	Characterization of edema by diffusion-weighted imaging in experimental traumatic brain injury. <i>Journal of Neurosurgery</i> , 1996, 84, 97-103.	0.9	247
99	Time Course of Cerebral Edema after Traumatic Brain Injury in Rats: Effects of Riluzole and Mannitol. <i>Journal of Neurotrauma</i> , 1997, 14, 839-849.	1.7	102
100	Cerebroprotective Effects of a Novel Pyrazoline Derivative, MS-153, on Focal Ischemia in Rats.. <i>The Japanese Journal of Pharmacology</i> , 1997, 73, 317-324.	1.2	31
101	Morphofunctional effects of moderate forebrain ischemia combined with short-term hypoxia in rats: protective effects of Cerebrolysin. <i>Experimental and Toxicologic Pathology</i> , 1997, 49, 29-37.	2.1	20
102	Ischemia and reperfusion in pancreas. <i>Microscopy Research and Technique</i> , 1997, 37, 557-571.	1.2	42
103	Intracranial vascular involvement of brain pathologies and venous occlusions. <i>European Radiology</i> , 1998, 8, 1106-1115.	2.3	1
104	Protection against blood-brain barrier disruption in focal cerebral ischemia by the type IV phosphodiesterase inhibitor BBB022: a quantitative study. <i>Brain Research</i> , 1998, 787, 277-285.	1.1	48
105	An in situ cytochemical evaluation of blood-brain barrier sodium, potassium-activated adenosine triphosphatase polarity. <i>Brain Research</i> , 1998, 798, 261-270.	1.1	6
106	Diffusion-weighted echo-planar MRI of lacunar infarcts. <i>Neuroradiology</i> , 1998, 40, 448-451.	1.1	26
107	YM872, a Highly Water-Soluble AMPA Receptor Antagonist, Preserves the Hemodynamic Penumbra and Reduces Brain Injury After Permanent Focal Ischemia in Rats. <i>Stroke</i> , 1998, 29, 2141-2148.	1.0	48
108	Time-Dependent Changes in the Ischemic Forebrain Following the Microsphere-Induced Permanent Occlusion of Cerebral Arterioles in Rats. <i>The Japanese Journal of Pharmacology</i> , 1998, 78, 31-37.	1.2	5
109	MRI of acute cerebral infarcts: increased contrast enhancement with continuous infusion of gadolinium. <i>Neuroradiology</i> , 1999, 41, 242-248.	1.1	38

#	ARTICLE	IF	CITATIONS
110	Neuroprotective effects of a dihydropyridine derivative, 1,4-dihydro-2,6-dimethyl-4-(3-nitrophenyl)-3,5-pyridinedicarboxylic acid methyl 6-(5-phenyl-3-pyrazolyloxy)hexyl ester (CV-159), on rat ischemic brain injury. <i>Life Sciences</i> , 1999, 64, 869-878.	2.0	18
111	Tissue Factor and Tissue Factor Pathway Inhibitor Levels during and after Cardiopulmonary Resuscitation. <i>Thrombosis Research</i> , 1999, 96, 107-113.	0.8	46
112	Dynamics of cerebral injury, perfusion, and blood-brain barrier changes after temporary and permanent middle cerebral artery occlusion in the rat. <i>Journal of the Neurological Sciences</i> , 1999, 166, 91-99.	0.3	84
113	Fatal Hemorrhagic Transformation of Acute Cerebral Infarction After the Use of Abciximab. <i>Stroke</i> , 2000, 31, 2517-2527.	1.0	27
114	Association Between Physiological Homeostasis and Early Recovery After Stroke. <i>Stroke</i> , 2000, 31, 2517-2527.	1.0	23
115	There's No Place Like Home for Some. <i>Stroke</i> , 2000, 31, 2517-2527.	1.0	2
116	The Time Concept in Ischemic Stroke: Misleading. <i>Stroke</i> , 2000, 31, 2517-2527.	1.0	3
117	Chlamydia pneumoniae Infection and PFO-Associated Ischemic Stroke. <i>Stroke</i> , 2000, 31, 2517-2527.	1.0	2
118	Systematic Comparison of the Early Outcome of Angioplasty and Endarterectomy for Symptomatic Carotid Artery Disease. <i>Stroke</i> , 2000, 31, 2517-2527.	1.0	1
119	Ethnicity and Equity: Missing the Point. <i>Stroke</i> , 2000, 31, 2517-2527.	1.0	10
120	Comparative Effect Of Flunarizine In Two Animal Models Of Stroke. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2000, 27, 107-109.	0.9	0
121	Regional alterations in an excitatory amino-acid transporter, blood flow, and glucose metabolism after middle cerebral artery occlusion in the rat. <i>Experimental Brain Research</i> , 2000, 130, 521-528.	0.7	4
122	Impairment and restoration of the endothelial blood-brain barrier in the rat cerebral infarction model assessed by expression of endothelial barrier antigen immunoreactivity. <i>Acta Neuropathologica</i> , 2000, 99, 231-237.	3.9	17
123	Ischemia/Reperfusion-Induced Pancreatitis. <i>Digestive Surgery</i> , 2000, 17, 3-14.	0.6	95
124	Argatroban, a thrombin inhibitor, decreased mortality after 10 min of forebrain ischemia in the gerbil. <i>Neuroscience Letters</i> , 2000, 279, 93-96.	1.0	11
125	Effect of middle cerebral artery occlusion on the passage of pituitary adenylate cyclase activating polypeptide across the blood-brain barrier in the rat. <i>Regulatory Peptides</i> , 2000, 91, 89-95.	1.9	38
126	Induction of aquaporin-4 water channel mRNA after focal cerebral ischemia in rat. <i>Molecular Brain Research</i> , 2000, 78, 131-137.	2.5	232
127	Management of Brain Edema Complicating Stroke. <i>Journal of Intensive Care Medicine</i> , 2001, 16, 128-141.	1.3	4

#	ARTICLE	IF	CITATIONS
128	CT and MRI in the Diagnosis of Acute Stroke and Their Role in Thrombolysis. <i>Thrombosis Research</i> , 2001, 103, S125-S133.	0.8	30
129	Management of Brain Edema Complicating Stroke. <i>Journal of Intensive Care Medicine</i> , 2001, 16, 128-141.	1.3	13
130	Vascular Growth Factors in Cerebral Ischemia. <i>Molecular Neurobiology</i> , 2001, 23, 121-136.	1.9	75
131	A comparative assessment of the efficacy and side-effect liability of neuroprotective compounds in experimental stroke. <i>Brain Research</i> , 2001, 892, 344-350.	1.1	65
132	¹ H magnetic resonance spectroscopic imaging of permanent focal cerebral ischemia in rat: longitudinal metabolic changes in ischemic core and rim. <i>Brain Research</i> , 2001, 907, 208-221.	1.1	55
133	Penumbra Microcirculatory Changes Associated With Peri-infarct Depolarizations in the Rat. <i>Stroke</i> , 2002, 33, 606-612.	1.0	42
134	Ischaemic brain oedema. <i>Journal of Clinical Neuroscience</i> , 2002, 9, 113-124.	0.8	247
135	Combined argatroban and edaravone caused additive neuroprotection against 15 min of forebrain ischemia in gerbils. <i>Neuroscience Research</i> , 2002, 43, 75-79.	1.0	33
136	Reproduction of scalp acupuncture therapy on strokes in the model rats, spontaneous hypertensive rats-stroke prone (SHR-SP). <i>Neuroscience Letters</i> , 2002, 333, 191-194.	1.0	27
137	Effects of LF 16-0687 Ms, a bradykinin B2 receptor antagonist, on brain edema formation and tissue damage in a rat model of temporary focal cerebral ischemia. <i>Brain Research</i> , 2002, 950, 268-278.	1.1	70
138	Computertomographie beim Schlaganfall. <i>Intensivmedizin Und Notfallmedizin</i> , 2002, 39, 89-99.	0.2	0
139	Effect of Hypoxia on Na ⁺ /K ⁺ ATPase Cotransport in Cultured Brain Capillary Endothelial Cells of the Rat. <i>Journal of Neurochemistry</i> , 1996, 66, 2572-2579.	2.1	35
140	Cerebral Microvessel Responses to Focal Ischemia. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2003, 23, 879-894.	2.4	576
141	Lazaroid U-74389G attenuates edema in rat brain subjected to post-ischemic reperfusion injury. <i>Journal of the Neurological Sciences</i> , 2003, 215, 87-93.	0.3	16
142	Research Progress in the Last Quarter of the 20th Century at the University of Tokyo and Tokyo Women's Medical University. <i>Neurosurgery</i> , 2003, 52, 424-434.	0.6	2
143	Clinical efficacy of CT in acute cerebral ischemia. , 2003, , 31-46.		0
144	Parathyroid hormone-related protein induction in focal stroke: a neuroprotective vascular peptide. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2003, 284, R1021-R1030.	0.9	25
145	Blood-Brain Barrier Changes in Global and Focal Cerebral Ischemia. , 2004, , 385-394.		0

#	ARTICLE	IF	CITATIONS
147	Vascular aspects of neuroprotection. <i>Neurological Research</i> , 2004, 26, 862-869.	0.6	26
148	Adrenomedullin Gene Delivery Protects Against Cerebral Ischemic Injury by Promoting Astrocyte Migration and Survival. <i>Human Gene Therapy</i> , 2004, 15, 1243-1254.	1.4	67
149	Brain Tissue Water Uptake after Middle Cerebral Artery Occlusion Assessed with CT. <i>Journal of Neuroimaging</i> , 2004, 14, 42-48.	1.0	122
150	Bumetanide Inhibition of the Blood-Brain Barrier Na-K-Cl Cotransporter Reduces Edema Formation in the Rat Middle Cerebral Artery Occlusion Model of Stroke. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2004, 24, 1046-1056.	2.4	213
151	The time course of ischemic damage and cerebral perfusion in a rat model of space-occupying cerebral infarction. <i>Brain Research</i> , 2004, 1013, 74-82.	1.1	24
152	Sodium T2*-weighted MR imaging of acute focal cerebral ischemia in rabbits. <i>Magnetic Resonance Imaging</i> , 2004, 22, 983-991.	1.0	20
153	Motor response to amphetamine treatment, task-specific training, and limited motor experience in a postacute animal stroke model. <i>Experimental Neurology</i> , 2004, 190, 102-108.	2.0	21
154	Hepatocyte growth factor attenuates cerebral ischemia-induced learning dysfunction. <i>Biochemical and Biophysical Research Communications</i> , 2004, 319, 1152-1158.	1.0	64
156	Aquaporin-4 Gene Disruption in Mice Reduces Brain Swelling and Mortality in Pneumococcal Meningitis. <i>Journal of Biological Chemistry</i> , 2005, 280, 13906-13912.	1.6	284
157	Loss of Cell Ion Homeostasis and Cell Viability in the Brain: What Sodium MRI Can Tell Us. <i>Current Topics in Developmental Biology</i> , 2005, 70, 77-101.	1.0	84
158	Unenhanced CT and Acute Stroke Physiology. <i>Neuroimaging Clinics of North America</i> , 2005, 15, 397-407.	0.5	24
159	Kallikrein Protects Against Ischemic Stroke by Inhibiting Apoptosis and Inflammation and Promoting Angiogenesis and Neurogenesis. <i>Human Gene Therapy</i> , 2006, 17, 206-219.	1.4	110
160	Effect of dimethyl sulfoxide on blood-brain barrier integrity following middle cerebral artery occlusion in the rat. , 2006, 96, 258-262.		17
161	Cerebral ischemia enhances tyrosine phosphorylation of occludin in brain capillaries. <i>Biochemical and Biophysical Research Communications</i> , 2006, 339, 1197-1203.	1.0	116
162	Experimental therapy with tissue kallikrein against cerebral ischemia. <i>Frontiers in Bioscience - Landmark</i> , 2006, 11, 1323.	3.0	33
163	YM872: A Selective, Potent and Highly Water-Soluble β -Amino- β -Hydroxy- ϵ -Methylisoxazole- γ -Propionic Acid Receptor Antagonist. <i>CNS Neuroscience & Therapeutics</i> , 2002, 8, 337-352.	4.0	40
164	Neuroprotective effects of a postischemic treatment with a bradykinin B2 receptor antagonist in a rat model of temporary focal cerebral ischemia. <i>Brain Research</i> , 2006, 1069, 227-234.	1.1	20
166	Modulation of AQP4 expression by the protein kinase C activator, phorbol myristate acetate, decreases ischemia-induced brain edema. , 2006, 96, 393-397.		29

#	ARTICLE	IF	CITATIONS
167	A review of progress in understanding the pathophysiology and treatment of brain edema. <i>Neurosurgical Focus</i> , 2007, 22, 1-10.	1.0	229
168	Ischemic Brain Tissue Water Content: CT Monitoring during Middle Cerebral Artery Occlusion and Reperfusion in Rats. <i>Radiology</i> , 2007, 243, 720-726.	3.6	70
170	Tissue-type plasminogen activator-mediated shedding of astrocytic low-density lipoprotein receptor-related protein increases the permeability of the neurovascular unit. <i>Blood</i> , 2007, 109, 3270-3278.	0.6	163
171	Liposome-Encapsulated Hemoglobin Reduces the Size of Cerebral Infarction in the Rat. <i>Stroke</i> , 2007, 38, 1626-1632.	1.0	74
172	Role of c-Jun N-terminal kinase in early brain injury after subarachnoid hemorrhage. <i>Journal of Neuroscience Research</i> , 2007, 85, 1436-1448.	1.3	122
173	Serum S100B indicates brain edema formation and predicts long-term neurological outcomes in rat transient middle cerebral artery occlusion model. <i>Brain Research</i> , 2007, 1137, 140-145.	1.1	32
174	Brain oedema in focal ischaemia: molecular pathophysiology and theoretical implications. <i>Lancet Neurology</i> , 2007, 6, 258-268.	4.9	663
175	In vivo quantification of transvascular water exchange during the acute phase of permanent stroke. <i>Magnetic Resonance in Medicine</i> , 2008, 60, 813-821.	1.9	29
176	Acute Leakage Patterns of Fluorescent Plasma Flow Markers after Transient Focal Cerebral Ischemia Suggest Large Openings in Blood-Brain Barrier. <i>Microcirculation</i> , 2008, 15, 1-14.	1.0	49
177	Self-Amplification of Nigral Degeneration in Parkinson's Disease: A Hypothesis. <i>International Journal of Neuroscience</i> , 2008, 118, 1741-1758.	0.8	13
178	Hepatocyte growth factor suppresses ischemic cerebral edema in rats with microsphere embolism. <i>Neuroscience Letters</i> , 2008, 448, 125-129.	1.0	4
179	Opposing Roles for Reactive Astrocytes following Traumatic Brain Injury. <i>NeuroSignals</i> , 2008, 16, 154-164.	0.5	151
180	Cerebral Blood Flow and Cerebral Edema in Rats With Diabetic Ketoacidosis. <i>Diabetes</i> , 2008, 57, 2588-2594.	0.3	77
181	Deletion of Angiotensin II Type 2 Receptor Attenuates Protective Effects of Bone Marrow Stromal Cell Treatment on Ischemia-Reperfusion Brain Injury in Mice. <i>Stroke</i> , 2008, 39, 2554-2559.	1.0	22
182	Hypoxia effects on cell volume and ion uptake of cerebral microvascular endothelial cells. <i>American Journal of Physiology - Cell Physiology</i> , 2008, 294, C88-C96.	2.1	54
184	Validation of Serum Markers for Blood-Brain Barrier Disruption in Traumatic Brain Injury. <i>Journal of Neurotrauma</i> , 2009, 26, 1497-1507.	1.7	190
185	Sodium imaging intensity increases with time after human ischemic stroke. <i>Annals of Neurology</i> , 2009, 66, 55-62.	2.8	73
186	Imaging in Acute Stroke - a Personal View*. <i>Klinische Neuroradiologie</i> , 2009, 19, 20-30.	0.9	5

#	ARTICLE	IF	CITATIONS
187	Cerebral Ischemiaâ€“Reperfusion Injury in Ratsâ€“A 3 T MRI Study on Biphasic Bloodâ€“Brain Barrier Opening and the Dynamics of Edema Formation. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2009, 29, 1846-1855.	2.4	132
188	Inhibition of Src Activity Decreases Tyrosine Phosphorylation of Occludin in Brain Capillaries and Attenuates Increase in Permeability of the Blood-Brain Barrier after Transient Focal Cerebral Ischemia. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2009, 29, 1099-1108.	2.4	63
189	Near-infrared fluorescence imaging with fluorescently labeled albumin: A novel method for non-invasive optical imaging of bloodâ€“brain barrier impairment after focal cerebral ischemia in mice. <i>Journal of Neuroscience Methods</i> , 2009, 180, 126-132.	1.3	71
190	Serum S100B, brain edema, and hematoma formation in a rat model of collagenase-induced hemorrhagic stroke. <i>Brain Research Bulletin</i> , 2009, 78, 158-163.	1.4	23
191	Direct profiling of phospholipids and lysophospholipids in rat brain sections after ischemic stroke. <i>Rapid Communications in Mass Spectrometry</i> , 2010, 24, 2057-2064.	0.7	58
192	Nicotine Exacerbates Brain Edema during In Vitro and In Vivo Focal Ischemic Conditions. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2010, 332, 371-379.	1.3	70
193	Effect of Secondary Insults upon Aquaporin-4 Water Channels following Experimental Cortical Contusion in Rats. <i>Journal of Neurotrauma</i> , 2010, 27, 229-239.	1.7	60
194	The Protein Kinase C Activator Phorbol Myristate Acetate Decreases Brain Edema by Aquaporin 4 Downregulation after Middle Cerebral Artery Occlusion in the Rat. <i>Journal of Neurotrauma</i> , 2010, 27, 453-461.	1.7	48
195	Progesterone and allopregnanolone attenuate bloodâ€“brain barrier dysfunction following permanent focal ischemia by regulating the expression of matrix metalloproteinases. <i>Experimental Neurology</i> , 2010, 226, 183-190.	2.0	141
196	Ion and Water Transport across the Bloodâ€“Brain Barrier. , 2010, , 585-606.		1
197	Electro-acupuncture can alleviate the cerebral oedema of rat after ischemia. <i>Brain Injury</i> , 2011, 25, 895-900.	0.6	26
198	The Cerebral Microvasculature and Responses to Ischemia. , 2011, , 16-28.		6
199	MAGNETIC RESONANCE IMAGING OF NORMAL AND ABNORMAL BRAIN PERFUSION. <i>Veterinary Radiology and Ultrasound</i> , 2011, 52, S62-71.	0.4	28
200	Therapeutic Targeting of Astrocytes After Traumatic Brain Injury. <i>Translational Stroke Research</i> , 2011, 2, 633-642.	2.3	15
201	Ischemia-induced stimulation of Na-K-Cl cotransport in cerebral microvascular endothelial cells involves AMP kinase. <i>American Journal of Physiology - Cell Physiology</i> , 2011, 301, C316-C326.	2.1	31
202	A simple desalting method for direct MALDI mass spectrometry profiling of tissue lipids. <i>Journal of Lipid Research</i> , 2011, 52, 840-849.	2.0	60
203	Correlation between CT and Diffusion-Weighted Imaging of Acute Cerebral Ischemia in a Rat Model. <i>American Journal of Neuroradiology</i> , 2011, 32, 728-733.	1.2	4
204	Effects of estradiol on ischemic factor-induced astrocyte swelling and AQP4 protein abundance. <i>American Journal of Physiology - Cell Physiology</i> , 2011, 301, C204-C212.	2.1	46

#	ARTICLE	IF	CITATIONS
205	Ischemia-induced stimulation of cerebral microvascular endothelial cell Na-K-Cl cotransport involves p38 and JNK MAP kinases. <i>American Journal of Physiology - Cell Physiology</i> , 2012, 302, C505-C517.	2.1	31
206	Vascular and Neuronal Ischemic Damage in Cryonics Patients. <i>Rejuvenation Research</i> , 2012, 15, 165-169.	0.9	4
207	Protective Effects of <i>Galla Rhois</i> , the Excrescence Produced by the Sumac Aphid, <i>Schlechtendalia chinensis</i> , on Transient Focal Cerebral Ischemia in the Rat. <i>Journal of Insect Science</i> , 2012, 12, 1-12.	0.6	8
208	Intracerebroventricular injection of HAMI 3379, a selective cysteinyl leukotriene receptor 2 antagonist, protects against acute brain injury after focal cerebral ischemia in rats. <i>Brain Research</i> , 2012, 1484, 57-67.	1.1	31
209	Protected Graft Copolymer (PGC) in Imaging and Therapy: A Platform for the Delivery of Covalently and Non-Covalently Bound Drugs. <i>Theranostics</i> , 2012, 2, 553-576.	4.6	25
210	Defatted Sesame Seed Extract Reduces Brain Oedema by Regulating Aquaporin 4 Expression in Acute Phase of Transient Focal Cerebral Ischaemia in Rat. <i>Phytotherapy Research</i> , 2012, 26, 1521-1527.	2.8	9
211	Sodium MRI and the Assessment of Irreversible Tissue Damage During Hyper-Acute Stroke. <i>Translational Stroke Research</i> , 2012, 3, 236-245.	2.3	34
212	MALDI-mass spectrometry imaging of desalted rat brain sections reveals ischemia-mediated changes of lipids. <i>Analytical and Bioanalytical Chemistry</i> , 2012, 404, 113-124.	1.9	51
213	Chlorogenic acid ameliorates brain damage and edema by inhibiting matrix metalloproteinase-2 and 9 in a rat model of focal cerebral ischemia. <i>European Journal of Pharmacology</i> , 2012, 689, 89-95.	1.7	105
214	Therapeutic effects of traditional herbal medicine on cerebral ischemia: A perspective of vascular protection. <i>Chinese Journal of Integrative Medicine</i> , 2013, 19, 804-814.	0.7	27
215	Induced and Sustained Hypernatremia for the Prevention and Treatment of Cerebral Edema Following Brain Injury. <i>Neurocritical Care</i> , 2013, 19, 222-231.	1.2	32
216	Dynamic monitoring of blood-brain barrier integrity using water exchange index (WEI) during mannitol and CO ₂ challenges in mouse brain. <i>NMR in Biomedicine</i> , 2013, 26, 376-385.	1.6	7
217	Evidence of Changes in Brain Tissue Stiffness After Ischemic Stroke Derived From Ultrasound-Based Elastography. <i>Journal of Ultrasound in Medicine</i> , 2013, 32, 485-494.	0.8	47
218	Transferrin Receptor Mediated Brain Uptake During Ischemia and Reperfusion. <i>Journal of Pharmacy and Pharmaceutical Sciences</i> , 2013, 16, 541.	0.9	7
219	Ischemic factor-induced increases in cerebral microvascular endothelial cell Na/H exchange activity and abundance: evidence for involvement of ERK1/2 MAP kinase. <i>American Journal of Physiology - Cell Physiology</i> , 2014, 306, C931-C942.	2.1	35
220	Cerebroprotective action of angiotensin peptides in stroke. <i>Clinical Science</i> , 2014, 126, 195-205.	1.8	48
221	Ischemia, immunosuppression, and SSEA ⁻¹ ⁺ negative cells all contribute to tumors resulting from mouse embryonic stem cell-derived neural progenitor transplantation. <i>Journal of Neuroscience Research</i> , 2014, 92, 74-85.	1.3	6
222	Role of vasopressin and its antagonism in stroke related edema. <i>Journal of Neuroscience Research</i> , 2014, 92, 1091-1099.	1.3	23

#	ARTICLE	IF	CITATIONS
223	Non-coding RNAs in cerebral endothelial pathophysiology: Emerging roles in stroke. <i>Neurochemistry International</i> , 2014, 77, 9-16.	1.9	95
224	Blood-Brain Barrier Na Transporters in Ischemic Stroke. <i>Advances in Pharmacology</i> , 2014, 71, 113-146.	1.2	57
225	Neuroprotective and anti-apoptotic effects of valproic acid on adult rat cerebral cortex through ERK and Akt signaling pathway at acute phase of traumatic brain injury. <i>Brain Research</i> , 2014, 1555, 1-9.	1.1	42
226	The protective effect of HET0016 on brain edema and blood-brain barrier dysfunction after cerebral ischemia/reperfusion. <i>Brain Research</i> , 2014, 1544, 45-53.	1.1	39
227	Evolution of blood-brain barrier damage associated with changes in brain metabolites following acute ischemia. <i>NeuroReport</i> , 2015, 26, 945-951.	0.6	7
228	Blood-brain barrier breakdown and neovascularization processes after stroke and traumatic brain injury. <i>Current Opinion in Neurology</i> , 2015, 28, 556-564.	1.8	238
229	Magnetic Resonance Imaging in Ischemic Stroke and Cerebral Venous Thrombosis. <i>Topics in Magnetic Resonance Imaging</i> , 2015, 24, 331-352.	0.7	14
230	Macrophage-derived osteopontin induces reactive astrocyte polarization and promotes re-establishment of the blood brain barrier after ischemic stroke. <i>Glia</i> , 2015, 63, 2198-2207.	2.5	99
231	Blockage of transient receptor potential vanilloid 4 inhibits brain edema in middle cerebral artery occlusion mice. <i>Frontiers in Cellular Neuroscience</i> , 2015, 9, 141.	1.8	48
232	Protective Effects of Dihydrocaffeic Acid, a Coffee Component Metabolite, on a Focal Cerebral Ischemia Rat Model. <i>Molecules</i> , 2015, 20, 11930-11940.	1.7	20
233	Dynamic regulation of aquaporin-4 water channels in neurological disorders. <i>Croatian Medical Journal</i> , 2015, 56, 401-421.	0.2	35
234	Reliable disease biomarkers characterizing and identifying electrohypersensitivity and multiple chemical sensitivity as two etiopathogenic aspects of a unique pathological disorder. <i>Reviews on Environmental Health</i> , 2015, 30, 251-71.	1.1	59
235	Evaluating Permeability Surface-Area Product as a Measure of Blood-Brain Barrier Permeability in a Murine Model. <i>American Journal of Neuroradiology</i> , 2016, 37, 1267-1274.	1.2	12
236	Activation of Alpha-7 Nicotinic Acetylcholine Receptor Reduces Brain Edema in Mice with Ischemic Stroke and Bone Fracture. <i>Molecular Neurobiology</i> , 2017, 54, 8278-8286.	1.9	22
237	Oral administration of ampelopsin protects against acute brain injury in rats following focal cerebral ischemia. <i>Experimental and Therapeutic Medicine</i> , 2017, 13, 1725-1734.	0.8	20
238	Imaging Approaches to Stroke and Neurovascular Disease. <i>Neurosurgery</i> , 2017, 80, 681-700.	0.6	14
239	Fast Versus Slow Progressors of Infarct Growth in Large Vessel Occlusion Stroke. <i>Stroke</i> , 2017, 48, 2621-2627.	1.0	213
241	Antiapoptotic Effect of Gene Therapy with Recombinant Adenovirus Vector Containing Hypoxia-inducible Factor-1 β after Cerebral Ischemia and Reperfusion in Rats. <i>Chinese Medical Journal</i> , 2017, 130, 1700-1706.	0.9	13

#	ARTICLE	IF	CITATIONS
242	Coagulofibrinolytic Changes in Patients with Post-cardiac Arrest Syndrome. <i>Frontiers in Medicine</i> , 2017, 4, 156.	1.2	35
243	Blood-Brain Barrier Mechanisms of Edema Formation. , 2017, , 129-149.		1
244	The ameliorative effect of bloodletting puncture at hand twelve Jing-well points on cerebral edema induced by permanent middle cerebral ischemia via protecting the tight junctions of the blood-brain barrier. <i>BMC Complementary and Alternative Medicine</i> , 2017, 17, 470.	3.7	21
245	Stepwise impairment of neural stem cell proliferation and neurogenesis concomitant with disruption of blood-brain barrier in recurrent ischemic stroke. <i>Neurobiology of Disease</i> , 2018, 115, 49-58.	2.1	17
246	Introducing the concept of "CSF shift edema" in traumatic brain injury. <i>Journal of Neuroscience Research</i> , 2018, 96, 744-752.	1.3	34
247	Select hyperacute complications of ischemic stroke: cerebral edema, hemorrhagic transformation, and orolingual angioedema secondary to intravenous Alteplase. <i>Expert Review of Neurotherapeutics</i> , 2018, 18, 749-759.	1.4	10
248	Stroke infarct volume estimation in fixed tissue: Comparison of diffusion kurtosis imaging to diffusion weighted imaging and histology in a rodent MCAO model. <i>PLoS ONE</i> , 2018, 13, e0196161.	1.1	15
249	Effects of Conivaptan versus Mannitol on Post-Ischemic Brain Injury and Edema. <i>Eurasian Journal of Medicine</i> , 2019, 51, 42-48.	0.2	4
250	Characterization of metal element distributions in the rat brain following ischemic stroke by synchrotron radiation micro-fluorescence analysis. <i>Nuclear Science and Techniques/Hewuli</i> , 2020, 31, 1.	1.3	4
251	Non-Coding RNAs Based Molecular Links in Type 2 Diabetes, Ischemic Stroke, and Vascular Dementia. <i>Journal of Alzheimer's Disease</i> , 2020, 75, 353-383.	1.2	22
252	Effects of nicorandil on neurobehavioral function, BBB integrity, edema and stereological parameters of the brain in the sub-acute phase of stroke in a rat model. <i>Journal of Biosciences</i> , 2020, 45, 1.	0.5	11
253	Cerebrospinal fluid influx drives acute ischemic tissue swelling. <i>Science</i> , 2020, 367, .	6.0	300
254	Therapeutic Relevance of Elevated Blood Pressure After Ischemic Stroke in the Hypertensive Rats. <i>Hypertension</i> , 2020, 75, 740-747.	1.3	5
255	The NLRP3 inflammasome drives inflammation in ischemia/reperfusion injury after transient middle cerebral artery occlusion in mice. <i>Brain, Behavior, and Immunity</i> , 2021, 92, 221-231.	2.0	174
256	Cellular and Molecular Mechanisms of R/S-Roscovitine and CDKs Related Inhibition under Both Focal and Global Cerebral Ischemia: A Focus on Neurovascular Unit and Immune Cells. <i>Cells</i> , 2021, 10, 104.	1.8	7
257	The Critical Importance of Molecular Biomarkers and Imaging in the Study of Electrohypersensitivity. A Scientific Consensus International Report. <i>International Journal of Molecular Sciences</i> , 2021, 22, 7321.	1.8	14
258	Reversible Ischemic Lesion Hypodensity in Acute Stroke CT Following Endovascular Reperfusion. <i>Neurology</i> , 2021, 97, e1075-e1084.	1.5	17
259	Cerebral Edema Formation After Stroke: Emphasis on Blood "Brain Barrier and the Lymphatic Drainage System of the Brain. <i>Frontiers in Cellular Neuroscience</i> , 2021, 15, 716825.	1.8	59

#	ARTICLE	IF	CITATIONS
261	Protective effect of the V1a receptor antagonist SR49059 on brain edema formation following middle cerebral artery occlusion in the rat. , 2006, 96, 303-306.		34
262	Cerebrovascular Disease and the Blood-Brain Barrier. , 1989, , 495-565.		7
263	Stroke Models for Preclinical Trials of Neuroprotective Agents. , 1992, , 44-56.		2
264	Vascular Endothelial Growth Factor (VEGF) in Seizures: Advances in Experimental Medicine and Biology, 2004, 548, 57-68.	0.8	135
266	The modulation of aquaporin-4 by using PKC-activator (phorbol myristate acetate) and V1a receptor antagonist (SR49059) following middle cerebral artery occlusion/reperfusion in the rat. Acta Neurochirurgica Supplementum, 2008, 102, 431-436.	0.5	38
268	Tumor Specific Contrast Enhancement Study of Mn-Metalloporphyrin (ATN-10) â€” Comparison of Rat Brain Tumor Model, Cytotoxic and Vasogenic Edema Models. , 1997, 70, 167-169.		8
269	A Novel Concept on the Pathogenetic Mechanism Underlying Ischaemic Brain Oedema: Relevance of Free Radicals and Eicosanoids. Acta Neurochirurgica Supplementum, 1987, 41, 85-94.	0.5	28
270	Temporal Profiles of Ca ²⁺ /Calmodulin-Dependent and -Independent Nitric Oxide Synthase Activity in the Rat Brain Microvessels Following Cerebral Ischemia. , 1994, 60, 285-288.		13
271	Effect of YM737, a New Glutathione Analogue, on Ischemic Brain Edema. , 1994, 60, 318-320.		7
272	Neurological disorders in patients with acute renal failure. , 1998, , 1081-1104.		1
273	Inhibition of Src activity decreases tyrosine phosphorylation of occludin in brain capillaries and attenuates increase in permeability of the bloodâ€”brain barrier after transient focal cerebral ischemia. Journal of Cerebral Blood Flow and Metabolism, 0, , .	2.4	2
274	Beneficial Effect of Prolonged Administration of Albumin on Ischemic Cerebral Edema and Infarction after Occlusion of Middle Cerebral Artery in Rats. Neurosurgery, 1993, 33, 293-300.	0.6	12
275	VEGF enhances angiogenesis and promotes blood-brain barrier leakage in the ischemic brain. Journal of Clinical Investigation, 2000, 106, 829-838.	3.9	1,115
276	The Neurovascular Unit. , 2015, , 86-118.		3
277	Cerebroprotective Effects of a Novel Pyrazoline Derivative, MS-153, on Focal Ischemia in Rats. The Japanese Journal of Pharmacology, 1997, 73, 317-324.	1.2	9
278	Novel complement C1 inhibitor BSF468248 does not improve brain damage after cortical vein occlusion. Methods and Findings in Experimental and Clinical Pharmacology, 2003, 25, 611.	0.8	4
279	Minocycline: A Novel Stroke Therapy. Journal of Neurology & Stroke, 2015, 2, .	0.0	9
280	Characterization of the Early Brain Lesion in the Rat Evaluated by MRI.. The Japanese Journal of Rehabilitation Medicine, 2003, 40, 49-56.	0.1	2

#	ARTICLE	IF	CITATIONS
281	Neuroprotective effect of Shenqi Fuzheng injection pretreatment in aged rats with cerebral ischemia/reperfusion injury. <i>Neural Regeneration Research</i> , 2016, 11, 94.	1.6	12
282	Exposure to 16%h of normobaric hypoxia induces ionic edema in the healthy brain. <i>Nature Communications</i> , 2021, 12, 5987.	5.8	7
284	Computertomographie beim Schlaganfall. , 2003, , 25-35.		1
285	The Cerebral Microvasculature and Responses to Ischemia. , 2004, , 775-783.		0
286	Kallikrein Protects Against Ischemic Stroke by Inhibiting Apoptosis and Inflammation and Promoting Angiogenesis and Neurogenesis. <i>Human Gene Therapy</i> , 2006, .	1.4	1
287	Enhancement of the Na, K-ATPase Activity of the Brain Microvessel by Arachidonic Acid and Its Hydroperoxide, 15-HPAA. , 1985, , 336-343.		0
288	The Effect of Brain Edema on the Microcirculation. , 1987, , 297-300.		0
289	The Possible Role of Free Radical Scavengers in the Mitigation of Ischemic Brain Damage. , 1988, , 251-255.		0
290	Experimental Models of Ischemia. , 1989, , 187-208.		1
291	Vascular Diseases of the Brain. , 1990, , 307-323.		2
292	Early increase in blood brain barrier permeability to evans blue dye after complete global brain ischemia in dogs. <i>Okayama Igakkai Zasshi</i> , 1991, 103, 199-207.	0.0	0
293	Relationship of Cerebral Blood Flow Disturbances with Brain Oedema Formation. , 1993, 59, 11-17.		2
294	Attenuation of Hemispheric Swelling Associated with Acute Subdural Hematomas by Excitatory Amino Acid Antagonist in Rats. , 1994, 60, 505-507.		0
295	Blood-Brain Barrier, Cerebral Blood Flow, and Brain Edema in Spontaneously Hypertensive Rats with Chronic Focal Ischemia. , 1994, 60, 271-273.		2
296	Detection of Endogenous Albumin as an Index of Blood Parenchymal Border Alteration. , 1994, 60, 121-123.		1
297	Focal Cerebral Ischemia during Anesthesia with Etomidate, Isoflurane, or Thiopental. <i>Neurosurgery</i> , 1995, 37, 742-749.	0.6	1
298	Fatal brain edema induced by a combination of intraventricular hemorrhage and bilateral carotid artery occlusion in the rat.. <i>Nosotchu</i> , 1998, 20, 299-306.	0.0	0
299	Preconditioning by 5-min forebrain ischemia reduced brain edema and cell damage following 15-min forebrain ischemia in gerbils.. <i>Nosotchu</i> , 1998, 20, 258-266.	0.0	0

#	ARTICLE	IF	CITATIONS
302	Inhibition of central angiotensin-converting enzyme with enalapril protects the brain from ischemia/reperfusion injury in normotensive rat. <i>DARU, Journal of Pharmaceutical Sciences</i> , 2010, 18, 35-40.	0.9	10
303	A Brief Review of Edema-Adjusted Infarct Volume Measurement Techniques for Rodent Focal Cerebral Ischemia Models with Practical Recommendations. <i>Journal of Vascular and Interventional Neurology</i> , 2019, 10, 38-45.	1.1	6
304	Infarct Progression in the Early and Late Phases of Acute Ischemic Stroke. <i>Neurology</i> , 2021, 97, S60-S67.	1.5	10
305	Effects of nicorandil on neurobehavioral function, BBB integrity, edema and stereological parameters of the brain in the sub-acute phase of stroke in a rat model. <i>Journal of Biosciences</i> , 2020, 45, .	0.5	2
306	Experimental Animal Models of Cerebral Ischemic Reperfusion Injury. , 0, , .		0
307	NLRP3 inflammasome inhibition alleviates hypoxic endothelial cell death in vitro and protects blood-brain barrier integrity in murine stroke. <i>Cell Death and Disease</i> , 2022, 13, 20.	2.7	46
308	Reduction of neural damage in irreversible cerebral ischemia by calcium antagonists. <i>Neurochemical Pathology</i> , 1988, 9, 211-236.	1.1	31
310	Net water uptake, a neuroimaging marker of early brain edema, as a predictor of symptomatic intracranial hemorrhage after acute ischemic stroke. <i>Frontiers in Neurology</i> , 0, 13, .	1.1	3
311	Comparison of intracranial pressure changes in out-of-hospital cardiac arrest patients with and without malignant blood-brain barrier disruption. <i>Clinical and Experimental Emergency Medicine</i> , 2022, 9, 296-303.	0.5	4
312	Ischemic brain edema: Emerging cellular mechanisms and therapeutic approaches. <i>Neurobiology of Disease</i> , 2023, 178, 106029.	2.1	10
313	Emerging effects of non-coding RNA in vascular endothelial cells during strokes. <i>Vascular Pharmacology</i> , 2023, 150, 107169.	1.0	0
314	Net water uptake as a predictive neuroimaging marker for acute ischemic stroke outcomes: a meta-analysis. <i>European Radiology</i> , 0, , .	2.3	0