CITATION REPORT List of articles citing

Impedance Control: An Approach to Manipulation: Part ITheory

DOI: 10.1115/1.3140702 Journal of Dynamic Systems, Measurement and Control, Transactions of the ASME, 1985, 107, 1-7.

Source: https://exaly.com/paper-pdf/17890725/citation-report.pdf

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
2359	Diagonalization of telerobotic hand controller impedance for accurate force and velocity transmission.		
2358	Non-contact impedance control for redundant manipulators using visual information.		9
2357	Control of physical interaction between a deformable finger-tip and a rigid object.		
2356	Learning of robot arm impedance in operational space using neural networks.		
2355	Parallel coupled actuators for high performance force control: a micro-macro concept.		10
2354	An efficient method for analysis of practical stability of robots interacting with dynamic environment.		2
2353	Constrained motion control of a robot manipulator.		1
2352	A survey of force control of robot manipulators using soft computing techniques.		3
2351	Adaptive impedance force control of an industrial manipulator.		2
2350	Position and force control of robot manipulators using neural networks.		1
2349	Realization of skill controllers for manipulation of deformable objects based on hybrid automata.		4
2348	A Distributed Control Model for Dextrous Hands. 1985 , 18, 187-192		0
2347	The mechanics of multi-joint posture and movement control. 1985 , 52, 315-31		661
2346	Maneuverability constraints for supervisory steering control. 1985,		5
2345	Adaptive strategies for the control of natural motion. 1985,		9
2344	Supervisory control system for the JASON ROV. 1986 , 11, 392-400		59
2343	Integrated path planning and dynamic steering control for autonomous vehicles.		81

2342 Mechanics and Planning of Manipulator Pushing Operations. 1986 , 5, 53-71	300
2341 Flexible handling by gripper with consideration of characteristics of objects.	8
2340 Direct teaching and automatic program generation for the hybrid control of robot manipulators.	25
2339 .	9
2338 On the Implementation of an Adaptive Hybrid Position/Force Control for Manipulators. 1987 , 201, 403-	-412
2337 Dynamic stability issues in force control of manipulators.	2
2336 .	42
2335 Virtual internal model following control of robot arms.	25
2334 Position-based impedance control - Achieving stability in practice. 1987 ,	21
Mechanical Impedence Control of a Robot Arm by Virtual Internal Model Following Controller. 1987 , 20, 239-244	1
2332 On the Dynamics of Direct Manual Control. 1987, 20, 321-326	
2331 Stable execution of contact tasks using impedance control.	193
2330 Control of tool/workpiece contact force with application to robotic deburring. 1987 , 3, 7-18	54
2329 Exact robot navigation by means of potential functions: Some topological considerations.	135
2328 Adaptive force control of manipulators with consideration of object dynamics.	18
2327 Active force feedback in industrial robotic assembly: A case study. 1987 , 2, 27-40	12
2326 An emulator system for developing improved elbow-prosthesis designs. 1987 , 34, 724-37	22
2325 . 1988 , 8, 21-25	34

2324	. 1988 , 8, 12-18	64
2323	. 1988 , 4, 549-556	207
2322	. 1988 , 4, 677-686	168
2321	. 1988 , 4, 699-705	127
2320	Kinematic networks. A distributed model for representing and regularizing motor redundancy. 1988 , 60, 1-16	167
2319	Application Of Rule-based Fuzzy Control Approach With Dynamic Compensation To Robotic Manipulations.	
2318	•	145
2317		1
2316	•	24
2315	A Compliance Control Mehtod Suggested by Muscle Networks In Human Arms.	6
2314	Statically Balanced Direct Drive Manipulator for Constrained Maneuvers.	2
2313	Joint-Compliance Control of the Multiple DOF Manipulator.	1
2312	•	3
2311		9
2310	•	45
2309		6
2308	•	51
2307		18

2306 .	34
2305 . 1988 ,	3
2304 . 1988,	3
2303 .	13
2302 .	83
2301 Modelling and control of two coordinated robot arms. 1988 , 352-360	O
2300 Force Control Of Robotic Manipulators.	
2299 Compliant Robot Motion I. A Formalism for Specifying Compliant Motion Tasks. 1988 ,	7, 3-17 132
2298 A Task Space Decoupling Approach to Hybrid Control of Manipulators. 1988 , 21, 157-1	62 2
2297 Force/Position Control of Manipulators in Task Space with Dominance in Force. 1988 , 2	21, 137-143 5
FORCE/POSITION CONTROL OF MANIPULATORS IN TASK SPACE WITH DOMINANCE II 1989, 137-143	N FORCE.
2295 An Approach To Manipulator Path Planning. 1989 , 8, 87-95	9
The Role of Dynamic Models in Cartesian Force Control of Manipulators. 1989 , 8, 51-72	2 55
2293 •	5
2292 .	18
2291 .	18
2290 .	32
2289 .	85

2288	•	6
2287		2
2286	•	7
2285		16
2284	Compliant motion control for robot manipulators. 1989 , 49, 745-760	5
2283		18
2282	•	13
2281	. 1989,	82
22 80	A new approach to force and position control of robot manipulators.	5
2279	Telerobotics. 1989 , 25, 487-507	209
	Telerobotics. 1989 , 25, 487-507 . 1989 , 19, 832-839	209
2278		
2278	. 1989 , 19, 832-839	2
2278	. 1989 , 19, 832-839 . 1989 , 9, 30-34 Control of Constrained Motion of Robot. 1989 , 314-467	2
2278 2277 2276	. 1989, 19, 832-839 . 1989, 9, 30-34 Control of Constrained Motion of Robot. 1989, 314-467 A Survey of General- Purpose Manipulation. 1989, 8, 38-62	7
2278 2277 2276 2275	. 1989, 19, 832-839 . 1989, 9, 30-34 Control of Constrained Motion of Robot. 1989, 314-467 A Survey of General- Purpose Manipulation. 1989, 8, 38-62 .	7
2278 2277 2276 2275 2274	. 1989, 19, 832-839 . 1989, 9, 30-34 Control of Constrained Motion of Robot. 1989, 314-467 A Survey of General- Purpose Manipulation. 1989, 8, 38-62 .	2 7 63 41

[1989-]

2270 .	15
2269 .	
2268 .	127
2267 .	
2266 .	2
2265 An approach to force and position control of robot manipulators.	12
2264 Asymptotic stability for force reflecting teleoperators with time delays.	32
2263 .	14
2262 .	19
2261 .	44
2260 .	2
2259 A flexible computer integrated manufacturing system. 1989 ,	
2258 .	15
2257 .	7
2256 .	O
2255 . 1989 , 5, 166-173	46
2254 ·	2
2253 Statically balanced direct drive manipulator. 1989 , 7, 143-149	27

2252	A testbed for measurement of human arm impedance parameters.	3
2251	Stiffness control of teleoperators with redundant, dissimilar kinematics.	2
2250	Learning Control of Robotic Manipulators Based on Neurological Model CMAC. 1990 , 23, 249-254	2
2249	Identification and Regulation of Mechanical Impedance for Force Control of Robot Manipulators. 1990 , 23, 169-174	1
2248	Functional assessment of control systems for cybernetic elbow prostheses. I. Description of the technique. 1990 , 37, 1025-1036	53
2247	Functional assessment of control systems for cybernetic elbow prosthesesPart II: Application of the technique. 1990 , 37, 1037-47	13
2246	. 1990 , 20, 1383-1395	12
2245	. 1990 , 20, 1423-1436	160
2244	Logical behaviors. 1990 , 7, 309-336	13
2243	Solving the inverse kinematics problem via the principle of self-support. 1990 , 7, 621-647	2
2243		37
2242		
2242	Neural networks in robotics: A survey. 1990 , 3, 51-66	37
2242	Neural networks in robotics: A survey. 1990 , 3, 51-66 Robot navigation functions on manifolds with boundary. 1990 , 11, 412-442 Dynamic hybrid position/force control of robot manipulators: On-line estimation of unknown	37
2242 2241 2240	Neural networks in robotics: A survey. 1990, 3, 51-66 Robot navigation functions on manifolds with boundary. 1990, 11, 412-442 Dynamic hybrid position/force control of robot manipulators: On-line estimation of unknown constraint. 1990, 116-134 Predictive displays and shared compliance control for time-delayed telemanipulation.	37 343 4
2242 2241 2240 2239	Neural networks in robotics: A survey. 1990, 3, 51-66 Robot navigation functions on manifolds with boundary. 1990, 11, 412-442 Dynamic hybrid position/force control of robot manipulators: On-line estimation of unknown constraint. 1990, 116-134 Predictive displays and shared compliance control for time-delayed telemanipulation.	37 343 4 24
2242 2241 2240 2239 2238	Neural networks in robotics: A survey. 1990, 3, 51-66 Robot navigation functions on manifolds with boundary. 1990, 11, 412-442 Dynamic hybrid position/force control of robot manipulators: On-line estimation of unknown constraint. 1990, 116-134 Predictive displays and shared compliance control for time-delayed telemanipulation. .	37 343 4 24 9

(1990-)

2234 Sensory Feedback Based on Improved Transpose Jacobian Controller.

2233 . 1990 ,	5
2232 .	24
2231 Impedance control of a direct-drive manipulator without using force sensors. 1990 , 5, 183-205	16
2230 .	4
2229 Control And Communication Of Two Arms.	
2228 .	4
2227 . 1990 , 6, 473-482	81
2226 . 1990 , 6, 247-252	6
2225 Shape recovery from robot contour-tracking with force feedback. 1990 , 5, 257-273	4
2224 .	4
2223 .	1
2222 .	28
2221 .	0
2220 .	4
2219 . 1990 ,	2
2218 . 1990 , 6, 342-347	11
2217 . 1990,	2

2216	Intelligent control of assembling robot using vision sensor.	7
2215	Postural stability of constrained three dimensional robotic systems. 1990 ,	6
2214	. 1990 , 35, 1051-1054	6
2213		29
2212	•	8
2211	. 1990 , 35, 710-714	33
2210	Mechanical Impedance of Single- and Multi-Articular Systems. 1990 , 149-164	70
2209	External Control of Limb Movements Involving Environmental Interactions. 1990 , 343-359	12
2208	. 1990 , 6, 357-367	16
2207		63
2206	. 1990,	36
2205	. 1991 , 27, 275-281	13
2204		7
2203	. 1991,	4
2202	. 1991 , 11, 52-56	10
2201		3
2200		
2199		7

[1991-]

2198 .	2
2197 . 1991 ,	1
2196 .	
2195 .	12
2194 .	45
2193 . 1991 ,	7
2192 . 1991 , 7, 95-104	41
2191 .	44
2190 .	1
2189 . 1991 ,	6
2188 .	3
2187 .	1
2186 .	3
2185 .	6
2184 .	15
2183 .	13
2182 .	3
2181 . 1991 , 36, 365-371	76

2180	. 1991 , 7, 408-415	138
2179	. 1991 , 36, 967-971	76
2178	. 1991 , 16, 152-162	854
2177	. 1991,	290
2176	. 1991 , 7, 320-332	139
2175	The construction of analytic diffeomorphisms for exact robot navigation on star worlds. 1991 , 327, 71-116	51
2174	Hybrid Force-Position Control for Robots in Contact with Dynamic Environments. 1991 , 24, 177-182	
2173	Software System for Simulation and Control Synthesis of Robots for Metal Machining Processes. 1991 , 24, 195-200	
2172	On the Stability of a Force/Position Control Scheme for Robot Manipulators. 1991 , 24, 183-188	1
2171	Neurocomputing Formalisms for Computational Learning and Machine Intelligence. 1991 , 33, 173-245	3
2170	Advanced Man-machine Interfaces And Control Architecture For Dexterous Teleoperations.	10
2169	Constrained Motion Control of Manipulation Robots 🖪 Contribution. 1991 , 9, 157-163	14
2168	A survey of bond graphs : Theory, applications and programs. 1991 , 328, 565-606	28
2167	Performance in Adaptive Manipulator Control. 1991 , 10, 149-161	76
2166	Compliant motion control of the robot. 1991 , 14, 407-417	1
2165		
2164		44
2163		3

(1991-)

2162 .	35
2161 .	3
2160 .	31
2159 . 1991 ,	2
2158 .	3
2157 .	1
2156 . 1991 ,	10
2155 . 1991 ,	1
2154 . 1991 ,	4
2153 .	3
2152 .	24
2151 .	9
2150 . 1991 ,	6
2149 . 1991 ,	
2148 .	4
2147 Integrable Solutions of Kinematic Redundancy via Impedance Control. 1991 , 10, 481-491	138
Artificial impedance approach of the trajectory generation and collision avoidance for single and dual arm robots. 1991 , 172-189	1
A parallel-hierarchical neural network model for motor control of a musculo-skeletal system. 1991 , 2145 22, 95-105	9

2144	Integration of real-time software modules for reconfigurable sensor-based control systems.	16
2143	. 1992 , 8, 535-544	77
2142	. 1992 , 8, 663-670	19
2141		4
2140	Manipulator for man-robot cooperation (control method for manipulator/vehicle system with fuzzy inference).	
2139	Effects of non-tip external forces and impulses on robot dynamics.	3
2138	A Neural Network Robot Force Controller.	2
2137	Quasistatic Manipulation with Compliance and Sliding. 1992 , 11, 20-40	87
2136		1
2135		23
2134	•	10
2133		1
2132	•	4
2131		1
2130	•	
2129	. 1992 , 8, 77-85	66
2128	Robust motion control based on a two-degrees-of-freedom servosystem. 1992 , 7, 525-546	7
2127		4

2126	Robust Implementations Of Impedance Control Using Impedance Error Feedback.	2
2125	Smart end effector for dexterous manipulation in space. 1992 , 15, 10-16	6
2124		
	A Method for Solving Inverse Kinematics of Variable Structure Truss Arm with High Redundancy. 1992 , 3, 631-645	1
2122	Matching Impedance Model of a Robot Environment Task Using the Wave Scatter Matrix. 1992 , 25, 31-36	1
2121	The Analysis for the Force Sensor Which is Used in the Assembly Operation by the Robot. 1992 , 25, 298-305	
2120	High Performance Control of Robot Manipulator Without Using Inverse Dynamics. 1992 , 25, 119-125	
2119	An Approach to Compliance Control of a Parallel Manipulator with Linear Drives. 1992 , 25, 663-670	
	Does the nervous system use equilibrium-point control to guide single and multiple joint movements?. 1992 , 15, 603-13	400
2117	The representation of egocentric space in the posterior parietal cortex. 1992 , 15 Spec No 4, 691-700	298
2116	Is stiffness the mainspring of posture and movement?. 1992 , 15, 756-758	42
	Equilibrium-point hypothesis, minimum effort control strategy and the triphasic muscle activation pattern. 1992 , 15, 769-771	45
2114		
2113		4
2112	. 1992 , 8, 338-349	361
2111	. 1992 , 8, 383-394	207
2110	. 1992 , 12, 8-14	16
2109		3

2108 .	5
2107 Force Regulation in Multiple Manipulator Systems.	
2106 .	10
2105 .	О
2104 .	
2103 PD-Impedance Control of Docking Mechanism Composed of Intelligent Adaptive Structure. 1992 , 3, 680-696	4
2102 . 1992 , 37, 1501-1505	48
2101 .	
2100 .	3
2099 .	2
2098 .	17
2097 Asymptotic Stability for Force Reflecting Teleoperators with Time Delay. 1992 , 11, 135-149	160
2096 .	7
2095 .	3
2094 Stability and passivity preserving transformations for master-slave telerobotic systems.	
2093 .	4
2092 .	10
2091 .	2

2090 . 1992 , 8, 176-185	220
Does the nervous system depend on kinesthetic information to control natural limb movements?. 1992, 15, 614-632	292
2088 Implications of neural networks for how we think about brain function. 1992 , 15, 644-655	76
HYBRID FORCE-POSITION CONTROL FOR ROBOTS IN CONTACT WITH DYNAMIC ENVIRONMENTS. 1992, 177-182	
2086 Successive approximation in targeted movement: An alternative hypothesis. 1992 , 15, 729-730	
Experimental evaluation of Cartesian stiffness control on a seven degree-of-freedom robot arm. 1992 , 5, 5-24	5
Force control of robotic manipulators with structured uncertainties using variable structure control. 1992 , 9, 169-180	1
2083 Robot manipulator control for hazardous waste-handling applications. 1992 , 9, 215-250	36
2082 Force and motion control of a single flexible manipulator link. 1992 , 9, 87-99	11
2081 The development of a robotic compliance control system. 1992 , 32, 477-486	2
2081 The development of a robotic compliance control system. 1992 , 32, 477-486 2080 . 1992 , 22, 1210-1214	6
2080 . 1992 , 22, 1210-1214	6
2080 . 1992 , 22, 1210-1214 2079 Strictly positive real admittances for coupled stability. 1992 , 329, 429-444	6
2080 . 1992 , 22, 1210-1214 2079 Strictly positive real admittances for coupled stability. 1992 , 329, 429-444 2078 An adaptive force/position regulator for robot manipulators. 1993 , 7, 389-403	6 10 17
2080 . 1992, 22, 1210-1214 2079 Strictly positive real admittances for coupled stability. 1992, 329, 429-444 2078 An adaptive force/position regulator for robot manipulators. 1993, 7, 389-403 2077 Automatic deburring utilizing a real-time impedance control strategy. 1993, 46, 561-571	6 10 17
2080 . 1992, 22, 1210-1214 2079 Strictly positive real admittances for coupled stability. 1992, 329, 429-444 2078 An adaptive force/position regulator for robot manipulators. 1993, 7, 389-403 2077 Automatic deburring utilizing a real-time impedance control strategy. 1993, 46, 561-571 2076 High performance control of robot manipulator without using inverse dynamics. 1993, 1, 529-538 Recognition of manipulated objects by motor learning with modular architecture networks. 1993,	6 10 17 1

2072 . 1993 , 23, 698-709	153
Paradigm for compliant motion control in environments with unknown or variable dynamics. 1993 , 19, 143-155	
2070 Direct adaptive impedance control of robot manipulators. 1993 , 10, 217-248	83
Effect of initial upper-limb alignment on muscle contributions to isometric strength curves. 1993 , 26, 143-53	73
2068 .	4
2067 .	3
2066 .	20
2065 . 1993 , 9, 361-373	196
2064 .	37
2063 Adaptive force-based impedance control.	11
2062 Robot force control: A review. 1993 , 3, 377-398	41
2061 . 1993 , 9, 607-623	40
2060 .	14
2059 .	3
2058 . 1993 , 9, 220-226	82
2057 .	O
2056 .	2
2055 . 1993 , 9, 863-867	27

2054 Multiple robot manipulators' cooperative compliant manipulation on dynamical environments.	4
2053 Force control of manipulator with considering flexibility.	1
2052 .	12
2051 .	19
2050 .	4
2049 .	7
2048 .	6
2047 . 1993 , 9, 286-296	30
2046 Vector summation of end-point impedance in kinematically redundant manipulators.	2
2045 .	1
2044 .	5
2043 .	8
2042 .	
2041 . 1993 , 9, 685-697	15
2040 Impedance control of articulated body mobile robot "Koryu".	3
2039 . 1993 , 9, 831-836	44
2038 . 1993 , 40, 473-485	164
2037 .	

2036 .

2035	A model reference approach to adaptive impedance control of robot manipulators.	5
2034	A Theoretical and Experimental Investigation of Impact Control for Manipulators. 1993 , 12, 351-365	117
2033	Development of model-based remote maintenance robot system. IV. A practical stiffness control method for redundant robot arm.	4
2032	•	
2031		
2030		
2029		22
2028	An Investigation of Impedance Control for Robot Manipulators. 1993 , 12, 473-489	10
2027	Motion/force/impedance control for robot tasks.	1
2026	Damping control with consideration of dynamics of environment.	1
2025		4
2024	•	1
2023	Experimental Object- Level Strategic Control With Cooperating Manipulators. 1993 , 12, 338-350	14
2022	Motion and Path Control for Robotic Excavation. 1993 , 6, 1-18	50
2021	The equivalence of second order impedance control and proportional gain explicit force control: Theory and experiments. 1993 , 1-24	1
2020	Robust and adaptive position/force stabilization of robotic manipulators in contact tasks. 1993 , 11, 373-386	23
2019	Simplification of manipulator dynamic formulations utilizing a dimensionless method. 1993 , 11, 139-147	4

2018 Hybrid Position and Force Control with Unsteady Assembly Dynamics. 1993, 281-286

2017 Quantitative assessment of four men using above-elbow prosthetic control. 1993 , 74, 720-9	15
2016 .	1
2015 .	4
2014 .	11
2013 New results on adaptive compliance control for dexterous manipulators.	
2012 .	1
2011 .	2
2010 Application of a digital signal processor in compliant Cartesian control of an industrial manipulator.	2
2009.	3
2008 .	
2007 . 1994 , 14, 14-25	2
2006 .	15
2005 Robotic deburring with a hybrid-compliance end-effector. 1994 , 17, 499-511	O
Static Friction Effects During Hard-on-Hard Contact Tasks and Their Implications for Manipulator Design: Communication. 1994 , 13, 508-520	9
The role of sensory information in the guidance of voluntary movement: reflections on a symposium held at the 22nd annual meeting of the Society for Neuroscience. 1994 , 11, 69-76	59
2002 .	2
2001 .	2

2000	•	1
1999	. 1994 , 10, 542-548	43
1998	•	2
1997		18
1996	Stabilization of robot motion and contact force interaction for third-order motor dynamics. 1994 , 10, 257-282	3
1995	Computational considerations in the implementation of force control strategies. 1994 , 9, 121-148	14
1994	Constraint embedding in kinematics and dynamics of hybrid manipulator systems. 1994 , 8, 6	2
1993	Active navigation with a monocular robot. 1994 , 71, 433-440	18
1992	Variable structure adaptive motion and force control of robot manipulators. 1994 , 30, 1473-1477	38
1991	Experiments in cooperative manipulation from a flexibly-mounted platform. 1994 , 4, 247-263	
1990	Stable interaction control and coulomb friction compensation using natural admittance control. 1994 , 11, 3-11	38
1989	Vsc motion and force control of robot manipulators in the presence of environmental constraint uncertainties. 1994 , 11, 503-515	3
1988	Unconstrained and constrained motion control of a planar two-link structurally flexible robotic manipulator. 1994 , 11, 557-571	10
1987	Mobile robot path planning based on hierarchical hexagonal decomposition and artificial potential fields. 1994 , 11, 605-614	22
1986	Compliance control safety: An architecture-independent analysis. 1994 , 11, 725-741	
1985	Synthesis of parallel manipulators with linear drive modules. 1994 , 29, 917-932	6
1984	User-oriented software for modeling, control synthesis and simulation of robots in metal machining processes. 1994 , 29, 455-478	2
1983	. 1994 , 24, 523-531	4

1982	Adaptive Control for Robotic Rebar Bending. 1994 , 9, 53-60	4
1981		28
1980		49
1979		18
1978	. 1994 , 41, 12-24	34
1977	. 1994 , 39, 647-652	87
1976	•	10
1975		7
1974	. 1994 , 10, 465-479	29
1973	Measurement of the contact impedance of polymers using a multilayered piezo vibroimpactor.	
1973 1972		6
		6
1972		1
1972 1971 1970		
1972 1971 1970	. 1994, 14, 31-40	1
1972 1971 1970 1969		1
1972 1971 1970 1969 1968		1 34

1964 Supervised Autonomy For Space Telerobotics. 1994 , 139-158	
1963 References. 1994 , 104, 423-453	
1962 Decentralized adaptive compliance control of robot manipulators. 1994 , 27, 123-128	
Hierarchical control of end-effector impedance and joint impedance utilizing arm redundancy. 1994 , 27, 407-412	
1960 A variable structure force controller for robotic manipulators. 1994 , 27, 481-486	
1959 Decentralized impedance control. 1994 , 27, 389-394	
Inner loop design and analysis for hydraulic actuators, with application to impedance control. 1994 , 27, 401-406	1
1957 Contribution to the control of robot interacting with dynamic environment. 1994 , 27, 487-492	1
1956 Direct adaptive impedance control. 1994 , 27, 395-400	
1955 .	30
1954 Inferred end-point control of long reach manipulators.	4
1953 .	1
Decentralized adaptive compliance control of robot manipulators. 1995 , 13, 485-498	3
1951 Control of grasp stiffness using a multifingered robot hand with redundant joints. 1995 , 13, 351-362	2
1950 Telerobotic surgery project for laparoscopy. 1995 , 13, 397-400	6

1949 Teaching Motion/Force Skills to Robots by Human Demonstration. **1995**, 28, 679-685

1948 COMRADE: Compliant Motion Research and Development Environment. 1995, 28, 71-77

1947 Force and Contact Transition Control via Nonlinear Feedback and Event-based Planning. **1995**, 28, 571-576

(1995-1995)

The Modular Organization of Motor Control: What Frogs Can Teach Us About Adaptive Learning. **1995**, 28, 413-418

1945 . 1995 , 2, 10-18	15
1944 . 1995 , 25, 100-110	8
1943 . 1995 , 14, 292-300	70
1942 Robust motion and force control of constrained manipulators by learning. 1995 , 31, 257-262	41
1941 Extended impedance control using real and virtual sensors for redundant manipulators. 1995 , 14, 89-103	1
1940 Quality of stabilization of robot interacting with dynamic environment. 1995 , 14, 155-179	13
Inner-loop design and analysis for hydraulic actuators, with an application to impedance control. 1939 1995 , 3, 1323-1330	2 0
1938 Fuzzy adaptive force control of industrial robot manipulators with position servos. 1995 , 5, 899-918	10
1937 Robust Impedance Control and Force Regulation: Theory and Experiments. 1995 , 14, 225-254	61
1936 Impact reduction for redundant manipulators using augmented impedance control. 1995 , 12, 301-313	19
1935 . 1995 , 40, 963-968	24
1934 Feedforward spring-like impedance modulation in human arm models.	0
Progressive learning for robotic assembly: learning impedance with an excitation scheduling method.	
Design of a wheelchair with legs for people with motor disabilities. 1995 , 3, 343-353	48
1931 Tracking gradients of artificial potential fields with non-holonomic mobile robots.	11
1930 Environment estimation for enhanced impedance control.	52
1929 Adaptive hybrid control of manipulators on uncertain flexible objects. 1995 , 10, 469-485	2

The Equivalence of Second-Order Impedance Control and Proportional Gain Explicit Force 1995 , 14, 574-589	Control. 21
Contribution to the Position/Force Control of a Robot Interacting with Dynamic Environments Cartesian Space. 1995 , 171-176	ent in
Imposing motion constraints to a force reflecting telerobot through real-time simulation of virtual mechanism.	of a 26
1925 Implementation of a neuromuscular-like control for compliance on a PUMA 560 robot.	
1924 Cooperative control of dual-arm robots for reasonable motion distribution.	1
1923 A theoretical analysis of dynamic interactions between systems.	
1922 Force and transition control with environmental uncertainties.	11
Hybrid force/position control for manipulators with motor dynamics using a sliding-adaption approach.	ve O
1920 Coupled-system stability of flexible-object impedance control.	7
1919 Trajectory planning for two manipulators to deform flexible materials using compliant mo	tion. 3
1918 Adaptive Compliant Motion Control for Dexterous Manipulators. 1995 , 14, 270-280	39
1917 Frequency-shaped implicit force control of flexible link manipulators.	6
1916 Impedance control strategy for robotic assembly tasks.	
1915 Series elastic actuators.	972
1914 . 1995 , 11, 504-515	32
1913 . 1995, 42, 501-507	1
1912 . 1995 , 3, 3-13	49
1911 . 1995 , 14, 676-693	18

1910 New stability results for direct adaptive impedance control.	6
An analysis of some fundamental problems in adaptive control of force and impedance behavior: theory and experiments. 1995 , 11, 912-921	74
1908 . 1995 , 11, 247-254	133
Modeling the human elbow joint dynamics: estimation of joint stiffness with different loads and movement velocities.	
1906 Adaptive and sliding control of flexible joint robots in constrained motion.	1
1905 . 1995 , 11, 754-759	16
1904 Obstacle avoidance in R/sup n/ based on artificial harmonic potential fields.	1
1903 Neural network techniques for robust force control of robot manipulators.	13
1902 Two-stage adaptive impedance control applied to a legged robot.	3
1901 A flexible assembly cell integrating a parallel manipulator for accurate automatic assembly tasks.	
1900 A force commanded impedance control scheme for robots with hard nonlinearities. 1995 , 3, 398-40	19
1899 A compliance control strategy for robot manipulators using a self-controlled stiffness function.	1
1898 On neural network application to robust impedance control of robot manipulators.	8
1897 Tele-Handshake through the Internet.	10
Generalized impedance control of robot for assembly tasks requiring compliant manipulation. 1996 , 43, 453-461	31
1895 Fuzzy adaptation impedance of a 6 DOF parallel robot: application to peg in hole insertion.	5
1894 On robust impact control via positive acceleration feedback for robot manipulators.	4
1893 Asymptotic robust constrained robot motion control.	

1892	. 1996 , 26, 438-444	37
1891	Neural network learning of robot arm impedance in operational space. 1996 , 26, 290-8	32
1890	Multi-point impedance control for redundant manipulators. 1996 , 26, 707-18	15
1889	. 1996 , 12, 78-89	139
1888	Impedance posture control of robot manipulators using Euler parameters.	3
1887	General task execution of redundant manipulators with explicit null-motion control.	1
1886	Force and vision resolvability for assimilating disparate sensory feedback. 1996 , 12, 714-731	59
1885	Design and control of compliant microrobots.	3
1884	Teleoperation controller design using H/sub /spl infin//-optimization with application to motion-scaling. 1996 , 4, 244-258	107
1883	A force/position regulator for robot manipulators without velocity measurements.	7
<i>)</i>		7
	Virtual actuator control.	22
1882		
1882	Virtual actuator control. Position-based impedance control of an industrial hydraulic manipulator.	22
1882	Virtual actuator control. Position-based impedance control of an industrial hydraulic manipulator. Design of a continuous controller for contact transition task based on impulsive constraint analysis.	9
1882 1881 1880 1879	Virtual actuator control. Position-based impedance control of an industrial hydraulic manipulator. Design of a continuous controller for contact transition task based on impulsive constraint analysis.	2292
1882 1881 1880 1879	Virtual actuator control. Position-based impedance control of an industrial hydraulic manipulator. Design of a continuous controller for contact transition task based on impulsive constraint analysis. A new position based force/impedance control for industrial robots.	22 9 2
1882 1881 1880 1879	Virtual actuator control. Position-based impedance control of an industrial hydraulic manipulator. Design of a continuous controller for contact transition task based on impulsive constraint analysis. A new position based force/impedance control for industrial robots. Interconnection of systems: the network paradigm.	22 9 2 11

1874	Adaptive Hybrid Control for a Robot Manipulator Interacting with Uncertain Flexible Environments. 1996 , 29, 235-240	1
1873	Design of Position/Force Controller Based on the Principle of Consistency. 1996 , 29, 1050-1055	
1872	Parallel Force/Position Control Schemes with Experiments on an Industrial Robot Manipulator. 1996 , 29, 25-30	3
1871	Manufacturing Robotics: Basic Issues and Challenges. 1996 , 29, 319-330	2
1870	A new probing system for the in-circuit test of a PCB.	4
1869	Robust neural force control with robot dynamic uncertainties under totally unknown environment.	
1868	Experiments in contact control. 1996 , 13, 53-73	7
1867	An impact control scheme inspired by human reflex. 1996 , 13, 837-855	10
1866	Automated polishing of an unknown three-dimensional surface. 1996 , 12, 261-270	35
1865	A passivity-based approach to force regulation and motion control of robot manipulators. 1996 , 32, 443-447	37
1864	Force/position regulation for robot manipulators with unmeasurable velocities and uncertain gravity. 1996 , 32, 939-943	10
1863	Analysis of a planar 3 degree-of-freedom adjustable compliance mechanism. 1996 , 10, 286	1
1862	A method of compliance control of redundant manipulators. 1996 , 10, 119	1
1861	A unified dynamic model and control synthesis for robotic manipulators with geometric end-effector constraints. 1996 , 10, 203	5
1860	External servicing testbed for automation and robotics. 1996 , 3, 13-23	10
1859	Hybrid position/force control of a hydraulic underwater manipulator. 1996 , 143, 145-151	26
1858	Implementation of a distributed controller for the RWC dexterous hand. 1996 , 18, 13-19	5
1857	Controlled hydraulics for a direct drive brick laying robot. 1996 , 5, 23-29	12

1856	Damping variation through electrohydraulic servosystem: An application to active impedance control. 1996 , 6, 613-630	3
1855	Adaptive compliant control of robot manipulators. 1996 , 4, 705-712	26
1854	Muscle activity patterns altered during pedaling at different body orientations. 1996 , 29, 1349-56	61
1853	Stabilizing position/force control of robots interacting with environment by learning connectionist structures. 1996 , 32, 1733-1739	5
1852	Adaptive control of single rigid robotic manipulators interacting with dynamic environment (An overview. 1996, 17, 1-30	3
1851	Artificial neural network based robot control: An overview. 1996 , 15, 333-365	19
1850	Impedance control with on-line neural-network compensator for robot contact tasks. 1996 , 15, 389-399	1
1849	A nonlinear bang-bang impact force control.	
1848	A New Telerobotic Application: Remote Laparoscopic Surgery Using Satellites and Optical Fiber Networks for Data Exchange. 1996 , 15, 267-279	18
1847	Parallel Force/Position Control of Robot Manipulators. 1996 , 78-89	11
1846	Frequency-shaped explicit output feedback force control for flexible link manipulators.	
1845	Specification of force-controlled actions in the "task frame formalism"-a synthesis. 1996 , 12, 581-589	150
1844	. 1996 , 16, 32-40	88
1843	Tracking the gradient of artificial potential fields: sliding mode control for mobile robots. 1996 , 63, 417-432	18
1842	Twin-head six-axis force sensors. 1996 , 12, 146-154	16
1841	Efficient Trajectory Planning and Compliant Control for Two Manipulators to Deform Flexible Materials. 1996 , 2, 73-88	
1840	New approach to control of robotic manipulators interacting with dynamic environment. 1996 , 14, 31-39	44
1839	Closed-loop, estimator-based model of human posture following reduced gravity exposure. 1996 , 19, 1102-8	8

1838 Application of hybrid compliance/force control to super long distance teleoperat	cion. 1996 , 11, 199-212 2
$_{ m 1837}$ Variable damping impedance control of a bilateral telerobotic system.	4
1836 The local force control loop approach in bilateral control of master-slave systems	5. 3
$_{ m 1835}$ Monitoring of a pseudo contact point for fine manipulation.	5
1834 Experiments of impedance control on an industrial robot manipulator with joint f	friction. 10
RCC characteristics of planar/spherical three degree of freedom parallel mechani compliances.	isms with joint 2
1832 Force fields in the manipulation of flexible materials.	9
$_{f 1}8_{f 3}f 1$ Joint impedance control applied to a biped pneumatic leg.	4
1830 A unified approach to motion and force control of flexible joint robots.	4
A reactive external force loop approach to control manipulators in the presence disturbances.	of environmental 6
Potential field representation of environment model and its application to robot' hybrid control.	's force/position
1827 .	1
1826 Intelligent compliant motion control.	7
$_{ m 1825}$ An easily attainable and effective bilateral control for teleoperation.	
1824 Performance robustness of manipulator collision controller.	
$_{ m 1823}$ Command filtering and path planning for remote manipulation of a long reach fle	exible robot. 1
1822 A new way to tackle position/force control for pneumatic robots.	1
$_{f 1}821$ Arm-manipulator coordination for load sharing using compliant control.	23

1820 Stiffness isn't everything. 1997 , 253-262	42
1819 Model-Based Motion and Force Control for Flexible-Joint Robot Manipulators. 1997 , 16, 529-54	5
1818 Force Tracking in Impedance Control. 1997 , 16, 97-117	194
$_{f 1817}$ Vision-based impedance control for robot manipulators.	3
1816 Robotic stiffness control and calibration as applied to human grasping tasks. 1997 , 13, 557-566	47
In pursuit of dynamic range: Using parallel coupled actuators to overcome hardware limitations. 1815 1997 , 263-273	4
Dynamic analysis in variable structure position/force hybrid control of manipulators.	3
Generalized impedance control of a redundant manipulator for handling tasks with position uncertainty while avoiding obstacles.	2
Robot compliance control algorithm based on neural network classification and learning of robot-environment dynamic models.	2
$_{f 1}8$ $_{f 1}$ Stiffness-based understanding and modeling of contact tasks by human demonstration.	3
1810 Force control of rigid manipulators: a comparative study for non-rigid environments.	2
1809 Drum roll: increasing bandwidth through passive impedance modulation.	9
A nonlinear controller for position and force control of robotic devices interacting with passive environments.	
$_{ m 1807}$ Force control of robot manipulators with neural networks compensation: a comparative study.	
1806 Modeling of the peg-in-hole task based on impedance parameters and HMM.	2
1805 Arm-manipulator coordination for load sharing using reflexive motion control.	20
Synthesis of actively adjustable frequency modulators via redundant actuation: the case for a five-bar finger mechanism.	1
1803 Intelligent motion control. 1997 , 12, 681-696	

1802 Control of redundant robots in presence of external forces.

$_{ m 18o1}$ On robust impedance force control of robot manipulators.	3
1800 Virtual model control of a bipedal walking robot.	96
1799 Automatic Synthesis of Robot Compliant Motions in Dynamic Environments. 1997 , 16, 730-748	3
1798 Force control command synthesis for assembly using a discrete event framework.	5
1797 Parallel force/position control with stiffness adaptation.	5
1796 An adaptive learning control method for constrained motion of uncertain robotic systems.	
1795 Mobile manipulation of a fragile object. 1997 , 467-474	1
Development of a redundant macro-micro manipulator and contour tasks utilizing its compliant motion.	1
1793 Experiments in force controlled assembly using a discrete event framework.	
1792 A simple strategy for opening an unknown door.	33
1791 Performance limits and stiffness control of multifingered hands. 1997 , 91-102	2
1790 Intelligent Position/Force Control of Robot Manipulators Using Fuzzy-Neuro. 1997 , 63, 2052-2060	
1789 Extended impedance control of redundant manipulators using joint space decomposition.	9
Regulation of Force and Position for a Robot Manipulator in Contact with a Compliant Environment. 1997 , 30, 333-338	
1787 A Predictive Control Application to Force Control of Robotic Manipulators. 1997 , 30, 303-304	
1786 Variable Structure Position/Force Hybrid Control of Manipulators. 1997 , 30, 337-342	
1785 Fuzzy Adaptive Force Control of Robot Manipulators. 1997 , 30, 263-268	

0.	Telerobotic Master Reflected Force A	divistment with Local	Foodback 1007 20 1	COE 1610
1704	relei obolic Master Reflected Force A	alustinent with Local	l Feeddack. 1991 , 30, 11	005-1010

1783	Matching Control of a Flexing Joint Robot in a Coupled Environment Task. 1997 , 30, 1623-1628	
1782	Power Approach on Control of Elastic Joints Robot During Constrained Motion Tasks. 1997 , 30, 479-484	
1781	Compliant Motion Control of Redundant Manipulators in Constraint Space. 1997 , 30, 631-636	
1780	Robust Discrete Event Controller Synthesis for Constrained Motion Systems. 1997 , 30, 801-807	1
1779	Hybrid Impedance Control of Robot Manipulators with Neural Networks Compensation. 1997 , 30, 373-378	
1778	Hybrid Position/Force Control, Velocity Projection, and Passivity. 1997 , 30, 325-331	
1777	Human skill analysis based on multisensory data.	3
1776	Passive compliance of flexible link robots. II. Analysis and application.	1
1775	A spatial impedance controller for robotic manipulation. 1997 , 13, 546-556	48
1774	Development and experimental evaluation of a robust contact force control strategy for a 7-DOF redundant manipulator.	3
1773	Experiments with a 3DD robotic manipulator operating by a sensor-based assembly.	1
1772	Contact control of flexible micro/macro-manipulators.	14
1771	Variable damping impedance control of a bilateral telerobotic system. 1997 , 17, 37-45	48
1770	Six-degree-of-freedom impedance robot control.	13
1769	Stability analysis in variable structure position/force hybrid control of manipulators.	О
1768	Intelligent compliance control in anti-personnel mine detection.	1
1767	Nonlinear force fields: a distributed system of control primitives for representing and learning movements.	18

1766 Non-model-based impedance control of an industrial robot.	6
1765 Drum roll: increasing bandwidth through passive impedance modulation.	1
1764 An actively compliable probing system. 1997 , 17, 14-21	4
$_{1763}$ Development of a redundant macro-micro manipulator for compliant motion.	O
1762 Experimental comparison of hybrid and external control structures for a mobile manipulator.	. 2
1761 Impedance control of a teleoperated mini excavator.	17
1760 Control of a robot handling an object in cooperation with a human.	41
1759 Robot impedance generation from logic task description through progressive learning.	2
1758 Contact sensation in the synthetic environment using the ISU force reflecting exoskeleton.	2
1757 On the control of space free-flyers using multiple impedance control.	11
1756 Modeling piezoelectric stack actuators for control of micromanipulation. 1997 , 17, 69-79	426
Modeling piezoelectric stack actuators for control of micromanipulation. 1997 , 17, 69-79	426 5
	5
1755 · A comparison between robust and adaptive hybrid position/force control schemes for hydrau	5 ulic
A comparison between robust and adaptive hybrid position/force control schemes for hydrau underwater manipulators. 1997 , 19, 107-116	ulic 14
A comparison between robust and adaptive hybrid position/force control schemes for hydrau underwater manipulators. 1997 , 19, 107-116 Arm-manipulator coordination for load sharing using variable compliance control.	5 ulic 14
A comparison between robust and adaptive hybrid position/force control schemes for hydrau underwater manipulators. 1997, 19, 107-116 Arm-manipulator coordination for load sharing using variable compliance control. Position-based impedance control of an industrial hydraulic manipulator. 1997, 17, 46-52 Dynamic simulation of virtual mechanisms with haptic feedback using industrial robotics	5 ulic 14 36 62

1748 An object-oriented framework for event-driven dextrous manipulation. 1997 , 51-61	1
Reference adaptive impedance control and its application to obstacle avoidance trajectory planning. 1747	2
Impedance Control as a Particular Case of the Unified Approach to the Control of Robots Interacting with a Dynamic Known Environment. 1997 , 18, 191-204	8
1745 Principles for design of position and force controllers for robot manipulators. 1997 , 21, 263-27	77 6
Control of interaction impedance using an electrohydraulic servosystem: an application to robo deburring. 1997 , 65, 172-178	otic 2
$_{1743}$ A compliant end-effector coupling for vertical assembly: design and evaluation. 1997 , 13, 21-30	0 6
An output feedback parallel force/position regulator for a robot manipulator in contact with a compliant environment. 1997 , 29, 295-300	7
1741 Direct adaptive impedance control including transition phases. 1997 , 33, 643-649	19
1740 A Concept of an Intelligent Fuzzy Control for Assembly Robot. 1998 , 47, 9-12	1
1739 Neural control of rhythmic arm movements. 1998 , 11, 1379-1394	176
Neural control of rhythmic arm movements. 1998 , 11, 1379-1394 1738 Serial processing in human movement production. 1998 , 11, 1345-1356	176 30
1738 Serial processing in human movement production. 1998 , 11, 1345-1356	30
Serial processing in human movement production. 1998 , 11, 1345-1356 1737 Dynamic performance of hybrid robot controllers near singularities.	30 0 102
 Serial processing in human movement production. 1998, 11, 1345-1356 Dynamic performance of hybrid robot controllers near singularities. Neural network impedance force control of robot manipulator. 1998, 45, 451-461 	30 0 102
1738 Serial processing in human movement production. 1998, 11, 1345-1356 1737 Dynamic performance of hybrid robot controllers near singularities. 1736 Neural network impedance force control of robot manipulator. 1998, 45, 451-461 1735 Issues in impedance selection and input devices for multijoint powered orthotics. 1998, 6, 102-	30 0 102 -5 24
1738 Serial processing in human movement production. 1998, 11, 1345-1356 1737 Dynamic performance of hybrid robot controllers near singularities. 1736 Neural network impedance force control of robot manipulator. 1998, 45, 451-461 1735 Issues in impedance selection and input devices for multijoint powered orthotics. 1998, 6, 102- 1734 A neural network-based classification of environment dynamics models for compliant control of manipulation robots. 1998, 28, 58-69	30 0 102 -5 24 of 9

1730	Passive compliance versus active compliance in robot-based automated assembly systems. 1998 , 25, 48-57	58
1729	Control in robotics: open problems and future directions.	4
1728	Feedback control for robotic manipulator with uncertain kinematics and dynamics.	25
1727	Stability and Control of Human Trunk Movement During Walking. 1998 , 1, 247-259	16
1726	Integration of real-time planning and control in an unstructured manufacturing workcell. 1998 , 13, 473-492	1
1725	Nonlinear and Adaptive Control of Force and Compliance in Manipulators. 1998 , 17, 467-484	27
1724	Robot-aided neurorehabilitation. 1998 , 6, 75-87	928
1723	Hierarchical fuzzy force control for industrial robots. 1998 , 45, 646-653	27
1722	Force control: A bird's eye view. 1998 , 1-17	29
1721	Visual impedance using 1 ms visual feedback system.	19
,	Visual impedance using 1 ms visual feedback system. Analysis of nonlinear neural network impedance force control for robot manipulators.	19
,		
1720	Analysis of nonlinear neural network impedance force control for robot manipulators.	
1720 1719	Analysis of nonlinear neural network impedance force control for robot manipulators. Anti-Personnel Mine Detection Manipulator. 1998, 500-506	4
1720 1719 1718	Analysis of nonlinear neural network impedance force control for robot manipulators. Anti-Personnel Mine Detection Manipulator. 1998, 500-506 Multiple impedance control for object manipulation.	10
1720 1719 1718	Analysis of nonlinear neural network impedance force control for robot manipulators. Anti-Personnel Mine Detection Manipulator. 1998, 500-506 Multiple impedance control for object manipulation. An Iterative Learning- Control Scheme for Impedance Control of Robotic Manipulators. 1998, 17, 1091-1104	10
1720 1719 1718 1717 1716	Analysis of nonlinear neural network impedance force control for robot manipulators. Anti-Personnel Mine Detection Manipulator. 1998, 500-506 Multiple impedance control for object manipulation. An Iterative Learning- Control Scheme for Impedance Control of Robotic Manipulators. 1998, 17, 1091-1104 Vibration Control of Flexible Manipulators Using Smart Structures. 1998, 11, 90-94	4 10 29 8

1712 Analysis of a robot system with a passive damper for force and impact control. 1998 , 13, 1-24	1
1711 Collision force suppression using a passively movable human-friendly robot. 1998 , 13, 493-511	1
1710 Model adaptive hybrid dynamic control for constrained motion systems. 1998 , 43, 560-564	7
1709 Learning impedance control for robotic manipulators. 1998 , 14, 452-465	86
1708 Evaluation of impedance and teleoperation control of a hydraulic mini-excavator. 1998 , 227-240	4
1707 Computational dynamic analysis of extravehicular activity: large-mass handling. 1998 , 35, 225-7	8
1706 Rhythmic robot arm control using oscillators.	23
1705 Nonlinear Stability of Hybrid Control. 1998 , 17, 792-806	2
1704 Realization of the human skill in the peg-in-hole task using hybrid architecture.	1
Reference adaptive impedance control: a new paradigm for event-based robotic and telerobotic control.	
1702 . 1998,	9
1701 Haptic interface for virtual reality based minimally invasive surgery simulation.	18
1700 Human behavior modeling in master-slave teleoperation with kinesthetic feedback.	6
1699 Control of dexterous hand master with force feedback.	2
1698 Tracking adaptive impedance robot control with visual feedback.	3
	3
1698 Tracking adaptive impedance robot control with visual feedback.	

1694 Impedance matching for evaluation of dexterity in execution of robot tasks.	4
1693 Impedance control with varying stiffness for parallel-link manipulators. 1998 ,	3
1692 Modelling and realization of the peg-in-hole task based on hidden Markov model.	4
1691 Coupled Stability of Non-Nodic Physical Systems. 1998 , 31, 573-578	1
1690 Experiments on extended impedance control of redundant manipulator.	1
1689 Generalization of Impedance Matching to Nonlinear Dynamics of Robot Tasks. 1998 , 31, 517-522	1
1688 Control of two industrial robots for parts mating.	7
1687 Implementation of force control on redundant robot.	5
1686 Implementation of the human skill based on hybrid architecture.	0
1685 Synthesis of impedance control laws at higher control levels: algorithms and experiments.	7
1684 Simulation of conservative properties of stiffness matrices in congruence transformation.	Ο
1683 Free and constrained motion teleoperation via naturally-transitioning rate-to-force control.	4
1682 Model predictive algorithms based on fuzzy discrete alternatives. 1999 ,	О
$_{1681}$ Stiffness adaptation and force regulation using hybrid system approach for constrained robots.	
Proposal of Skill-Assist: a system of assisting human workers by reflecting their skills in positioning tasks.	34
1679 Feedforward modulation of dynamic behaviour in anthropomorphic robots via force redundancies.	
1678 Analysis of stiffness of human fingertip and comparison with artificial fingers.	8
1677 Generalized fuzzy environment models learned with genetic algorithms for a robotic force control.	

1676	A mechatronic device for simulating push-buttons and knobs.	6
1675	Adaptive impedance modification of a master-slave manipulator.	8
1674	A passivity-based control scheme for robotic grasping and manipulation.	1
1673	Position/force control for robot manipulators applying robust control algorithms.	
1672	Hybrid control for biped robots using impedance control and computed-torque control.	12
1671	Position-based impedance control using a fuzzy compensator.	5
1670	Force and impact control for robot manipulators using time delay.	2
1669	Experiments on impedance control of redundant manipulators.	2
1668	Experiments with a steady hand robot in constrained compliant motion and path following.	7
1667	Disturbance observer based robust impedance control of redundant manipulators.	
1666	A walk-through programmed robot for welding in shipyards. 1999 , 26, 377-388	40
1665	A Force Commanded Impedance Control for a Robot Finger with Uncertain Kinematics. 1999 , 18, 1013-1029	13
1664	Mechanically Implementable Accommodation Matrices for Passive Force Control. 1999 , 18, 830-844	5
1663	Model-Adaptive Hybrid Dynamic Control for Robotic Assembly Tasks. 1999 , 18, 998-1012	2
1662	Properties of the Grasp Stiffness Matrix and Conservative Control Strategies. 1999 , 18, 159-167	31
1661	Using damping injection and passivity in robotic manipulation. 1999,	3
1660	Joint torque based Cartesian impedance control for the DLR hand. 1999,	10
1659	A control-system architecture for robots used to simulate dynamic force and moment interaction between humans and virtual objects. 1999 , 29, 481-493	16

1658	. 1999 , 19, 47-54	37
1657	Position and force control of robotic devices interacting with passive environments through compliance modulation. 1999 , 30, 697-705	1
1656	Haptic interface for simulating push-buttons. 1999,	1
1655	Implementation of generalized impedance control for robot manipulators.	O
1654	Backstepping control in the physical domain. 1999 ,	
1653	Adaptive force tracking impedance control of robot for cutting nonhomogeneous workpiece.	11
1652	Implementation of variable joint stiffness through antagonistic actuation using rolamite springs. 1999 , 34, 27-40	71
1651	Technical Note Application of position/force control to scale calibration. 1999 , 9, 207-224	2
1650	A new macro/micro robotic probing system for the in-circuit test of PCBs. 1999 , 9, 589-613	3
1649	Extension of impedance matching to nonlinear dynamics of robotic tasks. 1999 , 36, 109-119	24
1648	Dynamics of contact tasks in robotics. Part I: general model of robot interacting with environment. 1999 , 34, 923-942	35
1647	Mechanics and stiffness limitations of a variable stiffness actuator for use in prosthetic limbs. 1999 , 34, 7-25	72
1646	Study of the passive compliance of parallel manipulators. 1999 , 34, 373-389	32
1645	Learning Force Control for Position Controlled Robotic Manipulator. 1999 , 48, 1-4	37
1644	A Robotics Perspective On Human Spaceflight. 1999 , 87, 173-190	15
1643	Coordinated Motion and Force Control of Multi-Limbed Robotic Systems. 1999 , 6, 7-20	7
1642	Feedback control for robotic manipulator with an uncertain Jacobian matrix. 1999 , 16, 119-134	89
1641	A taxonomy for robot control.	

 $_{\rm 1640}$ Impedance control approach vs. adaptive nonlinear design in simulated push-button haptic interface.

1639	Six-DOF impedance control based on angle/axis representations. 1999 , 15, 289-300	127
1638	. 1999 , 44, 1943-1946	13
1637	An observation model and segmentation algorithm for skill acquisition of a deburring task. 1999,	1
1636	Series elastic actuator development for a biomimetic walking robot. 1999,	203
1635	An exponentially stable adaptive control for force and position tracking of robot manipulators. 1999 , 44, 798-802	48
1634	A robust control scheme for dual-arm redundant manipulators: experimental results.	3
1633	Bilateral matched impedance teleoperation with application to excavator control. 1999 , 19, 29-37	51
1632	Noncontact impedance control for redundant manipulators. 1999 , 29, 184-193	24
1631	Hierarchical control of end-point impedance and joint impedance for redundant manipulators. 1999 , 29, 627-636	О
1630	Intelligent controllers as hierarchical stochastic automata. 1999 , 29, 151-63	6
1629	A survey of robot interaction control schemes with experimental comparison. 1999 , 4, 273-285	157
1628	A limitation of position based impedance control in static force regulation: theory and experiments.	2
1627	Adaptive force/position control of a robot hand.	1
1626	A five-bar finger mechanism involving redundant actuators: analysis and its applications. 1999 , 15, 1001-1010	30
1625	PID control of robotic manipulator with uncertain Jacobian matrix.	36
1624	Impedance control of underwater vehicle-manipulator systems (UVMS).	
1623	Robust robot compliant motion control using intelligent adaptive impedance approach. 1999 ,	20

1622 . 1 1621 A force control approach of robotic manipulators with neural network compensation. 1999, 32, 659-664 On robust impedance-force-control to a 6-link electro-hydraulic manipulator with dynamic 1620 environment. 1999, 32, 3271-3276 Force and position control of robot manipulators: A fuzzy sliding mode approach. 1999, 32, 843-848 1618 Cartesian impedance control for the DLR Hand. 11 Fuzzy selection of fuzzy-neuro robot force controllers in an unknown environment. Relationship of position-based impedance control to explicit force control: theory and experiments. 1616 1 1999. 1615 Design of an active arm support for assisting arm movements. 1999, 435-444 1614 Assistive Devices For Motor Disabilities. 1999, 4 1613 An experiment on profiling task with impedance controlled manipulator using cutter location data. Parts Mating Aided by Constant-Amplitude Sinusoidal Motions. 1999, 121, 802-810 1 Adaptive Impedance Control for a Bilateral Robot Teleoperation System. 2000, 33, 57-62 1610 Driving a Servo System with An Impedance Controller. 2000, 33, 651-656 1609 Time Delay Compensation Control Structure for a Robotic Teleoperation System. 2000, 33, 269-274 1608 Motion Control Strategy for Robot Manipulators in the Neighbourhood of Singularities. 2000, 33, 275-280 1607 Force and Position Control of Robotic Manipulators: An Experimental Approach. 2000, 33, 27-32 1606 Fuzzy Predictive Algorithms Applied to Force Control of Robotic Manipulators. 2000, 33, 81-86 1605 Tracking Robust Impedance Robot Control with Visual Feedback. 2000, 33, 69-74

Robot Force Control Experiments in Non-Rigid Environments. **2000**, 33, 159-164

1603 On-line Reconfiguration of Real-Time Robot Motion and Force Control. 2000 , 33, 171-1	176
Design of a Hybrid External Structure for a Multi-Fingered Hand. 2000 , 33, 629-634	
1601 Impact Control in Robotics: A Brief Survey 1. 2000 , 33, 645-650	1
1600 Contact parameter identification for robotic systems. 2000 ,	
Application of multiple fuzzy-neuro force controllers in an unknown environment using algorithms.	g genetic 2
Asymptotic stability of robot control with approximate Jacobian matrix and its applica servoing.	tion to visual
1597 Analysis of muscle contraction to external elastic load using wavelet transform. 2000 , i	31, 76-86
1596 Impedance control of a hydraulically actuated robotic excavator. 2000 , 9, 421-435	81
1595 Hot strip mill tensionlboper control based on decentralization and coordination. 2000 ,	. 8, 337-344 37
1594 Trajectory planning for automated robotic deburring on an unknown contour. 2000 , 40	0, 957-978 9
Application of self-tuning fuzzy controller for a Cartesian manipulator on unknown cor 40, 943-955	ntours. 2000 ,
Application of a rule self-regulating fuzzy controller for robotic deburring on unknown 2000 , 110, 341-350	n contours.
1591 A new controller adapted to constrained pneumatic multichain structures. 2000 , 36, 13	321-1327 4
1590 Application of MRAC theory for adaptive control of a constrained robot manipulator. 2	2000 , 40, 2083-2097 9
1589 Effects of shoulder stability on endpoint stiffness. 2000 , 19, 53-8	3
1588 Getting humanoids to move and imitate. 2000 , 15, 18-24	83
1587 Legged robots at MIT: what's new since Raibert?. 2000 , 7, 15-19	58

1586 Modelling of constrained robot system with constraint uncertainties. 2000 , 17, 53-61	5
$_{1585}$ Hybrid control of biped robots to increase stability in locomotion. 2000 , 17, 187-197	6
1584 A teleoperation system based on generation of artificial forces and sensor-based motion-pl	anning. o
${f 1}_{f 5} {f 8}_{f 3}$ Geometrically consistent impedance control for dual-robot manipulation.	4
End points of planar reaching movements are disrupted by small force pulses: an evaluation hypothesis of equifinality. 2000 , 84, 2670-9	n of the 25
1581 .	
The role of handling characteristics in driver assistance systems with environmental interac 2000 ,	tion. 4
1579 Hybrid force/velocity discrete event controller synthesis for assembly tasks with friction.	
1578 Impedance control for multi-arm manipulation.	2
1577 NN controller of the constrained robot under unknown constraint.	1
NN controller of the constrained robot under unknown constraint. Design and experimental evaluation of a stable transition controller for geometrically constraint.	
Design and experimental evaluation of a stable transition controller for geometrically const	trained
Design and experimental evaluation of a stable transition controller for geometrically constrobots.	trained
Design and experimental evaluation of a stable transition controller for geometrically constrobots. 1576 Flexible motion of pull-out-work by articulated robot arm based on forcefree control.	trained 3
Design and experimental evaluation of a stable transition controller for geometrically constrobots. 1576 Flexible motion of pull-out-work by articulated robot arm based on forcefree control. 1574 Interactive dynamic simulation using haptic interaction.	trained 3
Design and experimental evaluation of a stable transition controller for geometrically constrobots. 1576 Flexible motion of pull-out-work by articulated robot arm based on forcefree control. 1574 Interactive dynamic simulation using haptic interaction. 1573 Neural network controller for constrained robot manipulators.	trained 3 O 2
Design and experimental evaluation of a stable transition controller for geometrically constrobots. 1576 Flexible motion of pull-out-work by articulated robot arm based on forcefree control. 1574 Interactive dynamic simulation using haptic interaction. 1573 Neural network controller for constrained robot manipulators. 1572 A unified force control approach to autonomous underwater manipulation.	trained 3

1568	Design of active/passive hybrid compliance in the frequency domain-shaping dynamic compliance of humanoid shoulder mechanism.	6
1567	Interactive control of human/robot sharing same workspace.	4
1566	Simulation of conservative congruence transformation. Conservative properties in the joint and Cartesian spaces.	4
1565	Robust force control of a 6 link electro-hydraulic manipulator.	
1564	Realistic force feedback for virtual reality based diagnostic surgery simulators.	36
1563	Adaptive Control for Safe and Quality Rebar Fabrication. 2000 , 126, 122-129	15
1562	Human Safety Mechanisms of Human-Friendly Robots: Passive Viscoelastic Trunk and Passively Movable Base. 2000 , 19, 307-335	51
1561	Evaluation of Rate-Based, Force-Reflecting Teleoperation in Free Motion and Contact. 2000 , 9, 25-36	6
1560	An industrial application of control of dynamic behavior of robots-a walk-through programmed welding robot.	6
1559	Instantaneous model impedance control for robots.	4
1558	Biomimetic trajectory planning via redundant actuation.	2
1557	Motion control of adaptive space structures based on artificial Lagrange energy method. 2000,	
1556	Discussion on: Impact Control of a Single-link Robot Striking Different Environments: Theoretical and Experimental Investigation M. Indri and A. Tornamb 2000, 6, 338-340	
1555	A teleoperation support system with the help of dual views of Cartesian and configuration space.	
1554	Force tracking in multiple impedance control of space free-flyers.	2
1553	Programming and control of robots by means of differential algebraic inequalities. 2000, 16, 135-145	14
1552	Internal force-based impedance control of dual-arm manipulation of flexible objects.	3
1551	Impedance control for industrial robots.	10

1550	Force controllable hydro-elastic actuator.	21
1549	Sensor-based hybrid position/force control of a robot manipulator in an uncalibrated environment. 2000 , 8, 635-645	94
1548	. 2000 , 8, 777-786	18
1547	An overview of dexterous manipulation.	180
1546	Robust neural force control scheme under uncertainties in robot dynamics and unknown environment. 2000 , 47, 403-412	67
1545	How Much Coordination Can be Obtained without Representing Time?. 2000, 325-333	1
1544	Rehabilitators, Robots, and Guides: New Tools for Neurological Rehabilitation. 2000 , 516-534	26
1543	Force control of robot manipulators.	78
1542	Putting energy back in control. 2001 , 21, 18-33	493
1541	Impedance control for biped robot locomotion. 2001 , 17, 870-882	129
1540	An adaptive fuzzy control approach for cooperative manipulators.	3
1539	Energy shaping control revisited. 2001 , 277-307	5
1538	Self-tuning position and force control of an underwater hydraulic manipulator.	4
1537	Palliative treatment for stroke. 2001 , 19, 903-20	6
1536	Experimental studies of neural network impedance force control for robot manipulators.	3
1535	Force Tracking Impedance Control for Robot Manipulators with an Unknown Environment: Theory, Simulation, and Experiment. 2001 , 20, 765-774	47
1534	A stable transition controller for constrained robots. 2001 , 6, 65-74	39
1533	DLR-Hand II: next generation of a dextrous robot hand.	265

1532	The position/force control with self-adjusting select-matrix for robot manipulators.	2
1531	Biomimetic design and fabrication of a hexapedal running robot.	49
1530	A neuro-based adaptive training method for robotic rehabilitation aids.	
1529	On electrical analogues of mechatronic systems.	1
1528	Adaptive control and impedance control for dual robotic arms manipulating a common heavy load.	4
1527	Towards the development of a humanoid arm by minimizing interaction forces through minimum impedance control.	11
1526	Compliant design for intrinsic safety: general issues and preliminary design.	44
1525	Robust implementation of generalized impedance control for robot manipulators. 2001 , 15, 641-661	5
1524	Development of laparoscopic instruments. 2001 , 10, 145-54	16
1523	Human assisted impedance control of overhead cranes.	10
1522	Hamlet: force/position controlled hexapod walker - design and systems.	10
1521	Dynamic controller of BIPMAN.	
1520	A roadmap for autonomous robotic assembly.	10
1519	Functional compliance in the control of a personal robot.	6
1518	Tracking control of blind mobile robot using force sensor.	O
1517	Synthesis of impedance control for complex co-operating robot assembly task. 2001,	4
1516	Impedance control and internal model formation when reaching in a randomly varying dynamical environment. 2001 , 86, 1047-51	150
1515	Whole-arm impedance of a serial-chain manipulator.	5

1514 Is robot-aided sensorimotor training in stroke rehabilitation a realistic option?. 2001 , 14, 745-5	52 138
1513 An impedance control strategy for cooperative manipulation.	7
1512 Characterization and control of a screw-driven robot for neurorehabilitation.	15
1511 Stiffness control for geared manipulators.	3
1510 Neural Network-Based Learning Impedance Control for a Robot 2001 , 44, 626-633	2
Automatic insertion of a long-pipe by a mobile manipulator with exchangeable active/passive joints.	1
1508 A Dynamics-Based Adaptive Control for Master-Slave System in Teleoperation. 2001 , 34, 237-2	242
1507 Inertance Control of Underwater Installations. 2001 , 34, 345-350	1
1506 Self-Tuning Position and Force Control of an Underwater Hydraulic Manipulator. 2001 , 34, 149	9-154 1
Multidirectional compliance and constraint for improved robotic deburring. Part 2: improved bracing. 2001 , 17, 287-294	3
1504 Fuzzy predictive algorithms applied to real-time force control. 2001 , 9, 411-423	19
1503 A trivial and efficient learning method for motion and force control. 2001 , 14, 487-496	5
Simulation analysis of muscle activity changes with altered body orientations during pedaling. , 34, 749-56	2001 8
Achieving a cooperative behavior in a dual-arm robot system via a modular control structure. 1501 18, 691-699	2001 , 9
1500 Design of programmable passive compliance shoulder mechanism.	22
A computational model for the autonomous control loops through the cerebellum, spinal code muscle. 1499	e and
1498 Force guided assemblies using a novel parallel manipulator.	11
1497 Adaptive control of robotic surface finishing processes. 2001 ,	13

1496 A robot test-bed for assistance and assessment in physical therapy. 2001 , 14, 565-578	1
1495 Evidence for Spring Loaded Inverted Pendulum Running in a Hexapod Robot. 2001 , 291-302	19
1494 Immobilization-Based Control of Spider-Like Robots in Tunnel Environments. 2001 , 20, 209-227	
1493 Flexible motion realized by force free control: pull-out-work by articulated robot arm.	1
1492 Distributed Coordination in Modular Precision Assembly Systems. 2001 , 20, 819-838	28
1491 Virtual Model Control: An Intuitive Approach for Bipedal Locomotion. 2001 , 20, 129-143	336
1490 Position and force control by reaction compensation.	0
1489 Hybrid force/position control in moving hand coordinate frame.	2
1488 Disturbance rejection analysis of multiple impedance control for space free-flying robots.	7
1487 Impedance control with virtual compliance.	
1486 Cartesian impedance control techniques for torque controlled light-weight robots.	70
$_{1485}$ Force-free control of articulated robot arm considering velocity along assigned locus.	
Property of force-free control with independent compensation for inertia, friction and gravity of industrial articulated robot arm.	1
$_{1483}$ Adaptive decentralized compliant control of robot manipulators. 2002 ,	
1405 / 1605 part e decementamiza de comprison e contentra e l'acceptant de l'acce	
1482 Skill of compliance with controlled charging/discharging of kinetic energy.	16
	16 5
1482 Skill of compliance with controlled charging/discharging of kinetic energy.	

1478 Admittance enhancement in force feedback of dynamic systems.	12
Robotic grasping: gripper designs, control methods and grasp configurations a review of research. 2002 , 13, 520-531	17
1476 SKELETAL MUSCLE IMPEDANCE IN THE CONTROL OF MOTOR ACTIONS. 2002 , 02, 359-373	24
1475 Fast and Robust: Hexapedal Robots via Shape Deposition Manufacturing. 2002 , 21, 869-882	188
1474 Stability effects of singularities in force-controlled robotic assist devices. 2002 , 4570, 34	
1473 The contributions of muscles and reflexes to the regulation of joint and limb mechanics. 2002 , S43-50	24
1472 Bilateral teleoperation of mobile robots. 2002 , 20, 213-221	11
The Operational Space Formulation implementation to aircraft canopy polishing using a mobile manipulator.	9
1470 HYBRID FORCE/POSITION CONTROL OF REDUNDANT MOBILE MANIPULATORS. 2002 , 35, 383-388	1
CANADIAN VIRTUAL LABORATORY FOR TELE-EDUCATION IN AEROSPACE AND MECHATRONICS. 2002 , 35, 127-131	
1468 Impedance Control Based Gait-Pattern Adaptation for a Robotic Rehabilitation Device. 2002 , 35, 389-39	93 ₄
INTEGRATING FUZZY ADAPTIVE AND FUZZY ROBUST FORCE/POSITION CONTROL OF ROBOT MANIPULATORS. 2002 , 35, 401-406	
1466 References. 2002 , 447-473	1
1465 An impedance-compliance control for a cable-actuated robot.	3
1464 Fuzzy impedance control for robots in complex spatial edge following.	1
Compliant control for a cable-actuated anthropomorphic robot arm: an experimental validation of different solutions.	7
1462 . 2002 , 10, 355-367	81
1461 Active control of underwater installation. 2002 , 10, 743-748	23

1460 A proposal for utilizing structural joint stop in a manipulator.	1
1459 Automated force controlled assembly utilizing a novel hexapod robotic manipulator.	2
1458 Human voluntary activity integration into the control of standing-up rehabilitation robot.	2
1457 Neural network based adaptive impedance control of constrained robots.	8
1456 A rigorous framework for interactive robot control. 2002 , 75, 1486-1503	7
1455 Adaptive force control of position/velocity controlled robots: theory and experiment. 2002 , 18, 121-137	104
1454 Skill-Assist: Helping Human Workers with Automobile Modular Component Assembly. 2002 ,	3
1453 Impedance control of a robotic gripper for cooperation with humans. 2002 , 10, 379-389	11
1452 An LMI approach to stabilization of linear port-controlled Hamiltonian systems. 2002 , 45, 371-385	37
$_{1451}$ A position/force control for a robot finger with soft tip and uncertain kinematics. 2002 , 19, 115-131	23
1450 Bilateral parallel force/position teleoperation control. 2002 , 19, 155-167	80
1449 Planning and controlling cooperating robots through distributed impedance. 2002 , 19, 283-297	33
Stability of hybrid position and force control for robotic manipulator with kinematics and dynamics uncertainties. 2003 , 39, 847-855	77
1447 Fuzzy unidirectional force control of constrained robotic manipulators. 2003 , 134, 135-146	21
Closed-loop multivariable system identification for the characterization of the dynamic arm compliance using continuous force disturbances: a model study. 2003 , 122, 123-40	90
A force-controlled planar haptic device for movement control analysis of the human arm. 2003 , 129, 151-68	37
1444 Nonlinear adaptive control of masterBlave system in teleoperation. 2003 , 11, 1-10	40
1443 Supervisory control for a telerobotic system: a hybrid control approach. 2003 , 11, 805-817	14

1442 An experimental study on compliance control for a redundant personal robot arm. 2003 , 44, 101-129	44
1441 HapticMaster 🖪 generic force controlled robot for human interaction. 2003 , 30, 515-524	108
1440 Modeling of force sensing and validation of disturbance observer for force control.	14
1439 Internet-based teleoperation of a mobile robot with force-reflection.	
Exact solution and infinite-dimensional stability analysis of a single flexible link in collision. 2003 , 19, 1015-1020	15
1437 Feedback strategies for shared control in dexterous telemanipulation.	8
1436 Control of ionic polymer metal composites. 2003 , 8, 245-253	76
1435 The Tricept robot: dynamics and impedance control. 2003 , 8, 263-268	74
A method for dynamics identification for haptic display of the operating feel in virtual environments. 2003 , 8, 476-482	7
1433 Quantitative Safety Guarantees for Physical Human-Robot Interaction. 2003 , 22, 479-504	140
Quantitative Safety Guarantees for Physical Human-Robot Interaction. 2003 , 22, 479-504 1432 Design of Robot Controllers for Cooperative Interactive Dynamics. 2003 ,	140
	140
1432 Design of Robot Controllers for Cooperative Interactive Dynamics. 2003 ,	
Design of Robot Controllers for Cooperative Interactive Dynamics. 2003, Robotic force control using observer-based strict positive real impedance control.	10
Design of Robot Controllers for Cooperative Interactive Dynamics. 2003, Robotic force control using observer-based strict positive real impedance control. Using robots for astronaut training. 2003, 23, 46-59	10
Design of Robot Controllers for Cooperative Interactive Dynamics. 2003, Robotic force control using observer-based strict positive real impedance control. Using robots for astronaut training. 2003, 23, 46-59 Robot assistive device for augmenting standing-up capabilities in impaired people.	10 14 6
 1432 Design of Robot Controllers for Cooperative Interactive Dynamics. 2003, 1431 Robotic force control using observer-based strict positive real impedance control. 1430 Using robots for astronaut training. 2003, 23, 46-59 1429 Robot assistive device for augmenting standing-up capabilities in impaired people. 1428 A virtual training sports system for measuring human hand impedance. 	10 14 6

1424	Analysis and experimental validation of force bandwidth for force control.	22
1423	Contact Stiffness and Damping Estimation for Robotic Systems. 2003, 22, 41-57	140
1422	Forcefree control with independent compensation for inertia friction and gravity of industrial articulated robot arm.	1
1421	Mechatronic design of innovative fingers for anthropomorphic robot hands.	18
1420	. 2003 , 19, 876-884	27
1419	Decoupling based Cartesian impedance control of flexible joint robots.	28
1418	The passivity of natural admittance control implementations.	21
1417	Performance analysis of an electrohydraulic impedance controller for robotic interaction control. 2003 , 17, 791-806	1
1416	Remarks on the stability of parallel force/position control. 2003, 217, 519-524	
1415	Integrated Task Planning and Control for Mobile Manipulators. 2003 , 22, 337-354	66
1414	Design and control of a two-dimensional telerobotic system with a haptic interface. 2003 , 217, 169-185	
1413	Mechanism design and control of dynamically-coupled driving based manipulator.	
1412	Development of a flexible structural contact force sensor for a grasping task by robot hand.	O
1411	Task readiness impedance in human arm movements for virtual ball-catching task.	3
1410	Extended generalized impedance control for redundant manipulators.	3
1409	The latest robot systems which reinforce manufacturing sector.	2
1408	Development of a hyper dynamic manipulator utilizing joint stops.	O
1407	Actively servoed multi-axis microforce sensors.	1

1406 Towards automatic transfer of human skills for robotic assembly.	5
1405 Passive Asymptotic Curve Tracking. 2003 , 36, 199-204	2
1404 Interactive Dynamic Simulation Schemes for Articulated Bodies through Haptic Interface. 2003 , 25, 25-	33 5
1403 Cooperative strategies for robot-aided gait neuro-rehabilitation. 2004 , 2004, 4822-4	6
1402 Development system for a haptic interface based on impedance/admittance control.	O
Quantitative evaluation for skill controller based on comparison with human demonstration. 2004 , 12, 609-619	9
Collision avoiding continuation method for the inverse kinematics of redundant manipulators. 2004 ,	8
1399 Energy optimal control of serial manipulators avoiding collisions.	5
1398 .	13
1397 Bio-mimetic control for whole arm cooperative manipulation.	2
1396 Hybrid vision-force control for robot with uncertainties. 2004 ,	13
1395 Robot control strategy for in-orbit assembly of a micro satellite. 2004 , 18, 199-222	5
1394 Evolutionary-based virtual training in extracting fuzzy knowledge for deburring tasks. 2004 , 27, 193-20	2 4
Phantom-based multimodal interactions for medical education and training: the Munich Knee Joint Simulator. 2004 , 8, 208-16	21
1392 Analysis of mechanical impedance in human arm movements using a virtual tennis system. 2004 , 91, 29	95-305 34
Design and stability analysis of impedance controller for bilateral teleoperation under a time delay. 2004 , 18, 1131-1139	6
Development and implementation of a real-time open-architecture control system for industrial robot systems. 2004 , 17, 469-483	23
1389 Adaptive impedance control of a haptic interface. 2004 , 14, 237-253	21

1388	Active tracking of unknown surface using force sensing and control technique for robot. 2004 , 112, 313-319	16
1387	Study of the antagonistic stiffness of parallel manipulators with actuation redundancy. 2004 , 39, 583-601	91
1386	Isotropic force control for haptic interfaces. 2004 , 12, 1423-1436	14
1385	UBH 3: an anthropomorphic hand with simplified endo-skeletal structure and soft continuous fingerpads. 2004 ,	31
1384	Quarry of environmental information based on twin robot system Environment Quarrier.	2
1383	Motor adaptation as an optimal combination of computational strategies. 2004 , 2004, 4025-8	6
1382	•	3
1381	Mechanical manipulator for intuitive control of endoscopic instruments with seven degrees of freedom. 2004 , 13, 191-8	9
1380	Internet-based obstacle avoidance of mobile robot using a force-reflection.	
1379	Optimal selection of manipulator impedance for contact tasks. 2004,	5
1378	A multiestimation-based scheme for adaptive control of robotic manipulators guaranteeing closed-loop stability. 2004 ,	
1377	Cooperative control of virtual objects over the Internet using force-reflecting master arms. 2004,	40
1376	Port-Based Asymptotic Curve Tracking for Mechanical Systems. 2004 , 10, 411-420	46
1375	Dynamics, control and impedance matching for robotic capture of a non-cooperative satellite. 2004 , 18, 175-198	97
1374	Experimental quantitative comparison of different control architectures for master-slave teleoperation. 2004 , 12, 2-11	71
1373	Mode-shape compensator for improving robustness of manipulator mounted on flexible base. 2004 , 20, 256-268	6
1372	Standing-up robot: an assistive rehabilitative device for training and assessment. 2004 , 28, 74-80	35
1371	Adaptive Control of Smart Space Structures Based on Artificial Potential Energy Method. 2004 ,	

(2004-2004)

A pattern recognition technique to characterize the differential modulation of co-activating muscles at the performer/environment interface. 2004 , 14, 539-54	3
1369 Active stiffness of the ankle in response to inertial and elastic loads. 2004 , 14, 599-609	37
Online learning of virtual impedance parameters in non-contact impedance control using neural networks. 2004 , 34, 2112-8	13
1367 Force tracking impedance control of robot manipulators under unknown environment. 2004 , 12, 474-48	83 250
A passivity based Cartesian impedance controller for flexible joint robots - part I: torque feedback and gravity compensation. 2004 ,	83
1365 Neural primitives for motion control. 2004 , 29, 640-650	59
1364 . 2004 , 20, 480-487	8
1363 A framework for implementing cooperative motion on industrial controllers. 2004 , 20, 583-589	19
1362 . 2004 , 20, 488-498	82
Automatic gait-pattern adaptation algorithms for rehabilitation with a 4-DOF robotic orthosis. 2004 , 20, 574-582	200
1360 A generalized framework for interactive dynamic simulation for MultiRigid bodies. 2004 , 34, 912-24	13
Sensor integration in task-level programming and industrial robotic task execution control. 2004 , 31, 284-296	25
1358 Development of a telerobotic system for exploration of hazardous environments.	22
1357 An evaluation of ultrasonic motors as driving technology in impedance controlled robots. 2004 ,	
1356 Optimization-based robot impedance controller design. 2004 ,	4
1355 Implementation and control of a roadway crack tracking mobile robot with force regulation. 2004 ,	О
1354 A Hopping Height Control for Hopping Robot. 2004 , 124, 660-665	5
1353 Research on a Novel Parallel Engraving Machine and its Key Technologies. 2004 , 1, 26	1

Force/Position Hybrld Control for Geometrically Constrained Tendon-Driven Flexible Joint Arm. 2004 , 37, 1467-1472	0
1351 Passivity based cartesian impedance control for flexible joint manipulators. 2004 , 37, 901-906	1
1350 Dynamics and control of free-flying robots in space: A survey. 2004 , 37, 621-626	1
1349 Impedance Control of hydraulic piston actuators. 2004 , 37, 961-966	4
EXPERIMENTAL STUDIES OF IMPEDANCE FORCE TRACKING CONTROL OF A CRACK SEALING ROBOT FOR HIGHWAY MAINTENANCE. 2005 , 38, 529-534	
1347 ANALYSIS OF HUMAN PERCEPTION ABILITY FOR ROBOT IMPEDANCE. 2005 , 38, 18-23	
1346 A high-precision fuzzy impedance control algorithm and application in robotic arm. 2005 ,	1
FORCEFREE CONTROL WITH INDEPENDENT COMPENSATION FOR INDUSTRIAL ARTICULATED ROBOT ARM. 2005 , 38, 103-108	
impact and force control with switching between mechanical impedance parameters. 2005 , 38, 169-174	
1343 HAPTIC FORCE CONTROL BASED ON IMPEDANCE/ADMITTANCE CONTROL. 2005 , 38, 427-432	3
HYBRID FORCE/IMPEDANCE CONTROL FOR THE ROBOTIZED REHABILITATION OF THE UPPER LIMBS. 2005 , 38, 331-336	3
ADAPTIVE NEURO-FUZZY CONTROLLER FOR HYBRID POSITION/FORCE CONTROL OF ROBOTIC MANIPULATORS. 2005 , 38, 127-132	2
1340 Stable bilateral teleoperation under a time delay using a robust impedance control. 2005 , 15, 611-	625 61
1339 On-line learning of robot arm impedance using neural networks. 2005 , 52, 257-271	19
1338 Impedance control for a pneumatic robot-based around pole-placement, joint space controllers. 2005 , 13, 291-303	33
A bio-inspired approach for regulating and measuring visco-elastic properties of a robot arm. 2005 22, 397-419	;, ₁₂
1336 . 2005 , 12, 53-64	35
1335 Robotic techniques for upper limb evaluation and rehabilitation of stroke patients. 2005 , 13, 311-2	24 267

1334	Patient-cooperative strategies for robot-aided treadmill training: first experimental results. 2005 , 13, 380-94	492
1333	Impedance control for a vehicle platoon system. 2005 , 15, 627-638	39
1332	A control theory approach to the analysis and synthesis of the experimentally observed motion primitives. 2005 , 93, 323-42	21
1331	Robot-aided neurorehabilitation of the upper extremities. 2005 , 43, 2-10	296
1330	Internet-based Real-time obstacle avoidance of a mobile robot. 2005 , 19, 1290-1303	
1329	Impedance Control of Flexible Robot Arms with Parametric Uncertainties. 2005 , 42, 113-133	19
1328	Cartesian Impedance Control of Flexible Joint Robots: A Decoupling Approach. 2005,	1
1327	. 2005,	100
1326	Introduction to haptic rendering. 2005,	16
1325	Kartesische Impedanzregelung von Robotern mit elastischen Gelenken: Ein passivittsbasierter Ansatz (Cartesian Impedance Control of Flexible Joint Robots: A Passivity Based Approach). 2005 , 53, 378-388	1
1324	Internal models in sensorimotor integration: perspectives from adaptive control theory. 2005 , 2, S147-63	80
1323	An impedance-controlled parallel robot for high-speed assembly of white goods. 2005 , 32, 226-233	16
1322	Haptic telemanipulation with dissimilar kinematics. 2005,	9
1321	An analysis of parameter variations of disturbance observer for haptic motion control. 2005,	5
1320	Collision Avoidance of a Mobile Robot Using Intelligent Hybrid Force Control Technique.	2
1319	Rehabilitation Robot Cell for Multimodal Standing-Up Motion Augmentation.	1
1318	Inverse Jacobian based hybrid impedance control of redundant manipulators.	3
1317	A bio-inspired joint controller for the decentral control of a closed kinematic chain consisting of elastic joints.	2

1316	Low-Level Finger Coordination for Compliant Anthropomorphic Robot Grippers.	1
1315	Impedance Control of a Pneumatic Actuator for Contact Tasks.	4
1314	Collision avoidance of a mobile robot for moving obstacles based on impedance force control algorithm. 2005 ,	10
1313	Compliant motion of a multi-segmented inspection robot. 2005 ,	12
1312	Haptic Rendering of Topological Constraints to Users Manipulating Serial Virtual Linkages.	1
1311	Independent Stiffness and Force Control of Pneumatic Actuators for Contact Stability during Robot Manipulation.	4
1310	Force and Acceleration Sensor Fusion for Compliant Robot Motion Control.	8
1309	Control of Robots for Rehabilitation. 2005,	12
1308	Multiple Impedance Control for Space Free-Flying Robots. 2005 , 28, 939-947	68
1307	fMRI-Compatible Electromagnetic Haptic Interface. 2005 , 2005, 7024-7	23
1306	. 2005 , 21, 277-287	102
1305	Manipulability analysis of human arm movements during the operation of a variable-impedance controlled robot. 2005 ,	16
1304		8
1303	Unified force and motion control using an open system real-time architecture on a 7 DOF PA-10 robot.	1
1302	Intrinsic musculoskeletal properties stabilize wiping movements in the spinalized frog. 2005 , 25, 3181-91	18
1301	Non-Model-Based Multiple Impedance Control of Cooperating Robotic Manipulators.	
1300	Biomechanical modelling of the upper limb for robotics-based orthotic tremor suppression. 2005 , 2, 81-85	6
1299	Impedance Control of Space Robots Using Passive Degrees of Freedom in Controller Domain. Journal of Dynamic Systems, Measurement and Control, Transactions of the ASME, 2005, 127, 564-578	38

1298	Mode switching control methods for man-machine collaborated robotic systems.	1
1297	Positioning of a cart by means of a smooth switching function from servo access control to impedance control.	1
1296	Transparency of a Phantom premium haptic interface for active and passive human interaction.	3
1295	Fuzzy-neuro Position/Force Control of Robot Manipulators with Uncertainties.	
1294	Force sensorless workspace impedance control considering resonant vibration of industrial robot. 2005 ,	8
1293	Contact impedance estimation for robotic systems. 2005 , 21, 925-935	174
1292	Tracking control properties of human-robotic systems based on impedance control. 2005 , 35, 523-535	62
1291	A biologically inspired active compliant joint using local positive velocity feedback (LPVF). 2005 , 35, 1120-30	9
1290	Knowledge interaction with genetic programming in mechatronic systems design using bond graphs. 2005 , 35, 172-182	26
1289	High precision fuzzy impedance control of free-form surfaces polishing robotic arm based on position control.	4
1288	Human-machine admittance and transparency adaptation in passive user interaction with a haptic interface.	4
1287	Inverse Jacobian regulator with gravity compensation: stability and experiment. 2005, 21, 741-747	24
1286	Transpose jacobian based hybrid impedance control of redundant manipulators.	
1285	Compliant motion using a mobile manipulator: an operational space formulation approach to aircraft canopy polishing. 2005 , 19, 613-634	18
1284	Modeling and bio-mimetic control for whole-arm dynamic cooperative manipulation. 2005 , 19, 929-950	0
1283	A novel force tracking control approach to an autonomous unmanned helicopter system. 2005 ,	
1282	Human-centered rehabilitation robotics.	26
1281	Optimization-based Robot Compliance Control: Geometric and Linear Quadratic Approaches. 2005 , 24, 645-656	26

1280 Rehabilitation Robotics: a Wearable Exo-Skeleton for Tremor Assessment and Suppression.	31
A unified approach for inverse and direct dynamics of constrained multibody systems based on linear projection operator: applications to control and simulation. 2005 , 21, 834-849	95
1278 Robot-assisted catheter insertion using hybrid impedance control.	17
1277 Robot-aided rehabilitation of neural function in the upper extremities. 2007 , 97, 465-71	9
1276 Dexterous Underwater Robot Hand: HEU Hand II. 2006 ,	15
1275 A new motion control hardware architecture with FPGA-based IC design for robotic manipulators.	4
Force-guided motions of a 6-d.o.f. industrial robot with a joint space approach. 2006 , 20, 1067-1084	11
1273 Realization of Standing of the Musculoskeletal Humanoid Kotaro by Reinforcing Muscles. 2006 ,	7
Robust Adaptive Neural Network Control of Uncertain Rheonomically Constrained Manipulators. 2006 ,	
1271 Passive Compensator Load Variation for Deep Water Contact Operations. 2006 ,	
1270 Acceleration Based Force-Impedance Control of a 6-dof Parallel Robotic Manipulator. 2006 ,	3
On the Position/Force Control of Robot Manipulators with Model Uncertainty and Random Disturbances. 2006 ,	O
1268 Motion Acquisition and Reproduction of Human Hand by Interaction Mode Control. 2006 ,	3
1267 . 2006 ,	1
1266 On the use of an active wearable exoskeleton for tremor suppression via biomechanical loading.	5
1265 .	3
1264 Robust Assembly of Complex Shaped Planar Parts Using Vision and Force. 2006 ,	9
1263 Multiple Impedance Control of Redundant Manipulators. 2006 ,	2

1202	Robust force sensorless control in motion control system.	5
1261	Therapeutic Robotics: A Technology Push: Stroke rehabilitation is being aided by robots that guide movement of shoulders and elbows, wrists, hands, arms and ankles to significantly improve recovery of patients. 2006 , 94, 1727-1738	82
1260	. 2006 , 53, 922-928	132
1259	A Multistage Position/Force Control for Constrained Robotic Systems With Friction: Joint-Space Decomposition, Linearization, and Multiobjective Observer/Controller Synthesis Using LMI Formalism. 2006 , 53, 1698-1712	35
1258	Avoiding Obstacles in Mobile Robot Navigation: Implementing the Tangential Escape Approach. 2006 ,	4
1257	Adaptive jacobian motion and force tracking control for constrained robots with uncertainties.	15
1256	High Precision Force Control by Multi-Sensor based Disturbance Observer. 2006,	1
1255	Reference Trajectory Generation for Force Tracking Impedance Control by Using Neural Network-based Environment Estimation. 2006 ,	5
1254	Sliding Mode Control Based on Position Control for Contact Motion Applied to Hopping Robot. 2006 ,	2
1253		8
1252	Gait Retraining After Neurological Disorders. 2006,	4
	Gait Retraining After Neurological Disorders. 2006, CONTROL ARCHITECTURE OF A 3-DOF UPPER LIMBS REHABILITATION ROBOT. 2006, 39, 321-326	4
		4
1251	CONTROL ARCHITECTURE OF A 3-DOF UPPER LIMBS REHABILITATION ROBOT. 2006 , 39, 321-326 Autotuning of A PID Controller for an Active Vibration Suppression Device for the Treatment of	
1251 1250 1249	CONTROL ARCHITECTURE OF A 3-DOF UPPER LIMBS REHABILITATION ROBOT. 2006, 39, 321-326 Autotuning of A PID Controller for an Active Vibration Suppression Device for the Treatment of Essential Tremor. 2006, 855	
1251 1250 1249	CONTROL ARCHITECTURE OF A 3-DOF UPPER LIMBS REHABILITATION ROBOT. 2006 , 39, 321-326 Autotuning of A PID Controller for an Active Vibration Suppression Device for the Treatment of Essential Tremor. 2006 , 855 FRACTIONAL CONTROL OF TWO ARMS WORKING IN COOPERATION. 2006 , 39, 355-360	4
1251 1250 1249 1248	CONTROL ARCHITECTURE OF A 3-DOF UPPER LIMBS REHABILITATION ROBOT. 2006, 39, 321-326 Autotuning of A PID Controller for an Active Vibration Suppression Device for the Treatment of Essential Tremor. 2006, 855 FRACTIONAL CONTROL OF TWO ARMS WORKING IN COOPERATION. 2006, 39, 355-360 OPTIMAL CONTROL OF TENDON-SHEATH TRANSMISSION SYSTEMS. 2006, 39, 73-78	12

1244	Multiple-arm space free-flying robots for manipulating objects with force tracking restrictions. 2006 , 54, 779-788	30
1243	Optimal design of micro-force sensor for wire bonding with high acceleration and frequent movement. 2006 , 127, 104-118	7
1242	Kinematic design to improve ergonomics in human machine interaction. 2006 , 14, 456-69	233
1241	Hopping height control for hopping robots. 2006 , 155, 64-71	3
1240	Cognitive integrated motion generation for environmental adaptive robots. 2006, 156, 62-70	1
1239	Hybrid CPM/CAM Physiotherapy Device by Use of Active Feedback Control Loop.	1
1238	A cellular control architecture for compliant artificial muscles. 2006 , 2006, 2730-3	1
1237	Torque-Dependent Compliance Control in the Joint Space for Robot-Mediated Motor Therapy. Journal of Dynamic Systems, Measurement and Control, Transactions of the ASME, 2006 , 128, 152-158	25
1236	Haptic Manipulation of Serial-Chain Virtual Mechanisms. <i>Journal of Dynamic Systems, Measurement and Control, Transactions of the ASME</i> , 2006 , 128, 65-74	3
1235	Lyapunov Based Performance Guarantees for the Potential Field Lane-keeping Assistance System. Journal of Dynamic Systems, Measurement and Control, Transactions of the ASME, 2006, 128, 510-522	61
1234	Physical Interaction with a Virtual Knee Joint he 9 DOF Haptic Display of the Munich Knee Joint Simulator. 2006 , 15, 570-587	3
1233	Exploiting perception in high-fidelity virtual environments. 2006,	10
1232	Model-in-the-Loop Testing. 2006 , 220, 183-199	47
1231	Hybrid CPM and CAM Physiotherapy Device by Using Intelligent Feedback Control. 2006,	2
1230	Design and implementation of a robust switching control scheme for a class of constrained robot tasks. 2006 , 37, 303-321	5
1229	Force Control Strategy for a Hand Exoskeleton Based on Sliding Mode Position Control. 2006,	17
1228	Multiple Impedance Control of Space Free-Flying Robots Using Virtual Object Grasp. 2006,	5
1227	Decentralized Control of Elastic Limbs in Closed Kinematic Chains. 2006 , 25, 913-930	14

(2006-2006)

Contour tracking of an unknown planar object by regulating force for mobile robot navigation. 2006 , 25, 297-305	4
1225 Multiple Impedance control of cooperative manipulators using virtual object grasp. 2006 ,	1
1224 The Cooperation of Two Manipulators with Fractional Controllers. 2006 ,	
Development of a Multi-DOF Anthropomorphic Prosthetic Hand. 2006 ,	14
Bilateral Control to Achieve Transparent Teleoperation with Perturbation of Static Time Delay. 2006 ,	2
1221 Combined Impedance/Direct Control of Robot Manipulators. 2006,	1
Pneumatic impedance control of a 3-d.o.f. physiotherapy robot. 2006 , 20, 1321-1339	13
1219 Very low compliance force control on a CNC lathe machine.	О
Neural Network Force Control Technique for Four Wheel Driven Snow Blower Robotic Vehicle under Uncertain Environment. 2006 ,	
1217 A hands-on-robot for accurate placement of pedicle screws.	32
1216 Cooperative object manipulation using Non-Model-Based Multiple Impedance Control. 2006,	1
Nonlinear Target Impedance Design and Its Use in Robot Compliant Motion Control with Time Delay Estimation. 2006 ,	1
1214 Environment Parameter Estimation during Bilateral Telemanipulation.	8
Environment Parameter Estimation during Bilateral Telemanipulation. 1213 A whole-body control framework for humanoids operating in human environments.	105
1213 A whole-body control framework for humanoids operating in human environments.	105
A whole-body control framework for humanoids operating in human environments. Regressor-free adaptive impedance control of flexible-joint robots using FAT. 2006,	3

1208 Vision-based Control of Constrained Robots using Neural Networks. 2006,

1207	Dynamical Systems Approach for the Autonomous Avoidance of Obstacles and Joint-limits for an Redundant Robot Arm. 2006 ,		24
1206	Relaxing Passivity for Human-Robot Interaction. 2006,		22
1205	. 2006,		2
1204	Unconstrained Impedance Control Using a Compact Series Elastic Actuator. 2006,		19
1203	Adaptive Vision and Force Tracking Control for Constrained Robots. 2006,		7
1202	Multivariable Loop-Shaping in Bilateral Telemanipulation. <i>Journal of Dynamic Systems, Measurement and Control, Transactions of the ASME,</i> 2006 , 128, 482-488	1.6	3
1201	Reliable, Built-in, High-Accuracy Force Sensing for Legged Robots. 2006 , 25, 931-950		17
1200	Implementation of power-aided control for a virtual reality exercise bike. 2007, 30, 923-929		2
1199	Motion Tasks and Force Control for Robot Manipulators on Embedded 2-D Manifolds. 2007,		3
1198	Force Tracking Impedance Control of Robot Manipulators for Environment with Damping. 2007,		7
1197	Constraint-based Task Specification and Estimation for Sensor-Based Robot Systems in the Presence of Geometric Uncertainty. 2007 , 26, 433-455		176
1196	Semantics of tasks and motions of robots -multi-mode control as a bridge between tasks and motions 2007 ,		1
1195	Simultaneous Force and Stiffness Control of a Pneumatic Actuator. <i>Journal of Dynamic Systems, Measurement and Control, Transactions of the ASME,</i> 2007 , 129, 425-434	1.6	48
1194	Modeling and Control of a New Robotic Deburring System. 2007 , 129, 965-972		1
1193	Human Hand Movements in Skilled Motor Performance of a Virtual Curling Task. 2007,		1
1192	Optimized artificial muscles for an inherently safe robotic arm. 2007,		2
1191	Neural network compensation for force tracking control of an autonomous helicopter system. 2007		

1190	Application of a Generic Constraint-Based Programming Approach to an Industrially Relevant Robot Task with Geometric Uncertainties. 2007 ,	1
1189	An fMRI compatible haptic interface with pneumatic actuation. 2007,	16
1188	A Hybrid Control Strategy for Robust Contact Detection and Force Regulation. 2007,	11
1187	Analysis and Modeling of Human Impedance Properties for Designing a Human-Machine Control System. 2007 ,	9
1186	Impedance force control for lateral milling of bone in total knee arthroplasty. 2007,	1
1185	Hyperbolic tangent function based force-position compliant controller for robotic devices. 2007,	1
1184	Foul 2050: thoughts on physical interaction in human-robot soccer. 2007 ,	10
1183	An Analytical Method for the Planning of Robust Assembly Tasks of Complex Shaped Planar Parts. 2007 ,	22
1182	Development of Water Hydraulic Remote Handling System for Divertor Maintenance of ITER. 2007,	5
1181	Backdrivable miniature hydrostatic transmission for actuation of anthropomorphic robot hands. 2007 ,	4
1180	An application of constraint-based task specification and estimation for sensor-based robot systems. 2007 ,	
1179	A Composition of Decoupling Motion Controller Based on Momentum and Its Application for Singular Configurations. 2007 ,	2
1178	Design of a closed loop controller for a two wheeled balancing transporter. 2007,	6
1177	The First Step in a Self-Assembling Process in a System: A Picking-Up a Module Algorithm. 2007 ,	
1176	Adaptive Vision and Force Tracking Control of Constrained Robots with Structural Uncertainties. 2007 ,	4
1175	Dual robot system for upper limb rehabilitation after stroke: The design process. 2007 , 221, 845-857	27
1174	Free-flying robots in space: an overview of dynamics modeling, planning and control. 2007 , 25, 537-547	115
1173	Mode Switching Control Method for Man-Machine Collaborated Robotic Systems (Switching from Power-Assist Mode to Automatic Positioning Mode). 2007 , 1, 12-23	

Target Tracking Manipulation Theories for Combined Force and Position Control in Open and Closed Loop Manipulators. 2007 , 129, 326-333	6
Force Sensor-less Workspace Virtual Impedance Control Considering Resonant Vibration for Industrial Robot. 2007 , 127, 1-8	7
1170 Acceleration-based force-impedance control of a six-dof parallel manipulator. 2007 , 34, 386-39	99 9
A control architecture for a mobile heavy-lift precision manipulator with limited sensory information. 2007 , 25, 221-235	
1168 Path Following: Discrete Stable Control of Mobile Robots. 2007,	1
1167 . 2007 , 12, 418-429	215
1166 . 2007 , 32, 593-602	24
Task-dependent selection of grasp kinematics and stiffness in human object manipulation. 200 1165 43, 444-60	07 , 58
1164 Cooperative force control of a knee surgical robot for lateral milling of bone. 2007 ,	
1163 . 2007 , 23, 232-244	160
 . 2007, 23, 232-244 Selecting Impedance Parameters for the Ranger 8-DOF Dexterous Space Manipulator. 2007, 	160 5
1162 Selecting Impedance Parameters for the Ranger 8-DOF Dexterous Space Manipulator. 2007 ,	5
Selecting Impedance Parameters for the Ranger 8-DOF Dexterous Space Manipulator. 2007 , Bond-graph modeling. 2007 , 27, 24-45 Estimacifi de la fuerza de contacto para el control de robots manipuladores con movimientos	5 124
Selecting Impedance Parameters for the Ranger 8-DOF Dexterous Space Manipulator. 2007, Bond-graph modeling. 2007, 27, 24-45 Estimacili de la fuerza de contacto para el control de robots manipuladores con movimientos restringidos. 2007, 4, 70-82	5 124 5
Selecting Impedance Parameters for the Ranger 8-DOF Dexterous Space Manipulator. 2007, Bond-graph modeling. 2007, 27, 24-45 Estimacili de la fuerza de contacto para el control de robots manipuladores con movimientos restringidos. 2007, 4, 70-82 Design and Control of a Powered Knee and Ankle Prosthesis. 2007,	5 124 5 35
Selecting Impedance Parameters for the Ranger 8-DOF Dexterous Space Manipulator. 2007, Bond-graph modeling. 2007, 27, 24-45 Estimacifi de la fuerza de contacto para el control de robots manipuladores con movimientos restringidos. 2007, 4, 70-82 Design and Control of a Powered Knee and Ankle Prosthesis. 2007, A Device Independent Haptic Player. 2007, Synthesis methods and experiment validation of compliant force controller based inner position.	5 124 5 35

1154	Non-Model-Based Multiple Impedance Control of Space Free Flying Robots. 2007,	1
1153	Analysis and experimental validation of dynamics simulation system containing position loop. 2007,	
1152	Experimental study of force control based on intelligent prediction algorithm in open architecture robot system. 2007 ,	1
1151	An Experimental Investigation on Impedance Control for Dual-Arm Cooperative Systems. 2007,	3
1150	Development of a New Robot Controller Architecture with FPGA-Based IC Design for Improved High-Speed Performance. 2007 , 3, 312-321	64
1149	A Unified Passivity-based Control Framework for Position, Torque and Impedance Control of Flexible Joint Robots. 2007 , 26, 23-39	488
1148	Haptic Interaction Stability With Respect to Grasp Force. 2007 , 37, 1214-1222	13
1147	Control Strategy for the Massage Chair Based on Human Skin Elasticity. 2007 ,	2
1146	Modeling of Force Sensing and Validation of Disturbance Observer for Force Control. 2007 , 54, 530-538	227
1145	A Smooth Switching From Power-Assist Control to Automatic Transfer Control and Its Application to a Transfer Machine. 2007 , 54, 638-650	48
1144	An Analysis of Parameter Variations of Disturbance Observer for Motion Control. 2007 , 54, 3413-3421	108
1143	Design and Control of an Electrically Powered Knee Prosthesis. 2007,	42
1142	Design of Optimal Hybrid Position/Force Controller for a Robot Manipulator Using Neural Networks. 2007 , 2007, 1-23	7
1141	Robust Position Control of End-Effector Considering Gear Stiffness and Arm Stiffness for Industrial Robot. 2007 , 127, 603-609	4
1140	Interaction control of robotic manipulators via second-order sliding modes. 2007 , 21, 708-730	6
1139	Interconnection of port-Hamiltonian systems and composition of Dirac structures. 2007 , 43, 212-225	83
1138	Forcefree control with independent compensation for industrial articulated robot arms. 2007, 15, 627-638	12
1137	Modified transpose Jacobian control of robotic systems. 2007 , 43, 1226-1233	46

1136	Robotic sanding system for new designed furniture with free-formed surface. 2007 , 23, 371-379	58
1135	Design and validation of a rehabilitation robotic exoskeleton for tremor assessment and suppression. 2007 , 15, 367-78	218
1134	The muscle activation method: an approach to impedance control of brain-machine interfaces through a musculoskeletal model of the arm. 2007 , 54, 1520-9	26
1133	Robust Sliding Control of Robotic Manipulators Based on a Heuristic Modification of the Sliding Gain. 2007 , 48, 485-511	10
1132	Human-robot cooperation control for installing heavy construction materials. 2007, 22, 305-319	23
1131	Fuzzy force control of constrained robot manipulators based on impedance model in an unknown environment. 2007 , 2, 168-174	4
1130	ARMin: a robot for patient-cooperative arm therapy. 2007 , 45, 887-900	293
1129	Improvement of a delayed velocity reference control (DVRC) for machining operations. 2007, 47, 496-508	1
1128	CAD/CAM-based position/force controller for a mold polishing robot. 2007 , 17, 207-216	82
1127	Human voluntary activity integration in the control of a standing-up rehabilitation robot: a simulation study. 2007 , 29, 1019-29	11
1126	Bio-mimetic impedance control of robotic manipulator for dynamic contact tasks. 2008, 56, 306-316	19
1125	Haptic force control based on impedance/admittance control aided by visual feedback. 2008, 37, 39-52	13
1124	DSP/FPGA-based Controller Architecture for Flexible Joint Robot with Enhanced Impedance Performance. 2008 , 53, 247-261	22
1123	Updating workpiece geometry using robotic sensor information gathered during contact tasks. 2008 , 24, 183-192	
1122	Safe physical human robot interaction-past, present and future. 2008 , 22, 469-483	76
1121	Winching up heavy loads with a compliant arm: a new local joint controller. 2008 , 98, 413-26	4
1120	Representations of multi-joint stiffness for prosthetic limb design. 2008, 43, 297-309	5
1119	A forceImpedance controlled industrial robot using an active robotic auxiliary device. 2008 , 24, 299-309	60

(2008-2008)

1118	micro/nano manipulation. 2008 , 148, 443-453	65
1117	Implementation of CAM physiotherapy device with a virtual spring. 2008 , 38, 923-30	1
1116	An impact force compensation algorithm based on a piezo force sensor for wire bonding processes. 2008 , 16, 685-696	6
1115	Improving detection of surface discontinuities in visualforce control systems. 2008 , 26, 1435-1447	5
1114	User-modulated impedance control of a prosthetic elbow in unconstrained, perturbed motion. 2008 , 55, 1043-55	55
1113	Control system design of a 3-DOF upper limbs rehabilitation robot. 2008 , 89, 202-14	47
1112	THE ROLE OF EULER PARAMETERS IN ROBOT CONTROL. 2008, 1, 25-34	32
1111	Force Control. 2008 , 161-185	117
1110	. 2008 , 55, 258-269	147
1109	iTASC: a tool for multi-sensor integration in robot manipulation. 2008,	22
1109	iTASC: a tool for multi-sensor integration in robot manipulation. 2008, Experimental validation of a fuel-efficient robotic maneuver control algorithm for very large flexible space structures. 2008,	22
1108	Experimental validation of a fuel-efficient robotic maneuver control algorithm for very large	131
1108	Experimental validation of a fuel-efficient robotic maneuver control algorithm for very large flexible space structures. 2008 ,	
1108 1107 1106	Experimental validation of a fuel-efficient robotic maneuver control algorithm for very large flexible space structures. 2008, Wideband Force Control by Position-Acceleration Integrated Disturbance Observer. 2008, 55, 1699-1706	131
1108 1107 1106	Experimental validation of a fuel-efficient robotic maneuver control algorithm for very large flexible space structures. 2008, Wideband Force Control by Position-Acceleration Integrated Disturbance Observer. 2008, 55, 1699-1706 Six-DOF Impedance Control of Dual-Arm Cooperative Manipulators. 2008, 13, 576-586	131 155
1108 1107 1106	Experimental validation of a fuel-efficient robotic maneuver control algorithm for very large flexible space structures. 2008, Wideband Force Control by Position-Acceleration Integrated Disturbance Observer. 2008, 55, 1699-1706 Six-DOF Impedance Control of Dual-Arm Cooperative Manipulators. 2008, 13, 576-586 Continuous Path Controller for the Remote Ultrasound Diagnostic System. 2008, 13, 206-218 Self-organized adaptive legged locomotion in a compliant quadruped robot. 2008, 25, 331-347	131 155 22
1108 1107 1106 1105	Experimental validation of a fuel-efficient robotic maneuver control algorithm for very large flexible space structures. 2008, Wideband Force Control by Position-Acceleration Integrated Disturbance Observer. 2008, 55, 1699-1706 Six-DOF Impedance Control of Dual-Arm Cooperative Manipulators. 2008, 13, 576-586 Continuous Path Controller for the Remote Ultrasound Diagnostic System. 2008, 13, 206-218 Self-organized adaptive legged locomotion in a compliant quadruped robot. 2008, 25, 331-347 On the Passivity-Based Impedance Control of Flexible Joint Robots. 2008, 24, 416-429	131 155 22 53

Diseë, Desarrollo y Validaciii de Dispositivo Robilico para la Supresiii del Temblor Patoligico. 2008 , 5, 79-92	3
Experiencias en el desarrollo de una aplicacifi robfica con control de fuerza para taladrado de huesos. 2008 , 5, 93-106	3
1098 Fractional Control of Two Cooperating Manipulators. 2008 ,	2
On the Elasticity in the Dynamic Decoupling of Hybrid Force/Velocity Control in the Contour Tracking Task. 2008 ,	1
1096 An analysis of force control based on momentum. 2008,	2
1095 A wheeled-mobile robot with human interaction based on force control. 2008,	o
1094 A Five-layers Open-Architecture Robot Controller Applied to Interaction Tasks. 2008,	o
Adaptive Control of Haptic Interaction with Impedance and Admittance Type Virtual Environment 2008,	nts. 13
Admittance Selection Conditions for Frictionless Force-Guided Assembly of Polyhedral Parts in T Single-Point Principal Contacts. 2008 , 24, 461-468	ōwo 6
Multi-sensor integration and sensor fusion in industrial manipulation: Hybrid switched control, trajectory generation, and software development. 2008 ,	2
1090 . 2008 ,	3
1089 Controlling the longitudinal dynamics of a vehicle using sensor based haptic feedback. 2008 ,	
1088 Coupled control of human-exoskeleton systems: An adaptative process. 2008,	3
$_{ m 1087}$ Biological stiffness control strategies for the Anatomically Correct Testbed (ACT) hand. 2008 ,	24
Design and Development of a Novel Robotic Platform for Neuro-Robotics Applications: the NEURobotics ARM (NEURARM). 2008 , 22, 3-37	8
Characterization of the NEURARM bio-inspired joint position and stiffness open loop controller. 2008,	14
1084 Stiffness control of 2-DOF exoskeleton for brain-machine interfaces. 2008 ,	1
1083 Design and Control of a Parallel Robot for Ankle Rehabiltation. 2008 ,	11

1082 Fast position control considering robot safety based on dual dynamic torque compensation. 2008 ,	1
1081 . 2008, 24, 430-441	45
1080 Fuzzy Variable Impedance Control for Upper-Limb Rehabilitation Robot. 2008,	О
1079 Design and control of a biomimetic hexapedal walker. 2008 ,	2
1078 Adaptive force/position control of robot manipulators. 2008,	7
1077 Modeling and evaluation of human motor skills in a virtual tennis task. 2008 , 2008, 4190-3	3
1076 A study on impedance control using passive elements for human-assist system. 2008 ,	2
Passivity-Based Impact and Force Control of a Pneumatic Actuator. <i>Journal of Dynamic Systems,</i> Measurement and Control, Transactions of the ASME, 2008 , 130,	10
1074 A haptic control interface for a motorized exercise machine. 2008 ,	2
1073 Tracking control of mobile robots and its application to formation control. 2008 ,	2
1072 A Device for Simulating Hand Grips. 2008,	
1071 Smooth and continuous human gait phase detection based on foot pressure patterns. 2008 ,	22
1070 Prototyping artificial jaws for the robotic dental testing simulator. 2008 , 222, 1209-20	4
1069 Cooperative bodyBrain coevolutionary synthesis of mechatronic systems. 2008 , 22, 219-234	9
1068 Passive path following control for port-Hamiltonian systems. 2008 ,	2
1067 Compliant motion tasks for robot manipulators subject to joint velocity constraints. 2008,	O
1066 Basketball robot: Ball-On-Plate with pure haptic information. 2008 ,	2
1065 Adaptive control for high-fidelity haptic interaction with virtual environments. 2008 ,	1

1064 A Method on Impedance Control of Robots Based on the Neural Network. 2008,	О
1063 Design and Control of a Powered Transfemoral Prosthesis. 2008 , 27, 263-273	413
1062 Obstacle avoidance control of humanoid robot arm through tactile interaction. 2008 ,	2
An Experimental Study on Cartesian Impedance Control for a Joint Torque-Based Manipulator. 2008 , 22, 1155-1180	8
1060 An adaptive impedance force control approach for robotic cell microinjection. 2008,	3
1059 Estimation of abnormalities in a human gait using sensor-embedded shoes. 2008,	2
1058 A line-based obstacle avoidance technique for dexterous manipulator operations. 2008 ,	9
1057 Robotic assembly of complex planar parts: An experimental evaluation. 2008,	9
1056 Hybrid CPM/CAM Physiotherapy by Use of the Slide-Mode Fuzzy Neural Network Control. 2008 ,	1
Embedded design of position based impedance force control for implementing interaction between a human and a ROBOKER. 2008 ,	
1054 Force and motion control for cylindrical curved surface wall using a three-link arm. 2008 ,	
1053 . 2008 ,	1
Impedance control complements incomplete internal models under complex external dynamics. 2008 , 2008, 5354-7	5
$_{ m 1051}$ Inaccuracy of internal models in force fields and complementary use of impedance control. 2008 ,	1
1050 Intelligent human-machine cooperative robot for orthopaedic surgery. 2008,	
An explicit model to predict and interpret constraint force creation in pHRI with exoskeletons. 2008 ,	24
A bilateral teleoperation controller considering the transition between the free space motion and the constrained motion. 2008 , 26, 781-790	6
CAD/CAM-based Position/Force Control for a Ball-End Abrasive Tool and Its Application to an Industrial Robot. 2008 , 2, 742-752	2

1046 Force Tracking Impedance Control with Variable Target Stiffness. 2008 , 41, 6751-6756	36
1045 Control of Exoskeletons Inspired by Fictitious Variable Gain in Human. 2008,	O
1044 Power Flow Analysis in Parallel Force/Velocity Actuators (PFVA): Theory and Simulations. 2008,	3
1043 Impedance Compensation of Flexible Joint Actuator for Ideal Force Mode Control. 2008 , 41, 2442-2447	
1042 Active Compliant Motion Control for Grinding Robot. 2008 , 41, 4285-4289	2
1041 Physical-Model-Based Control of a Piezoelectric Tube Scanner. 2008 , 41, 11811-11816	1
Construction Methodology for the Medical Support System by Utilizing Ultrasound Technology. 2008 , 74, 1143-1146	1
1039 A Composition of Dynamic Force Control System Based on Momentum. 2008 , 128, 694-700	2
1038 Dual differential rheological actuator for robotic interaction tasks. 2009 ,	12
1037 Impedance control of mobile robot with shell-shaped force sensor. 2009 ,	1
1036 A force control based cell injection approach in a bio-robotics system. 2009 ,	6
Object dynamics virtualization by robotic assistance for cooperative object handling with human. 2009 ,	2
1034 . 2009,	
1033 Impedance control of manipulators carrying a heavy payload. 2009 ,	3
1032 Base force/torque sensing for position based Cartesian impedance control. 2009 ,	11
Development of robot leg which provided with the bi-articular actuator for training techniques of rehabilitation. 2009 ,	4
1030 Compliant comanipulation control for medical robotics. 2009,	
1029 Model-reference based wave-variable force control. 2009 ,	3

1028 iSoRA: Humanoid Robot Arm for Intelligent Haptic Interaction with the Environment. 2009 , 23, 1327-1358	9
1027 Time-varying path following control for port-Hamiltonian systems. 2009 ,	3
1026 Impedance control of a spatial redundant manipulator used for relaxing muscle fatigue. 2009 ,	
1025 Orthopedic surgery robotic system. 2009 ,	
Adaptive control of a robotic system undergoing a non-contact to contact transition with a viscoelastic environment. 2009 ,	4
1023 . 2009,	2
1022 Extending iTaSC to support inequality constraints and non-instantaneous task specification. 2009 ,	39
1021 Optimized passive dynamics improve transparency of haptic devices. 2009 ,	14
Control of tendon-driven robotic mechanisms by non-linear springs with hysteresis characteristics. 2009 ,	
1019 Robot adaptive behavior to suit patient needs and enable more intensive rehabilitation tasks. 2009 ,	3
Multi-point Cartesian compliance control of manipulators using the dynamically consistent extended Jacobian and its pseudo-inverse. 2009 ,	0
Compliant Terrain Adaptation for Biped Humanoids Without Measuring Ground Surface and Contact Forces. 2009 , 25, 171-178	83
Development of a direct teaching system for a cooperative cell-production robot considering safety and operability. 2009 ,	1
1015 Penetration force measurement and control in robotic cell microinjection. 2009 ,	9
DESIGN, CONTROL AND EVALUATION OF A WHOLE-SENSITIVE ROBOT ARM FOR PHYSICAL HUMAN-ROBOT INTERACTION. 2009 , 06, 699-725	8
Adaptive Jacobian Force/Position Tracking Control of Robotic Manipulators in Compliant Contact with an Uncertain Surface. 2009 , 23, 165-183	8
1012 High-Precision Impedance Control Method for Flexible Base Moving Manipulators. 2009 , 23, 65-87	3
1011 Stability of haptic obstacle avoidance and force interaction. 2009 ,	2

(2009-2009)

Motion conditions justification of an omni-directional mobile platform by electro-mechanical transduction matrix. 2009 , 31, 167-179	3
1009 Robot-assisted Active Catheter Insertion: Algorithms and Experiments. 2009 , 28, 1101-1117	52
1008 Mechanical Issues Inherent in Antagonistically Actuated Systems. 2009 , 1,	1
1007 Survey of visual and force/tactile control of robots for physical interaction in Spain. 2009 , 9, 9689-733	15
1006 Intuitive Collision Avoidance of Robots Using Charge Generated Virtual Force Fields. 2009 , 77-87	3
Exoskeleton-based robotic platform applied in biomechanical modelling of the human upper limb. 2009 , 6, 205-216	5
1004 Interaction Torque Control by Impedance Control of Space Robots. 2009 , 85, 451-459	5
1003 Adaptive Control for Improved Transparency in Haptic Simulations. 2009 , 2, 2-14	27
Motorized CPM/CAM physiotherapy device with sliding-mode Fuzzy Neural Network control loop. 2009 , 96, 96-107	5
1001 Developments in brain-machine interfaces from the perspective of robotics. 2009 , 28, 191-203	14
1000 Adaptive Jacobian position/force tracking control of free-flying manipulators. 2009 , 57, 173-181	22
A desktop NC machine tool with a position/force controller using a fine-velocity pulse converter. 2009 , 19, 671-679	8
998 Knee rehabilitation using an intelligent robotic system. 2009 , 20, 195-202	52
997 A Neuro-Sliding Mode Control Scheme for Constrained Robots with Uncertain Jacobian. 2009 , 54, 689-708	9
996 Adaptive Impedance-controlled Manipulator Based on Collision Detection. 2009 , 22, 105-112	18
995 Robust impedance control of a hydraulic suspension system. 2009 , 20, n/a-n/a	7
994 Impedance control of an active suspension system. 2009 , 19, 134-140	53
993 Self-calibrated robotic manipulator force observer. 2009 , 25, 366-378	15

992	Kick it with elasticity: Safety and performance in humanEobot soccer. 2009 , 57, 761-775	51
991	Bond graph based control and substructuring. 2009 , 17, 211-227	12
990	Impedance control on a multi-fingered robot hand based on analyzed electromyographic information for massage applications. 2009 ,	10
989	Development of backdrivable hydraulic joint mechanism for knee joint of humanoid robots. 2009,	36
988	Tactile robotic mapping of unknown surfaces: an application to oil well exploration. 2009,	5
987	Dynamic External Force Feedback Loop Control of a Robot Manipulator Using a Neural Compensator Application to the Trajectory Following in an Unknown Environment. 2009 , 19, 113-126	13
986	Mechanical and perceptual analyses of human foot movements in pedal operation. 2009,	6
985	Resonance-based motion control method for multi-joint robot through combining stiffness adaptation and iterative learning control. 2009 ,	34
984	Identification of Contact Dynamics Parameters for Stiff Robotic Payloads. 2009, 25, 240-252	23
983	A Robust Position and Force Control Strategy for 7-DOF Redundant Manipulators. 2009 , 14, 575-589	46
982	Review of models for the generation of multi-joint movements in 3-D. 2009 , 629, 523-50	20
981	Fast online impedance estimation for robot control. 2009,	14
980	Adaptive impedance control based on dynamic recurrent fuzzy neural network for upper-limb rehabilitation robot. 2009 ,	9
979	Powered AnkleFoot Prosthesis Improves Walking Metabolic Economy. 2009 , 25, 51-66	299
978	The separate neural control of hand movements and contact forces. 2009 , 29, 3939-47	48
977	Reajuste de los parfhetros de la impedancia mecflica para la mejora de la disipacifi de la energfi durante el impacto. 2009 , 6, 21-31	
976	Desarrollo de un Banco de Pruebas Experimental mediante Control de Fuerza con Robot Industrial para el Anlisis de la Respuesta Mecilica de Asientos de Coche. 2009 , 6, 49-58	1
975	Analysis on the interaction between the nonholonomic mobile modular robot and the environment. 2009 ,	5

(2009-2009)

974	Robust hitting with dynamics shaping. 2009 ,	2
973	Generalized elasticities improve patient-cooperative control of rehabilitation robots. 2009,	42
972	Active and Passive Control of an Exoskeleton with Cable Transmission for Hand Rehabilitation. 2009 ,	7
971	Robust Impedance Control of a Flexible Structure Mounted Manipulator Performing Contact Tasks. 2009 , 25, 445-451	23
970	The direct teaching and playback method for robotic deburring system using the adaptiveforce-control. 2009 ,	3
969	Controlling the motion of robot manipulators on constrained surfaces. 2009,	1
968	Realization of fictitious gain in human: Experimental verification on an elbow joint. 2009,	
967	Design of a regressor-free adaptive impedance controller for flexible-joint electrically-driven robots. 2009 ,	2
966	. 2009,	61
965	Safe human robot interaction via energy regulation control. 2009,	44
965 964	Safe human robot interaction via energy regulation control. 2009, Homotopy switching model for dyad haptic interaction in physical collaborative tasks. 2009,	73
964	Homotopy switching model for dyad haptic interaction in physical collaborative tasks. 2009 , Stiffness control of leg mechanism imitating the motion control of human musculoskeletal system.	
964	Homotopy switching model for dyad haptic interaction in physical collaborative tasks. 2009, Stiffness control of leg mechanism imitating the motion control of human musculoskeletal system. 2009, Control of Rotary Series Elastic Actuator for Ideal Force-Mode Actuation in Human Robot	73
964 963 962	Homotopy switching model for dyad haptic interaction in physical collaborative tasks. 2009, Stiffness control of leg mechanism imitating the motion control of human musculoskeletal system. 2009, Control of Rotary Series Elastic Actuator for Ideal Force-Mode Actuation in Human Robot Interaction Applications. 2009, 14, 105-118	73 265
964 963 962 961	Homotopy switching model for dyad haptic interaction in physical collaborative tasks. 2009, Stiffness control of leg mechanism imitating the motion control of human musculoskeletal system. 2009, Control of Rotary Series Elastic Actuator for Ideal Force-Mode Actuation in Human Robot Interaction Applications. 2009, 14, 105-118 A Solution to the Accuracy/Robustness Dilemma in Impedance Control. 2009, 14, 282-294	73 265 65
964 963 962 961	Homotopy switching model for dyad haptic interaction in physical collaborative tasks. 2009, Stiffness control of leg mechanism imitating the motion control of human musculoskeletal system. 2009, Control of Rotary Series Elastic Actuator for Ideal Force-Mode Actuation in Human Bobot Interaction Applications. 2009, 14, 105-118 A Solution to the Accuracy/Robustness Dilemma in Impedance Control. 2009, 14, 282-294 Control of Exoskeletons Inspired by Fictitious Gain in Human Model. 2009, 14, 689-698 A Motor Control Strategy With Virtual Musculoskeletal Systems for Compliant Anthropomorphic	73 265 65 60

956	Exoskeletal Force-Sensing End-Effectors With Embedded Optical Fiber-Bragg-Grating Sensors. 2009 , 25, 1319-1331	68
955	Impedance Model-based Control for an Electrohydraulic Stewart Platform. 2009 , 15, 560-577	24
954	A generic framework for workpiece-based programming of cooperating industrial robots. 2009,	6
953	Interaction. 2009,	2
952	Influence of attachment pressure and kinematic configuration on pHRI with wearable robots. 2009 , 6, 157-173	28
951	Impedance Control of an Omnidirectional Mobile Manipulator. 2009 , 42, 519-524	
950	Parametric Design and Power-Flow Analysis of Parallel Force Velocity Actuators. 2009, 1,	11
949	Task Programming for Robots Using Multi-mode Control Preparation of Modes to Generate Motions for Disassembly Task [12009, 42, 143-148]	1
948	Admittance Control using a Base Force/Torque Sensor.* *This research is partly supported by Special Coordination Funds for Promoting Science and Technology, IRT Foundation to Support Man and Aging Society ID 2009, 42, 467-472	2
947	Manual skill generalization enhanced by negative viscosity. 2010 , 104, 2008-19	26
946	Force-Contouring Process Using Uncalibrated Vision and Impedance Control. 2010 , 43, 296-301	
945	Impedance based control for internal combustion engine test beds. 2010 , 43, 443-448	
944	Communication during the Cooperative Motion in the Task of Carrying an Object between Two Humans. 2010 , 5, 104-118	7
943	Physical-model-based control of a piezoelectric tube for nano-scale positioning applications. 2010 , 20, 74-84	13
942	Obtaining terrain maps and obstacle contours for terrain-recognition tasks. 2010 , 20, 236-250	8
941	The Safety of a Robot Actuated by Pneumatic Muscles & Case Study. 2010 , 2, 289-303	28
940	Cooperative object manipulation with contact impact using multiple impedance control. 2010, 8, 314-327	22
939	Guidance control of a wheeled mobile robot with human interaction based on force control. 2010 , 8, 361-368	10

(2010-2010)

938	Dynamic surface control-backstepping based impedance control for 5-DOF flexible joint robots. 2010 , 17, 807-815	11
937	System Architecture for Stiffness Control in BrainMachine Interfaces. 2010 , 40, 732-742	6
936	Evaluation of low-level controllers for an orthopedic surgery robotic system. 2010 , 14, 1128-35	3
935	Obstacle avoidance control on omnidirectional vehicle robots using range sensor. 2010 , 172, 58-68	1
934	Multifingered robot hands: Control for grasping and manipulation. 2010 , 34, 199-208	86
933	A survey of environment-, operator-, and task-adapted controllers for teleoperation systems. 2010 , 20, 787-801	135
932	Multiple impedance control of space free-flying robots via virtual linkages. 2010 , 66, 748-759	25
931	Introducing haptic capabilities to a bone-mounted robot for intra-operative surface scanning. 2010 , 6, 444-53	1
930	Modular Modelling and Control of Redundant Robots. 2010 , 10, 47-48	
929	Force-field compensation in a manual tracking task. 2010 , 5, e11189	22
928	Identification of Contact Parameters from Stiff Multi-point Contact Robotic Operations. 2010 , 29, 367-385	10
928	Identification of Contact Parameters from Stiff Multi-point Contact Robotic Operations. 2010 , 29, 367-385 Adaptive Multiple Impedance Control Based on Passivity. 2010 , 34-35, 265-270	
927	Adaptive Multiple Impedance Control Based on Passivity. 2010 , 34-35, 265-270	10
927 926	Adaptive Multiple Impedance Control Based on Passivity. 2010 , 34-35, 265-270 A Force Control Approach to a Robot-assisted Cell Microinjection System. 2010 , 29, 1222-1232 Mimetic Communication Model with Compliant Physical Contact in Human Humanoid Interaction.	10
927 926 925	Adaptive Multiple Impedance Control Based on Passivity. 2010, 34-35, 265-270 A Force Control Approach to a Robot-assisted Cell Microinjection System. 2010, 29, 1222-1232 Mimetic Communication Model with Compliant Physical Contact in Human Humanoid Interaction. 2010, 29, 1684-1704	10 98 56
927 926 925 924	Adaptive Multiple Impedance Control Based on Passivity. 2010, 34-35, 265-270 A Force Control Approach to a Robot-assisted Cell Microinjection System. 2010, 29, 1222-1232 Mimetic Communication Model with Compliant Physical Contact in Human Humanoid Interaction. 2010, 29, 1684-1704 Enhanced Operational Space Formulation for multiple tasks using Time Delay Estimation. 2010,	10 98 56 3

920	Bilateral teleoperation by sliding mode control and reaction force observer. 2010,	10
919	Proposition and development of a robot manipulator for humanitarian demining. 2010,	1
918	Anti-collision systems for robotic applications based on laser Time-of-Flight sensors. 2010,	9
917	Surface-tracking of a 5-DOF manipulator equipped with tactile sensors. 2010 ,	1
916	Port-Hamiltonian analysis of a novel robotic finger concept for minimal actuation variable impedance grasping. 2010 ,	19
915	Contact feature extraction on a balancing manipulation platform. 2010,	1
914	Impedance active control of flight control devices. 2010,	4
913	Imposing joint kinematic constraints with an upper limb exoskeleton without constraining the end-point motion. 2010 ,	1
912	Assessment of the assistive performance of an ankle exerciser using electromyographic signals. 2010 , 2010, 5854-8	4
911	User-controlled variable impedance teleoperation. 2010,	14
910	Embedding obstacle avoidance in the control of a flexible multi-robot formation. 2010,	8
909	. 2010,	3
908	The adaptive selection matrix key component for sensor-based control of robotic manipulators. 2010 ,	5
908		5 25
	Backdrivability analysis of Electro-Hydrostatic Actuator and series dissipative actuation model.	
907	Backdrivability analysis of Electro-Hydrostatic Actuator and series dissipative actuation model. 2010, Locomotor Training in Subjects with Sensori-Motor Deficits: An Overview of the Robotic Gait	25
907	Backdrivability analysis of Electro-Hydrostatic Actuator and series dissipative actuation model. 2010, Locomotor Training in Subjects with Sensori-Motor Deficits: An Overview of the Robotic Gait Orthosis Lokomat. 2010, 1, 197-216 Parallel Stiffness Actuators with Six Degrees of Freedom for Efficient Force/Torque Control	122

902	DESIGN OF A POSITION AND FORCE CONTROL SCHEME FOR 6RSS PARALLEL ROBOTS AND ITS APPLICATION IN CHEWING ROBOTS. 2010 , 07, 477-489		10
901	Hiding robot inertia using resonance. 2010 , 2010, 1271-4		11
900	Two-phased controller for a pair of 2-DOF soft fingertips based on the qualitative relationship between joint angles and object location. 2010 ,		4
899	Impedance model based fuzzy force control for robot manipulator contacting with a constrained surface with uncertain errors. 2010 ,		1
898	Motion Generation in the MRROC++ Robot Programming Framework. 2010 , 29, 386-413		43
897	Adaptive PatientenunterstEzung fElRehabilitationsroboter. 2010 , 58,		3
896	Robust Impedance Control of Manipulators Carrying a Heavy Payload. <i>Journal of Dynamic Systems, Measurement and Control, Transactions of the ASME,</i> 2010 , 132,	1.6	10
895	Force control in single DOF dual arm cooperative space robot. 2010 ,		2
894	Telepresence in Industrial Applications: Implementation Issues for Assembly Tasks. 2010 , 19, 415-429		11
893	. 2010,		18
893 892	. 2010, Adaptive Hybrid Impedance Control of robotic manipulators. 2010,		18 7
892	Adaptive Hybrid Impedance Control of robotic manipulators. 2010, Learning compliance control of robot manipulators in contact with the unknown environment.		
892 891	Adaptive Hybrid Impedance Control of robotic manipulators. 2010, Learning compliance control of robot manipulators in contact with the unknown environment. 2010,		7
892 891 890	Adaptive Hybrid Impedance Control of robotic manipulators. 2010, Learning compliance control of robot manipulators in contact with the unknown environment. 2010, Massaging human feet by a redundant manipulator equipped with a tactile sensor. 2010,		7
892 891 890 889	Adaptive Hybrid Impedance Control of robotic manipulators. 2010, Learning compliance control of robot manipulators in contact with the unknown environment. 2010, Massaging human feet by a redundant manipulator equipped with a tactile sensor. 2010, Unified Impedance and Admittance Control. 2010,		7 7 122
892 891 890 889	Adaptive Hybrid Impedance Control of robotic manipulators. 2010, Learning compliance control of robot manipulators in contact with the unknown environment. 2010, Massaging human feet by a redundant manipulator equipped with a tactile sensor. 2010, Unified Impedance and Admittance Control. 2010, Control strategies for ankle rehabilitation using a high performance ankle exerciser. 2010,		7 7 122 21

884	A Control Strategy for Upper Limb Robotic Rehabilitation With a Dual Robot System. 2010 , 15, 575-585	89
883	A vision-based, impedance control strategy for industrial robot manipulators. 2010 ,	10
882	Identification and experimentation of an industrial robot operating in varying-impedance environments. 2010 ,	1
881	. 2010,	2
880	. 2010 , 26, 370-382	83
879	A Variable Stiffness PZT Actuator Having Tunable Resonant Frequencies. 2010 , 26, 993-1005	31
878	A Serial-Type Dual Actuator Unit With Planetary Gear Train: Basic Design and Applications. 2010 , 15, 108-116	56
877	Adaptive Vision and Force Tracking Control for Robots With Constraint Uncertainty. 2010 , 15, 389-399	66
876	Manipulation Primitives IA Universal Interface between Sensor-Based Motion Control and Robot Programming. 2010 , 293-313	22
875	Robust and safe control based on disturbance observer for train doors. 2010 ,	
874	Hybrid impedance control of a 3-DOF robotic arm used for rehabilitation treatment. 2010,	1
873	Biomimetic motor behavior for simultaneous adaptation of force, impedance and trajectory in interaction tasks. 2010 ,	52
872	Analysis of torque capacities in hybrid actuation for human-friendly robot design. 2010,	6
871	Experimenting with theoretical motor neuroscience. 2010 , 42, 333-42	12
870	A unified approach for multi-point Cartesian compliance control of serial manipulators. 2010,	
869	Design of an electric series elastic actuated joint for robotic gait rehabilitation training. 2010,	65
868	Tension control for tendon mechanisms by compensation of nonlinear spring characteristic equation error. 2010 ,	7
867	Realization of flexible motion by musculoskeletal humanoid K ojirol with add-on nonlinear spring units. 2010 ,	15

(2017-2010)

866	Development of a MasterBlave System with Force-Sensing Abilities using Pneumatic Actuators for Laparoscopic Surgery. 2010 , 24, 1763-1783	42
865	Self-tuning dynamic impedance control for human arm motion. 2010 ,	4
864	Dual-Differential Rheological Actuator for High-Performance Physical Robotic Interaction. 2010 , 26, 607-618	39
863	Reinforcement learning of full-body humanoid motor skills. 2010,	26
862	Extending the concept of tensor product modelling for delayed systems. 2010,	1
861	Active and passive control algorithm for an exoskeleton with bowden cable transmission for hand rehabilitation. 2010 ,	4
860	A force guidance system for car-like vehicle with fuzzy impedance controller. 2010 ,	
859	Wearable Robotics: Challenges and Trends. 2017,	7
858	A robust force controller design for series elastic actuators. 2017,	2
857	uBot-7: A dynamically balancing mobile manipulator with series elastic actuators. 2017 ,	4
856	Admittance control of a robotic exoskeleton for physical human robot interaction. 2017,	2
855	Force regulation for pick-and-place units by use of adaptive impedance control. 2017,	
854	Variable stiffness force tracking impedance control using differential-less method. 2017,	
853	A new impedance force control of a haptic teleoperation system for improved transparency. 2017 , 31, 6005-6017	4
852	Improvement of force-sensorless grinding accuracy with resistance compensation. 2017, 22, 509-514	4
851	Stable admittance control without inverse kinematics. 2017 , 50, 15835-15840	12
850	Force Feedback and Path Following using Predictive Control: Concept and Application to a Lightweight Robot. 2017 , 50, 9827-9832	8
849	On Prescribed Contact Establishment * *This work is funded by the EU Horizon 2020 research and innovation programme under grant agreement No 644938, project SARAFun.The authors are with the Center for Research and Technology Hellas (CERTH), 57001 Thessaloniki, Greece and with the	1

Thessaloniki, Greece, 2017, 50, 4831-4836

848	Controller design and experimental validation of a robot joint with active compliance. 2017,	1
847	Estimation of upper limb muscle stiffness based on artificial neural network. 2017,	1
846	Force tracking on unknown surface using impedance control with force sensor filtering. 2017,	2
845	Fuzzy impedance control based on a built-in torque sensor in harmonic drive gear. 2017 ,	
844	Adjustable interaction control using genetic algorithm for enhanced coupled dynamics in tool-part contact. 2017 ,	1
843	Control method of power-assisted cart with one motor, a differential gear, and brakes based on motion state of the cart. 2017 ,	O
842	Forward Dynamics Compliance Control (FDCC): A new approach to cartesian compliance for robotic manipulators. 2017 ,	14
841	Port function based modeling and control of an autonomously variable spring to suppress self-excited vibrations while drilling. 2017 ,	
840	Conformal mapping of impedance stability models for system-level dynamics assessments. 2017,	1
839	Impedance control for a lower-limb rehabilitation robot. 2017,	2
838	Human-robot interaction with redundant robots using force-field-dependent variable impedance control. 2017 ,	1
837	Control design-oriented qLPV modelling of virtual impedance-based telemanipulation. 2017,	
836	Human Perception Measures for Product Design and Development Tutorial to Measurement Methods and Analysis. 2017 , 1, 28	2
835	Variable Admittance Control Based on Fuzzy Reinforcement Learning for Minimally Invasive Surgery Manipulator. 2017 , 17,	24
834	Actuation in Legged Locomotion. 2017 , 563-622	8
833	Communication and Inference of Intended Movement Direction during Human-Human Physical Interaction. 2017 , 11, 21	13
832	Impedance Control for Robotic Rehabilitation: A Robust Markovian Approach. 2017, 11, 43	18
831	Robotics in Lower-Limb Rehabilitation after Stroke. 2017 , 2017, 3731802	43

830	Patient-Centered Robot-Aided Passive Neurorehabilitation Exercise Based on Safety-Motion Decision-Making Mechanism. 2017 , 2017, 4185939	9
829	Introduction. 2017 , 1-7	1
828	Deformable robot behavior based on the standard linear solid model. 2017,	3
827	Admittance control of a 3-DOF cable-driven rehabilitation robot for upper-limb in three dimensional workspace. 2017 ,	3
826	Control of Motion and Compliance. 2017 , 135-346	2
825	Adaptive compliance learning control using Newton-Euler model. 2017,	
824	. 2017,	1
823	The application of impedance control in rotation-traction manipulation bionic robot. 2017,	
822	Designing of a kind of Impedance Controller for Industrial Robots to Assemble Satellites. 2017,	
821	Impedance Control in the Rehabilitation Robotics. 2018, 1007-1025	
820	Online Robot Reference Trajectory Adaptation for Haptic Identification of Unknown Force Field. 2018 , 16, 318-326	1
819	Stable and Compliant Motion of Physical Human R obot Interaction Coupled With a Moving Environment Using Variable Admittance and Adaptive Control. 2018 , 3, 2493-2500	26
818	Design of Materials and Mechanisms for Responsive Robots. 2018 , 1, 359-384	13
817	Smooth transition adaptive hybrid impedance control for connector assembly. 2018 , 45, 287-299	4
816	Control of UVMSs. 2018 , 175-329	
815	An integrated control scheme for space robot after capturing non-cooperative target. 2018 , 147, 350-363	20
814	Adaptive variable impedance control for dynamic contact force tracking in uncertain environment. 2018 , 102, 54-65	91
813	Application of hybrid force/position control on parallel machine for mechanical test. 2018, 49, 168-176	11

812	Iterative learning impedance control for rehabilitation robots driven by series elastic actuators. 2018 , 90, 1-7	64
811	Admittance control for physical humanEobot interaction. 2018 , 37, 1421-1444	93
810	Shape-based coordination in locomotion control. 2018 , 37, 1253-1268	22
809	Physical Human R obot Interaction of a Robotic Exoskeleton By Admittance Control. 2018 , 65, 9614-9624	137
808	. 2018 , 48, 161-171	3
807	. 2018 , 34, 447-458	12
806	Prescribed contact establishment of a robot with a planar surface under position and stiffness uncertainties. 2018 , 104, 99-108	10
805	Autonomous car driving by a humanoid robot. 2018 , 35, 169-186	9
804	Robust impedance control of robot manipulators using differential equations as universal approximator. 2018 , 91, 2170-2186	18
803	Learning motions from demonstrations and rewards with time-invariant dynamical systems based policies. 2018 , 42, 45-64	7
802	Robotic assembly solution by human-in-the-loop teaching method based on real-time stiffness modulation. 2018 , 42, 1-17	43
801	Sex differences in anticipatory postural adjustments during rapid single leg lift. 2018 , 57, 417-425	11
800	Introducing validity into self-organizing fuzzy neural network applied to impedance force control. 2018 , 337, 113-127	12
799	Design and performance analysis of position-based impedance control for an electrohydrostatic actuation system. 2018 , 31, 584-596	13
798	Kinematical and dynamical modeling of a multipurpose upper limbs rehabilitation robot. 2018, 49, 374-387	13
797	Robust Impedance Control of Uncertain Mobile Manipulators Using Time-Delay Compensation. 2018 , 26, 1942-1953	23
796	Control of Force Impulse in Human-Machine Impact. 2018 , 956-964	1
795	Control of redundant robot arms with null-space compliance and singularity-free orientation representation. 2018 , 100, 186-193	7

794	. 2018 , 34, 126-138	24
793	A port-Hamiltonian framework for operator force assisting systems: Application to the design of helicopter flight controls. 2018 , 72, 493-501	4
79²	Adaptive Hybrid System Framework for Unified Impedance and Admittance Control. 2018, 91, 569-581	4
791	Variable Admittance Control for Human-Robot Collaboration based on Online Neural Network Training. 2018 ,	15
790	Adaptive Impedance Control for Compliantly Actuated Robots with a Unified Safety Measure. 2018,	1
789	Physical Human-Robot Interaction Coupled with a Moving Environment or Target: Contact and Track. 2018 ,	1
788	. 2018,	1
787	Towards to a Robotic Assisted System for Percutaneous Nephrolithotomy. 2018 ,	4
786	. 2018,	
785	Force-Based Learning of Variable Impedance Skills for Robotic Manipulation. 2018,	2
7 ⁸ 5	Force-Based Learning of Variable Impedance Skills for Robotic Manipulation. 2018, Intuitive Teaching of Six-axis Robot Manipulator Based on Fuzzy Impedance Control. 2018,	2
		2
784	Intuitive Teaching of Six-axis Robot Manipulator Based on Fuzzy Impedance Control. 2018, Towards A Compliant and Accurate Cooperative Micromanipulator using Variable Admittance	
784 783	Intuitive Teaching of Six-axis Robot Manipulator Based on Fuzzy Impedance Control. 2018, Towards A Compliant and Accurate Cooperative Micromanipulator using Variable Admittance Control. 2018, Controller Design of Indirect Force Control System with Velocity-Saturating Closed Loop Ultrasonic	
784 783 782	Intuitive Teaching of Six-axis Robot Manipulator Based on Fuzzy Impedance Control. 2018, Towards A Compliant and Accurate Cooperative Micromanipulator using Variable Admittance Control. 2018, Controller Design of Indirect Force Control System with Velocity-Saturating Closed Loop Ultrasonic Motor Velocity Control System in Inner Loop. 2018, A Self-Adaptive Robot Control Framework for Improved Tracking and Interaction Performances in	1
784 783 782 781	Intuitive Teaching of Six-axis Robot Manipulator Based on Fuzzy Impedance Control. 2018, Towards A Compliant and Accurate Cooperative Micromanipulator using Variable Admittance Control. 2018, Controller Design of Indirect Force Control System with Velocity-Saturating Closed Loop Ultrasonic Motor Velocity Control System in Inner Loop. 2018, A Self-Adaptive Robot Control Framework for Improved Tracking and Interaction Performances in Low-Stiffness Teleoperation. 2018,	1
784 783 782 781 780	Intuitive Teaching of Six-axis Robot Manipulator Based on Fuzzy Impedance Control. 2018, Towards A Compliant and Accurate Cooperative Micromanipulator using Variable Admittance Control. 2018, Controller Design of Indirect Force Control System with Velocity-Saturating Closed Loop Ultrasonic Motor Velocity Control System in Inner Loop. 2018, A Self-Adaptive Robot Control Framework for Improved Tracking and Interaction Performances in Low-Stiffness Teleoperation. 2018, A Pneumatically-Actuated Variable-Stiffness Robot Arm Using Parallel Flexures. 2018,	1

776	Dynamic trajectory-tracking control method of robotic transcranial magnetic stimulation with end-effector gravity compensation based on force sensors. 2018 , 45, 722-731	3
775	Smart Human-Robot-Collaboration in Mechanical Joining Processes. 2018 , 24, 264-270	6
774	Learning from Demonstration for Hydraulic Manipulators. 2018,	3
773	A Shared Control Scheme for Teleoperation of Hot Line Work Robots. 2018,	
772	. 2018,	
771	An eight degree-of-freedom robotic endoscope holder. 2018,	
770	Adaptive unified Impedance and Admittance control using online environment estimation. 2018,	2
769	Robust Kalman Filter and Robust Regulator for Discrete-Time Markovian Jump Linear Systems: Control of Series Elastic Actuators. 2018 ,	3
768	Stable Cadence Tracking of Admitting Functional Electrical Stimulation Cycle. 2018,	2
767	Disturbance Observer Based Speed Control of a Variable Displacement Pump-Driven-Motor System with Impedance Torque Regulation. 2018 ,	
766	Perception of Mechanical Impedance During Active Ankle and Knee Movement. 2018, 2018, 3044-3047	
765	Active Impedance Control of Bioinspired Motion Robotic Manipulators: An Overview. 2018 , 2018, 8203054	16
764	Fundamentals of Robot Dynamics and Control. 2018 , 9-43	
763	Trajectory Planning Based on Dual Torque Feedforward Control for Robot Astronaut Safe Movement on Space Station. 2018 ,	
762	Configuration-Dependent Optimal Impedance Control of an Upper Extremity Stroke Rehabilitation Manipulandum. 2018 , 5, 124	1
761	An Assist-as-Needed Velocity Field Control Scheme for Rehabilitation Robots. 2018,	9
760	Elastic Structure Preserving Impedance (ES)Control for Compliantly Actuated Robots. 2018,	3
759	A General Admittance Control Approach for Indirect Force Control of Industrial Manipulators. 2018,	1

758 $\,$ $\,$ Impedance Control of a DC Servo Motor. 2018,

757	Stability and predictability in human control of complex objects. 2018 , 28, 103103	17
756	Whole-Body Impedance Control for a Planetary Rover with Robotic Arm: Theory, Control Design, and Experimental Validation. 2018 ,	5
755	Stability and Predictability in Dynamically Complex Physical Interactions. 2018 , 2018, 5540-5545	7
754	Decoupled Motion Control of Wearable Robot for Rejecting Human Induced Disturbances. 2018,	4
753	A Projected Inverse Dynamics Approach for Multi-Arm Cartesian Impedance Control. 2018,	12
75 ²	Mechanical Design and Control Strategy for Hip Joint Power Assisting. 2018 , 2018, 9712926	1
751	Convolutional Networks Outperform Linear Decoders in Predicting EMG From Spinal Cord Signals. 2018 , 12, 689	5
750	Intelligent control for lower limb rehabilitation system. 2018,	
749	Admittance Control of Manipulators in Unknown Environment. 2018,	
748	Quantifying Human Autonomy Recovery During Ankle Robot-Assisted Reversal of Foot Drop After Stroke. 2018 ,	2
747	Admittance Trajectory Tracking using a Challenge-Based Rehabilitation Robot with Functional Electrical Stimulation. 2018 ,	3
746	An Adaptive and Hybrid End-Point/Joint Impedance Controller for Lower Limb Exoskeletons. 2018 , 5, 104	14
745	Robust position-based impedance control of lightweight single-link flexible robots interacting with the unknown environment via a fractional-order sliding mode controller. 2018 , 36, 1920-1942	10
744	Multi-Priority Cartesian Impedance Control Based on Quadratic Programming Optimization. 2018,	14
743	. 2018,	6
742	Compliant Manipulation of Free-Floating Objects. 2018,	1
741	A Model-Based Hierarchical Controller for Legged Systems Subject to External Disturbances. 2018 ,	16

740	User-Adaptive Assistance of Assistive Knee Braces for Gait Rehabilitation. 2018 , 26, 1994-2005	5
739	Learning-Based Variable Compliance Control for Robotic Assembly. 2018 , 10,	19
738	Robust Active Disturbance Rejection Control via Control Lyapunov Functions: Application to Actuated-Anklefloot-Orthosis. 2018 , 80, 49-60	24
737	Scalable Controller Synthesis for Heterogeneous Interconnected Systems Applicable to an Overlapping Control Framework. 2018 ,	1
736	A Brief Survey on Control of Multi-fingered Robotic hands. 2018 , 36, 306-315	
735	Robotic Physical Interaction Using Deformation Control Based on the Zener Model. 2018,	1
734	Force, Impedance, and Trajectory Learning for Contact Tooling and Haptic Identification. 2018 , 34, 1170-1182	49
733	Twenty + years of robotics for upper-extremity rehabilitation following a stroke. 2018 , 175-192	6
732	Design and Evaluation of a Motorized Robotic Bed Mover With Omnidirectional Mobility for Patient Transportation. 2018 , 22, 1775-1785	6
73 ¹	Dynamic Modeling and Interactive Performance of PARM: A Parallel Upper-Limb Rehabilitation Robot Using Impedance Control for Patients after Stroke. 2018 , 2018, 8647591	16
730	A Family of Hyperbolic-Type Explicit Force Regulators with Active Velocity Damping for Robot Manipulators. 2018 , 2018, 1-15	2
729	Contact dynamics and control of a space robot capturing a tumbling object. 2018 , 151, 532-542	28
728	Robust Adaptive Impedance Control With Application to a Transfemoral Prosthesis and Test Robot. <i>Journal of Dynamic Systems, Measurement and Control, Transactions of the ASME,</i> 2018 , 140,	12
727	Reaction force observer using load dependent friction model. 2018,	1
726	Design and Vibration Suppression Control of a Modular Elastic Joint. 2018 , 18,	13
7 2 5	Soft-Actuator-Based Robotic Joint for Safe and Forceful Interaction With Controllable Impact Response. 2018 , 3, 3505-3512	18
724	Changes in brain activation associated with backlash magnitude: a step toward quantitative evaluation of maneuverability. 2018 , 23, 140-145	
723	Patient-Robot-Therapist Collaboration Using Resistive Impedance Controlled Tele-Robotic Systems Subjected to Time Delays. 2018 , 10,	5

722	Force-based variable impedance learning for robotic manipulation. 2018 , 109, 156-167	32
721	Efficient Force Control Learning System for Industrial Robots Based on Variable Impedance Control. 2018 , 18,	15
720	Control of a Space Manipulator Capturing a Rotating Object in the Three-dimensional Space. 2018,	2
719	Impedance control of non-linear multi-DOF teleoperation systems with time delay: absolute stability. 2018 , 12, 1722-1729	17
718	A Path/Surface Following Control Approach to Generate Virtual Fixtures. 2018, 34, 1577-1592	9
717	Control design in cyber-physical fluid\(Structure interaction experiments. \) 2018, 82, 86-100	1
716	Analysis of a simple model for post-impact dynamics active compliance in humanoids falls with nonlinear optimization. 2018 ,	1
715	Preliminaries. 2018 , 1-12	2
714	Bibliography. 2018 , 205-212	
713	Impedance Field Expression of Bilateral Control for Reducing Data Traffic in Haptic Transmission. 2019 , 66, 1142-1150	10
713		10
	2019, 66, 1142-1150 Cartesian Impedance Control for Physical HumanRobot Interaction Using Virtual Decomposition	
712	2019, 66, 1142-1150 Cartesian Impedance Control for Physical HumanRobot Interaction Using Virtual Decomposition Control Approach. 2019, 43, 983-994	3
712 711	Cartesian Impedance Control for Physical HumanRobot Interaction Using Virtual Decomposition Control Approach. 2019, 43, 983-994 Impedance control in multiple cooperative space robots pulling a flexible wire. 2019, 233, 2190-2205	3 5
712 711 710	Cartesian Impedance Control for Physical HumanRobot Interaction Using Virtual Decomposition Control Approach. 2019, 43, 983-994 Impedance control in multiple cooperative space robots pulling a flexible wire. 2019, 233, 2190-2205 UDE-Based Variable Impedance Control of Uncertain Robot Systems. 2019, 49, 2487-2498	3 5 28
712 711 710 709	Cartesian Impedance Control for Physical Human Robot Interaction Using Virtual Decomposition Control Approach. 2019, 43, 983-994 Impedance control in multiple cooperative space robots pulling a flexible wire. 2019, 233, 2190-2205 UDE-Based Variable Impedance Control of Uncertain Robot Systems. 2019, 49, 2487-2498 Robotic Cutting: Mechanics and Control of Knife Motion. 2019,	3 5 28
712 711 710 709 708	Cartesian Impedance Control for Physical HumanRobot Interaction Using Virtual Decomposition Control Approach. 2019, 43, 983-994 Impedance control in multiple cooperative space robots pulling a flexible wire. 2019, 233, 2190-2205 UDE-Based Variable Impedance Control of Uncertain Robot Systems. 2019, 49, 2487-2498 Robotic Cutting: Mechanics and Control of Knife Motion. 2019, Constrained Feedback Control by Prioritized Multi-objective Optimization. 2019, Design and Control of a Sitting/Lying Style Lower Limb Rehabilitation Robot with	3 5 28 4

704	An introductory review of active compliant control. 2019 , 119, 185-200	18
703	Dynamic Adaptive Hybrid Impedance Control for Dynamic Contact Force Tracking in Uncertain Environments. 2019 , 7, 83162-83174	21
702	Control of Adaptive Switching in the Sensing-Executing Mode Used to Mitigate Collision in Robot Force Control. <i>Journal of Dynamic Systems, Measurement and Control, Transactions of the ASME</i> , 1.6 2019 , 141,	6
701	Improving short-term retention after robotic training by leveraging fixed-gain controllers. 2019 , 6, 20556683	19866311
700	Muscle tension training method for series elastic actuator (SEA) based on gain-scheduled method. 2019 , 121, 103253	2
699	Optimal impedance via model predictive control for robot-aided rehabilitation. 2019 , 93, 104177	10
698	. 2019 , 7, 108795-108805	27
697	Full 6-DOF Admittance Control for the Industrial Robot Stübli TX60. 2019 ,	O
696	Integrative Biomimetics of Autonomous Hexapedal Locomotion. 2019 , 13, 88	22
695	Improving Stability in Upper Limb Rehabilitation Using Variable Stiffness. 2019 , 2019, 122-125	
694	Fuzzy impedance control of an electro-hydraulic actuator with an extended disturbance observer. 2019 , 20, 1221-1233	4
693	. 2019 , 7, 148313-148325	8
692	An Industrial Robot-Based Rehabilitation System for Bilateral Exercises. 2019 , 7, 151282-151294	3
691	Admittance Control of the Ankle Mechanism in a Rotational Orthosis for Walking with Arm Swing. 2019 , 2019, 709-714	1
690	Robust Optimal Design of Energy Efficient Series Elastic Actuators: Application to a Powered Prosthetic Ankle. 2019 , 2019, 740-747	4
689	Electromyography (EMG) Signal Contributions in Speed and Slope Estimation Using Robotic Exoskeletons. 2019 , 2019, 548-553	17
688	Exploiting Environment Contacts of Serial Manipulators. 2019,	
687	Joint kinematic configuration influence on the passivity of an impedance-controlled robotic leg. 2019 ,	

686	The Advanced Control Approach based on SMC Design for the High-Fidelity Haptic Power Lever of a Small Hybrid Electric Aircraft. 2019 , 12, 2974	1
685	Perspectives and Challenges in Robotic Neurorehabilitation. 2019 , 9, 3183	36
684	Admittance Control of Motorized Functional Electrical Stimulation Cycle. 2019, 51, 272-277	1
683	Development of a Low Inertia Parallel Actuated Shoulder Exoskeleton Robot for the Characterization of Neuromuscular Property during Static Posture and Dynamic Movement. 2019 ,	4
682	. 2019 , 35, 1435-1449	23
681	Study on motion performance of robot-aided passive rehabilitation exercises using novel dynamic motion planning strategy. 2019 , 16, 172988141987323	
680	Geometry based synthesis of planar compliances with redundant mechanisms having five compliant components. 2019 , 134, 645-666	8
679	Tactile-Based Whole-Body Compliance With Force Propagation for Mobile Manipulators. 2019 , 35, 330-342	14
678	A Tutorial Survey and Comparison of Impedance Control on Robotic Manipulation. 2019, 37, 801-836	32
677	Stable force control and contact transition of a single link flexible robot using a fractional-order controller. 2019 , 89, 139-157	23
676	Aerial Robotic Manipulation. 2019 ,	9
675	. 2019 , 35, 833-846	18
674	Position/force control of robot manipulators using reinforcement learning. 2019, 46, 267-280	27
673	Controlling the Cadence and Admittance of a Functional Electrical Stimulation Cycle. 2019 , 27, 1181-1192	16
672	Directional Stiffness Modulation of Parallel Robots With Kinematic Redundancy and Variable Stiffness Joints. 2019 , 11,	9
671	An Adaptive Sliding-Mode Iterative Constant-force Control Method for Robotic Belt Grinding Based on a One-Dimensional Force Sensor. 2019 , 19,	8
670	Task space human-robot interaction using angular velocity Jacobian. 2019,	6
669	Leg Trajectory Planning for Quadruped Robots with High-Speed Trot Gait. 2019 , 9, 1508	12

668	Slider position control for slider-crank mechanisms with Jacobian compensator. 2019 , 233, 1413-1421	5
667	Design of a Two Arms Exoskeleton as Haptic Device for Virtual Reality Applications. 2019 , 252-262	
666	A PSO-Optimized Fuzzy Reinforcement Learning Method for Making the Minimally Invasive Surgical Arm Cleverer. 2019 , 7, 48655-48670	8
665	Tutorial Review on Space Manipulators for Space Debris Mitigation. 2019 , 8, 34	10
664	Design an impedance control strategy for a teleoperation system to perform drilling process during spinal surgery. 2019 , 41, 2947-2956	1
663	Admittance-Based Adaptive Cooperative Control for Multiple Manipulators With Output Constraints. 2019 , 30, 3621-3632	24
662	A constraint-based programming approach for robotic assembly skills implementation. 2019 , 59, 69-81	11
661	A portable and spring-guided hand exoskeleton for exercising flexion/extension of the fingers. 2019 , 135, 176-191	18
660	Reinforcement learning for human-robot shared control. 2019 , 40, 105-117	3
659	Exploiting linearity in dynamics solvers for the design of composable robotic manipulation architectures. 2019 ,	O
658	Event-based planning and control for active collision avoidance in human-robot collaboration. 2019,	
657	Incremental Policy Refinement by Recursive Regression and Kinesthetic Guidance. 2019,	1
656	Complementary projector for null-space stiffness control of redundant assembly robot arm. 2019 , 39, 696-714	0
655	Simulation and Analysis of a Full-Active Electro-Hydrostatic Powered Ankle Prosthesis. 2019,	1
654	Teleoperated Hexapod Robot for Imitation Learning Task Training. 2019,	
653	A Robot Design Method for Weight Saving Aimed at Dynamic Motions: Design of Humanoid JAXON3-P and Realization of Jump Motions. 2019 ,	3
652	Switched Motorized and Functional Electrical Stimulation Cycling Controllers for Power Tracking. 2019 ,	1
651	Multi-Surface Admittance Control Approach applied on Robotic Assembly of Large-Scale parts in Aerospace Manufacturing. 2019 ,	1

650	Development of an Autonomous Sanding Robot with Structured-Light Technology. 2019,	1
649	Research on Impedance Control of Flexible Joint Space Manipulator On-Orbit Servicing. 2019 ,	O
648	Variable Admittance Control for Human-Robot Collaboration in Robot-Assisted Orthopedic Surgery*. 2019 ,	1
647	Impedance Control Strategy and Experimental Analysis of Collaborative Robots Based on Torque Feedback. 2019 ,	2
646	A Human-Aided Learning Approach to Optimal Control of Human-Robot Systems. 2019,	
645	Impedance Synchronous Control for a Robot Multi-Motor Joint. 2019 ,	
644	Impedance Control without Environment Model by Reinforcement Learning. 2019,	1
643	Flexure Mechanisms with Variable Stiffness and Damping Using Layer Jamming. 2019,	3
642	An Approach for Peg-in-Hole Assembling Based on Force Feedback Control. 2019,	2
641	. 2019,	1
640	. 2019, Adaptive Human-Robot Interaction Control of the Lower Extremity Robotic Exoskeleton with Magnetorheological Actuators*. 2019,	0
	Adaptive Human-Robot Interaction Control of the Lower Extremity Robotic Exoskeleton with	
640	Adaptive Human-Robot Interaction Control of the Lower Extremity Robotic Exoskeleton with Magnetorheological Actuators*. 2019, Active Compliance Control on the Hydraulic Quadruped Robot With Passive Compliant Servo	0
640	Adaptive Human-Robot Interaction Control of the Lower Extremity Robotic Exoskeleton with Magnetorheological Actuators*. 2019, Active Compliance Control on the Hydraulic Quadruped Robot With Passive Compliant Servo Actuator. 2019, 7, 163449-163460	3
640 639 638	Adaptive Human-Robot Interaction Control of the Lower Extremity Robotic Exoskeleton with Magnetorheological Actuators*. 2019, Active Compliance Control on the Hydraulic Quadruped Robot With Passive Compliant Servo Actuator. 2019, 7, 163449-163460 A direct teaching control via Casimir of force sensorless hydraulic arms. 2019,	o 3 0
640 639 638	Adaptive Human-Robot Interaction Control of the Lower Extremity Robotic Exoskeleton with Magnetorheological Actuators*. 2019, Active Compliance Control on the Hydraulic Quadruped Robot With Passive Compliant Servo Actuator. 2019, 7, 163449-163460 A direct teaching control via Casimir of force sensorless hydraulic arms. 2019, Model Predictive Force Control in Grinding based on a Lightweight Robot. 2019, 52, 1779-1784 Development and Control Experiment of a Snake-Like Robot with Controllable Side-Thrust Links.	0 3 0
640 639 638 637	Adaptive Human-Robot Interaction Control of the Lower Extremity Robotic Exoskeleton with Magnetorheological Actuators*. 2019, Active Compliance Control on the Hydraulic Quadruped Robot With Passive Compliant Servo Actuator. 2019, 7, 163449-163460 A direct teaching control via Casimir of force sensorless hydraulic arms. 2019, Model Predictive Force Control in Grinding based on a Lightweight Robot. 2019, 52, 1779-1784 Development and Control Experiment of a Snake-Like Robot with Controllable Side-Thrust Links. 2019, 52, 229-234 Force Regulation for Pick-and-Place Units by use of Adaptive Impedance Control in the	0 3 0 1

632 Event-based Hybrid Impedance and Admittance Control. 2019,

631	Force Reference Extraction via Human Interaction for a Robotic Polishing Task: Force-Induced Motion. 2019 ,	O
630	Optimal contact force of Robots in Unknown Environments using Reinforcement Learning and Model-free controllers. 2019 ,	5
629	Neural-Network-Based Heart Motion Prediction for Ultrasound-Guided Beating-Heart Surgery. 2019 ,	1
628	Vision-Based Position/Impedance Control for Robotic Assembly Task. 2019,	1
627	Singular Perturbation-based Variable Impedance Control of Robots with Series Elastic Actuators. 2019 ,	1
626	Dual Loop Compliant Control Based on Human Prediction for Physical Human-Robot Interaction. 2019 ,	0
625	FAT-Based Robust Adaptive Control of Electrically Driven Robots in Interaction with Environment. 2019 , 37, 779-800	15
624	Upper Extremity Rehabilitation Robots: A Survey. 2019 , 319-353	2
623	A Survey of Force-Assisted Robotic Cell Microinjection Technologies. 2019 , 16, 931-945	27
622	Variable Stiffness Mechanism for Suppressing Unintended Forces in Physical Human R obot Interaction. 2019 , 11,	7
621	Passive shared virtual environment for haptic cooperation. 2019 , 43, 1489-1504	1
620	Compliance/Impedance Control Strategy for Humanoids. 2019 , 1009-1028	1
619	. 2019 , 35, 162-173	15
618	Hammerstein Adaptive Impedance Controller for Bionic Wrist Joint Actuated by Pneumatic Muscles. 2019 , 7, 47-56	32
617	Compliance Parameterization and Task Execution. 2019 , 113-139	
616	Adaptive Impedance Control Applied to Robot-Aided Neuro-Rehabilitation of the Ankle. 2019 , 4, 185-192	31
615	Dynamics. 2019 , 125-202	O

(2020-2020)

614	Human-Inspired Control of Dual-Arm Exoskeleton Robots With Force and Impedance Adaptation. 2020 , 50, 5296-5305	28
613	Impedance Control and Force Estimation of a Redundant Parallel Kinematic Manipulator. 2020 , 174-191	1
612	Composite Learning Enhanced Robot Impedance Control. 2020 , 31, 1052-1059	29
611	Mixed Data-Driven and Model-Based Robot Implicit Force Control: A Hierarchical Approach. 2020 , 28, 1258-1271	9
610	Teleoperation Control of a Position-Based Impedance Force Controlled Mobile Robot by Neural Network Learning: Experimental Studies. 2020 , 22, 92-103	4
609	Human-in-the-Loop Control Using Euler Angles. 2020 , 97, 271-285	18
608	Simplified Stable Admittance Control Using End-Effector Orientations. 2020 , 12, 1061-1073	15
607	Reference Trajectory Reshaping Optimization and Control of Robotic Exoskeletons for Human-Robot Co-Manipulation. 2020 , 50, 3740-3751	28
606	Cooperative Manipulation of Wearable Dual-Arm Exoskeletons Using Force Communication Between Partners. 2020 , 67, 6629-6638	15
605	Hierarchical Impedance-Based Tracking Control of Kinematically Redundant Robots. 2020, 36, 204-221	25
604	Adaptive Neural Sliding-Mode Controller for Alternative Control Strategies in Lower Limb Rehabilitation. 2020 , 28, 238-247	5
603	Periodic/Aperiodic Motion Control Using Periodic/Aperiodic Separation Filter. 2020, 67, 7649-7658	5
602	Port-Hamiltonian Modeling for Control. 2020 , 3, 393-416	6
601	Robotic orthoses for gait rehabilitation: An overview of mechanical design and control strategies. 2020 , 234, 444-457	10
600	Wireless manipulation using magnetic polymer composites. 2020 , 29, 035035	1
599	A Robust Impedance Controller Design for Series Elastic Actuators using the Singular Perturbation Theory. 2020 , 25, 164-174	9
598	Reduction of Contact Force Fluctuation for Rotary Wear Test Apparatus. 2020 , 25, 185-194	1
597	Operational Space Control Under Actuation Constraints Using Strictly Convex Optimization. 2020 , 36, 302-309	4

596	Adaptive Sliding Mode Impedance Control of Single-Link Flexible Manipulators interacting with the Environment at an Unknown Intermediate Point. 2020 , 38, 1642-1664	2
595	Development of trajectory and force controllers for 3-joint string-tube actuated finger prosthesis based on bond graph modeling. 2020 , 146, 103719	3
594	A Bio-Signal Enhanced Adaptive Impedance Controller for Lower Limb Exoskeleton. 2020,	2
593	A technical framework for human-like motion generation with autonomous anthropomorphic redundant manipulators. 2020 ,	7
592	Model Predictive Impedance Control. 2020,	5
591	Variable Impedance Control in Cartesian Latent Space while Avoiding Obstacles in Null Space. 2020 ,	1
590	Adaptive Visual Shock Absorber with Visual-based Maxwell Model Using a Magnetic Gear. 2020,	0
589	An Intuitive Formulation of the Human Arm Active Endpoint Stiffness. 2020 , 20,	4
588	Compound Impedance Control of a Hydraulic Driven Parallel 3UPS/S Manipulator. 2020, 33,	3
587	A Framework for Human-Robot-Human Physical Interaction Based on N-Player Game Theory. 2020 , 20,	2
586	A rewardpunishment feedback control strategy based on energy information for wrist rehabilitation. 2020 , 17, 172988142094065	2
585	Human Robot Hand Interaction with Plastic Deformation Control. 2020 , 9, 73	1
584	An Admittance-controlled Force-scaling Dexterous Assistive Robotic System. 2020 , 05, 2041002	2
583	A recurrent neural network for variable admittance control in humanEobot cooperation: simultaneously and online adjustment of the virtual damping and Inertia parameters. 2020 , 4, 441-464	4
582	RLS Impedance Intelligence Control Algorithm for Wire Peeler of Robot in Complex Power Networks. 2020 , 2020, 1-14	
581	Position Based Impedance Control of Electro-Hydrostatic Actuator. 2020 , 1601, 062050	
580	Learning impedance control of robots with enhanced transient and steady-state control performances. 2020 , 63, 1	8
579	Smooth adaptive hybrid impedance control for robotic contact force tracking in dynamic environments. 2020 , 47, 231-242	7

(2020-2020)

578	Null-space impedance control of 7-degree-of-freedom redundant manipulators based on the arm angles. 2020 , 17, 172988142092529	1
577	Hybrid Impedance Control of Robot Manipulators based on Generalized Momentum. 2020 , 825, 012047	1
576	A Control Scheme for Smooth Transition in Physical Human-Robot-Environment Between Two Modes: Augmentation and Autonomous. 2020 , 5, 5803-5810	1
575	Coupled Task-Space Admittance Controller Using Dual Quaternion Logarithmic Mapping. 2020 , 5, 6057-6064	4
574	Model-based fuzzy variable impedance sliding-mode control for trajectory tracking in physical human-robot interaction. 2020 ,	
573	Decentralized Control of Robotic Arm with Elastic Joints. 2020,	1
572	Human-Robot Interaction: Controller Design and Stability. 2020,	2
571	Flexible Dry Electrodes for EMG Acquisition within Lower Extremity Prosthetic Sockets. 2020 , 2020, 1088-109	54
570	Enhancing Robot-Environment Physical Interaction via Optimal Impedance Profiles. 2020,	4
569	Multi-Directional Ankle Impedance During Standing Postures. 2020 , 28, 2224-2235	2
568	Visual-reward driven changes of movement during action execution. 2020 , 10, 15527	4
567	Aerial Regrasping: Pivoting with Transformable Multilink Aerial Robot. 2020 ,	8
566	Curvature sensing with a spherical tactile sensor using the color-interference of a marker array. 2020 ,	5
565	Impedance Control of Hydraulic Series Elastic Actuator with a Model-Based Control Design. 2020 ,	2
564	A Time Delay Estimation Based Adaptive Sliding Mode Strategy for Hybrid Impedance Control. 2020 , 8, 155352-155361	1
563	A Robust Adaptive Admittance Control Scheme for Robotic Knee Prosthesis Using Human-Inspired Virtual Constraints. 2020 , 8, 164089-164102	2
562	A neural network-based approach for variable admittance control in humanBobot cooperation: online adjustment of the virtual inertia. 2020 , 13, 495-519	7
561	Robot Hand Interaction Using Plastic Deformation Control with Inner Position Loop. 2020,	O

560	Markovian Robust Filtering and Control Applied to Rehabilitation Robotics. 2020, 1-1	3
559	A Planar Parallel Device for Neurorehabilitation. 2020 , 9, 104	3
558	One-legged hop of compliance control based on minimum-jerk. 2020 , 1507, 052012	1
557	Admittance-Controlled Teleoperation of a Pneumatic Actuator: Implementation and Stability Analysis. 2020 , 9, 103	
556	Hybrid IMU/muscle Signals Powered Teleoperation Control of Serial Manipulator Incorporating Passivity Adaptation. 2020 ,	O
555	Dual Arm Co-Manipulation Architecture with Enhanced Human-Robot Communication for Large Part Manipulation. 2020 , 20,	6
554	Towards Universal Control System for Powered Anklefloot Prosthesis: A Simulation Study. 2020 , 22, 1299-1313	5
553	Robot Position/Force Control in Unknown Environment Using Hybrid Reinforcement Learning. 2020 , 51, 542-560	8
552	Control of ATRIAS in three dimensions: Walking as a forced-oscillation problem. 2020 , 39, 774-796	O
551	Exploiting upper-limb functional principal components for human-like motion generation of anthropomorphic robots. 2020 , 17, 63	15
55 ¹		3
	anthropomorphic robots. 2020 , 17, 63 Tutorial Review of Bio-Inspired Approaches to Robotic Manipulation for Space Debris Salvage. 2020	
550	anthropomorphic robots. 2020 , 17, 63 Tutorial Review of Bio-Inspired Approaches to Robotic Manipulation for Space Debris Salvage. 2020 , 5, Interactional Modeling and Optimized PD Impedance Control Design for Robust Safe Fingertip	
550 549	anthropomorphic robots. 2020, 17, 63 Tutorial Review of Bio-Inspired Approaches to Robotic Manipulation for Space Debris Salvage. 2020, 5, Interactional Modeling and Optimized PD Impedance Control Design for Robust Safe Fingertip Grasping. 2020, Assist-as-needed policy for movement therapy using telerobotics-mediated therapist supervision.	3
550 549 548	anthropomorphic robots. 2020, 17, 63 Tutorial Review of Bio-Inspired Approaches to Robotic Manipulation for Space Debris Salvage. 2020, 5, Interactional Modeling and Optimized PD Impedance Control Design for Robust Safe Fingertip Grasping. 2020, Assist-as-needed policy for movement therapy using telerobotics-mediated therapist supervision. 2020, 101, 104481 A Practical Method for Acquiring Inverse Dynamics Model and its Application to Mechanical	3
550 549 548 547	anthropomorphic robots. 2020, 17, 63 Tutorial Review of Bio-Inspired Approaches to Robotic Manipulation for Space Debris Salvage. 2020, 5, Interactional Modeling and Optimized PD Impedance Control Design for Robust Safe Fingertip Grasping. 2020, Assist-as-needed policy for movement therapy using telerobotics-mediated therapist supervision. 2020, 101, 104481 A Practical Method for Acquiring Inverse Dynamics Model and its Application to Mechanical Impedance Control of Human-Cooperative Robot. 2020,	3 8 0
550 549 548 547 546	anthropomorphic robots. 2020, 17, 63 Tutorial Review of Bio-Inspired Approaches to Robotic Manipulation for Space Debris Salvage. 2020, 5, Interactional Modeling and Optimized PD Impedance Control Design for Robust Safe Fingertip Grasping. 2020, Assist-as-needed policy for movement therapy using telerobotics-mediated therapist supervision. 2020, 101, 104481 A Practical Method for Acquiring Inverse Dynamics Model and its Application to Mechanical Impedance Control of Human-Cooperative Robot. 2020, Object-Level Impedance Control for Dexterous In-Hand Manipulation. 2020, 5, 2987-2994 Necessary and Sufficient Conditions for the Passivity of Impedance Rendering With	3 8 0

(2020-2020)

542	Capturing and deorbiting Envisat with an Airbus Spacetug. Results from the ESA e.Deorbit consolidation phase study. 2020 , 7, 52-66	2
541	Separating neural influences from peripheral mechanics: the speed-curvature relation in mechanically constrained actions. 2020 , 123, 1870-1885	6
540	Exploring Stiffness Modulation in Prosthetic Hands and Its Perceived Function in Manipulation and Social Interaction. 2020 , 14, 33	1
539	Iterative learning of human partner desired trajectory for proactive human bobot collaboration. 2020 , 4, 229-242	4
538	Impedance with Finite-Time Control Scheme for Robot-Environment Interaction. 2020, 2020, 1-18	3
537	Robotic System Specification Methodology Based on Hierarchical Petri Nets. 2020 , 8, 71617-71627	6
536	Robust Position/Force Control of Constrained Flexible Joint Robots with Constraint Uncertainties. 2020 , 100, 945-954	2
535	The challenges of prosthetic design and control. 2020 , 1-17	1
534	Neural approximation-based adaptive variable impedance control of robots. 2020 , 42, 2589-2598	6
533	Interaction Control for Human-Exoskeletons. 2020 , 2020, 1-15	3
533 532	Interaction Control for Human-Exoskeletons. 2020, 2020, 1-15 A biarticular passive exosuit to support balance control can reduce metabolic cost of walking. 2020, 15, 036009	3
	A biarticular passive exosuit to support balance control can reduce metabolic cost of walking. 2020 ,	14
532	A biarticular passive exosuit to support balance control can reduce metabolic cost of walking. 2020 , 15, 036009	14
532 531	A biarticular passive exosuit to support balance control can reduce metabolic cost of walking. 2020, 15, 036009 Distributed Control for Cooperative Manipulation With Event-Triggered Communication. 2020, 36, 1038-1052 Impedance Control Strategies for Enhancing Sloped and Level Walking Capabilities for Individuals	14 2 19
532 531 530	A biarticular passive exosuit to support balance control can reduce metabolic cost of walking. 2020, 15, 036009 Distributed Control for Cooperative Manipulation With Event-Triggered Communication. 2020, 36, 1038-1052 Impedance Control Strategies for Enhancing Sloped and Level Walking Capabilities for Individuals with Transfemoral Amputation Using a Powered Multi-Joint Prosthesis. 2020, 185, 490-499	14 2 19 4
532 531 530 529	A biarticular passive exosuit to support balance control can reduce metabolic cost of walking. 2020, 15, 036009 Distributed Control for Cooperative Manipulation With Event-Triggered Communication. 2020, 36, 1038-1052 Impedance Control Strategies for Enhancing Sloped and Level Walking Capabilities for Individuals with Transfemoral Amputation Using a Powered Multi-Joint Prosthesis. 2020, 185, 490-499 Impedance control applications in therapeutic exercise robots. 2020, 395-443	14 2 19 4
532 531 530 529 528	A biarticular passive exosuit to support balance control can reduce metabolic cost of walking. 2020, 15, 036009 Distributed Control for Cooperative Manipulation With Event-Triggered Communication. 2020, 36, 1038-1052 Impedance Control Strategies for Enhancing Sloped and Level Walking Capabilities for Individuals with Transfemoral Amputation Using a Powered Multi-Joint Prosthesis. 2020, 185, 490-499 Impedance control applications in therapeutic exercise robots. 2020, 395-443 Impedance control of three dimensional hybrid manipulator. 2020, 34, 359-367 Multifunctional Remotely Actuated 3-DOF Supernumerary Robotic Arm Based on	14 2 19 4 2

524	Impedance Sliding Mode Control With Adaptive Fuzzy Compensation for Robot-Environment Interacting. 2020 , 8, 19880-19889	9
523	State-of-the-Art Robotic Devices for Wrist Rehabilitation: Design and Control Aspects. 2020 , 50, 361-372	15
522	Fractional Order Impedance Control. 2020 , 8, 48904-48916	6
521	Mechanical Impedance Control of Cooperative Robot During Object Manipulation Based on External Force Estimation Using Recurrent Neural Network. 2020 , 08, 239-251	2
520	Dynamical model of muscle fatigue and recovery considering the behavior of slow- and fast-twitch muscles and the roles of antagonistic muscles. 2020 , 7, 20-00023-20-00023	
519	Adaptive Variable Parameter Impedance Control for Apple Harvesting Robot Compliant Picking. 2020 , 2020, 1-15	9
518	Bi-Level Adaptive Computed-Current Impedance Controller for Electrically Driven Robots. 2021 , 39, 200-216	2
517	. 2021 , 68, 5184-5196	12
516	Dynamic Neural Networks for Motion-Force Control of Redundant Manipulators: An Optimization Perspective. 2021 , 68, 1525-1536	36
515	Robotic mirror therapy system for lower limb rehabilitation. 2021 , 48, 221-232	1
514	Force control-based vibration suppression in robotic grinding of large thin-wall shells. 2021 , 67, 102031	4
514 513	Force control-based vibration suppression in robotic grinding of large thin-wall shells. 2021 , 67, 102031 . 2021 , 68, 850-860	4 7
513	. 2021 , 68, 850-860	7
513 512	. 2021 , 68, 850-860 Robot Assisted Ankle Neuro-Rehabilitation: State of the art and Future Challenges. 2021 , 21, 111-121 Split-Crank Functional Electrical Stimulation Cycling: An Adapting Admitting Rehabilitation Robot.	7
513 512 511	. 2021, 68, 850-860 Robot Assisted Ankle Neuro-Rehabilitation: State of the art and Future Challenges. 2021, 21, 111-121 Split-Crank Functional Electrical Stimulation Cycling: An Adapting Admitting Rehabilitation Robot. 2021, 29, 2153-2165	7 6 5
513512511510	. 2021, 68, 850-860 Robot Assisted Ankle Neuro-Rehabilitation: State of the art and Future Challenges. 2021, 21, 111-121 Split-Crank Functional Electrical Stimulation Cycling: An Adapting Admitting Rehabilitation Robot. 2021, 29, 2153-2165 . 2021, 68, 11565-11575 Admittance-Controlled Robotic Assistant for Fibula Osteotomies in Mandible Reconstruction	7 6 5 7

(2021-2021)

506	A wearable wrist haptic display for motion tracking and force feedback in the operational space. 2021 , 2,	2
505	Design and Experiment of an Anthropomorphic Robot Hand for Variable Grasping Stiffness. 2021 , 9, 99467-99479	1
504	Adaptive Robust Impedance Control for an Ear Surgical Device with Soft Interaction. 2021, 1-1	О
503	HapFIC: An Adaptive Force/Position Controller for Safe Environment Interaction in Articulated Systems. 2021 , 29, 1432-1440	1
502	Spherical Wrist With Hybrid Motion-Impedance Control for Enhanced Robotic Manipulations. 2021 , 1-12	5
501	Impedance Variation and Learning Strategies in Human-Robot Interaction. 2021, PP,	12
500	. 2021 , 9, 126048-126057	О
499	Gravity and Impedance Compensation of Body Weight Support System Driven by Two Series Elastic Actuators. 2021 , 1-1	1
498	Proxy-Based Control of Intelligent Assistive Walker for Intentional Sit-to-Stand Transfer. 2021, 1-1	1
497	Position-Based Fractional-Order Impedance Control of a 2 DOF Serial Manipulator. 2021 , 39, 1560-1574	5
496	Cable-Driven Robots in Physical Rehabilitation. 2021 , 255-290	
495	Impedance Learning-Based Adaptive Control for Human-Robot Interaction. 2021, 1-14	3
494	Adaptive Control for Dual-Master/Single-Slave Nonlinear Teleoperation Systems With Time-Varying Communication Delays. 2021 , 70, 1-15	О
493	A Simple and Efficient Non-model Based Cable Tension Control. 2021 , 297-308	1
492	Cable Driven Rehabilitation Robots: Comparison of Applications and Control Strategies. 2021 , 9, 110396-110	042 <u>1</u> 0
491	Bidirectional Human-Robot Bimanual Handover of Big Planar Object With Vertical Posture. 2021 , 1-12	1
490	Impedance Control Architecture for Robotic-Assisted Mold Polishing based on Human Demonstration. 2021 , 1-1	7
489	Promoting mutual adaptation in haptic negotiation using adaptive virtual fixture. 2021, 48, 313-326	1

488	A Robust Hybrid Position/Force Control Considering Motor Torque Saturation. 2021, 9, 34515-34528	2
487	Neural Networks Enhanced Optimal Admittance Control of Robot-Environment Interaction Using Reinforcement Learning. 2021 , PP,	8
486	A Switched Lyapunov-Passivity Approach to Motorized FES Cycling Using Adaptive Admittance Control. 2021 , 1-15	1
485	Encyclopedia of Robotics. 2021 , 1-10	
484	Compliance Control of a Lower Limb Rehabilitation Robot in Mirror Therapy. 2021,	
483	Adaptive IBVS and Force Control for Uncertain Robotic System with Unknown Dead-zone Inputs. 2021 , 19, 1651-1660	2
482	Modeling and control of a 4-ADOF upper-body exoskeleton with mechanically decoupled 3-D compliant arm-supports for improved-pHRI. 2021 , 73, 102406	1
481	Impedance control based on optimal adaptive high order super twisting sliding mode for a 7-DOF lower limb exoskeleton. 2021 , 56, 535-548	5
480	Task-Space Admittance Controller with Adaptive Inertia Matrix Conditioning. 2021, 101, 1	1
479	Robust Impedance Control of High-DOF Robot Based on Disturbance Observer Considering Residual Disturbance. 2021 , 16, 72-78	
478	Research and Improvement on Active Compliance Control of Hydraulic Quadruped Robot. 2021 , 19, 1931-1	9432
477	Changes of mind after movement onset: a motor-state dependent decision-making process.	2
476	Scanning control based on real-time contact force feedback for ultrasonic thickness measurement. 2021 , 43, 2461-2471	
475	A review on manipulation skill acquisition through teleoperation-based learning from demonstration. 2021 , 3, 1-16	12
474	Periodic/Aperiodic Hybrid Position/Impedance Control Using Periodic/Aperiodic Separation Filter. 2021 ,	1
473	Operability Evaluation of Human-Adaptive Impedance Control for Human-collaborative Robots. 2021 ,	O
472	Research on the tracing accurate of force based on fuzzy-pi control for a high-speed landing system. 2021 , 43, 1	0
471	Leveraging joint mechanics simplifies the neural control of movement.	

470	Discontinuous force-based robot adaptive switching update rate impedance control. 2021,	1
469	A hybrid control strategy for grinding and polishing robot based on adaptive impedance control. 2021 , 13, 168781402110040	8
468	Dual-Loop Iterative Learning Control of Robot Manipulator for Human-Robot cooperation. 2021 , 1846, 012090	
467	DRT AYAKLI ROBOTLARIN MODELLENMES[IKONTROLIVE ENGEBELIYZEYLERDE YRVIII ZERNE BR LITERATR ARAITIRMASI. 2021 , 9, 250-279	
466	FES Cycling and Closed-Loop Feedback Control for Rehabilitative Human R obot Interaction. 2021 , 10, 61	1
465	Flexible Assimilation of Human's Target for Versatile Human-Robot Physical Interaction. 2021 , 14, 421-431	2
464	An admittance-controlled wheeled mobile manipulator for mobility assistance: HumanEobot interaction estimation and redundancy resolution for enhanced force exertion ability. 2021 , 74, 102497	9
463	A Robust Impedance Controller for Improved Safety in Human R obot Interaction. <i>Journal of Dynamic Systems, Measurement and Control, Transactions of the ASME</i> , 2021 , 143,	1
462	Implementation of Impedance Control for Lower-Limb Rehabilitation Robots. 2021,	1
461	What Is Robotics? Why Do We Need It and How Can We Get It?. 2021 , 4, 1-33	4
461 460	What Is Robotics? Why Do We Need It and How Can We Get It?. 2021 , 4, 1-33 Human-Robot Interaction System Design for Manipulator Control Using Reinforcement Learning. 2021 ,	4
	Human-Robot Interaction System Design for Manipulator Control Using Reinforcement Learning.	3
460	Human-Robot Interaction System Design for Manipulator Control Using Reinforcement Learning. 2021, Development and Validation of a Novel Calibration Methodology and Control Approach for	
460 459	Human-Robot Interaction System Design for Manipulator Control Using Reinforcement Learning. 2021, Development and Validation of a Novel Calibration Methodology and Control Approach for Robot-Aided Transcranial Magnetic Stimulation (TMS). 2021, 68, 1589-1600 Design and Development of an Embedded Controller for a Hydraulic Walking Robot WLBOT. 2021,	3
460 459 458	Human-Robot Interaction System Design for Manipulator Control Using Reinforcement Learning. 2021, Development and Validation of a Novel Calibration Methodology and Control Approach for Robot-Aided Transcranial Magnetic Stimulation (TMS). 2021, 68, 1589-1600 Design and Development of an Embedded Controller for a Hydraulic Walking Robot WLBOT. 2021, 11, 5335 A Coarse-to-Fine Method for Estimating the Axis Pose Based on 3D Point Clouds in Robotic	3
460 459 458 457	Human-Robot Interaction System Design for Manipulator Control Using Reinforcement Learning. 2021, Development and Validation of a Novel Calibration Methodology and Control Approach for Robot-Aided Transcranial Magnetic Stimulation (TMS). 2021, 68, 1589-1600 Design and Development of an Embedded Controller for a Hydraulic Walking Robot WLBOT. 2021, 11, 5335 A Coarse-to-Fine Method for Estimating the Axis Pose Based on 3D Point Clouds in Robotic Cylindrical Shaft-in-Hole Assembly. 2021, 21, Reimagining robotic walkers for real-world outdoor play environments with insights from legged	3
460 459 458 457 456	Human-Robot Interaction System Design for Manipulator Control Using Reinforcement Learning. 2021, Development and Validation of a Novel Calibration Methodology and Control Approach for Robot-Aided Transcranial Magnetic Stimulation (TMS). 2021, 68, 1589-1600 Design and Development of an Embedded Controller for a Hydraulic Walking Robot WLBOT. 2021, 11, 5335 A Coarse-to-Fine Method for Estimating the Axis Pose Based on 3D Point Clouds in Robotic Cylindrical Shaft-in-Hole Assembly. 2021, 21, Reimagining robotic walkers for real-world outdoor play environments with insights from legged robots: a scoping review. 2021, 1-21	3

452	Impedance control architecture for robotic-assisted micro-drilling tasks. 2021, 67, 356-363	0
451	A General Visual-Impedance Framework for Effectively Combining Vision and Force Sensing in Feature Space. 2021 , 6, 4441-4448	1
450	A probabilistic framework for learning geometry-based robot manipulation skills. 2021, 141, 103761	3
449	Grasping mode analysis and adaptive impedance control for apple harvesting robotic grippers. 2021 , 186, 106210	7
448	Biomechanical Assessment of Adapting Trajectory and Human-Robot Interaction Stiffness in Impedance-Controlled Ankle Orthosis. 2021 , 102, 1	2
447	Joint Stiction Avoidance with Null-Space Motion in Real-Time Model Predictive Control for Redundant Collaborative Robots. 2021 ,	
446	A variable admittance controller for human-robot manipulation of large inertia objects. 2021,	1
445	Fault tolerant control based on backstepping nonsingular terminal integral sliding mode and impedance control for a lower limb exoskeleton. 095440622110357	1
444	Improved Haptic Transparency of Bilateral Control Using Torque-Measured Magnetic Coupling. 2021 , 9, 172	
443	Force-guided autonomous robotic ultrasound scanning control method for soft uncertain environment. 2021 , 16, 2189-2199	O
442	Task-space impedance control of a parallel Delta robot using dual quaternions and a neural network. 2021 , 43, 1	0
441	. 2021 , 26, 1905-1913	4
440	Safe and intuitive manual guidance of a robot manipulator using adaptive admittance control towards robot agility. 2021 , 70, 102127	5
439	Anisotropic compliance of robot legs improves recovery from swing-phase collisions. 2021, 16,	1
438	Physical Action Primitives for Collaborative Decision Making in Human-Human Manipulation. 2021,	
437	An Improvement of Robot Stiffness-Adaptive Skill Primitive Generalization Using the Surface Electromyography in Human-Robot Collaboration. 2021 , 15, 694914	1
436	Contact and Physical Interaction. 2022 , 5,	2
435	Practical consequences of inertia shaping for interaction and tracking in robot control. 2021 , 114, 104875	4

434	Analyzing the Performance Limits of Articulated Soft Robots Based on the ESPi Framework: Applications to Damping and Impedance Control. 2021 , 6, 7121-7128	О
433	Biomechanics Aware Collaborative Robot System for Delivery of Safe Physical Therapy in Shoulder Rehabilitation. 2021 , 6, 7177-7184	4
432	Human-in-the-Loop Stability Analysis of Haptic Rendering With Time Delay by Tracking the Roots of the Characteristic Quasi-Polynomial: The Effect of arm Impedance. 2021 , 6, 7564-7571	1
431	Neural network-based adaptive hybrid impedance control for electrically driven flexible-joint robotic manipulators with input saturation. 2021 , 458, 99-111	4
430	Contact force and torque sensing for serial manipulator based on an adaptive Kalman filter with variable time period. 2021 , 72, 102210	2
429	Review on Control Strategies for Lower Limb Rehabilitation Exoskeletons. 2021 , 9, 123040-123060	3
428	Force Perception and Bone Recognition of Vertebral Lamina Milling by Robot-Assisted Ultrasonic Bone Scalpel Based on Backpropagation Neural Network. 2021 , 9, 52101-52112	O
427	Manipulation of Standard Link Mechanism for Robotic Application Using Artificial Neural Network and PID. 2021 , 1-19	
426	Reactive Task Adaptation of a Dynamic System with External Disturbances Based on Invariance Control and Movement Primitives. 2021 , 1-1	
425	Exploiting Redundancy to Facilitate Physical Interaction. 2021 , 1-17	4
425 424	Exploiting Redundancy to Facilitate Physical Interaction. 2021 , 1-17 Encyclopedia of Systems and Control. 2021 , 827-833	4
		2
424	Encyclopedia of Systems and Control. 2021 , 827-833 Development of a Robotic Hand Using Bioinspired Optimization for Mechanical and Control Design:	
424	Encyclopedia of Systems and Control. 2021, 827-833 Development of a Robotic Hand Using Bioinspired Optimization for Mechanical and Control Design: UnB-Hand. 2021, 9, 61010-61023	2
424 423 422	Encyclopedia of Systems and Control. 2021, 827-833 Development of a Robotic Hand Using Bioinspired Optimization for Mechanical and Control Design: UnB-Hand. 2021, 9, 61010-61023 The biomechanics of force production. 2009, 629, 645-61	13
424 423 422 421	Encyclopedia of Systems and Control. 2021, 827-833 Development of a Robotic Hand Using Bioinspired Optimization for Mechanical and Control Design: UnB-Hand. 2021, 9, 61010-61023 The biomechanics of force production. 2009, 629, 645-61 Interaction Control. 2000, 271-294	2 13 5
424 423 422 421 420	Encyclopedia of Systems and Control. 2021, 827-833 Development of a Robotic Hand Using Bioinspired Optimization for Mechanical and Control Design: UnB-Hand. 2021, 9, 61010-61023 The biomechanics of force production. 2009, 629, 645-61 Interaction Control. 2000, 271-294 Theory of Stiffness Control in Robotics Using the Conservative Congruence Transformation. 2000, 9-16	2 13 5

416	Technology of the Robotic Gait Orthosis Lokomat. 2012 , 221-232	10
415	Combined Simulation with Real-Time Force Feedback: A New Tool for Experimental Fluid Mechanics. 2000 , 463-474	1
414	Automatic Planning and Control of Robot Natural Motion Via Feedback. 1986, 389-402	4
413	Estimation of Human Elbow Joint Mechanical Transfer Function during Steady State and during Cyclical Movements. 1996 , 375-390	2
412	Architecture of Multi-segmented Inspection Robot KAIRO-II. 2007 , 381-389	3
411	Design of Damping Matrices for Cartesian Impedance Control of Robotic Manipulators. 2020 , 665-674	3
410	Design of a Variable Stiffness Joint for a Five-Bar-Mechanism. 2020 , 54-63	3
409	Teleoperation of Mobile Robots Considering Human Commands. 2014, 601-614	2
408	Robust Internal Force-Based Impedance Control for Cable-Driven Parallel Robots. 2015, 131-143	7
407	EMG-Based Control of a Lower-Limb Power-Assist Robot. 2015 , 371-383	6
406	Beyond Human or Robot Administered Treadmill Training. 2016 , 409-433	2
405	The Human in the Loop. 2016 , 161-181	6
404	Switchings Between Trajectory Tracking and Force Minimization in Human R obot Collaboration. 2017 , 65-81	2
403	Intelligent Human R obot Interaction Systems Using Reinforcement Learning and Neural Networks. 2017 , 153-176	4
402	Human-Robot Mutual Force Borrowing and Seamless Leader-Follower Role Switching by Learning and Coordination of Interactive Impedance. 2017 , 427-432	1
401	A Unified Passivity Based Control Framework for Position, Torque and Impedance Control of Flexible Joint Robots. 2007 , 5-21	14
400	Industrial Intelligent Robots. 2009 , 349-363	5
399	iTASC: A Tool for Multi-Sensor Integration in Robot Manipulation. 2009 , 235-254	13

398	Design, Modeling and Control of an Ankle Rehabilitation Robot. 2009 , 377-399	19
397	Causality Inversion in the Reproduction of Roughness. 2010 , 17-24	17
396	A Resistance Compensation Control Algorithm for a Cable-Driven Hand Exoskeleton for Motor Function Rehabilitation. 2010 , 398-404	5
395	Integrated Force and Motion Control of Parallel Robots IPart 2: Constrained Space. 2010 , 253-273	3
394	Flexible Assembly Robotics for Self-optimizing Production. 2011 , 189-198	3
393	An Optimization-Based Estimation and Adaptive Control Approach for Human-Robot Cooperation. 2014 , 1-15	1
392	Interaction Force, Impedance and Trajectory Adaptation: By Humans, for Robots. 2014 , 331-345	30
391	Motion Synchronization for Human-Robot Collaboration. 2012 , 248-257	2
390	State of the Art. 2014 , 7-23	2
389	It Is (Almost) All about Human Safety: A Novel Paradigm for Robot Design, Control, and Planning. 2013 , 202-215	6
388	Control Strategies for Complex Movements Derived from Physical Systems Theory. 1985 , 156-168	4
387	Pattern Formation in Speech and Limb Movements Involving Many Degrees of Freedom. 1986 , 105-128	7
386	Autochthonous Behaviors [Mapping Perception to Action. 1990, 285-311	2
385	The Interaction of Robots with Passive Environments: Application to Force Feedback Control. 1989 , 465-474	23
384	Kinematic and Dynamic Task Space Motion Planning for Robot Control. 1991 , 177-248	1
383	Kinesthetic Feedback Techniques in Teleoperated Systems. 1991 , 1-32	5
382	Real-time freeform surface and path tracking for force controlled robotic tooling applications. 2020 , 65, 101955	16
381	The cerebellum and memory. 1992 , 15, 801-802	3

380	Co-contraction uses dual control of agonist-antagonist muscles to improve motor performance.	3
379	Assist-as-needed Impedance Control Strategy for a Wearable Ankle Robotic Orthosis. 2020,	4
378	Performance Comparisons of Different Observer-Based Force-Sensorless Approaches for Impedance Control of Collaborative Robot Manipulators. 2020 ,	2
377	Joint-Level Control of the DLR Lightweight Robot SARA. 2020 ,	2
376	Towards Dynamic Transparency: Robust Interaction Force Tracking Using Multi-Sensory Control on an Arm Exoskeleton. 2020 ,	4
375	The Concurrent Control of Motion and Contact Force in the Presence of Predictable Disturbances. 2019 , 11, 060903	3
374	Application of the Rotation Matrix Natural Invariants to Impedance Control of Rotational Parallel Robots. 2010 , 2, 284976	6
373	Impedance-Controlled Mechatronic Systems for Autonomous Intelligent Devices. 2016 , 385-408	1
372	A Stability Analysis of Force Control Based on Momentum. 2009 , 129, 614-621	1
371	Real-World Haptics for Motion Realization. 2013 , 2, 1-6	6
370	Real-World Haptics for Motion Realization. 2013, 2, 1-6 An approach to avoid obstacles in mobile robot navigation: the tangential escape. 2008, 19, 395-405	14
370	An approach to avoid obstacles in mobile robot navigation: the tangential escape. 2008 , 19, 395-405 Mechanical Design and Control of 3-DOF Active Scanning Probe Using Parallel Link Mechanism.	14
37° 369	An approach to avoid obstacles in mobile robot navigation: the tangential escape. 2008 , 19, 395-405 Mechanical Design and Control of 3-DOF Active Scanning Probe Using Parallel Link Mechanism. 2011 , 5, 86-90	3
37° 369 368	An approach to avoid obstacles in mobile robot navigation: the tangential escape. 2008, 19, 395-405 Mechanical Design and Control of 3-DOF Active Scanning Probe Using Parallel Link Mechanism. 2011, 5, 86-90 Impedance Control of Free-Flying Space Robot for Orbital Servicing. 2006, 18, 608-617 Application of Planar Musclelwith Soft Skin-Like Outer Function Suitable for Musculoskeletal	14 3 6
37° 369 368 367	An approach to avoid obstacles in mobile robot navigation: the tangential escape. 2008, 19, 395-405 Mechanical Design and Control of 3-DOF Active Scanning Probe Using Parallel Link Mechanism. 2011, 5, 86-90 Impedance Control of Free-Flying Space Robot for Orbital Servicing. 2006, 18, 608-617 Application of Planar Musclelwith Soft Skin-Like Outer Function Suitable for Musculoskeletal Humanoid. 2012, 24, 1080-1088	14 3 6
369 368 367 366	An approach to avoid obstacles in mobile robot navigation: the tangential escape. 2008, 19, 395-405 Mechanical Design and Control of 3-DOF Active Scanning Probe Using Parallel Link Mechanism. 2011, 5, 86-90 Impedance Control of Free-Flying Space Robot for Orbital Servicing. 2006, 18, 608-617 Application of Blanar Muscleswith Soft Skin-Like Outer Function Suitable for Musculoskeletal Humanoid. 2012, 24, 1080-1088 Visual Lifting Approach for Bipedal Walking with Slippage. 2017, 29, 500-508	14 3 6 2

362	Robot Modeling for Physical Rehabilitation. 2012 , 154-175	7
361	Robot Modeling for Physical Rehabilitation. 1212-1232	3
360	Cable-Driven Robot for Upper and Lower Limbs Rehabilitation. 2015 , 284-315	12
359	Cable-Driven Robots in Physical Rehabilitation. 2020 , 52-96	5
358	Dispositivo Roblico Multifuncional para la Rehabilitacili de las Extremidades Superiores. 2018 , 15, 180	5
357	Neural Network Compensation for Impedance Force Controlled Robot Manipulators. 2014 , 14, 17-25	4
356	Accurate Terrain Estimation for Humanoid Robot Based on Disturbance State Observer. 2021 , 9, 144634-14	44645
355	Impedance Control for Underwater Gripper Compliant Grasping in Unstructured Environment. 2021 , 279-289	
354	Variable Impedance Force Tracking with a Collaborative Joint Based on Second-Order Momentum Observer Under Uncertain Environment. 2021 , 563-574	
353	Low-Cost In-Hand Slippage Detection and Avoidance for Robust Robotic Grasping with Compliant Fingers. 2021 , 98-109	
352	Enhanced Admittance Control for Time-Varying Force Tracking of Robots in Unknown Environment. 2021 , 552-562	
351	. 2021 , 1-10	2
350	Iterative Learning-Based Robotic Controller With Prescribed Human-Robot Interaction Force. 2021 , 1-14	O
349	Experiments of Composite Learning Admittance Control on 7-DoF Collaborative Robots. 2021 , 532-541	1
348	Zero-Potential-Energy Motions due to Stiffness in Impedance Control of Robotic Tasks: an Innovative Theory and Experimental Study. 2021 ,	
347	Model Predictive Robot-Environment Interaction Control for Mobile Manipulation Tasks. 2021,	3
346	A Convex Quasistatic Time-stepping Scheme for Rigid Multibody Systems with Contact and Friction. 2021 ,	2
345	A Finite-Gain Stable Multi-Agent Robot Control Framework with Adaptive Authority Allocation. 2021 ,	O

344	Human Arm Stability in Relation to Damping-Defined Mechanical Environments in Physical Interaction with a Robotic Arm. 2021 ,	1
343	Robust High-Transparency Haptic Exploration for Dexterous Telemanipulation. 2021,	1
342	Planning for Multi-stage Forceful Manipulation. 2021,	1
341	Closed-Loop Variable Stiffness Control of Dynamical Systems. 2021 ,	
340	Introduction. 2021 , 1-16	
339	Environment Model of Human-Robot Interaction. 2021 , 17-32	
338	Grappling Spacecraft. 2022 , 5,	
337	A Control Method of Space Manipulator for Peg-in-Hole Assembly Task Considering Equivalent Stiffness Optimization. 2021 , 8, 310	1
336	Human-in-the-loop Control Using Euler Angles. 2021 , 73-95	
335	Model Based Human-Robot Interaction Control. 2021 , 33-44	
334	Reinforcement Learning for Robot Position/Force Control. 2021, 97-118	О
333	Contact force estimation for serial manipulator based on weighted moving average with variable span and standard Kalman filter with automatic tuning. 1	2
332	Robust Impedance Control of Kinematically Redundant Manipulator Based on Disturbance Observer. 2002 , 8, 963-969	
331	Robot Dynamics iProblems, Research, and Results. 2003 , 1-9	
330	Adaptive Modular Vector Field Control for Robot Contact Tasks in Uncertain Environments. 2004 , 16, 374-380	1
329	SPDM Constrained Motion - Modelling, Analysis and Controller Design. 2004,	
328	Local Positive Velocity Feedback (LPVF): Generating Compliant Motions in a Multi-Joint Limb. 2005, 143-151	
327	Decentralized Dynamic Force Distribution for Multi-legged Locomotion. 2005 , 103-111	

326	Design and Implementation of Force Sensor for ROBOCLIMBER. 2005, 219-227	1
325	On the Application of Impedance Control to a Non-linear Actuator. 2006 , 751-758	
324	Virtual Driving Simulator for Measuring Dynamic Properties of Human Arm Movements. 2006 , 18, 177-185	2
323	Simultaneous Learning of Robot Impedance Parameters Using Neural Networks. 2007 , 19, 106-113	
322	Fractional Control of Coordinated Manipulators. 2007 , 11, 1072-1078	1
321	Parameter Design of Switched Assist Controller for Man-Machine Cooperative System with Human Behavior Model Based on Hybrid System. 2008 , 128, 810-818	2
320	Image-Based Visual Servoing with Extra Task Related Constraints in a General Framework for Sensor-Based Robot Systems. 2008 , 187-204	1
319	Bibliography. 2008 , 549-602	
318	Torque Transmission Mechanism that Realizes from Zero to Extremely High Passive Stiffness based on Mechanical Singularity and Its Application for Robot Joint. 2009 , 27, 442-448	O
317	Modeling and Impedance Control of a Chewing Robot with a 6RSS Parallel Mechanism. 2009, 733-743	
316	Development of Training Equipment with Adaptive and Learning Using a Balloon Actuator-Sensor System. 2009 , 21, 156-163	2
315	Linear Measurement and Training Device for Leg Evaluation. 2009 , 3, 298-303	
314	Operational Heel[Adjustment by Reinforcement Learning for a Power-Assisted Positioning Task. 2009 , 3, 671-680	O
313	Kinesthetic Assistance for Improving Task Performance -The Case of Window Installation Assist 2009 , 3, 663-670	9
312	A Framework for Force and Visual Control of Robot Manipulators. 2010 , 373-382	1
311	Analysis of Human Gait based on Muscular Coordination Control Pattern with the Three Pairs of Antagonistic Muscles of the Thigh. 2010 , 20, 197-206	O
310	Tension Control for Tendon Mechanisms by Compensation of Nonlinear Spring Characteristic Equation Error. 2010 , 130, 816-823	2
309	Soft Interface Connecting Physical and Information Worlds. 2010 , 28, 503-511	1

308	Improvement of Performance for Musculoskeletal Robots by Mountable Actuator Units. 2010 , 22, 391-401	2
307	Time-varying Path Following Control for Port-Hamiltonian Systems. 2011 , 47, 141-149	
306	Human Centered Mechatronics. 2011 , 75-90	
305	Novel Human-Centered Rehabilitation Robot with Biofeedback for Training and Assessment. 2011 , 472-478	
304	Kineto-static Mechanical Synthesis for Nonlinear Profile Design of Passive Stiffness Using Closed Kinematic Chain and Its Application to Landing Mechanism for Impact Absorption. 2011 , 29, 291-297	0
303	Coaxially Coupled Inverted Pendula: Bond Graph-Based Modelling, Design and Control. 2011 , 179-194	
302	Fractional Impedance Control for Reproducing the Material Properties of Muscle. 2012 , 21, 239-250	
301	Motion Control Based on Musculoskeletal Actuators. 2012 , 132, 606-609	
300	Haptic Aspects. 2012 , 79-129	1
299	Development of an Upper Limb Motorized Assistive-Rehabilitative Robot. 2012 , 281-287	
299 298	Development of an Upper Limb Motorized Assistive-Rehabilitative Robot. 2012 , 281-287 Stiffness Ellipse Control of Tendon Mechanisms with Nonlinear Springs. 2012 , 132, 340-346	
		2
298	Stiffness Ellipse Control of Tendon Mechanisms with Nonlinear Springs. 2012 , 132, 340-346 Work Life in the Light of the Demographic Change: Case Study Force Assistive Device for	2
298	Stiffness Ellipse Control of Tendon Mechanisms with Nonlinear Springs. 2012 , 132, 340-346 Work Life in the Light of the Demographic Change: Case Study Force Assistive Device for Craftsmen. 2012 , 45-60	
298 297 296	Stiffness Ellipse Control of Tendon Mechanisms with Nonlinear Springs. 2012, 132, 340-346 Work Life in the Light of the Demographic Change: Case Study Force Assistive Device for Craftsmen. 2012, 45-60 Mechanical Properties of Link Model with Lower Extremity Muscle Arrangement. 2012, 21, 167-177	
298 297 296 295	Stiffness Ellipse Control of Tendon Mechanisms with Nonlinear Springs. 2012, 132, 340-346 Work Life in the Light of the Demographic Change: Case Study Force Assistive Device for Craftsmen. 2012, 45-60 Mechanical Properties of Link Model with Lower Extremity Muscle Arrangement. 2012, 21, 167-177 Road Vehicle Driving Simulator. 2013, 909-933	
298 297 296 295	Stiffness Ellipse Control of Tendon Mechanisms with Nonlinear Springs. 2012, 132, 340-346 Work Life in the Light of the Demographic Change: Case Study Force Assistive Device for Craftsmen. 2012, 45-60 Mechanical Properties of Link Model with Lower Extremity Muscle Arrangement. 2012, 21, 167-177 Road Vehicle Driving Simulator. 2013, 909-933 Modeling and Control of Space Robots. 2013, 703-768	

290	Dynamic Modeling and Computer Simulation of 3D Objects Grasping. 2013 , 283-293	
289	Integrating technology into clinical practice in neurological rehabilitation. 2013, 1113-1172	
288	Improving the Maneuverability of Power Assist Valves by Considering the Characteristics of Biarticular Muscles. 2013 , 25, 145-152	
287	Interaction Modeling and Force Control. 233-268	
286	FPGA-Based Haptic Teleoperation. 2014 , 145-159	0
285	Interaction Control of UVMSs. 2014 , 233-255	1
284	sEMG-Based Single-Joint Active Training with iLeg A Horizontal Exoskeleton for Lower Limb Rehabilitation. 2014 , 535-542	1
283	Force Control. 2014 , 1-29	
282	A Human Augmentation Approach to Gait Restoration. 2014 , 345-377	1
281	Internal Force-Based Impedance Control for Cable-Driven Parallel Robots. 2014, 435-443	
280	Continuous Shape-Grinding Experiment Based on Constraint-Combined Force/Position Hybrid Control Method. 2014 , 7, 2-11	0
279	Soft-Robotics Control. 2014 , 25-68	
278	Assistive Technology. 2014 , 320-349	5
277	Impedance Control Applied to Automated Deburring. 1986 , 359-366	2
276	A TASK SPACE DECOUPLING APPROACH TO HYBRID CONTROL OF MANIPULATORS. 1989 , 157-162	1
275	Joint Compliance Control of the Anthropomorphic Manipulator. 1989 , 592-603	
274	A Generalized Approach for the Control of Constrained Robots. 1989 , 613-639	
273	Sensor Data Processing for Flexible Manufacturing Processes. 1990 , 61-80	

272	Collision Strategies for Robot Retreat and Resistance. 1991 , 177-215	
271	On the Modeling of the Contact Forces of Constrained Robots. 1992 , 87-95	
270	HIGH PERFORMANCE CONTROL OF ROBOT MANIPULATOR WITHOUT USING INVERSE DYNAMICS. 1992, 119-125	
269	ON THE STABILITY OF A FORCE/POSITION CONTROL SCHEME FOR ROBOT MANIPULATORS. 1992 , 183-188	1
268	SOFTWARE SYSTEM FOR SIMULATION AND CONTROL SYNTHESIS OF ROBOTS FOR METAL MACHINING PROCESSES. 1992 , 195-200	
267	How does the nervous system control the equilibrium trajectory?. 1992 , 15, 704-705	41
266	Constraints on underspecified target trajectories. 1993 , 419-443	
265	Control of Contact in Robots and Biological Systems. 1993 , 395-409	O
264	On Synthesis of a Hybrid Position/Force Controller for Robot Manipulators. 1993 , 287-293	
263	Proposal for a Pattern Matching Task Controller for Sensor-Based Coordination of Robot Motions. 1993 , 445-455	
262	Optimal Efficiency of a Robot Environment Interaction Task in a Matching Impedance Approach. 1995 , 131-141	
261	A Unified Framework for Design of Interaction Control Schemes for Robot Manipulators. 1995 , 146-161	
260	Impedance Control of an Industrial Manipulator in a Dual Arm Assembly Cell. 1995 , 153-159	
259	TEACHING MOTION/FORCE SKILLS TO ROBOTS BY HUMAN DEMONSTRATION. 1995 , 679-685	
258	Unified Control for Dynamic Cooperative Manipulation. 1995 , 501-511	
257	THE MODULAR ORGANIZATION OF MOTOR CONTROL: WHAT FROGS CAN TEACH US ABOUT ADAPTIVE LEARNING. 1995 , 413-418	
256	Distributed Fail-Safe Structure for Collaboration of Multiple Manipulators. 1996 , 295-303	
255	COORDINATING FUNCTIONS AMONG ANTAGONISTIC PAIRS OF MONO- AND BI-ARTICULAR MUSCLES IN UPPER EXTREMITY AND MECHANICAL MODEL ANALYSES ON CONTROL PROPERTIES INDUCED BY THE COORDINATING MUSCULAR FUNCTIONS. 1996 , 13, 181-193	9

254	Motion and force control. 1996 , 141-175	1
253	A Methodology for the Design of Servo-Systems Dedicated to Machine-Tools. 1997 , 515-524	О
252	Practical Stabilisation of Robots Interacting with Dynamic Environment by Decentralised Control. 1997 , 311-318	
251	Dynamic Modeling of Impedance Controlled Drives for Positioning Robots. 1997 , 183-190	
250	Nonlinear Position-Dependent Circuits: A Language for Describing Motions of Nonlinear Mechanical Systems. 1997 , 1-8	2
249	The Role of Compliant Fingerpads in Grasping and Manipulation: Identification and Control. 1998 , 1-29	2
248	Biologically inspired design and construction of a compliant robot leg for dynamic walking. 1998, 367-372	0
247	Control methods for force reflective master slave systems. 1998 , 843-848	1
246	A novel impedance grasping strategy as a generalized hamiltonian system. 1999 , 293-324	
245	A Modular Approach to Sensor Integration. 1999 , 245-268	O
244	Feedback Control with Force and Visual Sensor Fusion. 1999 , 183-216	
243	Sensor Referenced Impact Control in Robotics. 1999 , 217-242	
242	Force Control. 2015 , 1933-1965	2
241	Humanoid Motor Control: Dynamics and the Brain. 2014 , 183-230	
2 40	Mechatronic Considerations for Actuation of Human Assistive Wearable Robotics: Robust Control of a Series Elastic Actuator. 2015 , 401-429	1
239	Mechanism and Impedance Control of Pneumatic Servo Driving System for Resistance Spot Welding. 2015 , 201-209	
238	Motion and Interactive Control for Upper Limb Exoskeleton. 2016 , 151-183	
237	High-Dynamic Accurate Railway Catenary Emulation by Real-Time Mechanical Impedance Control for Pantograph Testing. 2016 , 277-295	

236	Research on Foot Force Control of Quadruped Robot Based on Impedance Control. 2016 , 05, 121-128	
235	Active shaping of deformable object using robotic manipulator. 2016 , 1175-1179	
234	A Comprehensive Training Mode for Robot-Mediated Upper Limb Rehabilitation. 2017, 1169-1173	1
233	Minimal Energy Cartesian Impedance Control of Robot with Bidirectional Antagonistic Drives. 2017 , 56-64	
232	Compliance/Impedance Control Strategy for Humanoids. 2017 , 1-20	
231	Bibliography. 2017 , 319-334	
230	3. Assistive Robotic Manipulators. 2017 , 71-98	
229	A Review of Model Based Online Identification Methods for Robotic Systems. 2018 , 57-70	
228	On the Design and Experiments of Rotation-Traction Manipulation Training Robot. 2018, 1111-1123	
227	Adaptive Neural Control for Robotic Manipulators Under Constrained Task Space. 2018 , 599-608	
226	Selection of Control Structures and Phyisical Models for Robots in Open Environments. 2018 , 36, 601-604	
225	Development of Adaptive Force-Following Impedance Control for Interactive Robot. 2018, 15-24	1
224	Stiffness as a control factor for object manipulation.	0
223	Tracking Control of Redundant Manipulators with Singularity-Free Orientation Representation and Null-Space Compliant Behaviour. 2019 , 15-28	1
222	Hardware-in-the-Loop Optimization of an Interaction Controller for Improved Coupled Dynamics. 2019 , 321-333	
221	Cascade Gain Scheduling Control of Antagonistic Actuators Based on System Identification. 2019 , 425-435	2
220	Satellite Assembly Technology by Robot Under Visual Guidance and Force Feedback Control. 2019 , 649-659	
219	Introduction. 2019 , 1-24	

218 Decoupled Impedance and Passivity Control Methods. **2019**, 147-157

217	Design of a Flexibly-Constrained Revolute Pair with Non-Linear Stiffness for Safe Robot	O
217	Mechanisms. 2019 , 31, 156-165	U
216	A Hybrid Human Motion Prediction Approach for Human-Robot Collaboration. 2020, 81-91	1
215	Encyclopedia of Robotics. 2020 , 1-7	
214	Design Method for Weight Saving Based on Joint Drive Force and Frame Stiffness and Realization of Jump Motions by a Lightweight and High-Power Humanoid JAXON3-P. 2020 , 38, 975-984	
213	Control Strategies for Dual Arm Co-Manipulation of Flexible Objects in Industrial Environments. 2020 ,	Ο
212	Nonlinear time delay estimation based model reference adaptive impedance control for an upper-limb human-robot interaction. 2021 , 9544119211054919	
211	Encyclopedia of Robotics. 2020 , 1-8	
210	Encyclopedia of Robotics. 2020 , 1-8	
209	Encyclopedia of Robotics. 2021 , 1-10	
208	Enhancing Situational Awareness and Kinesthetic Assistance for Clinicians via Augmented-Reality and Haptic Shared-Control Technologies. 2021 , 291-307	
207	Complementary Stability of Markovian Systems: Series Elastic Actuators and Human-Robot Interaction. 2021 , 54, 112-117	
206	Compliance Control for Robust Assembly with Redundant Manipulators. 2020 , 53, 8538-8545	
205	Learning the Correct Robot Trajectory in Real-Time from Physical Human Interactions. 2020 , 9, 1-19	8
204	Design and Control of a Seven Degrees-of-Freedom Semi-exoskeleton Upper Limb Robot. 2021 , 596-605	О
203	Multilegged Underwater Running With Articulated Legs. 2021 , 1-15	О
202	Stiff and safe task-space position and attitude controller for robotic manipulators. 2020 , 7,	0
201	Adaptive variable impedance control for a modular soft robot manipulator in configuration space. 2022 , 57, 1	1

200 Impedance Control of a Spherical Parallel Platform. 39-58

199	Modeling the Human Elbow Joint Dynamics from Surface Electromyography. 114-128	О
198	Uniting Haptic Exploration and Display. 225-238	1
197	Interaction Control. 2001 , 121-154	
196	Impact Modelling and Control of Robotic Links. 2001 , 155-179	
195	Force-Based Interaction for Distributed Precision Assembly. 2001 , 141-150	
194	Design of Programmable Passive Compliance for Humanoid Shoulder. 2001 , 31-40	2
193	ForceImpedance Control of a Six-dof Parallel Manipulator. 2009 , 37-47	O
192	On Electrical Analogues of Mechanical Systems and their Using in Analysis of Robot Dynamics. 2006 , 391-404	3
191	Motion Diagnosis of a Mobile Platform by Impedance Transduction. 2007 , 371-374	
190	Reconfigurable Control of Constrained Flexible Joint Robots Interacting with Dynamic and Changeable Environment. 2009 , 163-176	
189	Directional Properties of Human Hand Force Perception in the Maintenance of Arm Posture. 2007 , 933-942	5
188	Real-Time Hand and Eye Coordination for Flexible Impedance Control of Robot Manipulator. 2008 , 303-318	
187		
186	Challenges and solutions for application and wider adoption of wearable robots. 2021 , 2,	4
185	Impedance-Sliding Mode Control With Force Constraints for Space Robots Capturing Non-Cooperative Objects. 2021 , 1-1	O
184	Benchmarking Structured Policies and Policy Optimization for Real-World Dexterous Object Manipulation. 2022 , 7, 478-485	O
183	An adaptive learning and control framework based on dynamic movement primitives with application to humanEobot handovers. 2022 , 148, 103935	O

182 Robotic Peg-in-Hole Assembly System Based on Vision and Fuzzy Control. 2021,

181	FDOB-Based Robust Impedance Control of Force Sensor Implemented Force Servo System. 2021 ,	O
180	Toward safe and high-performance humanfobot collaboration via implementation of redundancy and understanding the effects of admittance term parameters. 1-16	1
179	Ankle Variable Impedance Control for Humanoid Robot Upright Balance Control. 2022 , 203-214	
178	Enabling impedance-based physical humanthultitobot collaboration: Experiments with four torque-controlled manipulators. 027836492110536	4
177	Wearable Lower-Limb Exoskeleton for Children with Cerebral Palsy: A Systematic Review of Mechanical Design, Actuation Type, Control Strategy, and Clinical Evaluation 2021 , PP,	3
176	Model-Free Adaptive Impedance Control for Autonomous Robotic Sanding. 2021, 1-11	2
175	Design and Control of an Underactuated Finger Exoskeleton for Assisting Activities of Daily Living. 2021 , 1-11	2
174	Passivity of Series Elastic Actuation under Model Reference Force Control during Null Impedance Rendering 2022 , PP,	
173	Human-Adaptive Impedance Control Using Recurrent Neural Network for Stability Recovery in Human-Robot Cooperation. 2020 ,	O
172	Operability Analysis of Bilateral Control Based on Variable Impedance Control. 2020,	
171	Analysis and Modeling of Human Force Perception Properties during the Operation of a Driving Interface System Using Limbs. 2020 ,	
170	Reducing the Teleoperator Cognitive Burden for Complex Contact Tasks Using Affordance Primitives. 2020 ,	О
169	Robust Force Tracking Impedance Control of an Ultrasonic Motor-actuated End-effector in a Soft Environment. 2020 ,	2
168	Passivity Filter for Variable Impedance Control. 2020,	1
167	Peg-in-Hole Using 3D Workpiece Reconstruction and CNN-based Hole Detection. 2020 ,	4
166	Model-Based Specification of Control Architectures for Compliant Interaction with the Environment. 2020 ,	1
165	Drive-Train Design in JAXON3-P and Realization of Jump Motions: Impact Mitigation and Force Control Performance for Dynamic Motions. 2020 ,	O

164	Learning-based Optimization Algorithms Combining Force Control Strategies for Peg-in-Hole Assembly. 2020 ,	3
163	Regulation of 2D Arm Stability Against Unstable, Damping-Defined Environments in Physical Human-Robot Interaction. 2020 ,	1
162	Compliance Control and External Force Estimation of 6-DOF Industrial Robots. 2020,	
161	Elastic Structure Preserving Impedance Control of Bidirectional Antagonistic Variable Stiffness Actuation. 2021 ,	1
160	Environment Information-based Impedance Control. 2021,	
159	Impedance Control for a Flexible Robot Enhanced with Energy Tanks in the port-Hamiltonian Framework. 2021 ,	
158	A Safe and Rapidly Switchable Stiffness Hydrostatic Actuator through Valve-controlled Air Springs. 2021 ,	0
157	Circumventing Conceptual Flaws in Classical Interaction Control Strategies. 2021,	1
156	Comprehensive Telerobotic Ultrasound System for Abdominal Imaging: Development and in-vivo Feasibility Study. 2021 ,	0
155	Spatial Iterative Learning Control for Robotic Path Learning 2022 , PP,	2
154	Extended Sliding Mode Observer-Based Impedance Control for Hydraulic Robots. 2022, 1-1	0
153	Resistant Compliance Control for Biped Robot Inspired by Humanlike Behavior. 2022 , 1-11	3
152	Assimilation Control of a Robotic Exoskeleton for Physical Human-Robot Interaction. 2022 , 7, 2977-2984	0
151	Force Control of Grinding Process Based on Frequency Analysis. 2022 , 7, 3250-3256	1
150	Development and Electromyographic Validation of a Compliant Human-Robot Interaction Controller for Cooperative and Personalized Neurorehabilitation 2021 , 15, 734130	1
149	A Proactive Controller for Human-Driven Robots Based on Force/Motion Observer Mechanisms. 2022 , 1-11	1
148	Real-time normal contact force control for robotic surface processing of workpieces without a priori geometric model. 1	2
147	A Vexing Question in Motor Control: The Degrees of Freedom Problem 2021 , 9, 783501	1

146	High Dynamic Range Force Sensing of a Robot Hand Combining Signals on Tip and Wrist. 2022, 7, 3210-3217	1
145	Characterization of Open-loop Impedance Control and Efficiency in Wearable Robots. 2022, 1-1	O
144	Towards High-Payload Admittance Control for Manual Guidance with Environmental Contact. 2022, 1-1	О
143	EMG-based Variable Impedance Control with Passivity Guarantees for Collaborative Robotics. 2022, 1-1	Ο
142	Pressing and Rubbing: Physics-Informed Features Facilitate Haptic Terrain Classification for Legged Robots 2022 , 1-1	2
141	High-order control barrier functions-based impedance control of a robotic manipulator with time-varying output constraints 2022 ,	2
140	Prototype of a Continuous Passive Motion Device for the Knee Joint with a Function of Active Exercise. 2022 , 34, 28-39	
139	Nonlinear Intelligent Control of Two Link Robot Arm by Considering Human Voluntary Components 2022 , 22,	O
138	Operability Improvement of Human-Robot Collaboration by Human-Adaptive Impedance Control Based on Human Arm Stiffness Estimation. 2022 ,	
137	Impedance Control with Bounded Actions for Human R obot Interaction. 1	1
137	Impedance Control with Bounded Actions for HumanRobot Interaction. 1 A Trajectory Tracking Control Based on a Terminal Sliding Mode for a Compliant Robot with Nonlinear Stiffness Joints 2022, 13,	2
	A Trajectory Tracking Control Based on a Terminal Sliding Mode for a Compliant Robot with	
136	A Trajectory Tracking Control Based on a Terminal Sliding Mode for a Compliant Robot with Nonlinear Stiffness Joints 2022 , 13, Guidelines for Robot-to-Human Handshake From the Movement Nuances in Human-to-Human	
136 135	A Trajectory Tracking Control Based on a Terminal Sliding Mode for a Compliant Robot with Nonlinear Stiffness Joints 2022, 13, Guidelines for Robot-to-Human Handshake From the Movement Nuances in Human-to-Human Handshake 2022, 9, 758519 Variable Impedance Control Based on Target Position and Tracking Error for Rehabilitation Robots	2
136 135 134	A Trajectory Tracking Control Based on a Terminal Sliding Mode for a Compliant Robot with Nonlinear Stiffness Joints 2022, 13, Guidelines for Robot-to-Human Handshake From the Movement Nuances in Human-to-Human Handshake 2022, 9, 758519 Variable Impedance Control Based on Target Position and Tracking Error for Rehabilitation Robots During a Reaching Task 2022, 16, 850692 Adaptive neural networks force/position control of uncertain manipulators subject to input	2
136 135 134	A Trajectory Tracking Control Based on a Terminal Sliding Mode for a Compliant Robot with Nonlinear Stiffness Joints 2022, 13, Guidelines for Robot-to-Human Handshake From the Movement Nuances in Human-to-Human Handshake 2022, 9, 758519 Variable Impedance Control Based on Target Position and Tracking Error for Rehabilitation Robots During a Reaching Task 2022, 16, 850692 Adaptive neural networks force/position control of uncertain manipulators subject to input saturation and output constraints. 095965182210802 An active compliant docking method for large gear components based on distributed force sensor.	2 O
136 135 134 133	A Trajectory Tracking Control Based on a Terminal Sliding Mode for a Compliant Robot with Nonlinear Stiffness Joints 2022, 13, Guidelines for Robot-to-Human Handshake From the Movement Nuances in Human-to-Human Handshake 2022, 9, 758519 Variable Impedance Control Based on Target Position and Tracking Error for Rehabilitation Robots During a Reaching Task 2022, 16, 850692 Adaptive neural networks force/position control of uncertain manipulators subject to input saturation and output constraints. 095965182210802 An active compliant docking method for large gear components based on distributed force sensor. 2022, ahead-of-print, Adaptive enhanced admittance force-tracking controller design for highly dynamic interactive	2 O

128	Robotic Magnetorheological Finishing Technology Based on Constant Polishing Force Control. 2022 , 12, 3737	О
127	How to reduce the impedance for pHRI: Admittance control or underactuation?. 2022, 84, 102768	o
126	Human Intention-Oriented Variable Admittance Control with Power Envelope Regulation in Physical Human-Robot Interaction. 2022 , 84, 102802	1
125	Hybrid Vision/Force Control of Robotic Autonomous Assembly for 110kV Hot-line Maintenance. 2021 ,	
124	Observer-Based Adaptive Impedance Control for Robotic Systems With Predefined Task Space. 2021 ,	
123	Model-based Reinforcement Learning Variable Impedance Control for 1-DOF PAM Elbow Exokeleton. 2021 ,	
122	Iterative Impedance Learning Control for Ankle Rehabilitation. 2021,	
121	Auto-tuned Admittance Control for Robot Drilling with Constrained Force Overshoot. 2021,	O
120	Simulation of impedance control applied to lower limb exoskeletons: assessment of its effectiveness in assisting disabled people during gait swing phase. 2021 , 2021, 4694-4699	
119	Energy-aware adaptive impedance control using offline task-based optimization. 2021,	O
118	Design and Evaluation of Haptic Interface Wiggling Method for Remote Commanding of Variable Stiffness Profiles. 2021 ,	1
117	Review on Patient-Cooperative Control Strategies for Upper-Limb Rehabilitation Exoskeletons 2021 , 8, 745018	2
116	Meta Reinforcement Learning for Robust and Adaptable Robotic Assembly Tasks. 2021,	
115	Adaptability Control Towards Complex Ground Based on Fuzzy Logic for Humanoid Robots. 2022 , 1-1	2
114	Manipulation Planning Using Wave Variables. 2022 , 1-1	
113	Remote Control Architecture for Virtual Reality Application for Ankle Therapy. 2022 , 517-522	
112	Passive Decoupled Multitask Controller for Redundant Robots. 2022 , 1-16	О
111	Design of an Improved Impedance Controller for Powered Transtibial Prosthesis. 2022 , 2203, 012036	

110	Super-Twisting Nonsingular Terminal Sliding Mode-Based Robust Impedance Control of Robots. 2022 , 2022, 1-6	
109	Hybrid Impedance-Sliding Mode Switching Control of the Indego Explorer Lower-Limb Exoskeleton in Able-Bodied Walking. 2022 , 104, 1	1
108	Robust and compliance control for robotic knee prosthesis using admittance model and sliding-mode controller. 014233122210888	
107	Collision detection and reaction for a collaborative robot with sensorless admittance control. 2022 , 84, 102811	O
106	On Electrical Analogues of Mechanical Systems and their Using in Analysis of Robot Dynarmics. 2006 , 391-404	
105	Video_1.MP4. 2020 ,	
104	Data_Sheet_1.pdf. 2018 ,	
103	Leveraging Joint Mechanics Simplifies the Neural Control of Movement 2022 , 16, 802608	1
102	Design of a Force Feedback Device for Wrist Rehabilitation. 2022 , 396-403	
101	Control of Physical Internation 2022 4.7	
101	Control of Physical Interaction. 2022 , 1-7	
100	Impedance control method with reinforcement learning for dual-arm robot installing slabstone. 2022 , 36, 2547-2558	O
	Impedance control method with reinforcement learning for dual-arm robot installing slabstone.	0
100	Impedance control method with reinforcement learning for dual-arm robot installing slabstone. 2022 , 36, 2547-2558	
100	Impedance control method with reinforcement learning for dual-arm robot installing slabstone. 2022, 36, 2547-2558 Finite-Time Interactive Control of Robots with Multiple Interaction Modes. 2022, 22, 3668	1
100 99 98	Impedance control method with reinforcement learning for dual-arm robot installing slabstone. 2022, 36, 2547-2558 Finite-Time Interactive Control of Robots with Multiple Interaction Modes. 2022, 22, 3668 Hybrid vision/force control for underwater vehicles landing on unknown surfaces. 2022, 253, 111233 VDC-based admittance control of multi-DOF manipulators considering joint flexibility via	0
100 99 98 97	Impedance control method with reinforcement learning for dual-arm robot installing slabstone. 2022, 36, 2547-2558 Finite-Time Interactive Control of Robots with Multiple Interaction Modes. 2022, 22, 3668 Hybrid vision/force control for underwater vehicles landing on unknown surfaces. 2022, 253, 111233 VDC-based admittance control of multi-DOF manipulators considering joint flexibility via hierarchical control framework. 2022, 124, 105186 Transfer Learning of Motor Difficulty Classification in Physical Human-Robot Interaction Using	1 0
100 99 98 97 96	Impedance control method with reinforcement learning for dual-arm robot installing slabstone. 2022, 36, 2547-2558 Finite-Time Interactive Control of Robots with Multiple Interaction Modes. 2022, 22, 3668 Hybrid vision/force control for underwater vehicles landing on unknown surfaces. 2022, 253, 111233 VDC-based admittance control of multi-DOF manipulators considering joint flexibility via hierarchical control framework. 2022, 124, 105186 Transfer Learning of Motor Difficulty Classification in Physical Human-Robot Interaction Using Electromyography. 1-32 Robust walking stabilization strategy of humanoid robots on uneven terrain via QP-based	1 O

92	Impedance Control on Arbitrary Surfaces for Ultrasound Scanning Using Discrete Differential Geometry. 2022 , 1-8	
91	Stiffness and Transparency of a Collaborative Cable-Driven Parallel Robot. 2022, 101-109	
90	Autonomous Unwrapping of General Pallets: A Novel Robot for Logistics Exploiting Contact-Based Planning. 2022 , 1-18	
89	Hybrid orientation/force control for robotic polishing with a 2R1T force-controlled end-effector. 2022 , 121, 2279-2290	2
88	Varying rate adaptive hybrid position[Impedance control for robot-assisted ultrasonic examination system. 2022 , 13, 559-575	
87	A Self-Tuning Impedance-based Interaction Planner for Robotic Haptic Exploration. 2022, 1-8	
86	Reinforcement Learning of Impedance Policies for Peg-in-Hole Tasks: Role of Asymmetric Matrices. 2022 , 1-8	O
85	Energy Aware Impedance Control of a Flying End-Effector in the Port-Hamiltonian Framework. 2022 , 1-20	1
84	Adaptive Impedance Controller for Human-Robot Arbitration based on Cooperative Differential Game Theory. 2022 ,	
83	Manipulation of unknown objects via contact configuration regulation. 2022,	
83	Manipulation of unknown objects via contact configuration regulation. 2022, A hybrid model-based evolutionary optimization with passive boundaries for physical human-robot interaction. 2022,	
	A hybrid model-based evolutionary optimization with passive boundaries for physical human-robot	1
82	A hybrid model-based evolutionary optimization with passive boundaries for physical human-robot interaction. 2022 ,	1
82	A hybrid model-based evolutionary optimization with passive boundaries for physical human-robot interaction. 2022, A review on interaction control for contact robots through intent detection. Object Inserting Operation with Admittance Control of A 4-DOF Hydraulic Manipulator with Rotary	1 O
82 81 80	A hybrid model-based evolutionary optimization with passive boundaries for physical human-robot interaction. 2022, A review on interaction control for contact robots through intent detection. Object Inserting Operation with Admittance Control of A 4-DOF Hydraulic Manipulator with Rotary Vane Actuators. 2022, HumanRobot Interaction: A Review and Analysis on Variable Admittance Control, Safety, and	
82 81 80	A hybrid model-based evolutionary optimization with passive boundaries for physical human-robot interaction. 2022, A review on interaction control for contact robots through intent detection. Object Inserting Operation with Admittance Control of A 4-DOF Hydraulic Manipulator with Rotary Vane Actuators. 2022, Human Bobot Interaction: A Review and Analysis on Variable Admittance Control, Safety, and Perspectives. 2022, 10, 591	O
82 81 80 79 78	A hybrid model-based evolutionary optimization with passive boundaries for physical human-robot interaction. 2022, A review on interaction control for contact robots through intent detection. Object Inserting Operation with Admittance Control of A 4-DOF Hydraulic Manipulator with Rotary Vane Actuators. 2022, Human Bobot Interaction: A Review and Analysis on Variable Admittance Control, Safety, and Perspectives. 2022, 10, 591 Deep Compliant Control. 2022, Formation-Based Decentralized Iterative Learning Cooperative Impedance Control for a Team of	0

74	Impedance Adaptation by Reinforcement Learning with Contact Dynamic Movement Primitives. 2022 ,	
73	Optimal Modulation of Joint Stiffness with Guaranteed Stability for Quadruped Robots. 2022,	
72	Guidance Priority Adaptation in Human-Robot Shared Control. 2022,	
71	Neural Networks Iterative Learning Impedance Control of Lower Limb Exoskeleton for the Later Stage of Rehabilitation. 2022 ,	
70	A Remotely Controlled Oropharyngeal Swab Sampling Robot and Its Application in COVID-19 Prevention. 2022 , 4, 852-861	
69	Adaptive second-order sliding model-based fault-tolerant control of a lower-limb exoskeleton subject to tracking the desired trajectories augmented by CPG algorithm. 2022 , 44,	1
68	Adaptive conductance control. 2022,	
67	Adaptive Impedance Control Method for Dynamic Contact Force Tracking of Robotic Excavators. 2022 , 148,	2
66	Simulation of Model Reference Adaptive Compliance Control Based on Environmental Stiffness Parameter Identification. 2022 , 705-715	0
65	Vision-Based Virtual Impedance Control for Robotic System Without Pre-specified Task Trajectory. 2022 , 1-10	О
64	Learning Koopman Embedding Subspaces for System Identification and Optimal Control of a Wrist Rehabilitation Robot. 2022 , 1-9	O
63	Design and Experiments of a Pneumatic Powered Exoskeleton for Rehabilitation and Training. 2022 ,	О
62	Fast Contact Detection and Classification for Kinesthetic Teaching in Robots using only Embedded Sensors. 2022 ,	O
61	Force-Control Capabilities for Lightweight Industrial Robots. 2022 ,	O
60	Compact, backdrivable, and efficient design of linear electro-hydrostatic actuator module. 1-18	О
59	Adaptive Robust Fuzzy Impedance Control of an Electro-Hydraulic Actuator. 2022 , 12, 9575	O
58	Super Twisting Sliding Mode Control-Based Impedance Control for Robot Arm End-Effector Force Tracking. 2022 ,	О
57	Neural learning impedance control of lower limb rehabilitation exoskeleton with flexible joints in the presence of input constraints.	O

56	Analysis of Redundancy and Elasticity of Actuators in Hopping Control of Bipedal Robot CARL Based on SLIP Model. 2023 , 207-238	О
55	Haptic Feedback Interface based on Cascade Admittance-Impedance Controller. 2022,	O
54	Impedance Control on Redundant Manipulators with Zero-Potential-Energy (ZP) Motions: Theory and Experimental Validation. 1-10	0
53	Asymptotic switched composite adaptive control with application to robotic interaction tasks.	O
52	Proxy-based torque control of motor-driven exoskeletons for safe and compliant human-exoskeleton interaction. 2022 , 88, 102906	O
51	Adaptation through prediction: multisensory active inference torque control. 2022, 1-1	O
50	Hierarchical Decoupling Controller With Cylinder Separated Model of Hydraulic Manipulators for Contact Force/Motion Control. 2022 , 1-12	0
49	Research on compliant plugging strategy for electric vehicle charging port based on force feedback. 2022 ,	O
48	Learning-Based Compensation-Corrective Control Strategy for Upper Limb Rehabilitation Robots.	О
47	Passive arbitration in adaptive shared control of robots with variable force and stiffness scaling. 2023 , 90, 102930	О
46	Contact Force Detection of Grinding Process Using Frequency Information and Differential Feature on Force Signal. 2022 , 10, 127140-127148	0
45	Control Barrier Functions for Safe Admittance Control of a Rehabilitation Cycle for DMD. 2022 ,	O
44	Realization of Crowded Pipes Climbing Locomotion of Snake Robot Using Hybrid Force P osition Control Method. 2022 , 22, 9016	0
43	Role of path information in visual perception of joint stiffness. 2022 , 18, e1010729	O
42	Adaptive Robust Admittance Control of Robots Using Duality Principle-Based Impedance Selection. 2022 , 12, 12222	0
41	Adaptive Hybrid Variable Impedance Control of Industrial Manipulators. 2022,	O
40	PD-adaptive variable impedance constant force control of macro-mini robot for compliant grinding and polishing.	О
39	Adaptive Interaction Control of Compliant Robots Using Impedance Learning. 2022 , 22, 9740	O

38	After a Decade of Teleimpedance: A Survey. 2022 , 1-16	O
37	Embodied Communication: How Robots and People Communicate Through Physical Interaction. 2023 , 6,	O
36	Adaptive fixed-time minimal learning force/position control of uncertain manipulators subject to input saturation.	O
35	Control System Design and Methods for Collaborative Robots: Review. 2023 , 13, 675	1
34	Assembly task execution using visual 3D surface reconstruction: An integrated approach to parts mating. 2023 , 81, 102519	1
33	Introducing Force Feedback in Model Predictive Control. 2022 ,	Ο
32	SEED: Series Elastic End Effectors in 6D for Visuotactile Tool Use. 2022 ,	O
31	A General Method for Autonomous Assembly of Arbitrary Parts in the Presence of Uncertainty. 2022 ,	O
30	End-Point Stiffness and Joint Viscosity Control of Musculoskeletal Robotic Arm Using Muscle Redundancy. 2022 ,	0
29	Controller design of a robotic assistant for the transport of large and fragile objects. 2022,	O
28	Manipulation of Heavy Object with Rapid Force Fluctuation by Humanoids Based on Motion Failure Detection and Repeated Trials. 2022 ,	0
27	Task Driven Online Impedance Modulation. 2022 ,	Ο
26	Force Observer-Based Admittance Control Design for Robot Manipulators. 2022,	O
25	Toward an automatic diagnostic scanning robotic system using ultrasound images. 2022,	O
24	Super Twisting Sliding Mode Control-Based Impedance Control for Teleoperated Virtual Robot Arm End-Effector Force Tracking. 2022 ,	O
23	Development of a Robotic-Machining based Variable Cutting Force Servo System for Casting Scrap Removal. 2022 ,	O
22	Adaptive Admittance Control for Cooperative Manipulation using Dual Quaternion Representation and Logarithmic Mapping. 2022 ,	0
21	Integral Concurrent Learning for Admittance Control of a Hybrid Exoskeleton. 2022 , 55, 77-82	O

20	EMG space similarity feedback promotes learning of expert-like muscle activation patterns in a complex motor skill. 16,	O
19	Neural Adaptive Impedance Control for Force Tracking in Uncertain Environment. 2023, 12, 640	O
18	Adaptive Sliding Mode Control for Force Tracking Using Nonlinear Observer. 2022,	O
17	Development of gait rehabilitation devices: a review of the literature. 2023,	O
16	Adaptive fractional-order admittance control for force tracking in highly dynamic unknown environments. 2023 , 50, 530-541	О
15	Precise and smooth contact force control for a hybrid mobile robot used in polishing. 2023 , 83, 102573	O
14	Taming the abundance of degrees of freedom. 2023 , 44, 166-169	О
13	Contact force cancelation in robot impedance control by target impedance modification. 1-16	O
12	Damping Ratio Prediction for Redundant Cartesian Impedance-Controlled Robots Using Machine Learning Techniques. 2023 , 11, 1021	О
11	Spatial hybrid adaptive impedance learning control for robots in repetitive interactive tasks. 2023,	O
10	What Can Algebraic Topology and Differential Geometry Teach Us About Intrinsic Dynamics and Global Behavior of Robots?. 2023 , 468-484	О
9	Target focus capture system based on enhancement learning and impedance variable structure control.	O
8	Force tracking smooth adaptive admittance control in unknown environment. 1-21	О
7	A telerobotic system enabling online switching among various architectures and controllers. 2023 , 104402	O
6	Biologically inspired robotic perception-action for soft fruit harvesting in vertical growing environments.	0
5	Design, Calibration, and Control of Compliant Force-Sensing Gripping Pads for Humanoid Robots. 2023 , 15,	O
4	Tele-Snap: a joint impedance estimation system using snap motor and openPose for remote rehabilitation diagnosis. 2023 , 37, 528-539	O
3	Sliding Mode-Based Design of Unified Force and Position Control for Series Elastic Actuator. 2023 ,	O

A Stability Analysis for the Reaction Torque Observer-based Sensorless Force Control Systems. **2023**,

О

Introduction. **2023**, 1-15

(